3
BSTRACT ND
N/C
Sci

PAMPHLET BOX

Physics Abstracts

Science Abstracts Series A
January–June 1974

Subject Index part B

U. I. C. C.
DEC 27 1974
LIBRARY

inspec
The Institution of Electrical Engineers

CONTENTS

Title page i
Subject index S653

SIX-MONTHLY INDEXES TO SCIENCE ABSTRACTS

Cumulative indexes to Science Abstracts are published twice a year covering the period January-June and July-December. They comprise author and subject indexes and some specialised or 'small' indexes. For Physics Abstracts and Electrical & Electronics Abstracts the Author Index and Subject Index are published as separate volumes. In this case the Small Indexes are included in the Author Index volume.

Author index

This lists in alphabetical order all authors of papers abstracted in the abstracts journal during the six months covered by the index, together with the title of the paper. Where there are co-authors of a paper the title of the paper is given only under the name of the first author. The serial number of the paper in the abstracts journal is in the form 4–12345, ie 1974—abstract no. 12345.

'Small' indexes

These are specialised indexes which allow the user to find quickly particular types of information which might be difficult to find using the subject or author indexes.

Bibliography index

In this index reference is made to articles which contain a significant list of references or biliography on the subjects listed.

Book index

This gives details of books received and abstracted by the abstracts journal.

Patent and Report indexes

These give details of those reports or patents which have been abstracted in the abstracts journal during the past six months.

Conference index

This index lists conferences for which published proceedings have been received and abstracted. Reference is given to the individual papers and their serial numbers in the abstracts journal.

Subject index

The Subject index provides an alphabetical subject key to the articles included in the abstracts journal. Some general guidance on its use is given below:

1. Look in the index for the name of the specific subject in which you are interested. In most cases this name will be a heading in the index and you will find relevant articles listed under it.

2. Occasionally you will be directed from the subject heading chosen to a different heading under which the relevant or additional articles are listed.

3. If you do not find the subject heading you first choose, try a more general heading.

4. Each entry under the heading relates to an article appearing in the abstracts journal and gives the serial number of that article in the journal preceded by the last digit of the current year, eg 4—12345: ie Abstract number 12345 in the abstracts journal for 1974.

Physics Abstracts

Volume 77, part 1 January–June 1974

Subject Index part B

inspec
The Institution of Electrical Engineers

Physics Abstracts is published twice monthly by the Institution of Electrical Engineers. Twice-yearly subject and author indexes covering the period January-June and July-December are included in the subscription. Printed by Unwin Brothers Limited, Old Woking, Surrey, England. Second class postage paid in New York, NY 10001, USA.

© 1974: THE INSTITUTION OF ELECTRICAL ENGINEERS

minerals continued
dolomite in naturally deformed sedimentary rocks numerical dynamic analysis 4−38226
dunite deposit, Asbestos, weathering and clay formation 4−10800
electron probe analysis using energy dispersive spectrometer and minicomputer 4−15088
elpasolithe, cubic and hexagonal, lattice consts. *(German)* 4−24442
epidote, explosion breccia in archean rocks, Labrador, Newfoundland 4−4326
ericaite, $Fe_{2.4}Mg_{0.6}ClB_7O_{13}$, borate framework, rel. to ferroelec. effects 4−6378
exploration using audio frequency magnetotellurics 4−34495
farringtonite, $Mg_3(PO_4)_2$, X-ray and compositional data 4−1756
feldspar, cathodoluminesc., SEM investigation, single cryst., domains and inhomogeneities 4−9799
feldspar in cretaceous carbonate rocks 4−42038
feldspars, quantitative spectrochemical analyses by ion bombardment 4−25198
fergusonite X-ray absorption spectra of Nb, determ. of symmetry and effective charge distrib. 4−1423
ferrimagnetic hemoilmenite, change in magnetisation during cooling from 350°C in 0.5 Oe at up to 6000 kg cm^{-2} 4−29500
ferromagnetic mineral fabric in rocks rel. to magnetic susceptibility anisotropy meas. 4−14031
flow and fracture of rocks, book 4−10828
formation of mineral deposits, review of theory 4−21851
forsterite, location of Fe^{3+} ions by e.p.r. studies 4−25538
forsterite, postspinel phase rel. to Earth mantle evolution 4−25581
fractionation factor for O isotope exchange between silicates, magnetite and water, temp. dependence 4−10809
galena, Pb isotope growth and calculations 4−34159
galena, search for naturally occurring superheavy elements 4−1776
gamma-ray spectra, influence upon monitoring calibrating unit for one sampling *(Russian)* 4−8582
garnerite:Ni^{2+}, optical absorption spectrum, crystal and mineral oil mull samples 4−6902
garnet, pressure shifts of optical absorption bands 4−21010
gedrites, electron microscope obs. of lamellar structure 4−17591
geophysical prospecting, computer applic. 4−25587
getchellite, $AsSbS_3$, synthetic, X-ray struct. anal. 4−6361
goethite in laterite profiles, crystallinity in alteration 4−42008
gowerite, anionic bond-valence sums 4−6379
greigite, correspondence to solid solution Fe_3S_4-Fe_2S_3 4−3488
greigite, Fe_3S_4, thin film prep., epitaxy on NaCl 4−4032
Grunehogna Antarctica, low grade metamorphosed sedimentary sequence, igneous intrusion 4−4351
halos, radioactive, review 4−38248
heat conduction under extremal conditions *(Russian)* 4−29432
hemo-ilmenite presence in magnetic rocks, connection with low Curie temperature 4−38273
hopeite, cryst. struct. 4−6390
hureaulite, $Mn_5(HOPO_3)_2(PO_4)_2(H_2O)_4$, X-ray struct. determ., chemical comp. 4−6362
igneous clinopyroxenes, sector zoning, protosite theory 4−7508
i.r. spectral reflectance and emittance, appl. to mineral comp. anal. 4−8770
kaolin, physico-chemical characteristics of activated sintering *(Russian)* 4−21414
kappametric work, experimental, at the N. Karazhal orebody *(Russian)* 4−42214
kernite, anionic bond-valence sums 4−6379
kimberlite diatremes, Green Mt. Colorado, mineralogy and petrology 4−21781
koechlinite, Bi_2MoO_6, X-ray struct. anal. 4−3475
labradorite, chemical evidence for exsolution 4−1775
langbanite, X-ray struct. anal., comp. determ. 4−12927
late Quaternary, identification of dactic tephra by neutron activation analysis of primary phenocrysts. 4−14063
lattice thermal conductivity at high temps. 4−32643
layer on antique vase, electron microprobe anal. 4−10055
leifite, cryst. struct. 4−20253
lunar soil column from Luna-16, solar cosmic ray irradiation of olivine and feldspar crystals *(Russian)* 4−34712
magnesite, dynamic compressibility, pressures up to 1.2 Mbar 4−7541
magnesite, mechanical props. rel. to texture *(Polish)* 4−1621
magnesite, $MgCO_3$, X-ray struct. anal., i.r. absorpt., force consts., calcite comparison 4−6377
magnetic induced polarisation method, for exploration, sulphide deposits, massive and disseminated 4−25606
magnetic polarity transitions in high deposition rate deep sea core from NRM 4−29484
magnetic separation, high gradient, mineral beneficiation appl. 4−7792
magnetic separation, high gradient, mineral processing and pollution appl. 4−5114
magnetic susceptibility measuring instrument *(Russian)* 4−8419
magnetite, change in magnetic props. for abyssal thermodynamic conditions *(Russian)* 4−29434
magnetite, high temperature magnetostriction 4−14028
magnetite, photostimulated oxidation, kinetics and alteration phase identification 4−25501
magnetite, photostimulated oxidation, reaction mechanism 4−25502
magnetite, thermoremanent magnetisation origin, contribution of pseudo single domain magnetic moments 4−29486
magnetite, TRM in synthetic submicroscopic particles rel. to NRM in igneous rocks 4−21877
magnetite detection using r.f. radiography, 0.4 to 1 MHz, in boreholes *(Russian)* 4−38521
magnetite-pyrrhotite assemblages in basaltic lavas, compatible magnetic gases 4−21764
magnetite-water test bed, solid material flowmeter *(Russian)* 4−18808
magnetites, a.r.m. and t.r.m. 4−14027
massive sulphide bodies, York Harbour, Newfoundland, geological relationship with ophiolitic volcanic rocks 4−34130
Meaford-Dundas formation study, Southern Ontario 4−29395
metamict AB_2O_6 rare earth oxides, B=Nb, Ta, Ti, VHN_{50} values, reflectance determ. 4−4319
meteoric mineralogical density and composition 4−11158

minerals continued
mill feeds and tailings, geothermal ores, Cu content analysis using ^{252}Cf 4−26728
Mississippi Valley type ore deposits in North American mines, NRM and origin 4−38257
montmorillonite, electron optical obs. 4−7579
mooihoekite, $Cu_9Fe_9S_{16}$, X-ray struct. anal. 4−3471
nenadkevichite, four-fold silica tetrahedra ring struct. 4−6382
nephrite (jade), occurrence in Great Serpentine Belt of New South Wales 4−25582
niokalite, X-ray absorption spectra of Nb, determ. of symmetry and effective charge distrib. 4−1423
nondispersive X-ray fluorescence analysis, use of α particle source 4−2410
oil occurrence, dependence on climate and tectonics 4−34129
olivine, bulk electrical conductivity and temp. in upper mantle 4−21618
olivine, Fe-Mg interdiffusion coeffs. and activation energies 4−7559
olivine, naturally deformed, electron microscope obs. of dislocations and slip mechanism 4−17591
olivine, oxidation in western Musgrave Block rocks in central Australia 4−42018
olivine, pressure shifts of optical absorption bands 4−21010
olivine, rheology of the upper mantle, review 4−1777
olivine, stability w.r.t. oxidation and reduction 4−34145
olivine, thermal diffusivity up to 20 kbar and 1000 K *(German)* 4−34220
olivine crystallisation as liquidus phase discussion of paper by Nicholls and Ringwood (A15884 of 1973) 4−29406
olivine-spinel and olivine-β phase transformations elasticity rel. to 400 km discontinuity in mantle 4−7571
olivine-spinel transition in upper mantle, convection through phase boundary 4−21621
olivinites, electrical conductivity parameters at high temps. and pressures 4−29441
opal, test specimens for high resolution scanning electron microscopy 4−8509
ore beds, nomograms for depth, extent and magnetisation, by characteristic points method *(Russian)* 4−34520
ore beds, slope, depth and size using vertical electrical sounding technique *(Russian)* 4−38522
ore bodies, highly-conducting, size determ. *(Russian)* 4−42203
ore samples, X-ray fluorescence analysis 4−25589
ore-rich sections, apparent resistance technique for separation *(Russian)* 4−34523
orthopyroxenes, tetrahedral sizes, Si-Al ordering 4−7511
periclase-spinel, physico-chemical characteristics of activated sintering *(Russian)* 4−21414
peridotite, experimental deformation causing flow rel. to plate tectonic mechanisms 4−7512
perovskite oxides, relation between ionic radii and cell vols. 4−6395
phlogopites with different hydration degrees, electron density projection on z-axis *(Russian)* 4−6386
phosphorites, marine, continental margin of Peru, uranium-series dated, results and conclusions 4−1778
piemontite, explosion breccia in archean rocks, Labrador, Newfoundland 4−4326
plagioclase feldspars, electron microscope obs. of lamellar structure 4−17591
plagioclase in margarite-bearing rocks 4−29389
polarisation, induced, comparative characteristics, effect of crystal lattice defects 4−7542
polycrystalline aggregates of SnO_2-casserite and GeO_2-rutile, elastic props. 4−29469
polymorphic phase transformations, Birch's law 4−7565
porphyry Cu deposits in southern Basin and Range Province, plate tectonic hypothesis 4−10803
Precambrian Avanavero Dolerite in western Suriname excess radiogenic Ar 4−10804
Precambrian Martin Formation, Saskatchewan, regional chronology from palaeomagnetism 4−10833
Precambrian U deposit, radiogenic Pb haloes 4−42032
prosopite, $CaAl_2F_4(OH)_4$, refinement of cryst. struct. 4−36865
prospecting using aeromagnetic surveys *(French)* 4−38515
pseudo-psilomelane, natural pyrolusite, struct. by X-ray diffraction and electron microscopy 4−10830
pyrolusite, struct. by X-ray diffraction and electron microscopy 4−10830
pyroxene, pressure shifts of optical absorption bands 4−21010
pyroxenes, low calcium, cation distribution, dependence on temperature 4−25537
pyroxenes, suitability for heavy ion detection and cosmic ray composition determ. 4−18668
pyrrhotite, in massive sulphide ore bodies, Canada, study of magnetic characteristics 4−29483
pyrrhotites, relationship between magnetic properties and composition 4−7551
quantitative estimates, linear programming applic. 4−25590
quartz-K feldspur-biotite-garnet-sillimanite assemblage as indicator of P_{h_2o}-T conditions 4−10801
radioactive, determ. of Ne^{21} and Ne^{22} 4−42033
radioactive dating by K-Ar technique, criticism of basic assumptions 4−34128
Raman spectroscopy and diamond fluorescence at high pressures, diamond anvil cell 4−2281
river borne sediments in Argentine, contribution to Basin lutites 4−21822
rock-forming silicates, order-disorder relationships 4−21853
Saint Lawrence estuary, distrib., transport and comp. of suspended particles 4−4372
sapphire, cristobalite-mullite coated, thermal shock resistance rel. to surface prestressing 4−21396
sedimentary basin rocks thermal conductivity from borehole samples 4−10798
separation in heavy liquid, laboratory overflow-centrifuge 4−5302
sepiolite, channel obs. by ultrafine section exam. in high resoln. electron microscope *(French)* 4−32406
sepiolite, struct. analysis, electron diffr. obs. *(French)* 4−32493

minerals continued
siderite, reactions during firing, electron probe microanalyser appls. in metallurgy *(German)* 4—7050
silica diagenesis, devitrification and replacement phenomena in volcanic and sedimentary rocks 4—10831
silicates, reflection spectra 0.325 to 2.5 μ, explanation of features 4—21818
silicates, scaling law for isothermal bulk modulus 4—3512
single-domain magnetite in Jimberlana Norite, W. Australia 4—38216
sintered titanomagnetites, cation distrib. from Mossbauer spectra 4—24436
sodalite, Ge substitution effect on lattice parameters., comp. determ. 4—24444
sodalite, isotopic composition of Ar from neutron capture obs. on ^{35}Cl 4—38247
specific fracture energy determination *(French)* 4—38100
sphene, exposed to underground nuclear explosions, effect of shock on fission track dating 4—29448
spinel, pressure shifts of optical absorption bands 4—21010
stratiform sulphide deposit at McArthur River, Australia, S isotope ratios 4—29465
sulphide ore bodies, e.m. anomaly, effect of conducting overburden, model experiment 4—17618
sulphide ores, identification from oscillation freq. of electric double layer 4—29717
taconite iron ores, beneficiation, high gradient mag. separation 4—7792
ternary solid solutions, graphical representation of crystallization and fusion 4—29390
terrestrial, search for superheavy elements using low level nuclear fission counting technique 4—21855
titanomagnetite, magnetic props. rel. to NRM with Al or Mg substitution 4—29468
titanomagnetite, major mineral present in felsite and basic intrusions from Virginia 4—29449
titanomagnetite in basaltic rocks relation of origin to n.m.r. 4—17596
titanomagnetite of dolerite intrusions Spitzbergen, susceptibility measurements, mode of emplacement 4—25599
titanomagnetite ultrafine intergrowths, effect on remanence, palaeomagnetic significance 4—34240
titanomagnetites, Mossbauer effect study of oxidation states 4—42039
titanomagnetites, synthetic, study of self reversal of remanent magnetisation 4—34260
topaz, Guneisen parameters, thermal cond., acoustic absorpt. anisotropics *(Russian)* 4—32642
tourmaline, SEM, cathodoluminesc. invest., single cryst., domains and inhomogeneities 4—9799
tsumcorite, from Tsumeb mine, S.W. Africa, structure 4—9891
Vilna meteorite mineralogy and classification as hypersthene chondrite 4—29984
W Weddell Sea, silicate and potential temp. in deep and bottom water 4—10860
West Greenland Amitsoq and Isua gneisses, radioactive dating 4—14023
Willowbar meteorite, shocked brecciated L6 chondrite 4—29987
wittichenite, Cu_3BiS_3, X-ray struct. anal. 4—6360
Wohlerite, $NaCa_2(Zr,Nb)[Si_2O_7](F,O)_2$, atomic struct. refinement, cation distrib. 4—12923
wustite, defect struct. *(German)* 4—24468
X-ray diffraction applic., mineral exploration 4—25588
Ca/Y ratios in rocks and minerals as petrogenetic indicators 4—21785
$CaAl_2SiO_6$, hexagonal, new synthetic phase 4—4320
$CaB_3O_4(OH)_3.H_2O$, colemanite, ferroelectric dispersion, theory and microwave obs. 4—3947
Cs concentration, extraction 4—7528
Cu dissolution from sulphides and migration through sand, result of electric current, lab. experiment 4—25563
Cu-Ni ore, sulphur content isotope anal. ores from Sudbury, Ontario 4—4327
Cu-Ni ore body detection, in the Voronezhsky Massif, radiotranslucence applic. *(Russian)* 4—42201
Fe_2O_3 powders, effect of annealing on magnetic properties 4—7552
Fe_3O_4, magnetite, sintering rel. to non-stoichiometry 4—17403
FeOOH, remanent magnetisation during temperature transformations into hematite 4—7596
FeS_2 pyrite positive and negative striations, obs. differences 4—1754
Li concentration, extraction 4—7528
$MgAl_2O_4$, optical spinel, elec. props. 4—20935
$Mg_{3.5}Al_{9.0}Si_{1.5}O_{20}$, sapphirine, order-disorder, struct. factor 4—24418
$Mg_{1.56}Fe_{0.39}Ca_{0.05}Si_2O_5$, metamorphic orthopyroxene, refinement of crystal struct. from Weissenberg photographs *(German)* 4—3487
$Na_2Fe_5TiSi_6O_{20}$, aenigmatite, order-disorder struct. factor twinning 4—24418
P content of interstitial waters of S.E. Atlantic sediments 4—21824
Pb isotopes in ores, alteration by postmineralisation metamorphic and hydrothermal activity 4—29394
Rb concentration, extraction 4—7528
SbS_x, fine-grained intergrowth of complex sulphides *(German)* 4—6503
SiO_2 powder, ultrafine, prep. by evaporation using thermal plasma 4—7380
Te ores, Kalgoorlie, detection of excess ^{128}Xe 4—21791
^{232}Th, determ. in geological materials by neutron activation and X-ray spectrometry 4—35513
Ti^{3+} fassaite from Allende meteorite, reinterpretation of absorpt. spectra 4—2095
Ti^{3+} fassaite from Allende meteorite, absorpt. spectra 4—2096
U-Mo mineralization, characteristics of relationship with volcanogenic formations 4—17601
^{238}U, determ. in geological materials by neutron activation and X-ray spectrometry 4—35513
Zr, in geological, lunar samples, determ. using stable isotope dil., mass spectrometry 4—39399

mines (coal) *see mining*

mines (mineral) *see mining*

minicomputers
see also electronic calculators
for automatic tests, underwater acoustic propagation 4—11380
biomedical electronics, tomogram synthesis control, TV storage tube applic. 4—35043
chemical analysis, use of mini-computers, review 4—39424
chemical analyzer, reaction-rate instrument, minicomputer controlled, ratemeter interface 4—155
displacement meas. using laser interferometer system *(Russian)* 4—12
electron probe analysis using on-line minicomputer 4—15088
geophysical data acquisition system, marine use, with quality control 4—7849
holographic interferometry, minicomputer image storage 4—11512
laser atmospheric experiment, data acquisition and analysis 4—11044
mass spectrometry, use for isotropic abundance meas. of U and Pu *(Japanese)* 4—5221
National Weather Service use in automation of field operations and services program 4—34318
neutron activation analysis, γ spectrum analysis by programmable desk calculator *(French)* 4—15049
particle accelerator, data acquisition and control 4—8432
radiographic dosage calculations for gynaecological insertions 4—11301
SEM, energy dispersion X-ray anal. 4—8525
SEM quantometer, appl. 4—8526
student experiment in kinetics 4—4936
X-ray diagnostic TV apparatus 4—8236
X-ray powder diffractometry system, quantitative 4—20189

minimisation
colour densitometer response functions, interinstrument variability minimisation 4—62
elastic structures minimum-weight determ. under multiple loading conditions 4—23114
impulse transfer from elliptic to hyperbolic orbit 4—4678
limit g-load in spacecraft re-entry, control function 4—4682
liquid flow in bent tube, minimisation of kinetic energy integral *(Russian)* 4—40620
measurement errors, unbalanced differential system, system parameter optimisation 4—30379
shear stress in adhesive for bonded joints, automatic design 4—29181
spacecraft trajectory in the Martian atmosphere, optimal control 4—4687
weight, of smooth shells, stability anal. using energy method in Alfutov-Balabukh form *(Russian)* 4—18873

minimization *see minimisation*

mining
coal dust, X-ray chemical analysis for presence of quartz with associated danger of silicosis 4—30272
deep ocean resources, principles of exploration and utilisation 4—4645
e.m. sounder application 4—34529
environmental studies, surface mining, aerial remote sensing, photography, evaluation 4—22162
marine nodules project, processing 4—4644
mine bed localisation, geoelectric discontinuity detector 4—11029
seismicity relation to gas and oil bearing sites 4—7557
stoping, stress concentration in stratum outer layer *(Russian)* 4—21854
stress concentrations around geological fault, zone affected by mine working 4—10813
underground e.m. sounder experiment in 16-50 MHz range 4—22144
U mines, Rn daughter equilibrium ratios and fractions of unattached atoms, wire screen prefilter meas. 4—42608

minmax technique *see optimisation*

minor planets *see asteroids*

minority carriers
infection, possible decrease in majority carrier density 4—20629
lifetime determination, laser probing technique 4—37270
m.i.s. structure, current multiplication, due to tunnelling 4—37320
photovoltaic effect, drag current due to photons in p-n and p-n-p struct. 4—24824
semiconductor, effect on SEM cathodoluminescence of defects *(French)* 4—40805
semiconductor, hole diffusion length meas., SEM technique 4—41078
semiconductor, intrinsic, lifetime and ambipolar diffusion coeff. direct determ. *(French)* 4—41079
semiconductor, minority carrier mobility and diffusion const. determ. method *(French)* 4—16788
semiconductor-metal junction, transport, drift-diffusion limited 4—20687
GaAs, lifetime, rel. to electron capture cross-section at imperfection centres in l.e.d's 4—28939
GaAs, minority carrier lifetime and diffusivity-mobility ratio 4—41083
GaAs:Ge diodes, minority carrier diffusion lengths 4—10204
n-GaAs:Ne^+, lifetime decrease, photoluminesc. efficiency 4—21055
GaAs-$Al_xGa_{1-x}As$, interface influence on lifetime 4—37305
GaAs-AlAs, p-n-p-n electroluminescent struct., lifetime meas., recomb. 4—28482
GaAs-$Ga_{1-x}Al_xAs$, DH laser, minority carrier lifetime meas. during gradual degradation 4—15370
GaP, m.i.s. struct., deep energy levels, optically excited excess minority carrier charge meas. 4—33033
Ge, carrier lifetime and ambipolar diffusion coeff. direct determ. *(French)* 4—41079
Ge, p-type, dislocation effect on carrier lifetime 4—13206
p-PbSnSe, recomb. of nonequilib. carriers at 77K 4—28427
Si, diffusion length, rel. to anomalous photomagnetic behaviour 4—33004
Si, doping profile at p-n junction investig. using electron beam microprobe *(German)* 4—20673
Si, in m.o.s. structure, effective lifetime, influence of preparation technology 4—41119
n-Si, minority carrier generation in m.o.s. struct. 4—6677
Si, neutron-irrad., diffusion length meas. for damage constants in comparison with photocond. decay obs. 4—41082

minority carriers continued
Si, neutron-irrad., stable damage comparisons from minority carrier lifetime degradation obs. 4−41080
Si:B, Al, Ga, lifetime rel. to acceptor associated defects 4−28360
mirages *see atmospheric optics; light refraction*
mirrors
see also magnetic mirrors
astronomical optics, misalignment sensitivities of two-mirror reflectors 4−34957
conical, with rotating prism, light source angular intensity distribs., meas. 4−30439
electrostatic, toroidal, transfer matrix in second-order approximation including aberrations 4−26653
electrostatic, use in electron spectrometer accommodated in microscope column 4−22990
ellipsoidal, in multiple-pass focused cell, for Raman scatt. 4−30440
Fabry-Perot, high quality, for u.v., Al-MgF_2 multilayers 4−8388
fluorescence between, lifetime modification, image method 4−3066
four-lens paraboloid field corrector 4−14528
four-mirror objective, fast long focus, absence of spherical aberration, coma and astigmatism *(Russian)* 4−22814
fringes on a mirror produced by a laser beam due to non-parallelism of mirror surfaces 4−26353
glassy C mirror development, properties and fabrication 4−34967
graded index rods, spherical, for laser resonator 4−35874
holography, horizontal, illumination via large object and smaller reference mirrors 4−11516
laser beam expander pointing system, unobscured, with 3 tilted spherical mirrors 4−30497
laser beam focusing element, radial mode, mirror configs., air breakdown 4−30500
lasers with three-mirror reflectors, longit. mode selection 4−15374
monochromator, scanning, use of Ebert spectrometer with auxiliary folding mirrors 4−22852
multiaperture plane mirror attachment, for use with Nd:glass laser 4−30505
multiple-mirror telescope, optical fabrication techniques 4−8120
nonlinear, for ultrashort pulse meas. 4−26541
nonplanarities, of known form, for photoelectric autocollimators, aiming centre shift 4−35249
projection reflectors, i.r. photometric and colorimetric characts. meas. apparatus *(Russian)* 4−2279
quality of large diameter parabolic mirrors, compensator for inspection 4−18440
radiotelescope, RT-70, parabolic aerial system *(Russian)* 4−22479
reflectivity meas. of dielectric mirrors, reflectometer appl. 4−35252
ring laser, spontaneous single freq., three-mirror resonator with Nd^{3+}:YAG crysts. 4−8838
rotating plane, ray paths, general description 4−26921
ruby laser, mono-impulse, divided 2-dimens. resonator, operation *(Russian)* 4−39747
scanlaser resonators, transfer matrix of optical components *(German)* 4−23359
solar concentrator, initial tension determ. for shell 4−18413
solar energy paraboloids, concentrating power in various spectral ranges 4−18412
solar energy two-mirror system, geometric parameters, differential eqn. soln. 4−18396
spherical, convex, standard attenuator design *(Russian)* 4−39212
sytull mirror manufacture and preliminary testing for Cassegrain and Ritchey-Cretian telescopes *(Russian)* 4−14526
tapered reflectivity mirrors and shaped apertures, mode prop. improve, of unstable resonators 4−23355
telescope primary mirror cell rigidity meas. by holographic interferometry *(German)* 4−14529
three-mirror resonator interferometer arrangement, transverse mode discrimination 4−23358
Tillinghast 60-inch reflector, optical and mechanical performance 4−42522
wide waveguide band, loss reduction 4−14849
X-ray mirror optics for small-angle scattering cameras 4−32379
X-ray small-angle scattering cameras, optically focusing reflectors 4−32378
Al mirror degradation by melting, in vacuum u.v. laser 4−18495
Al reflective coating, thermal stability with intermediate protective backing 4−18414
Ge, 10.6 μ laser damage 4−15380
Ge, NaCl substrate, spectral characts., CO_2 laser cavity 4−5513
Hg vapour, selective refl. optical filter, appls. 4−35273
Te, NaCl substrate, spectral characts., CO_2 laser cavity 4−5513
m.i.s. devices *see metal-insulator-semiconductor devices*
m.i.s. structures *see metal-insulator-semiconductor structures*
miscibility *see solubility*
missiles
nuclear, e.m.c. design, International Symposium, New York (1973) 4−677
vulnerability to explosions, neutron transport calc. 4−31570
mistakes *see errors*
mixed conductivity
glass, electronic and ionic cond. mechanisms, correl. with dielec. dispersions 4−6659
As-Se:Ag glass, pressure effects up to 2000 atm. 4−13212
Bi_2O_3-B_2O_3, glass, pressure effects up to 2000 atm. 4−13212
CeO_2:CaO, obs. 700-1500°C 4−1257
MgO:NiO, elec. cond. meas., high temp., under increasing O_2 partial press. 4−28467
ThO_2, heterogeneous catalytic activity for CO oxidation, effects of mixed and ionic cond. 4−41943
ZrO_2, heterogeneous catalytic activity for CO oxidation, effects of mixed and ionic cond. 4−41943
ZrO_2:Y_2O_3, monoclinic, ionic and electronic cond., O partial pressure and dopant depend. 4−28466
mixers (circuits)
see also frequency convertors; radio receivers
10 GHz mixing by constricted thin-film Josephson devices 4−10233
dual-gate f.e.t., convertor for aircraft noise and sonic boom meas. 4−26482
mixers (circuits) continued
electron beam traversing microwave cavities, quantum field theoretic approach 4−6695
Josephson junction, electron beam traversing microwave cavities, quantum field theoretic approach 4−6695
Josephson junction, for spectral analysis of HCN laser phase locked at 891 GHz 4−5494
Josephson point contact, heterodyne detector at 891 GHz using c.w. HCN laser as local oscill. 4−5093
standard frequency comparison by error multiplication *(German)* 4−35163
mixes *see mixtures*
mixing
see also blending; dissolving; heat of mixing; mixtures; solubility; solutions
abstract dynamical system, equivalence for mixing 4−18967
air, dissociated mixing layers 4−3349
air, homogeneous streams, nonequil. dissoc. influence on laminar mixing 4−40491
chemical mixing and kinetics, turbulent motion, review 4−3347
fluid mechanics (conf. Atlanta, USA, Jun., 1973) 4−3244
jet, turbulent Mach 5, mixing, mean flow and turbulence meas. in shear layer 4−3302
jet, turbulent Mach 5, mixing, spreading of mean flow in shear layer 4−3301
jet, turbulent mixing with parallel stream 4−3308
jets, axially symmetric compressible free, turbulent mixing 4−3300
jets, multiple, confined mixing 4−3304
jets, pulsating turbulent, mixing improvement 4−3306
jets, turbulent mixing, Raman spectroscopy meas. 4−3303
liquid, longitudinal mixing, fixed bed tubular reactor *(Russian)* 4−6170
liquid, longitudinal mixing, pulsating flow through fixed bed *(Russian)* 4−6171
liquid metal mixing by travelling mag. field, similarity conditions and modelling *(Russian)* 4−931
multicomponent systems, thermodynamics, quasichemical approximation 4−1748
photoelastic immersion fluid 4−35259
plane two-stream mixing layer, turbulence structure 4−3269
powder, compacted blends, diffusional homogenization rate, degree of mixing effect 4−29191
steady state flows of gaseous mixtures with given conc. 4−40511
supersonic ejector, flow limitations 4−3350
supersonic flow, turbulent mixing with fluid at rest, obs. 4−24214
turbulent jet, axisymmetric, generation and suppression of turbulence under acoustic influence *(Russian)* 4−40505
turbulent streams of cond. and noncond. fluids in plane channel *(Russian)* 4−40540
two rapidly reacting chemical species, thermal field produced by turbulent mixing 4−3351
viscous gas suspension flow, solid particle demixing 4−3338
water turbulent pipe flow, ink axial dispersion 4−3270
water-lava dynamic mixing, cause of explosions 4−21757
Al-Zn alloys, ageing, spinodal decomposition and discontinuous precipitation, miscibility gap region 4−25318
NaCl-KCl, solid soln., spinodal decomp., max. temp. calc. 4−20415
SiO_2-CaO-Na_2O glass, scatt. studies of metastable immiscibility 4−6343
mixing, heat of *see heat of mixing*
mixing circuits *see mixers (circuits)*
mixtures
see also mixing; solutions
air-water, flow in conical diffuser 4−3328
aromatic + cycloparaffin mixture excess volume measurement, experimental error anal. 4−23
binary, coexistence curve meas., gravity-induced gradients effect 4−34087
binary fluid, coexistence curve and diffusion coeff. determ. by interferometric method 4−37011
binary fluid, memory from internal mol. relax., effect on transport coeffs., light scattering 4−40729
binary liquid, adiabatic compressibility coeff., vol. conc. depend. *(French)* 4−32596
binary liquid, mixing excess free-energy and interaction strength, viscosity determ. 4−40895
binary liquid, mixing excess free-energy and interaction strength from viscosity anal. 4−40896
binary liquid, partially miscible, interfacial stability 4−17540
binary liquid, partially miscible, stability behaviour 4−17541
binary liquid, thermal cond. investig., modification of statistical mech. theory 4−40921
binary systems, solidus and liquidus curves, immersion technique 4−3555
cholesteric-nematic phase change effect in mixtures containing liquid crystal 4-n-pentyl-4-cyanobipheny 4−6326
complexes, mixed, of one metal with two ligands, continuous variation method 4−1005
dry solid random and non-random mixtures, variance-sample size relations, autocorrel. approach 4−29260
elastic substances, two, Neuber-Papkovich solns. for normal axisymmetric pressure *(Russian)* 4−2482
Enskog equation, modified, for hard sphere mixtures, linear transport coeff. 4−18994
ethanol-water, mutual diffusion coeff. determ., rapid new method 4−24574
ethylene-benzene, forced convection boiling heat transfer crisis 4−6486
ethylene-glycol-water, forced convection boiling heat transfer crisis 4−6486
ethylene-water, forced convection boiling heat transfer crisis 4−6486
excess Gibbs functions determ. from dew press., vapour comp. meas., benzene-cyclohexane system 4−34091
fluid mixture, free energy and structure, perturbation correction 4−19014
fluids and isotropic solids, generalisation of Noll's isotropy group 4−35628

mixtures continued
gas, binary, gas kinetic operator bounds in L_1 functional space 4—16162
gases, binary, ternary mixtures, low density, viscosity determs. using oscillating disc. 4—40367
heat and mass transport in gases and mixtures, review 4—40364
liquid, perturbation methods for calculating props., review 4—4302
liquid, viscosities, Group Solution Model and principle of congruence, comparison 4—1745
liquid binary, statistical thermodynamics 4—25517
liquid crystal, with different sized components, stat. theory, nematic-isotropic transition 4—20204
polymer mixtures, mechanical props., effect of two-phase struct. on anisotropy 4—13894
polymers, morphology of polymer films, kinetics of phase stratification *(Russian)* 4—10706
n-propanol + H_2O, pool boiling heat transfer coeffs. 4—28197
quadrupolar mixtures, thermodynamic properties 4—4306
quasi-chemical theory extension to mixtures of differently sized and shaped mols. *(French)* 4—30924
relaxing binary liquids, Brillouin spectra, intensity ratio meas., activity coeff., excess free energy determ. 4—28819
simple, general entropy principle 4—4309
solids, plane theory in complex potentials 4—39502
supercritical fluids and their mixtures, at very high pressures, thermodynamic props. 4—3573
thermal conductivity, generalised conduction theory, interpenetrating components 4—19015
thermodynamics, axiomatic foundation, first law 4—5433
thermogenesis, calorimetric study of mixtures 4—30421
vapour-liquid equilibria, modified Redlich-Kwong equation of state 4—16586
viscous gas, kinetic description of oscillatory relaxation *(Russian)* 4—16163
Wilson coefficients, regression method 4—1746
m-, p-, o-xylene binary mixtures, excess vol. meas. 4—1123
$(Ag\text{-}K)NO_3$, molten mixture, self diffusion of cations, various temperatures and concentrations 4—3582
$(Ag\text{-}Na)NO_3$, molten mixture, self diffusion of cations, various temperatures and concentrations 4—3582
Ar-Ne, diffusion coeff. determ. as functions of temp., comp. *(German)* 4—32002
He-Ar, He-CO_2, gaseous mixture, flow through orifice investig., various press. and conditions 4—32107
NaCl + KCl, Monte Carlo calc. of thermodynamic props. 4—20419
O_2-H_2, diffusion coeff. determ. as function of temp., comp. *(German)* 4—32002
mm waves *see microwaves*
MO calculations *see molecular orbitals calculations*
mobile antennas
electric strength of aerial moving through atmosphere, calc. 4—11878
radiometer, development and testing 4—30416
ships, e.m.c. problems *(Polish)* 4—39091
mobile communication systems
see also mobile radio systems
air and noise pollution detection 4—39169
mobile radio systems
physiological monitoring multichannel r.f. telemetry system 4—14616
Sanguine, transmitter antenna site selection by magnetotelluric method 4—34497
ships, e.m.c. problems *(Polish)* 4—39091
mobility, carrier *see carrier mobility*
modelling
see also brain models; identification; physiological models; semiconductor device models; simulation
acoustic noise impact on environment, assessment 4—35117
air pollutants dispersion, transport model 4—7707
airflow in San Joaquin Valley, meteorological meas. compared to numerical model 4—42096
airflow model in San Joaquin Valley, forest fire meteorology 4—42097
airflow model over mountainous terrain 4—42098
airflow over complex terrain, mesoscale numerical model 4—42094
airflow prediction over mountainous terrain 4—42095
airflow toposcale models for mountainous terrain, modelling techniques 4—42099
alkanes, high-temp. pyrolysis, general mechanism, computer modelling 4—21550
Arctic Ocean dynamics, barotropic numerical model 4—21921
atmospheric inversion base rise under penetrative convection 4—10910
atmospheric noise, h.f. impulsive 4—38352
atmospheric radiative transfer, pollutant effect on urban atmospheric temperature distribution 4—7706
atmospheric turbulence, three-dimensional model, use of subgrid transport eqns. 4—21992
cephalopod rhodopsin flash photolysis *(Japanese)* 4—34077
chemical reactions, complex, energy absorbtion by gases 4—29307
cloud-free line-of-sight through atmosphere probability estimation 4—7710
colliding particle model for nonlinear conductivity and electrical fluctuations 4—18925
conducting ore bodies, d.c. electrical prospecting 4—25609
conductor, moving cylindrical, with vel. proportional to r^{-1}, mag. field, automodelling tech. *(Russian)* 4—26887
continuous media with polarisation and magnetisation effects, application of variational eqn. *(Russian)* 4—23124
cosmic ray nuclear reactions in meteorites, using isotropically irradiated thick target 4—19360
crystal plasticity, stochastic model 4—1083
d.c. arcs, steady-state, physical model 4—16359
diode cavity, gas pressure effects on current transmission 4—40697
DNA molecule, informational cells, magnetic analogy *(Russian)* 4—30164
dosimetry, exposure to a semi-infinite cloud of a photon emitter 4—40133
ear, analogue modelling of cochlear adaptation 4—39013

modelling continued
earth, recent work, emphasis on core structure 4—21620
electrostatic removal of particulate matter from air stream, process 4—19032
e.m. field theory using educational films 4—39681
e.m. wave diffraction at ideally conducting disc in laminated medium, integral eqns. *(Russian)* 4—8760
eye, self organisation of orientation sensitive cells in the striate cortex 4—39030
eye movement control system 4—39029
field problems, printed capacitance network *(Russian)* 4—35782
flow noise spectra from cylinders and aerofoils, calc. and obs. 4—40459
flow of rivers, daily, in arid region, stochastic model 4—21904
gamma-ray radiometric gauge for extraction tower interzone layer anal. 4—26690
gas flow, unsteady, in long fluid lines with turbulent bulk vels., dynamic modelling method 4—19983
geomagnetic dynamo models, non-steady states, field reversal 4—21622
Geomagnetic field in a piecewise-layered medium *(Russian)* 4—10849
geomagnetic sounding, influence of local surface inhomogeneities, soln. *(Russian)* 4—10847
geophysical data, using absolute value error criteria 4—29700
gravitational analogue, meas. of nuclear scatt. angle, programs in BASIC 4—18318
high concentration gradient regions in vicinity of bounded flow, biphys. model *(French)* 4—40619
hydraulic system with liq. capable of air absorpt., pressure transients, computer model 4—20045
hydrological behavior of ungauged watersheds, parameters by remote sensing 4—22909
induced polarisation for geophysical exploration, physical and computer 4—29709
ion implantation, beam heating of Si wafers, computer model 4—33629
Irish Sea, dynamic response to stationary wind-stress field 4—21914
lake-effect storms, effect of seeding on snowfall distribution 4—7708
liquid-liquid miscible displacement in porous media 4—20059
lithologic model digitised from seismic depth sections, computation of gravity and magnetic field profiles 4—25524
LMFBR optimisation, computer-based model, economic design trends 4—40085
local, of three-dimensional laminar boundary layers, successive approxs. method *(Russian)* 4—24200
magnetic bubble analogue simulator 4—28647
magnetospheric substorm injected particle fluxes 4—38477
mantle low velocity zone, structural model proposed, synthetic seismograms 4—17573
mass, of disc galaxies, equivalence of Brandt's and Toomre's expressions 4—30133
meteoroid population parameters, space vehicle shield design *(Italian)* 4—42354
microwave sea scatter, wind dependence 4—23253
midocean ridge crests, horst and graben structure 4—17569
molecular isomerism, brass model illustrating pseudorotation of five-coordinate atoms 4—26434
nested horizontal grid networks, use in solutions of systems of geophysical equations 4—29718
neutron detectors, prompt response, self-powered, for nuclear reactor n flux meas. 4—22957
Newtonian flow through helical duct of screw agitator 4—19985
nitrolignate, bagasse data evaluation by nonlinear least squares model *(Spanish)* 4—35524
nuclear fuel, modelling of actinide redistrib. 4—3017
nuclear power plant multiport diffuser system for ocean discharges, thermal modelling 4—36383
nuclear power plant primary pressure transient calc., digital model applic. 4—5886
nuclear reactor, flow and pressure drop distribs. of coolants 4—36315
nuclear reactor, optimal fuel management model 4—23768
nuclear reactor crud formation and radiation level buildup modelling 4—23780
nuclear reactor fuel swelling and gas release model, BUBL-2 program 4—23784
nuclear reactor mixed-oxide fuel pins, fuel cladding post irradiation gap 4—23782
nuclear reactor short-term blowdown transients, following loss-of-coolant accident 4—40104
numerical, single point mooring of discus shaped buoy 4—17874
ocean, bottom density streams on slopes *(Russian)* 4—25654
ocean biological volume scatt. strength prediction 4—11081
parallel pipelines, earthquake resistance, critical distance determ. *(Russian)* 4—25566
planetary boundary layer, one-layer model 4—29570
planetary convective boundary layer, explanation of large Reynolds stresses 4—10908
plastic models of crystals for students, produced in the laboratory 4—26425
pollutant dispersion in coastal waters 4—11079
polymer, work function estimation, physical model 4—16810
precipitation models from radar and rainfall data for radiowave absorption and scatt. estimates 4—7743
radiation dosage, environmental, calc. using models programmed in BASIC computer language 4—31595
reactors, thin film SO_3 sulphunation, temperature control 4—33997
scientific development, predictability, general systems model 4—8275
sea breeze front, numerical integration 4—10906
seismic wave attenuation, four element viscoelastic model, explosive source 4—14058
solar coronal aureola, computation from solar aureola obs. *(French)* 4—38628
steel, stainless, defect production by protons, neutrons and Ni ions, computer modelling 4—24494
stratospheric global circulation, effects of earth's orography and continentality, numerical simulation 4—22037

modelling continued
surface temperature, diurnal variation in mountainous terrain, toposcale math. model 4−42092
temperature prediction, daily maximum 4−25696
terrestrial shear pattern of earthquake distribution, strain ellipsoid model 4−14060
thermal neutron scattering by light and heavy water, for use in reactor calc. 4−27377
thermal phenomenon in region of complicated geometric shape, electro-thermal analogy description *(Czech)* 4−35202
thermospheric dynamics, Galerkin technique 4−22014
total body plethysmograph, heating and humidification model 4−14665
transmission line models for use with SCEPTRE program in nuclear environment 4−40143
tsunami response for three island system, model of Hawaiian islands Kauai, Niihau, Oahu 4−21923
underwater acoustic propagation loss models 4−11385
underwater reverberation, point scatt. model and statistical props. 4−35108
vehicle suspension, tracked air cushion, dynamic model 4−32141
visual perception, invariance to brightness and contrast *(Russian)* 4−30195
Cs beam clock performance 4−18343

modems
surface acoustic wave matched filter modem, in noise and interference limited environments 4−26330

moderation (neutron) *see neutron moderation*

moderators
see also beryllium; graphite; heavy water; nuclear reactors
cold hydrogenous solid, phonon approximation for effective neutron temp. 4−5869
diphenyl, thermal neutron diffusion parameters, 20-170 degrees C 4−671
graphite, creep, constant stress irradiation induced at high fluences 4−17400
graphite, in 2300 MW(e) twin HTGR, design features 4−27393
graphite, irradiation, neutron fluence and atomic displacement rates 4−27379
graphite, n scattering, Monte Carlo calc. for n, γ spectra 4−31453
graphite, neutron irradiation damage, experimental fitting of data 4−19597
graphite, POCO, creep strain effects on elastic modulus, cryst. orientation, density 4−13814
graphite, pyrolytic, small angle X-ray scatt., micropore system obs. 4−16430
graphite, sp.ht., 200-3500K meas. eval. 4−12448
graphite, thermal and electrical conductivity POCO grade AXF-Q1 graphite to 3300°K 4−17399
graphite irradiation, for high-temperature reactors, obs. *(Dutch)* 4−5903
graphite stresses in high temp. reactors, calc. using irradiation damage *(Dutch)* 4−40116
neutron production, very cold, reactor with cooled moderator convertor layer 4−36248
thermalisation of neutrons meas. in cylindrical shell 4−5871
Be assemblies, meas. of steady state, space dependent, thermal n spectra 4−23763
Be-H_2O plane lattice, generalised Nelkin's expansion, multigroup P_n theory 4−12406
D_2O moderator, $^{16}O(d,n)^{17}F$, reactor performance monitor *(German)* 4−3008
D_2O production of delayed photoneutrons from ^{235}U 4−36182
Fe-Na mixtures, neutron slowing down, mixed energy-group, energy-point theory 4−15934
H_2O-Be plane lattice, generalised Nelkin's expansion for neutron burst decay 4−12403
N, liquid, 1-20 MeV neutron spectrum 4−31452
N, liquid, n scattering, Monte Carlo calc. for n, γ spectra 4−31453
U-graphite mixtures, neutron slowing down, mixed energy-group, energy-point theory 4−15934

modes, laser *see laser modes*

modes, lattice vibrations *see lattice dynamics*

modes, vibration *see vibrations*

modular circuits *see modules*

modulation
see also amplitude modulation; demodulation; modulation spectroscopy; modulators; optical modulation; pulse modulation; Schwarz-Hora effect
Alfven waves by sonic waves 4−956
dissipative or unstable media, modulation of nonlinear wave 4−32111
e.m. wave in reflex discharge plasma *(Russian)* 4−20084
h.f. interaction between ion and electron beams 4−19162
ion beam interaction with background electrons 4−16315
laser gyroscope output, caused by discharge striations *(Russian)* 4−23415
molecular beam, detector *(French)* 4−31974
Pt, sp. ht. determ. by temp. modulation method 4−28221

modulation factor *see modulation*

modulation index *see modulation*

modulation spectroscopy
see also electroreflectance; magnetoreflectance; piezoreflectance; thermoreflectance
alkylperoxy radical u.v. absorpt. and mutual recomb. 4−13995
derivatives of spectral functions, derivation of $dI/d\omega$ 4−25079
e.p.r., broad lorentzian line, modulation broadening for linewidth estimation 4−39293
microwave spectrometer using saturation effect modulation technique 4−2287
molecular beam, time-of-flight distrib. using modulation spectroscopy of population of quantum state *(French)* 4−31973
optical, light intensity monitor device, photomultiplier, differential amplifier, description 4−2286
stratified media, anal. of modulation spectra 4−17042
velocity measurement, electrophoresis, Doppler shift of suspension in oscill. elec. field 4−26927

modulation spectroscopy continued
As_2SeTe_2, amorphous, bulk and film, extrinsic electroabsorpt., peak obs., rel. to photocond. 4−16786
$CdSiP_2$, wavelength modulation spectra, band struct. determin. 4−33438
Cs, optical pumping, strong r.f. field, Haroche reson., Hanle effect 4−19680
Ge, photoabsorption, mechanism, rel. to energy struct. *(Russian)* 4−33452
In_2Se, photoabsorption, mechanism, rel. to energy struct. *(Russian)* 4−33452
Pb(S,Se,Te), wavelength modulation spectra investig. and interpretation 4−25123
SbSI, wavelength modulation spectra and electronic band struct. 4−41391
SnSe, wavelength modulation spectra investig. and interpretation 4−25123
$ZnGeP_2$, wavelength modulation spectra, band struct. determin. 4−33438
$ZnSiAs_2(P_2)$, band struct. determ., pressure depend., wavelength modulated absorpt. obs. 4−33439
$ZnSiAs_2(P_2)$, wavelength modulation spectra, band struct. determin. 4−33438

modulator-demodulators *see modems*

modulators
see also modems; modulation
audio signals, hearing studies applic. 4−42565
hard tube type, high repetition rate, 600 kW peak, linear accelerator applic. 4−30535
h.v., high power, line type, pulse group operation 4−30538
for klystrons, 1.25 MW, at the Los Alamos Meson Physics Facility 4−30536
laser accessories 4−30507
light SHF interference, with optical resonator *(Russian)* 4−5079
microwave using birefringent crystals, Faraday effect in varying magnetic field 4−20970
optical, ZnS waveguide u.v. and electron irrad., for He-Ne laser 4−39271

modules
analogue computer circuit simplification with multifunction module 4−11424
analogue function modules 4−35571
Mossbauer effect measuring system, IC's 4−2363
Nuffield, for schools two circuits representing traffic lights and S.O.S. signal 4−26406
pulse shaper and integral discriminator, using IC's for radiation counters 4−39349
student instrument and circuit module, inexpensive case 4−26431
Worcester circuit board, home made, use of steel banding instead of Terry clips 4−30377

modulus, Young's *see Young's modulus*

Moire fringes *see light interference*

moistening *see wetting*

moisture
see also humidity; mechanical permeability
atmospheric, cumulus convection, macroscale numerical cloud forecast model 4−4417
atmospheric, mesoscale model applied to storms 4−4418
atmospheric, stability to condensation, with background wind 4−4430
atmospheric, vertical flux of telluric rays 4−4405
atmospheric adiabatic and isobaric mixing of air masses, liquid water content *(Dutch)* 4−4471
atmospheric moisture budget for NE Colorado hailstorm 4−1830
atmospheric trade wind cloud clusters, satellite obs. over N.Pacific, statistical anal. 4−4518
atmospheric variable ambient moisture and wind shear 4−4434
Colorado hail season, determ. of moisture sources and flow patterns 4−1836
concrete, fine-grain, internal heat and mass transfer parameters in curing by thermohumidity treatment 4−41912
disperse materials, hygroscopic state thermodynamics 4−41901
drying, of capillary-porous colloidal materials future developments 4−33923
granular bed, moist, effective thermal conductivity rel. to moisture content and av. temp. 4−17470
photographic emulsions, optimum plasticising *(Russian)* 4−18673
plastic, thermomech. testing for environmental resist. 4−17481
radar backscatter from irrigated and dry fields at 400 MHz and 13.3 GHz, moisture dependency 4−25890
soil, hydrological regime, transfer of results of lysimetric obs. to field conditions *(Russian)* 4−29528
soil, metal concentrations in moisture films 4−14042
soil moisture potential meas. by cryoscopic method *(Russian)* 4−7802
spectral sensitisation, modifications by alterations in environment 4−25512
thunderstorms, dynamical and thermal structure, moisture effects, model 4−1860
two-phase flow in diffuser, wetness effect on aerodynamic characts. *(Russian)* 4−40561
urban atmospheric boundary layer flow, moisture effects on model 4−34352

moisture content *see moisture*

moisture measurement
see also humidity measurement
convective drying with variable-agent parameters, kinetics and dynamics, exptl. apparatus 4−39173
hydrology, user requirements and use of satellites 4−17827
infrared radiation reflection, moisture content of ore concentrates 4−35523
paper, weighing method, error analysis 4−23056
soil, at 30 MHz to 4 GHz 4−14222
soil, by microwave sensors 4−14218
soil, radar measurement 4−34274
soil, remote sensing with microwave radiometers 4−29720
soil, using microwave radiometers 4−34564
soil moisture meas. by v.h.f. radio wave attenuation 4−14215

UCLA LIBRARY

moisture measurement continued
water-soluble powders, calorimetric method for low water content meas. 4−39177

molar volume *see density*

molecular beams
see also particle velocity analysis
adiabatic passage on dipole transitions of beam traversing inhomogeneous mag. field *(French)* 4−2612
angle of incidence, effect on internal macrovoltages of CdTe thin films *(Russian)* 4−1249
application to study of neutral particles in thermal plasma 4−36735
conical-ring source, intensity distribution analysis 4−19926
detector using levitation of charged particles *(French)* 4−23426
epitaxy, film growth process with appl. to GaAs and GaAs-$Ga_{1-x}Al_xAs$ 4−25272
focusing, electrostatic systems *(Russian)* 4−2638
formaldehyde, K splitting spectrum of $H_2{}^{13}CO$ and $H_2C^{18}O$ *(French)* 4−31856
gas phase reaction kinetics, review 4−34027
gas scattering, effusive flow patterns in semi-infinite slit chambers 4−32109
interaction model, impulsive tridimensional, in free mol. flow 4−33530
interaction with solid surfaces 4−33529
ionisation reactions, associative, electronically excited particles, mol. beam tech. 4−5959
maser operation, electret state selector 4−23288
modulated, detector *(French)* 4−31974
molecule microscope, for biological and biomedical research 4−11643
relaxation induced for mass spectrometer applic. by use of nozzle jet 4−35456
scattering, Fredholm integral equation, interative method for soln. 4−26759
semiconductor doping, intense source of collimated beams 4−33628
solid surface scattering, pattern distortion 4−28971
surface scattering, elastic and inelastic, structure obs. 4−21116
techniques applied to thermospheric sampling 4−38551
time-of-flight distrib. using modulation spectroscopy of population of quantum state *(French)* 4−31973
$Ba + N_2O$ chemiluminescent reaction, cross section rel. to kinetic energy investig., excitation function meas. 4−41936
$Br_2 + O$, persistent collision complex 4−13981
CO, capture coeffs. for Sc, Ti, V, Cr, 78-900K *(Russian)* 4−32818
F + dichloroethylene reaction, crossed mol. beam interactions 4−29315
H_2, cluster beam analysis by time-of-flight mass spectrometry 4−19925
H_2 cluster beam, molecular electron ionisation effective cross sections 4−27742
$H^{79}Br$, $H^{81}Br$, Stark-Zeeman hyperfine structure, molecular beam electric resonance spectroscopy 4−27694
HCl, r.f. spectrum molecular beam electric resonance spectrosc., magn. props., mol. quadrupole moment 4−24099
HF, r.f. spectrum, molecular beam electric resonance spectrosc., magn. props., mol. quadrupole moment 4−24099
H_2O, differential collision cross section meas. 4−9625
I_2, laser-mol. beam meas. of h.f.s. 4−6079
$^{127}I_2$, absorpt. spectrum of hyperfine structure, obs. with jet stream c.w. dye laser 4−8819
$K_2 + CCl_4(C_6H_{12})$, elastic scattering, rainbow struct. obs. 4−4250
$K_2 + HgCl_2(HgBr_2)(HgI_2)$, reactive scatt., ang. distrib. meas. 4−4248
KBr, de-excited by polar mols., inelastic scatt. energy transfer cross-section 4−16142
KBr, inelastic scatt. by non-polar mols., vibr.-translation energy transfer 4−16143
N_2, cluster beam analysis by time-of-flight mass spectrometry 4−19925
N_2 cluster beam, echelette grating reflection, surface struct. depend. *(German)* 4−6954
NH_3 maser spectrometer, relax. rates 4−9622
$^{14}NH_3$, maser oscillator 4−39717
NaCl intensity measurement, condensation temperature method, advantages, technique 4−5224

molecular biophysics
adsorbate, on biological matrix, thermodynamic anal. from n.m.r. data 4−38948
albumin, serum bovine, pseudo-Raman spectrum, water film effects *(French)* 4−31991
amino acid analyser, Mikrotechna 881 4−2414
ammonia biosystem, hypothetical 4−42530
anti-poly-D-alanyl antibodies, shape and volume before and after tetra-D-alanine interaction 4−31987
atropine, rat, central nervous system interference with radiation induced behaviours 4−8195
bacteriophages, T2, S_d and DD2, dimensions and wt. parameters, X-ray small-angle scatt. 4−36586
biological macromolecules, metastability of lattice of H bonds 4−38947
biological macromolecules in soln., small-angle neutron scatt. 4−31982
biological processes, problem of participation of coherent phonons 4−22505
biomacromolecules, thermal properties, investigation 4−18084
biopolymer, cooperative formation of injuries due to irradiation, e.g. DNA 4−38949
biopolymer, mol. weight determ. method of sedimentation equilibrium 4−38944
biopolymer, phase transitions and end effects, models 4−27772
carbonmonoxy myoglobin, photodissoc., 50-200K 4−30163
chlorophyll, light induced e.p.r. 4−42526
chlorophyll-a, fluorescence, excitation-wavelength depend. and solvent effects 4−33477
collisions, electronic energy transfer 4−8124
conformations by u.v. spectroscopy 4−36594
conformations determination by circular dichroism 4−38957
copper phthalocyanin, non-porous film, prep. and photovoltaic effect in electrolyte 4−26202

molecular biophysics continued
cytochrome c, resonant Raman scatt., freq. depend. of depolarization ratio 4−30161
cytochrome P-450, mol. structure and mechanism of functioning 4−18086
D-penicillamine, pharmacokinetics, compartmental study 4−38941
deoxyguanosine 5'-phosphate, molecular conformation 4−42531
DNA, fluorophore sempervirene complexes, and probe applic. 4−42527
DNA, luminesc., role of H bonds of base pairs 4−38945
DNA, optical rotary dispersion in phase C_d and T_2 4−38942
DNA, quantum tunnelling, external elec. field effect 4−22506
DNA, supramolecular structure 4−38943
DNA fractions of meristematic cells, fast electrons effect *(German)* 4−2193
DNA strand breaks, and rejoining, estimation in vivo in thymus and liver of mouse 4−38951
DNA synthesis in u.v. light irradiated cells 4−42528
gene expression, mol. probe 4−39392
genetic and lethal effects, of radiophosphorous decay, in SP82G and T7 bacteriophages 4−38976
haemoglobin, oxygen binding, electronic state of haeme-iron 4−8123
helical systems, disordered and partially ordered, small-angle X-ray scatt. 4−31981
histone-DNA interaction, γ-radiation disturbance of transcription 4−35061
hormones, LH and FSH, serum levels, accidental exposure to ^{192}Ir gamma-rays 4−8197
host cell perturbation by virus, cybernetic model *(French)* 4−11275
human tissue, average Z from volumetric attenuation coeff. of electron beam, 662, 60 and 28.5 keV *(French)* 4−4853
hyaluronic acid solns., photon correlation spectroscopy, rel. to synovial fluid studies 4−42533
hydration of macromolecules, interpretation of deuteron n.m.r. spectra 4−30162
leaves, slow induction of fluorescence 4−38946
lipid bilayer membrane, passive ionic translocation, action of macrocyclic carriers, review 4−26212
lipoproteins from human plasma, small-angle X-ray scatt. 4−31983
lipoproteins from human serum, small-angle X-ray scatt. 4−31984
lipoproteins from porcine plasma, small-angle X-ray scatt. 4−36589
malformin A, disulphide bond dihedral angles from Raman spectra 4−11271
membrane, electro-excitable, ionic permeability change, molecular mechanisms 4−22520
membrane structures, small-angle X-ray and neutron scattering 4−31985
membranes, bimolecular-lipid-membranes, electrical properties and conduction mechanism, electrochemistry 4−8132
metabolic control, by directed in vivo motion 4−42532
metabolites, in blood and urine, biochem. anal. after accidental exposure to ^{192}Ir γ-rays 4−8198
mitochondria, I effect on structure and function 4−38955
mitochondria, phosphate transport inhibition, by N-ethylmaleide 4−38954
myosin diffusion, F-actin activated ATP hydrolysis 4−42547
N-ethyl malaeimide reactions with cellular fractions during radiosensitisation of E. coli B/r 4−38952
neurons of hypothalamic region, ^3H progesterone transport . 4−38958
nucleotide, aqueous solution, u.s. spectroscopy and metachromasia 4−26201
ovuline albumin, pseudo-Raman broad band spectra 4−31992
polynucleotide-polynucleotide complex, helix-coil transitions, anal. of expt. obtained relaxation times 4−9630
polypeptide, helix-coil transitions, anal. of expt. obtained relaxation times 4−9630
polypeptides, helix-coil transitions, spin correl. and cumulants of Ising chains 4−9629
protein damage, u.v. light, effect on secondary radical reactions in a single glycyl-glycine crystal 4−38950
protein densities from X-ray crystallographic coordinates 4−38956
proteins, serum, interaction of ^{47}Ca, ^{85}Sr, ^{133}Ba and ^{226}Ra *(German)* 4−38940
proteins in solution, diffuse X-ray scatt., solvent effects 4−31986
pyruvate dehydrogenase core complex from E. coli K-12, X-ray small-angle scatt. 4−31980
review of various aspects *(Czechoslovakian)* 4−8122
rhodopsin rotational diffusion, in digitonin micelle and the visual reactor membrane, ellipsoidal model 4−42579
t-RNA, interaction of low mol. weight compounds, p.m.r. method 4−26200
RNA, viral, small-angle X-ray scatt. 4−36588
tRNA substrate-tRNA ligase interaction, small-angle X-ray scatt. 4−36587
RNA synthesis, kinetic patterns, the reciprocal problem 4−18085
Schrodinger equation, nonlinear, for molecular complex in soln. 4−22507
Setcreasea purpurea, bioelec. activity rel. to permanent and pulsating mag. fields 4−22555
spin label method, applic. of e.p.r. spectroscopy to biological chem. and mol. biology, review *(French)* 4−11270
thyroglobulin from native hog, small-angle X-ray scatt. 4−38953
tissue water, proton exchange by spin relax. in rot. frame 4−2157
^{134}Cs, binding capacity of skeletal muscle constituents 4−42529
Hg detection systems, neutron activation analysis, for dental research 4−30243

molecular bonds
see also bonds (chemical); hydrogen bonds
acetylene, band intensity of π_u mode, bond moment theory 4−778
alkali halides, bond-charge model 4−19767
alkyl groups, electronic effects, hyperconjugation hypothesis 4−24044
allene derivative, ligand moments and polarisability, optical rot. quantum mechanical theory *(German)* 4−19806
allylic organometallic cpds., metal-ligand bond vibrs. and forces *(French)* 4−36489
amines, IOC-ω-technique, ground state, π-bond energy 4−19768
aniline, in soln., i.r. spectra, NH_2 stretching vibrations, N-H bond symmetry 4−28848

molecular bonds continued
p-benzoquinone, structure and properties using MINDO/2 4–744
bicyclo[2.2.1]heptanone-2, methyl subst., barriers of rot. investig. using CNDO-2, PCILO calc. methods *(French)* 4–40211
binding energy determ. by semiempirical MO electron correlation method 4–5990
t-butyl compounds, partially deuterated, i.r. spectra, CH bond lengths, CH stretching freqs. 4–27687
chiral ligand, chirality function generalised theory 4–19745
cis-dichloro-cis-bis(dimethyl-sulfoxide)-trans-dimethyltin (IV), single cryst., soln., Raman spectra, Sn-C bond polarizabilities 4–13448
complexes, weak, bonding investig., using enthalpies of form., ionization pots. 4–27618
conjugate, rel. to long range forces of interacting system *(Russian)* 4–6133
core binding energies and atomic charges calc. 4–5995
core-electron energies and atomic charges calc. 4–5996
cyclohexane, lengths by gas electron diffraction 4–742
diarylamine radical, π-bonding, recombination reaction 4–16046
diazocyclopentadiene, LCAO MO SCF calcs., ESCA, structure, bonding, core and valence ionized states 4–31791
dichlorophenoxy acetic acid, Weissenberg photos., geometrical config. 4–20294
dimethyl sulphone, electron diffr. study, mol. geometry 4–19740
2,3-dimethyl-2-butene, gaseous, electron diffr., bond lengths, angles, struct. 4–19739
dimethylselenide, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4–31832
dimethylsulphide, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4–31832
dimethylsulphoxide-boron trifluoride, conform. analysis, rock and roll internal motion 4–3090
dimethyltelluride, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4–31832
dipole moment calculations from vibr. i.r. spectra, planar or linear mols. 4–9509
dissociation, in triat. mols. alkanes, rate const. calc. using spectroscopic data *(German)* 4–33979
distances, force constants and dissoc. energy, relations between 4–31801
equilibrium geometries, ground, low excited states, bond lengths and angles, AH_n mols. (A is C,N,O or F) 4–16038
ethane, nonadditivity of interband interactions, rot. barrier 4–9475
fluoroethylenes, hybridization, electronegative substitution, CC-bond shortening, variational calcs. 4–19759
glyoxal, structure and properties using MINDO/2 4–744
halobenzene, trisubstituted, singlet transition energies, MIM wavefunctions, PPP charge densities and bond orders 4–27626
hexafluorocyclopropane, mol. consts. 4–19787
hydrocarbons, interaction of σ-bonds 4–6001
hydrocarbons, liquid, electron range distribution, terminal double and triple bonds effect 4–1426
isopropylacetylene, molecular struct., microwave spectra 4–3175
ligand field theory of metal sandwich complexes 4–27617
ligand rearrangement, double cosets and counting formula, classification 4–19744
ligand vibrational frequency shifts, complexation, kinematic effect 4–12553
malformin A, disulphide bond dihedral angles from Raman spectra 4–11271
methane derivative, ligand moments and polarisability optical rotation quantum mechanical theory *(German)* 4–19805
methyl chloroformate, bond moments, predicting mol. conformations, dipole moment 4–19741
methyl cyanoformate, bond moments predicting mol. conformations, dipole moment 4–19741
methyl fluoroformate, bond moments predicting mol. conformations, dipole moment 4–19741
methyl thiolchloroformate, bond moments predicting mol. conformations, dipole moment 4–19741
methyl trifluoroacetate, bond moments predicting mol. conformations, dipole moment 4–19741
methylcyclosiloxanes, gas phase electron diffraction investigation Si-O bond distance and SiOSi angle obs. 4–747
methylene bromide, electron diffr., C-Br bond length, mol. struct. 4–19742
methylmetals, mol. orbital calcs., bonding lengths and mechanisms 4–40218
methylsilane, relation between bond moments, molecular moments, electronegativity and dipole moment 4–36482
monomethylated butadienes and acroleins, rot. isomerism, strain energy, internal rot. barrier around C-C bonds 4–19743
nitriles, molecular orbital study rel. to core resonance integral for short C-N bond 4–19753
nitrosomethane dimers, INDO and CNDO/2 calcs. for N-N bond *(French)* 4–31762
orbital definition of chem. bond order *(Russian)* 4–27624
outer 3d orbitals participation in bonds and influence on molec. props., literature review 4–5988
oxygen bond system, i.r. spectra, vibrational analysis 4–31851
paper cut-out model to illustrate tetrahedral geometry of sp^3 bonding 4–26427
phosphorus(III) organic compounds, radio freq. spectra, P-N band stretching freq. *(French)* 4–24106
polymer, rupture accumulation, atomic destruction mechanism 4–38079
propane, partially deuterated, i.r. spectra, CH bond lengths, CH stretching freqs. 4–27687
proton transfer, symmetrical hydrogen bonds, environmental influence 4–40232
pyrrole type compounds, IOC-ω-technique, ground state, π-bond energy 4–19768
second-order properties, polarisabilities for methane C–H bond 4–5993
tetraiodoethylene, single cryst., spectra, mol. orientation 4–20988
transition metal complexes, pentagonal pyrimidal seven-coord., bonding and MO theory 4–5984
transition metal complexes, relation between stability const. and carbonyl stretching frequency 4–6114
transuranyl ions, force const. correl., Raman scatt. data 4–40264

molecular bonds continued
triatomic molecules, bending force const.:stretching force const., simple bond-charge model 4–19788
triatomic molecules, bending/stretching force const. relationship, deriv. from bond-charge point-dipole model 4–40235
trimethylindium-$Me_3N(P)(As)(Sb)$ 1:1 complex, n.q.r., metal atom coupling consts. 4–33297
trimethylphosphine-borane, Lewis complex, MO calcs., conformational anal., struct. *(French)* 4–19737
vanadyl halogenoacetates complexes, infrared and magnetic studies at 100 to 400K *(French)* 4–3965
As complex, As(III) dithiocarbamate, n.q.r. and S-as-S pyramidal angle 4–27714
CO, optimized Gaussian bond functions 4–27610
ClO_2F, bonding scheme 4–9554
Cu complex, Cu (I) dithiocarbamate n.q.r. and S-As-S pyramidal angle 4–27714
$CuCl_4^{2-}$, ab initio LCAO-MO-SCF calc. 4–5997
N,N-dimethylanthranilic acid, i.r. spectrum, intramolecular hydrogen bonding 4–28849
Ge-N, in $GeCl_4$ complexes with N-ligands, characteristics determ. from i.r. spectra 4–36525
GeH_2Cl_2, GeH_2Br_2, gas-phase electron diffraction investigation, bond lengths obs. 4–748
HBF, electronic struct. and geom. 4–766
HD + acetic acid, D isotope exchange, anharmonic vibr. coupling of hydroxyl and hydrogen bonds 4–41951
HF and HF^+, perfect pairing and MO methods comparison for mol. props. calc. 4–16039
HNF, electronic struct. and geom. 4–766
HO_2, O-O bond lengths, harmonic force constants, Gaussian orbitals 4–31770
HO_3, O-O bond lengths, harmonic force constants, Gaussian orbitals 4–31770
H_2O_2, O-O bond lengths, harmonic force constants, Gaussian orbitals 4–31770
H_2O_3, O-O bond lengths, harmonic force constants, Gaussian orbitals 4–31770
$HgBr_2$, vapour phase Raman spectra, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4–19837
$HgCl_2$, vapour phase Raman spectra, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4–19837
HgI_2, vapour phase Raman spectra, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4–19837
$K_2Zn(CN)_4$, (Cd, Hg), i.r. and Raman spectra, lattice vibrs. and interatomic force consts. 4–25107
LaRh, high band dissociation energy determ. 4–31909
Li^+:formaldehyde complex, binding energy SCF calc. 4–27591
LiF, homopolar bond influence on structure, electron-nucleon interaction *(German)* 4–40233
Mn pentacarbonyls, substituted, high energy photoelectron spectra determ. 4–27737
$(N_2)_2$, i.r. spectrum, van der Waals bond length 4–27667
NF_2-CN, quantum mechanical evaluation of tilt of cyano group 4–750
N_2O_4, Hartree -Fock LCAO MO calcs., N-N bonding, orbital energies 4–40216
NaCl, homopolar bond influence on structure, electron-nucleon interaction *(German)* 4–40233
NaF, homopolar bond influence on structure, electron-nucleon interaction *(German)* 4–40233
$NaGa(NH_2)_4$, vibr. spectra, cryst. struct., metal-ligand and N-H stretching freqs. *(French)* 4–20989
Ni complex, tris(acetylacetone)nickel(II) perchlorate, n.m.r. contact shifts and spin delocalization mechanisms 4–27718
Ni complexes, $Ni(N_2)_m(CO)_{4-m}$, where m = 1-3, i.r. and Raman spectra 4–3136
O_2, O-O bond lengths, harmonic force constants, Gaussian orbitals 4–31770
O_3, i.r. matrix isolation, bond stretching force constant 4–36522
O_3, O-O bond lengths, harmonic force constants, Gaussian orbitals 4–31770
Os(III) complexes, facial isomers of MCl_3L_3 type, determ. from absorption and mag. circular dichroism spectra 4–40259
P-B, in $(CH_3)_3PBH_3$ addition compound 4–3141
$P(CN)_3$, quantum mechanical evaluation of tilt of cyano group 4–750
$PCl_2(O)NCO$, significance of high orbitals of P atom 4–31852
PF_2-CN, quantum mechanical evaluation of tilt of cyano group 4–750
PF_5, bond nature, ab inito LCAO-MO-SCF calc. 4–5998
Ru complex, tris(2,2′-dipyridyl)ruthenium(II), phosphorescence quenching by Cr(III) complexes, ligand and geometry effects 4–38160
Ru with diatomic ligands in ammine complexes 4–6000
Ru(III) complexes, facial isomers of MCl_3L_3 type, determ. from absorption and mag. circular dichroism spectra 4–40259
SO_2, i.r. matrix isolation, bond stretching force constant 4–36522
SO_2BrF, rotational spectra obs. between 18 and 40 GHz S-Br length and FSBr angle determ. 4–3174
SeO_2, i.r. matrix isolation, bond stretching force constant 4–36522
SiF_4, electron diffraction investigation of Si-F length 4–749
TeO_2, i.r. matrix isolation, bond stretching force constant 4–36522
$V(CN)_7{}^{4-}$, bonding and MO theory 4–5984

molecular collision processes
see also molecular electron scattering; molecular energy transfer collisions
accommodation coefficients, rotational and translational, direct simultaneous meas. 4–19797
alkyl acid ions, collision with NH_3, CH_3NH_2, $(CH_3)_2NH$ mols., proton transfer rate constants 4–7425
atom + diatom, Σ^+-Σ^- reversible transitions, differential cross sections 4–12636
atom + molecule, reactive and non-reactive collisions, semi-classical S matrix theory, transition probabilities 4–12635
atom + rigid rotor scattering, rot. excitation, first-order generalized phase shift and perturbation treatments 4–12625
atom-diatom collision, resonances, R-matrix formalism 4–9412
collinear, atom-diatomic oscillator, compound state resonances 4–24143
collision-induced negative ion mass spectrometry 4–5282

molecular collision processes continued
diatomic molecule-atom collision, induced vibr. and rot. absorpt. 4−27675
diatomics-in-molecules potential energy surfaces, nonadiabatic and spin-orbit interactions 4−24155
elastic and inelastic ang. distribs. in j_z-conserving coupled states approx. 4−16133
electron detachment from negative ions near reaction threshold 4−735
gas-solid surface interactions, and surface structure, review 4−33544
inert gas atom, metastable, + molecules, Penning ionization 4−9411
ion dissociation rel. to collisional dissoc. of mols. 4−9603
ion-molecule reactions, ion cyclotron resonance spectroscopy, rate consts. calc. 4−6127
ionisation cross section, modified Firsov theory 4−31709
ionisation reactions, associative, electronically excited particles 4−5959
liquid, collision absorption, effect of intramolecularly compensated dipoles 4−41327
methane, calculated spectral linewidths for broadening by N_2 and O_2 4−9563
methane, collision broadening of i.r. lines between 80 and 295°K 4−12599
methane-N_2 and methane-CO_2 mixtures, inelastic collision effects on thermal diffusion 4−12665
methyl halogenide gas, collision integrals, Senftleben-Beenakker effects and nonreson. absorpt. 4−31999
molecular beam, gas scatt. effusive flow patterns in semi-infinite slit chambers 4−32109
monofluoromethane, Stark pulse switching study of coherent transient effects 4−9596
neutral molecule-excited H-like atom interaction 4−6130
positronium in polyatomic gas, cross-section determ. from diffusion meas. 4−736
potential energy surfaces ab initio calc. in complex plane, analytic construction methods 4−871
quenching of H(2s) metastable atoms, used for molecular multipole moments determ. 4−709
Schrodinger equation, one-dimensional, analytic approx. method problems with three classical turning points 4−8676
semiclassical collision theory, evaluation of multidimensional canonical integrals 4−6129
semiclassical rigid sphere scattering 4−8675
semiclassical theory, many nearly coincident classical trajectories 4−36575
semiclassical theory, three nearly coincident classical trajectories 4−3218
slow collision, multichannel eikonal anal. of electronic transitions 4−9461
symmetric top gas mols., collision integrals, Senftleben Beenakker effects and nonreson. absorpt. 4−31999
velocity distortions of spectral lines with combined Doppler and collision broadening 4−31872
WKB and semi-classical propagator approaches, molecular collision theory 4−31942
CO, collision broadening of i.r. lines between 80 and 295°K 4−12599
CO collisional excitation by H_2 from pressure-broadened CO rotational Raman lines 4−6122
D_2, collision with Na, Na groundstate relaxation *(German)* 4−5963
$D_2+Li^+(K^+)(Cs^+)$, elastic scatt. cross sections, repulsive potential determ. 4−31941
H^- collision on H_2, N_2 and O_2, differential cross-sections for electron production 4−733
$H^+ + D_2 \rightarrow HD^+ + D$, semiclassical treatment of electronic transitions 4−6125
H_2, collision with Na, Na groundstate relaxation *(German)* 4−5963
H_2 inert gas mixtures, ionic collision processes 4−19917
H_2 isotopic mol. collisions with O^+, impulsive inelastic scatt. 4−728
$H_2+Ar(Kr)(Xe)(CO_2)$, m_j-depend. collision cross section meas. 4−9607
H_2+F diatomics-in-molecules potential energy surfaces calcs. 4−24155
$H_2+H_2(H)$ collision, elec. dipole moment and interaction energy, configuration interaction calc. 4−31940
$H_2+Li^+(K^+)(Cs^+)$, elastic scatt. cross sections, repulsive potential determ. 4−31941
$H_2+Li(2^2P)$, diatomics-in-molecules potential energy surfaces calcs. 4−24155
H_2^+, collisional dissociation in H_2 gas, cross-sections for formation of negative ions 4−899
H_3^+ and HD_2^+, collisional dissociation in H_2 gas, cross-sections for formation of negative ions 4−899
$H_3^+ + CH_3NH_2(CH_3OH)(CH_3SH)$, proton transfer and methyl cation condensation reactions 4−4247
HBr, elastic scatt. of Ar* and K, cross section meas. 4−5960
HD + He, low energy, differential cross section for rotational transition 4−16134
$He+H_2$, single-electron loss cross sections 4−12514
I_2, depolarization factor of fundamental band during cont. transition of resonance fluorescence to reson. Raman effect *(French)* 4−27666
K^+, scattering by small molecules, 100-2350 eV 4−27559
$K_2+CCl_4(C_6H_{12})$, elastic scattering, rainbow struct. obs. 4−4250
N_2 + Ar, repulsive interaction potential, statistical perturbation theory 4−31943
NH_3, spectral line broadening by H_2, absorpt. in far wings of vibr.-rot. band 4−836
NO_2^-, electron detachment cross-sections in gases 4−898
NO_3^-, electron detachment cross-sections in gases 4−898
Na + Hg, rainbow scatt. cross-section, Lennard-Jones pot. uniform approx. calc. 4−40332
O_2^-, electron detachment cross-sections in gases 4−898
SF_6 + H*, molecular dissociation of SF_6, chemical laser study 4−7466
Tl, effective cross section computation 4−23986

molecular configurations and dimensions
see also inorganic molecule configurations and dimensions; isomerism; macromolecular configurations and dimensions; molecular bonds; organic molecule configurations and dimensions
π-molecular compounds, packing, librational motion, orientational disorder, theory 4−3449
atomic co-ordinates, concise Fortran program for determ. 4−26430
chirality function, chiral ligand mol. generalised theory 4−19745
computer determ., nonheuristic, of mol. struct. based on ^{13}C n.m.r. data 4−36554
conformational analysis techniques for prediction of heats of formation and thermodynamic functions 4−5972
diamagentic susceptibility, electronic second moment of charge, geometry depend. 4−19779
diatomic properties of states, inversion procedure for internuclear distance depend. 4−3126
equilibrium geometries, ground, low excited states, bond lengths and angles, AH_n mols. (A is C,N,O or F) 4−16038
fragment geometry, automatic computer calc. from vibr. spectra of polyatomic mols. *(Russian)* 4−31773
graph theory representation for mols. with catenate struct. *(French)* 4−12524
ligand rearrangement, double cosets and counting formula, classification 4−19744
model-building, three dimensional, FORTRAN program using line printer as plotter 4−16386
n.m.r., high resolution, applics. *(French)* 4−19865
p.m.r. spectra, measurement and interpretation of intramolecular nuclear Overhauser effect 4−857
SCF perturbation method for determ. of nucl. config. change effect on electronic struct. 4−5986
student experiment, determ. from i.r. spectra 4−30326
topological indices in chemistry, search 4−31763
triatomic, unequal equilibrium bond length formation mech. 4−31767
Van der Waals molecule A_2-X preferred geometry from hindered rotation calcs. 4−3233
variances, covariances of mol. parameters, Gibbs' dyadics, best planes 4−1019
C-H bond lengths, magnetoangular correlations from $J(^{13}C\text{-}H)$ indirect spin-spin coupling 4−16124
^{13}C n.m.r. determ. 4−16126
OH...O hydrogen bond angles, non-linearity in molecular crystals 4−40212

molecular dissociation
see also heat of dissociation; molecular dissociation energies
1-phenyl-3,5,-dimethyl-pyrazole, n.m.r. solvent and steric effects 4−33276
air, 6000K, error sensitivity of coupled reaction systems, dissoc. rate, Fourier transform 4−21542
alkali atom collisions with IBr and ICl, negative halogen ion production 4−893
alkylbenzene cations, gas-phase photodissoc. ion cyclotron resonance in visible region 4−13996
anharmonic relaxation and dissoc., perturbation analysis 4−24045
anhydrides, cyclic, negative ion production cross sections, electron attachment 4−9598
atmospheric photodissociation rates rel. to O_2 absorption cross sections 4−27654
carbon tetrafluoride ion, CF_4^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
carbonmonoxy myoglobin, photodissoc., 50-200K 4−30163
collisional, from collision induced dissoc. of ions 4−9603
by constricted discharges 4−6273
diatomic potential curves, Dunham coeff. calcs. 4−6012
2,3-dimethylbutane, thermal energy depend. in charge exchange collisions 4−27760
dimethylcadmium, photofragmentation dynamics 4−31905
1,1-dinitroethane, rates and H isotope effects in ionisation 4−29369
dissoc. mode cross section meas. 4−31967
dissociative attachment, indirect mechanism 4−887
dissociative attachment of low energy electrons to molecules, indirect process 4−19889
durene, in 3-methylpentane, 77K, photodissoc., photoionisation, quantum yield, fluoresc. loss method 4−41978
durene, photodissociation in rigid soln., biphotonic chem. by fluorescence loss method 4−29354
dyes, photoprotolytic, in soln., excited states 4−28917
electron impact induced dissociative ionisation, O^+, CO^+, C^+ from CO_2 4−24136
ethylene, adsorbed on Pt, CFSO-BEBO calcs. 4−13098
ionisation by impact of α-particles and electrons at equal velocities *(German)* 4−36581
ions, photodissociation, appl. of ion cyclotron resonance spectroscopy 4−867
i.r. resonance laser radiation, oscillator models 4−24126
kinetics, molecules in molecular gas 4−24127
methyl iodide, tritiated, charge distrib. following β-decay 4−4297
2-methylpentane, thermal energy depend. in charge exchange collisions 4−27760
β-naphthol, photodissociation in solvent Franck-Condon state 4−21587
β-naphtholate, photodissociation in solvent Franck-Condon state 4−21587
neopentane, thermal energy depend. in charge exchange collisions 4−27760
nitrobenzene molecular ion fragmentation, ·OH loss, chem. reaction mechanism determ. 4−38143
n-octane, thermal energy depend. in charge exchange collisions 4−27760
organic peroxides, and dissoc. products, luminescence spectra *(Russian)* 4−29352
photodissociation, normal collision coord. anal. for rate consts. calc. 4−40342
photofragment spectroscopy, laser application 4−22859
polyatomic, dissociative ionisation by electron impact, $CO_2 \rightarrow O^+$, CO^+, C^+ 4−24136
polyatomic molecule, photodissoc. model *(French)* 4−9592
polyisoprenyllithium, u.v. spectra, dissoc. constants 4−19946

molecular dissociation continued

- rate constant, calc. for triat. mols., alkanes, using spectroscopic data *(German)* 4−33979
- Rydberg-Klein-Rees potential, near dissoc. limit, inner wall determ. 4−6016
- sublimation, practical conditions, CdSe type material *(German)* 4−3566
- thermal decomposition of diatomic molcules 4−25485
- toluene derived ions, $C_7H_8^+$, ion cyclotron resonance photodissociation investigation 4−868
- transition metal complexes, relation between stability const. and carbonyl stretching frequency 4−6114
- Al_2, energy determ., mass spectrometric method 4−31908
- AlSi, energy determ., mass spectrometric method 4−31908
- AlSiO, energy determ., mass spectrometric method 4−31908
- ArKr, Van der Waals molecule, u.v. spectroscopy 4−24067
- As_4, electron impact, negative ion formation, appearance pot. and dissoc. energies 4−27743
- AsF, dissociation enthalpy, SCF wavefunctions, Hartree-Fock-Roothaan matrix expsn. method 4−31913
- As_2S_3, vaporisation thermal props., Knudsen effusion methods 4−34089
- $B_3N_3H_6$, ion mass spectrum 4−27726
- CO, absorption spectrum, perturbation in E-X(0-0) band, accidental predissociation 4−27653
- CO adsorption on Mo film, X-ray and vacuum u.v. photoelectron spectra 4−24629
- $CO+Ne^+(Na^+)(Ne)$, thin target, ionisation and fragmentation, 5-45 keV 4−19891
- CO^+ collision-induced dissoc., post-threshold behaviour 4−890
- CO_2, dissociative electron attachment, cross-sections for production of O_2^- and C^- 4−886
- CO_2, dissociative ionisation, from threshold to 300 eV 4−881
- CO_2, dissociative ionization temp. depend. up to 1500K 4−31946
- CO_2, laser mixtures, pulsed or c.w., electron density depend. 4−15351
- CO_2, Monte Carlo method for simulation *(Russian)* 4−5404
- CO_2, nonequilibrium nozzle expansions from high-enthalpy reservoir 4−12707
- CO_2 in diffuse glow discharge TEA laser 4−23314
- $CO_2 \rightarrow O^+$, CO^+, C^+, dissociative ionisation by electron impact 4−24136
- COS^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
- COS^+, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4−6113
- CS_2^+, photoelectron-photoion coincidence study, kinetic energy release 4−862
- D_2+Na^+ single collision, dissociation of D_2 molecule 4−12634
- D_2^+, associative recomb., cross-section 4−9599
- D_2^+ + methane, deuterated, 2-100 eV *(French)* 4−895
- DCl, D^- form., electron impact, cross section meas. *(French)* 4−40338
- F_2, electron beam dissoc. and its appl. to chem. laser initiation 4−35836
- GdF_3, enthalpy and entropy of sublimation, error anal. 4−34088
- H_2, by electron impact, processes involving $^2\Sigma_u^+$ resonant state of H_2^- 4−885
- H_2, direct and dissociatve ionisation via $^2\Sigma_g^+$ state 4−880
- H_2, dissociative attachment, indirect mechanism 4−887
- H_2, electron impact, dissociative ionization, new channel 4−31944
- H_2, energy meas., expt. test of quantum theory 4−24066
- H_2, HD, D_2, electron impact dissoc., vel. and energy distribs. of metastable atoms 4−6121
- H_2, ion pair form. by photodissoc., electron affinity of H_2 atom determ. 4−40324
- H_2 and D_2, rate consts. for dissociation, rotation causing low Arrhenius temp. coeffs. 4−7418
- H_2 + He collinear collisions, vibr. excitation and dissoc., semi-classical study 4−31960
- $H_2+Ne^+(Na^+)(Ne)$, target ionisation and fragmentation, 5-45 keV 4−19891
- H_2^+, autoionising states parameters calc. 4−9601
- H_2^+, by electron impact, dissociative ionisation and recombination 4−879
- H_2^+, collisional dissociation in H_2 gas, cross-sections for formation of negative ions 4−899
- H_2^+, dissociative ionisation by electron impact, cross section measurement 4−877
- H_2^+, electron collisions, dissoc. recomb. cross sections meas. 4−19902
- H_2^+, photodissociation, momentum spectrum rel. to vibr. level 4−31904
- H_2^+ beams transmitted through carbon foils 4−9615
- H_2^+ + methane, deuterated, 2-100 eV *(French)* 4−895
- H_3^+ and HD_2^+, collisional dissociation in H_2 gas, cross-sections for formation of negative ions 4−899
- HCl, H^- form., cross section meas., electron bombard. *(French)* 4−40338
- H_2O, dissociative excitation by electron impact, meas. of emission cross section 4−40337
- H_2O, vacuum u.v. spectroscopy, excitation functions 4−3211
- HSO_4^-, dissociation in aq. media, high pressure Raman spectra 4−40272
- $(HeH)^+$ ion, electron impact dissoc. using elliptic type orbitals 4−19903
- I_2, selective predissociation by laser radiation, ortho-para conversion 4−40328
- I_2 liq. 'cage' effect and collision induced predissociation, obs. 4−34073
- $I_2(B^3\pi_{ou\|})$, vibr.-rot. excited, collisional dissociation 4−12638
- ICN, near u.v. photodissociation, impulsive half-collision model 4−3229
- ICN, photofragment spectrum, laser dissociation 4−22859
- Kr_2, Van der Waals molecule, u.v. spectroscopy 4−24067
- Mg_2, long-range forces and vibr. levels near dissociation 4−19927
- Mg_2, vibr. levels near dissoc., long range forces, RKR potentials 4−6015
- N_2, dissoc. ionis. by electron impact, kinetic energies and ang. distribs. 4−872

molecular dissociation continued

- N_2, dissociative excitation by electron impact, translational spectroscopy 4−24134
- N_2, dissociative ionisation, from threshold to 300 eV 4−881
- N_2, Lewis-Rayleigh afterglow, atomic recomb. in presence of oxygen 4−20168
- N_2 dissociative ionisation by electron impact, 0-80 eV 4−883
- $N_2+Ne^+(Na^+)(Ne)$, thin target, ionisation and fragmentation, 5-45 keV 4−19891
- $2N_2(A^3\Sigma_u^+) \rightarrow N_2(C^3\pi_u) + N_2(X^1\Sigma_g^+, v^1 > 0)$, reaction rate constant in stationary afterglow 4−27728
- NH_3, by constricted discharges 4−6273
- NH_3, dissociative ionisation, from threshold to 300 eV 4−881
- NH_3 microthruster appl., heat exchange at high temp. *(French)* 4−36619
- NO, formation of $O(3s^3S^0)$ and $N(3s^4P)$ obs. by v.u.v. fluorescence 4−24124
- NO, spectral broadening and shifts by predissociation 4−9560
- N_2O, photodissociation by soft X-rays, obs. of relative abundances 4−12618
- N_2O in glow discharge, effects of product NO 4−3220
- N_2O^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
- N_2O^+, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4−6113
- $N_2O_4 \rightleftharpoons 2NO_2$, liquid phase, dissociation degree, review *(Russian)* 4−38140
- O_2, dissoc. ionis. by electron impact, kinetic energies and ang. distribs. 4−872
- O_2, dissociation in discharge investigation *(Russian)* 4−27999
- O_2, dissociative ionisation by electron impact, 0-60 eV 4−882
- O_2, glow discharge, ^1D, ^1S metastable atoms, deactivation coeffs. 4−9785
- O_2 plasma, h.f. low pressure, degree of dissociation and neutral gas temp. *(German)* 4−24309
- O_2 + e, direct current discharge, radial distribs. of ions and electrons *(German)* 4−32351
- O_2 + He collisions, production of autoionised O atoms, electron spectroscopy 4−31915
- $O_2+Ne^+(Na^+)(Ne)$, target, ionisation and fragmentation, 5-45 keV 4−19891
- $O_2(a^1\Delta g)$, dissociative attachment for production of o^- 4−24132
- SF_6, collision induced by H*, chemical laser study 4−7466
- SO_2^+ produced by 584 Å photoionisation 4−861

molecular dissociation energies

- binding energy determ. by semiempirical MO electron correlation method 4−5990
- bond distances and force constants, relations between 4−31801
- diatomic molecules, CN, PbF, SiF, SnF, SnS, NBr, dissoc. energy estimation 4−27732
- glass elastic moduli calculation 4−17395
- intermetallic compounds, gaseous, with multiple bonds, calc. method 4−9587
- rare earth tetracarbides, thermal ion emission, variation with atomic no. 4−33861
- relativistic changes accompanying molecular formation 4−36470
- AlAg gaseous species, meas. by Knudsen-cell mass spectrometry 4−3209
- AlAu gaseous species, meas. by Knudsen-cell mass spectrometry 4−3209
- As_4, electron impact, negative ion formation, appearance pot. and dissoc. energies 4−27743
- AsCl, dissoc. energy estimated using chemiluminescent react. involving ASO excitation 4−36564
- BeO, potential curve, spectroscopic and thermodynamic dissociation energies 4−31918
- Br_s, RKR long-range potential for B $^3\Pi_{o(u\|)}$ states 4−3210
- CaO, potential curve, spectroscopic and thermodynamic dissociation energies 4−31918
- Cl_2, RKR long-range potential for B $^3\Pi_{o(u\|)}$ states 4−3210
- CrN, effusion-mass spectrometric determ. 4−31911
- $^{65}Cu^{35}Cl$, potential energy curves 4−19892
- D_3^+ + He, deuterium affinity of D_2 by collision induced dissoc. 4−27762
- H_2 in interstellar clouds, kinetic energy in spontaneous radiative dissociation 4−18045
- H_3^+ + He, hydrogen affinity of H_2 by collision induced dissoc. 4−27762
- HBS, ground state props., ab initio wavefunctions 4−31789
- $(HCN)_2$, vapour-phase dissoc. energy 4−10743
- HF, electronic struct. and dissoc. energy, multi-config. SCF calc. 4−36475
- LaRh, high band dissociation energy determ. 4−31909
- LiH, $B^1\Pi$, from rot. predissoc. and long-range forces 4−27727
- MgO, potential curve, spectroscopic and thermodynamic dissociation energies 4−31918
- NaCu, and ht. of formation 4−41953
- NaF, energy limits in chemiluminescent, atom transfer reactions rel. to bond dissoc. energy 4−41940
- PS, PSe, PTe, exptl. determ. 4−31910
- Th-O_2 system, vaporization and thermodynamic props. of gaseous ThO and ThO_2 4−32694
- ThIr, gaseous, very high stability, mass spectra obs. 4−9587
- ThPt, gaseous, very high stability, mass spectra obs. 4−9587
- TiH, low-lying electronic states, approx. Hartree-Fock wavefunctions 4−27619
- ZrO, pot. energy curves for electronic states, dissoc. energy 4−19888

molecular electron correlations

- alkali halides, diatomic mol., ionic-covalent state interactions, pot. energy splitting 4−16036
- alkali hydride, diatomic mol., ionic-covalent state interactions, long-range, splitting of pot. energy curves 4−16036
- amino-organic, NH_2 electronic struct. and basicity, i.r. spectra 4−36521
- aromatic hydrocarbon crystal, triplet transfer integrals, influence of nonorthogonality corrections 4−10443
- benzene, π-electron states, large-scale CI calcs. 4−763
- binding energy determ. by semiempirical MO electron correlation method 4−5990

molecular electron correlations continued
coupling coefficients for definition and calc. of electron repulsion integrals 4−3105
diatomic molecules, spin coupling, CI interactions, wave functions calc. 4−6004
diatomic rotationless molecule, electron configuration interaction, additional bound state 4−19776
ethylenes, substituted, electronic interaction between vinyl group and substituents, electron-withdrawing effect 4−27735
excited and ionized states, orbital and excitonic descriptions 4−19761
formaldehyde, spin dipole-dipole parameters, CI calcs. 4−27607
Fredholm calculations, Gaussian basis functions applic. 4−31712
group functions formalism, autocorrelated field method *(French)* 4−16042
homonuclear molecules, generalized formula for MO energies including correl. effects *(French)* 4−36468
hydrocarbons, binding energy determ. by semiempircal MO electron correlation method 4−5990
hydrogen bonded systems, second order effects on pots. calculated by CNDO/2 method 4−27606
ion-water complex, HF calc. of heat of formation and correl. energy 4−29314
matrix elements of one- and two-electron operators 4−19765
MC SCF orbitals, variational procedure for optimisation 4−27589
methane, electronic props. CI anal. 4−31788
methylene, spin dipole-dipole parameters, CI calcs. 4−27607
multiconfiguration self-consistent field, general Fock eqn. soln. 4−31782
natural orbitals 4−762
nitroethylene, u.v. spectrum, SCF configuration interaction study of ground state 4−31830
pair-correlated wavefunction, generalized product expansion 4−9491
representable reference density matrices induced by information theory 4−27516
repulsion integral approx. for ab initio calcs. 4−3104
repulsion integrals, correl. contrib., ab initio calcs. 4−24028
thioformaldehyde, non-empirical SCF and CI calcs. for ground and excited states 4−31792
BH, valence electron configuration interaction potential curves, orbital selection 4−5992
C_2^-, nonempirical calcs. on electronic spectrum 4−12538
CH^+, mol vibr., CI calc. of oscillator strengths 4−31827
CO, anal. of perturbation parameters in $a^3\Pi$ and $A^1\Pi$ static 4−9484
CO, dipole moment, CI interactions, SCF calc. 4−5991
CO, effective spin-spin consts., semi empirical formulae 4−27608
H_2, electronic structure, multistate ket ab initio variational calc. 4−24033
H_2, electronic transition moments calc. by perturbation of multiconfiguration wavefunction method 4−40226
$H_2+H_2(H)$ collision, elec. dipole moment and interaction energy, configuration interaction calc. 4−31940
H_3^+, correl. Gaussian wavefunction, calc. of vibr. freq. and binding energies 4−9492
HD, large CI calcs. of spin-spin coupling consts. 4−31897
HHe, high order correl. effects in intermol. forces 4−40225
H_2O, lowest triplet state, multi-config. SCF calcs. 4−3095
H_2O-H_2CO, in relaxed singlet and triplet $n\rightarrow\pi^*$ states, ab initio SCF CI calcs. of hydrogen bonding 4−12543
H_3O^+, equil. geom., ab initio SCF calcs. with inclusion of correl. energy 4−12523
He/H_2, interaction pot. calc. and Van der Waals minimum region 4−9623
He_2 high order correl. effects in intermol. forces 4−40225
Li-He system, hyperfine press. shift, modified HF, MO calc. 4−16150
LiF, low lying excited states, configuration interaction calc. 4−27627
LiHe, high order correl. effects in intermol. forces 4−40225
MgO, electronic transition moments calc. by perturbation of multiconfiguration wavefunction method 4−40226
N_2, Ar repulsive interaction potential calc. 4−31943
NH_3, MC-SCF and CI calcs. 4−27597
NO $X^2\Pi$, $A^2\Sigma^+$, configuration interaction approach 4−9490
O_2, effective spin-spin consts., semi empirical formulae 4−27608
O_3, bound electronic excited states, CI calcs. 4−16043
O_3, excited state equilib. geometry, SCF-CI-MO calc. 4−36479
PO, low-lying valence states, configuration-interaction calcs. 4−31793
SiF_2, electronic spectrum, ab initio SCF and CI calcs. 4−767
$SrCl_2$:Tm^{2+}, 4f-5d electrostatic interaction in vibr. struct. splitting 4−28870

molecular electron scattering
see also electron ionisation
acetone, energy loss spectrum, vapour state obs. 4−24135
acetone, oscillator strength determ. from energy loss spectra 4−884
anhydrides, cyclic, negative ion production cross sections, electron attachment 4−9598
azulene vapour, threshold electron excitation 4−16136
benzene derivatives, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27729
bremsstrahlung production in electron-polar-molecule collisions 4−36576
carbon tetrafluoride ion, CF_4^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
cyclic hydrocarbons, electron impact studies 4−874
dissociative attachment, indirect mechanism 4−887
dissociative ionisation by electron impact, O^+, CO^+, C^+ from CO_2 4−24136
dissociative ionisation by impact of α-particles and electrons at equal velocities *(German)* 4−36581
ethanol, oscillator strength determ. from energy loss spectra 4−884
Fredholm substituted determinants, complex basis function anal. 4−30861
in gas, multiple rotors, restricted, free rotation 4−12627
1,3,5-trans-hexatriene, low-energy electron impact excitation, second triplet state obs. 4−873
long-lived parent negative ions formed via nucl. excited Feshbach resons., autodetachment lifetimes 4−27731
methane, cross section formula for (e,2e) reaction 4−876

molecular electron scattering continued
methanol, oscillator strength determ. from energy loss spectra 4−884
methylene-ion from ethylene, appearance potential 4−31948
multi-centre, Glauber-eikonal approx. 4−9415
organic molecules, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
polyatomic, dissociative ionisation, $CO_2\rightarrow O^+$, CO^+, C^+ 4−24136
polyatomic molecule, low energy electron scatt., variational method 4−31950
thermal electron scatt. cross-section, pressure depend., cyclotron reson. line-shape obs. *(German)* 4−31954
vibrational excitation, polyatomic Born cross section formula 4−40335
ALF_2^- production, electron affinities of neutral species 4−31945
s-trans 1,3-butadiene, electron impact spectroscopy, optically forbidden transitions 4−31949
CO, 10 eV metastable state, cross section and lifetime 4−24138
CO, autoionising states in electroionisation curve 4−6120
CO, electron impact excitation cross section, high vibr. state excitation via shape reson. 4−31953
CO, electron scattering, static potential calc. 4−12626
CO, frame-transformed R-matrix treatment 4−27740
CO, K-shell energy loss spectra at 2.5 keV 4−31951
CO excitatio, discharge tube, spectral characteristics, various parent molecules 4−992
CO_2, absolute differential cross sections of elastically scattered electrons 4−40334
CO_2, dissociative electron attachment, cross-sections for production of O_2^- and C^- 4−886
CO_2, dissociative ionisation, from threshold to incident electron energy of 300 eV 4−881
CO_2, dissociative ionization temp. depend. up to 1500K 4−31946
CO_2, electron impact, elastic and vibr. excitation cross sections 4−27748
$CO_2\rightarrow O^+$, CO^+, C^+, dissociative ionisation by electron impact 4−24136
CO_2^+, anal. of existing data with spectrometer calibration connection 4−12628
COS, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
D_2^+, associative recomb., cross-section 4−9599
F_2, electron beam dissoc. and its appl. to chem. laser initiation 4−35836
GaF_2^- production, electron affinities of neutral species 4−31945
H_2, cross section formula for (e,2e) reaction 4−876
H_2, direct and dissociatve ionisation via $^2\Sigma_g^+$ state 4−880
H_2, dissociative ionization, new channel 4−31944
H_2, elastic scatt., plane wave approx. 4−23997
H_2, HD, D_2, electron impact dissoc., vel. and energy distribs. of metastable atoms 4−6121
H_2, molecular integrals and their recurrence formulas in polaris. potential calc. 4−9597
H_2, processes involving $^2\Sigma_u^+$ resonant state of H_2^- comparison of theory and experiment 4−885
H_2, resonant rotational excitation obs. 4−878
H_2, total cross section, core-excited resonances 4−27747
H_2, Werner band, internuclear separation transition moment depend. 4−27745
H_2 cluster beam, molecular electron ionisation effective cross sections 4−27742
H_2 dissociative attachment, indirect mechanism 4−887
H_2 vibrational excitation, Glauber theory approach 4−12630
H_2-Ne-He, hollow-cathode discharge, electron distrib. and excited atom densities 4−19716
H_2^+, autoionising states parameters calc. 4−9601
H_2^+, cross section measurement for dissociative ionisation 4−877
H_2^+, dissoc. recomb. cross sections meas. 4−19902
H_2^+, dissociative ionisation and recombination 4−879
H_2O, dissociative excitation by electron impact, meas. of emission cross section 4−40337
H_2O, excited states, Rydberg nature and assignments 4−27590
H_2O, vibr. excitation cross sections, Born theory 4−40336
$(HeH)^+$ ion, electron impact dissoc. using elliptic type orbitals 4−19903
InF_2^- production, electron affinities of neutral species 4−31945
K_2, scatt. cross-section, 0.5-50 eV 4−19901
N_2, dissoc. ionis. by electron impact, kinetic energies and ang. distribs. 4−872
N_2, dissociative excitation by electron impact, translational spectroscopy 4−24134
N_2, dissociative ionisation, from threshold to incident electron energy of 300 eV 4−881
N_2, dissociative ionisation, 0-80 eV 4−883
N_2, elastic scattering, 10, 30 eV, quantum mechanical calcs. 4−3219
N_2, electron impact excitation cross section, high vibr. state excitation via shape reson. 4−31953
N_2, electron impact excitation of $C^2\Sigma_u^+$ state of N_2^+, mechanism 4−40333
N_2, K-shell energy loss spectra at 2.5 keV 4−31951
N_2, low energy electron spectra, 11.8-13.8 eV 4−31952
N_2, low-energy positron scatt. parameters calc. 4−12629
N_2, metastable vibr. states electron impact, calc. 4−27744
N_2, rotational excitation cross sections calc. 4−875
N_2^-, valence resonance states 4−27746
N_2^+, perturbations in electron beam induced spectra of first neg. system 4−24133
NH_3, dissociative ionisation, from threshold to incident electron energy of 300 eV 4−881
NH_3, partial oscillator strengths for ionization of 3 valence orbitals 4−31914
N_2O, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
N_2O electron impact dissociation in glow discharge, effects of product NO 4−3220
N_2O electron impact excitation and assignment of low-lying states 4−9600
Na_2, scatt. cross-section, 0.5-50 eV 4−19901
O_2, absolute differential cross sections of elastically scattered electrons 4−40334

molecular electron scattering continued
O_2, dissoc. ionis. by electron impact, kinetic energies and ang. distribs. 4−872
O_2, dissociative ionisation, 0-60 eV 4−882
O_2, effective atom and mol. cross section 4−19905
O_2, energy loss spectra of low Rydberg states 4−24137
O_2 dissociation in discharge investigation *(Russian)* 4−27999
$O_2(a^1\Delta g)$, dissociative attachment for production of o^- 4−24132
TlF dimer, low energy electron scatt., dipole moment obs. 4−19900
TlF_4^-, TlF_5^-, production, electron affinities of neutral species 4−31945
molecular electronic structure
see also inorganic molecule electronic structure; molecular electron correlations; molecular metastable states; molecular orbitals; molecular polarisability; organic molecule electronic structure
1s hole state multiplet splitting, X-ray photoemission obs. 4−19894
$^3\pi$ electronic states, isotope effects, Born-Oppenheimer breakdown 4−19774
atomic charge in molecule, shared electron density, projection and electronic density operators 4−16045
atomic charges calc. by electronegativity equalization method calibrated with core binding energies 4−5995
atomic charges determ. from calculated core-electron energies 4−5996
atomic Z expansions, molecular one-centre scheme limitations 4−19778
computer model designed according to Huckel method for students 4−26416
diatomic, relative positions of noncombining electronic states from reflected stock wave obs. *(Russian)* 4−31815
diatomic molecules, spin coupling, CI interactions, wave functions calc. 4−6004
diatomic rotationless molecule, electron configuration interaction, additional bound state 4−19776
effective charge and i.r. intensities 4−6072
electron repulsion integrals, inequalities for integral approx. 4−27592
excited and ionized states, orbital and excitonic descriptions 4−19761
Franck-Condon effect, re-examination for students 4−26359
generalized eigenvalue eqn., appl. to calcs. for small atoms and molecules 4−2544
inner-shell ionisation energies calc., in model mol. systems, SCF approach 4−40326
ion dipole system, binary distrib. functions, third virial coeff. approx. 4−9626
ionisation, photoelectron spectra obs., orbital energies 4−31939
ligand field-spin orbit energy levels in d^4 and d^6 electron configs. of octahedral and tetrahedral symmetry 4−28357
ligand-field spin-orbit energy levels, d^5 electron configuration, octahedral and tetrahedral symmetry 4−37177
linear polyatomic, spin-orbit splitting in degenerate electronic states, semiempirical calcs. 4−36473
localizability of electrons, loge theory 4−3060
macroscopic model, space-temporal representation 4−27572
metal sandwich complexes, axial field spin-orbit perturbation calc. for d configurations 4−27617
minimization of total energy in PPP method 4−24034
momentum distributions calc. using Gaussian expansions of Slater-type orbitals 4−31779
non-relativistic Hamiltonian, exact results 4−11786
nuclear diamagnetic constants, bounds in atoms and molecules *(Russian)* 4−31643
polyenes, long mols., spin struct. of ground state, antiferromag. criteria 4−16906
proton magnetic shielding anisotropies, gauge invariant molecular orbital approach 4−27709
quantum chemistry, semi-empirical, molecular properties, true effective operators, ab initio evaluation 4−40217
Rayleigh-Schrodinger perturbation theory applic. to excitation energies calc. of π-electron systems 4−27611
repulsion integrals, correl. contrib., ab initio calcs. 4−24028
Rydberg states, diatomic molecule, virtual orbital and variational methods 4−31795
sandwich molecules, diamagnetic susceptibility, modification of two-dimens. electron gas model 4−31799
self-consistent Hartree-Fock-Slater calc., computational procedure 4−756
semiempirical calc. using parameters eval. from at. spectr. term values 4−12476
singlet-triplet energy differences calculated from generalised oscillator strengths 4−25498
student analogy using magnets and iron filings 4−26360
triatomic molecules, bond bending force const., simple bond-charge model 4−19788
triplet-singlet transitions, transition probability in at. system, validity of relationship *(German)* 4−31873
V states, mixed V_σ, V_π states predicted for many molecules, mixed V_σ, V_π state observed 4−36480
molecular energy levels *see molecular electronic structure*
molecular energy transfer collisions
acetylene, vibr. relax. times, u.s. wave dispersion and absorpt. 4−31964
alkali atom collisions with IBr and ICl, negative halogen ion production 4−893
anharmonic oscillators, 0→1 vibrational transitions probability formulated using pot. function 4−36491
anharmonic relaxation and dissoc., perturbation analysis 4−24045
anthracene, anti-Stokes annihilation delayed fluorescence 4−3230
anthraquinone, intramol. excitation energy degradation 4−3230
aromatic hydrocarbon, O_2 quenching of excited triplet states 4−19860
atom + diatom, vibr. excitation, WKB soln. of classical trajectory eqn. 4−27761
atom + diatomic molecule, criteria for inverted vibr. state occupation in products *(German)* 4−33978
atom + diatomic molecule, keV energies, vibr.-rot. excitation 4−31968
atom-diatom, vibrational transition probability, use of Lennard-Jones potential 4−27763

molecular energy transfer collisions continued
atom-diatom collisions, vibr. excitation, 'on-the-energy-shell' optical pot. deriv. 4−40340
atom-diatom collisions at low energies, averaged anisotropic pots. for vibr. excitation 4−31959
atom-diatom reaction, potential energy surface, semiclassical eval. of transl.-vibr. coupling 4−12631
atom-diatomic molecule collision, reaction probability deriv., semiclassical approach, depend. on vibr. state of reactants 4−41937
benzene, vapour phase, triplet-state lifetime obs. 4−841
benzenes, monosubstituted, charge transfer reactions at low energies 4−24148
benzophenone, intramol. excitation energy degradation 4−3230
bremsstrahlung production in electron-polar-molecule collisions 4−36576
carbon tetrafluoride, Raman spectra, ν_1 vibr. band 4−24089
carbonyl complexes, spherical-top, in gaseous N_2, ang. correl. functions and Coriolis coupling 4−16138
charged particle scatt. due to linear mols., energy losses 4−40343
chemical reaction, endothermic rate consts. thermal energy depend. 4−29303
cyclopropane, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
diatomic gas-thermal radiation interaction, model kinetic equation 4−12646
2,3-dimethylbutane, mol. dissoc., thermal energy depend. 4−27760
discharges, non isothermal, molecular states, temperature, relaxation time 4−24326
dissociative ionisation by impact of α-particles and electrons at equal velocities *(German)* 4−36581
ethylene, i.r. laser double resonance, vibr.-vibr. and vibr.-translation/rot. energy transfer 4−27668
ethylene, vibr. relax. rate, i.r. laser induced fluoresc. 4−24153
ethylene, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
ethylene, vibrationally excited in air, collisional fluorescence deactivation 4−897
ethylene and tetrafluoroethylene reactive collisions with O + N and N atoms, vacuum u.v. chemiluminescence obs. 4−6132
excitation energy transfer between like and unlike molecules in solution, photoluminescence *(German)* 4−36580
fast-rotating molecules, vibration-rotation energy transfer, semiclassical theory 4−40344
fluoromethane laser excited, and mixtures with inert gases, vibration-vibration equilibration 4−896
formaldehyde, gaseous, laser excitation, single vibronic state, fluoresc. obs. 4−24112
free radical, diatomic, sensitised fluorescence by $Hg(6^3P_0)$ metastables 4−847
gas, viscous binary mixture, kinetic description of oscillatory relaxation *(Russian)* 4−16163
gas phase reaction kinetics, review 4−34027
gas vibrational relax. in tube, effect on heat exchange 4−40409
glyoxal vapours, vibr. relax. by electronic energy transfer 4−12632
harmonic oscillator-particle collinear collision with Morse pot. 4−9594
inelastic, uniform WKB theory, multiple turning point problems 4−24142
liquid, binary, vibr. energy transfer near reson. 4−1386
liquid, simple, nuclear relax. obs. of ang. momentum relax. effective collision times 4−33287
Lorentz gas, intercollisional interference, induced dipole moment 4−16105
methane, slow neutron scattering, anal. of nuclear spin correlation effect 4−9595
methane, vibr. relax. times, u.s. wave dispersion and absorpt. 4−31964
methane + H^+, (D^+), (H_2^+) and He^+ collision, K-shell ionization, Auger electron ejection 4−24151
methane + methane, fast beam scattering, interaction potential determ. 4−27567
methane + Ne^+,(C^+N^+), 28-145 keV, carbon K-shell X-ray cross section 4−731
methanol, rotational transitions in collisions with He and H_2, intetstellar implications 4−12597
methyl chloride and rare gas mixtures, laser induced fluoresc. obs. of vibr.-vibr. equilibration 4−3223
methyl fluoride, vibr. relax. rate, i.r. laser induced fluoresc. 4−24153
methyl fluoride(chloride) mixture, laser pumped vibr. energy transfer, V-V crossover rate 4−31955
methyl substituted hydrides + H_3^+, ion cyclotron resonance study 4−894
methylene, collision induced singlet to triplet vibronic transition 4−36577
2-methylpentane, mol. dissoc., thermal energy depend. 4−27760
naphthalene and 1-methylnaphthalene, laser excited, pressure effects, singlet, triplet growth, fluoresc. decay, vibr. relax. depopulation 4−16108
naphthalene vapour, fluoresc. lifetimes and yields, press. effects 4−843
negative ion charge transfer reactions, endothermic, electron affinities 4−12640
negative ion charge transfer reactions, endothermic, electron affinities 4−12641
neopentane, mol. dissoc., thermal energy depend. 4−27760
nonspherical molecule containing fluid, coupling of mol. motions rel. to l.f. depolarized light scatt. 4−27766
n-octane + Hg^+, mol. dissoc. thermal energy depend. 4−27760
polar molecule, rot. inelastic collision induced transition, perturbation anal. 4−9614
polyatomic, doubly ionized states production, double charge transfer spectroscopy 4−24150
reactions of high kinetic energy, review 4−34028
relaxation processes, Boltzmann eqn. soln. by method of small parameters 4−3237
review of quantum dynamical theory 4−31971
rotational and vibration energy transfer theory, review 4−31972
rotational transitions, review 4−9608

molecular energy transfer collisions continued
rotationally inelastic scattering, classical phase space description 4-24146
rotationally inelastic scattering, sudden approx. vs. close-coupling calcs. for strong coupling 4-24147
semiadiabatic approx., applic. to collinear atom-diatomic collisions 4-24145
semiclassical theory, impact approx. spectral line shifts and widths 4-19857
spectral broadening, similarity law for line profile and inelastic cross section 4-36534
spherical molecule containing fluid, sound vel. dispersion and vibr.-translational exchange w.r.t. Brillouin scatt. 4-27765
symmetric top molecules, ang. correl. functions influenced by Coriolis coupling 4-16139
symmetric top molecules, inelastic scatt., first order generalized phase shift approx. 4-19914
triatomic system, atom-diatom collision, normal collision coord. anal. 4-40342
trichloromethane, ang. correl. functions influenced by Coriolis coupling 4-16139
unimolecular reactions, thermal, collisional energy transfer 4-13975
vibration excitation kinetics, i.r. laser radiation *(Russian)* 4-16115
vibration-to-vibration energy transfer via short range forces 4-9606
vibrational energy exchange mechanism, multiquantum rot. transitions 4-19908
vibrational relaxation, transition probabilities, opt. model 4-25478
vibrational relaxation in gases and mol. lasers 4-16145
vibrational/rotational transfer processes, collison matrix elements, rel. to mol. form factor 4-19924
Voigt profile, integrated absorption approx. 4-36535
Ar + D_2O scattering, differential cross sections, intermolecular potential determ. 4-36584
Br-Ar quasidimer, Br atoms recombination, trajectory study 4-12637
Br_2 + O, persistent collision complex 4-13981
C^+-H_2, dynamics 4-29313
CO, air broadened linewidths calc. 4-9562
CO, CO^+, vibronic level relax., electronic branching ratios, radiative lifetime 4-19858
CO, fluorescence quenching by ortho and para H_2, vibr.-rot. energy transfer 4-27704
CO, inelastic cross section and radiative transitions, photon excitation 4-19920
CO, vib. relax. on short-pulse discharge 4-24144
CO, vibr. excitation, C + O_2 reaction 4-3226
CO $A^1\pi$, electronic, vibr. and rot. energy transfer investigation 4-902
CO + Ar^+, cross section, 0.04-3 eV 4-16144
CO + CO_2, CO spectral line broadening 4-31871
CO + HCl gas dynamic laser, nonresonant transfer processes *(Russian)* 4-5493
CO + Hg, electronic-vibr. energy transfer 4-888
CO + inert gas, fluorescence spectra, vibr. relax. and quenching obs. 4-31958
CO + Li, rot. inelastic scatt., non-perturbative method approach 4-19923
CO + N_2, (O_2), (H_2) and CO_2, CO spectral line broadening, octupolar and hexadecapolar moments contributions *(French)* 4-27703
CO + N_2 gas dynamic laser, nonresonant transfer processes *(Russian)* 4-5493
CO^+ collision-induced dissoc., post-threshold behaviour 4-890
CO^+ + CO, charge transfer collisions, incident-ion vib. state effects 4-27755
CO_2, bending vibration relax. time 4-9617
CO_2, near resonant energy exchange, Sharma's theory test 4-891
CO_2, relax. of asymmetric stretching vib. in pure CO_2 and mixtures with inert gases 4-12645
CO_2, rotational-vibrational transition linewidths, high resolution pressure broadening 4-9621
CO_2, vibr. excitation by $O_2(^1\Sigma_g{}^+)$, quenching and i.r. emission obs. 4-27749
CO_2 glow discharge, pulsed-laser induced perturbation studies of energy transfer processes 4-40718
CO_2-O_3-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4-9613
CO_2 + H_2(He)(CO_2)(Kr) rotationally inelastic collisions, momentum transfer distributions 4-36578
CO_2 + N_2, CO_2 spectral line broadening, octupolar and hexadecapolar moments contributions *(French)* 4-27703
CO_2 + N_2O mixture, laser excited, simultaneous or selective emission *(French)* 4-16137
CO_2 + O, vibr. relax. obs. by laser fluoresc. 4-892
COS, near resonant energy exchange, Sharma's theory test 4-891
COS, obs. of deactivation of excited S atom 4-9610
CO* + CO system, vibr. energy exchange mechanism, multiquantum rot. transitions 4-19908
$CO_2(v=1)$, vib. energy transfer rates using freq.-doubled CO laser 4-19919
CS_2 vapour, fluorescence quenching 4-3221
Co_2-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4-9613
D + H_2, 'ab initio' surface transition state theory rate consts. 4-10738
D_2 + D_2, stripping below 500 eV 4-9618
D_2 + D_2 collision, near resonant vibr. energy transfer, quantum study 4-31961
D_2 + H*, room temp. cross section, collisional deactivation 4-27545
D_2 + Na^+ single collision, dissociation of D_2 molecule 4-12634
$D_2{}^+$ + methane, deuterated, 2-100 eV, study of various reactions *(French)* 4-895
$D_3{}^+$ + He, deuterium affinity of D_2 by collision induced dissoc. 4-27762
$D_3{}^+$ + NH_3, vib. energy distrib. in reactant ion determ. 4-33981
DF, vibr. energy exchange of $v=2$ state with $v=0$ state 4-12633
DF, vibr. spectra, self and HF induced collision broadened spectral line width, calc. 4-36536
DF, vibr.-vibr. exchange time meas. by laser-induced fluoresc. 4-19907
F + H_2 reaction, potential energy surface, semiclassical eval. of transl.-vibr. coupling 4-12631

molecular energy transfer collisions continued
F + HD→HF + D, F + DH→DF + H, intramolecular isotope effects 4-29311
H + D_2, 'ab initio' surface transition state theory rate consts. 4-10738
H + H_2 collision, vibr.-rot. excitation 4-31968
H + T_2, crossed beam study of H exchange reaction 4-10737
H^+ + H_2, and deuterates, vibr. excitation, transition probabilities and differential cross section 4-24152
H_2, Raman spectrum, quadrupole transition strengths 4-16082
H_2, vibr. relax., collision complex and dimer formation between 40 and 500K 4-31957
H_2-H_2, H_2-D_2, vibr. energy transfer investigation using ab initio pot. surfaces 4-903
H_2 + Ar, quadrupole induced H_2 i.r. spectrum, line shape 4-16104
H_2 + H collision, vibrational absorption in fundamental region, 100 to 40000 cm^{-1} 4-24084
H_2 + H_2, stripping below 500 eV 4-9618
H_2 + H*, room temp. cross section, collisional deactivation 4-27545
H_2 + He, vib. excitation, semiclassical calcs. 4-24149
H_2 + He collinear collisions, vibr. excitation and dissoc., semi-classical study 4-31960
H_2 + Li^+, H_2 rot. excitation, classical trajectory calcs., quantal correspondence 4-12643
H_2 + Li^+, H_2 rotational excitation, coupled channel study 4-12642
H_2 + Li^+ collisions, anharmonicity in rot. and vibr. excitation 4-24139
H_2 + Li^+ collisions at low energies, averaged anisotropic pots. for vibr. excitation 4-31959
H_2 + Na(Cs), direct detection of electronic and vib. energy transfer, H_2 vib. relax determ. 4-19918
$H_2{}^+$ + He reactive collisions, classical superposition phenomena 4-16140
$H_2{}^+$ + methane, deuterated, 2-100 eV, study of various reactions *(French)* 4-895
$H_3{}^+$ + $H_2(N_2)$(Li), dissoc. mode cross section meas. 4-31967
$H_3{}^+$ + He, hydrogen affinity of H_2 by collision induced dissoc. 4-27762
HBr, vibrational relaxation, laser fluorescence 4-31965
HCO radical chemiluminescence reaction with $O_2(^1\Delta_g)$ 4-7464
HCl, collisions with atoms, rot., vibr. excitation probabilities calc. 4-9611
HCl, laser-excited fluorescence, state-selected kinetics 4-31969
HCl, reaction with at. O_2 and H_2, using chem. HCl laser, vibr. excitation investig. *(German)* 4-33976
HCl, vibr. excited, deexcitation during collisions with H_2 *(French)* 4-40339
HCl, vibrational relaxation, laser fluorescence 4-31965
HCl + CO_2, HCl spectral line broadening 4-31871
HCl + D_2, reson. vibr.-vibr. energy transfer exchange rate temp. depend. 4-27757
HCl + N_2, HCl spectral line broadening 4-31871
$H^{35}Cl$ + $H^{37}Cl$ vibr.-vibr. energy transfer collisions, rates obs., isotropic interactions role 4-24140
HD + $H_2(D_2)$ ground state, energy exchange by transition dipole moments interaction 4-31970
HF, collisions with atoms, rot., vibr. excitation probabilities calc. 4-9611
HF + alkane, vibr. deactivation rate 4-31962
HF + ClF_3, vibr. relaxation rate 4-31962
H_2O, vibr. excitation by $O_2(^1\Sigma_g{}^+)$, quenching and i.r. emssion obs. 4-27749
HeH^+, quasibound state spectrum, spectroscopic consts. and rot. excitation via collision 4-31956
HeH^+ + H_2, ab initio quantum mech. pot. energy surface classical trajectory calc. 4-19921
Hg_2* excimer, collisional quenching, radiative decay 4-6128
$Hg(6^3P_0)$ + $CN(X^2\Sigma^+)$→$Hg(6^1S_0)$ + $CN(B^2\Sigma^+)$ 4-6126
$Hg(6^3P_1)$, quenching by CO and NO, impulsive half-collision model 4-3229
I_2 liq. 'cage' effect and collision induced predissociation, obs. 4-34073
$I_2(B^3\pi_{ou})$, vibr.-rot. excited, collisional dissociation 4-12638
K + $HgCl_2(HgBr_2)(HgI_2)$, reactive scatt. of supersonic K beam, ang. distrib. meas. 4-4249
K_2 + $HgCl_2(HgBr_2)(HgI_2)$, reactive scatt., ang. distrib. meas. 4-4248
KBr, mol. beam conditions, de-excited by polar mols., inelastic scatt., energy transfer cross-section 4-16142
KBr, mol. beam conditions, inelastic scatt. by non-polar mols., vibr.-translation energy transfer 4-16143
$Li_2(B^1\Pi_u)$, laser excited, rare gas atom inelastic collisions, rot.-vibr.-translation energy transfer 4-40341
LiH, $B^1\Pi$, dissoc. energies from rot. predissoc. and long-range forces 4-27727
MgF_2 + Ar(Kr) and (Xe) collisions, dipole-induced dipole interaction 4-24141
N_2, $N_2{}^+$, vibronic level relax., electronic branching ratios, radiative lifetime 4-19858
N_2 metastables, formed in electric arc at 1 atmos., decay 4-19912
N_2 vibrational excitation by NO and H_2O, quenching at high temps. 4-19910
N_2 vibrationally excited, reaction with O^+, rate coefficient 4-3228
N_2 + alkali metal atoms, quenching and vibr. relax. processes 4-19906
N_2 + Ar, rot. excitation, intermol. pot. interpret. 4-889
N_2 + Ar mixtures, ion-molecule equilibria 4-1706
N_2 + C^+, 28-145 keV, carbon K-shell X-ray cross section 4-731
N_2 + CO + O_2, vibr. relaxation time of shock heated N_2 4-9609
N_2 + H^+, (D^+), ($H_2{}^+$) and He^+ collision, K-shell ionization, Auger electron ejection 4-24151
N_2 + Li, rot. inelastic scatt., non-perturbative method approach 4-19923
N_2 + N^+ collision, Wigner spin rule 4-24011
N_2 + Ne + ions, thermal energy reaction 4-3227
N_2 + OCS, active N_2 vibr. energy transfer inducing rot. transitions in OCS 4-27751
$N_2{}^+$ + N_2, charge transfer collisions, incident-ion vib. states effects 4-27755
$(N_2)_2$, i.r. spectrum, collision induced absorption 4-27667

molecular energy transfer collisions continued
NH$_3$, collision broadening cross section, depend. on molecular velocity, i.r. technique 4−27701
NH$_3$, i.r.-i.r. double resonance using two-photon technique 4−9524
NH$_3$, i.r.-microwave double resonance spectra, collisional selection rules 4−9620
NH$_3$, i.r.-microwave double reson., collisional relax. among rot. levels 4−31886
NH$_3$, i.r.-microwave multiple resonance, energy collisional transfer between hyperfine levels 4−31966
NH$_3$, i.r.-microwave-microwave triple resonance spectra, direct parity sensitive collisional transitions 4−6131
NH$_3$, matrix isolated, vibrational relaxation by i.r. double resonance 4−6094
NH$_3$, microwave i.r. double resonance spectrum, $\Delta J=0$ collision induced transitions 4−31889
NH$_3$, pressure-broadening of rotational line by He, Ne, Kr, Ar, H_2, D_2 and N_2 *(French)* 4−9558
NH$_3$, relax. cross section, mol. beam maser spectroscopy 4−27754
NH$_3$ i.r. double resonance using two-photon technique 4−6095
NO, absorpt. linewidth at 3693.504 cm^{-1}. Ar, N_2 collision broadening 4−12598
NO, vibr. excitation in collisional quenching of O_2 4−3225
NO, vibrational-translational relaxation, temp. depend. 4−901
NO + Ar$^+$, cross section, 0.04-3 eV 4−16144
NO + Kr$^+$, cross section, 0.04-3 eV 4−16144
$NO + O_3 \rightarrow NO_2 + O_2$ reaction, chemilum. obs. 4−4246
N_2O, excited on (0,0^0,1) vibr. level, vibr. energy transfer *(French)* 4−3222
N_2O isotopic mixtures, near resonant vibr. energy transfer, temp. depend. 4−900
$^{14}N_2O$, excited on (00^{0}1) level, vibr. energy transfer with isotopic mols., fluoresc. intensity decrease *(French)* 4−9605
Na_2 molecule, optical pumping, relax. mechanisms 4−19863
O_2, intermolecular enhancement of spin forbidden transitions, selection rules 4−27648
O_2, NO_2 mixtures, electronic energy transfer formation of $O_2(a^1\Delta_g)$ 4−12639
O_2, vibr. excited, collisional deactivation in laser cell 4−12644
O_2 pressure broadening of λ5577 Å line by rare gas 4−9616
O_2 + Ar$^+$, cross section, 0.04-3 eV 4−16144
O_2 + Ar(Kr)*, quenching cross section, vel. depend. 4−9414
O_2 + He, production of autoionised O atoms, electron spectroscopy 4−31915
O_2 + Kr$^+$, cross section, 0.04-3 eV 4−16144
O_2 + N$^+$ collision, Wigner spin rule 4−24011
$O_2 + O_3$, vibrational relax. 4−27756
O_2^+ + Ar charge transfer collisions, incident ion internal energy participation 4−27750
OCS, relax. cross section, mol. beam maser spectroscopy 4−27754
OD radical, fluorescence collisional quenching rate constant 4−40307
O(^{1}D)-CO system, E-V transfer, molecular resonance fluorescence 4−19909
O(^{1}D)-N_2 system efficiency of electronic to vibrational energy transfer 4−19911
OH, collisions with atoms, rot., vibr. excitation probabilities calc. 4−9611
OH radical, fluorescence collisional quenching rate constant 4−40307
O_3(101), atomic and mol. collisional vibr. deactivation, rate consts. 4−27759
SF_6, forbidden Raman bands, collision induced Raman scatt. 4−31840
SF_6, gas and liq., Raman spectra, ν_1 vibr. band 4−24089
SF_6 + Cs, collisional ionization, molecular electron affinity 4−19916
SV_6, vibr. relax. in post shock region 4−27758
SiF_4 in binary mixtures, CO_2 laser excited, vibr. relax., visible fluoresc. obs. 4−3224
TeF_6 + Cs, collisional ionization, molecular electron affinity 4−19916
Vs($6^2P_{3/2,1/2}$) doublet mixing and quenching by N_2, O_2, H_2, H_2O collisions 4−9416
Xe + Ar, α-excited electronic energy transfer, UV spectra 4−9612
Xe + Kr, α-excited electronic energy transfer, UV spectra 4−9612
(XeKr)*, formation by α-particle collision, UV spectra 4−9612
molecular excitation
see also ionisation of molecules; molecular metastable states; molecular spectra; optical pumping
acetone, from vapour phase electron energy loss spectrum 4−24135
acrolein, triplet states, correlation effects on electronic charge distrib. 4−36478
air, relativistic electron excitation luminesc. mechanism 4−19904
alkali atom collisions with IBr and ICl, negative halogen ion production 4−893
anharmonic relaxation and dissoc., perturbation analysis 4−24045
anthraquinone, intermol. electronic energy transfer 4−3230
aromatic hydrocarbon, phosphorexcitation, O_2 quenching of excited triplet states 4−19860
atom + diatom, vibr. excitation, WKB soln. of classical trajectory eqn. 4−27761
atom + rigid rotor scattering, rot. excitation, first-order generalized phase shift and perturbation treatments 4−12625
atom-diatom collisions at low energies, averaged anisotropic pots. for vibr. excitation 4−31959
atom-diatom reaction, potential energy surface, semiclassical eval. of transl.-vibr. coupling 4−12631
auroral emissions, indirect excitation processes 4−10966
auroral N_2^+ Meinel band system excitation and quenching cross section yielding altitude profiles 4−22019
azulene vapour, threshold electron excitation 4−16136
benzene, triplet lifetime, excitation wavelength, environment depends. 4−6084
benzophenone, intermol. electronic energy transfer 4−3230
biomolecular, modes of microwave excitation and effect on biological processes 4−11330
carotene, structure of excited state, resonance Raman spectra 4−6050
character orders of excited states *(German)* 4−38161
molecular excitation continued
chemical reactions in ionised gases 4−7455
chlorophyll-a, fluorescence, excitation-wavelength depend. and solvent effects 4−33477
coronene mononegative ions, angular momentum calculations 4−24031
cyclopentanone, optically detected zero-field multiple resonance of n,π* triplet states 4−28930
N,N-dialkyl-p-cyanoanilines, excimer formation in solns. and anomalous fluorescence 4−16114
diatomic molecule, MCD, review 4−3128
1,1′-diethyl-2,2′-dicarbocyanine iodide in glycerol, sub-nanosec. lifetime meas. by nanosec. laser pulses 4−3193
diphenylbutadiene, location of ^1A_g excited state, two-photon absorpt. obs. 4−27705
electrode, illumination to reduce electronic excitation and electrochem. reactions, also inverse process *(German)* 4−34030
electron impact vibrational excitation, polyatomic Born cross section formula 4−40335
e.m. wave coupling, dispersion self-energy in vacuo and in dielectric interface 4−28275
ethylene, laser induced mol., energy transfer collisions, vibr. relax. rate 4−24153
ethylene, quenching of laser induced fluorescence 4−897
excitation energy, non-closed shell many-electron theory 4−31784
fluorenone, excited state electronic props. 4−31797
fluoromethane, laser excited, and mixtures with inert gases, vibration-vibration equilibration 4−896
formaldehyde, multiphoton laser absorption obs. of vibr. states 4−24112
glyoxal vapour, time-resolved fluorescence from single vibronic levels 4−16113
H_2, electron impact, Werner band, internuclear separation transition moment depend. 4−27745
hexaphenylcarbodiphosphorane, triboluminescence due to excited state populated by mech. stress 4−37651
1,3,5-trans-hexatriene, low-energy electron impact excitation, second triplet state obs. 4−873
hydrogen bond, effect on n→π* transition in ROH...OCH_2 dimers 4−19770
interstellar CS, obs. of new transitions, isotopic species, and excitation 4−18044
laser radiation stimulation, high vibr. levels, reactions 4−25511
many-body Green's function technique, ab initio effective pots. 4−683
methane, K-shell ionization in collisions with H$^+$, D$^+$, H_2^+ and He$^+$ 4−24151
methane, superexcited states, energy spectrum 4−5994
methane, $v_3=1$ excited state, hyperfine interactions, theory 4−40239
methanol in interstellar matter 4−12597
9-methyl anthroate, solvent dependent fluorescence, relation with excited state geometry change 4−29351
methyl fluoride, laser induced mol. energy transfer collisions, vibr. relax. rate 4−24153
methyl substituted hydrides + H_3^+, ion cyclotron resonance study 4−894
molecular interactions in excited states, ab initio (EHP)SCF calculations 4−16146
naphthalene, triplet lifetime, excitation wavelength, environment depends. 4−6084
oscillator system, photoexcitation, excitation and relax. rates 4−19864
photochemical solution reactions in non-equilibrated Franck-Condon states 4−21587
phthalimide, stimulated emission polarisation, excited state mol. lifetime *(Russian)* 4−41397
polyatomic molecule, photodissoc. model *(French)* 4−9592
polystyrene-αNPO solid solutions, energy transfer, donor conc. depend. excimers 4−3997
population inversion and i.r. signal amplification on excited mol. vib. levels rel. to unsteady induced Raman state 4−8851
positronium hydride, excited state calc. 4−737
protein, α-spiral, excited states, config. changes and optical props. *(Russian)* 4−19937
pyrene, in aq. detergent soln., fluoresc., ionic strength effects, excimer form. investig. *(German)* 4−33921
quasi-isolated molecules, time interferences and nonexponential decays 4−31880
quinine and related cpds., shift of emission band on excitation at long wavelength absorpt. edge 4−3194
Rayleigh-Schrodinger perturbation theory applic. to excitation energies calc. of π-electron systems 4−27611
reactions of high kinetic energy, review 4−34028
slow collision, multichannel eikonal anal. of electronic transitions 4−9461
solvent-shift effects and dispersion interactions 4−19804
sym-tetrazine, excited state electronic struct. and dynamics 4−24110
thermal, of rotational levels, effect on refractive index of gases 4−36608
S-triazine vapour, single vibronic level fluorescence from $^1E''(S_1)$ state 4−16112
triplet-singlet transitions, transition probability in at. system, validity of relationship *(German)* 4−31873
vinyl polymers, excimer formation and energy migration, temp. effect on fluorescence 4−1419
Ba + N_2O chemiluminescent reaction, cross section rel. to kinetic energy investig., excitation function meas. 4−41936
Br_2, effect of electronic excitation on intermolecular force constants 4−40303
Br_2, isotope effects in selective isotopic mol. excitation with single model laser 4−12603
s-trans 1,3-butadiene, electron impact spectroscopy, optically forbidden transitions 4−31949
CO, collisional excitation by H_2 from pressure-broadened CO rotational Raman lines 4−6122
CO, electron impact, 10 eV metastable state, cross section and lifetime 4−24138
CO, electron impact vibr. excitation cross section, shape reson. 4−31953

molecular excitation continued
- CO, spectral characteristics, discharge tube excitation, various parent molecules 4−992
- CO, vibr. excitation, $C + O_2$ reaction 4−3226
- CO_2, electrical excitation of emission spectrum in CO_2-N_2-He mixture 4−27674
- CO_2, electron impact, elastic and vibr. excitation cross sections 4−27748
- CO_2, vibr. excitation by $O_2(^1\Sigma_g^+)$, quenching and i.r. emission obs. 4−27749
- CO_2, vibr. excited, i.r. emission, cold gas layer role *(French)* 4−31838
- $CO_2 + N_2O$ mixture, laser excited, simultaneous or selective emission *(French)* 4−16137
- CO_2^+, electron impact excitation, anal. of existing data with spectrometer calibration connection 4−12628
- COS, obs. of deactivation of excited s atom 4−9610
- ClO_2 fluorescence spectrum induced by 4765 Å Ar-ion laser line 4−3196
- Cs_2, space-charge-amplification technique in absorpt. spectroscopy 4−16013
- D_2O, vacuum u.v. absorpt. and photionisation cross sections 4−19822
- H_2, electron scatt., total cross section, core-excited resonances 4−27747
- H_2, HD, D_2, electron impact dissoc., vel., energy distribs. of metastable atoms 4−6121
- H_2, interstellar excitation temp. for high rotational levels from column density 4−18049
- H_2, resonant rotational excitation obs. by electron impact 4−878
- H_2, vibrational excitation by electron impact, Glauber theory approach 4−12630
- H_2 excited Σ^+ states, calc. using Brandow's method of folded diagrams 4−12539
- H_2 rotational excitation by interstellar shock waves 4−18050
- H_2 u.v. fluorescence spectrum excited by solar e.u.v. radiation 4−7967
- H_2 vibrational, by electron impact, processes involving $^2\Sigma_u^+$ resonant state of H_2^- 4−885
- H_2-Ne-He, hollow-cathode discharge, electron distrib. and excited atom densities 4−19716
- $H_2 + He$, vib. excitation, semiclassical calcs. 4−24149
- $H_2 + He$ collinear collisions, vibr. excitation and dissoc., semi-classical study 4−31960
- $H_2 + Li^+$ collisions, anharmonicity in rot. and vibr. excitation 4−24139
- $H_2 + Li^+$ collisions at low energies, averaged anisotropic pots. for vibr. excitation 4−31959
- H_2^+, $2p\pi_u$ state electronic struct. and spectroscopic consts. 4−27615
- H_2^+, $3d\sigma_g$ state, electronic struct. and spectroscopic consts. 4−24041
- HCl, reaction with at. O_2 and H_2, using chem. HCl laser, vibr. excitation investig. *(German)* 4−33976
- $HCl + Br \rightarrow Cl + HBr$, rate const., reagent vibr. excitation effect, i.r. chemiluminescence depletion 4−34012
- HD + He collision, low energy, differential cross section for rotational transition 4−16134
- H_2O, dissociative excitation by electron impact, meas. of emission cross section 4−40337
- H_2O, electron collisions, vibr. modes, Born theory 4−40336
- H_2O, excited states, Rydberg nature and assignments 4−27590
- H_2O, vacuum u.v. absorpt. and photoionisation cross sections 4−19822
- H_2O, vibr. excitation by $O_2(^1\Sigma_g^+)$, quenching and i.r. emssion obs. 4−27749
- H_2^{+*}, dissociative ionisation and recombination 4−879
- He_2^+, electron capture, vibr. deexcitation by autoionisation in plasma 4−24125
- HeH^+, quasibound state spectrum, spectroscopic consts. and rot. excitation via collision 4−31956
- Hg_2, formation and decay in Hg-N_2 mixtures irradiated with 2537 Å Hg resonance radn. 4−31885
- I_2, $^3\Pi_{0(u)}+$ level lifetime and Lande factors meas. *(French)* 4−3192
- I_2, B $^3\Pi_{0(u)}+$ state perturbations 4−6087
- I_2, circular emission spectrum 4−31878
- I_2, excited with 5145 Å light, fluorescence spectra, line spacing 4−31853
- I_2, selective predissociation by laser radiation, ortho-para conversion 4−40328
- (KrAr)* electronically excited mol., stability obs. from vacuum u.v. luminesc. of Kr-Ar mixtures 4−838
- $Li_2(B^1\Pi_u)$, laser excited, rare gas atom inelastic collisions, rot.-vibr.-translation energy transfer 4−40341
- N_2, active, temp., gas pressure depend. 4−6093
- N_2, dissociative excitation by electron impact, translational spectroscopy 4−24134
- N_2, electron impact excitation of $C^2\Sigma_u^+$ state of N_2^+, mechanism 4−40333
- N_2, electron impact vibr. excitation cross section, shape reson. 4−31953
- N_2, electron scattering, rotational cross sections calc. 4−875
- N_2, K-shell ionization in collisions with H^+, D^+, H_2^+ and He^+ 4−24151
- N_2, Lewis-Rayleigh afterglow, atomic recomb. in presence of oxygen 4−20168
- N_2, low energy electron spectra, 11.8-13.8 eV 4−31952
- N_2, low-energy positron scatt. parameters calc. 4−12629
- N_2 metastables, formed in electric arc at 1 atmos., generation and decay 4−19912
- $N_2 + Ar$ collisions, rot. excitation, intermol. pot. interpret. 4−889
- N_2^-, valence resonance states 4−27746
- NH_3, i.r.-microwave double resonance spectra, collisional electron rules 4−9620
- NH_3, i.r.-microwave-microwave triple resonance spectra 4−6131
- NO, low lying states, direct lifetime meas., h.f. deflection 4−24063
- NO, vibr. excitation in collisional quenching of O_2 4−3225
- N_2O, excited on $(0,0^0,1)$ vibr. level, vibr. energy transfer *(French)* 4−3222
- N_2O, obs. of photoionisation and relative abundances produced by soft X-rays 4−12618

molecular excitation continued
- N_2O, spontaneous emission in N_2O-N_2 plasma, rot.-vibr. levels 4−31884
- N_2O, vibr. luminescence in N_2O-N_2 d.c. discharge, rot.-vibr. constants 4−31883
- N_2O electron impact excitation and assignment of low-lying states 4−9600
- $^{14}N_2O$, excited on (00^01) level, vibr. energy transfer with isotopic mols., fluoresc. intensity decrease *(French)* 4−9605
- O_2, $^1\Delta_gO_2$ prod. from microwave discharges in CO_2, $N\dot{O}_2$, e.s.r. investig., mechanism 4−40315
- O_2, electron excitation, effective atom and mol. cross section 4−19905
- PbO, rot. spectra, struct. and anal. of $B \rightarrow X$ and $D \rightarrow X$ band systems 4−27655
- TmTe(Se), spontaneous interconfiguration fluctuations, X-photoemisson spectra 4−41466
- XY_2, higher vib. states 4−9498

molecular force constants
- acetic anhydride, molecular orbital calc. of interaction force constants 4−19794
- acetyl acetone, molecular orbital calc. of interaction force constants 4−19794
- acetyl cyanide, from i.r. and Raman spectra 4−27584
- acetylene, ab initio force consts. from SCF wavefunctions 4−24056
- allylic organometallic cpds., metal-ligand bond vibrs. and forces *(French)* 4−36489
- arsenic acid, alkyl derivatives, Raman and i.r. spectra, AsO bond force constants, vibr. energy distrib. 4−36524
- azobenzene, vibrational spectra, force constants of planar and non-planar coordinates 4−811
- benzene, D isotope effect calc. from force constants 4−12604
- benzene, fluoro derivatives, vibrational force field, overlay technique 4−24050
- biacetyl, molecular orbital calc. of interaction force constants 4−19794
- biphenyl, molecular force field 4−27586
- bond distances and dissoc. energy, relations between 4−31801
- N-bromoaziridene vibrational spectra, normal vibrations and force constants 4−813
- calculation in semiempirical approximation of SSP method 4−19796
- carbonyl cyanide, normal coordinate analysis 4−6011
- N-chloroaziridene vibrational spectra, normal vibrations and force constants 4−813
- computer program in FORTRAN for calc. using generalised inverse matrix 4−3530
- diatomic molecules, CN, PbF, SiF, SnF, SnS, NBr, use in dissoc. energy estimation 4−27732
- diethynyl ketone, normal coordinate analysis 4−6011
- 2,3-dihalobutadienes, vibrational spectra, assignments and force consts. 4−6071
- dithioformate ion, normal coordinate anal. of vibrations 4−3120
- electrostatic force treatment, calc. of structural parameters of hydrocarbons, chemical reactions 4−27596
- end atom isotope effects, theory 4−12604
- ethane, ab initio force consts. from SCF wavefunctions 4−24056
- ethane, D isotope effect calc. from force constants 4−12604
- ethylene, ab initio force consts. from SCF wavefunctions 4−24056
- force fields determ. from IR and microwave data, computer program 4−6018
- formaldehyde, ^{18}O isotope effect calc. from force constants 4−12604
- formaldehyde, general harmonic force field 4−16048
- formaldehyde and deuterate, ν_2 band Stark spectra rot. consts. determ. 4−40305
- formic acid, monomer, mean amplitude of vibr., iterative procedure, force constants 4−36493
- group IV A and VI A hexahalo species, general valence field force constants, mean vibr. amplitude 4−40243
- harmonic force fields from mol. energy calcs. (INDO and MINDO/2 calcs.) 4−27632
- heteronuclear alkali metal diatomics, split-shell model, ground state props. 4−16040
- hexafluorocyclopropane, force consts., vibr. spectra, Coriolis coupling consts. 4−19787
- hydrides, calc. using frequency sum rule 4−6019
- kinematical method, parameter for choice of root, extension to n=3 4−6007
- lutidines, 2,6- and 3,5-, and vib. spectrum assignment 4−9527
- methanal azine, harmonic force field, calculation of various molecular properties 4−779
- methane, D isotope effect calc. from force constants 4−12604
- methanol, ab initio SCF calcs. 4−775
- methyl fluoride, harmonic force field uniqueness 4−24053
- methylmetals, mol. orbital calcs., bonding lengths and mechanisms 4−40218
- monohaloacetylenes, vib. freq., force consts., mean amplitudes, shrinkage effects and thermodynamic functions 4−27634
- nitrosomethane dimers, INDO and CNDO/2 calcs. for N-N bond *(French)* 4−31762
- nylon, calc. of elastic modulus by energy balance method 4−25437
- 4X-phenol-4Y-pyridine, H-bonded complexes, intermol. force fields 4−19789
- phosphapyrimidines, substituted, and their N-15 labelled analogues, i.r. and Raman spectra and in-plane vibrational assignment 4−3154
- γ-picoline ($-d_7$), and vib. spectrum assignment 4−9527
- polyatomic, computer spectral simulation *(Russian)* 4−40247
- polyatomic molecule, first order centrifugal distortion constants 4−27631
- polyatomic molecules, formation of kinetic and force matrices of vibr. spectra by computer *(Russian)* 4−6057
- pyrimidines, d-substituted 4−27691
- secondary chlorides, general valence force field 4−3117
- secular equations of order n>2, approx. methods of general valence force field *(German)* 4−31811
- tetraiodoethylene, single cryst., vibr. spectra, force const,, mol. orientation 4−20988
- transuranyl ions, Raman scatt., oxidation state depend. 4−40264
- 2,4,6-tri-t-butylphenol, calc. and interpretation of vibr. spectra *(Russian)* 4−24093

molecular force constants continued
- triatomic molecules, bending force const.:stretching force const., simple bond-charge model 4−19788
- triatomic molecules, bending/stretching force const. relationship, deriv. from bond-charge point-dipole model 4−40235
- trichloromethoxysilane, vibr. spectra meas. 4−9531
- trimethylarsine sulphide, trimethylarsine selenide, normal coordinate analysis 4−808
- valence force field, stepwise coupling, eigenvector method 4−19790
- $[Ni(NH_3)_6]^{2+}$, vibr. spectra, pseudo-exact force consts. 4−27682
- $[Zn(CN)_4]^{2-}$, vibr. spectra, pseudo-exact force consts. 4−27682
- $[Zn(NH_3)_4]^{2+}$, vibr. spectra, pseudo-exact force consts. 4−27682
- Al complex, $Al(H_2O)_6$, force constant, mean amplitude of vibration, normal cond. analysis 4−24047
- AlH_4^-, Raman and i.r. spectra 4−12569
- $AuCl_4$ molecules, Green's function formalism and molec. force field ellipses 4−27629
- BH, valence electron configuration interaction potential curves, orbital selection 4−5992
- BH_4^-, Raman spectra, solvent and cation dependence 4−12568
- BO_2^-, in alkali halide lattices, anharmonic force field 4−10434
- $B(SH_3)$, Raman, i.r. spectra, struct., valence force field determ. *(French)* 4−31846
- $BX(SH_2)$, X=Br, I, Raman, i.r. spectra, struct., valence force field determ. *(French)* 4−31846
- $BaCl_2$, in solid Kr matrix, i.r. spectrum 4−31844
- Br_2, effect of electronic excitation on intermolecular force constants 4−40303
- Br_2, long-range potential coeffs. from RKR turning points, C_6 and C_8 for B-state 4−31803
- Br_3^-, force constant calc. from vibr. freq. 4−36492
- $BrCl_2^-$, force constant calc. from vibr. freq. 4−36492
- $(CH_3)_3PBH_3$ and $(CH_3)_3PBD_3$, addition compounds, P-B force consts. 4−3141
- C_2N_2, Raman spectrum, isotope shifts, quadratic force field 4−27673
- CO_2, constants by minimisation method *(Russian)* 4−7696
- $CaCl_2$, in solid Kr matrix, i.r. spectrum 4−31844
- Cl_2, long-range potential coeffs. from RKR turning points, C_6 and C_8 for B-state 4−31803
- ClO_2F, force field 4−9554
- Co complex, decaammine-μ-peroxo-dicobalt, i.r. spectra anal. of coordination bond 4−9536
- CrO_4^{2-}, isotopic substitution, vibr. spectra, ionic force consts. calc. *(German)* 4−27681
- $2CuCO_3.Cu(OH)_2$, freq. assignment to mol. vibr., mol. symm. 4−19791
- D_3SiBr, i.r. spectrum, vibr.-rot. interaction constants 4−12585
- F_2, rotational and vibration-rotational Raman spectra *(German)* 4−3155
- FeF_6^{3-}, mean amplitude of vibration 4−19795
- $Ga_2Cl_nBr_{6-n}^{2-}$, $Ga_2Cl_nI_{6-n}^{2-}$, $Ga_2Br_nI_{6-n}^{2-}$ (n=1−5), i.r. and Raman spectra, vibr. assignment 4−40271
- GaF_6^{3-}, mean amplitude of vibration 4−19795
- GaH_4^-, Raman and i.r. spectra 4−12569
- Ge complexes, $GeCl_4$ with N-ligands, Ge-N bond vibrations, i.r. spectra 4−36525
- GeH_4, rot. spectra, 50 to 130 cm^{-1} rot. consts. and scalar distortion consts. 4−40294
- GeH_nX_{4-n} (X=F, Cl, Br, I; n=0, 1, 2), vibration parameter calc. *(Russian)* 4−776
- HBS, high resolution i.r. spectra of isotopic species, fundamental vibrations and force constants 4−3166
- $(HF)_6$, vibrational analysis 4−3119
- $HNClO_3^-$ and $DNClO_3^-$, force field precision increase by least squares method *(Russian)* 4−24095
- HO_2, Gaussian orbitals, O-O bond lengths 4−31770
- HO_2, O-O bonds characteristics 4−5980
- HO_3, Gaussian orbitals, O-O bond lengths 4−31770
- H_2O_2, Gaussian orbitals, O-O bond lengths 4−31770
- H_2O_2, vibrational rotational constants derivation *(Russian)* 4−12552
- H_2O_2 O-O bonds characteristics 4−5980
- H_2O_3, Gaussian orbitals, O-O bond lengths 4−31770
- H_2O_3 O-O bonds characteristics 4−5980
- H_3SiBr, i.r. spectrum, vibr-rot. interaction constants 4−12585
- I_2, long-range potential coeffs. from RKF turning points, C_6 and C_8 for B-state 4−31803
- I_3^-, force constant calc. from vibr. freq. 4−36492
- IBr_2, force constant calc. from vibr. freq. 4−36492
- ICl_2^-, force constant calc. from vibr. freq. 4−36492
- $InCl_6^{3-}$, mean amplitude of vibration 4−19795
- Mg complex, $Mg(H_2O)_6$, force constant, mean amplitude of vibration, normal cond. analysis 4−24047
- $MgCl_2$, in solid Kr matrix, i.r. spectrum 4−31844
- MoO_4^{2-}, isotopic substitution, vibr. spectra, ionic force consts. calc. *(German)* 4−27681
- $Mo^{6+}O_6$, mean amplitude of vibration 4−19795
- NH_3, anharmonic force consts. determ. by simple one-centre approximation 4−3118
- $^{14}N^{16}O_2$, from study of v_2 band near 13.3 μ 4−823
- Ni complex, $(CH_3OCS_2)_2Ni$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105
- Ni complex, $Ni(H_2O)_6$, force constant, mean amplitude of vibration, normal cond. analysis 4−24047
- Ni(II) thiocarbonate complex, i.r. spectra, Ni-S stretching vibr. force const. 4−40287
- O_2, Gaussian orbitals, O-O bond lengths 4−31770
- O_2 O-O bonds characteristics 4−5980
- O_3, Gaussian orbitals, O-O bond lengths 4−31770
- O_3, i.r. matrix isolation 4−36522
- O_3, O-O bonds characteristics 4−5980
- OH radicals, v=5 to v=9 levels, from e.p.r. spectrum 4−40323
- $PCl_2(O)NCO$, analysis of force field 4−31852
- PF_5, force field 4−774
- Pd complex, $(CH_3OCS_2)_2Pd$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105
- Pt complex, $(CH_3OCS_2)_2Pt$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105

molecular force constants continued
- $PtCl_4$ molecules, Treen's function formalism and molec. force field ellipses 4−27629
- $Re^{18}O_4^{2-}$, vibr. spectra, ionic force consts. calc. *(German)* 4−27681
- SF_4, force field, vibrational amplitude calcs., i.r. and Raman spectra vibr. assignment 4−36494
- SO_2, i.r. matrix isolation 4−36522
- $SbCl_6^-$, mean amplitude of vibration 4−19795
- SeO_2, i.r. matrix isolation 4−36522
- $Sn(NO_3)_4$, Raman spectrum, molecular force const. calc. 4−25106
- $SrCl_2$, in solid Kr matrix, i.r. spectrum 4−31844
- TeO_2, i.r. matrix isolation 4−36522
- $Te^{6+}O_6$, mean amplitude of vibration 4−19795
- $Ti(NO_3)_4$, Raman spectrum, molecular force const. calc. 4−25106
- WF_6, i.r. spectrum, 190 to 310 K, Coriolis constants 4−16077
- $W^{6+}O_6$, mean amplitude of vibration 4−19795
- $WOBr_4$, valence force constants, normal coordinate analysis *(German)* 4−40244
- $WOCl_4$, valence force constants, normal coordinate analysis *(German)* 4−40244
- XY_4 molecules, Green's function formalism and molec. force field ellipses 4−27629
- Zn complex, $Zn(H_2O)_6$, force constant mean amplitude of vibration, normal cond. analysis 4−24047

molecular force fields *see molecular force constants*

molecular internal mechanics
- *see also molecular electronic structure*
- alkali halide, interaction pot. binding energy and electron affinity calc. 4−40345
- alkali halides, diatomic mol., ionic-covalent state interactions, pot. energy splitting 4−16036
- alkali hydride, diatomic mol., ionic-covalent state interactions, long-range, splitting of pot. energy curves 4−16036
- benzylalkylketones, u.v. spectrum, transannular interaction *(French)* 4−24064
- centrifugal distortion constants, Gauss-Mehler quadrature method 4−6017
- diatomic, expectation values of nuclear kinetic and potential energy 4−6014
- diatomic, R_e not at potential energy minimum 4−6013
- diatomic gas-thermal radiation interaction, model kinetic equation 4−12646
- diatomic interhalogens, spectroscopic interatomic potential, curve crossings 4−27636
- diatomic molecules, potential curves calc. 4−9497
- diatomic potential curves, construction method, expansion parameter 4−6012
- diatomic properties of states, inversion procedure for internuclear distance depend. 4−3126
- dimenthylketene, microwave spectrum, barrier to internal rot., dipole moment, partial structure 4−24102
- 1,2-dimethoxyethane, intramol. interactions, n.m.r. 4−24026
- 1,2-dimethoxyethane, intramol. interactions 4−24025
- 1,3-dioxolane, microwave spectrum, barrier to pseudorotation 4−27697
- dynamic biradical system, e.s.r. spectrum shape calcs. 4−20834
- ethane, i.r. spectrum, torsion-vibr.-rot. interaction, barrier to internal rot. 4−27669
- ethylene glycol and methyl ether derivs., intramolecular interactions, theory 4−24025
- ethylene glycol and methyl ether derivs., intramolecular interactions, n.m.r. 4−24026
- formamide, microwave spectrum, internal motion 4−31865
- globular molecules, fourth virial coeff. for real gases 4−9643
- hexafluoropropene, microwave spectrum, ground state rot. consts., CF_3 group barrier to internal rot. 4−27696
- internal rotation, moving coordinate system selection, Eckart conds. 4−19792
- intramolecular rearrangements, vibrational degrees of freedom coupling 4−3092
- ionic-covalent states, long-range interactions, splitting of pot. energy curves 4−16036
- liquid, collision absorption, effect of intramolecularly compensated dipoles 4−41327
- magnetic shielding, paramagnetic contribution in tetra and octahedral mols. 4−19777
- methane-d, solid hindered rotational levels, heat capacity analysis, barrier to internal rot. 4−32452
- methanol, deuterated, absorption spectrum, 3850 to 16600 cm^{-1}, hydrogen bonded O-H and O-D overtone bands, potential energy curve 4−40257
- 2-methoxyethanol, intramol. interactions, n.m.r. 4−24026
- 2-methoxyethanol, intramol. interactions, theory 4−24025
- monomethylated butadienes and acroleins, rot. isomerism, internal rot. barrier, strain energies around C-C bonds 4−19743
- naphthalene, potential curves, and low temp. n 4−32470
- trans 1-nitropropene, barrier to internal rotation 4−27698
- polypropylene, isotactic crystal, intramolecular atom-atom interactions effect on vibr. spectrum 4−13445
- potential energy curve, ab initio calc., non-adiabatic and adiabatic approaches 4−31794
- potential energy curve, excited state properties, non-closed shell many-electron theory 4−31784
- potentials theory 4−6020
- propenes, cis- and trans-substituted, nonbonded interactions, methyl group internal rotation barrier height 4−36463
- Rydberg-Klein-Rees pot. curve calculations, accuracy, diatomic mol. appl. 4−9501
- Rydberg-Klein-Rees potential, near dissoc. limit, inner wall determ. 4−6016
- Rydberg-Klein-Rees potential construction, Gauss-Mehler quadrature 4−6017
- 1,2,4,5-tetrahydroxybenzene, radical cation, e.s.r., hyperfine coupling, hindered rotation 4−36551
- thioformamide, microwave spectrum, internal motion 4−31864
- three fold potential functions, far i.r. data calc. 4−6008
- trichloromethoxysilane, vibr. spectra meas. 4−9531
- trifluoromethylhalide, i.r. band contours and pot. functions for perperdicular vibs. 4−24075

molecular internal mechanics continued
Van der Waals molecule A_2-X, hindered rotation 4–3233
vinylborane, rot. barrier and bond lengths, ab initio calc. 4–31766
Al complex, $Al(H_2O)_6$, Urey-Bradley force consts., mean amplitude of vibr. 4–24047
BH, electronic wavefunctions, GVB method, potential energy curves, mol. moments 4–40227
BeO, potential curve, dissociation energy 4–31918
Br_2, long-range potential coeffs. from RKR turning points, C_6 and C_8 for B-state 4–31803
CH, valence excited states, potential curves ab initio configuration calc. 4–9505
CaO, potential curve, dissociation energy 4–31918
Cl_2, long-range potential coeffs. from RKR turning points, C_6 and C_8 for B-state 4–31803
$^{65}Cu^{35}Cl$, potential energy curves 4–19892
F_2, spectroscopic interatomic potential, curve crossings 4–27636
H_2, $^1\Pi_u$, $^3\Pi_u$ states, kinetic, electron-nuclear attraction and interelectronic repulsion energies 4–19758
H_2, excited state dispersion interaction calc. 4–36455
H_2, induction interaction between atoms in molecule 4–31757
H_2, intra-atomic long-range interaction, variational calc. 4–27566
H_3 system, pot. energy surface calcs. 4–10738
H_3^+, correl. Gaussian wave function, calc. of vibr. freq. and binding energies 4–9492
H_4, pot. energy surface, calc. of reaction paths 4–9487
H_2BNH_2, struct. and rot. barrier, ab initio calc. 4–31765
HCNO, potential function of HCN bending mode 4–12588
HCl, carbon tetrachloride soln., solute-solvent interactions, barriers to rotation, vibr. solvent shifts 4–40730
H_2O, D_2O, anharmonic potential function 4–6010
He/H_2, interaction pot. calc. and Van der Waals minimum region 4–9623
He_2, least squares fit to Buckingham pot. energy curve 4–40205
He_2^+, model potential calcs., on open-shell cores 4–777
HeH^+, model potential calcs., on open-shell cores 4–777
I_2, long-range potential coeffs. from RKR turning points, C_6 and C_8 for B-state 4–31803
I_2, pot. curves calc. 4–19785
$K_2Zn(CN)_4$, (Cd,Hg), i.r. and Raman spectra, lattice vibrs. and interatomic force consts. 4–25107
Kr_2 potential energy well, u.v. spectra RKR anal. and thermo-physical data immersion 4–36515
Mg complex, $Mg(H_2O)_6$, Urey-Bradley force consts., mean amplitude of vibr. 4–24047
Mg_2, long-range forces and vibr. levels near dissociation 4–19927
Mg_2, vibr. levels near dissoc., long range forces, RKR potentials 4–6015
MgO, potential curve, dissociation energy 4–31918
$(N_2)_2$, i.r. spectrum, barrier to internal rot. of N_2 4–27667
N_2Ar, van der Waals mol., i.r. spectra, mol. rot., struct. and props. 4–36527
NH_2OH, i.r. spectrum, torsional bands, internal-rot. potential function 4–31849
NO_2, Anderson intramolecular potential energy function 4–12535
Ne_2, interatomic pot. exchange energy, SCF calc. 4–36452
Ni complex, $Ni(H_2O)_6$, Urey-Bradley force consts., mean amplitude of vibr. 4–24047
Ni(II) thiocarbonate complex, i.r. spectra, modified Urey-Bradley anal. of force consts. 4–40287
O_3, Anderson intramolecular potential energy function 4–12535
SO_2, Anderson intramolecular potential energy function 4–12535
1,3,5-trineopentyl-benzenes, nuclear magn. double resonance, chemical exchange among three spin-coupled sites, barriers to internal rot. 4–34020
Zn complex, $Zn(H_2O)_6$, Urey-Bradley force consts., mean amplitude of vibr. 4–24047
Zn(II) thiocarbonato complex, i.r. spectra modified Urey-Bradley anal. of force consts. 4–40287
ZrO, pot. energy curves for electronic states, dissoc. energy 4–19888

molecular libration
π-molecular compounds, packing, librational motion, orientational disorder, theory 4–3449
anthracene, n.m.r. second moment, intramolecular contrib., librational motion 4–20870
N-chloro-chloroforminidoyl choride, n.q.r. temp. depend. and mol. libration 4–31903
cubic crystals, ⟨100⟩-, ⟨110⟩-, ⟨111⟩-oriented paraelectric defects, first excited librational states 4–13006
molecular crystal, coupled librational soft modes assoc. with phase transition 4–24555
naphthalene, Raman intensity ratios of librational lattice modes, temp. and press. depend. 4–28803
n.m.r. second moment of solids, lattice vibr., intramolecular contribution 4–20870
phenyl isocyanate dimer, rel. to isomorphism with p-terphenyl 4–28090
PMMA, Raman scattering, model for librating side group 4–6876
polar molecules within cages in liquids 4–28752
poly 4-methyl pentene-1, Raman scattering, model for librating side group 4–6876
poly n-butyl methacrylate, Raman scattering, model for librating side group 4–6876
polystyrene, Raman scattering, model for librating side group 4–6876
rodlike molecule, rotational motion in potential cage in liquids 4–9809
p-terphenyl, rel. to isomorphism with phenyl isocyanate dimer 4–28090
tetrachloro-p-benzoquinone, coupled libration soft modes assoc. with phase transition, n.q.r. obs. 4–24556
tetrachloro-p-benzoquinone, coupled librational soft modes assoc. with phase transition, ht. capacity obs. 4–24557
BF_3, mono- and dihydrates, n.m.r. study of structure *(French)* 4–10329
Co complex, cis- and trans-dichlorotetra-amminecobalt(III) chloride, p.m.r. determ. 4–28723
γ-N_2, solid, Raman spectrum, librational freq. 4–20984

molecular libration continued
α-N_2, vol. dependence of Raman freq., Gruneisen parameters of Raman freq., Gruneisen parameters of librational modes 4–20992
P_2Cl_{10}, coupled librational soft modes assoc. with phase transition at 102K 4–24555

molecular mass *see molecular weight*

molecular metastable states
aromatic hydrocarbon, O_2 quenching of excited triplet states 4–19860
carbon tetrafluoride ion, CF_4^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4–31947
intermolecular energy transfer, photon transmission from excited to non-excited mol., probability investig. *(German)* 4–31876
CO, electron-impact, 10 eV metastable state, cross section and lifetime 4–24138
COS^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4–31947
Cs-Kr metastable complex form. w.r.t. optically pumping of Cs in inert gas medium 4–701
(KrAr)* electronically excited mol., stability obs. from vacuum u.v. luminesc. of Kr-Ar mixtures 4–838
N_2, A-state, atmospheric, excitation of vibrational levels by auroral electrons 4–22055
N_2, metastable vibr. states electron impact, calc. 4–27744
N_2 metastables, formed in electric arc at 1 atmos., generation and decay 4–19912
N_2O^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4–31947
O_2, chemical reactions involving excited states found in atmosphere 4–10936
$O_2(^1\Delta_g)$, reaction with olefin, chemiluminesc., mechanism investig. in i.r. range *(German)* 4–33977
$O_2(^1\Delta_g)$ chemiluminescence reaction with HCO radical 4–7464
SO_2, photolytic excitation, chem., phys. quenching investig., SO, vibr. excited SO_2 form. 4–41975

molecular moments
acetonitrile, Stark spectroscopy of ν_4 band, analysis and assignments 4–3159
aldehydes, unsaturated, calculations of ground and singlet excited states dipole moments 4–3109
AsF, dipole moment, SCF wavefunctions, Hartree-Fock-Roothaan matrix expsn. method 4–31913
azulene $^1\pi\pi^*$ state, use of Stark effect on mixed crystals 4–1399
benzalmalononitriles, proton n.m.r. spectra, dipole moments *(French)* 4–12613
benzofuran, and isoconjugated isomer, dipole moments, LCAO SCF MO calcs. 4–40224
biomolecules, stretched film spectra, relative transition moment anal. 4–40357
bond dipole calculations from vibr. i.r. spectra, planar or linear mols. 4–9509
γ-butyrolactone dipole moment, microwave spectrum 12.4-40 GHz 4–832
carbonyl complexes, spherical-top, in gaseous N_2, ang. correl. functions and Coriolis coupling 4–16138
p-chloraniline, forbidden factor group states location 4–10439
cyanoallene, Stark effect measurements, microwave spectrum 4–830
cyclopropyl methyl ether, microwave spectrum, Stark coeff., absolute dipole moment 4–19849
Dewar benzene, microwave spectra and Stark effect, rot. consts. and dipole moments 4–31862
diatomic, spectral intensities, electronic transition moment variation, r-centroid approx. 4–31822
diatomic dipole, inversion procedure for internuclear distance depend. 4–3126
diatomic molecule-atom collision, induced vibr. and rot. absorpt., dipole moment 4–27675
1,1-difluorocyclohexane, microwave spectra analysis 4–27693
1,1-difluorocyclopropane, dipole moment, from microwave spectrum 4–9548
dimenthylketene, microwave spectrum, barrier to internal rot., dipole moment, partial structure 4–24102
p-dimethylaminobenzonitrile, giant dipole mol. effect on solvent reorganization 4–25152
N,N-dimethylformamide, dipole moment determ. from microwave spectrum 4–9556
1,3-dioxolane, microwave spectrum, ring puckering, dipole moment, barrier to pseudorotation 4–27697
dipole model for dynamics of internal optic modes in crystals 4–24535
dipole moment, polar molecule forbidden rotation spectra 4–27670
electric dipole, Faraday effect, irreducible tensor method 4–31824
electric dipole moment, molecular wavefunctions, hyperfine coupling case 4–31818
electronic second moment of charge, geometry depend., additive terms 4–19779
e.m. wave interaction, determ. of polarisation vector by semiclassical theory 4–11906
enol phosphates, calc. and experimental dipole moments *(French)* 4–12532
esters, dipole moment determ. at static 1 Mc/s 4–6838
ethyl α-cyanocinnamic esters, proton n.m.r. spectra, dipole moments *(French)* 4–12613
ethylene-vinyl chloride copolymers, configurational characteristics 4–9631
fluorinated acetic acid, dipole moments, quantum chemical estimates 4–745
fluorinated acetyl fluorides, dipole moments, quantum chemical estimates 4–745
formaldehyde, spin dipole-dipole parameters, CI calcs. 4–27607
formaldehyde, Stark spectroscopy of the ν_2 bands, rotational consts., dipole moments determ. 4–6069
formaldehyde and -d_2, laser Stark spectroscopy, ν_2 fundamentals, dipole moments 4–16080
formaldehyde and deuterate, Stark spectroscopy of ν_2 band with CO laser, dipole moments determ. 4–40305
formylpyridines, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4–40210
formylpyrroles, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4–40210

molecular moments continued
giant dipole, effect on solvent reorientation 4−25152
$\mathrm{H^{79}Br}$, $\mathrm{H^{81}Br}$, Stark-Zeeman hyperfine structure, molecular beam electric resonance spectroscopy, electric dipole moments 4−27694
halogenobenzophonones, dipole moment rel. to mol. conformation 4−6003
heteronuclear alkali metal diatomics, split-shell model, ground state props., dipole moments 4−16040
homopolar dipole, determ. from overlap population, dipole moments calc. 4−36500
indole, and isoconjugated isomer, dipole moments, LCAO SCF MO calcs. 4−40224
i.r. nonlinear spectroscopy, Stark tuning, precision meas. 4−24096
isocyanic acid, dipole moment rel. to microwave emission in Sagittarius B2 direction 4−40295
isopropylacetylene, dipole moment determ., microwave spectra 4−3175
linear molecule, octupolar and hexadecapolar contribs. to spectral line broadening *(French)* 4−27703
liquid, collision absorption, effect of intramolecularly compensated dipoles 4−41327
Lorentz gas, intercollisional interference, induced dipole moment 4−16105
magnetic dipole moment integrals over Slater orbitals 4−27598
magnetic shielding, paramagnetic contribution in tetra and octahedral mols. 4−19777
MBBA liq. cryst. and in soln., dipole moment, dielec. relax. studies 4−20924
methane, monodeuterated, octopole moment determ. from rot. spectrum linewidth meas. 4−40252
methanesulphenyl chloride, direction of dipole moment 4−9545
methanol, ab initio SCF calcs. of dipole moment derivatives 4−775
methoxyacetic acid, dipole moment, microwave spectrum 4−831
methyl benzophenone, dipole moment rel. to mol. conformation 4−6003
methyl chloroformate, bond moments, predicting mol. conformations, dipole moment 4−19741
methyl cyanoformate, bond moments predicting mol. conformations, dipole moment 4−19741
methyl fluoride, Stark spectroscopy of ν_3 band using 9.6 μm $\mathrm{CO_2}$ laser 4−3158
methyl fluoride, Zeeman effect 4−40297
methyl fluoroformate, bond moments predicting mol. conformations, dipole moment 4−19741
N-methyl morpholine, microwave spectrum assignments 4−3180
methyl thiolchloroformate, bond moments predicting mol. conformations, dipole moment 4−19741
methyl trifluoroacetate, bond moments predicting mol. conformations, dipole moment 4−19741
methylacrylate, methylmethacrylate, in polystyrene, mol. motion of polar monomers *(Russian)* 4−9640
methylene, spin dipole-dipole parameters, CI calcs. 4−27607
N-methylformamide, dipole moment determ. from microwave spectrum 4−9555
methylsilane, relation between bond moments, molecular moments, electronegativity and dipole moment 4−36482
3-methylthiophene, microwave spectrum, internal rot., dipole moment 4−9544
monofluoride, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4−9488
multipole, derived from collisional quenching of H(2s) metastable atoms 4−709
trans 1-nitropropene, microwave spectrum, dipole moment 4−27698
NMR and EPR spectroscopy, mol. magnetism, book 4−24119
nonpolar molecules, rot. dipole moments calc. *(Russian)* 4−12555
organophosphorus compounds, conformational anal., dipole moment determ. 4−36520
organosilicon cpds. containing S, and complexes with $\mathrm{TiCl_4}$, dipole moments 4−6029
phenyl benzoates and iso(nicotinates), electronic absorpt. spectra and mol. moments 4−27585
photoabsorption profiles, Stieltjes imaging 4−688
polar liquid systems, dielec. behaviour *(French)* 4−10366
polar molecule, rot. inelastic collision induced transition, perturbation anal. 4−9614
polar symmetric top molecules, electric dipole moment orientation in diffusive gas flow, electric polarization 4−36607
propylene ozonide, dipole moment determ. from microwave spectrum 4−9549
propylene-vinyl chloride copolymers, random-coil dimensions and dipole moments 4−6136
propynal, visible spectrum, Stark effect on rot. lines, electric dipole moment determ. 4−16053
pyridine, ^{15}N-, ^{13}C-ring-substituted, microwave spectra, coupling const., dipole moment 4−19852
pyridinediols, dipole moment, variable electronegativity π-electron SCF-MO theory 4−40228
pyridyl benzoates and (iso)nicotinates, electronic absorpt. spectra and mol. moments 4−27585
pyruvic acid and deuterated analogue, dipole moment, microwave spectra obs. 4−19854
rotation-vibration nuclear dipole, closed form., Morse-Pekeris intensities 4−27628
solvent-shift effects and dispersion interactions 4−19804
tetrahydrofuran clathrate hydrate, rotation of tetrahydrofuran 4−40266
tetrazole, microwave spectrum, dipole moment meas. 4−40299
thioformamide, microwave spectrum, dipole moment 4−31864
tryptophan, fluorescent state, dipole moment changes 4−37654
vinylcyclopropane, microwave spectrum, Stark shift, dipole moment calc. 4−31863
water, effective quadrupole mom. calc. 4−36501
water molecules in hydrogen bonded crysts., dipole moments and charge distribs. 4−1371
AlF molecule, Zeeman effect meas. in microwave rot. spectrum *(German)* 4−31867
$\mathrm{BCl_3}$, dipole moment derivatives and vibr. intensities, CNDO calc. 4−19803
$\mathrm{BF_3}$, calc. of rot. dipole moments *(Russian)* 4−12555

molecular moments continued
BH, electronic wavefunctions, GVB method, potential energy curves, mol. moments 4−40227
BrCN, microwave Zeeman spectra determ. of mol. quadrupole moment 4−9542
$\mathrm{Br_2CO}$, dipole moment derivative calc. CNDO anal. of vibr. intensities 4−31819
CN radical, electric dipole moment of $A^2\Pi$ state, level anti-crossing spectra meas. 4−6031
CO, dipole moment, CI interactions, SCF calc. 4−5991
CO, shock heated, dipole moment function from laser absorpt. obs. 4−19856
CO, shock heated, line strength meas. via laser absorpt., transition moment obs. 4−3161
CO-Ar, liq., i.r. spectra, determ. of E2 and mol. torque 4−12571
CO-$\mathrm{N_2}$, liq., i.r. spectra determ. of E2 and mol. torque 4−12571
$\mathrm{ClO_2F}$, dipole moment determ. from microwave spectrum 4−9554
Co tetracarbonyl complex, i.r. spectral band intensities, dipole moment derivatives 4−25097
Co(II) pyrazolylborate, second coordination sphere, solvent effects 4−40313
CsF vibrational states, electrical dipole moments and quadrupole coupling constants, beam resonance expt. *(German)* 4−16099
n-$\mathrm{D_2}$ thermomagnetic torque, effects of nuclear spin 4−40359
$\mathrm{D^{35}Cl}$, dipole moment function and vib.-rot. matrix elements, comments 4−36502
$\mathrm{FClO_2}$, microwave spectrum, mol. dipole moment 4−40298
$\mathrm{GeH_4}$, pure rotational spectrum, 50-130 $\mathrm{cm^{-1}}$, possible mechanism 4−40294
$\mathrm{H_2}$, induced dipole laser, picosecond pulses 4−39738
n-$\mathrm{H_2}$, thermomagnetic torque, effect of nuclear spin 4−40359
$\mathrm{H_2}$ molecule, hexadecapole moment, matrix elements determ. 4−6027
$\mathrm{H_2 + H_2(H)}$ collision, elec. dipole moment and interaction energy, configuration interaction calc. 4−31940
HBS, ground state props., ab initio wavefunctions 4−31789
HCl, in soln., induced dipole moment influence on i.r. band shapes *(French)* 4−31870
HCl, line broadening of $O \rightarrow 2$ transition, octupole moment influence 4−9559
HCl, r.f. spectrum, molecular beam electric resonance spectrosc., magn. props., mol. quadrupole moment 4−24099
$\mathrm{H^{35}Cl}$, dipole moment function and vib.-rot. matrix elements, comment 4−36502
HD, thermomagnetic torque, effects of nuclear spin 4−40359
$\mathrm{HD + H_2(D_2)}$ collision, energy exchange by transition dipole moments interaction 4−31970
HF, electronic struct. and dissoc. energy, multi-config. SCF calc. 4−36475
HF, line strengths in 4-0- and 5-0-rot.-vibr. bands, rot. matrix elements of electric dipole moment *(German)* 4−40262
HF, r.f. spectrum, molecular beam electric resonance spectrosc., magn. props., mol. quadrupole moment 4−24099
$\mathrm{H_2O}$, ab initio calcs. of dipole moment near Hartree-Fock limit 4−3125
HOF, compared to $\mathrm{H_2O}$, $\mathrm{F_2O}$, Zeeman and Stark effects, dipole, quadrupole moments 4−19848
HeAr, electric dipole moment, long range overlap contribution 4−36453
HeH, electric dipole moment, long range overlap contribution 4−36453
HeLi, electric dipole moment, long range overlap contribution 4−36453
HeNa, electric dipole moment, long range overlap contribution 4−36453
$\mathrm{MgF_2}$, dipole moment as fn. of bond angle, SCF calcs. 4−24141
$\mathrm{MgF_2}$ dipole, function of bond angle, induced interaction with inert gas atoms, theory 4−3130
NO $X^2\Pi$, $A^2\Sigma^+$, configuration interaction approach 4−9490
Ni tetracarbonyl complex, i.r. spectral band intensities, dipole moment derivatives 4−25097
OCS, high resolution microwave obs. of mag. props. 4−826
OCS, rot. mag. moment for J=1 to 5 states 4−27637
OCS isotopes, (01^10) vibr. state mol. consts., mol. beam elec. reson. spectroscopy obs. 4−27638
OD, electric dipole moment, mol. beam electric resonance 4−3129
OH, electric dipole moment, mol. beam electric resonance 4−3129
SH hyperfine Λ-doubling spectrum in $^2\Pi_{3/2}$ state 4−27692
$\mathrm{SO_2}$, i.r. spectrum, dipole moment derivative 4−818
SnO, electronic transition moment, r-centroid method *(Russian)* 4−31821
TlF dimer, low energy electron scatt., dipole moment obs. 4−19900

molecular nuclear coupling
6-endo-bromo-1,5,5-trimethylnorbornane-2,3-dione, p.m.r. X-ray struct. anal. 4−40314
A-nuclei n.m.r. spectra calc. in symmetrical spin systems *(German)* 4−40312
acenaphthene, 1,2-disubstituted deriv., vicinal ^{19}F-^{1}H coupling consts., electronegativity depend. 4−9574
acetone, p.m.r. obs. of deuterium quadrupole coupling consts. of acetone $\mathrm{CD_3}$ groups in nematic soln. 4−6106
alkyl halides, ^{13}C chem. shift tensor anisotropies and coupling const. signs 4−6104
4-alkylnitrobenzenes, p.m.r. spectra, proton coupling constants 4−24115
2-aminoacetophenone, nuclear spin-spin coupling consts. of NH fragment 4−6098
aniline, nuclear spin-spin coupling consts. of $\mathrm{NH_2}$ fragment 4−6098
tert-butylphosphines, ^{31}P-^{1}H spin-spin coupling 4−12526
carbonyl cyclic compounds, ^{13}C-h coupling constants 4−6096
1-chloro-1-fluoroethane, microwave spectrum analysis 4−3186
chloromethyl ether, microwave spectrum analysis 4−3185
diacetoxynaphthalenes, long-range ^{13}C-H spin-spin coupling 4−27708
diatomic $\mathrm{X_2}$ molecule, nuclear magnetic relaxation, intramolecular quadrupole mechanism 4−16117
dibenzothiophen, n.m.r., inter-ring coupling const. and indeterminateness 4−24117
dibenzothiophen n.m.r., inter-ring coupling const. and indeterminateness 4−24117

molecular nuclear coupling continued
- p-dichlorobenzene, ^{35}Cl n.q.r. mechanical coupling of kinetic moment 4−10349
- dichlorophenyl oxetanes, p.m.r. 60 MHz spectra, proton-proton couplings 4−3205
- dicyano benzenes, in nematic solvent, p.m.r. obs. 4−852
- dienes, conjugated, long range ^{1}H-^{1}H coupling consts., CNDO, INDO MO calcs. 4−5983
- trans-1,2-difluoroethene, partially oriented in liq. crysts., n.m.r., indirect couplings, mol. geom. 4−31898
- diynes, conjugated, long range ^{1}H-^{1}H coupling consts., CNDO, INDO MO calcs. 4−5983
- ethanes, partially halogenated 4−19874
- ethanol, n.m.r. spectra in nematic phase 4−6105
- ethyl cyanide, and partially deuterated forms, microwave spectrum, quadrupole coupling consts. 4−27700
- m-fluorochlorobenzene, quadrupole coupling constant determ. from microwave spectra 4−3171
- formaldehyde, deuterated, deuteron quadrupole coupling, hyperfine structure of rot. transition 4−24100
- formaldehyde, h.f.s. of l.f. transitions, 100 kHz to 300 MHz *(French)* 4−9543
- formaldehyde, l.f. spectrum, h.f.s. of K-splitting transitions, ^{13}C coupling consts. *(French)* 4−36530
- formamide in aq. solns., ^{13}C-^{15}N coupling const. 4−19879
- gas phase nuclear magnetic relaxation, symmetric top molecule, nuclear spin symmetry 4−31892
- 2,2,4,4,6,6-hexamethylcyclohexyl radical, e.p.r., long range interactions 4−36553
- isonitriles, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
- ketones, acryclic, monocyclic, ^{13}C-H coupling consts. 4−6096
- lithium formate monohydrate, i.r. spectrum, deuteron magnetic resonance, H_2O study, quadrupole coupling 4−36548
- methane, deuteron quadrupole coupling const., dependence on internuclear distance, LCAO-MO-SCF calc. 4−27720
- methanesulphenyl chloride, direction of quadrupole coupling tensor 4−9545
- methanol, deuterated, CH_3OD, deuterium quadrupole coupling 4−827
- methyl fluoride, Zeeman effect 4−40297
- N-methylacetamide, conformational depend. of vicinal ^{15}N-C-C-H coupling consts. in peptide backbone 4−36474
- methylsilane-d$_3$, nematic liq. cryst. solvent, n.m.r., structural parameters, quadrupole coupling consts. 4−36552
- monobromoacetonitrile, microwave spectrum and quadrupole coupling 4−3183
- naphthalene, long-range ^{13}C-H spin-spin coupling 4−27708
- n.m.r., spin-spin multiplets, T_1 spin decoupling effect on lineshape 4−31896
- norbornane-2,3-diones, long-range spin-spin coupling 4−40314
- nuclear quadrupole resonance, molecular coupling constants, rel. to electronic structure 4−31900
- organic molecules containing ^{31}P and ^{13}C, J coupling consts. *(French)* 4−19867
- 2,2,4,6,6-pentamethylcyclohexyl radical, e.p.r., long range interactions 4−36553
- pentamethylcyclopentaphosphine, ^{31}P n.m.r., ^{1}J(PP) spin-spin coupling 4−12611
- peptides, conformational depend. of ^{15}N-C-C-H vicinal coupling consts. 4−36474
- phenyltin(silyl)(IV) trichloride, and coupling consts. 4−41284
- phosphonates, var. of vicinal $^{31}P-C-C-^{1}H$ couplings with dihedral angle, n.m.r. study 4−27577
- propene-2-C-13, oriented in a nematic phase, spectrum, p.m.r. spectrum 4−853
- c- propylene imine, ^{14}N quadrupole coupling consts. from microwave spectrum 4−12592
- pyridine, ^{15}N-, ^{13}C-ring-substituted, microwave spectra, quadrupole coupling, substitution struct. 4−19852
- pyridine in various solvents, C-D quadrupole coupling consts. 4−20891
- ^{15}N-pyrrole, long-range C-H couplings determ. 4−19876
- pyrrole, potential interstellar mols., n.q.r. coupling and rot. consts. of N atom 4−31890
- quadrupole shielding, anisotropy 4−9581
- quaternary ammonium salts, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
- spin density, calc. by SCF INDO method, with/without projection of UHF function 4−40215
- spin-spin interaction const., calc. of π contribution using method of spin polarisation 4−19884
- spin-spin interactions, calc. by RHF/SP method 4−6103
- tellurophen, isotropic and nematic phase n.m.r., 60 MHz, mol. geometry 4−16122
- tertiary amine, conjugate acid, vicinal H-N-C-H coupling constants, angular depend., n.m.r. 4−850
- 1,2,4,5-tetrahydroxybenzene, radical cation, e.s.r., hyperfine coupling, hindered rotation 4−36551
- 2-thenyl radical, spin coupling consts., INDO calcs., d-orbital influence 4−16125
- thioformamide, microwave spectrum, ^{14}N quadrupole coupling const. 4−31864
- thiophen radicals, hyperfine coupling consts. calc. using INDO-MO method 4−31899
- thiophene, spin coupling consts., INDO calcs., d-orbital influence 4−16125
- p-tolyltin(silyl)(IV) trichloride, ^{13}C and ^{1}H n.m.r. and coupling consts. 4−41284
- transition metal π-complexes and derivatives, ^{13}C n.m.r. spectra, shielding of ligand nuclei 4−856
- trifluoro-1,2-oxathietane-2,2-dioxide, ^{19}F n.m.r. spectra, mol. config. and coupling consts. 4−24118
- trimethyl lead chloride, Pb hyperfine coupling consts., e.s.r. obs. and Cl 4−19881
- triphenyl lead bromide, Pb and Br hyperfine coupling consts., e.s.r. obs. 4−19881
- triphenyl lead chloride, Pb and Cl hyperfine coupling consts., e.s.r. obs. 4−19881
- aromatic molecules, deuteron quadrupole coupling constant, σ-π inequivalence 4−31902

molecular nuclear coupling continued
- BrO, BrO_2 and BrO_3^-, geom. rel. to quadrupole coupling consts. 4−9476
- ClO, ClO_2, ClO_2^-, ClO_3^- and Cl_2O, geom. rel. to quadrupole coupling consts. 4−9476
- ClO_3, quadrupole coupling, e.s.r. obs. of irrad. $KClO_3$ and $NaClO_3$ 4−10310
- ClO_2F, quadrupole coupling consts. determ. from microwave spectrum 4−9554
- Cr(III) aquo complex, d.m.r. obs, chem. exchange 4−25476
- CsF vibrational states, electrical dipole moments and quadrupole coupling constants, beam resonance expt. *(German)* 4−16099
- Cu(II) complex, pyridine N-oxide bridged dimeric copper(II) nitrate complexes, ring substitution, ground state struct. 4−19873
- ^{63}Cu, n.m.r., in Cu_2HgI_4, quadrupole coupling const. rel. to temp. *(German)* 4−41302
- o-(p-)D_2, d(3p)$^3\Pi_u$ fine struct., MOMRIE obs. 4−19868
- n-D_2 thermomagnetic torque, effects of nuclear spin 4−40359
- F-F through-space spin-spin coupling, role of lone-pair interactions 4−36544
- $FClO_2$, microwave spectrum, Cl nuclear quadrupole coupling constant 4−40298
- n-H_2, thermomagnetic torque, effect of nuclear spin 4−40359
- HD, decoupling effect on transverse thermal conductivity coefficient 4−3241
- HD, large CI calcs. of spin-spin coupling consts. 4−31897
- HD, thermomagnetic torque, effects of nuclear spin 4−40359
- HF→HI, third-order perturbation calc. heavy atom nuclear shielding depend., I. proton chemical shift 4−9580
- H_2O, ab initio calcs. of quadrupole coupling consts. near Hartree-Fock limit 4−3125
- H_2O, hydrogen bonded, correlation curves from ab initio calcs. 4−27633
- HT(D)(H), electron-coupled nuclear spin-spin interactions 4−24116
- ^{2}H, n.m.r. obs. of molecular motion and deuteron quadrupole coupling in solids 4−33284
- ^{2}H quadrupole coupling consts., determ. from correlation of ^{2}H and ^{13}C relax. times 4−40317
- I_2, laser-mol. beam meas. of h.f.s. 4−6079
- IF, microwave spectra detection and assignment 4−27695
- IO radical, microwave spectrum, rot. consts., centrifugal distortion, nuclear quadrupole coupling const. 4−24101
- J(^{13}C-H) indirect spin-spin coupling for C-H bond lengths, magnetoangular correlations 4−16124
- LaO, hyperfine struc. of rot. lines 4−24062
- $^{15}NH_2$ fragment, geometrical dependence of nuclear spin-spin coupling consts. 4−6098
- OCS isotopes, (01^{1}0) vibr. state mol. consts., mol. beam elec. reson. spectroscopy obs. 4−27638

molecular orbitals
- *see also molecular orbitals calculations*
- acetylene, Rydberg series, 1250-1360 Å region, D and G states 4−16067
- alkali metal, electron cond., diatomic antibonding σ*s orbitals as metallic orbitals 4−20579
- amino acids, orbital populations 4−28726
- aromatic hydrocarbon crystal, triplet transfer integrals, influence of nonorthogonality corrections 4−10443
- aromatic molecules, deuteron quadrupole coupling constant, σ-π inequivalence 4−31902
- p-benzoquinone, assignment of phosphorescent triplet state from optically detected magnetic resonance 4−6815
- biphenyl neg. ion in THF soln., Raman spectra 4−31839
- chemical bond order *(Russian)* 4−27624
- conjugated polycyclic systems, valence-bond struct., Kekule index 4−12546
- cyclic compounds, three membered, mechanistic characterisation of thermal ring opening 4−7422
- diatomic RKR potential curves, fast quadrature method 4−31805
- 2,3-diazobicyclo[2,2,n]alk-2-enes, n=1,2,3,4, photoelectron spectra 4−12622
- Dirac eqn. for relativistic electron in field of two Coulomb centres, soln. 4−753
- electron impulses, mean values *(French)* 4−31647
- e.m. wave interaction, determ. of polarisation vector by semiclassical theory 4−11906
- ethylene, σ and π orbitals description by FSGO *(French)* 4−3096
- excited and ionized states, orbital and excitonic descriptions 4−19761
- ferricenium ion, absorpt., magnetic circular dichroism and e.s.r. anal. of electronic struct. 4−9583
- ferrocene, level ordering, Hartree-Fock-Slater and Hartree-Fock models comparison 4−9482
- haloethylenes, halogen non-bonding orbitals 4−27739
- heavy ion collisions, K X-ray excitation, 150 MeV Xe ions 4−9469
- heavy ion scattering, nuclear reaction model in molecular orbitals framework 4−36221
- hydrocarbon, unsaturatively bridged small rings, orbital interaction, rel. to chem. reaction 4−19772
- ligand-field spin-orbit energy levels, d^5 electron configuration, octahedral and tetrahedral symmetry 4−37177
- localized orbitals, multiconfig. SCF theory, choice of localization pot. 4−19746
- methanol species, CH_3O^-, CH_3OH, $CH_3OH_2^+$, near-molecular Hartree-Fock wavefunctions 4−19754
- minimization of total energy in PPP method 4−24034
- natural orbitals 4−762
- nitroanilines, photoelectron spectra 4−12621
- optimisation, parameterizations of little rotations for functional iteration 4−27593
- organic gases, π-electron containing, mobility of thermal electrons 4−764
- outer 3d orbitals participation in bonds and influence on molec. props., literature review 4−5988
- outer-shell orbital effects on Hartree-Fock energies 4−19750
- oxygen compounds, band intensities in He I-, He II-photoelectron spectra, photoionization cross-section of mol. orbitals 4−16132
- reaction mechanism for cycloaddition of singlet molecular O_2 to olefines 4−7421

molecular orbitals continued
  reaction mechanisms for singlet ground-state molecular systems 4−7420
  sandwich molecules, modification of two-dimens. electron gas model 4−31799
  spin-spin interaction const., calc. of π contribution using method of spin polarisation 4−19884
  subtituted benzenes, correlation of ionisation potentials and sums of substituent constants 4−6112
  sulphur compounds, band intensities in He I-, He II-photoelectron spectra, photoionisation cross-section of mol. orbitals 4−16132
  V states, mixed V_σ, V_π states predicted for many molecules, mixed V_σ, V_π state observed 4−36480
  valence states of atoms in molecule, survey article 4−36405
  weakly coupled open-shell atoms, exchange interactions 4−19760
  BH_2, Walsh's rules and mol. geom. 4−19747
  $_{35}Br+_{35}Br$ collisions, observ. of Z=70 K X-rays 4−9470
  CH_2, Walsh's rules and mol. geom. 4−19747
  CdX_2, X=Cl, Br, I, gaseous, photoelectron spectra 4−36572
  Co(II) complexes, tetrahedral, with alkyl substituted thioureas, absorpt. spectra of S donor ligands and electronic struct. 4−19814
  $CuCl_4^{2-}$, ab initio LCAO-MO-SCF calc. 4−5997
  F-F through-space spin-spin coupling, role of lone-pair interactions 4−36544
  H_2O_2, photoelectron spectra, nonbonding orbital splitting 4−31919
  NH_2, Walsh's rules and mol. geom. 4−19747
  NH_3, partial oscillator strengths for ionization of 3 valence orbitals 4−31914
  OH_2, Walsh's rules and mol. geom. 4−19747
  Os(III) complexes, facial isomers of MCl_3L_3 type 4−40259
  OsO_4, assignment of highest energy filled MO's 4−6118
  OsO_4, electronic absorption spectra 4−19815
  $PSCl_3$, $PSCl_{3-n}[N(CH_3)_2]_n$, photoelectron spectra 4−9593
  Ru(III) complexes, facial isomers of MCl_3L_3 type 4−40259
  RuO_4, assignment of highest energy filled MO's 4−6118
  RuO_4, electronic absorption spectra 4−19815
  SiF_4, assignment of He I photoelectron spectrum 4−31922
  ^{125}Te hexahalides, change in electron density and chem. shifts in Mossbauer spectra 4−6819
  ZnX_2, X=Cl, Br, I, gaseous, photoelectron spectra 4−36572
molecular orbitals calculations
  see also LCAO calculations; molecular electronic structure; self-consistent field methods
  ab initio calc. of potential energy surfaces in complex plane, analytic continuation methods comparison 4−871
  ab initio calcs., approx. for electron repulsion integrals 4−3104
  ab initio calcs. on large molecules 4−760
  acetic anhydride, molecular orbital calc. of interaction force constants 4−19794
  acetyl acetone, molecular orbital calc. of interaction force constants 4−19794
  acetylacetone, struct. and bonding, INDO calc. 4−12545
  acetylene, ab initio force consts. from SCF wavefunctions 4−24056
  acrolein, triplet states, correlation effects on electronic charge distrib. 4−36478
  adamantane and derivatives, MINDO-SCF-MO calcs. of photoelectron spectra 4−36566
  aldehydes, unsaturated, electronic structure and dipole moments in ground and singlet excited states 4−3109
  alkali metal fluorides containing Cu(II), site symmetry and optical absorption spectra 4−3465
  alkenes, substituted, CNDO/2 and EH calcs. of frontier orbitals 4−36469
  allyl cations, geometry and energy 4−19735
  allyl radical, π-electron spin density calcs. by Hartree Fock LCAO-MO-SCF 4−36476
  amines, IOC-ω-technique, ground-state, π-bond energy, heat of form. 4−19768
  2 amino-ethyl-acetate, ab initio calc. 4−9479
  aminonitrenes, singlet and triplet states, ab initio MO calc. of geometry 4−27575
  aromatic hydrocarbon crystal, triplet transfer integrals, influence of nonorthogonality corrections 4−10443
  aromatic hydroxycarbonium ions, u.v.-visible absorpt. and emission spectra, mol. parameters calc., struct. 4−27649
  aromatic molecules, condensed, excited state π-electron polarizabilities 4−12544
  azabenzenes, ab initio MO-SCF-LCAO calcs. rel. to photoelectron spectra 4−36472
  azanaphthalenes, triplet energies calc. 4−29349
  azines, modified iterative extended Huckel interpret. of photoelectron spectra 4−36569
  azines, monocyclic, CNDO/2 treatment of electronic transitions 4−40223
  azulene cation, e.p.r., proton hyperfine splitting constant, McLachlan method 4−40319
  benzaldehyde, enigma of aldehyde H-wag vibration in $'A''(n\pi^*)-A'$ spectrum, CI-INDO calc. 4−16051
  1,2-benzanthracene, SCF-MO semi-empirical methods 4−12540
  benzene, electronic struct. investigation by ab initio calcs. 4−772
  1-12 benzoperylene, SCF-MO-CI method for π electrons, interpretation of electronic spectrum 4−27625
  p-benzoquinone, MINDO/2 calcs. of struct. and props. 4−744
  benzylimine and related isoelectronic monosubstituted, CNDO/m-CI calc. 4−9519
  betaines, CNDO/2 and EH calcs. of frontier orbitals 4−36469
  biacetyl, molecular orbital calc. of interaction force constants 4−19794
  biaziridyl, theoret. conformational analysis using semiempirical calcs. *(French)* 4−27583
  bicyclo[2.2.1]heptanone-2, methyl subst., barriers of rot. investig. using CNDO-2, PCILO calc. methods *(French)* 4−40211
  binding energy determ. by semiempirical MO electron correlation method 4−5990
  carbonyls, $(n\pi^*)$ type, barrier to mol. inversion, CNDo/2 calcs. 4−19762
  carbonyls, phosphorescence spectra, transitional assignments, CNDO method 4−19859
  trans-chalcone, nature of electronic absorption bands 4−790
  character orders of excited states *(German)* 4−38161
molecular orbitals calculations continued
  chemical reactions 4−4252
  chemisorbed molecules, H_2 on W(100) 4−28300
  chloromethanes, interpretation of photoelectron and X-ray emission spectra 4−36568
  closed shell, orbital energy sum, electronic energy approx. 4−27513
  CNDO, single bond and orbital energy calc. for triatomic mols. 4−757
  CNDO method, doublet mols., electronic spectra calc. 4−6022
  CNDO/2, use of Saunders' level shifting technique 4−31775
  CNDO/2 investigations of the hydrogen bond in β-D-glucose 4−3234
  CNDO/2 treatment of electronic transitions, open shell case 4−40223
  core deformation from coherent X-ray scattering 4−12834
  core electron ionization potentials and chem. shifts, equiv. cores method 4−19780
  coronene mononegative ions, angular momentum calculations 4−24031
  coumarin and derivatives, electronic spectra calc. by Pariser-Parr-Pople method in variable β approx. 4−31829
  coumarins, electronic struct. 4−19769
  coupling coefficients for definition and calc. of electron repulsion integrals 4−3105
  cyclohexylfluoride, DCNDO/2 calcs. of electronic struct. *(French)* 4−27620
  cyclopentadienyl cations, stability of isomeric forms, CNDO calc. 4−5976
  cyclopentadienyl cations and anions, $(CH)_5+$ and $(CH_5)^-$, stable forms, MINDO/3 calc. 4−5977
  cyclopropyl cations, geometry and energy 4−19735
  diarylaminyl radical, recombination reaction, perturbation molecular orbital study 4−16046
  diatomic molecule, one and two centre integrals, Slater type orbitals *(German)* 4−40222
  diatomic molecule, Rydberg states, virtual orbital and variational methods 4−31795
  1,2,5,6-dibenzanthracene, SCF-MO semi-empirical methods 4−12540
  Diels-Alder reaction, with doubly excited configs., calc. of first stage *(Russian)* 4−38123
  dienes, conjugated, long range ^1H-^1H coupling consts., CNDO, INDO MO calcs. 4−5983
  difluoroacetic acid, rot. barriers and dipole moments, semi-empirical calcs. 4−745
  difluoroacetyl fluoride, rot. barriers and dipole moments, semi-empirical calcs. 4−745
  1,1-difluorocyclohexane, CNDO/2 calcs. of electronic struct. *(French)* 4−27620
  dimethylenolphosphates, conformational anal., CNDO/2 method *(French)* 4−12531
  dimethylsulphoxide-boron trifluoride, conform. analysis, rock and roll internal motion 4−3090
  1,2-dioxetane conversion to two formaldehydes, CNDO/2 CI calculations 4−7423
  1,3 dipoles and dipolarophiles, frontier orbitals 4−36469
  direct minimization of ground and excited state energies *(French)* 4−27594
  dithioformic acid, CNDO/2 and Huckel method, hydrogen bonding, tautomerism, normal vibr. 4−36483
  diynes, conjugated, long range ^1H-^1H coupling consts., CNDO, INDO MO calcs. 4−5983
  DNA, monoprotonated base, electronic reorganisation, intermol. interaction 4−19940
  DNA II, effect of electric field on electronic struct. during unwinding 4−12656
  dyes, symmetric basic, relative parameters from visible spectra for Huckel method *(Portuguese)* 4−5981
  electron densities, ZDO, diatomic overlap densities for correct nodal props. 4−31787
  electron gas, paramag., DODS method applic., correl. induced instability 4−28326
  electronic transition energies $n\rightarrow\pi^*$, calc. by simple semiempircal procedure, using Huckel orbitals *(French)* 4−40221
  electrostatic force treatment, calc. of structural parameters of hydrocarbons, chemical reactions 4−27596
  electrostatic potentials, all valence electron wavefunctions and zero differential overlap approx. 4−31778
  enol phosphates, calc. and experimental dipole moments *(French)* 4−12532
  equilibrium geometries, ground and low-lying excited states, AH_n mols. and cations (A is C,N,O or F) 4−16038
  ethane, ab initio force consts. from SCF wavefunctions 4−24056
  ethane, isoelectronic radical ion, structure, unrestricted Hartree-Fock calcs. 4−31772
  ethane, nonadditivity of interband interactions, rot. barrier 4−9475
  ethylamine, geminals method calc. 4−31798
  ethylene, ab initio force consts. from SCF wavefunctions 4−24056
  ethylene, ground state rot. barrier, double config. SCF approach 4−24046
  ethylene, pyramidal distortions in triplet π,π^* state 4−739
  ethylene diamine, conformational anal., CNDO/2 method *(French)* 4−12533
  ethylenes, substituted, electronic interaction between vinyl group and substituents, electron-withdrawing effect 4−27735
  ethylfluoride, photoelectron spectra and orbital assignment by sum rule consideration 4−31935
  even-tempered atomic orbitals, Gaussian primitives and expanding SCF orbitals 4−27601
  even-tempered bases, pseudoscaling capability for molecular calcs. 4−27602
  even-tempered experimental bases 4−27599
  exchange integral, two-centre, analytic express. 4−9480
  exciton dissociation at Al-anthracene interface 4−32903
  extended Huckel theory, self-consistent 4−24030
  ferrocene, SCF $X\alpha$ scattered-wave calc. 4−24027
  fluoroethylenes, hybridization, electronegative substitution, CC-bond shortening, variational calcs. 4−19759
  fluoroolefins, comparison of semiempirical MO methods for calc. electronic structure and reactivity 4−31800

molecular orbitals calculations continued
formaldehyde, spin dipole-dipole parameters, CI calcs. 4−27607
formaldehyde H_2O system, ab initio MO calc. of H-bond energy between lower excited states 4−40229
formylpyridines, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4−40210
formylpyrroles, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4−40210
FSGO method, proton affinity of small mols. and atoms 4−27587
FSGO wavefunctions, localization criterion 4−31777
furocoumarin and derivatives, electronic spectra calc. by Pariser-Parr-Pople method in β approx. 4−31829
Gaussian expansions of Slater-type orbitals, electronic momentum distribs. calc. 4−31779
glyoxal, MINDO/2 calcs. of struct. and props. 4−744
guanidine-5-aminotetrazole, CNDO/2 approx., mol. and electronic struct. 4−19736
halobenzene, trisubstituted, singlet transition energies, MIM wavefunctions, PPP charge densities and bond orders 4−27626
halobenzenes, disubstituted, π-electron calcs. by MIM and PPP methods 4−3106
harmonic force fields from mol. energy calcs. (INDO and MINDO/2 calcs.) 4−27632
Hartree-Fock methods, optimum atomic orbitals 4−3055
heavy ion collisions, autoionization of positrons 4−9306
heteronuclear alkali metal diatomics, split-shell model, ground state props., population anal. 4−16040
1,3,5-hexatriene, ab initio theoretical description of state ordering 4−796
homonuclear molecules, generalized formula for MO energies including correl. effects *(French)* 4−36468
homopolar dipole, determ. from overlap population, dipole moments calc. 4−36500
hydrocarbons, alternant and non-alternant, Parr-Pariser-Pople calc. using new form of resonance integral 4−5987
hydrocarbons, interaction of σ-bonds, localized heminal method calc. 4−6001
hydrocarbons, ionisation pot., electron affinity, IOC-ω-technique 4−19887
hydrocarbons, linear, CNDO/2 treatment of electronic transitions 4−40223
hydrocarbons, PPP calc. with allowance for iteration correction of integrals for neighbouring atoms 4−36477
hydrogen bond, effect on $n \rightarrow \pi^*$ transition in ROH...OCH_2 dimers 4−19770
hydrogen bonded systems, second order effects on pots. calculated by CNDO/2 method 4−27606
hydroxyapatite, pure and fluorine-containing, MO-SCF study of hydroxyl binding and diffusion 4−28113
hydroxyazo dye, SCF-CI calcs. of spectral assignments in u.v. and visible spectra 4−36506
ice, cubic, hexagonal structs., stability, mol. interactions, charge transfer 4−16443
ice-Ih crystal, hydrogen bonding investigation 4−32471
INDO perturbation theory, F in organic compounds, ^{13}C chemical shift 4−12606
inner-shell ionisation energies calc., in model mol. systems, SCF approach 4−40326
interactions in excited states, ab initio (EHP)SCF calculations 4−16146
ion-water interactions, gas phase, pot. fuct. determ. by semiempirical mol. orbital method 4−40346
isocyanates, MO-SCF calculations, nonlinearity of NCO-group 4−40213
ketyl radicals and radical anions of uracil and cytosine, SCF calc. of spectra 4−27604
large molecules, integral number decrease possibility, high symmetry basis 4−5985
Linderberg's relation applics. 4−27595
linear polyatomic, spin-orbit splitting in degenerate electronic states, semiempirical calcs. 4−36473
lithium-formic acid complex, form. by solvation reaction, interpretation by localised INDO MO's approach 4−41989
localised SCF orbitals by direct determ. 4−31774
magnesium porphine, electronic struct. 4−19771
magnetic dipole moment integrals over Slater orbitals 4−27598
magnetic shielding, paramagnetic contribution in tetra and octahedral mols. 4−19777
many-electron wave matrices, construction of wavefunction at given total spin 4−31785
matrix cofactors, numerical computation method 4−172
metal sandwich complexes, axial field spin-orbit perturbation calc. for d configurations 4−27617
methane, deuteron quadrupole coupling const., diamag. shielding and susceptibility, dependence on internuclear distance, LCAO-MO-SCF calc. 4−27720
methane, electronic props. CI anal. 4−31788
methylamine, geminals method calc. 4−31798
methylene, ab initio valence bond calcs. 4−27613
methylene, spin dipole-dipole parameters, CI calcs. 4−27607
methylene peroxide, stability and conform., SCF MO calc. 4−24022
methylmetals, bonding, force consts. 4−40218
methyltrifluorosilane, semi-empirical CNDO method applied to analysis of electronic struct. *(French)* 4−769
modified free atom Hamiltonian, numerical multicentre basis set 4−31781
molecular interaction, biorthogonal orbitals in Rayleigh Schrodinger perturbation expansion 4−24154
monofluoride, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4−9488
NDO methods, theoretical and semi-empirical approaches 4−3099
nitriles, molecular orbital study rel. to core resonance integral for short C-N bond 4−19753
nitrosomethane dimers, INDO and CNDO/2 calcs. for N-N bond *(French)* 4−31762
NNDO approximation, comparison with 'ab initio' reduced gaussian basis *(Spanish)* 4−5982
non-empirical valence-electron calc. on small molecules containing P or S 4−27605

molecular orbitals calculations continued
nonlinear molecule, electron repulsion integrals and symmetry adapted charge distributions 4−9486
n.q.r., electric field gradient tensor, asymmetry parameter principal axes orientation 4−6111
nuclear collective model, microscopic theory 4−521
nuclear model, for structure of ^{9}Be, applicability 4−535
nuclear scattering between heavy nuclei differing by few nucleons, optical model, Coriolis effect 4−2950
parabanic acid, and alkyl derivatives, electronic struct., spectroscopy 4−27647
Parr-Pariser-Pople type calc. using new form of resonance integral 4−5987
peptides, conformational depend. of ^{15}N-C-C-H vicinal coupling consts., INDO approx. 4−36474
phenazine and derivatives 4−36487
polyatomic molecules, ab initio calcs. of vibrational properties 4−3125
polyethylene, ESCA comparison with cryst. orbital calcs. 4−13550
porphyrins, all-valence-electron SCF MO CI calcs., of spectra of dianion and free base porphin 4−3107
porphyrins, electronic struct. 4−19771
potential surfaces, functional Boys-Bernardi counterpoise method applic. 4−19763
n-propylfluoride, photoelectron spectra and orbital assignment by sum rule consideration 4−31935
proton magnetic shielding anisotropies, gauge invariant molecular orbital approach 4−27709
proton transfer processes, in water and ice, proton-proton interactions investig. semiempirical model 4−34042
pyrazine, 1-hydropyrazine radical, e.s.r. spectra, mol.-orbital calcs. from spin densities 4−16123
pyrazoline-2 derivatives, i.r. spectra, intermolecular hydrogen bonding, CNDO/2 calcs. *(French)* 4−36523
pyridine, electronic struct. investigation by ab initio calcs. 4−772
pyridinediols, variable electronegativity π-electron SCF-MO theory, electronic spectra 4−40228
pyrimidine, 4,6-disubstituted, SCF-MO-CI calc. of absorpt. spectra tautomerism depend. 4−36460
α-pyrone derivatives, electronic spectra calc. by Pariser-Parr-Pople method in variable β approx. 4−31829
pyrrole type compounds IOC-ω-technique, ground state, π-bond energy, heat of form. 4−19768
quantum chemistry, semi-empirical, molecular properties, true effective operators, ab initio evaluation 4−40217
quinodimethanes, ionisation pot., IOC-ω-technique 4−19887
radical, triatomic, ab initio calcs. by unrestricted Hartree-Fock method 4−31780
Raman intensities, generalisation to resonance, harmonic oscill. approx. 4−27665
relativistic changes accompanying molecular formation 4−36470
repulsion integrals, correl. contrib., ab initio calcs. 4−24028
N-retinylidene derivatives, elec. π dipole polarisabilities in ground and first excited singlet states 4−784
SCF LCGO wavefunctions, atomic and molecular polarisabilities *(French)* 4−36419
SCF orbital selection 4−40220
semiempirical MO calc. of photoelectron spectra of nitramine and nitrosoamine dimethyl derivatives 4−6119
semiempirical quantum chemistry, theoret. foundations 4−40219
solvated electron, polar solvents, dimer, monomer models 4−7473
solvation effect, semi-classical ab initio calc. 4−31814
spin density, calc. by SCF INDO method, with/without projection of UHF function 4−40215
spin-spin interactions, calc. by RHF/SP method 4−6103
STO-3G calculations, orbital factors rel. to asymmetric induction 4−12537
symmetrized orbitals, applic. of Lie algebras 4−39584
TCNQ and anions, ab initio calcs. of ioniz. energies and charge distribs. 4−31790
tetramethylammonium tetracyano-1,1,3,3-aza-2 propenide, electronic struct., u.v. spectra and solvation energy *(French)* 4−27621
2-thenyl radical, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
thiocarbonyl heterocyclic compounds, electronic spectra, expt. and calcs. 4−27660
thioformaldehyde, non-empirical SCF and CI calcs. for ground and excited states 4−31792
thiolacetic acid, CNDO/2 and Huckel methods, hydrogen bonding, tautomerism, normal vibr. 4−36483
thiolformic acid, CNDO/2 and Huckel methods, hydrogen bonding, tautomerism, normal vibr. 4−36483
thiophen radicals, hyperfine coupling consts. calc. using INDO-MO method 4−31899
thiophene, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
three-centre nuclear attraction integrals, approx. over Slater-type orbitals 4−31776
transition metal complexes, pentagonal pyrimidal seven-coord., bonding and MO theory 4−5984
trialkali ions, SCF calcs., pseudoscaled nonorthogonal atomic orbitals 4−27603
trifluoroacetic acid, rot. barriers, and dipole moments, semi-empirical calcs. 4−745
trifluoroacetone, struct. and bonding, INDO calc. 4−12545
trifluoroacetyl fluoride, rot. barriers and dipole moments, semi-empirical calcs. 4−745
trimethylphosphine-borane, Lewis complex, CNDO/2 approx., conformational anal., electronic struct. *(French)* 4−19737
two-centre Dirac equation, appl. in heavy ion physics 4−9307
vinyl cations, geometry and energy 4−19735
vinylidene carbene, acetylene and isomeric cyclic intermediate, ab initio MO calcs. 4−19764
water molecules in hydrogen bonded crysts., dipole moments and charge distribs. 4−1371
X-ray absorption spectra, interpretation by unoccupied orbitals of ground state 4−31817
$[Ru(NH_3)_5N_2]^{2+}$, $[Ru(NH_3)_5CO]^{2+}$ and $[Ru(NH_3)_5No]^{3+}$ complexes, electronic structure and spectra, CNDO MO calc. 4−6000
ArH, long-range interaction potential 4−24158

molecular orbitals calculations continued
  AsF, SCF wave functions, Hartree-Fock-Roothaan matrix expsn. method 4−31913
  BCl_3, CNDO calc., interpretation of X-ray absorption spectrum of B in this cpd. 4−24043
  BCl_3, dipole moment derivatives and vibr. intensities, CNDO calc. 4−19803
  BF_3, CNDO calc., interpretation of X-ray absorption spectrum of B in this cpd. 4−24043
  BH, electronic wavefunctions, GVB method, potential energy curves, mol. moments 4−40227
  $B_2H_6^-$, isoelectronic radical ion, structure, unrestricted Hartree-Fock calcs. 4−31772
  $Be(BH_4)_2$ ab initio SCF and CI study of gas phase geometries 4−31769
  BeH, ioniz. pot., absorpt. spectra and ab initio calcs. 4−31906
  Br_2, LCAO CNDO calculations 4−36488
  Br_2CO, dipole moment derivative calc. CNDO anal. of vibr. intensities 4−31819
  C_2^-, nonempirical calcs. on electronic spectrum 4−12538
  CH^+, mol. vibr., eqn. of motion anal. of oscillator strengths 4−31827
  CH_3O_2 radical, generalised valence band and configuration interaction calcs. of low-lying states 4−3113
  CO, anal. of perturbation parameters in $a^3\Pi$ and $A^1\Pi$ static 4−9484
  CO, INDO method, electron scattering, static potential calc. 4−12626
  C_2O_2, electronic struct., ab initio LCGO MO SCF calc. 4−27612
  ^{12}C, polarisation of α-clusters 4−534
  Cl^- complex hydrate, EH and CNDO/2 calcs. of energy characts. 4−29359
  Cl_2, LCAO CNDO calculations 4−36488
  $Co(CO)_3NO$, He(I) photoelectron spectra, electronic struct., SCF-mol. orbital calcs., orbital relax. 4−16131
  CrF_6^{3-}, charge distrib., semi-empirical MO calcs. 4−9495
  F^- complex hydrate, EH and CNDO/2 calcs. of energy characts. 4−29359
  $Fe(CO)_2(NO)_2$, He(I) photoelectron spectra, electronic struct., SCF-mol. orbital calcs., orbital relax. 4−16131
  $FeCl_4$, modified free atom Hamiltonian, numerical multicentre basis set 4−31781
  FeF_6^{3-}, charge distrib., semi-empirical MO calcs. 4−9495
  H_2, anal. of nuclear motion influence on mag. props. 4−12549
  H_2, chemisorbed on W(100) 4−28300
  H_2, HD, D_2 thermodynamic functions, ab initio energy levels 4−36459
  H_2, Hund's rules, anal. of energy differences by Z expansion formalism 4−5939
  H_2 adsorption complexes on first-row transition metals, extended Huckel MO calc. 4−24647
  H_2 and isotopomers, mag. susceptibility 4−19752
  H_2 excited Σ^+ states, calc. using Brandow's method of folded diagrams 4−12539
  H_2^+, mol. expansion anal. of low energy $H^+ + H$ collisions 4−31740
  H_2^+, variation-perturbation treatment of molecular interaction energy 4−24029
  H_3^+, correl. Gaussian wave function, calc. of vibr. freq. and binding energies 4−9492
  H_4, pot. energy surface, calc. of reaction paths 4−9487
  H_5^+, polarized-orbital valence-bond calcs. of ground state props. 4−19757
  HBF, electronic struct and geom. 4−766
  HCl, pi electrons as proton acceptors, ab initio calcs. 4−24037
  HCl, proton donor ability 4−24036
  HF, electronic struct. and dissoc. energy, multi-config. SCF calc. 4−36475
  HF, pi electrons as proton acceptors, ab initio calcs. 4−24037
  HF, proton donor ability 4−24036
  HF and HF^+, perfect pairing and MO methods comparison for mol. props. calc. 4−16039
  HF_2^- ion, H bonding, semiempirical potential energy, function 4−9496
  HHe, high order correl. effects in intermol. forces 4−40225
  HNF, electronic struct. and geom. 4−766
  HO_2, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
  HO_2 radical, generalised valence band and configuration interaction calcs. of low-lying states 4−3113
  HO_3, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
  H_2O, ab initio calcs. of vibrational properties near Hartree-Fock limit 4−3125
  H_2O, ab initio SCF and configuration interaction calcs. on ground state 4−3103
  H_2O, hydrogen bonded, correlation curves from ab initio calcs. 4−27633
  H_2O_2, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
  H_2O_3, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
  H_2O_3 and H_2O_4, ab initio MO calc. of conformations and stabilities 4−5975
  He/H_2, interaction pot. calc. and Van der Waals minimum region 4−9623
  He_2 high order correl. effects in intermol. forces 4−40225
  $(HeH)^+$ ion, electron impact dissoc. using elliptic type orbitals 4−19903
  I_2, LCAO CNDO calculations 4−36488
  I_2, pot. curves calc. 4−19785
  KCl:Tl, impurity level calcs., quasi-mol. model for Tl centre 4−41033
  Li-He system, hyperfine press. shift, modified HF, MO calc. 4−16150
  Li_3^+, pot. energy curve, method of diatomics 4−27771
  LiF, linear and cyclic dimers, mol. orbital calc. 4−12617
  LiHe, high order correl. effects in intermol. forces 4−40225
  MgO, Compton effect, Mo-LCAO approx. 4−21095
  N_2, neutral and singly ionized, momentum distrib. of electronic states 4−9493

molecular orbitals calculations continued
  NF_2, gaussian type orbitals calcs. of e.s.r. coupling consts., ΔH_{298}^0 calc. 4−40316
  NF_2-CN, quantum mechanical evaluation of tilt of cyano group 4−750
  N_2F_4, mol. orbital study, ΔH_{298}^0 calc. for reaction $N_2F_4 \rightarrow 2NF_2$ 4−40316
  NH_3, comparative SCF and CI calculations 4−19756
  NH_3, geminals method calc. 4−31798
  NH_3, MC-SCF and CI calcs. 4−27597
  NO^+, absolute i.r. intensities of vibr.-rot. transitions in ground state 4−12566
  NO_2, low-lying excited states, electronic structure calcs. 4−770
  $^{15}NH_2$ fragment, geometrical dependence of nuclear spin-spin coupling consts. 4−6098
  NaCl, Compton profiles using MO-LCAO approx. 4−21095
  NaH, linear and cyclic dimers, mol. orbital calc. 4−12617
  Ne_2, dispersion energy between two atoms calc. using perturbative procedure 4−40202
  Ni complex, tris(acetylacetone)nickel(II) perchlorate, n.m.r. contact shifts and spin delocalization mechanisms 4−27718
  $Ni(CO)_4$, He(I) photoelectron spectra, electronic structure, SCF-mol. orbital calcs., orbital relax. 4−16131
  O_2, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
  O_2, virtual orbital ab initio anal. of electron energy loss spectra of Rydberg states 4−24137
  O_2^+ gas-phase reactions with neutral molecules, classical and quantal contribuions 4−27764
  O_3, excited state equilib. geometry, SCF-CI-MO calc. 4−36479
  O_3, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
  O_3, low-lying excited states, electronic structure calcs. 4−770
  OH, proton Fermi-contact hyperfine const. many-body pertubation theory 4−16041
  OH, Rydberg states, virtual orbital and variational methods 4−31795
  PC(F)(N)(O), flexibility of atomic orbitals in mol. environment 4−27588
  $P(CN)_3$, quantum mechanical evaluation of tilt of cyano group 4−750
  PF_2 radical, ab initio MO calcs. of e.s.r. proton coupling consts. 4−19749
  PF_2-CN, quantum mechanical evaluation of tilt of cyano group 4−750
  PH_3, comparative SCF and CI calculations 4−19756
  PH_4NH_2, ab initio calcs. of rot. barrier 4−31764
  $TiBr_4$, INDO MO calcs., ground state config., ionisation potential 4−31783
  $TiCl_4$, INDO MO calcs., ground state config., ionisation potential 4−31783
  TiI_4, INDO MO calcs., ground state config., ionisation potential 4−31783
  $V(CN)_7^{4-}$, bonding and MO theory 4−5984

molecular polarisability
  allene derivative, ligand moments and polarisability, optical rot. quantum mechanical theory *(German)* 4−19806
  anthracene, from cryst. permittivity meas. 4−20922
  anthracene, from treatment of local electric field 4−6590
  aromatic hydrocarbons, static elec. polarisability changes 4−9507
  aromatic molecules, condensed, excited state π-electron polarizabilities 4−12544
  azulene $^1\pi\pi^*$ state, use of Stark effect on mixed crystals 4−1399
  biphenyl crystals, from treatment of local electric field 4−6590
  cis-dichloro-cis-bis(dimethyl-sulfoxide)-trans-dimethyltin (IV), single cryst., soln., Raman spectra, Sn-C bond polarizabilities 4−13448
  e.m. wave coupling, dispersion self-energy in vacuo and in dielectric interface 4−28275
  e.m. wave interaction, determ. of polarisation vector by semiclassical theory 4−11906
  excited state of polarisability determ. from elec. field perturbation of electronic spectra in rigid solns. 4−9518
  gas molecules, light scatt. meas., dipole law *(French)* 4−27639
  ice, cubic and hexagonal structs., stability contrib. of polarisation energy 4−16443
  intermolecular interactions in static electric field, coupling effects, polarizabilities 4−36583
  liquid, internal field and molecular polarizabilities under strong external field 4−5540
  methane, C−H bonds, calculation of van der Waals interaction between molecules 4−5993
  methane derivative, ligand moments and polarisability optical rotation quantum mechanical theory *(German)* 4−19805
  naphthalene, from treatment of local electric field 4−6590
  organic conjugated molecules, third-order optical polarisablity, π-electron contribs. 4−31825
  penanthrene, from treatment of local electric field 4−6590
  photoabsorption profiles, Stieltjes imaging 4−688
  phthalimide, stimulated emission polarisation, excited state mol. lifetime *(Russian)* 4−41397
  polar symmetric top molecules, electric polarization in diffusive gas flow 4−36607
  Raman lines intensity, intermolecular interaction, change in polarisability *(Russian)* 4−12556
  N-retinylidene derivatives, elec. π dipole polarisabilities in ground and first excited singlet states 4−784
  SCF LCGO wave functions *(French)* 4−36419
  solvent-shift effects and dispersion interactions 4−19804
  triatomic molecules, bending/stretching force const. relationship, deriv. from bond-charge point-dipole model 4−40235
  trichloromethoxysilane, depolarization meas., vibr. spectra 4−9531
  CN group, determ. from dipole interaction treatment of expt. polarisabilities of nitriles 4−6028
  CO, polarisability and permittivity calcs. by semiclassical damped oscillator theory 4−9508
  H_2, polarisability and permittivity calcs. by semiclassical damped oscillator theory 4−9508
  H_2^+, dynamic polarisability of $1S\sigma_g$ level, Green's function *(Russian)* 4−12557
  H_2^+, nonresonant Raman effect, vibrational corrections, polarisability tensor matrix elements calc. 4−6070

molecular polarisability continued
- H_2O, polarisability and permittivity, calcs. by semiclassical damped oscillator theory 4−9508
- H_2O_2, polarisabilities and optical rot. HF perturbation calc. 4−31820
- $HgBr_2$, vapour phase Raman spectra, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4−19837
- $HgCl_2$, vapour phase Raman spectra, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4−19837
- HgI_2, vapour phase Raman spectra, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4−19837
- I_2, depolarization factor of fundamental band during cont. transition of resonance fluorescence to reson. Raman effect *(French)* 4−27666
- I_2, electric polarizability of $B^3\pi_0$ state, from level crossing meas. 4−40253
- KHF_2, Raman spectra, polarisability tensor depend. 4−28818
- LiBr, ^{79,81}Br nuclear polarisation 4−40169
- $NaHF_2$, Raman spectra, polarisability tensor depend. 4−28818
- O_2, polarisability and permittivity, calcs. by semiclassical damped oscillator theory 4−9508

molecular quadrupole moments *see molecular moments*

molecular relaxation
- *see also dielectric phenomena; liquid theory*
- anharmonic relaxation and dissoc., perturbation analysis 4−24045
- aromatic vapours, triplet-state lifetimes 4−842
- beam, reduction of internal energy by use of nozzle jet in mass spectrometer 4−35456
- benzene, vapour phase, triplet-state lifetime obs. 4−841
- binary fluid mixture, memory from internal mol. relax., effect on transport coeffs., light scattering 4−40729
- carbonyl complexes, spherical-top, in gaseous N_2, ang. correl. functions and Coriolis coupling 4−16138
- carbonyl complexes dissolved in CCl_4, vibration relaxation effects on spectra *(German)* 4−24072
- carbonyl complexes dissolved in N_2 gas, vibration relaxation effects on spectra *(German)* 4−24073
- carboxylic circuits in soln., reorientational relax., depolarised Rayleigh scatt., bonding effects 4−25088
- chloroform, thermal relaxation, temp. depend. from stimulated Brillouin scattering 4−33413
- chloroform in soln., reorientational relax. from depolarised Rayleigh state and n.m.r. 4−28812
- clouds, effective temperature determ. from microwave meas. of water's molecular relaxation time *(Russian)* 4−25880
- diatomic gas-thermal radiation interaction, model kinetic equation 4−12646
- diatomic molecule, nonequilibrium radiation *(Russian)* 4−9569
- diatomic molecule, stationary population of vibr. levels *(Russian)* 4−9572
- 9,10-dimethylanthracene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4−17100
- 9,10-dimethylanthracene perylene in ethanol soln., anisotropy of rot. diffusion of excited mols., fluoresc. polarisation obs. 4−17101
- electrolyte, fast processes, chem. relaxation techniques, review 4−17532
- flow of relaxing gas near solid surface *(Russian)* 4−6184
- fluoranthene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4−17100
- fluorene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4−17100
- fluoromethane, rotational, measurement by i.r.-microwave double resonance 4−834
- gas, review of vibrational relaxation 4−16145
- gas, viscous binary mixture, kinetic description of oscillatory relaxation *(Russian)* 4−16163
- gas phase nuclear magnetic relaxation, symmetric top molecule, nuclear spin symmetry 4−31892
- gases, viscous, kinetic theory using binary small parameters 4−3237
- glyoxal vapours, vibr. relax. by electronic energy transfer 4−12632
- laser, molecular, review of vibrational relaxation 4−16145
- liquid, simple, nuclear relax. obs. of ang. momentum relax. effective collision times 4−33287
- MBBA, nematic liq. cryst., pre-electrohydrodynamic relaxation phenomenon 4−40740
- methyl fluoride, $^{13}CH_3F$, i.r. echo meas., press. depend. 4−24096
- 5-methyl-7-bromo-8-hydroxy quinoline dil. soln., microwave absorpt. 4−10374
- methylacrylate, methylmethacrylate, in polystyrene, mol. motion of polar monomers *(Russian)* 4−9640
- n-alkyl carboxylic acids, flow birefringence meas. using boundary layer shear waves, orientational relax. *(German)* 4−33372
- naphthalene and 1-methylnaphthalene, laser excited, pressure effects, absorpt. spectra, triplet, singlet population 4−16108
- nitrobenzene in soln., reorientational relax. from depolarized Rayleigh state and n.m.r. 4−28812
- oligoester acrylate 3-dim. polymer, low temp. molecular motion processes, radiothermoluminescence study *(Russian)* 4−17134
- oligoesteracrylate esters, cross-linked, mol. motion at low temps. *(German)* 4−36595
- oscillator system, photoexcitation, excitation and relax. rates 4−19864
- perylene in ethanol soln., anisotropy of rot. diffusion of excited mols., fluoresc. polarisation obs. 4−17101
- perylene in ethanol soln., excess excitation energy influence in rot. relax., fluoresc. polarisation obs. 4−17100
- PMMA, fracture process and mol. kinetics 4−13906
- PMMA, mechanical glass transition, effect of state of stress 4−13923
- PMMA/polyurethane, morphology and relaxation processes 4−21436
- polyhexamethylene adipamide, ionic thermal current study of α' process 4−10693
- polymer, solid, overmolecular struct. and molec. synthesis, effect on relax. props. *(German)* 4−38071
- polymer random-coil chain, relax. of fluctuations anal. 4−12657
- polymer with in-chain alicyclic ring struct., conformational-induced relax. effects 4−19949
- polymethacrylic acid, aqueous, relax. time mol. weight depend., luminesc. obs. *(Russian)* 4−36596
- polystyrene, solid spin-labelled, slow-motional effects, e.s.r. studies 4−6787

molecular relaxation continued
- polystyrene solutions, low mol. wt., u.s. relax. *(French)* 4−40846
- pressure effects, anal. of spectra and relaxation 4−19816
- n-propanol, in aminophthalimide solns., luminesc. spectra, temp. depend. 4−10477
- quasi-isolated molecules, time interferences and nonexponential decays 4−31880
- tetrabenzoporphin, rot. relax. rate, blue fluoresc. mechanism 4−16110
- $AsCl_3$, n.q.r. of ^{35}Cl, lineshape and relax. time 4−10350
- CO, CO^+, vibronic level relax., radiative lifetimes, pressure depend. 4−19858
- CO, inelastic cross section and radiative transitions, photon excitation 4−19920
- CO, vib. relax. on short-pulse discharge 4−24144
- CO + inert gas, fluorescence spectra, vibr. relax. and quenching obs. 4−31958
- CO_2, bending vibration relax. time 4−9617
- CO_2, relax. of asymmetric stretching vib. in pure CO_2 and mixtures with inert gases 4−12645
- CO_2, vibr. relaxation during cooling of gas stream in supersonic nozzle *(Russian)* 4−40246
- CO_2, vibr. relaxation in CO_2-H_2O-N_2 mixture expanding through aperture *(Russian)* 4−40245
- CO_2-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4−9613
- CO_2-O_3-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4−9613
- CO_2 + O collisions, vibr. relax. obs. by laser fluoresc. 4−892
- $CO_2(v=1)$, vib. energy transfer rates using freq.-doubled CO laser 4−19919
- GeH_4, relax. energy determ., Auger and core electron spectra 4−19893
- H_2, vibr. relax. between 40 and 500K 4−31957
- H_2 + Na(Cs), direct detection of electronic and vib. energy transfer, H_2 vib. relax determ. 4−19918
- HCl, vibr. excited, deexcitation during collisions with H_2 *(French)* 4−40339
- He_2, vibr. deexcitation by autoionisation in plasma 4−24125
- I_2, radiationless relaxation, phase sensitive detection, opto-acoustic spectrometer 4−792
- MoF_6 vibrational relaxation and acoustic dispersion 4−27753
- N_2, N_2^+, vibronic level relax., radiative lifetimes, pressure depend. 4−19858
- N_2 + alkali metal atom collisions, quenching and vibr. relax. processes 4−19906
- N_2 + CO + O_2, vibr. relaxation time of shock heated N_2 4−9609
- NH_3, matrix isolated, vibrational relaxation by i.r. double resonance 4−6094
- NH_3, relax. cross section, mol. beam maser spectroscopy 4−27754
- NH_3, rot. and vibr. relax. time calc. from u.s. absorpt. data 4−40237
- NH_3 molecular beam maser spectrometer, relax. rates 4−9622
- NO, vibrational-translational energy transfer rate, temp. depend. 4−901
- NO_2, radiationless relaxation, phase sensitive detection, opto-acoustic spectrometer 4−792
- Na_2 molecule, optical pumping, relax. mechanisms 4−19863
- O_2-H_2O-D_2O, gas mixture, vibrational relaxation 4−40366
- O_2 + O_3, vibrational relax. 4−27756
- OCS, relax. cross section, mol. beam maser spectroscopy 4−27754
- PCl_3, n.q.r. of ^{35}Cl, lineshape and relax. time 4−10350
- SF_6, vibr. relax. in post shock region 4−27758
- SF_6 vibrational relaxation and acoustic dispersion 4−27753
- SO_2, radiationless relaxation, phase sensitive detection, opto-acoustic spectrometer 4−792
- $SbCl_3$, n.q.r. of ^{35}Cl, lineshape and relax. time 4−10350
- SiF_4 in binary mixtures, CO_2 laser excited, vibr. relax., visible fluoresc. obs. 4−3224
- UF_6 vibrational relaxation and acoustic dispersion 4−27753
- WF_6 vibrational relaxation and acoustic dispersion 4−27753

molecular reorientation
- acrylonitrile, solid, n.m.r. and e.p.r. obs. of binary reorientation during phase transition *(French)* 4−33270
- alcohol solutions in neutral solvents, strong elec. field influence on dielec. permittivity 4−33331
- aliphatic cyclic hydrocarbon, i.r. spectra pot barrier phase transition depend. *(Russian)* 4−28800
- aliphatic ketones in solutions, dielectric relaxation meas. 4−3933
- azulene, mol. motion in solid, n.m.r. spectral parameter calc. 4−33286
- benzene, alkyl substituted, i.r. spectra pot. barrier phase transition depend. *(Russian)* 4−28800
- benzene, i.r. spectrum, Rayleigh scattering orientational motion in liquid 4−20983
- benzene adsorbed on charcoal and silica gel, ^{13}C n.m.r. chem. shift anisotropy 4−28280
- benzene derivatives, high temp. disordered phase, X-ray scatt. *(French)* 4−6399
- carbon tetrachloride, molecular reorientation in liq. and plastic phases, Raman spectra 4−28806
- carbon tetrafluoride, Raman spectrum, vibr.-rot. band shapes, molecular reorientation 4−19869
- carboxylic circuits in soln., reorientational relax., depolarised Rayleigh scatt., bonding effects 4−25088
- cellulose, regenerated, preferential uniplanar orientation mech. 4−32450
- chloroform in soln., reorientational relax. from depolarised Rayleigh state and n.m.r. 4−28812
- decamethonium, n.m.r. study of mol. movements *(French)* 4−9864
- p-diiodobenzene, carrier mobility charge on single cryst. phase transition 4−9983
- 1,2dimethylindole in solvent mixtures, fluorescence red shift, solvent dielectric const. 4−3998
- extended rotational diffusion model, J-diffusion limit, reorientational correl. functions and memory functions 4−3436
- hydrate, molecular reorientation time of H_2O in ion hydration shells, spectral estimation *(Russian)* 4−29370
- liquid, symmetric top mol., i.r. and Raman spectra, angular velocity autocorrelation function, molecular dynamics 4−20197

molecular reorientation continued
liquid crystal, cholesteric-nematic transition mag. and h.f. elec. field effects 4−32431
liquid crystal, orientation in temp. gradient, theory 4−16426
4-methyl 2,6-ditertiarybutyl phenol, tunnelling, mag. reson. study 4−3905
methyl group, in solids, n.m.r., temp. depend., i.r. absorpt., motional states 4−10341
methyl iodide, liq., ν_4 Raman band, reorientation spreading *(German)* 4−12564
molecular motion, correlated solid like jumps and resonance lineshapes 4−20825
neopentane, plastic, rot. correlation functions involving instantaneous reorientational jumps 4−3450
nitrobenzene in soln., reorientational relax. from depolarized Rayleigh state and n.m.r. 4−28812
n.m.r. obs. of molecular motion and deuteron quadrupole coupling in solids 4−33284
n.m.r. relaxation, effect of asymmetric local environment 4−1354
nuclear spin-lattice relaxation, due to hindered mol. reorientation 4−1353
Paraffin, i.r. spectra pot. barrier phase transition depend. *(Russian)* 4−28800
pentamethonium, n.m.r. study of mol. movements *(French)* 4−9864
peroxylamine disulphonate radical, glycerol-water soln., anisotropic rot. reorientation, e.s.r. 4−13337
pivalic acid, Rayleigh scatt. relax. time meas. 4−41371
PVC, annealed, i.r. spectrum, dichroism of conformation sensitive bands *(Russian)* 4−36831
tetramethyl ammonium salts, p.m.r. linewidth, second moment, internal motions 4−33273
β thionaphtol, i.r. and Raman spectra *(French)* 4−13428
toluene adsorbed on charcoal, ^{13}C n.m.r. chem. shift anisotropy 4−28280
transition metal fluorosilicates, MSiF$_6$.6H$_2$O, M=Zn, Cu, Mn, Co and Ni, n.m.r., 90-425K 4−28708
s-triazine, liq., nucl. relax. and motional anisotropy 4−25015
trichloromethane-d, D n.m.r. spin-lattice relax., mol. reorientation rel. to liquid models 4−41291
1,3,5-trifluorobenzene-d, ^{2}D and ^{19}F spin-lattice relaxation, correl. times 4−28721
vibration spectrum effect, in cryst., temp. depend., theory 4−36978
BF$_3$, mono- and dihydrates, n.m.r. study of structure *(French)* 4−10329
Cl$_2$, solid n.q.r. freq., spin-lattice relaxation times of ^{35}Cl and ^{37}Cl 4−3914
Co complex, cis- and trans-dichlorotetra-amminecobalt(III) chloride, p.m.r. determ. 4−28723
CuSiF$_6$.4H$_2$O, CuSiF$_6$.6H$_2$O, n.m.r. obs., 90-425K 4−28708
DCL, in monatomic matrix, dimeric struct. rel. to near i.r. absorpt. 4−25086
o-,p-H$_2$, multipole interactions and macroscopic differences 4−20233
HCl, in monatomic matrix, dimeric structure rel. to near i.r. absorpt. 4−25086
HCl, mol. motion in liq. and solid, detailed Raman lineshape calcs. 4−25100
H$_2$O-dioxane mixture, pressure and conc. depend. 4−25007
KCl(I):N$_2^-$, e.p.r. temp. and stress depend., obs. of molecular reorientation rate 4−1336
KI:S$_2^-$, molecular ion reorientation *(Russian)* 4−41426
NH$_3$, liq., Raman obs. 4−25087
(NH$_4$)$_2$GeF$_6$, proton spin-lattice relax., reorientation motion 4−28719
PH$_3$, liq., Raman obs. 4−33397
P$_4$S$_3$, n.m.r. of ^{31}P, AB$_3$ type high resolution spectrum 4−28714
RbSH, trigonal phase, SH$^-$ reorientation, neutron quasielastic scatt. 4−32453

molecular rotation
see also molecular spectra
absorption and emission spectra, complex molecules, statistical factors, rot.-vibr. bands 4−31816
accommodation coefficients, rotational and translational, direct simultaneous meas. 4−19797
acetaldehyde and acetaldehyde-d$_4$, far i.r. and Raman spectra 4−10408
acetonitrile in β-hydroquinone clathrates, from i.r. spectra, 400-30 cm^{-1} 4−3149
acetylene, far i.r. ν_5-ν_4 difference band, rot. structure 4−24083
acetylene deuterated, liquid self-diffusion, rotational correlation times 4−1131
acrylonitrile, far i.r. spectrum, band centres, rotational consts., bending modes 4−16076
acrylonitrile, solid, n.m.r. and e.p.r. obs. of mol. rot. oscill. phase charact. *(French)* 4−33270
aliphatic ketones, intramolecular rotation and dielectric relaxation 4−3933
alkali halogenate, i.r. spectra classical dispersion anal. lattice-mol. rot. coupling 4−1385
alkyl selenocyanates, i.r. spectra, vibr. analyses, rot. isomerism about C-Se bond 4−19842
1-aminonaphthalene, rot. band contour analysis, A^{1}A′-X^{1}A′ electronic system 4−36496
anharmonic oscillator, analytic matrix elements from commutator relations and sum rules 4−31808
anharmonic oscillator, analytical expectation values using hypervirial theorem 4−31807
anisole in polystyrene, internal rotation determ. by spin-lattice relaxation 4−33291
asymmetric molecules, singlet-triplet interactions, Zeeman field 4−782
asymmetric rotors, computational procedure for calc. energy levels, rel. to microwave band spectra 4−36533
atom + diatomic molecule collision, keV energies, vibr.-rot. excitation 4−31968
atom + rigid rotor scattering, rot. excitation, first-order generalized phase shift and perturbation treatments 4−12625
axially symmetric molecule, rot. line intensities in combination bands, vibr.-rot. interaction 4−27671

molecular rotation continued
benzene adsorbed on charcoal and silica gel, ^{13}C n.m.r. chem. shift anisotropy 4−28280
benzyl cyanide, liq., overall and internal rotation, pressure effects 4−10340
bromocyanoacetylene, isotopic, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
c H$_2$O, strengths and air-broadened widths of lines in 2950-3400 cm^{-1} region 4−3168
carbon tetrafluoride, Raman spectrum, vibr.-rot. band shape, molecular reorientation 4−19869
carbonyl complexes dissolved in CCl$_4$, vibration-rotation coupling effects on vibration rotation spectra *(German)* 4−24072
carbonyl complexes dissolved in N$_2$ gas, vibration-rotation coupling effects on spectra *(German)* 4−24073
centrifugal-distortion martrix elements calc. for Hund's case (a) basis set 4−3115
chemical reaction, endothermic rate consts. rot. energy depend. 4−29303
chirality function, chiral ligand mol. generalised theory 4−19745
1-chloro-1-fluoroethane, microwave spectrum analysis 4−3186
chlorocyanoacetylene, isotopic, microwave spectra, linear molecular struct., vibr.-rot. consts. 4−19851
chloroform, rotational cross correlation 4−6066
chloromethyl ether, microwave spectrum analysis 4−3185
in collisions, review 4−9608
contact transformation, superoperator generalization, symm. rotors 4−31810
cyanoallene, from microwave spectrum 8-40 GHz 4−830
cyclohexane, pure rotational Raman spectrum, determ. of molecular consts. and structure 4−3164
cyclopropyl cyanide, rotational consts. from microwave spectrum 4−9547
cyclopropyl methyl ether, microwave spectrum rot. and centrifugal distortion consts. 4−19849
depolarized light scattering, coupling of rot., vibr. and translational mol. motion in fluids 4−27766
deuteromethane, solid, thermal cond. in orientation-disordered phase, 27-90 K 4−24599
Dewar benzene, microwave spectra and Stark effect, rot. consts. and dipole moments 4−31862
diatomic, $'\Sigma$-state vibration-rotation matrix elements from commutator relations and sum rules 4−40249
diatomic, Morse-Pekeris intensity, closed form formulas, rot.-vibr. coupling 4−27628
diatomic, Rydberg-Klein-Rees method, accuracy 4−9501
diatomic, vibr.-rot. energies calc., contact transformation method 4−19793
diatomic molecule, nonequilibrium radiation *(Russian)* 4−9569
diatomic molecule, quasistationary rot. levels, WKB method *(Russian)* 4−19783
diatomic molecule, rot. Brownian motion, calc. of orientation probability distrib. *(Russian)* 4−12577
diatomic molecule, rot. emission in quantum and classical limits 4−27676
diatomic molecule, Tietz oscillator, vibr.-rotation states, exact soln. to Schrodinger eqn. *(Russian)* 4−36490
diatomic molecule, vibr.-rot. states, Schrodinger eqn., rot. predissociation *(Russian)* 4−19784
diatomic molecule-atom collision, induced vibr. and rot. absorpt. 4−27675
diatomic properties of states, inversion procedure for internuclear distance depend. 4−3126
diatomic spectra, rotation-line intensity factors, review of theory 4−31813
1,4-dibromobutene-2, cis conformer, vibr. conformational analysis, rot. isomers 4−16083
difluoroacetic acid, barrier heights, quantum chemical estimates 4−745
difluoroacetyl fluoride, barrier heights, quantum chemical estimates 4−745
1,1-difluorocyclohexane, microwave spectra analysis 4−27693
1,1-difluorocyclopropane, asymmetric rotor, microwave spectrum 4−9548
α,α-difluoroethyl radical, hindered internal rot. of methyl group by e.s.r. 4−12605
3,6 dihydro-2H pyran and 2,3 dihydro-p-dioxin, microwave spectra and conform. 4−3181
dimenthylketene, microwave spectrum, barrier to internal rot., dipole moment, partial structure 4−24102
2,6-dimethyl-1,4-dimethoxybenzene, mol., proton mag. relaxation times meas. 4−3909
9,10-dimethylanthracene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4−17100
9,10-dimethylanthracene perylene in ethanol soln., anisotropy of rot. diffusion of excited mols., fluoresc. polarisation obs. 4−17101
N-dimethylformamide, microwave spectrum determ. 4−9556
dimethylsulphoxide-boron trifluoride, conform. analysis, rock and roll internal motion 4−3090
1,3-dioxolane, microwave spectrum, ring puckering, dipole moment, barrier to pseudorotation 4−27697
trans-1,6-diphenyl-1,3,5-hexatriene in ordered liquid crystal solns., absorption spectrum 4−10768
ELDOR, applic. of e.s.r. lineshapes, saturation in slow motional region 4−36542
electron impact excitation, polyatomic Born cross section formula 4−40335
electron-nuclear interaction effect, i.r. and microwave region, vibr.-rot. transitions, theory 4−12573
energy transfer in molecular collisions, review 4−31972
epibromohydrin, vapour, liq. and solid, i.r. spectra, rot. isomerism 4−19831
epichlorohydrin, vapour, liq. and solid, i.r. spectra, rot isomerism 4−19831
epifluorohydrin, vapour, liq. and solid, i.r. spectra, rot. isomerism 4−19831
epiiodohydrin, vapour, liq. and solid, i.r. spectra, rot. isomerism 4−19831
ethane, i.r. spectrum, torsion-vibr.-rot. interaction, barrier to internal rot. 4−27669

molecular rotation continued
- ethane, nonadditivity of interband interactions, rot. barrier 4—9475
- ethoxy ethyne, microwave spectrum, 12.4-32.0 GHz, rot. isomerism 4—19850
- ethyl cyanide, and partially deuterated forms, microwave spectrum, rot.-torsion-vibr. interaction 4—27700
- ethyl cyanoacetate, liq. and solid, vibrational spectra and rotational isomerism 4—6055
- ethyl halides, methyl torsional overtones, internal rot. barriers 4—40273
- ethylene, ground state rot. barrier, double config. SCF approach 4—24046
- ethylene, i.r. laser double resonance, vibr.-vibr. and vibr.-translation/rot. energy transfer 4—27668
- extended rotational diffusion model, J-diffusion limit, reorientational correl. functions and memory functions 4—3436
- fast-rotating molecules, vibration-rotation energy transfer, semiclassical theory 4—40344
- fluoranthene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4—17100
- fluorene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4—17100
- fluoroacetyl chloride, microwave spectrum analysis 4—3188
- 3, 4-fluoroaniline, in benzene, microwave spectra, dielec., relax., mol. and intramol. group rot. 4—20932
- 2, 3, 4-fluorobenzaldehyde, in benzene, microwave spectra, dielec. relax., mol. and intramol. group rot. 4—20932
- fluoromethane, relaxation time measurement by i.r.-microwave double resonance 4—834
- 1-fluoronaphthalene, rot. band contour analysis A^1A'-X^1A' electronic system 4—36496
- 2-fluoropropane, rotational and vibrational spectra 4—6054
- forbidden rotational spectra, axially symmetric polar molecule, centrifugal distortion 4—27670
- formaldehyde, Coriolis interactions in microwave spectra of vibrationally excited states 4—9553
- formaldehyde, deuterated, deuteron quadrupole coupling, hyperfine structure of rot. transition 4—24100
- formaldehyde, Stark spectroscopy of the ν_2 bands, rotational consts., dipole moments determ. 4—6069
- formaldehyde and -d_2, laser Stark spectroscopy, ν_2 vibr.-rot. band 4—16080
- formaldehyde and d_2, $\Delta K = 2$ transitions, mm wave double resonance, direct absorption 4—16100
- formaldehyde and deuterate, Stark spectroscopy of ν_2 band with CO laser, rotational const. determ. 4—40305
- formaldehyde vibronic magnetic rotational strengths and oscillator strengths calc. method 4—6040
- formamide, microwave spectrum, rot. transitions of amino inversion 4—31865
- formic acid, Coriolis interactions in microwave spectra of vibrationally excited states 4—9553
- formic acid in β-hydroquinone clathrates, from i.r. spectra, 400-30 cm^{-1} 4—3149
- fulminic acid, deuterated, mm wave spectrum, rot. transitions, rot.-vibr. constants 4—40301
- gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4—8398
- gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4—18485
- gases at high-pressure, rotational absorption 4—36609
- cisglyoxal-d_1, rot. analysis of 4875 Å O-O bound of first singlet system 4—27641
- H_2, electron impact, Werner band, internuclear separation transition moment depend. 4—27745
- hexafluorocyclopropane, force consts., spectra, Coriolis coupling consts. 4—19787
- hexafluoropropene, microwave spectrum, ground state rot. consts., CF_3 group barrier to internal rot. 4—27696
- 1-hydroxynaphthalene, rot. band contour analysis, A^1A-X^1A electronic system 4—36496
- internal rotation, moving coordinate system selection, Eckart conds. 4—19792
- iodocyanoacetylene, microwave spectra, linear mol. struct., vibr.-rot. consts. 4—19851
- i.r. nonlinear spectroscopy, Stark tuning, vibr.-rot. line assignments 4—24096
- isocyanic acid, dipole moment rel. to microwave emission in Sagittarius B2 direction 4—40295
- isopropylacetylene, microwave spectra obs. 4—3175
- ligand rearrangement, double cosets and counting formula, classification 4—19744
- linear molecule, ang. momentum ladder operator formalism 4—3121
- linear molecule, ladder operator formalism for mol.-fixed compts. of total ang. momentum operator 4—24054
- linear molecule, Renner effect, $^1\Pi$ electronic state, energy calc. 4—9502
- liquid, mol. motion and band shapes 4—37594
- liquid crystal, cholesteric-nematic and reverse transition, dynamics of mol. orientation 4—6329
- macromolecule, internal rotation and methyl proton mag. relaxation 4—905
- magnesium diethyl phosphate, γ-irrad., C_2H_3 radical obs. 4—41236
- matrix isolated molecules in static crystal fields 4—20234
- methane, bideuterated, ground state mol. consts. *(French)* 4—12565
- methane, collision broadband i.r. rotational lines 4—12599
- methane, cross section formula for (e,2e) reaction 4—876
- methane, determ. by microwave-i.r. double resonance 4—9546
- methane, hyperfine splittings in $v=0$ rotational lines 4—9504
- methane, i.r.-r.f. double resonance obs. of pure rotational Q-branch transitions 4—3148
- methane, low temp. depend. of multiplet intensities of 2 ν_3-band 4—36531
- methane, monodeuterated, octopole moment determ. from rot. spectrum linewidth meas. 4—40252
- methane, rel. to theory of hyperfine interactions in $v_3=1$ excited state 4—40239
- methane, rel. to YAG:Er 6077 cm^{-1} laser emission coincidence, tetrahedral fine struct. 4—36517

molecular rotation continued
- methane, relative tetrahedral struct. consts. of fund. vibronic state *(French)* 4—31859
- methane, rotating molecule, model calcs. for neutron scattering 4—24048
- methane-d_1, i.r. spectrum, forbidden rot. transitions, centrifugal distortion 4—27670
- methane-d_2, vibration-rotation band at 1435 cm^{-1} 4—9539
- methane-d, solid hindered rotational levels, heat capacity analysis, barrier to internal rot. 4—32452
- methanol, microwave spectra, 500 MHz to 200 GHz, torsion-rotation interaction const. 4—24104
- methanol, rotational transitions in collisions with He and H_2, intetstellar implications 4—12597
- methanol in β-hydroquinone clathrates, from i.r. spectra, 400-30 cm^{-1} 4—3149
- methoxyacetic acid, microwave spectrum, hydrogen bonded rotamer 4—831
- methoxyacetonitrile, microwave spectrum analysis 4—3190
- methyl cyanoacetate, liq. and solid, vibrational spectra and rotational isomerism 4—6055
- methyl fluoride, Zeeman effect 4—40297
- methyl fluoride (^{13}C), i.r.-r.f. two-photon Lamb dip spectra 4—16103
- methyl group, hindered rot. in low temp. solids, quantum mechanical tunnelling in n.m.r. 4—20869
- methyl group tunnelling of hindered triangular rotor, temp. depend. freq. distrib., model 4—20236
- methyl iodide, microwave and i.r. spectra, rot. and doubling consts. of vibr. states 4—19853
- methyl iodide + N_2F_4 chemical laser, rot. nonequilib. obs. 4—23302
- methyl isocyanide, rot. spectrum in fund. vibr. state *(French)* 4—31857
- methyl malonic acid crysts., γ-irrad., methyl group tunnelling rot. freq., temp. depend. 4—20235
- N-methyl morpholine, microwave spectrum assignments 4—3180
- 5-methyl-7-bromo-8-hydroxy quinoline dil. soln., microwave absorpt. 4—10374
- methylchlorosilanes, solid, methyl group rot. barriers from T_1 meas. 4—3913
- N-methylformamide, microwave spectrum determ. 4—9555
- 2-methylfuran, microwave spectrum, rot. Zeeman effect 4—16102
- methylmalonic acid, ENDOR obs. of tunnelling rotation of the methyl group 4—3918
- 3-methylthiophene, microwave spectrum, internal rot., dipole moment 4—9544
- methyltrifluorosilane, energy differences between rotational isomers *(French)* 4—769
- microwave spectroscopy, thermodynamic function determ. 4—12590
- molecular fine structure, perturbations, Born-Oppenheimer breakdown 4—19774
- molecular motion, correlated solid like jumps and resonance lineshapes 4—20825
- monobromoacetonitrile, microwave spectrum obs. 4—3183
- monodeuteroacetylene, i.r. study 4—824
- monomethylated butadienes and acroleins, rot. isomerism, internal rot. barrier around C-C bonds 4—19743
- multiple rotor, restricted, free rotation in electron scattering by gases 4—12627
- $N_2^+(B^2\Sigma_u^+)$, r.f. discharge, rot. temp. eval. 4—24055
- naphthalene, intermolecular forces, orientation depend. *(German)* 4—31975
- naphthalene-anthracene mixed cryst., anthracene orientation obs. 4—1330
- nitroethane, microwave spectrum and internal rot. 4—828
- nitroethane, two internal rotors, microwave spectra determ. 4—9552
- trans 1-nitropropene, microwave spectrum, rot. transitions, nitro torsional vibr. 4—27698
- nitroxide radicals, rapid rot. diffusion in viscous media investig., using ^{14}N and ^{15}N isotopes, e.s.r. 4—41235
- nitroxyl radicals, e.s.r. spectra anal. in slow rot. region, rot. rel. to mol. size 4—37478
- n.m.r. sidebands, due to tunnelling mol. group interactions 4—10330
- nonpolar molecules, rot. dipole moments calc. *(Russian)* 4—12555
- n.q.r. obs. in hydrogen-bonded solids, mode sensitivity 4—10348
- oligoester acrylate 3-dim. polymer, low temp. molecular motion processes, radiothermoluminescence study *(Russian)* 4—17134
- organic, polar long chain mol. microwave absorpt. dielectric relax. mech. 4—40238
- organic cpds., mol. dynamics and stereochemistry from ^{13}C relax. meas. 4—16128
- 3-oxabicyclo (3.1.0.) hexane, microwave spectrum, conformation, rotational consts. 4—6083
- peroxylamine disulphonate radical, glycerol-water soln., anisotropic rot. reorientation, e.s.r. 4—13337
- perylene in ethanol soln., anisotropy of rot. diffusion of excited mols., fluoresc. polarisation obs. 4—17101
- perylene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4—17100
- phenols, meta-substituted, barriers to internal rotation 4—5978
- phenyl isocyanate, microwave spectrum and geom. struct. *(French)* 4—12589
- photodetachment and photoionisation spectra of diatomic molecules, rot. effects 4—6116
- polar molecule, rot. inelastic collision induced transition, perturbation anal. 4—9614
- poly(2,6-dimethyl phenylene oxide) radicals, hindered rotation, e.s.r. studies 4—19944
- polyatomic molecule, first order centrifugal distortion constants 4—27631
- polyatomic molecule, parity of rot. levels, Longuet-Higgins permutation-inversion group 4—24052
- polyethylene, Van der Waals potential energy calc., and rotational freedom 4—19932
- polymer, internal viscosity, molecular formulation of atomic bond rotation and stress symmetry 4—9635
- polymethacrylic acid, molecular rotation determ. by polarised luminescence *(Russian)* 4—36596
- polypeptides, ^{35}Cl n.m.r. linewidth rel. to mol. weight, rot. motion, conformation 4—40354

molecular rotation continued
propargyl amine, rotational isomerism determ. by Raman spectra 4−27678
propargyl mercaptan, internal rotation of SH group, microwave investigation 4−3178
propenes, cis- and trans-substituted, nonbonded interactions, methyl group internal rotation barrier height 4−36463
1,3-propiolactone, centrifugal distortion consts., calc. by Watson's formalism 4−27635
propylene ozonide, rotational conts. determ. from microwave spectrum 4−9549
propynal, visible spectrum, Stark effect on rot. lines, electric dipole moment determ. 4−16053
propyne, gas, liq. and CCl_4 soln. i.r. obs. of mol. rot. 4−12581
PTFE, Van der Waals potential energy calc., and rotational freedom 4−19932
pyrazole, isotope substituted, microwave spectrum, rot. and quadrupole interaction consts. 4−12593
pyridine, ^{15}N-, ^{13}C-ring-substituted, microwave spectra, rot. const., substitution struct. 4−19852
pyrrole, potential interstellar mols., n.q.r. coupling and rot. consts. of N atom 4−31890
pyruvic acid, microwave spectrum, 8-40 GHz, rotational transitions in vibrational ground state 4−6080
pyruvic acid and deuterated analogue, microwave spectra, conformation, barrier to internal rot. 4−19854
Raman spectra, use of lasers 4−16086
rigid rotating molecule, model for neutron scattering 4−24048
rodlike molecule, rotational motion in potential cage in liquids 4−9809
rotational Brownian motion, Fourier transforms for a spherical body with strong interactions 4−8721
rotational diffusion, one-dimens., rapid, in viscous medium, e.s.r. spectra 4−16121
rotational diffusion anisotropy in near ellipsoidal molecules 4−41307
rotational line shapes in Rabitz effective potential formalism 4−12600
rotational vibrational transition, i.r. pumping, i.r.-microwave double resonance 4−16116
sodium dodecylsulphate, vibr. anal. of crystal struct. and hydrocarbon chain rot. 4−10426
tetrabenzoporphin, relax. rate, blue fluoresc. mechanism 4−16110
tetrahydrofuran clathrate hydrate, rotation of tetrahydrofuran 4−40266
1,2,4,5-tetrahydroxybenzene, radical cation, e.s.r., hyperfine coupling, hindered rotation 4−36551
thermal excitation of rotational levels, effect on refractive index of gases 4−36608
toluene, molecular isotopes, microwave rotational spectra obs. 4−3173
toluene adsorbed on charcoal, ^{13}C n.m.r. chem. shift anisotropy 4−28280
triatomic molecule, non-rigid bender Hamiltonian 4−3122
trifluoroacetic acid, barrier heights, quantum chemical estimates 4−745
trifluoroacetonitrile, microwave rot. spectrum, l-type resonance, energy matrix diagonalization 4−27699
trifluoroacetyl fluoride, barrier heights, quantum chemical estimates 4−745
1,3,5-trifluorobenzene-d, spin lattice relax., correl. times 4−28721
trimethylene oxide, in struct. 1 clathrate hydrate, guest-molecule dipole ordering obs. 4−41324
trimethylphosphine-borane, Lewis complex, MO calcs., conformational anal., electronic struct. *(French)* 4−19737
trinitromethane and halo derivatives, barriers to internal rotation, quantum calc. 4−5979
trioxane, microwave spectra, l-type resonance anal., vibr.-rot. energies calc. 4−40296
Van der Waals molecule A_2-X, hindered rotation 4−3233
Van Vleck transformation, projector formulation, degenerate case 4−16049
Van Vleck transformation, projector formulation, near-degenerate case 4−36495
vibration-rotation band, total band absorptance, closed form expression, i.r. radiating gases 4−9522
vibration-rotation energy levels, electric and mag. field effects on symmetry 4−3191
vibrational energy exchange mechanism, multiquantum rot. transitions 4−19908
vibrational/rotational transfer processes, collision matrix elements, rel. to mol. form factor 4−19924
vibrorotational Hamiltonian, unitary transformation 4−31809
vinyl cyanide, microwave spectrum and centrifugal distortion constants 4−3172
vinylcyclopropane, microwave spectrum, rot. transitions for ground and torsionally excited states 4−31863
water, rotational amplitude variation on melting of ice 4−40880
XYZ nonlinear molecule, fourth order vibr.-rot. coeff., Darling-Dennison Hamiltonian, Nielsen-Amat-Goldsmith expsn. 4−24051
AgBi, visible and i.r. spectra, vibr. analysis, rot. constants determ. *(French)* 4−27650
AlF molecule, Zeeman effect meas. in microwave rot. spectrum *(German)* 4−31867
AlO, AlO^+, SCF calcs., energy spectrum, obs. and calc. spectroscopic elements, predicted states 4−16044
AsF radical, electronic states investig., transitions in 2900-5600 Å regions vibr., rot. anal. *(French)* 4−40255
AsN, visible spectrum, $^1\pi$-$X^1\Sigma^+$ system, rot. analysis 4−40256
BF_2, distortion corrected rotational consts. 4−829
BF_3, calc. of rot. dipole moments *(Russian)* 4−12555
BH_3CO, high resolution spectra of ν_5 bands near 2450 cm^{-1} 4−3167
Br_2, vapour absorption spectra, organic dye laser internal resonator method, rot. quantum no. *(Russian)* 4−40251
CN, free radical, violet system, absorption spectrum during BrCN flash photolysis, rot. analysis 4−27652
CN free radical, astronomical microwave obs., hyperfine, ρ-doubling and rot. constants. 4−36532
C_2N_2, i.r. spectra, high resolution, rot. and vibr. consts. *(French)* 4−27683
$CN(B^2\Sigma^+)$ radical following on energy transfer process 4−6126

molecular rotation continued
CO, absorption spectrum in Hopfield He continuum, 960-1080 Å, Rydberg bands, rot. analysis 4−40258
CO, collision broadened i.r. rotational lines 4−12599
CO, fluorescence quenching by ortho and para H_2, vibr.-rot. energy transfer 4−27704
CO, i.r. emission in oxy-acetylene flame, vibr.-rot. band, vibr. and rot. temps. *(French)* 4−24085
CO, i.r. spectroscopic study of J=21 to 22 rotational transition 4−9521
CO, mol. equilibrium struct. determ. from zero-point rotational consts. 4−24024
CO, shock heated, line strength meas. via laser absorpt., transition moment obs. 4−3161
CO, shock heated, vib.-rot. bands, linewidths and transition probabilities 4−19856
CO, telluric line shape formula, atmospheric content *(Russian)* 4−7693
CO, vibr.-rot. transitions, lineshifts, wave numbers, 0→2, 0→3 *(French)* 4−40260
CO $A^1\pi$ energy transfer investigation 4−902
CO crystal, high temp. phase, thermal props., hindered rotational effects 4−40901
CO laser spectra, mol. consts. derivation 4−3160
CO-Ar, liq., i.r. spectra, determ. of E2 and mol. torque 4−12571
CO-N_2, liq., i.r. spectra, determ. of E2 and mol. torque 4−12571
CO_2, high-pressure laser amplifier, vibr.-rot. transitions, single-line energy extraction 4−288
CO_2, rotational-vibrational transition linewidths, high resolution pressure broadening 4−9621
CO_2 laser 00^01 vibr. level, J-depend. of rot. relax. 4−31009
CO_2 laser pulse, four freq. struct., vibr. lines, rot. thermalization 4−11921
$CO_2+H_2(He)(CO_2)(Kr)$ rotationally inelastic collisions, momentum transfer distributions 4−36578
CO_2+N_2+He mixtre, 5μ stimulated emission with liq. nitrogen cooling, vibr.-rot. transitions 4−19083
CO^*+CO system, vibr. energy exchange mechanism, multiquantum rot. transitions 4−19908
CS_2, gaseous and liquid, rotational wings of Raman bands 4−24079
CSe_2^{78}, CSe_2^{80}, absorption system, vibronic bands, rot. structure 4−791
$^{12}C^{32}S_2$, high resolution i.r. spectra, diode 10^0-02^01, ground state consts. *(French)* 4−31834
$CaO:Cu^{2+}$, Raman spectra, Jahn-Teller effect on vibr. levels 4−41368
Cl_2, moment of inertia and librational modes, rel. to nuclear quadrupole resonance freqs. of $^{35,\ 37}Cl$ in solid Cl 4−41305
ClO_2 fluorescence spectrum induced by 4765 Å Ar-ion laser line 4−3196
ClO_4^-, struct. transformations in alkali perchlorates 4−6493
ClO_2F, rotational consts. and centrifugal distortion determ. from microwave spectrum 4−9554
$^{37}ClO_2$, fluorescence spectrum, laser induced, transition excitation 4−846
CuO, visible spectrum, rot. analysis of 4182 Å blue band system 4−24060
$^{63}Cu^{16}O$, rotational analysis of (0,0) band of orange-red system 4−788
DBr^+, $A^2\Sigma^+$-$X^2\Pi_i$ transition *(French)* 4−16055
D_2CO, observation of $\Delta K=2$ transitions by microwave double resonance method 4−9557
$D^{35}Cl$, dipole moment function and vib.-rot. matrix elements, comments 4−36502
DF, rot. band shapes in photoelectron spectra 4−19895
DF, self and HF induced collision broadened line widths, anomalous reson. 4−36536
F_2, Raman spectra, molecular constants *(German)* 4−3155
$FClO_2$, microwave spectrum, rot. and centrifugal distortion constants 4−40298
GeD, electronic spectrum, rot. energy, fine structure, Hund's coupling case 4−16056
GeH electronic spectrum, rot. energy, fine structure, Hund's coupling case 4−16056
GeH_4, pure rotational spectrum, 50-130 cm^{-1}, possible mechanism 4−40294
GeO, u.v. emission system, rotational analysis 4−19821
$H+H_2$ collision, vibr.-rot. excitation 4−31968
H_2, 'Σ-state, vibration-rotation matrix elements from commutator relations and sum rules 4−40249
H_2, adsorbed on graphite, n.m.r., 12-28K, hindered rot.-translation 4−20481
H_2, cross section formula for (e,2e) reaction 4−876
H_2, expectation values, hypervirial theorem 4−31807
H_2, i.r., Raman spectra, ground state levels, quantum theory verification 4−24066
H_2, $Q_{01}(1)$ vibr.-rot. mode, nonlinear i.r. spectroscopy 4−814
H_2, resonant rotational excitation obs. by electron impact 4−878
H_2, rot. excitation by Li^+ collisions, classical trajectory calcs., quantal correspondence 4−12643
H_2, rotational excitation by Li^+ collisions, coupled channel study 4−12642
H_2, solid, non-localized orientation, one-mol. pot. function model 4−16438
H_2, vibr. and rot. matrix elements, off-diagonal elements from commutator relations and sum rules 4−31808
H_2, vibr.-rot. reson., nonlinear spectroscopy, high resolution 4−24097
H_2 rotational populations in interstellar clouds 4−34939
H_2+Li^+ collisions, anharmonicity in rot. and vibr. excitation 4−24139
H_2^+, $2p\pi_u$ state electronic struct. and spectroscopic consts. 4−27615
H_2^+, $3d\sigma_g$ state, electronic struct. and spectroscopic consts. 4−24041
HBr, i.r. absorpt. bands analyses *(French)* 4−36518
HBr^+, $A^2\Sigma^+$-$X^2\Pi_i$ transition *(French)* 4−16055
$H^{79}Br$, $H^{81}Br$, gas, i.r. absorption bands *(French)* 4−31854
HCN, mol. equilibrium struct. determ. from zero-point rotational consts. 4−24024
HCNO, assignment of vibration-rotation bands 4−9538

molecular rotation continued

- HCNO, vibration-rotation transitions 4-12588
- HCl, collisions with atoms, rot., vibr. excitation probabilities calc. 4-9611
- HCl, i.r. rot-vibr. freqs., band displacement at gas-solution transition 4-9530
- HCl, laser-excited fluorescence, state-selected kinetics 4-31969
- HCl, vibr. and rot. expectation values, hypervirial theorem 4-31807
- HCl in liquid Xe, far-i.r. spectrum, residual rot. fine struct. 4-9520
- $H^{35}Cl$, dipole moment function and vib.-rot. matrix elements, comment 4-36502
- HD solid, damping of $J=2$ rotons, intermolecular forces 4-16585
- HD + He collision, low energy, differential cross section for rotational transition 4-16134
- HDS, microwave spectra, 1 MHz to 1000 GHz, rot. const., centrifugal distortion const. 4-24105
- HF, collisions with atoms, rot., vibr. excitation probabilities calc. 4-9611
- HF, line strengths in 4-0- and 5-0-rot.-vibr. bands, rot. matrix elements of electric dipole moment *(German)* 4-40262
- HF, rot. band shapes in photoelectron spectra 4-19895
- HF, rot. emission from diatomic mol., classical and quantum calcs. 4-27676
- HI, i.r. absorpt. bands analyses *(French)* 4-36518
- H_2O, rot. spectrum, 398 μm absorption line parameters 4-19838
- H_2O, spectral line intensity calcs., first overtone, combination freqs. 4-9529
- H_2O, vibration-rotation energy levels exptl., calc. values 4-817
- H_2O vapour transitions in i.r. region, tunable laser meas., rotational line breadths 4-3169
- H_2O^+, analysis of Renner effect 4-24131
- H_2O_2, vibrational rotational constants derivation *(Russian)* 4-12552
- HOF, compared to H_2O, F_2O, mol. rot. Zeeman splitting, mag. susceptibility 4-19848
- H_2S, microwave spectra, 1 MHz to 1000 GHz, rot. const., centrifugal distortion const. 4-24105
- HeH^+, quasibound state spectrum, spectroscopic consts. and rot. excitation via collision 4-31956
- I_2, vapour absorption spectra, organic dye laser internal resonator method, rot. quantum no. *(Russian)* 4-40251
- $I_2(B^3\pi_{ou\|})$, vibr.-rot. excited, collisional dissociation 4-12638
- IF, microwave spectra detection and assignment 4-27695
- IO radical, microwave spectrum, rot. consts., centrifugal distortion, nuclear quadrupole coupling const. 4-24101
- KAr, mag. reson., spin-rot. coupling const. determ. 4-27723
- LaO, hyperfine struc. of rot. lines 4-24062
- $Li_2(B^1\Pi_u)$, laser excited, rare gas atom inelastic collisions, rot.-vibr.-translation energy transfer 4-40341
- $^6Li_2$, B-X band system investigation, optical spectrum *(Spanish)* 4-36509
- N_2, electron scattering, excitation cross sections calc. 4-875
- N_2, vacuum u.v. bands, rotational analysis 4-6042
- N_2 crystal, high temp. phase, thermal props., hindered rotational effects 4-40901
- N_2 gas, Raman cross-sections for $1\rightarrow3$ rot. and Q-branch vibr. transitions 4-24078
- N_2 + Ar collisions, rot. excitation, intermol. pot. interpret. 4-889
- $(N_2)_2$, i.r. spectrum, barrier to internal rot. of N_2 4-27667
- N_2Ar, i.r. spectra, mol. rot. struct. and props. 4-36527
- N_2D_2, i.r. absorption spectrum, ν_5 fundamental band, rot. and centrifugal distortion constants 4-31837
- NH_2, distortion corrected rotational consts. 4-829
- NH_3, $2\nu_4$ i.r. spectrum, *l*-type resonance in overtone band, vibr.-rot. interaction 4-16079
- NH_3, i.r. spectrum, rot. line intensities in combination bands 4-27671
- NH_3, i.r.-i.r. double resonance using two-photon technique 4-9524
- NH_3, i.r.-microwave double resonance spectra, collisional electron rules 4-9620
- NH_3, i.r.-microwave double reson., collisional relax. among rot. levels 4-31886
- NH_3, ND_3, vibration-inversion-rotation spectra, model Hamiltonian 4-3145
- NH_3, ND_3, vibration-inversion-rotation spectra, eigenvalue problem for Schrodinger eqn. 4-3146
- NH_3, pressure-broadening of rotational line by He, Ne, Kr, Ar, H_2, D_2 and N_2 *(French)* 4-9558
- NH_3, rot. and vibr. relax. time calc. from u.s. absorpt. data 4-40237
- NH_3, spectral line broadening by H_2, absorpt. in far wings of vibr.-rot. band 4-836
- N_2H_2, i.r. absorption ν_5 fundamental band, rot. and centrifugal distortion constants 4-31837
- $NH(D)_3$, gas phase photolysis, 471 nm emission attributed to NH $b^1\rightarrow X^3$, energy difference determ. 4-38159
- NH_2OH, i.r. spectrum, torsional bands, internal-rot. potential function 4-31849
- $(NH_4)_2SiF_6$, hindered rot., heat capacity, torsional freq., rot. barrier calc. 4-37017
- $(NH_4)_2SnCl_6$, hindered rot., heat capacity, torsional freq., rot. barriers calc. 4-37017
- NO, telluric line shape formula, atmospheric content *(Russian)* 4-7693
- NO^+, absolute i.r. intensities of vibr.-rot. transitions in ground state 4-12566
- NO_2, atm. spectrum around 6.78 μ *(French)* 4-21989
- NO_2, constants from i.r. study of $2\nu_3$ bands 4-825
- NO_2, laser excited fluorescence spectrum, Stokes and anti Stokes ν_2 band, vibr.-rot. interaction consts. 4-16109
- NO_2, microwave opt. double reson. with tunable c.w. dye laser 4-24113
- NO_2, microwave-optical double resonance, fluorescence, 4579 Å Ar^+ laser line excitation, rot. transition of ground vibronic state 4-31887
- NO_2, resonance fluorescence and absorption spectrum in region 6000 to 11500 Å 4-6086
- N_2O, i.r. spectrum, vibration-rotation bands in 4.1 micron region 4-3165
- N_2O, mol. equilibrium struct. determ. from zero-point rotational consts. 4-24024

molecular rotation continued

- N_2O, spontaneous emission in N_2O-N_2 plasma, rot.-vibr. levels 4-31884
- N_2O, telluric line shape formula, atmospheric content *(Russian)* 4-7693
- N_2O, vibr. luminescence in N_2O-N_2 d.c. discharge, rot.-vibr. constants 4-31883
- NS, valence states in region 2250-3800 Å *(French)* 4-6032
- NT_3, microwave rotation-inversion spectrum 4-12596
- $^{14}N^{16}O_2$, i.r. spectrum, 13.3 μm, ν_2 band, vibr.-rot. energy levels 4-16081
- $^{14}N^{16}O_2$, ν_2 band near 13.3 μ, study under high resolution 4-823
- $^{14}NH_3$, $^{15}NH_2$, millimetrewave rotation-inversion transition in ν_2-state 4-3177
- O atom recombination, influence of ang. momentum and temp. depend. 4-9591
- O_2, vibration-rotation Raman spectrum, 4880 Å laser excited 4-3163
- O_3, submillimetre laser lines, pure rot. transition in $\nu_3=1$ vibr. level 4-26961
- OCS, rot. mag. moment for $J=1$ to 5 states 4-27637
- OCS, rot. transitions in ν_3 state vibr. energy transfer from active N_2 4-27751
- OCS isotopes, (01^10) vibr. state mol. consts., mol. beam elec. reson. spectroscopy obs. 4-27638
- OH, collisions with atoms, rot., vibr. excitation probabilities calc. 4-9611
- OH vibration-rotation spectrum, experimental oscillator strengths 4-24069
- $OH(X^2\Pi)$ meinel bands, absolute intensities of vibration-rotation transitions 4-3124
- $^{16}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4-31847
- ^{16}OH radical, microwave spectrum analysis *(French)* 4-31861
- $^{18}O_2$, rot. microwave spectra 4-16101
- $^{18}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4-31847
- ^{16}Od, transition frequencies and probs. for hyperfine sublevels near 310 MHz 4-40300
- PH_3, i.r.-r.f. two-photon Lamb dip spectra 4-16103
- PH_3, liq., Raman obs. 4-33397
- PH_3, microwave spectrum, $\Delta k=\pm3$ rotational transitions 4-24103
- PH_4NH_2, ab initio calcs. of rot. barrier 4-31764
- $P^{16}O$, $P^{18}O$, emission spectrum, $^2\Sigma^+$ states, 50000-58000 cm^{-1}, rot. anal. *(French)* 4-24057
- $P^{16}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4-16052
- $P^{18}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4-16052
- PbO, rot. spectra, struct. and anal. of $B\rightarrow X$ and $D\rightarrow X$ band systems 4-27655
- PtD, UV delta band sub-system rot. anal. 4-16065
- S_2, rot. satellite intensities in fluorescence 4-6085
- SO_2, i.r. spectrum, $\nu_1+\nu_3$ combination vibr.-rot.band 4-818
- SO_2, microwave pure rotation spectrum, vibrational excited states 4-833
- SO_2, mol. equilibrium struct. determ. from zero-point rotational consts. 4-24024
- SO_2, vibration-rotation line intensities, algebraic expressions 4-9526
- SO_2 in β-hydroquinone clathrates, from i.r. spectra, 400-30 cm^{-1} 4-3149
- SO_2BrF, microwave spectra analysis 4-3189
- SO_2BrF, rotational spectra obs. between 18 and 40 GHz 4-3174
- $SO_2{}^{35}Cl^{37}Cl$, rot. spectrum, 8000-80000 MHz, mol. consts. determ. *(French)* 4-31860
- SiCl, rot. fine struct. in B-X system 4-24058
- SiH_4, pure rotation spectrum 4-9540
- SiN, spectra 3900-4900 Å, Woods band 3840 Å 4-19820
- SiO, spectra 3900-4900 Å, Woods band 3840 Å 4-19820
- SiO, vibr., rot. analysis of Σ-Σ transition 4-9510
- $^{28}SiD_4$, i.r. and laser Raman spectra, rovibrational constants 4-27672
- $^{28}SiH_4$, i.r. and laser Raman spectra, rovibrational constants 4-27672
- SnD electronic spectrum, rot. energy, fine structure, Hund's coupling case 4-16056
- SnF, rot. anal. of $(0,0)_{3/2}$ sub-band 4-9514
- SnH, electronic spectrum, rot. energy, fine structure, Hund's coupling case 4-16056
- $SrTiO_3$, V centre paramagnetic resonance, oxygen octahedra rot. fluctuations, critical dynamics 4-20835
- T_2O, rot. spectrum, assignments and mol. struct. 4-31866
- T_2O and HTO, mm and sub mm spectra 4-9551
- TiO, singlet and triplet states, molecular constants 4-36503
- 1,3,5-trineopentyl-benzenes, nuclear magn. double resonance, chemical exchange among three spin-coupled sites, barriers to internal rot. 4-34020
- ZrO, visible spectrum, 649.5 nm, $^1\pi$-$X^1\Sigma^+$ system, rot. analysis 4-16058
- ZrO, visible spectrum, gamma system, rot. analysis 4-16057
- ZrO, visible spectrum, p-system, triplet splitting rot. analysis 4-16059

molecular rotation in solids *see nuclear magnetic resonance; plastic crystals*

molecular spectra

- *see also macromolecular spectra; molecular electronic structure; molecular rotation; molecular vibration; spectra of inorganic molecules; spectra of organic molecules and substances*
- absorption and emission spectra, complex molecules, statistical factors, rot.-vibr. bands 4-31816
- asymmetric molecules, singlet-triplet interactions, Zeeman field 4-782
- UU Aurigae, carbon star search for HCN in 1 μ region 4-14375
- Brownian rotational motion parameters, calc., using line widths *(Russian)* 4-33927
- CN violet band at 3883 A, multi-component photospheric models 4-22258
- CNDO method, doublet mols., electronic spectra calc. 4-6022

molecular spectra continued
- collision broadening, semiclassical theory, impact approx. spectral line shifts and widths 4−19857
- computer program, interactive, to compute and locate energy levels for students 4−26433
- diatomic, spectral intensities, electronic transition moment variation, r-centroid approx. 4−31822
- diatomic spectra, rotation-line intensity factors, review of theory 4−31813
- diatomic with 14 electrons, band system f-values 4−6025
- effective charges and i.r. intensities 4−6072
- electron-nuclear interaction effect, i.r. and microwave region, vibr.-rot. transitions, theory 4−12573
- electronic spectra, antiresonances, line shapes 4−40302
- Fano antiresonances, photon absorpt., scatt., coupling between continuous and radiation field states 4−16106
- fluorescence, extinction mech. investig., influence of conc. on lifetime, yield *(French)* 4−40306
- free radicals and chemical intermediates trapped in low-temp. matrices, i.r. spectra, book 4−6060
- gases, CO_2 high-pressure tunable laser obs. 4−19096
- heteromolecular clusters of $SO_2.(H_2O)_n$, n=1-6 type 4−40250
- i.r., solvent effects on i.r. band, freq. shift calc. using anharmonic oscill. model *(French)* 4−40276
- i.r. radiative transfer, band absorpt., absorpt. and transmission functions 4−24162
- i.r. weak absorption at 0K, single particle model of freq. depend. 4−25102
- Jovian atmosphere vertical structure from molecular band var. 4−29928
- Kramers-Kronig-Heisenberg dispersion relations, Stieltjes inversion 4−3053
- laser, inside Doppler line, opt. and γ-ranges 4−14877
- laser spectroscopy of gases 4−35286
- light scattering, influence of optical anisotropy on mol. data obtained *(German)* 4−36499
- matrix effects in matrix isolation spectroscopy, in book 4−3977
- matrix isolated molecules in static crystal fields 4−20234
- matrix isolation, low temperature, book 4−3976
- matrix isolation spectroscopy, matrix props. and expt. techniques, book 4−2288
- microwave lines, low pressure, width and shift 4−31869
- oscillator strengths, solvent effects 4−6026
- photoabsorption profiles, Stieltjes imaging 4−688
- TX Piscium, carbon star search for HCN in 1 μ region 4−14375
- polarized spectroscopy with non-polarized light, linear dichroism eval. 4−9512
- polyatomic, computer spectral simulation *(Russian)* 4−40247
- polyatomic, doubly ionized states production, double charge transfer spectroscopy 4−24150
- polyatomic molecule, computer calc. of vibr. spectra and fragment geom. *(Russian)* 4−31773
- polyatomic molecule, double poles and non-exponential decays 4−783
- polyatomic molecules, formation of kinetic and force matrices of vibr. spectra by computer *(Russian)* 4−6057
- pressure effects, anal. of spectra and relaxation 4−19816
- radiating gas, absorpt. of vibr.-rot. band, first hot band contrib., high temps. 4−40288
- radiation absorption by atmospheric gases, apparatus *(Russian)* 4−14882
- Raman overtone band, polarizability tensor calc. 4−36529
- solutions, i.r. and Raman spectroscopy, mol. dynamics, intermol. forces, band shapes, review 4−37594
- spectrograph, grating, of high resolution, long duration exposure of mol. band spectra *(French)* 4−14870
- trapped species, vibr. spectra 4−3156
- ultra long path high resolution molecular spectroscopy 4−5068
- V states, mixed V_σ, V_π states predicted for many molecules, mixed V_σ, V_π state observed 4−36480
- vaporising molecules trapped in low-temperature mols., i.r. spectra, book 4−3157
- weakly symmetric molecules, bandshapes for circular dichroism and circular polarisation of luminesc. 4−835
- XH, (X=anything), valency vibr., absorpt. band parameter H-band energy depend. *(Russian)* 4−40248

molecular structure (electronic) *see molecular electronic structure*

molecular structure (geometrical) *see molecular configurations and dimensions*

molecular vibration
- *see also Fermi resonance; molecular force constants; molecular spectra*
- absorption and emission spectra, complex molecules, statistical factors, rot.-vibr. bands 4−31816
- accommodation coefficients, rot. and vibr., direct simultaneous meas. 4−19797
- acenaphthylene, Raman, i.r., and electronic spectra 4−797
- acetaldehyde, solvent effect on torsion mode 4−21001
- acetaldehyde and acetaldehyde-d_4, far i.r. and Raman spectra 4−10408
- acetonitrile, Stark spectroscopy of ν_4 band, analysis and assignments 4−3159
- acetophenone, cryst., polarized i.r. absorpt. spectra, vibr., struct. anal., space group proposed *(French)* 4−41365
- acetylene, band intensity of π_u mode, bond moment theory 4−778
- acetylene, i.r. combination bands, involving 0000^01^1 state, vibr. consts. 4−24082
- acetylene, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
- acetylenes, vibr. spectra analogy with nitriles *(Russian)* 4−24091
- acrolein, i.r. spectrum, torsional and in-plane being vibr. 4−16075
- acrolein, solvent effect on torsion mode 4−21001
- acrylonitrile, far i.r. spectrum, band centres, rotational consts., bending modes 4−16076
- actinide metal-biscyclooctatetraenyl complex, i.r. and Raman spectra, vibr. assignments 4−40278
- actinide oxides, vibrational assignments 4−27690
- L-alanine-d, i.r. spectra and dichroism, vibr. assignments 4−41378
- alcohols, proton donor-acceptor system, overtone region, hydrogen bonds 4−12586

molecular vibration continued
- aliphatic aldehydes, stretching band i.r. spectra *(Spanish)* 4−6047
- alkali antimonates, $MSbO_3$ type, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
- alkali halogenate, i.r. spectra classical dispersion anal. lattice-mol. vibr. coupling 4−1385
- alkaline earth antimonates, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
- n-alkane, Raman spectra, internal lattice vibr. modes and intermolecular pot. anal. 4−41375
- n-alkanes, cryst., h.p. Raman spectrum, Fermi reson. between CH_2 deform. and bending modes 4−28804
- alkyl selenocyanates, i.r. spectra, vibr. analyses, rot. isomerism about C-Se bond 4−19842
- N-alkylacetamides, hydrogen bonding rel. to vibr. spectra at 22 to −190°C 4−27664
- allyl isocyanate, allyl isothiocyanate, vapour, liq., solid, conformations, vibr. spectra 4−19835
- allylic organometallic cpds., metal-ligand bond vibrs. and forces *(French)* 4−36489
- π-allylic palladium chloride (bromide) and deuterated chloride, i.r. and Raman spectra, isotope effects *(French)* 4−10399
- amino acids, C−H/C−D and N−H/N−D stretching vibrations 4−12578
- amino-organic, NH_2 electronic struct. and basicity, i.r. spectra 4−36521
- μ-aminodiborane, i.r. spectrum, ring-puckering vibration 4−24074
- aminophosphines, multiplicity of P-N bond, i.r. absorpt., config. isomers *(French)* 4−19826
- anharmonic oscillator, analytic matrix elements from commutator relations and sum rules 4−31808
- anharmonic oscillator, analytical expectation values using hypervirial theorem 4−31807
- anharmonic oscillator, vibr.-rot. level, expectation values using hypervirial theorem 4−780
- anharmonic oscillators, 0→1 transition probability formulated using pot. function 4−36491
- anharmonic relaxation and dissoc., perturbation analysis 4−24045
- anharmonicity correction for kinetic isotope effect calc. 4−1701
- 1,5-anhydropentitols, vibrational spectra, normal coordinate analysis 4−6076
- aniline, in soln., i.r. spectra, NH_2 stretching vibrations, N-H bond symmetry 4−28848
- aniline and adducts, H bonding and Fermi resonance 4−6053
- anilines, subsituted, i.r. spectra, effects of substituents on N-H valency vibr. *(Russian)* 4−40291
- anthracene, computation of difference due to effective and average fields in vibronic spectra *(Russian)* 4−13465
- anthracene, exciton transitions, second quantised boson theory 4−21014
- anthracene, rel. to secondary electron emission 4−33541
- anthracene, resonance Raman spectra of CCl_4- and CS_2 solutions 4−16098
- anthracene dimer, Herzberg-Teller interactions indicated in fluorescence spectra 4−9565
- anthracene negative ions in tetrahydrofuran soln., freq. shifts, reson. Raman effect, ring vibrs. 4−799
- anthracene vapour, fluoresc. fine struct. obs., anti-Stokes excitation 4−24111
- anthracenes, monosubstituted, regularities in u.v. electron vibration spectra 4−36513
- 9,10-anthraquinone, phosphoresc. spectra, obs. of intensity distrib. in electronic-vibr. progression *(Russian)* 4−13513
- aromatic hydrocarbons, mechanism of $S_1 \rightarrow T_1$ intersystem crossing process 4−9571
- aromatic molecular ion, resonance spontaneous Raman spectra, anal. of electronic struct. *(Russian)* 4−12575
- arsenic acid, alkyl derivatives, Raman and i.r. spectra, AsO bond force constants, vibr. energy distrib. 4−36524
- atmospheric CO_2 and N_2 vibrational temp. in 50-130 km. altitude range 4−38357
- atom + diatom, vibr. excitation, WKB soln. of classical trajectory eqn. 4−27761
- atom + diatomic molecule collision, keV energies, vibr.-rot. excitation 4−31968
- atom-diatom collisions, vibr. excitation, ‘on-the-energy-shell’ optical pot. deriv. 4−40340
- atom-diatom collisions, vibrational transition probability, use of Lennard-Jones potential 4−27763
- atom-diatom collisions at low energies, averaged anisotropic pots. for vibr. excitation 4−31959
- atom-diatomic molecule collision, reaction probability deriv., semiclassical approach, depend. on vibr. state of reactants 4−41937
- axially symmetric molecule, rot. line intensities in combination bands, vibr.-rot. interaction 4−27671
- aziridines, C-alkylated and C-arylated, i.r. spectra, NH and ND transitions *(French)* 4−27685
- aziridines, secondary, i.r. spectra, ν_{nh} and ν_{nd} stretching bands, invertomer recognition *(French)* 4−27684
- azobenzene, vibrational spectra, force constants of planar and nonplanar coordinates 4−811
- p-azoxyanisole, crystal, nematic and isotropic, i.r. integral intensity, temp. depend. 4−28802
- p-azoxyanisole, solid and nematic phases, Raman spectra, vibr. analyses *(French)* 4−37604
- beam, reduction of internal energy by use of nozzle jet in mass spectrometer 4−35456
- benzaldehyde, enigma of aldehyde H-wag vibration in $'A''(n\pi^*)-A'$ spectrum 4−16051
- benzaldehyde, solvent effect on torsion mode 4−21001
- benzene, collinear emission of second order Stokes radiation in stimulated Raman scatt. *(German)* 4−2635
- benzene, fluoro derivatives, vibrational force field, overlay technique 4−24050
- benzene, two-photon absorpt., selection rules and Herzberg-Teller theory 4−19807
- benzene halogen complex, i.r. N_2 matrix isolation spectra, struct. determ. 4−36526
- benzene-d_6, single cryst., polarized spectrum at 2000 Å 4−37624

molecular vibration continued
benzene-h_6(-d_6), two-photon absorpt. of $^1B_{2u}$ state, moderate resolution obs. 4−19808
benzophenone, luminesc., absorpt., i.r. spectra anal. 4−9568
p-benzyl alcohols, i.r. band shape, fundamental OH stretching vibration 4−16068
benzyl mercaptan, Raman and i.r. spectra, Raman line polarization, vibr. modes 4−40267
biphenyl neg. ion in THF soln., Raman spectra 4−31839
biphenyl-h_{10}(-d_{10}), low temp. solid, spectroscopic obs. of continuous change in mol. and cryst. struct. 4−20976
biscyclopropylidene, vibr. spectra, anal. of C=C weak Raman intensity 4−40279
bond dipole moment calculations from i.r. spectra, planar or linear mols. 4−9509
N-bromoaziridene vibrational spectra, normal vibrations and force constants 4−813
bromocyanoacetylene, isotopic, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
β-bromonaphthalene, i.r. and Raman spectra, vibr. analysis 4−40269
3-bromoquinoline vapour, u.v. absorption spectrum, vibr. assignment, band shifts, 3250-2850Å 4−19811
1,3-butadiene, torsional and in-plane skeletal bending vibr., i.r. spectrum 4−16074
cis-2-butene, polycryst., Raman spectrum, vibr. analysis, potential energy distribution 4−28820
trans-2-butene-d_0(-d_8), vibr. spectrum, normal coordinate analysis 4−12570
n-butyl benzoates, i.r. and Raman spectra, vibr. freq. assignment 4−40270
t-butyl bromide-h_9, -d_9, mid i.r. spectra of plastic crystal phases 4−10402
t-butyl bromide-h_9 and -d_9, vibrational assignment 4−27663
2,6-di-t-butyl-parabenzoquinone, vibrational spectra, calc. and interpret. *(Russian)* 4−16091
γ-butyrolactone, ring puckering and twisting modes 4−832
c H_2O, strengths and air-broadened widths of lines in 2950-3400 cm^{-1} region 4−3168
carbon tetrafluoride, Raman spectra, ν_1 vibr. band 4−24089
carbon tetrafluoride, Raman spectrum, vibr.-rot. band shape, molecular reorientation 4−19869
carbonyl complexes, spherical-top, in gaseous N_2, ang. correl. functions and Coriolis coupling 4−16138
carbonyl complexes dissolved in CCl_4, vibration-rotation coupling effects on vibration rotation spectra *(German)* 4−24072
carbonyl complexes dissolved in N_2 gas, vibration-rotation coupling effects on spectra *(German)* 4−24073
carbonyl cyanide, normal coordinate analysis 4−6011
carboxylic acid anhydrides, electron vibr. spectra *(Russian)* 4−24094
carotene, structure of excited state, resonance Raman spectra 4−6050
centrifugal distortion constants, Gauss-Mehler quadrature method 4−6017
charge movement due to vibration 4−6072
chemical reaction, endothermic rate consts. vibr. energy depend. 4−29303
chloral, solvent effect on torsion mode 4−21001
chloranil monovalent anions, i.r. active fundamental vibrations 4−6051
α- chloroacetic acid, vib. spectra and structure 4−28822
N-chloroaziridene vibrational spectra, normal vibrations and force constants 4−813
p-chlorobenzaldehyde, interstate interaction in $T_1 \rightarrow S_0$ spectrum, vibrational analysis 4−17122
chlorobenzonitrile isomers, vapours, u.v. spectra, vibr. anal. 4−19810
chlorocyanoacetylene, isotopic, microwave spectra, linear molecular struct., vibr.-rot. consts. 4−19851
chloroform-methyl cyanide mixture, liq., solid, i.r. spectra, cryst. struct., eutectic *(French)* 4−20295
2-chloromethylcyclohexanes, cis- and trans-, i.r. spectra and conformational equilib. *(Russian)* 4−16090
chlorophyll-a, fluorescence, excitation-wavelength depend. and solvent effects 4−33477
3-chlorothiotane, Raman and i.r. spectra, vibrations and conformational analysis *(Russian)* 4−16089
cis-dichloro-cis-bis(dimethyl-sulfoxide)-trans-dimethyltin (IV), single cryst., soln., Raman spectra, Sn-C bond polarizabilities 4−13448
collective modes of one-dimens. disordered chain, computer study 4−24378
complex, dihydridobis (ethylenediamine) osmium tetrachloro zincate, i.r. spectra 4−3153
conformational analysis techniques for prediction of heats of formation and thermodynamic functions 4−5972
conjugate bond molecules, long range forces *(Russian)* 4−6133
contact transformation, superoperator generalization, symm. rotors 4−31810
copper formate tetrahydrates, hydrogenated and deuterated, l.f. Raman spectra, phase transition effects *(French)* 4−33396
coronene, out-of-plane molecular vibrations *(Russian)* 4−12551
coronene, vibr. struct. of fluoresc., solvent effect 4−28900
cyclobutane (and -d_8), ring puckering isotope effect 4−822
cyclooctane, chemically activated, relaxation, i.r. chemiluminescence, vibr. energy distrib. 4−31845
cyclopentanone i.r. and Raman spectra, anharmonic vibr. resonance in C-O stretch band 4−27661
2-cyclopenten-1-one, -5 and -5-d_2, i.r. and Raman spectra, vibr. fundamentals, ring-puckering 4−16078
cyclopropane, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
cyclopropylcarbinol, 1-cyclopropylethanol, vapour, liq., cryst., and in CCl_4 soln., conformational behaviour, vibr. spectra 4−19832
cytochrome-c, resonance Raman spectra, effect of excitation-light freq. *(Russian)* 4−12574
trans-2-decalone, molecular struct.; vibr., conformational energy and electron diffr. studies 4−36464
depolarized light scattering, coupling of rot., vibr. and translational mol. motion in fluids 4−27766

molecular vibration continued
determ. from electron diffraction meas., triatomic mols. *(German)* 4−31802
dextran esters, formation obs. by i.r. methods *(Russian)* 4−6058
diatomic, $^1\Sigma$-state vibration-rotation matrix elements from commutator relations and sum rules 4−40249
diatomic, Morse-Pekeris intensity, closed form formulas, rot.-vibr. coupling 4−27628
diatomic, Rydberg-Klein-Rees method, accuracy 4−9501
diatomic, vibr.-rot. energies calc., contact transformation method 4−19793
diatomic molecule, MCD, review 4−3128
diatomic molecule, nonequilibrium radiation *(Russian)* 4−9569
diatomic molecule, RKR pots. and semi-classical centrifugal consts. 4−3123
diatomic molecule, stationary population of vibr. levels *(Russian)* 4−9572
diatomic molecule, Tietz oscillator, vibr.-rotation states, exact soln. to Schrodinger eqn. *(Russian)* 4−36490
diatomic molecule, vibr.-rot. states, Schrodinger eqn., rot. predissociation *(Russian)* 4−19784
diatomic molecule-atom collision, induced vibr. and rot. absorpt. 4−27675
diatomic properties of states, inversion procedure for internuclear distance depend. 4−3126
diatomic RKR potential curves, fast quadrature method 4−31805
1,4-diazabicyclo[2.2.2]octane-boron (trihalide) complex, vibr. spectra and assignments 4−40285
2,3-diazobicyclo[2,2,n]alk-2-enes, n=1,2,3,4, photoelectron spectra 4−12622
diborane, ring puckering, Raman spectrA 4−24076
2,3-dibromo-1-propene, liq., cryst., conformations, vibr. spectra 4−19836
1,4-dibromobutene-2, cis conformer, vibr. conformational analysis, rot. isomers 4−16083
1,2-dibromopropane, liq., solid, vibr. freq. assignment 4−19828
2,5- and 2,6-dibromopyridines, vapour and soln. near u.v. spectra, vibr. analysis, solvent shifts 4−19809
cis-3,4-dichlorocyclobutene, i.r. and Raman spectra, struct. determ. 4−9533
3,4-dichlorofluorobenzene vapour, electronic spectrum, 2903-2560 Å, vibr. assignment 4−19812
2,3-dichloropropene, liq., cryst., conformations, vibr. spectra 4−19836
3,5- & 2,6-dichloropyridines, i.r. absorption spectra in range 250 to 4000 cm^{-1} 4−3139
diethynyl ketone, normal coordinate analysis 4−6011
2,3-dihalobutadienes, vibrational spectra, assignments and force consts. 4−6071
dihalogenated benzenes, in-plane vibrations, i.r. and Raman spectra 4−16072
dihalogenated benzenes, out-of-plane vibrs., i.r. and Raman spectra 4−16073
cis- and trans-1,2-dimethoxyethylene, vibrational spectra 4−27689
dimethyl sulphoxide-$SbCl_5$ complex, i.r. and Raman spectra, normal coord. anal. *(French)* 4−19834
dimethylarsenic acid, i.r. and Raman spectra, anal. of vibr. assignments 4−9535
2,3-dimethylbutane, mol. dissoc., thermal energy depend. 4−27760
dimethylnitramine, perdeuterated derivative, i.r. and Raman spectra, valence force field, normal vibr. modes *(French)* 4−27686
dimethylselenide, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
dimethylsulphide, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
dimethyltelluride, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
1,3-dioxolane, microwave spectrum, vibr. states, ring puckering, dipole moment, barrier to pseudorotation 4−27697
α,ω-diphenylperfluoropolyenes, vibrational spectra, determ. of configurations and frequencies 4−812
trans-trans dipropionamide, C_α and N-deuterated, polarised i.r. spectra vibr. assignments 4−12580
dipropionamide, lattice vibrs. and Raman band splitting 4−10427
dissociation kinetics for molecules in molecular gas 4−24127
dithioformate ion, normal coordinate anal. of vibrations 4−3120
dithioformic acid, CNDO/2 and Huckel method, hydrogen bonding, tautomerism, normal vibr. 4−36483
electron impact excitation, polyatomic Born cross section formula 4−40335
electron-nuclear interaction effect, i.r. and microwave region, vibr.-rot. transitions, theory 4−12573
enamines, relationship between frequencies of valence vibrations of N-H, i.r. spectra 4−810
energy transfer in molecular collisions, review 4−31972
ethane, i.r. spectrum, torsion-vibr.-rot. interaction, barrier to internal rot. 4−27669
ethane, photoelectron spectra, vibr. states of positive ion 4−36574
1,2-ethanedithiol, liq., solid, Raman spectra, vibr. of rot. isomers 4−19829
ethanethiol, barrier to internal rotation and torsional frequencies 4−3142
ethyl cyanide, and partially deuterated forms, microwave spectrum, rot.-torsion-vibr. interaction 4−27700
ethyl halides, methyl torsional overtones, internal rot. barriers 4−40273
ethyl iodide and deuterated derivatives, i.r. spectra, vibr. assignments, normal coord. calcs. 4−24080
ethylene, i.r. laser double resonance, vibr.-vibr. and vibr.-translation/rot. energy transfer 4−27668
ethylene, i.r. laser induced fluoresc., relax. rate 4−24153
ethylene, quenching of laser induced fluorescence 4−897
ethylene, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
ethylene-glycol, polycryst., l.f. vibrs. assignments and structure considerations *(French)* 4−17059
ethylenediammonium chloride and chloride-d_6, Raman spectra 4−41377
ethylenes, substituted, electronic interaction between vinyl group and substituents, electron-withdrawing effect 4−27735

molecular vibration continued
ethynyldichloroborane, vibr. spectra assignments 4−40283
ethynyldichloroborane, vibrational spectra 4−6067
ethynyldifluoroborane, vibr. spectra assignments 4−40283
ethynyldifluoroborane, vibrational spectra 4−6067
Faraday effect, irreducible tensor method, allowed vibronic transitions 4−31824
fast-rotating molecules, vibration-rotation energy transfer, semiclassical theory 4−40344
ferricenium ion, absorpt., magnetic circular dichroism and e.s.r. anal. of electronic struct. 4−9583
ferrocene, vibr. spectra, factor group anal. assignments 4−37602
fluorescent polariz., two-photon excited, with arbitrary orientation of absorpt. and emission oscillators *(Russian)* 4−19862
fluorobenzoylchlorides, isomeric, spectra, i.r. absorpt. 4−19825
fluoroform, gaseous and liquid, Coriolis interaction in Raman spectrum 4−800
2-fluoropropane, rotational and vibrational spectra 4−6054
force matrix, group theoretical simplification 4−24049
formaldehyde, Coriolis interactions in microwave spectra of vibrationally excited states 4−9553
formaldehyde, radiation induced polymerisation, quantum low-temp. limit, tunnelling from zero vibr. level 4−38133
formaldehyde, single vibronic state, laser excitation, fluoresc. 4−24112
formaldehyde, solid i.r. and Raman spectra, intermolecular interaction effects 4−41373
formaldehyde and -d_2, laser Stark spectroscopy, ν_2 vibr.-rot. band 4−16080
formaldehyde vibronic magnetic rotational strengths and oscillator strengths calc. method 4−6040
formamide, microwave spectrum, vibr. frequencies 4−31865
formic acid, Coriolis interactions in microwave spectra of vibrationally excited states 4−9553
formic acid, monomer, mean amplitude of vibr., iterative procedure, force constants 4−36493
Franck-Condon factor, calc., review of methods for diatomic mol. and radical systems 4−36537
frequency assignment method 4−19791
fulminic acid, deuterated, mm wave spectrum, rot. transitions, rot.-vibr. constants 4−40301
furans, 2- and 3-monosubstituted, vibr. and electronic spectra, effect of rotational isomerism *(Russian)* 4−16092
gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4−8398
gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4−18485
glyoxal vapour, time-resolved fluorescence from single vibronic levels 4−16113
glyoxal vapours, vibr. relax. by electronic energy transfer 4−12632
group IV A and VI A hexahalo species, general valence field force constants, mean vibr. amplitude 4−40243
H_2, electron impact, Werner band, internuclear separation transition moment depend. 4−27745
1-halogen-alkanes, CX-valence vibr., chain length influence *(German)* 4−12584
m-halostyrenes, molecules, torsional oscillations, Raman spectra obs. 4−3140
hexafluorocyclopropane, force consts., vibr. spectra, Coriolis coupling consts. 4−19787
hexamethylbenzene, cryst. mol. vibr. freq., intensity calc. from i.r., Raman spectra *(German)* 4−33394
hexanitroethane, i.r. and Raman spectra, vibrational fundamental assignment 4−19841
1,2,4,5-hexatetraene, vibr. amplitude and perpendicular amplitude correction coeffs. calc. 4−31804
hydrocarbons, computation from neutron inelastic scattering 4−9968
hydrogen-bonded, broadening of i.r. absorption spectra, vib. predissociation 4−24088
hydroxylamines, N-OH torsional frequency determ. by far infrared spectroscopy 4−6046
icelike water clusters, intermolecular vibrations 4−31976
indanone-1, struct. and vib. spectra from polarized i.r. absorpt. *(French)* 4−28823
inorganic molecules, mol. vibr. freq., i.r. and Raman spectra 4−24086
intramolecular and intermolecular, relationship, XY_3 type mol. 4−9503
intramolecular rearrangements, vibrational degrees of freedom coupling 4−3092
iodobenzaldehydes, i.r. and laser Raman spectra, vibr. analysis 4−40268
iodocyanoacetylene, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
i.r. laser radiation excitation kinetics *(Russian)* 4−16115
i.r. nonlinear spectroscopy, Stark tuning, vibr.-rot. line assignments 4−24096
i.r. resonance laser interaction, dissociation, oscillator models 4−24126
isobutyronitrile, calc. of Raman and i.r. spectra 4−19839
isopropylacetylene, microwave spectra obs. 4−3175
lanthanide oxides, vibrational assignments 4−27690
laser-excited resonance Raman spectra 4−40263
ligand vibrational frequency shifts, complexation, kinematic effect 4−12553
light probe pulse measurement, relax. time 4−23400
lignin, i.r. spectra in valence and deformational vibr. freq. regions of hydroxyl group *(Russian)* 4−6137
lignin compounds, C.O. aldehyde and ketone valency vibr., freq. and intensities *(Russian)* 4−40292
linear molecule, ang. momentum ladder operator formalism 4−3121
linear molecule, ladder operator formalism for mol.-fixed compts. of total ang. momentum operator 4−24054
linear molecule, rot. const. calc., Renner effect depend. 4−9502
liquid, binary, vibr. energy transfer near reson. 4−1386
liquid, mol. motion and band shapes 4−37594
maleic anhydride and deuterated cpds., vib. spectra 4−27677
malformin A, disulphide bond dihedral angles from Raman spectra 4−11271
malonaldehyde, microwave data 4−12595

molecular vibration continued
mesic molecules, ppμ, ddμ and ttμ, calc. of binding energy using continuous analogue of Newton's method 4−5971
metal chelate with nitrilotriacetic acid, i.r. spectra 4−41374
metal Hg complex $MHg(SCN)_4$-triphenyl phosphine, i.r. spectra 4−40282
metalloporphyrins, Raman and Shpolsky spectra 4−16085
methane, bideuterated, ground state mol. consts. *(French)* 4−12565
methane, CH_2D_2, ν_4 and ν_7 rovibrational bands obs. *(French)* 4−6049
methane, cross section formula for (e,2e) reaction 4−876
methane, low temp. depend. of multiplet intensities of 2 ν_3-band 4−36531
methane, rel. to YAG:Er 6077 cm^{-1} laser emission coincidence, tetrahedral fine struct. 4−36517
methane, relative tetrahedral struct. consts. of fund. vibronic state *(French)* 4−31859
methane, $v_3=1$ excited state, hyperfine interactions, theory 4−40239
methane, vibr. relax. time meas. using laser schlieren 4−40240
methane, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
methane and methane-d, vibrational spectra and structure of crystalline phases 4−10437
methane mixtures with O_2 and N_2, absorpt. intensity of simultaneous vibr. transitions 4−24071
methane-d_2, vibration-rotation band at 1435 cm^{-1} 4−9539
methane-d_4, absorpt. spectrum between 2180 and 2320 cm^{-1}, ν_3 and $2\nu_3$ bands 4−31848
methanol, conformation and vibrational analysis from i.r. data 4−6074
methanol, deuterated, absorption spectrum, 3850 to 16600 cm^{-1}, hydrogen bonded O-H and O-D overtone bands, potential energy curve 4−40257
methanol, Raman spectrum, C-O stretching band, effect of environment and association 4−6075
methoxyacetic acid, state assignment, microwave spectrum 4−831
methyl chloride and rare gas mixtures, laser induced fluoresc. obs. of vibr.-vibr. equilibration 4−3223
methyl chloroformate and -d_3, liq. and solid i.r. and Raman spectra, vibr. analysis 4−28816
methyl cyanide-chloroform mixtures, liq., solid, i.r. spectra, cryst. struct., eutectic *(French)* 4−20295
methyl fluoride, i.r. laser induced fluoresc., relax. rate 4−24153
methyl fluoride, Stark spectroscopy of ν_3 band using 9.6 μm CO_2 laser 4−3158
methyl fluoride(chloride) mixture, laser pumped vibr. energy transfer, V-V crossover rate 4−31955
methyl iodide, liq., ν_4 Raman band, reorientation spreading *(German)* 4−12564
methyl iodide, microwave and i.r. spectra, rot. and doubling consts. of vibr. states 4−19853
N-methyl morpholine, microwave spectrum assignments 4−3180
methyl radical, first ionization potential from photoelectron spectra, vib. features 4−31923
methylacetate (deuterates), vibr. spectra, mol. conformation and assignments, gas, liq. solid 4−40286
methylene, collision induced singlet to triplet vibronic transition 4−36577
2-methylpentane, mol. dissoc., thermal energy depend. 4−27760
methylpropargyl ether, i.r. and Raman spectra 4−12583
methylsulphonyl chloride, vibration amplitudes from i.r. and Raman spectra 4−805
methylsulphonyl fluoride, vibration amplitudes from i.r. and Raman spectra 4−805
molecular crystal, absorption bands, Herzberg-Teller mechanism 4−32624
molecular crystal, vibron spectra rel. to anharmonic oscillation *(Russian)* 4−28160
monocarboxylic acids, halogen-substituted, interaction with autonitrile, i.r. spectra of H-complexes *(Russian)* 4−6059
monodeuteroacetylene, i.r. study 4−824
monohaloacetylenes, vib. freq., force consts., mean amplitudes, shrinkage effects and thermodynamic functions 4−27634
monothio-oxamide, NN′ monosubstituted, i.r. and Raman spectra, vibr. anal. 4−25108
multiquantum rotational transitions in mechanism of vibr. energy exchange 4−19908
naphthalene:p-dibromobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
naphthalene:p-dichlorobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
naphthalene, i.r. vibr. spectrum, high press. effects on band intensities 4−28846
naphthalene, two-photon absorpt., selection rules and Herzberg-Teller theory 4−19807
naphthalene and 1-methylnaphthalene, laser excited, pressure effects, singlet, triplet growth, fluoresc. decay, vibr. relax. depopulation 4−16108
1,4-naphthoquinone, visible emission and absorption spectra, triplet-singlet transition 4−3132
neopentane, mol. dissoc., thermal energy depend. 4−27760
neutron inelastic scattering data, computational methods 4−9968
nickelocene, vibr. spectra, factor group anal. assignments 4−37602
α-$NiSO_4.6H_2O$, vibrational circular dichroism, 1900 to 5000 cm^{-1} 4−25118
nitriles, vibr. spectra analogy with acetylenes *(Russian)* 4−24091
1-nitrilo-alkanes, CN valence vibr., chain length influence *(German)* 4−12584
p-nitroaniline, single cryst., l.f. Raman spectra, vibrs. assignment *(French)* 4−3957
nitrobenzene, in-plane vib. freq. calc. 4−6009
n-nitrodimethylamine, vibrational spectrum 4−6064
nitromethane, i.r. and Raman spectra, valence force field, normal vibr. modes *(French)* 4−27686
trans 1-nitropropene, microwave spectrum, rot. transitions, nitro torsional vibr. 4−27698
nitropyridines, vibr. freq. and force constant assignment 4−9532
nonpolar molecules, rot. dipole moments calc. *(Russian)* 4−12555

molecular vibration continued
- nonradiative transitions, isolated large mols., accepting modes 4−6088
- normal modes, total energy distrib. expression *(French)* 4−40234
- γ-nuclear transitions, vibr. satellites 4−19800
- n-octane, mol. dissoc., thermal energy depend. 4−27760
- oligoester acrylate 3-dim. polymer, low temp. molecular motion processes, radiothermoluminescence study *(Russian)* 4−17134
- organic cpds., mol. dynamics and stereochemistry from ^{13}C relax. meas. 4−16128
- organic heterocyclic molecules, vibr. skeletal freq., structure-spectrum correlation 4−27644
- organic molecules, mol. vibr. freq., i.r. and Raman spectra 4−24086
- orientational vibrations, reorientation effect, temp. depend. 4−36978
- oscillator system, photoexcitation, excitation and relax. rates 4−19864
- osmocene, vibr. spectra, factor group anal. assignments 4−37602
- oxadiazole-1,3,4 derivatives in soln., luminescent spectra, vibr. struct. *(Russian)* 4−17120
- oxalic acid, gaseous, i.r. and Raman spectra investigation 4−809
- oxalyl chloridefluoride, 3870 Å absorption system, vibr. analysis 4−24059
- oxazole-1,3 derivatives in soln., luminescent spectra, vibr. struct. *(Russian)* 4−17120
- oxygen bond systems, i.r. spectra, vibrational analysis 4−31851
- n-paraffins, i.r. vibr. spectrum, high press. effects on band intensities 4−28846
- n-paraffins, l.f. vibrations determ. by neutron inelastic scattering in solid 4−9967
- pentachlorophenol complexes, spectroscopic criterion of bonding type *(Russian)* 4−40309
- pentadiyne-1,3, i.r. and Raman spectra *(French)* 4−9525
- pentaphenylarsenic (antimony), vibr. spectra struct. anal. 4−41376
- 1,2,4-pentatriene, vibr. amplitude and perpendicular amplitude correction coeffs. calc. 4−31804
- phenols, Ph$_n$ X-type molecule, i.r. spectra, out-of-plane vibr. bands, benzene ring twist angle 4−24090
- phenols, proton donor-acceptor system, overtone region, hydrogen bonds 4−12586
- phenols in organic bases, valence sub-band struct., vibr. coupling effects 4−16071
- phosphapyrimidines, substituted, and their N-15 labelled analogues, i.r. and Raman spectra and in-plane vibrational assignment 4−3154
- phosphorus(III) organic compounds, radio freq. spectra, P-N band stretching freq. *(French)* 4−24106
- polar molecule, rot. inelastic collision induced transition, perturbation anal. 4−9614
- polar solutes in nonpolar solvents, weak intermolecular interactions in vib. spectra 4−10409
- polarized light scattering, fluid of spherical mols., vibr. effects 4−27765
- polyatomic, computer spectral simulation *(Russian)* 4−40247
- polyatomic molecule, analytical expression for Raman scatt. tensor *(French)* 4−16069
- polyatomic molecule, computer calc. of vibr. spectra and fragment geom. *(Russian)* 4−31773
- polyatomic molecule, zero point energy rel. to molecular isotopic structure 4−40242
- polyatomic molecules, ab initio calcs. 4−3125
- polyatomic molecules, formation of kinetic and force matrices of vibr. spectra by computer *(Russian)* 4−6057
- polyatomic molecules vibronic struct., vibronic intensity borrowing and isotope dependence 4−849
- polyethylene, i.r. vibr. spectrum, high press. effects on band intensities 4−28846
- polyhexene-1, amorphous, heat capacity between 20 and 300K, intramolec. vibr. contrib. to C$_v$ below glass transition 4−20417
- polymer, axially stressed, i.r. spectrum, atomic stress distribution 4−37605
- polymer, loaded, plane zigzag skeleton, main-chain vibr. freq. shifts 4−906
- polymer dynamics, elastic constants, from gaussian chain model 4−12658
- polypropylene, Raman spectra of highly and randomly orientated crystals, influence of chain interactions 4−10424
- population inversion and i.r. signal amplification on excited mol. vib. levels rel. to unsteady induced Raman state 4−8851
- propiolyl chloride, i.r. and Raman spectra, gas and liq. phases, vibr. analysis 4−19843
- n-propyl benzoates, i.r. and Raman spectra, vibr. freq. assignment 4−40270
- n-propyl chloride, solvent effect on torsion mode 4−21001
- PTFE, longit. acoustic phonons, dispersion reln. 4−6470
- PVC, calculated intermolecular interactions 4−24156
- pyrene, rel. to secondary electron emission 4−33541
- pyrene-d$_{10}$, u.v. vibronic spectrum, solvent enhancement of first singlet-singlet transition 4−28862
- pyridine Br$_2$ complex, solvent effects on Br-Br stretching mode 4−21001
- pyridine on SiO$_2$-Al$_2$O$_3$, Raman scattering obs. 4−16661
- pyrimidines, d-substituted, vibrational spectra 4−27691
- pyroform salts of polyanhydrouronic acid, coordination of carboxylate ion *(Russian)* 4−19798
- L-pyroglutamic acid, i.r. and Raman spectra *(French)* 4−12572
- pyruvic acid ground state, microwave spectrum 8-40 GHz, rotational transitions 4−6080
- quinolines, substituted, far i.r. studies, hydrogen bonding 4−19844
- quinuclidine-boron(trihalide) complex, vibr. spectra and assignments 4−40285
- Raman intensities, generalisation to resonance, harmonic oscill. approx. 4−27665
- Raman resonance spectra, effect of excitation-light freq. on resonance spectra *(Russian)* 4−12574
- Raman resonance spectra, vibr. structure 4−3138
- Raman spectra, use of lasers 4−16086
- reactions of high kinetic energy, review 4−34028
- relaxation processes and molecular form factors, theory 4−19924
- rotational vibrational transition, i.r. pumping, i.r.-microwave double resonance 4−16116
- ruthenocene, vibr. spectra, factor group anal. assignments 4−37602

molecular vibration continued
- secondary chlorides, calculated intermolecular interactions 4−24156
- secular equation, for separation of high or low freq., soln. using block diagonal matrices 4−40241
- sodium uranyl acetate, optical rotatory dispersion curve, effect of deuteration on optical activity *(Russian)* 4−33455
- solids, refractive index change due to vibr. excitation by powerful light *(Russian)* 4−23390
- solvent effects on i.r. band, freq. shift calc. using anharmonic oscill. model *(French)* 4−40276
- space-fixed molecules with D$_{2h}$ and D$_{6h}$ symmetry, two-photon absorpt., selection rules and Herzberg-Teller theory 4−19807
- Stark modulation, effect on stimulated Raman scatt. 4−27019
- symmetric top molecules, ang. correl. functions influenced by Coriolis coupling 4−16139
- symmetric top molecules, inelastic scatt., first order generalized phase shift approx. 4−19914
- TCNQ monovalent anions, i.r. active fundamental vibrations 4−6051
- tertiary amides, (deuterates), in-plane mol. vibr. mean amplitude calc. for various linkages 4−40236
- tetracene, rel. to secondary electron emission 4−33541
- 1,1,2,2,-tetrachlorotetrafluorocyclobutane, vapour and crystalline, i.r. and Raman spectra 4−807
- tetracyanoethylene radical anion, vibronic interactions dominant factor 4−9537
- 1-chloro-2,2,3,3,-tetrafluorocyclobutane, vapour and crystalline, i.r. and Raman spectra 4−807
- tetrahedral molecules, ν_2(E) and ν_4(F$_2$) assignment, relative Raman intensity calcs. 4−24077
- tetraiodoethylene, single cryst., vibr. spectra, force const., mol. orientation 4−20988
- sym-tetrazine, excited state electronic struct. and dynamics 4−24110
- tetrolyl chloride, i.r. and Raman spectra, gas and liq. phases, vibr. analysis 4−19843
- thioformamide, microwave spectrum, vibrational satellites 4−31864
- thiolacetic acid, CNDO/2 and Huckel methods, hydrogen bonding, tautomerism, normal vibr. 4−36483
- thiolformic acid, CNDO/2 and Huckel methods, hydrogen bonding, tautomerism, normal vibr. 4−36483
- β thionaphol, i.r. and Raman spectra *(French)* 4−13428
- thiophene solutions, out-of-plane deform. vibrs. of CH bands, solvent effects *(Russian)* 4−31855
- toluene, phosphoresc. spectrum, entire tabulated results and discussion 4−21058
- transition metal(III)acidopentammine, vibr. spectra anal. of metal-ligand bond 4−13446
- transition metal complex, hexakis-(pyridine-N-oxide) metal (II), far i.r. spectra, metal-ligand vibrations 4−13449
- transition metal complexes, relation between stability const. and carbonyl stretching frequency 4−6114
- transition metal complexes, vibronic spectra, two-dimensional potential surface 4−33385
- transition metal-biscyclooctatetraenyl complex, i.r. and Raman spectra, vibr. assignments 4−40278
- 2,4,6-tri-t-butylphenol, calc. and interpretation of vibr. spectra *(Russian)* 4−24093
- triatomic molecule, non-rigid bender Hamiltonian 4−3122
- triatomic reaction, at. + diat. mol., criteria for inverted vibr. state occupation in products *(German)* 4−33978
- triatomic system, atom-diatom collision, normal collision coord. anal. 4−40342
- S-triazine vapour, single vibronic level fluorescence from ^{1}E″(S$_1$) state 4−16112
- trichloromethane, ang. correl. functions influenced by Coriolis coupling 4−16139
- trichloromethoxysilane, i.r. and Raman spectra, force field 4−9531
- trifluoroacetates, i.r. and Raman spectra, as compound and free ion 4−3152
- trifluoromethylhalide, i.r. band contours and pot. functions for perperdicular vibs. 4−24075
- trifluorothiolacetic acid, i.r., Raman spectra 4−12563
- trihalogeno-2,2,2 ethanols, torsion vibr. obs., 450-160 cm^{-1} region *(French)* 4−16070
- triiodomethane-d$_1$, prediction of normal vibr. frequencies *(Russian)* 4−31812
- trimethylarsine sulphide, trimethylarsine selenide, normal coordinate analysis 4−808
- trimethylene oxide, microwave spectra, vibrational depend. of centrifugal distortion consts. 4−6082
- trioxane, microwave spectra, l-type resonance anal., vibr.-rot. energies calc. 4−40296
- triphenylene, vibr. struct. of fluoresc., solvent effect 4−28900
- trivinylborane and related mols., gas liquid and solid states, vibrational spectra and struct. 4−6063
- uranyl acetates, hydrated and deuterated analogues, fluoresc. spectra and decay 4−21054
- Van Vleck transformation, projector formulation, degenerate case 4−16049
- Van Vleck transformation, projector formulation, near-degenerate case 4−36495
- vibration-rotation band, total band absorptance, closed form expression, i.r. radiating gases 4−9522
- vibration-rotation energy levels, electric and mag. field effects on symmetry 4−3191
- vibration-to-vibration energy transfer via short range forces 4−9606
- vibrorotational Hamiltonian, unitary transformation 4−31809
- XY$_4$ type molecule, nonfully-symmetric vibrations form 4−9500
- XYZ nonlinear molecule, fourth order vibr.-rot. coeff., Darling-Dennison Hamiltonian, Nielsen-Amat-Goldsmith expsn. 4−24051
- OD, line shape of predissociated transitions in B$^2\Sigma\rightarrow$A$^2\Sigma$ system 4−40304
- AgBi, visible and i.r. spectra, vibr. analysis, rot. constants determ. *(French)* 4−27650
- AgSbO$_3$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
- Al complex, Al(H$_2$O)$_6$, force constant, mean amplitude of vibration, normal cond. analysis 4−24047
- AlO, AlO$^+$, SCF calcs., energy spectrum, obs. and calc. spectroscopic elements, predicted states 4−16044

molecular vibration continued
Ar_2, vibr. struct. of ground state, 3-parameter pot. calcs., viscosity, dispersion 4−16149
ArKr, Van der Waals molecule, u.v. spectroscopy 4−24067
As_2, u.v. absorption spectrum, $A \rightarrow X$ system, new electronic states, vibronic levels 4−36514
AsF radical, electronic states investig., transitions in 2900-5600 Å regions vibr., rot. anal. *(French)* 4−40255
AsH_3, i.r., splitting of ground state $K=3$ levels, splitting const. calc. 4−819
AsP_3, vibrational mean amplitudes, bonded and nonbonded distances 4−16050
Au(I)halide complex with tris(p-fluorophenyl) phosphine, vibr. spectra assignments 4−40284
AuX radicals, X = Si, Ge, Sn, Pb, i.r. emission spectra obs., electronic structure investigation 4−789
BCl_3, dipole moment derivatives and vibr. intensities, CNDO calc. 4−19803
BF_3, calc. of rot. dipole moments *(Russian)* 4−12555
BH_3CO, high resolution spectra of ν_5 bands near 2450 cm^{-1} 4−3167
BO_2^-, i.r. spectra in K, Rb halide lattices, anharmonic force field determ. 4−41403
$BaCl_2$, in solid Kr matrix, i.r. spectrum, vibrational modes, isotope shift 4−31844
BaF, mol. consts. calc. for $C^2\pi$ and $X^2\Sigma$ states 4−36512
$BaS_2O_3.H_2O$, i.r. and Raman spectra, effect of water of crystallization, and other thiosulphates *(French)* 4−28799
Bi_2, vacuum u.v. absorption spectrum, vibr. analysis *(French)* 4−36516
BiOCl, single cryst., Raman spectrum 4−13452
Br_2CO, dipole moment derivative calc. CNDO anal. of vibr. intensities 4−31819
$C(CN)_3^-$ ion in $KC(CN)_3$, $AgC(CN)_3$, soln. and solid, vibr. assignment, coord. anal. 4−19833
CH^+, eqn. of motion anal. of oscillator strengths 4−31827
$(CH_3)_3PBH_3$ and $(CH_3)_3PBD_3$, addition compounds, P-B stretch and force constants 4−3141
C_2N_2, i.r. spectra, high resolution, rot. and vibr. consts. *(French)* 4−27683
C_2N_2, Raman spectrum, isotope shifts, quadratic force field 4−27673
$CN(B^2\Sigma^+ \rightarrow X^2\Sigma^+)$, sensitized by $Hg(6^3P_0)$ metastables, vibrational analysis 4−6126
CO, anal. of perturbation parameters in $a^3\Pi$ and $A^1\Pi$ static 4−9484
CO, anal. of vibr. states in CS_2+O_2 flame 4−7427
CO, CO^+, vibronic levels, relax. ratios radiative lifetime, pressure depend. 4−19858
CO, chem. laser, 3-2, 14-13 vibr. transitions 4−19064
CO, electron impact excitation cross section, high vibr. state excitation via shape reson. 4−31953
CO, fluorescence quenching by ortho and para H_2, vibr.-rot. energy transfer 4−27704
CO, Franck-Condon factor calc. for excitation of first negative system 4−19799
CO, ground and excited states, analytical potential function 4−3116
CO, i.r. emission in oxy-acetylene flame, vibr.-rot. band, vibr. and rot. temps. *(French)* 4−24085
CO, inelastic cross section and radiative transitions, photon excitation 4−19920
CO, RKR pots. and semi-classical centrifugal consts. 4−3123
CO, shock heated, line strength meas. via laser absorpt., transition moment obs. 4−3161
CO, shock heated, vib.-rot. bands, linewidths and transition probabilities 4−19856
CO, vib. relax. on short-pulse discharge 4−24144
CO, vibr. excitation, $C+O_2$ reaction 4−3226
CO, vibr.-rot. transitions, lineshifts, wave numbers, $0 \rightarrow 2$, $0 \rightarrow 3$ *(French)* 4−40260
CO $A^1\pi$ energy transfer investigation 4−902
CO laser spectra, mol. consts. derivation 4−3160
CO molecule, lasing spectra in the vibr. transition 4−8806
CO-Ar, liq., i.r. spectra, determ. of E2 and mol. torque 4−12571
CO-N_2, liq., i.r. spectra, determ. of E2 and mol. torque 4−12571
CO + Hg collision, electronic-vibr. energy transfer 4−888
CO + inert gas, fluorescence spectra, vibr. relax. and quenching obs. 4−31958
$CO^+ + CO$, charge transfer collisions, incident-ion vib. state effects 4−27755
CO_2, bending vibration relax. time 4−9617
CO_2, Coriolis interaction in Fermi triplet, intensity perturbations in perpendicular bands 4−816
CO_2, density depend. of Fermi reson., Raman scatt. obs. 4−12567
CO_2, electron impact, elastic and vibr. excitation cross sections 4−27748
CO_2, high-pressure laser amplifier, vibr.-rot. transitions, single-line energy extraction 4−288
CO_2, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
CO_2, LCAO MO SCF calc., vibr., electronic props. 4−12550
CO_2, near resonant energy exchange, Sharma's theory test 4−891
CO_2, nonequilibrium nozzle expansions from high-enthalpy reservoir 4−12707
CO_2, relax. of asymmetric stretching vib. in pure CO_2 and mixtures with inert gases 4−12645
CO_2, rotational-vibrational transition linewidths, high resolution pressure broadening 4−9621
CO_2, vibr. excitation by $O_2(^1\Sigma_g^+)$, quenching and i.r. emission obs. 4−27749
CO_2, vibr. relaxation during cooling of gas stream in supersonic nozzle *(Russian)* 4−40246
CO_2, vibr. relaxation in CO_2-H_2O-N_2 mixture expanding through aperture *(Russian)* 4−40245
CO_2 gas, Raman scatt. temp. meas. 4−3150
CO_2 glow discharge, pulsed-laser induced perturbation studies of energy transfer processes 4−40718
CO_2 laser 00^01 vibr. level, J-depend. of rot. relax. 4−31009
CO_2 laser pulse, four freq. struct., vibr. lines, rot. thermalization 4−11921
CO_2-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4−9613

molecular vibration continued
CO_2-N_2 laser, vibr. excited mol. field conc., numerical anal. *(Russian)* 4−35834
$CO_2 + N_2 + He$ mixtre, 5μ stimulated emission with liq. nitrogen cooling, vibr.-rot. transitions 4−19083
$CO_2 + O$ collisions, vibr. relax. obs. by laser fluoresc. 4−892
CO_3-O_3-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4−9613
COS, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
COS, near resonant energy exchange, Sharma's theory test 4−891
COS^+, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4−6113
$CO^* + CO$ system, vibr. energy exchange mechanism, multiquantum rot. transitions 4−19908
$CO_2(v=1)$, vib. energy transfer rates using freq.-doubled CO laser 4−19919
CS_2, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
$CSCl_2$, visible absorption spectrum, a^3A_2 from X^1A_1, π^* from n transition, vibronic analysis 4−16060
CSe_2^{78}, CSe_2^{80}, absorption system, vibronic bands, rot. structure 4−791
$^{12}C^{32}S_2$, high resolution i.r. spectra, diode 10^0-02^01, ground state consts. *(French)* 4−31834
$CaCl_2$, in solid Kr matrix, i.r. spectrum, vibrational modes, isotope shift 4−31844
CaI, $B^2\Sigma - X^2\Sigma$ emission spectrum, 5977-6354 Å, vibr. consts., electronic config. 4−19813
CaI, u.v. emission spectrum obs. 4−3131
$CdSb_2O_6$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
Cl_2, moment of inertia and librational modes, rel. to nuclear quadrupole resonance freqs. of $^{35,\ 37}Cl$ in solid Cl 4−41305
ClO_2 fluorescence spectrum induced by 4765 Å Ar-ion laser line 4−3196
Cl_2O, ClClO and ClO free radical in Ar matrices, Raman spectra data 4−16093
$^{37}ClO_2$, fluorescence spectrum, laser induced, transition excitation 4−846
$CoCl_2$, high temp. electron diffr. obs. of struct. and bending vibr. freq. 4−19786
$Co(H_2O)_6(BrO_3)_2$, mag. circ. dichroism in i.r. region, vib. analysis 4−25101
Cs_2 two photon ionisation spectra 4−16129
CsF vibrational states, electrical dipole moments and quadrupole coupling constants, beam resonance expt. *(German)* 4−16099
Cu complexes, bis(diamine)Cu(II), charge-transfer spectra, correl. with other props. 4−28853
$2CuCO_3.Cu(OH)_2$, freq. assignment to mol. vibr., mol. symm. 4−19791
Cu(II)-bis-(N-methylsalicylaldimine), i.r. spectra, vibr. assignments 4−10423
D_2, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4−31917
o-(p-)D_2, $d(3p)^3\Pi_\mu$ fine struct., MOMRIE obs. 4−19868
D_2, nonadiabatic correction, vibr. electronic coupling 4−27630
D_2, photoionisation into different vib. states, cross-section calcs. 4−31916
$D_2 + D_2$ collision, near resonant vibr. energy transfer, quantum study 4−31961
D_2^+, associative recomb. cross-section, meas. of initial vibrational population 4−9599
$D_3^+ + NH_3$, vib. energy distrib. in reactant ion determ. 4−33981
DBr +, $A^2\Sigma^+$-$X^2\Pi_i$ transition *(French)* 4−16055
DCL, in monatomic matrix, dimeric struct. rel. to near i.r. absorpt. 4−25086
$D^{35}Cl$, dipole moment function and vib.-rot. matrix elements, comments 4−36502
DF, self and HF induced collision broadened line widths, anomalous reson. 4−36536
DF, vibr. energy exchange of $v=2$ state with $v=0$ state 4−12633
DF, vibr.-vibr. exchange time meas. by laser-induced fluoresc. 4−19907
D_2O, peak assignments in non-polar solvents 4−12579
D_2O_2, cryst., i.r. and Raman spectra, O-H stretching band 4−28845
D_3SiBr, i.r. spectrum, force constants, vibr.-rot. interaction 4−12585
$E + H_2$ reaction, product vibr. state populations, chemical laser determ. 4−34003
$F + D_2$ reaction, product vibr. state populations, chemical laser determ. 4−34003
$F + H_2$ reaction, potential energy surface, semiclassical eval. of transl.-vibr. coupling 4−12631
F + HD reaction, product vibr. state populations, chemical laser determ., intramolecular kinetic isotope effect 4−34003
F_2, Raman spectra, molecular constants *(German)* 4−3155
F_2 crystal, Raman and i.r. spectra 4−28813
F_3PBH_3, solid, vib. spectra 4−28824
Fe complex, $Fe(1,10\text{-phenanthroline})_2X_2$, far i.r. spectra, metal-ligand stretching vibr. 4−28847
FeF_6^{3-}, force constant 4−19795
GaF_6^{3-}, force constant 4−19795
$GeD(Hal_3)$, Hal = F, Br, I, prediction of normal vibr. frequencies *(Russian)* 4−31812
GeH_nX_{4-n} (X = F, Cl, Br, I; n = 0, 1, 2), vibration parameter calc. *(Russian)* 4−776
$H + H_2$ collision, vibr.-rot. excitation 4−31968
H_2, 'Σ-state, vibration-rotation matrix elements from commutator relations and sum rules 4−40249
H_2, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4−31917
H_2, cross section formula for (e,2e) reaction 4−876
H_2, excitation by electron impact, processes involving $^2\Sigma_u^+$ resonant state of H_2^- 4−885
H_2, excitation by electron impact, Glauber theory approach 4−12630
H_2, expectation values, hypervirial theorem 4−31807
H_2, H^+ vibr. excitation, transition probabilities and differential cross section 4−24152
H_2, i.r., Raman spectra, ground state levels, quantum theory verification 4−24066
H_2, nonadiabatic correction, vibr. electronic coupling 4−27630

molecular vibration continued
H_2, nonlinear spectroscopy near $Q_{01}(1)$ vibr. reson. 4–815
H_2, photoionisation into different vibrational states, cross-section calcs. 4–31916
H_2, $Q_{01}(1)$ vibr.-rot. mode, nonlinear i.r. spectroscopy 4–814
H_2, resonant rotational excitation obs. by electron impact 4–878
H_2, vibr. and rot. matrix elements, off-diagonal elements from commutator relations and sum rules 4–31808
H_2, vibr. relax. between 40 and 500K 4–31957
H_2, vibr.-rot. level, expectation values using hypervirial theorem 4–780
H_2, vibr.-rot. reson., nonlinear spectroscopy, high resolution 4–24097
H_2 Fermi-contact hyperfine interaction, g_s-factor, MOMRIE obs. 4–27711
H_2-H_2, H_2-D_2, energy transfer investigation using ab initio pot. surfaces 4–903
$H_2 + H$ collision, vibrational absorption in fundamental region, 100 to 40000 cm^{-1} 4–24084
$H_2 + He$ collinear collisions, vibr. excitation and dissoc., semi-classical study 4–31960
$H_2 + Li^+$ collisions, anharmonicity in rot. and vibr. excitation 4–24139
$H_2 + Li^+$ collisions at low energies, averaged anisotropic pots. for vibr. excitation 4–31959
H_2 + Na(Cs), direct detection of electronic and vib. energy transfer, H_2 vib. relax determ. 4–19918
H_2^+, $2p\pi_u$ state electronic struct. and spectroscopic consts. 4–27615
H_2^+, nonresonant Raman effect, vibrational corrections, polarisability tensor matrix elements calc. 4–6070
H_2^+, photodissociation, momentum spectrum rel. to vibr. level 4–31904
H_3^+, correl. Gaussian wave function, calc. of vibr. freq. and binding energies 4–9492
H_5^+, polarized-orbital valence-bond calcs. of ground state props. 4–19757
HBS, high resolution i.r. spectra of isotopic species, fundamental vibrations and force constants 4–3166
HBr, i.r. absorpt. bands analyses *(French)* 4–36518
HBr, vibrational relaxation, laser fluorescence 4–31965
HBr^+, $A^2\Sigma^+$-$X^2\Pi_1$ transition *(French)* 4–16055
$H^{79}Br$, $H^{81}Br$, gas, i.r. absorption bands *(French)* 4–31854
HCN, hydrogen bonded complex with HF, LCAO-SCF calcs. of vibr. props. 4–24032
HCNO, assignment of vibration-rotation bands 4–9538
HCNO, quasi-linear molecule, potential function of HCN bending mode 4–12588
HCl, carbon tetrachloride soln., solute-solvent interactions, long-range forces, vibr. solvent shifts 4–40730
HCl, collisions with atoms, rot., vibr. excitation probabilities calc. 4–9611
HCl, ground state, analytical potential function 4–3116
HCl, i.r band displacement at gas-solution transition 4–9530
HCl, i.r. laser resonance excitation, reaction with at. O_2 and H_2 *(German)* 4–33976
HCl, in monatomic matrix, dimeric structure rel. to near i.r. absorpt. 4–25086
HCl, in soln., induced dipole moment influence on i.r. band shapes *(French)* 4–31870
HCl, laser-excited fluorescence, state-selected kinetics 4–31969
HCl, vibr. and rot. expectation values, hypervirial theorem 4–31807
HCl, vibrational relaxation, laser fluorescence 4–31965
$HCl + Br \rightarrow Cl + HBr$, rate const., reagent vibr. excitation effect, i.r. chemiluminescence depletion 4–34012
$HCl + D_2$, reson. vibr.-vibr. energy transfer exchange rate temp. depend. 4–27757
$H^{35}Cl$, dipole moment function and vib.-rot. matrix elements, comment 4–36502
$H^{35}Cl + H^{37}Cl$ vibr.-vibr. energy transfer collisions, rates obs., isotropic interactions role 4–24140
HD, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4–31917
HD, H^+ vibr. excitation, transition probabilities and differential cross section 4–24152
HD + acetic acid, D isotope exchange, anharmonic vibr. coupling of hydroxyl and hydrogen bonds 4–41951
HDO_2, cryst., i.r. and Raman spectra, O-H stretching band 4–28845
HF, collisions with atoms, rot., vibr. excitation probabilities calc. 4–9611
HF, line strengths in 4-0- and 5-0-rot.-vibr. bands, rot. matrix elements of electric dipole moment *(German)* 4–40262
HF, vibr. deactivation rate in collisions with alkanes and ClF_3 4–31962
$(HF)_6$, vibrational analysis 4–3119
HI, i.r. absorpt. bands analyses *(French)* 4–36518
$HNClO_3^-$ and $DNClO_3^-$, force field precision increase by least squares method *(Russian)* 4–24095
HNO, electronic and vibr. emission spectra, vibr. freqs. 4–9511
H_2O, ab initio calcs. near Hartree-Fock limit 4–3125
H_2O, D_2O, anharmonic potential function 4–6010
H_2O, electron impact excitation, Born theory 4–40336
H_2O, higher vibrational states, effect of bending vibs. on freq. splitting 4–9499
H_2O, hydrogen bonded, correlation curves from ab initio calcs. 4–27633
H_2O, spectral line intensity calcs., first overtone, combination freqs. 4–9529
H_2O, vib. spectra of planar chains 4–19846
H_2O, vibr. excitation by $O_2(^1\Sigma_g^+)$, quenching and i.r. emssion obs. 4–27749
H_2O, vibr. struct. in photodetachment spectra calc. using one-particle approx. 4–40330
H_2O, vibration-rotation energy levels exptl., calc. values 4–817
H_2O in chloroform solvent, spectroscopic evidence of interaction 4–9534
H_2O-dimethyl sulphoxide liquid mixtures, OH stretching 4–6322
H_2O^+, analysis of Renner effect 4–24131
H_2O^+, excited level lifetime meas., h.f. deflection 4–16064
H_2O_2, cryst., i.r. and Raman spectra, O-H stretching band 4–28845
H_2O_2, D_2O_2, vapour state Raman spectra 4–16096

molecular vibration continued
H_2O_2, vibrational rotational constants derivation *(Russian)* 4–12552
H_3O^+ in aq. HCl solns., i.r. vibrations 4–7476
HOD, peak assignments in non-polar solvents 4–12579
H_3SiBr, i.r. spectrum, force constants, vibr.-rot. interaction 4–12585
Hcl, vibr.-rot. level, expectation values using hypervirial theorem 4–780
He_2, vibr. deexcitation by autoionisation following electron capture neutralisation after assoc. ionisation 4–24125
$HeH^+ + H_2$, ab initio quantum mech. pot. energy surface classical trajectory calc. 4–19921
$(^3He\ ^3H)^+$, i.r. emission after β-decay of $^3H_2$ 4–40277
$Hf(BH_4)_3$-$U(BH_4)_4$ mixed crystal, e.p.r. and optical (5000-300 cm^{-1}) spectra, electronic origins 4–3978
$HgBr_2$-HgI_2 mixed crystals, Raman scatt. 4–33404
I_2, 3400 Å emission spectrum, vibr. anal., band profile calcs. 4–6039
I_2, depolarization factor of fundamental band during cont. transition of resonance fluorescence to reson. Raman effect *(French)* 4–27666
I_2, ground state, analytical potential function 4–3116
I_2, quantum interference between mag. and natural predissociation 4–31882
I_2 molecules dissolved in chloroform, excited state vibr. wave function 4–28826
$I_2(B^3\pi_{ou\|})$, vibr.-rot. excited, collisional dissociation 4–12638
$InCl_6^{3-}$, force constant 4–19795
K $AlO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Al_2O(OH)_6]^{2-}$ *(French)* 4–25090
K $GaO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Ga_2O(OH)_6]^{2-}$ *(French)* 4–25090
K_2, vacuum u.v. absorption spectrum, vibrational analysis 4–6043
KF, infrared absorption spectra, assignment of fundamental modes 4–3143
$KFe(CrO_4)_2.2H_2O$, spectra, 4000-250 cm^{-1} *(French)* 4–3968
$K_2Zn(CN)_4$, (Cd,Hg), i.r. and Raman spectra, lattice vibrs. and interatomic force consts. 4–25107
$K[B_5O_6(OH)_4]$, partially deuterated, i.r. spectra and vibrational assignments *(German)* 4–3144
$K_2[B_6O_7(OH)_6]$, partially deuterated, i.r. spectra and vibrational assignments *(German)* 4–3144
Kr_2, Van der Waals molecule, u.v. spectroscopy 4–24067
Kr_2, vibr. struct. of ground state, 3-parameter pot. calcs. 4–16149
Kr_2 potential energy well, u.v. spectra RKR anal. and thermo-physical data immersion 4–36515
LaO, hyperfine struc. of rot. lines 4–24062
$Li_2(B^1\Pi_u)$, laser excited, rare gas atom inelastic collisions, rot.-vibr.-translation energy transfer 4–40341
$LiSO_4.H_2O$, $LiSO_4.D_2O$, thermodynamic props. and i.r. spectra 4–1124
$^6Li_2$, B-X band system investigation, visible spectrum *(Spanish)* 4–36509
Mg complex, $Mg(H_2O)_6$, force constant, normal cond. analysis 4–24047
Mg_2, ground state, analytical potential function 4–3116
Mg_2, long-range forces and vibr. levels near dissociation 4–19927
Mg_2, spectrum anal., levels near dissoc., $v''=13$, RKR potential construction 4–6015
$MgCl_2$, in solid Kr matrix, i.r. spectrum, vibrational modes, isotope shift 4–31844
MoF_6 vibrational relaxation and acoustic dispersion 4–27753
$Mo^{6+}O_6$, force constant 4–19795
MoS_4^{2-} in aqueous soln., reson. Raman spectra and quantum yields 4–3137
N_2, active, excitation temp. 4–6093
N_2, electron impact excitation cross section, high vibr. state excitation via shape reson. 4–31953
N_2, Franck-Condon factor calc. for excitation of first negative system 4–19799
N_2, metastable vibr. states electron impact, calc. 4–27744
N_2, N_2^+, vibronic levels, relax. ratios radiative lifetime, pressure depend. 4–19858
N_2, pulse discharge, vibr. relaxation, microwave radiometric investigation 4–27997
N_2 atmospheric, excitation of vibrational levels by auroral electrons 4–22055
N_2 gas, Raman cross-sections for 1→3 rot. and Q-branch vibr. transitions 4–24078
N_2 in flame Raman scatt. temp. meas. 4–3150
N_2 vibrational excitation by NO and H_2O, quenching at high temps. 4–19910
N_2 vibrational temp. in E and F regions 4–1970
N_2 vibrationally excited, reaction with O^+, rate coefficient 4–3228
N_2 + alkali metal atom collisions, quenching and vibr. relax. processes 4–19906
$N_2 + CO + O_2$, vibr. relaxation time of shock heated N_2 4–9609
N_2 + OCS, active N_2 vibr. energy transfer inducing rot. transitions in OCS 4–27751
$N_2^+ + N_2$, charge transfer collisions, incident-ion vib. states effects 4–27755
NH_3, $2\nu_4$ i.r. spectrum, *l*-type resonance in overtone band, vibr.-rot. interaction 4–16079
NH_3, absorption strengths, $\nu_1+\nu_2$, $\nu_2+\nu_3$ bands 4–820
NH_3, i.r.-i.r. double resonance using two-photon technique 4–9524
NH_3, i.r.-microwave double resonance spectra, collisional electron rules 4–9620
NH_3, i.r.-microwave-microwave triple resonance spectra 4–6131
NH_3, matrix isolated, vibrational relaxation by i.r. double resonance 4–6094
NH_3, ND_3, vibration-inversion-rotation spectra, model Hamiltonian 4–3145
NH_3, ND_3, vibration-inversion-rotation spectra, eigenvalue problem for Schrodinger eqn. 4–3146
NH_3, rot. and vibr. relax. time calc. from u.s. absorpt. data 4–40237
NH_3, spectral line broadening by H_2, absorpt. in far wings of vibr.-rot. band 4–836
NH_4ClO_4, single cryst. polarized Raman and i.r. spectra, NH_4^+ modes 4–10435
$NH_4Fe(CrO_4)_2.2H_2O$, spectra, 4000-250 cm^{-1} *(French)* 4–3968

molecular vibration continued
NH_2OH, i.r. spectrum, torsional bands, internal-rot. potential function 4–31849
$N_2H_4.2BH_3$, vibrational spectra and struct. 4–6065
NO, photoelectron spectra, threshold-972 Å 4–31925
NO, vibr. excitation in collisional quenching of O_2 4–3225
NO, vibrational-translational energy transfer rate, temp. depend. 4–901
$NO + O \rightarrow h\nu + NO_2$, chemiluminesc., near i.r. emission, radiative rate const. 4–21543
NO^+, absolute i.r. intensities of vibr.-rot. transitions in ground state 4–12566
NO_2, laser excited fluorescence spectrum, Stokes and anti Stokes ν_2 band, vibr.-rot. interaction consts. 4–16109
NO_2, microwave-optical double resonance, fluorescence, 4579 Å Ar^+ laser line excitation, rot. transition of ground vibronic state 4–31887
NO_2, vibr. spectra in Ar isolation matrix, reson. Raman and N_2O_4 dimer effects 4–40281
$N^{18}O_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4–821
N_2O, excited on $(0,0^0,1)$ vibr. level, vibr. energy transfer *(French)* 4–3222
N_2O, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4–12576
N_2O, i.r. spectrum, vibration-rotation bands in 4.1 micron region 4–3165
N_2O, spontaneous emission in N_2O-N_2 plasma, rot.-vibr. levels 4–31884
N_2O, vibr. luminescence in N_2O-N_2 d.c. discharge, rot.-vibr. constants 4–31883
N_2O isotopic mixtures, near resonant vibr. energy transfer, temp. depend. 4–900
N_2O^+, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4–6113
N_2O^+, vacuum u.v. fluorescence, cross section and band strengths 4–31881
$^{14}N_2O$, excited on (00^01) level, vibr. energy transfer with isotopic mols., fluoresc. intensity decrease *(French)* 4–9605
$^{14}N^{15}N^{16}O$, high resolution i.r. spectra, ν_3 band obs. *(French)* 4–31835
$^{14}N^{16}O_2$, i.r. spectrum, 13.3 μm, ν_2 band, vibr.-rot. energy levels 4–16081
$^{14}NO_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4–821
$^{15}NO_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4–821
NaF, infrared absorption spectra, assignment of fundamental modes 4–3143
$NaFe(CrO_4)_2.2H_2O$, spectra, 4000-250 cm^{-1} *(French)* 4–3968
$NaGa(NH_2)_4$, Raman and i.r. spectra, vibr. assignment, cryst. struct. *(French)* 4–20989
NaO_2, single crystal, mol. and lattice modes, Raman spectra meas. *(German)* 4–1393
NbO in inert matrices ground state i.r. freq. obs. 4–6109
Ni complex, $(CH_3OCS_2)_2Ni$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4–25105
Ni complex, $Ni(H_2O)_6$, force constant, mean amplitude of vibration, normal cond. analysis 4–24047
Ni(II) thiocarbonato complex, i.r. spectra, Ni isotope shifts, normal coord. anal. 4–40287
Ni(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4–10423
O_2, electron excitation, effective cross section 4–19905
O_2, electron impact energy loss spectra of low Rydberg states 4–24137
O_2, vibr. excited, collisional deactivation in laser cell 4–12644
O_2, vibration-rotation Raman spectrum, 4880 Å laser excited 4–3163
O_2 electron cooling, impact cross section for vibrational excitation 4–4564
O_2 vacuum u.v. absorption spectrum, vibrational consts. 4–6041
$O_2 + O_3$, vibrational relax. 4–27756
O_3, bound states, MC SCF calcs. 4–771
O_3, i.r. matrix isolation, vibr. freq. 4–36522
O_3, submillimetre laser lines, pure rot. transition in $\nu_3 = 1$ vibr. level 4–26961
OAlF, i.r. matrix isolation spectra 4–31841
OCS isotopes, (01^10) vibr. state mol. consts., mol. beam elec. reson. spectroscopy obs. 4–27638
$O(^1D)$-CO system, E-V transfer, molecular resonance fluorescence 4–19909
$O(^1D)$-N_2 system efficiency of electronic to vibrational energy transfer 4–19911
OH, collisions with atoms, rot., vibr. excitation probabilities calc. 4–9611
OH group, i.r. study of H_2O, benzene vapours adsorbed on glass 4–10039
OH radicals, v=5 to v=9 levels, from e.p.r. spectrum 4–40323
OH vibration-rotation spectrum, experimental oscillator strengths 4–24069
$OH(X^2\Pi)$ meinel bands, absolute intensities of vibration-rotation transitions 4–3124
$^{16}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4–31847
$^{18}O_2$, rot. microwave spectra 4–16101
$^{18}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4–31847
$O_3(101)$, atomic and mol. collisional vibr. deactivation, rate consts. 4–27759
^{16}Od, transition frequencies and probs. for hyperfine sublevels near 310 MHz 4–40300
OsO_4, electronic absorption spectra 4–19815
PAs_3, vibrational mean amplitudes, bonded and nonbonded distances 4–16050
$PCl_2(O)NCO$, frequencies and modes in i.r. spectra 4–31852
PF_5, force field 4–774
PF_5, gas phase, Raman band contour of $\nu_7(E')$ fundamental 4–803
PH_3, i.r., splitting of ground state K=3 levels, splitting const. calc. 4–819
$P^{16}O$, $P^{18}O$, emission spectrum, $^2\Sigma^+$ states, 50000-58000 cm^{-1}, level predissociation *(French)* 4–24057
$P^{16}O$, $P^{18}O$, emission spectrum, $D^2\Pi$-$B^2\Sigma^+$, $D'^2\Pi$-$B^2\Sigma^+$, nature of $D'^2\Pi$ valence state *(French)* 4–27645

molecular vibration continued
$P^{16}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4–16052
$P^{18}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4–16052
Pb(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4–10423
$PbSb_2O_6$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4–10422
Pd complex, $(CH_3OCS_2)_2Pd$, i.r. and Raman spectra, normal coord. analyses, molecular force const. *(German)* 4–25105
Pd(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4–20997
Pd(II) methylpyridine complex, i.r. spectrum, coordinate vibrations *(French)* 4–20996
Pt complex, $(CH_3OCS_2)_2Pt$, i.r. and Raman spectra, normal coord. analyses, molecular force const. *(German)* 4–25105
PtD, UV delta band sub-system rot. anal. 4–16065
Pt(II) complex, i.r. obs. of Pt-H bond stretching vibr. 4–13426
Pt(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4–20997
Pt(II) methylpyridine complex, i.r. spectrum, coordinate vibrations *(French)* 4–20996
RuO_4, electronic absorption spectra 4–19815
S dissolved in primary amines, stretching vibration of S_3^- 4–3964
S_2, B-X system transitions between $\nu' = 3$, 4 vibr. levels, resonance fluorescence 4–9564
S_2, rot. satellite intensities and triplet splitting of $B^3\Sigma_u^-$ state 4–6085
S_2Cl_2, solvent effect on torsion mode 4–21001
SF_2, i.r. spectrum predicted from force field 4–3176
SF_4, force field, vibrational amplitude calcs., i.r. and Raman spectra vibr. assignment 4–36494
SF_6, gas and liq., Raman spectra, ν_1 vibr. band 4–24089
SF_6, vibr. relax. in post shock region 4–27758
SF_6 mixtures with O_2 and N_2, absorpt. intensity of simulteneous vibr. transitions 4–24071
SF_6-air mixtures, 10.6 μ CO_2 laser radiation absorption, aerodynamic appl. 4–19823
SF_6 vibrational relaxation and acoustic dispersion 4–27753
S_4N_4, n.q.r. and mode contrib. 4–25021
SO_2, 3400 Å band system, vibronically induced transitions 4–6034
SO_2, i.r. matrix isolation, vibr. freq. 4–36522
SO_2, i.r. spectrum, $\nu_1 + \nu_3$ combination vibr.-rot.band 4–818
SO_2, microwave pure rotation spectrum, vibrational excited states 4–833
SO_2, single vibronic level fluoresc. 4–24109
SO_2, vibration-rotation line intensities, algebraic expressions 4–9526
SO_3, photoelectron spectra, obs. of Jahn-Teller distortion in SO_3^+ 4–19899
Sb_2, vacuum u.v. absorption spectrum, vibr. analysis *(French)* 4–36516
$SbCl_3$, relationship between intramol. and intermol. vibrations 4–9503
$SbCl_3$ complex, aqueous, Raman spectra, depolarisation *(Russian)* 4–40290
$SbCl_6^-$, force constant 4–19795
SbP_3, vibrational mean amplitudes, bonded and nonbonded distances 4–16050
SeO, new band system obs. in 10780-9490 Å region, vibrational anal. 4–40293
SeO, two emission band systems in photographic i.r. 4–6048
SeO_2, i.r. matrix isolation, vibr. freq. 4–36522
Si_2Cl_6O, vibr. spectra, vibr. assignments and mol. struct. 4–40280
$SiD(Hal)_3$, Hal=F, Br, I, prediction of normal vibr. frequencies *(Russian)* 4–31812
SiF_3, emission spectrum, 2100-2600 Å, vibr. analysis 4–16061
SiF_4 in binary mixtures, CO_2 laser excited, vibr. relax., visible fluoresc. obs. 4–3224
$(SiH_3)_2NH$, Raman and i.r. spectra, vibrational assignments, mol. struct. 4–6062
SiO, vibr., rot. analysis of Σ-Σ transition 4–9510
$^{28}SiD_4$, i.r. and laser Raman spectra, rovibrational constants 4–27672
$^{28}SiH_4$, i.r. and laser Raman spectra, rovibrational constants 4–27672
$Sn(NO_3)_4$, Raman spectrum, molecular force constant calc. 4–25106
$SrCl_2$, in solid Kr matrix, i.r. spectrum, vibrational modes, isotope shift 4–31844
SrI, u.v. band spectrum, λ3400-3600Å, $D^2\Sigma - X^2\Sigma$ transition 4–19819
T_2O, rot. spectrum, assignments and mol. struct. 4–31866
TeO_2, i.r. matrix isolation, vibr. freq. 4–36522
$Te^{6+}O_6$, force constant 4–19795
Th(IV) complex, phosphine oxide perchlorate, spectral anal. 4–33401
TiI_4, i.r. spectra, vibr. freqs. 4–9528
$Ti(No_3)_4$, Raman spectrum, molecular force constant calc. 4–25106
TiO, singlet and triplet states, molecular constants 4–36503
$TlFe(CrO_4)_2.2H_2O$, spectra, 4000-250 cm^{-1} *(French)* 4–3968
U complex, i.r. spectra, slow spectral development, comparison with mol. vibr. theory *(Russian)* 4–40289
UF_6, vibrational spectra, force fields determ. 4–6073
UF_6 vibrational relaxation and acoustic dispersion 4–27753
U(IV) complex, dioxouranium phosphine oxide perchlorate, spectral anal. 4–33401
U(IV) complex, phosphine oxide perchlorate, spectral anal. 4–33401
UO_2 complex, uranyl nitrates and chlorides with amines, mirror symmetry in i.r. and luminesc. spectra *(Russian)* 4–13514
UO_3, i.r. spectra in isolation matrix, struct. and assignments 4–31843
$UO_2MoO_4(WO_4)$, luminesc. spectra, antisymmetric vibr. progression, config. effects 4–21064
WF_6, i.r. spectrum, 190 to 310 K, Coriolis constants 4–16077
WF_6, vibrational spectra, force fields determ. 4–6073
WF_6 vibrational relaxation and acoustic dispersion 4–27753
$W^{6+}O_6$, force constant 4–19795
$WOBr_4$, vibr. mean amplitude, normal coordinate analysis *(German)* 4–40244

molecular vibration continued
- $WOCl_4$, vibr. mean amplitude, normal coordinate analysis *(German)* 4−40244
- XH, (X=anything), valency vibr., absorpt. band parameter H-band energy depend. *(Russian)* 4−40248
- XY_2, higher vib. states 4−9498
- Xe_2, vibr. struct. of ground state, 3-parameter pot. cals. 4−16149
- Zn complex, $Zn(H_2O)_6$, force constant, mean amplitude of vibration, normal cond. analysis 4−24047
- Zn(II) thiocarbonato complex, i.r. spectra, Zn isotope shifts, normal coord. anal. 4−40287
- α-$ZnSeO_4.6H_2O$, vibrational circular dichroism, 1900 to 5000 cm^{-1} 4−25118
- ZrF_2, ZrF_3, ZrF_4, i.r. spectrum, matrix isolated, stretch freq. assignment 4−31842
- ZrO, pot. energy curves, vibr. level turning points 4−19888

molecular weight
- *see also mass spectra; molecular weight determination*
- alkoxybenzoic acid polyester molecules, electro-opt. props., effect of mol. wt. *(Russian)* 4−17046
- bacteriophages, T2, S_d and DD2, dimensions and wt. parameters, X-ray small-angle scatt. 4−36586
- cis, cis-1,3-bis(styryl)azulene 4−20285
- phenylmethacrylic alkoxybenzoic acid polyesters, hydrodynamic and optical props. *(Russian)* 4−9641
- poly(ethylene terephthalate), annealed, chain-folding meas. 4−20232
- poly(ethylene terephthalate), uniaxially oriented, morphology, mol. wt. determ. 4−20231
- poly γ-benzyl-L-glutamate, n.m.r. spectra rel. to polydispersity helix to coil transition 4−9634
- polychloroprene, capillary flow props., effect of weight average mol. wt. *(Japanese)* 4−10674
- polyethylenes, Graessley's theory anal. of flow behaviour 4−10688
- polyethyleneterephthalate, crystallization ability, effect of polymolecularity *(Polish)* 4−41876
- polymer, branched, molecular wt. distribs. 4−13905
- polymer, distribution data, fitting to Schulz-Zimm function 4−19931
- polymer, highly oriented fracture surface energy 4−13896
- polymer, oriented, mechanochem. reactions 4−19950
- polymer, rel. to positron annihilation lifetime 4−28120
- polymers, information-theoretical approach to theory of polymolecularity 4−12651
- polymers, morphology of polymer films, kinetics of phase stratification *(Russian)* 4−10706
- polymethacrylic acid, mol. wt. dependence of molecular rotation in soln. *(Russian)* 4−36596
- polyphenylsiloxane, cyclolinear, viscosity rel. to mol. weight *(Russian)* 4−9638
- polypropylenes, Graessley's theory anal. of flow behaviour 4−10688
- polystyrene, impact type, matrix mol. wt. effect on physicomech. props. 4−21470
- polystyrene in dilute soln., mol. wt. depend. of segmental rotational correl. times determ. by spin labelling 4−27782
- polystyrene solution in toluene, sedimentation constant conc. depend., mol. wt. effect *(Russian)* 4−27784
- polystyryl radical, polymerisation, mol. wt. distrib., solvent effects 4−19948
- potassium polystyrenesulphonate aq. soln., elec. birefringence, effect of mol. wt., conc., and field strength 4−6861
- Schulz-Zimm function, fitting of polymer mol. wt. distrib. data 4−19931
- vinylbenzoate, radiation induced polymerisation, varied dose, temp., mol. wt. of polymers 4−17535
- $HgCl_2$ in benzene, molecular structure 4−24023

molecular weight determination
- *see also mass spectra*
- biopolymer, method of sedimentation equilibrium 4−38944
- polymer, mean mol. wt. determ. by velocity sedimentation *(Russian)* 4−907
- polymers, conformation determ. in vitreous state by neutron diffr. *(German)* 4−32448
- polyphenylsiloxane, benzene soln., sedimentation analysis, light-compression effect *(Russian)* 4−36599
- styrene-telomer, mol. weight determ. by ebulliometry and vapour pressure osmometry *(Japanese)* 4−904

molecules
- *see also hydrogen neutral molecules; mesic and muonic molecules*
- hydrides, diatomic, extent of distortion of atom, calc. method 4−12534
- interstellar, formed by dust grain surface photocatalysis *(German)* 4−11243
- nuclear, formation in heavy ion scattering well above Coulomb barrier *(German)* 4−19538

Mollier diagrams *see thermodynamic properties*

molten metals *see liquid metals*

molybdenum
- adsorption of CO, X-ray and vacuum u.v. photoelectron spectra 4−24629
- adsorption of H_2, field emission work function meas. 4−3767
- adsorption of O_2, chem. displacement in Auger spectrum *(Russian)* 4−32804
- annealing and void formation, neutron irrad. Mo, positron annihilation obs. 4−20296
- annealing expts. on quenched in vacancies determ. of recovery stage activation energy 4−7194
- atom, ground state hyperfine struct., atomic beam mag. reson. method 4−19284
- atom, inert-gas matrix isolated absorpt. spectra 4−40162
- atom formation in flames 4−15062
- autoelectron emission, energy distrib., oxide coating effect *(Russian)* 4−33593
- bending tests, bicrystal with torsional boundary, grain disorientation effect 4−17325
- brazing methods, fusion reactor applications 4−23871
- carburisation of (110) surfaces, LEED and emission electron microscopy *(German)* 4−3624

molybdenum continued
- cathode, explosive electron emission, metal supply, field emitter geometry 4−21169
- cathode, explosive electron emission, metal supply, multiple current pulses 4−21170
- chemical shift, K and L X-rays, relativistic Hartree-Fock calcs. 4−27528
- chemisorption of CO, ESCA obs. 4−33567
- coated wire, effect of thermodiffusion coatings on mech. props. 4−7202
- compatibility with molten Cu_2Te, container material applics. 4−41548
- containers for fusion reactors, fabrication procedures 4−19601
- creep during hot pressing *(Russian)* 4−21415
- creep of single crysts., struct. changes *(Russian)* 4−21274
- critical resolved shear stress, Schmid's law deviation 4−21325
- Debye-Waller temp. factor and X-ray Debye temp. 4−13008
- deformed, mech. props. anisotropy *(Russian)* 4−21305
- densification by pre-sintering with explosive compaction 4−7259
- desorption of Cl^-, Br^-, K^+, Rb^+, charge retention, dispersion coeff. *(Russian)* 4−32814
- diffusion of Pd, elec. resist. meas., 500-1000°C *(Russian)* 4−32749
- dislocation structure in single cryst. after loading with contact friction forces *(Russian)* 4−41564
- dislocations, slip bands, single cryst. 4−6410
- dispersion hardening and eval. by hot hardness test 4−7327
- ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
- elastic moduli, second order hydrostatic press., temp. depend., 200-425K *(French)* 4−20350
- electrical resistivity calc. 4−32917
- electron bombardment, low energy, ang. depend., coeff. of elastic refl. *(Russian)* 4−33532
- electron diffraction, dynamical theory, nature of errors using first order perturbation theory for absorpt. coeff. calc. 4−20193
- electron emission, KCl coating, surface ionisation meas. *(Russian)* 4−33595
- fatigue, asymm. deform., b.c.c. single cryst., dislocation mechanism 4−29096
- fatigue, asymmetric deform., single crysts. 4−13785
- Fermi surface, oscillatory magnetostriction and uniaxial stress influence *(French)* 4−20527
- film, back-scattering energy loss parameter meas., using He^+ 4−17153
- film, chemisorption of CO 4−37097
- film, diffused, cold electron emission characts. *(Russian)* 4−21166
- film on oxide surface, wetting and adhesion by molten Cu *(Russian)* 4−40965
- fracture and plastic deform. under creep conditions 4−21341
- grain boundary displacement rate determ. during collective recrystn. *(Russian)* 4−21254
- internal friction of single crystals, amplitude depend., hysteresis *(Russian)* 4−21346
- isotopes A=95, 97, nuclear g-factor ratio by Fourier transform n.m.r. spectroscopy 4−2756
- Knudsen diffusivity of gas through porous Mo 4−938
- liquid, solubility of N_2 4−41598
- Lorenz ratio, thermal cond. meas., electronic and lattice component separation 4−28392
- low energy electron dispersion of single cryst., effect of state of surface *(Russian)* 4−17147
- magnetic thin film Mo content determ. by extraction-photometric method 4−18771
- melting by laser radiation, influence of thermophysical properties *(Russian)* 4−4160
- microtensile behaviour of single crysts., orientation depend. *(German)* 4−41757
- neutron irradiated, fluence and temp. depend. of swelling 4−23836
- neutron irradiation effects, stability of damaged state 4−19599
- nitriding kinetics from high-temp. etching in NH_3 4−29106
- plastic deformation, 100-425K, 10^{-4}-10^{+2} sec^{-1} strain rates 4−1574
- plastic deformation and dislocation struct., on extension along ⟨110⟩ and ⟨100⟩ axes, 77-573K 4−29067
- plastic deformation of single crystal layer under contact friction forces applied through plastic metal, laws *(Russian)* 4−4126
- plasticity, increase following hydrostatic extrusion *(Russian)* 4−4127
- proton bombardment, K-shell ionization, X-ray production cross section 4−23987
- quenched-in resistivity, purity depend. 4−37951
- radiation anneal hardening, yield stress meas. 4−33806
- radiation anneal hardening 4−25391
- radiation defects orientation depend., X-ray diffr. obs. *(Russian)* 4−36920
- recrystallised, brittleness and ductility depend. *(Russian)* 4−1562
- refractory integral hemispherical emissivity meas. 4−4188
- resistivity determination, eddy current meas., 4.2K 4−28385
- rupture, dislocation obs., crack form. mechanism *(Russian)* 4−12983
- saturation of steel KL18N10T, from vapour phase 4−29109
- seawater content, Pacific tropical zone *(Russian)* 4−29553
- seawater content and distribution in Caribbean Sea *(Russian)* 4−34295
- secondary electron emission, by high charge number laser produced metal ions 4−37716
- secondary ion emission, accommodation coefficients of low energy alkaline ions 4−10503
- sphere, transport anal. of meas. neutron leakage spectra 4−23754
- spike, elec. field and heat effects, surface diffusion, growth, field emission *(Russian)* 4−33549
- sputtering by Cs^+ ions, angular deform. of ion component energy spectrum 4−21140
- stacking faults and block size *(Russian)* 4−29056
- in steel, stainless, effect on passivation *(French)* 4−33784
- stopping cross section of α-particles, 0.3-2.0 MeV 4−24503
- stress relaxation tests, machine stiffness effect 4−13971
- substrate for Au deposition, electron microscope obs. 4−1186
- substructure formation due to deform. and annealing of (112) plane rolled monocrysts. *(Russian)* 4−33723

molybdenum continued
superconductor, u.s. attenuation, temp. depend., energy gap 4—41153
surface, (100), adsorption, slow electron spectroscopy 4—37101
surface, clean, adsorpt. of H_2, work function changes, field emission meas. 4—37098
surface deformation and He re-emission characteristics rel. to CTR design 4—23856
surface oxidation, investig. by energy loss spectroscopy combined with Auger electron spectroscopy 4—37116
surface self-diffusion parameters 4—40969
surface structure of single crysts., high temp. annealing effects *(Russian)* 4—32786
surface with C adsorbed layer, Auger electron spectroscopy determ. of adsorption characteristics 4—20480
thick target yields of L X-rays by fast heavy ion bombardments 4—5968
vacancy behaviour in high purity quenched Mo wire 4—1051
void formation efficiency, during annealing of neutron irrad. Mo 4—16483
welded joint, crack nucleation in joint zones, internal friction and electron microscopy obs. *(Russian)* 4—41680
wire, field ion microscopy, image differences and topographical variations 4—1544
wire, quenching in liq. He, quenched-in defects, resist. obs. *(Russian)* 4—17297
wire reinforced Cu and Ni, densification in hot pressing 4—41797
work hardened by u.s. treatment, struct. changes *(Russian)* 4—37881
Al_2O_3/Mo fibre composites, acoustic emission obs. 4—41839
Au-Mo, thin film reliability 4—3667
Au-Mo film system, annealing kinetics, up to 500°C, rel. to transistor metallisation appl. 4—37128
Cs_2HfCl_6:Mo, Cs_2ZrCl_6:Mo, e.p.r. sites of Mo ions 4—33252
PuO_2-Mo cermet, spherical fuel forms, hot pressing 4—15967
PuO_2-Mo cermet fuel, helium release obs. 4—15957
Ta^{3+} irradiation, void vol. and swelling formula 4—1042
U-Mo mineralization, characteristics of relationship with volcanogenic formations 4—17601
VO_2:Mo, electrical cond. meas. *(German)* 4—32945
V_2O_5:Mo, single cryst., electrical conductivity 4—6628

molybdenum alloys
see also molybdenum compounds
dilute, Mo alloy, dilute, depend. of interatomic bands at grain boundaries on annealing temp. 4—17255
electrolytically cast, carbide additive effects on mech. props. *(Russian)* 4—7172
high-Ni, low-C, alloying addition effects on mech. characts. 4—4142
ingot, complex additions of Ru with C or B effect on ductility 4—21344
refractory, deformation and failure during programmed temp. change 4—13853
sintering, activated, and recrystallisation, rel. to electron struct. *(Russian)* 4—21388
superconducting transition temp., electronically atypical Mo based A15 type compound 4—37356
TZM, effect of He on fatigue behaviour rel. to fusion reactor applications 4—23861
wire, recrystallized, alloyed with Ru and C, tensile props. 4—21345
wire, VM-4, internal nitriding, effect on props. 4—7190
Au-Mo film, metallisation for microwave power transistor, characts. 4—24662
Co-Ni-Cr-Mo, plastic deformation *(French)* 4—7176
Co-Ni-Cr-Mo dislocation nodes rel. to stacking fault energy of superalloy matrix at high temp. *(Jananese)* 4—25323
CoCrMo, wear resistant, fatigue fracture SEM investigation, hip joint endoprostheses 4—10593
Fe-Mn-Mo systems, ferrite/austenite equil., γ-loops *(Japanese)* 4—41530
Fe-Mo, $\gamma \rightarrow \alpha$ transform., start temp. conc. depend. *(Russian)* 4—4054
Fe-Mo, nitrided, electron and field ion metallography of homogeneous precip. 4—1504
Fe-Mo, self-diffusion of ^{59}Fe *(Czech)* 4—13639
Fe-Mo (3.5 at.%) alloy, dislocation density and internal stress in inverse transient creep 4—41763
Fe-Mo and Fe-Mo-W systems, equil. between ferrite, austenite and intermediate phases 4—13605
Fe-Ni-Mo alloy, martensite, effect of Co on ageing 4—7177
Fe-Ni-Mo and Fe-Ni-Co-Mo, maraging, precip., Mossbauer obs. 4—29070
Hf-Mo system, Laue phase studies *(Russian)* 4—7029
$HfMo_2$, Laue phase heat resist. *(Russian)* 4—7300
Mn-Ni-W-Mo system, nonferromag. Elinvar-type alloy, Young's modulus, rigidity modulus, thermal expansion and hardness *(Japanese)* 4—13685
Mo:U, dilute, reactor fuel, irradiation induced reversion of gamma phase 4—23874
Mo-Co, diffusion couples, phase diagram 800-1300°C 4—25294
Mo-Cr-C system, high temp. phase, zeta carbide struct. 4—7009
Mo-Cu-Ni system, two-phase field of Mo(Ni, Cu) and Cu(Ni, Mo) solid solns., boundary 4—37815
Mo-Nb solid solns., stacking faults and block size *(Russian)* 4—29056
Mo-O system, solid solubility of oxygen 4—33675
Mo-Re, deformed, X-ray diffr. obs., search for stacking faults 4—7098
Mo-Re, dilute, elastic constants, second nearest neighbour perturbation model 4—20354
Mo-Re (47 wt.%) refractory alloy, integral hemispherical emissivity meas. 4—4188
Mo-Re single cryst., plastic deform. 100-425K, 10^{-4}-10^{+2} sec^{-1} strain rates 4—1574
Mo-Ta solid solns., stacking faults and block size *(Russian)* 4—29056
Mo-Ti-Zr-C, dil., intercryst. internal adsorption *(Russian)* 4—37826
Mo-V-C welded joints, intergrain failure mechanism *(Russian)* 4—41679
Mo-V-Zr system, solid soln. phase studies *(Russian)* 4—7031
Mo-W, strength, 20-1800°C 4—41729

molybdenum alloys continued
Mo-Zr:B,C,O, form. of ZrO_2, struct. obs. *(Russian)* 4—21259
Mo-Zr-C, carbide phase physico-chem. analysis *(Russian)* 4—21403
Mo_6Ga_{31}, hypersymm. struct. solved by direct methods 4—36843
Mo_3Os, superconducting film, ion beam deposited, transition temps. 4—20722
$MoSi_2(Ge_2)$ alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4—13806
Nb-Mo, lattice thermal cond. below 1K, supercond. 4—37370
Nb-Mo, mixed state, magnetothermal props. and flux jumps, obs. 4—41148
Nb-Mo, supercond., longitudinal acoustic phonon mode dip correl. 4—20715
Nb-Mo (1.2-7.6 at.% Mo), plasticity of superconducting and normal states 4—1554
Nb-Mo system, high temp. thermodynamic props., 1050-1300K 4—13848
Nb-Mo-N(O) solid solns., alloy softening 77-500K 4—33826
Nb-W-Mo, athermal substitutional solid soln. hardening 4—33827
Nb_{80}-Mo_{20}, superconducting, incremental entropy of vortices near critical temp. 4—24856
Ni-Al-Cr-Ti-Mo-W superalloy system, phase stability, 850°C 4—13617
Ni-Cr-Mo alloy, anodic behaviour, effect of ageing 4—37867
Ni-Fe-Mo, film, mag. anisotropy dispersion, time stability, biaxial anisotropy *(French)* 4—28672
Ni-Mo, metastable phase Ni_2Mo and initial ordering obs. by microscopy 4—21230
Ni-Mo, short-range order 4—1460
Ni-Mo-Co-BeO, microstruct. rel. to thermomechanical processing 4—7228
Ni-Mo-W-Cr-Zr, effect of B on phase transformations *(Czech)* 4—13599
Ni_4Mo, ordered, domain struct., field-emission microscope obs. *(Russian)* 4—13628
Ni_4Mo, stress-ordered, struct. and mech. props. 4—21224
Rh-Mo (35 at.%), single crystal C-phase, obs. of thermionic emission parameters 4—13547
Ti-Al-Mo-V, stress corrosion cracking in aqueous environments, subcrit. crack propag. kinetics 4—13706
Ti-Al-Mo-V, stress corrosion cracking in aqueous environments, plastic zones and crack morphology 4—13707
Ti-Al-Mo-V, subcrit. crack growth in salt water 4—7160
Ti-Al-Sn-Zr-Mo, fatigue crack propag., acoustic emission obs. 4—33941
Ti-Al-V-Mo, heat treatment responses comparison, strengthening obs. 4—17307
Ti-Mo, dil., $\beta \rightleftarrows \alpha$ transform. 4—33655
β-Ti-Mo, metastable, relax. processes, internal friction peaks 4—1484
Ti-Mo, nucleation and precip., small-angle X-ray scatt. obs. 4—37830
Ti-Mo, omega phase formation *(French)* 4—41544
Ti-Mo, superconductivity and b.c.c. phase stability 4—20721
Ti-Mo-Al, α-phase precip., Burgers relation 4—25339
β-Ti-Mo-Al, mech. props. correl. with microstruct. and role of slip mode 4—7163
Ti-Mo-Al, phase transformations 4—7045
Ti-Mo-Zr-Sn, beta III, heat treatment effect, mechanical props. 4—25359
Ti-Mo-Zr-Sn, deformation struct. 4—10590
Ti-Mo(21 wt.%), thermotransport of oxygen 4—7326
U-Mo, α-phase, mech. characteriz. 4—17343
U-Mo (10 2t.%), thermal cond., 20-680K *(French)* 4—23839
U-Mo system solid solns., computer calc. of phase equil. curves 4—25298
U-Mo-C system, phase behaviour and $UMoC_2$ free energy of form. 4—25299
U-Mo-Nb-Zr-Ti, strengthening mechanism, Widmanstatten structure 4—29087
V-Mo-Zr ternary system, phase equil. relationships *(Russian)* 4—21227
W-Mo powder pressings, solid soln. form. during sintering, temp. depend. *(Russian)* 4—41787
W-Mo steel, ductility and welding of R6M5 and R18 tool steels 4—33776
$ZrMo_2$, Laue phase heat resist. *(Russian)* 4—7300
$Zr_{1-x}Mo_xFe_2$, struct. and mag. props., Mossbauer spectra 4—41315

molybdenum compounds
see also molybdenum alloys
chalogenides, vapour phase cryst. growth *(French)* 4—25243
dichalcogenides, layered, intercalated with alkaline earth metal or YG, supercond. 4—41140
dichalcogenides, vac. u.v. reflectivity spectra, band struct. 4—33431
$BaTiO_3$-MoO_3, effect of MoO_2 additive on struct., X-ray studies 4—9897
$Bi_2O_3.3MoO_3$ and $3Bi_2O_3.2MoO_3$, cryst. growth and optical props. 4—25252
Cs_2MoO_4-MoO_3, phase diagram, thermal, spectral and X-ray diffraction obs. 4—28185
Mo complex, $Mo(CO)_6$, molecule, band intensities obs. in i.r. spectra 4—3147
Mo-W-C system, phase equilibria at 1000°C 4—7306
Mo_2C, carburisation of (110) Mo surfaces, LEED and emission electron microscopy *(German)* 4—3624
Mo_2C, creep during hot pressing *(Russian)* 4—21415
$Mo(CO)_6$, in gaseous N_2, ang. correl. function and Coriolis coupling 4—16138
MoF_6, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4—40347
MoF_6 vibrational relaxation and acoustic dispersion 4—27753
MoF_6/UF_6 binary mixture, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4—40347
MoO_2, M_2MoO_4 (M=Na, K), action of Na and K vapours, 300-600°C, 0.01-0.1 Torr 4—4255
MoO_2, standard free energies of formation, e.m.f. meas. employing solid electrolytes 4—13991
MoO_3 layers, optical props., colour centres and holographic recording 4—21035

molybdenum compounds continued
MoO_3-$TeO_2(P_2O_5)$, amorphous semicond., hyperfine interaction of d-electrons, e.p.r. obs. 4−3891
MoO_3-UO_3 nuclear reactor fuel, X-ray anal. of phases 4−23851
MoO_4^{2-}, isotopic substitution, vibr. spectra, ionic force consts. *(German)* 4−27681
MoO_4^{2-}, vib. spectra, ν_2(E) and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4−24077
$Mo^{6+}O_6$, force constant, mean amplitude of vibration 4−19795
MoS_2, band structure calculations by use of layer method 4−10098
MoS_2, dislocation images in high resolution SEM 4−40950
MoS_2, epitaxial Mg film growth, interfacial dislocations *(French)* 4−3658
MoS_2, low energy Ar^+ bombard., Auger meas., sputtering 4−33537
MoS_2, molybdenite, nucleation of In crystallites 4−24670
MoS_2; photoelectron spectra and band struct. 4−37737
MoS_2, real space crystallography using bend contour patterns, effect of faults 4−9905
MoS_2, structural and textural evolution from MoS_3 4−20267
MoS_2 filled polyimides, friction and wear 4−33919
MoS_2 valence band structure from X-ray photoemission spectra 4−1202
p-MoS_2 work function and photovoltage meas., band gap determ. 4−1262
MoS_4^{2-} in aqueous soln., reson. Raman spectra and quantum yields 4−3137
$MoS_3(S_2)$, binding energies from electron spectroscopy 4−21156
MoS_2(2H) electromodulation spectroscopy, excitons, flat band modulation, 80K 4−13409
$MoSi_2$, creep during hot pressing *(Russian)* 4−21415
$MoSi_2$, Mo_3Si, Mo_5Si_3, enthalpy at 1200 to 2200K 4−7288
$MoSi_2$, powder, hot pressing with chem. activation *(German)* 4−4198
$MoSi_2$ powder, hot pressing, creep rel. to densification 4−17406
Mo_xSi_y, X-ray K_β and $L_{2,3}$ emission bands 4−4015
$MoTe_2$, α- and β-modifications, photoelectron spectra and band struct. 4−37737
Mo(VI) complex, dioxobis-(1,3-diphenylpropanedionato)molybdenum(VI), cryst. struct. 4−24422
WO_3:P_2O_5 glass:MoO_3, electrical and optical props. investigation 4−16747
WO_3:P_2O_5 glass:MoO_3 e.p.r. and n.m.r. obs. 4−16975

moments (electric) *see electric moments*

moments (magnetic) *see magnetic moments*

moments (molecules) *see molecular moments*

momentum
see also angular momentum
atmospheric momentum transfer and turbulent fluctuations over ocean waves 4−25684
conservation of momentum experiment for schools 4−26396
gas stream momentum, gas dynamics 4−36615
intermittent momentum transport in geophysical boundary layer 4−38306
linear momentum conservation demonstrated, linear car track experiments using photocell and tape recorder 4−26404
photon momentum in quantum mechanics 4−11787

monitoring
see also patient monitoring; radiation monitoring
accommodative lens movement, northern rock bass, response to natural stimuli 4−8147
acoustic noise generation, for materials testing *(German)* 4−10730
air pollution legislation 4−26291
angular measurement, relative positions of holes having intersecting and crossing axes in large body parts 4−35192
bacterial growth, 12-channel system 4−8546
bioelectric potentials, intracellular, audio-visual monitor 4−35499
blood, gas concentrations by diffusion catheters, depletion characteristics 4−18758
charged particle beam profile, and position, proportional chamber system 4−11600
Cherenkov spectrometers, monitoring by GaP light emitting diodes 4−22979
coolants, organic, voids by microwave open ended cavity 4−31464
digital, lens current monitor, magnification calibration of electron microscope 4−2381
Earth environment, using rockets 4−29723
electrode rotation rate, continuous monitoring, soln. 4−41957
environmental pollution, laser fluorosensor development and field tests 4−30268
ethylene oxide process employing nondispersive i.r. analysers 4−23048
fatigue tester, fixture to member bending of specimen as inserted 4−29290
film thickness automatic monitor for multilayer coatings 4−14851
flame pyrometer employing T.V. monitor *(German)* 4−30422
forest fires due to lightning, remote monitoring techniques 4−42218
instruments, coordinate controlled, laser interferometer applic. *(German)* 4−5078
microwave dosimetry biological absorpt. and effects 4−8244
natural water monitoring by airborne optical radar 4−11078
noise, airport system 4−18273
nuclear reactor, logarithmic amplifier transient response rel. to fast transient excursion monitoring 4−30589
nuclear reactor (PWR), internal vibr. monitoring by pressure transducers 4−2995
physicochemical parameters of media, u.s. applic. 4−35227
pollution, continuous automated, textile industry Westinghouse ADVISER system 4−8255
pollution, instrumentation and techniques, paper industry 4−4896
pulse units, for reactor protection with process computer *(German)* 4−8479
river pollution, long-term monitoring 4−14713
steam generators, primary loop, leak detection 4−19572
thermal system for waste heat study around nuclear power plants 4−26488
thin film thickness, Meacham bridge oscillator, using quartz resonator 4−4967
thin film thickness, Meacham bridge oscillator, using quartz resonator 4−4968

monitoring continued
water quality in rivers and seas, automatic shipborne system 4−15092
$GaAs_{1-x}P_x$, optical scanning for comp. uniformity 4−26708

monitors *see monitoring*

monochromators
atomic absorption spectrometry, high resolution, using scanning Fabry-Perot interferometers 4−5276
automatic sensing of emission spectra of discharge light sources, modification *(Czech)* 4−8350
dispersion and spectral transparency characts. *(Russian)* 4−18463
double, in quasi-monochromatic calibration source, 0.22 to 7μ 4−30459
far i.r., low resolution, wavelength calibrator 4−30465
fluorphlogopite, reflectivity meas. by neutron diffraction 4−22988
grating, scanning electron microscopy, spectral resolution of cathodoluminesc. 4−8530
grazing incidence, for use with synchrotron radiation 4−14942
Lyot filters effect of partial polaroid 4−34964
neutron diffraction, pyrolytic graphite as ideal mosaic crystal 4−16400
resonance, use for flame atomic absorption spectrometry 4−152
scanning, use of Ebert spectrometer with auxiliary folding mirrors 4−22852
SEM, luminescent mode, monochromator-photomultiplier-photon counter detection 4−23011
SEM quantometer, appl. 4−8526
Seya-Namioka, calibration of spectral sensitivity using synchrotron accelerator as radiation standard 4−35282
Seya-Namioka, ray-tracing and spot diagrams for spherical concave grating 4−11483
SISAM, SISAM with Fabry-Perot, for visible, construction and performance 4−14840
spectral sensitivity meas. of photodetectors, DMR-4 monochromator modernization 4−22856
wavelength and spatial distribution of light, student paper 4−26362
X-ray crystal monochromator, Compton downscatt. corrections to efficiency 4−12839
Si crystal lamellae as neutron monochromator 4−26564

monolayers
see also adsorbed layers
Auger microanalysis, expt. aspects *(German)* 4−8585
cyanine dyes on semiconductors, spectral sensitisation 4−4292
evaporation retardation by hexadecanol monolayers 4−40890
evaporation retardation on reservoirs, analytical theory 4−21902
mesoporphyrin dioctadecyl ester, dimer emission, fluorescence spectra 4−6906
microporous material monolayer capacity determ. method 4−24630
organic, on p-chloranil cryst., sensitization by induced field emission, multiplication effect *(German)* 4−34038
Au film, of Xe *(German)* 4−32801
^{4}He submonolayer films adsorbed on Cu, specific heat 0.75-4.0K 4−3622
K-film on Ni (100), struct. and work function 4−10043
K-film on Ni(100), electronic excitations 4−13095

monolithic integrated circuits
see also large scale integration
bipolar, wafer processing using spun-on silica layer diffusion sources 4−17187
failure analysis, ion microprobe applic. 4−8508
failure analysis, pulse laser technique for location isolation 4−8862
failure analysis, SEM application 4−8507
inspection, laser automated pattern, summation-gated optical comparator 4−19158
interdigitized test structs., electromigration-thermomigration 4−28243
junction-isolated, failure susceptibility levels under ionising radiation, obs. 4−40140
laser beam printing of part numbers 4−31085
LOCMOS technology *(French)* 4−25278
mask photographic plate defect detection, laser scanning appl. 4−19159
metallisation, Ge solubility in Al, MeV He^+ backscatt. obs. 4−7000
m.o.s., improvement by ion implantation *(French)* 4−25276
m.o.s., poly Si gate electrode technology *(Japanese)* 4−10207
oxide protective coating, microhardness detn. 4−2229
polaroid SX-70 automatic camera application 4−8401
Polaroid SX-70 Land camera, control applic. 4−14919
refractory gate m.o.s. technology *(French)* 4−25277
substrate influence on space charge limited current 4−10156
Si, C residues investigation, photoemission electron microscope 4−8520
Si wafer scanner, He-Ne laser appl. 4−19157
W metallisation, reaction kinetics with Si 4−21200

monomers *see molecules*

monomolecular films *see monolayers*

monomolecular layers *see monolayers*

Monte Carlo methods
acoustical field solutions, for rectangular enclosure 4−42653
n-alkane molecules, interactions, computer simulation 4−19928
asteroid origin theories using Monte Carlo simulations 4−29982
atom-diatomic hydride collisions, rot., vibr. excitation probabilities calc. 4−9611
atom-electron scattering, Monte Carlo methods, classical collisions 4−31721
atomic structure, spin aligned H ground state energies 4−27504
bounded point estimation, point cross-section Monte Carlo codes 4−27381
channelling, statistical equilibrium hypothesis invalidation by Monte Carlo method 4−9935
charged particle backscattering simulation, isotope effects 4−39325
charged particle backscattering simulation program 4−39324
chemical reaction kinetics, Monte Carlo computer simulation for students 4−26420
counting rates for neutrons, secondary gammas, from graphite, liquid N 4−31453
crystal surface, configurational free energy calc. 4−16653
cumulus cloud fields, albedo and transmission calculations for visible radiation *(Russian)* 4−7692

Monte Carlo methods continued
curved-Earth exponential atmosphere calculations, flat Earth approximation 4−31571
diffusion simulation, floating random wave technique 4−28233
d.s.a.m. calculations, effect of different total atomic scattering cross sections 4−18845
earth mantle shear velocity modelling 4−29429
earthquake epicentre and origin time errors for small magnitude earthquakes 4−34113
electron diffusion, calc. for Al and Au films 4−9802
electron microscopy, scanning transmission, top bottom effect, thick specimens 4−8536
electron transport in narrow-gap semiconductors 4−16767
e.m. waves in random media, numerical investigation 4−15281
ensemble theory of large interacting systems, computer simulation, relaxation process 4−15246
excitonic molecule system, binding energy determ. from Feynman's path integral method 4−3720
fissile material, low-enriched array, isolation, KENO calc. 4−27485
fluid structure, triangular well potential, Monte Carlo and perturbation calcs. 4−24377
gamma photons, angle selection techniques, calcs. on parallel computers 4−23928
gamma ray propagation in air, calc. of buildup factors 4−19648
hadron cascade calcs. rel. to proton beam interactions with nuclei at 24 GeV 4−9153
hard core fluid, dielec. props. eval. 4−30888
Heisberg model, spin-pair correlation functions, paramag. and ferromag. temps., self-consistent Monte Carlo calcs. 4−41174
Heisenberg ferromagnet, crit. exponents determ., computer simulation versus expt. 4−6707
hydrological time series, cross correlation estimates of lag one autoregressive parameters 4−3245
ion collection by rocket borne mass spectrometer Monte Carlo simulation 4−22061
Ising model, ground state spin orderings 4−20751
Ising model, two-dimens. kinetic, investigation of dynamic crit. phenomena 4−37390
KENO calculations, shortcomings of albedo approx. 4−27385
kinetic eqn. coeff. determ. rel. to binary star evolution 4−4787
kinetic process simulation, interacting particles, CO$_2$ dissoc. *(Russian)* 4−5404
large liquid scintillators, neutron capture and detection 4−18601
liquid metal structure calcs. 4−9813
liquid theory, molecular distribution functions 4−32411
magnetic contrast calcs., cubic material in SEM 4−10282
magnetic Ising thin film, magnetisation determ. 4−28600
mass spectrometer, design parameter optimization 4−11614
methyl cyanide, isomerization, rate constant calc. using Monte Carlo methods 4−25473
molecular conductance, vacuum system elements 4−11479
molecular flow, conductance of baffle vacuum traps, math. model 4−18846
molecule, chain, computer simulation 4−19928
Monte Carlo anal. of neutron and gamma-ray transport in concrete 4−36400
MORSE-II, radiation transport calc. code., delayed radiation 4−31614
neutron anisotropic inelastic scattering matrices from ENDF data 4−31451
neutron build-up factor determ. in oil, water and paraffin 4−15935
neutron emission spectra calc. for Na-D$_2$O, In-Be, La-Be, and Na-Be sources 4−18560
neutron flux spectral characterisation below 10 MeV 4−31446
neutron guide, cylindrical, transmission probability and angular distrib. 4−19559
neutron resonances, total α-widths distribution *(Russian)* 4−604
neutron source cold, cylindrical hydrogen, different ortho/para mixtures, calcs. 4−8443
neutron spectra calcs. behind thick samples of carbon steel shielding 4−36364
neutron transport, stochastic optimal estimation 4−31444
n.m.r. line broadening due to dislocation in NaCl and KBr 4−3903
nuclear criticality, at pipe intersections 4−27484
nuclear fusion reactor blanket, heating rates and tritium breeding ratio calc. 4−36368
nuclear reactor core-wide probabilistic anal. 4−36317
nuclear reactor flux anal. using SAND-II multiple-foil method 4−36396
nuclear reactor TRX lattice anal. with ENDF/B-III data 4−36289
nuclear resonance self shielding expts. anal. 4−36361
nucleation kinetics simulation, thin film deposition 4−37129
nucleon-nucleon final state interaction anal. in ^{2}H(n, 2n) reaction 4−36191
optical characteristics of dispersive medium, influence on space distrib. of diffuse radiation *(Russian)* 4−30974
optical transfer problems solution *(Russian)* 4−7699
organic scintillators, response fn. to neutrons, Monte Carlo program *(German)* 4−8466
partial differential equations, continuous analysis by Monte Carlo method *(Italian)* 4−15125
photon diffusion, Monte Carlo simulation of Voigt distrib. 4−30006
plasma equilibrium properties, crystallised plasma melting transition 4−32163
plasma equlibrium properties, thermodynamic props. and eqn. of state 4−32162
polar and polarisable fluids, thermodynamic perturbation theory numerical accuracy 4−40904
polymer, amorphous, calc. of number of intramolecular linkages 4−40350
polymer, brittle fracture simulation, network model in Monte Carlo method 4−17448
polymer chain lattice model, Rouse coordinate relaxation 4−27781
polymer random-coil chain, relax. of fluctuations anal. 4−12657
radiation penetration calculation, on parallel computer 4−27382
radiation polarisation in atmosphere-ocean system 4−21919
random system, Mott T$^{1/4}$ law for hopping conduction investigation 4−32949
resonance integral calculation of finite size samples 4−27380

Monte Carlo methods continued
simple liquid perturbation theory 4−6319
solar u.v. scattering by atmospheric aerosols 4−29600
steady-state heat distribution on square plate *(Turkish)* 4−35756
sticking probability of diatomic molecules, simulation 4−40985
teaching method outlined 4−11407
temperature difference calculation, probability table method 4−27383
twilight sky, intensity and polarisation in four colours 4−29568
vacancy population evolution in Al, simulation, during quenching and recovery *(French)* 4−4097
variance reduction in calcs. of multiple scattering in neutron scattering problems 4−19555
water, incomplete hydrogen bonding, X-ray pair correlation functions 4−32419
water, liquid structure 4−6323
water flow in soil simultaneity procedure anal. 4−1796
weather prediction, gravitational adjustment of gravity wave energy in phase space 4−21976
NN cascade collision, computer models 4−2823
π^+p inclusive reactions, 16 GeV/c, simulations 4−39913
^{252}Cf-Ge(Li) sonde systems, Monte Carlo calibration method 4−29739
Cu$_3$Au, long range order parameter for {100} surface 4−13613
^{55}Fe, Doppler shift attenuation meas., low recoil velocity, velocity dependence 4−18590
He, liquid monolayer film on substrate, two dimensional rotons 4−37056
NaCl + KCl, mixture, calc. of thermodynamics props. 4−20419
^{235}U enriched fuel assembly, criticality safety evaluation of transporting wooden pallet 4−27487

moon
see also lunar seismology; lunar structure
absolute altitudes of marginal zone, selenodesic reference points *(Russian)* 4−38686
acceleration, review 4−7489
albedo, lab. expts. on vitrification darkening of rock powders 4−4757
analytical theory, computation on literal trigonometric series 4−22340
Apollo 17, discussion of results 4−34700
Apollo project, review of the results of study of the moon 4−30157
apparent resistivity, model of lunar interior 4−42343
apparent size illusion, review of hypotheses and experiments 4−39023
artificial atmosphere creation, loss mechanisms 4−42345
artificial lunar satellite, motion and three-body problem *(French)* 4−7933
asymmetry of crust and features, planetesimal bombard. theory 4−4748
atmosphere, far u.v. emission 4−29959
atmosphere, gas loss rate, thermal escape interaction with solar wind 4−17973
atmospheric He and H distribution 4−26059
atmospheric ions, effect on solar wind flow 4−26061
breccia 14307, coupling track method, light noble gas isotopic anal. *(French)* 4−4752
cartography by photogrammetry 4−14324
chronology from ^{40}Ar/^{39}Ar ages 4−42352
colour contrasts rel. to phase angle and possible thermoluminescent explanation *(Russian)* 4−22337
counter electrojet near magnetic equator, lunar effects 4−7757
craters, selection of new names for Lunar Topographic Orthomaps by IAU 4−42350
crustal fracture systems, study based on similar Earth features 4−22350
dust samples, far u.v. reflectivity 4−22313
dynamics and observation coordinate systems conference, Houston (1973) 4−22339
early electrical heating causing extensive surface melting 4−17972
Earth-Moon system, evolution 4−38713
earthquake prediction, tidal effect of Moon 4−38191
eclipses, 1971, August 6, Tadzhikistan, obs. of contacts, brightness and visibility of details 4−11150
eclipses, determination of times from 16th century diary *(Hungarian)* 4−35121
electromagnetic sounding with Apollo 12 and 15 magnetometers 4−29942
electrons at lunar surface, Apollo 12 and 15 experiments 4−26060
e.m. probing 4−30943
e.m. scattering, propagation parallel to diamagnetic cavity axis 4−4744
ephemeris laser ranging determination, numerical analysis 4−22348
evolution, eddy current heating of crust during accretion 4−29941
evolution and structure explained by dynamics of earth-moon system 4−21625
exploration programme, first results *(French)* 4−38687
fluidization craters, laboratory simulation 4−7939
geophysical and geochemical exploration, conf. 4−38693
gravity from long-term motion of Apollo subsatellites 4−14322
gravity mapping from dense Doppler tracking of Apollo 15 and 16 subsatellites 4−38702
gravity of Mare Humorum, mass distrib., Apollo 15 obs. 4−4746
high temperature condensate theory, cooling nebula prediction 4−22338
history, implications from seismic velocity profiles and laboratory data 4−17975
igneous rocks, conc. of major and trace elements 4−4751
igneous rocks, soil, selenochemistry of major, minor and trace elements 4−4754
impact crater ejecta, radial thickness variation 4−11143
interior, conclusions and composition, temperature and history from Apollo program 4−42346
interior temp., problems in extrapolating lab. meas. of electrical conductivity 4−38699
i.r. mapping, Apollo 17 obs. 4−22314
KREEP glass concentrates, ^{39}Ar/^{40}Ar dating, age of Copernicus 4−4749
laser range obs., identification and construction of normal points (1969-71) 4−11141

moon continued
laser ranging, ephemeris error effect reduction 4—22341
libration terms arising from additive and planetary terms 4—22344
librations and baseline from differential VLBI and ALSEP 4—22345
Linne, young impact crater, structure 4—14326
lunar eclipse, 1972 January 30, photoelectric obs. 4—34708
lunar laser ranging, utilization of results 4—30158
lunar laser ranging expt. orbit determ. and selenophysical information 4—11148
lunar satellite, effect of lunar librations on orbital elements 4—4674
lunar surface, new growth mechanism, vapour-liquid-solid 4—2094
lunar-orbiting objects, tidal loss rel. to lunar surface impact 4—22335
M_2 oceanic tide, secular accel. of Moon's mean motion, Earth's rotation and dissipation 4—14104
magnetic field, interaction with solar wind 4—4745
magnetic field, possibility of magnetic dynamo existence 4—38696
magnetic field measurement, portable and stationary magnetometers 4—4842
magnetic field variations, solar wind and magnetosheath plasma interaction 4—22329
magnetic fields, mapping from Apollo 15 4—38712
magnetization, electromagnetic evidence, dynamo and primordial magnetization hypotheses 4—7947
Mare Fecunditatis samples, neutron-activation analysis 4—4740
Mare lavas, internal melting theory of origin 4—7941
Mare Serenitatis, surface types by radar maps and colour difference photographs 4—29945
meteoritic material, classification, origin, trace element study 4—22373
monochromatic phase curves and albedos from narrow band and UBV photometry 4—29944
motion relative to Earth, osculating reference states 4—38601
nonstationary lunar phenomena, obs. of, and earth shadow effects 4—11149
normal albedo map of visible hemisphere, rock composition variations 4—34707
observing station positions rel. to coordinate systems 4—22489
occultation of Pleiades, 1972 August 30, accurate timing 4—34709
occultations, planetary atmosphere measurement techniques, atmospheric effects, error analyses *(Russian)* 4—2079
occultations of stars, Jan.69-Sept. 72 period *(French)* 4—38685
offset core, tidal mechanics hypothesis 4—29537
orientation determination by numerical integration 4—22349
origin, capture early in accretional development 4—29372
origin, fission hypothesis, evidence from siderophiles and tektites 4—38707
origin as high temp. condensate 4—34713
origins and presence of lunar-sized objects in early solar system 4—25937
outward-flowing magnetotail electron fluxes from lunar orbit 4—22104
permittivity meas. at 1 to 32 MHz 4—34273
perturbations on Earth satellites 4—42253
photoelectron layer interaction region with plasma sheet, potential distrib. 4—22330
physical librations derivation 4—11142
physical librations including higher harmonic effects 4—7946
physics aspects inc. orbital motion, surface, shape, gravitational field and magnetic properties 4—17974
Pic-du-Midi photographs, calibration of selenodetic control points 4—7950
polarized magnetic field fluctuations at Apollo 15 site, inductive response to IMF 4—22320
Ptolemy's parallax data, statistical confidence 4—26334
radio emission, second harmonic phase dependence, radio temperature distribution, new data *(Russian)* 4—2092
radio-wave scatt. charact. of Moon during soft landing of Luna 16 and 17 4—2090
radioelement and cosmogenic radioisotope abundances from γ emission spectra 4—4739
red spots, possible radioactive pre-mare basalts 4—38688
reference frame, selenodetic, standardisation 4—22346
remanent, magnetisation, Apollo results and possible origins 4—42349
remanent magnetic field, vector mapping by Apollo 15 and 16 subsatellites 4—22319
rock, cosmic ray effects, contrast in patterns for tracks and isotopes with meteorites 4—7945
rock growth mechanism, vapour-liquid-solid, lunar surface breccia, new mechanism 4—2094
rocks, chem. anal. of chalcopyrite, cubanite, Cu-Fe-S phases 4—2088
rocks, mag. props., meteorite comparison 4—2089
rocks, piezoremanent magnetisation 4—14325
rotating, elasticity effects 4—22347
Schroter's Valley, relief model of eastern portion from photographic obs. 4—26055
selenodesy precision, differential interferometry, new receiver type 4—2154
selenodetic control derived from Apollo metric photography 4—22342
selenographic control 4—22343
shape, geometric and dynamic, comparison and interpretation 4—38717
sinuous rilles, review of theories of origin 4—7940
soil composition prediction of Luna 21 and Apollo 17 sites by telescopic obs. 4—29946
soil evolution, geochemical coherence between labile Cl and KREEP 4—4753
soil particles, glass spherules, rare gas diffusion, simulation comparison 4—4755
soil sample, shear strength tests in air 4—4747
solar wind, e.m. interaction 4—22282
solar wind, steady state interaction with Moon, electron-proton plasma model 4—26054
surface average chemical composition from in situ meas. 4—7949
surface relief determ. from optical photometric results *(Russian)* 4—30149
surface temperature from i.r. scanning radiometer on Apollo 17 4—29947

moon continued
Surveyor 3 material, emittance meas., effect of lunar environment 4—2093
symposium on planetary science, London, England (January 1973) 4—17955
Taurus-Littrow, Apollo 17 geological report 4—29958
Taurus-Littrow Apollo 17 site, geologic exploration 4—29957
Taurus-Littrow region I chronology, ages of Apollo 17 major rock types 4—4743
thermal boundary layer at limb, behaviour of solar wind by continuum fluid analysis 4—22331
thermal emission, Apollo 17 infrared scanning radiometer preliminary obs. 4—38701
thermal emission linear polarisation at 3.1 mm 4—7936
thermal evolution, effect of giant impact 4—38706
thermal evolution model of terrestrial planets 4—38675
thermal history, variations caused by giant impact 4—7942
tidal influence on earthquake incidence 4—7572
turbulent lava flow causing formation of sinuous rilles 4—22351
wake, disturbances of magnetic field and particle concentration 4—4738
water vapour ions at surface, Apollo 14 SIDE obs. 4—4750
zonal gravitational field, gradient line 4—7943
^{244}Pu in lunar rocks, Xe evidence, origin implications 4—4756
^{222}Rn emission, orbiting Apollo Alpha Particle Spectrometer obs. 4—38703
^{235}U fission induced by lunar neutrons, in-situ depth profile measurement of rate 4—26056
moon structure *see lunar structure*
moonquakes *see lunar seismology*
Morse potential
see also kinetic theory
alloy, ordered DO_3 structures, model approach to diffusion 4—1136
anharmonic oscillators, $0\rightarrow1$ vibrational transitions probability formulated using pot. function 4—36491
harmonic oscillator-particle collinear collision 4—9594
metal, activation energy of evap. and condensation processes, tensile strength determ. *(Russian)* 4—41678
H_2+Li^+ collisions, anharmonicity in rot. and vibr. excitation 4—24139
^{3}He, solid ground state energy, perturbation expn. 4—16643
^{4}He, liquid, Fourier transform of Morse-V_{dd} potential 4—3609
m.o.s. devices *see metal-insulator-semiconductor devices*
m.o.s. structures *see metal-insulator-semiconductor structures*
mosaic crystal structure *see crystal microstructure*
m.o.s.f.e.t *see field effect transistors*
Mossbauer effect
see also gamma-ray absorption; nuclear excitation
acetonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4—28744
acrylonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4—28744
alkali metal tantalates, isomer shifts of γ-reson. of ^{181}Ta 4—25041
alloy, isomer shift, volume and charging effects 4—17012
anhydrohemoglobin, applications and investigation techniques *(Hungarian)* 4—35505
antimony pentachloride adduct complexes, of ^{121}Sb, quadrupole coupling 4—20903
aromatic compounds of para-RPh Hg I type, R=F, Cl, H, CH_3O, effect of donor-acceptor substituents on ^{129}I spectra 4—1363
complex chain silicates, use of magnetic hyperfine splitting for Fe^{2+}/Fe^{3+} ratios 4—4616
crystal, stimulated emission of γ-rays 4—17013
crystal with interstitial impurities, defect modes, Mossbauer and i.r. absorpt. obs. 4—20906
deferoxamine applications and investigation techniques *(Hungarian)* 4—35505
depth-selective meas. using resonance scattered conversion electrons 4—30629
dynamic, successive Mossbauer meas. at microsecond intervals 4—37533
Egyptian pottery examination 4—18698
e.m. field suppression of Mossbauer line broadening and shift, long-lived isomers 4—17010
enzymes applications and investigation techniques *(Hungarian)* 4—35505
f.c.c. lattice, effect of press. on Lamb-Mossbauer fraction of surface atoms 4—28743
ferrocene systems, mixed-valence, temp. depend. phenomena 4—1360
glass, Na-Fe-SiO_2, on steel, Mossbauer spectroscopy studies 4—17009
glass formation, optimum conds., during rapid cooling of solns., Mossbauer investig. 4—41311
Goldanski-Karyagin effect, Mossbauer E2-transitions 4—33328
gravitational wave detection appl. 4—18965
4,4'-di-n-heptyloxyazoxybenzene, liq. cryst., with diacetyl ferrocene marker *(Russian)* 4—20210
impurity atoms, electron struct. rel. to diffusion props., Mossbauer obs. 4—37046
interface alloying during hot-dip galvanizing, Mossbauer obs. 4—41761
Invar, spectral shapes attributed to exchange fields 4—33316
laser, with nuclear γ-transitions of Mossbauer type, possibility of creation 4—35827
liquid crystal, smectic H, Sn-absorber mol. ang. depend., lattice vibr. anisotropy contrib. 4—33307
macromolecules, structural analysis, anomalous dispersion methods, gamma-ray scattering 4—32397
measuring system, modular, IC's, c.-a.a. facilities 4—2363
metal, research techniques, book 4—28576
metal-polymer interface, nondestructive corrosion monitoring 4—7125
metals, technique, review 4—28680
methacrylonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4—28744
molecule, vibr. satellites of γ-nuclear transitions 4—19800
nuclear reactor materials in liquid Na, corrosion and depositions, physical exam. techniques 4—27462

Mossbauer effect continued

- optical detection method of double γ-nuclear resonances 4−33236
- polarimeter, for birefringence rotation meas. 4−18747
- polycrystalline samples, diffusion broadening of Mossbauer line shape, cryst. struct. effects 4−17005
- quantum mechanical representation 4−33329
- rare earth-3d intermetallics, $R_2(Fe,CO)_{17}$, R=Y, Gd, Dy, mag. interaction, ^{57}Fe Mossbauer obs. 4−3831
- recoilless fraction evaluation, usability of Debye theory 4−28739
- resonance phase analysis of Fe-containing materials, effect of background 4−23015
- sideband obs. in passage of gamma ray through vibrated resonant medium 4−20905
- sintered titanomagnetites, cation distrib. from Mossbauer spectra 4−24436
- spectra, best values of the parameters, deduction 4−15022
- spectra analysis, use of maximum likelihood filter *(Japanese)* 4−11637
- spectra processing problems *(Russian)* 4−2388
- spectral line shape, analytic deconvolution and matching of Peyre-Principi profiles 4−18748
- spectrometer control, sawtooth analogue convertor IC 4−39352
- spectrometry, use of conventional electromagnet instead of superconducting coil 4−35450
- spectrum asymmetry, due to finite dimensions of source 4−11636
- steel, carbide phases produced during tempering, nucl. gamma reson. obs. *(Russian)* 4−21252
- sulphenyl iodide compound, Mossbauer effect of ^{129}I 4−6822
- telluride semiconductor compounds, neutron flux damage 4−24493
- titanomagnetites, natural, oxidation states study 4−42039
- transition metal hosts, isomer shifts of γ-reson. of ^{181}Ta 4−25041
- transmission spectrometry, multi-layer absorbers, anal. 4−8542
- wustite, diffusion broadening of Mossbauer line 4−20912
- γ polarization density matrix, Mossbauer radiation, mixed hyperfine interactions 4−15704
- ^{199} Sn, mag. hyperfine anomaly meas. 4−1365
- $[Fe(H_2O)_6](ClO_4)_2$, orbital ground state inversion phenomena 4−3919
- Ag:Er, dilute alloy, spectra of isolated atoms and clusters 4−37534
- Ag-Au dilute alloy measurements to determine parameters for a phenomenological model, potential 4−3674
- Ag-Sn alloys, internal oxidation phenomena 4−1358
- AgCl:^{119}Sn, deformed polycryst. samples, spectra meas. at 78 K 4−17014
- Al-Fe alloy, ^{57}Fe spectra of supersaturated alloy 4−33315
- Au, Mossbauer fraction for ^{197}Au 77.3 keV transition, anharmonic contribs. 4−3921
- Au:Er, hyperfine struct. of ground and excited CEF levels obs. 4−10363
- Au:Fe, impurity-impurity interactions, Kondo behaviour 4−20761
- Au:Fe, local susceptibility of Fe ions, Curie-Weiss props., Mossbauer obs. 4−3824
- Au(V) complex, $A^+AuF_6^-$, $A=Xe_2F_{11}$, XeF_5, C_5 4−25033
- ^{197}Au, E2/M1 77.3 keV transition, thick absorber line-shape analysis and interference effects in Mossbauer absorption spectra 4−12255
- $BaEu_2Fe_2O_7$, tetragonal, mag. prop. obs., internal fields 4−24934
- $BaTiO_3$:Dy, isomer shifts, site determ. 4−37536
- $Bi_{0.8}Ca_{2x}Y_{2.2-2x}Fe_{5-x}V_xO_{12}$ garnet, hyperfine field, comp. depend., exchange 4−33153
- CaS:Sn, n.g.r., e.p.r., and optical spectra meas. 4−28740
- $CdFe_2O_4$:^{57}Fe, electric quadrupole interaction meas., temp. depend. 4−25028
- Co:Au(Ir) impurities, spin orbit coupling, effect on impurity electron states 4−33148
- $CoCl_2.2H_2O$ and $CoCl_2.6H_2O$ effect of electron capture upon ^{57}Co spectrum 4−10362
- $Co_{0.98}Fe_{0.02}Cr_2S_4$:^{57}Fe, hyperfine fields and nuclear quadrupole coupling constants, temp. depend. 4−3923
- CoMnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4−37530
- CoO, mag. hyperfine field at ^{57}Co, 0.08K 4−41314
- CoO:^{57}Fe, mag. hyperfine interaction, press. and temp. effects 4−25038
- ^{57}Co, γ-source, problem of accumulation of ^{57}Fe *(Russian)* 4−11638
- ^{57}Co(III) $(phen)_3$ $(ClO_4)_3.2H_2O$, Mossbauer studies of after effects of Auger ionisation following electron capture 4−41320
- $(Cr_{1-x}Fe_x)_{1.13}Sb$, obs. 80 to 625K, Neel and ferromag. transitions, mag. saturation *(German)* 4−6728
- $CuFe_{1.2}Ga_{0.8}O_4$, inverse spinel struct. obs. *(French)* 4−9899
- $DyFe_2$, ^{57}Fe nuclear spin configurations determ. 4−17011
- Eu-Si_2 (Ge_2) alloys 4−37538
- Eu-Si(Ge)(Sn) alloys 4−37538
- $EuCo_{0.5}Si_{1.5}$, Eu divalence, hexagonal struct. 4−6396
- Eu(III) chelates, spectra at 77K and 4 K, interpretation as vibrations of Debeye solid 4−25035
- $Eu(NH_3)_6$, impurity effects on mag. ordering 4−10360
- $Eu(NH_3)_6$, recoilless fraction anomaly and phase transition phenomena 4−25031
- ^{151}Eu, numerical calc. of isomer shift 4−13371
- Fe, rusted, surface investigation by Mossbauer scatt. 4−17008
- Fe (III) complex, tris(hexamethyldisilylaminato) iron (III), of ^{57}Fe, mag. h.f. spectrum 4−28731
- Fe and Fe_3O_4 thin films, spectra showing magnetic anisotropy and phases *(Japanese)* 4−13370
- Fe complex, $[C_5H_5FeC_6H_5F]PF_6$, temperature depend. and phase transformations 4−20916
- Fe complex, binuclear, antiferromagnetically coupled, spectra 4−6823
- Fe complex, chemical shift and binding energies 4−28732
- Fe complex, quinoxaline-2,3-dithiolate, ^{57}Fe Mossbauer spectra 4−25034
- Fe complex, trinuclear, quadrupole split doublets, nonappearance of inequivalent ferric ions 4−1361
- Fe foil, relax. time of ultrasonic vibs., Mossbauer meas. 4−20913
- Fe passivated surfaces, ^{57}Fe spectra, Fe(III) species obs. 4−20901
- Fe:Au(Ir) impurities, spin orbit coupling, effect on impurity electron states 4−33148
- Fe-C austenite, interstitial solid soln. behaviour rel. to martensitic transform. 4−7057
- Fe-C-Si alloy, Si alloying effects obs. 4−29040

Mossbauer effect continued

- Fe-Mn, b.c.c., moment interpretation, conc. depend. 4−41312
- Fe-Mn alloys, austenitic, low temp. behaviour, Ni and Cr additions effect, effective mag. field *(Russian)* 4−1362
- Fe-Ni alloy, Invar type, under influence of non-hydrostatic stress 4−33310
- Fe-Ni-C martensite, hyperfine field meas. 4−25044
- Fe-Ni-Mo and Fe-Ni-Co-Mo maraging alloys, precip. obs. 4−29070
- Fe-Ni(27 at.%), retained austenite determ. by Mossbauer spectroscopy 4−39427
- Fe-Rh, hyperfine fields and mol. fields, temp. depend. 4−41321
- Fe-Si, of ^{57}Fe, phase transformations, isomer shift and quadrupole splitting 4−28730
- $(Fe\ salen\ Cl)_2$, intramolecular antiferromagnet, hyperfine interactions 4−10361
- Fe_3Al, order-disorder reaction obs. 4−25314
- $FeCl_3$-graphite compounds, hyperfine splitting 4−41206
- $Fe(ClO_4)_2.6H_2O$, changes in Mossbauer parameters during phase transition 4−33314
- $FeCl_2.2H_2O$, Mossbauer spectroscopy of mag. phases in external fields 4−25036
- $FeCl_3.6H_2O$, 1.16K, external magnetic field, antiferro- to paramagnetic transformation 4−6816
- $Fe_{0.25}Cr_{0.75}$, obs. of hyperfine field distrib. at ^{57}Fe nuclei, temp. depend. *(German)* 4−6818
- $FeCr_2S_4$:^{57}Fe, hyperfine fields and nuclear quadrupole coupling constants, temp. depend. 4−3923
- FeF_3, temperature dependent of phonon-induced Mossbauer line shift, orbit lattice-interaction 4−1364
- $FeFe_2O_4$:Fe^{2+}, spinel trigonal sites, electronic level scheme 4−33312
- Fe(II) complex, $Fe(NH_2NH\ CS\ NH_2)_2SO_4$, large Mossbauer quadrupole splitting and cryst. struct. 4−25030
- Fe(II) complex, iodo(bispyrrolidinedithiocarbamato):^{129}I, spin relaxation and mag. ordering 4−3924
- Fe(III) complex, mixed chelate, magnetic properties 4−28733
- ε-Fe_4N, thermal decomposition, Mossbauer and X-ray diffr. obs. *(Russian)* 4−37529
- $Fe(NH_4)_2(SO_4)_2.2H_2O$, polarized absorption, thickness depend. 4−33311
- $Fe(NH_4SO_4)_2.6H_2O$:Cu^{2+}, quadrupole splitting and isomer shift 4−33309
- FeO films on Fe particles, mag. prop. anal. 4−10364
- α-Fe_2O_3, Bragg refl. of 14.4 keV reson. γ-rays, interf. of nuclear and electron scatt. 4−37537
- α-Fe_2O_3, Mossbauer obs. of mag. Morin transition 4−33325
- α-Fe_2O_3, selective excitation, relaxation meas., hyperfine interaction 4−33320
- α-Fe_2O_3 supported microcrystallites, reactivity of H_2O and H_2S obs. 4−10051
- Fe_3O_4, obs. of quadrupole interaction of 14.4 keV ^{57}Fe level of octahedric (Fe(B)) 4−3920
- $FeOHSO_4$, linear chain antiferromag., hyperfine splitting mechanism 4−33313
- FeOOH, characterisation of new high pressure phase 4−1366
- β- FeOOH, small antiferromag. particles, paramag. and antiferromag. components, Mossbauer obs. 4−20816
- FeS_2, elec. field gradient, quadrupole splitting 4−37531
- α-$FeSO_4$, antiferromag., evidence of crit. superparamagnetism 4−20777
- $FeSO_4.H_2O$ spectral investig., of growth in varying temps. and atmospheres 4−33327
- Fe_3Si, hyperfine fields and mol. fields, temp. depend. 4−41321
- $FeSiF_6.6H_2O$, ligand field symmetry, hyperfine and struct. determ. 4−32885
- Fe_2TiS_4, mag. props., 285K transition temp., ^{57}Fe Mossbauer obs. 4−24971
- ^{57}Fe, rare earth-iron amorphous alloys, crystal field effects 4−28738
- ^{57}Fe Mossbauer coincidence experiment ang. correlations in 122.0 keV-14.4 keV γ cascade 4−25029
- Gd:Dy^{3+}, temp. var. of impurity spin orientation 4−13373
- Gd-Fe, solid solns., nonsubstitutional, form. obs. 4−33674
- $GeCo_2O_4$:Fe^{2+}, spinel trigonal sites, electronic level scheme 4−33312
- ^{73}Ge, reson. at 13.3 keV 4−28737
- $HoCoO_3$, spin state equilibria conditions, transition 4−41319
- $HoFe_2$, ^{57}Fe nuclear spin configurations determ. 4−17011
- ^{129}I, cryostat for study using closed cycle He refrigerator 4−30426
- $KFeF_3$, mag. states obs., and appl. of model to $RbFeF_3$ 4−25039
- Kr, solid, recoilless fraction evaluation, usability of Debye theory 4−28739
- La-Fe solid solns., nonsubstitutional, form. obs. 4−33674
- $MnFe_2O_4$:Sn, hyperfine field temp. depend. anomaly 4−41313
- $64MnO.4CuO.(32-x)Fe_2O_3.xSc_2O_3$, ^{57}Fe spectrum 4−13368
- Mn_3SnN, magnetic phase transformations 4−6733
- Mn_3SnN:^{119}Sn magnetic structure 4−6739
- $N_2H_6FeF_5$, 77-410K 4−28734
- $(NH_4)_2Fe(SO_4)_2.6H_2O$, in alkali nitrate and alkali halide matrices, radiolysis 4−34066
- $(NH_4)_2Sb_xSn_{1-x}Cl_6$, mixed crystal, proposition of packing model 4−33322
- $NaWO_2F_3$, Mossbauer E2-transitions, ^{182}W, ^{183}W and ^{184}W electric quadrupole interactions 4−33328
- Ni:^{57}Fe, meas. of effective exchange fields at Fe impurities, mag. hyperfine splitting 4−6817
- Ni:Au(Ir) impurities spin orbit coupling, effect on impurity electron states 4−33148
- $Ni_{80}Co_{20}$:^{57}Fe, meas. of effective exchange fields, mag. hyperfine splitting at Fe impurities 4−6817
- $NiFe_2O_4$ thermal props. investigation from 300 to 800 K 4−20914
- $Ni_{1.425}FeTi_{0.475}Sn_{0.05}Li_{0.05}O_4$, cation distrib., ^{57}Fe Mossbauer obs. 4−12915
- NiMnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4−37530
- $Ni_xZn_{1-x}Fe_2O_4$, ferrite, non-collinear spin arrangment obs. 4−3847
- $NpAl_2(Ni_2)(Co_2)(Fe_2)(Ir_2)$, hyperfine fields and ordering temp. obs. 4−25040
- Os compounds:^{189}Os, spectra of 36.2 keV and 69.5 keV gamma rays, isomer shifts, quadrupole splittings 4−20918
- Pd-Co:Sn, effective mag. field on Sn nuclei, sign determ. 4−13372

Mossbauer effect continued
PdMnSb and Pd_2MnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4–37530
Pt (II) complexes, trans-influence, ^{129}I Mossbauer obs. 4–25032
Pt-Fe solid soln., ^{57}Fe vibr. freq. from second-order Mossbauer Doppler shift 4–1359
PtMnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4–37530
Ru_xP_y, Ru_xB_y, 89 keV gamma ray absorpt., cryst. struct., isomer shift, electron config. 4–41316
^{97}Ru, determ. of electron density at nucleus as function of chemical state 4–15712
Sb complex, $SbBr_3$ with aromatic compounds, Mossbauer effect, isomer shifts and quadrupole coupling constants 4–28735
Sb complex, $SbCl_3$ with aromatic compounds, Mossbauer effect, isomer shifts and quadrupole coupling constants 4–28735
^{119}Sb, radiochemical preparative method 4–33326
Se, cryst., glassy and finely dispersed, phonon spectrum of Sn impurities, Mossbauer obs. 4–20915
SiO_2, amorphous, elastic and inelastic scatt. of γ-rays investigation 4–33324
SiO_2-Na_2O-Fe_2O_3 glass system, Fe^{2+} content, Mossbauer spectra versus chem. anal. 4–13369
^{119}Sn conversion electrons, backscatter Mossbauer studies 4–18744
$SrEu_2Fe_2O_7$, tetragonal, mag. prop. obs., internal fields 4–24934
TaC, isomer shifts of γ-reson. of ^{181}Ta 4–25041
$TbFe_2$, ^{57}Fe nuclear spin configurations determ. 4–17011
$TbFe_{1-x}Cr_xO_3$, canted antiferromagnet, internal field at ^{57}Fe obs. *(Japanese)* 4–10359
Te, electric field gradient of ^{129}I, $^{125,129}Te$, quadrupole moment determ. 4–12151
^{125}Te, change in electron-cloud radius on excitation to 35.45 keV level, quantum chem. calc. 4–6819
Th:Er, impurity hyperfine coupling, exchange interaction 4–33321
^{232}Th, linewidth meas. for first excited state 4–25043
VO_2:$^{119}Sn^{4+}$, phase transition investigation, hyperfine mag. fields obs. *(French)* 4–37535
V_2O_3-Cr_2O_3 system: Fe^{57}, antiferromagnetic transitions, Mossbauer meas., temp. dep. of mag. field at Fe impurity 4–28624
W compounds, Coulomb excitation, recoil radiation damage 4–41317
W-Re dil. solid solns., defects in electronic struct. *(Russian)* 4–20908
W-Re solid solns., of ^{57}Fe, bonding obs. *(Russian)* 4–33308
$W_{1-x}Ta_xSe_2$, ^{182}W quadrupole splitting obs., electronic struct. 4–17007
Y_6Fe_{23}, of ^{57}Co, hyperfine interactions, spectra rel. to nearest neighbour mag. interactions 4–33323
YIG, hyperfine struct., mag. field at Fe nucleus meas. 4–13374
YIG, Si-substituted, temp. depend. of spin order investigation 4–20900
$ZnFe_2O_4$:^{57}Fe, electric quadrupole interaction meas., temp. depend. 4–25028
ZnO ceramic, of ^{119}Sn and ^{57}Fe, electronic charge states during switching obs. rel. to varistor applic. 4–37285
ZnO:^{57}Fe, II-VI luminophor, ^{57}Fe chem. isomer shifts 4–28736
ZnS:^{57}Fe, II-VI luminophor, ^{57}Fe chem. isomer shifts 4–28736
$Zr_{1-x}Mo_xFe_2$, hyperfine fields, comp. depend. 4–41315

Mossbauer spectra *see Mossbauer effect*

motion *see dynamics*

motion picture photography *see cinematography*

motors, electric *see electric motors*

motors, hydraulic *see hydraulic motors*

movements, atmospheric *see atmospheric movements*

moving coil microphones *see microphones*

μ-mesons *see muons*

multi-access systems
multi-user optical space communication systems, comparison 4–31093

multichannel analysers *see pulse height analysers*

multiperipheral models *see peripheral models*

multiphase flow
see also two-phase flow
aerosol, latex spheres, N_2-NH_3 mixture, diffusiophoresis, turbulent conditions 4–38092
air jet, frontal blowing through porous body, liq. evaporation, heat and mass transfer 4–32144
anomalous shear viscosity near critical point, nonlinear Navier-Stokes eqn. 4–30928
bubbles, in inviscid and incompressible liq., closed eqns. of motion *(Russian)* 4–40584
cavitation and polyphase flow, conf., Atlanta, USA (Jun. 1973) 4–12725
convective diffusion under steady-state laminar flow conditions, Peclet number effect 4–40595
dispersion, laminar flow, time-variable, transient multicomponent dispersion, soln. 4–32135
drop, conducting, in insulating fluid, flow field induced by periodic magn. field 4–32130
electrically augmented heat and mass transfer, industrial applicability 4–9687
exothermically reacting, gases, enclosed in cylinder, convection 4–9691
fluidised beds, freq. response, particle density and size effects 4–40560
fluidized bed, heat transfer coeff. between solid particles and gas 4–27886
gas absorption, second order reaction, approx. enhancement equations 4–16269
gas bubbles, growth, nonequilibrium effects due to solute diffusion in supersaturated solns. 4–40571
gas diffusivity meas. in power law non-Newtonian liquids 4–6209
heat transfer, plane turbulent jet incident on flat plate normal to flow 4–32098
hydraulic system with liq. capable of air absorpt., pressure transients, computer model 4–20045
kinetics of flowing, dispersions, oscillatory behaviour of particles in shear flow 4–16265

multiphase flow continued
kinetics of flowing dispensions, transient orientation and rheology of particles in shear flow 4–16264
levitation, of spherical particles in pulsating liquids, correl. of conditions 4–27909
liquid alkali metals, incipient boiling, inert gas effects 4–36676
liquid drops in stream, break-up by shock wave with triangular gas vel. profile *(Russian)* 4–27900
liquid film, absorption mass transfer, effect of axial diffusion 4–16200
liquid film, onset of turbulence over single sphere 4–16172
melt flow with solid reagents, e.m. treatment, hydrodynamic process simulation *(Russian)* 4–40600
naturally flowing streams, mass transfer 4–16252
pollution flow studies, conf., Atlanta, USA (Jun. 1973) 4–29387
polyphase flow for environmental protection 4–32129
solid particle falling in non-moving fluid, vel. estimation in horiz. pneumatic conveying lines 4–40588
sphere, small, in nonuniform stream of incompressible fluid, motion *(Russian)* 4–27894
spherical cavity stability, in acoustic field *(Russian)* 4–40585
spherical particle impaction on cylinders, moderate Reynolds numbers 4–40559
spherical second phase, growth law, simult. heat, multi-compt. mass transfer 4–16251
sublimating ice, in disperse soils, mass transfer in interaction with air flow 4–32138
supercritical liquid, turbulent flow, heat transfer 4–32028
suspension, gas, vert. stabilized flow 4–40591
thixotropy, differential form of constitutive relation 4–20054
three-phase flow, EHD shock waves, surface discontinuities *(Russian)* 4–40569
three-phase one-component mixture, flow eqns. in two models. 4–16262
turbulent, struct. of jet striking semipermeable barrier, press. and photographic investig. 4–32099
viscous sub-layer, effect on longitudinal dispersion 4–16255
water, superheated and subcooled, critical discharge through cylindrical passages, high pressures 4–32127
MgO dust-air, flow over ellipsoid of revolution 4–27915

multiphonons *see phonons*

multiple stars
see also binary stars
ADS 7251, pair of spectroscopic binaries, spectra and masses 4–26114
Aitken 1813 triple star, orbital elements, masses, ephemerides determ. 4–8028
Barnard's star, orbits and cosmogony of multiplanet system 4–26134
Barnard's star, perturbations rel. to orbiting planets 4–26117
Barnard's star, planetary system or multiple star 4–26135
BD + 66°34, triple star, astrometric analysis of 575 plates 4–14382
Cygnus X-1, triple system model of neutron star, early type star and supergiant 4–26130
extrasolar planetary systems around variable stars, photometric detection 4–34846
nearby stars of similar characteristics, possible interpretations 4–8065
β Scorpii occultation by Jupiter, structure of planet's upper atmosphere 4–42321
super dense star, nuclear reactions induced by macro-micro interactions 4–26126
triple systems, two, photographic position obs. made with 26 inch refractor, Pulkovo *(Russian)* 4–22412

multiplex transmission *see multiplexing*

multiplexing
Fourier transform spectroscopy 4–39231

multiplier phototubes *see photomultipliers*

multipliers, electron *see electron multipliers*

multipliers, frequency *see frequency multipliers*

multiplying circuits
analog cross correlation readout system for spectrometer using Si photodiode detector 4–153

multivariable control systems
air control radioactive aerosols *(German)* 4–42625
uranium product evaporator 4–5915

multivibrators
IC, monostable, for detection of i.r. laser pulses using oscilloscope 4–18482

muon capture
see also nuclear reactions and scattering due to muons
few nucleon systems, meson and nucleon-isobar effects 4–23667
in light nuclei, total capture rates, SU_4 breaking and allowed transitions 4–2818
muonic atom, difference in electronic and fission decay modes 4–31310
$N>Z$ nuclei, excitation of $T_>$, isospin components of giant dipole states 4–19278
nuclear, coincidence expts. 4–27362
μ^-, interaction with fissile elements 4–5862
μ^-, on nuclei, $\mu^\pm \to e^\mp$ transitions in gauge models of weak interactions 4–27091
$\mu^- d \to nn\nu_\mu$, capture rates and weak form factors in timelike region, PCAC 4–23499
$\mu^- d \to nn\nu_\mu$, capture-rate calc. from doublet and quartet states 4–23507
^{109}Ag, μ^- mesons, emission probabilities and multiplicity distrib. determ. 4–2821
Ar isotopes, electric charge radii, using muonic X-rays 4–2749
^{80}Br, μ^- mesons, emission probabilities and multiplicity distrib. determ. 4–2821
^{12}C, μ^- mesons, emission probabilities and multiplicity distrib. determ. 4–2821
^{40}Ca, Coulomb corrections to induced pseudoscalar term 4–2819
^{40}Ca, muon absorption, factorization method 4–9144
^{40}Ca, muon capture, emitted neutron longit. polarisation calc. 4–19387
^{14}N, μ^- mesons, emission probabilities and multiplicity distrib. determ. 4–2821

muon capture continued
- ^{16}O, Coulomb corrections to induced pseudoscalar term 4−2819
- ^{16}O, muon absorption, factorization method 4−9144
- ^{16}O, μ^- mesons, emission probabilities and multiplicity distrib. determ. 4−2821
- ^{238}U muonic atom, difference in electronic and fission decay modes 4−31310

muon decay
- energy-spectra of electrons and neutrinos, search for charged-neutral current interaction *(Russian)* 4−352
- equivalence principle for decay in e.m. field 4−19194
- non-local theory, effect of $\nu\nu$ interactions on spectrum 4−15471
- SU(2) × U(1) gauge model, radiative corrections to G_V/G_μ in simple extensions 4−39849
- $e\nu$ scattering, spin correlations, neutral current theory *(Russian)* 4−354
- γ-induced, spin correlations *(Russian)* 4−353
- $\mu \to e$, baryon conservation limit $> 2 \times 10^{30}$ yr. 4−27092
- μ^+ lifetime meas. in zero magnetic field with pulsed beam 4−15472

muon detection and measurement
- cosmic ray, obs. of parallel muons 1350 hg/cm^2 underground 4−42246
- cosmic ray, underground, phenomenological anal. of expt. results 4−42245
- low-energy cosmic ray muons, underground intensity meas., 96 to 985 hg cm^{-2} 4−7871
- μ^+ lifetime meas. in zero magnetic field with pulsed beam 4−15472
- π-μ separation in magnetic detector with 235g/cm^2 filter 4−39339

muon interactions
- *see also muon capture; nuclear reactions and scattering due to muons*
- polarised target, 200 GeV/c beam, design 4−22944
- γ-induced muon decay, spin correlations *(Russian)* 4−353
- μ^+ inelastic interactions, 5.0 GeV/c, nuclear emulsion study 4−31351
- $\mu^\pm N \to \mu^\pm +$ anything, charge asymmetry as test for neutral weak current 4−35969

muon production
- pair photoproduction, appl. of improved Weizsacker-Williams method 4−23504
- pair production in e^+e^- colliding beams outside equivalent photon approach, charge asymmetry *(Russian)* 4−15502
- pair production in inelastic electron-electron scatt. 4−36000
- pair production in $pp \to l^+l^- +$ anything 4−23587
- $e^+ + e^- \to \mu^+ + \mu^-$, asymptotic limit of ratio of cross section to σ (total) for $e^+ + e^- \to$ hadrons 4−35994
- $e^+e^- \to e^+e^-\mu^+\mu^-$, $\gamma\gamma$ annihilation in 2.7 GeV e^+e^- collisions 4−27105
- $e^+e^- \to \mu^+\mu^-$, 4 GeV, cross-section meas. 4−12041
- $e^+e^- \to \mu^+\mu^-$, α^3-contribution to angular asymmetry 4−23479
- $eN \to e + (\mu^+\mu^-) +$ hadrons, test for bilocal algebra 4−23492
- $K \to \pi\mu(e)\nu$ decay, and quark model commutators 4−19196
- $K^+ \to \mu + \nu\nu\nu$, search in counter expt., upper limit, reln. to $K^+ \to \mu^+\nu\gamma$ processes 4−8944
- $K^+ \to \pi^o\mu^+\nu$, exptl. study of decay Dalitz plot 4−8947
- $K_l \to \mu\mu$, $\pi\pi\gamma$ contrib. to absorptive amplitude 4−5600
- $\mu^\pm$ single production in $e^\mp$ beams, transitions in gauge models of weak interactions 4−27091
- $\mu^+\mu^-$, in $e^\mp e^-$ colliding beams, differential cross section, extension of equivalent photon approximation 4−27112
- $\mu^+\mu^-$ inclusive production in 22-29.5 GeV/c proton bombardment of uranium 4−5687
- $\nu p \to \mu +$ anything, 100 GeV, radiative corrections 4−8954
- pp high energy scattering, pair production application of light cone physics 4−5588
- $pp \to l^+l^- +$ anything, radiative correction, appl. to electron-muon symmetry 4−5690
- $pp \to \mu^-\mu^+ +$ hadrons, single muon distrib. calc. by parton model 4−12116
- $pZ \to \mu^- +$ anything, high transverse momentum 4−23583
- $pZ \to \mu^+ +$ anything, high transverse momentum 4−23583
- $pZ \to \mu^+\mu^- +$ anything, high transverse momentum 4−23583

muon scattering
- *see also nuclear reactions and scattering due to muons*
- $\mu\mu$ elastic scattering, fourth-order, gauge model, form factor divergence cancellation 4−2674
- μp, deep elastic scatt., 2.1 standard deviation difference from μ-e universality 4−27116
- μp, deep inelastic scatt., μ-e universality 4−27115

muonic atoms *see mesic and muonic atoms*

muonic molecules *see mesic and muonic molecules*

muonium
- Ramsey resonance, zero magnetic field, hyperfine interval 4−9474
- teaching paper on structure and h.f.s. 4−22707
- H atom, meson collision, muonium formation, electron capture cross-section, 10 keV-1MeV 4−19730
- He atom meson collision, muonium formation, electron capture cross-section, 10 keV-1 MeV 4−19730

muons
- *see also cosmic ray muons; mesic and muonic atoms*
- anomalous mass and interactions 4−5594
- biological effects of radiation, somatic mutations, induced in stamen hairs of Tradescantia clone 02, by relativistic muons 4−39087
- CERN μ storage rings, pulsed e.s. quadrupole focusing 4−14948
- Larmor precession of μ^+ in Ni, obs. at 300 and 77 K 4−28131
- magnetic moment, ambiguity in gauge invariant theories *(Russian)* 4−15483
- magnetic moment, anomalous, contribution from sixth-order double bubble diagram 4−39844
- magnetic moment, anomalous, contributions due to short-distance behaviour of QED 4−39843
- mass formula, empirical, stable hadrons and muons, improvement of evidence, $m \approx N \times 3m_e$ 4−2737
- parafermi model, μ-e universality from relativistic field theory 4−8906
- polarisation change in neutrino induced inclusive reaction, test of V-A weak interaction at high energy 4−23470
- polarisation in mesic atom, effect of longitudinal magnetic field *(Russian)* 4−36457

muons continued
- quark identification with leptons in Han-Nambu scheme 4−15468
- relativistic, retina exposure, visual sensations 4−8208
- stopping, in mag. semicond., phenomenological theory of depolarization 4−12966
- Weinberg model, calc. of (g-2) using dispersion approach *(Russian)* 4−15484
- $\mu^\pm \to e^\mp$ transitions in gauge model of weak interactions 4−27091

muscovite *see mica*

music *see humanities*

musical acoustics
- BBC studio, acoustic characteristics, subjective study 4−35113
- bell, group theory, vibration modes 4−18269
- education, monochords, computer program for monochord tuning 4−18311
- intonation problems in clarinet 4−18272
- octaves, and pitch, relationship 4−22577
- organ pipe, mechanism of sound production 4−42665
- piano wire, steel, singing, heat treatment and relax. process rel. to sound 4−7191
- sound reproduction, phase distortion and polarity, detection by ear, expt., results 4−30303
- sound spectra from wind instruments, physical characts. 4−22667
- speed of sound in bent tubes, wind instrument design 4−11362
- stringed instruments self-excited vibrations, influence of bow pressure *(German)* 4−39122
- tubes, hollow corrugated, musical props. 4−26343
- violin string, physics of bowing 4−42678
- wine bottle, flow-induced oscillations 4−14730
- woodwind tone colour, causes 4−30304

musical instruments
- clarinet, intonation problems 4−18272
- kettledrum, vibration of circular membrane backed by airtight vessel 4−14743
- organ pipe, mechanism of sound production 4−42665
- self-excited vibrations of stringed instruments, influence of bow pressure *(German)* 4−39122
- speed of sound in bent tubes, wind instrument design 4−11362
- wind, physical characts. of sound spectra 4−22667

N-body problems
- *see also celestial mechanics; many-body problems*
- 3-body, breakup reactions, distorted wave impulse approx. 4−2855
- artificial satellite attitude stability in restricted three-body problem 4−42287
- Bendixson theorem and restricted three-body problem *(Italian)* 4−38605
- collision singularities in gravitational problems 4−42256
- cometary orbit evolution in Sun-planet-comet problem 4−4760
- computer simulations, theoretical aspects rel. to stellar dynamics 4−42273
- elliptic restricted problem, fourth order stability analysis of the triangular points 4−42269
- e.m. wave multiple scattering, recurrent Green's functions 4−26798
- generalized problem of three rigid bodies, particular solutions *(French)* 4−29796
- gravitational system, global existence, uniqueness theorem 4−14266
- integral invariants and stability phenomena *(French)* 4−17900
- integration scheme based on fourth-order polynomial 4−42274
- invariant toroids of N-dimensions, in classical dynamics, variational principles 4−39494
- Keplerian motion, differential eqn. stabilization 4−42258
- Levi-Civita problem, paricular solns. 4−42259
- Newtonian three-body problem, periodic elliptic motion 4−42264
- numerical integration by Taylor series methods, programming language considerations 4−14289
- numerical stabilization of conservation laws 4−14276
- perturbed Kepler problem, regularization using time-transformation only 4−42257
- perturbed two-body problem, linear theory, regularization 4−42255
- planar periodic orbits of 3 bodies, using second and third variational eqns. 4−42268
- Poincare hypothesis on three-body problem, generalization for dynamical system with stable closed orbits 4−42265
- restricted 3-body problem, Hamiltonian quadratic terms 4−29793
- restricted 3-body problem, transition trajectories between stable periodic orbits *(Polish)* 4−11100
- restricted 3-body problem, vertical stability of plane periodic orbits 4−4663
- restricted four-body, three dimensional zero velocity contours 4−14284
- restricted three body, vertical stability of periodic orbits 4−14281
- restricted three-body, three dimensional zero velocity contours 4−14284
- restricted three-body problem, periodic solns. of Keplerian rectilinear periodic motions *(Russian)* 4−4665
- restricted three-body problem, stability of orbits for Hill's limiting case 4−25916
- special perturbation methods, use of recurrence relations 4−42261
- stability of flattened galaxies, evolution of N-body simulated system 4−14464
- stellar system dynamical evolution 4−42275
- subdynamics in Prigogine classical mechanics 4−39499
- three, reserved collision paths in circular space restricted problems 4−2466
- three body problem, equation of motion using relative coordinates 4−4667
- three body problem, evolution of class two family of periodic orbits 4−4668
- three body restricted problem, with rigid dumb-bell satellite 4−14287
- three dimensional elliptic problem 4−42266
- three dimensional restricted problem, second and third order variations 4−42267
- three gravitationally interacting point masses, inherent instability 4−42263
- three-body, planar circular restricted problem, periodic symm. solns. 4−14272
- three-body, restricted elliptic, stability, Lagrangian soln. *(Russian)* 4−14286

N-body problems continued
three-body, restricted elliptical, eqns. of variation separation into Hill's eqn. 4−11097
three-body elliptical restricted problem, variational eqns. *(German)* 4−14270
three-body gravitational problem, triple close approaches 4−14267
three-body problem, conditions for escape or retention 4−29794
three-body problem, with oblate spheroid, periodic orbits of collisions 4−26767
three-body problem, zero force const., rectilinear trajectories *(French)* 4−14268
three-body problem of artificial lunar satellite *(French)* 4−7933
three-body rectilinear restricted problem, isosceles case 4−14271
two connected bodies, three-dimensional motion in elliptical orbit in central Newtonian gravitational field 4−7878
two-body motion, general soln., KS-transformation deriv. 4−14285
two-body problem with variable mass, systems of osculating elements *(Russian)* 4−4666
two-body scattering, classical, long range forces, wave operators, cluster props. 4−18850

N/D method
coupled channel N/D approach to reactions involving lightly bound fragments 4−2836
Fredholm approximates, solns. 4−30851
multi-channel approach to overlapping resonances in two-body channels, unitary formalism 4−8987
optimisation of equations, CDD poles, inelasticities 4−35961
stable analytic continuation and unitarity 4−27074
three body resonances, coupled channel approach 4−2824
three-body systems, overlapping resonances, isobar approx. 4−23525
p e.m. form factor, data analysis and asymptotic behaviour 4−23474
pp reactions, $^1D_2$, 600 MeV, three-channel N/D method 4−8999
$\pi\Delta$ system dynamics, ρ-exchange, partial wave analysis, D_{15}(1670) and S_{11}(1535) resonances 4−23590
πN, $I=J={}^1._2$ state, CDD-pole parameters 4−2706
πN scattering, D_{13} wave dynamics 4−15543

NAND gates *see logic gates*

natural gas technology
cavities for crude oil storage, thermochemical effects model 4−19633
flowmeter, gauge differential, for pipeline conveyed natural gas *(Rumanian)* 4−23069
Gasbuggy chimney production testing (May 1973) 4−19632
hydraulic fracture as method of gas stimulation 4−19619
nuclear explosive fracturing as method of gas stimulation 4−19619
nuclear natural gas stimulation, Project Rio Blanco, well testing 4−19622
nuclear natural gas stimulation, Rio Blanco, gas flaring, diffusion study 4−19624
nuclear stimulation, description of Project Rio Blanco 4−19620
nuclear stimulation, environmental considerations 4−19616
nuclear stimulation, legal and administrative aspects 4−19615
nuclear stimulation, Project Rio Blanco, gas quality analysis 4−19623
nuclear stimulation, regional supply plans 4−19618
nuclear stimulation, Rio Blanco project, hydrological changes 4−19625
nuclear stimulation, social acceptance of Rio Blanco Project 4−19617
nuclear stimulation, survey of economic prospects 4−19614
seismological velocity data, Rio Blanco experiment 4−19627
soil pore pressure, transient motion meas., Rio Blanco project 4−19630
soil pore pressure increase, liquefaction, Rio Blanco project 4−19629
spall measurement, Rio Blanco experiment 4−19626
structural damage, bracing in Rio Blanco experiment 4−19628

natural resources
see also agriculture; dams; energy resources; mining; water supply
cartographic accuracy of ERTS 4−42189
control of weather, review 4−4516
deep ocean, principles of exploration and utilisation 4−4645
Delaware River, dam and estuary, mathematical model for water resources 4−25630
development, Skylab and ERTS satellite orbital imagery applications 4−25860
Earth resources aircraft facility 4−34498
Earth Resources Technology Satellites, high resolution multispectral camera system 4−25861
ERTS program, operational characteristics 4−42215
geothermal well, Mesa 6-2, Imperial Valley, California, preliminary results 4−21754
geothermal well, two-phase steam-water flow, computer calculated deliverabilities 4−21751
geothermal wells, flashing flow, calculations and comparison with field data 4−21752
hydrocarbon detection with seismic records 4−25557
hydrological simulation model, flood prediction, remote sensing 4−22909
Lake Sevan, USSR, secular water storage for power generation and irrigation purposes 4−14094
limestone resources in Alberta 4−38213
London basin, artificial recharge of underground water and rivers 4−29533
magnetite detection using r.f. radiography, 0.4 to 1 MHz, in boreholes *(Russian)* 4−38521
marine nodules project, processing 4−4644
measurement of oil at sea, simple ultrasonic technique 4−18260
mineral exploration using audio frequency magnetotellurics 4−34495
oceanic, manganese nodule distribution, stations and cruise patterns of R.V. 'Valdivia' 4−7646
oil, North Sea, discovery and exploration *(German)* 4−17889
oil, offshore exploration, integration of marine seismic and magnetic and aeromagnetic methods 4−25886
oil occurrence, dependence on climate and tectonics 4−34129
remote sensing, satellite imagery *(German)* 4−38518
remote sensing applic. of real-time data processing 4−34527
remote sensing data tests 4−42186

natural resources continued
sensor m.t.f., rel. to specification 4−7804
subsurface natural resources, mapping by pseudonoise cross-correlation 4−34528
sulphide ore bodies, magnetic characteristics, anomaly selection for exploration 4−29483
surface water, effects of irrigation and streamflow control 4−14091
survey needs for Europe, satellites for Earth scientist 4−34156
surveying by satellite, ERTS 1 multispectral scanner 4−34499
teledetection, BRGM activities *(French)* 4−7807
teledetection, CERGH activities *(French)* 4−7809
teledetection from balloons and satellites, image processing and photointerpretation *(French)* 4−7808
urban water resources in Detroit area rel. to rainfall patterns in Detroit rel. to urban water resources 4−25660
water, environmental monitoring, low cost towable underwater system 4−17878
water, use of satellite TV pictures for hydrological purposes 4−14093
water management and hydrological forcasting in USSR 4−14139
water monitoring by airborne optical radar 4−11078
water quality estimation, hydrochemistry and hydrodynamics 4−14717
water quality monitoring for rivers and seas, automatic shipborne system 4−15092
Mn nodules, exploration techniques, R.V. Valdivia 4−17862
Mn nodules, type and distribution, RV Valdivia North Pacific cruise 4−17887
Mn nodules, X-ray spectrometry analysis *(German)* 4−17888

natural rubber *see rubber*

natural sciences
see also astronomy and astrophysics; biology; chemistry; geology; mathematics; physics
development, predictability, general systems model 4−8275
independent learning for 11-14 yr olds, review particularly of ISCS project 4−30322

naval engineering
see also marine systems
acoustical designing 4−22654
under sea, bottom mounted winch controlled instrumentation, design and reliability 4−17873
u.s., focused imaging system for depths down to 6 km. 4−14740
US Navy Navigation Satellite, time transfer and geodetic expts. 4−29741

Navier-Stokes equations
aerosol impactor, laminar flow, fluid mechanics of 4−40597
atmospheric turbulence, decaying, isotropic, error energy by computer simulation 4−10903
boundary layer, qualitative theory 4−6174
boundary layer, separated supersonic, plate-injection, transition regions 4−24208
boundary layer flow around circular cylinder 4−36640
boundary layer viscous flow, past circular and elliptical cylinders, heat and momentum transfer 4−27804
boundary values for smooth nonintersecting fins 4−16209
chemically reacting gas mixtures, exact soln. *(Russian)* 4−6220
circumpolar flow in Antarctic, nonlinear rotating source sink flow 4−17666
collision efficiency of water drops in clouds 4−17728
compressible gas, numerical solution for high Reynolds numbers *(Russian)* 4−12701
condensation, laminar film, inclination effect 4−32013
convection, inclined fluid layer, buoyancy driven flow, longit. convection rolls 4−24185
convection in closed, axially symmetric cylinder, numerical method 4−18998
cooling tower plumes, two-dimensional dynamic model for eqns. of motion, continuity and transport 4−25720
countercurrent gas centrifuge, purely axial flow anal. *(German)* 4−12683
difference methods, high Reynolds numbers 4−32049
fluid network analysis 4−32011
hydrodynamic interaction, time depend. motion, anal. of rigid dumbbell 4−32103
hypersonic flow, radiating merged shock layer near blunt-body stagnation layer 4−27864
inertial impactor, flow fields 4−26660
isotropic turbulence, Heisenberg type viscosity interpretation of nonlinear integral eqns. 4−32031
laminar incompressible flow past paraboloid of revolution, numerical soln. 4−27801
liquid and gas flows, asymptotic and difference methods for soln. of eqn. 4−36641
liquid crystal, basic equations *(Japanese)* 4−36801
liquid film, laminar flow on rotating disc, asymptotic soln. 4−32070
multicomponent fluid, phenomenological eqns. in nonequilibrium thermodynamics 4−16168
Newtonian fluid flow through contraction 4−32010
non-Newtonian flow between porous discs, singular perturbation problem 4−24224
nonlaminar flow, porous walls, Reynolds stress, vel. profile 4−32068
nonlinear, for multicomponent fluid system, anomalous shear viscosity near critical point 4−30928
osmosis, anomalous, exact soln. for fluid flow across ion-exchange membrane 4−10786
regularization method, convergent difference schemes 4−36611
separated flow around sphere, transient state analysis 4−27838
spherical harmonic analysis in MHD, e.m. induction of Earth's core 4−38277
spherical particle impaction on cylinders, moderate Reynolds numbers 4−40559
stationary flow of viscous incompressible fluid around rot. cylinder *(French)* 4−24196
steady-state solution for complicated flows, partial implicitization of difference eqns. 4−24166
step in a flat plate causing instability of laminar flow 4−3280

Navier-Stokes equations continued
supergranules, depth determ. by analytic solns. of Navier-Stokes eqns. 4—17910
Taylor vortex flow, time-depend. eqns. of motion integration 4—27840
thermokinetic processes, use of Coleman theorem *(German)* 4—18860
time-dependent incompressible, numerical soln. using integro-differential eqns. 4—27800
unsteady, including multicomponent finite rate chem., soln. using finite difference technique 4—27799
unsteady viscometric flow, Laplace transform analysis 4—40378
unsteady viscous flow due to impulsive motion of flat plate, with special ref. to final period 4—16203
viscous fluid, heat transfer, turbulent and vortex flow 4—32027
viscous fluid, Oseen solution for swirling flow past sphere 4—16194
viscous fluid flow around bodies at large Reynolds numbers *(Russian)* 4—3275
viscous fluid flow around porous circular cylinder *(French)* 4—36680
viscous layer flow, numerical solns. *(French)* 4—923
viscous shock layer flow in the windward plane of cones at angle of attack 4—9678
von Mises variables for free boundary problems 4—12696
wake flow, asymptotic behaviour, stationary solns. 4—12711

navigation
see also inertial navigation; laser beam applications; radionavigation; sonar; tracking
coordinates determ. of object in motion on Earth's surface *(Russian)* 4—39504
Doppler sonar systems *(French)* 4—30409
geophysical exploration, system requirements 4—25834
geophysical navigation systems, usage and accuracy 4—7819
gyroscopic angular velocity sensors, external mechanical interference reduction *(Russian)* 4—35627
instruments, cryogenic suspensions theory 4—18399
integrated geophysical offshore systems, overall accuracy 4—11054
marine, tracking and ranging systems using semiconductor lasers *(Japanese)* 4—11971
marine, transponder location acoustic technique, real time least square computing algorithm 4—22666
precision requirements for exploration vessels *(French)* 4—34560
of robot underwater vehicles by acoustic signals 4—14238
satellite navigation data reduction technique 4—11032
ship, acoustic, coast and harbour 4—22665
space vehicle, Mercury orbiter, Venus swingby, 1977-1978 mission design 4—25918
u.s. underwater ranging and bearing indication, time difference methods 4—22780

nebulae
see also galaxies; planetary nebulae
abundances rel. to evolution 4—14372
B96 reflection nebula in Taurus, polarimetric photographic obs. 4—4835
Barnard objects, optical data for eight dark areas 4—42488
Be- and Ae-type stars, CO radio emission from associated nebulosity 4—8003
Carina, dynamical model rel. to molecular obs. 4—34952
Carina, OH 1667 MHz absorption map rel. to obscuring dust 4—34951
η Carinae (NGC 3372), associated young open cluster comprising Trumpler 14 and 16 clusters 4—14481
Corona Austrina dark cloud Herbig-Haro object, spectrum of assoc. i.r. source 4—30099
Crab, 4170 MHz radio waves for Taurus A solar corona magnetic structure 4—11125
Crab, anomalous effect in and of γ-rays pulsed at pulsar period 4—34891
Crab, calc. of size of ionized region 4—18060
Crab, dependence of emission intensities on abundances 4—18056
Crab, distance from various methods 4—14518
Crab, gamma-ray emission above 20 MeV 4—26150
Crab, internal structure rel. to radiowave polarization var. with wavelength 4—34953
Crab, interplanetary scintillation obs. at 73.8 MHz 4—22460
Crab, interstellar absorption of low energy X-rays 4—14515
Crab, particle acceleration in extended non-thermal sources 4—14293
Crab, review of present information 4—14512
Crab, soft X-ray absorption 4—38854
Crab, synchrotron model for continuum spectrum 4—14516
Crab, toroidal magnetic field and relativistic particles 4—38851
Crabs, X-ray spectral features in 15-300 keV range 4—11254
dark clouds, red, blue and u.v. interstellar lines 4—18055
discrete sources, integral radiowaves, Faraday depolarisation *(Russian)* 4—18019
dust grains in reflection nebulae 4—42492
Gum, gas composition towards Puppis from u.v. interstellar absorption lines 4—2139
H2-3, i.r. emission from H II region in 1.65-25 μ range 4—38907
Horsehead, Hα and NII obs. of bright rim 4—8094
Horsehead, N II/Hα ratio towards bright rim 4—42497
hot stars as excitation sources for small Galactic nebulae 4—14513
IC 1318, radial vels. of H_{α} and [N II] lines *(French)* 4—34950
IC 1470, and central star, i.r. obs. 4—4834
IC 2220, i.r. obs. of red giant HD 65750 in reflection nebula 4—22402
IC 405, radial vels. of H_{α} and [N II] lines *(French)* 4—34950
interstellar NH_3, relative antenna temps. for sources in galactic nuclei and nebulae 4—14500
Kleinmann-Low nebula in Orion, high resolution i.r. maps 4—18057
L1630, diffuse dark nebula, CO emission at 2.6 mm 4—18058
NGC 1999 arc shaped nebulosity surrounding V380 Orionis, photographic surface photometry 4—18059
NGC 2261, bright cometary nebula surrounding R Monocerotis, photographic surface photometry 4—18059
NGC 3372, diffuse nebula, description of region surrounding η Carinae *(Spanish)* 4—30076
NGC 6523 diffuse nebula gas to dust ratio from electron density radio obs. 4—8095

nebulae continued
NGC 6888, expanding shell interaction with interstellar medium, monochromatic photographs 4—34827
NGC 7027, narrow band photography, exciting star identification 4—8097
NGC 7635, and central star, i.r. obs. 4—4834
non radio emitting Sharpless H II regions, nebular structure 4—26171
North America, H 166 α studies 4—14508
ρ Ophiuchi complex, $^{12}C^{17}O$ radioemission line at 112 GHz, $^{17}O/^{18}O$ ratios 4—18053
Orion, $^{12}C^{17}O$ radioemission line at 112 GHz, $^{17}O/^{18}O$ ratios 4—18053
Orion, CO system, thermalization, excitation temp. 4—18048
Orion, discovery of emission-line object, Herbig-Haro object 4—14408
Orion, H 42 α obs. at 85.6884 GHz 4—14514
Orion, HDO search, H_2O/H_2CO ratio 4—14503
Orion, I.R. linear polarisation obs. 4—22461
Orion, isotopic abundances in molecular cloud 4—8096
Orion, Kleinmann-Low nebula, high resolution i.r. maps 4—18057
Orion, large scale line splitting of N II 6584 Å forbidden line 4—22458
Orion, low resolution spectrum in 60-300 μ range 4—42496
Orion, spectrophotometry, line and continuum strengths rel. to model 4—14517
Orion, temp. and ionisation structure from photoelectric photometry 4—22459
Orion A, microwave spectroscopic mapping of H, He, and C 4—14510
Orion Nebula, internal dust using H and radio spectra with reddening law 4—26173
polarization of light from stars connected with filamentary nebulae *(Russian)* 4—14361
reflection nebulae, depolarization effect 4—42495
reflection nebulae, u.v. surface brightness and interstellar grain albedo 4—42493
Rosette, gas motion observation 4—11248
Rosette, H 166 α studies 4—14508
Rosette, unusual i.r. source, possible obscured protostar 4—8055
Sagittarius B2, microwave spectroscopy of H92α radio recombination line 4—14511
Sagittarius B2, mm emission lines of polyatomic molecules 4—8087
Sh 228 optical nebula, i.r. photometry, evidence for compact H II region 4—18027
Sh 2-255, 257 and 269, spectra of compact optical regions 4—26172
Simeiz 59 (Sharpless 104), velocity meas. rel. to supernova remnant 4—42490
solar, catalytic reactions forming organic compounds of meteorites 4—38737
Southern Coalsack, UBVRI extinctions and masses for six globules 4—42491
Southern Coalsack dust cloud, search for H I atoms 4—42487
southern reflection nebulae, two-colour survey 4—42494
young Orion-type, density and velocity fluctuations 4—42489
NH_3 in dark interstellar clouds, radio obs. 4—18052

Neel temperature
see also antiferromagnetism; ferrimagnetism
copper phthalocyanine, low temp. sp. ht. obs. 4—3841
cubic lattice, with half-filled band, Hubbard model 4—37393
Heisenberg antiferromagnet, calc. using Green function theory 4—16897
Heisenberg antiferromagnet, f.c.c., nearest neighbour 4—13282
Heisenberg antiferromagnets, calc. and meas. 4—24944
ionic solid, with 3d or 4f cation, mag. ordering, exchange-perturbation treatment 4—24904
metal, temp. depend. of thermoelec. power near Neel temp., calc. 4—28623
rare earth aluminium intermetallics, R_2Al type *(French)* 4—41186
rare earth dielectrics, superexchange interaction theory *(Russian)* 4—20768
rare earth metals, spin correlation features 4—13303
rare earth vanadates and phosphates, flux growth, Jahn-Teller distortion, antiferromag. transition 4—21188
rare earth-magnesium alloys, LnMg, susceptibility and magnetization obs. 4—1305
resistivity anomalies, near Neel temp., due to crit. scatt. 4—24958
spin wave damping mechanism, helical antiferromag. 4—37432
TMMC, sp. ht. discontinuity correl., mag. entropy determ. 4—37412
u.s. attenuation, effect of magnetic field near Curie, Neel temps. 4—33231
CoO, elastic const. meas., transition width determ. 4—37413
Cr, thermoelec. power in vicinity of Neel temp. 4—24953
Cr-Fe-Sn Invar alloy, antiferromagnetism, comp. depend. *(Japanese)* 4—3885
Cr-Se systems, antiferromag. meas. 4—6717
α-Cr_2O_3, determ. from e.p.r. spectra temp. relationship 4—37410
Cr_2S_3 single crystal, elec. resist. anomaly 4—6623
$CuWO_4$, e.p.r. line broadening, temp. depend., short range order *(Russian)* 4—24986
Dy, hydrostatic pressure effect on magnetic ordering temps. 4—30435
$EuSn_3$, mag. ordering around 38K, susceptibility and resist. obs. *(French)* 4—20770
$FeCl_2$, magnetoelastic coupling props., press. depend. *(French)* 4—20819
$FeCl_3$-graphite, susceptibility temp. depend. meas. 4—41187
$\gamma Fe_{0.5}Mo_{0.5}$, itinerant antiferromagnet, crit. scatt. of neutrons, quasielastic 4—10270
Fe_2TiO_4, flux growth from BaO-B_2O_3 in iron crucible, mag. characteriz. 4—13563
$GdCrO_3$, mag. interactions, between ions, mag. reson. obs. *(French)* 4—3892
GdSb, resistivity meas., effect of crit. fluctuations above Neel temp. 4—10130
$HoAsO_4$, magnetic susceptibility meas. in Neel temperature region 4—24933
HoSb, resistivity meas., effect of crit. fluctuations above Neel temp. 4—10130
$KFeF_3$, Mossbauer obs. of mag. states, and appl. of model to $RbFeF_3$ 4—25039

Neel temperature continued
- $La_2Fe_2S_5$, ~11K *(French)* 4−33139
- $LaVO_3$, sp. ht. meas., λ-anomaly 4−37421
- MgO-NiO solid solutions, e.p.r., conc. depend., antiferromag. 4−6785
- Mn-Al, antiferromag. disordered hexagonal ε-phase, 90K Neel temp. *(French)* 4−3842
- MnO, mag. neutron scatt. investigation 4−37422
- Mn_3O_4-$NiMn_2O_4$ system, ferrimag. props. 4−41189
- Mn_5O_8, susceptibility obs. 4−6719
- $MnSeO_4$, high-pressure polymorph, antiferromag. struct. below 20.5 K Neel temp. 4−6735
- Mn_3SnN, magnetic structure, Landau theory 4−6739
- MnTe, antiferromag. semicond., phonon i.r. absorpt., temp. depend. at Neel point 4−37418
- NiO, antiferromag. nonrigid lattice, neutron diffr. 4−24941
- NiS, hexagonal, transition temp. region behaviour 4−24794
- Pd-Mn-Te alloy, mag. susceptibility *(Japanese)* 4−3837
- $TbAsO_4$, 1.50K paramag. to antiferromag. transition, cryst. props. 4−6726
- $TbCu$-YCu system alloys, temp. and conc. depend. *(Russian)* 4−33140
- TbOOH, antiferromag., mag. struct. meas. 4−32511
- UO_2, UO_2-ThO_2, first-order mag. transition, thermal expansion obs. 1.5 to 35 K 4−33157

negative feedback *see feedback*

negative feedback control systems *see closed loop systems*

negative resistance
- semiconductor plate, with negative a.c. mobility, diffusion effect on small signal stability 4−28415
- Al-Al_2O_3-Au, defect effect, ambient O_2 absorpt., voltage depend. 4−20700
- Au-GaP diodes, spectral changes in electroluminesc. at 77 K 4−10491
- CdS, photosensitive cryst., moving temp.-elec. domains obs. 4−13207
- CdSe powder, threshold voltage reduction rel. to irradiation wavelength, obs. 4−10161
- GaAs, photocurrent l.f. domain oscill. mechanism 4−28424
- GaAs-Au, polycryst., Schottky barrier, switching and negative resistance effects 4−37310
- $In_xGa_{1-x}Sb$ crystal, Gunn effect 4−37246
- Si p-i-n polycrystalline junction, elec. props. 4−20678
- ZnSe:Cu, Ga, film, i.r. effect on moving high field domains 4−20627

negative resistance effects
- *see also Gunn effect*
- five-layer p-n-p-n-p structure, inversion phenomena *(Russian)* 4−37303
- II-VI semiconductor, negative differential resist. rel. to hot electron enhanced radiative capture 4−41075
- III-V semiconductor, negative differential resist. rel. to hot electron enhanced radiative capture 4−41075
- Josephson junction, current controlled, highly damped junction 4−6693
- Joule heated semicond. thin film. 4−20615
- semiconductor thin film, substrate effects, theory 4−24748
- Al-Si sputtered junction, stress effect on current-voltage characteristics 4−16823
- n-$Al_xGa_{1-x}As$, negative resistance of conductive epitaxial layers *(Russian)* 4−1240
- AlN, film, obs. in Al-AlN-Au diode, voltage controlled 4−21183
- a-As_2SeTe_2, amorphous film sandwich struct. thermal bringing at turn-over 4−20657
- Cd_3As_2, negative longitudinal magnetoresistivity meas. at 300K and 84K 4−24760
- $CdIn_2S_4$, memory effect obs. 4−41100
- $CdIn_2S_4$, negative magnetoresistance effect 4−28428
- CdS:Cu, emission of trapped holes, appl. to negative differential cond. 4−28422
- n-Ge, transverse negative differential cond., two-valley models for static, dynamic props. *(German)* 4−1241
- Ge:Ga, impact ionisation, current-voltage characts., sample size and mag. field effects, 4.2 K 4−24754
- InAs:Zn(S), negative magnetoresist., mag. centres, mag. moments, impurity compensation 4−20637
- n-InP, high-resist., rel. to trap-controlled current oscills. 4−6632
- InSb, l.f. oscillations 4−16760
- p-InSb:Ge, non-equilib. photoelectrons under quantising mag. field, alternating oscills. 4−37277
- $LaMnO_3$, divalent ion substitution, double exchange, negative magnetoresist. in ferromag. region 4−6641
- Nb, superconducting point contact, conductivity phase depend. 4−20734
- Si:P, negative magnetoresist. 4−20554
- p-Zn_3As_2, negative magnetoresistance, mechanism 4−10165

negative temperature coefficient thermistors *see thermistors*

nematic phase *see liquid crystals*

neodymium
- glass:Nd^{3+}, inhomogeneously broadened luminesc. line, spectral migration effect 4−37682
- laser, cavity loss parameter meas. 4−8822
- laser, pulsed, undamped reson. spiking by internal modulation, cavity loss modulation 4−19115
- laser, thin film, distrib. feedback and distrib. Bragg reflector, principles 4−31045
- laser, two-frequency 4−8823
- lattice parameters, small grained wires, sample prep. effect 4−24413
- liquid, Hall coeff. and elec. resist. *(German)* 4−1222
- ring-laser, solid-statte, influence of diffraction elements on free pulse generation *(Russian)* 4−35876
- sodium borosilicate glass: Yb(Nd), energy transfer between rare earth ions during microlayering 4−10474
- thermal expansion coefficient, low temp. anomalies, mag. ordering lattice deform., 2-50K 4−16926
- X-ray emission, reemission transitions, 4d subshell ionisation, $N_{4,5}$ band 4−25194
- Ag:Nd, Hall effect obs. between 1.2 and 40 K, contrib. of skew scatt. 4−13172

neodymium continued
- CaF_2:Nd^{3+}, high resolution absorption spectra, 4f→5d transitions 4−25145
- $CaSc_2O_4$:Nd^{3+}, absorpt. and fluoresc. spectra 4−28906
- $CaWO_4$:Nd^{3+}, e.s.r. linewidths 4−33251
- $CaWo_4$:Nd^{3+}, temp. shift of Nd^{3+} energy levels, 77 to 500 K 4−24710
- $CeCl_3$:Nd^{3+}, 1.065 μm laser emission, performance, appls. 4−35853
- $GdAlO_3$:Nd^{3+}, optical absorpt. spectrum, obs. of Zeeman effect 4−21030
- glass-ceramic:Nd^{3+}, dependence of fluorescence quantum yields upon comp. of host material 4−13505
- $LaCl_3$:$^{143}Nd^{3+}$, photoexcited states of $^{143}Nd^{3+}$, e.p.r. obs. 4−24993
- $LaCl_3$:Nd^{3+}, photoexcited e.p.r., i.r. levels, rapid relax. 4−37486
- $LaPO_4$:Nd^{3+}, cryst. growth and luminesc. characts. 4−13495
- ND:YAG, efficient freq.-doubled, single-freq., laser resonant cavity designs 4−19111
- Nd, Cr:YAG, sun-pumped laser, laboratory model 4−8830
- Nd glass laser, high pressure gas cell, O_2 collisional deactivation 4−12644
- Nd glass laser rod, colour centre distrib. effect on generation 4−8824
- Nd II, optical isotope shifts, specific mass shift, nuclear charge distribution change 4−5948
- Nd: glass laser, multimode transient processes with homogeneous broadening 4−11936
- Nd: glass laser, space-time distrib. of radiation for ~1 ms generation, influence on interaction with matter *(Russian)* 4−2629
- Nd:CaLa silicate oxyapatite laser, pulsed mode locked oscillation, characteristics 4−26984
- Nd:CaLaSOAP, high average power testing, continuous laser appl. 4−8832
- Nd:$Gd_3Sc_2Al_3O_{12}$, c.w. laser action, growth and optical props. 4−15365
- Nd:glass, i.r. laser, new dye solns. for mode-locking 4−22895
- Nd:glass, laser emission, spike intensity, effect of thermal blooming in liquid filter 4−5091
- Nd:glass and ruby in common resonator, two-freq. laser 4−39746
- Nd:glass laser, calcs. of induced-emission cross sections 4−31037
- Nd:glass laser, dispersional resonator to control spectral and kinetic characts. 4−8841
- Nd:glass laser, high-power, uniform output energy density 4−31041
- Nd:glass laser, LiD target irradiation, plasma production, stimulated backscattered radn. 4−12795
- Nd:glass laser, multiaperture plane mirror attachment 4−30505
- Nd:glass laser, parametric oscill., intracavity harmonic generation, high efficiency 4−11940
- Nd:glass laser, passive Q-switch conditions *(German)* 4−23342
- Nd:Glass laser, phase relations between longitudinal modes 4−11937
- Nd:glass laser, picosecond pulse evolution, self-phase modulation effect 4−19117
- Nd:glass laser, pulse shape control with erythrosene in acetone soln. 4−11531
- Nd:glass laser, Q-switched, single mode diffr. limit operation 4−23337
- Nd:glass laser, Q-switched, multimode pulse, multiphoton ionisation of Xe atoms 4−27543
- Nd:glass laser, self Q-switching, unstable resonator 4−23339
- Nd:glass laser, short pulse production for laser-plasma interactions *(German)* 4−24301
- Nd:glass laser, temporal characteristics, effect of cavity configuration and active medium position 4−15367
- Nd:glass laser for aerospace applications 4−5502
- Nd:glass laser oscillator, mode-locked, self-focusing 4−15364
- Nd:glass laser pulse amplification, nonlinearity effect on output 4−26983
- Nd:glass rods, optically pumped, meas. of lens action *(German)* 4−23341
- Nd:glass subnanosecond amplifier system, characts., fusion appl. 4−31040
- Nd:$POCl_3$-$SnCl_4$ liquid laser, passive Q-switch, self-oscillation mode operation 4−15360
- Nd:SiO_2 lasers, end pumped fibre geometry, room-temp. operation 4−302
- Nd:YAG, c.w., longit. mode selection and stabilization by cavity component spacing 4−31056
- Nd:YAG, c.w. laser, simultaneous Q-switching and mode-locking 4−5504
- Nd:YAG, c.w. solid ring laser, characts. 4−39759
- Nd:YAG, mode locked laser pulse prod. using glass filter absorber 4−11529
- Nd:YAG crystal, rupture stress, elastic modulus meas., surface var. 4−7386
- Nd:YAG laser, acousto-optic modulation of output, fibre optical communication appl. 4−54
- Nd:YAG laser, efficiency increase for acousto-optic Q-switch 4−8390
- Nd:YAG laser, electrooptic versus passive dye Q-switches 4−8389
- Nd:YAG laser, end-pumped miniature, performance, analytical model 4−35857
- Nd:YAG laser, frequency stability, single freq. operation 4−26980
- Nd:YAG laser, high pressure gas cell, O_2 collisional deactivation 4−12644
- Nd:YAG laser, K-Rb lamp-pumped, conductively cooled 4−8829
- Nd:YAG laser, Kr arc pumped, cavity acousto-optical dumping 4−8840
- Nd:YAG laser, optimum conc. of Nd 4−5503
- Nd:YAG laser, single diode end pumped, miniature size 4−304
- Nd:YAG laser, thermo-optical perturbation of intracavity elements 4−31055
- Nd:YAG laser rod, thermally induced focusing at low input powers 4−15362
- Nd:YAG mode-locked freq.-doubled laser 4−23343
- Nd:YAlG, u.v. irradiation rel. to induced transient absorption 4−19114
- Nd^{3+}, aprotic liquid laser, high-power oscillator and amplifier appl. 4−8821
- Nd^{3+}, in crystals, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4−13471

neodymium continued
- Nd^{3+}, in crystals, stimulated emission due to $^4F_{3/2}\rightarrow{}^4I_{13/2}$ transition 4−13472
- Nd^{3+}, stimulated emission, $^4F_{3/2}\rightarrow{}^4I_{13/2}$, luminesc. spectra 4−33495
- Nd^{3+}:glass and Nd^{3+}:YAG Sandia four-beam laser system, fusion appl. 4−31039
- Nd^{3+}:glass laser, Q-switching and mode locking with Ni dithienes 4−23335
- $Nd^{3+}:LiYF_4$ laser, high efficiency, characts. 4−35856
- $Nd^{3+}:POCl_3$, liquid laser, nonlinear effects 4−15399
- Nd^{3+}:YAG crystals in three-mirror resonator, spontaneous single freq. ring laser 4−8838
- NdI, absorpt. spectra, relative values of oscillator strengths 4−9379
- $SrAl_{12}O_{19}:Nd^{3+}$, absorpt. and fluoresc. spectra 4−28906
- $Y_3(Al_xGa_{1-x})_5O_{12}$:Nd, laser selective excitation, strongly enhanced fluoresc. mode 4−6917
- $YAlO_3$:Nd, absorption spectra, colour and luminescence centres investigation 4−25146
- $YAlO_3:Nd^{3+}$, Raman spectra meas., phonon scatt. processes 4−37610
- $YPO_4:Nd^{3+}$, cryst. growth and luminesc. characts. 4−13495

neodymium alloys
- Ag-Nd, Phase equilibria, thermal, metallographic, X-ray, chemical anals. 4−29031
- Cu-Nd, liq., resistivity, d-resonance scatt. 4−10133
- Cu-Nd, liquid, concentration depend. of electrical resistance *(German)* 4−24726
- Nd-Co system, phase diagram 4−41524
- Nd-Zn system intermetallics and liq. alloys, Zn v.p. and free energy of form. 4−41537
- $NdCo_5$, mag. domains, electro-etching obs. 4−3866
- $NdCo_5$:H, magnetic aftereffect, a.c. susceptibility meas. 4−16945
- $NdFe_2Si_2$, elec. resist., 100-300K 4−13169
- Nd_3In, mag. props. 4−28616
- NdMg, mag. props., 4.2-300K 4−1305
- $Sm_xNd_{1-x}Co_5$, particles, magnetisation reversal, O_2 diffusion effect 4−37458

neodymium compounds
- *see also neodymium alloys*
- rare earth orthovanadate:Nd, luminesc. and excitation spectra, Nd^{3+} emission intensity and lifetime *(Russian)* 4−41428
- Nd complex, spectra, ionic transition oscill. strengths, organic solvent effects *(Russian)* 4−41361
- NdAs, mag. props. calc. by mean-field theory 4−16910
- NdAs, specific heat, Schottky anomalies, cryst. field splitting of J-ground state 4−3575
- $NdCl_3$, amide soln., absorption spectrum, 8000-42000 cm^{-1}, nephelouxetic effect 4−27643
- $NdCl_3$, dye laser intra-cavity enhanced absorpt. rel. to conc. investig. 4−39403
- $Nd_{0.5}La_{0.5}P_5O_{14}$ laser, intense pulse pumping and c.w. operation 4−23334
- Nd_4MS_7 (M=Co, Ni), cryst. struct., space groups *(French)* 4−40777
- $Nd_5Mo_3O_{16}$, cryst. struct. *(French)* 4−3483
- Nd_2O_3, in glass, light absorpt. spectra 4−28865
- Nd_2O_3-ThO_2-Y_2O_3 ceramic laser rod, prep., performance meas. 4−19113
- $Nd_2O_3+CeO_2$, solid electrolyte, influence of SO_2/O_2 environment on cond. struct. 4−41093
- NdOBr, incongruent sublimation, decomp. reactions and thermodynamics 4−32691
- $NdOHCO_3$, hydrothermal growth and synthesis *(French)* 4−25234
- NdP, mag. props. calc. by mean-field theory 4−16910
- NdP, specific heat, Schottky anomalies, cryst. field splitting of J-ground state 4−3575
- NdP_3O_9, cryst. struct. 4−24425
- NdP_5O_{14}, cryst. struct. 4−24425
- NdP_5O_{14} laser material, cryst. struct. 4−36866
- NdP_5O_{14}:Sc, laser c.w. oscill., 4 mW pump threshold power 4−11934
- NdP_5O_{14}:Y, fluoresc., pulsed laser oscill. 4−11933
- NdSb, mag. props. calc. by mean-field theory 4−16910
- $NdTaO_4$, paramag. susceptibility meas., temp. depend. 4−13295
- $Nd_{2/3}TiO_3$, and its solid soln. with $BaTiO_3$, oscillatory spectra, 30-1500 cm^{-1} *(Russian)* 4−37620
- $Nd_2(WO_4)_3$, cryst. growth and lattice parameters 4−1444
- $NdYbS_3$, cryst. struct., X-ray obs. *(French)* 4−40763

neon
- afterglow plasma, partial recombination coeff. meas., spectroscopic method *(German)* 4−32315
- afterglow plasma, recombination coeff. meas., spectroscopic method *(German)* 4−32316
- atom, 2p photoelectron ang. distrib. energy depend., electron-electron coincidence obs. 4−31687
- atom, beam-foil spectroscopy, lifetime meas., e.u.v., at 1.15 MeV/nucleon 4−15983
- atom, beam-foil studies, e.u.v. 4−15985
- atom, continuous spectra, optical determ. of plasma diagnostics *(Russian)* 4−12810
- atom, doubly-excited autoionising levels 4−40184
- atom, elastic electron scatt., plane wave approx. 4−23997
- atom, electron impact, energy and angular distribs. of ejected electrons 4−716
- atom, excitation of optically forbidden transitions by electron impact 4−31729
- atom, h.f.s. constants of 11522 Å and 15234 Å lines, Fourier-transform spectroscopy *(French)* 4−40156
- atom, ions. pot. calc., Green's function approach 4−23979
- atom, K-shell fluoresc. yields, multiplet state depend. 4−19684
- atom, long range collision-induced dipole moment coeff. calc. method 4−12522
- atom, lowest reson. state excitation, Born cross sections using CI wavefunctions 4−9430
- atom, multiply charged ion production by keV electron impact 4−721
- atom, multipole Van der Walls interaction coeffs., Brueckner-Goldstone perturbation anal. 4−31756
- atom, oscillator strength meas. by anomalous dispersion *(French)* 4−31665

neon continued
- atom, outer-shell excitation by 30 MeV O ions 4−24009
- atom, polarisability, coupled multiconfiguration SCF calc. 4−23969
- atom, polarised light wave anomalous absorpt. by excited atom in pulsed mag. field *(Russian)* 4−12489
- atom, polarised pseudo-states, electron-atom low energy scatt., LS-coupled atom 4−40194
- atom, positron elastic scattering 4 eV-inelastic threshold, phase-shift anal. 4−31711
- atom, positron scattering, cross section meas. 4−27547
- atom, positron scattering above 4 eV 4−726
- atom, radiative lifetimes, calcs., one and many config. approximations 4−9399
- atom, reson. struct. in near threshold electron excitation 4−9431
- atom, wave mechanical description of size, energy *(Hungarian)* 4−2533
- atom, X-ray photoionization, electron shake-off probability calc. 4−31696
- atomic beam, 5-45 keV, ionisation, fragmentation of diatomic mol. gases CO, N_2, O_2, H_2 4−19891
- atomic spectrum, collision effect on shape, Doppler broadening *(Russian)* 4−15991
- Auger electron measurement, multiplet state excitation 4−19696
- Auger specera, KLL, high resolution, production by H^+ and He^+ bombardment 4−3070
- bound state energy of atomic compound states 4−31732
- collisional broadening of NH_3 rotational line *(French)* 4−9558
- cryogenic fluids, heat transfer coeff., and liquid H pump investigation *(French)* 4−35221
- crystal, octupole interactions, dispersion relations 4−1090
- diffusion and solubility in KI 4−20442
- discharge, d.c., dispersion meas. at 0.63, 1.15 μ 4−35843
- discharge, implicit alignment, exptl. partial destruction 4−9377
- discharge, ionisation waves, electron energy distrib. role 4−40703
- discharge, low pressure, primary electron distrib. function 4−16358
- discharge, population balance of long-lived excited states 4−12827
- discharge, transitory phase between discharge and afterglow of positive column at medium press. *(German)* 4−24329
- discharge cell, mode locking of He-Ne laser, hysteresis effects 4−31012
- electron impact ionisation, mean energy expended per ion pair formed by electrons of low energies 4−36439
- energies of doubly excited states calc., by superposition-of-configurations method 4−40172
- ESCA, high resolution with fine-focusing X-ray monochromator 4−35531
- field ion microscope imaging of Au, artifact vacancy study 4−6301
- flash tubes, effect of glass resistance on internal clearing fields 4−91
- glow discharge, ions in cathode region, mass, energy analysis 4−12830
- glow discharge, striking and running voltages for Ne, Hg, Fe cathode 4−24328
- high velocity collisions with He, Hanle effect and degree of alignment obs. *(German)* 4−5962
- ion, low energy, energy loss in thin C foils 4−19686
- ions, E=5.6 GeV, microdosimetric properties 4−8245
- laser, nonlinear absorption, mode selection, power resonance, freq. hysteresis 4−11927
- linear pinch plasma, vacuum u.v. emissions, appl. as light source 4−36740
- liquid, electronic bubble, ground state calc. as function of temp. and press. 4−16713
- liquid, investigation of collective excitations by neutron scatt. at small scatt. vectors 4−6324
- liquid, triplet correl. and pair potential functions, from neutron diffr. data 4−32418
- low lying configurations, CT interactions and hyperfine struct. *(French)* 4−5940
- lunar soil particles, release of solar wind implanted gas 4−4755
- molecule, dispersion energy between two atoms calc. using perturbative procedure 4−40202
- multiply ionised, high-resolution K-Auger electron spectrum 4−12519
- photoelectron backscattering, homogeneous electric field *(German)* 4−31710
- photoionisation, ang. distribs. and form of resonance lines of photoelectrons *(Russian)* 4−36431
- photoionisation, isoelectronic series, cross section calc., ionization depend. *(French)* 4−36427
- plasma, afterglow,, electron temp. relax. rates 4−32322
- plasma, MHD ionising shock propagation 4−6241
- plasma, parametric coupling between upper and lower hybrid freq. *(German)* 4−20110
- plasma, rotating, isotope separation method 4−18697
- plasma column, linear, time depend. of turbulent resistivity 4−20112
- plasma column, turbulent resistivity, electrostatic fluctuations and microwave emission 4−20113
- plasma X-ray stimulated emission 4−2621
- polarisability, light scatt. meas., dipole law *(French)* 4−27639
- polystyrene-polyphenylene oxide glassy blend, diffusivity, permeability, solubility 4−24578
- positive column, radial gas-temp. distrib. from differential interferometry 4−36742
- positron scattering, above 4 eV, mag. field effect 4−36437
- Rayleigh scattering, cross section meas. *(French)* 4−27679
- refractivity, density depend., interferometer meas. 4−19966
- scattering, rainbow, Ne from strongly periodic clean W(112) surface 4−28977
- self-diffusion coefficient, 77 to 1400K 4−9647
- sensitizer in radiolysis of N_2O, effect rel. to prod. yield, mechanism 4−41984
- solid, explanation for f.c.c. rather than h.c.p. structure 4−24445
- solidified, compression testing method and apparatus *(Russian)* 4−10721
- thermal accommodation effects under transition, temp. jump and free mol. regimes 4−9645
- Titan and Galilean satellites atmosphere, evolution, escape 4−34665
- trapping and regeneration, for cyclotron 4−18407

neon continued
virial coefficient, Smith-Thakkar potential, quantum corrections, viscosity, vibr. energy level spacing 4−31996
X-ray spectra, solid target effects 4−17137
Ar-Ne mixture, glow discharge, cataphoresis separation, spectroscopic investigation 4−36765
Ar + H, anal. of electron loss 4−9453
Ar + Ne$^+$ collision, Ar-L X-ray production cross sections 4−27560
n-GaAs:Ne$^+$, photoluminesc., wavelength, doping conc. depend. 4−21055
H$^+$ + Ne, charge transfer, 2 to 20 keV total differential scatt. cross section 4−24013
p-H$_2$:Ne, solid, heat capacity at 2-6K, impurity effects 4−24568
H(1s) + Ne collision, H electron loss, semiquantal treatment 4−31706
He-Ne, 6328A laser emission, freq. modulation characts. 4−39735
He-Ne, d.c. discharge, dispersion meas. at 0.63, 1.15 μ 4−35843
He-Ne, inexpensive multimode laser, stabilized single freq. beam prod., comment 4−35828
He-Ne, inexpensive multimode laser, stabilized single freq. beam prod., reply 4−35829
He-Ne, laser, decay rate meas., upper levels, mag. field dip method 4−26958
He-Ne, laser gyro, power-depend. correction to scale factor 4−19068
He-Ne, laser output spatial coherence far below threshold 4−23294
He-Ne gas laser, two freq. operation, nonlinear selective losses 4−8802
He-Ne laser, double mode freq. characts., with methane absorpt. cell 4−26963
He-Ne laser, gain distribution under high freq. excitation *(Russian)* 4−11923
He-Ne laser, longit. alignment of lasing levels 4−8805
He-Ne laser, mode locking by Ne discharge cell, hysteresis effects 4−31012
He-Ne laser, oscill. in discharge gap, effect on emission parameters 4−39736
He-Ne laser, stabilised by methane, influence of hyperfine structure 4−19099
He-Ne laser, stabilization using Zeeman effect and servomechanism 4−35844
He-Ne laser, transverse mode locking of circular cylindrical and flat optical beams 4−31006
He-Ne laser, travelling wave, natural linewidth meas. in 0.63 μm region 4−8804
He-Ne laser, two-freq. modes, spectrum natural width *(Russian)* 4−39728
He-Ne laser, various wavelengths selection, props., appls. 4−35841
He-Ne laser, wavelength tuning, 3.3912-3.3922μ, methane cell 4−23321
He-Ne laser, with given initial photon distrib., statistical phenomena in transient 4−11920
He-Ne laser output and plasma parameters in transverse mag. field *(Japanese)* 4−35845
He-Ne laser stabilised by saturated absorption in iodine vapour, characteristics 4−19097
He-Ne laser TEM$_{10}$ mode gain 4−15353
He-Ne laser tube, sealed, spectroscopic gas pressure and mixture ratio determ. 4−11476
He-Ne laser with mode selector, nonunidirectionally polarised modes generation 4−15336
He-Ne lasers, appl. to wavelength and optical frequency standards, metre definition, velocity of light *(French)* 4−18339
He-Ne mixture, excitation in hollow cathode discharge, electrical and optical characteristics 4−20171
He-Ne ring laser, Faraday effect on beat freq. 4−15379
He-Ne ring laser, longitudinal mode selection, frequency stabilization 4−11944
He-Ne ring laser, methane absorption coll, freq. reproducibility 4−11942
He-Ne ring laser, mode locked by internal modulation, high peak power and short pulses 4−23356
He-Ne ring laser, optical freq. standard, operation 4−23362
He-Ne small-scale isotropic laser with external mirrors *(Russian)* 4−39720
He-Ne three-mode laser, non-stationary generation 4−19082
He-Ne-Cd-Se, mixed gas laser, NeI, CdII and SeII lines generation 4−35842
He-Ne-H$_2$, hollow-cathode discharge, electron distrib. and excited atom densities 4−19716
He + H$^+$ collisions, 4.2 MeV protons, high resolution Auger spectrum 4−3079
He$^+$/Ne collisions, coincidence meas. for ionisation processes at 1 keV 4−9457
He$^+$ + Ne, inelastic differential scatt. cross-sections, unified formula, excited term parameters 4−36449
Hg-He-Ne, composite gaseous mixture, simultaneous lasing on Hg, Ne transitions 4−11922
Hg-Ne mixture, collision broadening of 1.53 μm laser line 4−8803
$^{129}I_2$, $^{127}I_2$ stabilized, description, performance and wavelengths 4−15330
$^7Li^+$ + Ne scattering, potential parameters determ. from diffraction effect *(German)* 4−31753
N$_2$ and N$_2^+$, low-lying states, valence band wave functions, oscillator strengths calc. 4−6024
N$_2$ + Ne$^+$ ions, thermal energy reaction 4−3227
Ne flash tubes, sensitive time control by alternating electric fields 4−90
Ne I, 2p levels, mean radiative lifetime, beam-gas method 4−9404
Ne II, 3p^2 D° level, mean radiative lifetime, beam-gas method 4−9404
Ne/He flash tubes, decrease in recovery time by addition of O$_2$ 4−2357
Ne-Ar-Kr mixture, law of corresponding states, thermal diffusion, viscosity 4−27794
Ne-H$_2$, ion-mol. reactions, effect on afterglow pulsed discharge *(Russian)* 4−40714
Ne-He laser, saturation parameter meas. at 3.39 μm 4−19075
Ne-He streamer chamber, construction 4−8471
Ne-He streamer chamber, particle characts. 4−8472

neon continued
Ne-He streamer chamber and high-voltage pulsing system, design and development 4−35416
Ne-He streamer chamber time resolution determ. from streamer length meas. 4−26626
Ne-water system, hydrogen bonding, Hartree-Fock calc., Gaussian basis 4−9483
Ne-Xe mixture, diffusely constricted discharge, inertial properties 4−20176
Ne + C$^+$, 28-145 keV, carbon K-shell X-ray cross section 4−731
Ne + H$^+$, Ne + Li$^+$, inelastic collisions, charge exchange and ionisation 4−19722
Ne + Kbr inelastic scatt., energy transfer 4−16143
Ne + Li$^+$, slow collisions, charge exchange reactions 4−19725
Ne + N$^+$ collision, Wigner spin rule 4−24011
Ne$^-$, free-free absorpt. coeff., asymptotic method calc. 4−9423
Ne$^+$, 5-45 keV, ionisation, fragmentation of diatomic mol. gases CO, N$_2$, O$_2$, H$_2$ 4−19891
Ne$^+$, electrode irradiation, vacuum gap dielectric strength 4−16369
Ne$^+$, ionisation by electrons in hollow beam trap 4−722
Ne$^+$ and Ne$_2^+$ mass identified ions, mobility in Ne, reaction rate const. for Ne$^+$ + 2Ne → Ne$_2^+$ + Ne 4−16167
Ne$^+$ mobility in He gas, drift field/pressure variables 4−27797
Ne$^+$ mobility in Ne gas, drift field/pressure variables 4−27797
Ne$^+$ + Hg, nonresonant charge transfer 4−16032
Ne$^+$ + methane, 28-145 keV, carbon K-shell X-ray cross section 4−731
Ne$^+$ + Ne, ion- X-ray coincidence obs. Briggs Macek theory verification 4−36447
Ne$^+$ + Ne collisions, cross sections for Ne-K X-ray production, 100 keV to 1.2 MeV 4−12516
Ne$^+$ + Ne elastic scattering, 3 to 30 eV, differential cross section meas. 4−36451
Ne$_2$, interatomic pot. exchange energy, SCF calc. 4−36452
Ne^{6+}, exchange integral effect on 2p-orbitals of ^{1}p and ^{3}p states 4−27512
Ne(I), 5s'[1/2]$_1$-3p transition probabilities laser resonance method 4−15998
Ne($^1S_0$) + He(2^1S_0), excitation of Ne 2p-4d lines 4−9455
^{20}Ne, highly stripped, noble gas target, radiative capture and bremsstrahlung of bound electrons 4−12517
Ne* + Zn, (Cd), Penning ionization, cross sections 4−16034
O$_2^+$ + Ne, charge exchange reaction, cross section meas. 4−19913

neon compounds
Ne I, 2p^{5}3p radiation lifetimes meas. by phase shift method *(Russian)* 4−40180

Neptune
albedo, OAO-2 u.v. photometry 4−29871
atmospheric and cloud structure 4−22297
Earth orbit, perturbations by Neptune, Hansen's method 4−34595
interior structure, shape, thermal state 4−38679
magnitude and geometic albedo, narrow band and UBV photometry 4−29890

neptunium
^{237}Np, by-product recovery in irradiated nuclear fuel processing *(French)* 4−5905

neptunium compounds
No entries

Nernst effect *see magnetothermal effects*

Nernst-Ettingshausen effect *see magnetothermal effects*

network analysers
computerised microwave meas., error analysis 4−8298
microwave network analyser, computer correction 4−4951

network analysis
see also linear network analysis; nonlinear network analysis
fluid, iterative technique 4−32011
plasma, multicomponent, matrix anal. 4−36687

network analyzers *see network analysers*

network theory *see circuit theory*

Neumann algebra *see algebra*

neural nets
see also brain models
mathematical formalism describing nets, correl. between adjacent neurons 4−38968
motorneuron model, action potential detn. 4−26225
two-neuron system, reciprocally inhibited, output pattern 4−38995

neuristor networks *see neural nets*

neuron models *see neural nets*

neurophysiology
see also neural nets
acupuncture anaesthesia, omputer simulation based on bioholographic model of pain 4−14653
amblyopia, multiplicity of channels in visual system and colour vision 4−30188
auditory, electronic audio modulator and transient free switch 4−42565
auditory evoked potentials, human, components evaluation 4−39000
auditory evoked potentials, human, effects of attention 4−42555
auditory evoked potentials, variability in human newborns 4−42553
auditory nerve response to speech sounds 4−42563
auditory-nerve fibres, velocity and displacement responses 4−8139
blood cells, red, formation rel. to nervous system and kidney *(Polish)* 4−4850
blood flow control, hierarchy levels, integrative neural cardiovascular control 4−36683
brain, memory theory, neuronal combinations, structural-functional basis *(Russian)* 4−4858
brain, nonlocalized slow potential changes during recovery from neurosurgery 4−8173
cat lateral geniculate cells, contour enhancement of two-dimens. figures 4−30183
cat optic tract, patterns of unit activity, during suppression-recovery effect 4−8154
cat optic tract, visual field representation, and overlap of receptive field centres 4−8153
cat visual cortex, evidence for 'sustained' and 'transient' neurones 4−30185

neurophysiology continued
cats, decerebrated, evoked locomotion, activity of the dorsal spino-cerebellar tract neurones 4-22550
cats, with deafferentated hind limbs, activity of ventral spino-cerebellar tract neurones 4-18124
cats' central nervous system, evoked potentials, microwave produced changes 4-11331
cells, as a molecular computer, ideas and hypotheses 4-22503
cochlear adaptation, analogue modelling 4-39013
cortical neurons, effect of spotted non straight line environment on development in kittens 4-42583
crayfish neuroreceptor cell, stimulation, capture of rhythm 4-18094
crustacean muscle, process of peripheral inhibition, model 4-18121
data analysis, fuzzy and probabilistic clustering 4-14676
decerebration, h.f. coagulator 4-39388
evoked potential correlates, of adaptation to wavelength and orientation 4-30209
evoked-response audibility curve of the chinciilla 4-22578
eye movement control system, models 4-39029
foetal tissue, rat, γ-irradiation, repair processes 4-8204
frog, two visual systems 4-8145
grating stimuli, effect of N_2O on rel. between evoked potential and contrast threshold 4-8149
human brain, selective attention, electrical signs 4-18129
human peripheral neural structure, stimulation by focused u.s. *(Russian)* 4-42605
human visual system, evidence for disparity-specific neurones from stereoscopic aftereffects 4-18145
kidney activity, neuro-hormonal regulation *(Polish)* 4-4851
kitten, dark-reared, motion detection and optokinetic responses 4-30208
kitten midbrain neurons, long-lasting discharge properties 4-18136
mice, γ-irradiated, ultrastructure of motor neurons 4-8203
microwave specific effects on nervous system *(French)* 4-11316
motorneuron model, action potential detn. 4-26225
myelinated nerve, dependence of propagation speed on external Na^+ and temp. 4-14544
myelinated nerve, dependence of propagation speed on Na^+ and temp. 4-14543
nerve impulses, shape and speed, calc. 4-26223
nerve impulses from neuroma and counterstimulation as pain therapy 4-42558
nerve membrane, current-voltage characteristics 4-22559
nerve propagation delay measurement, action potential recording and Fourier analysis 4-22562
nerve terminal activity in frog, recording method 4-26226
nervous system information processing, introduction of multidisciplinary undergraduate course 4-18290
neural unit model, contrast phenomena 4-8150
neuroradiology, Roentgen magnified image intensified 70 mm filming, evaluation 4-2183
optomotor studies of visual system of the housefly 4-39027
pain inhibition by electrostimulation, digital model 4-14659
pattern detection, dotted lines, effect of deviations from linearity 4-8158
peripheral nerves, effect of 2450 MHz microwave field 4-11332
peripheral vision, orientation and spatial freq. channels 4-8152
photic simulation, regional responses, as shown by epoch averaging 4-42554
pulse information processing by neuron, theoretical analysis 4-35002
Purkinje cells, activity during locomotion 4-22512
rabbits, cortex neurones, impulse activity, fluctuations 4-18123
recording, signal distortion by a.c. electrode polarisation 4-14619
retinal ganglion cells, sensitivity distribution as a fixed property 4-30210
signal conditioner 4-35504
simultaneous local tissue O_2 partial pressure and extracellular single neuron action potential meas. microelectrode 4-14627
spatial frequency doubling, anatomical locus 4-8155
ventral spino-cerebellar tract, activity of neurones during locomotion 4-22511
vision, intensity pattern excitation using filters to generate patterns, model *(German)* 4-39031
visual cortex nerve net model, self organisation of orientation sensing cells 4-39030
visual pattern recognition and apparent motion, examination of connection between them 4-39028
Na-Ca transmembrane exchange, carrier model 4-14550

neutrino interactions
absence of e.m. interaction as consequence of symmetry principle 4-15426
asymptotic freedom, light cone expansion 4-35976
charmed hadrons, search, inclusion of hadron effects in weak interaction gauge model 4-19203
deep inelastic processes at high energy, theory 4-15503
energy-spectra of electrons and neutrinos from muon decay, search for charged-neutron current interaction *(Russian)* 4-352
flux independent measurements, test of models for deep inelastic reactions 4-39839
inclusive, in deep inelastic region, nature of charm 4-5605
inclusive, muon polarisation test of V-A weak interaction at high energy 4-23470
inclusive from Weinberg type neutral current reactions, y and v distributions in two quark parton model 4-35981
inelastic, vector-axial vector interference terms in scaling limit, calc. from single-pion photoproduction 4-35978
inelastic interactions, neutral current ratios rel. to $SU_4 \times SU_3$ gauge models 4-19204
inelastic reactions, predictions from πN total cross sections 4-15576
muonless events, existence of neutral hadronic weak currents 4-23464
muonless neutrino-induced inelastic interactions, 300 and 400 GeV 4-35982
nucleon resonance production in relativistic quark model 4-12032
parton chain model of nucleons, fits to CERN data 4-23469
strong interaction between neutrinos, bosons and photons, explanation of solar neutrino and muon experimental results 4-42241
Weinberg neutral current in quark-parton models, neutrino and antineutrino cross sections 4-23453

neutrino interactions continued
Weinberg theory for neutral currents in inclusive neutrino reactions 4-12033
$l^-l^+ \rightarrow \nu\nu\gamma$, weak process, angular and energy distribs. of γ-quanta 4-8955
ν, interaction with matter at low energy transfers, expt. 4-11095
$\nu_e \rightarrow \nu' + \gamma$, 0.1-0.5 MeV, decay length limit 4-19206
ν_μ, cosmic ray, review 4-38592
$\nu_\mu(\nu_\mu)N \rightarrow \mu^-(\mu^+)$ hadrons, total cross sections up to 160 GeV 4-19205
$\nu_\mu(\nu_\mu)N \rightarrow \nu_\mu(\nu_\mu)$ + hadrons, neutral currents rel. to parton model 4-19207
$\nu d \rightarrow \mu pp$, sensitivity of proton polarisation parameters to second class axial currents and form factors 4-35980
$\nu d \rightarrow ppe^-$, cross sections at LAMPF energies 4-23669
$\nu_\mu d \rightarrow pp\mu^-$, calc. with relativistic corrections, second-class axial currents, impulse approximation 4-15480
νe, limits for interaction consts. from data on elastic νe scatt. *(Russian)* 4-19202
νe, lower bounds to high energy averaged cross sections 4-23466
νN, inclusive, quark-parton model predictions for hadronic charge ratios 4-23498
νN, lower bounds to high energy averaged cross sections 4-23466
νN, production scaling form factors rel. to parton chain model of nucleon 4-5603
νN cross-section, astrophysical upper bounds, $E \geqslant 3 \times 10^{17}$ eV, from ang. distrib. of EAS 4-34572
νN deep inelastic processes, flux-independent meas., structure functions 4-23471
νN interaction at high energies, constraints from atmospheric neutrino-induced muon flux 4-29790
$\nu N \rightarrow \mu^- K\Delta$, high energy, calc. of K_{l3} form factors 4-12034
νN point-like scaling behaviour, structure functions 4-23486
$\nu_\mu N \rightarrow \nu_\mu$ + hadrons, analysis leading to constraints on $\langle r_{\nu(\mu)}^2 \rangle$ and $\langle r_{\nu(e)}^2 \rangle$ 4-35977
$\nu Ne \rightarrow \mu^- Wh$ (real W), 100-500 GeV, differential cross section as function of intermediate boson mass 4-23465
$\nu Ne \rightarrow \mu^- h$ (virtual W), 100-500 GeV, differential cross section as function of intermediate boson mass 4-23465
$\nu\nu$, non-local theory, effect on μ decay spectrum 4-15471
$\nu p \rightarrow \mu^- hX$, deep inelastic, unified Mueller picture 4-23500
νN deep inelastic processes, parton model, charmed hadron prod. 4-31139

neutrino scattering
chiral-symmetry-breaking Hamiltonian, scale dimension 4-27097
current-hadronic interactions, unified model 4-8943
deep inelastic structure function, scaling from q-number Schwinger term 4-15460
gentle neutrino scattering and Davis expt. 4-29787
high-energy application of light cone physics 4-5588
eν, spin correlations, study of muon decay data, neutral current theory *(Russian)* 4-354
ν-baryon scattering, lepton-counting sum rules, urbaryon model 4-31138
νe, elastic, in theories with neutral currents 4-35979
ν_ee, forward-peaked, reln. to solar neutrino problem 4-7860
$\nu_{e,\mu}e \rightarrow \nu_{e,\mu}e$, constraints on cross sections, intermediate boson theory 4-23468
$\nu_\mu e^-$, high energy elastic scattering, existence of neutral leptonic weak currents 4-23464
νN, deep inelastic, breakdown of scaling 4-31140
νN, high energy, low Q^2, PCAC 4-5604
νN, inclusive deep inelastic, radiative corrections calc. in parton model 4-8954
νN, light cone analysis to reveal scaling behaviour of structure functions 4-8927
$\nu_e N_3$ high energy, review of results from Argonne, CERN and Nal 4-23464
$\nu_\mu N \rightarrow e^0 + H$ gauge theories and 'elastic' weak neutral currents 4-31130
ν_μN high energy, review of results from Argonne, CERN and NAL 4-23464
$\nu_e\nu_\mu$ scatt., renormalizability and gauge invariance in Weinberg-Salam model 4-23467
$(\nu\nu)p \rightarrow \mu hx$, (h:pseudo-scalar, vector meson), bilocal current algebra, limiting fragmentation, pulverization 4-364
$\nu p \rightarrow \mu$ + anything, 100 GeV, radiative corrections 4-8954

neutrinos
antineutrino rest mass, electronic, 86 eV upper limit, ^3H β-spectrum meas. *(German)* 4-31314
beam, sign selected dicharomatic, using conventional magnets 4-39310
black holes, fundamental eqns. of gravitational, electromagnetic and neutrino-field perturbations 4-7989
Cabibbo angle origin in neutrino differences, semileptonic decay rates 4-35972
cosmic background, effect on evolution theories of Universe *(Polish)* 4-29820
field equations, separability, non-superradiant behaviour 4-12009
gravitational field, anisotropic model, flux effect on dynamics 4-8700
Maxwell derived bineutrino fields, principal null directions of neutrino 4-15422
non-zero rest mass, interpretation of solar neutrino and muon experimental results 4-42241
production, targeting aspects 4-84
production in high energy lepton beam collisions *(Russian)* 4-31157
properties and existence 4-5594
radiation in spherically symmetric gravitational fields, energy momentum tensor determ. 4-29815
relativistic transport processes 4-2548
rest mass limit, big bang cosmology 4-29809
sea, Stefan-Boltzmann law, correctness of Fermi-Dirac statistics 4-11108
solar neutrino flux, problem of absence, educational paper 4-29786

neutron absorption
see also nuclear excitation; nuclear reactions and scattering due to neutrons
axisymmetric shield, fast neutron penetration 4-40056

neutron absorption continued
Be assemblies decay of neutron pulses following gamma-ray flash from electron linear accelerator 4–12412
build-up factor determ. for oil, water and paraffin using Monte Carlo program 4–15935
control systems for power reactors 4–12434
diffusion coefficients, Benoist and Selengut with absorbing media 4–12405
intermediate-resonance absorption, soln. of transcendental eqn. 4–19557
Monte Carlo resonance integral calculation of finite size samples 4–27380
nuclear reactor, energy distribution *(German)* 4–40111
nuclear reactor shielding slab evaluation *(Korean)* 4–31576
shipping container material, U metal array 4–27482
thermal, in closely spaced lattice, corrections to zeroth approximation 4–23758
Be assemblies, decay of neutron pulses following gamma-ray flash from electron linear accelerator 4–12413
Cu, neutron poisoning effect, PuO_2-UO_2-polystyrene fuel 4–31577
Cu-Cd, neutron poisoning effect, PuO_2-UO_2-polystyrene fuel 4–31577
Ge single crystals, slow neutron filter, transmission characts. *(Russian)* 4–36786
^{178}Hf, neutron transmission meas. to investigate resonance at 0.277 eV 4–12402
LiH, on neutron shield for mobile nuclear reactors 4–40144
MgO polycrystals, slow neutron filter, transmission characts. *(Russian)* 4–36786
Si single crystals, slow neutron filter, transmission characts. *(Russian)* 4–36786
^{203}Tl(n,γ), ^{204}Tl low-lying energy levels from γ-ray spectra 4–15619
neutron angular distribution
see also neutron spectra
axisymmetric shield, fast neutron penetration 4–40056
nuclear beta decay, least squares adjustment of vector coupling consts. 4–36166
(p,n) reactions, 0^+ isobaric analogue states, microscopic calculations 4–636
^{10}B(α,n)^{13}N at 1 to 5 MeV, meas. of differential cross section, ^{14}N deduced levels 4–12367
^{11}B(α,n)^{14}N low energies, calc. of n polarisation 4–19527
^{11}B(d,$n_{1,0}$) 7 to 12 MeV, cross-section and n polarisation meas. DWBA anal. 4–19499
^{9}Be(d,n)^{10}B, 1.75 and 2.20 MeV levels 4–19462
^{252}Cf spontaneous fission, search for retarded neutrons 4–19553
^{37}Cl(p,n), 0.6-2.9 MeV, ^{38}Ar resonances, yield curves 4–31286
^{54}Fe, 2.9 MeV neutron scatt., statistical theory and optical model *(Russian)* 4–23693
^{56}Fe(n,n'γ), 5 to 9 MeV, energy level anal. *(French)* 4–40006
^{2}H proton induced breakup at 23 MeV, cross sections and ang. distrib., impulse approx. 4–15800
^{2}H(d,n)^{3}He, neutron production cross sections and energies 4–12338
^{2}H(n,n)^{2}H, 24.0 and 27.2 MeV elastic angular distrib. 4–9155
^{3}H(d,n)^{4}He, 7.0 to 11.4 MeV, neutron polarisation angular distribs., analysing powers 4–15872
^{3}H(d,n)^{4}He, neutron production cross sections and energies 4–12338
^{3}H(p,n)^{3}He, 1.3 to 2.9 MeV polarised protons, analyzing power meas. 4–36192
^{3}H(p,n)^{3}He, neutron production cross sections and energies 4–12338
^{4}He, photoneutron ang. distrib. and differential cross section, threshold to 33 MeV 4–23665
^{4}He(γ,n)^{3}He, threshold-110 MeV, evidence of 2^+ state in ^{3}He 4–12322
^{14}N(d,nγ)^{15}O, 2.2-2.8 MeV, neutron angular distrib. from γ-ray line shape studies 4–15851
^{20}Ne(^{3}He,n)^{22}Mg, 2.6 to 40 MeV, excitation functions and didfferential cross-section meas. 4–27337
^{208}Pb(p,n), optical model, microscopic isospin interpretation of neutron distrib. 4–31375
^{118}Sn(p,n)^{118}Sb, angular distrib. of pre-compound particles 4–39999
from U shells surrounding central source, neutron angular flux calc. 4–5874
neutron beam effects *see neutron effects*
neutron detection and measurement
see also dosimetry; neutron spectrometers
A-1 nuclear reactor starting problems 4–23773
albedo dosimeter, $\leqslant$400 MeV neutron energy, ^{6}LiF sensing element, calc. response 4–26274
associated particle method for 180 degree scattering, anal. 4–26621
charged, energy spectrum, and angular distribs. of charged particles, simultaneous meas. 4–14964
chloral hydrate dosimeter, modified with boric acid, use for neutron radiation meas. 4–36377
cosmic ray dosimetry using photoemulsions at high altitudes, appl. to neutron meas. *(French)* 4–30585
cosmic ray multiplicity, errors in neutron monitor meas. 4–14978
cosmic ray neutron monitor, NM-64, automatic stability checking 4–2348
DINA personnel dosimeter using fission fragment detectors, characteristics 4–18624
dosimeter, tissue equivalent one-hit detectors 4–8242
dosimeter materials, preparation and characterisation 4–36397
dosimetry, fast neutron, error analysis 4–40137
dosimetry, ionisation chamber methods, fast neutron irradiation of phantom, calibration 4–8238
dosimetry, neutron and photon flux, from X-ray fluorescent thyroid scanning 4–42612
dosimetry, routine personnel, use of Kodak personal neutron monitoring films type-A 4–35425
dosimetry, spectral variations of 14 MeV neutrons in water rel. to cancer therapy 4–42619
dosimetry of fast neutrons using cellulose nitrate track detector *(French)* 4–30575
dosimetry of fast neutrons using charged particle tracks in irradiated polymer foils 4–30574
dosimetry of mixed gamma and neutron radiation using scintillation spectrometer 4–19646
elastic scattering cross-section meas. of 14.7 MeV beam on plastic scintillation detector 4–30597
neutron detection and measurement continued
electron-emission detectors, characteristics of Ag, Ag^{109}, Rh and Gd emitters 4–23776
fast-neutron dosimetry, by solid-state track detectors 4–14711
fission counter, gamma-irradiation performance for two different electrode spacings 4–39342
flux, fast and epithermal, meas. using ^{140}Ba 4–39336
flux estimation at point detector, point cross-section Monte Carlo codes 4–27381
flux measurement, wide dynamic range instrument *(French)* 4–26599
foil detectors, thermal neutrons, Cd correction factors 4–11578
high resolution counting channel with fission counter detector for reactor kinetic studies *(German)* 4–35402
ionisation chamber for mixed beams of n and γ radiation 4–42617
ionisation chambers, plastic liners, relative neutron sensitivities 4–35391
KS-150 reactor control and protection system supplemented with mobile neutron detector 4–23772
'KURZ' detector efficiency code, correction 4–26606
large liquid scintillators, Monte Carlo simulation 4–18601
Lexan detector, fission-foil, sensitive fast neutron monitor 4–26279
measurement standards, radiation characteristics 4–35395
in mixed neutron-gamma field, automatic adsorbed dose evaluation by differential pulse spectrum 4–22956
monoenergetic, proportional counters, event distrib., E=0.2 to 15 MeV 4–8464
monoenergetic shield spectra and dose fractions, for dosimeter evaluation 4–26275
multiplicity sorter, ν determ. 4–18676
neutron logging pulse recorder, and of pulse delay discriminator circuit *(Russian)* 4–8465
neutron moisture gauge, ^{252}Cf source 4–2352
nuclear fuel elements, HTGR-type, nondestructive assay, fission induced prompt and delayed neutrons 4–23853
nuclear reactor flux meas. model for prompt-response self-powered detectors 4–22957
nuclear reactor personnel, gamma and neutron dose rate determ. at Sofia 4–15979
organic scintillators, response fn. to neutrons, Monte Carlo program *(German)* 4–8466
OSO-6 high-energy detector, correlation of meas. solar neutron fluxes to solar flares 4–26198
personnel dosimeter using type-K emulsion, sensitivity determ. 4–19649
photoneutron, oil-water interface determ. 4–42190
polymer foil track detectors, energy threshold determ. 4–30573
proton-recoil detectors, wall-effect response function calc. 4–30554
proton-recoil proportional counting techniques in nuclear reactor critical assembly 4–31447
pulse shape-discrimination for wide dynamic range neutron scattering experiments 4–26618
scintillation counter meas. of fast time dependent spectra 4–30548
slow neutron detectors sensitive to spot of particle passage 4–22950
small-angle scattering facility rel. to examination of large self-repeating structures 4–14993
threshold detector system, Hurst, for intermediate neutrons, new interpretation of data 4–36374
time of flight counter, buffer store for multishot analyser 4–26634
time-of-flight facility, high-precision, low background 4–26619
time-of-flight spectra, shielding of neutron detector for background reduction 4–26617
TSEE dosimeters, fast-neutron response characs. 4–14977
n annihilation obs. in emulsion under ISR conditions, statistical procedure 4–30564
^{2}H(n,2n)p, 14 MeV, system for two-neutron detection in three-particle final state 4–27321
He-Xe, high-pressure gas scintillation counter 4–30544
^{3}He proportional counters in polythene cube, high-efficiency system for photoreaction studies 4–35401
^{6}Li sandwich detector, energy range 10 to 500 keV 4–8489
^{6}Li semiconductor sandwich technique, reproducibility, investigation 4–8490
Mn flow bath method, Li(p,n)Be reaction 4–39328
^{231}Pa, use in threshold detectors for spectra meas. 4–18690
Pt self-powered detector response in nuclear reactor CANDU lattice 4–36271
Pt self-powered flux detector for use in boiling water reactor 4–36272
UF_6, liquid, on-line enrichment monitor 4–23941
^{235}U enrichment determ. in UF_6, ^{4}He proportional counter fast-neutron detector 4–23943
^{236}U, use in threshold detectors for spectra meas. 4–18690
neutron diffraction
see also neutron diffraction crystallography; neutron diffraction examination of materials
high frequency behaviour of scattering function 4–12856
neutron beam expts. multiuser real time system CARINE 4–24356
nuclear spin correlation effect anal. in slow scattering in methane gas 4–9595
neutron diffraction crystallography
see also crystal atomic structure
analogue recorder, appl. of device designed for X-ray diffr. meas. 4–40724
cold-neutron small-angle scattering facility for metallurgical applics. 4–32404
combined X-ray and neutron diffraction studies, survey 4–24354
diffractometer, four circle attached to KUR monochromator 4–32400
diffuse intensity distrib. of diffr. pattern, soln. for Zr-Nb alloy cryst. struct. 4–1027
disorder and scattering, review 4–20213
HERALD reactor beam instrument, appl. to materials science 4–28008
instrumental widths and intensities 4–12857
Ising model, two dimens., near T_c neutron scatt. and correl. functions 4–10248
macromolecules, structural analysis, anomalous dispersion methods 4–32397
non-crystalline solids, inelastic scatt., state of art review 4–32636

neutron diffraction crystallography continued
- phonon theory of neutron scattering from lattice vibrs. 4−40851
- position-sensitive proportional counter applics. to scatt. expts. 4−32402
- pyrolytic graphite monochromators, PG as ideal mosaic cryst. 4−16400
- quasielastic resolution function, instrumental widths and intensities in cryst. diffractometry 4−24355
- review *(German)* 4−20184
- small-angle scatt., techniques and applics., review 4−36781
- superconductor, phonon line width, from neutron scatt., rel. to Fermi surface study 4−16566
- CsCl type cryst., neutron diffraction, mean square ionic displacements, force constants calc. 4−20386
- 5-PbO.3GeO$_2$, ferroelectric, crystal structure determ. 4−32401
- Si crystal lamellae as neutron monochromator 4−26564

neutron diffraction examination of materials
- *see also neutron diffraction crystallography*
- alloy, molten, inhomogeneities, small-angle scatt. obs. 4−33706
- antiferromagnet, with domain struct., slow neutron elastic scatt. near mag. transition *(Russian)* 4−33178
- biological macromolecules in soln., small-angle neutron scatt. 4−31982
- block copolymer in solution, struct. determ. by X-ray, light and neutron joint scatt. 4−19936
- coherently scattering crystals, density of phonon states determ. 4−36977
- L-cystine dihydrochloride, cryst. and mol. struct. 4−28074
- dense gases, molecular interactions study 4−40362
- dicalcium strontium propionate, neutron spectroscopic study of propionic dynamics 4−3547
- dielectric, local field corrections by X-ray and neutron diffr. in elec. field *(French)* 4−30972
- electrolyte, struct. and dynamics, review 4−17530
- fluorphlogopite, reflectivity meas. by neutron diffraction, suitability as longwave monochromator 4−22988
- glass, heterogeneities, small-angle scatt. obs. 4−36812
- α-glycine, mol. bonding, electron density, Fourier synthesis vs. MO calcs. 4−19773
- graphite, N$_2$ adsorption struct., order determ. 4−37090
- graphite, polycryst., inelastic scatt. at temps. up to 1920°C 4−16560
- graphite, pyrolitic, ideal mosaic cryst. 4−16400
- hydrocarbons, vibrational data from inelastic scattering 4−9968
- ice, hexagonal, phonon dispersion curves obs. at 90 K 4−32632
- ice and water, neutron scatt. determ., rel. to variation of molecular rotational amplitude 4−40880
- Inconel X-750 turbine blades, small-angle neutron scattering 4−32404
- irradiated materials, void struct., small angle scatt. technique 4−36896
- irradiation detection, diffractometer with spherically located detectors *(Swedish)* 4−134
- liquid comparative anal. with n.m.r. and optical spectroscopy 4−20872
- liquids, state approximation distortion and neutron time-of-flight diffraction 4−28007
- manganous acetate tetrahydrate, mag. struct. investigation in zero appl. field *(French)* 4−41202
- metal melts, structural constituents, partial diffr. effects *(Russian)* 4−9812
- molecular liquids, theory and experimental methods 4−3439
- molecule, vibration data from inelastic scattering, computational methods 4−9968
- noncrystalline substances anal. using mechanical time-of-flight diffractometer 4−28006
- oxonium ion geometry, deuteration effects, obs. on p-10 4−24466
- n-paraffins, l.f. molec. vibrations determ. by inelastic scattering in solid 4−9967
- PMMA, vitreous, conformation in bulk, small-angle neutron scatt. 4−36782
- polymer chains, labelled, in bulk, config. determ. 4−32403
- polymer solution, small-angle neutron scatt. in intermediate momentum range 4−36784
- polymers, conformation determ. in vitreous state *(German)* 4−32448
- polystyrene, atactic, bulk meas. of radius of gyration and persistence length by low-angle neutron scatt. 4−36785
- polystyrene, atactic, mol. chain dimensions in bulk and solution 4−36783
- PTFE, longit. acoustic phonons, dispersion reln. 4−6470
- pyrazine crystal, lattice dynamic anal., by coherent inelastic neutron scatt. 4−9954
- rare earth metallide-hydride, orthorhombic, RCo$_5$-H, RNi$_5$-H systems 4−9978
- rare earth pnictides, meas. of cryst. fields, effective-point-charge model 4−41030
- rare earth-Co hydrides, cryst. struct. relations 4−32508
- self-repeating structures, construction of small angle scattering facility 4−14993
- silica glass containing titanite, small-angle neutron scatt. 4−36813
- solid solution inhomogeneities, small-angle scatt. and TEM obs. 4−37830
- superconductor, type II, dirty, vortex lattice investigation 4−28546
- superconductor, type II, mag. struct. of mixed state 4−28549
- superconductor, type II, morphology of flux line crysts. 4−24867
- superconductor, type II, static and dynamic props. of flux line lattice by neutron diffraction 4−33074
- superconductors, mag. struct. conference, Argonne USA (1973) 4−28520
- time-of-flight neutron diffractometer, for amorphous materials, mol. struct. in liquid 4−6311
- p-toluenesulphonic acid monohydrate, deuteration effects, oxonium ion geometry 4−24466
- 1,3,5-triacetylbenzene, electron density distrib., combined X-ray and neutron diffr. data 4−20243
- triglycine sulphate, ferroelec. cryst. struct., transition mechanism 4−9912
- water, struct. and dynamics, review 4−17530
- zero-point vibr. of lattice at absolute zero, neutron scattering 4−3534

neutron diffraction examination of materials continued
- Al, irradiated, voids struct., small angle neutron scatt. 4−36896
- Al single cryst., neutron-irrad., voids, small-angle neutron scatt. 4−32585
- Al-Mg alloys, Guinier-Preston zones, small-angle neutron scatt. 4−37832
- Au high symmetry phonon dispersion meas. by inelastic neutron scatt. 4−28166
- Au$_2$(Mn,Z)$_2$, Z=Al, Cu, Ga, In, Zn, mag. order obs. 4−6736
- B$_4$C, neutron irrad. damage, small-angle scatt. obs. 4−31532
- Ba$_2$CoWO$_6$, antiferromag. crystal, soln. grown by top-seeded technique, mosaic spread obs. 4−37751
- BaGa$_2$Sc$_{1.2}$Fe$_{8.8}$O$_{19}$, type M ferrite, block conical ferromag. spiral 4−16935
- Ba$_5$W$_5$Li$_2$O$_{15}$, cryst. struct. obs. 4−32488
- CS$_2$, liquid, molecular correlation function determ. using neutron diffraction 4−32416
- CSe$_2$, liquid, molecular correlation function determ. using neutron diffraction 4−32416
- Ca$_3$Fe$_2$Ge$_3$O$_{12}$, mag. props., sp. ht. 4−20780
- Cd, phonon density of states determ. 4−9956
- CeCo$_5$D$_{2.55}$, cryst. struct. relations 4−32508
- Ce$_{0.8}$Tb$_{0.2}$Ru$_2$, supercond. and ferromag. coexistence 4−10271
- Ce$_{1-x}$Tb$_x$Ru$_2$, superconductivity and correlation of mag. moments 4−33056
- CoCl$_2$, mag. excitations, ferromag. saturation of antiferromag. state, metamag. props. 4−1316
- Co$_2$HfAl(Ga)(Sn), neutron and X-ray diffr., and magnetiz. obs. 4−24964
- CoMn$_x$Cr$_{2-x}$O$_4$, ($0 \leqslant x \leqslant 2$), Jahn-Teller type distortion and cryst. chem. *(French)* 4−32498
- CoMn$_2$O$_4$, prep. and metal ion distrib. determ. 4−6392
- Co$_2$NbSn, neutron diffr., X-ray diffr. and magnetiz. obs. 4−24964
- Co$_2$VAl(Ga), neutron diffr., X-ray diffr. and magnetiz. obs. 4−24964
- Co$_2$ZrAl(Sn), neutron and X-ray diffr., and magnetiz. obs. 4−24964
- Cr, field-induced mag. moment, polarized neutron obs. 4−10258
- CrF$_3$, covalency parameters for Cr^{3+}, mag. struct. 4−28631
- CsNiF$_3$, one-dimens. ferromag., proof of spin waves by inelastic neutron scatt. *(German)* 4−6741
- Cu, small-angle neutron scattering on recrystallization and cold working 4−32404
- Cu-Co(1 wt.%) alloy, precip., X-ray Huang scatt. and small angle neutron scatt. 4−37833
- CuBr, phonon dispersion curve meas. by inelastic neutron scatt. 4−3540
- CuCl$_2$.2N(C$_5$D$_5$), inelastic neutron scattering, spin dynamics obs. 4−20752
- Cu(II) complex, dinuclear copper (II) acetate monohydrate, struct. determ. 4−3472
- D$_2$U$_3$O$_{10}$, D atom location 4−28037
- DyAlG, antiferromagnetic, staggered magnetisation, tricritical point 4−28632
- ErAg, mag. cell struct., antiferromag. transition temps. 4−20773
- Er$_x$Y$_{1-x}$Al$_2$, cryst. field parameters, susceptibility and neutron scatt. meas. 4−41188
- Fe, small-angle neutron scattering on recrystallization and cold working 4−32404
- Fe:Si, refr. at individual domain boundaries, laminar struct. *(Russian)* 4−28665
- Fe-C, molten alloy, atomic distrib., X-ray and neutron wide-angle diffraction obs. *(German)* 4−16413
- Fe-Ni Invar alloy, mag. cluster structures, small-angle neutron scatt. obs. 4−33173
- Fe-Si cylindrical crystals, domain wall config., neutron transmission obs. 4−10296
- FeCO$_3$, elastic magnetic neutron cross-section calc. 4−16934
- FeF$_2$, elastic magnetic neutron cross-section calc. 4−16934
- FeF$_3$, covalency params. for Fe^{3+}, mag. struct., neutron diffr. obs. 4−28631
- FeI$_2$, antiferromag. struct., spin orientation 4−20785
- Fe$_x$Li$_{1-x}$Li$_{x-0.5}$Fe$_{0.9-x}$Cr$_{1.60}$O$_4$, mag. struct., influence of thermal treatment 4−24961
- γ-Fe$_{47}$Mn$_{53}$, antiferromagnetic, spin waves obs. at 295K 4−1320
- α-Fe$_2$O$_3$, hematite, mag. struct., pulsed field, hysteresis effect 4−37427
- Fe$_2$O$_3$, polarised neutron exam. of critical exponents at $T_c = 585$°C, sublattice magnetisations 4−16929
- Fe$_3$O$_4$, magnetite, acoustic and optic phonon branches obs. by inelastic neutron scatt. 4−28163
- Fe(Pd$_{0.53}$Pt$_{0.47}$)$_3$, single crysts., ferromag. and antiferromag. cluster model 4−24963
- FeSi(2.5%), single crysts., thermal neutron small-angle scatt. by Bloch walls *(German)* 4−6762
- Fe single crystal, critical scatt., spin wave damping obs. 4−28635
- GaSe, layer structure and phonon spectra *(French)* 4−40783
- GaSe, phonon dispersion curves, inelastic scatt. meas. of interlayer interaction 4−3538
- Ge, hot-pressed, strain field, topographic obs. 4−16401
- H dihalides, inelastic neutron scatt. study, vibr. modes and centrosymmetricity 4−20383
- H$_2$, pressurized gas, collisional line narrowing, kinetic theory 4−31997
- O-H$_2$, solid, incoherent neutron scatt. by phono-libron system 4−32630
- H$_2$O ice:HF, cryst. struct. at 77K, Pauling statistical model 4−36875
- H$_3$O.ClO$_4$, crystn., proton jumps, phase transition, obs. by calorimetry and neutron scatt. 4−37007
- He II, liquid, small momentum transfer, dispersion relation 4−32772
- ^{4}He quantum solid, inelastic scatt., lattice excitation 4−10026
- HoRh, crystal electric field levels determ. by inelastic neutron scatt. 4−3846
- I$_2$ crystals at 77°K, phonon dispersion curves meas. by inelastic neutron scattering 4−28170
- K$_2$CoF$_4$, spin correl. and sublattice magnetization, neutron scatt. obs. 4−20766
- K$_2$CoF$_4$, sublattice magnetisation and spin correlations obs. 4−37426
- K$_2$CuF$_4$, spin densities on antibonding orbitals, neutron diffuse scatt. obs. 4−10269

neutron diffraction examination of materials continued
 $KMnF_3$, cryst., scattering investigation, soft phonon modes and struct. phase transitions *(Japanese)* 4−32654
 K_2MnF_4, large crystal growth, characterisation 4−21191
 $K_2Pt(CN_4)Br_{0.3}.3D_2O$, one-dimens. conductor, struct. transform., neutron scatt. obs. 4−37009
 Kr, short range triplet correlations near critical point 4−40891
 $LaVO_3$ susceptibility meas., neutron diffr. studies of local moments 4−28634
 Li-Pb alloys, liquid, struct. investigation 4−9817
 $Li_{0.5}Fe_{1.7}Al_{1.8}O_4$, biquadratic exchange, sublattice magnetisation 4−33145
 $Li_{0.5}Fe_{2.5-x}Ga_xO_4$, cryst. struct. *(Russian)* 4−12911
 $LiNbO_3$, phonon dispersion relations, inelastic neutron scatt. obs. 4−40852
 $Li_2SO_4.H_2O$, l.f. acoustic vibrs. of H_2O mols. 4−3531
 $LiTbF_4$, wave-vector dependent susceptibility determ. by neutron scatt. 4−37424
 MnAl alloy, new ordered ferromagnetic τ phase obs. 4−17211
 MnO, spin waves, 4.2-11.7K, inelastic scatt. obs. 4−13314
 MnO, spin waves, inelastic neutron scatt. obs., 4K to close to T_n 4−33181
 MnO, sublattice magnetization determ. 4−37422
 Mn_3O_4, mag. struct. determ. 4−20784
 $Mn_{0.5}V_{0.5}Te$ powder, ferromag. sheets with antiferromag. coupling *(German)* 4−6767
 N_2 dense gas, molecular dynamics study by neutron scatt. 4−40361
 NH_4ClO_4, dynamics of NH_4 ion determ. by inelastic neutron scatt. 4−28169
 $NH_4H_2PO_4$ (ADP), location of H atoms by neutron powder profile refinement 4−1039
 Na, lattice parameter determ., back scatt. 4−32479
 β''-$Na_{4.7}Al_{30.4}Mg_{2.6}O_{51.0}$, struct. rel. to ion transport 4−6383
 $NaCa_2Mn_2V_3O_{12}$, mag. struct. obs. 4−24966
 NaCl, Debye-Waller factor determ. at 4.2 and 295 K 4−1032
 Na_2NiAlF_7, one-dimens. linear antiferromag. props. 4−6734
 Na_2NiFeF_7, ferrimag. props. below 88K 4−6734
 Nb, supercond., acoustic phonon damping, inelastic neutron scatt. meas. 4−13262
 Nb, supercond. single cryst., obs. of anisotropic flux-line lattice 4−13249
 Nb, superconducting, neutron scatt. and depolarisation by flux line lattice 4−28551
 Nb, superconducting, vortex lattice obs. 4−33057
 Nb:D, short wavelength density fluct., stability curve 4−21290
 Nb_3Sn, normal and supercond. states, acoustic phonons obs. 4−24529
 Nb_3Sn, supercond., phonon line width, from neutron scatt., rel. to Fermi surface study 4−16566
 Nd_3In, mag. variation with temp. and mag. field, predominance of ferromag. exchange 4−28616
 Ne, liq., triplet correl. and pair potential functions, from anal. of neutron diffr. data 4−32418
 Ne, liq. investigation of collective excitations by neutrons scatt. at small scatt. vectors 4−6324
 Ni, domain structure examination 4−28662
 Ni, single crysts., thermal neutron small-angle scatt. by Bloch walls *(German)* 4−6762
 Ni, small-angle neutron scattering on recrystallization and cold working 4−32404
 Ni-Mn, disordered alloys, antiferromagnetism investigation from 4.2 to 40K 4−24965
 Ni-Rh dilute alloy, near Curie point, Ni spin correlation time determ. 4−13312
 $Ni_3B_7O_{13}I$, mag. struct. exam. 4−28633
 $Ni_{0.95}Cr_{0.05}$, localized moments determ. from form factor meas. 4−41201
 NiF_2, x-parameter obs. 4−20260
 $Ni_{0.86}Fe_{0.14}$, $Ni_{0.79}Fe_{0.21}$, mag. form factor, polarised neutron obs. 4−33171
 Ni_3Mn, partially ordered, mag. props., small-angle neutron scatt. obs. 4−33172
 Ni_3Mn, with Al and Cu additions, phase transition obs. *(Russian)* 4−13589
 NiO, near Neel temp., nonrigid lattice, exchange induced distortion 4−24941
 Pb:Bi, strain field structure, diffuse neutron scattering 4−3503
 $(PbO)_5.(GeO_2)_3$, above Curie temp., transition mechanism 4−6849
 $Pb_{1-x}Sn_xTe$, semicond. soft mode, Landau transition investig. using inelastic neutron scatt. 4−24542
 $PrCo_5D_{3.6}$, $PrCo_5D_{2.9}$, cryst. struct. relations 4−32508
 Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, phonon dispersion curve obs. by inelastic neutron scatt. 4−16575
 Rb, liq., short wavelength collective excitations, coherent neutron scatt. 4−16411
 RbSH, trigonal phase, SH^- reorientation, neutron quasielastic scatt. 4−32453
 Se, liq., struct. obs. *(French)* 4−9814
 SiH_4, liquid, rotational diffusion model calc. of incoherent cold neutron scatt. 4−16410
 $(Sr,Ba)Bi_2Ta_2O_9$, cryst. struct. 4−1037
 $SrTiO_3$, dispersion relations of normal vibrations, inelastic neutron scatt. meas. 4−1089
 $TaH_{0.15}$, neutron inelastic scattering, H diffusion, jump diffusion model 4−32742
 Ta_2H, neutron inelastic scattering, H diffusion, jump diffusion model 4−32742
 TaON, anion ordering obs. 4−32487
 Tb, neutron depolarisation in mag., phase transition region, temp. depend. 4−20786
 Tb, neutron total cross section, atomic and nuclear effects 4−20191
 Tb-Fe alloys, sputtered annealed, amorphous 4−32438
 $TbAl_2$, magnon, magnetic exciton interaction, inelastic neutron scatt. expt. 4−10275
 $TbAl_2$, magnon dispersion reln. determ. 4−13318
 $Tb(OH)_3$, neutron mag. form factor and radial density of 4f electrons in Tb^{3+}, expt. and theory 4−37425
 $Tb(OH)_3$ study of severe extinction effects, structural parameter determ. 4−1031
 TbOOH, antiferromag., spin arrangement determ. 4−32511

neutron diffraction examination of materials continued
 $Th(Co_{1-x}Fe_x)_5$ alloys, Fe, Co ordering, mag. props. 4−3845
 $ThNi_2Co_3(Co_2)$, 5-297K, moment directions, ordered and disordered phases 4−28630
 UAsTe, mag. and cryst. struct., mag. moment alignment 4−33177
 UIn_3, magnetic structure, 4.2K 4−6738
 U_4O_9, transition at about 70°C, superstruct. obs. at 120°C 4−32704
 $UOCl_2$, cryst. struct. 4−16453
 UO_2Cl_2, monohydrate and monodeuterate, cryst. struct. 4−16452
 UPTe, mag. and cryst. struct., mag. moment alignment 4−33177
 UTl_3, magnetic structure, 4.2K 4−6738
 V-Co-Ni alloys, atomic ordering and struct. transform. 4−41540
 V_2O_3, elastic magnetic neutron cross-section calc. 4−16934
 $Y_{3-y}Ca_yFe_2Fe_{3-y}Si_yO_{12}$, $(0 \leqslant y \leqslant 3)$, phase transition with changing y, analogy with liq. infiltration problem 4−10272
 $Y_{3-x}Ca_xFe_{2-x}Zr_xFe_3O_{12}$, $(0 \leqslant x \leqslant 2)$, phase transition with changing x, analogy with liq. infiltration problem 4−10272
 $Y_3Fe_{5-c}Al_cO_{12}$ Neel ferrimagnet system, magnetic structure 4−24962
 Zr, h.c.p., soft acoustic shear modes, temp. depend. 4−3537
 Zr-Nb(20 wt.%), b.c.c. with ω-phase, short-range struct. soln., models for diffuse neutron diffr. pattern 4−1027
 Zr-O(28.2 and 29.2 at.%) alloys, at. ordering and lattice distortion 4−16445
 ZrO_2-$YO_{1.5}$ solid soln., cryst. struct., O ions relax. to vacancies 4−20268
 ZrV_2, supercond., obs. of 116.7K martensitic transform., lattice instabilities 4−10568

neutron diffusion
 see also neutron flux
 absorbing media, comparison between Benoist and Selengut coeffs. 4−12405
 anisotropic, one-vel. inverse transport problem 4−15250
 control systems for power reactors 4−12434
 cosine currents approximation, response matrix method 4−27408
 cylindrical cell, anisotropic diffusion coeff. calc. by integral transport theory 4−36246
 cylindrical cell, calc. by P_3 method, radial coefficient 4−12404
 diphenyl, 20-170 degrees C thermal neutron diffusion parameters, 20-170 degrees C 4−671
 elastic, in cellulose nitrate track detector, dosimetry appl. *(French)* 4−30575
 finite element approx., singularities 4−31441
 flux synthesis, integration over discontinuous trial functions 4−12415
 functionals for free boundaries and discontinuous trial functions 4−12400
 graphite, across an absorption discontinuity 4−12408
 graphite, thermal neutron diffusion length 4−31456
 HTGR, two-dimensional coarse nodal diffusion calc. 4−23795
 LMFBR, Na cooled, comparison of transport and diffusion theory for shielding calcs. 4−12419
 moments method calcs. of n-distrib. in concrete 4−23752
 multi-group 3-dimensional, eqn., computer program 4−5873
 multigroup diffusion eqn. for EK-10 and IRTM fuelled reactor, appl. of CDM-1 code 4−3006
 nonmultiplying assembly, variational method, appl. to Be and BeO blocks 4−5872
 nuclear fact reactor calcs. using modified one-mode method 4−23748
 nuclear reactor multiregion problems, finite element soln. 4−27411
 nuclear transmission, p-wave strength function meas. and low-energy optical potential 4−31367
 pulsed source technique in moderator with single channel, test of theory 4−23759
 radiation penetration calculation, Monte Carlo method 4−27382
 slab lattices, ambiguity in definition of effective diffusion coeffs. 4−23760
 square cell, neutron diffusion coeff. 4−12428
 steel, stainless, calcs. rel. to ^{239}Pu critical conc. in water 4−27493
 thermal, in light and heavy water, expt. data 4−27377
 thermal neutron cell calculations, computer program 4−27409
 transient neutron flux state, direct iterative calc. 4−31443
 transport scalar flux computation using generalised diffusion eqn. 4−23793
 two-group neutron diffusion, nonlinear optimisation problem *(German)* 4−15936
 Na void reactivity, effect of axial streaming, heterogeneity, calc. of elastic removal cross sections 4−5881
 ^{238}U, dieaway expt. anal., image method for time-depend. neutron diffusion 4−31467

neutron economy *see neutron flux*

neutron effects
 see also nuclear reactions and scattering due to neutrons
 acoustic wave excitation in solid by fast neutron beam, thermoelastic and dynamic mechanisms *(Russian)* 4−36957
 activation analysis of moving matter composition using 14 MeV source 4−23058
 activation rate calc. for cylindrical source and sample 4−39320
 biological, and medical, practical aspects 4−14708
 damage, statistical theory using Volterra's functional eqns. 4−6423
 dosimetry, nuclear accident, general principles 4−23945
 EBR-II driver fuel, texture and irrad. growth 4−31539
 energy deposition, small tissue volumes 4−8247
 fusion reactor, radiation damage limits on wall loadings 4−27477
 GCFR fuel pressure equalization system, irradiation testing of vented-fuel-rod design 4−27402
 graphite, creep, constant stress irradiation induced at high fluences 4−17400
 graphite, effects on electrical and thermal conductivity 4−23862
 graphite, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
 graphite, nuclear reactor moderator neutron fluence and atomic displacement rates 4−27379
 graphite irradiation in reactors, experimental fitting of data 4−19597
 helical sping creep specimens, phenomenological effects of swelling on deflection 4−19590
 human phantom, 2.95 MeV neutrons, angular dependence 4−4878

neutron effects continued
inosine-5 phosphates, paper electrophoresis anal. of recoil products 4−31525
LMFBR fuels and materials development, high flux level reaction rate meas. 4−36338
materials science aspects, comparison with heavy ion bombardment *(Japanese)* 4−1432
metal, b.c.c., fusion reactor neutron spectrum effects simulation by protons 4−1071
metal, cubic, creep strain on neutron irrad., stress effects on dislocation loop nucleation 4−17319
metal, fast neutron irrad., isochronal recovery 4−19584
metal, irrad., impurity effects on void nucleation 4−16523
metal, irradiation effects during plastic flow, phenomenological theory 4−25351
metal, irradiation effects during plastic flow, thermomechanical coupling 4−25352
metal, model for void nucleation and growth 4−24495
metal, proton simulation of displacement effects induced by 14 MeV neutrons 4−23828
mice, acute mortality after partial body irradiation 4−2194
mice, midline tissue dose, late effects, additivity 4−8215
mice embryo irradiation, survival curves, effect of dose fractionation 4−14707
m.i.m. structure, irrad., cond. and I-V characts. *(Russian)* 4−16825
m.i.s. structure, irrad. cond. and I-V characts. *(Russian)* 4−16825
nonfissile foil irradiation, reaction rate meas., dosimetry appl. 4−36398
nuclear reactor casings, irrad. effects on ductility, creep and metal swelling *(French)* 4−36350
nuclear reactor fuel rods, stainless steel clad, postirradiation exam. 4−23903
nuclear reactor matrix material, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
nuclear reactor mixed-oxide pins, modelling fuel cladding post irradiation gap 4−23782
pyrocarbon, neutron-irrad., heat-treated, microporosity, small-angle X-ray scatt. obs. 4−31533
radiotherapy, fast neutron, system developed at Naval Research Laboratory 4−8184
radiotherapy, instrumental progress 4−22602
radiotherapy, practical aspects of neutron generators 4−30248
radiotherapy, prod. and use of neutrons 4−30249
rat embryos, fast neutron irradiation, effects 4−8230
rat mammary neoplasms, neutron induced 4−8216
reactor burnup physics, current capability 4−12432
reactor calandria sample, search for voids by positron annihilation and electron microscopy 4−31527
recycle fuels for high-temp. gas-cooled reactor, thermally severe irradiation test 4−23789
soil irradiation up to 1 GeV, gamma-active isotope production 4−23930
solid, atomic displacements by fast neutrons 4−12961
steel, 20% CW Type 316 stainless, time-to-rupture in postirradiation and in-pile creep 4−23902
steel, dispersion-strengthened ferritic, for fast reactor structural material 4−27451
steel, fatigue crack propag. in irrad. and unirrad. ASTM A533-B specimens at low cyclic freq. 4−19592
steel, Fe-Mo-C, neutron irrad., effect on Snoek peak, recovery 4−37895
steel, low-C martensite, low temp. tempering process, increased stability 4−33815
steel, nuclear reactor pressure vessel, embrittlement surveillance 4−32587
steel, stainless, cladding of EBR-II irradiated Mark-IA driver fuel, end-of-life obs. 4−27457
steel, stainless, defect production rates, computer modelling 4−24494
steel, stainless, irrad. induced swelling, effect of minor constituents 4−12449
steel, stainless, neutron transmutation effects in CTR blankets 4−23858
steel, stainless, nuclear reactor casings, irrad. effects on ductility, creep and metal swelling *(French)* 4−36350
steel, stainless, simulation of neutron irrad. effects by h.v. electron microscopy 4−1072
steel, stainless, Type 316, irrad., ferrite form. 4−23907
steel, stainless void coarsening during electron irradiation 4−1073
steel, Type 316 stainless, heat treatment effect on fast neutron damage, creep-rupture tests 4−27452
steel cladding, type 316 stainless, deformation mechanism maps appl. to performance prediction 4−27454
steel cladding on reactor, void form., growth, vol. increase, flux depend. 4−5922
steel tubes, stainless, in-reactor creep expts. 4−23901
stopping power, quantum mechanical calc. 4−40823
stopping power theory, generalised Bethe theory 4−40822
swelling of metals and alloys, stress effects 4−27453
Syrian hamster, r.b.e. for 28-day mortality 4−35062
tagged beam production, of stripping at 6 GeV/c 4−85
telluride semiconductor compounds, Mossbauer study, (n,γ) reactions 4−24493
void nucleation, suppression by oversized solute atoms, dislocation core interaction 4−3034
void nucleation, suppression by oversized solute atoms, dislocation core interaction 4−3035
Zircaloy, in-reactor corrosion mechanism 4−12453
Zircaloy cladding, fracture under simulated power ramp conditions 4−19588
Zircaloy nuclear reactor casings, irrad. effects on ductility, creep and metal swelling *(French)* 4−36350
Zircaloy-2, corrosion under radiation in moist CO_2-air mixtures 4−19586
Zircaloy-2, fast neutron irrad. and annealed, radiation hardening 4−29130
Zircaloy-clad UO_2 fuel, fission product-induced stress corrosion cracking 4−23905
Al, irrad., void order *(French)* 4−32586
Al, radiation-induced strengthening and embrittlement 4−37934

neutron effects continued
Al, void form., small angle neutron scatt. anal. 4−36896
Al single cryst., neutron-irrad., voids, small-angle neutron scatt. 4−32585
α-Al_2O_3 e.p.r. spectra study of irradiated crystals 4−10322
Al_2O_3 single crysts., 14 MeV neutron damage 4−15951
Au, TEM anal. of 14-MeV neutron displacement damage 4−23857
B_4C, EBR-II irrad., tritium retention 4−15945
B_4C, fast-reactor irradiated, crystallographic changes 4−23892
B_4C, irrad., defect struct. 4−19582
B_4C, irrad. behaviour under PWR conditions 4−15946
B_4C, neutron irrad. damage, small-angle scatt. obs. 4−31532
B_4C, pore morphology, struct. and irrad. effects 4−15942
B_4C, thermal cond., elec. cond., thermal expansion, neutron irrad. effects 4−31529
B_xC_y LMFBR absorber material, YY02 instrumented irradiation 4−23893
^{10}B, neutron damage on nuclear reactor pressure vessel steel weldment, effect of B 4−5916
BeO, radiation damage in single crysts. 4−12960
C fibres, irradiation induced struct. changes by fast neutrons 4−17433
C/epoxy composite, neutron irrad. effects on mech. strength 4−1630
Cr, pyrolytic carbon doped quasi-amorphous layers, neutron-stimulated electrical conductivity *(Russian)* 4−3755
Cu, irrad., instantaneous flux effect on swelling *(French)* 4−15972
Cu, irrad., prismatic slip and dislocation channelling 4−24497
Cu-Fe(1 wt.%) alloy, mech. props. appl. of neutron irrad.-induced coherency strain control 4−1589
CuO, neutron irradiated, X-ray photoelectron spectra obs. 4−25210
Cu_2O, neutron irradiated, X-ray photoelectron spectra obs. 4−25210
EuO LMFBR absorber material, YY02 instrumented irradiation 4−23893
Fe irradiation, effect of C and N impurities on magnetic aftereffect, 20 to 250°C 4−16957
Fe:N, C, magnetic after-effect, low temp. relaxation 4−3873
$Fe-Cr_{1.45}-C$, work hardening, neutron irrad. and Cr interstitial effects, recovery 4−37894
Fe-Cu(0.3 at %), neutron and heavy ion irrad., effect of additions on void nucleation and growth 4−1043
Fe-Ni (3.48 wt.%) Snoek peak shift for resolution of interstitial N atoms 4−21316
Fe-V(0.3 at %), neutron and heavy ion irradiation, effect of additions on void nucleation and growth 4−1043
GaAs lasers, neutron-irrad. induced time delays, obs. 4−39752
GaP- n-type, cathodoluminescence, impurity, residual and radiation defect effects *(Russian)* 4−41438
Ge, fast neutron irrad., annealing of defects 4−32581
Ge, fast-neutron compensated, disordered regions, temp. depend. of resistivity 4−20621
Ge, neutron-irrad., recombination in disordered regions, equilibrium vs. impact models 4−41081
Ge:Li, irrad. defects, effect on cond., levels determ. 4−32893
KBr, optical absorption and luminescence spectra 4−3987
LiCl crystals, thermal behaviour of colour centres produced by low-temp. irradiation facility 4−32584
LiF, M and F_3^+-centre form., depend. on neutron irrad. temp., luminesc. obs. 4−24474
LiF, thermal bleaching of colour centres after irradiation at 18K 4−32583
Mg, irrad., void order *(French)* 4−32586
MgO, paramag. defect, $(OF)^{2-}$ mol. ion, e.p.r. 4−24999
Mo, irrad., fluence and temp. depend. of swelling 4−23836
Mo, irrad. defects orientation depend., X-ray diffr. obs. *(Russian)* 4−36920
Mo, neutron irrad., annealing and void form., positron annihilation obs. 4−20296
Mo, radiation anneal hardening 4−25391
Mo annealed samples, stability of damaged state 4−19599
Nb, effect of interstitials on defect production and recovery during neutron irradiation, 4.6 K 4−16522
Nb, irradiated with 14-MeV neutrons, particle release investigation 4−37725
Nb, irradiation damage in absence of transmutation products 4−23859
Nb, radiation effect calc. from (n,2n), (n,p) and (n,α) reactions 4−27478
Nb, supercond., neutron-irrad. induced peak effect 4−37368
Nb:Zr(1%) irradiation damage in absence of transmutation products, CTR applications 4−23859
Nb_3Sn, superconducting magnet, stability rel. to fusion reactor applications 4−23863
NbTi, superconducting magnet, stability rel. to fusion reactor applications 4−23863
Ni neturon transmutation effects in CTR blankets 4−23858
Pu recycle fuel, solid and annular pellet, irradiation performance in BWR 4−23788
PuO_2 coated-particle fuel for water-cooled reactors, kernel agglomeration during irradiation 4−23906
Si, e.p.r., negative charge state of nonplanar five-vacancy cluster 4−20857
Si, epitaxial, on $MgO.Al_2O_3$ spinel, elec. cond. and Hall coeff. obs. 4−13187
Si, minority carrier diffusion length meas. for damage constants in comparison with photocond. decay obs. 4−41082
Si, neutron irradiated, e.s.r. saturation 4−13347
Si, neutron-irrad., recombination in disordered regions, equilibrium vs. impact models 4−41081
p-Si, positron annihilation rates 4−20326
n-,p-Si, radiation damage to surface layers, defect energy levels 4−24484
Si, stable damage comparisons from minority carrier lifetime degradation obs. 4−41080
Si:Cu, possible role of impurities in neutron damage process, i.r. spectra obs. 4−36912
β-SiC, irrad., X-ray diffr. peak profile analysis 4−24496
SiC, neutron irrad., changes in temp. depend. of nonlinear conductivity *(Russian)* 4−1236
β-SiC, post neutron irrad. annealing props., use as irrad. temp. monitor 4−9356

neutron effects continued

- β-SiC, post-irrad. annealing behaviour 4−23831
- SiO_2, resistivity, dielec. loss, defect form. 4−13385
- U-5% wt. fissium fuel pin, texture, irradiation performance specification 4−27456
- UO_2, fission gas resolution kinetics 4−15969
- UO_2, grain size effect on swelling and gas release props. during irrad. 4−31538
- UO_2, in-pile fission gas release mechanisms 4−23832
- UO_2, radiation-induced primary creep at low temps. 4−23823
- UO_2 defected fuel elements, neutron radiography 4−3016
- UO_2 fuel, irrad. with low external restraint, density and gas release meas. 4−15968
- V, fusion reactor blankets, neutronic anal. and comparison with No 4−31563
- V, irrad., oxygen Snoek damping correl. with TEM obs. 4−25362
- V, isochronal recovery curves of thermal and fission neutron damage 4−20329
- V, superconducting single crystal, irradiation induced pinning centres effect on critical current density 4−16883
- V, superconductor, effect of fast neutron irrad. rel. to crit. current density 4−37367
- V neutron transmutation effects in CTR blankets 4−23858
- ZnS single crystal, bombardment in reactor, photoluminescence change rel. to dose variation *(Russian)* 4−17119
- Zr, dislocation loop anal. by transmission electron microscopy 4−3507
- Zr, irrad. at 77K, internal friction *(French)* 4−27442
- Zr alloy sheathing, irrad., u.s. testing 4−23845
- Zr-Nb(2.5 wt.%) alloy, corrosion under radiation in moist CO_2-air mixtures 4−19586
- Zr-Nb(2.5 wt.%) alloy, dislocation struct. 4−4158

neutron flux

- activation anal. physical limitations and interference *(Spanish)* 4−23047
- advanced gas cooled reactor fuel management, three-dimensional neutron flux soln. 4−27438
- angular, emerging from U shells surrounding central source, STRAINT program calc. 4−5874
- axisymmetric shield, fast neutron penetration 4−40056
- bounded point estimation, point cross-section Monte Carlo codes 4−27381
- burnup measurement, in core and out of core methods *(German)* 4−31460
- BWR, in-core meas. using self-powered Pt flux detector 4−36272
- cylindrical shell of moderator, thermalisation of neutrons meas. 4−5871
- delayed neutrons, effectiveness in commercial PWR 4−31485
- diffusion equation, generalized, computation of transport scalar flux 4−23793
- fast, absolute determ. by Mn bath method 4−39328
- fast and epithermal flux meas. using ^{140}Ba 4−39336
- ferrometals, 14 MeV neutron activation analysis *(Flemish)* 4−11661
- fission track method for thermal neutron fluence meas. using fissionable element in solns. and glasses 4−30572
- FTR, adequacy of low-level flux monitor for IKRD calibration 4−36269
- heterogeneity, effect on Na void reactivity 4−5881
- HTGR, two-dimensional coarse nodal diffusion calc. 4−23795
- HTR cores, Xe induced instabilities, control of spatial power distrib. *(German)* 4−36254
- in vivo neutron activation anal., flux distrib. problems 4−42591
- infinite air medium, neutron dose, fluence distrib. calcs. 4−5932
- leakage spectra from Be, Ph, Nb, Mo, W, Ta and polyethylene spheres, transport anal. 4−23754
- multidimensional kinetics, operator splitting 4−31483
- multizone reactor, spherical fuel elements, neutron flux distrib. *(German)* 4−9330
- nuclear reactor, field flux spectral characterisation, 20 keV to 2 MeV 4−31446
- nuclear reactor dynamics, anal. of nonlinear Xe oscillation by method of averaging 4−19569
- nuclear reactor flux anal. using SAND-II multiple-foil method 4−36396
- nuclear reactor in-core and out-core flux relationships 4−36330
- nuclear reactor Mol-ΣΣ secondary intermediate energy standard neutron field 4−36339
- nuclear reactor multiregion problems, finite element soln. 4−27411
- plasma, stationary magnetized, press. balance 4−32217
- power reactor, radiation dose distrib. calc. after shutdown 4−36402
- power reactors, physics problems in start up and operation 4−12435
- reactor, gas cooled, migration of volatile fission products in fast flux irradiation 4−27406
- reactor beam, fast neutron stilbene scintillation spectrometer 4−18682
- reactor with cooled moderator convertor layer, very cold neutron prod. 4−36248
- response-matrix method, space-dependent reactor kinetics 4−27407
- scintillography using thermal neutrons 4−33937
- square cell, neutron diffusion coeff. 4−12428
- synthesis, integration over discontinuous trial functions 4−12415
- thermal, reactivity effects due to magnetic scattering by magnetised Fe 4−36327
- thermal, represented by integral neutron transport program THERMOGENE for arbitrary X-Y geometry system 4−12418
- time-dependent transport, collided flux expansion method 4−12414
- transient state, direct iterative calc. 4−31443
- transport equation solution by superposition of beams possessing wave fronts 4−36247
- water power reactors, criticality calcs. 4−12431
- (n,α) absolute cross sections for ^{39}K, ^{40}Ca, 2.4-2.9 MeV, associated particle technique flux meas. 4−31355
- (n,p) absolute cross sections for ^{39}K, ^{40}Ca, 2.4-2.9 MeV, associated particle technique flux meas. 4−31355
- D_2, solid, energy transfer in laser produced plasmas 4−6256
- $^{115}In(n,n')^{115m}In$, meas. of cross section, 3.37 to 4.89 MeV 4−5793
- ^{235}U-fueled fast subcritical reactor, comparison with time-of-flight spectra and transport calcs. 4−3000

neutron flux density *see neutron flux*

neutron interactions

see also nuclear reactions and scattering due to neutrons

- deuterated target, polarised, analysing power of interactions 4−23545
- nuclear reactor, energy distribution *(German)* 4−40111
- nucleon cross section extraction from deuterium data 4−5645
- $\gamma n\rightarrow n(m\pi^+)(m\pi^-)$, m=1,2, total and partial cross-sections, 7.5 GeV average charge multiplicity 4−27189
- $\gamma n\rightarrow p([m-1]\pi^+)(m\pi^-)$, m=1,2, total and partial reaction cross-sections, 7.5 GeV 4−27189
- $\gamma n\rightarrow p([m-1]\pi^+)(m\pi^-)\pi^0$, m=1,2, total and partial reaction cross-sections, 7.5 GeV 4−27189
- $\gamma n\rightarrow p\pi^-$, in Δ(1236) resonance region, dispersion reln. analysis, isotensor e.m. current *(Russian)* 4−15492
- $\gamma n\rightarrow p\pi^-$, single photoproduction in energy region of P_{11}, D_{13}, S_{11} pion-nucleon resonances 4−27103
- $\gamma n\rightarrow\pi^-p$, 0.2 to 2.0 GeV, cross section determination 4−8969
- $\gamma n\rightarrow\pi^0n$, eikonal model including reggeon-reggeon cuts 4−27104
- $\gamma n\rightleftharpoons p\pi^-$, Δ(1236) resonance region, correction to photoproduction impulse approximation *(Russian)* 4−35997
- $K^-n\rightarrow K^0\Delta^-$, high energy quasi-two-body reaction, Regge model 4−15560
- $K^-n\rightarrow K^{*0}\Delta$, data for SU_3 sum rule for vector meson prod. mechanism 4−15562
- $K^-n\rightarrow\Sigma^-\eta$, near threshold, 920-960 MeV/c, prod., angular distrib., cross-section 4−31187
- K^+n, 9 and 12 GeV/c, evidence for high mass K* states 4−23561
- $K^+n\rightarrow K^0p$, amplitude, polarisation rel. to dispersion relations, dual absorptive model 4−12091
- $nd\rightarrow nnp$, unitarity constraints 4−12079
- np charge exchange forward amplitudes, 600 MeV/c to 24 GeV/c 4−31190
- np final interaction in Pd breakup at 585 MeV 4−5641
- np final state interaction in deuteron break-up reaction 4−15797
- $np\rightarrow pX$, 2-10 GeV, structure function dependencs *(Russian)* 4−15586
- $np\rightarrow pp\pi^-$, 1.0 to 8.0 GeV/c, one pion exchange model for physical distrib. 4−5664
- $np\rightarrow\pi^\pm X$, 2-10 GeV, structure function dependences *(Russian)* 4−15586
- pn, inclusive π^+ single-particle and two-particle distrib., 3-5 GeV/c 4−5686
- $pn\rightarrow D\gamma$, astrophysical, hypothesis for 1 MeV diffuse γ-ray excess 4−2130
- $pn\rightarrow pp\pi^-$, isospin anal. of single pion prod., threshold to 2.90 GeV 4−27190
- $pn\rightarrow\pi^+\pi^-\pi^-$, grand angular momentum formalism 4−376
- π^-n, 40 GeV/c, joint description of charge distribs. and neutral-charged particle correlations 4−387
- π^-n, at 40 GeV/c, cross section determ. for production of neutral strange particles *(Russian)* 4−15585
- $\pi^-n\rightarrow\gamma+$ anything, 40 GeV/c, π^0 multiplicity from γ distrib. 4−5676
- $\pi^+n\rightarrow p\pi^+\pi^+\pi^-\pi^-$, 11.7 GeV/c, transverse angular momentum distrib. 4−27187
- $\pi^+n\rightarrow p\pi^+\pi^+\pi^-\pi^-\pi^0$, 11.7 GeV/c, transverse angular momentum distrib. 4−27187
- σN, extension of Pade approximant model of nucleon propagator 4−39879

neutron moderation

- diphenyl, thermal neutron diffusion parameters, 20-170 degrees C 4−671
- energy-group, energy-point mixed formalism, Fe-Na, U-C mixtures 4−15934
- fissile material nondestructive assay, anal. of Pb spectrometer 4−23854
- heavy moderators, slowing down via inelastic scattering in steady state 4−23751
- plane lattices, generalised Nelkin's expansion multigroup P_n theory 4−12406
- pulsed source technique in moderator with single channel, test of theory 4−23759
- reactivity worth expression for control elements in closely spaced ring 4−19570
- thermal spectrum, energy distrib. anal. in WMR's 4−19575
- thermalisation, transformed equation 4−40054
- thermalisation in cylindrical reactor lattice cells, RJT4-CATHY computer code 4−19560
- H_2O-Be plane lattice, generalised Nelkin's expansion for neutron burst decay 4−12403

neutron polarisation

- dense neutron matter, equation of state, Fermi liquid theory with polarisation 4−4811
- five-nucleon system, incident beam polarisation calibration 4−12352
- n resonance spin determ. using polarised n source from underground nuclear explosion 4−18575
- nuclear shell effects on polarisation in elastic scattering using Strutinsky's shell correction method *(Russian)* 4−15784
- s-wave n backscatter polarisation meas. for T-value determ. with dynamically polarised p target 4−18579
- sources of polarised fast neutrons, review 4−11570
- spin precession in polarized nuclear targets rel. to scattering amplitudes 4−15774
- transfer reaction experiments, review 4−15859
- transmission experiments with polarised neutrons on polarised targets 4−12317
- ultracold neutrons, transmission through thin ferromagnetic films 4−27387
- $^{12}C(^2He,n)^{14}O$, at 2 to 5 MeV, n-polarisation meas. 4−19376
- (d,n) reactions on ^2H, ^9Be, ^{12}C, ^{14}N and ^{16}O at 2 to 5 MeV, n-polarisation meas. 4−19376
- (d,n) zero-degree polarisation transfer reactions, use as practical polarised neutron source 4−15862
- d disintegration in field of heavy nucleus, neutron polarisation anal. by panalyzation 4−27335
- np scattering, e.m. effects in polarisation 4−27165
- (p,n), isospin-forbidden, calc. 4−5802
- (p,n) reaction on ^3H, ^7Li at 2 to 5 MeV, n-polarisation meas. 4−19376

neutron polarisation continued
^{11}B(α,n)^{14}N low energies, calc. of n polarisation 4−19527
^{11}B(d,n$_{1,0}$) 7 to 12 MeV, cross-section and n polarisation meas. DWBA anal. 4−19499
^{11}B(d,n)^{12}C, ang. distrib. and excitation functions, deuteron energies 3-5.5 MeV 4−27334
^{9}Be(d,n), 3.0 to 3.5 MeV n polarisation meas. 4−19497
^{9}Be(d,n)^{10}B, ang. distrib. and excitation functions, deuteron energies 3-5.5 MeV 4−27334
^{12}C(n,n), 3 to 7 MeV, n polarisation map determ. 4−19432
^{12}C(n,n) elastic and inelastic, 15 MeV, n polarisation meas. 4−19434
^{12}C(n,n)^{12}C, 2.63 MeV, neutron polarisation, phase shift meas. 4−15779
^{40}Ca, muon capture, emitted neutron longit. polarisation calc. 4−19387
^{63}Cu(n,γ), capture of polarised thermal neutrons, spin assignments 4−2873
D(n,n)D, 2.6 MeV, polarised neutron, phase shift analysis, mixing parameters 4−2879
^{57}Fe(n,γ)^{58}Fe, capture of polarised thermal neutrons, anal. of γ-ray intensities and energies 4−2872
^{1}H(d,n), 42.8 MeV, liquid He polarimeter analysis 4−9157
^{1}H(d,n)pp, polarisation transfer at 0°, model 4−15870
^{1}H(n,n)^{1}H, 16.2 MeV, polarisation meas. using T(d,n)^{4}He neutron source 4−15821
^{1}H(n,n)^{1}H, 21.6 MeV, polarisation meas. using directional dependence of scintillation pulse shapes from anthracene crystal 4−15822
^{1}H(n,n)^{1}H 32 MeV, polarisation meas. by scattering asymmetry obs. for D-T reaction neutrons 4−15823
^{2}H(d,n)^{3}He, 12 MeV, vector analysing power 4−15868
^{2}H(d,n)^{3}He, 25-40 MeV, neutron polarisation 4−15867
^{2}H(d,n)^{3}He, 6-14 MeV, differential cross sections, neutron polarisation 4−15866
^{2}H(d,n)^{3}He, polarisation transfer at 0°, model 4−15870
^{2}H(d,n)^{3}He, polarised incident beam, meas. of neutron polarisation, 7-16 MeV neutron energies 4−15869
^{2}H(d,n)^{3}He, polarised n beam production using associated particle method 4−19513
^{2}H(γ,n)p, 5-40 MeV, 90° differential polarisation of photoneutrons 4−15764
^{2}H(n,n)^{2}H, 2.6 MeV elastic scattering, angular dependence of neutron polarisation 4−15826
^{2}H(n,n)^{2}H, 7.89 MeV polarised neutrons, ang. distrib. analysing power and phase-shift anal. 4−19427
^{2}H(n,n)^{2}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
^{2}H(p,n), 21.4 MeV, liquid He polarimeter analysis 4−9157
^{3}H(^{3}He,n)^{5}Li, 2.70 and 3.55 MeV, angular distribs. and neutron polarisation 4−15903
^{3}H(d,n) reaction as polarised 14 MeV n source 4−22940
^{3}H(d,n)^{4}He, 7.0 and 11.4 MeV polarised deuterons, neutron polarisation, spin-flip mechanism 4−15875
^{3}H(d,n)^{4}He, 7.0 to 11.4 MeV, neutron polarisation angular distribs., analysing powers 4−15872
^{3}H(d,n)^{4}He polarisation transfer reaction, quadratic relns. between observables 4−15876
^{3}H(n,n)^{3}H, 6-23 MeV, optical model fits to neutron polarisation and differential cross sections 4−15813
^{3}H(n,n)^{3}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
^{3}H(p,n)^{3}He, 1.3 to 2.9 MeV polarised protons, analyzing power meas. 4−36192
^{3}H(p,n)^{3}He, 1.5-4 MeV, difference between polarization and analyzing power 4−27323
^{3}H(p,n)^{3}He, charge-independent phase shift analysis 4−15829
^{3}H(p,n)^{3}He, longit. polarisation transfer, 4-15 MeV 4−31362
^{4}He + n, double scatt., 15 MeV, phase shift sets 4−27329
^{4}He(n,n)^{4}He, asymmetry and polarisation function at 27.3 and 30.3 MeV 4−15836
^{4}He(n,n)^{4}He, comparison of analysing power calculated from various phase shift sets 4−15834
^{4}He(n,n)^{4}He, elastic scattering near 20 MeV, differential cross section, phase shifts 4−15835
^{7}Li(p,n)^{7}Be 3 to 4 MeV, meas. of n polarisation 4−19430
^{16}O(γ,n), differential polarisations of photoneutrons from giant dipole states 4−19386
^{16}O(n,n) at 1 to 4 MeV, high resolution study of n polarisation and phase-shift anal. 4−12341

neutron production
cosmic ray induced, underground, in Pb, Cd, Fe and Al 4−25911
criticality, for pipe intersections, Monte Carlo anal. 4−27484
fusion neutron generation in plasma using laser pulse 4−36718
laser plasma, neutron generation mechanisms 4−12789
plasma focus, similarity theory, neutron yield 4−16322
reactor with cooled moderator convertor layer, very cold neutron prod. 4−36248
reference theta-pinch reactor, tritium breeding, nuclear heating 4−19611
ultracold neutrons, production in neutron guides 4−27387
$e^+e^- \rightarrow n +$ anything, 5.2 GeV, initial survey at SPEAR 4−31151
n inclusive production in e^+e^- colliding beams at SPEAR 4−23484
Be, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
Co, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
Cu, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
^{a}Ge(γ,2n), A = 70, 72, 74, 76, cross section and yield meas., threshold −40 MeV, resonance obs. 4−19382
^{a}Ge(γ,n) A = 70, 72, 74, 76, cross section and yield meas., threshold to 40 MeV, resonance obs. 4−19382
Li, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
Li(d,n)Be, fast neutron prod. 4−5144
^{235}U enriched fuel assembly, criticality safety evaluation of transporting wooden pallets 4−27487

neutron-proton scattering
bremsstrahlung measurement, 130 MeV, cross section meas. 4−5646
charge exchange, 8-29 GeV/c, differential cross sections 4−19250
charge exchange cross section, $\geqslant$5 GeV, Veneziano model 4−12061
elastic, at very large momentum transfer, vector-meson-gluon model 4−23549

neutron-proton scattering continued
elastic cross section, 10 to 24 GeV/c, using wire spark chambers 4−2719
elastic cross sections, 130 MeV, meas. 4−5647
e.m. effects in polarisation 4−27165
final-state interaction in (d,np) reaction on ^{12}C and ^{40}Ca, proximity scattering 4−23705
proximity scattering in ^{12}C(d,pn)^{12}C reaction, energy dependence 4−15858
T violation mechanisms, angular distrib. of observables, 425 MeV 4−19243
unitarity equations, low-energy solns. 4−15538
np $\rightarrow$ np, π-Pomeranchon Regge cut study using Gribov's approach to Mandelstam diagram 4−19230
np $\rightarrow$ pn, high energy, absorption models 4−23523
pn annihilation, 1.51 to 2.90 GeV/c study of salient features of pion production 4−9033

neutron radiography
see also nondestructive testing
control rod, ex-reactor, testing using ^{252}Cf source 4−23779
hypersensitization of emulsions for 10^{2}-10^{4} n/(cm^{2} sec.) flux levels 4−26548
in materials testing with research reactor 4−21530
nondestructive testing scintillators in India 4−41933
pathological bone samples, resolution and contrast compared with X-ray methods 4−22603
quantum mottle, expression for effect on unsharpness 4−26547
radiation from transuranium elements, apparatus *(Japanese)* 4−2171
scintillography using thermal neutrons 4−33937
space vehicle testing, advanced imaging techniques 4−4240
steel, localisation of B-containing constituents by neutron and autoradiography (n,α) with aid of solid-state detectors *(French)* 4−30660
System Image Quality Indicator development 4−21510
time-resolved, of moving grenade, fast burst reactor neutron source 4−22908
Fe alloys, neutron detection of Ge control *(Czech)* 4−26714
Na cold traps in nuclear reactors, obs. of hydride formations 4−23879
^{239}Pu, ^{240}Pu determ. in reactor fuel, use of filtered neutron beams 4−19604
UO$_2$ defected fuel elements, inspection 4−3016

neutron reflection
KENO calculations, shortcomings of albedo approx. 4−27385
water-moderated and -reflected reactor, comparison of neutron waves reflected from core and reflector 4−12426

neutron scattering
see also neutron flux; neutron-proton scattering; nuclear reactions and scattering due to neutrons
anisotropic, one-vel. inverse transport problem 4−15250
anisotropic elastic scattering and moving media 4−9328
Be assemblies decay of neutron pulses following gamma-ray flash from electron linear accelerator 4−12412
build-up factor determ. for oil, water and paraffin using Monte Carlo program 4−15935
conservation during Doppler broadening 4−9329
electrolyte, struct. and dynamics, review 4−17530
inelastic, effect on parameters of fast critical assemblies 4−9344
inelastic, energy spectrum, correction for absorption and multiple scattering in sample 4−11572
inelastic, integrated intensities, meas. 4−11585
inelastic scattering studies, cold neutron spectrometer 4−18684
from molecule, rigid rotating, model for neutron scatt. 4−24048
multigroup elastic scattering transfer matrix, Legendre moment calc. 4−27384
multiple, variance reduction in Monte Carlo calcs. 4−19555
nonlocal N-N potentials, effect on n-n scattering length and charge symmetry breaking 4−480
perspex, fast neutron transmission, energy spectra 4−12407
phonon meas., filter detector spectrometer system 4−12855
refractometer, for precise meas. of thermal neutron scatt. amplitude 4−35449
steel, stainless, displacement cross sections investigation 4−2993
thermal, by light and heavy water, models for use in reactor calc. 4−27377
thermal neutron use factor, scattering anisotropy 4−40055
thermal neutrons, calc. of scattering law for small and large momentum and energy transfers 4−2994
transport in spherically-symmetric nonuniform media, soln. by integral transformations method *(Russian)* 4−15937
water, struct. and dynamics, review 4−17530
ed deep inelastic scattering for neutron cross sections 4−31144
en, inelastic, e.m. struct. of hadrons *(German)* 4−5606
eN, scaling breakdown at 10^{-15} cm, pn mass difference 4−15488
$K^+n \rightarrow K^0p$, high energy, ω nonflip amplitude calc. 4−19249
$K^+n \rightarrow K^0p$ charge exchange and cross section energy depend. 3-6 GeV/c 4−39897
Λ-n, low-energy parameters determ. from photon spectrum in $K^-d \rightarrow \Lambda n\gamma$ 4−15541
n-n low energy parameters, ρ-ω mixing 4−478
n-n scattering length determ. from ^{3}H(t,α)2n at 40 keV 4−19467
nd, elastic differential cross section meas. 130 MeV 4−5647
Be assemblies, decay of neutron pulses following gamma-ray flash from electron linear accelerator 4−12413
Cr, displacement cross sections investigation 4−2993
Fe, displacement cross sections investigation 4−2993
Fe, fast neutron transmission, energy spectra 4−12407
Ni, displacement cross sections investigation 4−2993
Pb, fast neutron transmission, energy spectra 4−12407
PrAlO$_3$, 151K phase transition, quadrupole exciton-phonon dynamics 4−9986
Ta, dsiplacement cross sections investigation 4−2993

neutron sources
cold, cylindrical hydrogen, different ortho/para mixtures, calcs. 4−8443
cylindrical, calc. of activation rate of cylindrical sample 4−39320
fast burst reactor, unmoderated, use in time-resolved neutron radiography 4−22908
neutron activation analysis, book 4−23063
polarised, using underground nuclear explosion 4−18575

neutron sources continued
- polarised 14-MeV neutrons from ^{2}H(d,n)^{4}He reaction and compression ioniser 4−22940
- polarised fast neutron sources, review 4−11570
- pulsed, meas. technique on nuclear core of ship Otto Hahn *(German)* 4−36251
- pulsed, using proton beams from meson plant *(Russian)* 4−22938
- radiotherapy, practical aspects of neutron generators 4−30248
- radiotherapy, prod. and use of neutrons 4−30249
- single-burst, ultra low temp. ^{237}Np polarised target 4−18577
- tagged beam production, of stripping at 6 GeV/c 4−85
- transuranium elements, energy and radiation sources *(Japanese)* 4−2171
- water-cooled target-mounting system, short source-to-sample distance, for 14 MeV neutron generator 4−8431
- (d,n) zero-degree polarisation transfer reactions, use as practical polarised neutron source 4−15862
- Am-Be, neutron flux meas. by flow bath method 4−39328
- ^{252}Cf, preparation techniques for neutron and fission-fragment sources 4−18563
- ^{252}Cf, use in ex-reactor control rod testing 4−23779
- D-T plasma, use in hybrid nuclear reactor 4−32215
- D(d,n)^{3}He, high press. high beam current gas target 4−14952
- ^{2}H(d,n)^{3}He, polarised incident beam, meas. of neutron polarisation, 7-16 MeV neutron energies 4−15869
- In-Be, photoneutron source, meas. of emission spectra 4−18560
- La-Be, photoneutron source, meas. of emission spectra 4−18560
- ^{7}Li(p,n)^{7}Be, neutron flux meas. by Mn bath method 4−39328
- Na-Be, photoneutron source, meas. of emission spectra 4−18560
- Na-D$_2$O, photoneutron source, meas. of emission spectra 4−18560
- ^{124}Sb-Be photoneutron system for fissile materials assay 4−23940
- T(d,n)^{4}He, high press. high beam current gas target 4−14952
- T(p,n)^{3}He, high press. high beam current gas target 4−14952

neutron spectra
- *see also neutron spectrometers*
- atmospheric cosmic rays, 3 to 20 MeV, energy spectra and flux meas. 4−25907
- bremsstrahlung-produced photoneutron spectra, method for reduction to partial (γ,n) cross sections 4−23660
- build-up factor determ. for oil, water and paraffin using Monte Carlo program 4−15935
- carbon steel shielding, meas. and Monte Carlo calcs. of n spectra behind thick samples 4−36364
- cyclotron production, radiation quality, biological and therapeutic implications 4−8248
- delayed neutron precursors, survey 4−36156
- dosimetry, spectral variations of 14 MeV neutrons in water rel. to cancer therapy 4−42619
- effective temperature in cold moderator by phonon approximation 4−5869
- fast, meas. using ^{3}He-semiconductor sandwich spectrometer, γ-discriminating 4−30595
- fast, time dependent, meas. with NE-213 liquid scintillator 4−30548
- fast gas cooled reactor cores, fuel arrangement, mixed critical system *(German)* 4−3007
- fast reactor, simulation, appl. to reactivity, fission-to-(n,2n) ratios 4−5879
- graphite, n scattering, Monte Carlo calc. for n, γ spectra 4−31453
- Health Physics Research Reactor, calculation, for simulated nuclear accident conditions 4−36256
- leakage spectra from Be, Ph, Nb, Mo, W, Ta and polyethylene spheres, transport anal. 4−23754
- LMFBR, cross-section meas. of ^{10}B(n,t) in fast neutron spectrum 4−36207
- monochromator, using Si crystal lamellae 4−26564
- non-boiling liquid reactor, noise sources, effect on stochastic fluctuations 4−5882
- nuclear reactor, field flux spectral characterisation, 20 keV to 2 MeV 4−31446
- nuclear reactor Be assemblies, meas. of thermal neutron spectra 4−23763
- nuclear reactor benchmark assembly, spectra meas. in range 15 keV to 2 MeV 4−31445
- nuclear reactor critical assembly, central spectra meas. using p-recoil counting techniques 4−31447
- nuclear reactor flux anal. using SAND-II multiple-foil method 4−36396
- nuclear reactor Mol-ΣΣ secondary intermediate energy standard neutron field 4−36339
- plane scatterers, energy spectra and thickness dependence of transmitted fast neutrons 4−12407
- power spectral density of neutron fluctuations, reactor failure diagnosis, automatic control system 4−31468
- pre-equilibrium formalism for comparison of (p,p′) and (p,n) energy spectra 4−9183
- proton recoil distribution analysis by spherical proportional counters 4−5212
- reactor beam, fast neutron stilbene scintillation spectrometer 4−18682
- in reactor lattice cell, RJG5-THERESA code system 4−19577
- resonance integral calculations, RYF4 RIFFRAFF and RYF5-RIFF—HOM computer codes 4−19578
- thermal, energy distribution in WMR's 4−19575
- thermal, meas. and calc. of space dependence at an interface *(German)* 4−12401
- thermal, represented by integral neutron transport program THER—MOGENE for arbitrary X-Y geometry system 4−12418
- time of flight spectrometry, theory of reverse method, analytical and computer simulation analysis 4−39351
- (n,n′), pre-equilibrium state widths, statistical calc. from absolute spectra 4−9176
- nγ correlations in radiative π^- capture, fast neutron emission 4−27362
- pp→nX in Be target, E<24 GeV 4−9020
- Al, elastic and inelastic neutron scattering at 14 MeV 4−19418
- ^{10}B, photoneutron cross sections 4−2861
- ^{11}B, photoneutron cross sections 4−2861
- Be, p bombardment at 724 MeV, spectra meas. with modified time-of-flight spectrometer 4−26643
- ^{9}Be(d,n)^{10}Be, spectrum, ^{6}Li semicond. detector 4−40027

neutron spectra continued
- ^{9}Be(p,xn), 742 MeV, spectra at 0°, intracascade model 4−19415
- Bi, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
- C, elastic and inelastic neutron scattering at 14 MeV 4−19418
- ^{12}C+^{12}C, 100 MeV, secondary neutron spectra calc. 4−23712
- ^{12}C+^{4}He, 100 MeV incident energy, secondary spectra calc. 4−23712
- ^{12}C(^{13}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4−9300
- ^{13}C(^{12}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4−9300
- ^{14}C giant resonance, muon capture by ^{14}N 4−2864
- ^{252}Cf, spontaneous fission, neutron energy spectra, 0.15 to 15 MeV 4−23728
- ^{252}Cf sources prepared by various techniques 4−18563
- ^{64}Cu(p,xn), 724 MeV, spectra at 0°, intracascade model 4−19415
- D$_2$ plasma, laser produced, neutron production *(French)* 4−6255
- ^{19}F(α,nγ)^{22}Na, 11 MeV, neutron-gamma coincidence meas. for transitions between states <5 MeV 4−19344
- H, atomic gas, neutron slowing and thermalisation 4−5870
- ^{2}H proton induced break-up, Dalitz plots of cross sections 4−15801
- ^{3}H(d,n)^{4}He, fast neutron spectra near neutron generators *(Czech)* 4−31380
- ^{3}H(t,α)2n, 40 keV, two-dimensional energy spectra, n-α and n-n interactions 4−19467
- ^{127}I(μ^-, n) at 1.6 to 9.6 MeV, resonance theory of nuclear reactions 4−2866
- In-Be, photoneutron source, meas. of emission spectra 4−18560
- ^{115}In(n,n′)^{115m}In, meas. of cross section, 3.37 to 4.89 MeV 4−5793
- La-Be, photoneutron source, meas. of emission spectra 4−18560
- N, liquid, 1-20 MeV neutron spectrum 4−31452
- N, liquid, n scattering, Monte Carlo calc. for n, γ spectra 4−31453
- ^{17}N, coincidence and delayed neutron spectra, branching ratios to ^{17}O bound states 4−9120
- Na-Be, photoneutron source, meas. of emission spectra 4−18560
- Na-D$_2$O, photoneutron source, meas. of emission spectra 4−18560
- Nb, elastic and inelastic neutron scattering at 14 MeV 4−19418
- ^{93}Nb(n,2n)^{92}Nb, 14 MeV neutron cross section 4−2869
- Ni, elastic and inelastic neutron scattering at 14 MeV 4−19418
- ^{237}Np(n,f), 0.4 to 1.2 MeV, delayed neutron yields 4−40048
- Pb, elastic and inelastic neutron scattering at 14 MeV 4−19418
- Pb, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
- ^{208}Pb antiproton absorpt., neutron halo 4−31359
- Pr, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
- ^{239}Pu, elastic and inelastic neutron scattering at 14 MeV 4−19418
- ^{239}Pu(n,γf) neutron and gamma ray yields 4−5859
- ^{232}Th(μ^-, n) at 1.6 to 9.6 MeV, resonance theory of nuclear reactions 4−2866
- ^{233}U, prompt fission neutron spectrum meas. from 0.8 to 10 MeV 4−5848
- ^{235}U, ^{238}U, elastic and inelastic neutron scattering at 14 MeV 4−19418
- ^{235}U-fueled fast subcritical reactor, comparison with scalar neutron flux meas. 4−3000
- ^{235}U(n,γf), neutron and gamma ray yields 4−5859
- ^{238}U(p,xn), 740 MeV, high energy n spectra meas. 4−19414
- ^{51}V(p,n)^{51}Cr, 18-26 MeV, angle-integrated spectra, nonequilibrium contribs. 4−12343
- Y, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
- ^{91}Zr(γ,n), valence component in threshold neutron spectrum 4−31342

neutron spectrometers
- cold differential reflection type, utilisation of cylindrical reflectors 4−18686
- configuration choice, neutron wave number *(German)* 4−117
- crystallography, diffr., instrumental widths and intensities 4−12857
- energy range from 5 to 200 keV, absolute energy calibration of proportional counter 4−14968
- energy spectrum, correction for absorption and multiple scattering in sample 4−11572
- HERALD reactor beam instrument, appl. to materials science 4−28008
- high-energy proton recoil, performance at ZPPR facility 4−35451
- inelastic scattering studies, cold neutron spectrometer 4−18684
- plastic scintillator, efficiency meas. from 7 to 14 MeV 4−35446
- proton-recoil, gas filled, spectra meas. in range 15 keV to 2 MeV 4−31445
- reactor, appl. of proportional counter 4−18606
- refractometer, for precise meas. of thermal neutron scatt. amplitude 4−35449
- scintillators, anisotropic organic, direction depend. of pulse shape for fast neutron spectrometer 4−22978
- stilbene, fast neutron scintillation spectrometer 4−18682
- thermal neutron spectroscopy with statistical pulsed beam *(Rumanian)* 4−30599
- time of flight, theory of reverse method, analytical and computer simulation analysis 4−39351
- time of flight, total scattered intensity anal. rel. to study of non-crystalline materials 4−28007
- time of flight spectrometer for underground test nuclear bursts 4−26644
- time-of-flight, 14 MeV, at Kyushu University 4−39359
- time-of-flight, magnetically pulsed, for inelastic scattering anal. 4−39355
- time-of-flight, shielding of neutron detector for background reduction 4−26617
- time-of-flight facility, high-precision, low background 4−26619
- time-of-flight for neutrons of 150 MeV to 1 GeV 4−26643
- time-of-flight spectrometer for cold neutrons general interface circuit for PDP 11/20 processing computer 4−30633
- ^{3}He proportional counter, use as spectrometer 4−26603
- ^{3}He-semiconductor sandwich, γ-discriminating, fast spectra meas. 4−30595
- ^{6}Li sandwich detector, energy range 10 to 500 keV 4−8489
- ^{6}Li semiconductor sandwich, background scattering efficiency 4−26645

neutron spectrometers continued
^{6}Li-loaded glass detector for neutron cross-section meas. on Harwell synchrocyclotron 4−26642
Pb, for nondestructive assay of fissile materials 4−23854
neutron stars
see also pulsars
γ-ray line emission in accreting neutron stars in terms of X-ray flux 4−34828
absorption of high energy heavy nuclei and γ rays at hot surfaces 4−42414
accretion gas flow near Galactic X-ray sources 4−34894
accretion of matter, possibility of neutrino emission 4−14429
aligned magnetic rotators, acceleration, radiation and pair production 4−26146
in binaries, collapsed component detection for evolved close systems 4−4801
charged Bose gas, quasiclassical theory static linear response 4−8713
chemical composition of envelopes, nucleosynthesis 4−26118
close binaries, problems in mass determ. rel. to black holes and neutron stars 4−42398
cold ultradense matter statistical bootstrap equation of state 4−36151
cooling rates for hyperon and neutron star models 4−38840
corequakes and crustquakes, model inc. moment of inertia changes 4−11193
Cygnus X-1, triple system model of neutron star, early type star and supergiant 4−26130
dense matter (3×10^{14}-10^{16} g cm^{-3}), baryon repulsive interaction 4−36150
dense matter evidence for existence of pions 4−38834
dense matter properties, IAU Symposium No. 53 4−38765
dense neutron matter, equation of state, Fermi liquid theory with polarisation 4−4811
Einstein-Cartan theory of gravity, effect of intrinsic spin 4−7988
evolution, chem. struct. 4−14431
evolution, nuclear matter phase transform., meson field theory *(Russian)* 4−15650
formation in carbon detonation supernovae 4−26113
free precession, excitation and damping processes 4−42412
gamma-ray bursts by infall of comets 4−18008
general relativistic dragging of inertial frames, rel. to new test of theories of gravitation 4−18966
ground state of atoms and molecules in superstrong magnetic field 4−5934
hadron star models based on eqns. of state 4−38842
high-density matter, baryon solid phase in quark-like model 4−27260
internal structure of quantum crystals using many-body techniques 4−38836
magnetic field origins 4−11175
mass, maximum value, extremal principle calc. 4−30018
matter, pion condensation threshold, correlation effects 4−27261
matter properties, Thomas-Fermi model 4−23617
models, analogy with isothermal gas spheres, general relativistic instability 4−38805
moments of inertia, dependence on eqn. of state of stellar matter 4−7992
non-rotating, upper bound of mass 4−14384
nuclear Thomas-Fermi model for bulk props. of neutron rich and superheavy nuclei 4−38833
observational data rel. to equilibrium states of condensed cold matter *(German)* 4−22210
phase transition possibility to neutron solid 4−8010
phase transition to neutron solid, modified Brueckner theory calcs. 4−11206
pion condensation, effect of nucleon-nucleon correlations 4−34858
pion condensation, effective Lagrangian soln. 4−22413
pulsar cavity radiation from rotating magnetic neutron star 4−22423
pulsar magnetosphere closed field lines, relativistic model 4−18024
pulsar observations, use deriving neutron star properties 4−38841
relativistic many-body quantum field theory of highly condensed matter 4−39782
relativistic stars, collapse and black holes 4−42301
rotating model and rel. to Crab pulsar supernova explosions 4−11185
rotation and superfluid effects in neutron star interiors 4−38837
rotationally distorted stars, moments of inertia 4−7982
simultaneous neutron star formation with supernova explosion 4−38838
slowly rotating, analytic models 4−8033
slowly rotating homogeneous masses, structure for const. energy density using general relativity 4−38610
soft γ-ray bursts from accreting compact objects 4−8060
solidification density, microscopic variational calc. 4−34857
state eqn. of neutron matter, meson current corrections, astrophysical consequences 4−2035
structure from observations of glitch behaviour in pulsars 4−38839
sub-nuclear density matter, ground state configuration 4−36149
super-nuclear densities, eqns. of state 4−36152
superconducting critical field, soln. of differential eqn. by thermodynamic method 4−14385
superconductivity 4−4695
superdense, pion condensation and Meisner effect 4−4813
superfluidity of protons in neutron star matter 4−22209
in supernova remnants rel. to black hole search 4−34807
superstrong magnetic fields, effect on atoms and atomic chains 4−38835
temperature, internal from pulsar glitches 4−22415
X-ray emission from material accretion 4−26112
π condensation in superdense nuclear matter, comment 4−12190
π^- meson condensation in nuclear matter *(Russian)* 4−27259
neutron transport theory
see also neutron diffusion; neutron moderation
anisotropic, one-vel. inverse transport problem 4−15250
anisotropic source flux iteration technique, modifications 4−12416
axisymmetric shield, fast neutron penetration 4−40056
B_n transport eqns. in new form, multigroup cross sections determ. 4−23753
Boltzmann eqn. in accelerated material, Legendre moments and diffusion approximation 4−23756
neutron transport theory continued
bounded point estimation, point cross-section Monte Carlo codes 4−27381
computer program DUNDEE, SPECTRE and JINX, capabilities 4−19561
continued fraction approximation, time dependent transport method 4−23749
cosine currents approximation, response matrix method 4−27408
critical fast assemblies, finite element analysis 4−9343
cross-section sensitivity anal. in Green's function formalism 4−31448
curved Earth exponential atmosphere Monte Carlo calculations, flat Earth approximation 4−31571
deep-penetration transport problems, soln. using forward-adjoint coupling 4−23757
diffusion, singularities in the finite element approx. 4−31441
diffusion calcs. for fast reactor using modified one-mode method 4−23748
diffusion coefficient, anisotropic, calc. in cylindrical cell by integral transport theory 4−36246
diffusion eqn., multi-group 3-dimensional, computer program 4−5873
diffusion equation, generalized, computation of transport scalar flux 4−23793
energy dependent, soln. to one dimensional Boltzmann eqns. 4−36245
energy dependent and one-speed eqns., asymptotic soln. for small mean free paths 4−40053
energy-dependent, in two adjacent media, numerical solution methods 4−19556
fast power reactors, use of effective operators and cross sections in physics 4−12440
fast reactor calcs., comparison of transport approximations 4−36325
FBR type fuel pins, ^{252}Cf assay system 4−5895
few-group methods in fast reactor transients 4−23767
finite element integral method 4−27386
functionals for free boundaries and discontinuous trial functions 4−12400
group energy boundary selection using sensitivity theory 4−31449
inelastic anisotropic scattering matrices from ENDF data 4−31451
inhomogeneous slabs, spheres, dominant critical eigenfunction, Neumann series convergence 4−12409
integral, transport cross-section definition 4−36249
intermediate resonance integral calc. contribution of excited states 4−12420
intermediate-resonance absorption, soln. of transcendental eqn. 4−19557
iterated sequential approximation for spectral moments 4−23755
leakages, parallel, in thin-cell plate arrays in nuclear reactors 4−36287
LMFBR, Na cooled, comparison of transport and diffusion theory for shielding calcs. 4−12419
missile vulnerability to explosions, neutron transport calc. 4−31570
molecular flow, of ultracold neutrons though long tubes 4−19559
moments method calcs. of n-distrib. in concrete 4−23752
monoenergetic transport eqn. exact time dependent spatial and Legendre moments 4−23750
Monte Carlo anal. of neutron and gamma-ray transport in concrete 4−36400
Monte Carlo convergence, stochastic optimal estimation 4−31444
multidimensional kinetics, operator splitting 4−31483
multigroup cross sections and transfer matrices calc. for targets with arbitrary velocity distribs. 4−31450
multigroup cross-section dependence on weighting function model 4−36304
multigroup diffusion eqn. for EK-10 and IRTM fuelled reactor, appl. of CDM-1 code 4−3006
multigroup elastic scattering transfer matrix, Legendre moment calc. 4−27384
multigroup perturbation calc. for reactivity worths of Pu/U clusters in heavy-water moderated assembly 4−5890
multigroup weighting spectra and cross sections determ. 4−36326
multiple scattering, variance reduction in Monte Carlo calcs. 4−19555
multiplication constant, heterogeneous reactor, stability 4−40066
multiplication factor dependence in number of multigroups and weighting function model 4−36305
Nelkin's expansion, generated, neutron burst decay in plane lattice 4−12403
nuclear reactor, field flux spectral characterisation below 10 MeV 4−31446
nuclear reactor fast transport in two-region systems 4−36290
nuclear reactor slowing down problem, computation of benchmark soln. 4−40071
phononless cooling, spin flipping mechanism in mag. field 4−31437
plane lattices, generalised Nelkin's expansion multigroup P_n theory 4−12406
point kinetics, accuracy in nuclear reactor dynamics 4−36297
power reactor startup, applications of observational kinetics 4−36331
quadratic finite elements 4−31438
radiation penetration calculation, Monte Carlo method 4−27382
reflection, KENO calculations, shortcomings of albedo approx. 4−27385
resonance integral calculations, equivalence relations 4−19558
response-matrix method, space-dependent reactor kinetics 4−27407
singular element, in variational and finite element computations 4−31440
spherical geometry, parallel shooting soln. 4−23746
spherically-symmetric nonuniform media, soln. by integral transformations method *(Russian)* 4−15937
steel, stainless, diffusion theory calcs. rel. to ^{239}Pu critical conc. in water 4−27493
temperature difference calculation, Monte Carlo method, appl. of probability table method 4−27383
thermal neutron absorption closely spaced lattice, corrections to zeroth approximation 4−23758
thermal neutron cell calculations, computer program 4−27409

neutron transport theory continued

- thermal neutron propagation across an absorption discontinuity, for graphite 4−12408
- thermal neutron spectra at an interface meas. and calc. space dependence *(German)* 4−12401
- thermal neutron use factor, scattering anisotropy 4−40055
- thermal neutrons, calc. of scattering law for small and large momentum and energy transfers 4−2994
- thermalisation, transformed equation 4−40054
- THERMOGENE integral transport program for arbitrary X-Y geometry systems 4−12418
- three-dimensional, linear integral transformation generation 4−27378
- time-dependent, collided flux expansion method 4−12414
- time-dependent transport in thick concrete slab 4−36399
- transient neutron flux state, direct iterative calc. 4−31443
- transport equation solution by superposition of beams possessing wave fronts 4−36247
- uniform source half space problem, Weiner Hopf technique 4−12411
- uniform source half space problem, Wiener Hopf technique 4−12410
- vacuum description, symmetrised transport calc. 4−31439
- variational principles, Pade approximants, for linear functionals 4−31442
- water power reactors, criticality calcs. 4−12431
- wave propagation, polycryst. moderators, pseudo-mode anal. 4−23747
- H, atomic gas, neutron slowing and thermalisation 4−5870
- H scattering, semianalytical Monte Carlo model 4−31455
- N, liquid, neutron and γ transport calc., 1-20 MeV 4−31454

neutrons

- *see also cosmic ray neutrons; delayed neutrons*
- energy structures, decays 4−5621
- fast, neutron flash photography *(German)* 4−22902
- oscillator theory, yeti genesis 4−35971
- ultracold, storage in Ni and glass traps 4−27387
- p-n mass difference and breakdown of scaling 4−12035

nickel

- adsorption of c(2 × 2)S overlayer on Ni(001), small Ni-S bond lengths 4−1165
- adsorption of CO, CO_2, ethane, crystallographic problems *(German)* 4−3642
- adsorption of CO, determ. by i.r. spectroscopy 4−37093
- adsorption of monolayer K-film, electronic excitations 4−13095
- adsorption of monolayer K-film, struct. and work function 4−10043
- adsorption of O_2 and N_2, influence on secondary ion emission from Ar bombardment *(French)* 4−3649
- adsorption on W, field emission and field ion microscopy 4−24641
- aerosol particles, magnetisation reversal processes 4−20815
- analysis by Ag exploding wire excitation 4−35553
- antiresonance transmission, temperature dependence 4−41222
- atom, K-shell electron impact ionisation 4−36441
- atom, K-vacancy sharing in near-symmetric heavy ion collisions 4−12520
- atom, relative oscillator strengths, method of linear absorpt. 4−9378
- billets produced by explosive pressing, physico-mech. props. *(Russian)* 4−33840
- Bloch walls, small-angle scatt., of thermal neutrons, Ni single crysts. *(German)* 4−6762
- Bloch-wall motion effect on flow stress 4−37450
- borehole analysis, using gamma-ray resonance scatt. 4−38516
- caesiated, spin polarization of photoelectrons, <6 eV 4−25212
- calcium tartrate tetrahydrate:Ni^{2+}, e.s.r. obs. 4−20842
- Calimani-Harghita Mts., andesite content, possible derivation from subducted oceanic crust 4−21843
- cathode, explosive electron emission, metal supply, multiple current pulses 4−21170
- cation, in dimethylsulphoxide, p.m.r., solvation, exchange ratio, relax. times *(French)* 4−17505
- charge and spin contact densities of band electrons, calc. 4−20755
- chemisorbed O, electronic energy level meas. by electron energy loss spectroscopy 4−28301
- chemisorption of CO, Anderson formalism including overlap 4−37111
- chemisorption of oxygen on clean (100) surface 4−13103
- chemisorption of oxygen on clean surfaces 4−16663
- CNDO calculations, Ni atom clusters 4−28328
- coating, solid-phase, on W wires, effect on sintering kinetics 4−37977
- cold rolled foil, rolling texture, X-ray obs; *(Japanese)* 4−4087
- cold rolled sheet, cube texture developed by secondary recrystallisation *(Japanese)* 4−25327
- complex susceptibility, meas. in mag. field 4−28606
- condensate, thin vacuum, on perforated steel strip, structure, porosity and microhardness *(Russian)* 4−1572
- core material for oxide cathode, Ba implantation effects on emission characts. *(Russian)* 4−21143
- core material for oxide cathode, Ba-implanted, emission kinetics *(Russian)* 4−21144
- corrosion resistant, Ni interlayers with Cu additions 4−7182
- creep, alternate thermal cycling and annealing influence *(Russian)* 4−1564
- creep, elec. and mag. field effects 4−33813
- creep, transient, time depend., moderate temps. *(Russian)* 4−21302
- cube textured, mag. and magnetostrictive props. for magnetostrictive transducer applications 4−33229
- cutting of single crysts. by acid saw technique 4−37935
- Debye-Waller temp. factor and X-ray Debye temp. 4−13008
- deformed, small-angle X-ray diffr. in surface layers *(Russian)* 4−32784
- deformed, steady-state creep rate and role of block boundaries *(Russian)* 4−13627
- deformed, struct. imperfections determ. from X-ray diffr. intensity analysis *(Russian)* 4−1058
- diamond inclusion, synthetic, X-ray diffr., heating effect 4−36913
- diamond nucleation from graphite in presence of Ni 4−41817
- dielectric screening and lattice dynamics, Wannier representation 4−36970
- diffusion in Cu, pipe mechanism *(French)* 4−32738
- diffusion in Si, dissociative diffusion limiting process 4−20435
- diffusion of ^{193}Pt, Gruzin method *(Czech)* 4−6523

nickel continued

- diffusion of Ag and effect of mag. transform. 4−16618
- diffusion of Cu, solute atoms influence 4−37049
- diffusion of hydrogen, deform. and stress effects *(Russian)* 4−10617
- diffusion of Pd, elec. resist. meas., 500-1000°C *(Russian)* 4−32749
- dislocation structure changes during rolling in region of large reductions *(Russian)* 4−4128
- dispersed thoria growth kinetics 4−7059
- displacement cross sections due to neutron collisions 4−2993
- dissociative chemisorption of H_2, model 4−20486
- domain structure in single crystals, neutron diffraction method 4−28662
- ductility, hot, effect of Al_2O_3 inclusions 4−13731
- electrodeposited, Co addition effects on microstruct., strength and fracture 4−17344
- electrodeposits, structural and mech. props. 4−37937
- electromonocrystallisation on Cu films, epitaxial crystallite form., dislocations 4−6966
- electron irradiation, interaction between point defects, Bloch walls and dislocations *(French)* 4−6421
- electron microprobe detection limit estimation using energy dispension X-ray spectrometers 4−5256
- electron spin polarisation of photoelectrons, interstitial-electron model 4−41468
- energetic particle irradiation, effects of insoluble gases on void nucleation 4−1045
- epitaxial film, electrodeposition, effect of substrate surface contamination 4−20492
- fatigue, asymm. deform., b.c.c. single cryst., dislocation mechanism 4−29096
- fatigue from 4.2 to 300 K, dislocation structure 4−17331
- f.c.c., $\{110\}\langle110\rangle$ slip *(French)* 4−1502
- ferromagnet, stray magnetic field from domain walls 4−13333
- ferromagnetic resonance, explained by magnon scatt. by dislocation cluster 4−28706
- film, back-scattering energy loss parameter meas., using He^+ 4−17153
- film, chemisorpt. of CO, rel. to work function, elec. resist. investig. *(German)* 4−32816
- film, evaporation on silica, e.s.r. spectra rel. to ferromag. reson. *(German)* 4−33268
- film, ferromag. single cryst., mag. resist. anisotropy meas. *(Russian)* 4−20590
- film, He ion bombarded, structural damage *(Russian)* 4−1074
- film, kinetic and microstructural aspects of interaction of O_2 and H_2 4−1170
- film, obliquely deposited, mag. anisotropy 4−3853
- film, struct. and elec. props., evaporated in O_2 4−20703
- film, thermoelectric effects, charge transfer two zone model, meas. *(Russian)* 4−33550
- film, theromag. effects *(Russian)* 4−28669
- film, thin, evap., adsorpt. of H_2, O_2, electron diffr. investig. of struct. *(German)* 4−37095
- film, thin, evaporation onto quartz glass, ferromag. reson. investig. *(German)* 4−37497
- film, thin, ferromag. reson. meas., rel. to spin wave theory confirmation *(German)* 4−37498
- film, thin polycrystalline, thermal desorpt. of H_2 investig. by mass spectroscopy, kinetics *(German)* 4−37103
- film, vac. deposition, TEM, electron diffr. obs. of phase comp., doping distrib. *(Russian)* 4−6566
- film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
- foil, cold rolling, recrystallisation, texture, X-ray obs. *(Japanese)* 4−4089
- foil, recrystallisation texture, X-ray obs. *(Japanese)* 4−4088
- foil, tilted, image contrast of dislocations, TEM obs. 4−21294
- grain relaxation mechanism, review *(Russian)* 4−21271
- grain size, preliminary hot-working effects *(Russian)* 4−21273
- hyperfine critical exponents β and δ of ^{181}Ta, angular correlation technique 4−6820
- ion bombardment of Zircaloy, specimen preparation 4−1539
- kaonic atom, energy level widths, shifts, yields 4−3088
- Larmor precession of μ^+ obs. at 300 and 77 K 4−28131
- LEED, (111) surface, (00) beam intensity for normal incidence 4−13081
- LEED, intensity-energy spectra using exact multiple scatt. method 4−32789
- LEED intensity-energy meas., elastic, of clean (001), (110) and (111) Ni surfaces 4−28264
- liquid, static structure, X-ray diffr. obs. 4−36795
- magnetic domains, SEM obs., contrast form. 4−37440
- magnetisation, temp. depend. rel. to anisotropy consts. 4−16963
- magnetization and paramag. susceptibility, temp. depend., band model calc. 4−16911
- magnetization self reversal, hysteresis loops *(Russian)* 4−20801
- magnetoelastic properties, naphthalene disulphonic acid influence during electroplating 4−20823
- magnetostriction form effect, longit. cylindrical single cryst. sample 4−6772
- mechanical vibrations attenuation in const. and alternating mag. fields *(Russian)* 4−37469
- melting by laser radiation, influence of thermophysical properties *(Russian)* 4−4160
- metallo-ceramic sintering, struct. formation processes *(Russian)* 4−21394
- microstrain tests, grain size depend. of flow stress 4−7164
- molten, self-diffusion, kinetic theory of fluids applic. 4−21218
- monocrystal film, self-supporting, prep. for particle transmission studies 4−18564
- nuclear magnetic relaxation times of ^{59}Co, 4.2K, fields up to 12kG 4−37521
- oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24657
- oxidation in air, water vapour, optical consts. meas., temp. depend. 4−24650
- oxidation of Ni(100), Cs enhancement 4−3655
- oxidation rate of single crystals, oxide struct. influence 4−6560

nickel continued
on oxide substrate, saturation magnetisation, chemisorption of H_2 investig., effect of substrate *(French)* 4−32819
particle size influence on Curie point, mag. susceptibility meas. in Ni-zeolites *(German)* 4−33150
passive, metal mirror electrode, changes of reflectiviy rel. to electrode pot. investig. *(German)* 4−34034
perforation of thin sheet, CO_2 continuous wave laser energy density 4−2630
phonon dispersion, lattice dynamical models 4−20377
photoemission electron microscopy 4−2383
planar single faulted defects, quenched f.c.c., shape anal. 4−21262
plastic deformation, elec. resist. effect meas. 4−33814
plasticlly deformed, u.s. attenuation meas. 4−24980
positron trapping at stacking faults in metals 4−16508
potential of zero charge, determ. by immersion method, pretreatment of electrode surface investig. 4−41962
powder, compacted blends, diffusional homogenization rate, degree of mixing effect 4−29191
powder, positron diffusion 4−13131
powder, sintered precipitated, porosity effect on fatigue behaviour 4−7246
powder, specific surface evaluation by light reflection technique 4−7379
powder metallurgy plates, porous, sintering control using elec. resistivity meas. 4−17374
proton bombardment, K-shell ionization, X-ray production cross section 4−23987
range of ^{99}Mo and ^{140}Ba, from spontaneous fission of ^{252}Cf 4−32591
recrystallisation, dynamic, grain size effects 4−41621
refractive index, absorption coeff. meas. at room temp., 1.1 to 4.9 eV 4−28783
small-angle neutron scatt. on recrystallization and cold working 4−32404
soft X-ray emission, band structure determ. 4−25190
solidification in low gravity environment, electron microscopy and X-ray microanal. 4−4074
spike, elec. field and heat effects, surface diffusion, growth, field emission *(Russian)* 4−33549
spin dependent tunnelling into superconductor, theory 4−37381
spin orbit coupling, effect on Au and Ir impurity states 4−33148
stress relaxation tests 4−17496
surface, (100), adsorbed monolayers of Na, Cs, K, O and S, struct. determ. using LEED 4−37066
surface, chemisorption, photoemission studies 4−37112
surface, clean, (111) and (100), struct. and evaporated films, hydrogen adsorpt., sticking probab. 4−24643
surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
surface, with chemisorbed O, u.v. photoemission spectra, theoretical interpretation 4−41469
surface atomic layer spacing, f.c.c. cryst., estimation by Morse pot. function 4−28262
surface explosion of formic acid adsorbed on Ni(110), co_2 flash desorption 4−34085
surface state parameters, determ. from very low energy electron refl. 4−40954
surface structure, LEED intensities from clear and H_2 covered surfaces 4−1153
surfaces, (001), (110) and (111), chemisorption, LEED patterns, Auger spectra, and work function changes 4−37109
tensile properties, prestraining effects 4−37925
thermal expansion rel. to atomic vibr. amplitude 4−20391
thermally stimulated exoelectron emission from clean and oxidized surfaces after X-irrad. and abrasion *(Japanese)* 4−41473
thermoelectric power, electrical resistivity, near Curie pt. 4−28382
thick target yields of L X-rays by fast heavy ion bombardments 4−5968
thoriated, sulphur diffusion kinetics 4−7061
trivalent, high-spin state, $LaNiO_3$-$LaAlO_3$ solid solutions, mag. susceptibility *(Russian)* 4−28607
u.s. absorption from 5 to 170 MHz, mag. processes, Ni single cryst. 4−6771
u.s. attenuation as function of applied mag. field and temp. *(French)* 4−33232
u.s. wave generation by e.m. field, temp. depend., mechanism 4−33230
u.v. photoelectron emission, energy, ang. distrib. meas. 4−37731
vacuum condensates, internal friction curve maxima and microstruct. *(Russian)* 4−40992
valence band spectra using X-ray photoemission 4−37739
wetting by Na, 98 to 300°C 4−3045
whisker, internal friction, high temp., meas., mechanisms 4−25333
wire, sintering in molten Cu 4−21375
work hardening, thermal and mech. stability, struct. state influence *(Russian)* 4−37873
X-ray generation on Zn impact, atomic excitation mechanism 4−17139
Al_2O_3:Ni, two-phase, creep phenomena, 1450-1800°C 4−4190
Al_2O_3:Ni^{3+}, corundum, resonant self trapping of hypersound 4−12991
Al_2O_3:Ni^{3+}, thermal cond. meas., low temp. reson., phonon scatt. 4−20456
Al_2O_3:Ni^{3+}, thermal detection of e.p.r. 4−3897
Cu-Ni joints, prod. by pressure welding, struct. of fractures 4−13719
Fe-Ni system, interdiffusion 4−3588
GaSb-Ni contact, ohmic contact resistance meas. *(German)* 4−6675
Ge:Ni, current instability related with recombination *(Russian)* 4−32966
MgO:Ni^{2+}, ^{17}O ENDOR obs. 4−20899
MgO:Ni^{2+} adsorption of H_2O and NH_3, reflection spectroscopy 4−6546
Ni (110) foil, ^{2}H polarisation meas. for channelling in foil magnetised to saturation 4−20348
Ni single-domain particle aggregates, magnetostatic interaction phenomena *(Russian)* 4−3880
Ni:^{181}Ta, hyperfine mag. field determ. by perturbed angular correlation 4−20911
Ni:^{57}Fe, effective exchange fields, mag. hyperfine splitting of Fe impurities, Mossbauer obs. 4−6817

nickel continued
Ni:Hg, mag. hyperfine fields meas. by e^--γ differential perturbed ang. correlation method 4−25042
Ni:Ru, n.m.r., ^{99}Ru/^{101}Ru moment ratio determ. 4−31228
Ni:Zn, mag. hyperfine field, γ-ray ang. distrib. obs. after recoil implantation 4−41322
Ni/Ag laminated material, thickness and comp. depend. of mech. and mag. props. *(Russian)* 4−33781
Ni/Mo sandwich-type reinforced material, densification in hot pressing 4−41797
Ni-Au electrodes, quartz crystal microbalance, Hg atomic beam detection 4−5225
Ni-Au-Ge technology, for ohmic contacts on n-GaAs 4−29025
Ni-Co system, interdiffusion 4−3588
Ni-Cu film, co-sputtered, comp. calc. 4−28315
Ni-GaAs contact, photolum., form. of new surface recomb. centres *(Russian)* 4−33499
Ni-P film, cryst. growth, elec. cond., resist., struct., H_2 absorpt. investig. *(French)* 4−40976
Ni-Si layers, electron microscope investigation of phase formation *(German)* 4−37037
Ni-W composite, effect of ion beam milling on surface topography 4−1156
Ni^+ ion bombardment of Va, solute redistribution 4−23904
Ni^{2+} in garnerite, optical absorption spectrum, crystal and mineral oil mull samples 4−6902
(Ni-Tb)-Cu composite, supercond., crit. current, mag. torque meas. 4−26552
NiCrW composite, kinetics of W fibre dissolution 4−7346
Ni(II), ionic transference numbers from electromigration on paper 4−10754
Ni(199) + c(2 × 2)S surface, adsorbed layer, anomalous thermal depend. of extra spots from Leed pattern 4−10028
ZnS(O):Ni^{2+}, $^3T_1$(P) absorpt. band of Ni^{2+}, Jahn-Teller model of zero-phonon lines 4−28872

nickel alloys
see also nickel compounds; Permalloy
bronze, cast Al, comp. optimization rel. to strength and ductility 4−29111
chromised coatings, phys. metallurgy and rel. to applics. 4−13759
composite, Ni-based fibre-reinforced, phase boundary interaction, thermal stability *(Russian)* 4−38050
composite, W fibre reinforced, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
constantan wire, creep rupture life rel. to temp. 4−17309
corrosion and mass transport in sodium systems 4−27468
corrosion resistant, Ni interlayers with Cu additions 4−7182
creep and rel. microprocesses, elec. resistivity obs. on EI826 4−1601
crystallisation, segregation of alloying elements *(Czech)* 4−13640
diffusional creep effect on particle morphology of second phase particle strengthened systems 4−17257
dispersion hardened, high temp. creep strength w.r.t. microstruct. 4−17339
dispersion hardened with thoria, stress relax., strain rate sensitivity 4−41715
dispersion hardening with hafnia, particle growth in hardening phases *(Russian)* 4−41786
dispersion strengthened with thoria, compatibility with hydrogen 4−13791
ductility, crit. temps. 4−41741
etching, preferential electrolytic tech. to reveal γ' phase 4−4104
fatigue crack growth, gaseous environment effects 4−13803
fatigue crack propag., acoustic emission obs., IN-100 specimens 4−33941
ferromagnetic, high field susceptibility, conc. depend. *(French)* 4−20763
friction characteristics in liquid sodium 4−27461
Hastelloy X, oxide spallation kinetics and product morphology 4−13793
Hastelloy-X, boron distrib. and segregation obs. 4−23838
heat resistance, effect of chem. comp. 4−13715
heat resistant, negative magnetostriction assoc. with γ'-phase precip. *(Russian)* 4−10302
heat resistant, surface hardening effectiveness, effect of temp. 4−41742
Incoloy 800, corrosion rel. to sensitization and mag. props. 4−7145
Inconel 600, corrosion rel. to sensitization and mag. props. 4−7145
Inconel 600 and 718, fatigue crack growth behaviour, temp. effect 4−41778
Inconel 601, oxide spallation kinetics and product morphology 4−13793
Inconel 718, hydrogen release during plastic deform. 4−17349
Inconel 718, surface cracking during cathodic charging 4−37938
Inconel X-750, turbine blades, small-angle neutron scatt. obs. 4−32404
internally oxidised, thermal stability of struct. obs. *(Russian)* 4−33705
Invar, anomalous elastic props. below T_c due to exchange contribs. 4−6774
Invar, disordered Heisenberg ferromag. model, spin waves 4−6742
Invar, time-dependent instability during artificial ageing *(Russian)* 4−37880
Invar ^{57}Co Mossbauer spectra 4−33316
Invar type, strongly coupled electron model and CPA 4−10251
Kovar, melting by laser radiation, influence of thermophysical properties *(Russian)* 4−4160
Magnico alloy, effect of Co, Ni, Cu and Al on transform. temp. 4−13611
mechanical strength, long-term, exptl. obs. on EI617 and EI826 4−1600
microduplex, fine-grained two-phase, fatigue props. 4−7150
Ni-Cr, dilute alloy, thermoelectric power, electrical resistivity, near Curie pt. 4−28382
Ni-Fe, dilute alloy, thermoelectric power, electrical resistivity, near Curie pt. 4−28382
Ni-Mn, dilute alloy, thermoelectric power, electrical resistivity, near Curie pt. 4−28382
Nichrome coatings, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4−33762

nickel alloys continued
nichrome W wire, interfacial stability rel. to mechanical behaviour 4−7350
Nimonic 105, mech. props. recovery by annealing after high temp. creep 4−7126
Nimonic 80A, stress and temp. depend. of steady state creep 4−41723
nuclear steam generator tubing, 12Cr ferritic steels and Ni-rich alloys, corrosion tests 4−41923
precipitation along grain boundaries, effect of heat treatment 4−7227
Raney alloy, vapour phase deposits on NaCl cryst., phase struct. 4−20494
rare earth nickel indium intermetallics, equiatomic ternary phase characterization 4−25306
relaxation resistance at high temp. 4−13710
Rene 80, cast, low cycle fatigue hold time behaviour 4−41712
sintering, activated, and recrystallisation, rel. to electron struct. *(Russian)* 4−21388
specific heat anomaly, ferromag. crit. conc. 4−33162
spectrochemical analysis, Bi, Pb determ. technique 4−11651
steel, austenitic Cr-Ni, LEED-Auger investigations of (100) surface *(German)* 4−37909
stress corrosion cracking in sulphate solns. at 289°C 4−41649
structure, chem. comp. and props. during thermal cycling in air stream, ZhS6-KP 4−33732
superalloy, γ' precipitates, morphology and growth, effects of ageing *(Korean)* 4−21267
superalloy, $\gamma'Ni_3(Al,X)$, fatigue props. 4−13779
superalloy, antiresonance transmission, temperature dependence 4−41222
superalloy, Bi determ., atomic absorption spectrophotometry 4−39408
superalloy, carbide precip. and cold rolling effect 4−25336
superalloy, carbide strengthened, tensile props. 4−33772
superalloy, cube oriented single crysts., temp. and cyclic freq. influence on fatigue fracture 4−13778
superalloy, directionall solidified, transverse grain boundary strengthening, Hf additions 4−13663
superalloy, Mar-M200, phase equil. and transform. kinetics 4−17215
superalloy, S additions, dependence of intergranular cracking on boundary topography and cohesion 4−4114
superalloy, single cryst. and directionally solidified, high cycle fatigue, monolayer of surface grains effect 4−13780
superalloy, sulpho-carbides origin, chem. and morphology 4−33721
superalloy, u.s. fatigue testing 4−25466
superalloys, aligned multicomponent, coupled growth and stability 4−13622
superalloys, cast hafnium-modified, partitioning of refractory metal elements 4−17245
superalloys, high temp. mech. strengthening of single crysts. 4−13772
superalloys, precip. with γ' particles 4−7071
superalloys, stress-induced diffusional instability of grain boundary precipitates and effects on creep 4−13662
superalloys, thermal exposure effect on microstruct. and mech. props. 4−17332
tensile fracture of hot-isostatically pressed 713LC alloy compacts, grain boundary struct. effect 4−7247
Ticonal, mag. props. optimization, exptl. design method 4−41746
Ticonal alloy, mag. props., extremal change with isothermal thermomagnetic treatment 4−13327
Ticonal four-pole rotary magnets, heat treatments 4−13328
transition metals, dilute, secondary ion yield, solute atom depend. *(French)* 4−37722
Udimet 700, air environment effect on creep and rupture 4−29177
u.s. fatigue applic. to threshold crack propag. studies 4−13973
wear resistant, effect of heat treatment on struct. and props., N65M20V15 and N55M20V25 4−13727
work hardening, thermal and mech. stability, struct. state influence *(Russian)* 4−37873
Ag-Ni(23.4 at.%), metastable, film, elec. resist. meas., 2.5 to 300K 4−3727
$Al-Al_3Ni$, directionally solidifiied eutectic, failure analysis 4−1649
$Al-Al_3Ni$ directionally solidified eutectic, as-grown and coarsened, crystallography and morphology 4−7020
$Al-Al_3Ni$ eutectic:Fe, (Si), space orientation of phases *(Slovak)* 4−7013
$Al-Al_3Ni$ eutectics, directional solidification 4−13619
$Al-Al_3Ni$ system, halo formation during unidirectional solidification 4−4060
Al-Cu-Ni, cellular and plane front solidification 4−13618
Al-Cu-Ni, dendritic solidification 4−17216
Al-Cu-Ni, interdendritic eutectic composition 4−17204
Al-Ni(5.7 wt.%), struct. and conc. fluctuations due to exposure to laser emission *(Russian)* 4−7079
Al_3Ni fibres, SEM study of fracture surface morphology 4−4149
Au-Ni, ohmic contacts on n-GaP, optical properties 4−6676
Au-Ni brazed joints in alloy NiCr20TiAl, struct. behaviour w.r.t. to high temp. microscopy *(German, English)* 4−41586
Co-Cr-Ni, effect of Ta additions on microstruct. 4−7102
Co-Ni, ferromag. density of states and asphericity of electron distrib. 4−13126
Co-Ni, relationships governing two-component sintering *(Russian)* 4−21390
Co-Ni, secondary ion emission, mass spectrographic obs., comp. depend. *(Russian)* 4−6940
Co-Ni alloy friction welded diffusion couple, chem. diffusion at 1100°C *(Japanese)* 4−13066
Co-Ni-Cr, high-strength corrosion resistant, elevated temp., development 4−13787
Co-Ni-Cr, plastic deformation *(French)* 4−7176
Co-Ni-Cr alloy, precipitates formed by internal oxidation, under reduced O_2 pressure *(French)* 4−37850
Co-Ni-Cr-Mo, plastic deformation *(French)* 4−7176
Co-Ni-Cr-W, strengthening at room and elevated temps. *(German)* 4−37964
Co-Ni-Cr(-Mo) dislocation nodes rel. to stacking fault energy of superalloy matrix at high temp. *(Jananese)* 4−25323

nickel alloys continued
Co-Ni-Ti, dispersion hardening and dislocation struct. *(Russian)* 4−29095
Cr-Ni diffusion coatings on medium-C steel, effect on mech. props. 4−29124
Cu:Ge dil. alloy, impurity and vacancy-impurity atom pairs, obs. by positron annihilation 4−16511
Cu-Al-Ni, exoelectron emission during thermoelastic martensitic transformations *(Russian)* 4−17195
Cu-Al-Ni, plastic deform. influence on martensitic transform. *(Russian)* 4−33661
Cu-Al-Ni, substruct. and orientation of martensite, memory effect *(Russian)* 4−33698
Cu-Ni, meas. of microsegregation by electron probe microanal. 4−4085
Cu-Ni, polycryst. solid soln., temp. depend. of macroscopic elastic limit *(Russian)* 4−33766
Cu-Ni, polycryst. solid soln., temp. depend. of hardening coeff. in microstrain phase *(Russian)* 4−33768
Cu-Ni, relationships governing two-component sintering *(Russian)* 4−21390
Cu-Ni, secondary ion emission, mass spectrographic obs., comp. depend. *(Russian)* 4−6940
Cu-Ni, soft X-ray emission, band structure determ. 4−25190
Cu-Ni, spinodal decomp. *(Russian)* 4−33663
Cu-Ni, static and dynamic atom displacements, theory *(Russian)* 4−24526
Cu-Ni, thermo-e.m.f. depend. on elastic strain magnitude, Fermi energy changes *(Russian)* 4−37223
Cu-Ni, u.v. photoemission spectroscopy 4−4025
Cu-Ni and Cu-Ni-O systems, liq., thermodynamic studies by e.m.f. method 4−41542
Cu-Ni double layer, diffusion of H_2, diffusion-induced elastic deformation 4−6518
Cu-Ni sintered materials, homogeneity investigation using microprobe 4−33843
Cu-Ni system, conc. depend. diffusion coeff. determ. by graphical method *(German)* 4−6530
Cu-Ni-Cr, hardening by spinodal decomp. and mech. strengthening *(German)* 4−7211
Cu-Ni-Cr, modulated and tweed structs. 4−17285
Cu-Ni-Fe, spinodal decomp. and coarsening 4−17266
Cu-Ni-Sn spring alloy, reversed bending fatigue props. 4−10627
Cu-Ni-Ti, precip. of Ti, coarsening obs. 4−33684
Cu-Ni(20 wt.%)-Mn(20 wt.%), elec. resistivity and thermoelec. power, rel. to decomposition 4−41050
CuNi, clustering kinetics, resistometric obs. 4−13656
CuNi, NiKα, and CuKα, X-ray emission line widths and energy shifts 4−4018
CuNi, valence band spectra using X-ray photoemission 4−37739
$Cu_{0.6}Ni_{0.4}$, paramag., giant moments, magnetis. obs. 4−28604
$Cu_{0.9}Ni_{0.1}$:Fe, $Cu_{0.8}Ni_{0.2}$:Fe, dilute alloy, mag. clusters of Fe moments, magnetisation interpretation 4−33138
Cu(60%)-Ni(20%)-Mn(20%), annealing effects on electrical resistivity and thermoelectric power 4−16729
$DyNi_2$ intrinsic mag. aftereffect investigation 4−24972
$DyNi_3$, low temp. electronic sp. ht., anomalies, band struct. 4−32721
$DyNi_5$, heat capacity meas., thermodynamic function calc., anomalies 4−16922
$DyNi_5$, low temp. heat capacity, magnetic contrib., anomalies rel. to $GdNi_5$ type props. 4−33155
$ErNi_5$, heat capacity meas., thermodynamic function calc., anomalies 4−16922
$ErNi_5$, low temp. heat capacity, mag. contrib., anomalies rel. to $GdNi_5$ type props. 4−33155
Er_2Ni_{17}, press. effect on Curie temp. 4−24955
Fe-Co-Ni, spectral determ. of conc. in arc discharge *(Russian)* 4−39439
Fe-Cr-Ni, dislocation nodes rel. to stacking fault energy of superalloy matrix at high temp. *(Jananese)* 4−25323
Fe-Cr-Ni, tracer diffusion of ^{63}Ni, volume and grain boundary transport 4−40913
Fe-Cr-Ni alloy, austenitic, vol. and intercrystalline diffusion, effect of Ni, grain boundary energy rel. to comp. *(French)* 4−33728
Fe-Cr-Ni alloys reaction with Na containing O_2, rel. to nuclear reactors 4−23878
Fe-Cr-Ni-Be alloys, electron metallographic investigation 4−21270
Fe-Cu(Ni), ceramic, effect of heating rate on vol. change in sintering *(Russian)* 4−21385
Fe-Ni, conc. depend. of mag. moment, interpretation using method of cluster components 4−12899
Fe-Ni, creep activation parameters, internal stress effect 4−4116
Fe-Ni, diffusion alloyed powders, effect of particle size on spectral analysis 4−7256
Fe-Ni, f.c.c., elastic consts. w.r.t. Invar props. 4−3883
Fe-Ni, f.c.c., spin wave reson. and exchange parameters 4−10325
Fe-Ni, f.c.c., thermal expansion temp. depend., 4.2-300K, rel. to spontaneous vol. magnetostriction *(Russian)* 4−20422
Fe-Ni, Fe-Ni-Mn alloys, high press. and pulsed mag. field effects on martensite transform. 4−1466
Fe-Ni, ferromag., Hall e.m.f. meas., tensor nature 4−16741
Fe-Ni, ferromag. resonance and order-disorder phenomena 4−16989
Fe-Ni, fluorination, characterisation of fluoride film 4−13682
Fe-Ni, $\gamma \rightarrow \alpha$ transform., start temp. conc. depend. *(Russian)* 4−4054
Fe-Ni, influence of tension on remanence in elastic deformation region 4−41216
Fe-Ni, Invar type, under influence of non-hydrostatic stress, Mossbauer spectra 4−33310
Fe-Ni, mag. susceptibility, melting pt. phenomena *(French)* 4−16914
Fe-Ni, magnetic structure factors, magnetic moment distribs. 4−33175
Fe-Ni, optical props., 0.3-17 μm, band model interpret., conc. depend. *(Russian)* 4−28808
Fe-Ni, passive films, thickness and chem. comp. *(Japanese)* 4−13989
Fe-Ni, powder, positron diffusion 4−13131

nickel alloys continued
- Fe-Ni, prepared by amalgamation process, struct. props. by X-ray diffr. 4−41557
- Fe-Ni, pretransform. lattice instabilities 4−37812
- Fe-Ni, recovery-recrystn. and transform. on heating of alloys cooled from γ region *(French)* 4−41543
- Fe-Ni, shocked, stability of magnetic phase transformation 4−7037
- Fe-Ni, solid and liq., interstitial solute solubility, ferromag. contribs. to free energy 4−33676
- Fe-Ni, u.s. wave generation and recording mechanisms, in the region of the Curie point 4−33952
- Fe-Ni (3.48 wt.%) Snoek peak shift for resolution of interstitial N atoms 4−21316
- Fe-Ni (fcc) alloys, specific heats at high temp., conc. depend. behaviour at Curie point 4−41197
- Fe-Ni alloys, kinetics of polymorphic (γ-α) transform. at high press. 4−17210
- Fe-Ni diffusion couple with Fe-Co alloy, interdiffusion after annealing at 1100°C *(Japanese)* 4−37852
- Fe-Ni film, dynamic characts., elastic stress effects *(Russian)* 4−37463
- Fe-Ni film, large grain, uniaxial anisotropy energy, comp. and irrad. temp. depend. 4−37465
- Fe-Ni Invar alloy, mag. cluster structures, small-angle neutron scatt. obs. 4−33173
- Fe-Ni single crysts., domain configs. with low magneto-cryst. energy 4−6757
- Fe-Ni system, thermochem. and phase equil. 4−25305
- Fe-Ni-C, microcracking in martensitic structure *(Czech)* 4−41702
- Fe-Ni-C, orientation relationships between austenite and martensite in M_s temp. region *(French)* 4−41560
- Fe-Ni-C, temp., stress, strain and deform. induced martensite kinetics 4−33658
- Fe-Ni-C alloy, martensitic, orientation relationships, use of selected area channelling patterns 4−25346
- Fe-Ni-C grain size and C content influence on irreversible Snoek peak of martensite *(French)* 4−21244
- Fe-Ni-C martensite Mossbauer meas. of hyperfine field 4−25044
- Fe-Ni-C martensites, tetragonality and clustering 4−17271
- Fe-Ni-Co, cyclic martensite ⇄ austenite transforms., coercive force correl. with microstruct. 4−7019
- Fe-Ni-Co, film, anisotropic, a.c. susceptibility meas. by third harmonic freq. technique 4−37466
- Fe-Ni-Co, martensitic, ordering phenomena and mech. props. changes *(Russian)* 4−10562
- Fe-Ni-Co alloys, tempering, annealability and growth characts. 4−4132
- Fe-Ni-Co-W, maraging, cobalt influence on martensite hardening during ageing *(Russian)* 4−4120
- Fe-Ni-Cr, austenitic, effect of B on carbide precipitation *(French)* 4−7080
- Fe-Ni-Cr, effect of rolling texture on magnetoelastic props. 4−10303
- Fe-Ni-Cr, single crysts., epsilon and alpha martensite microstruct. 4−29077
- Fe-Ni-Cr, stress induced martensite-austenite interface 4−1542
- Fe-Ni-Mo alloy, martensite, effect of Co on ageing 4−7177
- Fe-Ni-Mo and Fe-Ni-Co-Mo, maraging, precip., Mossbauer obs. 4−29070
- Fe-Ni-P ternary system, dissolution of phosphides 4−25342
- Fe-Ni-Ti, two-stage ageing, effect on mech. props. and struct. *(Russian)* 4−37871
- Fe-Ni-Ti alloy, N25KhT2, martensite transform. kinetics and martensite morphology on aging 4−1467
- Fe-Ni(27 at.%), retained austenite determ. by Mossbauer spectroscopy 4−39427
- Fe-Ni(29 wt.%), electron bombardment influence on microhardness *(Russian)* 4−13678
- Fe-Ni(3 wt.%), titanium addition effect on creep rate 4−33829
- Fe-Ni(30 wt.%) alloy, C diffusion in austenite after reverse martensitic transform. 4−13648
- Fe-Ni(8 wt.%) austenite, Cr effect on nitrogen activity 4−33681
- $Fe_{1-x}Ni_xAl$ solid solns., ^{27}Al Knight shift, mag. susceptibility, local moments *(Russian)* 4−1350
- Ge-Ni, amorphous, X-ray photoemission spectra of valence bands 4−41464
- Hf_2Ni_7, isotypic relationship with Zr_2Ni_7 *(German)* 4−7041
- $HoNi_5$, heat capacity meas., thermodynamic function calc., anomalies 4−16922
- $HoNi_5$, low temp. heat capacity, magnetic contrib., anomalies rel. to $GdNi_5$ type props. 4−33155
- Ho_2Ni_{17}, press. effect on Curie temp. 4−24955
- InSb-NiSb, thermal diffusivity by flash method 4−16626
- InSb-NiSb eutectic alloys, interface energy from total self energy of interface dislocations 4−17206
- $LaNi_3$, low temp. electronic sp. ht., anomalies, band struct. 4−32721
- $LaNi_5$, H_2 adsorption, substitution effects, hydride form. 4−28286
- Mg-Ni electrodes, equilibria, in high temperature fused salts, open circuit relaxation method 4−1716
- Mn-Ni, conc. depend. of mag. moment, interpretation using method of cluster components 4−12899
- Mn-Ni-Bi, preparation and characterisation, cryst. struct. 4−16451
- Mn-Ni-Co nonferromag. Elinvar-type alloy characts. 4−41773
- Mn-Ni-Cr, Elinvar props., var. with ht. treatment and cold working 4−1603
- Mn-Ni-W(-Mo) systems, nonferromag. Elinvar-type alloy, Young's modulus, rigidity modulus, thermal expansion and hardness *(Japanese)* 4−13685
- Mo-Cu-Ni system, two-phase field of Mo(Ni, Cu) and Cu(Ni, Mo) solid solns., boundary 4−37815
- Ni:Co, influence of magnetic and mechanical treatment on remagnetisation process *(French)* 4−20821
- Ni-Ag, influence of K-state on Debye-temp. 4−3545
- Ni-Al, ageing, second phase precipitate spatial distrib. effect on mech. props. *(Russian)* 4−10608
- Ni-Al, diffusional growth of aluminide coatings 4−13756
- Ni-Al, ferromag., Kerr and Hall effects *(Russian)* 4−17051
- Ni-Al, n.m.r. and lattice parameter measurements 4−16450
- Ni-Al, positron annihilation probability, conc. depend. *(Russian)* 4−32582

nickel alloys continued
- Ni-Al, vol. growth during sintering *(Russian)* 4−21391
- Ni-Al, with dispersed intermetallic phases, annealing and deform. effects on T_c *(Russian)* 4−6684
- Ni-Al martensite substructure, bulk and splat cooled specimens 4−29061
- Ni-Al martensites, stacking modulated struct. 4−17243
- Ni-Al powder mixture, nature of kinetics and reaction diffusion *(Russian)* 4−13808
- Ni-Al system, Ni-rich side, Ni_3Al layer growth, diffusion coeffs., interface concs., 1000-1300°C 4−37809
- Ni-Al_2O_3 influence of production methods on sintering *(Russian)* 4−21393
- Ni-Al-Cr-Ti-Mo-W superalloy system, phase stability, 850°C 4−13617
- Ni-Be, precip., TEM obs. 4−17285
- Ni-Be contact spring material, ductility reversal during ageing 4−17370
- Ni-BeO microstruct. rel. to thermomechanical processing 4−7228
- Ni-Co, electrodeposited, Co addition effects on microstruct., strength and fracture 4−17344
- Ni-Co, electrolytic, torsional stress effect on mag. props. *(Rumanian)* 4−37452
- Ni-Co, λ-specific heat anomalies at Curie temp., mag. contribs. 4−16932
- Ni-Co, massive electrodeposits, structural and mech. props. 4−37937
- Ni-Co, NiAl type coating prep., degradation and oxidation mechanisms 4−13757
- Ni-Co, plastic deformation, effect of stacking fault energy 4−1559
- Ni-Co, positron trapping at stacking faults in metals 4−16508
- Ni-Co, solid and liq., interstitial solute solubility, ferromag. contribs. to free energy 4−33676
- Ni-Co (20% wt.), dislocation structure changes during rolling in region of large reductions *(Russian)* 4−4128
- Ni-Cr, adsorption of O_2 and N_2, influence on secondary ion emission from Ar bombardment *(French)* 4−3649
- Ni-Cr, characterisation of coherent ordered precipitates 4−4112
- Ni-Cr, dislocation configs. and density effects on corrosion behaviour 4−13774
- Ni-Cr, dispersed thoria growth kinetics 4−7059
- Ni-Cr, heat resistant, relax. resistance, conditioning effects 4−7186
- Ni-Cr, low cond., i.r. source, lamp design, spectra intensity meas. 4−35287
- Ni-Cr, Ni-Cr-Co and Ni-Cr-Fe heat resistant materials developments 4−7222
- Ni-Cr, optical consts., 250 to 1100 nm 4−37625
- Ni-Cr, oxidation in air, water vapour, optical consts. meas., temp. depend. 4−24650
- Ni-Cr, oxidation kinetics, Cr_2O_3 volatilization effect 4−17322
- Ni-Cr, thoria dispersed, diffusional creep and creep degradation 4−41709
- Ni-Cr, thoriated, vacancy source obs. during substitutional diffusion 4−7076
- Ni-Cr, with ThO_2 dispersion, diffusional creep and creep degradation 4−13790
- Ni-Cr, with ThO_2 dispersion, compatibility with hydrogen 4−13791
- Ni-Cr alloy, eutectic, struct. and comp. of phases during solidification 4−13609
- Ni-Cr film, elec. resist., temp. depend., 100-300K 4−37330
- Ni-Cr film, elec. resist. anomalies, 25-80°C 4−37331
- Ni-Cr-Co-Nb, cellular precip. kinetics *(French)* 4−37823
- Ni-Cr-Mo alloy, anodic behaviour, effect of ageing 4−37867
- Ni-Cr-S system, phase constitution, 600-850°C 4−37804
- Ni-Cr-Ti-Al, metallography of Au-Ni brazed joints *(German, English)* 4−41586
- Ni-Cr(20 wt.%), dispersion strengthened, forming and joining 4−13811
- Ni-Cr(20 wt.%), with oxide dispersions, conc. profiles through oxide scales by ion probe microanalysis 4−7066
- Ni-Cr(9.5 at.%), high temp. creep, activation parameters 4−29140
- Ni-Cu, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
- Ni-Cu, finely-divided, supported on SiO_2, adsorption of H_2 and O_2, saturation magnetiz. obs. *(French)* 4−24642
- Ni-Cu Blansko chondrite microprobe analysis 4−29986
- Ni-Fe, homogenized Invar alloy, and spontaneous magnetisation 4−33213
- Ni-Fe, λ-specific heat anomalies at Curie temp., mag. contribs. 4−16932
- Ni-Fe, model for variation of interatomic potential with Ni content 4−33668
- Ni-Fe, thin nonmagnetostrictive films, monoaxial mag. anisotropy investigation *(Rumanian)* 4−37468
- Ni-Fe base amorphous alloy, tensile strength 4−21334
- Ni-Fe electrodeposited, magnetic saturation, coercive force 4−1304
- Ni-Fe film, evaporated at oblique incidence, change of easy axis direction on annealing 4−28671
- Ni-Fe film, mag. reversal curve behaviour in weak fields *(Russian)* 4−33219
- Ni-Fe film, on amorphous SiO_2, struct. electron microscope and X-ray diffr. obs. 4−1183
- Ni-Fe film, stripe domain reorientation by external mag. field, obs. 4−37451
- Ni-Fe films, saw-tooth domain walls obs. by Lorentz electron microscopy 4−20811
- Ni-Fe films with banded domains, oriented by alternating fields, mag. reversal curve *(Russian)* 4−33221
- Ni-Fe foil, cold rolled, rolling texture, X-ray obs. *(Japanese)* 4−4087
- Ni-Fe foil, cold rolling, recrystallisation, texture, X-ray obs. *(Japanese)* 4−4089
- Ni-Fe foil, recrystallisation texture, X-ray obs. *(Japanese)* 4−4088
- Ni-Fe Invar, f.c.c., ideal lattice parameter for ferromag. props. 4−16955
- Ni-Fe refractive index, absorption coeff. meas. at room temp., 1.1 to 4.9 eV 4−28783
- Ni-Fe substrate for reeds, surface segregation mechanism 4−1516
- Ni-Fe thin films, ferromag., symm. walls, anisotropy 4−3878

nickel alloys continued
Ni-Fe/Au/Ni-Fe-Co, ferromag. film, sandwich struct., crit. fields, magnetisation reversal 4—6758
Ni-Fe-Cr, X-ray fluoresc. anal., calibration in presence of interelement effects 4—39402
Ni-Fe-Ta, effect of Ta addition on mag. props., hardness 4—3879
Ni-Ga-Ge mixture, 700°C isothermal section, phase characteriz. *(German)* 4—7040
Ni-Mn, disordered, neutronographical investigation of antiferromagnetism 4—24965
Ni-Mo, metastable phase Ni_2Mo and initial ordering obs. by microscopy 4—21230
Ni-Mo, short-range order 4—1460
Ni-Mo-Co-BeO, microstruct. rel. to thermomechanical processing 4—7228
Ni-Mo-W-Cr-Zr, effect of B on phase transformations *(Czech)* 4—13599
Ni-Nb, thermomech. treatment effects on mech. props., precip. kinetics 4—25387
Ni-Ni_3Nb eutectic composite, fatigue crack propag. 4—13888
Ni-Ni_3Ta directionally precip. hardened composites, thermal stability 4—17425
Ni-Ni_3Ta eutectic, unidirectionally solidified, tensile props. 4—29178
Ni-O system, terminal solubility determ. using solid electrolytic cells 4—33678
Ni-P, oxidation in air, water vapour, optical consts. meas., temp. depend. 4—24650
Ni-Pd based, ternary elec. resist. meas. at low temp., depend. on impurity type 4—32914
Ni-Rh, dilute, near Curie point, Ni spin correlation time determ. 4—13312
Ni-Si, liquid, struct. characts. calc., strong interaction *(Russian)* 4—20200
Ni-Si, thin layers, electron microscopy of phase transformations during annealing *(German)* 4—6497
Ni-Sn, solidification in low gravity environment, electron microscopy and X-ray microanal. 4—4074
Ni-Sn solid solns., fine lamellar discontinuous precip. reaction thermodynamics *(German)* 4—41605
Ni-ThO_2 dispersed, elevated temp. deform. 4—37924
Ni-ThO_2 dispersed, permeation and diffusion of H, trapping at particles 4—17277
Ni-Ti, local order parameter, plane stability ratio, field evaporation rate meas. 4—17253
Ni-Ti alloy, memory effect rel. to shape and martensitic transform. 4—13709
Ni-W eutectic composites, cyclic loading behaviour, microstruct. influence 4—13887
Ni-W(10.3 at.%), high temp. creep, activation parameters 4—29140
α-Ni-Zn terminal f.c.c. solid solns., Zn thermodynamic activities, phase boundaries 4—33640
Ni-ZrO_2, influence of production methods on sintering *(Russian)* 4—21393
β-NiAl, dynamic strain ageing in compression creep 4—1596
NiAl, intrinsic low temp. mag. and transport props., simple Fermi surface model 4—13298
NiAl, protective coating alloy, anomalous thermomech. behaviour 4—13789
NiAl, struct. and mech. props. in polycryst. and single crystl. states 4—7208
NiAl crystals, 300-1050 K, kinking, uniform deformation, compression along $\langle 001 \rangle$ 4—4147
NiAl crystals, 300-1050 K, kinking, uniform deform. mechanisms 4—4148
NiAl martensite, β-phase, transform. temps. 4—37805
NiAl oxidation induced defects, annealing, TEM study 4—3654
NiAl:C, near-stoichiometric, quenched and aged, effect of C content on void formation 4—41595
NiAl-Ni_2AlTi, semi-coherent, creep strengthening effect of precip. stabilized dislocation networks 4—21336
Ni_3Al, high-field magnetoresistance 4—6646
Ni_3Al, Ni-rich, high temp. flow stress 4—17336
Ni_3Al, solidification by twin growth mechanism 4—17226
Ni_3Al, superlattice dislocations on cube planes 4—7104
Ni_3Al base γ' crystals, creep and stress-rupture props. 4—33752
Ni_2AlTi, deformed at high temp., sublattice antiphase boundary obs. 4—17268
Ni_2AlTi, sublattice dislocation pairs 4—7105
Ni_3Co, order-disorder changes, mag. transition, elec. resist. and DTA obs. 4—1472
$Ni_{80}Co_{20}$:^{57}Fe, effective exchange fields, hyperfine splitting at Fe impurities, Mossbauer obs. 4—6817
NiCr, film resistors, elec. and struct. props., prep. conditions 4—28320
NiCr, oxidation in dynamic high temp. environment, oxide morphologies 4—13106
NiCr systems, comp. determ., proton induced X-ray anal. 4—10513
Ni(Cr)-TaC directionally solidified eutectic, low cycle fatigue characts. 4—13972
Ni(Cr)-TaC fibrous eutectic, crystallographic reln. between Ni(Cr) matrix and aligned TaC fibres 4—4072
$Ni_{0.95}Cr_{0.05}$, localized moment, neutron diffr. obs. 4—41201
Ni_2Cr, antiphase domain obs. and resolution of periodic antiphase struct. *(French)* 4—37851
$Ni_{35}Cu_{65}$, resist. min. obs. at 700K, comparison with $Pd_{60}Ag_{40}$ 4—37213
$Ni_{0.79}Fe_{0.21}$, mag. form factor, polarised neutron obs. 4—33171
$Ni_{0.86}Fe_{0.14}$, mag. form factor, polarised neutron obs. 4—33171
Ni_3Ga, high-field magnetoresistance 4—6646
Ni_3Ga single crysts., yield stress, temp. and orientation depend. 4—4115
Ni_2HfSn, Heusler alloy, cryst. struct. and mag. props. 4—41196
α-Ni_3In, paramagnet, no ferromag. props. *(German)* 4—6713
NiIr, dilute, quadrupolar Hamiltonian on Ir nuclei, spin-orbit effect 4—37525
Ni_3Mn, partially ordered, mag. props., small-angle neutron scatt. obs. 4—33172
Ni_3Mn single crysts., ordering influence on strain hardening characts. *(Russian)* 4—10610

nickel alloys continued
NiMnCu alloys, antiferromag., impurity effects 4—10259
NiMnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4—37530
Ni_3Mn(25 wt.%), weakly ordered, anomalous local anisotropy of strongly magnetised regions 4—6744
Ni_4Mo, ordered, domain struct., field-emission microscope obs. *(Russian)* 4—13628
Ni_4Mo, stress-ordered, struct. and mech. props. 4—21224
Ni_3Nb phase, deform. twins 4—37928
Ni_2NbSn, Heusler alloy, cryst. struct. and mag. props. 4—41196
NiPt, long- and short-range order 4—16446
NiSn, cryst. struct. determ. *(German)* 4—1028
Ni_3Sn alloy, martensitic and massive transforms. *(Japanese)* 4—25302
β_1-NiZn, f.c. tetragonal, lattice disorder effect on thermodynamic parameters 4—1457
NiZn ferrite with Curie temp. near 0°C, comp. effects and initial permeability 4—41193
Ni_2ZrSn, Heusler alloy, cryst. struct. and mag. props. 4—41196
$NpNi_2$, Laves-phase, hyperfine fields and ordering temp. Mossbauer obs. 4—25040
Pd-Ag-Ni, hydrogen permeability and stability *(Russian)* 4—10620
Pd-Ni, dilute alloys, press. effect on spin-fluctuation resistivity 4—24723
Pd-Ni-P, glassy, thermal expansion and density, comp. depend. 4—24573
Pr-Co-Ni system phase constitution and structure *(Russian)* 4—1463
Pt-Ni_3Mn thermocouple, thermo-e.m.f. depend. on alloy order *(French)* 4—28395
Pt-Ni-P, glassy, thermal expansion and density, comp. depend. 4—24573
Ru-Ni superconducting transition temp. depression 4—37359
$ThNi_2Co_3(Co_2)$, neutron diffr., 5-297K, ordered and disordered phases 4—28630
Ti-Ni, martensite transformation obs. by electron microscopy 4—1474
Ti-Ni, nearly stoichiometric, stress and transform. cycling effects on transition behaviour 4—37793
Ti-Ni, phase comp., elec., elastic and thermal props. 4—13614
Ti-Ni-Al system phase equil. and phase form. studies *(Russian)* 4—7034
TiNi, equiatomic, martensitic transform. morphology 4—33656
TiNi, mech. memory effect, orthopaedic bone plate applics. 4—30218
TiNi, near-equiatomic, lattice instability and martensitic transform. 4—29050
TiNi, near-equiatomic, transition phase behaviour 4—37794
TiNi, X-ray emission, line shifts, band spectra 4—25189
TiNi intermetallic, Al influence on age hardening and mech. props. *(German)* 4—21351
$UNi_{5-x}Al_x$, X-ray obs. of phase transforms. lattice parameters 4—7008
V-Co-Ni, atomic ordering and struct. transform. 4—41540
V-Ni-B system, isothermal cross section, 800°C 4—13590
W/nichrome composite, thermal stress distrib., dilatometry 4—1640
W/Nichrome laminar composites, characteriz. for high temp. applics. 4—1665
Yn-Ni system, X-ray diffr., thermoanalysis, metallography 4—7010
Zr_2Ni_7, isotypic relationship with Hf_2Ni_7 *(German)* 4—7041

nickel compounds
see also nickel alloys
complex, bis-(N-methylsalicylaldiminato)-nickel(II), polarized i.r. spectrum of single crystals 4—3975
ferrite, thin films, vap. deposition, planar defect obs. 4—28319
Ni complex, stilbendiamine acetates and halogens, D_{4h} symmetry model from visible-u.v. spectra 4—6593
silicides-Si diode fabrication, barrier heights to Si 4—17183
tetramethylammonium nickel chloride, order-disorder transition investigation 4—32650
tetramethylammonium trichloronickelate, low temp. heat capacity 4—33152
$CaO_x.NiO_{1-x}.Fe_2O_3$, elec. resist., comp. depend. *(French)* 4—28401
Co-Ni-O, phase composition and mag. props. *(Russian)* 4—6475
CoNiB, bremsstrahlung isochromats, comparison to metal spectra, boron donor action 4—16715
$Co_{1-x}Ni_xCr_2S_4$, phase relationships, spinel and defect NiAs struct. 4—28617
$Co_xNi_yFe_{1-x-y}S_2$, solid soln., e.p.r., electron energy states 4—41239
$CsNiCl_3$, $RbNiCl_3$, $Cs(Mg,Ni)Cl_3$, $CsNiBr_3$, absorpt. spectra, mechanism 4—33435
Cu-Ni ore, sulphur content isotope anal. ores from Sudbury, Ontario 4—4327
$Fe_{1-x}Ni_xCr_2S_4$, phase relationships, spinel and defect NiAs struct. 4—28617
$Fe_xNi_yF_z$ film, fluorination product on Fe-Ni alloy surfaces, characterization 4—13682
MgO:NiO, elec. cond. meas., high temp., under increasing O_2 partial press. 4—28467
$Mn(NH_3)_2Ni(CN)_4.2C_6H_6$, Hofmann-type clathrate, cryst. struct. 4—28089
$Mn_{1-x}Ni_xCr_2S_4$, phase relationships, spinel and defect NiAs struct. 4—28617
MnO-NiO solid soln., thermodynamic props., pseudo-simpler soln. model 4—32726
Mn_3O_4-$NiMn_2O_4$ system, mag. suscept., magnetis., and ferrimag. Neel temp. 4—41189
Ni complex, $(CH_3OCS_2)_2Ni$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4—25105
Ni complex, $[Ni(C_{10}H_{22}N_2OS_2).(H_2O)](NO_3)_2$, cryst. struct. *(French)* 4—32486
Ni complex, bis-(N-methylsalicylaldiminato)-nickel(II), polarized i.r. spectrum of single crystals 4—3975
Ni complex, $Ni(H_2O)_6$, force constant, mean amplitude of vibration, normal cond. analysis 4—24047
Ni complex, tetracyanonickelate(II), polarised electronic spectra at 5°K 4—41388
Ni complex, tris(acetylacetone)nickel(II) perchlorate, n.m.r. contact shifts and spin delocalization mechanisms 4—27718

nickel compounds continued
Ni complex-organic clathrate, i.r. spectra in polarised light 4—37603
Ni complexes, $Ni(N_2)_m(CO)_{4-m}$, where m=1-3, i.r. and Raman spectra 4—3136
Ni tetracarbonyl complex, i.r. spectral band intensities, dipole moment derivatives 4—25097
Ni-I boracite, far i.r. reflectivity 4—13420
Ni-P oxides, composition of surface formed on electroless deposits 4—7438
$NiAl_2O_4$, intermediate spinel, opt. absorpt. spectra of Ni^{2+} 4—37622
Ni_2B, bremsstrahlung isochromats, comparison to metal spectra, boron donor action 4—16715
$Ni_3(BO_3)_2$, cryst. struct. 4—12907
$Ni_3B_7O_{13}I$, l.f. dielectric dispersion depend. on defect struct. 4—33357
$Ni_3B_7O_{13}I$, mag. struct., neutron diffr. meas. 4—28633
$NiBr_4^{2-}$, charge transfer to solvent spectra in supercooled $(Bu_4P^+)_2MBr_4^{2-}$ 4—6891
NiC in electrolytically cast Mo, effects on mech. props. *(Russian)* 4—7172
$Ni(CO)_4$, He(I) photoelectron spectra, electronic structure, SCF-mol. orbital calcs., orbital relax. 4—16131
$Ni(CO)_4$, in gaseous N_2, ang. correl. functions and Coriolis coupling 4—16138
$NiCl_2$, antiferromag., n.m.r. temp. depend. 4—13354
$NiCl_2$, antiferromagnetic resonance, effect of applied magnetic field *(Russian)* 4—20866
$NiCl_2$, far i.r. spectra, hexahydrate librations *(French)* 4—28841
$NiCl_2$, phosphorescence quenching of triphenylene, perdeuterated naphthalene 4—4001
$NiCl_2$, valence band struct., X-ray photoelectron obs. 4—37169
$NiCl_2$-CsCl, molten mixture, reversible e.m.f., thermodynamic props. 4—24562
$NiCl_2.6H_2O$, easy axis of magnetisation obs., using horizontal type Hartshorn bridge coils 4—26555
$NiCl_2.6H_2O$, monoclinic single crystals, magnetic susceptibilities 1.2-4.2K and 14-20K 4—3828
$Ni_xCo_{1-x}Cl_2.6H_2O$, easy axis of magnetisation obs., using horizontal type Hartshorn bridge coils 4—26555
$Ni_{0.65}{}^{2+}Co_{0.0014}{}^{2+}Fe_{0.32}{}^{2,}Fe_{2.02}{}^{3+}O_{4.01}$, thermomagnetic treatment influence on magnetostriction *(French)* 4—33233
$NiCr_2O_4$, helical struct., occurrence and influence *(Russian)* 4—37423
$NiCr_2Se_4$, thermal cond. meas., 80 to 440K 4—3596
$Ni_xCu_{1-x}Fe_2O_4$, Curie temp., effect of cation distrib. 4—24948
NiF_2, antiferromag., crit. temp., calc. meas., Heisenberg model 4—24944
NiF_2, linear mag. birefringence in terms of Ewald-Born theory 4—41353
NiF_2, x-parameter, neutron diffr. obs. 4—20260
NiFe ferrite system, phase diagram at 1300°C, lines for const. vacancy content 4—36994
NiFe ferrite:Ti, induced mag. anisotropy, relax. effect intensities depend. on Ti doping 4—37435
$NiFeO_4$, Mossbauer effect obs. of thermal props. 4—20914
$NiFe_2O_4$, growth on MgO, ferrite inclusions in substrate obs. 4—32835
$NiFe_2O_4$, temperature variation of specific heat, 4 to 300 K, spin-wave dispersion 4—37414
$Ni_xFe_{1-x}S_2$, solid soln., e.p.r., electron energy states 4—41239
$NiFe_2Se_4$, electrical conductivity, thermoelectromotive force 4—6649
$Ni_{1.425}FeTi_{0.475}Sn_{0.05}Li_{0.05}O_4$, cation distrib., ^{57}Fe Mossbauer obs. 4—12915
NiGe, Ni_2Ge, Ni_3Ge, energy band distrib., Kbeta-band obs., transfer conditions *(Russian)* 4—33521
$Ni(H_2O)_6{}^{2+}$ ions in $\alpha Zn(H_2O)_6SeO_4$ and $Mg(H_2O)_6SO_3$ crysts., MCD interpret., vibronic intensity 4—3995
$Ni(H_2O)_6SO_4$, circular dichroism spectra of i.r. band, orthorhombic splitting of $E(^3T_{2g})$ state 4—6877
Ni(II) complex, 2-hydroxybutyrato, stability const. determ. by spectrophotometric method of corresponding solns., numerical treatment 4—13974
Ni(II) complex, bis-(2-hydroxy-5-methylacetophenato)nickel(II), cryst. and mol. struct. 4—20257
Ni(II) complex, β-mercaptoethylene, vibr. spectra 4—28835
Ni(II) complex, $Ni(NH_3)_2Ni(CN)_4.2C_{12}H_{10}$, Hofmann-type clathrate 4—24421
Ni(II) complex, nickel(II)-bis-(di-n-butyl-diselenocarbamate), paramag. adduct existence, e.p.r. obs. 4—3893
Ni(II) complex, tris(thiosemicarbazide)nickel(II) dichloride monohydrate 4—36857
Ni(II) complex (4-methyliminopentane-2,3-dione 3-oximato)(4-iminopentane-2,3-dione 3-oximato)nickel (II), cryst. struct. 4—3479
Ni(II) di(p-tolyl)dithiophosphinate, complexed with pyridine-type bases, isotropic proton shift 4—6100
Ni(II) dithiocarbazato complexes, binding energies, ESCA determ. 4—31937
Ni(II) thiocarbonato complex, i.r. spectra, Ni isotope shifts, normal coord. anal. 4—40287
Ni(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4—10423
$Ni(IO_3)_2.4H_2O$, X-ray crystal structure determ. 4—1034
$NiMnGaO_4$, X-ray study of ionic struct. 4—24446
$Ni(NO_3)_26NH_3$, mag. phase diagram, susceptibility field and temp. depend. 4—16923
NiO, activated sintering of ThO_2 and ThO_2-Y_2O_3 4—10637
NiO, antiferromag., crit. temp., calc., meas., Heisenberg model 4—24944
NiO, antiferromag. S-domains and boundaries *(Russian)* 4—37445
NiO, cryst. field and exchange parameters, 3d state parametrization 4—3702
NiO, film form. on Ni alloys, oxidation characts. 4—24650
NiO, formation in Co-Ni-O system *(Russian)* 4—6475
NiO, in glass, light absorpt., spectrophotometric anal. 4—28881
NiO, neutron diffr. at Neel temp., nonrigid lattice 4—24941
NiO, NiO:Li, reequilibration kinetics 4—6415
NiO, normal spectral emissivity, red and green regions 4—37014
NiO, pure and Li-doped, impurity states, rel. to Mott insulator behaviour 4—24706

nickel compounds continued
NiO, spinel form. with β-Ga_2O_3, reaction kinetics *(German)* 4—17504
NiO, valence band struct., X-ray photoelectron obs. 4—37169
NiO, with Si overlayer, surface e.m. waves on magnetic media 4—24982
NiO coatings, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4—33762
NiO powder compacts, initial sintering, shrinkage kinetics 4—41818
NiO powders, nonstoichiometric, sintering 4—33862
NiO:Li film, polycryst., surface switching 4—33012
NiO-CoO solid solution single crystals, phase separation investigation 4—6477
NiO-CoO solid solution single crystal, phase boundaries, phase separation, and elec. props. 4—38010
NiO-MgO solid solutions, e.p.r. of powder samples, antiferromag., conc. depend. 4—6785
NiO-Si, p-n junction, prep., I-V curves, photo e.m.f., temp., wavelength depends. *(Russian)* 4—24814
NiS, hexagonal, elec. and mag. props. in transition region 4—24794
NiS, metal-nonmetal transition, temp. depend. energy bands 4—20556
NiS, thermal expansion 100 to 300 K, antiferromag. transition 4—28625
NiS, valence band struct., X-ray photoelectron obs. 4—37169
NiS_2, bandlike valence-electron states rel. to FeS_2 localised levels, photoelectron obs. 4—28356
NiS_2, metal-insulator transition obs. by X-ray diffraction 4—10107
NiS_2:Cu(Co), press. effect on resistivity, activation energy 4—6624
α-$NiSO_4.6H_2O$, vibrational circular dichroism, 1900 to 5000 cm^{-1} 4—25118
NiS(h), prep. of 90 g batches and Czochralski single cryst. growth 4—37754
NiSi, liquid struct. of short-range order, X-ray obs. *(Russian)* 4—6321
$NiSi_2$, liquid struct. of short-range order, X-ray obs. *(Russian)* 4—6321
$NiSiF_6.6H_2O$, cryst. struct. 4—9889
$NiSiF_6.6H_2O$, n.m.r., 90-425K 4—28708
$NiSnCl_6.6H_2O$, isomorphism rel. to $CoSif_6.6H_2O$, $NiSiF_6.6H_2O$, $ZnSiF_6.6H_2O$ 4—9889
$NiSnCl_6.6H_2O$ isomorphism rel. to $CuSiF_6.6H_2O$ 4—9890
$NiSnF_6$ and $NiSnCl_6$, e.s.r., mag. props. 4—16978
$Ni_5TiB_2O_{10}$, cryst. struct. 4—12920
$NiTiF_6$, e.s.r., mag. props. and phase transformation 4—16978
NiX_2L_2, X=Cl, Br, $L=N_2C_3H_4$, NC_5H_5, single ion anisotropy and ferromag. intrachain interaction 4—37420
NiZn ferrite, sintering in presence of V_2O_5 4—41825
$Ni_{1-x}Zn_xFe_2O_4$, ferrite, low temp. heat capacity meas. 4—33168
$Ni_xZn_{1-x}Fe_2O_4$, ferrite, non-collinear spin arrangement obs. by Mossbauer effect 4—3847
Ni(0) complex, triphenylphosphine (arsine) vibr. spectra 4—28836
$Ni(diphenylglyoxime)_2Br(I)$ complex, elec., cond. meas. 4—28402

night airglow *see nightglow*

night sky
see also nightglow; twilight
city sky glow monitoring at Kitt Peak 4—14141
equatorial ionospheric scintillation at spring equinox, obs. 4—34463
far u.v. background, rocket borne photometry 4—17771
light pollution in California and Arizona 4—14142
Olber's paradox, sufficient condition for resolution 4—38616
zodiac component separation from airglow continuum, 4000 to 5300 Å, annual variation *(French)* 4—29645
He II 304 Å observations, comparison with models for He^+ altitude distribution 4—25818

nightglow
5577 Å line, solar flares effect 4—25729
all sky photometry, data reduction techniques 4—38550
Europe-Africa sector, OH and Na nightglow intensity var., comments 4—22046
extinction coefficient measurement, wavelength depend. 4—4529
extreme u.v. measurements, He I and He II emissions 4—25744
F2-region, comparison of optical, incoherent scatter and Jacchia model neutral temps. 4—17807
lower thermosphere, O density from 5577A nightglow obs. 4—4538
mesosphere, rel. to O_3 nocturnal var., OH spectral bands 4—4542
neutral atmospheric var. studies using nightglow and incoherent scatter obs. 4—38557
spatial radiation patterns, 304-1500 A 4—22026
spectrophotometry of EUV nightglow emission 4—22027
u.v. photometry at 100 km layer 4—22028
u.v. spectra, 1900-3400 A 4—7753
vertical red line 6300 Å distrib., tropical nightglow morphology rel. to thermospheric dynamics 4—14180
zodiac component separation from airglow continuum, 4000 to 5300 Å, annual variation *(French)* 4—29645
He I 584 Å emission, evidence for astrophysical origin 4—42141
O^+ 7319 Å emissions in twilight and nightglow 4—38414
O_2 1.27μ emission enhancements in aurora 4—25736
O_2 5577 Å glow in night time F-region 4—29659
OH 8-6 band, i.r. photometry from balloon 4—1928
OH emission, rocket-borne radiometric meas. in auroral zone 4—10942
OH emission spectra, photography of fast var. 4—17774
OH rotation-vibration i.r. nightglow bands, ground-based obs. 4—29653
OH*(9-4), (8-3) and (5-1) i.r. bands and effects of quenching 4—34438
OI 6300 A intensities, comparison with dissociative recombination calculation 4—22031
OI lines, radiative cascade model from recombination and emission rate coeffs. 4—22029
OI(5577)Å emission, excitation mechanisms 4—7760

Nilsson's model *see nuclear shell model*

niobium
α-irrad., atomic He charact. and behaviour 4—1077
absorption of C, high temp. solubility, elec. resist. meas. 4—29058
adsorption and solution of H_2 and N_2 4—40981

niobium continued
adsorption of C from methane or acetylene stream, kinetics, mechanism 4−28287
adsorption of nitrogen under conditions of plasma-arc melting, kinetics *(Russian)* 4−3640
adsorption of O, X-ray photoelectron spectra investigation 4−37735
corrosion products in liquid alkali metals 4−27465
critical current, flux line lattice history effect 4−13268
crystal growth by Czochralski technique using pedestal method 4−13562
d.c. hysteresis meas. at 4.2K 4−10283
diffusion in TiC$_{0.95}$ from 2000 to 2260°C 4−1143
diffusion of H, electrochemical oscillation method *(German)* 4−13060
diffusion of hydrogen, trapping at interstitials 4−17278
diffusion of N and O interstitials, activation energy calc. 4−6522
disc shaped edge field emitters 4−28993
elastic moduli, second order hydrostatic press., temp. depend., 200-425K *(French)* 4−20350
electrical resistivity, dissolved C influence, conc., temp. depends. 4−28386
electrical resistivity calc. 4−32917
electron bombardment, low energy, ang. depend., coeff. of elastic refl. *(Russian)* 4−33532
electron micrographs of crystal lattices, periodicity in thickness 4−996
embrittlement by dissolved and precipitated hydrogen 4−41708
embrittlement by hydrogen, strain rate effects 4−21358
embrittlement by hydrogen of pure Nb and Nb-N alloys 4−21357
fatigue, asymmetric deform., single crysts. 4−13785
fatigue hardening in single crysts. 4−33742
film, Josephson junction, tunnelling characts., barrier energy 4−20730
film, quench-condensed, elec. cond. fluctuations 4−3801
film, thin, on SiO$_2$, silicide formation, low temp., backscattering expts. 4−6571
fusion reactor blanket design, meas. of ^{93}Nb(n,2n) cross section 4−2869
fusion reactor blankets, neutron-photon comparison of Nb and V 4−19607
ion bombardment, void formation, ion dose dependance, saturation, void lattice, 800°C, 900°C 4−16486
Josephson microbridges, critical current, microwave-induced steps, temp. depend. 4−3804
K$_\alpha$ X-ray excitation by 0.7-2.1 MeV protons, obs. 4−21105
magnetocaloric behaviour, entropy of magnetisation 4−28525
neutron irradiation, 4.6 K, influence of interstitial impurities on defect production and recovery 4−16522
neutron irradiation damage in absence of transmutation products, CTR applications 4−23859
neutron irradiation induced displacement effects, proton simulation 4−23828
neutron irradiation transmutation effects in fusion reactor blankets 4−23858
nitriding kinetics from high-temp. etching in NH$_3$ 4−29106
normal state acoustic attenuation, anomalous temp. depend. 4−28151
particle release from surface irradiated with 14-MeV neutrons 4−37725
phonon softening rel. to superconductivity, linewidths meas. 4−16583
plasticity of superconducting and normal states 4−1554
proton backscattering, stopping power meas. 4−16537
radiance temperature at melting point 4−1120
radiation blistering, effect of temp. rel. to fusion reactor first wall erosion 4−23855
resistivity, influence of annealing treatments on supercond. transition *(German)* 4−28522
slip on $\{110\}$ in $\langle 001\rangle$ single crystals deformed in compression at 77K 4−37945
specific heat, superconductor, exptl. data *(German)* 4−10215
spectral emittance at 650 nm, change during melting rel. to surface roughness 4−28884
spheres, transport anal. of meas. neutron leakage spectra 4−23754
sputtering by rare gas ions, matrix isolation technique 4−21115
stacking faults and block size *(Russian)* 4−29056
in steel, low-alloy, effect on mech. props. 4−33790
in steel, low-pearlite, effect on strength, ductility and toughness 4−33789
stopping cross section of α-particles, 0.3-2.0 MeV 4−24503
stress relaxation and mech. eqn. of state in monotonic loading 4−33750
superconducting, acoustic phonon damping, inelastic neutron scatt. meas. 4−13262
superconducting, anisotropy effect in flux line lattice 4−28550
superconducting, crit. current, effect of flux line lattice history 4−37365
superconducting, dynamics of flux-line arrangements from noise expts. 4−28566
superconducting, neutron diffraction obs. of mag. struct. of mixed state 4−28549
superconducting, neutron scatt. and depolarisation by flux line lattice 4−28551
superconducting, neutron-irrad. induced peak effect 4−37368
superconducting, nuclear spin lattice relaxation, zone ordering parameters *(Russian)* 4−20729
superconducting, temp. depend. of u.s. absorpt. *(Russian)* 4−24886
superconducting, type II, Hall effect meas. 4−28568
superconducting, vortex lattice obs., small-angle neutron scatt. 4−33057
superconducting film, crit. current, transition field, ang. depend. 4−33080
superconducting film, flux line pinning, TEM obs. 4−33084
superconducting film, mag. hysteresis in fluxoid dynamic variables 4−33097
superconducting point contact, conductivity phase depend. 4−20734
superconducting point contact, temp. effect on elec. and microwave props. 4−13264
superconducting single cryst., anisotropic flux-line lattice, neutron diffr. obs. 4−13249

niobium continued
superconducting thin film, fluxoid properties rel. to surface proximity effects 4−24850
superconducting tip, local heating by Nottingham effect, normal state transition *(French)* 4−25214
superconducting transition temperature, press. depend. meas. 4−13252
superconducting wire, helical propag. of flux jumps obs. 4−33093
superconducting X-band particle deflecting cavity, design, performance 4−39309
superconductivity and electron struct. of ultrapure specimens *(Russian)* 4−28553
superconductor, flux flow theory, Ettingshausen and Peltier effects 4−24882
superconductor, interphase surface energy, laminar domain struct. 4−33068
superconductor, surface resistance, theoretical and exptl. results 4−20710
surface, high temp. oxidation and nitridation in vacuum 4−13681
surface deformation and He re-emission characteristics rel. to CTR design 4−23856
surface layer analysis, ion back scatt., sputtering with Auger emission 4−6947
surface self-diffusion parameters 4−40969
target, refl. coeffs. of ^{1}H, ^{2}H, ^{3}H and ^{4}He, calc. 4−17149
twinning, continuous nucleation theory 4−13644
undercoating for vapour-deposited Au film electrodes 4−1714
wire, field ion microscopy, image differences and topographical variations 4−1544
wire, heat-treated, a.c. losses, 4.2K 4−1284
X-ray emission spectra, electronic struct. and interatomic interactions *(Russian)* 4−21099
Young's modulus, dissolved hydrogen effects 4−41764
Al$_2$O$_3$/Nb, first wall of reference theta-pinch reactor, thermal, mechanical and irradiation response 4−23914
^{3}H release fusion reactor applications 4−23869
Nb II, $(d+s)^n$ mixed configuration spectra, second-order spin-orbit interaction influence 4−693
Nb:D, short wavelength density fluct., stability curve 4−21290
Nb:O, effects of interstitial O on superconductivity 4−16866
Nb:O, interstitial impurity conc., resistometric technique 4−3501
Nb/oxide/In(Pb$_{0.7}$Bi$_{0.3}$) superconducting tunnel junction, Nb energy gap determ. 4−33098
Nb-Cu composite, supercond., crit. current, mag. torque meas. 4−26552
Nb-H, morphology and transitions in hydride precipitates 4−13655
Nb-H and Nb-N-H systems, hydride precip. 4−25343
Nb-oxide-Pb$_{0.7}$Bi$_{0.3}$(In), supercond. junction, absence of tunnelling s-band energy gap 4−3807
TiO$_2$:Nb, e.p.r., temp. depend., impurity-cond. band-impurity hopping interpretation 4−33258

niobium alloys
see also niobium compounds
aluminide and silicide coatings form. and degradation 4−13761
mechanical properties of Cb-752 alloy, effect of oxygen, nitrogen and hydrogen 4−25397
NIBCOLLOY, semihard mag. alloy for reed switch applic. 4−10286
oxidation, protective coating, temp., press. depends., mechanism 4−24652
refractory, deformation and failure during programmed temp. change 4−13853
sheet SU31, mech. characteriz. 4−7165
steel and alloys, heat resistant, effect of Nb on props. 4−7187
superconducting transition temps., dual target sputtering obs. 4−16864
Co$_2$NbSn, Heusler alloy, cryst. struct. and mag. props. 4−41196
Co$_2$NbSn, neutron and X-ray diffr. and magnetiz. obs. 4−24964
Cu-Nb alloy, mech. props., heat resist. and elec. conductivity, rel. to comp., heat treatment and temp. 4−7185
Fe-Mn-Nb, steel, grain size, rel. to hardening, Nb conc. *(Russian)* 4−21312
Mo-Nb solid solns., stacking faults and block size *(Russian)* 4−29056
Nb:Zr(1%), neutron irradiation damage in absence of transmutation products, CTR applications 4−23859
Nb-Al and Nb-Al-Ge, A15 phases, on Nb, prep. and supercond. crit. parameters *(German)* 4−28533
Nb-C, carbide phase physico-chem. analysis *(Russian)* 4−21403
Nb-C system, precip. sequence, electron microscopy and resist. obs. 4−25341
Nb-Ga, fast cooling rates influence on solidification *(Russian)* 4−10564
Nb-Ge, superconducting, preparation of high T$_c$ metastable films 4−16863
Nb-Ge, X-ray emission spectra, electronic struct. and interatomic interactions *(Russian)* 4−21099
Nb-Hf, solid soln. strengthening 4−37921
Nb-Mo, lattice thermal cond. below 1K, supercond. 4−37370
Nb-Mo, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Mo, supercond., longitudinal acoustic phonon mode dip correl. 4−20715
Nb-Mo (1.2-7.6 at.% Mo), plasticity of superconducting and normal states 4−1554
Nb-Mo system, high temp. thermodynamic props., 1050-1300K 4−13848
Nb-Mo-N(O) solid solns., alloy softening 77-500K 4−33826
Nb-O solid solns., terminal solubility and thermodynamic props. determ. using solid electrolytic cells 4−33679
Nb-O-N solid solns., terminal solubility and thermodynamics determ. using solid electrolytic cells 4−33680
Nb-Ta, lattice thermal cond. below 1K, supercond. 4−37370
Nb-Ta solid soln. strengthening 4−37921
Nb-Ti, effect of cold work, heat treatment on superconductivity 4−33079
Nb-Ti, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Ti, monofilamentary superconducting wires *(Czech)* 4−13243
Nb-Ti-Zr filaments, in Cu matrix, supercond. composite conductor, a.c. losses and twisting effects 4−28554

niobium alloys continued
Nb-Ti-Zr solid solns., diffuse scatt., short-range displacement order, struct. models *(Russian)* 4−29027
Nb-Ti-Zr system alloys, diffuse X-ray and electron scatt. obs. *(Russian)* 4−21249
Nb-W, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-W, single cryst., thermally activated deform., 65-775 K 4−29100
Nb-W, solid soln. strengthening 4−37921
Nb-W-Mo, athermal substitutional solid soln. hardening 4−33827
Nb-W-Zr-C system phase structure, and C solubility determ. 4−19596
Nb-Zr, precip. above monoeutectoid temp. 4−33641
Nb-Zr, precip. below monoeutectoid temp. 4−33642
Nb-Zr, thermal conductivities at low temps. 4−10128
Nb-Zr (up to 6% wt.) adsorption of nitrogen under conditions of plasma-arc melting, kinetics *(Russian)* 4−3640
Nb_{80}-Mo_{20}, superconducting, incremental entropy of vortices near critical temp. 4−24856
Nb_3Al, martensitic transformations, effects of Cu plating 4−41532
Nb_3Al, new A-15 alloy, supercond. T_c and cryst. struct. meas. 4−33064
Nb_3Al, superconducting, low temp. heat capacity and martensitic transforms. 4−17207
Nb_3Al-Nb_3Ge system, mech. deform. effect on supercond. transition temp. 4−33073
Nb_3(Al-Ge), supercond., temp. depend. of susceptibility and struct. transition 4−13254
$Nb_3Al_{0.5}Ga_{0.5}$, new A-15 alloy, supercond. T_c and cryst. struct. meas. 4−33064
$Nb_{12}Al_3Ge$ sputtered deposit, superconducting, 66 μm thick, high crit. current densities 4−37366
$Nb_3Al_{0.7}Ge_{0.3}$, new A-15 alloy, supercond. T_c and cryst. struct. meas. 4−33064
$Nb_3(Al_{0.75}Ge_{0.25})$-barrier-$Pb_{0.7}Bi_{0.3}$ supercond. tunnelling junctions, current and cond. characts. 4−20732
$Nb_x(Al_yGe_{1-y})_{1-x}$ superconducting film, ion beam deposited, transition temps. 4−20722
$NbBe_x$, Knight shift, n.q.r. of ^{93}Nb 4−16994
$NbFe_2$, plastic deform. and dislocations decoration, electron microscope investigations *(German)* 4−33774
$NbFe_2$ electron microscope exam. of plastic deformation *(German)* 4−4137
Nb_3Ga, new A-15 alloy, supercond. T_c and cryst. struct. meas. 4−33064
Nb_3Ge, formation under high press. and temp. 4−16447
Nb_3Ge, new A-15 alloy, supercond. T_c and cryst. struct. meas. 4−33064
Nb_3P derivatives, new A-15 phases, supercond. T_c meas. and cryst. struct. obs. 4−33064
Nb_3Pb, formation under high press. and temp. 4−16447
$NbSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4−13592
Nb_3Si, new A-15 alloys, supercond. T_c meas. and cryst. struct. obs. 4−33064
$Nb_{0.8}Sn_{0.2}$, supercond. transition temp. increase on pulsed CO_2 laser irrad. 4−10218
Nb_3Sn, formation under high press. and temp. 4−16447
Nb_3Sn, high C doping, current carrying capacities 4−41159
Nb_3Sn, lattice instability and high supercond. transition temp. 4−1274
Nb_3Sn, martensitic transform., change from first to second order by external stress 4−4073
Nb_3Sn, normal and supercond. states, acoustic phonons, neutron scatt. obs. 4−24529
Nb_3Sn, phonon softening rel. to superconductivity, linewidths meas. 4−16583
Nb_3Sn, press. effects on elastic props., soft mode behaviour and superconductivity 4−16580
Nb_3Sn, supercond., phonon line width, from neutron scatt., rel. to Fermi surface study 4−16566
Nb_3Sn, supercond. lens using field trapping 4−18708
Nb_3Sn, superconducting, electron tunnelling obs. 4−16886
Nb_3Sn, superconducting, phonon density of states investigation 4−16572
Nb_3Sn, theory of structural phase transition 4−21229
Nb_3Sn, use in supercond. solenoid 4−13272
Nb_3Sn filament containing powder rolled composite tape, supercond. props. 4−41141
Nb_3Sn film, supercond. transition temp. under tensile stress 4−24863
Nb_3Sn layer form. kinetics of Nb/Cu-Sn interface 4−13792
Nb_3Sn multifilamentary wires, crit. current densities, heat treatment effect 4−13269
Nb_3Sn supercond, Geller radii, occurrence and electronic struct. of A-15 phases 4−33063
Nb_3Sn superconducting magnet, critical field, low temp. enhancement 4−14829
Nb_3Sn tapes, superconducting, critical current behaviour in self fields 4−28573
NbTi, (50 wt.%), supercond., crit. current density j_c(B,T), proton irrad. influence 4−3800
NbTi superconducting coil, use for heavy ion cyclotron 4−22933
NbZr, superconducting, flux kinetics, experimental 4−33094
Nh-Hf, dil., plastic deform. influence on quadrupole interaction *(Russian)* 4−37524
Ni-Cr-Co-Nb, cellular precip. kinetics *(French)* 4−37823
Ni-Ni_3Nb eutectic composite, fatigue crack propag. 4−13888
Ni_3Nb phase, deform. twins 4−37928
Ni_2NbSn, Heusler alloy, cryst. struct. and mag. props. 4−41196
$Ta_{70}Nb_{30}$, single cryst. supercond., dissipative processes, non conduction technique *(Russian)* 4−24885
Ti-Al-Nb, development for use at 750°C *(German)* 4−33821
Ti-Nb, omega phase formation *(French)* 4−41544
Ti-Nb, supercond. and struct. changes under press., X-ray anal. 4−13253
Ti-Nb, superconductivity and b.c.c. phase stability 4−20721
Ti-Nb alloy, superconducting, props. and struct. 4−13246

niobium alloys continued
Ti-Nb-Zr-Ta, superconducting transition temp., resistive critical field rel. to comp. *(Japanese)* 4−3789
Ti-Nb(30 wt.%)-Zr(30% wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4−25301
U-Mo-Nb-Zr-Ti, strengthening mechanism, Widmanstatten structure 4−29087
U-Nb, α-phase, mech. characteriz. 4−17343
U-Nb system solid solns., computer calc. of phase equil. curves 4−25298
U-Nb-Zr, isothermal transform. kinetics, resist. obs., 130-590°C 4−13594
U-Nb(4.5 wt.%), acoustic emission as stress corrosion testing means 4−41916
U-Nb(7.5 wt.%)-Zr(2.5 wt.%), transition phase form., equil. α phase props. *(French)* 4−1462
V-Ta-Nb alloys, n.m.r. (Knight shift) and mag. susceptibility *(Russian)* 4−37513
Zr-Nb, supercond., crit. currents, magnetisation, rigid vortex lattice *(Russian)* 4−28560
Zr-Nb, supercond., flux pinning processes w.r.t. phase separation reaction 4−13266
Zr-Nb, superconducting, magnetisation obs. of microstructure effects 4−13261
Zr-Nb system solid solns., computer calc. of phase equil. curves 4−25298
Zr-Nb(20 wt.%), b.c.c. with ω-phase, short-range struct. soln., models for diffuse neutron diffr. pattern 4−1027
Zr-Nb(25 wt.%), residual stress effect on hydride orientation 4−33712
Zr-Nb(2.5 wt.%), corrosion under radiation in moist CO_2-air mixtures 4−19586
Zr-Nb(2.5 wt.%) alloy, neutron radiation damage 4−4158
Zr-Nb(2.5 wt.%) weldments, struct. and phase comp. 4−41730

niobium compounds
see also niobium alloys
complex compounds, X-ray absorption spectra of Nb, determ. of symmetry and effective charge distrib. 4−1423
complex $[(C_2H_5)_4N]NbF_6$, X-ray absorption spectra, determ. of symmetry and effective charge distrib. 4−1423
tetrahalides, electrical conductivity obs., temp. depend. 4−16748
Al_2O_3-Nb_2O_5-Cr_2O_3, solid state equilib. at 1400°C *(Italian)* 4−32661
$K_2O-Ta_2O_5-Nb_2O_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4−13856
Nb-Ge film, 22.3K transition temp. due to stoichiometric Nb_3Ge phase form. 4−10216
Nb-H solid solns., b.c.c., thermodynamic props. 4−1121
Nb-Ti oxides, electron micrographs of crystal lattices, periodicity in thickness 4−996
NbC, enthalpy, specific heat homogeneity region, 1300 to 2500K 4−33858
NbC, self-diffusion of C, 1800-2200°C *(Japanese)* 4−24590
NbC, sputtered supercond. film, comp. var., Bragg's rule validity 4−16534
NbC, strengthened Fe, influence of production methods on sintering *(Russian)* 4−21393
NbC, sub-stoichiometric, thermal conductivity at 300K 4−32755
NbC, superconducting, density of states investigation 4−16572
NbC, superconducting, phonon dispersion relns. using phenomenological model theory 4−16573
NbC, vacuum condensates characteriz. for use as resistive elements *(Russian)* 4−41810
NbC-$WC_{(1-x)}$ solid soln. composites characteriz. for high temp. applics. 4−7329
$NbC_{0.99}$, explosion effects on struct. and props. *(Russian)* 4−33852
NbC_x, electron probe reference standards, characteriz. 4−39411
Nb_6C_5, hardness anisotropy meas. and slip process 4−41811
$NbCl_5$, ^{93}Nb reson., nucl. hexadecapole interaction obs. 4−6800
Nb_3Cl_8, electrical conductivity obs., temp. depend. 4−16748
NbF_5-PbF_2, phase diagram *(French)* 4−28191
NbN, film, reactive sputtering prep., rel. to struct., elec. props. *(French)* 4−33058
NbN, r.f. reactively sputtered film, supercond. transition temp. 4−28523
NbN, sputtered supercond. film, comp. var., Bragg's rule validity 4−16534
NbN, superconducting, density of states investigation 4−16572
NbN, superconducting film, crit. current, transition field, ang. depend. 4−33080
NbN film, normal state negative temp. coeff. of resist. and supercond. 4−1277
NbN film, supercond. crit. temp. and struct. 4−33055
β-Nb_2N, morphology, electron obs., orientation with matrix *(French)* 4−24663
NbO in inert matrices, optical and e.p.r. spectra, electronic ground state determ. 4−6109
NbO_2, d-electron localisation, Coulomb energy-binding energy interaction, one-electron bonds 4−16714
$Nb_{22}O_{54}$, high resolution electron microscopy 4−9915
$Nb_{22}O_{54}$, nonstoichiometric, point defects and structural defects obs. by high resolution microscopy 4−24469
Nb_2O_3 electron-beam evaporation, space distrib. of charged particles in vacuum chamber *(Russian)* 4−4033
Nb_2O_5, hot-pressed, electrophysical props. 4−37241
Nb_2O_5, $L_{\alpha 1,2}$-X-ray lines of Nb rel. to chem. bonding 4−37698
α-Nb_2O_5, monoclinic, thermal expansion 4−13834
Nb_2O_5 in metamict AB_2O_6 rare earth oxides VHN_{50} values, reflectance determ. 4−4319
Nb_2O_5-WO_3 system, structural investig. of tetragonal tungsten bronze type by electron microscopy 4−12953
Nb_2O_5-WO_3 system structural investig. of tetragonal tungsten bronze type by electron microscopy 4−12952
Nb_2O_5-WO_3-K_2O system, subsolidus phase study, tungsten bronze phase type obs. 4−29195
$NbOCl_2$, electrical conductivity obs., temp. depend. 4−16748
NbS_2, cryst. struct. 4−20259
NbS_2, Eu^{2+} intercalated, ferromag. phase obs., inherent supercond. phenomena 4−1275
2H-$NbSe_2$, band struct., charge density, bonding 4−37160

niobium compounds continued
- 2H-$NbSe_2$, crit. fluctuation obs. above T_c, by microwave absorption 4−24883
- $NbSe_2$, layered supercond., positive curvature of H_{c2} versus T_c boundaries 4−37352
- $NbSe_2$, photoelectron spectra and band struct. 4−37737
- $NbSe_2$, valence band structure from X-ray photoemission spectra 4−1202
- $NbSe_2$ layered superconductor, upper critical field at low temp. 4−6685
- $NbSe_2I_2$, elec., photoelectrical props. and prep. 4−32931
- Nb_3Sn, multifilamentary superconducting magnet materials, stability rel. to fusion reactors 4−23863
- Nb_3Sn, superconducting, chem. vapour deposition, review 4−21216
- Nb_3Sn, superconductor voltage-current characteristics in the flux creep region 4−13242
- NbTi, multifilamentary superconducting magnet materials, stability rel. to fusion reactors 4−23863
- NbTi, superconductor, voltage-current characteristics in the flux creep region 4−13242
- $Nb_{1-x}W_xC_y$ solid solutions, mag. susceptibility, supercond. meas. 4−24875
- $V_{0.90}Nb_{0.10}O_2$, metal-insulator transition due to local pairing of V atoms *(French)* 4−12870

nitrogen
- adsorption and solution by Ta and Nb 4−40981
- adsorption by Nb and Nb-Zr alloys under conditions of plasma-arc welding, kinetics *(Russian)* 4−3640
- adsorption on alumina, titania, isothermal comparison with O_2, CO 4−37087
- adsorption on graphite, neutron scatt. struct. determ. 4−37090
- adsorption on Ir, studied using field emission microscopy, binding state determ. 4−3644
- adsorption on Ta films, 77 K *(German)* 4−20483
- adsorption on W, ang. depend. of sticking coeffs. 4−37089
- adsorption on well-defined W surface *(Japanese)* 4−40977
- afterglow, Lewis-Rayleigh, atomic recomb. in presence of oxygen 4−20168
- airglow FUV emissions of N and N_2 in 1130-1520 A range 4−22030
- ambient effect on Ge surface electrostatic pot. when subjected to fast electron irradiation *(Russian)* 4−20669
- arc, cylindrical, axially blown, high press., prod., props. 4−24338
- arc, spectra, LTE 4−24313
- arc, toroidal, wall geometry, thickness and material effect on MHD characs. 4−32243
- arc, wall stabilised, onset current of helical instability, theoretical model *(German)* 4−6290
- atmosphere, vibrational temp. in E and F regions 4−1970
- atmospheric, diurnal variation of various species in O-H-N-C model, 10-110 km 4−25687
- atmospheric, excitation of vibrational levels by auroral electrons 4−22055
- atmospheric, molecular, measurements by mass spectrometer with cryoion source, 85 to 115 km 4−25749
- atmospheric concentrations, 45 to 60 km, rocket and balloon borne samplers 4−22010
- atmospheric gas-phase chemistry in stratosphere, troposphere 4−10935
- atom, beam-foil spectroscopy, lifetime meas., e.u.v., at 1.15 MeV/nucleon 4−15983
- atom, excitation on electron impact 4−23993
- atom, photoionisation cross section, many-electron correlations, Hartree-Fock approximation 4−31680
- atom, polarisability, coupled multiconfiguration SCF calc. 4−23969
- atom, polarised pseudo-states, low energy electron-atom scatt., LS-coupled atom 4−40194
- atomic, stratosphere and mesosphere vertical profiles 4−22007
- auroral N_2^+ Meinel band system excitation and quenching cross section yielding altitude profiles 4−22019
- auroral proton energy deposition in N_2, microscopic approach 4−4535
- balloon borne i.r. obs. for O_2 and N_2 4−10939
- Black Sea, flux through oxygen-sulphide interface 4−7614
- breakdown, in uniform field, Paschen curves *(French, English)* 4−36753
- breakdown mechanism and criteria, survey *(French, English)* 4−36752
- chemisorption by metallic oxides, recomb. coeff., activation energy *(Russian)* 4−40986
- $CO+N_2$, collisional broadening of CO spectral lines *(French)* 4−27703
- collisional broadening of NH_3 rotational line *(French)* 4−9558
- collisional quenching of $Cs(6^2P_{3/2,1/2})$ doublet in flames 4−9416
- constant-pressure axial-flow electric arcs in nitrogen, current-zero behaviour, meas. 4−16365
- cosmic ray isotopes, airborne cellulose nitrate sheet obs. 4−22197
- cryogenic fluids, heat transfer coeffs., and liquid H pump investigation *(French)* 4−35221
- dense gas, molecular dynamics study by neutron scatt. 4−40361
- desorption, thermal, from W(100), effect of adsorbate-adsorbate interaction 4−28299
- desorption from W, thermal spectrum, statistical anal., model determ. 4−13099
- diffusion in b.c.c. Nb, Ta, V, activation energy calc. 4−6522
- discharge, positive column, pulse instability obs., microwave radiometric technique 4−16346
- discharge, pulsed, early afterglow, decay of density and energy of electrons, simult. monitoring 4−20173
- discharge, spark const. ion transport, thermal model *(German)* 4−24327
- discharge, vibr. relaxation, microwave radiometric investigation 4−27997
- elec. and thermal cond., radiative energy transport 4−32319
- electrotransport and diffusion in hafnium 4−28244
- ESCA, high resolution with fine-focusing X-ray monochromator 4−35531
- in flame, vibr. Raman scatt. temp. meas. 4−3150
- flow birefringence, Knudsen corrections 4−36610
- gas, Raman scatt., temp. and density monitoring 4−11463

nitrogen continued
- gas, Raman spectrum 4−8365
- glow discharge, ions in cathode region, mass, energy analysis 4−12830
- heat transfer, effect of temp. factor during turbulent flow 4−6151
- h.f. electron discharge at reduced pressure, investigation *(Russian)* 4−6289
- humidity meas. with low frost-point humidity generator 4−35464
- intercloud medium, low density of C and N explained by sudden ionization 10^6 yr age 4−38901
- interstitial in Ta, ordering effect on elec. resist. 4−32910
- interstitial in V alloys, local cryst. lattice distortions, EFG rel. to strain tensor *(Russian)* 4−1346
- ion, low energy, energy loss in thin C foils 4−19686
- ion implantation in $GaAs_{1-x}P_x$, isoelectronic radiative recomb. centres 4−41505
- ion implantation of Al, effects on hardness, resist. and microstruct. *(Japanese)* 4−41695
- ion implanted diamond, defect e.p.r. spectrum 4−28702
- ion-molecule reactions, endothermic, in strong elec. fields under drift tube conditions 4−6124
- ionisation potential, charge distribution, self-consistent Hartree-Fock Slater calc. 4−768
- ionization in intercloud medium 4−34940
- ionospheric concentration, variation with solar activity, zenith angle and season 4−22077
- Knudsen diffusivity through porous Mo 4−938
- laser, electron beam excited, plasma electron contribution 4−19078
- laser, high-power, compact, 1MW, 7ns pulse width, ceramic capacitors, characteristics, design 4−2618
- laser performance, pulsed ion, 350 to 460 nm 4−15347
- liquid, automatic device, level control, two pre-set limits 4−4962
- liquid, boiling from metal surface, nucleation study 4−9689
- liquid, level control *(German)* 4−26491
- liquid, prebreakdown effects 4−25058
- liquid, turbulent flow at supercritical presssure, expt. *(Russian)* 4−15256
- liquid, use in constant low temp. bath 4−2240
- liquid reference interaction site model, molecular structure factor 4−32412
- long-lived electronic states, transition probabilities 4−6061
- metastable molecules, formed in electric arc at 1 atmos., generation and decay 4−19912
- methane-N_2 system, binary diffusion coeffs., exptl. determ. *(German)* 4−19958
- methane-oxygen-nitrogen, 1 atm flame, mass spectrometric anal. 4−26699
- molecule, 304 Å dispersed He II photoelectron spectra 4−31934
- molecule, active, vibr. energy transfer including rot. transitions in OCS 4−27751
- molecule, active N_2, excitation temp. 4−6093
- molecule, dissoc. ionis. by electron impact, kinetic energies and ang. distribs. 4−872
- molecule, dissociative excitation by electron impact, translational spectroscopy 4−24134
- molecule, electron elastic scattering, 10, 30 eV, quantum mechanical calcs. 4−3219
- molecule, electron impact excitation cross section, high vibr. state excitation via shape reson. 4−31953
- molecule, electron impact excitation of $C^2\Sigma_u{}^+$ state of $n_2{}^+$, mechanism 4−40333
- molecule, electron scattering, rotational excitation cross sections calc. 4−875
- molecule, electron-ion recombination meas., elec. field intensity depend. 4−40327
- molecule, electronic emission in i.r., rel. to auroral spectra 4−16094
- molecule, Franck-Condon factor calc. for excitation of first negative system 4−19799
- molecule, K-shell energy loss spectra at 2.5 keV 4−31951
- molecule, low energy electron spectra, 11.8-13.8 eV 4−31952
- molecule, low-energy positron scatt. parameters calc. 4−12629
- molecule, metastable vibr. states electron impact, calc. 4−27744
- molecule, neutral and singly ionized, momentum distrib. of electronic states 4−9493
- molecule, photoionisation yield in band series from 734 to 796 Å 4−24121
- molecule, satellite peaks in high energy photoelectron spectra 4−3216
- molecule dissolved in inert liq., Raman bandshapes 4−25080
- molecule ionisation and fragmentation by 5-45 keV Ne^+, Na^+ and Ne 4−19891
- muonic X-ray transition, charge radii determ. 4−2750
- $N_2{}^+(B^2\Sigma_u{}^+)$, r.f. discharge, rot. temp. eval. 4−24055
- N_2 laser tube stray capacity, pulsing system stray capacity, effects on laser operation 4−26953
- neutral atmosphere, effective concentration rel. to $NO^+/O_2{}^+$ ion ratio 4−22040
- nuclear reactor fuel cladding, possibility of nitridation at sodium-steel interface 4−40129
- optical breakdown by CO_2 laser radiation, high press., spark struct. *(Russian)* 4−16368
- permeability in nitrile polymers, Permachor values 4−24576
- plasma, nonisothermal low-pressure, transport of C, chemical evaporation 4−4251
- plasma flow, high-freq., solid particles trajectories, injection rate influence *(Russian)* 4−21367
- plasma production, by coaxial microwave plasmatron, electrical and spectroscopic diagnostics 4−27989
- plasma super Alfven rarefaction wave, velocity and turbulent diffusion 4−20087
- polarisability, light scatt. meas., dipole law *(French)* 4−27639
- pressurised, device for generation by controlled evaporation of liquid *(Czech)* 4−11475
- Raman spectra, depolarisation ratio scanning, Q-branch in air 4−18452
- Rayleigh scattering, cross section meas. *(French)* 4−27679
- refractive index, temp. dependence 4−36608
- refractivity, density depend., interferometer meas. 4−19966
- seawater, N/Ar ratio, difference thermal conductivity method 4−2017

nitrogen continued
shock-heated gas, transient structure of stream *(Russian)* 4-27866
solid, α- and γ-N_2, Raman spectra, high press. effects 4-20984
solid, γ-phase, Raman spectra 4-28817
solid, mol. ordering in mol. field approx. 4-32653
solid, one dimensional model, static, dynamic props. 4-9970
solidified, compression testing method and apparatus *(Russian)* 4-10721
solubility in liquid Mo 4-41598
solubility in solid Y, temp. depend., heat of solution 4-33708
solubility in V, 500-1500°C 4-33653
sorption by Ta getter, changes in partial press. vs. temp. obs. 4-13091
sorption on Ta, Auger analysis 4-17156
spin lattice relaxation, SiC impurity, temperature and concentration dependence 4-1337
in steel, effect on mechanical properties 4-25317
stratosphere, trace constituents involving odd oxygen, nitrogen oxides and water vapour 4-17705
surface layer, on Nb, Ge matrices, distrib. determ., anal., by α-scattering 4-38166
temperature measurement in arc tunnel air flows using rotational temperature device 4-11699
thermal accommodation coefficient, heat transfer from W wire in temp.-jump region 4-27791
thermal conductivity, 100-2200°C 4-30425
thermal conductivity, mag. field effect temp. depend. 4-36602
thermal conductivity, unified equation for gas and liquid cond. calc. 4-40363
thermal radiation, free convection interaction, boundary layer regime of enclosure 4-9653
thermosphere, O and N_2 vertical transport vel. in 200-500 km range 4-17779
thermosphere, vibrational temps., production and quenching processes 4-10964
thermospheric, concentrations evaluated from F-region density profile measurements 4-34445
thermospheric densities, based on Ogo 6 mass spectrometer data, used in thermospheric temperature model 4-25743
Titan and Galilean satellites atmosphere, evolution, escape 4-34665
upper atmosphere concentration, 80 to 150 km, by rocket borne electron beam fluorescence probe 4-42227
u.v. laser, high-power, high efficiency 4-8817
u.v. laser, high-power, high efficiency 4-19067
vacuum u.v. bands, rotational analysis 4-6042
vapour prsssure, below the triple point, meas. 4-14828
vibrational excitation by NO and H_2O, quenching at high temps. 4-19910
vibrational excitation by $O(^1D)$, efficiency of energy transfer 4-19911
water quality, N_2 and compounds in precipitation, soil percolation 4-42054
well stabilised atmospheric pressure, arc, thermal cond. from temp. profile obs. 4-3405
adsorption on Ni, and Ni-Cr alloys influence on secondary ionic emission *(French)* 4-3649
Ar-N_2 system, vapour-liquid equilibrium ratio, normal and critical regions 4-40882
CO-N_2 mixture, high-pressure self-sustained laser discharge 4-19088
CO + N_2 gas dynamic laser, nonresonant transfer processes *(Russian)* 4-5493
CO_2-H_2O-N_2 mixture, gas stream expsn. through aperture, CO_2 vibr. relaxation *(Russian)* 4-40245
CO_2-N_2 laser, transversely excited, parametric study 4-39729
CO_2-N_2 laser, vibr. excited mol. field conc., numerical anal. *(Russian)* 4-35834
CO_2-N_2-He, gas mixture, inversion generated by fast expansion flow, and laser power calc. *(German)* 4-23327
$CO_2 + N_2$, collisional broadening of CO_2 spectral lines *(French)* 4-27703
$CO_2 + N_2 + He$ mixtre, 5μ stimulated emission with liq. nitrogen cooling, vibr.-rot. transitions 4-19083
$CO_2 + N_2 + He(H_2O)$ mixtures expanding in a supersonic nozzle, light amplification factor *(Russian)* 4-5542
in α-Fe, deformed, solute nitrogen effect on low temp. internal friction 4-4151
α-Fe:C(N), tetragonal distortion-$\langle 111 \rangle$ screw dislocation interaction 4-4106
Fe:N, C, neutron irradiated, low temp. relaxation 4-3873
Fe:N, neutron irradiated, influence on mag. after-effect 4-16957
Fe:N_2 thin films quantitative study of stabilisation field for 180° walls 4-3872
GaAs:N^+, i.r. spectrum, local vibr. band, annealing 4-21027
$GaAs_{1-x}P_x$:N, annealing temp. depend. of photoluminesc: spectra 4-41415
$GaAs_{1-x}P_x$:N, pumping by electron beam from gas plasma, 77K 4-31047
GaP:N bound state energy calc. using secreened local pseudopotential 4-3714
H II regions, radial vels. of H_α and [N II] lines, IC 1318 and IC 405 obs. *(French)* 4-34950
HCl + N_2 collision, HCl spectral line broadening 4-31871
He-N_2 gas mixture, species separation in swirling expansion jet *(Japanese)* 4-3289
He-N_2 system, binary diffusion coeffs., exptl. determ. *(German)* 4-19958
He-N_2-CO_2 mixtures, species comp. rel. to CO_2 discharge laser 4-15337
$He^+ + N_2$ collision, He^+ (2S) direct excitation 4-27563
$He^+ + N_2$, mechanism of thermal energy phase charge exchange reaction 4-25475
Hg-N_2 mixtures, irradiated with 2537 Å Hg resonance radn., Hg_2 formation and decay 4-31885
$Hg^* + N_2$ collision, destruction of alignment in Hg 6^3P_2 state, cross sections 4-40190
N 1, spectral analysis 4-31664
N II and N III semi-forbidden emission lines, excitation in various quasar models 4-14446

nitrogen continued
N II forbidden 6584 Å diffuse Galactic emission rel. to spiral arms 4-11253
N III emission lines in Of-type stars, production mechanisms 4-14415
N-methane, short range interaction potential, fast beam scattering expts. 4-27567
$N + C_2F_4$ reaction, 150-230 nm chemilum., $C(^3P,^1D)$ obs. 4-13977
$N + O_2$ reaction rate consts. 4-13979
$N + O_2 + C_2F_4$reaction, 150-230 nm chemilum., $C(^3P,^1D)$ obs. 4-13977
N^+, electrode irradiation, vacuum gap dielectric strength 4-16369
N^+, electron impact excitation, convergence of close-coupling expansions 4-19711
N^+, ion implantation in Si thin foils, preparation techniques for transmission electron microscopy 4-40725
N^+, ion mobility meas. in He and H_2, flow-drift technique 4-30609
N + , N^{2+}, collisional excitation of $2s^22p^q$-$2s2p^{q+1}$ type transitions observed in quasars 4-2126
N^+, N^{2+}, ionisation by electrons in hollow beam trap 4-722
N^+, relative abundance, photodissociation of N_2O by soft X-rays 4-12618
N^+ + (He), (Ne), (Ar), (N_2) and (O_2) collisions, Wigner spin rule 4-24011
N^+ + methane, 28-145 keV, carbon K-shell X-ray cross section 4-731
$N^+ + NO \rightarrow N_2^{+*} + O$, $N_2^+(B^2\Sigma_u^+)$ emission 4-10733
$N^+ + O_2$, reaction rate const. meas., flow-drift technique 4-30610
N_2, cluster beam analysis by time-of-flight mass spectrometry 4-19925
α-N_2, cryst. struct., electron diffr. obs. 4-40761
N_2, dissociative ionisation by electron impact 4-881
N_2, Franck-Condon principle appl. to autoionisation expt. 4-24123
N_2, N_2^+, vibronic level relaxation, radiative lifetime 4-19858
N_2, solid, thermal cond., phonon scatt. mechanisms 4-20457
N_2, spectroscopic obs. of impulse corona discharges in air 4-40704
α-N_2, vol. dependence of Raman freq., Gruneisen parameters of Raman freq., Gruneisen parameters of librational modes 4-20992
N_2 and He additions, effect on CO_2 laser pulsed operation 4-26960
N_2 crystal, high temp. phase, thermal props., hindered rotational effects 4-40901
N_2 dissociative ionisation by electron impact, 0-80 eV 4-883
N_2 gas, Raman cross-sections for $1 \rightarrow 3$ rot. and Q-branch vibr. transitions 4-24078
N_2 vibrationally excited, reaction with O^+, rate coefficient 4-3228
$N_2/H_2/CH_4/NH_3$ system, liquid/vapour equilibrium at 25°C and 500 bar *(German)* 4-1113
N_2/ZnO system, i.r. investig. of N_2 absorpt., specificity of adsorpt., mechanism 4-37085
N_2-CO, pulsed molecular laser model, comp., temp. depends. 4-26954
N_2-H_2 mixture, supersonic flow, heat transfer at frontal pt. on blunt body *(Russian)* 4-40494
N_2-H_2 mixtures, heat of adsorption on reduced iron catalyst, 0.1-350 torr, 35°C *(German)* 4-3647
N_2-He mixture, diffusion through porous plug, mobile adsorbed phase interactions 4-14005
N_2-methane mixtures, inelastic collision effects on thermal diffusion 4-12665
N_2-NH_3 mixture, thermal radiation, free convection interaction, boundary layer regime of enclosure 4-9653
N_2 + alkali metal atom collisions, quenching and vibr. relax. processes 4-19906
N_2 + Ar, repulsive interaction potential, statistical perturbation theory 4-31943
N_2 + Ar collisions, rot. excitation, intermol. pot. interpret. 4-889
N_2 + Ar mixtures, ion-molecule equilibria 4-1706
N_2 + benzene(cyclohexane, n-hexane), interaction second virial coeff., temp. depend. using gas-liq. chromatography 4-11656
$N_2 + C^+$, 28-145 keV, carbon K-shell X-ray cross section 4-731
$N_2 + CO + O_2$, vibr. relaxation time of shock heated N_2 4-9609
$N_2 + H_3^+$, dissoc. mode cross section meas. 4-31967
$N_2 + H^+$, (D^+), (H_2^+) and He^+ collision, K-shell ionization, Auger electron ejection 4-24151
N_2 + inert gas, thermal cond., mag. field effect conc. depend. 4-36603
N_2 + KBr inelastic scatt., energy transfer 4-16143
N_2 + Li, rot. inelastic scatt., non-perturbative method approach 4-19923
$N_2 + N^+$ collision, Wigner spin rule 4-24011
$N_2 + Ne^+$ ions, thermal energy reaction 4-3227
$N_2 + O^+$, mass spectrometer determ. of reaction rates from 300 K to 2 eV 4-10740
N_2^-, impurity in K halide lattices, e.p.r. temp. and stress depend., obs. of mol. reorientation rate 4-1336
N^{2-}, restricted HF-Roothaan wavefunction stability 4-15981
N_2^-, valence resonance states 4-27746
N_2^+, perturbations in electron beam induced spectra of first neg. system 4-24133
N_2^+ 4278 Å emission rate, ionospheric response to particle bombardment originating in magnetospheric cleft 4-38436
$N_2^+ + H_2O \rightarrow N_2H^+ + OH$ reactions within extraction orifice of mass spectrometric sampling probe, quantitative anal. 4-13985
$N_2^+ + N_2$, charge transfer collisions, incident-ion vib. states effects 4-27755
$N_2^+ + O_2$, reaction rate const. meas., flow-drift technique 4-30610
$(N_2)_2$, i.r. spectrum, collision induced absorption 4-27667
N^{3-}, proton affinity, FSGO method 4-27587
N^{4+}, electron impact ionisation and excitation 4-16018
N_4^+, formation, equilibrium, binding energy, general review 4-859
$2N_2(A^3\Sigma_u^+) \rightarrow N_2(C^3\pi_u) + N_2(X^1\Sigma_g^+, \nu^1 > 0)$, reaction rate constant in stationary afterglow 4-27728
$N_2(A^3\Sigma_u^+)$ quenching route in aurorae 4-29656
$N(^2D)$ in aurora, emission altitude profile 4-22018
$N(^2D$-$0)$ emission in polar aurora, low intensity photometry 4-10967
N^+N_2 mixture, catalysis at metal wall, boundary layer gas conc. meas. 4-16272
N_2NH_3 mixture, latex spheres, diffusiophoresis, turbulent conditions 4-38092

nitrogen continued
N_2O-N_2 plasma, N_2O spontaneous emission, rot.-vibr. levels 4–31884
N_2O-N_2 plasma, N_2O vibr. luminescence 4–31883
N_2O-N_2-He, laser emission, gas dynamic amplification 4–11919
^{14}N, highly stripped, noble gas target, radiative capture and bremmstrahlung of bound electrons 4–12517
$^{14}N(e^-\nu)^{14}C(\alpha,\gamma)^{18}O$ in degenerate matter, Population II red giant interiors 4–30005
$^{15}N/^{14}N$, abundance ratios, mass spectroscopic measuring procedure and corrections 4–163
$^{28}N_2{}^+$, in ion beam, radiative decay of long lived excited states, 3200 to 6000 Å 4–19817
$^{30}N_2{}^+$, in ion beam, radiative decay of long lived excited states, 3200 to 6000 Å 4–19817
$N_2{}^*$, $N_2{}^+$, time resolved intensities in break arcs 4–32358
O + N and N reactive collisions with tetrafluoroethylene and ethylene, vacuum u.v. chemuluminescence obs. 4–6132
$O^+ + N_2$, reaction rate const. meas., flow-drift technique 4–30610
$O^+ + N_2 \rightarrow NO^+ + N$ reaction, cross-sections at high energy 4–36579
β-SiC:B,N, photolum. spectra 4–10489
SiO_2:N film, trap density and energy levels, thermally stimulated current obs. 4–37341
Ta:N, screw dislocation struct. and impurity segregation effects 4–13669
V:He (10 ppm), N^+ irrad., void formation 4–1041

nitrogen compounds
see also ammonia; ammonium compounds
ammonia biosystem, hypothetical 4–42530
atmospheric, diurnal variation of various species in O-H-N-C model, 10-110 km 4–25687
atmospheric odd nitrogen, source and sinks, detailed calcs. for 0 to 80 km altitude 4–29583
furnace exhaust gases in boiler plant, nitric oxide meas. *(German)* 4–30649
lower atmosphere oxidation of gaseous S, N and C compounds 4–14117
nitrate solutions, vibr. spectra, elec. and mag. field effects 4–21555
nitrides in steel, electron probe and X-ray diffr. microanal. 4–37840
oxide, stratospheric, effect on O_3 4–7731
oxides, atmospheric, effect on global ozone balance 4–7729
oxides, stratosphere and mesosphere vertical profiles 4–22007
stratosphere aerosol, heterogeneous reactions involving NO_2 4–17714
$Ba + N_2O \rightarrow BaO + N_2$, chemiluminescence quantum yield 4–34011
$C + NO \rightarrow CN^* + O$, $CN(B^2\Sigma^+)$ emission 4–10733
$CO_2 + N_2O$ mixture, laser excited, simultaneous or selective emission *(French)* 4–16137
ClNO, absorption spectra, u.v. and visible, maxima wavelengths and extinction coeffs. 4–40261
H + NO reaction, matrix isolation study, HNO i.r. spectrum 4–24081
H_2BNH_2, struct. and rot. barrier, ab initio calc. 4–31765
HNO, electronic and vibr. emission spectra, vibr. freqs. 4–9511
HNO_3, atmos. distrib. effects on O_3 conc. 4–7722
HNO_3, solar radiation absorption spectrum in region 9 to 11.6 μ 4–7718
HNO_3, stratosphere and mesosphere vertical profiles 4–22007
HNO_3, stratospheric aerosol, equilibrium vapour pressure 4–10917
HNO_3 layers in lower stratosphere from i.r. emission data 4–10915
$KCl:NO_3{}^-$, optical and thermal bleaching characts. 4–3990
$Li(N_2H_5)SO_4$, cryst. growth from pure and impure solns. *(French)* 4–25233
$N^+ + NO \rightarrow N_2{}^{+*} + O$, $N_2{}^+(B^2\Sigma_u{}^+)$ emission 4–10733
N_2Ar, i.r. spectra, mol. rot. struct. and props. 4–36527
NBr, dissoc. energy estimation 4–27732
ND_3, gas, dielec. losses, freq. depend., classical theory 4–785
N_2D_2, i.r. absorption spectrum, ν_5 fundamental band, rot. and centrifugal distortion constants 4–31837
NF, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4–9488
NF_2, gaussian type orbitals calcs. of e.s.r. coupling consts., $\Delta H_{298}{}^0$ calc. 4–40316
NF_2-CN, quantum mechanical evaluation of tilt of cyano group 4–750
N_2F_4, mol. orbital study, $\Delta H_{298}{}^0$ calc. for $N_2F_4 \rightarrow 2NF_2$ reaction 4–40316
NH, free radical, sensitised fluorescence by Hg (6^3P_0) metastables 4–847
NH radical, formed in ethylenimine vacuum u.v. photolysis, electronic states 4–34075
NH_2, Walsh's rules and mol. geom. 4–19747
NH^{2-}, proton affinity, FSGO method 4–27587
NH_3, $2\nu_4$ i.r. spectrum, *l*-type resonance in overtone band, vibr.-rot. interaction 4–16079
NH_3-N_2, conductivity meas. 20-140°C hot-wire method *(Russian)* 4–36604
$NH_4{}^-$ ion, p.m.r. spectra of rapid reorientations around C_2 and C_3 axes, semiclassical approx. 4–41269
$N_2H^+ + H_2O \rightarrow H_3O^+ + N_2$, rate constant, flowing afterglow 4–10731
N_2H_2, i.r. absorption spectrum, ν_5 fundamental band, rot. and centrifugal distortion constants 4–31837
$(N_2H_6)BeF_4$, cryst. struct. 4–9894
$N_2H_6FeF_5$, Mossbauer obs., 77-410K 4–28734
NH_2OH, i.r. spectrum, torsional bands, internal-rot. potential function 4–31849
$N_2H_4.2BH_3$, vibrational spectra and struct. 4–6065
NO, absorpt. linewidth at 3693.504 cm^{-1}, meas. with HF laser 4–12598
NO, concentrations below 85 km. from model of solar flare effects 4–25773
NO, gas added to He flowing afterglow, molecular spectral emission 4–793
NO, heteromolecular clusters in pure H_2O 4–40250
NO, high field Zeeman spectrum at 1876 cm^{-1}, strong nonlinearities 4–19830
NO, low lying excited states, direct lifetime meas., h.f. deflection 4–24063

nitrogen compounds continued
NO, microwave multiple pulse breakdown meas., 0.5-10 Torr 4–16361
NO, mol., photodissociation, formation of $O(3s^3S^0)$ and $N(3s^4P)$ obs. by v.u.v. fluorescence 4–24124
NO, photoelectron spectra, threshold-972 Å 4–31925
NO, quenching of $Hg(6^3P_1)$, impulsive half-collision model 4–3229
NO, radiospectroscope for absorption lines at 150 GHz 4–22845
NO, spectral broadening and shifts by predissociation 4–9560
NO, stratospheric absorpt. spectra, local densities, 15.5 km *(French)* 4–34363
NO, stratospheric mixing ratio between 17.4 and 22.9 km 4–17754
NO, telluric line shape from rotational spectra, atmospheric content *(Russian)* 4–7693
NO, total emission of fundamental band, high temp. meas. 4–24087
NO, vibr. excitation in collisional quenching of O_2 4–3225
NO, vibrational-translational energy transfer rate, temp. depend. 4–901
NO analyser, mag. field modulated u.v. reson. absorpt. instrument 4–35518
NO endothermic negative-ion charge transfer, electron affinities, mass spectra 4–12640
NO from N + O reactive collisions with ethylene and tetrafluoroethylene, vacuum u.v. chemiluminescence obs. 4–6132
NO in neutral atmosphere, effective concentration rel. to $NO^+/O_2{}^+$ ion ratio 4–22040
NO ionisation potential, charge distribution self-consistent Hartree-Fock-Slater calc. 4–768
NO $X^2\Pi$, $A^2\Sigma^+$, configuration interaction approach 4–9490
$NO:NO_2$, atmos., anal. of vertical distrib. in stratosphere 4–7726
$NO + Ar^+(Kr^+)$ reactions, cross sections, 0.04-3 eV 4–16144
NO + Cs, collisional ionization, molecular electron affinities 4–19915
$NO + O_3 \rightarrow NO_2 + O_2$ reaction, chemilum. obs. 4–4246
$NO + O^-$, reaction rate constants meas. flow-drift technique 4–30611
$NO + O \rightarrow h\nu + NO_2$, chemiluminesc., near i.r., radiative rate const. 4–21543
NO^+, absolute i.r. intensities of vibr.-rot. transitions in ground state 4–12566
NO^+ D-region production rate compared with electron densities, various solar zenith angles and activity 4–25787
NO^+ ions, concentration meas. in lower ionosphere using rocket mass spectrometer *(German)* 4–25759
NO_2, $^1\Delta_gO_2$ prod. from microwave discharges in CO_2, NO_2, e.s.r. investig., mechanism 4–40315
NO_2, atm. conc., differential absorpt. meas., tunable dye laser appl. 4–22163
NO_2, atm. spectrum around 6.78 μ *(French)* 4–21989
NO_2, atmospheric, conc. meas. by sunlight absorpt., layer struct. 4–4470
NO_2, atmospheric, solar heating rates 4–14170
NO_2, endothermic negative-ion charge transfer, electron affinities, mass spectra 4–12640
NO_2, evaluation of power plant emission 4–31637
NO_2, fluorescence spectrum, laser induced, ν_2 band, ground electronic state consts. 4–845
NO_2, i.r. study of $2\nu_3$ band 4–825
NO_2, laser excited fluorescence spectrum, Stokes and anti Stokes ν_2 band 4–16109
NO_2, lidar detection, fluorescence versus backscatt. differential absorpt. 4–17840
NO_2, microwave opt. double reson. with tunable c.w. dye laser 4–24113
NO_2, microwave-optical double resonance, fluorescence, 4579 Å Ar^+ laser line excitation 4–31887
NO_2, mol., resonance fluorescence and absorption spectrum in region 6000 to 11500 Å 4–6086
NO_2, O_2 mixtures, electronic energy transfer formation of $O_2(a^1\Delta_g)$ 4–12639
NO_2, photolysis 4–21591
NO_2, radiationless relaxation, phase sensitive detection, opto-acoustic spectrometer 4–792
NO_2, stratospheric absorpt. spectra, local densities, 15.5 km *(French)* 4–34363
NO_2, unequal bond length production, anal. 4–31767
NO_2, vibr. spectra in Ar isolation matrix, reson. Raman and N_2O_4 dimer effects 4–40281
NO_2 absorpt. spectra, obtained by intra-cavity quenching of laser fluoresc. 4–35514
NO_2 Anderson intramolecular potential energy function 4–12535
NO_2 fluoresc. meas., rel. to LIDAR air pollution meas. 4–11350
NO_2 low-lying excited states, electronic structure calcs. 4–770
NO_2 stratospheric content from i.r. spectra 4–4504
$NO_2 + Cs$, collisional ionization, molecular electron affinities 4–19915
$NO_2 + O(SO)$ reaction, mechanism determ. by gas-phase e.p.r. spectroscopy 4–34016
$NO_2{}^-$, electron detachment cross-sections for collisions in gases 4–898
$NO_2{}^-$ ions in solution, electron excitation energy degradation mechanism 4–13492
$NO_2{}^+$ reaction with aromatic compounds, two-stage ion beam spectrometer 4–18788
$NO_3{}^-$, electron detachment cross-sections for collisions in gases 4–898
$NO_3{}^-$, stress corrosion cracking of low carbon steel *(German)* 4–25348
$NO_3{}^-$ ion, water molecular reorientation time in ions hydration shells, spectral estimation *(Russian)* 4–29370
NO_x, stratospheric diurnal variations from time dep. one dim. model 4–17713
NO_x, stratospheric pollution, effect of growth in aviation 4–8251
NO_x atmospheric pollutant, effect on O_3 shield 4–34444
NO_x meas. in motor vehicle exhaust 4–18248
$N^{18}O_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4–821
N_2O, adsorption on Au films 4–3648
N_2O, chemiluminesc. reaction with Ba, cross section rel. to kinetic energy investig. 4–41936
N_2O, dielectric, pressure virial coeffs. 4–12662

nitrogen compounds continued
N_2O, excited on $(0,0^0,1)$ vibr. level, vibr. energy transfer *(French)* 4−3222
N_2O, grating stimuli, effect on rel. between evoked potential and contrast threshold 4−8149
N_2O, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
N_2O, i.r. spectrum, vibration-rotation bands in 4.1 micron region 4−3165
N_2O, line shape of 00^01-10^00 band, hot band contribution 4−31868
N_2O, microwave submillimetre spectra of high sensitivity 4−12594
N_2O, mol. equilibrium struct. determ. from zero-point rotational consts. 4−24024
N_2O, obs. of photoionisation and relative abundances produced by soft X-rays 4−12618
N_2O, population inversion at high pressure and temp., gain for 00^01 to 10^00 transition 4−8800
N_2O, radiolysis, sensitization by Ne, He, effect on prod. yield, mechanism 4−41984
N_2O, shake-up in X-ray photoelectron spectrum 4−40331
N_2O, slow Faradaic processes following homogeneous electron capture 4−17520
N_2O, telluric line shape from rotational spectra, atmospheric content *(Russian)* 4−7693
N_2O, vibr. luminescence in N_2O-N_2 d.c. discharge, rot.-vibr. constants 4−31883
N_2O and CO_2 transitions, simultaneous lasing in TE duolaser 4−15343
N_2O decomposition in glow discharge, effects of product NO 4−3220
N_2O isotopic mixtures, near resonant vibr. energy transfer, temp. depend. 4−900
N_2O molecule, electron impact excitation and assignment of low-lying states 4−9600
N_2O plasma, electron collision freqs. at 0.4-2 Torr 4−32327
N_2O thin film, electron diffraction study, 2.2K to sublimation temperature 4−16676
N_2O-acetylene, flame spectroscopy atomisation cell 4−18790
N_2O-CO_2 mixture, optical transfer excitation, 10.5, 10.8 μ N_2O transitions up to 42 atm. 4−39726
N_2O-N_2 plasma, N_2O spontaneous emission, rot.-vibr. levels 4−31884
N_2O-N_2-He, laser emission, gas dynamic amplification 4−11919
$N_2O + Cs$, collisional ionization, molecular electron affinities 4−19915
N_2O^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
N_2O^+, vacuum u.v. fluorescence, cross section and band strengths 4−31881
N_2O^+ ion, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4−6113
N_2O_3 plasma, negative-ion rich, production by electron attachment in low pressure gases 4−3384
N_2O_4, chem. reacting, expt. investigation of heat transfer in boiling and condensation 4−40616
N_2O_4, chemically reactive flow in tubes, convective heat transfer 4−32152
N_2O_4, dissociating coolant, gas-cooled fast reactor 4−40064
N_2O_4, Hartree -Fock LCAO MO calcs., N-N bonding, orbital energies 4−40216
N_2O_4, surface microstructure effect on liquid-gas phase change at solid surface 4−32680
NO_3Cl, enthalpy of formation, thermal decomposition kinetics in soln. and gas phase *(German)* 4−34024
$NOGaCl_4$, synthesis and crystallographic characteris., Raman spectra *(French)* 4−32496
$N_2O_4 \rightleftharpoons 2NO_2$, liquid phase, dissociation degree, review *(Russian)* 4−38140
$N_2O_4 \rightleftharpoons 2NO_2$, redundant thermodynamic functions calc. *(Russian)* 4−38139
NS, mol., valence states in region 2250-3800Å, rot. analysis *(French)* 4−6032
NSF, enthalpy of formation and bond dissoc. 4−1709
NSF_3, bond dissoc. enthalpy 4−1709
${}^{14}N_2O$, excited on (00^01) level, vibr. energy transfer with isotopic mols., fluoresc. intensity decrease *(French)* 4−9605
${}^{14}N^{15}N^{16}O$, high resolution i.r. spectra, ν_3 band obs. *(French)* 4−31835
${}^{14}N^{16}O_2$, i.r. spectrum, 13.3 μm, ν_2 band, vibr.-rot. energy levels 4−16081
${}^{14}N^{16}O_2$, ν_2 band near 13.3 μ, molecular constants 4−823
${}^{14}NO_2$, ${}^2B_1({}^2\Pi_u)$ state, bending vibration, potential function 4−821
${}^{15}N_2O$, n.m.r. mag. shielding anisotropy in EBBA 4−28716
${}^{15}NH_2$ fragment, geometrical dependence of nuclear spin-spin coupling consts. 4−6098
${}^{15}NO_2$, ${}^2B_1({}^2\Pi_u)$ state, bending vibration, potential function 4−821
No, atmospheric, ionisation by spacecraft 4−29652
No adsorption complexes on 3d transition metals, LCAO calc. 4−3100
No-H_2O, spectra of molecular complexes in low temp. matrices 4−19827
No_2^- ion, gas phase photodetachment, cross section determ., evidence for new isomer 4−36562
PF_2-CN, quantum mechanical evaluation of tilt of cyano group 4−750

nobelium
No entries

nobelium compounds
No entries

noble gases *see inert gases*

noble metal alloys
see also noble metal compounds; silver alloys
electrical and magnetic property changes due to solid soln. form. with group B-metals *(German)* 4−41053
exoemission during precision contact interaction *(Russian)* 4−4028

noble metal compounds
see also copper compounds; gold compounds; noble metal alloys; silver compounds
No entries

noble metals
see also copper; gold; silver
atom, X-ray spectra, proton excitation 4−17138
electrical and magnetic property changes due to solid soln. form. with group B-metals *(German)* 4−41053
exoemission during precision contact interaction *(Russian)* 4−4028
film, ultrathin, electronic struct. 4−24680
film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
inert gas implanted, X-ray photoelectron spectra, polarization and pot. effects 4−4023
Knight shift, calc. using pseudopotential formalism and Ziman's eight-cone model 4−20884
molten, self-diffusion, kinetic theory of fluids applic. 4−21218
Morse potential calcs. of activation energy of evap. and condensation processes, tensile strength determ. *(Russian)* 4−41678
neutron irradiated, isochronal recovery 4−19584
noble metal granular films, plasma reson. 4−6937
photoelectron emission from single cryst., ang. and polarization depend. 4−33581
resistivity of noble metals, local pseudopotential calc. 4−13168
vacancy, mag. stimulation of transition metal impurity 4−3494
vacancy-transition metal impurity interaction energy, Green function appl. 4−3493

noctilucent clouds *see clouds*

noise
see also acoustic noise; atmospherics; interference; random noise; shot noise; transit time noise; white noise
BWR, diagnostics by noise analysis 4−40108
common mode, reduction in low level electronic instrumentation 4−14922
c.r.t., phosphor-noise, reduction by analogue divider, particle track film scanner 4−99
diffusion like processes, l.f. and 1/f noise 4−8722
electron microscopy, non-isoplanatic imaging, weak phase object reconstruction 4−5253
electronic charge meas. by meas. shot and thermal noise across resistor, teaching paper 4−8286
e.l.f. E-layer noise rel. to auroral E-region 4−29678
e.p.r., rel. to microwave source 4−18529
filters, program controlled, design for music reproduction 4−30302
flame spectroscopy, dynamic flame noise, atomic absorpt. error function evaluation 4−18791
flowmeter, nuclear magnetic resonance type, S/N analysis *(Russian)* 4−8598
fluxgate magnetometer, fast Fourier transform analysis of noise 4−25856
hologram, volume, intermodulation noise calc. *(German)* 4−39260
holographic images, noise reduction 4−18476
ionospheric m.f. noise emissions rel. to magnetospheric cleft 4−38439
Josephson junction point contact, noise props. at v.h.f. by operating as oscillator-mixer 4−6697
laser amplifier, distributed feedback, transmission, reflection and noise analysis 4−26949
l.f. radio noise from magnetosphere 4−14203
magnetosphere, trapped v.l.f. radiation above plasma frequency 4−25801
magnetospheric e.l.f. hiss, self-consistent theory 4−25802
microseismic, analysis, source location 4−21794
microwave spectroscopy, digital signal, for improving S/N ratio 4−8371
neutron, anal. at delayed criticality for FFTF mockup 4−36277
neutron, in BWR rel. to on-load monitoring of local steam velocity 4−36274
neutron in ECO-reactor correlation with fuel element oscillations 4−12417
n.m.r. preamplifier with improved signal-to-noise 4−35364
non-boiling liquid reactor, noise sources, effect on stochastic fluctuations 4−5882
nonequilibrium systems, noise temps. definition 4−6618
nonlinear signal in non-Gaussian noise, processing algorithm 4−23276
open ensemble, power spectrum, kinetic eqn. rate const. calc. 4−26854
optical spectra, effect on data scanning and restoration 4−39705
p-n junctions, 1/f noise in various semiconductors and ambient media *(German)* 4−3773
photodetection, pulsed signal selection 4−30458
photographic noise analysis, microphotometric method 4−22906
photomultiplier, photon-counting mode, noise immune channel 4−35270
photon noise, amplification due to photographic defects in photographic exposure 4−8787
radio noise source position meas. theory with aperture synthesis *(Russian)* 4−22469
resistance thermometry, low. temp., bridge circuit for reducing noise 4−35217
seismic noise spectra in Europe at 2 Hz 4−42012
seismometers, theoretical and observed, in high-sensitivity long-period instruments 4−34488
SEM, signal processing for noise reduction, filtering techniques 4−23002
signal conditioner, for neurophysiology 4−35504
signal frequency filter, to eliminate refraction induced noise, theory and design 4−22822
solar, spectrograms, spectroheliograms, effect of film granularity on accuracy 4−8118
speckle noise reduction by random phase shifters 4−39262
spin modulation of high-latitude hiss, electric dipole meas. 4−17801
structural, background type, in u.s. NDT, when accumulating useful signal on background of structural noise 4−33950
supersonic flow, convergent-divergent nozzles, property fluctuations 4−6180
three-level system in intense field, absorpt. line Stark splitting due to noise 4−35821
v.h.f. crystal resonators for low noise u.h.f. and s.h.f. oscillators 4−22681
v.l.f. auroral hiss rel. to magnetospheric cleft region electrons 4−38440

noise continued
VLF noise propagation in slightly inhomogeneous plasma 4—22069
Al_xGa_{1-x}As-GaAs heterojunctions, light and voltage noise 4—15372
Ge bolometer, i.r. detector, noise reduction using thermal filter 4—26487
InSb p-n junction, illumination effects 4—20676
Si p-n junction diode, 1/f noise models 4—20679

noise abatement
see also acoustic wave absorption
adjoint inlet/outlet quarter-wavelength expansion-chamber muffler 4—39137
air handling systems, silencer characterstics 4—22677
aircraft, design goals 4—2203
aircraft, legislation 4—26324
airport design and operation *(Italian)* 4—26327
airport noise monitoring systems 4—18273
ambient noise, wind and air attenuation of traffic noise, obs. 4—39136
barrier, diffraction theory 4—30305
city street, reverberation, effect of ivy leaves 4—42669
community noise survey, Medford, Massachusetts 4—22673
computer peripherals, control by design using computer 4—26316
control valve, technological advances 4—26312
diesel engine, V-6, noise spectra and structural attenuation 4—39135
dosimeter application rel. to legal requirements 4—39134
dosimeter surveys *(Swedish)* 4—26317
ear protectors 4—26320
environmental impact of noise, assessment 4—35117
fan, noise reduction using porous materials on blades 4—39128
fans, axial flow, rotor configuration design for reducing interaction tones 4—42674
helicopter, design modification 4—30296
highway noise abatement techniques 4—26326
home air conditioning equipment, sound ratings 4—26303
industrial noise, sound-level distribs., isograms 4—14807
industrial plants, control valve noise 4—26313
industrial plants, legal requirements, hearing conservation 4—18271
industry, hearing conservation and speech communication criteria 4—26323
industry, prediction and reduction of noise and vibration 4—2204
infinite wall theory modification rel. to outdoor noise transmission through walls and windows 4—8260
jet exhaust duct, noise field 4—42670
liquid-filled panels, sound transmission loss 4—30306
machine noise meas. errors 4—22672
machinery, practical solutions 4—39131
measuring instrument for noise pollution level 4—39132
microphone for outdoor noise monitoring system 4—11353
nature of noise standards for control and measurement 4—26319
near-field screen efficiency obs. 4—11390
noise control, conference, Copenhagen, Denmark (22-24 Aug. 1973) 4—14756
Noise Control Act of 1972, USA 4—26321
noise control engineering, conference, Washington (1973) 4—39133
noise pollution, conf., California, USA (Apr. 1973) 4—26318
nuclear power station, steam exhaust valves, soln. 4—11389
polyurethane foams, acoustic absorption characts. 4—39143
process plant 4—26322
review of dangers in industry and nuisance in communities 4—18267
sandwich panel, dilational mode sound transmission 4—42654
saws, woodworking, circular *(Japanese)* 4—42677
sound insulation, at low freq. 4—22670
urban traffic noise control 4—2202
valve cavitation noise 4—24248
variable stability aeroplane for inflight handling quality investigations, noise abatement landing approaches *(German)* 4—35119

noise control (acoustic) *see noise abatement*

noise control (interference) *see interference suppression*

noise elimination *see interference suppression*

noise generators
electroanalytical chemistry appls. 4—39416
l.f., electrophysiological applic. 4—35007
radioastronomy, damping meas. in low loss system *(Russian)* 4—22472
Ar discharge tube, measured noise temperature versus theoretical electron temperature 4—36756

noise levels, acoustic *see acoustic noise*

noise measurement
absorbing material, acoustic behaviour, swept-frequency technique 4—39167
acoustic, real time A/D analyser applic. principles, use *(German)* 4—30408
acoustic, source contributions meas., appl. cross-spectral analysis *(Japanese)* 4—22783
acoustic dosimeters, review *(Swedish)* 4—30307
acoustic noise dose surveys *(Swedish)* 4—26317
amplifier noise meas., standards and mismatch problems 4—18340
apartment noise evaluation technique 4—26302
card stopping, experimentally controlled, noise response characteristics 4—11459
community noise measurement, statistical sampling methods 4—11456
community noise survey, Medford, Massachusetts 4—22673
digital techniques 4—11458
equipment noise power, steady-state measurements 4—18382
hourly noise exposure meters 4—11457
impulsive noise, pathological action *(French)* 4—30405
industrial noise meas., personal dose meter errors 4—14703
instrumentation for community survey 4—14808
machine, errors involved in the sound power output 4—22672
machine, under free-field conditions, error anal. 4—22671
magnetometer, below 1 Hz, power spectral density plot 4—2327
microphone using strain sensitive semiconductor 4—14810
millimetre wave, reference noise standard 4—11437
millimetre wave reference noise standard 4—8306
neutron, at Oconee I nuclear power reactor 4—40109
neutron noise thermometry rel. to reactor temp. meas. 4—14824
noise control, conference, Copenhagen, Denmark (22-24 Aug. 1973) 4—14756

noise measurement continued
noise pollution level measuring instrument 4—39132
noise temperature, pulsed technique 4—30518
nuclear reactor core component surveillance, computer categorization of noise signatures 4—40110
outdoor noise, microphone for monitoring system 4—11353
parametric amplifier, at 70 GHz 4—22501
photographic, automatic projection granulometer *(Russian)* 4—11536
in radiation detector, semiconductor 4—22952
resonant medium, strong monochromatic field, noise spectra anal. 4—11879
reverberant room, review 4—22652
review of need for noise abatement 4—18267
road traffic, energy equivalent continuous sound level *(German)* 4—35112
semiconductor-metal contact, meas. method 4—13224
sound power, symposium, Buffalo, New York, April (1972) 4—18378
standards and the nature of noise 4—26319
standards for machines in situ 4—18333
suppression of noise, heteronuclear spin-spin apparatus 4—39292
surface deformation and fracture detection, soln. *(German)* 4—10730
threshold shift, in snowmobile users 4—26485
traffic noise, data logging for 24 hour survey 4—11452
video recording system *(Russian)* 4—14889

nomenclature and symbols
see also units (measurement)
angle of rotation, proposed unit plenus angulus, 1 pla$=2\pi$ rad *(German)* 4—2221
anion, cation, ion anode and cathode, origin of these words 4—35120
graphing algorithm for vector symbol 4—11430
heat should be referred to as 'energy' 4—30332
internationally accepted, principles for selection, review 4—30381
polarised light, elliptical, nomenclature 4—35290
polymer, organic, single-strand regular, tentative nomenclature IUPAC Macromolec. Div. 4—6134
units, natural, justification for replacing the International System of Units 4—11433

nomograms
see also graphs
convective parameterization technique for cloud forecast model 4—4417
geophysical survey, use with INPUT airborne e.m. system 4—34494
gravitational anomalies, identification of formations with simple shape *(Russian)* 4—38520
induced polarisation parameters 4—14079
laser resonator with internal thin lenses, reduction *(German)* 4—23363
microwave attenuation in range 80 to 130 GHz 4—17703
ore beds, depth, extent and magnetisation, by characteristic points method *(Russian)* 4—34520
r.f. borehole soundings, determination of distance between transmitter and receiver *(Russian)* 4—38524

nomographs *see nomograms*

non-Newtonian flow
see also non-newtonian fluids
alkali borate glasses, rheological props. 4—41880
bicomponent flow, interface shape, min entropy production principle 4—27892
Bingham fluid, rise rate, yield stress determ. 4—13889
boundary-layer equations, nonlinear, soln. through parametric differentiation 4—20030
cavitation and polyphase flow, conf., Atlanta, USA (Jun. 1973) 4—12725
convection, combined free and forced, in vert. tube, viscous dissipation effects 4—40525
convective, flow past variable suction porous plate, viscous dissipation 4—12674
dispersion kinetics, oscillatory behaviour of particles in shear flow 4—16265
dispersion kinetics, transient orientation and rheology of particles in shear flow 4—16264
Earth's upper mantle 4—7580
elastic liquid, normal stress meas. by hole pressure 4—27878
falling film, gas diffusion 4—6200
fluidised and fixed beds, rheological behaviour 4—932
heat transfer in flow past wedge with nonisothermal surfaces 4—40444
heat transfer in turbulent flow 4—16186
immiscible displacement meas. technique, applicability 4—16230
incompressible fluid, gradual seepage in the presence of sources *(Russian)* 4—27919
laminar flow between rotating porous discs, second-order fluid 4—19993
liquid, mech. retardation and relax. 4—40523
liquid, stationary isothermic flow in parabolic convergent channel 4—40522
liquid, structurized, laminar steady-state flow, rheological parameters 4—17456
liquid crystal, cholesteric, in capillary tube *(French)* 4—32425
liquid surface shape, between rotating concentric cylinders 4—20020
lubricating oil, aerated, temp. depend. *(German)* 4—3311
lubrication, elastohydrodynamic non-Newtonian behaviour above critical shear stress 4—24225
Maxwell liquid, unsteady translation of sphere 4—16232
methyl methacrylate-styrene copolymers, flow props., cone and plane viscometer 4—13892
micropolar fluid, in tube with sinusoidal deformation 4—3310
mineral oils, flow through capillary channels, blocking by coagulation processes 4—40593
nonlinear viscoelastic fluids obeying superposition principle for stress, flow behaviour *(French)* 4—40524
orthogonal coordinate system, nonlinear equations of motion 4—20021
Ostwald-de Waele fluid, flow past a sphere 4—16228
plastic, laminar steady-state flow, rheological parameters 4—17456
polar fluid, boundary layer flow *(French)* 4—16233

non-Newtonian flow continued
polychloroprene, capillary flow props., effect of weight average mol. wt. *(Japanese)* 4—10674
polydimethylsiloxane, steady shear viscosity, lower to upper Newtonian region 4—36664
polyethylene melt, steady flow viscosity, relaxation spectrum 4—27873
polyethylene oxide, cavitation suppression by injection 4—12735
polyethylene oxide, solution, jet cavitation 4—12734
polyethylene oxide-water dil. solns., orifice flow 4—40518
polyethylenes, Graessley's theory anal. of flow behaviour 4—10688
polyisobutyl and aluminium naphthenate soln., in rotational devices with cone-disc gap, rheological props. *(Russian)* 4—17453
polyisobutylene, flow in tubes of const. section, press. drop change 4—40521
polyisobutylene, mineral oil soln., stagnation flow, viscoelastic behaviour 4—27875
polyisobutylene, Primol soln., parallel superposition of shear flow, small amplitude oscill. motion 4—27877
polymer, dil. soln., Pitot tube meas. errors 4—9683
polymer, long-chain branching, melt flow behaviour for extent determ. 4—17444
polymer, normal stress calc. 4—20018
polymer fibre, suspensions, reduction of turbulent flow friction by chemical additives 4—936
polymer melt, axisymmetric two-dimens. flow, vel. and press. distrib. in disc extruder gap 4—21467
polymer melt, nonisothermal pipe flow, constant and varying heat fluxes, heat transfer friction 4—32137
polymer soln. turbulent pipe flow velocity meas. by optical technique 4—2435
polymer solns., conc., in rotational devices with cone-disc gap, rheological props. *(Russian)* 4—17453
polymer solution, dil., laminar boundary layer flow, stability 4—40513
polymer solution, dilute, turbulent boundary layers, radiated noise 4—12714
polymer solution, stress relax. upon cessation of steady flow and overshoot effect 4—21457
polymer solutions and melts, flow mechanisms 4—20019
polymeric additive effects on hydrodynamics and heat transfer of turbulent flows 4—27887
polymeric media, helical flow problem 4—20017
polymers, superposed oscill. shear flow, microstructure model 4—27876
polyoxyethylene dilute soln., flow in thin walled circular orifice *(French)* 4—36663
polyoxyethylene dilute solns., flow around cylinders, hot wire anemometry *(French)* 4—40515
polypropylene, helical flow problem 4—20017
polypropylenes, Graessley's theory anal. of flow behaviour 4—10688
polystyrene, Aroclor soln., parallel superposition of shear flow, small amplitude oscill. motion 4—27877
power law fluid, nonisothermal laminar channel flow 4—16227
power law fluids, laminar heat transfer 4—24184
power-law fluids, transverse mag. field, Crocco's equation 4—16226
power-law liquid film, laminar flow along vertical wall 4—32105
pressure development, tapered tube 4—20023
pseudoplastic liquid, boundary layer eqns. 4—16234
rubber, stationary flow, dynamic deform. 4—21466
second order fluid, stability of generalized plane Couette flow 4—40519
second-order fluid, rotationally symmetric flow 4—32106
shear flow, between rotating concentric cycl., climbing effect, material function 4—27874
shear flow, relaxation spectrum, rel. to nonlinear shear rate dependent viscosity 4—27873
singular perturbation problem of flow between porous discs. 4—24224
source flow of second order fluid between parallel porous discs with different permeability 4—24223
styrene-butadiene copolymers, long-chain branching, melt flow behaviour for extent determ. 4—17444
suspensions, non-Newtonian friction losses in transition from laminar to turbulent flow *(German)* 4—935
thin films, flow down vertical plate, laminar and wavy regimes 4—926
tubular pinch effect expts., radial velocity of spherical particles 4—27911
turbulent boundary layer, on flat plate, drag coeff. rel. to non-Newtonian Reynolds numbers 4—40516
turbulent isothermal flow, rectangular channel with blowing 4—19972
viscoelastic fluid, boundary layer flow, Blasius problem 4—12712
viscoelastic fluid, non-uniform tubular flow, memory effects 4—21480
viscoelastic fluid, nonlinear effects in unsteady flow 4—20024
viscoelastic fluid, stability of plane Poiseuille flow 4—20022
viscoelastic fluid, superposed shearing flow, dynamic and steady-state properties *(Polish)* 4—16231
viscoelastic fluid, thermal effects 4—21486
viscoelastic fluid flow past infinite flat plate with uniform suction 4—20016
viscoelastic liquid, BKZ theory, shear acceleration critical wave amplitude 4—27879
viscoelastic liquid, in slits and capillaries, theory for normal stresses 4—3309
viscoelastic nonlinear liquids, stress in shear sinusoidal motion, fading memory 4—12713
viscoplastic liquid, filtration to drain in curvilinear sheet, theory 4—12715
viscoplastic medium, nonlinear, laminar axial flow in annular channel 4—32102
viscoplastic nonstationary flows, Laplace-Carson integral transform method 4—927

non-Newtonian fluids
see also colloids; rheology
ν-fluid, model of homogeneous turbulence 4—36634

non-Newtonian fluids continued
acoustic wave propagation, perturbation analysis 4—35099
air bubble, rising in non-Newtonian liquid, drag force determ. 4—40578
Bingham, rise rate, yield stress determ. 4—13889
Bingham, temp. depend., laminar heat transfer in tubes 4—16229
boundary layer equations and constitutive laws *(French)* 4—40520
boundary layer flow, transverse mag. field, Crocco's equation 4—16226
carboxy polymethylene soln., aqueous, CO_2 diffusivity meas. 4—6209
dispersion through fixed and fluidized beds, rheological behaviour 4—932
film, gas absorption, orthogonal collocation technique 4—40517
film, vertical, convective stability *(Russian)* 4—27833
hydrodynamic interaction, time depend. motion, anal. of rigid dumbbell 4—32103
incompressible, controllable states of stress 4—30761
jet, atomisation, mass transfer 4—32096
liquid surface shape, between rotating concentric cylinders 4—20020
methyl methacrylate-styrene copolymers, flow props., cone and plane viscometer 4—13892
MHD shear flow, self-similar solution for jet through liq. layer *(Russian)* 4—40555
microfluid, second-order, with microstruct. thermal effects, theory 4—39505
non-Newtonian liquids, dispersion through fixed and fluidized beds 4—932
nonlinear laws development *(French)* 4—18859
Ostwald-de Waele, flow past a sphere 4—16228
polar fluid, boundary layer flow *(French)* 4—16233
polyethylenes, Graessley's theory anal. of flow behaviour 4—10688
polymer soln., aqueous with solid suspension, flow through straight tubes, viscosity calc. *(German)* 4—36677
polymeric solution, turbulent heat transfer 4—32136
polyoxyethylene dilute solns., flow around cylinders, hot wire anemometry *(French)* 4—40515
polyoxyethylene dilute solns., response of total press. tubes *(French)* 4—40514
polypropylenes, Graessley's theory anal. of flow behaviour 4—10688
Sutterby, natural convective heat transfer from vertical surface 4—12675
Sutterby fluid, laminar natural convection along vertical isothermal surface 4—19970
thin films, flow down vertical plate, laminar and wavy regimes 4—926
time-independent fluids, teaching article 4—18305
viscoelastic, boundary layer flow, Blasius problem 4—12712
viscoelastic, nonlinear effects in unsteady flow 4—20024
viscosity, impact viscometer meas. of time-dependent effects 4—32104
viscosity calculation from immiscible displacement in capillary tube 4—9994
wedge-flow, power-law fluid, perturbation soln. of Falkner-Skan eqn. 4—20015

noncrystalline state structure
see also amorphous state
alkaline earth metaphosphates, Dy activated, luminesc. anionic comp. *(Russian)* 4—28924
anisotropy, rel. to struct. sensitive props. *(Russian)* 4—24404
borosilicate glass, mechanism of phase separation 4—24401
chalcogenide glass, chalcogenide, switching effect, temp., elec. field and struct. effects 4—20660
disordered structures, radial distrib. of structural elements calc. *(Russian)* 4—32437
electronic states, theory 4—3676
frozen gas model for amorphous solid 4—20214
glass, defects, rel. to internal friction, diffusive mechanism 4—28149
glass, heterogeneities, small-angle scatt. obs. 4—36812
glass, oxide, radiation damage and struct., e.p.r. obs., review 4—25000
glass, phase separated particles, elongation and spheroidisation 4—21443
glass, rel. to relax. processes, conf. Baden-Baden, Germany (1973) 4—28026
glass, spinodal decomposition, morphology in later stages 4—25432
glass, structural disorder, statistical anal. of e.p.r. and n.m.r. spectra 4—20218
glass, summary of transition and structural phenomena 4—26377
graphite, pyrolytic, small angle X-ray scatt., micropore system obs. 4—16430
ice, vitreous, structural models examination 4—32447
III-V semiconductor, amorphous, tetrahedrally coord., radial distrib. functions, wrong bonds 4—9850
metal-rich germanides and carbides prep. and characteriz. 4—36809
molecular structure determ. by time-of-flight neutron diffractometer 4—6311
PMMA, vitreous, conformation in bulk, small-angle neutron scatt. 4—36782
poly-ω-undecamide, spherulite deformation *(Russian)* 4—36816
polyamide, with unique orientation texture, orientation and thickness of lamellae *(French)* 4—36773
polyamide films, partially cryst., struct. obs. by electron microscopy, cryst. speed effect 4—16437
polycaprolactam loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polyethylene film, form. in plasma, morphology 4—20227
polyethylene terephthalate, effects of high intensity u.s. field on crystalline phases *(Polish)* 4—9858
polyethylene terephthalate loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polyisobutylene, positron annihilation lifetime meas., struct. determ. 4—20228
polymer, amorphous and semicrystalline, density fluctuations, absolute values determ. 4—36818
polymer, labelled chains in bulk, neutron diffr. obs. 4—32403
polymer, small-angle scatt. obs. 4—36772
polymers, conformation determ. in vitreous state by neutron diffr. *(German)* 4—32448

noncrystalline state structure continued
polypropylene, spherulite deformation *(Russian)* 4–36816
polypropylene loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4–29223
polystyrene, atactic, bulk meas. of radius of gyration and persistence length by low-angle neutron scatt. 4–36785
polystyrene, atactic, mol. chain dimensions in bulk and solution 4–36783
polyurethane, struct. and melting curves 4–28194
silica glass containing titanite, small-angle neutron scatt. 4–36813
sputtered films, substrate temp. depend. 4–6967
X-ray diffraction, programs for data analysis 4–36770
X-ray scattering, small-angle, from oriented ellipsoids of revolution 4–16388
B_2O_3-PbO-Al_2O_3, glass, spinodal decomp. investig. using X-ray scatt. 4–32445
C, glassy, K-emission bands, bonding character obs. 4–16429
C, new forms, 1968-73, review 4–25439
$Ca_3(PO_4)_2$, amorphous, X-ray radial distrib. 4–40750
$Ca_{10}(PO_4)_6(OH)_2$, amorphous X-ray radial distrib. 4–40750
$(Fe^{III}O_{3/2}Se)2R$, R=Li, Na or K, black glass, optical absorpt. characts. investig. 4–32446
Ge, amorphous, electronic props. depend. on deposition conditions 4–28024
Ge, amorphous, model, randomly stacked coordination 4–9849
Ge, amorphous, simple microcrystallite model for diffr. data calcs. 4–12872
Ge, amorphous, structural variation, relative peak height differences in electron diffr. patterns 4–16431
Ge, amorphous, tetrahedrally coord., radial distrib. functions, wrong bonds 4–9850
Ge, amorphous film, optical modelling of TEM image, fringe effects 4–32407
Ge, amorphous film, rel. to optical props. 4–33524
Ge, amorphous film, substrate temp. depend. 4–32827
Ge, amorphous film, X-ray scatt. data 4–32828
Ge, evaporated, amorphous, voids and (111) twinning, calorimetric, diffr. and microscopic obs. 4–9851
Ge-S(Se) glasses, struct. interpret. of i.r. and Raman spectra 4–17056
GeSe, amorphous film, electron diffr., laser and thermally sputtered 4–13116
$Ge_{0.5}Sn_{0.5}$, amorphous, tetrahedrally coord., radial distrib. functions, wrong bonds 4–9850
GeTe, amorphous film, electron diffr., laser and thermally sputtered 4–13116
$Pd_{80}Si_{20}$, amorphous alloy, random packing of hard spheres, X-ray obs. 4–32439
Se vacuum evaporated layer, amorphous and crystalline structure *(Russian)* 4–6570
Se-$GeSe_2$ alloys, amorphous struct. *(Japanese)* 4–40749
Si, amorphous, model, randomly stacked layers, tetrahedral coordination 4–9849
Si, amorphous, simple microcrystallite model for diffr. data calcs. 4–12872
Si, amorphous and cryst., radiation defects profile, B and P ion irradiation *(Russian)* 4–20330
SiO_2, vitreous, thermal expansion, influence of TiO_2 addition 4–16605
SiO_2-CaO-Na_2O glass, Na_2O-CaO-SiO_2 glass X-ray and light scattering study of particle growth 4–20216
TiO_2, evaporated films, amorphous and cryst., electron microscope obs. and phonon spectroscopy 4–12861
TiO_2, manufacture of thin layers *(German)* 4–4036

nondestructive readout
analog cross correlation readout system for spectrometer using Si photodiode detector 4–153
Permalloy/Ni-Co/Permalloy cylindrical structures, storage properties *(German)* 4–33222

nondestructive testing
see also crack detection
acoustic emission, development *(French)* 4–17486
acoustic emission, evaluation of transducers and measuring systems 4–25461
acoustic emission, practical application 4–25462
acoustic emission, spectral analysis 4–33944
acoustic holography imaging techniques 4–25452
ambulant NDT fire-damage structural steelworks *(German)* 4–25368
attenuation detection of fatigue damage 4–25463
brass, Portevin-Le Chatelier effect, acoustic emission obs. 4–41655
ceramic, stressed, acoustic emission response 4–29293
composite, carbon fibre reinforced plastics, ultrasonic velocity meas. 4–33885
composite, numerical control system 4–21515
composite reinforced metals, acoustic emission count rate to failure 4–29271
conference, Chicago, USA (Oct. 1973) 4–21509
control rod, ex-reactor, testing using ^{252}Cf source 4–23779
cylindrical shells, crit. load determ. 4–26459
defectoscopic methods survey and defect type establishment 4–11445
eddy current testing, theories and new developments 4–4235
eddy currents in tubes for surface defects, nuclear engineering 4–21520
electron beam scintillation method, fast, resolving power 4–33947
e.m. flaw detection, phase-sensitive method 4–33946
ferrous sheet metal, electromagnetic-acoustic transducers, optimal parameters determination 4–33949
filament-wound bottles, burst tests, acoustic emission obs. 4–1693
fission products, gamma-ray scanning of irradiated fuel, self-shielding effects 4–36295
fracture toughness for aircraft structure 4–7408
holographic microscopy, review *(Dutch)* 4–39265
impediography, u.s. technique for specific acoustic impedance meas. 4–25464
industrial, infrared imaging, practical applic. 4–22791
information analysis centre, visual coincidence coordinate indexing system 4–10718
infrared, military applic. 4–14814

nondestructive testing continued
i.r. technique using scan-laser heat source 4–31083
i.r. testing employing laser heating 4–7394
laser scanning for surface defects eval. 4–21516
magnetic and e.m. methods applic. to meas. of phys. and technological material values 4–33939
magnetic rubber inspection 4–21511
materials, u.s. applic. 4–17485
metal castings, comparison of u.s. and radiographic techniques 4–21517
neutron radiography, System Image Quality Indicator development 4–21510
neutron scintillation radiography in India 4–41933
nuclear burnup measurements, fuel management and power distrib. *(German)* 4–31460
nuclear components in High Flux Isotope Reactor program 4–31546
nuclear fuel, state-of-the-art 4–31548
nuclear fuel pins, real-time X-ray inspection system 4–27388
nuclear fuel U distrib. analyzer 4–31547
nuclear power plant operation 4–7396
nuclear reactor fuel subassemblies, radiographic inspection method 4–23890
nuclear reactor pressure vessels, in-service inspection techniques 4–40090
optical visualization of surface acoustic waves as subsurface defect detection method 4–25453
paper radiographs interpret. w.r.t. reflected density 4–21512
penetrant inspection, halogen content exam. 4–7399
phosphosilicate glass diffusion source, composition by i.r. absorption 4–6983
piezoelectric ceramic vibrators, pulsed operation, with a noninductive load 4–33955
pressure vessel welds, u.s. testing 4–31514
pressure vessel welds, u.s. testing methods 4–31513
product inspection 4–35483
R & D rel. to metals, composites and adhesive bonding 4–21513
radiography, X-ray exposure conditions direct calc. 4–30628
radioprobe, visualisation of the field in the interprobe space 4–33953
scintillography using thermal neutrons 4–33937
shell stability estimation by combined-loading technique 4–29265
slab-type material, dielec. props. meas., using microstrip cavity 4–8414
space vehicle testing, advanced radiographic imaging techniques 4–4240
steel, for residual austenite, using thermoelectric sensors 4–33945
steel, ring-down counting 4–7406
steel, stainless, coarse grain austenitic, angle beam u.s. testing, longit. mode 4–33936
steel, stainless, Type 316, u.s. meas. of cold working percentages 4–4239
steel, technical yield stress determ. 4–38099
strain hardening, acoustic emission monitoring 4–41925
swaged joint, u.s. pulse echo method 4–7400
ultra-sound methods, physical principles and applications 4–11444
u.s., directional elasto-mech. props. determ. *(German)* 4–17489
u.s., frequential anal. of real defect size estimate *(French)* 4–21502
u.s., interaction with defects, Schlieren and computer studies 4–25459
u.s., Snell's law suitability for angle mode conversion problems 4–25450
U.S. applications, boiler tube resistance welding, defect detectability 4–25455
u.s. defectoscopy of metals, contact, u.s. losses of introduction and reception boundaries 4–33951
u.s. equipment for periodic inspection of nuclear reactor pressure vessel 4–21518
u.s. fatigue testing, techniques and equipment 4–25465
u.s. flow detection, e.m. acoustic source, for oblique radiation 4–33948
u.s. focusing for direct visualization of defects 4–17478
u.s. Lamb waves, effect of dispersion on attenuation 4–33954
u.s. microscopy, struct. determ. 4–25460
u.s. monitoring, gain factor evaluation, when accumulating useful signal on background of structural noise 4–33950
u.s. probe for flaw detection 4–18371
u.s. probes, sound press. and nearfield length variation determ. using multiple-echo series *(German)* 4–17488
u.s. probes to find hidden defects 4–25448
u.s. surface wave velocity method, materials evaluation 4–1699
u.s. testing of induction-welded tubes *(German)* 4–13958
weld, probabilistic updating of flaw information 4–17480
weld flaw location employing projection scan technique using u.s. 4–7407
welded body, resonance vibration testing 4–7397
Zircaloy tubing, u.s. testing techniques 4–23844
Al, Portevin-Le Chatelier effect, acoustic emission obs. 4–41655
Al alloy 7075-T6, acoustic emission depend. on strain rate 4–41917
Fe parts, sintered, densification, nondestructive and destructive testing and metallog. analysis *(Russian)* 4–38118
H content of thin sheet materials using proton-proton elastic scattering 4–26717
UF_6 nuclear reactor fuel enrichment determ. using portable instruments 4–23848
Zn-Al, superplasticity 4–17487
Zr alloy sheathing, irrad., u.s. testing 4–23845

nonelectric sensing devices
dilatometer, thermal expansion measurement, 2 to 77K 4–22761
flow meas. special gauge orifices *(Polish)* 4–8599
gas flow, mechanical measuring and computing device *(Rumanian)* 4–23069
level, for FBR nuclear plant *(Japanese)* 4–18405
machine tool performance improvement by digital circuits and sensors 4–31081
monochromator for automatic sensing of emission spectra of discharge light sources, modification *(Czech)* 4–8350
ocean current meters, comparison, accuracy and sources of errors 4–14247
pneumatic rotometric instrument, perforated cylindrical indicating tube, thickness measurement applic. 4–22774

nonelectric sensing devices continued
  pressure, for FBR nuclear plant *(Japanese)* 4−18405

nonequilibrium properties of superconductors
  a.c. susceptibility, models 4−3782
  composite, propagation of normal zone 4−10223
  critical current, mag. torque meas. technique 4−26552
  critical currents in type II, high current induction 4−20727
  diamagnetism, fluctuation induced, layered, 2-D or 3-D 4−41157
  film, acoustic wave excitation by e.m. wave, influence on surface impedance 4−28558
  flux flow simulation in thin films, velocity distrib. 4−16874
  flux line lattice, dislocations interactions and slip 4−1285
  flux vortex pinning in simple model system 4−37373
  hard high field systems, flux pinning 4−13267
  hypersonic attenuation calc. method *(French)* 4−10222
  intermediate quantum resistance states, theory 4−28563
  intermediate state, heat transfer along interphase wall, Andreev's model *(French)* 4−20726
  intermediate state dynamics, normal state thermopower influence *(French)* 4−20725
  magnetic flux lines, interaction with point defects, micromagnetic theory 4−16881
  relaxation process, phonon-phonon, electron-phonon interactions 4−13263
  spin paramagnetism, high field, thin film 4−33078
  sputter deposited films, crit. current, ang. depend. 4−33080
  strong-coupling dirty superconductor, fluctuation conductivity and vortex flow resistivity 4−13259
  type I, phase boundary relax. effects 4−28556
  type I superconductor, critical currents, destruction of mixed state, obs. of paramag. behaviour 4−28564
  type II, kinetics of flux jumps, pinning force 4−33095
  type II, n.m.r. obs. of mixed state, comparison with theory 4−28569
  type II, peak effect, plastic deform. effects 4−37369
  type II, static and dynamic props. of flux line lattice by neutron diffraction 4−33074
  type-I, hollow cylinder surface current layer *(Japanese)* 4−13265
  velocity distribution of flux tubes from simulation expts. 4−33090
  vortex microscopy of quantum jumps in flux creep region 4−33092
  Al, film, crit. fluctuations effect on u.s. attenuation 4−37371
  Al, u.s. attenuation by electrons 4−16877
  Al, u.s. attenuation in intermediate state 4−16878
  Al alloy, e.m. surface resistance investigation 4−24881
  Al films, vortex struct. and interactions from interference expts. 4−33096
  Al fine particles, n.m.r. 4−33081
  Al granular film with periodically modulated thickness, pinning enhancement 4−20724
  Al-Mn alloy, dil., anomalous nuclear spin-lattice relax. 4−10225
  Bi, pure, u.s. attenuation of excitonic state in high mag. field 4−24878
  Mo, u.s. attenuation, temp. depend., energy gap 4−41153
  Nb, critical current, flux line lattice history effect 4−13268
  Nb, dynamics of flux-line arrangements from noise expts. 4−28566
  Nb, film, flux line pinning, TEM obs. 4−33084
  Nb, film, mag. hysteresis in fluxoid dynamic variables 4−33097
  Nb, neutron-irrad. induced peak effect 4−37368
  Nb, spin lattice relaxation of nuclei, zone ordering parameters *(Russian)* 4−20729
  Nb wire, heat-treated, a.c. losses, 4.2K 4−1284
  Nb wire, helical propag. of flux jumps 4−33093
  Nb-Cu composite, crit. current, mag. torque meas. 4−26552
  Nb-Nb point contact, temp. effect on elec. and microwave props. 4−13264
  2H-NbSe$_2$, crit. fluctuation obs. above T$_c$, by microwave absorption 4−24883
  Nb$_3$Sn multifilamentary wires, crit. current densities, heat treatment effect 4−13269
  Nb$_3$Sn tapes, critical current behaviour in self fields 4−28573
  NbZr, flux kinetics, experimental 4−33094
  (Ni-Ti)-Cu composite, crit. current, mag. torque meas. 4−26552
  Pb, dynamics of intermediate state 4−28561
  Pb, film, i.r. transmission, fluctuation contrib. 4−41154
  Pb, film, phonon fluoresc. power 4−41151
  Pb-Ag, type I, critical currents due to flux pinning 4−41158
  Pb-Bi alloy film, spatially modulated, critical currents and vortex lattice 4−33091
  Pb-Bi film, critical currents, period effect of sinusoidal variations of conc. *(French)* 4−33087
  Pb-Bi film, critical currents, spatially modulated conc., temp. effect *(French)* 4−33088
  Sn, film, relaxational current oscills., shape anal. 4−37375
  Sn, whisker, fluctuation effects in complex impedance 4−41152
  Sn fine particles, n.m.r. 4−33081
  Sn microbridges, crit. current, temp. depend., microwave enhancement 4−3798
  Sn:In (0.0093 at.%), effect of impurities, u.s. absorpt. peaks 4−1286
  Sn-Sn point contact, temp. effect on elec. and microwave props. 4−13264
  Sn whiskers, voltage steps in U(T)-transition and U(I)-characteristic curves 4−13257
  Ta$_{70}$Nb$_{30}$, single cryst., dissipative processes, vortex motion, non conduction technique *(Russian)* 4−24885
  V, dynamics of flux-line arrangements from noise expts. 4−28566
  V, influence of Ga implantation on a.c. losses 4−28557
  V wire, helical propag. of flux jumps 4−33093
  Zn, u.s. attenuation in intermediate state 4−16878
  Zr-Nb alloys, crit. currents, magnetisation, rigid vortex lattice *(Russian)* 4−28560
  Zr-Nb alloys, flux pinning processes w.r.t. phase separation reaction 4−13266
  Zr-Rh alloys, upper crit. field and crit. current 4−1283

nonleptonic decays *see baryon hadronic decay; meson hadronic decay*

nonlinear control systems
  vehicle suspension, tracked air cushion, dynamic model 4−32141

nonlinear differential equations
  aeroelastic galloping problems, analyt. treatment *(German)* 4−15148

nonlinear differential equations continued
  air pollution, vector partial differential equation model 4−7664
  auxiliary problems, one-dimens., appl. to nonlinear functionals *(French)* 4−18843
  Backland transformation, restricted, soliton interactions 4−26760
  basilar membrane motion, peripheral auditory system 4−42570
  beam on bilinear foundation, soln. methodology 4−30779
  boundary layers in MHD and non-Newtonian fluid mechanics, parametric differentiation soln. 4−20030
  Cauchy initial value problem, solns. in reflexive Banach spaces 4−18831
  chemical reactor theory, model equation 4−41934
  column under short response axial loads, dynamic response 4−30826
  diffusion as a function of concentration, existence, uniqueness and estimation of equations 4−240
  diffusion system, concentration depend., existence of soln. 4−8617
  elasticity, appl. of calculus of variations 4−15142
  electroelastic, for small fields superposed on a bias 4−18915
  first-order, asymptotic behaviour of solns. 4−5323
  Hartree-Fock eqn., soln. based on Hamiltonian props. 4−31264
  heat conduction, stability of difference schemes 4−5422
  hinged beam, nonlinear vibrs. and nonlinear inertia effects 4−30813
  hyperbolic, unknown function, existence theorem for periodic solution *(French)* 4−15120
  inflated nonlinear membranes, effect of axisymmetric loads 4−186
  jet, viscous, thin, buckling phenomena 4−6182
  kinematics, geometry and dynamics of dislocations 4−190
  Lyapunov method, reduction of classical method, higher approximations *(French)* 4−198
  membrane, neo-Hookean, general finite deforms. 4−30768
  mutation propagation in domain *(French)* 4−18981
  nerve conduction equation, travelling wave soln. 4−18108
  oscillation, nonoscillation of two even-order eqns. 4−18839
  oscillation problems, weighting function for soln. by approximation methods 4−5351
  parameter differentiation solution, bending of thin walled tubes applic. 4−39509
  partial, numerical solution, rel. to flow of incompressible media *(German)* 4−24168
  perturbation technique, multiple-parameter 4−11716
  reduced Maxwell-Bloch equations, initial value problem, N-soliton soln. 4−5536
  $RR+3/2R^2-AR^{-4}+B=0$, exact soln. 4−2449
  Runge-Kutta methods, appl. *(Russian)* 4−39485
  sandwich shells, non-linear theories 4−185
  second order, soln., appl. to Thomas-Fermi eqns. 4−15121
  second order hyperbolic, monofrequent oscillations in mechanical systems 4−197
  shell, prestressed nonlinear orthotropic shallow, function space approach 4−2473
  shell, truncated conical exact soln. for stresses and deflection 4−23136
  shock wave, unloading, closed form propagation solns. in bilinear elastic body 4−5360
  stability of steady state in systems of coupled diffusion and reaction 4−33974
  thermo-elastic bodies, stability conditions 4−5434
  three-fluid plasma mixed initial-boundary value problem, numerical analysis sensitivity 4−27941
  topological properties of inverse mappings 4−30711
  two point boundary value problem with large eigenvalue, Jacobian, soln. 4−11723
  uni-moment method for antenna and scattering problems 4−26903
  unidimensional state of elastic medium, solns. of differential eqn. system *(Russian)* 4−5358
  vibrating string, bounded or nearly periodic solns. *(French)* 4−18912
  vibration theory, application of spectral method to nonlinear problems *(Russian)* 4−196
  viscoplastic short cylindrical shells, radial impulse, buckling 4−189
  Volterra equation, bound, heat conduction 4−39479
  wave equation with monotonic term, soln. for unknown functions *(French)* 4−30702

nonlinear equations
  see also nonlinear differential equations
  boundary layer approx. method for closed form soln. 4−20000
  continuous analogue of Newton's method in nonlinear physics problems 4−8910
  coupled reaction systems, Fourier transform of sensitivity to errors in rate coeffs. 4−21541
  cylindrical shell, axially compressed, with discrete rings and stringers, dynamic buckling 4−30783
  existence theorem proof for eqns. with monotone operators 4−35593
  fluid mechanics, approx. method for closed form soln. 4−20000
  hyperbolic conservation laws, quasilinear, existence in large 4−30706
  iterative methods for normal solns. using pseudoinverses *(Russian)* 4−35610
  MHD, approx. method for closed form soln. 4−20000
  nitrolignate, bagasse data evaluation by nonlinear least squares model *(Spanish)* 4−35524
  sonic flow around airfoil profile, direct calc. method *(French)* 4−40486
  TWT nonlinear integral eqn. allowing for electron kinetic energy changes *(Russian)* 4−35919

nonlinear network analysis
  Manley-Rowe relations, generalised, for energy balance determ. 4−23234
  radiation monitor circuitry, pulse amp. and discriminator analysis *(Korean)* 4−112

nonlinear optics
  see also Brillouin spectra; self-focusing
  2nd harmonic excitation, ultrashort light pulses, random series *(Russian)* 4−39763
  absorber, nonlinear, saturable, optical pulse propag., appl. to laser pulse shaping 4−314
  acentric crystal, anisotropy of nonlinear refractive index, linear electro-optic effect 4−35894
  acentric crystals, freq. doubling effect 4−11966
  alkali halide, multiphoton absorpt. in F-centre 4−37645

nonlinear optics continued
ammonium tartrate, second harmonic generation at 1.153 micron 4−5539
atom, nonlinear response to near resonant light pulse, adiabatic following approx. 4−15396
atom, single-electron, direct multiphoton ionisation by linearly polarised light, electron photodetachment 4−31679
atomic fluids, second harmonic generation, many body distortion effects 4−2631
atomic fluorescence analyt. curves, shape, laser excitation source 4−5291
atomic fluorescence flame spectrometry, nonlinear opt. behaviour 4−5290
beam trapping, pulse excitation, expt., theory 4−23399
benzene-toluene mixture excitation, effect of self-focusing on inverse Raman scattering *(German)* 4−39767
birefringence, optically induced in liqs., Nd glass laser picosecond pulse 4−8856
Brillouin stimulated and spontaneous scatt., information on non-optical props. *(German)* 4−28807
chloroaluminium phthalocyanine soln., transitions and absorpt. under ruby laser irrad. 4−15387
coherent excitation, energy transfer of impurity centres *(Russian)* 4−8847
coherent exciton-photon system, macroscopic oscillations *(Russian)* 4−5530
coherent Raman propag. effect, theoretical anal. 4−31073
crystal violet, picosecond internal conversion and laser element applic. 4−21047
crystals and liquids, new nonlinear magneto-optical phenomena 4−318
c.w. laser beam, propagation in Na vapour, self-focusing, self-trapping 4−19140
degenerate resonant medium, single-peaked self-induced transparency pulses 4−2633
description of most important effects *(Italian)* 4−35887
dielectric, cross focusing of two coaxial single freq. spatial modes of laser beam 4−15390
dielectric, second harmonic generation, for non-linear optical exam. *(Polish)* 4−27011
difference frequency separation, use of Vavilov-Cherenkov effect 4−8850
dispersion relation for second-order phenomena *(French)* 4−35890
dye luminescence, anti-Stokes excitation by high-power radiation, two-photon absorpt. 4−6916
dypiridinium thallium (III) penta chloride, two-photon excitation 4−11958
electric field induced nonlinear coherent i.r. spectroscopy, $H_2Q_{01}(1)$ vibr-rot. mode 4−814
e.m. wave propagation in random medium, field eqn. soln. 4−39765
exciton induction, echo, in molecular cryst. *(Russian)* 4−5532
exciton self-induced transparency 4−35899
exciton superradiation *(Russian)* 4−6898
excitons, self-induced transparency *(Russian)* 4−5534
F ruby, wave propagation, radn. spectra, coherence effect *(Russian)* 4−5524
Fabry-Perot spectrogram identification 4−22853
ferroelectric crystals, nonlinear parameters, second harmonic generation method 4−5541
fluid, electrocaloric effect, stimulated thermal scattering 4−23384
formaldehyde, gaseous, photochemistry, laser excitation 4−24112
formate family, new phase-matchable nonlinear optical crysts., transparency in near i.r. 4−19137
frequency convertor, quantum-mechanical analysis 4−11968
frequency correlation function of intense frequency modulated field 4−8852
frequency mixing, third-order, feasibility for nonlinear refractive index meas. 4−14845
gas mixtures, phase-matched, freq. conversion 4−23391
gaseous i.r. saturable absorbers, optical susceptibility meas. 4−23378
glass, interaction of optical, elec. and mech. props. w.r.t. device applic. 4−4179
glass, nonlinear refractive index, third-order electronic susceptibility theory 4−31068
glass, optical, self-focusing mechanisms, Kerr, electrostrictive and thermal effects 4−312
harmonic and anharmonic oscillator, nonlinear respoe to X-rays 4−30856
harmonic generation, cryst. struct. anal., no centre of symm. 4−16387
harmonic generation, second, focusing under $o+o\rightarrow e$ 4−19133
II-IV-V_2 semiconductor, susceptibility calc. 4−35897
impurity atoms, nonlinear resonant polarisability, coherent states *(Russian)* 4−5529
induced scattering of incoherent light beams, diaphragmmed pumping field 4−15397
inorganic acid salts, cryst. phase, temp. depend. of stimulated Raman scatt. thresholds 4−23380
i.r. absorption peaks, spectral distrib. quantum theory, near combination freq. 4−11965
i.r. image up-conversion, real time synchronously pulsed mode 4−39764
i.r. rectifier-frequency mixer diode, appls. 4−8416
laser beam applications, conf., Esfahan, Iran (1971) 4−23420
laser beam frequency doubling in nonlinear uniaxial crystals, transverse mode structure and divergence 4−19143
laser host material, ellipse rotation 4−313
laser induced thermal phase grating, diffraction 4−23377
laser induced thermal phase grating, diffraction 4−35886
laser resonator, picosecond pulse generation, two photon absorber influence *(German)* 4−15373
light echo, applications in science and technology *(Russian)* 4−5516
light echo, condensed state, impurity effects *(Russian)* 4−5520
light echo, intensity concn. dependence *(Russian)* 4−5526
light echo, magnetic field effect *(Russian)* 4−5525
light echo by atomic transitions of large momenta *(Russian)* 4−5528
light echo from metal aggregate system *(Russian)* 4−11952
light echo in gases *(Russian)* 4−5518

nonlinear optics continued
light echo in metals, spin Fermi transparency cond. *(Russian)* 4−11953
light echo polarisation, inverse effect of medium *(Russian)* 4−5527
light induction, echo, condensed media, kinetic theory *(Russian)* 4−11955
liquid, internal field and molecular polarizabilities under strong external field 4−5540
liquid, stimulated Brillouin scatt., time-resolved study 4−23382
liquid crystal, transient laser self-focusing isotropic phase 4−27014
magnetoacoustic oscillation excitation, threshold determ. 4−37475
Mandelstam-Brillouin induced scattering, statistical theory 4−11962
master equation approach, two photon emission and absorpt., quantum statistical method 4−31071
methane, saturated absorption under two-mode He-Ne laser oscill. 4−27008
multiphoton absorption cross section in hydrocarbons, theory 4−8849
nonmagnetic crystal, effect of quadrupole electric coeffs. 4−20967
nonstationary resonance emission, impulse excitation average lifetime calc. *(Russian)* 4−39716
optical anisotropy, influence of solvent-solute mol. interactions 4−23376
optical parametric oscillator with resonant pump wave *(German)* 4−5515
organic conjugated molecules, third-order optical polarisablity, π-electron contribs. 4−31825
paramagnetic material, second harmonic generation at microwave freqs., theory 4−31074
parametric amplifier, sum freq. influence 4−35885
parametric instability, to explain stimulated scatt. and self-focusing anomalies 4−27013
parametric oscillations, laser intracavity harmonic generation, high efficiency 4−11940
photon decay, soln. of master eqn. 4−18980
photon echo, semiconductors, dielectrics *(Russian)* 4−5533
photon echo, solid state, external field effects *(Russian)* 4−5519
phthalocyanine solution, metal-free, absorpt. under ruby laser irrad. 4−15387
physical phenomena, nonlinear, review *(Japanese)* 4−35892
picosecond light pulse applications 4−19116
picosecond pulse applications 4−23397
picosecond pulse deformation by two-photon absorption 4−18499
picosecond pulse effects, mol. and lattice vibrs. 4−23400
plane wave polarisation in crysts. with Hermitian dielec. tensor, covariant method 4−8853
plasma, circularly polarised e.m. waves, third order secular free solns. 4−20073
plasma, parametric excitation of longitudinal oscillation by two mixed laser beams, nonlinear absorption *(French)* 4−40646
plasma, stimulated Brillouin effect, ion-acoustic light wave coupling, anal. 4−40626
in plasmas 4−948
plastic film, nonlinear optical effects in strong static field *(French)* 4−15393
PMMA, laser induced refractive index increase, polymerisation mechanism 4−31065
polarized echo, detection in microwave region *(Russian)* 4−13340
pulse broadening, freq. self modulation, energy depend. 4−23373
pulse compression and shaping, solid laser, linear and nonlinear techniques compared 4−27003
pulse self-dispersion in self-phase modulation 4−31078
quartz and glass film, guided-wave struct., second harmonic generation 4−19136
Raman laser application, spin-flip 4−23352
reduced Maxwell-Bloch equations, initial value problem, N-soliton soln. 4−5536
refraction vectors for anisotropic or gyrotropic homogeneous media 4−13405
regenerated u.v. emission, frequency struct. studies on KDP *(Russian)* 4−31077
resonance interaction of strong oppositely travelling waves in gas 4−11959
resonating medium, coherent prop. of ultra short light pulses *(Russian)* 4−5535
ruby, light echo, superradiation damping mechanisms *(Russian)* 4−5523
ruby, photon echo, near level crossing 4−8858
second harmonic electric quadrupolar elastic scatt. by atoms and centro-symmetric mols. 4−19132
second harmonic generation of light *(Polish)* 4−15395
second harmonic light scatt., polarisation and ang. depend., Racah algebra 4−35895
self-focusing e.m. wave beam, nonlinear aberration 4−27010
self-focusing of coherent pulses 4−320
semi-mathematical treatment *(Japanese)* 4−35893
semiconductor, light absorption, conduction electron multiphoton absorp. 4−23383
semiconductor, light beam interaction theory, via polariton-polariton scatt. 4−31075
semiconductor, nonlinear polarisation theory 4−27016
semiconductor, resonant absorpt. method of laser modulation 4−317
semiconductor plasma, e.m. wave self-focusing mechanisms 4−35900
semiconductor surface, modulation of i.r. wave guided by free carriers *(French)* 4−31066
solids, refractive index change due to vibr. excitation by powerful light *(Russian)* 4−23390
spectroscopy, Dicke narrowing, third order nonlinear susceptibility dispersion of H_2 4−815
spiropyran solutions, laser response, coloration, bleaching effect 4−23388
stilbene-chloroform solns., strong nonlinear absorpt., superposition of two-photon and one-photon absorpt. 4−19134
stimulated transient scattering, laser high conversion to scatt. light 4−23382
superradiance, coupled, master equations 4−8857
superradiance, Dicke models, phase transitions 4−8855
superradiation, optical, modulation effects *(Russian)* 4−8848
superscattering, forced combination scattering *(Russian)* 4−11951

nonlinear optics continued
superscattering, quantum theory *(Russian)* 4−8782
surface effects in nonlinear interaction of X-ray and optical fields 4−21103
tetraphene, two-photon excitation 4−11958
thermal diffusivity measurement, using spatially periodic temp. distrib. induced by laser light 4−35888
third order harmonic generation, optimal focusing *(German)* 4−2632
three-level atom system, self-induced transparency due to two photon transition 4−15392
three-photon transition coherent vac. ultraviolet generaton 4−27533
transformations of light, resonant oscillator system, conservation laws *(Russian)* 4−11963
transparency, self-induced, four possible pulse types, coupled Maxwell-Bloch eqn. soln. 4−27009
transparency, self-induced, of extremely short pulse 4−319
transparent materials, laser-induced interference and thermal lensing 4−23396
tunable light generation, state-of-the-art 4−315
turbid low-absorbing medium, dynamics of clearing in intense light field 4−39700
two-magnon absorption, elec. field intensity depend. *(Russian)* 4−31076
ultrashort pulse measurement, using nonlinear mirror 4−26541
u.v. coherent radiation, continuous tunable source, freq. doubling of rhodamine 6G laser 4−299
wave packets in nonlinear media, decay and explosive interactions 4−19138
Ag_3AsS_3, proustite, 10.6μ up-conversion to visible, efficiency increase in pump laser resonator 4−35875
Ag_3AsS_3, proustite, harmonic generation, phase matching band spectral depend. 4−27018
Ag_3AsS_3, proustite, phase-matched c.w. upconversion of CO laser lines 4−2634
Ag_3AsS_3, proustite, two photon absorpt., threshold meas. 4−23389
$AgGaS_2$, tunable medium i.r. generation, down-conversion of flash-pumped dye laser radiation 4−31067
$AgGaSe_2$, chalcopyrite, nonlinear optical coeff. and damage, phase-matched second harmonic generation 4−5538
$AgGaSe_2$, second harmonic generation, i.r. mixing, laser tuning 4−35883
BCl_3, self-induced transparency, pulsed i.r. radn. *(Russian)* 4−5517
$Ba_2NaNb_5O_{15}$, external second harmonic generation to produce c.w. mode-locked source at 0.532 μ 4−18488
$Ba_2NaNb_5O_{15}$, second harmonic generator, for Nd:YAG lasers 4−27006
$BaTiO_3$, second harmonic generation, intensity at ferroelec. Curie point, temp. depend. 4−15398
$Bi_{12}GeO_{20}$ crystals, nonlinear rotation of light polarisation plane 4−19144
$CO_2 + N_2 + He(H_2O)$ mixtures expanding in a supersonic nozzle, light amplification *(Russian)* 4−5542
CS_2, linear dispersion in plane-wave self-phase modulation 4−27004
CS_2, liquid, nonlinear refractive index and d.c. Kerr const. at 10.6 μ 4−31069
$CaDAsO_4$, high power second harmonic generation and parametric oscill. 4−23394
$CdGeAs_2$, chalcopyrite, third harmonic generation, phase matching, expt. and theory 4−15388
CdS, light beam interaction theory, via polariton-polariton scatt. 4−31075
CdS, obs. of three-photon cond. with mode-locked Nd:glass laser pulses 4−37269
CdS, three-photon cond., appl. for ultra-short laser pulse meas. 4−24781
CdS, two-photon absorpt., spatial dispersion, angular dispersion in exciton region 4−35901
CdS(Se), tunable i.r. radiation prod., phase matching of dye laser beams 4−26970
$CdS_{0.5}Se_{0.5}$, two-photon cond., appl. for ultra-short laser pulse meas. 4−24781
$CdS_{0.5}Se_{0.5}$, ultrashort laser pulse meas., two-photon photocond. technique 4−18498
$CdSe_{0.5}S_{0.5}$, two-photon transition and nonlinear transmittance 4−15391
^{113}Cd vapour, change of absorpt. line shape and of dispersion in quasi-reson. monochromatic radiation field 4−11956
Cs_2, mol. absorption, bright band, gigantic pulsed laser radn. *(Russian)* 4−6037
CsH_2AsO_4, as 60% efficient frequency doubler 4−23385
CsH_2AsO_4, efficient second harmonic generation at 0.532 micron 4−5537
CsH_2PO_4 crystal, SDA, doubled freqs. of picosecond impulses *(Russian)* 4−19146
CuCl, biexcitonic mol., direct creation by two photon absorption 4−35896
CuCl, non-collinear-beam second harmonic generation 4−19142
Cu_2O, uniaxial press. and static electric field effect on two-photon exciton absorption 4−28377
GaAs, coherent radiation source 70μ to 2mm, CO_2 TEA laser line mixing 4−23392
GaAs, laser beam phase matched mixing, prod. of tunable i.r. source 4−26951
GaAs, nonlinear polarisation theory 4−27016
GaAs, two-photon cond., appl. for ultra-short laser pulse meas. 4−24781
GaAs, ultrashort laser pulse meas., two-photon photocond. technique 4−18498
GaAs picosecond light pulse interaction *(Russian)* 4−5521
n-GaP, cryst., two-photon indirect transition, transmission at 1.17 eV 4−23381
GaS, GaSe, nonlinear susceptibility investigation, second harmonic generation 4−27017
$Gd_2(MoO_4)_3$, single crystals, anisotropy of nonlinear refractive index 4−28785
Ge, laser irrad., by psec. pulses, nonlinear absorpt. and ultrashort carrier relax. time 4−27012
H atomic gas susceptibility calc., third harmonic generation 4−9391

nonlinear optics continued
InSb, far i.r. generation by optical mixing and stimulated Raman scatt., theory 4−23344
InSb, radiative recomb. of electron-hole pairs generated by two-photon absorption 4−21065
InSb, two-photon excitation rate calc. 4−19141
InSe, nonlinear susceptibility investigation, second harmonic generation 4−27017
K, two-photon optical pulses, coherent propag. effect, self-induced transparency *(Japanese)* 4−35891
$LaF_3:Nd^{3+}$, photon echoes, mag. field effect, temp. depend. 4−15394
$LiIO_3$, fundamental and second harmonic waves, spatial and temp. profile effects 4−23379
$LiIO_3$, harmonic generator, props. and performance 4−23387
$LiIO_3$, second harmonic generation under (oee) wave interaction 4−11961
$LiNbO_3$, induced Mandelstam-Brillouin scatt., statistical theory 4−11962
$LiNbO_3$, $LiIO_3$ crystals, high power second harmonic generation and parametric oscill. 4−23394
$LiNbO_3$, nonlinear polarisation theory 4−27016
$LiNbO_3$, reduced, far i.r. generation, dye laser difference freq. mixing 4−23393
$LiNbO_3$, tunable i.r. radiation prod., optical mixing of dye laser beams 4−26970
$LiNbO_3$ crystal, mixing of ruby and Nd laser emissions, rel. to freq. generation *(Russian)* 4−19145
$LiTaO_3$, optical damage investigation 4−15389
ND:YAG, efficient freq.-doubled, single-freq., laser resonant cavity designs 4−19111
$NH_4H_2PO_4$, γ-irrad. effects, Kleinmann symm. conditions 4−35898
$NH_4H_2PO_4$, high power second harmonic generation and parametric oscill. 4−23394
Na vapour, c.w. self-focusing and beam trapping 4−316
$NaNO_2$, optical nonlinear susceptibility components, relative signs determ. 4−27007
Nd:glass laser pulse amplification, nonlinearity effect on output 4−26983
$Nd^{3+}:POCl_3$, liquid laser, mode locked effects 4−15399
$Pb_5Ge_3O_{11}$, temp. depend. of nonlinear optical coeffs. investig. 4−20954
Rb_2, mol. absorption, bright band, gigantic pulsed laser radn. *(Russian)* 4−6037
Rb_2 self-induced transparency, superradiation, laser pulse transmission *(Russian)* 4−5522
SF_6, photon echoes obs. 4−8854
SF_6, self-induced transparency, pulsed i.r. radn. *(Russian)* 4−5517
SF_6 gas, nonlinear absorber for c.w. CO_2 laser beam 4−8392
SiF_4, small-signal absorpt. coeff., 9.6 μ, saturated reson. spectroscopy 4−11950
$Tb_2(MoO_4)_3$, single crystals, anisotropy of nonlinear refractive index 4−28785
Te, harmonic generation, conversion efficiency of CO_2 four freq. laser 4−23326
Te, harmonic generation, phase matching band spectral depend. 4−27018
TeO_2, refractive index calc. 4−11967
Xe, linear and nonlinear polarisability coeff. at ruby laser freq., calc. 4−39768
$YAG:Nd^{3+}$, photon echoes, mag. field effect, temp. depend. 4−15394
$YAl_3(BO_3)_4$ structure isomorphic crystals, nonlinear opt. props. 4−11957
ZnO, transient phase gratings induced by two-photon absorpt. 4−35889
ZnO(S), tunable i.r. radiation prod., phase matching of dye laser beams 4−26970
ZnS film, optical waveguide for harmonic generation of Nd:YAG laser 4−31079

nonlinear programming
kinematics, convergence and hypothesis rejection, new approaches 4−8937
liquid flow in bent tube, minimisation of kinetic energy integral *(Russian)* 4−40620
two-group neutron diffusion, nonlinear optimisation problem *(German)* 4−15936

nonlinear symmetries
Abelian gauge theory with nonlinear gauge conditions, unitarity 4−15442
chiral model, incorporating 0^-, $1^{+ or -}$ mesons, determ. of ratio f_k/f_π 4−12022
chiral theories, invariant functional formulation 4−39826
one loop renormalization of nonlinear σ model 4−2665
$SU_2 \times SU_2$ breaking, Cabibbo angle and $\eta \rightarrow 3\pi$ decay in nonlinear Lagrangian model 4−31123
SU_3, hidden symmetry model, weighted linear transformations, K_{l3} decay 4−2664
$SU(3) \times SU(3)$ dynamics, broken nonlinear chiral, meson-baryon and meson-meson scattering *(Russian)* 4−19228
symmetry breaking in field theory of currents, appl. to $SU(2) \times SU(2)$ 4−15452

nonlinear systems
see also nonlinear control systems
complex, anal. of polyharmonic vibrations *(Russian)* 4−35717
dynamic, stability analysis in Banach space 4−18830
nonlinear conductivity and electrical fluctuations, colliding particle model 4−18925
perturbation technique, multiple-parameter 4−11716
resonance regimes in systems with two-degrees of freedom using Raushers method *(Russian)* 4−15135
Toda lattice, computer generated integrability 4−8725
vibrating n-degree of freedom, secondary resonances 4−39560
vibrations, asymptotic calcs. *(Russian)* 4−39572

nonparametric statistics
seismic signal detection using sign bits 4−34137

nonpolar crystal lattice vibrations
acetophenone, cryst., polarized i.r. absorpt. spectra, vibr., struct. anal., space group proposed *(French)* 4−41365

nonpolar crystal lattice vibrations continued
anthracene, refl. spectra, transitions at 4000 Å rel. to exciton, polariton band splitting 4−41411
benzene and benzene-d_6, far-i.r. translational lattice modes 4−17060
o-carborane, solid, temp. effects of laser Raman spectrum 4−17075
hexamethylbenzene, cryst., lattice vibr. freq., intensity calc. from i.r., Raman spectra *(German)* 4−33394
hexamethylenetetramine and hydrate, Raman spectra 4−17083
indanone-1, struct. and vib. spectra from polarized i.r. absorpt. *(French)* 4−28823
methane and methane-d, vibrational spectra and structure of crystalline phases 4−10437
pyrazine crystal, lattice dynamic anal., by coherent inelastic neutron scatt. 4−9954
α-quartz, i.r. absorpt. intensity calcs. to check vib. shapes 4−10411
(1:1) TCNE-naphthalene complex, rel. to orientational disorder 4−28076
Bi_2Se_3, optically active lattice vibrs. investigation 4−28162
CdS, acoustoelectric wave vectors and amplitudes evaluation 4−28460
Co-I boracite, far i.r. reflectivity obs. 4−13420
F_3PBH_3, solid, vib. spectra 4−28824
HCN-DCN mixed crysts., internal vib. modes and hydrogen bonding 4−25085
α-HgS, synthetic, polarised light, i.r. spectra, analysis of vibr. modes, 80K, 300K *(French)* 4−13442
$K_2Zn(CN)_4$, (Cd,Hg), i.r. and Raman spectra, lattice vibrs. and interatomic force consts. 4−25107
Mg_2Sn determ. of mean square at. displacements and assoc. Debye temp. 4−13007
Ni-I boracite, far i.r. reflectivity obs. 4−13420
S_4N_4, n.q.r. and mode contrib. 4−25021
Se, trigonal, lattice vibr. symm. in Brillouin zone, group theory anal. 4−16568
Te, trigonal, lattice vibr. symm. in Brillouin zone, group theory anal. 4−16568
α-$Zr(HPO_4)_2$, i.r. and Raman spectra, lattice water interaction 4−21002
ZrO_2, Raman spectra struct. anal. 4−21003

nonradiative transitions
acetophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
alkali halides, electronic capture, energy conservation, phonon spectrum 4−21041
aniline derivatives, intersystem crossing from higher singlet states, conform. effects on luminesc. 4−21581
anthracenes, substituted, second triplet states 4−21588
aromatic carbonyl cpds. temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
aromatic compounds, non fluorescing, external heavy atom effect on phosphorescence 4−6923
aromatic hydrocarbon, O_2 quenching of excited triplet states 4−19860
aromatic hydrocarbons, mechanism of $S_1 \rightarrow T_1$ intersystem crossing process 4−9571
aromatic vapours, triplet-state lifetimes 4−842
atom, L_1-$L_{23}M$ Coster-Kronig transition energies 4−12478
atom-lattice interactions, energy transfer theory 4−13486
benzene, vapour phase, triplet-state lifetime obs. 4−841
benzophenone, lowest triplet state population after singlet excitation 4−25115
benzophenone, mag. double reson. and optical studies of triplet state in mixed molec. crysts. 4−28929
benzophenone, photo-CIDEP obs. of triplet intersystem crossing 4−10765
benzophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
cinnoline and 4-methyl derivative, lowest triplet state nature 4−25497
complex, theoretical anal. *(Russian)* 4−37656
crystal violet, picosecond internal conversion and laser element applic. 4−21047
1,1′-diethyl-2,2′-dicarbocyanine iodide in glycerol, sub-nanosec. lifetime meas. by nanosec. laser pulses 4−3193
fluorene molecules in ethanol, phosphoresc. and nonradiative transitions, I^- ions influence 4−28898
Franck-Condon factor for Morse oscillator in case of arbitrary parameter 4−9506
hydrocarbons, aromatic, intersystem crossing processes, position depend. deuterium effect on rate consts. 4−840
intermolecular energy transfer, photon transmission from excited to non-excited mol., probability investig. *(German)* 4−31876
intersystem crossing, basis functions and selection rule 4−31879
intramolecular, in condensed phase, model approach 4−9567
molecule, pressure effects, anal. of spectra and relaxation 4−19816
multiphonon static coupling scheme, quantum theory 4−33475
multiphonon transition probability, harmonic approximation *(Russian)* 4−41412
naphthalene, methyl substituted, fluorescence spectra comparison with obs. 4−9566
naphthalene and 1-methylnaphthalene, laser excited, pressure effects, singlet, triplet growth, fluoresc. decay, vibr. relax. depopulation 4−16108
2-naphthol, aliphatic amine effects on fluoresc. quenching 4−10479
opto-acoustic effect and applics. 4−792
picosecond spectroscopy using lasers, review 4−30473
rare earth ion-lattice interaction, multiphonon processes 4−12995
rare earth ions, nonradiative energy transfer to organic radicals 4−13510
rate constant depend. on spectral width of exciting e.m. field 4−16107
ruby, relax. from $^4T_2$ state, luminesc. spectrum 4−13518
semiconductor, nonradiative recomb. at deep levels in field of strong e.m. wave 4−16798
small molecule embedded in dense medium, Shpolskii matrix obs. 4−21077
1,1,14,14tetraphenyltetradecaheptaene in dil. benzene soln., quantum yields of reson. Raman scatt. 4−801
uranyl acetates, hydrated and deuterated analogues, fluoresc. spectra and decay 4−21054

nonradiative transitions continued
vibration levels, isolated large mols., accepting modes 4−6088
xanthene dyes in aqueous and alcoholic solns., deuterium effects on radiationless electronic transitions 4−7457
Eu(III) chelates, in low temperature glasses, radiationless transitions from $^5D_0$, $^5D_1$ Eu(III) states 4−1418
Hg(6^3P_1), quenching by CO and NO, impulsive half-collision model 4−3229
$KCl{:}Sn^{2+}$, luminesc. temp. depolarization 4−10480
$LaCl_3{:}Pr$, radiative and nonradiative transitions, fluoresc. 4−25164
$MnF_2{:}Er^{3+}$, fluoresc. system, new meas. technique 4−1411
NH_3, matrix isolated, vibrational relaxation by i.r. double resonance 4−6094
$NaNO_2$ crysts., triplet state, e.s.r. and opt. investig. *(German)* 4−41982
$PrCl_3$, radiative and nonradiative transitions, fluoresc. decay rates 4−25164
Pt(II) complex, counter-ion and mol. geometry effects 4−1412

NOR gates *see logic gates*

NOT gates *see logic gates*

novae
see also supernovae
R Aquarii, Mira type variable, radio emission 4−30070
Z Camelopardalis, eclipsing binary, dwarf nova, mass loss from Hα emission 4−18001
Cephei 1971, IJHK photometry 4−30074
IV Cephei 1971, spectrographic and three colour photometry 4−38826
contracting envelopes, new method of calculating models 4−38785
Delphini 1967, analysis of different absorption systems for spectral studies *(French)* 4−7997
Delphini 1967, circumstellar absorpt. systems *(French)* 4−18009
Delphini 1967, flare, UBV photometry, variations of ascending and descending branches *(Russian)* 4−38797
Delphini 1967, nebular stage, Balmer decrement rel. to circumstellar envelope *(French)* 4−4797
Delphini 1967, pre-December maximum phase, Hα emission 4−14386
Delphini 1967 (HR Del), light curve *(French)* 4−42403
dwarf novae, simple accretion disc model of fluctuations 4−42379
dwarf novae outbursts, effect of white dwarf circumstellar ring 4−34832
ejection of material model 4−42399
DQ Herculis, eclipsing binary, old nova, oblique rotator model 4−18014
Herculis 1963, spectrum evolution in nebular phase *(French)* 4−38790
EX Hydrae, dwarf nova, close binary, light curve obs. 4−38813
VW Hydri, rapid blue variable, rapid pulsation during dwarf nova outburst 4−34853
JHKL photometry of 6 old nova-binaries 4−38803
periodicities and accretion discs in dwarf novae 4−11200
prenova model, multimodal radial pulsational instability 4−26097
radioactive decay producing observable γ-rays after explosion 4−38791
RR Telescopii, slow nova, energy levels of Ca VII 4−38804
temperatures and luminosities of old novae, OAO-2 u.v. photometry 4−34823
3U1547-43, X-ray nova, intensity variations 4−34902

novoids *see novae*

nozzles
active plasma arc generation, protection of cathode by inert gas flow *(Japanese)* 4−20156
atomic beam production 4−40200
axisymmetric contractions, subsonic flow obs. 4−24222
BWR pressure vessel, stress anal. with finite element programs BERSAFE and FLHE 4−23808
convergent-divergent, property fluctuations 4−6180
in cylindrical vessels, out-of-plane limit couples 4−23817
diffuser-modified, air and water flow studies 4−3297
discharge of gas with solid particles from nozzles at crit. vels. 4−32140
flow calc. using time marching technique based on method of characteristics 4−6179
flow characteristics, gaseous mixture flowing through orifice, various press. and conditions 4−32107
inefficient supersonic jet, discrete acoustic signals effect on flow *(Russian)* 4−3292
intersecting cylindrical shell, elastic stresses due to axial loads 4−23803
Laval gas-particle mixtures at low values of particle lag, flow calc. *(Russian)* 4−6212
liquid spraying into gas stream, media contact *(Russian)* 4−27872
metal, molten, atomization, aerodynamic characts. 4−36662
MHD aligned field nozzle flow, transonic similarity soln. 4−6196
molecular beam relaxation induced for mass spectrometer applic. by use of nozzle jet 4−35456
plasma, relaxation of partially ionised gas in a hypersonic nozzle 4−12760
polyethylene oxide, solution, jet cavitation 4−12734
pressure vessel, integrity assessment of models with notched nozzles under cyclic press. loading 4−31519
pressure vessel, stress distribs. for spherical shells with nonradial nozzles 4−23801
pressure vessels, elastoplastic behaviour and shakedown of radial nozzle-on-sphere geometrics 4−23815
pressure vessels, welded, flush and extruded nozzles, stress conc. factors and fatigue assessment 4−31520
pulsating flow, differential head *(Japanese)* 4−18807
pulsatory flow of gases, mechanism *(French)* 4−40503
single-phase fluid, dynamical and thermal study of flow through pipeline 4−20012
steady state flows of gaseous mixtures with given conc. 4−40511
stress concentrations at nozzle-to-cylinder intersections, rel. to reactor pressure vessels 4−23804
transition from continuous to rarefied flow, using mean free path length anisotropy 4−32108
transonic region, anal. of probe effects 4−20009
two-phase flow through nozzles and orifices 4−27895

nozzles continued
Ar plasma in convergent/divergent nozzle, thermodynamic expansion process 4−32097
CO$_2$, nonequilibrium nozzle expansions from high-enthalpy reservoir 4−12707
CO$_2$, vibr. relaxation during cooling of gas stream in supersonic nozzle *(Russian)* 4−40246
CO$_2$ + N$_2$ + He(H$_2$O) mixtures expanding in a supersonic nozzle, light amplification factor *(Russian)* 4−5542
O atomic beam production and meas. *(German)* 4−19726
^{235}U enrichment, iosotope separation nozzle method *(German)* 4−5901

NTC thermistors *see thermistors*

ν **(neutrino)** *see neutrinos*

nuclear acoustic resonance
dipole-dipole interaction role in acoustic saturation 4−10336
forbidden transitions, interacting systems, dynamic polarisation 4−37508
CsI, dynamic polarisation, acoustically forbidden transitions 4−37508
Cu-Mn, dilute, obs. between 300 and 2K 4−41267
^{3}He, liq., nuclear acoustic resonance in contact metal surface 4−16640
V$_3$Si single crysts., of ^{51}V, martensitic transition region behaviour *(French)* 4−20868
V$_3$Si:^{51}V, Knight shift anisotropy and EFG above and below martensitic transform. 4−10334

nuclear alignment *see nuclear polarisation*

nuclear binding energy
see also nuclear forces
A=12-68, variational calcs. with density-dependent interaction 4−550
A=139 to 205, mass number dependence of $^{1}._{2}{}^{+}$ states density near neutron B.E. *(Russian)* 4−31223
A=4n sd shell nuclei, Hartree Fock calc. using density dependent effective interaction 4−12228
A$\geqslant$231, fissionability and criticality investigation 4−5849
A-dependence of density of 1/2^{+} states at neutron binding energy 4−470
analogy to moment of inertia, Strutinsky type averaging procedure 4−524
asymmetric nuclear matter, energy per particle determ. using pair approx. method 4−39921
asymmetry in mirror Gamow-Teller β decay, for A=8, 9, 12, 13 p-shell multiplets 4−15720
closed-shell nuclei, validity of Talmi's mass formula 4−39922
closed-shell nucleus, nucleon eigenvalue formula 4−402
curvature correction in mass formula 4−396
delayed neutron precursors, survey 4−36156
density fluctuations, nuclear-matter variational-calculations 4−9098
double-magic nuclei K-harmonics method for NN potentials 4−39946
Einstein energy-mass relation, rel. to nuclear gamma emission, examination of derivation 4−11811
excited nuclear matter, effective mass effects 4−559
finite nuclei calcs. using velocity-dependent effective potential of s-wave interaction *(Russian)* 4−15651
first and second bound states, three body system, local two body potential with repulsive term 4−36130
fission barrier calc. with Skyrme interaction 4−9052
fission barrier penetration, large superfluidity enhancement 4−36238
four-particle system with pair interactions, bound states 4−15602
Hermite polynomials, generating function and integral representation 4−5318
inhomogeneous nuclear matter, formula for spatial finite density distrib. 4−23593
Jastrow cluster expansion method for 16$\leqslant$A$\leqslant$208 4−36141
light-nuclei near closed shells, second order B.E. and spectra 4−27228
Malfliet-Tjon I and III potentials, unitary pole expansion 4−2771
matter, infinite, nonlocal interactions *(French)* 4−5746
matter, infinite, nucleon binding energy *(French)* 4−19323
matter, meson current corrections 4−482
meson current corrections in nuclear matter 4−558
mirror nuclei, microscopic description of isovector monopole vibration and Coulomb energy difference 4−15684
natural parity states in 10$\leqslant$A$\leqslant$14 mass region, shell model calc. 4−504
neutron matter, effect of Δ(1236) resonance 4−36124
nuclear matter, infinite, calc. 4−2797
odd-even effect, mass meas. for Li and Na neutron rich isotopes 4−2745
one boson exchange potential, two-nucleon and infinite matter data 4−39945
rearrangement energies, explanation of positive values from independent pair model 4−12125
rearrangement terms, necessity in ground state calc. 4−556
sd shell, low-seniority levels, binding energies 16<A$\leqslant$40 4−12211
self-consistent calcs. including shell structure effects 4−545
shell corrections, equivalence of Strutinsky and partition function methods 4−39951
single-particle states, 35$\leqslant$A$\leqslant$65, 2s neutron hole states 4−401
Skyrme interaction prediction of nuclear masses 4−400
spherical nuclei, light, variance of Hartree-Fock wave function 4−12233
SU$_4$ invariants w.r.t. supermultiplet theory *(French)* 4−9083
SU$_4$ symmetry of nuclei, binding energy and many-body forces 4−27227
surface, topographical map of const. energy contour 4−31218
surface calcs., Hartree-Fock cranking model 4−31265
Sussex matrix elements, modification to produce realistic potential 4−397
Thomas-Fermi method, nucleus surface 4−5704
three-nucleon 1/2^{+} states, for realistic potentials below breakup threshold 4−15658
three-nucleon calcs. without explicit use of two-body potentials, Faddeev eqn. soln. 4−502

nuclear binding energy continued
three-nucleon calcs. without explicit use of two-body potentials, application to ^{3}He 4−12193
three-nucleon system, var. of binding energy, form factor with two-nucleon potential 4−12192
Λ binding in nuclear matter, variation with potential parameters 4−2739
Λ-nucleus interaction potential, dependence on momentum and binding energy *(Russian)* 4−15693
Λ-particle, in ground state in nuclear matter 4−561
$\Lambda\Sigma$ hyperon conversion, effect on Λ particle binding energy 4−9101
NN pair energies and binding energy surfaces 4−39923
p binding energy determ, from spectra meas. in ^{4}He(e,e′p) reaction at 1187 MeV 4−39994
^{12}C, 3-alpha model for ground state, charge form factor 4−31261
^{12}C, as bound state of three-alpha system, separable potential phase shift analysis 4−15598
^{12}C, calc. of energy difference of second excited state and three alpha particles 4−15726
^{12}C, complex Hamiltonian and three α resonances 4−5735
^{12}C, ground state in quasiparticle method with Coulomb forces 4−9096
^{2}H breakup by nucleons, separable potentials 4−608
^{2}H wave functions, momentum space behaviour 4−481
^{3}H, application of T-matrix perturbation theory 4−398
^{3}H, binding energy and charge form factor, effect of off-shell changes in d wave function 4−15597
^{3}H, bound state properties for nearly separable potentials 4−15594
^{3}H, bounds on off-shell variation for plane equivalent potentials of rank-two 4−15600
^{3}H, calcs. of properties with realistic NN potentials in hyperspherical basis 4−15647
^{3}H, charge asymmetry effects and ^{3}H/^{3}He binding energy difference 4−9047
^{3}H, determ. with phase-equivalent potentials 4−31222
^{3}H, ground state observables study using Bressel-Kerman-Rouben potential 4−15601
^{3}H, meson-theoretical potentials, variational calc. 4−2740
^{3}H, non-variational calc. with hard-core spin-dependent local potentials 4−15599
^{3}H, relative importance of deuteron wave function and phase shift 4−27226
^{3}H, sensitivity of properties on low-energy N-N scattering parameters using delta shell N-N potential 4−15654
^{3}H, sensitivity to variations in off-energy-shell nucleon-nucleon T-matrix 4−15653
^{3}H, unitary pole approx. and t-matrix perturbation theory 4−12124
^{3}H, variational method calc. with realistic potentials 4−399
^{3}H, variational method with realistic potentials 4−31220
^{3}H and nuclear matter, comparison of binding energy sensitivities to high energy phase shift 4−15595
^{3}H binding energy, hyperspherical function method, realistic two nucleon potentials 4−2741
^{3}H binding mechanism 4−5741
^{3}H bound state problem, binding energy, charge radius, form factors 4−496
^{3}H T-matrix perturbation theory with Reid potential 4−5702
${}_{\Lambda}^{4}$H, lambda-sigma coupling effect 4−567
^{3}He, calcs. of properties with realistic N N potentials in hyperspherical basis 4−15647
^{3}He, charge asymmetry effects and ^{3}H/^{3}He binding energy difference 4−9047
^{3}He, ground state observables study using Bressel-Kerman-Rouben potential 4−15601
^{3}He, Hamada-Johnston potential, Coulomb and binding energies 4−15608
^{3}He, sensitivity to variations in off-energy-shell nucleon-nucleon T-matrix 4−15653
^{3}He-^{3}H energy difference and isospin impurities 4−15596
^{4}He, 3-nucleon cluster equations, matrix method soln. 4−531
^{4}He, four-nucleon bound state problem soln. using integral eqn. method *(Russian)* 4−31224
^{4}He, large basis shell model calc. for convergence of binding energy 4−506
^{4}He, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4−15683
^{4}He, variational calc. with realistic NN potentials 4−31221
^{4}He, variational method calc. with realistic potentials 4−399
^{4}He binding mechanism 4−5741
^{4}He meson-theoretical potentials, variational calc. 4−2740
${}_{\Lambda}^{4}$He, lambda-sigma coupling effect 4−567
${}_{\Lambda}^{5}$He, lambda-sigma coupling effect 4−567
^{16}O, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4−15683
^{105}Ru populated in ^{104}Ru (n,γ) at o.02eV, neutron binding energy determ. 4−23690
^{32}S, zero range density depend. approx. selfscreening and shape transition 4−19308

nuclear bombardment targets
see also nuclear reactions and scattering
ν expts., targeting aspects 4−84
deuterated, polarised, analysing power of interaction 4−23545
emulsion nuclei, interactions of high energy muons, suitability for nuclear structure stidies 4−8444
frozen spin polarised, installation in Omega spectrometer 4−22941
frozen target development for nuclear scattering expts. 4−18578
polarised, high energy applications, conference, Abingdon, England (March 1973) 4−23533
polarised proton target cryostat, 0.4K, for LAMPF 4−18404
polarised substances, values for proton, deuteron and ^{3}He polarisation 4−22942
polarised targets, large, development 4−22943
polythene, proton scattering experiments, comparison with C target data, precision subtraction method 4−83
preparation by electrodeposition from organic solns. 4−26583
proton, polarised, for low energy nuclear scattering experiments 4−8442
proton, polarized, superconducting target magnets, Saclay Hera magnet, Argonne PPT III magnet, experience 4−82

nuclear bombardment targets continued
- s-wave n backscatter polarisation meas. for T-value determ. with dynamically polarised p target 4−18579
- solid polarised targets, review 4−12316
- tagged neutron beam production, of stripping at 6Gev/c 4−85
- thin, rotating target assembly 4−14953
- thin deuterated-polyethylene targets, improved technique for preparation 4−8439
- C, fragmentation of high energy heavy ions 4−18584
- C proton scattering experiments, comparison with polythene target data, precision subtraction method 4−83
- D(d,n)^{3}He, high press. high beam current gas target 4−14952
- ^{2}H cryogenic target as ^{2}H(γ,n) photon spectrometers 4−39319
- ^{3}He, polarised, compression expts. rel. to polarised target production 4−18581
- ^{3}He, polarised target, summary of expts. at Rice University 4−18580
- ^{3}He gas optically pumped influence of pumping light absorption on polarisation 4−18583
- ^{3}He gas polarised target for nuclear reactions, determ. of polarisation using pulsed NMR technique 4−18582
- ^{3}He polarized target, gas circulation system 4−39322
- Hg, preparation method 4−8440
- Li thick target for fast neutron production 4−5144
- ^{7}Li, monoenergetic neutron source, stability 4−8491
- ^{237}Np polarised target, low-temp., for use with single-burst n sources 4−18577
- TaN self supporting foil preparation for use as ^{14,15}N targets 4−26584
- TaO, anodic, preparation of free standing films 4−38153
- T(d,n)^{4}He, high press. high beam current gas target 4−14952
- ^{228}Th, α-sources for channelling experiments *(German)* 4−11562
- T(p,n)^{3}He, high press. high beam current gas target 4−14952
- V film, prep. and thickness meas. *(Japanese)* 4−1433
- ^{68}Zn, cyclotron target, carrier free ^{67}Ga production 4−11560

nuclear branching and mixing ratios
- A=21-44, γ-ray transition strengths between bound states, table 4−31283
- A=6-20, gamma-transitions from bound and nearly bound levels, tables 4−31282
- E1, M2, E3 mixing, 2^{-} states decay, deformed doubly even nuclei 4−2807
- even-even deformed nuclei, $152 \leqslant A \leqslant 190$, E2/M1 multiple mixing ratios of γ transitions 4−9111
- gamma-ray angular correlation expts. statistical anal. 4−26594
- gamma-ray polarisation angular correlations, mixing ratio calc., phase consistent treatment 4−12262
- mixing ratio, consequences of NNγ and N*Nγ time reversal violating vertex 4−31290
- mixing ratio calc. from gamma-gamma directional correlation in triple cascade 4−35389
- partial transitions, A=12 nuclei, shell model analysis 4−5730
- ^{26}Al, search for competitive beta and gamma decay branches 4−19355
- ^{27}Al(p,γ)^{28}Si, 990 to 1800 keV, branching ratio determ. 4−40012
- ^{36}Ar levels, lifetimes, branching ratios, excitation energies from ^{35}Cl(p,γ), 0.4-3.0 MeV 4−19402
- ^{37}Ar pop. in ^{34}S(α,nγ) props. of levels below 3.8 MeV 4−12157
- ^{38}Ar, yield curves excitation energies and branching ratios in ^{37}Cl + p reactions 4−31286
- ^{74}As, γ-branching, level scheme from ^{74}Ge(p, nγ) 4−426
- ^{75}As populated in ^{75}Se decay, decay scheme determ. 4−36157
- ^{29}Br, E2/M1 mixing ratios, γ-transitions from ^{79}Kr decay 4−5750
- ^{79}Br, transition to isomeric levvels produced by Coulomb excitation, γ-ray spectra obs. 4−9104
- ^{81}Br, transition to isomeric levels produced by Coulomb excitation, γ-ray spectra obs. 4−9104
- ^{12}C photodisintegration, bound-state shell model and R-matrix theory anal. 4−27303
- ^{40}Ca(d,pγ)^{41}Ca, 3 MeV, ang. correlation and branching-ratios 4−31387
- ^{111}Cd, linear polarisation meas. of 245 keV gamma radiation, mixing ratio determ. *(German)* 4−12258
- ^{37}Cl, from ^{36}S(p,γ) reaction at 1000-1900 keV 4−9161
- ^{38}Cl, from ^{37}Cl(n,γ), gamma-branching, decay scheme 4−5797
- ^{51}Cr, branching ratios for levels populated in ^{51}Mn decay 4−23650
- ^{61}Cu, mixing ratios for low-lying levels, particle-hole coupling model 4−39956
- ^{61}Cu pop. in ^{60}Ni(p,γ)^{61}Cu at 1.8 to 2.3 MeV, gamma decay branching ratio determ. 4−12259
- ^{63}Cu, mixing ratios for low-lying levels, particle-hole coupling model 4−39956
- ^{65}Cu, bound and resonant states populated in ^{64}Ni(p,γ) reaction 4−2803
- ^{156}Dy, populated in (^{3}He,3n) and (^{12}C,4n) reactions, nuclear transitions 4−27237
- ^{153}Eu, 103 keV transition, anomaly in M1-E2 mixing ratio 4−23630
- ^{53}Fe, mixing ratios of low-lying levels 4−12159
- ^{145}Gd→^{145}Eu, anomalous ε(tot)/β^{+} branching ratios, γ-γ coincidence expt. 4−15725
- ^{158}Gd from ^{157}Gd(n,γ)^{158}Gd, thermal n, γ-ray spectra, decay scheme 4−15698
- ^{72}Ge prod. in ^{72}Ga decay, energies and mixing ratios of transitions 4−23636
- ^{196}Hg levels populated by ^{202}Tl decay *(French)* 4−9112
- ^{198}Hg levels populated by ^{202}Tl decay *(French)* 4−9112
- ^{199}Hg 208 keV state transitions, mixing ratio meas. 4−36109
- ^{200}Hg levels populated by ^{202}Tl decay *(French)* 4−9112
- ^{202}Hg levels populated by ^{202}Tl decay *(French)* 4−9112
- ^{135}I→^{135m}Xe, ^{135g}Xe, branching ratio 4−27277
- ^{39}K(n,γ)^{40}K, circular polarisation and γ-γ ang. correlation meas. 4−40007
- ^{135}La M1 transitions, penetration effects 4−15709
- ^{137}La M1 transitions, penetration effects 4−15709
- ^{6}Li(π,γ), 50-150 MeV gamma-ray spectrum, branching ratios to ^{6}He states 4−19541
- ^{29}Mg, β-branching, discussion in terms of Nilsson model 4−5703
- ^{51}Mn, level schemes and gamma decay of analogue resonances 4−12188
- ^{55}Mn, spins and lifetimes of excited state levels 4−19277
- ^{100}Mo levels, spin and parity assignment, mixing ratios, from ^{100}Mo(γ,γ') 4−15625

nuclear branching and mixing ratios continued
- ^{21}Na, n-γ directional correlation for 300 keV state, multipole mixing parameter 4−23629
- ^{23}Na, strong coupling collective model, 2s-1d shell band mixing 4−19312
- ^{19}Ne energy level states, analogues in ^{19}F, identification 4−582
- ^{59}Ni, seniority-three states, γ-decay 4−15703
- ^{15}O, mixing ratio of $(P_{3/2})^{-1}\rightarrow(P_{1/2})^{-1}$ transition 4−31284
- ^{17}O, branching ratios to bound states following ^{17}N beta decay 4−9120
- ^{18}O, levels with excitation energy <8 MeV populated in ^{19}F(t,$\alpha\gamma$) reaction 4−19290
- ^{183}Os, 9/2^{+}[624] ground state rotational band, γ-branching and mixing from ^{182}W(α,3n) 4−15624
- ^{34}P, β-branching from high energy gamma rays 4−9121
- ^{147}Pm, mixing ratios of γ-rays in ang. correl. study 4−39967
- Rb, A=78 to 81 isotopes beta-decay anal. rel. to determ. of excited levels in Rb isotopes 4−12160
- ^{124}Sb→^{124}Te, beta decay, reduced branching ratios 4−31307
- ^{125}Sb, populated in ^{125}Sn beta-decay, multipole mixing ratios of transitions 4−23637
- ^{48}Sc, from ^{48}Ca(^{6}Li, ^{6}He)^{48}Sc reaction, E=34 MeV, level study 4−5832
- ^{28}Si, E21M1 mixing ratio for 1522 keV transitions 4−36162
- ^{28}Si, group decay of resonant states in region of isobaric analogue resonances 4−9115
- ^{29}Si pop. in ^{26}Mg(α,n) at 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV 4−19516
- ^{33}Si, β-branching from high energy gamma rays 4−9121
- Sr A=81 to 83 isotopes beta-decay anal. rel. to determ. of excited levels in Rb isotopes 4−12160
- ^{89}Sr, γ-ray branching ratios from ^{88}Sr(d,pγ) reaction 4−587
- ^{99}Tc populated in ^{99}Mo decay, multipole mixing ratios determ. 4−31295
- ^{a}Ti, A=49,51, analogue states from $^{a-1}$Ti(p,p)$^{a-1}$Ti, $^{a-1}$Ti(p,γ)^{a}V, branching ratios 4−5794
- ^{51}Ti, branching ratios of levels populated in ^{50}Ti(d,pγ) reaction 4−19348
- ^{51}Ti, particle-spin amplitude mixing ratios obs. in ^{50}Ti(p,p$'\gamma$) reaction 4−23606
- ^{a}V, A=49,51, bound states, branching ratios from $^{a-1}$Ti(p,γ)^{a}V 4−5794
- ^{47}V, level schemes and gamma decay of analogue resonances 4−12188
- ^{182}W $K^{\pi}=2^{-}$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
- ^{131}Xe transitions, E2/M1 multipole mixing ratio determ. 4−27271
- ^{174}Yb $K^{\pi}=2^{-}$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
- ^{65}Zn, gamma-ray decay properties of low lying levels via ^{65}Cu(p,nγ) reaction 4−19336
- ^{90}Zr, double-photon decay in 0^{+} to 0^{+} transition, branching ratio 4−9105

nuclear charge
- asymmetric nucleon-nucleon interactions, structure of isobaric multiplets 4−39926
- charge asymmetry effects and ^{3}H/^{3}He binding energy difference 4−9047
- cosmic ray low energy primary charge spectrum, $17 \leqslant Z \leqslant 28$ region, photometric determ. 4−22196
- cosmic-ray charge composition, energy dependence 4−17892
- deformed distributions, rotational heavy nuclei, from electron scattering 4−5706
- densities, model-independent determ. from elastic electron scattering 4−19268
- distribution, wiggling trapezoidal, comparison with high energy electron scatt. meas. 4−39925
- distribution in rotating nuclei, configuration space and local space 4−2792
- distributions, elastic electron scattering, N=50 isotones 4−5789
- electroexcitation, momentum transfer depend. of effective charge, particle-vibration coupling model 4−19388
- electron scattering, anal. of errors in charge density 4−23595
- electron scattering form factors, α-cluster nuclei, projection technique calc. 4−5781
- fission yield distrib. from spontaneous fission of ^{254}Fm 4−5851
- independence and symmetry of nuclear forces *(Russian)* 4−23615
- kaonic atoms, energy level widths, shifts and yields meas. 4−3088
- monopole and dipole modes, two-body correlation effects on sum rules 4−19273
- monopole polarisation charges, microscopic calc. 4−2748
- N=50 isotones, determ. of charge distrib. from elastic electron scattering expts. 4−15765
- optical model potential calc., effect of finite nuclear charge distrib. 4−5770
- 1p-shell nuclei, charge and current distribs. in (e,e) scattering 4−27307
- phenomenological interaction currents anal. using group theory 4−27243
- review of analytic methods 4−15605
- self-consistent calcs. including shell structure effects 4−545
- spatial distrib. of effective charges from (e,e$'$) reaction anal. 4−31350
- symmetry, of nuclear force, nonconfirmation by nucleon-nucleon scattering expts. 4−36126
- three-nucleon 1/2^{+} states, for realistic potentials below breakup threshold 4−15658
- three-nucleon calcs. without explicit use of two-body potentials, Faddeev eqn. soln. 4−502
- total reaction cross-section meas. for alpha-particle, charge collection method 4−23708
- Z=28 nuclei, distribution changes investigation by elastic electron scattering 4−5786
- (e,e) scattering and muonic atom techniques for charge determ. 4−31225
- Ar isotopes, electric charge radii, using muonic X-rays 4−2749
- ^{40}Ar, phenomenological and model independent anal. of (e,e) scattering at 248 MeV 4−27305
- ^{138}Ba, nuclear polarisation and charge parameters using muonic 2s state 4−19347

nuclear charge continued
^{209}Bi, ^{210}Bi, anomalous transitions, charge-exchange dipole mode coupling 4-31292
C, muonic X-ray transition, charge radii determ. 4-2750
^{12}C, model independent charge distribs. from (e,e) scattering data *(German)* 4-23594
^{12}C, rms charge radii from relative electron scattering meas. at low energies 4-23597
^{12}C muonic atom, charge radii determ. from X-ray transition meas. 4-27230
^{40}Ca, influence of Pauli operator on density distrib. in Brueckner-Hartree-Fock approach 4-9048
^{40}Ca, nuclear charge distrib. comparison with ^{40}Ar 4-27305
^{140}Ce, nuclear polarisation and charge parameters using muonic 2s state 4-19347
^{142}Ce, nuclear polarisation and charge parameters using muonic 2s state 4-19347
^{252}Cf spontaneous fission, fragments, kinetic energy, rel. to even-Z and odd-Z 4-2987
^{352}Cf, total spontaneous fission half-life, mass and charge distrib. 4-23733
^{1}H, charge rms radius determ. from (e,e) reaction at 150 to 275 MeV 4-39993
^{2}H, rms charge radius determ. from ^{2}H(e,e) scattering meas. 4-9146
^{3}H, binding energy and charge form factor, effect of off-shell changes in d wave function 4-15597
^{3}H, charge asymmetry effects and ^{3}H/^{3}He binding energy difference 4-9047
^{3}H, charge radius calc. with realistic NN -potentials in hyperspherical basis 4-15647
^{3}H, ground state observables study using Bressel-Kerman-Rouben potential 4-15601
^{3}H bound state problem, binding energy, charge radius, form factors 4-496
^{3}He, charge form factors with realistic hard core potentials 4-19269
^{3}He, charge radius cal. with realistic N N-potential in hyperspherical basis 4-15647
^{3}He, ground state observables study using Bressel-Kerman-Rouben potential 4-15601
^{3}He, Hamada-Johnston potential, charge form factor and radius calc. 4-15608
^{3}He charge form factor, realistic potentials, r.m.s. charge radius calc. 4-403
^{4}He, charge form factors with realistic hard core potentials 4-19269
^{4}He charge form factor, realistic potentials, r.m.s. charge radius calc. 4-403
Hg neutron poor isotopes, isotope shift, shell model calcs., mass parameter 4-404
^{92}Mo, ^{94}Mo, ratio of quadrupole moments of $8_1{}^{+}$ states, effect charge 4-31232
N, muonic X-ray transitions, charge radii determ. 4-2750
^{14}N muonic atom, charge radii determ. from X-ray transition meas. 4-27230
Nd, A=142 to 150, search for dispersion effects in (e,e) scattering 4-12325
Nd isotopes, changes in distribution, from optical isotope shifts 4-5948
^{a}Nd, A=142,146,150, elastic electron scatt., 30-80 MeV, charge distrib., skin thickness 4-31346
O, muonic X-ray transition, charge radii determ. 4-2750
^{16}O muonic atom, charge radii determ. from X-ray transition meas. 4-27230
Pb, muonic, calc. of vacuum polarisation 4-9050
^{208}Pb, charge distrib. from electron elastic scattering and muonic X-rays 4-12324
^{208}Pb, distrib., determ. from elastic electron scattering and muonic X-rays 4-5707
^{208}Pb, proton and neutron radii from transfer reactions and single particle energies 4-23596
^{206}Ph, nuclear polarisation and charge parameters using muonic 2s state 4-19347
^{32}S model independent charge distribs. from (e,e) scattering data *(German)* 4-23594
^{29}Si, E1 effective charge, effect of giant dipole resonance 4-15609
^{29}Si, retardation of E1 transitions, and neutron effective charge, giant dipole resonance effect 4-583
Sm, A=148 to 152, search for dispersion effects in (e,e) scattering 4-12325
^{120}Sn, nuclear polarisation and charge parameters using muonic 2s state 4-19347
^{232}Th, muonic, Fermi-type charge distrib. model rel. to K X-ray obs. of shape deform. 4-27231
^{236}U, calc. of charge vibration using Strutinsky shell correction 4-40046
^{238}U, muonic, Fermi-type charge distrib. model rel. to K X-ray obs. of shape deform. 4-27231
^{238}U p-induced fission, 30-85 MeV, nuclear charge dispersion in mass chains 130-135 4-27365
^{184}W, determ. of charge distrib. from (e,e) scattering at 42 to 65 MeV 4-15766
^{186}W, determ. of charge distrib. from (e,e) scattering at 42 to 65 MeV 4-15766

nuclear chemistry
see also nuclear reactions and scattering
carbonization and heat treatment of fuel particles from ion exchange resins 4-3027
ion exchange resins, uranium loading for HTGR's 4-3026
^{238}Pu, separation from fission prod. by solvent extraction using HDEHP di(2-ethylhexyl)phosphoric acid 4-36346

nuclear cluster model
alpha decay of light nuclei, integral formulae for alpha width *(Russian)* 4-31316
alpha-cluster configurations, group theory 4-2794
alpha-cluster DWBA analysis, for ^{58}Ni(^{6}Li,d)^{62}Zn at 28 MeV 4-9270
alpha-clustering effects in nuclear matter 4-542
alpha-clusterization and clustering-induced interaction 4-541
alpha-deuteron cluster structure elastic scattering of α-particles on ^{6}Li 4-658

nuclear cluster model continued
alpha-particle calc. of spectra and form factors of ^{12}C and ^{16}O 4-36142
alpha-particle model, anal. of ^{8}Be low-lying states 4-31242
alpha-particle model, recent developments w.r.t light nuclei *(French)* 4-5744
alpha-particle model for ^{12}C and ^{20}Ne, electron scattering form factors 4-5784
alpha-particle model for ^{20,22}Na, comparison with inelastic electron scattering data 4-5779
cluster transfer reactions, spectroscopic amplitudes, targets of A=12 to 19 4-617
complex Hamiltonian and three α resonances 4-5735
electron scattering form factors, α-cluster nuclei, projection technique calc. 4-5781
few nucleon reaction problem, Schrodinger equation approximations, spurious states 4-610
five-nucleon system, microscopic study, resonating-group method 4-650
four-body correlations and mol. aspects, consolidation of viewpoint 4-5736
harmonic oscillator boson model of ^{12}C, cross section calc. for ^{12}C(π^-, π^-)^{12}C 4-15919
Hartree-Fock calculation for light A=4n nuclei, ^{12}C to ^{40}Cd, density distribs. 4-15676
heavy nuclei, saturation props. of model and comparison with plane wave model 4-12227
Iwamoto-Yamada cluster expansion, application of Ritz variational principle 4-12229
Jastrow expansion method for $16 \leqslant A \leqslant 208$, binding energies and r.m.s. radii 4-36141
knock-out reactions, medium energy, distortion effects 4-5818
light nuclei, effect of cluster structure on pion absorption probability following photoproduction *(Russian)* 4-15758
light nuclei, generalisation of Raynall-Revai theory for hyperspherical approach to four-body problems *(Russian)* 4-15678
light nuclei, reaction matrix theory and α-clusterisation 4-5741
light nuclei, supermultiplet expansion, oscillator cluster parentage 4-532
linked cluster theorem in finite model spaces 4-530
localised and shell model clusters, alpha decay widths 4-31262
microscopic alpha + core model for core-excited-state series in ^{20}Ne to ^{16}O 4-538
molecule-like structure of nuclei confirmation through α-decay width 4-537
oscillator cluster parent states, supermultiplet expansion, light nuclei 4-27253
preformation probability in rare earth nuclei, (p,α) reaction (10-20 MeV) 4-19401
quasi-free ^{2}H- and ^{3}He-induced reactions, Eckart cluster model for absolute cross sections 4-9207
rotational states, level struct. for odd-even and odd-odd nuclei investig., other models 4-36143
scattering states of four-, five- and six-nucleon systems 4-19368
substructures, variational determ. 4-540
supermultiplets in nuclear reactions 4-9074
surface potential well model of α-cluster levels in ^{16}O and ^{22}Ne *(Russian)* 4-31247
three-body model model using projection operators rel. to heavy ion reaction 4-12371
valence-shell 3-particle (hole) cluster, coupling to quadrupole vibr., nuclei with Z=50±3, 28±3 4-2795
α-d structure of ^{6}Li nucleus, using (e,e'p) reaction at high energies *(Russian)* 4-31349
^{6}Be, two-cluster model for hypothetical solar-neutrino related 0^{+}, T=1 level at 11.5 MeV 4-25901
^{8}Be, stability of α-cluster struct. 4-2793
^{8}Be, three-cluster wave function, nuclear reactions and struct. 4-27252
^{8}Be ground state calc. from $\alpha\alpha$ forward disperson relations, 0-120 MeV 4-15888
^{8}Be region, α-α potential, anal. of generator coordinate and resonating group methods 4-5737
^{9}Be, α-α potential, anal. of generator coordinate and resonating group methods 4-5737
^{9}Be, structure, molecular orbit method 4-535
^{12}C, 3-alpha model for ground state, charge form factor 4-31261
^{12}C, anomalous levels, interpretation as loosely coupled 3α structure 4-435
^{12}C, as bound state of three-alpha system, separable potential phase shift analysis 4-15598
^{12}C, α clustered states, projected spectra 4-536
^{12}C, α-clusters, polarisation 4-534
^{12}C, complex Hamiltonian and three α resonances 4-5735
α-^{12}C, di mol.-like struct. anal. of decay widths 4-5738
^{12}C, ground state in quasiparticle method with Coulomb forces 4-9096
^{12}C, inelastic α-particle scattering, excitation energy spectrum, 3 α-particle states 4-27345
^{12}C, stability of α-cluster struct. 4-2793
^{12}C low lying states study 4-533
^{12}C(n,α_0)^{9}Be, 14.1 MeV, DWBA abal., direct interaction mechanisms 4-39997
^{12}C(p,α)^{8}Be, alpha-particle break-up, energy spectrum 4-27332
^{40}Ca(^{6}Li,t)^{43}Ti, analogue states, cluster model DWBA calc. and expt. 4-31406
^{40}Ca(^{6}Li,τ)^{43}Sc, analogue states, cluster model DWBA calcs. and expt. 4-31406
^{19}F, structure from elastic transfer with ^{15}N, ^{16,18}O 4-2953
^{4}He, 3-nucleon cluster equations, matrix method soln. 4-531
^{4}He + ^{2}H scattering data, microscopic theory of the reactions, ^{6}Li system 4-651
I, odd-mass isotopes, low-lying states description in particle-phonon coupling scheme 4-9068
^{129}I, coexistence of three particle clustering and collective core vibrations, (^{3}He,d) stripping reaction anal. 4-12223
^{6}Li, alpha-deuteron cluster structure 4-15677
^{6}Li, anal. of ^{2}H cluster from ^{6}Li(p.pd)^{4}He reaction obs. at 19 MeV 4-15775

nuclear cluster model continued
^{6}Li, deformed α-deuteron model, appl. πNN effective interaction to π^- absorption 4–15923
^{6}Li, deuteron-cluster deformation, ^{6}Li(d,tp)^{4}He reaction 4–19468
^{6}Li, energy levels, oscillator cluster parent states and supermultiplet expansion 4–27253
^{6}Li, interpretation of (d,2d), (d,dα) and (α,2α) knock out reactions 4–9218
^{6}Li cluster structure anal. from distorted wave interpretation of cluster knock out reactions 4–12360
^{6}Li scattering system, microscopic calc., description for elastic α-d scatt. 4–36215
^{6}Li(γ,τ)^{3}H, nuclear photoeffects, 16-35 MeV, unified theory 4–31340
^{6}Li(p,^{3}He)^{4}He, 3 to 45 MeV, two-channel calc. including absorptive potential 4–2894
^{6}Li(π^-, nn), calc. of recoil momentum distrib. 4–36230
^{7}Li, three-cluster wave function, nuclear reactions and struct. 4–27252
^{7}Li electrodisintegration, alpha-triton oscillator cluster wave functions 4–15770
^{7}Li(p,2d)^{4}He, new three-body break-up mechanism, significance 4–15815
^{24}Mg(^{3}He,^{7}Be)^{20}Ne, 25.5 to 30 MeV, finite range coupled channels anal. 4–9238
Ne region, α-cluster plus ^{16}O-core 4–5739
^{20}Ne, highly excited states 4–9071
^{20}Ne, many-body theoretical anal. of alpha-like four body correlations 4–5740
^{20}Ne, structure and freedom of inversion motion 4–539
^{20}Ne(α,2α)^{16}O, quasifree α-α scatt. and sequential decay, α-clustering, 80 MeV 4–27343
^{16}O, α-particle model, low-lying 0^{+} states 4–27251
α-^{16}O, di-mol.-like struct. anal. of decay widths 4–5738
^{16}O, low lying states, study 4–533
^{16}O, possible alpha-particle cluster absorption of pions 4–12387
^{16}O(α, α)^{16}O, exchange kernel derivation, resonating group method 4–31396
^{90}Zr, energy levels, cluster pick-up DWBA analysis, from ^{93}Nb(p,α)^{90}Zr, 15.2 MeV 4–12175

nuclear collective model
see also cranking model; nuclear liquid drop model
1f$_{7/2}$ shell nuclei, in-beam γ-ray obs. of collective, single-particle props. 4–12213
A=103 to 133 nuclei, anal. of giant dipole resonance in (γ,n) and (γ,2n) reactions 4–27293
anharmonic oscillator, shell closure effect, anharmonicity of two-phonon triplets 4–527
backbending and forking at high spin, microscopic approach based on pairing-plus-quadrupole model 4–412
band-crossing model of back bending for ^{156}Dy 4–27237
BCS theory adaption for nucleon-pair correlations and associated quasiparticle states in excited nuclei *(Russian)* 4–519
bending mode at scission point 4–9317
Bohr and Mottelson model, weak coupling contribution to odd-odd nuclear magnetic moments 4–19276
Bohr-Mottelson and Nilsson models for even-odd nuclei with N or Z=11 and 13 4–12221
boson variational approach, quadrupole moment calc. for Cd, Te 4–15671
coexistence in odd mass In nuclei, intermediate coupling model 4–436
collective rotations, n-body problem, kinematical method for Hamiltonian *(German)* 4–39954
compound nucleus in heavy-ion induced single-nucleon transfer reaction, non-statistical collective modes 4–9100
core coupling model predictions for ^{59}Co level structure 4–19346
core excitation, ^{127}Sb level structure anal. 4–31298
deformation energies, influence of state dependence of pairing matrix elements 4–12220
deformed nuclei, density of states 4–471
deformed nuclei, forking and backbending in rot. spectra 4–5731
deformed nuclei, structure of nuclear rotation at high ang. momenta 4–19318
deformed oscillator shell model, collective rotation and moments of inertia, classical approach 4–36139
distorted wave, anal. of ^{10}B(d,d^{1})^{10}B, 5 to 16 MeV, isobaric spin violation 4–31386
dynamic, interpretation of ^{181}Ta photoneutron cross section 4–619
elastic nucleon scattering, collective nucleon-target states in optical potential *(Russian)* 4–23654
elastic nucleon-nucleus scattering, excitation of collective states 4–637
elastic transfer reactions involving C, O and Si ions, interference-resonance effects *(Russian)* 4–663
electroexcitation, momentum transfer depend. of effective charge, particle-vibration coupling model 4–19388
even mass nuclei, rotational bands associated with built-up states *(Russian)* 4–23602
even-even nuclei, rotational and quasirotational ground-state bands, applicabiliity of 3-parameter expressions 4–39933
even-even nuclei, spherical and deformed regions, ground-, β-, and γ-bands 4–5732
even-even spherical nuclei, boson expansion method and collective negative parity states 4–9092
excited-core model anal., ^{45}Sc low-lying levels using (p,p$'\gamma$) reaction data 4–23604
Fermi gas model, level density parameters, $40<A<250$ 4–15668
Fermi gas model, target dynamics in scattering amplitude 4–15735
Fermi liquid droplet, collective props. 4–39953
fission mass asymmetry as dynamic process, calc. in adiabatic shell model 4–9322
folding model, ^{20}Ne and ^{24}Mg, deformation anal. in (α,α') reactions 4–40030
form factor for density-dependent effective interaction in inelastic scattering 4–5811
Gamow-Teller resonance and Wigner multiplet scheme 4–9089
generator coordinate method approach for light nuclei *(French)* 4–5733

nuclear collective model continued
generator coordinate method for pairing vibration, numerical soln. of integral eqn. 4–19315
giant dipole resonance width, semi-phenomenological description 4–27294
giant resonance intermediate structure in heavy deformed nuclei 4–39987
giant-dipole resonance structure in deformed spheroidal nuclei *(Russian)* 4–31330
Goldhaber and Teller, rel. to average energy of giant dipole resonance in $90<A<150$ 4–15760
ground state bands, even-even nuclei, moments of inertia, Skyrme-type formula 4–557
Hamiltonian, classical motion, generator coord. theory 4–27258
Hamiltonian, derivation by generator coordinate method and tensor analysis 4–522
Hartree-Fock, generator coordinates, and Born-Oppenheimer approximation 4–521
Hartree-Fock distortion energy for nucleus in external field 4–15681
Hartree-Fock-Bogoliubov eqns., soln, at high angular frequency 4–9090
heavy ion scattering induced rotation, modified perturbed stationary state model 4–2971
heavy nuclei, fission barrier shape anal. 4–40051
high and low spin rotational states and CP model 4–444
high-spin collective states, axial asymmetry, macroscopic model 4–15669
hydrodynamic approximation for even-even nuclei with negative parity states, surface oscillations *(Russian)* 4–23623
hypernuclear states, collective excitation in strangeness exchange reactions, interpretation 4–19328
hyperspherical harmonics model rel. to shell model, calc. for ^{16}O 4–27249
intermediate coupling approach, ^{51}V energy spectrum 4–39932
intermediate coupling unified model rel. to ^{55}Mn low-lying states 4–12203
Kerman-Klein theory, single-particle density matrix expansion 4–19316
kinetic energy, account of anharmonic term for complex and simple models 4–2790
level struct. for odd-even and odd-odd nuclei investig., other models 4–36143
Lipkin's model, test of Hermitian operator method 4–36138
microscopic theory of rotation-particle coupling 4–15675
microscopical approach to $\Delta K \neq 1$ band mixing 4–19296
mirror nuclei, microscopic description of isovector monopole vibration and Coulomb energy difference 4–15684
moment of inertia, variable, constrained Hartree-Fock calcs. 4–15618
Nilsson strong-coupling model of ^{23}Na and ^{23}Mg 4–19471
odd-A deformed nuclei, charges in moment of inertia 4–19285
odd-A nuclei, K=1/2 rotation spectrum, collective and single-particle effects 4–2786
odd-mass nuclei, dynamic effects in rotational bands 4–15673
odd-mass nuclei, effective g-factors in rotational bands 4–15674
operator based method development *(French)* 4–9093
operator matrices and physical basis of group O(5) *(Russian)* 4–15672
pairing force model, test of Hermitian operator method 4–36138
pairing force model, two-level, perturbation theory for projected states 4–19314
pairing force study of Pb isotopes using (t,p) reactions at 20 MeV 4–562
pairing Hamiltonian anal. using yrast approximation 4–15667
pairing vibration and rotations in pf-shell nuclei, self-consistent description 4–526
pairing vibrational model, excited O^{+} states for ^{40}Ca(^{3}He,n) to ^{60}Ni(^{3}He,n) and ^{64}Zn(^{3}He,n) 4–9233
pairing vibrational states, generator coordinate method, calc. for Ni, Sn and Pb 4–15670
particle-core coupling model, ^{61}Cu, ^{63}Cu properties calc. 4–39956
particle-core model for ^{63}Cu, anal. of low lying levels 4–15666
particle-phonon model for ^{63}Cu, anal. of low lying levels 4–15666
particle-rotor model, anal. of ^{175}Lu intrinsic and rotational excitations 4–23635
particle-vibration intermediate states, imaginary optical potential 4–12399
particle-vibration intermediate structure scheme for nuclear spreading of anti-analogue state in ^{209}Bi 4–12163
precompound emission in (α,p) reactions, 54.8 MeV exciton, hybrid and Griffin models 4–23713
quadrupole vibr. coupling of valence-shell 3-particle (hole) cluster 4–2795
quasi-particle unified model for ^{93,95,97,99}Mo low energy structure 4–12195
quasirotational states and softness *(French)* 4–5734
rare earth nuclei, γ-vibr. and ground state rot. band mixing 4–586
rare-earth nuclei, backbending and rotation alignment 4–39965
rigid rotator model for ^{184}Hg, deformation parameters of ground state band 4–9106
rotating nucleons, effective density, moment of inertia in deformed nuclei 4–19313
rotation, application of superfluid hydrodynamics 4–520
rotation-vibration interaction in ^{27}Al from inelastic deuteron scattering 4–652
rotational bands, exactly soluble models and CAP mechanisms 4–515
rotational bands, theory, spin and coupling effects 4–27250
rotational model behaviour, ^{12}C excited states in ^{166}Er, ^{168}Er 4–2960
rotational model optical potential, struct. of deformed imaginary part 4–2846
rotational model optical potential, struct. of deformed real part 4–2845
rotational model rel. to ^{25}Mg energy level parameters 4–12133
rotational motion, deformed odd-mass nuclei, microscopic theory 4–31266
rotational states, high spin, instability of quasi-particle vacuum and band-crossing 4–36140

- **nuclear collective model** continued
  - rotational states, phase transitions and decoupling mechanisms 4—36137
  - rotational states, transition probabilities, symmetry, microscopic description 4—594
  - rotational states in nuclei with $8 \leqslant A \leqslant 24$, moment of inertia behaviour 4—438
  - semi-microscopic description of medium and light nuclei *(French)* 4—5747
  - shape fluctuation model, ideal rotational and vibr. limit and equivalence to anharmonic vibr. model 4—19317
  - shape-unstable and critical nuclei, around ^{186}Pt 4—523
  - single-hole-core coupling in semimicroscopic model of $N=50$ region 4—31259
  - slightly deformed nuclei, total mixing of low spin rotational bands 4—2764
  - spherical nuclei, Belyaev's and Zelevinsky's model of anharmonical quadrupole oscillations 4—2789
  - spherical nuclei, higher collective excitations, quasi-particle new-Tamm-Dancoff method 4—12225
  - spherical nuclei, quadrupole-octupole anharmonicities 4—2788
  - spherical-asymmetric shape transition, collective potential energy surface determ. 4—31260
  - spin-dependent level densities for deformed nuclei 4—529
  - strong band mixing by Coriolis interaction, attenuation factors 4—528
  - structure of shell model states, wave functions for ^{56}Fe 4—525
  - superconducting, stationary BCS functions for small numbers of nucleons and associated quasiparticle states *(Russian)* 4—518
  - superfluid model, rel. to density of levels in light even-even nuclei 4—2762
  - temperature averaging method equivalence with Strutinsky type smoothing 4—2787
  - Thomas-Fermi, for few nucleon systems, astrophysical appl. 4—23617
  - transitional nuclei, solvable model for quasirotational bands 4—12226
  - two mass-point model, rot. spectra of even-even nuclei, quantum mechanics 4—15665
  - two-proton cluster core coupling model for isomeric 6^+ state in Te heavy doubly-even isotopes 4—23609
  - unified microscopic theory of spectra 4—555
  - variable moment of inertia models, model for calc. rot. energy 4—23626
  - vibrational nuclei, E2 transitions, quadrupole moments 4—12264
  - vibrational-like states, stripping reaction form factors, coupled-channel Born approx. 4—12306
  - viscosity constant, magnitude determ. 4—9095
  - viscosity tensor, temperature dependent microscopic formula 4—9094
  - weak coupling model for isobaric analogues of ^{51}Ti levels 4—23606
  - weak-coupling, for transitions in ^{14}N inelastic proton scattering 4—19412
  - weak-coupling core-excitation, in (p, t) reactions on odd-A nuclei 4—36203
  - weak-coupling models for ^{212}Pb and ^{204}Pb 4—23625
  - Wilets-Jean model, collective states of nuclei 52LZ, NL80 4—437
  - α-nucleus inelastic scattering, 15 MeV, $M=-2$ substate cross-section, DWBA calc. 4—15890
  - p scattering, inelastic, using potentials derived from nuclear matter distribs. 4—19448
  - π^- photoproduction on nuclei, calc. of cross section 4—2862
  - ^{209}Bi, calc. of particle-phonon multiplets using density dependent effective forces 4—12222
  - ^{40}Ca, even parity spectrum in extended model allowing for configuration mixing 4—31230
  - ^{41}Ca, $\bar{K}=3/2^+$ and $\bar{K}=3/2^-$ rot. bands, study using ^{40}Ca(d,p) reaction 4—442
  - ^{49}Cr, gamma ray spectroscopy of levels populated by ^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions 4—452
  - ^{156}Dy, ground-state and β-bands population in (α, 8n) and (p, 4n) reactions, twin backbending obs. 4—36154
  - F and Ω forbidden dipole transitions for $150<A<190$ doubly deformed odd nuclei 4—585
  - ^{56}Fe, rotation like spectrum, relationship between collective and shell models 4—15661
  - Ga, particle-plus-core excitation mode γ-decay 4—15702
  - ^{154}Gd, spin depend. of M1 admixtures in β and γ vibr. state transitions 4—36163
  - ^{154}Gd, validity of pairing-plus-quadrupole model for deformed nuclei 4—15633
  - ^{156}Gd, validity of pairing-plus-quadrupole model for deformed nuclei 4—15633
  - ^{72}Ge, collective excitation effects in shell model structure 4—15660
  - ^{168}Hf, ^{172}Hf, backscattering and magnetic moments of yrast states 4—12141
  - I, odd-mass isotopes, low-lying states description in particle-phonon coupling scheme 4—9068
  - ^{129}I, coexistence of three particle clustering and collective core vibrations, (^{3}He,d) stripping reaction anal. 4—12223
  - In, odd-mass isotopes, hole-vibration coupling calc. for $1/2^+$, $3/2^+$ states 4—12173
  - ^{115}In, existence of rotational states, magnetic moments 4—564
  - ^{21}Na, rotational branch with Coriolis coupling for low-lying levels 4—23629
  - ^{22}Na, rotational band structure, e.m. transitions for levels of $E_{ex}<4.0$ MeV 4—19343
  - ^{22}Na, rotational band structure study using n-γ coincidences in ^{19}F(α,nγ) reaction 4—19344
  - ^{22}Na, rotational bands, E2 transitions 4—12265
  - ^{23}Na, strong coupling collective model, 2s-1d shell band mixing 4—19312
  - ^{150}Nd, Coulomb excited 4^+ rot. state, E4-contribution to cross sections 4—12274
  - Ne region, α-cluster plus ^{16}O-core 4—5739
  - ^{20}Ne, ^{22}Ne, correlations in groundstate rot. spectra, ang. momentum dependence 4—441
  - ^{20}Ne, from ^{19}F(^{3}He,d) reaction, excitation functions and spectroscopic factors, collective model 4—9231
  - ^{20}Ne, transition to ground state rotational band in ^{22}N(p,t) 4—9167

- **nuclear collective model** continued
  - ^{16}O region, self-consistent core polarization, phonon-mediated screening effects 4—23621
  - ^{188}Os, k=0 bands and two-phonon γ vibrs. from ^{190}Os(p,t)^{188}Os reaction 4—9099
  - ^{190}Os, k=0 bands and two-phonon γ vibrs. from ^{192}Os(p,t)^{190}Os reaction 4—9099
  - ^{192}Os, 6.1 s isomer and rotational bands following neutron bombardment of natural Os 4—12241
  - ^{31}P, spin parity and γ-ray decay properties, collective structure 4—563
  - ^{183}Re, band structure and E1 transitions 4—19349
  - ^{34}S pop. in ^{31}P(α,pγ), vibrational modes 4—12257
  - Sb isotopes, doubly odd, with $(h_{11/2})^n$ neutron configuration magnetic moment anal. 4—36108
  - ^{81}Se, energy level scheme, shell and unified model calcs. 4—27283
  - ^{28}Si, configuration mixing with generator coordinate method *(French)* 4—39955
  - ^{28}Si giant dipole resonance continuum calcs. including collective correlation effects 4—12305
  - ^{152}Sm, generator coordinate method for beta vibrations 4—12126
  - ^{114}Sn, quadrupole-octupole anharmonicities 4—2788
  - ^{182}Ta, doubly odd deformed, rotational structure 4—15688
  - ^{44}Ti, band structure, study by ^{40}Ca(α,γ)^{44}Ti reaction 4—443
  - ^{46}Ti, collective energy surface calc. 4—15689
  - ^{46}Ti potential energy surfaces and behaviour 4—9091
  - ^{48}Ti, collective energy surface calc. 4—15689
  - ^{48}Ti potential energy surfaces and behaviour 4—9091
  - ^{50}Ti, collective energy surface calc. 4—15689
  - ^{50}Ti potential energy surfaces and behaviour 4—9091
  - Ti(α,α'), A=46, 48, 49, at 104 MeV, deformation anal. using coupled channel methods 4—15891
  - ^{49}V excited states populated by ^{46}Ti(α,p)^{49}V reaction 4—451
  - ^{184}W, mixing of $K^\pi=0^+$ and 2^+ bands 4—19324
  - ^{185}W rotational bands, multistep reaction process in ^{186}W(p,d)^{185}W 4—9168
  - Yb isotopes, rotational states lifetimes meas. 4—12277
- **nuclear collective motion** *see nuclear collective model*
- **nuclear coupling, molecular** *see molecular nuclear coupling*
- **nuclear decay schemes** *see radioactive decay schemes*
- **nuclear decay theory**
  - *see also alpha decay theory; beta decay theory; radioactivity*
  - deuteron decay width in continuum shell model 4—2781
  - doorway state phenomena, compound nucleus modes 4—19329
  - fission, spontaneous half lives determ. and fission barrier anal. 4—5845
  - gamma-ray observables, effect of time reversal noninvariance 4—12251
  - gamma-ray polarization angular correlations, phase consistent treatment 4—12262
  - Gamow-Teller resonance and Wigner multiplet scheme 4—9089
  - muonic atom, difference in electronic and fission decay modes 4—31310
  - nucleon decay at doorway states in resonance reactions *(Russian)* 4—27292
  - pre-equilibrium decay, intranuclear transition rates calc. from optical potential, nucleon-nucleon scattering models 4—2849
  - sequential, two-proton photo-production 4—5775
  - sequential decay, 3-body treatment of final-state reson. reactions 4—27295
  - single particle K-matrix for deformed and fissioning nuclei 4—2988
  - triton decay width in continuum shell model 4—2781
  - unstable states decay law *(Polish)* 4—27045
  - β-emitting nuclide assay using liquid scintillation spectrometers 4—2816
  - ^{12}C(α, γ)^{16}O, test of parity nonconservation, irregular alpha-widths 4—9228
  - ^{239}U, decay widths of one-nucleon quasistationary states of deformed nuclei 4—2800
- **nuclear deformation** *see nuclear shape*
- **nuclear density**
  - *heading is a late addition; see also nuclear structure*
  - A=139 to 205, mass number dependence of $^{1}{}_{\cdot 2}{}^{+}$ states density near neutron B.E. *(Russian)* 4—31223
  - bubble nuclei, Hartree-Fock anal. of depletions in nuclear interior 4—15679
  - charge densities, model-independent determ. from elastic electron scattering 4—19268
  - charge distrib. review of analytic methods 4—15605
  - heavy-ion collision, shock wave production in matter compression 4—36225
  - heavy-ion collisions, supersonic, one-dimensional example 4—40039
  - high-density matter, quark-like model 4—27260
  - inhomogeneous nuclear matter, determ. of binding energy formula 4—23593
  - light A=4n nuclei, Hartree-Fock alpha cluster density distrib. 4—15676
  - matter, infinite, compressibility coeff., equil. region *(French)* 4—19323
  - meson field instability at low density, phase transformation *(Russian)* 4—15650
  - neutron matter, anal. of solidification using Reid interaction 4—15686
  - symmetry coefficient of nuclear matter, second-order perturbation theory calc. 4—39963
  - K^- mesonic and baryonic atom anal. 4—31759
  - ^{36}Ar, bubble formation in Hartree-Fock calcs., dependence on odd-state force 4—27256
  - ^{4}He, density matrix evaluation, application to ground state form factors 4—36144
  - ^{184}Hg, bubble structure anal. 4—39924
  - ^{60}Ni, compound states in giant resonance region, density effects *(Russian)* 4—19288
  - ^{16}O, density matrix evaluation, application to ground state form factors 4—36144
  - ^{208}Pb, compound states in giant resonance region, density effects *(Russian)* 4—19288
  - ^{90}Zr, compound states in giant resonance region, density effects *(Russian)* 4—19288

nuclear electric moment
see also molecular nuclear coupling
A=17 nuclei, electric quadrupole enhancements 4−410
aligned coupling scheme, semiclassical approach to schematic model 4−31253
collective states, high-spin, axially asymmetric, quadrupole moment calc. 4−15669
even-even spherical nuclei, B(E2) and B(E3) values calc. in boson-expansion method 4−9092
kaonic atoms, energy level widths, shifts and yields meas. 4−3088
measurement techniques, novel, and insight derived from results 4−31234
nonionic field model, dynamic quadrupole interaction operator *(Russian)* 4−42648
overlap representation, single particle, moments from proton pickup and stripping data 4−2754
quadrupole, admixtures of perturbation in K X-ray anisotropic angular correlations 4−40157
quadrupole moment, s-d shell odd nuclei 4−439
quadrupole moment of excited nuclei, meas. using PAC technique 4−39931
quadrupole vibr. coupling of valence-shell 3-particle (hole) cluster 4−2795
rare earth nuclei, hexadecapole moments from semiclassical and quantum anal. of Coulomb excitation 4−27235
rare earths, rotating, change in quadrupole moments for $2_1^+ \to 0^+$ transition 4−2792
vibrational nuclei, quadrupole moments, selection and intensity rules 4−12264
Z=50 closed shell, even-even nuclei, systematic features of low lying levels 4−9061
^{75}As, electromag. props. of low lying levels 4−2755
Au, muonic, nuclear excitation from X-ray energies and intensities 4−2810
Ba isotopes, quadrupole moment of first 2^+ state, calc. in Wilets-Jean model 4−437
^{9}Be, excited, nuclear quadrupole interaction correlation effects 4−15995
^{80}Br, 37 keV level, quadrupole moment by time-differential γ-γ angular correlation 4−12149
^{12}C electric dipole sum rule using BHF wave functions 4−31269
Cd isotopes, quadrupole moment calc. using boson variational approach to collective motion 4−15671
^{106}Cd, quadrupole moments, Coulomb excitation 4−12150
^{106}Cd, quadrupole moments of first 2^+ states 4−9055
^{108}Cd, quadrupole moments, Coulomb excitation 4−12150
^{108}Cd, quadrupole moments of first 2^+ states 4−9055
^{114}Cd(n,n′γ), 3^- octupole state investigation 4−39929
^{116}Cd(n,n′γ), 3^- octupole state investigation 4−39929
Ce isotopes, quadrupole moment of first 2^+ state, calc. in Wilets-Jean model 4−437
^{244}Cm fission isomers, quadrupole and hexadecapole moments 4−9059
^{59}Co, quadrupole moment determ. by obs. of deformation effect in neutron total cross section 4−12131
^{17}F in tetragonal MgF$_2$ single crystal, quadrupole efects in n.m.r. spectra 4−12148
^{19}F(α,α′) at 25 MeV, determ. of electric multipole strength distrib. in ^{19}F 4−12368
^{2}H quadrupole moment determ. from wave functions, momentum space behaviour 4−481
^{4}He, electric dipole sum rule using BHF wave functions 4−31269
^{4}He, sum rules for quadrupole photoexcitation 4−12252
Hg light isotopes, quadrupole moment of isomeric states, search for strong deformation 4−2759
I, odd-mass isotopes, quadrupole moments, particle-phonon coupling scheme 4−9068
I isotopes, large electric field gradient, quadrupole moment measurement 4−12151
^{129}I quadrupole moment derivation from (^{3}He,d) reaction anal. in collective model 4−12223
^{193}Ir, properties of energy levels 4−2757
^{24}Mg, deformation anal. in (α,α′) reactions using folding collective model 4−40030
^{92}Mo, ^{94}Mo, ratio of quadrupole moments of 8_1^+ states 4−31232
^{95}Mo, ground state hyperfine struct., atomic beam mag. reson. method 4−19284
^{97}Mo, ground state hyperfine struct., atomic beam mag. reson. method 4−19284
^{100}Mo, quadrupole moments, Coulomb excitation 4−12150
^{93}Nb, muonic, M1, E2 hyperfine effects, nuclear quadrupole moment 4−15613
^{a}Nd(^{16}O, ^{16}O γ), A=146, 148, 150, search for quadrupole component in hyperfine interaction on recoil into vacuum 4−9245
^{20}Ne, deformation anal. in (α,α′) reactions using folding collective model 4−40030
^{20}Ne, static quadrupole moments, reorientation meas. in projectile Coulomb excitation 4−31404
^{22}Ne, static quadrupole moments, reorientation meas. in projectile Coulomb excitation 4−31404
^{62}Ni, 2^+ core state in ^{63}Cu collective model anal. quadrupole moment determ. 4−15666
^{16}O, electric dipole sum rule using BHF wave functions 4−31269
^{a}P, A=238, 240, 242 fission isomers, quadrupole and hexadecapole moments 4−9059
^{206}Pb, ^{204}Pb, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
^{105}Pd, quadrupole moment, hyperfine struct. level crossing determ. *(German)* 4−19689
^{141}Pr, effective M2 and E3 transition moments for 1 h 11/2 single proton states 4−12254
^{32}S, ^{34}S, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
^{28}Si, Hartree-Fock calcs. of quadrupole moments including prolate bands 4−551
^{a}Sm, A=148, 150, 152 quadrupole moments, reorientation precession technique 4−12152
Te isotopes, A=122 to 130, quadrupole moment determ. from (^{32}S, ^{32}Sγ) excitation 4−36217

nuclear electric moment continued
Te isotopes, large electric field gradient, quadrupole moment measurement 4−12151
Te isotopes, quadrupole moment calc. using boson variational approach to collective motion 4−15671
^{230}Th, ^{232}Th fission isomers, quadrupole and hexadecapole moments 4−9059
^{232}Th, muonic, quadrupole moments rel. to Fermi-type charge distrib. model, shape deform. obs. 4−27231
^{a}U, A=234, 236, 238, fission isomers, quadrupole and hexadecapole moments 4−9059
^{235}U, ground state h.f.s., dipole and quadrupole moments *(French)* 4−9390
^{238}U, muonic, quadrupole moments rel. to Fermi-type charge distrib. model, shape deform. obs. 4−27231
Xe isotopes, quadrupole moment of first 2^+ state, calc. in Wilets-Jean model 4−437
^{67}Zn, temp. depend. of electric quadrupole interaction 4−12128
^{90}Zr pop. in ^{89}Y(p,γ) at 5.4 to 17 MeV, isospin splitting of giant E1 excitations 4−12335

nuclear electromagnetic transitions *see nuclear energy level transitions*

nuclear electron capture
see also beta-decay; nuclear reactions and scattering due to electrons
auto-ionisation theory 4−27278
carbon dwarf supernovae, effect of electron capture rates on nuclear equilib. thermodynamic props. 4−42372
K capture, internal excitation and ionisation, calc. 4−5759
X-ray intensity ratio $I_{l\alpha}/I_{ll}$ in the region $55 \leqslant Z \leqslant 94$ 4−15711
^{133}Ba decay, K-capture probability from X-ray-gamma ray summing in Ge(Li) detectors 4−19333
^{7}Be decay constant rel. to pressure 4−5763
^{7}Be→^{7}Li, s electron radiative capture, internal bremsstrahlung spectrum 4−19354
^{41}Ca, internal bremsstrahlung spectra for first-forbidden decay 4−2817
^{41}Ca, K-, L-, M-shell capture, internal bremsstrahlung energy spectra *(Russian)* 4−596
^{57}Co, in CoCl$_2$ hydrates, effect of electron capture on ^{57}Co Mossbauer spectrum 4−10362
^{57}Co(III) (phen)$_3$ (ClO$_4$)$_3$.2H$_2$O, Mossbauer studies of after effects of Auger ionisation following electron capture 4−41320
^{51}Cr decay, radiative capture of s electrons 4−5760
^{75}Kr, decay scheme and total decay energy determ. 4−12290
^{14}N(e$^-$ν)^{14}C(α,γ)^{18}O in degenerate matter, Population II red giant interiors 4−30005
^{59}Ni, from ^{58}Ni(n,γ), L/K electron capture ratios, nuclear matrix elements 4−19351
^{97}Ru, determ. of electron density at nucleus as function of chemical state 4−15712
^{97}Ru→^{97}Tc, γ-ray meas., level scheme determ. 4−36164
^{119}Sb→^{119}Sn, Sb source preparation for use in Mossbauer spectroscopy 4−33326
^{85}Sr, X-ray-γ and γγ coincidence meas. EC decay energy determ. 4−27279
^{153}Tb decay, obs. of low-spin states in ^{153}Gd 4−12169
^{95}Tc, level scheme from observation of ^{95}Ru decay 4−36165
^{204}Tl, K-shell capture, internal bremsstrahlung energy spectra *(Russian)* 4−596
^{90}Y decay, obs. of double-photon decay in ^{90}Zr 4−9105
^{169}Yb→^{169}Tm, γ transitions, 307-773 keV *(Russian)* 4−569
^{65}Zn, prod. by electron capture and Coulomb explosion, of ^{65}Cu *(German)* 4−12244
^{88}Zr, half life meas., γ-ray activity decay, 0.394 MeV 4−5761

nuclear emulsions *see nuclear track emulsions*

nuclear energy *see nuclear power*

nuclear energy level lifetimes
see also nuclear energy level transitions
^{239}Pu, 285.5 keV level, time to-pulse height converter method 4−12146
A=21-44, γ-ray transition strengths between bound states, table 4−31283
A=6-20, gamma-transitions from bound and nearly bound levels, tables 4−31282
compound nuclei formed in nuclear reactions, blocking effect meas. of excited state lifetime 4−27325
deformed nuclei, nanosecond lifetimes meas. 4−593
E1, M2, E3 mixing, 2^- states decay, deformed doubly even nuclei 4−2807
heavy ion reactions, quasimol. states and Regge poles 4−2970
Ml decay of isobaric analogue states in ^{31}P, ^{37}Cl, ^{49}Sc, ^{61}Cu, half lives and γ-ray energies *(Russian)* 4−580
nuclear rotational states 4−12277
stopping power effects in DSAM and RDM 4−39972
^{24}Mg 1.37 MeV state meas. using recoil distance method and DSA on ^{24}Mg(α,α′) anal. 4−12249
^{107}Ag, populated in (^{35}Cl, ^{35}Cl*γ) reaction at 64 MeV, $T_{1/2}$ meas. 4−36159
^{109}Ag, populated in (^{35}Cl, ^{35}Cl*γ) reaction at 64 MeV, $T_{1/2}$ meas. 4−36159
^{26}Al 1.76 and 2.072 MeV level lifetimes, recoil distance, from ^{23}Na(α,n), 6-7 MeV 4−19335
^{27}Al(p,α)^{24}Mg, compound nuclear lifetime effect on min. yield of blocking phenomena 4−16524
^{28}Al, Doppler shift attenuation study of excited states from (d,pγ) reaction 4−15701
^{29}Al, pop. in ^{26}Mg(α,p) and ^{27}Al(t,p) reaction, DSA meas. 4−15700
^{36}Ar levels, lifetimes, branching ratios, excitation energies from ^{35}Cl(p,γ), 0.4-3.0 MeV 4−19402
^{37}Ar, mean lifetime, γ-ray spectrum 4−12266
^{37}Ar levels below 3.8 MeV, from ^{34}S(α,nγ) reaction 4−12157
^{38}Ar, mean lives of resonances in ^{37}Cl(p,γ) reaction 4−31287
^{73}As, compound nucleus blocking lifetime meas., in ^{72}Ge proton scattering 4−9175
^{197}Au, 77.3 keV level, effect of atomic charge state 4−31299
^{206}Bi, new isomer, half-life, M2 transition 4−581
^{14}C, Doppler-shift attenuation study of excited states from (d,pγ) reaction 4−15701

nuclear energy level lifetimes continued
^{14}C, first excited state 4−590
^{39}Ca, lifetime determ. 4−12267
^{40}Ca(n,n′) at 3.52 MeV, half life determ. of ^{40}Ca first excited state 4−12247
^{41}Ca, from ^{40}Ca(^{3}He, 2p)^{41}Ca reaction at 14.5 and 18 MeV 4−5710
^{43}Ca DSA lifetime meas. using high-pressure gas cell 4−35388
^{44}Ca, states with Ex < 3360 keV, meas. by Doppler-shift attenuation method 4−5752
^{105}Cd pop. in ^{105}In beta-decay, lifetime meas. of first excited states 4−23640
^{107}Cd, half lives of first two excited states *(French)* 4−5754
^{107}Cd pop. in ^{107}In beta-decay, lifetime meas. of first excited states 4−23640
^{107}Cd populated in (p,n), (d,p) and (α,n) reactions, spin parity and $T_{1/2}$ meas. of $^{11}.{}_{2}^{-}$ state 4−39928
^{121}Cd and isomeric ^{121}In, half-lives 4−27268
^{37}Cl, from ^{36}S(p,γ) reaction at 1000-1900 keV 4−9161
^{37}Cl, mean lifetime, γ-ray spectrum 4−12266
^{51}Cr, half-life of 749.1 keV level using ^{51}Vl(p,nγ) reaction 4−23650
Cu isotopes, low lying levels 4−12270
^{62}Cu, Doppler shift attenuation determ. of lifetime, ^{62}Ni(p,nγ)^{62}Cu reaction 4−39966
^{64}Cu, Doppler shift attenuation determ. of lifetime, ^{64}Ni(p,nγ)^{64}Cu reaction 4−39966
Dy, even A isotopes, high spin rotational states, E2 transition rates retardation 4−9103
^{162}Dy, high spin rot. states 4−12278
Er, even A isotopes, high spin rotational states, E2 transition rates retardation 4−9103
^{a}Er, A=164, 166, 168, high spin rot. states 4−12278
^{163}Er, nanosecond lifetimes determ. from ^{161,163}Dy(α,2n), and ^{163,165}Tm decay meas. 4−31289
^{165}Er, nanosecond lifetimes determ. from ^{161,163}Dy(α,2n), and ^{163,165}Tm decay meas. 4−31289
^{168}Er, time-differential directional-correlation function of γ-γ cascade, 1.094 MeV state half-life 4−12132
^{53}Fe, low-lying level lifetimes 4−12159
^{67}Ga, Doppler shift attenuation determ. of lifetime, ^{67}Zn(p,nγ)^{67}Ga reaction 4−39966
^{70}Ga, Doppler shift attenuation determ. of lifetime, ^{70}Zn(p,nγ)^{70}Ga reaction 4−39966
Ge(Li) coaxial particle detectors, developments in subnanosecond timing 4−26604
^{72}Ge, half-life of 690 keV E0 transition following ^{72}Ga β-decay 4−31304
^{184}Hg from ^{156}Gd(^{32}S,4n) at 156 MeV, lifetimes in ground state band, deformation parameters 4−9106
^{186}Hg deformation from 2^{+}, 4^{+}, 6^{+}, 8^{+} state lifetime 4−19271
^{198}Hg, 7^{-} and 5^{-} levels *(French)* 4−9112
^{199}Hg 208 keV state lifetime meas. 4−36109
^{165}Ho, half-life of 715.5 keV level, delayed coincidence meas. 4−595
^{121}In and isomeric ^{121}Cd, half-lives 4−27268
^{33}K, excited states populated in ^{40}Ca(d,$\alpha\gamma$) reaction 4−19345
^{39}K populated in (p,p′γ) at 6.0 to 8.2 MeV, decay modes 4−27269
^{2a}l, 1.01 MeV state, meas. using recoil distance method and DSA on ^{24}Mg(α,p) reaction 4−12249
^{64}Li, excited states pop. in ^{64}Ni(α,α′γ) reaction at 13 MeV, DSA meas. 4−15699
^{23}Mg, $^{5}/_{2}^{+}$ and $^{9}/_{2}^{+}$ states, meas. from ^{12}C(^{12}C,n)^{23}Mg reaction 4−5751
^{26}Mg 3.59 and 3.94 MeV level lifetimes, recoil distance, from ^{23}Na(α,p), 6-7 MeV 4−19335
^{27}Mg, Doppler shift attenuation study of excited states from (d,pγ) reaction 4−15701
^{55}Mn, spins and lifetimes of excited state levels 4−19277
^{93}Mo, γ-ray spectra, conversion electron spectra, delayed coincidence *(French)* 4−36158
^{17}N, first 16 levels, recoil-distance meas. 4−591
^{22}Na, angular correlations and decays of levels below 5 MeV, n-γ coincidences in ^{19}F(α,nγ) reaction 4−19344
^{22}Na, rotational band structure, e.m. transitions for levels of $E_{e}x<4.0$ MeV 4−19343
^{23}Na, $^{5}/_{2}^{+}$ and $^{9}/_{2}^{+}$ states, meas. from ^{12}C(^{12}C,p)^{23}Mg reaction 4−5751
^{24}Na, Doppler-shift attenuation study of excited states from (d,pγ) reaction 4−15701
^{19}Ne, Doppler-shift attenuation method from ^{17}O(^{3}He,nγ)^{19}Ne reaction 4−582
^{56}Ni, e.m. transition rate determ. by Doppler-shift attenuation method on ^{54}Fe(^{3}He,nγ) 4−12253
^{237}Np, delayed coincidence meas. using semiconductor counters 4−27272
^{16}O, hyperfine interactions of 6.13 MeV 3^{-} state in ions of low charge state recoiling into vacuum 4−9063
^{16}O pop. in ^{19}F(p,α)^{16}O*, direct lifetime meas. of 6.05 MeV 0^{+} level 4−12248
^{17}O, DSA lifetime meas. using high-pressure gas cell 4−35388
^{18}O 4_{1}^{+} state, populated in ^{16}O(t,p) reaction, lifetime meas. 4−31293
^{181}Os, half-life of first excited state, in-beam γ-ray spectroscopy obs. 4−31237
^{30}P, 0.709 MeV level, meas. using new technique for recoil dist. meas. 4−30551
^{233}Pa, delayed coincidence meas. using semiconductor counters 4−27272
^{209}Pb, first excited state, populated by ^{208}Pb(^{17}O,^{16}O)^{209}Pb reaction, lifetime 4−2808
^{207}Po isomeric decay, half-life, M2 transition 4−581
^{215}Po, e.m. transition rates, attenuation methods 4−31288
^{141}Pr, effective M2 and E3 transition moments for 1 h 11/2 single proton states 4−12254
^{85}Rb populated in ^{85}Sr electron capture decay, energy level lifetime determ. 4−27279
^{91}Rb, populated in ^{91}Kr decay, half-lives for 1st two levels 4−31297
^{186}Re, half-lives of new isomers excited in ^{185}Re(n,γ) *(German)* 4−23608
^{103}Rh, populated in (^{35}Cl, ^{35}Cl*γ) reaction at 64 MeV, $T_{1/2}$ meas. 4−36159

nuclear energy level lifetimes continued
^{219}Rn, excited states meas. from conversion electron Doppler shifts following α-decay 4−31291
^{42}Sc, 2750 4^{+} state, meas. by Doppler-shift attenuation method 4−5752
^{45}Sc, low-lying levels 4−12268
^{28}Si, Doppler shift attenuation meas. analysis 4−9204
^{28}Si levels populated in ^{27}Al(p,γ) reaction *(French)* 4−2802
^{29}Si pop. in ^{26}Mg(α,n) at 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV 4−19516
^{151}Sm, from ^{148}Nd(α,nγ), 18 MeV, 261 keV level, life-time meas. 4−15694
Sn isotopes, half-lives of isomeric states populated in ^{a}Cd(α,2n) reaction 4−12187
^{91}Sr, populated in ^{91}Rb decay half-lives for 1st two levels 4−31297
^{93}Tc, γ-ray spectra, conversion electron spectra, delayed coincidence *(French)* 4−36158
Te heavy doubly-even isotopes, lifetime of isomeric 6^{+} states 4−23609
^{42}Ti, from ^{40}Ca(^{3}He,n)^{42}Ti, 8.0 MeV, e.m. transitions 4−15697
^{44}Ti band structure study from ^{40}Ca(α,γ) reaction 4−443
^{50}Ti, 4^{+} state 4−12269
^{171}Tm, half-life of 635.4 keV level, delayed coincidence method 4−595
^{48}V, half-lives of low lying states from ^{48}Ti(p,nγ) reaction 4−450
^{51}V, $(15/2)^{-}$ state 4−12269
^{182}W $K^{\pi}=2^{-}$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
Yb, even A isotopes, high spin rotational states, E2 transition rates retardation 4−9103
^{174}Yb $K^{\pi}=2^{-}$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
Zn isotopes, low lying levels 4−12270
^{66}Zn, excited states pop. in ^{66}Zn(α,α′γ) reaction at 13 MeV, DSA meas. 4−15699
^{67}Zn, half-life and magnetic moment of $9/2^{+}$ isomeric state, PAD method 4−9057
^{68}Zn, excited states pop. in (α,α′γ) and (α,pγ) reaction at 13 MeV, DSA meas. 4−15699

nuclear energy level transitions
A=15 nuclei, shell model anal. of e.m. transitions 4−12204
A=21 to 44, review of exptl. determ. props. 4−9062
A=21-44, γ-ray transition strengths between bound states, table 4−31283
A=6 system, structure, transition probabilities and π^{-} capture rates 4−31239
A=6-14 nuclei, shell model calcs. with realistic interaction 4−12202
actinide nuclei, E2 and E4 transition moments, scattering of ^{4}He ions 4−9110
analogue $0^{+}\rightarrow0^{+}$ single-step forbidden transition in (^{6}Li, ^{6}He) on ^{18}O, ^{26}Mg 4−19535
collective states, high-spin, axially asymmetric, transition probability calc. 4−15669
combined E0+M1+E2 transition, electron parameters for ang. correlations of L-conversion electrons *(Russian)* 4−23631
complex nuclei, A=40 to 200, gamma-decay theory, structure of highly excited states *(Russian)* 4−15630
direct reactions with core excitations 4−9131
Doppler shift of gamma-rays, internal bremsstrahlung and nuclear-emitted, effect of radiation damping *(Russian)* 4−576
E1, M2, E3 mixing, deformed doubly even nuclei, 2− states decay 4−2807
E1 transition probabilities, 1QP state equilib. deformation effect 4−12276
E2 giant resonances, T-mixing in E1 reson. (α,γ) reactions 4−5830
E2 transitions, vibr. nuclei selection and intensity rules 4−12264
E5, review of exptl. information 4−584
Eλ transition operators, sd-shell nuclei, spin dependence 4−12263
Einstein energy-mass relation, rel. to nuclear gamma emission, examination of derivation 4−11811
electron-nuclear γ-transitions of nuclei in atoms 4−27506
even-even spherical nuclei, B(E2) and B(E3) values calc. in boson-expansion method 4−9092
even-odd nuclei with N or Z=11 and 13, Bohr-Mottelson and Nilsson model calcs. 4−12221
gamma decay studies, effect of time reversal noninvariance on decay observables 4−12251
gamma ray polarisation plane rotation by hyperfine interaction 4−39970
gamma-radiation, linear polarisation, effect of hyperfine interaction 4−12261
gamma-ray and internal conversion electron spectra of nuclei with A=143-193 following thermal neutron capture 4−9113
gamma-ray polarization angular correlations, phase consistent treatment 4−12262
gamma-ray spectra, complex, statistical anal. 4−39969
gamma-ray-multiplicity meas. for (α,p), (α,α′), (d,α), (p,α), (d,p) and (p,p′) reaction 4−23638
hadronic atoms, K^{-} mass determ. 4−2811
heavy ion collision intermediate molecules, induced radiative transition 4−40037
heavy ion reactions, quasimol. states and Regge poles 4−2970
hypernuclei, excited states, K^{-}meson beam, light targets 4−566
inelastic electron scattering, low momentum transfer 4−5787
intermediate-coupling unified model rel. to props. of ^{55}Mn low-lying levels 4−12203
isomeric state ratios, γ-ray cascade model (n,γ) reactions 4−427
isoscalar dipole transitions, inelastic form factor prediction 4−15696
isoscalar transition density, for isovector excitation, general derivation 4−19331
kaonic atoms, level widths, shifts and yields meas. 4−3088
laser, γ-transitions with neutron pumping, heating problems, possibility of creation 4−35827
lifetimes, nanosecond, deformed nuclei 4−593
light-nuclei rotational spectra anal. using SU(3) theory, calcs. on ^{8}Be and ^{12}C 4−27273
magic-plus(minus)-two nuclei, Finite Fermi System theory 4−12144
magnetic, nuclear structure information from pion scattering 4−31418

nuclear energy level transitions continued
millisecond isomers produced by (α,xn) reactions 4−661
mixing ratio, consequences of NNγ and N*Nγ time reversal violating vertex 4−31290
molecule, vibr. satellites of γ-nuclear transitions 4−19800
multipolarity anal. by internal pair formation spectroscopy 4−26640
muon capture, light nuclei, total capture rates, SU$_4$ breaking and allowed transitions 4−2818
muonic atoms, bound-bound transitions, penetration effects 4−2809
muonic atoms, magnetic moments and h.f.s. 4−2791
muonic hyperfine structure, exchange currents and finite size effects 4−2758
N=50 nuclei, energy levels, E2 and M4 transitions anal. 4−31257
N=50 region, single-hole-core coupling in semimicroscopic model 4−31259
N=75-80 and Z=59-64, high spin bands of odd-mass nuclei populated by (α, xn) reactions 4−19302
N=82 region, particle (hole)-core coupling and high spin states 4−15642
natural parity states in $10 \leqslant A \leqslant 14$ mass region, shell model calc. 4−504
normal-parity states, A=35 and 34 nuclei 4−5722
odd-A nuclei, M1 transitions, penetration factor matrix element determ. 4−12250
odd-odd nuclei, ^{10}B to ^{42}Sc, calc. of strength of M1 and E2 transitions *(Russian)* 4−578
perturbed angular distribution pattern of γ-rays in presence of two isomeric levels 4−19339
quadrupole vibr. coupling of valence-shell 3-particle (hole) cluster 4−2795
rare earths, rotating, change in charge distrib. for $2_1{}^+ \rightarrow 0^+$ transition 4−2792
reaction γ-ray spectroscopy, transitions tabulated for A=6 to A=20 4−31282
reduced matrix element computation rel. to summations of one-particle tensor operators 4−5935
rotational states, transition probabilities, symmetry, microscopic description 4−594
sd-shell nuclei, $18 \leqslant A \leqslant 21$ and A=23, non-central interaction in SU$_3$ model 4−12207
sd-shell nuclei, dynamic and static multipole moments via Coulomb excitation 4−12153
short-lived product nuclei resulting from 1 GeV proton bombardment of C, O, Al isotopes *(Russian)* 4−629
spherical nuclei, quadrupole-octupole anharmonicities 4−2788
triple cascade, anal. of gamma-gamma directional correlation 4−35389
(e,e′) reactions, transition probabilities determ. 4−31350
(p,γ) reaction, polarised protons, E2 giant resonances 4−5813
^{176}Lu(n,γ)^{177}Lu, below 47 eV, γ-ray spectra, primary E1 transitions and spin-parity assignments 4−15708
^{109}Ag E3-transition, twin conversion line probability *(Russian)* 4−23634
^{26}Al, search for competitive beta and gamma decay branches 4−19355
^{27}Al, 2.21 and 2.73 MeV levels, ground-state radiation, polarization obs. 4−27264
Ar isotopes, electric charge radii, using muonic X-rays 4−2749
^{36}Ar, electric charge radius, muonic X-ray meas. 4−19272
^{37}Ar, excited, from ^{40}Ca(n,α)^{37}Ar, alpha-particle distrib., direct reaction contrib. 4−39998
^{37}Ar, mean lifetime, γ-ray spectrum 4−12266
^{38}Ar, following ^{38}Cl β^- decay 4−5797
^{73}As energy levels populated by ^{73}Ge(p,n)^{73}As reaction 4−454
^{74}As, level scheme from ^{74}Ge(p,nγ), transition multipolarities 4−426
^{75}As, half-life of 280 keV level from γ-γ coincidence meas. 4−2755
^{75}As populated in ^{75}Se decay, decay scheme determ. 4−36157
^{77}As, g-factor determ. of 264 keV level using perturbed ang. correlation technique 4−15612
^{187}Au, low-lying level obs. 4−2763
^{189}Au, conversion electron and γ-ray spectra from decay, new transitions *(French)* 4−12246
^{195}Au, conversion electron spectra, low-energy transitions, numerical anal. 4−27265
^{197}Au, E2/M1 77.3 keV transition, thick absorber line-shape analysis and interference effects in Mossbauer absorption spectra 4−12255
^{198}Au level scheme obs. by ^{197}Au(n,γ)^{198}Au reaction 4−588
^{199}Au, low-lying level obs. 4−2763
^{10}B, 1.75 and 2.20 MeV levels, from deuteron and heavy particle stripping of ^{9}Be 4−19462
Ba isotopes, reduced EO and E2 transition probabilities in Wilets-Jean model 4−437
^{138}Ba, γ-transitions following ^{138}Cs beta decay 4−19358
^{138}Ba, $J^\pi=1^+$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{6}Be, populated in (^{3}He,γ) reaction, resonant structure obs. 4−27338
^{199}Bi isomeric states populated in ^{191}Ir(^{12}C,4n) reaction 4−464
^{201}Bi isomeric states populated in ^{193}Ir(^{12}C,4n) reaction 4−464
^{206}Bi, internal conversion electrons from ^{206}Pb(p,n) reaction 4−589
^{206}Bi, isomer, M2 transition decay, 229.4 keV, 1.0 ms half-life 4−581
^{206}Bi excited states obs. in decay of ^{200}Po 4−466
^{208}Bi, internal conversion electrons from ^{208}Pb(p,n) reaction 4−589
^{209}Bi, anomalous E1 width of isobaric analogue state, charge-exchange dipole mode coupling 4−31292
^{79}Br, gamma ray directional correl., from ^{79}Kr decay 4−5750
^{79}Br, transition to isomeric levvels produced by Coulomb excitation, γ-ray spectra obs. 4−9104
^{81}Br, transition to isomeric levels produced by Coulomb excitation, γ-ray spectra obs. 4−9104
^{12}C, 4.44 MeV gamma-rays from pion$^-$ absorption at rest in ^{16}O 4−12387
^{12}C, isospin-forbidden transition in ^{14}N(d,α) at 40 MeV 4−9217
^{12}C, polarisation in octupole transitions induced by 185 MeV protons 4−15841
^{12}C populated in (α,α^1) reaction, decay of 7.65 MeV state 4−31294
^{12}C(^{3}He,^{7}Be)^{8}Be, FRDWBA anal. of 0$^+$ to 0$^+$ ground state transitions 4−9237
^{12}C(^{7}Li,α)^{15}N, to 16 MeV, triton transfer reaction mechanism 4−9266

nuclear energy level transitions continued
^{12}C(n,n′γ), obs. of low-energy γ radiation 4−40013
^{12}C(p,p′) spin-flip transitions, giant multipole reson., excitation 4−9203
^{12}C(p,p′)^{12}C, 25 MeV, correl. effects in microscopic anal. 4−2886
^{14}C, lifetime of first excited state 4−590
^{14}C giant resonance, muon capture by ^{14}N 4−2864
^{14}C(^{16}O,^{18}O)^{12}C, 20, 25 and 30 MeV, interference between transfer processes 4−9262
^{41}C, spins of ln=1 levels using angular correlation data from ^{40}Ca(d,pγ)^{41}Ca reaction 4−448
Ca, inelastic scattering of ^{3}He to low lying O$^+$ states at 29 MeV 4−5826
^{38}Ca, anomalous L=0 transition obs. in ^{40}Ca(p,t) reaction 4−31365
^{39}Ca, excited states, lifetime determ. 4−12267
^{40}Ca, (e,e′), (p,p′) reactions, proton, neutron transition densities 4−626
^{40}Ca, polarisation in octupole transitions induced by 185 MeV protons 4−15841
^{40}Ca produced in ^{42}Ca(p,t), study of g.s. transitions 4−2891
^{40}Ca(^{3}He,^{7}Be)^{36}Ar, FRDWBA anal. of 0$^+$ to 0$^+$ ground state transitions 4−9237
^{40}Ca(d,pγ)^{41}Ca, 3 MeV, ang. correlation and branching-ratios 4−31387
^{41}Ca produced in ^{43}Ca(p,t)^{41}Ca, obs. of L=0 transition 4−2891
^{42}Ca, high-spin states ppopulated by reaction 4−15639
^{47}Ca produced in ^{48}Ca(p,d)^{47}Ca using 22.9 MeV polarised p, cross-section and asymmetry meas. 4−19456
^{49}Ca, weak coupling, evidence from ^{48}Ca(d,p)^{49}Ca at 20 MeV 4−12214
^{a}Cd (A=115, 117, 119, 121), level obs. by beta-decay of corresponding Ag isotopes 4−460
^{105}Cd M1 transition probabilities, lifetimes 4−12271
^{107}Cd, transition probabilities of first two excited states *(French)* 4−5754
^{107}Cd M1 transition probabilities, lifetimes 4−12271
^{107}Cd. 11/2− band from ^{105}Pd(α,2n) reaction, isomeric decay study 4−12176
^{109}Cd, M1 transition probabilities, lifetimes 4−12271
^{110}Cd(p,γ)^{111}In, $E \leqslant 2.3$ MeV, nonstatistical effects 4−5815
^{111}Cd, linear polarisation meas. of 245 keV gamma radiation using Compton polarimeter *(German)* 4−12258
^{114}Cd spectra of low-lying excited states, boson representation of fermion operators 4−15685
Ce isotopes, reduced EO and E2 transition probabilities in Wilets-Jean model 4−437
^{132}Ce, high spin yrast states populated in ^{120}Sn(^{16}O, 4n) reaction 4−19325
^{133}Ce, ^{135}Ce, population of high spin levels by ^{a}Sn(^{16}O, xn), (A=120, 122) reaction 4−15643
^{134}Ce, high-spin yrast states populated in ^{122}Sn(^{16}O, 4n) reaction 4−19325
^{135}Ce,^{137}Ce, l-forbidden M1-transitions, excited state lifetimes 4−12273
^{138}Ce, γ-ray spectra, conversion electron spectra and multipolarities *(Russian)* 4−27267
^{140}Ce, $J^\pi=1^+$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{140}Ce, level structure, gamma spectroscopy 4−461
^{252}Cf, spontaneous fission, determ. of gamma ray total energy 4−23737
^{35}Cl, structure of high spin negative parity states and transitions 4−15637
^{37}Cl, mean lifetime γ-ray spectrum 4−12266
^{37}Cl isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4−580
^{38}Cl, from ^{37}Cl(n,γ), gamma-branching, decay scheme 4−5797
^{38}Cl($\nu f_{7.2}$-$\pi d_{3.2}$), core-excited shell model 4−2775
^{55}Co, shell-model calc. of core excitation effects 4−31240
^{55}Co pop. in ^{54}Fe(d,n)^{55}Co at 5 to 6 MeV, meas. excitation functions 4−2911
^{57}Co, γ-source, problem of accumulation of ^{57}Fe *(Russian)* 4−11638
^{59}Co level structure, from γ-ray meas. following ^{59}Fe decay 4−19346
^{49}Cr, gamma ray spectroscopy of levels populated by ^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions 4−452
^{50}Cr, high spin states and transitions obs. by ^{40}Ca(^{16}O, 2pα)^{50}Cr, reaction 4−12186
^{50}Cr(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{51}Cr, hindrence of 749 keV E2 transition using ^{51}V(p,nγ) reaction 4−23650
^{125}Cs, reduced transition probabilities in ^{125}Ba β-decay, search for negative deformed states 4−15722
^{127}Cs, reduced transition probabilities in ^{127}Bn β-decay, search for negative deformed states 4−15722
^{133}Cs, 81 keV transition, M$_1$ conversion, nuclear struct. effects 4−19332
^{137}Cs, 622 keV level, photopeak shape in NaI(Tl) scintillation counter 4−39358
^{138}Cs, γ-transitions following ^{138}Xe β decay 4−19358
^{138}Cs, level scheme and determ. and shell model anal. 4−31296
Cu isotopes, low lying energy level lifetimes 4−12270
^{61}Cu, $g_{9/2}$ analogue to antianalogue M1 transition 4−9114
^{61}Cu, γ-ray transition probabilities for low-lying levels, particle-hole coupling model 4−39956
^{61}Cu isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4−580
^{61}Cu pop in ^{60}Ni(p,γ)^{61}Cu, at 1.8 to 2.3 MeV, gamma decay of isobaric analogue states 4−12259
^{63}Cu, γ-ray transition probabilities for low-lying levels, particle-hole coupling model 4−39956
^{63}Cu, pop. in ^{63}Zn beta-decay, weak γ-ray energy and relative intensity meas. 4−12289
^{64}Cu, levels populated in ^{63}Cu(n,γ) reaction, γ-ray polarisation 4−2873
^{64}Cu low lying levels populated in ^{64}Ni(p,nγ)^{64}Cu reaction 4−453
^{65}Cu, gamma ray distributions from states populated in ^{64}Ni(p,γ) reaction 4−2803
^{156}Dy, ground-state and β-bands population in (α, 8n) and (p, 4n) reactions, twin backbending obs. 4−36154

nuclear energy level transitions continued
^{156}Dy, high spin states populated in ^{159}Tb(p, 4nγ)^{156}Dy reaction 4−19326
^{162}Dy, high spin rot. states, lifetime meas. 4−12278
^{158}Er, mechanism for E2 transitions to ground state from critical spin region (10^{+}-18^{+}) *(Russian)* 4−570
^{163}Er, interband G-ray transition probabilities calc. 4−12275
^{164}Er, high spin rot. states, lifetime meas. 4−12278
^{164}Er, lifetimes and backbending of levels populated in ^{164}Dy(α, 4n)^{164}Er reaction 4−15692
^{165}Er, interband γ-ray transition probabilities calc. 4−12275
^{166}Er, α-particle excitation, E2 and E4 transition matrix elements 4−12370
^{166}Er, high spin rot. states, lifetime meas. 4−12278
^{166}Er, quantal effects in ^{12}C inelastic Coulomb scattering 4−2960
^{168}Er, high spin rot. states, lifetime meas 4−12278
^{168}Er quantal effects in ^{12}C inelastic Coulomb scattering 4−2960
^{144}Eu, level scheme from ^{144}Sm(d,2nγ)^{144}Eu and ^{144}Sm(p,nγ)^{144}Eu, γ-ray spectra 4−12178
^{153}Eu, nuclear structure effect in internal conversion of 103 keV transition 4−23630
F and Ω forbidden dipole transitions for $150<A<190$ doubly deformed odd nuclei 4−585
^{16}F, pop. in ^{14}N(^{3}He,n)^{16}F, determ. of J$^{\pi}$ and transition L-values 4−9066
^{19}F, even parity transitions, wave functions 4−642
^{19}F, gamma-radiation, linear polarisation, effect of hyperfine interaction 4−12261
^{19}F, parity-mixing of ground and first excited states from obs. of parity-violating transition 4−411
^{19}F pop. in ^{19}F(α,α') at 25 MeV, DWBA anal. of multipole strength distrib. 4−12368
^{53}Fe, spectroscopic factors and γ-ray transition rates for low-lying levels 4−12159
^{54}Fe produced in ^{56}Fe(p,t) at 52 MeV, anal. of core-excited states 4−31357
^{56}Fe level scheme determ. from (p,p$'\gamma$) and (n,n$'\gamma$) reactions *(French)* 4−40006
^{56}Fe(^{16}O,^{16}O$'\gamma$), 43 MeV, Coulomb-nuclear interference effects in γ-ray angular correl. 4−2965
^{58}Fe, populated in ^{57}Fe(n,γ) reaction, anal. of γ-ray intensities and energies 4−2872
^{59}Fe decay anomalous anisotropies in 1099 keV and 1293 keV transitions due to intermediate state reorientation 4−15721
Ga, γ-decay obs. of particle-plus-core excitation mode 4−15702
^{149}Gd internal conversion, electron spectra, KBK values and multipolarities *(Russian)* 4−23633
^{154}Gd, spin depend. of M1 admixtures in β and γ vibr. state transitions 4−36163
^{155}Gd(n,γ), correlation between reduced neutron and partial radiative width 4−40014
^{156}Gd, ^{158}Gd, K$^{\pi}$=2^{+}, 0^{+} bands 4−15707
^{156}Gd transition obs. from ^{156}Eu beta decay 4−603
^{158}Gd, low spin state obs. from beta-decay of ^{153}Gd 4−462
^{158}Gd from ^{157}Gd(n,γ)^{158}Gd, thermal n, γ-ray spectra, decay scheme 4−15698
^{71}Ge, level spins and decay scheme of levels populated by ^{71}Ga(p,n)^{71}Ge reaction 4−413
^{72}Ge, E0 and E2 rates in shell model with collective excitations 4−15660
^{72}Ge, half-life of 690 keV E0 transition following ^{72}Ga β-decay 4−31304
^{72}Ge prod. in ^{72}Ga decay, energies and mixing ratios of transitions 4−23636
^{1}H(n,γ)^{2}H, thermal neutrons, polarisation meas. for $^{3}S_{1}$-$^{3}S_{1}$ radiative transitions 4−15825
He+p, X-ray spectra from 3d→2p transition 4−27275
^{4}He, sum rules for quadrupole photoexcitation 4−12252
^{4}He photodisintegration cross sections, E1 and E2 transitions 4−19383
^{a}Hf, K$^{\pi}$=2^{+}, 0^{+} bands, A=176, 178, 180 4−15707
^{176}Hf, high-K states, populated in (λ,2n) reaction 4−5748
^{177}Hf, e.m. transitions, gamma spectra, decay scheme, K-conversion coeff. 4−39971
^{177}Hf, internal conversion studies from ^{177}Lu decay 4−31301
^{177}Hf, L-subshell internal conversion, hindered E1 transitions 4−15706
^{178}Hf pop. in ^{177}Hf(n,γ) at 1 to 8 eV, spin assignment of bound levels 4−15614
^{179}Hf, γ-γ correlation studies of ^{178}Hf(n,γ) reaction, decay schemes, energy levels and spin-parity assignments *(Russian)* 4−573
^{180}Hf, internal conversion process of electric dipole transition 4−23642
^{180}Hf, time-reversal invariance, enhanced sensitivity γ-γ correlation test 4−9107
Hg, A=195, 197, 199 decoupled bands populated by (α, xnγ) reactions 4−23612
Hg light isotopes, γ-ray spectra of isomeric states, search for strong deformation 4−2759
^{a}Hg, A=196, 198, 200, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{a}Hg, A=198,200,202, 204, magnetic moment of first 2^{+} states by PAC method 4−418
^{184}Hg→^{184}Au β^{+} decay, e.m. transition obs. *(French)* 4−9118
^{186}Hg, relative intensities, level ordering 4−2751
^{189}Hg, conversion electron and γ-ray spectra from decay, new transitions *(French)* 4−12246
^{195}Hg, transition intensity, ^{195}Au spin and parities *(French)* 4−430
^{196}Hg levels populated by ^{196}Tl decay *(French)* 4−9112
^{198}Hg levels populated by ^{198}Tl decay *(French)* 4−9112
^{200}Hg, investigation of low spin states populated in (n,γ) reactions 4−465
^{200}Hg levels populated by ^{200}Tl decay *(French)* 4−9112
^{202}Hg levels populated by ^{202}Tl decay *(French)* 4−9112
Ho, A=157, 159, 161, backbending obs. from γ-decay high angular momentum states 4−15687
^{165}Ho, gamma-ray transition probabilities, $^{7}._{2}{}^{-}$[523] to $^{7}._{2}{}^{+}$ [404] state 4−595
^{115}I, M2 isomeric transition associated with deformed shape 4−2804
^{117}I, M2 isomeric transition associated with deformed shape 4−2804

nuclear energy level transitions continued
^{132}I, γ-γ coincidence measurements, ^{132}Xe levels 4−429
^{115}In, magnetic moment of 828 keV level from γ-γ PAC 4−39927
^{115}In 35.5-492 keV cascade, in transverse magnetic field 4−564
^{115}In populated in ^{115}Cd decay, gamma-gamma directional correlation of 485 to 934 keV cacade 4−23639
^{116}In, intermediate struct. in ^{115}In(n,γ)^{116}In reaction 4−9191
^{119}In possible shape isomer obs. in ^{119}Cd beta decay 4−405
^{187}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4−23614
^{189}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4−23614
^{193}Ir, electromagnetic moments 4−2757
^{38}K, excited isomeric state populated by ^{24}Mg(^{16}O, pnγ)^{38}K reaction 4−446
^{39}K, gamma ray obs. of excited states with high ang. momenta populated by ^{36}Ar(α,pγ)^{39}K 4−447
^{39}K(n,γ)^{40}K, circular polarisation and γ-γ ang. correlation meas. 4−40007
^{40}K($\nu f_{7.2}$-$\pi d_{3.2}{}^{-1}$), core-excited shell model 4−2775
La, odd nuclei, populated in heavy ion reactions, γ-ray spectra, energy levels, coupling scheme 4−425
^{131}La, M2 isomeric transition associated with deformed shape 4−2804
^{133}La, ^{135}La, l-forbidden M1-transitions, excited state lifetimes 4−12273
^{135}La, 5/2$^{+\prime}$→7/2^{+} transition, electron spectra meas., penetration effect 4−9102
^{135}La M1 transitions, penetration effects 4−15709
^{137}La M1 transitions, penetration effects 4−15709
^{140}La, level structure, gamma spectroscopy 4−461
^{6}Li, solar-neutrinos related M1 transition 4−25901
^{6}Li(γ,^{2}H)^{4}He, M1 transitions, admixture of D-state in wave functions 4−2863
Lu isotopes, γ-vibr. and ground state rot. bands, mixing 4−586
^{171}Lu, microscopical approach to $\Delta K \neq 1$ band mixing 4−19296
^{175}Lu, L-subshell internal conversion, hindred E1 transitions 4−15706
^{175}Lu, obs. of 1/2^{+}[411] and 1/2^{-}[541] rotational bands 4−463
^{175}Lu produced in ^{176}Yb(p,2n)at 14 to 29 MeV intrinsic and rotational excitations 4−23635
^{23}Mg, γ-decay meas., lowest $^{5}/_{2}{}^{+}$ and $^{9}/_{2}{}^{+}$ states 4−5751
^{24}Mg, γ-ray transitions, for ^{12}C(^{14}N,d) reactions 4−9294
^{25}Mg, deformed s-d shell, high spin-state obs. via ^{24}Mg(α, pγ)^{27}Al reaction 4−19299
^{26}Mg, inelastic electron scattering, excited states study 4−9116
^{26}Mg(^{12}C,^{10}Be)^{28}Si, 46 MeV DWBA anal. 4−9267
^{26}Mg(α,$\alpha'\gamma$)^{26}Mg, 15 MeV, transition amplitude meas. 4−5827
^{51}Mn, level shcemes and gamma decay of analogue resonances 4−12188
^{53}Mn, high spin states transitions obs. by ^{40}Ca(^{16}O, 3p)^{53}Mn reactions 4−19300
^{55}Mn pop. in (γ,γ') reaction at 6.5 MeV, anal. of decay props. of 6877 keV level 4−15754
^{92}Mo, ^{94}Mo, ratio of quadrupole moments of $8_{1}{}^{+}$ states, effective charge ratio of transitions 4−31232
^{93}Mo, γ-ray spectra, conversion electron spectra, half life *(French)* 4−36158
^{94}Mo, produced in ^{95}Mo(d,t) at 17 MeV, ang. distrib. meas. 4−23701
^{96}Mo, populated in ^{96}Tc decay, level spins determ. from gamma-gamma correlations 4−31300
^{96}Mo energies, relative intensities and multipolarities of e.m. transitions during ^{96}Tc decay *(Russian)* 4−27266
^{14}N+p, X-ray spectra for 4f→3d transition 4−27275
^{14}N(p,p')^{14}N, 30 to 40 MeV, tensor part of effective interaction 4−5810
^{15}N, E2 and M1 radiation in giant dipole resonance region, ^{14}C(p,γ) study 4−19341
^{17}N, recoil-distance lifetime meas., using ^{11}B(^{7}Li,p)^{17}N 4−591
^{21}Na, n:γ directional correlation for for 300 kwV state excited in ^{20}Na(d,nγ) reaction 4−23629
^{22}Na, angular correlations and decays of levels below 5 MeV, n-γ coincidences in ^{19}F(α,nγ) reaction 4−19344
^{22}Na, rotational band structure, e.m. transitions for levels of $E_{e}x<4.0$ MeV 4−19343
^{22}Na, rotational bands, E2 transitions 4−12265
^{23}Na, possible ^{12}C+^{12}C resonances, ^{12}C(^{12}C,p)^{23}Na 4−9289
^{23}Na γ-decay meas., lowest $^{5}/_{2}{}^{+}$ and $^{9}/_{2}{}^{+}$ states 4−5751
^{23}Na populated in ^{12}C(^{12}C,p) resonance reaction, excitation function determ. 4−36223
^{87}Nb, gamma-ray spectrum energies and intensities *(Russian)* 4−23645
^{93}Nb, muonic, M1, E2 hyperfine effects, nuclear quadrupole moment 4−15613
^{135}Nd, ^{137}Nd, population of high spin levels by ^{a}Te(^{16}O, xn), (A=122, 124) reaction 4−15643
^{142}Nd, J$^{\pi}$=1^{+} excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{142}Nd pop. in (γ,γ') reaction at 6.5 MeV, anal. of decay props. of 6877 keV level 4−15754
^{144}Nd, populated in ^{144}Pr and ^{144}Pm decays, $\gamma\gamma$ ang. correlation studies 4−27270
^{150}Nd, Coulomb excited 4^{+} rot. state, E4-contribution to cross sections 4−12274
^{19}Ne γ-decay, lifetime and branching ratios from ^{17}O(^{3}He,nγ) reaction 4−582
^{20}Ne, excitation functions and statistical anal., for ^{12}C(^{12}C,α)^{20}Ne, 18 to 25 MeV 4−9290
^{20}Ne, reduced electric quadrupole transition probabilities in projectile Coulomb excitation 4−31404
^{20}Ne, relativistic Doppler effect meas. using 8.6 MeV capture γ-rays 4−5191
^{20}Ne, transition to ground state rotational band in ^{22}N(p,t) 4−9167
^{20}Ne(^{3}He,^{7}Be)^{16}O, FRDWBA anal. of 0^{+} to 0^{+} ground state transitions 4−9237
^{22}Ne, reduced electric quadrupole transition probabilities in projectile Coulomb excitation 4−31404
^{55}Ni, J$^{\pi}$=1^{+} excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419

nuclear energy level transitions continued
^{56}Ni, shell-model calc. of core excitation effects 4−31240
^{57}Ni, shell-model calc. of core excitation effects 4−31240
^{58}Ni(p,^{3}H)^{56}Ni, two step reaction mechanism 4−9169
^{59}Ni, seniority-three states, γ-decay 4−15703
^{60}Ni, $2_l{}^+$ states, B(E2 spin up) and R_{tr} 4−5719
^{60}Ni, fast π^- interactions, α-particle removal, meas. of prompt γ-ray spectra 4−15927
^{60}Ni, intensities of 2158 and 2505 keV γ rays meas following ^{60}Co decay 4−12280
^{60}Ni pop. in (e,e') at 25 to 250 MeV, transition densities determ. 4−15769
^{60}Ni(^{18}O,X), X=^{19}F, ^{12,13,14}C, ^{16}O, angular distrib. at 60 and 63 MeV 4−9264
^{61}Ni, M1 transition from IAS of $g_{9/2}$ state 4−9114
^{62}Ni(^{18}O,X), X=^{19}F, ^{12,13,14}C, ^{16}O, angular distrib. at 60 and 63 MeV 4−9264
^{62}Ni(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{63}Ni, gamma decay from isobaric resonance following ^{62}Ni(p,γ) reaction 4−31371
^{238}Np shape isomers, search for γ-branch in ^{238}U(p,n) reaction 4−19337
^{15}O, mixing ratio of $(P_{3/2})^{-1}\rightarrow(P_{1/2})^{-1}$ transition 4−31284
^{16}O, dipole and quadrupole resonances from ^{12}C(α,γ_0)^{16}O reaction 4−5828
^{16}O, E2 amplitudes in ^{15}N(p,γ_0), evidence for giant quadrupole resonance 4−19407
^{16}O, from ^{12}C(α,γ), search for parity-nonconserving effects 4−23711
^{16}O, hyperfine interactions of 6.13 MeV 3^- state in ions of low charge state recoiling into vacuum 4−9063
^{16}O (e, e'), E=101-126 MeV, positive parity levels, form factors 4−5712
^{16}O+p, X-ray spectra from 4f→3d transition 4−27275
^{16}O(^{3}He,^{7}Be)^{12}C, FRDWBA anal. of 0^+ to 0^+ ground state transitions 4−9237
^{18}O, spherical or deformed, K-harmonic model, E2 transition rates 4−31285
(^{18}O,^{16}O), two nucleon transfer, quantum mechanical treatment 4−9275
^{18}O(^{12}C,^{10}Be)^{20}Ne, 46 MeV, DWBA anal. 4−9267
^{a}Os, A=182, 184, 186, 188, systematics of backbending in yrast bonds populated by (α, xnγ) reactions 4−19327
^{185}Os, rotational bands and transitions obs. by (α, 2n) and (d, 2n) reactions 4−19306
^{186}Os, ^{188}Os, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{186}Os pop. in ^{186}Ir beta-decay, interband and intraband transition 4−19294
^{187}Os, rotational bands and transitions obs. by (d, 2n) and (p, n) reactions 4−19306
^{188}Os, γ-ray spectra in ^{187}Os(n,γ) reaction *(Russian)* 4−27312
^{192}Os, 6.1 s isomer and rotational bands following neutron bombardment of natural Os 4−12241
^{30}P, from ^{28}Si(^{3}He,p) at 28 MeV, ang. distrib. of transitions to 1^+ states 4−9232
^{31}P, from ^{29}Si(^{3}He,p) at 26 MeV, ang. distrib. of transitions to 1^+ states 4−9232
^{31}P, γ-decay properties of higher spin states from ^{28}Si(α,pγ), collective structure 4−563
^{31}P isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4−580
^{32}P, from ^{30}Si(^{3}He,p) at 28 MeV, ang. distrib. of transitions to 1^+ states 4−9232
^{231}Pa excited states following α-decay of ^{235}U 4−39974
^{236}Pa pop. in ^{236}Th beta-decay, decay scheme determ. rel. to ^{236}Th identification 4−23648
^{207}Pb pop. in (p,p^{1}) at 35 MeV, transition strength anal. 4−19416
^{208}Pb, (e,e'), (p,p') reactions, proton, neutron transition densities 4−626
^{208}Pb, charge distrib. from electron elastic scattering and muonic X-rays 4−12324
^{208}Pb, electric quadrupole transitions in 0 to 30 MeV range, finite Fermi systems theory 4−9108
^{208}Pb, $J^\pi=1^+$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{208}Pb, M1, from 180° electron scattering 4−5755
^{208}Pb, muonic X-rays, determ. of charge distrib. 4−5707
^{208}Pb, polarisation in octupole transitions induced by 185 MeV protons 4−15841
^{208}Pb, weak transitions, 2p-2h correlations, from ^{208}Pb(d,p)^{209}Pb reaction, 20 MeV 4−12181
^{208}Pb(p,t)^{206}Pb 40MeV polarised protons, analysing powers of L=0,2,4,6 transitions 4−5801
^{209}Pb, first excited state, populated by ^{208}Pb(^{17}O,^{16}O) reaction, lifetime 4−2808
Pd nuclei (A=98, 100, 102, 104), spherical and near spherical, 'phase transitions' in ground state bands 4−15690
^{102}Pd, inversion of rotational states in excited bands and Goldhaber expt. 4−15691
^{102}Pd populated in ^{92}Zr(^{13}C,3n), DCO-ratio meas. of gamma-rays 4−36160
^{106}Pd pop. in ^{105}Pd(n,γ) at 13 to 78 eV, spin assignment of bound levels 4−15614
^{106}Pd pop. in ^{106}Rh beta-decay, level scheme determ. *(French)* 4−19356
^{142}Pm, level scheme from ^{142}Nd(d,2nγ)^{142}Pm and ^{142}Nd(d,nγ)^{142}Pm γ-ray spectra 4−12178
^{207}Po isomeric decay half-life and multipolarities 4−581
^{215}Po, e.m. transition rates, attenuation methods 4−31288
^{135}Pr, M2 isomeric transition associated with deformed shape 4−2804
^{137}Pr, l-forbidden M1-transitions, excited state lifetimes 4−12273
^{138}Pr, γ-ray spectra, conversion electron spectra and multipolarities *(Russian)* 4−27267
^{141}Pr, 1h11/2 single protin state, magnetic moment, from Larmor frequency 4−12140
^{141}Pr, effective M2 and E3 transition moments for 1 h 11/2 single proton states 4−12254

nuclear energy level transitions continued
^{a}Pt, A=190, 192, 194, 196, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{184}Pt→^{184}Ir β^+ decay, e.m. transition obs. *(French)* 4−9118
^{192}Pt, from ^{192}Ir decay, triple γ angular correlation studies 4−5154
^{195}Pt, L-subshell internal conversion ratio of 99 keV transition 4−31303
^{239}Pu, 285.5 keV level, lifetime and magnetic moment 4−12146
^{226}Ra, L X-ray spectra and E2 internal conversion coeffs. following ^{230}Th decay 4−2805
^{78g}Rb radioactive decay and gamma transitions 4−600
^{78m}Rb radioactive decay and gamma transitions 4−600
^{183}Re, band structure and E1 transitions 4−19349
^{185}Re(d,4n)^{183}Os, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4−31391
^{186}Re, γ-transition probability and γ-γ coincidence after ^{185}Re(n,γ) reaction *(German)* 4−23608
^{187}Re(d,6n)^{183}Os, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4−31391
^{222}Rn, L X-ray spectra and E2 internal conversion coeffs. following ^{226}Ra decay 4−2805
^{a}Ru, A=101, 103, 105, transition states populated in (n,γ) reaction γ-ray spectra *(Russian)* 4−23679
^{93m}Ru, decay scheme of short-lived isotope 4−601
^{34}S pop. in ^{31}P(α,pγ)^{34}S, e.m. transition rates and vibrational modes 4−12257
^{117}Sb, rotational-like structure obs. in ^{115}In(α, 2n)^{117}Sb reaction 4−19301
^{121}Sb inelastic neutron scattering, level widths, spin determ. 4−12272
^{123}Sb, inelastic neutron scattering, level widths, spin determ. 4−12272
^{124}Sb→^{124}Te, $\beta\rightarrow\gamma\rightarrow\gamma$ ang. correl. studies of decay radiations 4−599
^{125}Sb, populated in ^{125}Sn beta-decay, multipole mixing ratios and level spin assignments 4−23637
^{127}Sb, populated in ^{127}Sn beta decay, level scheme determ. 4−31298
^{42}Sc($\pi f_{7.2}$-$\nu f_{7.2}$), core-excited shell model 4−2775
^{45}Sc, γ-ray spectra meas., ^{44}Ca(p,γ)^{45}Sc, 600-930 keV 4−23601
^{45}Sc, high-spin states populated by ^{30}Si(^{18}O, p2n) and ^{41}K(^{7}Li, p2n) reactions 4−15640
^{45}Sc, low-lying levels, lifetimes 4−12268
^{45}Sc, props. of low-lying levels from 5 MeV (p,p'γ) reaction anal. 4−23604
^{48}Sc($\pi f_{7.2}$-$\nu f_{7.2}{}^{-1}$), core-excited shell model 4−2775
^{49}Sc isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4−580
^{75}Se, low lying levels, reduced probabilities 4−592
^{75}Se, obs. of excited states populated in ^{72}Ge(α,nγ) and ^{73}Ge(α,2nγ) reactions 4−455
^{77}Se, B(E2) transition, coexistence of spherical and deformed shapes 4−19270
^{81}Se, gamma-ray spectra, energy level scheme 4−27283
^{28}Si, 1522 keV transition investig., following ^{27}Al(pγ) reaction 4−36162
^{28}Si, E2 transitions between core excited states, giant dipole resonance 4−15742
^{28}Si, excited states populated in ^{27}Al(p,γ) reaction, used as gamma ray calibration standard 4−40012
^{28}Si, group decay of resonant states in region of isobaric analogue resonances 4−9115
^{28}Si, Hartree-Fock calcs. of B(E2) transition probabilities including prolate bands 4−551
^{28}Si, $J^\pi=6^-$, T=1 state, 14356 keV, from ^{27}Al(p,γ) reaction *(French)* 4−31233
^{28}Si levels populated in ^{27}Al(p,γ) reaction *(French)* 4−2802
^{28}Si pop. in ^{24}Mg(^{7}Li,t) at 12 to 20 MeV, deduced selective pop. of states 4−15904
^{29}Si, E1 effective charge, effect of giant dipole resonance 4−15609
^{29}Si, retardation of E1 transitions, and neutron effective charge, giant dipole resonance effect 4−583
^{151}Sm transitional nucleus, rotational bands populated by ^{150}Nd(α, 3n)^{151}Sm reaction 4−15644
^{154}Sm, α-particle excitation, E2 and E4 transition matrix elements 4−12370
Sn even isotopes, $J^\pi=1^+$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
Sn isotopes, isomeric states half-lives study by ^{a}Cd(α,2n)$^{a-2}$Sn reaction, 24 MeV beam 4−12187
Sn odd isotopes, spectroscopic factors of negative parity multiplet states 4−36119
^{114}Sn, quadrupole-octupole anharmonicities 4−2788
^{116}Sn, spectra of low-lying excited states, boson representation of fermion operators 4−15685
^{117}Sn produced in ^{118}Sn(p,d) at 24.5 MeV, asymmetry meas. and DWBA anal. 4−15848
^{118}Sn produced in ^{119}Sn(p,d) at 24.5 MeV, asymmetry meas. and DWBA anal. 4−15848
^{120}Sn, (e,e'), (p,p') reactions, proton, neutron transition densities 4−626
^{120}Sn, electric quadrupole transitions in 0 to 30 MeV range, finite Fermi systems theory 4−9108
^{89}Sr, obs. of low-lying levels populated in ^{88}Sr(d,pγ)^{89}Sr reaction 4−587
^{181}Ta, parity non conserving E1 transitions calc. in oscillator shell model 4−5749
^{181}Ta, retarded 482 keV transition, K-conversion coeff. 4−15705
^{181}Ta, study of PAC of γ-transitions following β-decay of ^{181}Hf in Hf-Ni alloy *(Russian)* 4−574
^{182}Ta, doubly odd deformed, transitions between 40 and 1300 keV 4−15688
^{159}Tb(n,n') gamma-ray transitions, level scheme 4−12256
^{91}Tc, decay scheme of short-lived isotope 4−601
^{93}Tc, γ-ray spectra, conversion electron spectra, half life *(French)* 4−36158
^{95}Tc, gamma-transitions following ^{97}Ru decay, level scheme system 4−36165
^{95}Tc*→^{95}Mo, γ-ray and $\gamma\gamma$ coincidence spectra, conversion electron spectra and β^+ spectra *(Russian)* 4−23644

nuclear energy level transitions continued
^{96}Tc internal conversions, electron spectra, γ-transition probabilities *(Russian)* 4−27266
^{97}Tc, gamma-transitions following ^{97}Ru decay, level scheme determ. 4−36164
^{99}Tc populated in ^{99}Mo decay, multipole mixing ratios determ. 4−31295
Te, heavy doubly-even isotopes, reduced quadrupole transition probabilities for $2^+\to0^+$ transition 4−23609
^{123}Te, 248 keV, E5 transition, expt. information on all E5 transitions 4−584
^{125}Te, change in electron-cloud radius on excitation to 35.45 keV level, quantum chem. calc. 4−6819
^{130}Te, energies and angular correlations of emitted γ-rays following ^{130}Sb β-decay *(Russian)* 4−421
^{232}Th, first excited state, Mossbauer effect linewidth meas. 4−25043
^{42}Ti, from ^{40}Ca(^{3}He,n)^{42}Ti, 8.0 MeV, e.m. transitions 4−15697
^{44}Ti, band structure, study by ^{40}Ca(α,γ)^{44}Ti reaction 4−443
^{44}Ti, E1 transition strength from isospin forbidden ^{40}Ca(α,γ) reaction in giant resonance region 4−15898
^{44}Ti, obs. of excited states populated by ^{40}Ca(α,γ)^{44}Ti reaction 4−449
^{46}Ti, inelastic ^{3}He scattering at 29 MeV, monopole transitions 4−657
^{46}Ti; B(E2; $0^+\to2^+$) and level schemes, collective potential energy surface 4−9091
^{48}Ti, B(E2,$0^+\to2^+$) and level schemes, collective potential energy surface 4−9091
^{48}Ti, inelastic ^{3}He scattering at 29 MeV, monopole transitions 4−657
^{48}Ti, inelastic scattering of ^{3}He to low lying O^{+} states at 29 MeV 4−5826
^{48}Ti produced in ^{49}Ti(p,d), using 20.9 MeV polarised p cross-section and asymmetry meas. 4−19456
^{48}Ti(α, α)^{48}Ti, refinement of energy level spectra calc. by generalised collective model 4−15689
^{50}Ti, lifetime of 4^{+} state 4−12269
^{50}Ti B(E2; $0^+\to2^+$) and level schemes, collective potential energy surface 4−9091
^{51}Ti, γ-decay of excited levels populated in ^{50}Ti(d,pγ) and ^{48}Ca(A,nγ) reactions 4−19348
^{195}Tl, γ-decay scheme from energy spectra, angular correlation and internal conversion electrons, comparison with ^{197}Tl *(Russian)* 4−572
^{197}Tl, γ-decay scheme from energy spectra, angular correlation and internal conversion electron meas. *(Russian)* 4−571
^{201}Tl, ^{203}Tl, internal conversion penetration parameter for M1(+E2) transitions *(German)* 4−31305
^{205}Tl, differential energy-spectrum of γ-rays emitted following ^{204}Tl(n,γ) reaction, excitation energy up to 7.5 MeV *(Russian)* 4−579
^{205}Tl, spectroscopic study by 7646 keV neutron capture gamma-rays 4−15695
Tm isotopes, γ-vibr. and ground state rot. bands, mixing 4−586
^{167}Tm, 1/2^{-}[541] band Nilsson configuration 4−19303
^{169}Tm, 1/2^{-}[541] band, Nilsson configuration 4−19303
^{169}Tm, from decay of ^{169}Yb, γ transitions, 307-773 keV *(Russian)* 4−569
^{169}Tm, gamma-ray transition probabilities, $^{7}._{2}{}^{-}$[523] to $^{7}._{2}{}^{+}$ [404] state 4−595
^{169}Tm, meas. of internal conversion coefficients of K-forbidden M1 transitions 4−12245
^{171}Tm, L-subshell internal conversion, hindered E1 transitions 4−15706
^{171}Tm gamma-ray transition probabilities, $^{7}._{2}{}^{-}$ [523] to $^{7}._{2}{}^{+}$ [404] state 4−595
^{236}U shape isomers, search for γ-branch in ^{235}U(d,p) reaction 4−19337
^{237}U, pop in ^{237}Pa beta-decay, level scheme determ. 4−12287
^{238}U, Coulomb excitation using Kr ions, moments of inertia 4−2799
^{47}V, level schemes and gamma decay of analogue resonances 4−12188
^{47}V, level struct. and decay scheme, ^{47}Ti(p,nγ) obs. *(French)* 4−5753
^{48}V, 1^{+} states populated in ^{46}Ti(^{3}He,p) reaction 4−19292
^{48}V, obs. of low-lying states populated by ^{48}Ti(p,nγ)^{48}V reaction 4−450
^{49}V excited states populated by ^{46}Ti(α,p)^{49}V reaction 4−451
^{51}V, high spin states transitions obs. by ^{48}Ca(^{7}Li, 4n)^{51}V reactions 4−19300
^{51}V, lifetime of (15/2)$^{-}$ state 4−12269
^{51}V, obs. of high spin states and transitions by ^{50}V(n, γ)^{51}V reaction 4−15641
^{51}V following radiative capture of s electrons in ^{51}Cr decay 4−5760
^{182}W, 100 keV transition, L and M subshell conversion relative intensities 4−23628
^{182}W, α-particle excitation, E2 and E4 transition matrix elements 4−12370
^{182}W, internal conversion process of electric dipole transition 4−23642
^{182}W, K$^{\pi}$=2^{-} octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
^{184}W, mixing of K$^{\pi}$=0^{+} and 2^{+} bands 4−19324
^{186}W(p,d)^{185}W, 18 MeV, multistep reaction process 4−9168
Xe even isotopes, 2^{+} levels, ang. correl. study, hyperfine field and g-factor values 4−12139
Xe isotopes, reduced E2 and EO transition probabilities in Wilets-Jean model 4−437
^{131}Xe populated in ^{131}I decay, γ-ray ang. distrib. anisotropy meas. 4−27271
^{138}Xe, level scheme determ. and shell model anal. 4−31296
^{89}Y, excitation functions for transitions to ground and excited states near IAR in ^{92}Zi(p,α) 4−19408
^{95}Y, gamma-ray spectra, decay scheme *(German)* 4−27284
Yb isotopes, rotational states lifetimes meas. 4−12277
^{170}Yb, internal conversion of 84.23 keV transition, 4π scintillation counter 4−568
^{170}Yb, rotations and K$^{\pi}$=1^{+} intrinsic excitation calcs., random phase approx. 4−19320
^{171}Yb(d,p)^{172}Yb, 16 MeV, multistep processes 4−9219

nuclear energy level transitions continued
^{172}Yb, transitions between 1173 keV (3^{+}3) and 78 keV (2g^{+}0) excited states *(Russian)* 4−23632
^{174}Yb, B(E3) values, E1-M2-E3 admixtures, K$^{\pi}$=2^{-} octupole state transitions 4−2806
Zn isotopes, low lying energy level lifetimes 4−12270
^{65}Zn, ^{67}Zn, γ-ray spectroscopy of states from ^{62,64}Ni(α,n) reaction 4−23641
^{65}Zn, gamma-ray decay properties of low lying levels via ^{65}Cu(p,nγ) reaction 4−19336
^{90}Zr, $2_l{}^{+}$ states, B(E2 spin up) and R$_{tr}$ 4−5719
^{90}Zr, compound contrib. to radiative width of ground-state analogue from ^{89}Y(p,γ) reaction 4−19342
^{90}Zr, double-photon decay in 0^{+} to 0^{+} transition, branching ratio 4−9105
^{90}Zr, finite Fermi systems theory, single particle energies of low lying states 4−514
^{90}Zr, M1, from 180° electron scattering 4−5755
^{90}Zr, polarisation in octupole transitions induced by 185 MeV protons 4−15841
^{90}Zr, pop. in (e,e') at 25 to 250 MeV, transition densities determ. 4−15769
^{90}Zr pop. in ^{89}Y(p,γ) at 5.4 to 17 MeV, isospin splitting of giant E1 excitations 4−12335
^{90}Zr(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{93}Zr, coincidence and singles γ-ray spectra following ^{93}Y β-decay 4−12284

nuclear energy levels
see also isobaric analogue states; nuclear energy level transitions; nuclear excitation; nuclear shape; nuclear structure
1g$_{9/2}$ neutron state in nuclei with 52⩽N⩽82, (p,d) reaction study 4−9060
^{156}Gd, ^{155}Gd(n,e) conversion electron spectrum obs. *(German)* 4−27274
^{187}Os , rotational bands and transitions obs. by (d, 2n) and (p, n) reactions 4−19306
A=12-68, variational calcs. with density-dependent interaction 4−550
A=139 to 205, mass number dependence of $^{1}._{2}{}^{+}$ states density near neutron B.E. *(Russian)* 4−31223
A=16 nuclei, particle-hole states calc. using Woods-Saxon approx. for single-particle pot. 4−39952
A=17-40 (2s-2d) shell nuclei, classification of single quantum excited states *(Russian)* 4−23620
A=21 to 44, review of exptl. determ. props. 4−9062
A=40 to 60, (^{3}He,n) reactions at 18 and 21 MeV, excited O^{+} states 4−9233
A=55 to 65 nuclei, anal. of single particle levels using microscopic theory 4−15680
A=6 system, structure, transition probabilities and π^{-} capture rates 4−31239
A=6-14 nuclei, shell model calcs. with realistic interaction 4−12202
A=88 region, investigation by high resolution direct reactions 4−2765
A=90 region, wave functions of low lying states using (p,p'γ) reactions 4−40022
A-dependence of density of 1/2^{+} states at neutron binding energy 4−470
alpha-clusterization and clustering-induced interaction 4−541
broad-peripheral resonance state, angular dependence of shape-elastic wave function 4−39938
closed shell isotopes, inelastic proton scatt. cross sections, microscopic calcs. for collective levels *(French)* 4−5809
collective components C-factors, in stripping reactions on spherical nuclei *(Russian)* 4−31390
collective model anal. of pairing Hamiltonian using yrast approximation 4−15667
collective states, excitation by high energy particles 4−27262
collective states, high-spin, axially asymmetric, energy spectrum calc. 4−15669
collective states, low lying excited, of shell model nuclei, separable residual interaction 4−490
complex nuclei, A=40 to 200, anal. of structure of highly excited states *(Russian)* 4−15630
correlated quasiparticles method, 0^{+} particle-particle residual interaction in odd-mass systems 4−12230
coupled channel calculations, resonant states in continuum shell model 4−9129
curvature correction in mass formula 4−396
deformation effects on the Coulomb barrier, for heavy ion transfer reactions 4−2955
deformed nuclei, density of states 4−471
deformed nuclei, forking and backbending in rot. spectra 4−5731
deformed nuclei, multi-step model anal. of single nucleon transfer reactions 4−15745
density, review of statistical theory 4−15747
density of excited states, pseudopotential method calc. of interaction effects *(Russian)* 4−23603
density of states with fixed angular momentum 4−517
discrete level excitation in coherent particle production 4−36231
even mass nuclei, rotational bands associated with built-up states *(Russian)* 4−23602
even-even nuclei, rotational and quasirotational ground-state bands, applicability of 3-parameter expressions 4−39933
even-even nuclei, spherical and deformed regions, ground-, β-, and γ-bands 4−5732
even-even nuclei with negative parity states, hydrodynamic model *(Russian)* 4−23623
even-even spherical nuclei, boson expansion method and collective negative parity states 4−9092
even-odd nuclei with N or Z=11 and 13, Bohr-Mottelson and Nilsson model calcs. 4−12221
f$_{7/2}$ shell nuclei, phenomenological shell model fit using two and three body effective forces 4−9085
Fermi gas model, level density parameters, 40<A<250 4−15668
few nucleon wave functions, cut corrections from scattering amplitudes 4−19379
fine structure fission widths, class II state parameters 4−5857

nuclear energy levels continued
five-nucleon systems translational-invariant oscillator basis, anal. of negative parity levels *(Russian)* 4−31272
form factors, shell model nuclei, from electron scattering 4−5729
four-nucleon systems, translational-invariant oscillator basis, anal. of negative parity levels *(Russian)* 4−31272
fp shell spectra, review of calcs. not restricted to $f_{7/2}{}^n$ or $(p_{1/2}p_{3/2}f_{5/2})^n$ configurations 4−12215
fragmentation as basis for understanding structure of highly excited states 4−472
generalised neutron particle-hole states in extended unified model 4−12194
generalized Tamm-Dancoff method *(Russian)* 4−19322
giant isovector, monopole, and quadrupole states 4−5772
giant resonance intermediate structure in heavy deformed nuclei 4−39987
ground, excited bands, odd nuclei of s-d shell, Hartree-Fock meth. 4−439
ground and first excited state, in ^{12}C bombardment by ^{10}B ions at 100 MeV 4−9261
ground state bands, even-even nuclei, moments of inertia, Skyrme-type formula 4−557
ground state rotational band, pseudo SU(3) states, calc. for ^{20}Ne 4−5727
ground state shell correction energies, temp. smearing method determ. 4−9087
ground state singularity, near magic numbers, residual interaction model *(Russian)* 4−15664
hadronic atoms, shifts and level widths 4−2811
Hartree-Fock-Bologlubov theory, 2s-1d shell, level spectra rel. to shell model 4−12200
Hauser-Feshbach calculations, absolute cross section for ^{150}Sm, ^{150,148}Nd(^{16}O,xnγ) and (^{16}Oαxnγ) reaction 4−9296
heavy ion scattering induced rotation, modified perturbed stationary state model 4−2971
high and low spin rotational states and CP model 4−444
high moment of energy spectra, S-fixed, many-body configuration 4−31231
high-energy states, e.m. excitation processes 4−31344
high-spin rotational states and nuclear structure 4−31236
high-spin states, rotation aligned coupling scheme for odd-A and even-even nuclei 4−31235
hypernuclei, isomeric and excited states 4−565
intermediate structure, for nucleon-nucleus scattering 4−9192
intermediate structure, statistical tests for randomness 4−9075
intermediate-coupling unified model rel. to props. of ^{55}Mn low-lying levels 4−12203
isobaric multiplets structure, charge asymmetric nucleon-nucleon interaction 4−39926
isospin purity of excitation levels in nuclei with $A=18$-40 *(Russian)* 4−408
j-assignment w, one-nucleon transfer reactions induced by heavy ions 4−9254
light even-even nuclei, density of levels band on superfluid nuclear model 4−2762
light nuclear isotopes, multi-nucleonic configurations *(Russian)* 4−27245
light nuclei, compound level spectroscopy, polarisation use 4−12315
light nuclei, moments of inertia, calcs. in sd shell using Hartree-Fock-Skyrme formalism 4−36106
low-energy level spacing distrib. in nuclear table 4−431
low-energy level-spacing distrib. in nuclear table 4−468
mixing interactions for levels characterized by quantum numbers K_1 and K_2 where $\Delta K>1$ *(Russian)* 4−423
monopole polarisation charges, microscopic calc. 4−2748
multipole potentials, Hartree-Fock field and energy surfaces, deformation barriers 4−549
muonic atom, difference in electronic and fission decay modes 4−31310
muonic atoms, energy level corrections due to nuclear recoil 4−9473
$N=50$ nuclei, shell model anal. of isotones with $Z>38$ 4−31257
$N=50$ region, single-hole-core coupling in semimicroscopic model 4−31259
$N=75$-80 and $Z=59$-64, high spin bands of odd-mass nuclei populated by (α, xn) reactions 4−19302
$N=82$ region, particle (hole)-core coupling and high spin states 4−15642
$N\neq Z$ nuclei, ground state correlations in random phase approx. 4−5743
natural parity states in $10\leqslant A\leqslant 14$ mass region, shell model calc. 4−504
normal-parity states, $A=35$ and 34 nuclei 4−5722
nucleon escape width, calc. rel. to single-particle component of doorway state 4−9135
odd nuclei in $150<A<190$ range, nonrotational states, wave functions 4−27247
odd-A nuclear, energies of single particle states from (d,p) polarisation reactions on $A=40$ to 54 nuclei 4−19508
odd-nonaxial nuclei with modified moments of inertia, rotational one-particle states *(Russian)* 4−31246
odd-odd nuclei, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4−23618
oscillator cluster parent states and supermultiplet expansion, light nuclei 4−27253
overlap representation, single particle, nuclear densities and e.m. operators 4−2754
p-shell nuclei, Woods-Saxon potential 4−614
p-states structure, even A nuclei, (n,γ) channel spin interf. 4−5720
particle-hole multiplet $f_{7/2}d^{-1}{}_{3/2}$, $T=1$ to $T=0$ splitting 4−15662
pre-equilibrium state widths, statistical calc. from absolute (n,n') spectra 4−9176
quadrupole moments, $Z\approx 50$ region, Coulomb excitation 4−12150
quadrupole vibr. coupling of valence-shell 3-particle (hole) cluster 4−2795
quasiparticle-phonon coupling, self-consistent normal and superfluid nuclei 4−434
rare earth nuclei, anal. of effective n-p interaction properties in doubly odd nuclei 4−15646
rare earth nuclei, HF calcs. of ground state properties using Skyrme interaction 4−546

nuclear energy levels continued
rare earths, (p,t) reactions, 19 MeV, enriched and natural targets, Q-meas. 4−634
rare-earth nuclei, backbending and rotation alignment 4−39965
rare-earth nuclei, Coulomb excitation of 2^+ and 4^+ rotational states, hexadecapole moments 4−27235
rare-earth nuclei populated in (d,p) reactions, neutron strength function calc. 4−40025
rotational, pairing vibration states, pf-shell nuclei 4−526
rotational bands, theory, spin and coupling effects 4−27250
rotational model optical potential, struct. of deformed imaginary part 4−2846
rotational model optical potential, struct. of deformed real part 4−2845
rotational states, high spin, instability of quasi-particle vacuum and band-crossing 4−36140
rotational states, level struct. for odd-even and odd-odd nuclei investig., other models 4−36143
rotational states in nuclei with $8\leqslant A\leqslant 24$, moment of inertia behaviour 4−438
s-d shell, computer calc. of state density 4−469
sd shell, low-seniority levels, binding energies, $16<A\leqslant 40$ 4−12211
sd shell nuclei, level density determ. from (n,p) reactions 4−40015
sd-shell nuclei, $18\leqslant A\leqslant 21$ and $A=23$, non-central interaction in SU_3 model 4−12207
sd-shell nuclei, realistic effective interactions, use of Pade approximants 4−9082
self-consistent calcs. including shell structure effects 4−545
semi-microscopic description of medium and light nuclei *(French)* 4−5747
shape-unstable and critical nuclei, around ^{186}Pt 4−523
shell effects in level densities with two kinds of exciton 4−473
shell model, linear spectroscopic relations for nuclear spectra associated with simple configurations, review 4−36136
single-particle density matrix, ground state, best approximation, shell model 4−36120
single-particle states, $A<35$, systematics 4−2761
smearing of multiple HF minima by HFB pairing correlations 4−554
spectroscopic factors extraction using R-matrix theory 4−36169
spherical neutron-rich nuclei, single particle spectra from Saxon-Woods potential *(French)* 4−12196
spin-dependent level densities for deformed nuclei 4−529
spin-orbit interaction, origin, spin-orbit splitting 4−12219
statistically excited nuclei, anal. of shell structure and pairing correlation dependence on ang. momentum 4−12197
strength functions, line shape and spreading width 4−39979
strong band mixing by Coriolis interaction, attenuation factors 4−528
supermultiplets in nuclear reactions 4−9074
$T>$ levels highly excited, evidence for decay mode 4−12243
three-nucleon $1/2^+$ states, for realistic potentials below breakup threshold 4−15658
two-particle density matrix, calc. for excited $U_{3(n-1)}$ states, $A\leqslant 16$ *(Russian)* 4−31238
two-phonon triplets, anharmonicity, shell closure effect 4−527
unified microscopic theory of spectra 4−555
universe scattering, comparison of methods for potential evaluation 4−2835
vibrational nuclei, two-phonon states anal. in (p,t) reactions 4−31373
vibrational states, anal. using systematics of interference in heavy ion two nucleon exchange reactions 4−12376
Wigner supermultiplet scheme, SU(4) symm. in nuclei with excess neutrons 4−31229
yrast levels in spherical nuclei, exactly solvable model 4−2774
$Z=50$ closed shell, even-even nuclei, systematic features of low lying levels 4−9061
^{109}Ag pop. in ^{108}Pd(^{3}He,d) at 27 MeV, nuclear spectroscopy meas. 4−23607
^{24}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{25}Al, states up to 7.8 MeV excitation from ^{24}Mg(^{3}He,d) and ^{28}Si(α,p) reactions 4−12165
^{25}Al shell model structure calcs. B(E2) and B(M1) rate determ. and rotational band ordering anal. 4−12198
^{26}Al, excitation functions and angular distribs. from ^{24}Mg(α,d) reaction 4−19520
^{26}Al, rotational band shifts in shell model calc. 4−36134
^{26}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{27}Al, deformed s-d shell, high-spin states obs. via ^{24}Mg$(\alpha, n\gamma)$ reaction 4−19299
^{27}Al, inelastic deuteron scattering, rot.-vibr. interaction, weak, strong coupling models 4−652
^{36}Ar, populated in (^{6}Li,d) reaction, obs. of odd parity levels 4−40040
^{36}Ar energy level obs., ^{32}S(^{6}Li, d)^{36}Ar direct transfer reaction in s-d shell 4−19539
^{36}Ar levels, lifetimes, branching ratios, excitation energies from ^{35}Cl(p,γ), 0.4-3.0 MeV 4−19402
^{37}Ar pop. in ^{34}S$(\alpha,n\gamma)$, props. of levels below 3.8 MeV 4−12157
^{38}Ar, yield curves excitation energies and branching ratios in ^{37}Cl+p reactions 4−31286
^{46}Ar, population of states by ^{48}Ca(^{6}Li,^{8}B) reaction at 80 MeV 4−9260
As odd-even isotopes, positive parity states and analogue states 4−9077
^{73}As energy levels populated by ^{73}Ge(p,n)^{73}As reaction 4−454
^{74}As, level scheme, spins, parities, ^{74}Ge$(p, n\gamma)$ reaction 4−426
^{75}As, electromag. props. of low lying levels 4−2755
^{77}As, 264 keV level, g-factor, IPAC technique 4−12135
^{77}As, g-factor determ. of 264 keV level using perturbed ang. correlation technique 4−15612
Au, muonic, nuclear excitation from X-ray energies and intensities 4−2810
^{195}Au, from e.m. transitions in ^{195}Hg, spins and parities *(French)* 4−430
^{196}Au, effect of residual spin on cross section and recoil ion range, for ^{197}Au(p,pn) at 52 MeV 4−9174
^{197}Au, low-lying level obs. 4−2763

nuclear energy levels continued

^{198}Au level scheme obs. by ^{197}Au(n,γ)^{198}Au reaction 4−588
^{199}Au, low-lying level obs. 4−2763
^{10}B, 1.75 and 2.20 MeV levels, from deuteron and heavy particle stripping of ^{9}Be 4−19462
^{10}B, from ^{9}Be+p, level struct. near 10 MeV excitation 4−27241
^{10}B levels spectroscopy from ^{9}Be(d,n) reaction 4−9069
^{10}B populated in (α,t) reaction, determ of spectroscopic factors 4−40029
^{11}B, 16.43 MeV level, excitation functions 4−31244
^{11}B, giant resonance, isospin splitting following ^{9}Be(d,γ_0)^{11}B 4−19274
^{11}B energy levels from ^{10}B(n,n)^{10}B, 1.5-4.4 Mev 4−15627
^{12}B, levels, spins and parities from ^{11}B(n,n)^{11}B, 2.2 to 4.5 MeV 4−15626
^{32}B, 2.24 MeV state excitation by 14.1 MeV inelastic neutron scattering 4−27310
Ba, isotopes, collective states, Wilets-Jean model 4−437
^{137}Ba, levels populated by ^{136}Xe(α,3n) reaction, γ-ray obs. *(Russian)* 4−422
^{138}Ba, level scheme from beta- and gamma-ray meas. on ^{138}Cs decay 4−19358
^{138}Ba, levels populated by ^{137}Xe(α,2n) reaction, γ-ray obs. *(Russian)* 4−422
^{138}Ba pop. in ^{138}Xe and ^{138}Cs decay, level schemes, shell model anal. 4−31296
^{6}Be, two-cluster model for hypothetical solar-neutrino related 0^+, T=1 level at 11.5 MeV 4−25901
^{7}Be pop. in ^{6}Li(d,n) reaction below 3 MeV using polarised ^{2}H beam, Q-value determ. *(German)* 4−23699
^{8}Be, alpha-particle model anal. of low-lying states 4−31242
^{8}Be, collective states description *(French)* 4−9093
^{8}Be, composite particle reactions, nuclear struct., unified theory 4−27252
^{8}Be, rotational spectra anal. of ground rotational band 4−27273
^{8}Be, the 2^- threshold state for ^{7}Li(p,n)^{7}Be 4−39940
^{9}Be, pionic, strong interaction shifts, widths of 1s level 4−15645
^{9}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
^{10}Be, population of states by ^{12}C(^{6}Li,^{8}B) reaction at 80 MeV 4−9260
^{10}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
Bi muonic, microscopic description of resonance process 4−40207
^{199}Bi isomeric states populated in ^{191}Ir(^{12}C,4n) reaction 4−464
^{201}Bi isomeric states populated in ^{193}Ir(^{12}C,4n) reaction 4−464
^{206}Bi, $\{\pi(h_{9/2})\nu(i_{13/2})^{-1}\}10^-$ state, 1043 keV, magnetic moment 4−12142
^{206}Bi excited states obs. in decay of ^{200}Po 4−466
^{208}Bi, particle-hole multiplets, DWBA anal. of ^{209}Bi(p,d) reaction 4−19295
^{209}Bi, calc. of particle-phonon multiplets using density dependent effective forces 4−12222
^{209}Bi, obs. of states populated in ^{208}Pb(^{11}B,^{10}Be) reaction 4−5839
^{211}Bi, first excited state, 405 keV, particle-vibration coupling 4−12183
^{78}Br, ^{80}Br, g-factors of first excited states populated in Sn(p, n) reactions, DPAD method 4−9056
^{80}Br, 37 keV level, quadrupole moment by time-differential γ-γ angular correlation 4−12149
^{11}C, meas. of excitation energy of excited states using cyclotron magnetic spectrograph 4−26637
^{11}C produced in ^{12}C(^{3}He,α), at 217 MeV, DWBA and optical model anal. 4−2937
^{12}C, 14.4 MeV neutron induced multiparticle breakup reactions, unstable state study 4−15814
^{12}C, anal. of low lying states from π-nucleus scattering data 4−12385
^{12}C, anomalous levels, α-chain anal. 4−5738
^{12}C, anomalous levels, interpretation as loosely coupled 3α structure 4−435
^{12}C, α clustered states, projected spectra 4−536
^{12}C, collective states description *(French)* 4−9093
^{12}C, ground state in quasiparticle method with Coulomb forces 4−9096
^{12}C, inelastic α-particle scattering, excitation energy spectrum, 3 α-particle states 4−27345
^{12}C, inelastic scatt. of 1 GeV protons, cross section for lowest collective levels excitation 4−5800
^{12}C, meas. of excitation energy of excited states using cyclotron magnetic spectrograph 4−26637
^{12}C, rotational spectra anal. of ground rotational band 4−27273
^{12}C giant dipole and excited giant dipole states in continuum approximation 4−39942
^{12}C low lying states, alpha cluster model 4−533
^{12}C(^{12}C,^{12}C)^{12}C, excitation functions rel. to statistical model 4−9293
^{12}C(2,2p), 460 MeV, background resonance interference, inner shell structure 4−19400
^{13}C, 7.50 and 7.55 MeV levels, effect on phase shifts in ^{12}C(n,n)^{12}C 4−15779
^{13}C, meas. of g-factor of 3.85 MeV level populated in ^{2}H(^{12}C,p)^{13}C reaction by time differential recoil in vac. 4−414
^{13}C giant dipole resonance, isospin splitting continuum shell model anal. 4−39985
^{13}C populated in ^{12}C(d,p) at 2.71 MeV levels determ. 4−31381
^{13}C unbound levels, from neutron scattering and (d,p) on ^{12}C, real Weinberg state method 4−2889
^{14}C, g-factor of 100ps, $I^\pi=3^-$ level populated in ^{3}H(^{12}C,p)^{14}C reaction 4−415
^{15}C, shell model anal. of T=3/2 analogue states 4−12204
^{41}C, spins of ln=1 levels using angular correlation data from ^{40}Ca(d,pγ)^{41}Ca reaction 4−448
^{38}Ca to ^{56}Ni, from (^{3}He,n) reactions at 10 to 13 MeV 4−9234
^{39}Ca, energies of levels populated in ^{40}Ca(^{3}He,$\alpha\gamma$) reaction 4−12267
^{40}Ca, ^{39}K(p,α_0)^{36}Ar reaction obs. 4−12154
^{40}Ca, 3^- and 5^- states excited in (p,p′) reaction, anal. using Skyrme forces 4−40002
^{40}Ca, even parity spectrum in extended model 4−31230
^{40}Ca, excitation of giant resonances in e and p scattering 4−39984
^{40}Ca, particle hole states from ^{41}Ca(^{3}He,α) and ^{40}Ca(^{3}He,α) reactions 4−2938
^{40}Ca, two-particle two-hole 0^+ states from ^{38}Ar(^{3}He,n)^{40}Ca 4−12174

nuclear energy levels continued

^{41}Ca, excitation of 3.62 MeV doublet in ^{42}Ca(^{3}He,$\alpha\gamma$) and ^{40}Ca(d,pγ) reactions 4−19291
^{41}Ca, excited $7/2^-$ states, from L=0 (p, t) transitions, weak-coupling core excitation model 4−36203
^{41}Ca, high-spin states, properties 4−5710
^{41}Ca, $K=3/2^+$ and $K=3/2^-$ rot. bands, study using ^{40}Ca(d,pp) reaction 4−442
^{41}Ca high-spin state populated by ^{27}Al(^{16}O, pn) reaction 4−15638
^{42}Ca, high-spin states ppopulated by reaction 4−15639
^{42}Ca, spectroscopy via (d,t), (^{3}He,d) and (α,α') reactions 4−12164
^{42}Ca, study of 0^+ states using ^{42}Ca(p,t)^{40}Ca reaction 4−2891
^{42}Ca, two-particle wave functions in Sturm Liouville basis 4−39941
^{a}Cd (A=115, 117, 119, 121), level obs. by beta-decay of corresponding Ag isotopes 4−460
^{106}Cd, quadrupole moments of first 2^+ states 4−9055
^{108}Cd, quadrupole moments of first 2^+ states 4−9055
^{114}Cd, first 2^+ states, effect of magnetic reorientation on Coulomb excitation probabilities 4−12167
Ce, isotopes, collective states, Wilets-Jean model 4−437
^{132}Ce, high-spin yrast states populated in ^{120}Sn(^{16}O, 4n) reaction 4−19325
^{133}Ce, ^{135}Ce, population of high spin levels by ^{a}Sn(^{16}O, xn), (A=120, 122) reaction 4−15643
^{134}Ce, high-spin yrast states populated in ^{122}Sn(^{16}O, 4n) reaction 4−19325
^{138}Ce, level structure following ^{138}Pr decay *(Russian)* 4−27267
^{140}Ce, level structure, gamma spectroscopy 4−461
^{33}Cl, populated in ^{32}S(p,p) at 3.3 to 5.0 MeV, excited states determ. 4−27319
^{35}Cl, structure of high spin negative parity states and transitions 4−15637
^{37}Cl, from ^{36}S(p,γ) reaction at 1000-1900 keV 4−9161
^{241}Cm, decay, neutron-fission competition near threshold, influence of shells and pairing 4−656
^{250}Cm, pop. in ^{248}Cm(^{3}H,p) reaction at 15 MeV 4−15620
^{55}Co produced in ^{58}Ni(p,α)^{55}Co, 12 to 16 MeV, states determ. 4−31370
^{57}Co, excited $7/2^-$ states, from L=0 (p, t) transitions, weak-coupling core excitation model 4−36203
^{59}Co, populated in ^{59}Fe decay, core coupling model predictions 4−19346
^{48}Cr, intrashell quartet spectra, sensitivity to model 4−12210
^{49}Cr, gamma ray spectroscopy of levels populated by ^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions 4−452
^{50}Cr, excited levels pop. in (p,p) scattering at 2.8 to 4.9 MeV, lp values and energy densities *(German)* 4−23674
^{50}Cr, high spin states and transitions obs. by ^{40}Ca(^{16}O, 2pα)^{50}Cr, reaction 4−12186
^{50}Cr, spin, parity and transition strength assignments from p,d,^{3}He, and α inelastic scattering meas. 4−15628
^{51}Cr, level scheme study from ^{51}Mn decay and ^{51}V(nγ) reaction 4−23650
^{51}Cr, mag. momemt of 760 keV state, γ-ray differential ang. distrib. meas. *(Russian)* 4−27233
^{52}Cr, shell-model calcs. and levels from ^{51}V(^{3}He,d) reaction 4−9229
^{53}Cr, states populated in ^{51}V(α,d) reaction 4−40028
^{138}Cs level scheme from beta- and gamma-ray meas. on ^{138}Xe decay 4−19358
Cu isotopes, normal parity states, shell model study 4−5723
^{61}Cu, low-lying level properties in particle-hole coupling model 4−39956
^{62}Cu, nuclear spectroscopy with ^{63}Cu(d,t) and ^{64}Zn(d,α) reactions 4−9067
^{63}Cu, low-lying level properties in particle-hole coupling model 4−39956
^{63}Cu, study of excited states pop. in ^{63}Zn beta decay 4−12289
^{64}Cu low lying levels populated in ^{64}Ni(p,nγ)^{64}Cu reaction 4−453
^{65}Cu, bound and resonant states obs. in ^{64}Ni(p,γ) reaction 4−2803
^{156}Dy, ground-state and β-bands population in (α, 8n) and (p, 4n) reactions, twin backbending obs. 4−36154
^{156}Dy, high spin states populated in ^{159}Tb(p, 4nγ)^{156}Dy reaction 4−19326
^{156}Dy, populated in ^{155}Gd(^{4}He,3n) and ^{148}Nd(^{12}C,4n), high spin states in ground and β-bands 4−27237
^{159}Dy, calc. of anomalous $5/2^+$ rotational band, cranking model 4−19307
^{160}Dy pop. of high spin states in (^{7}Li,α2n) reaction at 28 to 37 MeV 4−12383
^{160}Dy populated in ^{16}O, and ^{4}He inelastic scattering, Coulomb excitation studies of rotational levels 4−27350
^{162}Dy, negative parity states, hydrodynamic model *(Russian)* 4−23623
^{162}Dy populated in ^{16}O and ^{4}He inelastic scattering, Coulomb excitation studies of rotational levels 4−27350
^{164}Dy populated in ^{16}O, and ^{4}He inelastic scattering, Coulomb excitation studies of rotational bands 4−27350
^{161,162}Er, backbending and rotation alignment 4−39965
^{a}Er, A=155, 157, 159, 161 high-spin decoupled bands populated by (α,xn) reactions 4−23611
^{154}Er, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{156}Er, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{158}Er, centrifugal stretching due to behaviour of energy spacings of high spin states 4−5714
^{162}Er, calc. of backbending effect in even rotational nucleus 4−19286
^{162}Er spectra, variational calc. rotational nuclei at high spins 4−5713
^{164}Er, lifetimes and backbending of levels populated in ^{164}Dy(α, 4n)^{164}Er reaction 4−15692
^{166}Er, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{166}Er rotational bands, DWBA anal. of (^{3}He,d) and (α,t) reactions 4−31401
^{144}Eu, multiplet splitting, energy level scheme from ^{144}Sm(d,2nγ)^{144}Eu and ^{144}Sm(p,nγ)^{144}Eu 4−12178
^{149}Eu, shape transition obs. by (p,t) reaction 4−406
^{151}Eu, shape transition obs. by (p,t) and (^{3}He,d) reactions 4−406
^{16}F, pop. in ^{14}N(^{3}He,n)^{16}F, determ. of J^π and transition L-values 4−9066

nuclear energy levels continued
^{17}F pop. in ^{16}O(p,γ) at 0.3 to 3.1 MeV, spectroscopic factors determ. 4–15776
^{18}F, population of states, ^{14}N(^{7}Li,^{3}H)^{18}F at 36 to 40 MeV 4–9268
^{18}F, two particle random phase approximation for energy levels using 4p-2h core correls. 4–12237
^{18}F compound nucleus in ^{16}O(d,α) isospin-forbidden and-allowed reactions, spin assignments 4–9210
^{18}F pop. in ^{16}O(p,γ) at 0.3 to 1.9 MeV, spectroscopic factors determ. 4–15776
^{20}F, spin and parity, from γ-ray linear polarisation meas. 4–9058
^{20}F produced in ^{21}Ne(d,^{3}He), T=1 state identification 4–2914
^{52}Fe, intrashell quartet spectra, sensitivity to model 4–12210
^{53}Fe, low-lying levels populated in ^{54}Fe(p, d) and ^{50}Cr(α, nγ) reactions, properties 4–12159
^{54}Fe, excited levels pop. in (p,p) scattering at 2.8 to 4.9 MeV, lp values and energy densities *(German)* 4–23674
^{54}Fe produced in ^{56}Fe(p,t) at 52 MeV, anal. of core-excited states 4–31357
^{56}Fe, 0.845 MeV state excitation by 14.1 MeV inelastic neutron scattering 4–27310
^{56}Fe, level scheme from ^{56}Mn decay obs. *(French)* 4–2820
^{213}Fr, 29/2^{+} level, configuration and g-factor 4–12147
^{145}Gd, level structure from (α,xn) reactions at 20 to 60 MeV 4–12180
^{146}Gd, Bardin-Cooder-Schrieffer calcs. for nuclear structure 4–12179
^{153}Gd, obs. of low-spin states following ^{153}Tb decay 4–12169
^{153}Gd levels, populated in (d,t) and (^{3}He,α) reactions 4–5709
^{154}Gd, from ^{154}Sm (α, 4n), E_{α}=41 to 50 MeV, backbending from band crossing 4–12240
^{154}Gd, spin depend. of M1 admixtures in β and γ vibr. state transitions 4–36163
^{154}Gd, validity of pairing-plus-quadrupole model for deformed nuclei 4–15633
^{154}Gd high spin states, crossing of energy levels and anomalous moments of inertia *(Russian)* 4–420
^{156}Gd, ^{158}Gd, K^{π}=2^{+}, 0^{+} bands 4–15707
^{156}Gd, validity of pairing-plus-quadrupole model for deformed nuclei 4–15633
^{158}Gd, low spin state obs. from beta-decay of ^{153}Gd 4–462
Ge even-even isotopes, deformation and pairing correlations in f-p-g configuration space 4–552
^{70}Ge, inelastic scattering of ^{16}O, ^{18}O, excitation function, 33 to 52.5 MeV 4–2963
^{71}Ge, level spins and decay scheme of levels populated by ^{71}Ga(p,n)^{71}Ge reaction 4–413
^{72}Ge, collective excitation effects in shell model structure 4–15660
^{72}Ge prod. in ^{72}Ga decay, spin determ. of 2065 keV level from transition meas. 4–23636
^{2}H, high-energy states, e.m. excitation processes 4–31344
^{2}H, isobar configurations contribution to e.m. form factors 4–12328
^{3}He, produced in ^{7}Li(d,α) reaction, determ. of width of ground state *(French)* 4–19287
^{3}He excited states, phase-shift anal. using ^{2}H(p,p) reaction 4–36190
^{3}He(p, 2p)d$^{(*)}$, 45.0 MeV, search for ^{3}He excited states, reaction mechanism 4–12331
^{4}He, determ. of 0+ bound states using Yakubovsky four-body eqns. 4–36131
^{4}He, evidence of 2^{+} state from ^{4}He(γ,n)^{3}He reaction 4–12322
^{4}He, four-nucleon bound state problem soln. using integral eqn. method *(Russian)* 4–31224
^{4}He, J^{π}=2^{-}, T=0 level, final state interaction calc. of ang. correlation in ^{4}He(α,α't) reaction 4–23610
^{4}He, level structure rel. to five nucleon systems, compound nucleus reaction mechanism, E$\leqslant$30 MeV 4–27240
^{4}He, search for 23.9 MeV narrow state in ^{3}H+p channel 4–15833
^{4}He excited states from D(d,d)D, D(d,p)T, 3.0-11.5 MeV 4–19475
^{4}He spectroscopy with ^{3}H(p,p)^{3}H and ^{2}H(d,n) reactions 4–15632
^{5}He, compound nucleus states of 5 nucleon systems, ^{3}He(d,p)pt and ^{3}H(d,n)pt reactions 4–31241
^{5}He five nucleon systems, compound nucleus reaction mechanism, E$\leqslant$30 MeV 4–27240
^{171,172}Hf, backbending and rotation alignment 4–39965
^{a}Hf, K^{π}=2^{+}, O^{+} bands, A=176, 178, 180 4–15707
^{168}Hf, obs. of backbending phenomenon with (α, 8n) reaction 4–36155
^{172}Hf, isomeric level obs. from (α,xn) reactions 4–9070
^{174}Hf, isomeric level obs. from (α,xn) reactions 4–9070
^{176}Hf, high-K states, populated in (λ,2n) reaction 4–5748
^{176}Hf, isomeric level obs. from (α,xn) reactions 4–9070
^{178}Hf, isomeric level obs. from (α,xn) reactions 4–9070
^{179}Hf, γ-γ correlation studies of ^{178}Hf(n,γ) reaction, decay schemes, energy levels and spin-parity assignments *(Russian)* 4–573
Hg, A=190 to 194, studied in Pt(α,xn)Hg at 65 to 108 MeV, Coriolis-decoupled bands 4–36118
Hg, A=195, 197, 199 decoupled bands populated by (α, xnγ) reactions 4–23612
Hg, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4–39937
Hg isotopes, spherical to deformed shape transition, variable collective inertia 4–2752
^{a}Hg, A=196, 198, 200, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4–19305
^{186}Hg, ordering, from relative intensity of transitions meas. 4–2751
^{190}Hg, Hg, obs. of backbending phenomenon with (α, 8n) reaction 4–36155
^{200}Hg, investigation of low spin states populated in (n,γ) reactions 4–465
^{200}Hg, populated in (n,γ) reaction, anal. of low-spin states 4–31243
Ho, A=157, 159, 161, backbending obs. from γ-decay high angular momentum states 4–15687
I, odd-mass isotopes, low-lying states description in particle-phonon coupling scheme 4–9068
^{a}I, α=125, 127, $^{3}._{2}{}^{+}$ state, magnetic moment, high density gaseous source 4–12137
In, odd-mass isotopes, hole-vibration coupling calc. for 1/2^{+}, 3/2^{+} states 4–12173
In isotopes, Woods-Saxon potential, best fit to experimental energies 4–12177

nuclear energy levels continued
^{113}In, possible shape isomers obs. by ^{113}Cd(p,nγ)^{113}In reaction 4–405
^{115}In, 828 keV level, sign of nuclear quadrupole interaction, β-γ directional correlations 4–12260
^{115}In, existence of rotational states, magnetic moments 4–564
^{115}In excitations, ^{115g,115m}Cd decay scheme spectroscopy study 4–436
^{115}In level structure populated by (p,α) reaction on ^{a}Sn(A=116, 118, 124) 4–643
^{119}In possible shape isomer obs. in ^{119}Cd beta decay 4–405
^{187}Ir, search for rotation particle decoupled bands 4–23613
^{187}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4–23614
^{189}Ir, search for rotation particle decoupled bands 4–23613
^{189}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4–23614
^{193}Ir, moments and transition rates 4–2757
K natural targets, neutron resonance spectroscopy, total cross sections up to 400 keV 4–12346
^{38}K, 7^{+} state from ^{40}Ca(d,α)^{38}K 4–12171
^{38}K, excited isomeric state populated by ^{24}Mg(^{16}O, pnγ)^{38}K reaction 4–446
^{39}K, gamma ray obs. of excited states with high ang. momenta populated by ^{36}Ar(α,pγ)^{39}K 4–447
^{39}K populated in (p,p'γ) at 6.0 to 8.2 MeV, decay modes 4–27269
^{39}K states populated in ^{42}Ca(p,α) reaction, DWBA calcs. with improved form factor 4–12342
^{40}K 3^{-} level, populated in ^{37}Cl(α,n) reaction, magnetic moment determ. 4–39930
^{41}K, mag. moment of 1290 keV state, γ-ray differential ang. distrib. meas. *(Russian)* 4–27233
^{41}K high-spin state populated by ^{27}Al(^{16}O, 2p) reaction 4–15638
^{42}K, 7^{+} state from ^{44}Ca(d,α)^{42}K 4–12171
^{46}K, 7^{+} state from ^{48}Ca(d,α)^{46}K 4–12171
Kr, A=78 to 81 isotopes anal. of excited states from meas. on Rb isotopes beta-decay 4–12160
^{84}Kr(p,p), obs. of energy levels of ^{84}Kr 4–456
^{85}Kr, obs. of energy levels populated in ^{84}Kr(d,p)^{85}Kr reaction 4–456
La, odd nuclei, populated in heavy ion reactions, γ-ray spectra, coupling scheme 4–425
^{140}La, level structure, gamma spectroscopy 4–461
^{5}Li, compound nucleus states, ^{3}H(d,p)pt and ^{3}H(d,n)pt reactions 4–31241
^{5}Li five nucleon systems, compound nucleus reaction mechanism, E$\leqslant$30 MeV 4–27240
^{5}Li resonant states in ^{3}He(d,p)^{4}He reaction between 2.8 and 10 MeV 4–15884
^{6}Li, elastic scattering of nucleons, energy level calc. *(French)* 4–9149
^{6}Li, energy calcs. from form factor parameters, considering short-range correlations 4–27239
^{6}Li, pionic, strong interaction shifts, widths of 1s level 4–15645
^{6}Li, state assignations from polarisation transfer meas. on ^{4}He(d,d)^{4}He 4–15856
^{6}Li oscillator cluster parent states and supermultiplet expansion 4–27253
^{7}Li, 14.4 MeV neutron induced multiparticle breakup reactions, unstable states study 4–15814
^{7}Li, composite particle reactions in unified theory, nuclear struct. 4–27252
^{7}Li, pionic, strong interaction shifts, widths of 1s level 4–15645
^{171}Lu, hyperfine structure from interaction of 1/2^{+} and 5/2^{+} levels *(Russian)* 4–423
^{171}Lu, microscopical approach to $\Delta K \neq 1$ band mixing 4–19296
^{175}Lu, intrinsic and rotational excitations anal. from ^{176}Yb(p,2n)^{175}Lu gamma-ray cascades 4–23635
^{175}Lu, obs. of 1/2^{+}[411] and 1/2^{-}[541] rotational bands 4–463
^{92}Mb pop. in ^{92}Zr(p,nγ) at 3.0 to 4.8 MeV, energy level anal. 4–15629
^{23}Mg-^{23}Na mirror states populated in nucleon pickup reactions on ^{24}Mg 4–19471
^{24}Mg, first 2^{+} states, effect of magnetic reorientation on Coulomb excitation probabilities 4–12167
^{24}Mg, identification of high spin states with new ang. correl. method using ^{16}O(^{12}C, α)^{24}Mg reaction 4–19298
^{24}Mg, intrashell quartet spectra, sensitivity to model 4–12210
^{24}Mg, magnetic moment of 1.37 MeV short lived state by time-differential recoil-into-vacuum technique 4–19281
^{24}Mg, meas. of excitation energy of excited states using cyclotron magnetic spectrograph 4–26637
^{24}Mg, resonance struct. for ^{12}C(^{16}O,α)^{24}Mg reaction 4–9287
^{24}Mg, shell model energy level calc. 4–505
^{24}Mg, study of high excitation energy states from ^{20}Ne(Li,d) and (^{7}Li,t) reactions 4–12158
^{24}Mg high-spin states in continuum ffom ^{16}O(^{12}C,α_{1})^{24}Mg*(α_{2})^{20}Ne*(γ)^{20}Ne triple correlation meas. 4–23599
^{24}Mg levels, pop in (α,nγ) and (d,pγ) reactions, spin assignments 4–12133
^{24}Mg substructures, ground state energy, variational determ. 4–540
^{24}Mg(α,α'), 104 MeV, finite nuclear deformations 4–2934
^{24}Mg(α,α'), 166 MeV, test of shell model wave functions 4–2935
^{25}Mg, deformed s-d shell, high-spin states obs. via ^{22}Ne(α, nγ) reaction 4–19299
^{25}Mg, rotational band shifts in shell model calc. 4–36134
^{25}Mg shell model structure calcs. B(E2) and B(M1) rate determ. and rotational band ordering anal. 4–12198
^{26}Mg, inelastic electron scattering, excited states study 4–9116
^{27}Mg pop. in ^{26}Mg(d,p) at 3.1 MeV, DWBA anal. of 4.82 MeV level 4–19283
^{51}Mn, level shcemes and gamma decay of analogue resonances 4–12188
^{52}Mn $f_{7/2}{}^{4}$ structure levels by 2-nucleon transfer, 15 to 35 MeV, rel to ^{44}Sc 4–12172
^{53}Mn, high spin states and decay schemes obs. by ^{40}Ca(^{16}O, 3p) reactions 4–19300
^{55}Mn, applicability of 2J+1 rule in ^{52}Cr(α,p) reaction 4–660
^{55}Mn pop. in (γ,γ') reaction at 6.5 MeV, anal. of decay props. of 6877 keV level 4–15754
^{56}Mn, γ-spectrum from ^{55}Mn resonance neutron capture 4–36210

nuclear energy levels continued
- ^{a}Mo, A=93, 95, 97, 99, low-energy structure, quasi-particle unified model 4−12195
- ^{92}Mo, ^{94}Mo, ratio of quadrupole moments of $8_1{}^+$ states, effect charge 4−31232
- ^{94}Mo, produced in ^{95}Mo(d,t) at 17 MeV, ang. distrib. meas. 4−23701
- ^{95}Mo, level structure from ^{95}Tc* decay meas. *(Russian)* 4−23644
- ^{98}Mo excited levels populated in ^{100}Mo(p,t) at 19 MeV, rot. band *(French)* 4−5718
- ^{100}Mo levels, spin and parity assignment, mixing ratios, from ^{100}Mo(γ,γ') 4−15625
- ^{14}N, partial wave anal. of ^{12}C(d,α_2)^{10}B isospin forbidden reaction 4−31385
- ^{14}N, spin and parity assignment from ^{10}B(α,n)^{13}N reaction obs. 4−12367
- ^{14}N populated in ^{12}C(d,d) at 2.71 MeV, level determ. 4−31381
- ^{14}N populated in (α,t) reaction, determ. of spectroscopic factors 4−40029
- ^{14}N states, ang.$_{12}$ correlation anal. of p decay in ^{12}C(^{3}He,p)^{14}N*(p')^{13}C reaction 4−31399
- ^{15}N, excited in ^{12}C(^{7}Li, α), α spectra at 35 MeV, mechanism 4−664
- ^{15}N, struct. of states from ^{12}C(^{7}Li,α) reaction, to 16 MeV 4−9266
- ^{15}N-^{15}O mirror pair, shell model anal. of natural and unnatural parity states 4−12204
- Na, neutron resonance spectroscopy, total cross section up to 320 keV 4−12345
- ^{22}Na, band structure, low lying positive parity states 4−5715
- ^{22}Na, deformed shell model energy level calcs. 4−509
- ^{22}Na, high spin states obs. via ^{10}B(^{16}O, α)^{22}Na reaction 4−15636
- ^{22}Na, rotational band structure determ. 4−12265
- ^{22}Na energy spectra, effects of non-central forces in effective interaction 4−495
- ^{23}Na, band mixing calcs., low lying levels and e.m. properties 4−39943
- ^{23}Na, possible ^{12}C + ^{12}C resonances, ^{12}C(^{12}C,p)^{23}Na 4−9289
- ^{23}Na, strong coupling collective model, 2s-1d shell band mixing 4−19312
- ^{23}Na pop. in ^{12}C(^{12}C,p)^{23}Na, selective pop. of lowest-lying negative parity states 4−12382
- ^{24}Na, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
- ^{26}Na, produced in ^{26}Mg(t,^{3}He), spherical shell model anal. 4−31388
- Nb isotopes, A=91 to 97 pop. in Zr(^{3}He,d) anal. of unbound analogue states 4−15889
- ^{97}Nb, l-values and spectroscopic factors from ^{96}Zr(^{3}He,d) reaction, level scheme 4−12166
- ^{135}Nd, ^{137}Nd, population of high spin levels by ^{a}Te(^{16}O, xn), (A=122, 124) reaction 4−15643
- ^{142}Nd pop, in (γ,γ') reaction at 6.5 MeV, anal. of decay props. of 6877 keV level 4−15754
- ^{18}Ne, $S_{1/2}{}^2$ config. of 0$^+$ state in 4.5 MeV doublet, ^{16}O(^{3}He,n) and ^{20}Ne(p,t) reactions 4−39939
- ^{20}Ne, ^{22}Ne, correlations in groundstate rot. spectra, ang. momentum dependence 4−441
- ^{20}Ne, ^{22}Ne, inelastic electron scatt. from low lying excited states 4−5779
- ^{20}Ne, excited states from ^{19}F(^{10}B,^{9}Be), ^{18}O(^{11}B,^{9}Li) and ^{10}O(^{11}B,^{7}Li) reactions at 114 MeV 4−9073
- ^{20}Ne, from ^{19}F(^{3}He,d) reaction, excitation functions and spectroscopic factors, collective model 4−9231
- ^{20}Ne, ground state rotational pop. in ^{12}C(^{16}O, ^{20}Ne)^{3}Be reaction 4−15906
- ^{20}Ne, high-spin states in continuum, from a$_2$)^{16}O*(γ)^{16}O triple correlation meas. 4−23598
- ^{20}Ne, highly excited states 4−9071
- ^{20}Ne, highly excited states, ^{12}C(^{12}Cα_1)^{20}Ne(α_2)^{16}O at 50 MeV 4−9072
- ^{20}Ne, identification of high spin states with new ang. correl. method using ^{12}C(^{12}C, α)^{20}Ne reaction 4−19298
- ^{20}Ne, intrashell quartet spectra, sensitivity to model 4−12210
- ^{20}Ne, inversion doublet and K=0$^+$ bond cluster model anal. 4−5738
- ^{20}Ne, J-depend. of density of states, shell model calc. 4−9065
- ^{20}Ne, K$^\pi$=O$^\pm$ rot. bands, octupole deformation 4−440
- ^{20}Ne, mechanism of ^{12}C(^{16}O,^{8}Be)^{20}Ne and ^{16}O(^{12}C,^{8}Be)^{20}Ne reactions 4−9283
- ^{20}Ne, population of states, ^{16}O(^{7}Li,^{3}H)^{20}Ne at 36 to 40 MeV 4−9268
- ^{20}Ne, positive parity 0$^+$ and 2$^+$ levels, particle-hole structure calc., closed ^{12}C core 4−508
- ^{20}Ne, Regge poles and high spin states, obs. with ^{16}O(α, α)^{16}O reaction 4−15635
- ^{20}Ne, rot. bands from Regge pole analysis of ^{16}O(α,α)^{16}O *(French)* 4−5825
- ^{20}Ne, selective population of states, ^{10}B(^{14}N,α)^{20}Ne at 25 and 35 MeV 4−9269
- ^{20}Ne, shell model energy level calc. 4−505
- ^{20}Ne, structure and freedom of inversion motion 4−539
- ^{20}Ne, structure of states from ^{18}O(^{11}B, ^{9}Li)^{20}Ne and ^{16}O(^{11}B, ^{7}Li)^{20}Ne reactions 4−428
- ^{20}Ne α-decay width determ. from ^{16}O(α,α) elastic and inelastic scattering 4−12294
- ^{20}Ne energy level obs., ^{16}O(^{6}Li, d)^{20}Ne direct transfer reaction in s-d shell 4−19539
- ^{20}Ne produced in ^{21}Ne(d,t), T=1 state identification 4−2914
- ^{20}Ne substructures, ground state energy, variational determ. 4−540
- ^{20}Ne(α,α'), 104 MeV, finite nuclear deformations 4−2934
- ^{21}Ne, 5.69 MeV, 5.78 MeV states from study of (d,p) reaction 4−31245
- ^{21}Ne energy spectra, effects of non-central forces in effective interaction 4−495
- ^{22}Ne, level energies determ. from ^{22}F beta-decay 4−31311
- ^{22}Ne energy spectra, effects of non-central forces in effective interaction 4−495
- ^{22}Ne surface potential well model of α-cluster levels *(Russian)* 4−31247
- ^{24}Ne, shell model approximation from mixing of prolate, oblate Hartree-Fock solns. 4−12208
- Ni isotopes, HFB calcs. of effective-interactions and ground state structure 4−31268

nuclear energy levels continued
- ^{58}Ni, populated in ^{60}Ni(p,t) at 46.5 MeV, spin and parity determ. *(French)* 4−36189
- ^{58}Ni + n, compound nucleus structure, imaginary optical potential particle-vibration intermediate states 4−12399
- ^{60}Ni, $2_l{}^+$ states, B(E2 spin up) and R$_{tr}$ 4−5719
- ^{60}Ni, compound states in giant resonance region, density effects *(Russian)* 4−19288
- ^{60}Ni, giant dipole resonance and from (α,γ) and (p,γ) reactions 4−31395
- ^{60}Ni, populated in ^{62}Ni(p,t) at 46.5 MeV, spin and parity determ. *(French)* 4−36189
- ^{62}Ni, J-depend. of density of states, shell model calc. 4−9065
- ^{23}No-^{23}Mg mirror states populated in nucleon pickup reactions on ^{24}Mg 4−19471
- ^{15}O, from ^{15}N(^{3}He,t), 16.5-37.7 MeV, levels up to 8.28 MeV state, optical model 4−2922
- ^{15}O produced in ^{16}O(^{3}He,α), at 217 MeV, DWBA and optical model anal. 4−2937
- ^{15}O-^{15}N mirror pair, shell model anal. of natural and unnatural parity states 4−12204
- ^{16}O, 2$^+$(9.85 MeV) and 4$^+$ (10.34 MeV) states, e.m. form factors, comparison with calc. 4−2760
- ^{16}O, axial asymmetry and positive parity spectrum 4−12201
- ^{16}O, α-particle model, low-lying 0$^+$ states 4−27251
- ^{16}O, effect of high-lying configurations on odd-parity spectrum, calc. 4−12161
- ^{16}O, excitation functions and d-γ angular correlations for states populated in ^{12}C(^{6}Li,d) reaction 4−9250
- ^{16}O, from ^{17}O(d, t) reaction, population of new $1d_{5/2}.1p_{3/2}{}^{-1}$ states as test of effective interaction 4−432
- ^{16}O, hyperfine interactions of 6.13 MeV 3$^-$ state in ions of low charge state recoiling into vacuum 4−9063
- ^{16}O, inelastic scatt. of 1 GeV protons, cross section for lowest collective levels excitation 4−5800
- ^{16}O, interacting boson approximation, low lying T=0 levels 4−433
- ^{16}O, inversion doublet and K=0$^+$ bond cluster model anal. 4−5738
- ^{16}O, low lying states, alpha cluster model 4−533
- ^{16}O, population of states, ^{12}C(^{7}Li,^{3}H)^{16}O at 36 to 40 MeV 4−9268
- ^{16}O, positive parity levels, form factors, study by ^{16}O(e, e') reaction, E=101-126 MeV 4−5712
- ^{16}O, search for 8$^+$ level with ^{12}C(α, ^{8}Be)^{8}Be reaction 4−19297
- ^{16}O, search for 8p-8h 8$^+$ state populated by ^{12}C(α,^{8}Be)^{8}Be reaction 4−445
- ^{16}O, surface potential well model of α-cluster levels *(Russian)* 4−31247
- ^{16}O-^{16}O interaction properties, microscopic description 4−2969
- ^{16}O(p,p) phase shift analysis of T=3/2 states in ^{16}O + p entrance channel 4−9080
- ^{17}O, branching ratios to bound states following ^{17}N beta decay 4−9120
- ^{17}O, determ. of J$^\pi$ of states near 8 MeV from ^{13}C(α,n)^{16}O anal. 4−19529
- ^{17}O, low lying states, p-(ph), h-(pp) coupling 4−513
- ^{17}O, spectroscopic factors extraction using R-matrix theory on ^{16}O(n,n)^{16}O reaction 4−36169
- ^{17}O single particle levels from ^{16}O(d,p), 25.4-63.2 MeV, optical model 4−19463
- ^{18}O, levels with excitation energy <8 MeV populated in ^{19}F(t,$\alpha\gamma$) reaction 4−19290
- ^{18}O, low-lying levels study using convergent calc. for effective interaction 4−489
- ^{18}O, perturbative approximations to an effective Hamiltonian in presence of intruder state 4−12162
- ^{18}O, width of 6.20 MeV level excited in (γ,γ) reaction 4−27238
- ^{19}O, bound and unbound states anal. from ^{18}O(d,p) reaction at 14.8 MeV 4−27333
- Os, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4−39937
- ^{a}Os, A=182, 184, 186, 188, systematics of backbending in yrast bonds populated by (α, xnγ) reactions 4−19327
- ^{180}Os, high-spin rotational states populated by (^{11}B, 6n) and (^{12}C, 5n) reactions 4−19304
- ^{181}Os, low-lying states, in-beam γ-ray spectroscopy obs. 4−31237
- ^{182}Os, obs. of backbending phenomenon with (α 8n) reaction 4−36155
- ^{183}Os from ^{182}W(alpha,3n), 31 to 43 MeV, 9/2$^+$[624] ground state rotational band 4−15624
- ^{185}Os, rotational bands and transitions obs. by (α, 2n) and (d, 2n) reactions 4−19306
- ^{186}Os, ^{188}Os, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
- ^{186}Os pop. in ^{186}Ir beta-decay, level population meas. 4−19294
- ^{187}Os, low spin rot. bands, expectation values, wave functions 4−2764
- ^{188}Os, strong population of excited O$^+$ states from ^{190}Os(p,t)^{188}Os reaction 4−9099
- ^{190}Os populated in ^{190}Re and ^{190}Ir decays and ^{189}Os(d,p)^{190}Os reaction, level structure 4−39936
- ^{190}Os strong population of excited O$^+$ states from ^{192}Os(p,t)^{188}Os reaction 4−9099
- ^{192}Os, 6.1 s isomer and rotational bands following neutron bombardment of natural Os 4−12241
- ^{29}P pop. in ^{28}Si(d,n) at 13.5 MeV, n-peaks obs. 4−2910
- ^{30}P, pop in ^{28}Si(^{3}He, p) reactions at 2.9 to 4.25 MeV, determ. of excitation functions 4−2920
- ^{30}P, T=2 level investigation, as a compound nuclear reson. 4−5822
- ^{30}P pop. in ^{29}Si(^{3}He,d) reaction at 15 MeV, anal. of excited states 4−12156
- ^{31}P excited states populated in ^{33}S(d,α) reactions, spin assignments *(Russian)* 4−15631
- ^{231}Pa excited states following α-decay of ^{235}U 4−39974
- ^{233}Pa level scheme obs. in ^{232}Th(^{3}He,d) and ^{232}Th(α,t) reactions 4−467
- ^{234}Pa pop. in ^{234}Th beta-decay, energy and parity determ. *(French)* 4−15621
- Pb, A=202 to 206, distorted waye theory anal. of (p,t) reaction 4−31372
- Pb isotopes, Nilsson single-particle level scheme, partial state densities for proton-neutron configs. 4−5728

nuclear energy levels continued
Pb region, shell model calcs. of low-lying state structure 4–23619
^{205}Pb, low-lying spectrum from ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV, .999 MeV state 4–12184
^{205}Pb, spectrum from ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV and ^{208}Pb(d,p)^{209}Pb 4–12185
^{206}Pb, level scheme from ^{204}Pb(t,p) reaction, elementary modes of excitation 4–36211
^{207}Pb, obs. of states populated in ^{208}Pb(^{11}B, ^{12}B) reaction 4–5839
^{208}Pb, compound states in giant resonance region, density effects *(Russian)* 4–19288
^{208}Pb, giant dipole and spurious states, need for long range components in effective interaction 4–36125
^{208}Pb, high resolution spectroscopic strengths, energy levels from ^{207}Pb(d,p) reaction 4–2895
^{208}Pb, inelastic scatt. of 1 GeV protons, cross section for lowest collective levels excitation 4–5800
^{208}Pb, weak transitions, 2p-2h correlations, from ^{208}Pb(d,p)^{209}Pb reaction, 20 MeV 4–12181
^{209}Pb, first excited state, populated by ^{208}Pb(^{17}O,^{16}O) reaction, lifetime 4–2808
^{209}Pb, obs. of states populated in ^{208}Pb(^{11}B,^{10}B) reaction 4–5839
Pd nuclei (A=98, 100, 102, 104), spherical and near spherical, ‘phase transitions’ in ground state bands 4–15690
^{102}Pd, inversion of rotational states in excited bands and Goldhaber expt. 4–15691
^{102}Pd band structure anal. using DCO-ratio meas. of gamma-ray transitions 4–36160
^{106}Pd pop. in ^{106}Rh beta-decay, level scheme determ. *(French)* 4–19356
^{142}Pm, multiplet splitting, energy level scheme from ^{142}Nd(d,2nγ)^{142}Pm and ^{142}Nd(d,nγ)^{142}Pm 4–12178
^{146}Pm ground state spin and parity assignments from beta decay obs. *(German)* 4–12291
^{a}Po, A=194 to 190, two-peak struct., for ^{166}Er(^{40}Ar,αxn), (^{40}Ar,2p(x+2)n) reactions 4–9297
^{140}Pr, low-lying levels, DWBA anal. of ^{140}Ce(p,nγ) and ^{141}Pr(d,t) reactions 4–23605
Pt, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4–39937
^{a}Pt, A=174 to 177, two-peak struct., for ^{144}Sm(^{40}Ar,αxn), (^{40}Ar,2p(x+2)n) reactions 4–9297
^{a}Pt, A=190, 192, 194, 196, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4–19305
^{189}Pt, level scheme from decay of ^{189}Hg, ^{189}Au *(French)* 4–12246
^{239}Pu, rotational bands calc. 4–5711
^{240}Pu, fission barrier deform. energy curves, self-consistent calc. *(French)* 4–5853
^{240}Pu deformation energy curve calc. with constrained Hartree-Fock method 4–547
^{214}Ra, 8^{+} state, blocking effect of proton core polarisation 4–12145
Rb, A=80 to 83 isotopes, anal. of excited states from meas. on Sr isotope beta-decay 4–12160
^{85}Rb spectroscopic factors, possible Z=38 magic number 4–9212
^{87}Rb spectroscopic factors, possible Z=38 magic number 4–9212
^{88}Rb level scheme, from γ-ray meas. following ^{88}Kr β-decay 4–23652
^{91}Rb, populated in ^{91}Kr decay, level scheme determ. 4–31297
^{183}Re, band structure and E1 transitions 4–19349
^{186}Re, obs. of states excited in ^{185}Re(n,γ), rotational band configs. *(German)* 4–23608
^{188}Re, Coriolis coupling between 1/2^{-} 510 and 3/2^{-} 512 neutron orbitals 4–15634
^{220}Rn, level density, shell model for pairing and angular momentum 4–12205
^{105}Ru populated in ^{104}Ru(n,γ) at 0.02 eV, level scheme and spin-parity assignments 4–23690
^{32}S, isospin dependence of level widths from ^{31}P(p,α) and ^{31}P(p,p$'$) reactions 4–12168
^{32}S, isospin level scheme determ. from resonances in ^{31}P(p,γ) reaction, 1890-2690 keV *(Russian)* 4–409
^{32}S, populated in (^{6}Li,d) reaction, obs. of odd parity levels 4–40040
^{32}S energy level obs., ^{28}Si(^{6}Li, d)^{32}S direct transfer reaction in s-d shell 4–19539
^{32}S pop. in ^{28}Si(α,γ_0) at 12 to 18 MeV, excitation of giant quadrupole resonance 4–19515
Sb isotopes, Woods-Saxon potential, best fit to experimental energies 4–12177
^{a}Sb (A=113-116) props. of neutron-poor nuclei from decay of corresponding Te isotopes 4–459
^{a}Sb(A=odd 121 to 129), proton-hole states deduced from ^{a}Te(t,α) reaction E=12 MeV 4–5817
^{117}Sb, rotational-like structure obs. in ^{115}In(α, 2n)^{117}Sb reaction 4–19301
^{123}Sb scheme determ. from ^{123}Sn^{g} decay 4–31302
^{125}Sb, populated in ^{125}Sn beta-decay, level spin assignments 4–23637
^{42}Sc, two particle random phase approximation for energy levels using 4p-2h core correls. 4–12237
^{43}Sc, study of $^{7}.{}_{2}^{-}$ states using ^{43}Ca(p,t)^{41}Ca reaction 4–2891
^{44}Sc, anal. of odd parity levels using projected Hartree-Fock wave functions 4–15622
^{44}Sc, excitation of k=0^{-} rotational band with ^{44}Ca(p,n) at low energy 4–15610
^{44}Sc, $f_{7/2}^{4}$ structure levels by 2-nucleon transfer, 15 to 35 MeV, rel. to ^{52}Mn 4–12172
^{45}Sc, high-spin states populated by ^{30}Si(^{18}O, p2n) and ^{41}K(^{7}Li, p2n) reactions 4–15640
^{45}Sc, photonuclear reaction, level density formulas, test 4–5721
^{45}Sc, props. of low-lying levels from 5 MeV (p,p$'\gamma$) reaction anal. 4–23604
^{48}Sc, from ^{48}Ca(^{6}Li, ^{6}He)^{48}Sc reaction, E=34 MeV, level study 4–5832
^{72}Se, coexistence of spherical and deformed shapes 4–19270
^{75}Se, obs. of excited states populated in ^{72}Ge(α,nγ) and ^{73}Ge(α,2nγ) reactions 4–455
^{80}Se, level scheme, high precision obs. by resonant scattering method 4–5716
^{81}Se, gamma-ray spectra, spin and parity assignment 4–27283

nuclear energy levels continued
Si even-even isotopes, deformation and pairing correlations in f-p-g configuration space 4–552
^{27}Si produced in ^{28}Si(^{3}He,α) at 13 to 15 MeV, ang. correlation meas. and excited core model calcs. 4–12155
^{28}Si, ^{16}O-^{12}C config. for ^{16}O(^{16}O,α)^{28}Si stripping reaction 4–9288
^{28}Si, compound, high-spin states, cross-section enhancements beyond (2I+1) rule in ^{12}C(^{16}O,α)^{24}Mg 4–9299
^{28}Si, excitation of level complexes, using (e, e^{1}) scattering 4–2865
^{28}Si, HF, projection of good J states, single shell calc., prolate and oblate minima determ. 4–551
^{28}Si, intrashell quartet spectra, sensitivity to model 4–12210
^{28}Si, shell with large dimensionalities, fixed J-average spectral distribution method 4–516
^{28}Si pop. in ^{24}Mg(^{7}Li,t) at 12 to 20 MeV, deduced selective pop. of states 4–15904
^{28}Si(α,α'), 166 MeV, test of shell model wave functions 4–2935
^{29}Si, weak coupling model for rot. spectrum, deformed nucleus 4–12209
^{29}Si pop. in ^{26}Mg(α,n) at 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV 4–19516
^{29}Si pop. in ^{28}Si(d,p) at 13.5 MeV, proton peaks obs. 4–2910
^{143}Sm, level structure from (α,xn) reactions at 20 to 60 MeV 4–12180
^{144}Sm, Bardin-Cooder-Schrieffer calcs. for nuclear structure 4–12179
^{151}Sm transitional nucleus, rotational bands populated by ^{150}Nd(α, 3n)^{151}Sm reaction 4–15644
^{152}Sm, directional correlation meas. of spin of 1082-8 keV level 4–36113
^{152}Sm, first 2^{+} states, effect of magnetic reorientation on Coulomb excitation probabilities 4–12167
Sn isotopes, Woods-Saxon potential, best fit to experimental energies 4–12177
Sn odd isotopes, spectroscopic factors of negative parity multiplet states 4–36119
Sn-region, magnetic moments, 11/2^{-} states, core polarisation effects 4–12134
^{a}Sn (A=113-116) props. of neutron-poor nuclei from decay of corresponding Sb isotopes 4–459
^{100}Sn, number-projected Bardin-Cooder-Schrieffer theory for low-energy props. 4–12216
^{119}Sn low-lying 7/2^{-} states populated in ^{118}Sn(d,p)^{119}Sn reactions 4–458
^{121}Sn low-lying 7/2^{-} states populated in ^{120}Sn(d,p)^{121}Sn reactions 4–458
^{132}Sn, number-projected Bardin-Cooder-Schrieffer theory for low-energy props. 4–12216
Sr, A=86 to 80, shell model, p-n configurations, emergence of rotation-like spectra 4–12218
Sr, A=89-94, effective N-N interactions and energy levels by shell model 4–9064
^{82}Sr, investigation by means of (p,t) reaction 4–5717
^{84}Sr, investigation by means of (p,t) reaction 4–5717
^{86}Sr, investigation by means of (p,t) reaction 4–5717
^{86}Sr, shell model calc. of dipole states 4–31256
^{88}Sr, shell model calc. of dipole states 4–31256
^{88}Sr level scheme, from γ-ray meas. following ^{88}Rb β-decay 4–23652
^{89}Sr, obs. of low-lying levels populated in ^{88}Sr(d,pγ)^{89}Sr reaction 4–587
^{91}Sr, populated in ^{91}Rb decay, level scheme determ. 4–31297
^{182}Ta, doubly odd deformed, rotational structure 4–15688
^{160}Tb populated in ^{159}Tb(n,γ), thermal neutron, level scheme determ. 4–36193
^{93}Tc compound nucleus, level density from blocking expt. in Mo 4–12332
^{95}Tc, low-lying states populated in ^{93}Nb(α,2nγ)^{95}Tc reaction 4–457
^{97}Tc level scheme determ. from ^{96}Mo(^{3}He, d)^{97}Te reaction 4–5823
Te, even isotopes, excited level characts. from (p,t) reactions *(French)* 4–9164
Te, even-mass, 5^{-} and 7^{-} quasiparticle states from (p,t) reactions, 51.9 MeV 4–12170
Te heavy doubly-even isotopes, isomeric 6^{+} state in two-proton cluster core coupling model 4–23609
Te isotopes, A=122 to 130, quadrupole moment determ. of first 2^{+} states from (^{32}S, ^{32}Sγ) excitation 4–36217
^{123}Te produced in ^{125}Te(p,t) reaction, 17 to 19 MeV, DWBA two nucleon transfer program anal. 4–2892
^{130}Te, levels populated in β-decay of ^{130}Sb *(Russian)* 4–421
^{228}Th, negative parity states, hydrodynamic model *(Russian)* 4–23623
^{230}Th, ground state band members, ^{232}Th(p,t) reaction obs. 4–39934
^{232}Th, pop. in ^{230}Th(^{3}H,p) reaction at 15 MeV 4–15620
^{234}Th, pop. in ^{232}Th(^{3}H,p) reaction at 15 MeV 4–15620
^{a}Ti, A=49,51, analogue states, branching ratios from $^{a-1}$Ti(p,p)$^{a-1}$Ti, $^{a-1}$Ti(p,γ)^{a}V 4–5794
^{44}Ti, intrashell quartet spectra, sensitivity to model 4–12210
^{44}Ti, obs. of excited states populated by ^{40}Ca(α,γ)^{44}Ti reaction 4–449
^{44}Ti band structure study using ^{40}Ca(α,γ) reaction 4–443
^{47}Ti, band mixing shell model calc. 4–2779
^{48}Ti, excited states populated in ^{48}V beta decay *(Russian)* 4–31313
^{48}Ti, shell-model structure, study via (d,t) and (α,α') reactions 4–12130
^{202}Tl pop. in ^{204}Hg(p,3n) at 28 MeV, determ. of g-factor of 0.57 ms 7^{+} state in ^{202}Tl 4–15616
^{204}Tl low-lying energy levels from γ-ray spectra following ^{203}Tl(n,γ) reaction 4–15619
^{205}Tl, level structure determ. from (p,p$'$) and (p,α) reaction 4–39935
^{207}Tl, obs. of states populated in ^{208}Pb(^{11}B,^{12}C) reaction 4–5839
^{165}Tm, pop. in ^{165}Yb decay and ^{158}Gd(^{11}B,4n) reactions, level scheme determ. 4–19293
^{167}Tm, 1/2^{-}[541] band, Nilsson configuration 4–19303
^{169}Tm, 1/2^{-}[541] band, Nilsson configuration 4–19303
U, A=236 to 240 pop. in (^{3}H, p) reaction at 15 to 16 MeV 4–15620
^{232}U, negative parity states, hydrodynamic model *(Russian)* 4–23623
^{235}U, effect of low-lying levels on ^{239}Pu alpha decay 4–15729
^{235}U, rotational bands calc. 4–5711

nuclear energy levels continued
^{235}U fission, rank annihilation method for multilevel cross-section calc., up to 2 eV neutrons 4−15931
^{235}U separation, nuclear excitation by electron transition 4−9117
^{236}U, ground state band members, ^{238}U(p,t) reaction obs. 4−39934
^{236}U pop. in ^{235}U(d,p) at 12 to 16 MeV, obs. of two-neutron quasiparticle states 4−23702
^{237}U, level scheme determ. from ^{237}Pa beta-decay obs. 4−12287
^{a}V, A=49,51, bound states, excitation energies, branching ratios from $^{a-1}$Ti(p,γ)^{a}V 4−5794
^{47}V, level schemes and gamma decay of analogue resonances 4−12188
^{47}V, level struct. and decay scheme, ^{47}Ti(p,nγ) obs. *(French)* 4−5753
^{48}V, obs. of low-lying states populated by ^{48}Ti(p,nγ)^{48}V reaction 4−450
^{49}V excited states populated by ^{46}Ti(α,p)^{49}V reaction 4−451
^{50}V, levels from ^{49}Ti(^{3}He,d), 22 MeV, and ^{51}V(d,t), 19.5 MeV 4−15623
^{51}V, high spin states and decay schemes obs. by ^{48}Ca(^{7}Li, 4n) reactions 4−19300
^{51}V, low-lying excited states, level energies, intermediate coupling approach 4−39932
^{51}V, obs. of high spin states and transitions by ^{50}V(n, γ)^{51}V reaction 4−15641
W separated isotopes, neutron resonance spectroscopy 4−12344
^{182}W, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{182}W, g-factor determ. by gamma-gamma ang. correlation meas. on first 2^{+} state 4−31226
^{182}W, g-factor meas. of 3^{-} 1374 keV level 4−31227
^{183}W, low spin rot. bands, expectation values, wave functions 4−2764
^{184}W, deformed, anomalously weak population of 2^{+} state in ^{182}W(t,p) reaction 4−12307
^{184}W, mixing of K$^{\pi}$=0^{+} and 2^{+} bands 4−19324
^{184}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
^{186}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
Xe, isotopes, collective states, Wilets-Jean model 4−437
Xe even isotopes, 2^{+} levels, ang. correl., study 4−12139
^{a}Xe, A=129, 131, 133, 11/2^{-} isomeric state mag. dipole moment determ. low temp. orientation technique 4−36117
^{131}Xe, populated in ^{131}I decay, level assignments rfrom gamma-ray meas. 4−27271
^{132}Xe, from ^{132}I decay, γ-γ coincidence measurements 4−429
Y, A=89-95, effective N-N interactions and energy levels by shell model 4−9064
^{88}Y, shell model level structure from γ-ray spectra, in ^{85}Rb(α,nγ), 11.8-13.0 MeV 4−19289
^{90}Y, shell model level structure from γ-ray spectra, in ^{87}Rb(α,nγ), 11.8-13.0 MeV 4−19289
^{90}Y, single-particle structure from ^{89}Y(n,γ) reaction in giant resonance region 4−15817
^{164}Yb, high-spin rotational states populated by (^{11}B, 6n) and (^{12}C, 5n) reactions 4−19304
^{168}Yb, calc. of backbending effect in even rotational nucleus 4−19286
^{168}Yb, energy spectra, variational calc. rotational nuclei at high spins 4−5713
^{172}Yb, energy level scheme, populated in ^{171}Yb(n,γ)^{172}Yb reaction *(German)* 4−40016
^{174}Yb, energy level scheme, populated in ^{173}Yb(n,γ)^{174}Yb reaction *(German)* 4−40016
^{62}Zn, struct. effects in the fp shell, ^{58}Ni(^{6}Li,d)^{62}Zn at 28 MeV 4−9270
^{64}Zn(^{3}He,n)^{66}Ge, 18 and 21 MeV, excited O^{+} states 4−9233
^{a}Zr(t,p), 20 MeV, A=90,92,94,96, $^{a+2}$Zr low-lying states, shell model calc. 4−19464
^{90}Zr, 2$_{l}^{+}$ states, B(E2 spin up) and R$_{tr}$ 4−5719
^{90}Zr, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{90}Zr, energy levels, cluster pick-up DWBA analysis, from ^{93}Nb(p,α)^{90}Zr, 15.2 MeV 4−12175
^{90}Zr, finite Fermi systems theory, single particle energies of low lying states 4−514
^{90}Zr, shell model calc. of dipole states 4−31256
^{93}Zr, populated in ^{93}Y β-decay, level scheme and spin-parity assignment 4−12284
^{94}Zr, excited states populated in ^{94}Y decay 4−23649

nuclear engineering
A-1 reactor starting problems 4−23773
atomic industry yearbook 1974 4−36244
conference, American Nuclear Society winter meeting, San Francisco, U.S.A. (Nov 1973) 4−19554
education of public concerning nuclear energy, summer workshop program 4−23745
environmental problems 4−31620
explosions, educational aspects, 1973 review 4−23924
fuel industry, review of services 4−40114
heat transport, heat pipe applic. 4−2242
HTGR, as source of high temperature process heat 4−27399
integrated program for energy and power 4−23743
kinematic design of guides and fine adjustment devices 4−36259
KS-150 reactor control and protection system supplemented with mobile neutron detector 4−23772
laboratory, for liquid sodium research 4−5906
NDT of tubes for surface defects by eddy currents 4−21520
optimal feedback control, of reactor as distrib. parameter system, characts. 4−36257
power plant components, damping values 4−40061
quality assurance, development of course as integral part of nuclear engineering curriculum 4−23744
radioactive waste high-level, retrievable surface storage 4−31585
radioactive wastes, high-level, from fuel reprocessing, alternative means of management 4−31584
radioactive wastes from fuel cycle, projections 4−31583
reference theta-pinch reactor, engineering design 4−23913
refuelling schemes in radial blanket of large fast breeder reactor 4−31465
research centres, role in project feasibility study *(German)* 4−5877

nuclear engineering continued
sandwiched-blanket type reactor core, design, nuclear characts., comparison with core without sandwich-blanket 4−36258
Swiss equipment manufacturers' performance *(French)* 4−23742
U product evaporator, dynamics and control 4−5915

nuclear excitation
see also isobaric analogue states; Mossbauer effect; nuclear energy level transitions; nuclear energy levels
collective model anal. of pairing Hamiltonian using yrast approximation 4−15667
collective states, in elastic nucleon-nucleus scattering, optical model 4−637
complex nuclei, A=40-200, structure of highly excited states *(Russian)* 4−15630
compound nucleus in heavy-ion induced single-nucleon transfer reaction, non-statistical collective modes 4−9100
compound-nucleus reaction mechanism, excitation functions in closed form *(German)* 4−27299
core interaction, transitions for direct reactions 4−9131
Coulomb interaction, transition from repulsive to attractive interaction for radiating particles 4−2838
deformed nuclei, multipole moments, projectile size correction for angular error 4−2896
discrete level excitation in coherent particle production 4−36231
electroexcitation, momentum transfer depend. of effective charge, particle-vibration coupling model 4−19388
electron transition, appl. to ^{235}U separation 4−9117
emulsion black track identification for residual excited light nuclei following 1.5 GeV/c K^{-} meson irradiation 4−30565
even-even spherical nuclei in excited states, static moments 4−12129
g-factor nuclear structure effect, N=126 isotones 4−12143
gamma emission following high-energy hadron scattering 4−39968
Gamow-Teller resonance and Wigner multiplet scheme 4−9089
giant (3,3) resonance particle-hole model, N-Δ residual interaction 4−31328
giant resonance excitation on spherical and deformed nuclei by inelastic 155 MeV proton scattering 4−15818
giant resonances, determ. of excitation energies using self consistent field theory 4−15739
heavy ion reactions, excitation functions, statistical models *(Russian)* 4−662
heavy ion reactions, quasimol. states and Regge poles 4−2970
high-energy states, e.m. excitation processes 4−31344
hybrid model analysis, for ^{197}Au(α(^{3}He),yp,xn) and ^{181}Ta(α(^{3}He)(d),yp,xn) reactions 4−9241
hypernuclear states, collective excitation in strangeness exchange reactions, interpretation 4−19328
hypernuclei, excited state study using K^{-} beam on light targets 4−566
hypernuclei, lambda-sigma coupling, core excitation effects 4−567
hypernuclei, p-shell, excitation energies, calc. 4−12242
isovector, isoscalar transition densities 4−19331
K-electron capture, internal ionisation and excitation, calc. 4−5759
matter, highly excited, prod. in heavy ion heavy nucleus collision, strongly interacting decay products 4−36227
N>Z nuclei, excitation of T$_{>}$ isospin components of giant dipole states by muon capture 4−19278
neutrino induced excitation by neutral weak currents 4−31347
nuclear matter, effective mass effects 4−559
octupole Coulomb-nuclear interference, quantal DWBA treatment 4−27342
pion-nucleon system, coupling, Goldstone excitation, pion polarisation function 4−15914
rare earth nuclei, hexadecapole moments from semiclassical and quantum anal. of Coulomb excitation 4−27235
rare-earth nuclei, deformed, rotations and intrinsic K$^{\pi}$=1^{+} excitations 4−19320
rotational states, high spin, instability of quasi-particle vacuum and band-crossing 4−36140
sd-shell nuclei, giant dipole resonance calc. in open-shell random phase approx. 4−31327
sd-shell nuclei, multipole moments, Coulomb excitation 4−12153
shell model, excited nuclei, pairing and angular momentum 4−12205
solvable model, spherical nuclei, yrast level calc. 4−2774
spherical nuclei, effects in Beylaev's and Zelevinsky's model of anharmonical quadrupole oscillations 4−2789
spherical nuclei, higher collective excitations, quasi-particle new-Tamm-Dancoff method 4−12225
statistically excited nuclei, anal. of shell structure and pairing correlation dependence on ang. momentum 4−12197
strangeness analogue states from KN interactions, SU(3) invariant optical potential 4−15917
vibration, isovector, effects of core polarisation in sum rule approach 4−31280
Z$\approx$50 region, quadrupole moments, Coulomb excitation 4−12150
(α,xn) estimation of max. cross section of excitation functions 4−12309
(p,XN) estimation of max. cross section of excitation functions 4−12309
π-induced nuclear reactions, 0.08-2.0 GeV, excitation function calc. 4−15916
^{27}Al, transfer reactions induced by ^{19}F at 38 MeV 4−9258
^{36}Ar, in α transfer reaction ^{32}S(^{16}O,^{12}C)^{36}Ar at 45 MeV 4−9273
Au, muonic X-ray energies and intensities 4−2810
$^{198-x}$Au, x=0, 2, 4 and 6, excitation function of ^{197}Au(d,pxn) at 25 to 86 MeV 4−9221
^{10}B, from ^{9}Be + p, level struct. near 10 MeV excitation 4−27241
^{10}B(^{14}N,α)^{20}Ne, 25 and 35 MeV, reaction mechanism 4−9269
^{138}Ba, polarised proton scattering near isobaric analogue resonances, core excitation 4−9202
^{9}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
^{10}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
^{77}Br mixed analogue resonances, obs. in ^{76}Se(p,p)^{76}Se 4−9197
^{12}C, bombardment by ^{10}B ions, 100 MeV, nucleon-transfer reactions 4−9261
^{12}C, break-up into three α-particles with 52 MeV proton bombardment 4−27332

nuclear excitation continued
^{12}C, calc. of energy difference of second excited state and three alpha particles 4−15726
^{12}C + ^{12}C elastic and inelastic scattering, 114 and 174 MeV, relative cross sections 4−12378
^{12}C*, break-up into three alpha particles at 18.36 MeV 4−27330
^{12}C(^{12}C,^{12}C)^{12}C, excitation functions rel. to statistical model 4−9293
^{12}C(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4−9274
^{12}C(^{12}C,α_1)^{20}Ne(α_2)^{16}O, 50 MeV, highly excited states of ^{20}Ne 4−9072
^{12}C(^{7}Li,α)^{15}N, to 16 MeV, triton transfer reaction mechanism 4−9266
^{14}C giant resonance, muon capture by ^{14}N 4−2864
^{40}Ca, alpha-particle excited giant isoscalar resonance 4−27341
^{40}Ca, compound nucleus, particle emission from high excitation 4−12379
^{40}Ca(^{19}F,^{20}Ne)^{39}K, 56 MeV, projectile excitation 4−9255
^{40}Ca(^{40}Ca,^{40}Ca), 130 MeV, elastic scattering excitation functions 4−9272
^{48}Ca(^{19}F,^{18}O)^{49}Sc, 56 MeV, projectile excitation 4−9255
^{48}Ca(p,n_a)^{48}Sc(IAS) quasi-elastic reaction excitation curves 4−9187
^{a}Cd(α,α')^{a}Cd, A=110, 112, 114, 116, excitation function meas., 8 to 17 MeV 4−2932
^{114}Cd, alpha-particle Coulomb excitation, appl. of Gordon's numerical method 4−2933
^{114}Cd, first 2^+ states, effect of magnetic reorientation on Coulomb excitation probabilities 4−12167
^{140}Ce, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
^{55}Co, shell-model calc. of core excitation effects 4−31240
^{154}Er, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{166}Er, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{166}Er, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{19}F, Coulomb excitation, timing with thin-film detectors in perturbed ang. correlations expt. 4−26593
^{19}F(^{10}B,^{9}Be)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
Fe^{+12}, proton impact excitation calc. at solar coronal energies 4−5807
^{54}Fe(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4−9274
^{70}Ge, inelastic scattering of ^{16}O, ^{18}O, excitation function, 33 to 52.5 MeV 4−2963
^{72}Ge, collective excitation effects in shell model structure 4−15660
^{2}H-nucleon scattering cross sections, 0-46 MeV, phase-shift analysis, possible excited state of three-nucleon system 4−15803
^{4}He, in ^{3}H(p,p)^{3}H, ^{3}H(p,n)^{3}He and ^{3}He(n,n)=He, charge-independent phase-shift analysis 4−15829
^{4}He, sum rules for quadrupole photoexcitation 4−12252
$^{199-x}$Hg, x=4, 6, 7, 8 and 9, excitation function of ^{197}Au(d,xn) at 25 to 86 MeV 4−9221
^{176}Lu(^{16}O,^{15}N)^{177}Hf, direct reactions between 63 and 81 MeV 4−9265
^{24}Mg, evidence for decay into ^{12}C+^{12}C, from ^{12}C(^{16}O,α) reaction 4−9298
^{24}Mg, first 2^+ states, effect of magnetic reorientation on Coulomb excitation probabilities 4−12167
^{24}Mg, intermediate resonance in ^{16}O+^{12}C interaction 4−9286
^{24}Mg, resonance struct. for ^{12}C(^{16}O,α)^{24}Mg reaction 4−9287
^{24}Mg(α,α)^{24}Mg, intermediate resonance like struct. 4−9242
^{92}Mo(d,n)^{93}Tc, excitation function meas., theoretical model *(Russian)* 4−647
^{92}Mo(d,p)^{93}Mo, excitation function meas., theoretical model *(Russian)* 4−647
^{94}Mo(d,2n)^{94}Tc, excitation function meas., theoretical model *(Russian)* 4−647
^{23}Na, possible ^{12}C+^{12}C resonances, ^{12}C(^{12}C,p)^{23}Na 4−9289
^{150}Nd, Coulomb excited 4^+ rot. state, E4-contribution to cross sections 4−12274
^{20}Ne, excitation functions and statistical anal., for ^{12}C(^{12}C,α)^{20}Ne, 18 to 25 MeV 4−9290
^{20}Ne compound nuclear excitation in proton scattering in ^{19}F 4−9193
Ni isotopes, structure studies by isobaric analogue resonances 4−9078
^{56}Ni, shell-model calc. of core excitation effects 4−31240
^{57}Ni, shell-model calc. of core excitation effects 4−31240
^{58}Ni(p,^{3}H)^{56}Ni, two step reaction mechanism 4−9169
^{10}O(^{11}B,^{7}Li)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{16}O, 0^+ excited state, 6.06 MeV, 3-body potential excitation energy calc. 4−19334
^{16}O, microscopic calc. of width of s-state gross-structure resonance 4−39962
^{16}O (e, e'), E=101-126 MeV, positive parity levels, form factors 4−5712
^{16}O+n, continuum-shell model, four particle-four hole excitation 4−40009
^{16}O(^{6}Li,d)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{16}O(^{7}Li,^{3}H)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{17}O(^{16}O,^{16}O)^{17}O, exchange contributions to inelastic scattering 4−2968
^{17}O(^{6}Li,^{3}H)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{18}O(^{11}B,^{9}Li)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{189}Os, nuclear excitation by electron transition 4−19340
^{206}Pb, ^{204}Pb, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
^{206}Pb, level scheme from ^{204}Pb(t,p) reaction, elementary modes of excitation 4−36211
^{208}Pb giant E2 resonance, fine structure, missing oscillator strength 4−12304
^{208}Pb(^{16}O,^{17}O)^{207}Pb, virtual Coulomb excitation at 2.61 MeV 4−2962
^{208}Pb(p,γ)^{209}Bi, collective E2 resonance 4−27324
^{a}Po, A=194 to 190, two-peak struct., for ^{166}Er(^{40}Ar,αxn), (^{40}Ar,2p(x+2)n) reactions 4−9297
^{211}Po, intermediate structure, isobaric analogue of single particle neutron strength in ^{211}Bi 4−9076
^{a}Pt, A=174 to 177, two-peak struct., for ^{144}Sm(^{40}Ar,αxn), (^{40}Ar,2p(x+2)n) reactions 4−9297

nuclear excitation continued
^{208}Pt(^{11}B,^{11}B), 72.2 MeV inelastic scattering, interference between Coulomb and nuclear excitation 4−12381
^{32}S, ^{34}S, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
^{32}S(^{32}S,^{32}S), 113 MeV, elastic scattering excitation functions 4−9272
^{34}S pop. in ^{31}P(α,pγ), vibrational modes 4−12257
^{44}Sc, excitation of k=0^- rotational band with ^{44}Ca(p,n) at low energy 4−15610
^{28}Si, ^{16}O-^{12}C config. for ^{16}O(^{16}O,α)^{28}Si stripping reaction 4−9288
^{28}Si, compound, high-spin states, cross-section enhancements beyond (2l+1) rule in ^{12}C(^{16}O,α)^{24}Mg 4−9299
^{28}Si, compound system, intermediate resonance in ^{16}O+^{12}C interaction 4−9286
^{28}Si giant dipole resonance, effects of core excitation 4−15742
^{28}Si(α,α)^{28}Si, intermediate resonance like struct. 4−9242
^{29}Si, E1 effective charge, effect of giant dipole resonance 4−15609
^{a}Sm, A=148, 150, 152 quadrupole moments, reorientation precession technique 4−12152
^{a}Sm(^{16}O,^{14}C), A=150, 152 and 154, direct reactions between 63 and 81 MeV 4−9265
^{144}Sm, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
^{151}Sm, from ^{148}Nd(α,nγ), 18 MeV, 261 keV level, life-time meas. 4−15694
^{152}Sm, first 2^+ states, effect of magnetic reorientation on Coulomb excitation probabilities 4−12167
^{154}Sm, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
Sn-region, core polarisation effects of moments of $11/2^-$ states 4−12134
^{116}Sn(p,p'), 16 MeV, density dependent effective interactions 4−5811
^{120}Sn(^{18}O,^{16}C) 100 MeV, two nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{16}O)^{122}Sn, 100 MeV, two nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{17}N), 100 MeV, one nucleon transfer reaction 4−9276
^{181}Ta, parity non conserving E1 transitions calc. in oscillator shell model 4−5749
^{181}Ta, retarded 482 keV transition, K-conversion coeff. 4−15705
^{a}Te(p,^{3}H), A=122, 124, 126, 128 and 130, inelastic scattering effects at 52 MeV 4−9166
^{117}Te compound nucleus in ^{40}Ar and ^{14}N induced reactins, ang. distrib. of changed particle evaporation, critical ang. momenta 4−9302
^{238}U, Coulomb excitation, with Kr ions, moments of inertia 4−2799
^{182}W, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{182}W, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{184}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
^{186}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
Xe ions, 150 MeV collisions with metallic foils, K X-ray excitation 4−9469
^{90}Zr(d,n)^{91}Nb, excitation function meas., theoretical model *(Russian)* 4−647
^{90}Zr(d,p)^{91}Zr, excitation function meas., theoretical model *(Russian)* 4−647

nuclear explosions
see also nuclear fission; weapons
acoustic-gravity wave forms, var. with burst height and energy yield, comments 4−17750
aerial-survey of gamma active debris on Eniwetok Atoll after nuclear tests 4−31598
air-fireball model, early time, for near surface energy release 4−23922
atmospheric artificial electron belt enhancement through interactions with ion cyclotron waves 4−10949
biological effects of underground explosions, salmonid egg development 4−22616
bomb produced tritium in Antarctic Ocean rel. to water mass types and surface water input into deep water 4−29538
cavities for crude oil storage, thermochemical effects model 4−19633
Chinese tests, radioactive hot particle fallout at Arkansas 4−10916
crater formation, shock wave propag., and radioactive waste storage *(French)* 4−38204
crude oil storage offshore, nuclear explosion cavities 4−19631
curved Earth exponential atmosphere Monte Carlo calculations, flat Earth approximation 4−31571
detection by seismology 4−10822
detonations, transient radiated e.m. fields and infinite lines, coupling 4−680
directed blasting, model and methods 4−19635
e.m. pulse research in Sweden 4−679
engineering, educational aspects, 1973 review 4−23924
exospheric, e.m. pulse generation 4−678
fallout obs. to mid-1973 in air and rainwater, following Chinese and French nuclear tests 4−42135
Gasbuggy chimney production testing (May 1973) 4−19632
MILROW and CANNIKIN, homomorphic deconvolution of teleseismic P-waves 4−29423
missile vulnerability to explosions, neutron transport calc. 4−31570
multiple discriminant seismological screening procedure for test ban verification 4−14036
natural gas, nuclear stimulation, description of Project Rio Blanco 4−19620
natural gas, nuclear stimulation, environmental considerations 4−19616
natural gas nuclear stimulation, Project Rio Blanco, gas quality analysis 4−19623
natural gas nuclear stimulation, regional supply plans 4−19618
natural gas nuclear stimulation, Rio Blanco project, hydrological changes 4−19625
natural gas nuclear stimulation, social acceptance of Rio Blanco Project 4−19617
natural gas stimulation, legal and administrative aspects 4−19615
natural gas stimulation, operation of Rio Blanco explosion 4−19621
natural gas stimulation, Project Rio Blanco, well testing 4−19622

nuclear explosions continued
natural gas stimulation, Rio Blanco, gas flaring, diffusion study 4−19624
natural gas stimulation, survey of economic prospects 4−19614
natural gas stimulation by nuclear explosive fracturing 4−19619
navigation hazards, abrupt removal 4−19636
Novaya Zemlya, aftershocks from underground nuclear explosions 4−25584
OSCURO, aftershocks triggered by underground explosion 4−21688
OSCURO, interpretation of body and Rayleigh waves 4−21698
PKiKP phases at distances less than 110°, Yellowknife array 4−21649
Q-factor estimate using seismic Rayleigh waves from nuclear explosions 4−4354
Rayleigh waves source, used in determining specific attenuation factor 4−34143
reactor in thermonuclear target area, civil defence implications 4−36370
RIO BLANCO, aftershocks triggered by underground explosion 4−21688
seismological velocity data, Rio Blanco experiment 4−19627
simulation of explosive excavation by chemical explosive, computer matching 4−19634
soil pore pressure, transient motion meas., Rio Blanco project 4−19630
soil pore pressure increase, liquefaction, Rio Blanco project 4−19629
spall measurement, Rio Blanco experiment 4−19626
STARFISH high-altitude explosion, high-energy electron fluxes in inner radiation belt 4−22113
stratosphere, effect on NO and O_3 concentrations 4−1883
structural damage, bracing in Rio Blanco experiment 4−19628
superheavy nuclei production by multiple neutron capture 4−9313
teleseismic P-wave transmission 4−7522
teleseismic radiation field, surface and body wave magnitudes 4−21668
teleseismic source parameters for Longshot, Milrow and Cannikin nuclear explosions 4−34146
transport of delayed radiation from nuclear weapons 4−31569
underground, CANNIKIN, surface- and body-wave spectra 4−7517
underground, cavity gas flow through porous media, calcs. 4−16266
underground, earthquake spectrum prediction technique 4−4322
underground test detection, seismic instruments *(Swedish)* 4−23923
weapon systems, e.m.c. design, International Symposium, New York, (1973) 4−677
nuclear field theory *see quantum field theory*
nuclear fission
see also delayed neutrons; fission counters; nuclear explosions; nuclear fission of uranium; nuclear fission products; nuclear reactors; photofission
^{242m}Am, prompt fission modes following ^{242}Pu(d,2n) 4−5861
$A \geqslant 231$, fissionability and criticality investigation 4−5849
actinide, statistical model for fragment excitation and energy distrib. 4−36239
actinide region, fission barriers in terms of quadrupole, hexadecapole and axially asymmetric deformations 4−9054
actinides, sub-barrier probability for double humped barrier 4−19547
asymmetric, in two-centre shell model 4−9321
asymmetrical heavy nuclei, nucleon/charge redistribution 4−27372
asymmetry of products, potential energy surface explanation 4−12389
axial symmetry of fissioning nucleus, potential energy calcs. 4−9323
barrier penetration, large superfluidity enhancement 4−36238
bending mode at scission point 4−9317
bred fissionable species, corrections for burnup determs. 4−40122
charged-particle induced at moderate excitation energies, effect of angular momentum 4−23735
compound system ^{317}127, in ^{136}Xe bombardment of Ta, Au isotope formation 4−9304
decay theory, spontaneous fission half lives determ. and fission barrier anal. 4−5845
deformed nuclei, semi self-consistent calcs. using Skyrme force approx., to spherical pots. 4−544
delayed, role in production of very heavy and superheavy elements 4−9326
dispersion corrections to experimental results 4−27368
double-humped fission barrier, exptl. consequences 4−31431
dynamic description, mass asymmetry and nuclear viscosity 4−9312
eka-elements, fission $T_{1/2}$ meas. using spinner technique 4−31424
energy resources, nuclear 4−31549
excited nuclei, determ, of interpolation formula for fission width 4−2989
fission-track dating in dielectric solids, correction for thermal fading 4−30563
fuel elements, HTGR-type, nondestructive assay, fission induced prompt and delayed neutrons 4−23853
Hartree Fock cranking model, nuclear energy surface calc. 4−31265
heated nuclei, fission width determ. using Kramers model 4−27376
heavy elements, cosmic ray induced, sea level and underground counting expts. 4−21855
heavy nuclei, barrier shape anal. 4−39920
heavy nuclei, fission barrier shape anal. 4−40051
heavy nuclei, induced by 0.1 to 30 GeV nucleons, internuclear cascade model 4−40005
heavy-ion reactions, connection with fission reactions 4−40041
light particle accompanied, application of collinear three-centre shell model 4−19311
muonic atom, difference in electronic and fission decay modes 4−31310
neutron induced, A=239, 244, intermediate struct., rel. to resonance energies 4−9075
neutron induced, ambiguities of reaction widths in R-matrix parametrization 4−36241
potential energy surfaces in unified treatment of fission and heavy-ion reactions 4−9325
scission region, appl. of two-nuclei shell model with pairing 4−9319
single particle K-matrix for deformed and fissioning nuclei 4−2988
spontaneous, appl. of dielectric track detectors *(Russian)* 4−30561

nuclear fission continued
spontaneous, of very heavy nuclei with $Z=154$-164, half-life calcs. 4−9327
spontaneous, search in nature for superheavy element 4−5866
state-of-the-art, with reference to shell model *(German)* 4−5868
stellar r-process nuclide, temp. depend. spontaneous fission rate and upper mass limit 4−7980
subthreshold processes, intermediate structures, analysis 4−5858
superheavy elements, spontaneously fissioning, search in terrestrial minerals 4−21855
superheavy nuclei production by multiple neutron capture 4−9313
superheavy nuclei synthesis in reactions with accelerated Zn ions 4−27375
superheavy nucleus $^{298}X_{184}$, potential energy surface for fission 4−12396
ternary, liquid drop model, adiabaticity 4−9318
track registration in solid-state track detectors immersed in fissile-material solns. 4−26624
transmendelevium elements, appl. of dielectric track detectors *(Russian)* 4−30561
transuranic fission isomers, appl. of dielectric detectors 4−30568
viscosity constant, magnitude determ. 4−9095
viscosity tensor, temperature dependent microscopic formula 4−9094
widths, fine structure, class II state parameters 4−5857
Z=92 to 106, half-lives calc. from liquid-drop, single-particle models 4−15930
DT controlled plasma 14 MeV neutrons, review of fusion-fission hybrid concepts 4−31565
^{227}Ac(d,f), 4 to 6.8 MeV, yield and cross-section meas. 4−40049
Ag, ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
Ag(K$^-$,f), 10.1 GeV/c, obs. in nuclear emulsion 4−31434
^{241}Am(n_{th},f), fission modes 4−5861
^{242}Am, comparison of prompt and isomer fission modes 4−9320
^{242m}Am, light nuclei energy spectra and yields 4−5867
(^{40}Ar, f), 160 to 300 MeV, on medium and heavy nuclei, total kinetic energy meas. 4−27367
Au, binary and ternary cross-sections meas., induced by 2.1 GeV ^{2}H ions 4−5852
Au, ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
Au(N,f), heavy fragment production rate, plastic stack detector 4−31436
^{197}Au(α,f), 58 to 100 MeV, cross section meas. and optical model anal. 4−23739
^{197}Au(α,f) 38 MeV, meas. of fragments energy distrib. using track method 4−19550
^{197}Au(p,t), 1 GeV, ang. correlation of fragments in binary fission 4−40050
Bi, binary and ternary cross-sections meas., induced by 2.1 GeV ^{2}H ions 4−5852
^{209}Bi + ^{84}Kr, 525 MeV quasifission reaction, cross-section and ang. distrib. meas. 4−36224
^{209}Bi(Kr,f) at 500 MeV, anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
^{209}Bi(α,f), 38 MeV, meas. of fragments energy distrib. using track method 4−19550
^{209}Bi(α,f), 58 to 100 MeV, cross section meas. and optical model anal. 4−23739
^{209}Bi(p,t), 1 GeV, ang. correlation of fragments in binary fission 4−40050
Br(K$^-$,f), 10.1 GeV/c, obs. in nuclear emulsion 4−31434
^{249}Cf, neutron induced, 0.5-7.0 MeV, cross section and angular anisotropy *(Russian)* 4−15933
^{251}Cf cross section, kinetic energy distribs. of fragments 4−31426
^{252}Cf, fragment energy spectrum determ. by solid state track detectors 4−30562
^{252}Cf, spontaneous, alpha-particle spectra obs. 4−31425
^{252}Cf, spontaneous, polar light particle emission 4−27371
^{252}Cf, spontaneous, search for retarded neutrons using angular distrib. 4−19553
^{252}Cf, spontaneous fission, neutron energy spectra, 0.15 to 15 MeV 4−23728
^{252}Cf, spontaneous fission, determ. of gamma ray total energy 4−23737
^{252}Cf, spontaneous fission fragment mass meas. method using plastic scintillator film detectors 4−26627
^{252}Cf fission neutron spectrum for fast neutron activation analysis 4−26729
^{252}Cf range of product nuclei ^{99}Mo and ^{140}Ba in Al, Ni, Cu and Pd 4−32591
^{252}Cf spontaneous, meas. of beta-ray energy spectra of fission fragments 4−27366
^{252}Cf spontaneous fission, anal. of energy and mass spectra of fragments *(Russian)* 4−15932
^{254}Cf, total spontaneous fission half-lives, kinetic energy and mass yield spectra 4−23734
^{352}Cf, total spontaneous fission half-life, mass and charge distrib. 4−23733
^{241}Cm, decay, neutron-fission competition near threshold, influence of shells and pairing 4−656
^{244}Cm, neutron multiplicity distrib., meas. 4−8457
^{244}Cm, spontaneous, average number of neutrons, variation with mass number 4−19551
^{246}Cm, spontaneous, average number of neutrons, variation with mass number 4−19551
^{248}Cm, spontaneous, average number of neutrons, variation with mass number 4−19551
^{248}Cm(^{18}O,α3n)^{259}No at 95 to 110 MeV, ^{259}No Z and A assignment, and $T_{1/2}$ determ. 4−12293
^{250}Cm, total spontaneous fission half-lives, kinetic energy and mass yield spectra 4−23734
^{254}Fm, spontaneous, mass and nuclear charge distribs. of fission yields 4−5851
^{255}Fm, cross sections, and kinetic energy distribs. of fragments 4−31426
^{258}Fm, fission mass distribution, asymmetric two-centre shell model 4−27370

nuclear fission continued
- ^{258}Fm, total spontaneous fission half-lives, kinetic energy and mass yield spectra 4−23734
- ^{165}Ho(Kr,f) at 500 MeV, anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
- ^{127}Np, reactor fuel, meas. of absolute fission rates 4−36242
- ^{237}Np, cross section, intermediate struct., study 4−5856
- ^{237}Np, time-dependent fission rate, Th assembly 4−12393
- ^{237}Np(n,f), 0.4 to 1.2 MeV, delayed neutron yields 4−40048
- ^{237}Np(n,f), 3.5 to 4.9 MeV, cross-section meas. 4−31421
- ^{237}Np(n,f), spin determ. of intermediate structure in subthreshold fission 4−23738
- ^{188}Os(α,f), 38 MeV, meas. of fragments energy distrib. using track method 4−19550
- Pb, binary and ternary cross-sections meas., induced by 2.1 GeV ^{2}H ions 4−5852
- Pb, muonic X-ray spectra 4−5862
- Pb, ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
- ^{207}Pb(α,f), 58 to 100 MeV, cross section meas. and optical model anal. 4−23739
- ^{240}Po, pairing gap energies at saddle point 4−31427
- Pt, ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
- ^{239}Pu, light nuclei energy spectra and yields 4−5867
- ^{239}Pu, reactor fuel, meas. of absolute fission rates 4−36242
- ^{239}Pu, reactor fuel fission product rate meas. using foil technique 4−36243
- ^{239}Pu, thermal and epi-thermal, ^{77}Ge, ^{77}As, ^{166}Dy, ^{166}Ho, mass yield variation meas. 4−2985
- ^{239}Pu, time-dependent fission rate, Th assembly 4−12393
- ^{239}Pu(d,pf), fission fragments, mass distrib. and ang. anisotropy 4−5860
- ^{239}Pu(n,f), thermal neutron induced, prompt γ-ray emission, average multiplicity and energy 4−670
- ^{239}Pu(n,f), thermal neutrons, ^{150}Pm independent fractional yield determ. 4−23730
- ^{239}Pu(n,f) at 0.3 to 200 eV, fission width determ. 4−15929
- ^{239}Pu(n,γf), neutron and gamma ray yields 4−5859
- ^{239}Pu(n,γf) at 0.3 to 200 eV, fission width determ. and gamma-ray multiplicity meas. 4−15929
- ^{239}Pu(n,t), calc. of resonance self-shielding 4−36360
- ^{240}Pu, fission barrier deform. energy curves, self-consistent calc. *(French)* 4−5853
- ^{240}Pu, isomeric fission, fragment mass and kinetic energy distrib. 4−36236
- ^{240}Pu, probability of prompt neutron emission 4−31422
- ^{240}Pu(n,f), 0.5-2.5 MeV, search for fission shape isomers, statistical theory 4−19548
- Pu(n,t), A = 238 to 240 meas. and calc. of integral cross-section ratios in EBR-II reactor 4−27389
- ^{226}Ra, fission mass distribution, asymmetric two-centre shell model 4−27370
- ^{226}Ra(n,f), 5-15 MeV, fragment energy distrib., symmetric and anti-symmetric fission 4−2986
- ^{185}Re(α,f), 38 MeV, meas. of fragments energy distrib. using track method 4−19550
- Sn, ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
- ^{181}Ta(Kr,f), mass and charge distribs. of fission fragments 4−27374
- ^{181}Ta(Xe,f), mass and charge distribs. of fission fragments 4−27374
- Th, binary and ternary cross-sections meas., induced by 2.1 GeV ^{2}H ions 4−5852
- Th, ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
- ^{232}Th (n,f) 4.48 and 14.1 MeV, effective cross section, use of mica *(Spanish)* 4−5844
- ^{232}Th + ^{74}Ge, energy dependence of fission and nucleon transfer cross-sections *(Russian)* 4−31429
- ^{232}Th(α,f), 58 to 100 MeV, cross section meas. and optical model anal. 4−23739
- ^{232}Th(e,f), 8 to 30 MeV, fission fragment ang. distrib. meas. 4−23736
- ^{232}Th(n,f), meas. of fission product yields 4−31428
- ^{232}Th(n,f), ratio to (n,2n) reaction from fast reactor spectra simulation 4−5879
- ^{232}Th(n,f) at 14.8 MeV, yields of low mass products 4−669
- Th(p,f) binary and ternary fission at 14 to 23 GeV, cross section determ. 4−12398
- ^{235}U(n,t), anal. of resonance self-shielding expts. with Monte Carlo code 4−36361
- ^{238}U, prompt neutron multiplicity meas. 4−31423
- ^{238}U(Kr,f) at 500 MeV, anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
- ^{186}W(Kr,f) at 500 MeV, anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
- W(p,t), 1 GeV, ang. correlation of fragments in binary fission 4−40050
- Yb(p,t), 1 GeV, ang. correlation of fragments in binary fission 4−40050

nuclear fission of uranium
- binary and ternary cross-sections meas., induced by 2.1 GeV ^{2}H ions 4−5852
- cross section, and range of fission fragment in uranylacetate by means of track registration 4−5846
- ethylene dosimeter, fission fragment deposition efficiency meas. 4−19643
- gamma-ray spectroscopy, fission-product mixtures, determ. of independent yields using Ge(Li) detector 4−26622
- Lunar Neutron Probe experiment, depth profile of rates 4−26056
- mineral dating by fission track densities, effect of shock 4−29448
- photofission, 400 MeV photons, fission-spallation competition 4−9316
- plasma, fissioning, prod., radiative props. 4−20123
- rank annihilation method for multilevel cross-section calc., up to 2 eV neutrons 4−15931
- scission point, axial and mass asymmetry 4−5850
- spontaneous, foil, irradiation with 9.6 MeV/nucleon Cu ions, search for superheavy elements 4−5840
- ternary and binary, 9.6 MeV/nucleon Fe-ions induced 4−5854

nuclear fission of uranium continued
- ternary fission, induced by 12.2 GeV protons, anal. in solid state track detectors 4−31433
- threshold reactions, average cross-section meas., without reflected flux, reference reaction errors 4−19546
- ^{239}Pu(n,t), anal. of resonance self-shielding expts. with Monte Carlo code 4−36361
- U (natural) electrodeposited source, ejection of atoms from surface 4−33588
- U(Ar,F), 414 MeV, ratio of ternary to binary fission, obs. in mica using hole detector 4−31435
- UC, fission product gas release in burst region 4−5847
- U(Kr,f), mass and charge distribs. of fission fragments 4−27374
- UO$_2$ fuel pin, fission gas release during irradiation, in fast reactor, meas. 4−9340
- U(Xe,f), mass and charge distribs. of fission fragments 4−27374
- ^{135}U thermal neutron induced products, gamma-ray spectra *(German)* 4−23740
- ^{233}U, light nuclei energy spectra and yields 4−5867
- ^{233}U, prompt fission neutron spectrum meas. from 0.8 to 10 MeV 4−5848
- ^{233}U, thermal neutron induced, prompt γ-ray emission, average multiplicity and energy 4−670
- ^{233}U (90% enriched), electrodeposited source, ejection of atoms from surface 4−33588
- ^{233}U(n,f), thermal neutrons, ^{150}Pm independent fractional yield determ. 4−23730
- ^{235}U, lattices, prediction of reactivity and reaction rate ratios 4−12422
- ^{235}U, light nuclei energy spectra and yields 4−5867
- ^{235}U, percentage burn-up determ. by mass spectrometry *(Czech)* 4−31545
- ^{235}U, photofission cross section determ. from yield curves, 5-8 MeV 4−23741
- ^{235}U, power emitted by fission products, calorimetric meas. *(French)* 4−9310
- ^{235}U, reactor fuel, fission product rate meas. using foil technique 4−36243
- ^{235}U, reactor fuel, meas. of absolute fission rates 4−36242
- ^{235}U, reactor fuel, reactivity and fission rate ratio meas. 4−36328
- ^{235}U, spontaneous fission, half-life meas. using rotation chamber *(German)* 4−23729
- ^{235}U, thermal, cross-section from 0.002 to 0.15 Ev, slow chopper meas. 4−12392
- ^{235}U, time-dependent fission rate, Th assembly 4−12393
- ^{235}U enrichment determ. in UF$_6$, ^{4}He proportional counter fast-neutron detector 4−23943
- ^{235}U thermal fission products, $\beta+\gamma$ residual power, 70 to 7×10^4 s cooling times 4−12391
- ^{235}U/^{239}Pu cycle in nuclear reactors, environmental hazards 4−36387
- ^{235}U(n, f) thermal, meas. energy spectrum of He emission in fragment direction 4−2991
- ^{235}U(n,f), 0.1 to 15 eV, determ. of spins of low energy in resonances 4−15615
- ^{235}U(n,f), thermal mass-yield meas. using time-of-flight method and particle channelling 4−39354
- ^{235}U(n,f), thermal neutrons, ^{150}Pm independent fractional yield determ. 4−23730
- ^{235}U(n,γf), neutron and gamma ray yields 4−5859
- ^{235}U(n,t), calc. of resonance self-shielding 4−36360
- ^{235}U(n,t), intermediate structure of cross-sections in unresolved resonance region 4−36240
- ^{236}U, axial symmetry, potential energy calcs. 4−9323
- ^{236}U, calc. of charge vibration using Strutinsky shell correction 4−40046
- ^{236}U, fission mass distribution, asymmetric two-centre shell model 4−27370
- ^{236}U, photofission cross section meas., 5-8 MeV, resonance structure obs. 4−19552
- ^{236}U, potential energy surface in two-centre shell model 4−9053
- ^{236}U mass asymmetry as dynamic process 4−9322
- ^{236}U(n,f), 0.5-2.5 MeV, search for fission shape isomers, statistical theory 4−19548
- $^{236}\mathrm{U}\rightarrow{}^{218}\mathrm{Pd}+{}^{218}\mathrm{Pd}$ appl. of two-nuclei shell model with pairing 4−9319
- ^{238}U, electrofission, fragment energy 4−5855
- ^{238}U, hydrid nuclear reactor fuel, D-T plasma neutron source 4−32215
- ^{238}U, muonic X-ray spectra 4−5862
- ^{238}U, photofission, mass distrib. of fission products meas. 4−12394
- ^{238}U, photofission cross section determ. from yield curves, 5-8 MeV 4−23741
- ^{238}U, reactor fuel, meas. of absolute fission rates 4−36242
- ^{238}U, reactor fuel fission product rate meas. using foil technique 4−36243
- ^{238}U, recoil properties of rare-earth nuclides using 11.5 GeV and 440 MeV protons 4−9315
- ^{238}U (α,f), 58 to 100 MeV, cross section meas. and optical model anal. 4−23739
- ^{238}U muonic atom, difference in electronic and fission decay modes 4−31310
- ^{238}U p-induced fission, 30-85 MeV, nuclear charge dispersion in mass chains 130-135 4−27365
- ^{238}U subbarrier photofission, mass asymmetry of fragments 4−9314
- ^{238}U + ^{84}Kr, 408 to 458 MeV, search for Coulomb fission 4−36218
- ^{238}U(n,2nf), 13 to 18 MeV, fission fragment anisotropy *(German)* 4−23732
- ^{238}U(n,2nf), 14 MeV, meas. of reaction time *(German)* 4−23731
- ^{238}U(n,f), 0 to 14.9 MeV, test of photon production data from some ENDF/B materials 4−31554
- ^{238}U(n,f), ratio to (n,2n) reaction from fast reactor spectra simulation 4−5879
- ^{238}U(p,f), 740 MeV, high energy n spectra meas. 4−19414
- ^{238}U(p,t), 1 GeV, ang. correlation of fragments in binary fission 4−40050
- ^{266}U, pairing gap energies at saddle point 4−31427
- U(n,t), A = 233, 238, meas. and calc. of integral cross-section ratios in EBR-II reactor 4−27389

nuclear fission piles *see nuclear reactors*

nuclear fission products
angular momentum distribution of fragments due to bending modes at scission point 4−36237
beta-ray spectra, time-dependent delayed, appl. of gross theory 4−15719
burnup, fission product noble gas determ., static mode mass spectrometry 4−30653
diffusion in alpha phase Th in nuclear reactor 4−23889
electron energy distribution function, fission fragment excited gases 4−20120
energy spectrum determ. by solid state track detectors 4−30562
excitation of He, relative contrib. of fission fragments, electrons 4−20119
fission gas behaviour under transient power conditions 4−40094
fragment damage track detectors, accuracy of spark counting 4−35427
fragment mass distrib. asymmetry, two-centre shell model 4−9321
fuel assembly gamma scanning, self-shielding effects 4−36295
gamma-ray spectra, measurement and calc. methods *(German)* 4−23740
gamma-ray spectroscopy, fission-product mixtures, determ. of independent yields using Ge(Li) detector 4−26622
gas bubble release and swelling of fuels 4−672
GCFR fuel pressure equalization system, irradiation testing of vented-fuel-rod design 4−27402
ground sorption capacity, site investigation, first South African power station 4−12461
heat-producing, molten fuel and reactor phase distrib. 4−23829
heat-producing, molten fuel and reactor phase distrib. 4−23830
irradiated nuclear fuel processing, by-product recovery *(French)* 4−5905
mass asymmetry as dynamic process, two-centre shell model calc. 4−9322
mass distribs. reln. to barrier shape 4−31431
mass distribution, asymmetric two-centre shell model 4−27370
mass measurement, thin plastic scintillator film detectors 4−5196
microanalysis in cladding layers of HTR reactors *(French)* 4−40118
neutron yield corrections to time of flight experiments 4−27369
precision measurements using solid state track detectors 4−30560
prompt γ-deexcitation, bending mode at scission point 4−9317
radioactive wastes, transmutation using controlled thermonuclear reactor 4−23931
rare-earth isotopes isolation using on-line fragment separator with He-jet ion source 4−26588
release from Zircaloy clad UO_2 fuel pins, at 1000°C 4−5923
short-lived fission product yield and decay data 4−27373
skin deposition, subcutaneous β ray dose 4−26280
statistical model for fragment excitation and energy distrib. in actinide fission 4−36239
ternary fission, energy spectra and yields of light nuclei, meas. using magnetic mass spectrometer 4−5867
thin film detector meas. of specific luminescence of heavy ions 4−5198
transmission efficiency, He-jet flow system 4−8434
unstable products release during variable reactor operating histories 4−31470
volatile, migration in fuel rods in GCFR fast flux irradiation 4−27406
Ar radioisotopes, adsorption on charcoal in FFTF fission gas delay bed 4−27404
^{77}As, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
Au isotope formation in fission and multinuclear transfer processes in ^{40}Ar, ^{84}Kr and ^{136}Xe bombardment of Ta 4−9304
Au(N,f), heavy fragment production rate, plastic stack detector 4−31436
Ba isotopes, behaviour in liquid Na 4−3042
^{140}Ba produced in ^{232}Th(n,f), yield meas. 4−31428
Br, in liquid Na/stainless steel system, solubility and deposition behaviour 4−3043
^{141}Ce produced in ^{232}Th(n,f), yield meas. 4−31428
^{252}Cf, spontaneous fission fragment mass meas. method using plastic scintillator film detectors 4−26627
^{252}Cf product transport in He-jet system for inaccessible sources 4−30531
^{252}Cf spontaneous fission, anal. of energy and mass spectra of fragments *(Russian)* 4−15932
^{252}Cf spontaneous fission, fragments, kinetic energy, rel. to even-Z and odd-Z 4−2987
^{252}Cf spontaneous fission fragments, meas. of beta-ray energy spectra 4−27366
Cs, determ. of isotope ratio in nuclear reactor spent fuel 4−36294
Cs, in oxide fuel system, chemical state and thermomigration behaviour 4−27446
Cs interaction with UO_2 fuel pins, effect on cladding 4−27445
Cs isotopes, behaviour in liquid Na 4−3042
Cs release from coated fuel products 4−3015
^{137}Cs, from U and Pu fission in EBR-II reactor, fission rate determ. 4−27389
^{137}Cs loadings in CTR blanket, reduction of transmutation, half-life 4−23910
^{166}Dy, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
^{254}Fm, mass and nuclear charge distribs. of fission yields 4−5851
^{77}Ge, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
He, population inversion in fission fragment excited gas 4−19084
He excitation by fission fragments, pressure depend. 4−20121
^{4}He produced in ^{235}U fission, energy spectrum meas. 4−2991
^{5}He as product of ternary fission, calc. 4−12397
^{6}He produced in ^{235}U fission, energy spectrum meas. 4−2991
^{166}Ho, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
I, in liquid Na/stainless steel system, solubility and deposition behaviour 4−3043
I, interaction with Zr alloy sheaths, stress corrosion cracking 4−27449
^{131}I, radiochem. separation, determ., from reactor dust particles, collected on Ag filters 4−35547
^{131}I produced in ^{232}Th(n,f), yield meas. 4−31428

nuclear fission products continued
Kr radioisotopes, adsorption on charcoal in FFTF fission gas delay bed 4−27404
^{147}Pm, ^{148m}Pm, resonance and thermal-neutron cross sections 4−5796
^{150}Pm, produced in ^{233}U, ^{235}U and ^{239}Pu fission, independent fractional yield determ. 4−23730
^{239}Pu, fission product γ-activity rel. to ^{235}U 4−19567
^{239}Pu(d,pf), fission fragments, mass distrib. and ang. anisotropy 4−5860
^{240}Pu, isomeric fission, fragment mass and kinetic energy distrib. 4−36236
$^{240}Pu \rightarrow {}^{142}Ba + {}^{92}Sr$, external fission potential energy surface and mass distrib. 4−9324
^{85}Se, ^{86}Se, separation from other fission elements by paper electrophoresis, γ-ray energies 4−5756
Si detectors, charge collection 4−11592
Sr, diffusion through graphite matrix, conc. profile determ. *(German)* 4−36367
^{99m}Tc, sublimed from ^{99}Mo fission, purity determ. by γ-ray spectrometric anal. 4−30652
^{132}Te produced in ^{232}Th(n,f), yield meas. 4−31428
^{232}Th(n,f) at 14.8 MeV, A=66 to 77 yields 4−669
^{233}Th, statistical model of fusion process for mica detector calibration *(French)* 4−30579
^{135}U thermal neutron induced products, gamma-ray spectra *(German)* 4−23740
^{235}U, fission product γ-activity rel. to ^{239}Pu 4−19567
^{235}U, power emitted by fission products, calorimetric meas. *(French)* 4−9310
^{235}U thermal fission products, $\beta+\gamma$ residual power, 70 to 7×10^4 s cooling times 4−12391
^{238}U, photofission, product mass distrib. 4−12394
^{238}U, recoil properties of rare-earth nuclides using 11.5 GeV and 440 MeV protons 4−9315
^{238}U, thermal fission, β and γ decay energies of short lived products 4−5883
^{238}U subbarrier photofission, mass asymmetry of fragments 4−9314
^{238}U(n,2nf), 13 to 18 MeV, fission fragment anisotropy *(German)* 4−23732
Xe radioisotopes, adsorption on charcoal in FFTF fission gas delay bed 4−27404

nuclear fission reactors *see nuclear reactors*

nuclear forces
see also binding energy; meson field theory; nuclear binding energy
A=17, 18 nuclei, effective operators in (2s, 1d) shell in exact shell model calcs. 4−27246
A=4n sd shell nuclei, Hartree Fock calcs. using density dependent effective interaction 4−12228
A=50 to 58, N=30 nuclei, anal. of proton-neutron correlations 4−15661
A=55 to 65 nuclei, anal. of single particle levels using microscopic theory 4−15680
A=6-14 nuclei, shell model calcs. with realistic interaction 4−12202
aligned coupling scheme, semiclassical approach to schematic model 4−31253
alpha-clusterization and clustering-induced interaction 4−541
alpha-nucleus potential and alpha-particle struct., comparison with nuclear-nucleus pots. 4−31403
binding energy calcs. using modified Sussex matrix elements 4−397
Bressel-Kerman-Rouben potential, ground state observables of ^{3}H, ^{3}He 4−15601
charge independence and charge symmetry, review *(Russian)* 4−23615
charge interdependence, rel. to polarisation in ^{2}H(d,n)^{3}He and ^{2}H(d,p)^{3}H reactions 4−15868
charge symmetry, nonconfirmation by nucleon-nucleon scattering expts. 4−36126
charge symmetry breaking, ρ-ω mixing and low energy n-n scattering parameters 4−478
complex nuclei reactions, critical angular momentum calcs. in entrance reaction channel 4−12373
core excitation in direct reactions, distorted wave representation 4−9131
correlated quasiparticles method, 0^+ particle-particle residual interaction in odd-mass systems 4−12230
Coulomb effects, ^{2}H(p,2p)n and ^{2}H(p,pn)p reactions, cross sections 4−640
Coulomb energy difference in sum rule approach to nuclear vibrations 4−31280
coupling constants ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ calc. from n^{3}H, n^{3}He scattering 4−15778
deformation energies, influence of state dependence of pairing matrix elements in collective model 4−12220
deformed nuclei, semi self-consistent calcs. using Skyrme force approx., to spherical pots. 4−544
delta-shell N-N potential, sensitivity of trinucleon properties on low-energy N-N scattering parameters 4−15654
dense matter (3×10^{14}-10^{16} g cm^{-3}), baryon repulsive interaction 4−36150
density dependent, derivation without recourse to nuclear matter calcs., variational principle 4−485
density dependent effective interaction determined variationally from free nucleon-nucleon potential 4−484
density dependent effective interactions, Hartree-Fock alpha cluster density distribs. in light A=4n nuclei 4−15676
density fluctuations, nuclear structure 4−9098
density-dependent interaction in Hartree Fock Bogolyubov method 4−553
diffuse potential well, WKB method for density parameter *(German)* 4−31274
double-magic nuclei K-harmonics method for NN potentials 4−39946
effective interaction, energy dependent, convergent calc. 4−489
effective interaction, energy independent, calc. using Pade approximants 4−488
effective interaction, need for long range components 4−36125
effective interaction, tensor part, from ^{14}N(p,p')^{14}N scattering 4−5810
effective interaction, zero-range density depend. 4−19308

nuclear forces continued
effective interaction between light nuclei, odd-even features 4−15753
effective interaction in inelastic scatt., reliability of separation method 4−31324
effective interactions, applications of microscopic theory 4−39948
effective interactions, hole-hole and particle-particle, from self-consistent core polarisation calcs. near ^{16}O 4−23621
effective interactions, microscopic theory 4−39920
effective interactions, spin and density dependence 4−492
effective interactions and conserving approx. 4−491
effective interactions derivation from N-N two-body force 4−31254
effective N-N interactions and energy levels in Sr and Y 4−9064
effective two-body interaction, nature in G-matrix renormalization and shell model calcs. 4−493
effective two-particle interaction, in mass-18 nuclei, convergence props. of perturbation expansion 4−36123
e.m. interactions, of NNγ and N*Nγ time reversal violating vertex 4−31290
f$_{7/2}$ shell nuclei, phenomenological shell model fit using two and three body effective forces 4−9085
few particle problems, conference, Los Angeles, USA (28 Aug.-1 Sep. 1972) 4−15652
few-body break-up expts., information on forces 4−487
four-particle system with pair interactions, bound states 4−15602
grazing collisions, ^{32}S elastic scattering on ^{24}Mg, ^{27}Al and ^{40}Ca 4−666
hadronic atoms, nuclear properties, strong interaction effects 4−2811
Hamada-Johnston potential, realistic, in variational method calc. of ^{3}H and ^{4}He binding energies 4−399
Hamada-Johnston potential for ^{3}He form factor 4−15608
hard core potentials, realistic, charge form factors of ^{4}He, ^{3}He 4−19269
Hartree-Fock approximation, ambiguities in calcs. 4−31275
Hartree-Fock Lane potential, two body interactions 4−31267
heavy-ion scattering, interaction potential anal. 4−27348
hypercollapsed tightly bound nuclear isomers due to attractive heart in repulsive core 4−36153
inner repulsive effect, due to Pauli principle between composite particles 4−12189
interaction potential, few nucleon systems, Schrodinger equation soln. 4−610
light nuclei, (p,n) reactions at 100 MeV, influence of effective interactions on predicted cross-section 4−40004
light nuclei, reaction matrix theory and α-clusterisation 4−5741
local effective interaction, density dependent, derived from relativistic one-boson exchange potential 4−483
local potential, numerical study of separable approx. 4−19366
local S-wave two-body interactions, break-up calcs. in neutron-deuteron scattering 4−15790
many-body Brueckner theory including mesonic degrees of freedom 4−36148
mass equations, calculation in the shell model 4−2784
mass-18 nuclei, doubly-partitioned calc. of effective two-particle interaction 4−494
matter, infinite, nonlocal interactions *(French)* 4−5746
matter, infinite, nonlocal separable nucleon-nucleon interactions *(French)* 4−19323
matter, nonlocal separable potentials, first order Bruckner-Goldstone G matrix formalism *(French)* 4−31278
meson current corrections to many body theory 4−482
meson exchange effects in radiative neutron-proton capture 4−12348
meson theoretical potentials for triton and alpha-particle binding energies 4−2740
meson-exchange contributions to ^{3}H beta-decay and ^{3}H and ^{3}H, ^{3}He magnetic moments 4−15714
meson-exchange effects in neutron-proton bremsstrahlung 4−12191
microscopic charge-exchange, used for (p,n) reactions effective interaction 4−12339
mirror nuclei, $A \leqslant 100$, β-decay, isospin impurities 4−5765
mirror nuclei, anal. of discrepancy in isodoublet Coulomb displacement energies 4−2767
monopole core polarisation in Hartree-Fock basis 4−31270
multipole potentials, Hartree-Fock field and energy surfaces, deformation barriers 4−549
N-particle systems with long- or short-ranged forces, existence of non-trivial HF solns. 4−543
near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
neutron matter, binding energy, effect of Δ(1236) resonance 4−36124
neutron matter solidification anal. using Reid interaction and perturbation techniques 4−15686
neutron star matter, microscope calcs. of solidification density 4−34857
neutron star matter, pion condensation threshold, correlation effects 4−27261
neutron strength functions, nuclei $138<A<202$, from av. capture cross sections, comparison with optical model 4−39996
neutron-rich spherical nuclei, single particle spectra from Saxon-Woods potential *(French)* 4−12196
non-central force effects on A=21 and 22 nuclei energy spectra 4−495
non-pair component, distorted meson exchange *(Russian)* 4−15650
nonlocal N-N potentials, effect on n-n scattering length and charge symmetry breaking 4−480
nuclear matter, nonlocal separable potentials for three-body and nuclear matter calcs. 4−12238
nucleon separation energies from occupied shells, meas. survey 4−39947
odd-A, magnetic moments, M-5 non local interaction 4−416
off-energy shell continuation of two-body T-matrix, impact parameter representation 4−15732
off-energy-shell effects in multiple scattering 4−19361
off-energy-shell nucleon-nucleon T-matrix variations, sensitivity of ^{3}H, ^{3}He 4−15653
off-shell t matrices, dispersion theoretic approach 4−19181
one boson exchange model, potential in p-space for data <10 MeV 4−39944
one boson exchange potential, two-nucleon and infinite matter data 4−39945

nuclear forces continued
one-boson exchange model in momentum space 4−9081
one-boson-exchange potential, calcs. of structure of closed shell nuclei in local density approx. 4−486
operator, two-body, configuration averaging 4−35587
0p shell nuclei, three body effective force effects in normal parity spectra 4−27242
1p-shell nuclei, charge and current distribs. in (e,e) scattering 4−27307
p-shell nuclei, Woods-Saxon potential 4−614
P-waves, off-energy-shell behaviour 4−36122
parity violation in polarised pp scatt. due to meson exchange 4−31185
perturbative approximations to an effective Hamiltonian in presence of intruder state 4−12162
phenomenological interaction currents anal. using group theory 4−27243
pion condensation in neutron stars, effect of nucleon correlations 4−34858
pion-nuclear coordinate space potential determ. 4−31419
potential evaluation in inverse scattering, comparison of model formation 4−2835
potential matrix elements evaluation in deformed Cartesian basis 4−5742
rare earth nuclei, anal. of effective n-p interaction properties in doubly odd nuclei 4−15646
rare earth nuclei, HF calcs. of ground state properties using Skyrme interaction 4−546
real transition potential for ground-state analogue transitions 4−12369
real weinberg function, positive energy 4−5766
relativistic theory, approximate, calc. of single particle basis Hamiltonian from inter-nucleon interactions 4−19319
relativistic two-nucleon potential from Bethe-Salpeter eqn. 4−477
renormalisation of two body matrix elements, quadrupole-quadrupole force in sd shell 4−36127
repulsive core effects, (d,p) and (t,p) form factors calc. 4−36171
residual interaction, short range, superfluid functions, shell model calc. 4−23616
review of studies at Naval Research Laboratory, Washington, D.C. 4−5701
s-d shell nuclei, deformed Hartree-Fock calcs. 4−39957
S-wave inverse problem and sum rules for potentials with simple pole at origin 4−11790
sd-shell nuclei, $18 \leqslant A \leqslant 21$ and $A=23$, non-central interaction in SU$_3$ model 4−12207
sd-shell nuclei, realistic effective interaction, use of Pade approximants 4−9082
separable approximation method of Amado-Lovelace kernel 4−15733
separable expansions, local potentials below breakup threshold 4−2829
separable potentials and Coulomb interactions 4−15649
separable residual interaction, model, excited low lying collective states of shell model nuclei 4−490
separable Yamaguchi potential for three-boson system, comparison of Faddeev and resonating group calc. 4−15750
singlet neutron-neutron scattering length from ^{2}H(n,p)2n 4−5798
Skyrme forces, anal. of inelastic p scattering 4−40002
Skyrme interaction in constrained Hartree-Fock calc. of ^{240}Pu deformation energy curve 4−547
Skyrme interaction prediction of nuclear masses 4−400
spherical nuclei, Brueckner H-F calcs. with second order corrections using modified Sussex interaction 4−548
spin-tensor decomposition of effective interaction 4−2770
structure effect on g-factors of N=126 isotones 4−12143
SU$_4$ invariants w.r.t. supermultiplet theory *(French)* 4−9083
SU$_4$ symmetry of nuclei, binding energy and many-body forces 4−27227
sub-nuclear density matter, ground state configuration 4−36149
super-nuclear densities, eqns. of state 4−36152
super-soft-core proton-proton potential with two-pion and ω-exchange contrib. 4−479
supersoft-core potential in calc. of rearrangement energies in ^{16}O 4−12234
Sussex interaction, calc. of ^{4}He negative parity spectrum 4−27234
symmetry coefficient in nuclear matter, perturbation calcs. for various forces 4−560
symmetry coefficient of nuclear matter, second order perturbation theory calc. 4−39963
Tamagaki potential, realistic, in variational method calc. of ^{3}H and ^{4}He binding energies 4−399
three-body amplitudes, off-shell, using variational method 4−31320
three-body problem, hyperspherical formalism applic. *(French)* 4−2828
three-body problem, Malfliet-Tjon I and III potentials, unitary pole expansion 4−2771
three-body problem, nonlocal separable interactions *(French)* 4−5724
three-body reaction, and of sensitivity to details of nuclear force 4−27244
three-body scattering in local Yukawa potentials, resonating group method anal. 4−36175
three-body system, off-shell effects 4−501
three-nucleon 1/2^{+} states, for realistic potentials below breakup threshold 4−15658
three-nucleon calcs. without explicit use of two-body potentials, Faddeev eqn. soln. 4−502
three-nucleon calcs. without explicit use of two-body potentials, application to ^{3}He 4−12193
three-nucleon ground state properties for realistic local and nonlocal nucleon-nucleon interaction 4−15659
three-nucleon system, Faddeev eqn. soln. 4−31252
three-nucleon system, two-body potentials, quasi particle, Faddeev calcs. 4−500
three-nucleon system, var. of binding energy, form factor with two-nucleon potential 4−12192
three-particle inelastic scattering, application of Kohn variational principle 4−31321

nuclear forces continued
- trinucleon bound state, soln. by hyperspherical expansion method 4−15657
- trinucleon props. from soln. of Faddeev eqns. with Reid soft core potential 4−39977
- two pion exchange potential from πN, $\pi\pi$ scattering phase shifts, magnetic monopole model of hadrons 4−36121
- two-body interaction in unified microscopic theory of spectra 4−555
- two-nucleon interaction, effect of $\Delta(1236)$ resonance 4−36124
- two-nucleon interaction, wave function models 4−19367
- two-particle density matrix, calc. for excited $U_{3(n-1)}$ states, $A \leqslant 16$ *(Russian)* 4−31238
- two-particle effective interaction, charge-exchange part from integral cross sections of Li(p,n) reactions *(Russian)* 4−15787
- two-particle scattering, Sasakawa approach 4−9125
- variational calc. with density-dependent interaction of light nuclei systematics 4−550
- velocity-dependent effective potential of s-wave interaction, finite nuclei structure calcs. *(Russian)* 4−15651
- weak absorptive optical potential, for $^{48}Ca(^{14}N,^{13}C)^{49}Sc$ at 50 MeV 4−9256
- Woods-Saxon potential, single-particle energies and wave functions 4−27247
- Yukawa model, Pade approx. of nucleon propagator, calc. of $N^*(I=1/2, J^p=1/2^{\pm})$ resonances 4−2652
- Yukawa models, generalised, is one space dimension, positivity 4−8895
- Yukawa potential, appl. of optimised polynomial approx. for Lippmann-Schwinger eqn. 4−2766
- Yukawa scalar coupling, 4-ε dimensions, scale invariance 4−339
- α-α interaction, cluster model anal. of generator coordinate and resonating group methods 4−5737
- d wave function at small distances, elastic electron-deuteron scattering 4−27309
- KK system, scattering lengths rel. to resonances, optical model 4−31249
- Λ-N binding energy in ground state in nuclear matter 4−561
- Λ-nucleus interaction potential, dependence on momentum and binding energy *(Russian)* 4−15693
- ΛN and ΛNN potentials in s- and p-shell hypernuclei 4−565
- N-N $^1S_0$ final-state interaction, exptl. tests of purity 4−15896
- N-N effective interaction three body Fadeev approach, exactly soluble model 4−31250
- N-N interaction, in $^2H(p, pn)n$ break-up reaction at 155 MeV 4−641
- N-N interaction, parity-nonconserving effect on nuclear reactions 4−15656
- N-N interaction, relativistic description using complex potential, 0-1 GeV 4−19411
- N-N interaction, two-potential formalism 4−475
- N-N interaction in $^3S_1$-$^3D_1$ channel, separable representation 4−31248
- N-N interaction w.r.t. polarisation in reactions, review 4−12314
- N-N potential, field theoretic, explicit energy dependence 4−476
- N-N potential including effect of $N^*(1236)$ 4−31251
- n-p interaction, from mass relationships and mass equations 4−2742
- n+d phase shift determ. for states with high relative orbital ang. momentum 4−12340
- NN, charge independence, symmetries 4−345
- NN interaction, sensitivity of scattering states in $^2H(n,n)$ at 22.7 MeV 4−31358
- NN interaction in three body problem, model formation, Faddeev theory 4−497
- NN pair energies and binding energy surfaces 4−39923
- NN realistic potentials, in hyperspherical basis, calcs. on ^3H and ^3He 4−15647
- NN scattering amplitudes, direct determ. of parity violation in polarised pp scattering 4−377
- p-nucleus spin-orbit coupling, deformation magnitude, optical model 4−27322
- p-p interaction potential in GeV region, nuclear structure probe 4−15655
- p-p scattering, low-energy, charge-dependent effects, evaluation of $pp\pi^0$ coupling const. 4−378
- π condensates, study of spin-isospin interaction 4−2769
- π condensation in superdense nuclear matter, comment 4−12190
- π probes, Faddeev approach to pion production 4−23537
- π-nucleus Chew-Low equation for finite nuclei 4−27357
- π-nucleus interactions, Lorentz-Lorenz effect in optical potential 4−12388
- π^- nucleus coupling const., comparison of π^+ and π^- total cross section on light nuclei 4−2983
- π^--condensate, calc. of specific energy of nuclear matter in presence 4−2798
- πK system, scattering lengths rel. to resonances, optical model 4−31249
- πN amplitude quenching for π-nucleus scattering 4−40044
- πNN effective interaction, appl. to π^- absorption by ^6Li is deformed α-deuteron cluster model 4−15923
- $\pi\pi$ system, scattering lengths rel. to resonances, optical model 4−31249
- ^{24}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
- ^{26}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
- ^{36}Ar, bubble formation in Hartree-Fock calcs., dependence on odd-state force 4−27256
- ^9Be, pionic, strong interaction widths, shifts of 1s level 4−15645
- Bi muonic, microscopic description of resonance process 4−40207
- ^{209}Bi, calc. of particle-phonon multiplets using density dependent effective forces 4−12222
- ^{12}C, as bound state of three-alpha system, separable potential phase shift analysis 4−15598
- $^{14}C(^{16}O,^{18}O)^{12}C$, 20, 25 and 30 MeV, interference between transfer processes 4−9262
- ^{40}Ca density, correlation effects 4−9051
- ^{40}Ca-nucleon optical potential, absorptive part 4−2881
- ^{42}Ca-^{42}Sc, shell model, higher order core polarization 4−2773
- ^2H, meson exchange current anal. of electrodisintegration 4−15767
- ^2H wave functions, momentum space behaviour 4−481

nuclear forces continued
- $^2H(^3He,^3H\ p)p$, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
- $^2H(^3He,^3He\ p)n$, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
- $^2H(n, np)$ at $\nu_n=0°$, differential cross section, final state interaction 4−19420
- $^2H(n,n)^2H$, local potentials, Pade techniques 4−2878
- $^2H(p,2p)n$ low energy, form factor dependence 4−36201
- ^3H, binding energy and charge form factor, effect of off-shell changes in d wave function 4−15597
- ^3H, binding energy determ. with phase-equivalent potentials 4−31222
- ^3H, bound state properties for nearly separable potentials 4−15594
- ^3H, non-variational calc. of binding energy with hard-core spin-dependent local potentials 4−15599
- ^3H, unitary pole approx. and t-matrix perturbation theory in binding energy calcs. 4−12124
- ^3H binding energy, bounds on off-shell variation for phase equivalent potentials of rank-two 4−15600
- ^3H binding energy, hyperspherical function method, realistic two nucleon potentials 4−2741
- ^3He charge form factor, realistic potentials, r.m.s. charge radius calc. 4−403
- ^4He, determ. of 0^+ bound states using Yakubovsky four-body eqns. 4−36131
- ^4He charge form factor, realistic potentials, r.m.s. charge radius calc. 4−403
- ^6Li, energy calcs. from form factor considering short-range correlations 4−27239
- ^6Li, pionic, strong interaction widths, shifts of 1s level 4−15645
- ^7Li, pionic, strong interaction widths, shifts of 1s level 4−15645
- ^{24}Na, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
- Ne region, α-cluster plus ^{16}O-core 4−5739
- Ni isotopes, HFB calcs. of effective-interactions and ground state structure 4−31268
- ^{56}Ni density, correlation effects 4−9051
- ^{16}O, effective interaction test in new $1d_{5/2}.1p_{3/2}^{-1}$ states 4−432
- ^{16}O, three-body forces and 6.06 MeV O^+ excited state 4−19334
- ^{16}O density, correlation effects 4−9051
- ^{208}Pb, effective interactions and conserving approx. 4−491
- ^{32}S, zero range density depend. approx. selfscreening and shape transition 4−19308
- ^{75}Se produced in $^{76}Se(d,t)$, Coriolis coupling theory of anomalous parity states in $1g_{9/2}$ 4−12359

nuclear fusion
- *see also fusion reactors; nuclear explosions; thermonuclear reactions*
- binary, following fusion reactions between very heavy ions and nuclei 4−9311
- capacitor, magnetically insulated and inductively charged, gigavolt potentials 4−32339
- cold plasma, D-T, D-D, D-^3He, p-^{11}B, fusion power 4−20127
- complex nuclei, calc. of critical ang. momentum in entrance reaction channel using dynamic model 4−12373
- contribution to screening effect in thermonuclear reactions *(Russian)* 4−30014
- energy resources, nuclear 4−31549
- European joint Tokamak experiment proposals *(Dutch)* 4−23908
- future energy source from economic viewpoint *(Dutch)* 4−5929
- heavy ion collisions, neutral vacuum induced decay in overcritical fields, pair production 4−27352
- heavy ion induced, simple non-adiabatic model 4−5865
- heavy ions, threshold and ang. momentum limit 4−2990
- heavy-ion expts., anal. of cross-sections, barrier heights, high Z effects and compound nuclei 4−31432
- laser applications, breakdown threshold for nanosecond CO_2 laser pulses 4−31020
- laser applications, Nd:glass subnanosecond amplifier system 4−31040
- laser devices for fusion, review 4−31088
- laser heating, DT pellets, wavelength requirement 4−23920
- laser large system, Nd^{3+}:glass, design for fusion 4−31089
- laser produced plasma, applic. 4−12390
- laser system, Sandia four-beam, with Nd^{3+}:glass, Nd^{3+}:YAG lasers, fusion appl. 4−31039
- laser-induced, numerical simulation 4−24300
- laser-induced, numerical simulation of high-density approach 4−24299
- laser-induced, simulation 4−24297
- lasers for nuclear fusion reactions, review *(German)* 4−36369
- by magnetic confinement, current research in United States 4−676
- microwave and i.r. diagnostics of high density plasma, and plasma turbulence in controlled fusion *(French)* 4−9769
- pellet ablation, laser induced, hydrodynamic theory, computer anal. 4−31564
- plasma, cusped confinement, truncated Maxwell distribution, fusion reaction rate 4−16338
- plasma heating, two-temp., spherically symm. case with fusion energy 4−12799
- plasma heating by comulation laser method, two-temp. eqns. with nuclear fusion 4−3389
- plasma heating by laser, Z-pinch, two-temp. eqns. with thermonuclear fusion energy 4−6259
- plasma heating by laser in Focus type system, equib. with recovered energy of fusion 4−3388
- plasma magnetic confinement, laser interaction, alternative to inertial confinement 4−3385
- plasma two-temperature, averaged eqns. of laser heating with recovery of fusion energy 4−20111
- products, mass distrib., heavy ion reactions 4−5863
- pulsed reactors, rising megagauss mag. fields, LINUS program 4−36731
- rare-earth targets, Ar induced non-complete-fusion reactions, recoil study 4−5842
- reaction cross section, deformation effects on the Coulomb barrier 4−2955
- research, equipment for, description 4−15976

nuclear fusion continued
stellar evolution and nucleosynthesis, explosive ejection of He, C, O and Si shells 4−34599
theta pinch, implosion phase, plasma density distrib. and current-sheath struct. 4−27970
toroidal fusion devices, relativistic electron beam injection, difficulties 4−20114
two-temperature plasma, hydrodynamic expansion eqns. with recovered fusion energy, plane problem 4−12797
two-temperature plasma, hydrodynamic expansion eqns. with recovered fusion energy, spherical problem 4−12798
USA, as a future energy source 4−27473
Z-pinch plasma heating with nuclear fusion, dynamic effects 4−12800
$p+p \to D+e^{+}+\nu$ reaction rel. to H molecule stability in Universe 4−34596
^{27}Al + 180 MeV ^{12}C, competing reaction mechanisms 4−5841
^{27}Al(^{32}S, X), 67 to 132 MeV, reaction and fusion cross sections, barrier heights 4−665
Ar ion reactions with medium and heavy targets, fusion cross section 4−5864
Bi, ^{40}Ar and ^{84}Kr induced complete fusion cross sections 4−9311
^{40}Ca(^{32}S, X), 67 to 132 MeV, reaction and fusion cross sections, barrier heights 4−665
D-D pellet, neutron diagnostics, laser-induced 4−20149
D-T, energy balance in beam-target system 4−40047
D$_2$, solid, energy transfer in laser produced plasmas 4−6256
D$_2$ ice, fusion reactions in plasma created by Nd:glass second harmonic *(French)* 4−6255
H, spherical target prod. for laser impact, glass microballoons 4−24291
Ho ^{40}Ar and ^{84}Kr induced complete fusion cross section 4−9311
Kr ion reactions with medium and heavy targets, fusion cross section 4−5864
^{89}Kr + heavy nuclei, at 500 MeV, anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
LiD plasma, fusion neutron generation using laser pulse 4−36718
^{24}Mg(^{32}S, X) reactions, 67 to 132 MeV cross section, barrier height, radii 4−665
^{58}Ni(^{32}S, X) reaction, 67-132 MeV, fusion cross sections, barrier height, radii 4−665
^{232}Th + ^{74,76}Ge, superheavy nuclei synthesis, production cross-section meas. *(Russian)* 4−31430
U, ^{40}Ar and ^{84}Kr induced complete fusion cross sections 4−9311
^{238}U, partial fusion reactions with 172 MeV ^{22}Ne and 288, 379 MeV ^{40}Ar, transuranium element synthesis *(Russian)* 4−15911
W, ^{40}Ar and ^{84}Kr induced complete fusion cross section 4−9311

nuclear fusion reactors *see fusion reactors*

nuclear induction *see nuclear magnetic resonance*

nuclear instrumentation
see also beam handling equipment; counters; counting circuits; particle accelerators; particle detectors; particle track visualisation; radiation detectors
CERN accelerator, central control operator interaction devices, report 4−2390
Daresbury Nuclear Phys. Lab., on-line system 4−72
diagnostic instrumentation trends 4−14687
DSA lifetime meas. high-pressure gas cell 4−35388
Dubna synchrocyclotron, data aquisition and handling 4−115
electromagnet system for reaction products study *(French)* 4−18534
explosives and weapons detection, appl. of nuclear techniques 4−26566
fast reactor burst pin detection system sensitivity improvement 4−39329
high-energy physics, applications of IC's, requirements, recent progress, review 4−74
I.C.'s digital, high speed, Motorola MECL III, modular packaging schemes, description 4−75
in-core instruments in power reactors 4−12435
KS-150 reactor control and protection system supplemented with mobile neutron detector 4−23772
land mine detection by nuclear techniques 4−26565
logarithmic amplifier transient response analysis rel. to fast transient reactor excursion monitoring 4−30589
mine detection by photon backscatter 4−26567
nondestructive assay instrumentation, calibration and error propagation 4−23059
nondestructive assay instrumentation for in-plant applications 4−23777
nondestructive techniques, in-plant application 4−23778
particle scattering chamber, large general purpose, construction 4−11573
period trip circuit with linear amplifier system for nuclear reactor 4−30588
photographic plates, Li introduction 4−14967
pulse-amplifiers, nanosecond, experimental nuclear physics applications, design criteria and techniques 4−2342
radionuclide metrology, conference, Herceg Novi, Yugoslavia (1972) 4−5134
reactivity meter utilisation in nuclear power stations *(French)* 4−19641
rods of material, continuous meas. of changes of diameter under pressure, method *(French)* 4−2343
source-detector solid-angle evaluation, effects of finite dimens. 4−18561
spectrum generator, using random sampling technique 4−18678
time-amplitude convertor using cyclotron beam *(Russian)* 4−26561
void fraction measurement, two photon sources 4−26569
weapons detector 4−26568
Fe magnets, high field, meas. of field pattern 4−18526

nuclear interactions *see nuclear reactions and scattering*

nuclear isomerism
see also nuclear energy levels; nuclear excitation
heavy ion induced reactions, theory of isomer ratios of shape isomers, comparison with expt. for ^{238}U(^{11}B,α3n)^{242}Am 4−5835
hypercollapsed tightly bound nuclear isomers due to attractive heart in repulsive core 4−36153
perturbed angular distribution pattern of γ-rays in presence of two isomeric levels 4−19339

nuclear isomerism continued
statistical compound nucleus theory of shape isomers in heavy-ion induced reactions 4−9305
(α,xn) reactions, production of millisecond isomers 4−661
^{199}Bi isomeric states populated in ^{191}Ir(^{12}C,4n) reaction 4−464
^{201}Bi isomeric states populated in ^{193}Ir(^{12}C,4n) reaction 4−464
^{206}Bi, M2 isomerism, half-life and multipolarities 4−581
^{79}Br transitions to isomeric levels produced by Coulomb excitation 4−9104
^{80}Br, ratios, γ-ray cascade model 4−427
^{81}Br transitions to isomeric levels produced by Coulomb excitation 4−9104
^{107}Cd, 11/2^{-} band from ^{105}Pd(α,2n)^{107}Cd, half-life 80 ns 4−12176
^{110}Cd(p,γ)^{111}In, E$\leqslant$2.3 MeV, nonstatistical effects 4−5815
^{165}Dy, ratios, γ-ray cascade model 4−427
^{144}Eu, multiplet splitting, energy level scheme from ^{144}Sm(d,2nγ)^{144}Eu and ^{144}Sm(p,nγ)^{144}Eu 4−12178
^{172}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{174}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{176}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{178}Hf, isomeric level obs. from (α,xn) reactions 4−9070
Hg light isotopes, quadrupole moments, search for strong deformation 4−2759
^{186}Hg, energy level ordering, from relative intensity of transitions meas. 4−2751
^{115}I, from ^{107}Ag(^{12}C,4nγ)^{115}I, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
^{117}I, from ^{109}Ag(^{12}C,4nγ)^{117}I, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
^{135}I$\to^{135m}$Xe, ^{135g}Xe, branching ratio 4−27277
^{113}In, possible shape isomers obs. by ^{113}Cd(p,nγ)^{113}In reaction 4−405
^{115}In(n,n$'$)^{115m}In, meas. of cross section, 3.37 to 4.89 MeV 4−5793
^{119}In possible shape isomer obs. in ^{119}Cd beta decay 4−405
^{38}K, excited isomeric state populated by ^{24}Mg(^{16}O, pnγ)^{38}K reaction 4−446
^{38}K, magnetic moment of 22 μsec isomeric state by differential spin precession meas. on ^{35}Cl(α,n) 4−19280
^{131}La, from ^{123}Sb(^{12}C,4nγ)^{131}La, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
^{238}Np shape isomers, search for γ-branch in ^{238}U(p,n) reaction 4−19337
^{192}Os(n,n$'$)^{192}Os, 14.5 MeV, 6.1 s isomer, new levels from γ-ray spectra 4−12241
^{142}Pm, multiplet splitting, energy level scheme from ^{142}Nd(d,2nγ)^{142}Pm and ^{142}Nd(d,nγ)^{142}Pm 4−12178
^{207}Po isomeric decay half-life and multipolarities 4−581
^{135}Pr, from ^{127}I(^{12}C, 4nγ)^{135}Pr, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
^{81}Se, ratios, γ-ray cascade model 4−427
Sn isotopes, ^{a}Cd(α,2n)$^{a-2}$Sn reactions, 24 MeV pulsed beam, half lives, g-factors 4−12187
^{86}Sr in Kr gas, 460 nsec 8^{+} state, g-factor, stroboscopic resonance method 4−12136
^{91}Tc, ^{90}Tc, mass excess isotope and isomer identification 4−19350
Te heavy doubly-even isotopes, isomeric 6^{+} state in two-proton cluster core coupling model 4−23609
^{236}U shape isomers, search for γ-branch in ^{235}U(d,p) reaction 4−19337
^{129}Xe, magnetic moments of 11/2^{-} isomeric states meas. by nuclear orientation technique 4−12138
^{131}Xe, magnetic moments of 11/2^{-} isomeric states meas. by nuclear orientation technique 4−12138
^{133}Xe, magnetic moments of 11/2^{-} isomeric states meas. by nuclear orientation technique 4−12138
^{67}Zn, half-life and magnetic moment of 9/2^{+} isomeric state, PAD method 4−9057
^{69}Zn, ratios, γ-ray cascade model 4−427

nuclear liquid drop model
axially asymmetric nuclei, shape dependent factors of model energy 4−23624
equilibrium configurations of rotating charged or gravitating liquid masses with surface tension 4−23622
Fermi liquid, surface oscills. of drop 4−9088
fission, dynamic description, mass asymmetry and nuclear viscosity 4−9312
fission half-lives calc., Z=92 to 106 from liquid-drop, single-particle models 4−15930
fission width of excited nuclei, interpolation formula 4−2989
incoherent droplet model for fragmentation of relativistic heavy ions 4−9248
nuclidic mass relationships and equations 4−2742
scission point, axial and mass asymmetry 4−5850
spherical nuclei, bubble density distribs. 4−15604
surface and curvature energy, A$^{1/3}$ term in mass formula 4−9049
ternary fission, adiabaticity 4−9318
^{184}Hg, anal. of bubble shape existence 4−39924
^{189}Pt, shape-unstable and critical nuclei 4−523

nuclear magnetic moment
see also gyromagnetic ratio; molecular nuclear coupling; nuclear magnetic resonance
A=6-14 nuclei, shell model calcs. with realistic interaction 4−12202
deformed-nuclei, odd-mass, magnetic moments in nonadiabatic model 4−27236
Dirac, rel. to relativistic corrections to nuclear matrix elements in mirror β-decay 4−12283
gauge invariance of nuclear magnetic shielding const. 4−9584
magic-plus(minus)-two nuclei, transitions, Finite Fermi System theory 4−12144
magnetic shielding, paramagnetic contribution in tetra and octahedral mols. 4−19777
measurement techniques, novel, and insight derived from results 4−31234
muonic 1s(1/2) and 2p(1/2) orbits, new reln. between magnetic hyperfine structure consts. 4−36161
muonic atoms, h.f. splitting, influence of higher configurations 4−3086
muonic atoms, levels, h.f.s. and moments 4−2791

nuclear magnetic moment continued

- muonic hyperfine structure, exchange currents and finite size effects 4—2758
- odd-A nuclei, M-5 non local interaction 4—416
- odd-mass nuclei, influence of Coriolis interaction *(Russian)* 4—36107
- odd-odd nuclei, weak coupling collective contribution 4—19276
- odd-odd nuclei with $A \leqslant 90$, tables of theoretical and exptl. values *(Russian)* 4—407
- rare earth ions, enhancement of interactions through magnetic hyperfine structure 4—3902
- (e,e) scattering and muonic atom techniques 4—31225
- ^{152} Sm, magnetic reorientation effects on Coulomb excitation probabilities of first 2^+ states 4—12167
- Ag^+ ions in aqueous soln., ^{107}Ag and ^{109}Ag n.m.r. studies 4—3912
- ^{75}As, electromag. props. of low lying levels 4—2755
- ^{77}As, 264 keV level, IPAC technique 4—12135
- ^{77}As, g-factor determ. of 264 keV level using perturbed ang. correlation technique 4—15612
- ^{206}Bi, $\{\pi(h_{9/2})\nu(i_{13/2})^{-1}\}$ 10^- state, 1043 keV 4—12142
- ^{207}Bi, in Ni host, nuclear reorientation in 0.8 sec isomer of ^{207}Pb 4—36115
- ^{209}Bi muonic atom magnetic hyperfine coupling consts. in polarised atoms 4—27571
- ^{107}Cd populated in (p,n), (d,p) and (α,n) reactions, anal. of isomeric $^{11}{}_{.2}{}^{-}$ state 4—39928
- ^{114}Cd, magnetic reorientation effects on Coulomb excitation probabilities of first 2^+ states 4—12167
- ^{115m}Cd, 5^3P_1 state, mag. dipole hyperfine struct. const. 4—19279
- ^{35}Cl, n.q.r. in p-dichlorobenzene, mechanical coupling of kinetic moment 4—10349
- ^{59}Co, 1291.5 keV state from g-factor meas., unified vibr. model 4—23600
- ^{51}Cr, 760 keV state, γ-ray differential ang. distrib. meas. *(Russian)* 4—27233
- ^{133}Cs, decoupling effect on atomic hyperfine struct. of $8^2P_{1/2}$ state 4—15997
- ^{168}Er, g-factor of 1.094 MeV state, from time differential directional correlation meas. 4—12132
- ^{253}Es emission, Es I, Es II spectral lines, nuclear mag. dipole and quadrupole moments 4—40163
- ^{213}Fr, $29/2^+$ level, configuration and g-factor 4—12147
- ^{1}H, moment distrib. determ. from (e,e) reaction at 150 to 275 MeV 4—39993
- ^{3}H, one-pion exchange contrib. to isovector magnetic moment 4—15714
- ^{3}He, one-pion exchange contrib. to isovector magnetic moment 4—15714
- ^{168}Hf yrast states, g-factor muon 4—12141
- ^{172}Hf, g-factors of yrast states 4—12141
- Hg isotopes, Coulomb excited using (^{16}O, ^{16}O$^{1}\gamma$) g-factor meas. 4—36109
- ^{a}Hg, A=198, 200, 202, 204, first 2^+ states, recoil into He and vacuum technique 4—418
- I, odd-mass isotopes, dipole moments, particle-phonon coupling scheme 4—9068
- ^{115}I, moment of 828 keV level from γ-γ PAC 4—39927
- ^{127}I, $^{3}{}_{.2}{}^{+}$ state, using high density gaseous source 4—12137
- ^{128}I, $^{3}{}_{.2}{}^{+}$ state, using high density gaseous source 4—12137
- ^{129}I dipole moment derivation from (^{3}He,d) reaction anal. in collective model 4—12223
- ^{115}In, $^{3}/_{2}+$ 828 keV level, existence of rotational states 4—564
- ^{193}Ir, properties of energy levels 4—2757
- ^{38}K, g-factor of 22 μsec isomeric state by differential spin precession meas. on ^{35}Cl(α,n) 4—19280
- ^{40}K, 3^- level, populated in ^{37}Cl(α,n) reaction, g-factor meas. 4—39930
- ^{41}K, 1290 keV state, γ-ray differential ang. distrib. meas. *(Russian)* 4—27233
- ^{24}Mg, g-factor of 1.37 MeV short lived state by time-differential recoil-into-vacuum technique 4—19281
- ^{24}Mg, magnetic reorientation effects on Coulomb excitation probabilities of first 2^+ states 4—12167
- Mo, A=95, 97, nuclear g-factor ratio by Fourier transform n.m.r. spectroscopy 4—2756
- ^{14}N ground state magnetic moment from one-nucleon transfer data, sum rules 4—2753
- ^{92}Nb, 2^- state, g-factor determ. using ^{92}Zr(p,n)^{92}Nb reaction 4—36112
- ^{141}Pr, 1h11/2 single proton state, from Larmor frequency 4—12140
- ^{141}Pr, effective M2 and E3 transition moments for 1 h 11/2 single proton states 4—12254
- ^{141}Pr populated in ^{139}La(α,2nγ) at 22 MeV, g-factor determ. 4—36111
- ^{239}Pu, 285.5 keV level, PAC measurement 4—12146
- ^{214}Ra, 8^+ state g-factor, deduction of blocking effect of proton core polarisation 4—12145
- ^{99}Ru/^{101}Ru moment ratio, determ. from n.m.r. of Ru in ferromag. metals 4—31228
- Sb isotopes, doubly odd, with $(h_{11/2})^n$ neutron configuration g-factor meas. 4—36108
- Sn isotopes, isomeric states, spin rotation technique 4—12187
- Sn-region, $11/2^-$ states, core polarisation effects 4—12134
- ^{86}Sr in Kr gas, 460 nsec 8^+ state, stroboscopic resonance method 4—12136
- ^{a}Tl, A=193 to 202, atomic beam meas. 4—417
- ^{202}Tl, determ. of g-factor of 0.57 ms 7^+ state from ^{204}Hg(p,^{3}n) obs. 4—15616
- ^{235}U, determ. in (n,γ) and (n,f) reactions at 0.1 to 15 eV 4—15615
- ^{235}U, ground state h.f.s., dipole and quadrupole moments *(French)* 4—9390
- ^{182}W, g-factor meas. of 3^- 1374 keV level 4—31227
- Xe even isotopes, 2^+ levels, ang. correl., study 4—12139
- ^{a}Xe, A=129, 131, 133, $11/2^-$ isomeric state dipole moments, low temp. orientation technique 4—36117
- ^{129}Xe, $11/2^-$ isomeric states, meas. by nuclear orientation technique 4—12138
- ^{131}Xe, $11/2^-$ isomeric states, meas. by nuclear orientation technique 4—12138

nuclear magnetic moment continued

- ^{133}Xe, $11/2^-$ isomeric states, meas. by nuclear orientation technique 4—12138
- ^{67}Zn, half-life and magnetic moment of $9/2^+$ isomeric state, PAD method 4—9057

nuclear magnetic resonance

see also chemical shift; ENDOR; INDOR; knight shift; molecular nuclear coupling; nuclear acoustic resonance; nuclear quadrupole resonance; proton magnetic resonance; spin-lattice relaxation; spin-spin relaxation

- A-nuclei spectra calc. in symmetrical spin systems *(German)* 4—40312
- acenaphthene, 1,2-disubstituted deriv., vicinal ^{19}F-^{1}H coupling consts., electronegativity depend. 4—9574
- acetic acid, self-diffusion and viscosiy, rel. to temp. 4—16607
- acetone, self diffusion in cellulose acetate, membrane skin form. 4—20428
- acetone, self-diffusion and viscosity, rel. to temp. 4—16607
- acetonitrile, ^{13}C and ^{15}N chem. shielding anisotropy 4—33281
- acrylonitrile, wide line n.m.r., solid state transitions and mol. motion *(French)* 4—33270
- adiabatic rapid passage in solids, signal shape and passage conditions 4—20893
- adsorbate, on biological matrix, thermodynamic anal. from n.m.r. data 4—38948
- alkali halides, nuclear mag. relax. of ^{35}Cl, ^{81}Br, ^{127}I in aq. soln. investig., viscosity determ. 4—41290
- alkanes, branched, nonheuristic computer determ. of mol. struct. based on ^{13}C n.m.r. data 4—36554
- alkyl halides oriented in liq. crysts., ^{13}C chemical shift tensor, coupling constants, and H-C-H angle 4—6104
- alternate linear chain of inequivalent nuclei coupled by indirect exchange interaction 4—19941
- aluminoborosilicate glass fibre, heat treatment, surface defect formation exam. *(Russian)* 4—4212
- amino-organic, chemical shift and NH_2 group struct. 4—36546
- anisole, ortho- and para-adamantyl groups, spectra 4—3204
- anisole in polystyrene, internal rotation determ. by spin-lattice relaxation 4—33291
- anthracene, n.m.r. second moment, intramolecular contrib., librational motion 4—20870
- aryl fluorides, polar and π-electron substituent effects by ^{19}F n.m.r. 4—36543
- 3-aryl-1,3,5,5-tetramethylcyclohexene, phenyl and α-naphthyl analogues, ^{13}C n.m.r., structure and conformation determ. 4—27721
- automated data collection system for T_1 and T_2 determ. 4—18530
- automatic spectral analysis using heuristic processes *(French)* 4—10308
- azulene, mol. motion in solid, n.m.r. spectral parameter calc. 4—33286
- benzol compounds, solvent effects 4—40310
- benzyl halides, liquid, self-diffusion and viscosity rel. to temp. 4—16607
- biphenyl, radical ion pairs, alkali n.m.r. shifts, hyperfine splitting constants 4—3901
- biphenyl salts, aq., line widths, electron spin correlation time 4—33292
- blood, spin-lattice relax. time obs. 4—22545
- blood flow measurement and tissue analysis applic. 4—18097
- bridge autodyne detectors, circuit detuning influence on line form *(Russian)* 4—3888
- trans-2-bromo-1-fluoro-indan, conformational study 4—6097
- bulk metals, signal detection 4—26558
- 1,3-butadiene, conformational anal. 4—12527
- 4-n-butoxybenzylidene-4'-n-octylaniline, liquid crystal, n.m.r. pulsed gradient technique obs. of diffusion constants 4—6795
- t-butyl chloride, solid, liq., of ^{2}H, relaxation times meas. 4—13361
- tertbutylphosphines, barriers to rotation about C-P bond 4—12526
- calculation of response, relaxation models 4—20892
- cancer detection by n.m.r. spectrometry 4—26245
- carbon tetrafluoride, ^{19}F spin-lattice relaxation time 4—19869
- chloroform, Overhauser, effect on saturated n.m.r. line, relaxation parameters 4—33304
- chloroform in liquid cryst. solvents, ^{13}C and ^{1}H chem.-shift anisotropies 4—20882
- chloroform in soln., reorientational relax. from depolarised Rayleigh state and n.m.r. 4—28812
- 4-chlorothiane 1-oxide, cis and trans conformations, 1,3-dipolar effect 4—27574
- correlation between ^{2}H and ^{13}C relaxation times, mechanism of ^{13}C relax. and ^{2}H quadrupole coupling consts. 4—40317
- cyclic cpds., ^{13}C n.m.r. 4—16127
- cycloalkanones, medium and large ring, ^{13}C and ^{1}H n.m.r. evidence of conformations and energy barriers 4—40208
- cyclohexene-3-carboxylic acid, study of H bonding 4—19885
- cyclohexenes, highly substituted, ^{13}C spectra, structure and conformation determ. 4—27721
- cyclopentadiene, partially oriented in nematic phase, mol. struct. 4—19866
- cysteine hydrochloride monohydrate, two component phase, 333 to 388K 4—41299
- data analysis, comparison with optical and neutron spectroscopy 4—20872
- decamethanium, n.m.r. study of mol. movements *(French)* 4—9864
- device for preparation of gas-saturated O_2 sensitive samples 4—18528
- p-dibromobenzene, quadrupole regime, quadrupole and chem. shift parameters determ. 4—25011
- trans-1,2-difluoroethene, partially oriented in liq. crysts., indirect couplings, mol. geom. 4—31898
- dilute alloy, nearly magnetic antiparallel pairs, theory 4—24925
- dilute system, diamagnetic n.m.r. line profiles and saturation behaviour *(German)* 4—28720
- 1,2-dimethoxyethane, intramol. interactions, n.m.r. 4—24026
- dimethyl sulphoxide, fine structure determ. by Fourier transform n.m.r. 4—26559
- N,Ndimethylacetamide, + trifluoroacetic acid, i.r. and n.m.r. spectra, comments *(French)* 4—25483
- dipolar spin temperature hypothesis, periodic external r.f. perturbation 4—37506

nuclear magnetic resonance continued
  dynamic polarization of nuclei in medium magnetic field *(Russian)* 4−23592
  EBBA, ^{15}N in $^{15}N_2O$ mag. shielding anisotropies 4−28716
  elastomer, effect of specimen rot., internal motion dynamics *(French)* 4−1344
  electronic pulse shaping circuit, for spin-spin relax. time meas. 4−39291
  electrooptical crystal, multiple pulse line narrowing n.m.r. expts. 4−41278
  equations for unique determ. of consts. of ABC and ABCD type spectra *(Russian)* 4−37501
  1, 2-ethanediol, dynamic nucl. orientation, deuteron tensor polarization 4−28711
  ethanes, partially halogenated 4−19874
  ethanol-CCl_4 mixtures, relative mol. orientation from mag. relax. meas. 4−9577
  ethyl iodide, CH_3CD_2I in CD_3CD_2I, quantum mech. tunnelling effects in methyl group n.m.r. spectrum 4−1345
  ethylene acrylate copolymers, H^1 and C^{13} resonance investig. *(German)* 4−40356
  ethylene glycol and methyl ether derivs., intramolecular interactions, n.m.r. 4−24026
  ethylene vinyl acetate, copolymers, H^1 and C^{13} resonance investig. *(German)* 4−40356
  ferricernium salts, isotropic shifts, linewidths, spin delocalization 4−13351
  ferrites, hexagonal, exchange interactions, spin non-collinearity *(Russian)* 4−20879
  ferrites, quadrupole spin echo for large asymmetry parameter 4−13365
  ferrocene, monosubstituted derivatives, ^{13}C chem. shifts, homoannular effect of substituent 4−6102
  ferromagnetic alloy, localisation transitions for nuclear spin waves, n.m.r. obs. method 4−37429
  ferromagnetic film, reson. effects near n.m.r., f.m.r. freqs., inhomogeneous broadening 4−16990
  flowmeter, S/N analysis *(Russian)* 4−8598
  fluorenone salts, aq., line widths, electron spin correlation time 4−33292
  trans-1-fluoro-2-iodocyclohexane of ^{19}F, conformational analysis 4−9573
  formamide in aq. solns., ^{13}C chem. shift and ^{13}C-^{15}N coupling const. 4−19879
  Fourier spectroscopy, recent developments 4−41228
  Fourier transform, high resolution, multiple irrad. method *(French)* 4−30529
  Fourier transform, multiplexing techniques 4−39231
  Fourier transform n.m.r., extraction of fine structure in beat modulated free induction decays 4−26559
  Fourier transform spectrum *(Russian)* 4−10337
  gauge invariance of nuclear magnetic shielding const. 4−9584
  glass, ^{7}Li motional narrowing, local and long range ion motions 4−28709
  glass, structural disorder, statistical anal. of spectra 4−20218
  glass, wide-line n.m.r. determ. of fluorine content *(Japanese)* 4−39436
  glasses, transformation range *(German)* 4−13360
  hardware, software and applications 4−14934
  heterocycles related to 9,10-dihydroanthracene, ^{13}C chemical shifts 4−27717
  high resolution n.m.r. in solids, specimen rotation method 4−41226
  high resolution n.m.r. of dilute spin species 4−41272
  high-pass filter amplifier, for recorders *(French)* 4−30530
  high-resolution n.m.r. expts. in solids, influence of finite pulse width 4−41276
  hydrated uranates, identification of H_3O^+ and OH ions from powder spectra 4−28710
  hydration of macromolecules, interpretation of deuteron n.m.r. spectra 4−30162
  imidazole, ^{13}C spectrum 4−27722
  indanones-1, 2,3-disubstituted, n.m.r. spectra and stereochemistry 4−851
  isolated molecular groups, sidebands due to tunnelling rot. 4−10330
  isonitriles, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
  Larmor frequency shift by nonresonant r.f. field *(French)* 4−3887
  Larmor frequency shift under nonresonating r.f. field *(French)* 4−37500
  light echo study of hyperfine and superhyperfine interactions *(Russian)* 4−11964
  line shape calc. using memory function 4−20875
  line shape in solids, experimental data 4−6794
  linewidth derivation taking account of correlation time distribution *(Russian)* 4−37511
  liquid crystal:alkali metal ions, static quadrupole effects rel. to ion binding 4−10331
  liquid crystal, thermotropic, technique potential 4−9827
  liquid crystals, and e.p.r. methods *(Polish)* 4−6782
  lithium acetate dihydrate, quadrupole coupling parameters, ^{7}Li n.m.r. obs. 4−37499
  lithium formate monohydrate, i.r. spectrum, deuteron magnetic resonance, H_2O study, quadrupole coupling 4−36548
  lyotropic mesophase, organic solutes, struct. determ. 4−6796
  lyotropic nematic mesophase for n.m.r. spectroscopy 4−28677
  in magnetic fields, high, hyperfine technique for detailed information 4−6777
  magnetometer, nuclear, for constant magnetic fields, 0.05-2.5 T 4−22917
  marginal oscillator with m.o.s.f.e.t. operating at low temp. 4−5130
  MBBA, nematic, self-diffusion meas. by multiple pulse n.m.r. method 4−41231
  measurement of T_1, elimination of H_1 inhomogeneity effects 4−20828
  metal, research techniques, book 4−28576
  metal, spin echo, bulk metal amplitude and phase rel. to spin and sample size 4−3904
  metals, technique, review 4−28680
  2-methoxyethanol, intramol. interactions, n.m.r. 4−24026
  N-methy-5, 6-dihydro-7H, 12H-dibenz[c,f]azocine, conformational determ. 4−27707

nuclear magnetic resonance continued
  4-methyl 2,6-ditertiarybutyl phenol, tunnelling of methyl gps. 4−3905
  methyl group, cross correlation terms in spin-rotational interaction 4−19877
  methyl group, proton-decoupled, nonexponential ^{13}C relaxation 4−19878
  methyl groups in solids, hindered reorientation, T_1 temp. depend. 4−10341
  N, methylacetamide, + trifluoroacetic acid, i.r. and n.m.r. spectra, comments *(French)* 4−25483
  methylsilane-d_3, nematic liq. cryst. solvent, structural parameters, quadrupole coupling consts. 4−36552
  micellar solutions, ^{13}C relax. meas. of mol. motion 4−1687
  micellar solutions, n.m.r. relaxation effects rel. to micelle character *(French)* 4−10709
  microcell design for spectroscopic sampling systems 4−67
  modular pulse programmer, use in expts. 4−14931
  molecular magnetism, book 4−24119
  molecular structure determ. by nonheuristic analysis of ^{13}C n.m.r. data 4−36554
  molecule, symmetric top, nuclear spin symmetry, gas phase relaxation 4−31892
  multiple pulse sequence expts., influence of r.f. field inhomogeneity on n.m.r. signals 4−41275
  N-methylpropionamide, chain association studies 4−13356
  naphthalene line shape in crystal 4−6794
  nitriles, substituent effects in ^{13}C chem. shifts 4−27715
  nitrobenzene in soln., reorientational relax. from depolarized Rayleigh state and n.m.r. 4−28812
  oligoesteracrylate esters, cross-linked, mol. motion at low temps. *(German)* 4−36595
  organic compounds, chem. shift due to effect of unshared pair of electrons on oxygen 4−858
  organic compounds, of ^{13}C, reson. signal assignments 4−854
  organic compounds, temp. effects on ^{13}C shifts 4−3200
  organic cpds., mol. dynamics and stereochemistry from ^{13}C relax. meas. 4−16128
  organic molecule, paramagnetic shift on addition of rare earth chelates, digital computer analysis 4−31901
  organic molecules, nuclear spin system, pulse excitation methods appl. *(Russian)* 4−19880
  organic solids high resolution nuclear mag. double resonance, sensitivity 4−41309
  n-paraffins, liquid, self-diffusion and viscosity rel. to temp. 4−16607
  paramagnetic chemical shifts in liquid crystal solvents 4−41281
  pentamethonium, n.m.r. study of mol. movements *(French)* 4−9864
  pentamethylcyclopentaphosphine, ^{31}P n.m.r., ^{1}J(PP) spin-spin coupling 4−12611
  perfluorocyclohexane, self-diffusion activation energy, comparison with obs. 4−37039
  phase correlation for secondary n.m.r. signals, non-static Overhauser effect *(Russian)* 4−6791
  2-phenylpropan-2-thiol, n.m.r. and i.r. spectral obs. of association *(Russian)* 4−25487
  phenyltin(silyl)(IV) trichloride, coupling consts., chemical shift and paramagnetic shielding 4−41284
  phosphorus heterocycles, ^{13}C spin-lattice relaxation times 4−19875
  physico-chemical aspects of high resolution n.m.r. *(French)* 4−19865
  γ-picolene, dynamic polarisation, temperature jump technique 4−3916
  pivalamide-ND_2, magic angle rotation n.m.r. and internal motions 4−41273
  polyacrylonitrile, ^{13}C n.m.r., spin-lattice relaxation times 4−37519
  polycaprolactam, elastically deformed, macromolecular modes of motion 4−13913
  polycrystalline solids, line shape 4−37504
  polyethylene, n.m.r. study of pressure dependence of β and γ dispersion 4−10700
  polyethylene terephthalate, elastically deformed, macromolecular nodes of motion 4−13913
  polyisobutylene, ^{13}C n.m.r., spin-lattice relaxation times 4−37519
  polymer, multiple pulse line narrowing n.m.r. expts. 4−41278
  polypeptides, ^{35}Cl n.m.r. linewidth rel. to mol. weight, rot. motion, conformation 4−40354
  polystyrene, self-diffusion of methylene chloride, meas. by spin-echo n.m.r. 4−20867
  polyvinyl alcohol, ^{13}C n.m.r., spin-lattice relaxation times 4−37519
  potassium laureate in oriented soap-water multilayers, d.m.r. obs. 4−13350
  PTFE, high pressure *(Japanese)* 4−13357
  PTFE, mol. motion under high pressure, n.m.r. study 4−6799
  pulsatile flow measurement, n.m.r. in-vitro obs. in straight, tapered and bifurcated tubes 4−22593
  pulsed, temp. meas. at millikelvin temps. 4−5014
  pulsed gradient spin echo measuring restricted diffusion of water in animal tissue 4−42542
  PVC, ^{13}C n.m.r., spin-lattice relaxation times 4−37519
  pyridine in various solvents, deuteron and proton spin-lattice relaxation 4−20891
  quantum mechanical tunnelling, methyl group hindered rot., sixfold potential symmetry 4−20869
  quaternary ammonium salts, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
  R24A spectrometer, 60 MHz operating freq. 4−35363
  rare earth ion complex, pseudocontact chemical shifts 4−6801
  rare earth-Zn, ferromag., exchange interaction analysis 4−6723
  relaxation, effect of asymmetric local environment 4−1354
  relaxation, simple liquid, anal. of ang. momentum relax. effective collision times 4−33287
  relaxation rates for individual lines of AMX spectrum, sign of scalar coupling constants 4−6099
  relaxation time, meas. using reversed Carr-Purcell pulse train technique 4−37477
  relaxation time measurement, using data recording apparatus *(Japanese)* 4−30528
  resonant groups identification from powder spectra, least-squares method 4−28710

nuclear magnetic resonance continued
- Rochelle salt, nonferroelectric phases; γ-irrad. effects, n.m.r. obs. 4−20928
- rotating frame, theory of spin-lattice relax. 4−25017
- rotating frame nuclear mag. relax. in rapidly rotated solids 4−41274
- rotating magnetic fields, effect of 4−13353
- rotational diffusion anisotropy in near ellipsoidal molecules 4−41307
- rubber-plastic system, interaction study *(Russian)* 4−37512
- ruby, of ^{27}Al, 77 and 4.2K, appl. of marginal oscillator with m.o.s.f.e.t 4−5130
- sample holder, resealable with internal F reference 4−35365
- sample temperature, control and measurement 4−35216
- sample tube, external standard, inner capillary 4−39289
- sample tube for meas. at elevated pressures 4−18528
- sealing samples in tubes under vacuum 4−30365
- second moment meas. using instationary methods 4−41233
- second moment of solids, lattice vibr., intramolecular contribution 4−20870
- second moments, optico-electronic device for determination *(Czechoslovakian)* 4−5123
- self oscillatory systems, radial attenuation problem *(Russian)* 4−1347
- soap solutions, liq. cryst. phases, nuclear spin dynamics 4−40747
- solid, conf. Krakow, Poland (1973) 4−41270
- solid, multiple pulse, removal of dipolar broadening effects 4−13352
- solid echo, loosely-coupled spin-$^1/_2$ pairs system theory 4−20873
- solid two-spin system, double n.m.r. theory 4−41310
- solids, temperature dependence of n.m.r. line parameters 4−37503
- spectra, automatic system for complex data treatment *(Russian)* 4−19802
- spectra constants $A_{2a\|1}B_{2b\|1}C_{2c\|1}D_{2d}E_{2e}$... determ. *(Russian)* 4−25008
- spectrometer for student laboratory, construction for under $200 4−11423
- spectrometer with 90 MHz operating freq. using permanent magnet 4−68
- spin echoes, enhanced inhomogeneous, for dil. spins in solids 4−16995
- spin echoes by alternating reversal of mag. field gradient 4−41232
- spin generator, multifrequency oscillations 4−2340
- spin precession and coupled spin dynamics 4−10307
- spin-echo detection, by perturbed angular correlations 4−36558
- spin-echo spectrometer *(Polish)* 4−14932
- spin-lattice relaxation of low-mol. wt. cpd. in polymer medium 4−33291
- spin-spin multiplets, T_1 spin decoupling effect on lineshape 4−31896
- spinel families, long-range superexchange interactions 4−24938
- stannanes, $(CH_3)_{4-n}Sn(OR)_n$, $R=CH_3$, C_2H_5, n.m.r. spectra, substitution effect, polymeric struct. 4−19872
- stereochemistry, ^{13}C n.m.r. applics. 4−16126
- structure of solids, n.m.r. diffraction technique 4−3422
- substituted cyclopentones, non-planar rings, conformational anal. *(French)* 4−19871
- Suhl-Nakamura interaction, influence on nuclear spin motion 4−37509
- superconductor, type II, obs. of mixed state, comparison with theory 4−28569
- superconductors, mag. struct., conference, Argonne USA (1973) 4−28520
- superfast passage through n.m.r. signal, technique for sampling magnetisation of nuclear spin systems 4−41225
- TCNQ salt, $(\varphi_3AsCH_3)^+(TCNQ)_2{}^-$, evidence for exciton motion from nuclear relaxation times meas. 4−13362
- tellurophen, isotropic and nematic phase n.m.r., 60 MHz, mol. geometry 4−16122
- tertiary amine, conjugate acid, vicinal H-N-C-H coupling constants, angular depend. 4−850
- 2,3,5,6-tetrafluoro-P-xylene, energies, relative intensities 4−12615
- 2-thenyl radical, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
- theory, chemical shifts, self consistent perturbation 4−40318
- thiophene, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
- time resolution, increase using lanthanide shift reagents 4−12608
- p-tolyltin(silyl)(IV) trichloride, coupling consts., chemical shift and paramagnetic shielding 4−41284
- transition metal π-complexes and derivatives, ^{13}C n.m.r. spectra, shielding of ligand nuclei 4−856
- transition metal fluorosilicates, $MSiF_6.6H_2O$, M=Zn, Cu, Mn, Co and Ni, 90-425K 4−28708
- trichloromethane-d, D n.m.r. spin-lattice relax., mol. reorientation rel. to liquid models 4−41291
- trifluoroacetic acid, amide protonation, i.r. and n.m.r. spectra, comments *(French)* 4−25483
- trimethyl carbamate, increase of time resolution of n.m.r., use of lanthanide shift reagent 4−12608
- trimethylene sulphite, ^{13}C chemical shifts, conformational anal. 4−31893
- triple resonance technique, ^{17}O quadrupole reson. detection 4−28727
- tropolone, nemtatic solvent, exchanging spin system, dipolar coupling consts., chemical shift 4−33283
- vinyl chloride copolymers with maleic acid dialkyl esters, mechanic props. characterisation by n.m.r. and i.r. spectra *(German)* 4−4218
- water, adsorbed on amorphous silica, freezing effects 4−37088
- water, self-diffusion and viscosity, rel. to temp. 4−16607
- wood, critical moisture content and hysteresis of localized water, wide line n.m.r. study 4−41268
- Ag-Mn dil. alloy, internal mag. field obs. using pulsed n.m.r. spectrometer 4−3908
- Ag^+ ions in aqueous soln., ^{107}Ag and ^{109}Ag n.m.r. studies 4−3912
- $Ag_2H_3IO_6$, low temp. phase, n.m.r. study of structure, quadrupole coupling const. *(German)* 4−25005
- Al small particles, electronic quantum effects 4−25002
- Al superconducting fine particles 4−33081
- B complex, BCl_3 with ethers, ^{13}C n.m.r. displacement 4−27713
- B complex BF_3 with ethers, ^{13}C n.m.r. displacement 4−27713
- BF_3, mono- and dihydrates, n.m.r. study of structure *(French)* 4−10329
- $Ba(ClO_4)_2$, deuterated, pulse nuclear double resonance 4−3917

nuclear magnetic resonance continued
- ^{13}C, state-of-the-art 4−14933
- ^{13}C Fourier transform spectroscopy in solids by double resonance indirect detection 4−41234
- CaF_2, damping of multiple spin echoes 4−41277
- CaF_2, free induction decay meas., zero time resolution pulsed n.m.r. method 4−41229
- CaF_2, mag. ordering at very low temp. 4−41200
- CaF_2, multi-pulse line narrowing expts., n.m.r. diffraction 4−41271
- CaF_2, of ^{43}Ca, nucl. ferromag. existence *(French)* 4−33271
- CaF_2, slow diffusive motions, nuclear relax. meas. 4−32753
- CaF_2:^{19}F, residual linewidth, proton chemical shift tensor 4−13352
- $CaSO_4.2H_2O$, damping of multiple spin echoes 4−41277
- 2-chloroethanol, oriented 4−36561
- Co film, oxidized, singularities *(Russian)* 4−10326
- $CoBr_2.6[(1-x)H_2O.xD_2O]$, Br reson. for various values of x 4−3900
- $CoCl_2$, antiferromag., temp. depend. 4−13354
- $Co_{1\|x}Si$, $(Co_{1-x}M_x)Si$, M=Fe, Ni, Ru, Rh, local moment formation obs. 4−41180
- Cr(III) aquo complex, d.m.r. obs, chem. exchange 4−25476
- Cs_2, optically pumped vapour, n.m.r., nuclear relaxation time 4−36555
- Cu, low temp. obs. using SQUID magnetometer 4−13336
- Cu alloys, coupling constant 4−10257
- Cu small particles, electronic quantum effects 4−25002
- Cu-Mn alloy, dil., local mag. field near Mn atoms 4−20880
- Cu-Mn(0.5, 2.5 at%), ^{63}Cu satellite line, obs., spin density perturbation explanation 4−33135
- Cu-Zn, pulse nuclear double resonance 4−3917
- CuFe, dil., cond. electron spin density around Fe impurity 4−16985
- $CuSO_4.5H_2O$, phase transition detection, $\simeq$0.1K, 3 kOe-38 kOe 4−3839
- $CuSiF_6.4H_2O$, $CuSiF_6.6H_2O$, 90-425K 4−28708
- ^{63}Cu, n.m.r., in Cu_2HgI_4, quadrupole coupling const. rel. to temp. *(German)* 4−41302
- D_2, solid, ortho-para conversion, intensity anomalies 4−41264
- D_2O, temp. shift of ^{2}D 4−3200
- D_2O ice-Ih, deuteron n.m.r. relaxation obs. 4−37523
- $Dy_3Fe_5O_{12}$, transverse relax. of ^{161}Dy, ^{163}Dy nuclei, field depend. meas. 4−20895
- ErIG, ^{167}Er n.m.r., hyperfine fields and e.f.g. 4−20876
- EuFe garnet, theory of magnetic anisotropy, n.m.r. 4−28643
- $(Eu_xY_{1-x})Fe_5O_{12}$:^{151}Eu, transverse relax. of ^{151}Eu nuclei, field depend. meas. 4−20895
- ^{17}F in tetragonal MgF_2 single crystal spectra, quadrupole effects 4−12148
- Fe-Co-Al solid solution, of ^{59}Co *(Russian)* 4−20886
- $FeBe_2$, spin echo spectrum, 4.2K 4−20871
- FeCr alloy, c.w. n.m.r. obs. of hyperfine field perturbations at Fe sites 4−37502
- Fe(III) heme protein, isotropic n.m.r. shifts, magnetic susceptibility anisotropics 4−37505
- Fe_3O_4, magnetite, ^{57}Fe n.m.r. obs., 4.2 to 200K 4−1348
- Fe_3O_4:Fe^{57}, temp. depend. of spectra, spin echo method 4−28713
- fluorenone, radical ion pairs, alkali n.m.r. shifts, hyperfine splitting constants 4−3901
- Ga, liquid, temp. depend. of n.m.r. freq. 4−6792
- $GdAl_2$, hyperfine field coupling constant, temp. depend. 4−28659
- $GdCl_3$, ferromagnet, ^{35,37}Cl n.m.r. obs. of magnetization 4−20877
- GdP, n.m.r. interpretation using calc. of dipolar corrections to spectral density 4−24912
- $Gd_{1-x}Y_xAl_2$ and $Gd_{1-x}La_xAl_2$ $(O\leqslant x\leqslant 0.4)$ 4−6803
- GdZn, ferromag., exchange interaction analysis 4−6723
- GdZn, hyperfine field coupling constant, temp. depend. 4−28659
- $Ge[CO_2]O_4$, n.m.r. of ^{73}Ge 4−6797
- H_2, adsorbed on graphite, obs. and interpret., 12-128K 4−20481
- H_2, solid, ordered, ortho-para conversion effect theory 4−41265
- H_2, solid, ortho-para conversion, intensity anomalies 4−41264
- HD, n.m.r. coupling const. calc. with nonsingular contact operator 4−3206
- H_2O-dioxane mixture, molecular reorientation, press. and conc. depend. 4−25007
- ^{1}H, n.m.r. in trans-1-fluoro-2-iodocyclohexane 4−9573
- ^{2}H, line width, spin-relaxation, molecular motion and quadrupole coupling in solids with tetrahedral groups 4−33284
- ^{4}H, mobility of ^{3}He impurity excitations, diffusion coeff. meas. 4−3620
- He, 2^3S_1, optical pumping, weak discharge, metastability exchange relax. 4−23977
- He, solid, isotope diffusion, mass spin fluctuation waves effect on n.m.r. 4−28260
- ^{3}He, Anderson-Morel state dynamical spin susceptibility, calc. 4−28256
- ^{3}He, liq., A- and B-phases, longitudinal resonance and domain effects 4−37058
- ^{3}He, liquid longit. and transverse, A-phase struct. determ. 4−40942
- ^{3}He, n.m.r. lineshifts below 3 mK, spontaneously broken spin-orbit symm. 4−1150
- ^{3}He, n.m.r. on new phases in contact with Pt powder 4−32775
- ^{3}He, optical pumping by metastability exchange *(French)* 4−12485
- ^{3}He adsorbed on Grafoil sheet, n.m.r. line broadening due to Grafoil mag. anisotropy 4−40940
- ^{3}He gas polarised target for nuclear reactions, determ. of polarisation using pulsed NMR technique 4−18582
- ^{3}He highly oriented gas, n.m.r. meas. of nuclear polarisation 4−40171
- ^{4}He:^{3}He, solid, T_1 meas. for various freq. and conc. 4−40944
- ^{181}Hg, search for strong deformation 4−2759
- ^{199}Hg vapour, optically oriented, Bloch-Siegert shift measurement 4−699
- ^{165}Ho-Tb(Dy)(Gd) alloys, spin echo meas., cond. electron effect on hyperfine interactions 4−33274
- KBr, study of n.m.r. line broadening due to dislocations using Monte Carlo methods 4−3903
- $KCuF_3$, mag. orientation, spin struct. and micromagnetic location *(Japanese)* 4−37510
- K_2CuF_4, two-dimens. Heisenberg system with small XY-like anisotropy, magnetiz. obs. 4−33210

nuclear magnetic resonance continued
$KMgF_3$, magnetic screening of ^{19}F, second moments and chemical shift determ. 4−1351
$KZnF_3$, magnetic screening of ^{19}F, second moments and chemical shift determ. 4−1351
$KcuF_3$, crit. phenomena obs. *(Japanese)* 4−28629
La_3In intermetallic compound, Knight shift and spin lattice relaxation, temp. depend. 4−20881
La_3Tl intermetallic compound, Knight shift and spin lattice relaxation, temp. depend. 4−20881
Li small particles, electronic quantum effects 4−25002
LiF, line shape in crystal 4−6794
LiF, mag. ordering at very low temp. 4−41200
$LiVO_3$ crystals, quadrupole interactions 4−6793
Mo isotopes, A=95, 97, nuclear g-factor ratio determination 4−2756
ND_4Br:^{81}Br high pressure order-disorder transitions *(Japanese)* 4−32647
NH_4Br, order parameter determ. for order-disorder transition, ^{81}Br n.m.r. 4−20874
NH_4Cl, free induction decay meas., zero time resolution pulsed n.m.r. method 4−41229
NH_4Cl:^{35}Cl high pressure order-disorder transitions *(Japanese)* 4−32647
NH_4I, spin-lattice relaxation of nuclear dipolar energy 4−41298
NH_4PF_6, solid, nuclear relaxation, spin exchange 4−10339
NaCl, study of n.m.r. line broadening due to dislocations using Monte Carlo methods 4−3903
NaF, pulse nuclear double resonance 4−3917
NaF, slow diffusive motions, nuclear relax. meas. 4−32753
$NaH_3(SeO_3)_2$, dipolar spin-lattice relax. rates of protons 4−28676
$NaIO_4$, of ^{127}I, Zeeman splitting rel. to asymmetry parameter near zero 4−10354
$NaNO_2$, γ-irrad., electric field gradient tensor, ^{23}Na n.m.r. obs. 4−10328
$NaNO_3$, molten, spin-lattice relax. time of ^{23}Na 4−25006
$NaZnCl_4.3D_2O$:^{2}H, hydrogen positions, hydrogen bonds 4−16992
$NbCl_5$, hexadecapole interaction of ^{93}Nb, obs. 4−6800
Ni, nuclear relax. times of ^{59}Co, 4.2K, fields up to 12kG 4−37521
Ni complex, tris(acetylacetone) nickel(II) perchlorate, contact shifts and spin delocalization mechanisms 4−27718
Ni-Al, n.m.r. and lattice parameter measurements 4−16450
NiAl, intrinsic low temp. mag. and transport props., simple Fermi surface model 4−13298
$NiCl_2$, antiferromag., temp. depend. 4−13354
NiIr, dilute alloy, quadrupolar Hamiltonian on Ir Nuclei, spin-orbit effect 4−37525
PH_3:^{31}P, isotropic and nematic solvents, chemical shielding anisotropies, chemical shift 4−33282
P_4S_3, of ^{31}P, AB_3 type high resolution spectrum 4−28714
PbTe, n.m.r. peak splitting due to defects 4−28712
Pd, spin-lattice relax. time and Knight shift of ^{45}Sc and ^{51}V 4−16997
^{105}Pd in PdH_n, n.m.r. spectra, Knight shift calc. 4−33279
Pt, spin-lattice relax. time and Knight shift of ^{45}Sc 4−16997
Rb_2, optically pumped vapour, n.m.r., nuclear relaxation time 4−36555
$RbZnF_3$, magnetic screening of ^{19}F, second moments and chemical shift determ. 4−1351
^{87}Rb, relax. times meas. in RbF in water-methanol soln., selective solvation 4−41293
Sn superconducting fine particles 4−33081
$SrBr_2$:^{87}Sr, aqueous solns., ratio of Larmorfrequency with $GeCl_4$:^{73}Ge 4−1349
$SrCl_2$:^{87}Sr, $Sr(ClO_4)_2$:^{87}Sr, aqueous solns., ratio of Larmorfrequency with $GeCl_4$:^{73}Ge 4−1349
$Sr(NO_3)_2$:^{87}Sr, aqueous solns., ratio of Larmorfrequency with $GeCl_4$:^{73}Ge 4−1349
Ti-Al-H alloys, hydrogen embrittlement inhibition by Al alloying 4−33747
TiO_2:Cr^{3+}, dilute spin system, n.m.r. lineshape, energy transfer dynamics 4−41279
Tl-As-Se semicond. glasses, ^{205}Tl n.m.r. *(Russian)* 4−28718
$TlMnCl_3$, cryst., paramag., crystallographic and mag. phase transitions 4−10265
^{181}Ts, in HF/HNO_3 soln., nuclear moments 4−19275
U_2C_3, 4-300 K, position, linewidth, electronic transition *(French)* 4−20878
V alloy with nitrogen interstitials, local cryst. lattice distortions, EFG rel. to strain tensor *(Russian)* 4−1346
V-transition metal alloys, relaxation time, linewidth and Knight shift meas. 4−37518
$V_3Ga_{1-x}Sn_x$, electric-field gradients and spin-lattice relaxation 4−16861
$(V_{3.04}Ge_{0.96})_{1-y}(Cr_3Ge)_y$, A15 type, ^{51}V linewidth, quadrupole interaction, conc. and temp. depend. *(Russian)* 4−16875
V_2O_3, metal-insulator transition investigation 4−1208
$(V_3Si)_{1-x}(Cr_3Si)_x$, A15 type, ^{51}V linewidth, quadrupole interaction, conc. and temp. depend. *(Russian)* 4−16875
WO_3:P_2O_5 glass:$V_2O_5(MoO_3)(CuO)$, ^{31}P nuclear resonance obs., spin-lattice relaxation time 4−16975
Xe, gas, ^{129}Xe chemical shift, temp. and density depend. 4−19870
YIG, supertransferred hyperfine fields at nuclei of diamag. ions, spin echo obs. 4−37507
$ZnBr_2$, aq. soln., ^{67}Zn n.m.r., anomalous solvent isotope effect 4−40321
$ZnCl_2$, aq. soln., ^{67}Zn n.m.r., anomalous solvent isotope effect 4−40321
ZnI_2, aq. soln., ^{67}Zn n.m.r., anomalous solvent isotope effect 4−40321

nuclear mass
closed-shell nuclei, validity of Talmi's mass formula 4−39922
curvature correction in mass formula 4−396
fission, dynamic description, mass asymmetry and nuclear viscosity 4−9312
fission fragment mass asymmetry in subcarrier photofission of ^{238}U 4−9314
fission fragments, ^{239}Pu (d,pf) reaction 4−5860
fission yield distrib. from spontaneous fission of ^{254}Fm 4−5851
fusion reaction products, mass distrib. 4−5863
odd-even mass differences, generator coordinate method 4−27257

nuclear mass continued
r-process nucleosynthesis, upper mass limit 4−17994
relationships and equations, neutron-proton interactions 4−2742
shell model, calculation 4−2784
Skyrme interaction predictions 4−400
surface and curvature energy, $A^{1/3}$ term in mass formula 4−9049
$T_2=5/2$ nuclides in 2s-1d shell, mass systematics 4−5703
$T_z=2$ light nuclei, formulas test 4−2744
^{25}Al ground state, from $^{24}Mg(^3He,d)$ and $^{28}Si(\alpha,p)$ reactions 4−12165
^{34}Ar, mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{17}B, production and identification 4−2743
$^{142}Ba+{}^{98}Sr$, products of ^{240}Pu fission, mass distrib. 4−9324
^{12}Be, mass excess determ. from $^{14}C(^{18}O, {}^{12}Be)^{20}Ne$ reaction at 88.7 MeV 4−31408
^{14}Be, production and identification 4−2743
^{352}Cf, total spontaneous fission half-life, mass and charge distrib. 4−23733
Hg neutron poor isotopes, anomalous isotope shift, shell model calcs. 4−404
^{a}In, A=123-125, mass surface shapes, from total decay energies 4−2747
Li isotopes, meas. by on-line mass spectroscopy 4−2745
^{22}Mg mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{29}Mg, from $^{18}O(^{13}C, 2p)^{29}Mg$ reaction 4−5703
^{29}Mg, produced in $^{18}O(^{13}C,2p)^{29}Mg$, 35 MeV, mass excess 4−2746
Na isotopes, meas. by on-line mass spectroscopy 4−2745
^{34}P, precise meas., and β-decay scheme 4−9121
^{34}P, produced in $^{18}O(^{18}O,pn)^{34}P$, 35 MeV, mass excess 4−2746
^{30}S, mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{31}S, determ. from $^{32}S(p,d)$ reaction 4−12123
^{26}Si mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{33}Si, precise meas., and β-decay schemes 4−9121
^{33}Si, produced in $^{18}O(^{18}O,2pn)^{33}Si$, 35 MeV, mass excess 4−2746
^{a}Sn, A=125,127,129-132, mass surface shapes, from total decay energies 4−2747
^{91}Tc, ^{90}Tc, mass excess isotope and isomer identification 4−19350
^{236}U scission point, axial and mass asymmetry 4−5850

nuclear matter
see also nuclear structure
alpha-clustering effects, crystalline model 4−542
asymmetric, binding energy/particle determ. using pair approx. method 4−39921
binding energy, meson current corrections 4−482
binding energy and saturation density calcs., meson current corrections 4−558
binding energy of Λ particle in its ground state 4−561
binding energy sensitivity to high energy phase shift, comparison with ^{3}H 4−15595
Brueckner renormalised theory, single-particle potential calc. 4−12199
Brueckner theory including mesonic degrees of freedom 4−36148
correlated basis functions, energy levels, nonorthogonality corrections 4−2562
density anal. using K^- mesonic and baryonic atoms 4−31759
density dependent effective interaction determined variationally from free nucleon-nucleon potential 4−484
density fluctuations, variational calcs. of structure 4−9098
equation of state, exhibiting nuclear saturation, relativistic many-body quantum field theory 4−39782
equations of state for densities 3×10^{14}-10^{16} g cm^{-3} 4−36150
Fermi liquid droplet, collective props. 4−39953
few nucleon systems, Thomas-Fermi model, astrophysical appl. 4−23617
Goldstone excitation in coupled pion-nucleon system, pion polarisation function 4−15914
Hartree-Fock eqns. for very-many-particle system, non-trivial solns. 4−2566
heavy ion reactions involving large transfer of nuclear matter 4−9281
heavy nuclei, alpha cluster and plane wave model of nuclear matter 4−12227
heavy-ion collisions, shock wave production in matter compression 4−36225
high-density, baryon solid phase in quark-like model 4−27260
highly excited prod. in heavy ion heavy nucleus collision, strongly interacting decay products 4−36227
hypercollapsed tightly bound nuclear isomers due to attractive heart in repulsive core 4−36153
impure, modified Euler equation for correlation function 4−36146
infinite, binding energy and compressibility, calcs. 4−2797
infinite, nonlocal interactions *(French)* 4−5746
infinite, nonlocal separable nucleon-nucleon interactions *(French)* 4−19323
inhomogeneous, binding energy formula for spatial finite density distrib. 4−23593
local effective interaction, density dependent, derived from relativistic one-boson exchange potential 4−483
many-particle part transformations 4−235
mirror nuclei, anal. of discrepancy in isodoublet Coulomb displacement energies 4−2767
neutron, binding energy, effect of $\Delta(1236)$ resonance 4−36124
neutron and matter distrib. review of analytic methods 4−15606
neutron matter solidification anal. using Reid interaction and perturbation techniques 4−15686
neutron star matter, equation of state, Fermi liquid theory with polarisation 4−4811
neutron star matter, pion condensation threshold, correlation effects 4−27261
neutron stars, microscopic calcs. of solidification density 4−34857
neutron/proton ratio on nuclei surface from K^- captures in emulsion nuclei 4−36147
nonlocal separable potentials, first order Bruckner-Goldstone G matrix formalism *(French)* 4−31278
nonlocal separable potentials for three-body and nuclear matter calcs. 4−12238

nuclear matter continued
- one boson exchange potential, two-nucleon and infinite matter data 4−39945
- phase transition, non-pair nuclear forces *(Russian)* 4−15650
- pion condensation, instability conditions from Green function 4−31279
- pion condensation in neutron stars, effect of nucleon correlations 4−34858
- quasiparticle concept reln. to single particle props. of nuclei 4−39920
- quasiparticle concept reln. to single particle props. of nuclei 4−39964
- resonant pion propagation, correction to nucleon, pion propagators 4−15918
- schematic model, excitation energy, effective mass effects 4−559
- state eqn. of neutron matter, meson current corrections, astrophysical consequences 4−2035
- statistical bootstrap equation of state for cold ultradense matter 4−36151
- sub-nuclear density matter, ground state configuration 4−36149
- super-nuclear densities, eqns. of state 4−36152
- symmetry coeff. in second-order perturbation theory 4−560
- symmetry coefficient calc. in second-order perturbation theory 4−39963
- Thomas-Fermi method, nucleus surface 4−5704
- Zeldovich model, superluminal sound and ferromagnetic transition 4−35750
- α matter, evidence of solidity in lowest state 4−12239
- Λ binding energy, variation with potential parameters 4−2739
- Λ particle binding energy, effect of $\Lambda\Sigma$ conversion 4−9101
- N-N interaction in $^3S_1$-$^3D_1$ channel, separable representation 4−31248
- p-nucleus collisions, 200 GeV, transparency of nuclear matter 4−31354
- π condensates, study of spin-isospin interaction 4−2769
- π condensation in superdense nuclear matter, comment 4−12190
- π^- meson condensation in nuclear matter *(Russian)* 4−27259
- π^--condensate, calc. of specific energy in presence 4−2798

nuclear models
- *see also nuclear cluster model; nuclear collective model; nuclear reaction and scattering models; nuclear shell model*
- canonical transformations in Bargmann Hilbert space, applications 4−2537
- deformed and fissioning nuclei, single particle K-matrix 4−2988
- microscopic, with substructure, recent developments w.r.t. light nuclei *(French)* 4−5744
- nonadiabatic model, magnetic moments of odd-mass deformed nuclei 4−27236
- superfluid, complex nuclei, A=40 to 200, structure of highly excited states *(Russian)* 4−15630
- unified model, extended, neutron hole states for negative parity states, even-even N=82 nuclei 4−12194
- unitary pole approximation, calc. of ^{3}H binding energy 4−12124
- ^{18}F, two particle random phase approximation for energy levels using 4p-2h core correls. 4−12237
- ^{42}Sc, two particle random phase approximation for energy levels using 4p-2h core correls. 4−12237

nuclear moment of inertia
- *heading is late addition, see also nuclear moments; nuclear spin and parity*
- backbending and forking at high spin, microscopic approach based on pairing-plus-quadrupole model 4−412
- compound nucleus in reaction cross sections for ^{16}O with Fe, Ni, Ge and Zr 4−9251
- deformed nuclei, effective density of rotating nucleons, Governer model 4−19313
- deformed nuclei, forking and backbending in rot. spectra 4−5731
- deformed nuclei, structure of nuclear rotation at high ang. momenta 4−19318
- deformed oscillator shell model, collective rotation and moments of inertia, classical approach 4−36139
- density of states with fixed angular momentum 4−517
- equilibrium configurations of rotating charged or gravitating liquid masses with surface tension 4−23622
- even-even nuclei, ground state band, Skyrme-type formulas 4−557
- excited nuclei, calc. from shell model amd pairing Hamiltonian 4−12205
- Hartree-Fock-Bogoliubov eqns., soln, at high angular frequency 4−9090
- high and low spin rotational states and CP model 4−444
- odd-A deformed nuclei, changes in backbending 4−19285
- odd-mass nuclei, dynamic effects in rotational bands 4−15673
- quasirotational states and softness *(French)* 4−5734
- rare-earth nuclei, deformed, rotations and intrinsic $K^\pi=1^+$ excitations 4−19320
- rotational bands, exactly soluble models and CAP mechanisms 4−515
- rotational states, nuclei with $8\leqslant A\leqslant 24$ 4−438
- Strutinsky type of averaging procedure 4−524
- two mass-point model, rot. spectra of even-even nuclei, quantum mechanics 4−15665
- variable, model for calc. rot. energy 4−23626
- variable moment of inertia, constrained Hartree-Fock calc. 4−15618
- ^{159}Dy, calc. of anomalous $5/2^+$ rotational band, cranking model 4−19307
- ^{156}Er, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
- ^{164}Er, lifetimes and backbending of levels populated in ^{164}Dy(α, 4n)^{164}Er reaction 4−15692
- ^{169}Er, calc. of backbending effect in even rotational nucleus 4−19286
- ^{151}Gd, $i_{13/2}$ and $h_{11/2}$ unique parity shells, rel. to shape coexistence 4−15603
- ^{154}Gd, from ^{154}Sm (α, 4n), E_α=41 to 50 MeV, backbending from band crossing 4−12240
- ^{154}Gd high spin states, crossing of energy levels and anomalous moments of inertia *(Russian)* 4−420
- ^{168}Hf, obs., of backbending phenomenon with (α, 8n) reaction 4−36155
- ^{172}Hf, ang. vel. and intrinsic state population in cpd. reaction depend. 4−9070

nuclear moment of inertia continued
- ^{174}Hf, ang. vel. and intrinsic state population in cpd. reaction depend. 4−9070
- ^{176}Hf, ang. vel. and intrinsic state population in cpd. reaction depend. 4−9070
- ^{178}Hf, ang. vel. and intrinsic state population in cpd. reaction depend. 4−9070
- Hg isotopes, variable collective inertia and spherical to deformed shape transition 4−2752
- ^{190}Hg, ^{192}Hg, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
- ^{16}O, triaxial bands superimposed on anharmonic ground state vibrational spectrum 4−12201
- ^{182}Os, ^{184}Os, ^{186}Os, ^{188}Os, systematics of backbending in yrast bands populated by (α, xnγ) reactions 4−19327
- ^{182}Os, obds. of backbending phenomenon with (α, 8n) reaction 4−36155
- Pd nuclei (A=98, 100, 102, 104), spherical and near spherical, 'phase transitions' in ground state bands 4−15690
- ^{238}U, excitation, with Kr ions 4−2799
- ^{166}Yb, backbending behaviour, moment of inertia anomaly calc. 4−19282
- ^{168}Yb, backbending behaviour, moment of inertia anomaly calc. 4−19282
- ^{168}Yb, calc. of backbending effect in even rotational nucleus 4−19286
- ^{170}Yb, backbending behaviour, moment of inertia anomaly calc. 4−19282

nuclear moments
- *see also nuclear electric moment; nuclear moment of inertia*
- backbending and forking at high spin, microscopic approach based on pairing-plus-quadrupole model 4−412
- deformed nuclei, multipole moments, projectile size corection for angular error 4−2896
- density of states with fixed angular momentum 4−517
- even-even spherical nuclei in excited states, static moments 4−12129
- even-odd nuclei with N or Z=11 and 13, Bohr-Mottelson and Nilsson model calcs. 4−12221
- high and low spin rotational states and CP model 4−444
- light nuclei, moments of inertia, calcs. in sd shell using Hartree-Fock-Skyrme formalism 4−36106
- moment of inertia, Strutinski type averaging procedure 4−524
- moment of inertia, variable, constrained Hartree-Fock calcs. 4−15618
- multipolar, elastic electron scattering, anomalous magnetic moment effects *(Russian)* 4−23666
- multipolar, isoscalar transition density, for isovector excitation, general derivation 4−19331
- natural parity states in $10\leqslant A\leqslant 14$ mass region, shell model calc. 4−504
- odd-A deformed nuclei, charges in moment of inertia 4−19285
- phenomenological interaction currents anal. using group theory 4−27243
- rotational states in nuclei with $8\leqslant A\leqslant 24$, moment of inertia behaviour 4−438
- S-fixed spectra, high moment for many-body configuration 4−31231
- sd-shell nuclei, multipole moments, Coulomb excitation 4−12153
- ^{159}Dy, calc. of anomalous $5/2^+$ rotational band, cranking model 4−19307
- ^{162}Er, calc. of backbending effect in even rotational nucleus 4−19286
- ^{164}Er, lifetimes and backbending of levels populated in ^{164}Dy(α, 4n)^{164}Er reaction 4−15692
- ^{56}Ni, distrib. of dipole and spin dipole strength 4−36110
- ^{a}Os, A=182, 184, 186, 188, systematics of backbending in yrast bonds populated by (α, xnγ) reactions 4−19327
- ^{208}Pb, distrib. of dipole and spin dipole strength 4−36110
- Pd nuclei (A=98, 100, 102, 104), spherical and near spherical, 'phase transitions' in ground state bands 4−15690
- ^{132}Sn, distrib. of dipole and spin dipole strengths 4−36110
- ^{86}Sr, shell model calc. of dipole states 4−31256
- ^{88}Sr, shell model calc. of dipole states 4−31256
- ^{181}Ta, in HF/HNO$_3$, n.m.r., nuclear moments, quadrupole broadening 4−19275
- ^{168}Yb, calc. of backbending effect in even rotational nucleus 4−19286
- ^{90}Zr, distrib. of dipole and spin dipole strengths 4−36110
- ^{90}Zr, shell model calc. of dipole states 4−31256

nuclear muon capture *see muon capture*

nuclear optical model
- alpha-nucleus potential and alpha-particle struct., comparison with nuclear-nucleus pots. 4−31403
- alpha-nucleus real potential strength, analysis of elastic α-scattering from ^{12}C, ^{24}Mg, ^{58}Ni, ^{90}Zr, ^{208}Pb, up to 166 MeV 4−2923
- angular momentum dependence of absorption, for ^{16}O(α,α)^{16}O resonance reaction 4−9239
- angular momentum dependence of optical parameters in α-particale elastic scattering on light nuclei 4−19517
- charged particles, interaction with complex nuclei, soft radiation emission 4−2847
- compound nuclear reactions, computation of total and differential cross section 4−9133
- deuteron elastic scattering by even-even nuclei, optical model anal. at energies of 30 MeV 4−2901
- deuteron optical potential with tensor term and breakup 4−9216
- deuteron stripping reactions, 3-body effects, proton and neutron optical pots. 4−2906
- deuteron-nucleus tensor interaction, evidence from elastic scatt. on ^{40}Ca, ^{56}Fe, ^{90}Zr, ^{208}Pb 4−31382
- elastic nucleon scattering, collective nucleon-target states in optical potential *(Russian)* 4−23654
- elastic nucleon-nucleus scattering, excitation of collective states 4−637
- elastic scattering of protons by Pd, Cd, Sn, angular distrib. *(Russian)* 4−627
- excitation function calculation, for ^{50}Ti, ^{54}Cr, ^{59}Co (p,n) reactions at 5 MeV 4−9186
- folded potential method, for ^{58}Ni(^{16}O,^{16}O)^{58}Ni inelastic scattering, 42 MeV 4−2964

nuclear optical model continued
Glauber multiple scattering theory in optical limit for medium energy elastic scattering of light particles 4-15736
global complex excitation parameters, for ^{206}Pb(p,p′)^{206}Pb* reaction 4-9172
hadronic atoms, nuclear properties 4-2811
heavy ion reactions, peripheral resonance and scattering ang. distrib. 4-12372
heavy ion scattering, microscopic theory of nuclear friction 4-2942
heavy-ion elastic scattering, ^{14}N, ^{16,18}O from ^{26}Mg, ^{27}Al, ^{28}Si, ^{58}Ni, 40-81 MeV 4-2946
heavy-ion scattering, interaction potential anal. 4-27348
heavy-ion transfer reactions, improvements in form factors 4-5834
imaginary optical potential from particle-vibration intermediate states 4-12399
inelastic scattering, proton-nucleus spin-orbit coupling 4-27322
intranuclear transition rates calc., pre-equilibrium decay 4-2849
isospin dependence in proton, neutron scatt., reformulated pot. calc. 4-39980
isotope effects in total cross sections of α and d induced reactions 4-39981
Lane equations, soln., and spectroscopic information *(Rumanian)* 4-31329
Lane model, macroscopic charge independent anal. of quasi elastic (p,n) reactions 4-2887
microscopic DWBA approach, ^{116}Sn(p,p′) inelastic scattering at 16 MeV 4-5811
modified perturbed stationary state model, induced rotation in heavy ion scattering 4-2971
neutron spin precession in polarized nuclear targets rel. to scattering amplitudes 4-15774
neutron strength function estimates, $138<A<202$ 4-39996
neutron total cross section, semi-empirical formula and interpretation for $A \geqslant 40$ 4-12349
nuclear sizes determ. from anal. of strongly interacting particle scattering, review 4-15606
nucleon-nucleus optical model potential 4-12353
p-shell nuclei, Woods-Saxon potential 4-614
p-wave neutron strength function meas. in transmission expts. 4-31367
pion-nuclear coordinate space potential determ. 4-31419
pion-nucleus inelastic scattering cross section calc. by distorted wave method 4-15924
pionic ^{6}Li, ^{7}Li, ^{9}Be, strong interaction shifts, widths of 1s level 4-15645
potential, for ^{6}Li(^{6}Li,^{6}Li)^{6}Li at 10 and 14 MeV 4-2966
potential analysis of deuteron elastic scattering in ^{60}Ni, 15 MeV 4-2898
potential analysis of heavy ion scattering, rel. to absorption coeff. 4-2957
potential calculation, effect of finite nuclear charge distrib. using diffraction model 4-5770
potentials, for ^{32}S + ^{32}S, ^{40}Ca + ^{40}Ca, elastic scattering 4-9272
pre-equilibrium state widths, statistical calc. from absolute (n,n′) spectra 4-9176
quasimolecular state interpretation in heavy ion reactions, Regge poles 4-2970
R-matrix theory, generalized optical potential 4-31325
real potential in alpha-nucleus scattering, comparison of optical and folding models 4-19521
relativistic effects at medium energies 4-31326
rotational model optical potential, struct. of deformed imaginary part 4-2846
rotational model optical potential, struct. of deformed real part 4-2845
rotational nuclei, construction of microscopic optical matrix potential 4-12302
scattering amplitude zeros in complex angle plane 4-23655
scattering mechanism, Hauser Feshbach estimates for ^{12}C(^{12}C,^{12}C)^{12}C 4-9293
shadowing in inelastic lepton scattering from complex nuclei, optical model 4-15500
single-particle states, $A<35$, systematics 4-2761
strong absorption model anal. of polarisation in (p,p′) scattering on ^{12}C and ^{208}Pb 4-12336
target dynamics in scattering amplitude, Fermi gas model 4-15735
Thomas-Fermi approximation and imaginary part of optical potential 4-12303
weak absorptive optical potential, for ^{48}Ca(^{14}N,^{13}C)^{49}Sc at 50 MeV 4-9256
(α,α') scattering, mechanism and spectroscopic factors *(Roumanian)* 4-19522
(α,f) reaction at 58 to 100 MeV on U, Th, Bi, Pb and Au, cross-section anal. 4-23739
α-Ni scattering, even isotopes, 18-27 MeV, back-angle scattering 4-2925
α-particle optical potential, evidence for energy dependent form factor in ^{90}Zr(α,α) reaction 4-40031
(d,d) scattering, polarisation phenomena 4-12363
d, polarised, elastic scattering, 9-12 MeV, spin-orbit and spin-spin interactions 4-19488
e-nucleus elastic scattering, eikonal approach to dispersion corrections 4-12326
K producing π + strangeness analogue state, SU(3) invariant optical model 4-15917
k$^-$ atom, strong interaction effects using optical potential 4-19732
KK system, scattering lengths rel. to resonances, optical model 4-31249
(n,n) elastic and inelastic scattering on ^{12}C, ^{16}O, and ^{2}H using 14 MeV polarised n 4-19433
n scattering, elastic, polarisation ~1 MeV rel. to optical model 4-19437
(p,d) reactions on ^{118}Sn and ^{114}Sn, effect of spin orbit terms in p and d channels 4-15849
(p,p) scattering, 156 MeV, cross-section meas. optical model anal. 4-36194
(p,p′) scattering, polarisation phenomena 4-12354
p, elastic scattering, optical model with surface term, A=12 to 208, polarisation 4-19441
p atoms, strong interaction effects using optical potential 4-19732

nuclear optical model continued
p scattering, inelastic, using potentials derived from nuclear matter distribs. 4-19448
π-nucleus elastic and inelastic scattering, computation of cross sections 4-12385
π-nucleus interactions, 9 to 15 GeV/c, coherent production of three pions *(German)* 4-23719
π-nucleus interactions, determ. of total effective cross sections for $K^+\pi^+\pi^-$ system production *(German)* 4-23720
π-nucleus interactions, Lorentz-Lorenz effect in optical potential 4-12388
π-nucleus low-energy optical potential (Ericson-Ericson), effect of correlation length 4-667
π-nucleus optical potential in (3,3) resonance region, three-body effects 4-36229
π-nucleus scattering, Pauli suppression factor effects in optical potential 4-19543
π^- photoproduction on nuclei, calc. of cross section 4-2862
π^0 photoproduction on complex nuclei at 400 to 700 MeV, cross section dependence on mass number 4-27304
$\pi^\pm$ reactions on ^{6}Li, ^{7}Li, ^{9}Be, C and O, 90-860 MeV obs. and comparison with Kisslinger and local optical potentials 4-40045
πK system, scattering lengths rel. to resonances, optical model 4-31249
$\pi\pi$ system, scattering lengths rel. to resonances, optical model 4-31249
Σ atoms, anal. of strong interaction effects using optical potential 4-19732
t polarisation, in elastic scattering from tight nuclei, optical model 4-19494
t potential from $A>40$, $E<40$ MeV elastic scattering 4-19496
^{25}Al one-nucleon transfer reactions, coupled-channel Born approx. analysis 4-12308
^{27}Al, double elastic p scatt., polarisation meas., nuclear radius *(Russian)* 4-31376
^{197}Au(p,p)^{197}Au, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4-19444
^{9}Be(p,p)^{9}Be, 5-12 MeV elastic scatt., cross section and polarisation, optical model anal. *(Russian)* 4-23684
^{9}Be(p,p)^{9}Be, 6-7 MeV elastic scattering, differential cross section and polarisation is optical model *(Russian)* 4-15788
^{12}C(α,γ)^{26}O, cross section at astrophys. energies, R-matrix optical model 4-31394
^{40}C^{0}Ca(^{3}He,^{3}He)^{40}Ca, 51.4 and 80 MeV, macroscopic helion optical potential 4-2921
^{40}Ca-nucleon optical potential, absorptive part 4-2881
^{52}Cr, inelastic scatt. of 15 MeV polarised deuterons, optical model data 4-2902
^{52}Cr(d,d)^{52}Cr, 15 MeV, differential cross section, analysing powers, optical model anal. 4-19466
^{52}Cr(t,t$_0$)^{52}Cr, E_t=2-3.5 MeV, optical potential asymptotic part role *(French)* 4-5819
^{54}Fe, 2.9 MeV neutron scatt., theoretical analysis *(Russian)* 4-23693
^{54}Fe,^{56}Fe, inelastic scatt. of 15 MeV vector and tensor polarised deuterons 4-2902
^{3}H(n,n)^{3}H, 6-23 MeV, optical model fits to neutron polarisation and differential cross sections 4-15813
^{3}He, scattering on ^{9}Be, ^{12}C and ^{16}O at 18 to 20 MeV, anal. of polarisation 4-19526
(^{3}He,α) reactions, mechanism and spectroscopic factors *(Roumanian)* 4-19522
^{3}He elastic scattering, anal. of target spin effects 4-9227
^{3}He elastic scattering on ^{144,148,150,152,154}Sm, differential cross-sections 4-2927
^{3}He potential from $A>40$, $E<40$ MeV elastic scattering 4-19496
^{4}He and heavy ion optical potential energy dependence 4-39958
^{6}Li-^{6}Li optical potential, 9-16 MeV 4-9253
^{6}Li(^{6}Li,^{6}Li)^{6}Li, E_{cm}=2.10 MeV, excitation functions and ang. distribs. of differential cross section 4-23718
^{24}Mg(α,α)^{24}Mg, 120 MeV, 6° to 110°, optical model, differential cross sections 4-2924
^{24}Mg(d,d)^{24}Mg, elastic and inelastic, vector analyzing power, DWBA and optical model 4-19490
^{24}Mg(p,p) elastic and inelastic at 30.5 MeV, parameters 4-15780
^{25}Mg one-nucleon transfer reactions, coupled-channel Born approx. analysis 4-12308
Mg(d,d)Mg, 7.0 MeV, tensor polarisation, optical model 4-19491
^{14}N + p, strong antiprotonic interactions, X-ray spectra from 4f→3d transition, p-nucleus optical potential 4-27275
^{14}N(^{14}N,^{14}N)^{14}N, optical model with spin-orbit interactions 4-19534
^{14}N(p,p′), 24 MeV calc. of cross sections and asymmetries 4-15842
^{15}N(^{3}He,^{3}He)^{15}N, 16.5-37.7 MeV, 15°-127°, differential cross-sections, optical model 4-2922
^{15}N(^{3}He,t)^{15}O, 16.5-37.7 MeV, 15°-127°, differential cross-sections, optical model 4-2922
^{a}Ni, A=58,60,62,64 inelastic scatt. of 15 MeV polarised deuterons, optical model data 4-2902
^{16}O, π electroproduction, final state interaction from nuclei near threshold 4-9145
^{16}O + ^{12}C scatt., Regge-pole description 4-27356
^{16}O + ^{17}O, 22 to 32 MeV, inelastic scattering, $2s_{1/2}$ state in ^{17}O, optical potential, DWBA calc. 4-2951
^{16}O + ^{17}O, 32 MeV, optical model, effect of Coriolis force, molecular orbitals 4-2950
^{16}O + ^{18}O scattering, optical model, ang. momentum depend. absorpt. rel. to elastic transfer 4-2952
^{16}O + p, strong antiprotonic interactions, X-ray spectra from 4f→3d transition, p-nucleus optical potential 4-27275
^{16}O(^{14}N,^{14}N)^{16}O, optical model with spin-orbit interactions 4-19534
^{208}Pb(d,p)^{209}Pb, 17 to 25 MeV, spectroscopic factor determ. from d and p optical parameter sets 4-2907
^{208}Pb(p,d)^{207}Pb, 52 MeV, effect of deuteron break-up channels, optical potential 4-2890
^{208}Pb(p,n) microscopic isospin interpretation of neutron distrib. 4-31375
(^{32}S, X) reactions, 67 to 132 MeV optical model analysis 4-665
^{32}S elastic scattering on ^{24}Mg, ^{27}Al and ^{40}Ca, ang. distrib. analysis 4-666

nuclear optical model continued
- ^{32}S(^{16}O,^{16}O), 30 MeV, optical model reproduction of diffraction pattern 4−9246
- ^{28}Si(^{16}O, 2pγ)^{42}Ca, high spin states of ^{42}Ca 4−15639
- Sm even isotopes, elastic proton scattering at 25.6 MeV, 10-170°, real derivative term 4−2882
- ^{122}Sn(d,d)^{122}Sn, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
- ^{232}Th, p-wave strength functions calc. using deformed optical potential 4−12333
- ^{48}Ti,^{50}Ti, inelastic scatt. of 15 MeV polarised deuterons, optical model data 4−2902
- Ti(α,α'), A=46, 48, 49, at 104 MeV, deformation anal. using coupled channel methods 4−15891
- ^{238}U, p-wave strength functions calc. using deformed optical potential 4−12333
- Zn, A=64, 66, 68 or 70, rel. to elastic and inelastic proton scatt., E_p=6 MeV *(Russian)* 4−19394
- ^{90}Zr(^{3}He^{3}He)^{90}Zr, 29.8 MeV, microscopic helion optical potential 4−2921
- ^{90}Zr(α,α)^{90}Zr, 40-118 MeV, energy depend., optical model 4−2926
- ^{90}Zr(d,d)^{90}Zr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466

nuclear orientation *see nuclear polarisation*

nuclear particle track visualisation *see particle track visualisation*

nuclear photoeffect *see nuclear reactions and scattering due to photons*

nuclear physics
- *see also nuclear shape*
- annual review of nuclear physics, Vol.23, 1973 4−36102
- conference, American Nuclear Society winter meeting, San Francisco, U.S.A. (Nov 1973) 4−19554
- conference, international Munich, Germany (Aug.-Sept. 1973) 4−395
- demonstration, individual, of every day occurrences to nuclear physics 4−18320
- education, experiment in nuclear counting and assoc. statistical distribs. 4−18297
- experimental data from automatic measurement, preliminary processing *(Russian)* 4−2389
- measurement data processing by computer, example *(German)* 4−23023
- precision in research 4−31217
- theoretical nuclear physics, conf., La Toussuire, France (Feb.1973) 4−2738

nuclear polarisation
- *see also magnetic double resonance*
- acoustic solid effect, interacting spin systems, forbidden transitions 4−37508
- adsorbing substs. on saccharose coke, chem. activation effect by mag. reson. methods *(French)* 4−16657
- angular distrib. of γ-rays emitted from polarised nuclei, approximate theory *(Russian)* 4−575
- biradicals, CIDNP mag. field depend. 4−21580
- CIDNP, transient and stationary nutations, appl. in photochem. react. 4−41306
- deformed-nuclei, odd-mass, magnetic moments in nonadiabatic model 4−27236
- dilute alloys, review *(French)* 4−10355
- dynamic, in chemical reactions 4−1712
- dynamic, in medium magnetic field, n.m.r. meas. *(Russian)* 4−23592
- dynamic, saturation of combined reson. in nonuniform mag. field *(Russian)* 4−20897
- 1, 2-ethanediol, dynamic nucl. orientation, deuteron tensor polarization 4−28711
- Hartree-Fock distortion energy for nucleus in external field 4−15681
- intermolecular coupling of deuteron and unpaired electron spin 4−13367
- monopole charges, microscopic calc. 4−2748
- monopole core polarisation in Hartree-Fock basis 4−31270
- organic molecules containing ^{31}P and ^{13}C, J coupling consts. *(French)* 4−19867
- phenyl radical reaction kinetics, CIDNP obs. 4−33987
- semiconductor, by hot electrons at spin-magnetophonon reson. 4−13355
- solid polarised targets, review 4−12316
- sum rule approach to nuclear vibrations, effects of core polarisation 4−31280
- 1,2,2-triphenylethyl chloride fluorinated, CIDNP of ^{19}F, determ. of hyperfine coupling consts. 4−10739
- volume polarisation by static external field, Hartree-Fock calcs. 4−39961
- Al_2La:^{137m}Ce, dilute alloy nuclear orientation expts. 4−3825
- ^{37}Ar pop. in ^{34}S(α,nγ) props. of levels below 3.8 MeV 4−12157
- $^{12}B \rightarrow {}^{12}C + e^- + \nu$, radiative corrections to asymmetry and energy spectrum of β rays from polarised nuclei 4−12282
- ^{138}Ba, X-ray energies and nuclear charge parameters for 2s-state transitions 4−19347
- ^{209}Bi muonic atom magnetic hyperfine coupling consts. in polarised atoms 4−27571
- ^{12}C, α-cluster model 4−534
- ^{42}Ca-^{42}Sc, shell model, higher order core polarization 4−2773
- ^{111}Cd, linear polarisation meas. of 245 keV gamma radiation using Compton polarimeter *(German)* 4−12258
- ^{137}Ce, dil. LaCe alloy, press. depend. of Kondo effect 4−24928
- ^{140}Ce, X-ray energies and nuclear charge parameters for 2s-state transitions 4−19347
- ^{142}Ce, X-ray energies and nuclear charge parameters for 2s-state transitions 4−19347
- ^{57}Co, Mossbauer spectra of CoO, 0.08K 4−41314
- CsI, of ^{133}Cs, forbidden acoustic transitions, dynamic effect 4−37508
- $^{155}Eu \rightarrow {}^{155}Gd$, polarisation and Coriolis force effects on hindrance factors for $\Delta N=2$ allowed transitions 4−12292
- $^{155}Eu \rightarrow {}^{155}Gd$ beta-transition, polarisation effects on absolute ft values 4−23651
- ^{19}F, Coulomb excitation, timing with thin-film detectors in perturbed ang. correlations expt. 4−26593

nuclear polarisation continued
- ^{59}Fe decay anomalous anisotropies in 1099 keV and 1293 keV transitions due to intermediate state reorientation 4−15721
- Gd^{3+}, e.p.r. determ. of EFG rotation in $PrAlO_3$ 151 K Jahn-Teller phase transition 4−24992
- H_2, anal. of nuclear motion influence on mag. props. 4−12549
- ^{2}H(e,e), contributions to e.m. form factors from isobar considerations using nonrelativistic calcs. 4−12328
- ^{3}He, optical pumping, metastability exchange kinetics, orientation effects *(French)* 4−12484
- ^{3}He, weak hyperfine struct. 3^1P_1 level, electronic alignment interaction *(French)* 4−12483
- ^{3}He highly oriented gas, n.m.r. meas. of nuclear polarisation 4−40171
- ^{3}He in ^{3}He(^{4}He,^{4}He) scattering at 28 to 44 MeV, determ. of phase shifts and elasticity parameters 4−12366
- ^{3}He P values in various substances 4−22942
- ^{3}He target, gas circulation system 4−39322
- ^{199}Hg, transverse spin relax. times, optical orientation, mag. field depend. 4−25016
- ^{201}Hg, transverse spin relax. times, optical orientation mag. field depend. 4−25016
- I isotopes, large electric field gradient, quadrupole moment measurement 4−12151
- $^{12}N \rightarrow {}^{12}C + e^+ + \nu$, radiative corrections to asymmetry and energy spectrum of β rays from polarised nuclei 4−12282
- ^{237}Np, orientation in cooled $UO_2Rb(NO_3)_3$ crystal alpha-decay *(Russian)* 4−27285
- ^{16}O region, self-consistent core polarization, phonon-mediated screening effects 4−23621
- ^{17}O, dynamic, in Al_2O_3:Cr^{3+}, quadrupole coupling constant sign and spin temp. determ. 4−25022
- ^{204}Pb, ^{206}Pb, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
- ^{204}Pb, nuclear reorientation in 0.8 sec isomer, ^{207}Bi nuclear magn. moment determ. 4−36115
- ^{206}Pb, X-ray energies and nuclear charge parameters for 2s-state transitions 4−19347
- ^{141}Pr, 1h11/2 single proton state, magnetic moment, core polarisation effects 4−12140
- ^{214}Ra, 8^+ state, blocking effect of proton core polarisation 4−12145
- ^{32}S, ^{34}S, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
- ^{a}Sm, A=148, 150, 152 quadrupole moments, reorientation precession technique 4−12152
- Sn-region, magnetic moments, $11/2^-$ states, core polarisation effects 4−12134
- ^{120}Sn, X-ray energies and nuclear charge parameters for 2s-state transitions 4−19347
- Te isotopes, large electric field gradient, quadrupole moment measurement 4−12151
- ^{a}Xe, A=129, 131, 133, $11/2^-$ isomeric state mag. dipole moment determ. low temp. orientation technique 4−36117
- ^{129}Xe, magnetic moments of $11/2^-$ isomeric states meas. by nuclear orientation technique 4−12138
- ^{131}Xe, magnetic moments of $11/2^-$ isomeric states meas. by nuclear orientation technique 4−12138
- ^{133}Xe, magnetic moments of $11/2^-$ isomeric states meas. by nuclear orientation technique 4−12138

nuclear power
- *see also nuclear reactors*
- education of public concerning nuclear energy, summer workshop program 4−23745
- energy resources, nuclear 4−31549
- fuel industry, review of services 4−40114
- fusion reactor, engineering feasibility 4−31568
- NDT as prerequisite for successful operation 4−7396
- prosthetic power supplies, Betacel battery, implant evaluation 4−35042
- reprocessing of fuel, nuclear materials, review by Eurochemic organisation *(Dutch)* 4−40052
- transuranium elements, energy and radiation sources *(Japanese)* 4−2171

nuclear power stations
- *see also nuclear reactors; power station control*
- A-1 reactor starting problems 4−23773
- accident, relief valve testing after modification at Wurgassen *(German)* 4−20413
- British, review rel. to services of nuclear fuel industry 4−40114
- BWR, radionuclide balances in effluent and process streams 4−36388
- BWR, transient response anal. of activated charcoal delay bed *(Japanese)* 4−31469
- BWR plants, improved response to rapid load changes 4−36262
- CANDU, design factors for corrosion control 4−31501
- CANDU-PHW system, and fitting and fuel channel materials and design 4−31503
- CANDU-PHW system, end fittings and fuel channel design rel. to corrosion control 4−31502
- construction materials, chemistry control for corrosion prevention 4−31560
- controlled nuclear fusion, engineering problems 4−5928
- Czechoslovak A1, fuel elements, props., prod., construction problems *(Czech)* 4−5918
- Czechoslovak A-1 safety rules, protection of personnel, start-up operation *(Czech)* 4−5931
- Czechoslovak KS-150 reactor start up, safety, expt. appls. *(Slovak)* 4−5884
- damping values of power plant components 4−40061
- decontamination technique, radionuclide release, crud 4−9357
- environmental health hazards, process of public decision making 4−36385
- FBR, pressure and level detectors *(Japanese)* 4−18405
- first Czechoslovak station, starting of A-1 reactor 4−23771
- Fort St. Vrain, HTGR plant dynamics anal. under accident conditions 4−27396
- Fort St. Vrain generating station, construction and testing experience 4−27392
- fuel cycle safeguards technology for plants and transportation 4−27496

nuclear power stations continued
fusion reactor blanket, neutronic study of $LiF + BeF_2$, tritum breeding 4−19610
Garigliano pressure vessel steel, neutron embrittlement surveillance 4−32587
gasdynamics of condensing vapours, high and low pressure effects 4−23761
GCFR, 300 MW(e) demonstration plant, status and safety aspects 4−27400
generating units within Great Lakes watershed, radiological impact 4−23934
heat transfer in liquid metal heat transfer media 4−40058
HTGR, 2300 MWe, design 4−27393
in-plant doses, design considerations for reduction 4−40153
Koeberg A, site investigation movement of waste in Duinefontein soil 4−12461
LMFBR, efficiency and safety aspects 4−40059
LWR plant, determ. of burnup and heavy isotope composition of spent fuel 4−36294
metal shell intersections, dynamic plastic behaviour 4−33943
multiport diffuser system for ocean discharges, thermal modelling 4−36383
nuclear pressuriser, digital model simulation 4−5886
offshore, methods and instrumentation for environmental studies 4−14230
Oldbury-on-Severn, exam. of concrete pressure vessels after five years of service 4−27433
Peach Bottom HTGR, operating experience 4−27391
pressure vessel surveillance specimen evaluation techniques 4−36362
Quad-cities plant, environmental effects of once-through condensor cooling 4−36382
radiation protection during initial operation 4−5930
reactivity meter utilisation *(French)* 4−19641
reactor sites, various countries, review *(Japanese)* 4−2997
safety measures for power stations situated near towns, development trends *(Czech)* 4−31573
steam exhaust valves, noise problem, soln. 4−11389
steam generators, leak monitoring of primary loop 4−19572
thermal effects on marine biota in pre-discharge and discharge conditions 4−36384
thermodynamic cycle evolution and anal. of heat exchanger operation 4−19571
utility system, Pu utilization 4−27419
Whiteshell, occurrence, radioactivity and diversity of benthic organisms in Winnipeg river 4−12460

nuclear quadrupole moments *see nuclear electric moment*

nuclear quadrupole resonance
alkyl groups, tests of electronic efects, hyperconjugation hypothesis 4−24044
amino acids, cryst., ^{14}N pure n.q.r. 4−28726
ammonium bromides and iodides, organosubstituted, effect of pressure on hydrogen bonding 4−10348
antifluorite structures, R_2MX_6, displacive phase transitions 4−10347
t-butyl chloride, solid, liq., of ^{35}Cl, relaxation times meas. 4−13361
chlorate, n.q.r. of ^{35}Cl in impurity doped chlorates 4−1355
N-chloro-chloroforminidoyl choride, n.q.r. temp. depend. and mol. libration 4−31903
1-chloromethyl-o-carborane, C-derivatives, ^{35}Cl spectra 4−36549
3 cyanopyridene, Zeeman effect of ^{14}N nuclear quadrupole resonance 4−20896
p-dibromobenzene, n.m.r. in quadrupole regime 4−25011
p-dibromobenzene, polycryst., ^{81}Br n.q.r. 4−25020
p-dichlorobenzene, ^{35}Cl, mechanical coupling of kinetic moment 4−10349
double resonance trigger detection method, r.f. perturbation transfer 4−6810
electric field gradient calculation 4−6808
electric field gradient tensor, STO, FSGO calcs. comparison 4−5989
electric field qradient tensor, asymmetry parameter, principal axes orientation 4−6111
Fourier transform spectroscopy, expt. arrangement pure quadrupole absorpt. spectra 4−6805
geminal systems, of ^{35}Cl, electronic effects 4−9586
giant resonances, determ. of excitation energies using self consistent field theory 4−15739
high-pass filter amplifier, for recorders *(French)* 4−30530
I-III-VI_2 semiconductors, n.m.r. determ., comparison with X-ray diffr. method 4−33301
iodides, ^{127}I, 100-600 MHz, temp. depend., cation size, ion arrangement 4−6814
kinetic moment, mechanical coupling detection 4−10349
liquid, three-atom correlations in quadrupolar relax. 4−3915
molecular coupling constants, rel. to electronic structure 4−31900
n.m.r. perturbation method, appls., results 4−6812
organic compounds molecular struct. determ. by n.q.r., thesis 4−3207
phenyltetrachloroarsenic, ^{35}Cl n.q.r., struct. studies 4−10351
polycrystalline spectra 4−25020
pyrrole, potential interstellar mols., n.q.r. coupling and rot. consts. of N atom 4−31890
quantum theory, electric field gradient tensor interpretation 4−6807
N-salicylideneanilines-iodine complexes nature by adducts 4−10346
semi-empirical theories 4−6809
spectrometer, time shared FM or Zeeman modulation 4−8423
spectrometer system 10 to 60 MHz, low temp. studies 4−8422
spectroscopy, conf., Viareggio, Italy (1973) 4−6804
spin echo for large asymmetry parameter 4−13365
spin-lattice relaxation tensor, time reversal invariance 4−16999
T_1 measurement theory, spins I=1, various signals 4−6806
temperature and pressure measurement, using n.q.r. freq. temp. depend. 4−5007
tetrachloro-p-benzoquinone, coupled libration soft modes assoc. with phase transition, n.q.r. obs. 4−24556
s-triazine, ^{14}N pure n.q.r. investigation of phase transition 4−33300
s-triazine, liq., nucl. relax. and motional anisotropy 4−25015
trimethylindium-$Me_3N(P)(As)(Sb)$ 1:1 complex, n.q.r., coupling consts. and asymmetry parameters 4−33297

nuclear quadrupole resonance continued
two-frequency quadrupole echo, in mag. field *(Russian)* 4−41303
Al alloys, dilute, ^{27}Al mag. reson. meas., quadrupole interactions 4−33302
Al-3d transition metal alloy, ^{27}Al n.m.r. quadrupolar line broadening 4−1356
^{27}Al, line shape of spin echo signals 4−13364
As complex, As (III) dithiocarbamate, of ^{75}As explanation in terms of S-As-S pyramidal angle 4−27714
$AsCl_3$, of ^{35}Cl, lineshape and relax. time 4−10350
As_2S_3, vitreous and cryst., bonding, l.f. vibr. modes, T_1 meas. 4−6811
BCl_3, of ^{35}Cl, line width and asymmetry parameter sign rel. to dipole-dipole interactions 4−10352
$Ba(ClO_3)_2$, ^{35}Cl n.q.r., impurity effects 4−10353
$BiNbO_4$, coupling consts., asymm. parameters of ^{209}Bi 4−37526
$BiTaO_4$, coupling consts., asymm. parameters of ^{209}Bi 4−37526
Br_3^-, IBr_2^-, ICl_2^-, I_3, charge distrib. determ. 4−28725
$CaAl_2Si_2O_8$, anorthite, n.q.r. of ^{27}Al, phase transform, O tetrahedra distortion 4−6499
CaO-B_2O_3-Al_2O_3 glass, ^{11}B n.q.r. study 4−20217
Cl, temp. depend. of ^{35}Cl, ^{37}Cl quadrupole resonance freqs., 4.2-160K 4−41305
Cl_2, solid, of ^{35}Cl and ^{37}Cl, freq., spin-lattice relaxation times 4−3914
$CsSnCl_3$ (Br_3, I_3), of halogen, rel. to cryst. struct. 4−32518
Cu complex, Cu(I) dithiocarbamate, of ^{63}Cu and ^{65}Cu, explanation in terms of S-As-S angle 4−27714
^{63}Cu:Sn, line shape of spin echo signals 4−13364
I_3^-, IBr_2^-, ICl_2^-, Br_3^-, charge distrib. determ. 4−28725
In:^{111}Cd, impurity nuclear quadrupole interaction rel. to ion implantation 4−41304
InBi, In_2Bi:^{111}Cd, impurity nuclear quadrupole interaction rel. to ion implantation 4−41304
InS, cryst. struct. determ., coupling, asymmetry 4−6813
InSe, In_4Se_3, cryst. struct., determ., coupling, asymmetry 4−6813
$KClO_3$, ^{35}Cl n.q.r., impurity effects 4−10353
KH_2PO_4, ^{17}O spectrum temp. depend., ferroelec. transition 4−33299
KH_2PO_4, ^{17}O-proton reson. obs. of ^{17}O quadrupole coupling, ferroelec. transition, H bond pot. 4−17000
Kr, phonon modulation, ^{83}Kr T, interpretation 4−41297
$Lu_3Al_2(AlO_4)_3$, garnet, quadrupole coupling constants determ. at 300 and 4.2K 4−33303
MgO-Na_2O-B_2O_3 glass, ^{11}B n.q.r. study 4−20217
$NH_4H_2AsO_4$, of ^{75}As, Zeeman perturbed 4−13363
$NaAuCl_4.2H_2O$, of ^{35}Cl, effect of pressure on hydrogen bonding 4−10348
NaCl, anharmonic spin-lattice relax. calcs., nuclear quadrupole interactions 4−20890
$NaClO_3$, ^{35}Cl n.q.r., impurity effects 4−10353
$NbBe_x$, of ^{93}Nb, comp. effect 4−16994
^{17}O, detection in solids, triple reson. method 4−28727
P chloro-complexes, ^{35}Cl n.q.r., struct. studies 4−10351
PCl_3, of ^{35}Cl, line shape and relaxation time 4−10350
$RbDSO_4$, temp. depend. of ^{87}Rb elec. field gradients, 18°C to −100°C 4−33298
S_4N_4, $\nu_{\|}$ spectral line temp. depend., mode contrib. 4−25021
$SbCl_3$, of ^{35}Cl, line shape and relax. time 4−10350
$SbCl_5^{2-}$, $SbCl_6^{3-}$, ^{35}Cl n.q.r., struct. studies 4−10351
$SbNbO_4$, coupling consts., asymm. parameters of ^{121}Sb, ^{123}Sb 4−37526
$SbTaO_4$, coupling consts., asymm. parameters of ^{121}Sb, ^{123}Sb 4−37526
$^{28}Si(\alpha,\gamma_0)^{32}S$, 12 to 18 MeV, excitation of giant quadrupole resonance 4−19515
V-H(D) solid solutions, phase diagram comparison 4−32668
V_2O_3, c.w. meas., metallic state, second order broadening 4−10345

nuclear radius *see nuclear size*

nuclear reaction and scattering models
see also nuclear optical model
alpha-cluster DWBA analysis, for $^{58}Ni(^6Li,d)^{62}Zn$ at 28 MeV 4−9270
Amado model, variational approach to breakup calcs. 4−612
Amado model comparison with simple models for $^2H(p,2p)n$ at 30.3 MeV 4−639
Amado model for $^2H(n,n)^2H$ elastic scattering, dispersion relns. 4−19409
approximation methods, intermediate struct., for nucleon-nucleus scattering 4−9192
attenuation by rescattering, semiclassical theory, appl. to proton quasifree scattering 4−9154
Austern-Sasakawa iterative theory, model coupled channel calc. 4−2837
balance tests, detailed, of T reversal invariance in fluctuation region 4−23657
boson interactions, final-state resonance reactions, 3-body treatment 4−27295
breakup reaction, 3-body model, distorted wave impulse approx. 4−2855
Buttle-Goldfarb approx. for $^{16}O(^{16}O, ^{12}C)^{20}Ne$ 4−2940
cascade model of inclusive production of $\pi^{\pm}$, $K^{\pm}$, p, d, ^3H, ^3He, d, ^3He by protons 4−27317
channel similarity in deformed nuclei, Hauser-Feshbach theory 4−9134
channel symmetry expansion into supermultiplets 4−9074
charged particle elastic scattering, even-even nuclei, distant-level background, R-matrix model 4−19370
classical model of deuteron D-state effects in sub-Coulomb (d,p) reactions 4−36212
cluster knock-out reactions, medium energy, distortion effects 4−5818
cluster model, refined, for scattering states of four-, five- and six-nucleon systems 4−19368
combined semiclassical and statistical model, for deep inelastic reactions between heavy ions 4−2967
compound nucleus mechanism and Hauser-Feshbach theory for 1 4−15631
continuum-shell model, low energy compound resons. in $^{16}O + n$ 4−40009

nuclear reaction and scattering models continued
core-excitation model, for ^{90,91}Zr photoproton spectra from (e,e′p) and (γ,p) reactions 4−31339
cosmic ray reactions on meteorites, modelling in isotropically irradiated thick target 4−19360
Coulomb-like potentials, many-body modified Lippman-Schwinger equations 4−2825
coupled channel, based on collective model rel. to Ti(A,α’) for A=46, 48, and 49 4−15891
coupled channel Born approximation analysis, for ^{22}Ne(p,^{3}H)^{20}Ne 4−9167
coupled channel calculation, second order processes, for ^{12}C(d,p)^{13}C resonance reaction 4−5820
coupled channel calculations, continuum shell model for ^{11}B(n,n) below 10 MeV 4−9170
coupled channel calculations, for ^{186}W(p,d)^{185}W 4−9168
coupled channel calculations, for ^{206}Pb(p,p′)^{206}Pn* reaction 4−9172
coupled channel calculations, resonant states in continuum shell model 4−9129
coupled channel decay theory of fission, appl. to ^{252}Cf 4−23733
coupled channel description of elastic scattering, triple scattering, appl. to ^{4}He(p,p)^{4}He, 1.69 BeV/c 4−23671
coupled channel model anal. of ^{12}C(p,p’) at 4.8 to 8 MeV 4−19435
coupled channel N/D approach to reactions involving lightly bound fragments 4−2836
coupled channels calculation, for ^{171}Yb(d,p)^{172}Yb at 16 MeV 4−9219
coupled-channel anal. of inelastic polarised p scattering on ^{13}C and ^{16}O at 30 MeV 4−19450
coupled-channel analysis of inelastic neutron scattering on ^{32}S, ^{56}Fe 4−27310
coupled-channel Born and DWBA anal. of ^{19}F electric multipole strength distrib. 4−12368
coupled-channel Born approximation, calc. of stripping form factors 4−12306
coupled-channel calculations with Coulomb excitation, appl. of Gordon’s numerical method 4−2933
coupled-channel model, quasiclassical, for Li spallation in near-barrier energy region 4−27289
coupled-channel model for baryon resonances in nuclei 4−15743
coupling wave function calculation of correlation effects, for ^{12}C(p,p′)^{12}C, 25 MeV 4−2886
diffraction, high-energy scattering model 4−39982
diffraction approach to isotope effects in total cross sections of α and d induced reactions 4−39981
diffraction dissociation and DWBA rel. to deuteron breakup and stripping reactions 4−19369
diffraction model, two-nucleon transfer reactions 4−5769
diffraction model phase shift, optical model potential calc., charge distrib. effect 4−5770
diffraction scattering, nucleon-nucleus, at high energy, differential scattering 4−27326
diffraction theory for angular and energy polarisations relns. for spin 1/2 particles *(Russian)* 4−19375
direct-semidirect theory, comparison of surface peaked and volume interactions in neutron radiative capture 4−2870
dispersion theory of direct (p,pn) reaction, singlet deuteron effects 4−27320
distorted wave impulse approximation, for ^{6}Li(d,2d), ^{6}Li(d,dα) and $^{6}\lambda$i(α,2α) at 27 MeV and 42.8 MeV 4−9218
distorted wave method for pion-nucleus inelastic scattering cross section calc. 4−15924
distorted wave representation, direct reactions with core excitations 4−9131
DWBA, ^{45}Sc neutron transfer reactions, spin depend. sum rules for spectroscopic factors 4−2852
DWBA, approx. for knock-out exchange term 4−2840
DWBA, exact finite-range, appl. to ^{208}Pb(^{12}C, ^{11}B), ^{208}Pb(^{12}C, ^{13}C) 4−31407
DWBA, mechanism for (α,α’) scattering and (^{3}He,α) reactions *(Roumanian)* 4−19522
DWBA anal. of ^{14}N inelastic proton scattering 4−19412
DWBA analysis, ^{18}O(^{12}C,^{10}Be)^{20}Ne, and ^{26}Mg(^{12}C,^{10}Be)^{28}Si at 46 MeV 4−9267
DWBA analysis, compound resonance mechanism for ^{12}C(p,p′)^{12}C 4−9173
DWBA analysis of ^{2}H+^{2}H reaction at low energies 4−15865
DWBA analysis of ^{42}Ca(p,α)^{39}K using improved form factor 4−12342
DWBA analysis of ^{98}Sr(^{16}O,^{15}N)^{89}Y using optical model parameters 4−19537
DWBA analysis of proton groups in ^{23}Na(d,p) reaction at 670 and 620 keV 4−12356
DWBA calc. for ^{50}V, levels from ^{49}Ti(^{3}He, d), 22 MeV, and ^{51}V(d,t), 19.5 MeV 4−15623
DWBA calculations, for ^{14}C(^{16}O,^{18}O)^{12}C 4−9262
DWBA calculations, for ^{32}S(^{16}O,^{12}C)^{36}Ar at 45 MeV 4−9273
DWBA convergence tests, appl. to heavy ions 4−31323
DWBA treatment of ^{42}Ca(p,α)^{39}K at 40.2 MeV, semimicroscopic form factor 4−9165
DWBA with spin-dependent interaction of full Thomas form, proton inelastic polarisation and asymmetries 4−19449
dynamical, based on force equilibrium concept, calc. of critical ang. momentum in entrance reaction channel 4−12373
Eckstein model for π^- capture rates on ^{3}He and ^{4}He 4−23726
exchange contributions to inelastic scattering, for ^{17}O(^{16}O,^{16}O)^{17}O 4−2968
exciton model, intermediate-state decay rates 4−15746
extended resonating group method, for boson elastic scattering 4−2858
finite range coupled channels analysis, for (^{3}He,^{7}Be) reactions 4−9238
finite-range full-recoil calc. for ^{62}Ni(^{18}O, ^{16}O)^{64}Ni 4−15905
first Born approximation for electron-nucleus interaction, inelastic sum rules 4−15772
folding (generalized Greenlees) model framework for deformation and (α,α′) reactions 4−2934
folding model, nucleus-nucleus interactions 4−9247
folding model for alpha-nucleus scattering, real potential, comparison with optical model 4−19521

nuclear reaction and scattering models continued
forward dispersion relations, $\alpha+\alpha$ and $\alpha+{}^{12}$C scattering 4−2929
four-channel estimation of isospin violation, for ^{12}C(d,d′)^{12}C 4−2899
FRDWBA anal. of ^{24}Mg(^{7}Li,t)^{28}Si at 12 to 20 MeV 4−15904
FRDWBA calculations for 0^+ to 0^+ ground state transitions, (^{3}He,^{7}Be) reactions 4−9237
Fresnel diffraction effects for high energy scattering 4−27291
Fresnel diffraction in high energy hadron nucleus multiple scattering 4−632
fusion reactions, heavy ion induced, simple non-adiabatic model 4−5865
generalised, of direct and resonance reactions *(Russian)* 4−23656
generalised distorted wave approximation for rearrangement reactions 4−36167
generator coordinate amplitude, boundary conditions 4−2832
generator coordinate method, Coulomb problem for scattering states 4−2833
generator coordinate method in $\alpha\alpha$ scattering 4−19518
generator coordinate theory, state-of-the-art 4−5767
generator coordinate theory 4−2831
Glauber, for final state interaction effects on nucleon ejection in electron photon and hadron induced reactions 4−15761
Glauber approximation, calc. of ^{12}C(π^-, π^-)^{12}C differential cross section 4−15919
Glauber approximation, comparison with Pomeron factorisation in nucleon-α and $\alpha\alpha$ collisions 4−40010
Glauber expression for large-angle elastic scattering, intermediate energies 4−31319
Glauber model, for ^{13}C(π^+, π^0)^{13}N 4−36228
Glauber model anal. of pion charge-exchange scatt. on ^{13}C 4−31416
Glauber model with spin rel. to ^{3}He(p,p) at 600 MeV, cross section determ. *(Russian)* 4−15785
Glauber multiple diffraction, appl. to 1 GeV proton scatt. on ^{12}C, ^{58}Ni, ^{208}Pb 4−31363
Glauber multiple scattering model for high energy proton-nucleus interaction, inelastic sum rules 4−15772
Glauber multiple scattering theory, ordering problem 4−12299
Glauber multiple scattering theory in optical limit for medium energy elastic scattering of light particles 4−15736
Glauber theory, excitation of collective states by high energy particles 4−27262
Glauber theory for pion-nucleus scattering, effects of spin and isospin degrees of freedom 4−9309
Glauber theory of multiple scattering, eikonal and Fresnel corrections 4−27290
graph summation method for multiparticle reactions 4−15734
Hauser-Feshbach formulas for medium and strong absorption 4−36173
Hauser-Feshbach theory, reln. to ^{24}Mg(d,pγ) reaction at 10 MeV 4−31389
heavy ion collisions leading to compound system and deep inelastic reactions, mechanism 4−27353
heavy ion induced direct transfer reactions, models and calc. methods *(French)* 4−5838
heavy ion transfer reaction, recoil effects, ang. momentum coupling 4−31405
Helm model, anal. of differential and total cross sections in ^{12}C(γ,π) reactions 4−27302
Helm model for pion photoproduction in ^{12}C, comparison with shell model 4−15762
h.f. interference effects, heavy ion elastic scattering 4−2959
Hill-Wheeler eqns. soln. for scattering states in presence of Coulomb forces 4−27287
Hulthen wave function, rel. to ^{2}H(e,p)e’n differential cross section determ. at 30 to 107 MeV 4−15768
hyperspherical formalism applic. *(French)* 4−2828
impact parameter representation, off-energy shell continuation of two-body T-matrix 4−15732
impulse double scattering model for ^{2}H(p, pn)n break-up reaction at 155 MeV 4−641
impulse model for ^{12}C($\pi^\pm$, πN) knockout reaction 4−19542
infinite oscillator R-matrix model for reaction cross sections, ^{15}N(n,n)^{15}N 4−19362
intranuclear cascade model, anal. of 0.1 to 30 GeV inelastic nucleon interactions on heavy fission nuclei 4−40005
intranuclear cascade model, inelastic collisions of relativistic ^{2}H, ^{3}H nuclei with photoemulsion *(Russian)* 4−645
inverse sintering problems, algebraic approx. 4−2834
isospin potential, complex and energy dependent character 4−2883
Jastrow model for pion-induced reaction 4−15925
K-matrix approx. for dispersion, reln. to S-matrix *(Russian)* 4−606
Kramers model, fission width of heated nuclei determ. 4−27376
least squares approximation for false resonance suppression 4−15737
local potential, numerical study of separable approx.. 4−19366
microscopic complex effective interaction generation for (p,n) reactions 4−12339
microscopic coupled channel anal. of ^{14}N inelastic proton scattering 4−19412
microscopic description of ^{16}O-^{16}O interaction properties 4−2969
microscopic description of transfer reactions between heavy ions, generator coord. method applic. *(French)* 4−2944
microscopic dynamical model for inelastic nucleon scattering on deformed nuclei, fluctuation cross sections 4−19374
microscopic R-matrix calcs. of ^{12}C and ^{16}O resonant structure in ^{3}He capture reactions 4−31398
molecular orbitals framework for heavy ion scatt. 4−36221
molecule formation in heavy ion scattering well above Coulomb barrier *(German)* 4−19538
multi-step model for single nucleon transfer reaction on deformed nuclei 4−15745
multichannel resonating group calculation, for ^{3}H(p,n)^{3}He transfer reaction, 2 to 10 MeV 4−2884
multiple diffractive analysis of elastic and inelastic scattering of 1 GeV protons on ^{12}C, ^{58}Ni, ^{208}Pb 4−23672
multiple scattering theory, triple scattering effects in high-energy proton elastic scattering 4−15820
multiple-scattering eikonal expansion, systematic corrections to Glauber theory 4−19365
nonequilibrium contributions to ^{51}V(p,n)^{51}Cr, 18-26 MeV 4−12343
one-particle pickup-stripping, nonorthogonality effects 4−9130

nuclear reaction and scattering models continued
orthogonality condition model, antisymmetrization in composite particle scattering 4−9123
parameter free two centre model, heavy ion scattering potential calc. 4−2956
particle transfer channels, two-step processes 4−2827
particle-core model, appl. to ^{14}N + ^{14}N elastic scattering 4−2958
penetration effects on resonance parameters, for ^{7}Li, ^{7}Be and ^{5}He systems 4−9128
peripheral fly-off resonances in transfer reactions, Regge poles and forward-angle anomalies 4−36222
peripheral model for direct resonance reactions 4−19372
peripheral model with nuclear form factors, analysis of (p, d) reactions 4−2876
phase-shift anal. of ^{4}He(d,d) reaction at 3 to 11.5 MeV using polarised d 4−19486
Phillips-Griffy-Biedenharn theory, reaction mechanism of ^{7}Li(n,tα)n at 14 MeV 4−23689
plane wave impulse approximation, rel. to quasi-free scattering in ^{7}Li(n,tα)n at 14 MeV 4−23689
plane wave model of heavy nuclei, comparison with alpha cluster model 4−12227
pole approximation in ^{6}Li(p,pd)^{4}He at 19 MeV, Treiman-Yang test 4−15775
pole mechanism for C($π^+$,$π^+$p) reaction at small momentum transfer at 60 and 112 MeV *(Russian)* 4−15922
potential evaluation in inverse scattering, comparison of model formation 4−2835
precompound emission in (α,p) reactions, 54.8 MeV exciton, hybrid and Griffin models 4−23713
quantum mechanical treatment, two nucleon transfer in heavy ion reactions 4−9275
quasi-free ^{2}H- and ^{3}He-induced reactions, Eckart cluster model for absolute cross sections 4−9207
quasi-free two-body model for π-absorption 4−2984
quasideuteron model of photonuclear reactions review of development *(Russian)* 4−15757
quasifree photoproduction model, rel. to $π^0$ production on complex nuclei at 400 to 700 MeV 4−27304
R-matrix cross-section calcs. 4−5824
R-matrix theory anal. of ^{13}C photodisintegration 4−27303
R-matrix theory anal. of polarisation data in ^{12}C(^{3}He,p)^{14}N at 2.4 to 3.6 MeV 4−19528
radiating particles, transition from repulsive to attractive Coulomb interaction 4−2838
radiative capture of low-energy neutrons in shell-model approach 4−9152
random phase approximation, calc. of nuclear reactions in ^{16}O 4−12300
resonating group calcs. of anomalous backward scattering of alpha particles on ^{16}O 4−659
resonating group method kernel, calc. from generator coordinate method kernel 4−2928
resonating group studies of ^{3}He(d,d)^{3}He, ^{4}He(p,p)^{4}He, ^{3}He(d,p)^{4}He 4−650
scattering eqn. solns. by modified method of moments 4−39976
semi-direct capture model for ^{89}Y(n,γ)^{90}Y and ^{140}Ce(n,γ)^{141}Ce in giant resonance region 4−15817
semiclassical theory with large wave packets 4−19363
shell model approach to nuclear elastic scattering, averaged S-matrix 4−31360
shell-model approach for three-body final states *(German)* 4−39978
statistical model of nuclear reactions *(Rumanian)* 4−31335
stripping, three-body model, validity of DWBA 4−27298
strong absorption model, scattering amplitude zeros in complex angle plane 4−23655
strong-absorption model, scatt. amplitude in complex angular-momentum approach 4−40033
successive neutron transfer for ^{58}Ni(p,^{3}H)^{56}Ni 4−9169
superfluid model for two-neutron transfer reactions on nuclei around N=82 closed shell 4−635
thermodynamic model approach to p+nucleus interactions and fast light nuclide ejection *(French)* 4−9163
three particle reaction, quasifree scattering and angular correl. 4−2859
three-body break-up mechanism in ^{7}Li(p,2d)^{4}He 4−15815
three-body resonances in coupled channel N/D approach 4−2824
three-product-particle reactions, general semi-phenomenological theory *(Russian)* 4−605
translational-invariant oscillator basis, anal. of four and five nucleon systems *(Russian)* 4−31272
Treiman-Yang anal. of ^{14}N($π^+$,2p)3α reaction at 80 to 112 MeV 4−27363
two-nucleon transfer reactions, finite range corrections 4−9206
unified theory based on cluster representations, application to ^{6}Li(γ,τ)^{3}H 4−31340
Watson-Migdal model for ^{1}H(^{3}He,pp)^{2}H reaction 4−15897
wave function models of half shell T-matrix for two nucleons, numerical accuracy 4−19367
weak and strong coupling model for inelastic scattering of deuterons from ^{27}Al 4−652
weak coupling model for ^{12}C(^{7}Li, α)^{15}N, triton transfer, DWBA calc. 4−664
zero-range DWBA calculations, for ^{40}Ca(^{6}Li,d)^{44}Ti 4−9271
(d,p) stripping, solvable model, np many channel separable potential interaction with fixed core 4−2904
n+d phase shift determ. for states with high relative orbital ang. momentum 4−12340
(p,2p) reaction, quasifree, formal theory derivation 4−31368
(p,p′), from closed shell nuclei, microscopic description of imaginary form factor 4−2871
p-nucleus collisions, multiplicity scaling at high energies, two-cone model 4−27315
π-nucleus Chew-Low equation for finite nuclei 4−27357
$π^\pm$ reactions on ^{6}Li, ^{7}Li, ^{9}Be, C and O, 90-860 MeV obs. and comparison with Kisslinger and local optical potentials 4−40045
^{12}C + ^{13}C system, 20-36 MeV, elastic and inelastic transfer, coupled-channels code 4−2949

nuclear reaction and scattering models continued
^{12}C(n,$α_0$)^{9}Be, 14.1 MeV, DWBA anal., direct interaction mechanisms 4−39997
^{12}C(p,$π^\pm$)^{13}C, 185 MeV, one-nucleon reaction model 4−40011
^{40}Ca(n,α)^{37}Ar, 14.1 MeV, direct reaction and compound nucleus contribs. 4−39998
DWBA, spin-dependent sum rules for spectroscopic factors as accuracy test 4−2839
D(n,n)D, 2.6 MeV, polarised neutron, phase shift analysis, mixing parameters 4−2879
^{2}H breakup, separable-interaction model 4−12319
^{2}H target, off-shell effects in particle scatt. 4−31337
^{7}Li electrodisintegration, alpha-triton oscillator cluster wave functions 4−15770
^{20}Ne(α,2α)^{16}O, alpha clustering, validity of PWIA 4−27343
^{32}S + ^{30}Si, 75 to 80 MeV, elastic exchange, DWBA and nuclear orbitals model 4−2954
^{28}Si(n,n)^{28}Si, low-energy, rotator-particle coupling for p-wave neutron resonance 4−27316
two-step coupled channel analysis, ^{a}Te(p,^{3}H), A=122, 124, 126, 128 and 130 4−9166

nuclear reactions and scattering
see also chemical effects of nuclear reactions and scattering; direct nuclear reactions and scattering; high-energy nuclear reactions and scattering; nuclear fission; nuclear fusion; nuclear reaction and scattering models; nuclear reactions and scattering due to alpha-particles; nuclear reactions and scattering due to cosmic rays; nuclear reactions and scattering due to deuterons; nuclear reactions and scattering due to electrons; nuclear reactions and scattering due to helium-3; nuclear reactions and scattering due to hyperons; nuclear reactions and scattering due to mesons; nuclear reactions and scattering due to muons; nuclear reactions and scattering due to nuclei of Z>2; nuclear reactions and scattering due to nucleons; nuclear reactions and scattering due to photons; nuclear reactions and scattering due to tritons; nuclear reactions and scattering involving few nucleon systems; nuclear resonance reactions and scattering; nuclear spallation; polarisation in nuclear reactions and scattering; statistical theory of nuclear reactions and scattering; thermonuclear reactions
A=50 to 58 with N=30, shell model anal. of single-nucleon transfer reactions 4−15661
alpha-transfer reactions, SU(4) partial level densities 4−2843
associated particle method for 180 degree scattering, anal. 4−26621
blocking effect measurement of lifetimes of compound nucleus excited states 4−27325
break-up reactions, three-particle model 4−616
coherent particle production, excitation of discrete nuclear levels 4−36231
composite particle scattering, roles of antisymmetrisation 4−9123
compound nucleus formation, graph summation method 4−15734
compound reactions, intermediate structure eval. 4−31318
dielectric detectors, applications in nuclear reaction studies 4−30568
elastic, off-energy-shell effects in multiple scattering 4−19361
excitation functions, p-^{40}Ar charged projectiles, ^{1}H-^{98}Cf targets, book 4−12297
fixed scattering centres approximation, 3 identical particles *(French)* 4−12298
Green's function approach to scattering amplitudes at high energies 4−9126
heavy-ion transfer reactions, Regge poles and forward-angle anomalies 4−36222
identical nuclei, interaction, elastic channel projection, resonating group and generator coord. methods 4−12301
inelastic scattering, separation method for effective interaction 4−31324
inner repulsive effect, due to Pauli principle between composite particles 4−12189
Jost function, appl. to off-shell scattering 4−9124
many-particle reactions, summation-diagram method of analysis *(Russian)* 4−607
neutral-hadron elastic scattering, rel. to beam focusing 4−26576
octupole Coulomb-nuclear interference, quantal DWBA treatment 4−27342
off-energy shell effects in multiple scattering 4−9122
optical model anal. of strongly interacting particle scattering, review 4−15606
Q-value tables, up to 11 outgoing particles, mass excess tables, book 4−12296
real Weinberg function, positive energy 4−5766
review of studies at Naval Research Laboratory, Washington, D.C. 4−5701
Rutherford scattering, computer experiment for students 4−26432
S-matrix poles, complex well potential, calc. 4−2826
semi-inclusive cross sections, scaling between 13 and 205 GeV/c 4−9026
stellar, surface reaction theories to explain Pm in HR 465 4−11171
strength functions, line shape and spreading width 4−39979
target spin effects in scattering of composite particles 4−9227
three-body reactions, with multidetector system BOL 4−23658
three-particle scattering, structure invariant perturbation theory 4−19364
two-body matrix elements calc. method *(French)* 4−5768
two-nucleon transfer reactions, 4-body aspect, anal. of square diagram 4−2842
two-particle scattering, Sasakawa approach 4−9125
^{40}Ca(^{13}C,^{12}C)^{41}Ca, Regge poles and forward-angle anomalies 4−36222

nuclear reactions and scattering due to alpha-particles
actinide nuclei, E2 and E4 transition moments and equilib. deformations 4−9110
alpha-nucleus potential and alpha-particle struct., comparison with nuclear-nucleus pots. 4−31403
charge collection method of total cross-section meas. at 23 to 27 MeV 4−23708
elastic scattering, one-particle exchange contrib. to backward angle anomalies 4−31397
inelastic scattering, 15 MeV, magnetic substate population cross sections 4−15890
inelastic scattering, anal. of αγ angular correlation functions *(Russian)* 4−15893

nuclear reactions and scattering due to alpha-particles continued
- isotope effects in total cross sections, diffraction model anal. 4−39981
- light elements ($Z<10$) conc. meas. by charged particle radioactivation *(French, English)* 4−15038
- microscopic theory of the reactions, ^{6}Li system 4−651
- optical potential calc. by microscopic method 4−39958
- rare-earth nuclei, Coulomb excitation, hexadecapole moments from semiclassical and quantum anal. 4−27235
- relativistic energies, absorption and partial production cross sections 4−23696
- Schrodinger equation, one-dimensional, analytic approx. method problems with three classical turning points 4−8676
- stellar nucleosynthesis, nuclear reaction rates of interest to silicon burning 4−38753
- (α, 2nγ) population of high-spin negative parity states in even-even Os, Pt and Hg nuclei 4−19305
- (α, 2n) population of rotational-like structure in ^{117}Sb 4−19301
- (α, 2n) reaction population of rotational bands in ^{185}Os 4−19306
- (α, γ_0) reactions to giant dipole resonances of 1d2s and h2p shell nuclei 4−9226
- (α, xn) reactions, population of high spin bands in odd-mass nuclei with ($59\leqslant Z\leqslant 64$) and ($75\leqslant N\leqslant 80$) 4−19302
- (α, xnγ) 4−23612
- (α, xnγ) reaction population of yrast bands in ^{182}Os, ^{184}Os, ^{186}Os and ^{188}Os 4−19327
- (α,2nγ), 24 MeV, study of negative parity states in Hg, Pt and Os nuclei 4−39937
- (α,α') reactions, deexcitation by α emission before statistical equil. *(French)* 4−23714
- (α,α'), 12-19 MeV, on ^{51}V, ^{55}Mn, ^{56}Fe, Ag, ^{119}Sn, gamma-ray multiplicity meas. 4−23638
- (α,α') mechanism and spectroscopic factors, optical model anal. *(Roumanian)* 4−19522
- (α,γ) E2 giant resonances, T-mixing in E1 reson. 4−5830
- (α,p), 12-19 MeV, on ^{51}V, ^{56,57}Fe, ^{58,64}Ni, ^{93}Nb, Ag gamma-ray multiplicity meas. 4−23638
- (α,p) 54.8 MeV, $\alpha=51.197$ targets, proton spectra, precompound emission 4−23713
- (α,xn) estimation of max. cross section of excitation functions 4−12309
- (α,xn) reactions, production of millisecond isomers 4−661
- α-α interaction, elastic channel projection, resonating group and generator coord. methods 4−12301
- α-α interaction, $\mathfrak{L}$-depend. using Woods-Saxon pot. 4−27346
- α-α phase shifts, determ. from Hill-Wheeler eqn. soln. 4−27287
- $\alpha\alpha$ scattering, generator coordinate method rel. to resonating group method 4−19518
- ^{27}Al(α,α)^{27}Al, 22 MeV, angular momentum dependent optical model parameters 4−19517
- ^{36}Ar(α,pγ)^{39}K, gamma ray obs. of excited states of ^{39}K with high ang. momentum 4−447
- ^{75}As(α,2n)^{75}As, upper limit for cross section at 28.1 MeV 4−2917
- ^{75}As(α,2n)^{77}Br, 13.8-28.1 MeV, cross section and excitation function meas. 4−2917
- ^{75}As(α,3n)^{76}Br, upper limit for cross section at 28.1 MeV 4−2917
- ^{197}Au, internal conversion, ionisation 4−9243
- ^{197}Au(α,f), 38 MeV, meas. of fragments energy distrib. using track method 4−19550
- ^{197}Au(α,p3n), 104 MeV, hybrid model for excitation functions 4−9241
- ^{197}Au(α,xn), x=1, 2, 3, 5 and 8, 104 MeV, hybrid model for excitation functions 4−9241
- (α, 8n) reaction obs. of backbending in ^{156}Er, ^{168}Hf, ^{182}Os, ^{190}Hg and ^{192}Hg 4−36155
- (α,xn) reaction population of high-spin decoupled bands in ^{a}Er, A=155, 157, 159, 161 4−23611
- ^{10}B(α,$\alpha'\gamma$)^{12}C*, isospin forbidden reaction 4−9240
- ^{10}B(α,n)^{13}N at 1 to 5 MeV, meas. of differential cross section, ^{14}N deduced levels 4−12367
- ^{11}B(α,n)^{14}N low energies, calc. of n polarisation 4−19527
- ^{9}Be(α,α)^{9}Be, 1.4-2.5 MeV, elastic scattering, resonance at 1.93 MeV 4−31393
- ^{9}Be(α,t)^{10}B, 27 MeV, angl. distrib. meas. ^{10}B levels determ. 4−40029
- ^{209}Bi, internal conversion, ionisation 4−9243
- ^{209}Bi(α,f), 38 MeV, meas. of fragments energy distrib. using track method 4−19550
- ^{12}C, inelastic α-particle scattering, excitation energy spectrum, 3 α-particle states 4−27345
- ^{12}C + ^{4}He, 100 MeV incident energy, secondary neutron spectra calc. 4−23712
- ^{12}C(α, ^{8}Be)^{8}Be reaction, search for 8^{+} level in ^{16}O 4−19297
- ^{12}C(α, α^{1})^{12}C, 18 to 27 MeV, ang. distrib. and cross section meas. in backward scattering 4−2919
- ^{12}C(α, γ)^{16}O, test of parity nonconservation, irregular alpha-widths 4−9228
- ^{12}C(α,^{8}Be)^{8}Be reaction, search for 8p-8h 8^{+} state in ^{16}O 4−445
- ^{12}C(α,α^{1})^{12}C* 24 MeV, decay of 7.65 MeV state 4−31294
- ^{12}C(α,$\alpha'\gamma$)^{12}C, anal. of $\alpha\gamma$ angular correlation functions *(Russian)* 4−15893
- ^{12}C(α,$\alpha'\gamma$)^{12}C*, isospin forbidden reaction 4−9240
- ^{12}C(α,α)^{12}C, 3-10 MeV, parity-nonconservation effects in ^{16}O 4−27336
- ^{12}C(α,α)^{12}C, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
- ^{12}C(α,α)^{12}C scattering, forward dispersion relations 4−2929
- ^{12}C(α,γ_0)^{16}O $E_{\alpha}=10$ to 27.5 MeV, ^{16}O dipole and quadrupole resonances 4−5828
- ^{12}C(α,γ)^{16}O, cross-section at astrophysical energies, reln. to dynamical behaviour of stars 4−15902
- ^{12}C(α,γ)^{16}O, search for parity nonconserving effects 4−23711
- ^{12}C(α,γ)^{26}O, cross section at astrophys. energies, R-matrix optical model 4−31394
- ^{12}C(α,n$_0$)^{15}O threshold reaction for accelerator energy calibration 4−26573
- ^{13}C(α, α^{1})^{13}C, 18 to 27 MeV, ang. distrib. and cross section meas. in backward scattering 4−2919
- ^{13}C(α,d)^{15}N, deuteron ang. distrib. and reaction cross sections, $E_{\alpha}=13$-25 MeV *(Russian)* 4−19514

nuclear reactions and scattering due to alpha-particles continued
- ^{13}C(α,n)^{16}O, determ. of J$^{\pi}$ of states in ^{17}O near 8 MeV 4−19529
- ^{13}C(α,n)^{16}O, determ. of absolute parities of ^{17}O states from S-matrix anal. 4−19530
- ^{13}C(α,t)^{14}N, 27 MeV, ang. distrib. meas. ^{14}N levels determ. 4−40029
- ^{14}C(α,γ)^{18}O from ^{14}N(e^{-},ν)^{14}C in degenerate matter, Population II red giant interiors 4−30005
- ^{40}Ca, giant quadrupole reson. excitation 4−27341
- ^{40}Ca(α,α), 166 MeV elastic scattering, Glauber approx. 4−15736
- ^{40}Ca(α,γ)^{44}Ti, isospin forbidden radiative capture in giant resonance region, E1 transition strength 4−15898
- ^{40}Ca(α,γ)^{44}Ti, obs. of excited states in ^{44}Ti 4−449
- ^{40}Ca(α,γ)^{44}Ti reaction, study of band structure of ^{44}Ti, lifetime meas. 4−443
- ^{42}Ca(α,α')^{42}Ca, 28.5 MeV, spin-parity assignments 4−12164
- ^{48}Ca(α,nγ)^{51}Ti, γ-decay of excited states in ^{51}Ti 4−19348
- ^{a}Cd (α,α')^{a}Cd, A=110, 112, 114, 116, excitation function meas., 8 to 17 MeV 4−2932
- ^{a}Cd(α,2n)$^{a-2}$Sn reactions. 24 MeV pulsed beam, half lives, g-factors 4−12187
- ^{114}Cd, Coulomb excitation, appl. of Gordon's numerical method 4−2933
- ^{35}Cl(α,n)^{38}K, differential spin precession meas. of g-factor of ^{38}K 22 μsec isomeric state 4−19280
- ^{37}Cl(α,n), 5.0 MeV, ^{40}K magnetic moment determ. 4−39930
- ^{50}Cr(α, nγ)^{53}Fe, 7-10.5 MeV, study of low-lying levels in ^{57}Fe 4−12159
- ^{50}Cr(α,α') at 36 MeV, spin, parity and transition strength assignments 4−15628
- ^{52}Cr(α,p)^{55}Mn, applicability of 2J+1 rule 4−660
- ^{52}Cr(α,pγ)^{55}Mn, spins and lifetimes of excited ^{55}Mn states 4−19277
- ^{5o}Cr(α,d)^{52}Mn, 31.2 MeV, f$_{7/2}$^{4} levels of ^{52}Mn rel. to those of ^{44}Sc 4−12172
- ^{a}Cu(α,α'), A=63, 65, 19.5 MeV, mechanism and spectroscopic factors, optical model anal. *(Roumanian)* 4−19522
- ^{63}Cu(α,pγ) at 13 MeV, DSA meas. of mean lifetimes of ^{66}Zn excited states 4−15699
- ^{63}Cu(α,pn)^{65}Zn, γ-ray spectrum, transition yield 4−23641
- ^{65}Cu(α,α)^{65}Cu, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
- ^{65}Cu(α,pγ) at 13 MeV, DSA meas. of mean lifetimes of ^{68}Zn excited states 4−15699
- Cu(α,2n)Ga, 1f2p isotopes, γ-decay obs. of particle-plus-core excitation mode 4−15702
- ^{160}Dy(^{4}He, ^{4}He$'\gamma$), 13.5 to 15.0 MeV Coulomb excitation studies 4−27350
- ^{161}Dy(α,2n), 27 MeV, deduced e.m. transition probabilities in odd-mass Er isotopes 4−31289
- ^{162}Dy(^{4}He,^{4}He$'\gamma$), 13.5 to 15.0 MeV Coulomb excitation studies 4−27350
- ^{163}Dy(α,2n), 27 MeV, deduced e.m. transition probabilities in odd-mass Er isotopes 4−31289
- ^{164}Dy(^{4}He, ^{4}He$'\gamma$), 13.5 to 15.0 MeV Coulomb excitation studies 4−27350
- ^{164}Dy(α, 4n)^{164}Er, lifetimes and backbending in ^{164}Er 4−15692
- ^{154}Er, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
- ^{166}Er, Coulomb-nuclear interfernce, 11 to 21 MeV 4−2930
- ^{166}Er interference between direct nuclear reactions and Coulomb excitation and α-particles 4−12370
- ^{19}F(α,α') at 25 MeV, determ. of electric multipole strength distrib. in ^{19}F 4−12368
- ^{19}F(α,nγ)^{22}Na, 11 MeV, neutron-gamma coincidence meas. for transitions between states <5 MeV 4−19344
- ^{19}F(α,nγ)^{22}Na, 5-8 MeV, rotational structure, e.m. transitions for levels $E_{ex}<4.0$ MeV 4−19343
- ^{19}F(α,nγ)^{22}Na, rot. band structure determ. of ^{22}Na 4−12265
- ^{54}Fe, elastic scatt. by 8 to 15 MeV α-particles 4−2918
- ^{56}Fe(α,γ)^{60}Ni, 8.0 to 17.6 MeV, excitation functions in giant dipole resonance region 4−31395
- ^{56}Fe(α,n)^{59}Ni, seniority-three states in ^{59}Ni γ-decay 4−15703
- ^{145}Gd, level structure from (α,xn) reactions at 20 to 60 MeV 4−12180
- ^{155}Gd(^{4}He,3n), 36 to 40 MeV, high spin states in ^{56}Dy 4−27237
- ^{160}Gd(α, 8n)^{156}Dy, 98 MeV, ground-state and β-bands population, twin backbending obs. 4−36154
- ^{72}Ge(α,nγ) reaction, obs. of excited states of ^{75}Se 4−455
- ^{73}Ge(α,2nγ) reaction, obs. of excited states of ^{75}Se 4−455
- ^{2}H + ^{4}He system, distortion effects in scattering and compound nucleus states 4−9215
- ^{2}H(α,^{3}He), 166 MeV, forward-backward asymmetry meas. *(French)* 4−27339
- ^{2}H(α,α)^{2}H, description from microscopic calc. of ^{6}Li scattering system 4−36215
- ^{2}H(α,αp)n, differential cross section at 165 MeV, comparison with impulse approx. 4−15894
- ^{2}H(α,αp)n, differential cross section calc. including effects of initial state interaction 4−15895
- ^{2}H(α,dt)^{1}H, 70 MeV, p-d final state Coulomb interaction 4−23715
- ^{2}H(α,t), 166 MeV, forward-backward asymmetry meas. *(French)* 4−27339
- ^{2}H(α,t)^{3}He, 166 MeV, Barshay-Temmer symmetry test 4−9235
- ^{3}He + ^{4}He elastic scattering, odd-even features in effective interaction 4−15753
- ^{3}He(^{4}He,^{4}He), polarised target, analysing power meas. at low energies 4−19524
- ^{3}He(^{4}He,^{4}He)^{3}He at 28 to 44 MeV, meas. of differential cross section and ^{3}He polarisation 4−12366
- ^{3}He(α,α'), 63.7-81.4 MeV, α-particle spectra, sequential reactions 4−9230
- ^{3}He(α,p), 63.7-81.4 MeV, backward proton spectra, sequential reactions 4−9230
- ^{4}He-^{4}He scattering, forward dispersion relns. 0-120 MeV 4−15888
- ^{4}He-α bremsstrahlung emission, differential cross section meas., 12.5-19 MeV 4−638
- ^{4}He + α, total cross section, Glauber approximation, comparison with Pomeron factorisation 4−40010
- ^{4}He(α, $\alpha\alpha$)γ, 9.35 MeV, 11.4-13.5 MeV, bremsstrahlung cross sections 4−19519

nuclear reactions and scattering due to alpha-particles continued
^{4}He(α,α'), approximation of S-matrix using rotational functions 4−2658
^{4}He(α,α't), final state interaction calc. of angular correlation of J$^{\pi}$=2^{-}, T=0 level of ^{4}He 4−23610
^{4}He(α,α) scattering, forward dispersion relations 4−2929
^{165}Ho(α,t), 46 MeV, DWBA anal. of rotation bands in ^{166}Er 4−31401
Kr(α,2n)^{86}Sr, g-factor for the 460 nsec 8^{+} state of ^{86}Sr 4−12136
^{139}La(α,2n)^{141}Pr, population of 1 h 11/2 single-proton states 4−12254
^{139}La(α,2nγ)^{141}Pr, 22 MeV, magnetic moment of single p-state in ^{141}Pr 4−36111
La(α,2nγ) reaction, magnetic moment of ^{141}Pr 1h11/2 single proton state, from Larmor frequency 4−12140
^{6}Li, elastic scattering, α-deuteron cluster structure of target 4−658
^{6}Li(α,2α), 42.8 MeV, distorted wave impulse approx. 4−9218
^{6}Li(α,2α)^{2}H at 42 to 55 MeV cluster knock out reactions, distorted wave interpretation 4−12360
^{6}Li(α,α)^{6}Li, cross-sections from R-matrix theory, computer program 4−5824
^{175}Lu(α,t)^{176}Hf, high-K bands in ^{176}Hf 4−5748
^{a}Mg(α,α)^{a}Mg, A=24-26, 18-22 MeV, angular momentum dependent optical model parameters 4−19517
^{14}Mg(α,α'), nuclear deformation anal. using folding collective model 4−40030
^{24}Mg(α, pγ)^{27}Al, high-spin states in deformed odd-A s-d shell nuclei 4−19299
^{24}Mg(α,α'), 104 MeV, finite nuclear deformations 4−2934
^{24}Mg(α,α'), 166 MeV, test of shell model wave functions 4−2935
^{24}Mg(α,α') DSA lifetime meas. on ^{24}Mg 1.37 MeV state 4−12249
^{24}Mg(α,α)^{24}Mg, 120 MeV, 6° to 110°, optical model, differential cross sections 4−2924
^{24}Mg(α,α)^{24}Mg, intermediate resonance like struct. 4−9242
^{24}Mg(α,α)^{24}Mg, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{24}Mg(α,d)^{26}Al, 25 and 50 MeV, excitation functions and angular distrib. 4−19520
^{24}Mg(α,p)^{27}Al, DSA for ^{27}Al 1.01 MeV state lifetime determ. 4−12249
^{26}Mg(α,$\alpha'\gamma$)^{26}Mg, 15 MeV, transition amplitude meas. 4−5827
^{26}Mg(α,$\alpha'\gamma$)^{26}Mg, DWBA anal. of transition matrix elements 4−15892
^{26}Mg(α,n)^{29}Si, 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV in ^{29}Si 4−19516
^{26}Mg(α,p), 7 to 11 MeV, DSA meas. of ^{29}Al energy level lifetimes 4−15700
Mg(α, α), elastic and inelastic, 22 to 28 MeV, statistical anal. of excitation functions 4−23709
^{14}N(e−,ν)^{14}C(α,γ)^{18}O, destruction of ^{14}N in electron degenerate matter 4−5780
^{23}Na(α,α)^{23}Na, 22 MeV, angular momentum dependent optical model parameters 4−19517
^{23}Na(α,n), 6-7 MeV, ^{26}Al 1.76 and 2.072 MeV level lifetimes, recoil distance 4−19335
^{23}Na(α,p), 6-7 MeV, ^{26}Mg 3.59 and 3.94 MeV level lifetimes, recoil distance 4−19335
^{93}Nb(α,2nγ)^{95}Tc reaction, low-lying states in ^{95}Tc 4−457
^{148}Nd(α,nγ), 18 MeV, ^{151}Sm 261 keV level, life-time meas. 4−15694
^{150}Nd(α, 3n)^{151}Sm, rotational bands in ^{151}Sm transitional nucleus 4−15644
^{20}Ne (α,α') 104 MeV, finite nuclear deformations 4−2934
^{20}Ne(α,2α)^{16}O, quasifree α-α scatt. and sequential decay, α-clustering, 80 MeV 4−27343
^{20}Ne(α,α'), nuclear deformation anal. using folding collective model 4−40030
^{22}Ne(α, nγ)^{25}Mg, high-spin states in deformed odd-A s-d shell nuclei 4−19299
^{22}Ne(α,nγ)^{25}Mg at 8 to 9 MeV, spin assignments to ^{25}Mg levels in E$_{x}$=5 to 6 MeV range 4−12133
^{58}Ni(α,α)^{58}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{58}Ni(α,α)^{58}Ni, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{60}Ni(α,α)^{60}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{62}Ni(α,α)^{62}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{64}Ni(α,α'), 19.5 MeV, mechanism and spectroscopic factors, optical model anal. *(Roumanian)* 4−19522
^{64}Ni(α,$\alpha'\gamma$) at 13 MeV, DSA meas. of mean lifetimes of excited states 4−15699
^{64}Ni(α,α)^{64}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{64}Ni(α,n), 13.5 MeV, population of isomeric $^{9}/_{2}{}^{+}$ state in ^{67}Zn 4−9057
^{64}Ni(α,n)^{67}Zn, DPAD meas., mag. hyperfine field of Zn in Fe 4−33318
Ni(α,n), γ-ray spectra of ^{65,67}Zn 4−23641
^{16}O, anomalous backward scattering, resonating group calc. 4−659
^{16}O + α, calc. of resonating group method kernel 4−2928
^{16}O(α, α)^{16}O, exchange kernel derivation, resonating group method 4−31396
^{16}O(α, α)^{16}O reaction, Regge poles and high spin states in ^{20}Ne 4−15635
^{16}O(α, γ), relativistic Doppler effect meas. using 8.6 MeV capture γ-rays 4−5191
^{16}O(α,α), elastic and inelastic, rel. to determ. of α decay-widths in ^{20}Ne 4−12294
^{16}O(α,α)^{16}O, 26 to 32 MeB, absorption rel. to angular momentum mear resonance energy 4−9239
^{16}O(α,α)^{16}O, Regge pole analysis, rot. bands of ^{20}Ne *(French)* 4−5825
^{188}Os(α,f), 38 MeV, fragments energy distrib. meas. using track method 4−19550
^{31}P(α,pγ)^{34}S, e.m. transition rates and vibrational modes in ^{34}S 4−12257
^{208}Pb, inelastic scatt. cross sections of 40 MeV α-particles at small angles *(French)* 4−23710

nuclear reactions and scattering due to alpha-particles continued
^{208}Pb(α, α'n) DWBA anal. assuming unstable ^{5}He formation 4−36214
^{208}Pb(α,α')^{208}Pb(3^{-}), 21 and 22 MeV, octupole Coulomb-nuclear interference, quantal DWBA treatment 4−27342
^{208}Pb(α,α)^{208}Pb, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{104}Pd(α,n), magnetic moment and T$_{1/2}$ of isomeric $^{11}._{2}{}^{-}$ state in ^{107}Cd 4−39928
^{105}Pd(α,2n)^{107}Cd giving 11/2^{-} band, half-life 80 ns 4−12176
Pt(α,xn)Hg, E$_{\alpha}$=65 to 108 MeV, Hg (A=190 to 194) high spin states and Coriolis decoupled bands 4−36118
^{238}Pu(α,2n)^{240}Cm, E=19.9-27 MeV neutron-fission competition near threshold 4−656
^{238}Pu(α,n)^{241}Cm, E=19.9-27 MeV neutron-fission competition near threshold 4−656
^{85}Rb(α,nγ), 11.8-13.0 MeV, ^{88}Y shell model level structure from γ-ray spectra 4−19289
^{87}Rb(α,nγ), 11.8-13.0 MeV, ^{90}Y shell model level structure from γ-ray spectra 4−19289
^{185}Re(α, 2n) population of strongly perturbed rotational bands in ^{187}Ir 4−23614
^{185}Re(α,f), 38 MeV, fragments energy distrib. meas. using track method 4−19550
^{187}Re(α, 2n) population of strongly perturbed rotational bands in ^{189}Ir 4−23614
^{32}S, spin-parity combinations, excitation energy $\leqslant$7.15 MeV, inelastic α-paarticle scatt. 4−27232
^{34}S, elastic and inelastic scattering at 24.2 MeV, differential cross sections, comparison with ^{32}S, L states *(Russian)* 4−653
^{34}S(α,n)^{37}Ar, gamma-ray spectrosopy 4−12266
^{34}S(α,nγ)^{37}Ar, props. of ^{37}Ar levels below 3.8 MeV 4−12157
^{34}S(α,p)^{37}Cl, gamma-ray spectroscopy 4−12266
Sb production of ^{123}I and ^{124}I, at 30 MeV, excitation function determ. 4−654
^{45}Sc(α,α)^{45}Sc, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
Si (α, α), elastic and inelastic, 22 to 28 MeV, statistical anal. of excitation functions 4−23709
^{28}Si(α,α'), 166 MeV, test of shell model wave functions 4−2935
^{28}Si(α,α)^{28}Si, 18-22 MeV, angular momentum dependent optical model parameters 4−19517
^{28}Si(α,α)^{28}Si, intermediate resonance like struct. 4−9242
^{28}Si(α,γ_{0})^{32}S, 12 to 18 MeV, excitation of giant quadrupole resonance 4−19515
^{28}Si(α,p)^{25}Al, states of ^{25}Al up to 7.8 MeV excitation and mass of ^{25}Al 4−12165
^{28}Si(α,pγ)^{31}P, collective structure of ^{31}P 4−563
^{143}Sm, level structure from (α,xn) reactions at 20 to 60 MeV 4−12180
^{150}Sm(α, 3n)^{151}Gd, shape coexistence, γ-ray meas. 4−15603
^{154}Sm, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{154}Sm(α,4n)^{154}Gd, E$_{\alpha}$=41 to 50 MeV, backbending from band crossing in ^{154}Gd 4−12240
^{122}Sn(α,α)^{122}Sn, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
^{181}Ta(α,p3n), 104 MeV, hybrid model for excitation functions 4−9241
^{181}Ta(α,xn), x=6, 7, 8, 9, 10, 11 and 12, 160 MeV, hybrid model for excitation functions 4−9241
^{232}Th(α,10n)^{226}U, 140 MeV, ^{226}U half-life E$_{\alpha}$ meas. 4−15728
^{232}Th(α,t) reaction, level scheme of ^{233}Pa 4−467
^{46}Ti(α,p)^{49}V reaction, props. of excited states of ^{49}V 4−451
^{48}Ti(α, α)^{48}Ti, refinement of energy level spectra calc. by generalised collective model 4−15689
^{48}Ti(α,α')^{48}Ti, 28.5 MeV, study of ^{48}Ti shell model structure 4−12130
Ti(α,α'), A=46, 48, 49, at 104 MeV, deformation anal. using coupled channel methods 4−15891
^{205}Tl(α,3n)^{206}Bi, population of 10^{-} state in ^{206}Bi, magnetic moment determ. 4−12142
^{51}V(α,d)^{53}Cr, ang. distrib. meas., 22 MeV, excited state assignment 4−40028
^{182}W, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{182}W, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{182}W(α,3n), 31 to 43 MeV, ^{183}Os 9/2^{+}[624] ground state rotational band 4−15624
^{184}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
^{186}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
^{136}Xe(α,2n)^{138}Ba, obs. of γ-ray emissions, ^{138}Ba energy levels determ. *(Russian)* 4−422
^{136}Xe(α,3n)^{137}Ba, obs. of γ-ray emissions, ^{137}Ba energy levels determ. *(Russian)* 4−422
^{171}Yb(α,3n)^{172}Hf, product isomeric level obs. 4−9070
^{174}Yb(α,2n)^{176}Hf, 8-24 MeV, population of high-K states 4−5748
^{174}Yb(α,4n)^{174}Hf and ^{174}Yb(α,2n)^{176}Hf, product isomeric level obs. 4−9070
^{176}Yb(α,4n)^{176}Hf and ^{176}Yb(α,2n)^{178}Hf, product isomeric level obs. 4−9070
^{66}Zn(α,α'), 19.5 MeV, mechanism and spectroscopic factors, optical model anal. *(Roumanian)* 4−19522
^{66}Zn(α,$\alpha'\gamma$), 13 MeV, DSA meas. of mean lifetimes of ^{66}Zn excited states 4−15699
^{68}Zn 13 MeV, DSA meas. of mean lifetimes ^{68}Zn excited states 4−15699
^{68}Zn (α,α'), 29 to 50 MeV, fine structure of diffraction ang. distrib. 4−40032
Zn(α,p)Ga, if2p isotopes, γ-decay obs. of particle-plus-core excitation mode 4−15702
^{90}Zr(α,α), 40 to 118 MeV energy dependent form factor of α-particle optical potential 4−40031
^{90}Zr(α,α)^{90}Zr, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
^{90}Zr(α,α)^{90}Zr, 40-118 MeV, energy depend., optical model 4−2926
^{90}Zr(α,α)^{90}Zr, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
Zr(α,2n), quadrupole moments of 8$_{1}{}^{+}$ states in ^{92,94}Mo 4−31232

nuclear reactions and scattering due to cosmic rays
  see also cosmic ray effects and interactions
  air nuclei, absorption of cosmic ray protons, 20 to 10^5 GeV 4−7870
  air nuclei, proton absorption total cross section rel. to cosmic ray data 4−34573
  fission of heavy elements, sea level and underground counting expts. 4−21855
  meteorite nuclear reaction modelling using isotropically irradiated thick target 4−19360
  neutron production underground on Pb, Cd, Fe and Al 4−25911
  particle production mechanism in high-energy cosmic ray nuclei collisions with light emulsion nuclei 4−5831
  secondary relativistic particle multiplicity, energy and target depends. 4−39975
  μ, e.m. interactions in iron, 5-100 GeV/c, charge asymmetry study 4−38590
  p-nucleus collisions, multiplicity scaling in cosmic ray jet data, 0.1-10 TeV 4−27314
  C, absorption of cosmic ray protons, 20 to 10^5 GeV 4−7870
  Fe, absorption of cosmic ray protons, 20 to 10^5 GeV 4−7870
nuclear reactions and scattering due to deuterons
  A(d,n)B polarisation transfer reactions, formalism 4−15861
  A(d,p)B polarisation transfer reactions, formalism 4−15861
  analysing tensors, rapid method of meas. in polarised ^{2}H induced reactions 4−19512
  breakup processes, final state interaction studies *(French)* 4−19377
  cluster knock-out reactions, medium energy, distortion effects 4−5818
  disintegration in field of heavy nucleus, neutron polarisation anal. by panalyzation 4−27335
  elastic scattering, effect of breakup 4−2900
  elastic scattering, optical potentials 4−12363
  even-even nuclei, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
  few particle system research at LAMPF 4−23722
  five-nucleon system, incident beam polarisation calibration 4−12352
  inelastic interactions at 9.4 GeV/c in photoemulsion, isolation of proton stripping events, cross sections *(Russian)* 4−15572
  isotope effects in total cross sections of α and d induced reactions optical model anal. 4−39981
  light elements ($Z<10$) conc. meas. by charged particle radioactivation *(French, English)* 4−15038
  low energy three nucleon breakup 4−2860
  microscopic theory of the reactions, ^{6}Li system 4−651
  optical model, elastic scattering, 9-12 MeV, spin-orbit and spin-spin interactions 4−19488
  optical potential with tensor term and breakup 4−9216
  polarisation transfer in elastic and inelastic scattering, formalism 4−15863
  proton target, polarised, for low energy scattering experiments 4−8442
  quasi-free scattering reactions, Eckart cluster model for absolute cross sections 4−9207
  relativistic collisions with photoemulsion nuclei, intranuclear cascade model *(Russian)* 4−645
  relativistic energies, absorption and partial production cross sections 4−23696
  stripping (d,p) reactions, nonorthogonality effects 4−19465
  three-nucleon and four-nucleon system problems 4−12351
  transfer reaction experiments, review 4−15859
  transfer reactions theory, (d,p) process 4−12364
  (d, 2n) reaction population of rotational bands in ^{185}Os and ^{187}Os 4−19306
  (d,α), 12-19 MeV, on ^{51}V, ^{56,57}Fe, gamma-ray multiplicity meas. 4−23638
  (d,n) reactions on ^{2}H, ^{9}Be, ^{12}C, ^{14}N and ^{16}O at 2 to 5 MeV, n-polarisation meas. 4−19376
  (d,n) zero-degree polarisation transfer reactions, use as practical polarised neutron source 4−15862
  (d,p), 12-19 MeV, on ^{51}V, ^{55}Mn, ^{56}Fe, Ag, ^{119}Sn, gamma-ray multiplicity meas. 4−23638
  (d,p), on spherical nuclei, anal. of two-step effects in adiabatic approx. *(Russian)* 4−31390
  (d,p), prediction of new type of threshold effect 4−2905
  (d,p), repulsive core effect, importance for spectroscopic factors 4−36171
  (d,p) reaction as rare-earth nuclei, neutron strength function calc. 4−40025
  (d,p) reaction on ^{93,95,97,99}Mo, quasi-particle unified model 4−12195
  (d,p) reactions, 10 to 11 MeV, $A=40$ to 54, meas. of vector analysing power, determ. of states in odd-A nuclei 4−19508
  (d,p) reactions, 10 to 12 MeV for $A=6$ to 14, polarised d, vector analysing power meas. 4−19510
  (d,p) reactions, $A=40$ to 90, meas. of vector analyzing power for $l_n=4$ transitions 4−19509
  (d,p) reactions, deuteron D-state effect and j-dependence in vector polarisation 4−19500
  (d,p) reactions, j-dependence of vector analysing power in DWBA anal. 4−15887
  (d,p) reactions, reln. between polarisation, analysing power and asymmetry 4−15860
  (d,p) reactions, sub-Coulomb, classical model of deuteron D-state effects 4−36212
  (d,p) stripping, solvable model, np many channel separable potential interaction with fixed core 4−2904
  (d,p) stripping, three-body model, validity of DWBA 4−27298
  (d,p) stripping reaction, DWBA calcs. for continuum model cross section 4−31332
  (d,p)-(n,γ) correlation analysis, $A=24$ to 80 4−9222
  (d,t) reaction on ^{93,95,97,99}Mo, quasi-particle unified model 4−12195
  ^{227}Ac(d,f), 4 to 6.8 MeV, yield and cross-section meas. 4−40049
  ^{107}Ag(d,p)^{108}Ag γ-ray meas., Knight shift, temp. depend. 4−33317
  ^{27}Al, inelastic deuteron scattering, rot.-vibr. interaction, weak, strong coupling models 4−652
  ^{27}Al(d,α)^{25}Mg, 12 MeV, excitation function and vector analysing power meas. 4−31384
  ^{27}Al(d,d)^{27}Al, vector analyzing power, 9-13 MeV 4−19493
  ^{27}Al(d,pγ)^{28}Al, Doppler shift attenuation study of lifetime 4−15701
nuclear reactions and scattering due to deuterons continued
  ^{197}Au(d,pxn)$^{198-x}$Au, x=0, 2 and 6, 25 to 86 MeV, excitation functions 4−9221
  ^{197}Au(d,xn)$^{199-x}$Hg, x=4, 6, 7, 8 and 9, 25 to 86 MeV, excitation functions 4−9221
  Au(d,pn)Au, energies below and near Coulomb barrier, exptl. cross sections and theoretical predictions 4−15853
  ^{10}B(d,α)^{8}Be, 3.5-5 MeV, final state α-spectra 4−27347
  ^{10}B(d,d^1)^{10}B, 5 to 16 MeV, isobaric spin violation 4−31386
  ^{11}B(d,n$_{1,0}$) 7 to 12 MeV, cross-section and n polarisation meas. DWBA anal. 4−19499
  ^{11}B(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
  ^{11}B(d,n)^{12}C, ang. distrib. and excitation functions, deuteron energies 3-5.5 MeV 4−27334
  ^{9}Be(d, tα)^{4}He 26.3 MeV, energy correlations, resonance states in ^{7}Li and ^{8}Be 4−12361
  ^{9}Be(d,α), angular distrib. meas., DWBA calc. 4−31392
  ^{9}Be(d,α)^{7}Li, in energy range 200 to 750 keV 4−12357
  ^{9}Be(d,γ_0)^{11}B, 3-12 MeV isospin splitting in ^{11}B giant resonance 4−19274
  ^{9}Be(d,n), 3.0 to 3.5 MeV n polarisation meas. 4−19497
  ^{9}Be(d,n) E=8 MeV, produced radiation quality 4−8248
  ^{9}Be(d,n)^{10}B, 1.75 and 2.20 MeV levels, deuteron and heavy-particle stripping, neutron ang. distrib. 4−19462
  ^{9}Be(d,n)^{10}B, 7-16 MeV, spectroscopy of ^{10}B levels 4−9069
  ^{9}Be(d,n)^{10}B, ang. distrib. and excitation functions, deuteron energies 3-5.5 MeV 4−27334
  ^{9}Be(d,n)^{10}Be, in energy range 300 to 750 keV 4−12357
  ^{9}Be(d,n)^{10}Be, neutron energy spectrum 4−40027
  ^{9}Be(d,p$_0$)^{10}Be at 0.9 to 3.1 MeV, ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
  ^{9}Be(d,p$_1$)^{10}Be, 0.9 to 3.1 MeV ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
  ^{9}Be(d,p) angular distrib. meas., DWBA calc. 4−31392
  ^{9}Be(d,p)^{10}Be, evidence for 16.43 MeV level is ^{11}B 4−31244
  ^{9}Be(d,t$_0$)^{8}Be at 0.9 to 3.1 MeV, ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
  ^{9}Be(d,t), angular distrib. meas., DWBA calc. 4−31392
  ^{9}Be(d,t)^{8}Be$^* \rightarrow \alpha + \alpha$, anal. of fully measured particle-particle correlation patterns 4−2903
  ^{209}Bi(d,p)^{210}Bi, intermediate structure in ^{211}Po, isobaric analogue of single particle neutron strengths in ^{211}Bi 4−9076
  ^{12}C(d,α_2)^{10}B, 14 to 16 MeV, isospin forbidden, ^{14}N levels anal. 4−31385
  ^{12}C(d,d′)^{12}C, isospin violation, four-channel mechanism 4−2899
  ^{12}C(d,d′)^{12}C$^* \rightarrow \alpha + {}^8$Be, anal. of fully measured particle-particle correlation patterns 4−2903
  ^{12}C(d,d), 12.3 MeV, tensor analysing powers, incident polarised d 4−19504
  ^{12}C(d,d), 2.71 MeV, cross-section meas. ^{14}N deduced levels 4−31381
  ^{12}C(d,d)^{12}C, 41-51 MeV, differential cross section fitting, vector polarisation 4−19489
  ^{12}C(d,d)^{12}C*, effect of intermediate channels in isospin forbidden reactions 4−19469
  ^{12}C(d,np), 5.2-9.8 MeV, excitation functions, interference effects, proximity scattering 4−23705
  ^{12}C(d,p),5-12 MeV, compound-nucleus and deuteron D-state effects in T_{20} analyzing power 4−9208
  ^{12}C(d,p) 12.3 MeV, tensor analysing powers, incident polarised d 4−19504
  ^{12}C(d,p) appl. of real Weinberg state method to ^{12}C unbound levels 4−2889
  ^{12}C(d,p) at 12.35 MeV, polarisation meas. and DWBA anal. 4−19502
  ^{12}C(d,p)^{13}C, 2.71 MeV, cross-section meas. ^{13}C deduced levels 4−31381
  ^{12}C(d,p)^{13}C, 51 MeV, differential cross section and p polarisation meas. 4−19503
  ^{12}C(d,p)^{13}C, d vector polarisation, 13.6 MeV 4−19492
  ^{12}C(d,p)^{13}C, energies near 1.2 MeV, angular differential cross-sections *(Russian)* 4−646
  ^{12}C(d,p)^{13}C, second order processes and resonances 4−5820
  ^{12}C(d,p)^{13}C*, second-order processes in direct reactions 4−27297
  ^{12}C(d,pn)^{12}C, 5.15-6.5 MeV, energy dependence of p-n proximity scattering 4−15858
  ^{13}C(d,pγ)^{14}C, ^{14}C first excited state, lifetime determ. 4−590
  ^{13}C(d,pγ)^{14}C, Doppler shift attenuation study of lifetime 4−15701
  ^{40}Ca(d,α)^{38}K, 7^+ state in ^{38}K, proton configuration mixing in ^{40}Cd 4−12171
  ^{40}Ca(d,d)^{40}Ca, 30 MeV polarised deuterons, evidence for tensor interaction 4−31382
  ^{40}Ca(d,np), 5.2-9.8 MeV, excitation functions, interference effects, proximity scattering 4−23705
  ^{40}Ca(d,p), 5-12 MeV, compound-nucleus and deuteron D-state effects in T_{20} analyzing power 4−9208
  ^{40}Ca(d,p)^{41}Ca, 11 MeV deuteron beam, angular distrib. 4−442
  ^{40}Ca(d,p)^{41}Ca, transfer form-factor calc. with realistic interaction 4−36172
  ^{40}Ca(d,pγ)^{41}Ca, 11 MeV, gamma-ray spectra, excitation of 3.62 MeV doublet 4−19291
  ^{40}Ca(d,pγ)^{41}Ca, 3 MeV, ang. correlation and branching-ratios 4−31387
  ^{40}Ca(d,pγ)^{41}Ca, spins of ln=1 levels using angular correlation data 4−448
  ^{43}Ca(d,t)^{42}Ca, 20 and 23 MeV, spectroscopic factor determ. by DWBA analysis 4−12164
  ^{48}Ca(d,α)^{46}K, 7^+ state in ^{46}K, proton configuration mixing in ^{48}Ca 4−12171
  ^{48}Ca(d,p)^{49}Ca, 20 MeV, evidence for weak coupling in ^{49}Ca 4−12214
  ^{49}Ca(d,$\alpha\gamma$)^{38}K, 4.421 MeV, α-γ coincidence meas., lifetime determ. 4−19345
  ^{44}Cd(d,α)^{42}K, 7^+ state in ^{42}K, proton configuration mixing in ^{44}Ca 4−12171
  ^{106}Cd(d,p), magnetic moment and $T_{1/2}$ of isomeric $^{11}._{2}{}^{-}$ state in ^{107}Cd 4−39928
  ^{50}Cr(d,d’) at 16 MeV, spin, parity and transition strength assignments 4−15628

nuclear reactions and scattering due to deuterons continued
^{51}Cr(d,n)^{51}Mn, obs. of decay scheme of 46-min ^{51}Mn 4−23650
^{52}Cr, inelastic scatt. of 15 MeV polarised deuterons, optical model data 4−2902
^{52}Cr(d,d)^{52}Cr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
^{52}Cr(d,p)^{53}Cr, 8 MeV, DWBA calcs. including deuteron D-state 4−19501
^{52}Cr(d,p)^{53}Cr, two-step stripping process, cross-section, DWBA method 4−644
^{52}Cr(d,p)^{53}Cr form factors calc. in coupled-channel Born approx. for vibrational-like states 4−12306
^{53}Cr(d,d)^{53}Cr, vector analyzing power, 9-13 MeV 4−19493
^{54}Cr(d,t) at 24 MeV, p-n interaction effect 4−2915
^{63}Cu(d,t)^{62}Cu, 16 and 12 MeV, ^{62}Cu nuclear spectroscopy 4−9067
D(d,d)D, 6.0-11.5 MeV, analyzing power meas., excited states of ^{4}He 4−19475
D(d,p)T, 3.0-11.5 MeV, analyzing power meas., excited states of ^{4}He 4−19475
D(d,pd)n, Treiman-Yang test, 26.5 MeV 4−19476
^{162}Dy(d,p), DWBA anal. of proton ang. distrib. 4−40023
^{162}Dy(d,t), 17 MeV, DWBA anal. of ang. distrib. rel. to multistep processes 4−23703
^{164}Dy(d,t) 17 MeV, DWBA anal. of ang. distrib. rel. to multistep processes 4−23703
^{166}Er(d,t), 17 MeV, DWBA anal. of ang. distrib. rel. to multistep processes 4−23703
^{168}Er(d,t), 17 MeV, DWBA anal. of ang. distrib. rel. to multistep processes 4−23703
^{54}Fe,^{56}Fe, inelastic scatt. of 15 MeV vector and tensor polarised deuterons 4−2902
^{54}Fe(d,α)^{52}Mn, 15 and 28 MeV, $f_{7/2}^{4}$ levels of ^{52}Mn rel. to those of ^{44}Sc 4−12172
^{54}Fe(d,n)^{55}Co at 5 to 6 MeV, meas. of excitation functions for transitions in ^{55}Co 4−2911
^{56}Fe(d,α) α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
^{56}Fe(d,d)^{56}Fe, 30 MeV polarised deuterons, evidence for tensor interaction 4−31382
^{56}Fe(d,t) at 24 MeV, p-n interaction effect 4−2915
^{154}Gd(d,t)^{153}Gd, energy levels of ^{153}Gd 4−5709
^{160}Gd(d,t), 17 MeV, DWBA anal. of ang. distrib. rel. to multistep processes 4−23703
^{1}H-^{2}H scattering at 12 MeV, spin-spin correlation coeff. 4−9225
^{1}H-d bremsstrahlung emission, differential cross section meas., 7-9 MeV 4−638
^{1}H(d,d)^{1}H, 20.4, 25.2, 29.9 MeV, vector and tensor analysing power meas., three-body calcs. 4−19470
^{1}H(d,d)^{1}H, 6.0-11.5 MeV elastic scattering, phase shift analysis 4−15852
^{1}H(d,d)^{1}H backward elastic scattering, 3.43-6.6 GeV/c, differential cross section 4−12362
^{1}H(d,d)^{1}H elastic scattering, 6 and 10 MeV, tensor moments $\langle iT_{11}\rangle$, $\langle T_{20}\rangle$, $\langle T_{21}\rangle$, $\langle T_{22}\rangle$ 4−15864
^{1}H(d,n), 42.8 MeV, neutron polarisation 4−9157
^{1}H(d,n)pp, polarisation transfer at 0°, model 4−15870
^{1}H(d,pn)^{1}H, 26.5 MeV, purity of p-p final state interaction T-matrix factorization 4−15896
^{1}H(d,pp)n, 26.5 MeV, kinematically complete meas., comparison with Faddeev calc. 4−15854
^{2}H + ^{2}H reaction at low energies, DWBA analysis, polarisation effects 4−15865
^{2}H(^{2}H,n)^{3}He, determ. of production cross sections and energies 4−12338
^{2}H(d, n), deuteron energies <200 keV, parametrization 4−649
^{2}H(d, p), deuteron energies <200 keV, parametrisation 4−649
^{2}H(d,d)^{2}H, accurate elastic scattering cross section, 12.305 MeV 4−15855
^{2}H(d,dp)n, 12.15 MeV, cross section away from major enhancements 4−19472
^{2}H(d,dp)n, 52.3 MeV, angular distrib. for quasielastic dp scattering 4−19473
^{2}H(d,dp)n cross sections in region of small relative neutron and proton energies *(Russian)* 4−19461
^{2}H(d,n)^{3}He, 12 MeV, vector analysing power 4−15868
^{2}H(d,n)^{3}He, 25-40 MeV, neutron polarisation 4−15867
^{2}H(d,n)^{3}He, 6-14 MeV, differential cross sections, neutron polarisation 4−15866
^{2}H(d,n)^{3}He, neutron detector, efficiency meas. from 7 to 14 MeV 4−35446
^{2}H(d,n)^{3}He, polarisation transfer at 0°, model 4−15870
^{2}H(d,n)^{3}He, polarised incident beam, meas. of neutron polarisation, 7-16 MeV neutron energies 4−15869
^{2}H(d,n)^{3}He, polarised n beam production using associated particle method 4−19513
^{2}H(d,p), excitation function, ^{4}He spectroscopy 4−15632
^{2}H(d,p)^{3}H, 150-340 keV polarised and unpolarised deuterons, proton angular distribs., analysing powers 4−15871
^{2}H(d,p)^{3}H reaction for location of deuterium implanted in metals 4−28114
^{3}H + ^{2}H, quasifree processes at 35 MeV 4−15857
^{3}H(^{2}H,n)^{4}He determ. of production cross sections and energies 4−12338
^{3}H(d,α)n, 51, 76 and 93 keV, analyzing power 4−15873
^{3}H(d,d) at 5 to 11.5 MeV, meas. of tensor analysing powers T_{20}, T_{21} and T_{22} 4−12358
^{3}H(d,d)^{3}H, 3.3-12.3 MeV vector polarised deuterons, angular distribs., analysing powers and cross sections 4−19477
^{3}H(d,d)^{3}H, 5-11.5 MeV polarised deuterons, tensor analysing power 4−19460
^{3}H(d,n), comparison of vector analysing power with mirror reaction ^{3}He(d,p) 4−15877
^{3}H(d,n)^{4}He, 7.0 and 11.4 MeV polarised deuterons, neutron polarisation, spin-flip mechanism 4−15875
^{3}H(d,n)^{4}He, 7.0 to 11.4 MeV, neutron polarisation angular distribs., analysing powers 4−15872
^{3}H(d,n)^{4}He, fast neutron spectra near neutron generators *(Czech)* 4−31380
^{3}H(d,n)^{4}He, polarisation expts., analysis below 1 MeV 4−15878

nuclear reactions and scattering due to deuterons continued
^{3}H(d,n)^{4}He, polarised n beam production using associated particle method 4−19513
^{3}H(d,n)^{4}He below 1 MeV, analysing power of vector and tensor polarization 4−15874
^{3}H(d,n)^{4}He polarisation transfer reaction, quadratic relns. between observables 4−15876
^{3}H(d,n)pt, compound nucleus states of 5 nucleon system, ^{5}He 4−31241
^{3}H(d,n)pt, final state interaction of three-particle reactions, level struct. of ^{4}He, ^{5}He, ^{5}Li 4−27240
H(d,d)H, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
H(d,d)H, 3.0 to 5.75 MeV, phase-shift analysis, cross-section, proton polarisation 4−2897
^{3}He polarised target, asymmetries in deuteron scattering, 9.9 and 11.9 MeV 4−15880
^{3}He + ^{2}H, quasifree processes at 27 MeV 4−15857
^{3}He + d, microscopic coupled-channel anal. with resonating group method 4−31322
^{3}He(d,d)^{3}He, 10 and 13 MeV polarised deuterons, vector and tensor analysing power 4−15879
^{3}He(d,d)^{3}He, 10 MeV, spin-dependent interactions 4−23707
^{3}He(d,d)^{3}He, 4-10 MeV elastic scattering, tensor moments meas. 4−15881
^{3}He(d,d)^{3}He, microscopic study, resonating-group method 4−650
^{3}He(d,d)^{3}He, reaction matrix analysis at 10 MeV 4−19429
^{3}He(d,p), comparison of vector analysing power with mirror reaction ^{3}H(d,n) 4−15877
^{3}He(d,p)^{4}He, 10 MeV polarised deuterons, vector and tensor analysing powers 4−19478
^{3}He(d,p)^{4}He, 2-13 MeV vector polarised deuterons, angular distrib. of vector analysing power 4−19480
^{3}He(d,p)^{4}He, 2.0-6.0 MeV, proton polarisation meas. 4−15850
^{3}He(d,p)^{4}He, 2.8-10 MeV, tensor moments, angular distribs. and ^{5}Li resonant states 4−15884
^{3}He(d,p)^{4}He, 366-1090 keV polarised deuterons, analysing powers 4−23706
^{3}He(d,p)^{4}He, 4-14 MeV, polarisation transfer coeffs. 4−9213
^{3}He(d,p)^{4}He, 430 keV, polarised target and deuterons, efficiencies, partial waves and analysing powers 4−19482
^{3}He(d,p)^{4}He, 6-10 MeV polarised deuterons, vector polarisation and proton asymmetries 4−19479
^{3}He(d,p)^{4}He, 6.6 to 15.8 MeV polarised d, tensor analysing power at $\theta=0$ 4−31383
^{3}He(d,p)^{4}He, d vector polarisation, 13.6 MeV 4−19492
^{3}He(d,p)^{4}He, microscopic study, resonating-group method 4−650
^{3}He(d,p)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
^{3}He(d,p)^{4}He, polarisation-asymmetry relns. in terms of reaction scattering matrices 4−15882
^{3}He(d,p)^{4}He, polarised target, analysing power below 2.5 MeV 4−15885
^{3}He(d,p)^{4}He, polarised target, proton angular asymmetries at 6 and 8 MeV 4−15886
^{3}He(d,p)^{4}He, polarised target, analysing power, 2.8-10 MeV 4−19481
^{3}He(d,p)^{4}He, vector analysing power near 430 keV resonance 4−15883
^{3}He(d,p)pt, compound nucleus states of 5 nucleon system, ^{5}Li 4−31241
^{4}He + ^{2}H system, distortion effects in scattering and compound nucleus states 4−9215
^{4}He(d,^{3}He)^{3}H, at 30 to 40 MeV, meas. vector analysing powers, deviation from isospin imposed symmetry 4−2916
^{4}He(d,^{3}He)^{3}H Barshay-Temmer symmetry test 4−9235
^{4}He(d,d), 12 MeV polarised d, meas. of vector and tensor analysing power 4−19484
^{4}He(d,d), 3 to 11.5 MeV, meas. of tensor moments and ang. distribs. 4−19485
^{4}He(d,d), 3 to 11.5 MeV polarised beam, phase shift anal. 4−19486
^{4}He(d,d), determ. of ^{2}H tensor polarisation *(German)* 4−23698
^{4}He(d,d)^{4}He, 11.5 MeV, comparison of double scattering and polarised ion source meas. 4−19483
^{4}He(d,d)^{4}He, 12-17 MeV, analysing power, appl. on polarisation standard 4−9211
^{4}He(d,d)^{4}He, 20-30 MeV polarised deuterons, asymmetry measurements, compound ^{6}Li nucleus levels 4−19474
^{4}He(d,d)^{4}He, 4.8-9.0 MeV, polarization transfer coeffs. and analysing tensors 4−9214
^{4}He(d,d)^{4}He elastic scattering, polarization transfer meas. 4−15856
^{4}He(d,t)^{3}He, at 30 to 40 MeV, meas. vector analysing powers, deviation from isospin imposed symmetry 4−2916
^{41}K(d,t), $E=15$ MeV, neutron correlations, spectroscopic factors 4−648
^{84}Kr(d,p)^{85}Kr, obs. of energy levels of ^{85}Kr 4−456
Li isotopes bombardment, production of highly excited states of ^{9}Be and ^{10}Be *(Russian)* 4−424
^{6}Li(d, dd)^{4}He, $E=6-11$ MeV, quasi-free scattering 4−5816
^{6}Li(d,2d), 27 MeV, distorted wave impulse approx. 4−9218
^{6}Li(d,2d)^{4}He, $E_d=27$ MeV, distortion effects analysis 4−5818
^{6}Li(d,2d)^{4}He at 27 MeV, cluster knock out reactions, distorted wave interpretation 4−12360
^{6}Li(d,α), meas. of polarisation of ^{6}Li ions and analysing power anal. 4−19532
^{6}Li(d,α)^{4}He, 0.4 to 1 MeV polarised d, analyzing power meas. 4−19487
^{6}Li(d,α)^{4}He, 3 to 11.5 MeV polarised deuterons, vector analysing power meas. *(German)* 4−23700
^{6}Li(d,dα), 27 MeV, distorted wave impulse approx. 4−9218
^{6}Li(d,dα)^{2}H at 27 MeV cluster knock out reactions, distorted wave interpretation 4−12360
^{6}Li(d,n), below 3 MeV, polarised ^{2}H beam, Q-value determ. of ^{7}Be energy levels *(German)* 4−23699
^{6}Li(d,tp)^{4}He, deuteron-cluster deformation, plane wave approx. 4−19468
^{7}Li(d,α)^{5}He, determ. width of ^{5}He ground state *(French)* 4−19287
^{7}Li(d,α)αn, 180 keV, α-α, α-n coincidence meas. techniques 4−23697
Li(d,n)Be, fast neutron prod. 4−5144

nuclear reactions and scattering due to deuterons continued
- ^{24}Mg(d,^{3}He)^{23}Na, 21.1 MeV, CCBA analysis of angular distribs., inelastic effects 4−19471
- ^{24}Mg(d,d)^{24}Mg, elastic and inelastic, vector analyzing power, DWBA and optical model 4−19490
- ^{24}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
- ^{24}Mg(d,p), stripping reaction, nuclear off-shell scattering 4−9220
- ^{24}Mg(d,p)^{25}Mg, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
- ^{24}Mg(d,pγ)^{25}Mg, 10 MeV, p-γ ang. correlations and differential cross-section meas. 4−31389
- ^{24}Mg(d,pγ)^{25}Mg at 6 MeV, spin assignments to ^{25}Mg levels in $E_x=5$ to 6 MeV range 4−12133
- ^{24}Mg(d,t)^{23}Mg, 21.1 MeV, CCBA analysis of angular distrib., inelastic effects 4−19471
- ^{25}Mg(d,α)^{23}Na, 12 MeV, excitation function and vector analysing power meas. 4−31384
- ^{26}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
- ^{26}Mg(d,p)^{27}Mg, 3.1 MeV, DWBA anal. ^{27}Mg spin and parity assignments 4−19283
- ^{26}Mg(d,pγ)^{23}Mg, Doppler shift attenuation study of lifetime 4−15701
- Mg(d,d)Mg, 7.0 MeV, tensor polarisation, optical model 4−19491
- ^{92}Mo(d,n)^{93}Tc, excitation function meas., theoretical model *(Russian)* 4−647
- ^{92}Mo(d,p), 4.0 MeV, DWBA anal. of ang. distrib. 4−23704
- ^{92}Mo(d,p)^{93}Mo, excitation function meas., theoretical model *(Russian)* 4−647
- ^{94}Mo(d,nn)^{94}Tc, excitation function meas., theoretical model *(Russian)* 4−647
- ^{95}Mo(d,t)^{94}Mo, 17 MeV, ^{94}Mo states determ. from ang. distrib. meas. 4−23701
- ^{14}N(d,^{3}He)^{13}C, ^{14}N ground state magnetic moment from sum rules 4−2753
- ^{14}N(d,α)^{12}C, 40 MeV, isospin-forbidden transition 4−9217
- ^{14}N(d,n) 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
- ^{14}N(d,nγ)^{15}O, 2.2-2.8 MeV, neutron angular distrib. from γ-ray line shape studies 4−15851
- ^{14}N(d,p), stripping reaction, nuclear off-shell scattering 4−9220
- ^{14}N(d,p)^{15}N, d vector polarisation, 13.6 MeV 4−19492
- ^{14}N(d,t)^{13}N, ^{14}N ground state magnetic moment from sum rules 4−2753
- ^{23}Na(d,α)^{21}Ne, low energy reactions, spin assignment 4−40024
- ^{23}Na(d,p)^{24}Na, DWBA anal. of proton groups, 670 and 620 keV 4−12356
- ^{23}Na(d,pγ)^{24}Na, Doppler shift attenuation study of lifetime 4−15701
- ^{142}Nd(d,2nγ) ^{142}Pm, multiplet splitting, energy level scheme for ^{142}Pm 4−12178
- ^{20}Ne(d,α)^{18}F, prod. of ^{18}F for clinical use, Van de Graaff accelerator 4−8181
- ^{20}Ne(d,nγ)^{21}Na, n-γ directional correlation for excited 300 keV state of ^{21}Na 4−23629
- ^{20}Ne(d,p)^{21}Ne, study of 5.69 MeV and 5.78 MeV states 4−31245
- ^{21}Ne(d,^{3}He)^{20}F, DWBA anal. of ang. distrib., T=1 state identification 4−2914
- ^{21}Ne(d,t)^{20}Ne, DWBA anal. of ang. distrib., T=1 state identification 4−2914
- ^{a}Ni, A=58,60,62,64 inelastic scatt. of 15 MeV polarised deuterons, optical model data 4−2902
- ^{58}Ni(d,t) at 24 MeV, p-n interaction effect 4−2915
- ^{60}Ni(d,d)^{60}Ni, 15 MeV, analysis of cross section and analysing powers 4−2898
- ^{16}O(d,2n)-reaction, shell model scattering theory *(German)* 4−39978
- ^{16}O(d,α)^{14}N, 2-14 MeV isospin-forbidden and-allowed reactions, ^{18}F compound nucleus 4−9210
- ^{16}O(d,d)^{16}O, angular distrib., 25.4 to 63.2 MeV, optical model for ^{17}O levels 4−19463
- ^{16}O(d,n)^{17}F, use of ^{17}F as reactor performance monitor *(German)* 4−3008
- ^{16}O(d,n)^{17}F reaction, study of ^{17}F NMR spectra, quadrupole effects 4−12148
- ^{16}O(d,p), angular distrib., 25.4 to 63.2 MeV, optical model for ^{17}O levels 4−19463
- ^{16}O(d,p), X-ray detection, focused ion beam anal. 4−18555
- ^{16}O(d,p)^{17}O, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
- ^{17}O(d, t)^{16}O, 52 MeV, population of new $1d_{5/2}.1p_{3/2}^{-1}$ states as test of effective interaction 4−432
- ^{18}O(d,p)^{19}O, 14.8 MeV, bound and unbound states of ^{19}O 4−27333
- ^{189}Os(d,p), 12 MeV, ^{190}Os level scheme anal. 4−39936
- ^{204}Pb(d,p) ^{205}Pb, 13.0 and 20.0 MeV, ^{205}Pb shell model spectrum 4−12185
- ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV, low-lying ^{205}Pb spectrum, .999 MeV state 4−12184
- ^{207}Pb(d,p)^{208}Pb, 18 MeV, high resolution spectroscopic strengths, energy levels 4−2895
- ^{208}Pb (d,p)^{209}Ph, meas. vector analysing power near Coulomb barrier 4−19511
- ^{208}Pb(d,d)^{208}Pb, 28.8 MeV polarised deuterons, evidence for tensor interaction 4−31382
- ^{208}Pb(d,p), 9 MeV, classical model of deuteron D-state effects 4−36212
- ^{208}Pb(d,p)^{209}Pb, 13.0 and 20.0 MeV, ^{205}Pb shell model spectrum 4−12185
- ^{208}Pb(d,p)^{209}Pb, 17 to 25 MeV, spectroscopic factor determ. from d and p optical parameter sets 4−2907
- ^{208}Pb(d,p)^{209}Pb, 20 MeV, weak transitions, 2p-2h correlations in ^{208}Pb 4−12181
- ^{208}Pb(d,p)^{209}Pb at 12.3 MeV, meas. of tensor analysing power 4−2912
- ^{141}Pr(d,t), 16 MeV, DWBA anal. of ^{140}Pr low-lying levels 4−23605
- ^{239}Pu(d,pf), fission fragments, mass distrib. and ang. anisotropy 4−5860
- ^{242}Pu(d,2n)^{242m}Am, E=22 MeV, prompt fission modes 4−5861
- ^{185}Re(d,4n)^{183}Os, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4−31391

nuclear reactions and scattering due to deuterons continued
- ^{187}Re(d,6n)^{183}Os, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4−31391
- ^{33}S(d,α)^{31}P, 7.0 MeV, energy spectra and angular distribs. of α-particles, compound nucleus mechanism *(Russian)* 4−15631
- ^{76}Se(d,t)^{75}Se, at 18, 19 MeV, Coriolis coupling theory of anomalous parity states in 1 $g_{9/2}$ nuclei 4−12359
- ^{28}Si(d,n)^{29}P, 13.5 MeV, meas. n-peaks, and ^{29}P energy levels 4−2910
- ^{28}Si(d,p), 5-12 MeV, compound-nucleus and deuteron D-state effects in T_{20} analyzing power 4−9208
- ^{28}Si(d,p)^{29}Si, 12.3 MeV polarised d, meas. p polarisation 4−19507
- ^{28}Si(d,p)^{29}Si, 13.5 MeV, meas. p-peaks and ^{29}Si energy levels 4−2910
- ^{28}Si(d,p)^{29}Si, study of T=2 level in ^{30}P, as a compound nuclear reson. 4−5822
- ^{28}Si(d,p)^{29}Si at 10 MeV, Hauser-Feshbach corrections to DWBA anal. 4−2908
- ^{28}Si(d,p)^{29}Si(g.s.) 10 to 15 MeV, DWBA anal. of spin dependent distortion effects 4−19506
- Si(d,d)Si, vector analyzing power, 9-13 MeV 4−19493
- ^{144}Sm(d,2nγ)^{144}Eu, multiplet splitting, energy level scheme for ^{144}Eu 4−12178
- ^{118}Sn(d,p)^{119}Sn reaction, low-lying $7/2^{-}$ states in ^{119}Sn 4−458
- ^{120}Sn(d,d)^{120}Sn, vector analyzing power, 9-13 MeV 4−19493
- ^{120}Sn(d,p)^{121}Sn reaction, low-lying $7/2^{-}$ states in ^{121}Sn 4−458
- ^{122}Sn(d,d)^{122}Sn, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
- ^{86}Sr(d, ^{3}He)^{85}Rb, $E_d=28$ MeV possible Z=38 magic number 4−9212
- ^{88}Sr(d, ^{3}He)^{87}Rb, $E_d=28$ MeV possible Z=38 magic number 4−9212
- ^{88}Sr(d,p)^{89}Sr, anomaly in excitation functions near isospin coupled channel threshold due to IAR 4−9223
- ^{88}Sr(d,pγ)^{89}Sr, obs. of low-lying levels in ^{89}Sr 4−587
- ^{181}Ta(d,yp,xn), 80 MeV, hybrid model for excitation functions 4−9241
- ^{46}Ti(d,α)^{44}Sc, 26.7 MeV, $f_{7/2}^{4}$ levels of ^{44}Sc rel. to those of ^{52}Mn 4−12172
- ^{46}Ti(d,d)^{46}Ti, vector analyzing power, 9-13 MeV 4−19493
- ^{48}Ti,^{50}Ti, inelastic scatt. of 15 MeV polarised deuterons, optical model 4−2902
- ^{48}Ti(d,d)^{48}Ti, vector analyzing power, 9-13 MeV 4−19493
- ^{49}Ti(d,t)^{48}Ti, 18 MeV, study of ^{48}Ti shell model structure 4−12130
- ^{50}Ti(d,pγ)^{51}Ti, γ-decay of excited states in ^{51}Ti 4−19348
- ^{203}Tl(d,n)^{203}Pb, prod. of ^{203}Pb for radiopharmaceutical appl. 4−30234
- ^{235}U(d,p), 12 to 16 MeV, obs. of two-neutron quasiparticle states 4−23702
- ^{235}U(d,p)^{236}U, 11 MeV, cross sections, search for γ-branch from ^{236}U shape isomers 4−19337
- ^{51}V(d,t), 19.5 MeV, ^{50}V energy levels, comparison with shell model calc. 4−15623
- ^{182}W(d,t), effects of hexadecapole deformations on $i_{13/2}$ orbits and pickup cross-sections 4−39989
- ^{89}Y(d,n) 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
- ^{89}Y(d,p), 4.0 MeV, DWBA anal. of ang. distrib. 4−23704
- ^{171}Yb(d,p)^{172}Yb, 16 MeV, multistep processes 4−9219
- ^{64}Zn(d,α)^{62}Cu, 12.08 MeV, ^{62}Cu nuclear spectroscopy 4−9067
- ^{64}Zn(d,n)Ga, 1f2p isotopes, γ-decay obs. of particle-plus-core excitation mode 4−15702
- ^{66}Zn(d,p), temp. depend. of electric quadrupole interaction 4−12128
- ^{68}Zn(d,d)^{68}Zn, vector analyzing power, 9-13 MeV 4−19493
- ^{90}Zr(d,d)^{90}Zr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
- ^{90}Zr(d,d)^{90}Zr, 28.8 MeV polarised deuterons, evidence for tensor interaction 4−31382
- ^{90}Zr(d,d)^{90}Zr, vector analyzing power, 9-13 MeV 4−19493
- ^{90}Zr(d,n)^{91}Nb, excitation function meas., theoretical model *(Russian)* 4−647
- ^{90}Zr(d,p)^{91}Zr, excitation function meas., theoretical model *(Russian)* 4−647
- ^{90}Zr(d,p)^{91}Zr at 15.89 MeV, meas. ang. distrib. model anal. of states 4−2765
- Zr(d,p), A=90 to 94, 13.6 MeV, anal. of j dependence of p anal. distrib. 4−40026

nuclear reactions and scattering due to electrons
- ^{152}Sm, rotational, deformed charge distribs. 4−5706
- bremsstrahlung, low-energy electron induced, linear polarisation 4−19390
- bremsstrahlung cross section measurement, short wavelength limit, theoretical comparison 4−31730
- charge density anal. error operator and its eigenvectors 4−23595
- eikonal approximation and dispersive effects estimation *(French)* 4−2867
- elastic scattering, anomalous magnetic moment effects *(Russian)* 4−23666
- elastic scattering, eikonal approach to dispersion corrections 4−12326
- elastic scattering, model-independent determ. of nuclear charge densities 4−19268
- electrodisintegration in high energy inelastic scattering, nucleon channel coupling 4−12327
- electrodisintegration of independent-particle model nuclei 4−31345
- electroexcitation, momentum transfer depend. of effective charge, particle-vibration coupling model 4−19388
- energy loss spectrometer, high resolution 4−8495
- form factors, α-cluster nuclei, projection technique calc. 4−5781
- form factors of nuclear states, shell model nuclei 4−5729
- high energy scattering cross sections, rel. to nuclear charge distrib. 4−39925
- inelastic sum rules for fast electron scattering from light nuclei, ground states N-N correlations 4−15772
- low momentum transfer, reduced radiative transition probabilities 4−5787
- non-axial nuclei, elastic and inelastic scatt. of fast electrons 4−9147
- nuclear charge distrib. review of analytic methods 4−15605
- p-shell nuclei, Woods-Saxon potential 4−614

nuclear reactions and scattering due to electrons continued
shadowing in inelastic lepton scattering from complex nuclei, optical model 4−15500
single nucleon ejection, effects of short range correlations and final state interactions 4−15761
sum rule formulation using single particle approximation for nuclear current *(Russian)* 4−15771
(e,e) scattering and muonic atom techniques for magnetism and charge determs. 4−31225
(e,e'), anal. of resonance reactions, reactions on vibrational and rotational nuclei, and nuclear charge 4−31350
(e,e') giant monopole reson., excitation energy 4−5791
Ag(e,e'), 1.2 GeV, quasielastic cross-section meas., 20-35° *(Russian)* 4−31348
^{40}Ar(e,e) 248 MeV, ^{40}Ar charge distrib. from phenomenological and model independent anal. 4−27305
^{9}Be, E=35 to 90 MeV, cross section for magnetic scattering 4−5783
^{9}Be(e,e), charge and current distrib. determ. for 1p shell nuclei 4−27307
Be(e,e'), 1.2 GeV, quasielastic cross-section meas., 20-35° *(Russian)* 4−31348
C electrodisintegration, study using nitrocellulose track detector *(French)* 4−30583
^{12}C, E=35 to 90 MeV, cross section for magnetic scattering 4−5783
^{12}C, form factors and α-particle description 4−5784
^{12}C, rms charge radii from relative electron scattering meas. at low energies 4−23597
^{12}C(e,e') high energy electrodisintegration, nucleon channel coupling in shell model calcs. 4−12327
^{12}C(e,e'p), removal and kinetic energies of protons 4−5785
^{12}C(e,e'p)^{11}B, DWBA anal. using spherical Hartree-Foch wave functions 4−27308
^{12}C(e,e) elastic scattering, charge distrib. determ. *(German)* 4−23594
^{12}C(e,e) meas. of ratio G_e/G_m of p form factors at very low momentum transfer 4−12329
^{13}C(e,e), charge and current distrib. determ. for 1p shell nuclei 4−27307
^{40}Ca, excitation of giant resonances in e and p scattering 4−39984
^{40}Ca(e,e'), form factors, 3^-, 5^- excitations, transition densities, scatt. calcs. 4−626
^{40}Ca(e,e'p), removal and kinetic energies of protons 4−5785
^{110}Cd, E$\leqslant$130 MeV, cross section 4−5788
^{112}Cd, E$\leqslant$130 MeV, cross section 4−5788
^{114}Cd, E$\leqslant$130 MeV, cross section 4−5788
^{116}Cd, E$\leqslant$130 MeV, cross section 4−5788
^{59}Co, charge distrib. changes 4−5786
Cu isotopes, charge distrib. changes 4−5786
Cu(e,e'), 1.2 GeV, quasielastic cross-section meas., 20-35° *(Russian)* 4−31348
^{166}Er, rotational, deformed charge distribs. 4−5706
Fe isotopes, charge distrib. changes 4−5786
^{1}H(e,e), 150 to 275 MeV, proton e.m. form factors at low four momentum transfer 4−39993
^{1}H(e,e), meas. of ratio G_e/G_m of p form factors at very low momentum transfer 4−12329
^{1}H(e,e), meas. of ratio of deuteron to proton electric form factors 4−9146
^{2}H, charge and magnetic form factors and electrodisintegration 4−23668
^{2}H elastic, neutron electric form factor 4−5782
^{2}H electrodisintegration, cross section and proton angular distrib. 4−39995
^{2}H(e,e'n), 4 to 11 MeV, ratio of photodisintegration to electrodisintegration yields 4−27306
^{2}H(e,e), contributions to e.m. form factors from isobar considerations using nonrelativistic calcs. 4−12328
^{2}H(e,e), meas. of ratio of deuteron to proton electric form factors 4−9146
^{2}H(e,e)^{2}H, relativistic corrections 4−2857
^{2}H(e,e)^{2}H elastic scattering, tensor polarisation, deuteron wave function at small distances 4−27309
^{2}H(e,en)^{1}H, impulse approx. cross section determ. in meson exchange current anal. 4−15767
^{2}H(e,p)e'n at 30 to 107 MeV, differential cross section and p. ang. distrib. meas. 4−15768
^{3}H, charge and magnetic form factors and electrodisintegration 4−23668
^{2}He(e,p)ne' coincidence counting technique study, determ. of differential cross sections for energies up to 100 MeV *(Russian)* 4−618
^{3}He, charge and magnetic form factors and electrodisintegration 4−23668
^{3}He(e,e'p)^{2}H, reaction cross section calc. taking into account interaction at final state *(Russian)* 4−19389
^{3}He(e,e), determ. of charge form factors from three-nucleon calcs. 4−12193
^{3}He(e,e)^{3}He, relativistic corrections 4−2857
^{3}He(e,pd)e', coincidence counting technique study, determ. of differential cross sections for energies up to 100 MeV *(Russian)* 4−618
^{3}He(e,pp)ne', coincidence counting technique study, determ. of differential cross sections for energies up to 100 MeV *(Russian)* 4−618
^{4}He, charge and magnetic form factors and electrodisintegration 4−23668
^{4}He(e,e'p)^{3}H, 1187 MeV, p binding energy determ. 4−39994
^{4}He(e,e)^{3}He, relativistic corrections 4−2857
^{6}Li, energy calcs. from form factor considering short-range correlations 4−27239
^{6}Li, inelastic scattering, solar-neutrino related M1 transition 4−25901
^{6}Li(e,e'p)^{5}He, high energies, anal. of ^{6}Li α-d structure in cluster model *(Russian)* 4−31349
^{6}Li(e,e), charge and current distrib. determ. for 1p shell nuclei 4−27307
^{7}Li electrodisintegration, alpha-triton oscillator cluster wave functions 4−15770
^{7}Li(e,e'p)^{6}He, 1200 MeV, proton ang. distrib., 1s, 1p shell parameters 4−39992

nuclear reactions and scattering due to electrons continued
^{7}Li(e,e), charge and current distrib. determ. for 1p shell nuclei 4−27307
^{26}Mg, 6.8 to 11.0 MeV, excited states 4−9116
^{92}Mo, charge distrib. analysis, r.m.s. radius 4−5789
^{92}Mo(e,e), at 25 to 120 MeV determ. of nuclear charge distrib. of N=50 isotones 4−15765
^{14}N(e$^-$,ν)^{14}C(α,γ)^{18}O, destruction of ^{14}N in electron degenerate matter 4−5780
^{a}Nd A=142,146,150, elastic electron scatt., 30-80 MeV, charge distrib., skin thickness 4−31346
Nd(e,e), for A=142, 146, 150 at 42, and 60 MeV, search for dispersive effects 4−12325
^{20}Ne, ^{22}Ne, inelastic electron scatt. from low lying excited states 4−5779
^{20}Ne, form factors and α-particle description 4−5784
Ni isotopes, charge distrib. changes 4−5786
^{58}Ni(e,e'p), removal and kinetic energies of protons 4−5785
^{60}Ni(e,e') 25 to 250 MeV, cross section, meas. transition densities determ. 4−15769
^{16}O, π electroproduction, final state interaction from nuclei new threshold 4−9145
^{16}O(e, e'), E=101-126 MeV, positive parity levels, form factors 4−5712
^{16}O(e,e'), e.m. form factors of 2^+ (9.85 MeV) and 4^+ (10.34 MeV) states 4−2760
^{208}Pb, elastic, determ. of charge distrib. 4−5707
^{208}Pb, M1 transitions 4−5755
^{208}Pb(e,e'), form factors, 3^- excitation, transition densities, scatt. calcs. 4−626
^{208}Pb(e,e') E<35 MeV giant resonance excitation 4−5790
^{208}Pb(e,e)^{208}Pb as test of charge distrib., theory and experiment 4−12324
^{32}S(e,e) elastic scattering, charge distrib. determ. *(German)* 4−23594
^{28}Si(e, e') at 100 to 200 MeV, excitation of level complexes and form factor determ. 4−2865
^{28}Si(e,e'p), removal and kinetic energies of protons 4−5785
^{148}Sm, 40 to 65 MeV, dispersive effects 4−9148
^{150}Sm, 40 to 65 MeV, dispersive effects 4−9148
^{152}Sm, 40 to 65 MeV, dispersive effects 4−9148
Sm(e,e) for A=148, 150, 152 at 42, and 60 MeV, search for dispersive effects 4−12325
^{120}Sn(e,e'), form factors, 2^+, 3^- excitations, transition densities, scatt. calcs. 4−626
^{88}Sr, charge distrib. analysis, r.m.s. radius 4−5789
^{88}Sr(e,e'p), 14 to 30 MeV, isobaric analogue resonance 4−36183
^{88}Sr(e,e), at 25 to 120 MeV determ. of nuclear charge distrib. of N=50 isotones 4−15765
^{232}Th, rotational, deformed charge distribs. 4−5706
^{232}Th(e,f), 8 to 30 MeV, fission fragment ang. distrib. meas. 4−23736
^{238}U, electrofission, fragment energy 4−5855
^{238}U, rotational, deformed charge distribs. 4−5706
^{184}W, 40 to 65 MeV, dispersive effects 4−9148
^{184}W(e,e) at 42 to 65 MeV, cross section meas. and dispersion effect search 4−15766
^{186}W, 40 to 65 MeV, dispersive effects 4−9148
^{186}W(e,e) at 42 to 65 MeV, cross section meas. and dispersion effect search 4−15766
^{89}Y, charge distrib. analysis, r.m.s. radius 4−5789
^{89}Y(e,e'p), 14 to 30 MeV, isobaric analogue resonance 4−36183
^{89}Y(e,e), at 25 to 120 MeV determ. of nuclear charge distrib. of N=50 isotones 4−15765
Zn isotopes, charge distrib. changes 4−5786
^{90}Zr, charge distrib. analysis, r.m.s. radius 4−5789
^{90}Zr, M1 transitions 4−5755
^{90}Zr(e,e'p), 14 to 30 MeV, isobaric analogue resonance 4−36183
^{90}Zr(e,e'p) ^{89}Y, 21 MeV, photoproton spectra and core excitation model 4−31339
^{90}Zr(e,e'), 25 to 250 MeV, cross-section meas. transition densities determ. 4−15769
^{90}Zr(e,e), at 25 to 120 MeV determ. of nuclear charge distrib. of N=50 isotones 4−15765
^{91}Zr(e,e'P)^{90}Y, 21 MeV, photoproton spectra and core excitation model 4−31339

nuclear reactions and scattering due to gamma-rays *see nuclear reactions and scattering due to photons*

nuclear reactions and scattering due to heavy ions *see nuclear reactions and scattering due to nuclei of Z>2*

nuclear reactions and scattering due to helium-3
elastic scattering, anal. of target spin effects using optical model 4−9227
elastic scattering, optical potentials 4−12363
inelastic scattering, 71 MeV, on A=27-209 targets, obs. of giant quadrupole state 4−15899
multinucleon transfer reactions, Z>N nuclei study 4−9244
optical model potential from A>40, E<40 MeV elastic scattering 4−19496
quasi-free scattering reactions, Eckart cluster model for absolute cross sections 4−9207
relativistic energies, absorption and partial production cross sections 4−23696
^{38}Ar(^{3}He,n)^{40}Ca, two-particle two-hole 0^+ states in ^{40}Ca 4−12174
^{197}Au(^{3}He,pd)^{197}Au, peripheral dissoc. of ^{3}He, p-d scatt. 4−27344
^{197}Au(^{3}He,γp,xn), 75 MeV, hybrid model for excitation functions 4−9241
^{9}Be(^{3}He,^{3}He), 18 to 20 MeV, anal. of polarisation and cross-section ang. distribs. 4−19526
^{9}Be(^{3}He,α)^{8}Be, 3-10 MeV energy, final state α-spectra 4−27347
^{9}Be(^{3}He,γ)^{12}C, 3 to 26 MeV, anal. of resonant structure 4−31398
^{9}Be(^{3}He,n) E=23 MeV, produced radiation quality 4−8248
^{12}C, radiative capture 4−5829
^{12}C(^{3}He,^{3}He), 18 to 20 MeV, anal. of polarisation and cross-section ang. distribs. 4−19526
^{12}C(^{3}He,^{3}He), 217 MeV elastic scattering, Glauber approx. 4−15736
^{12}C(^{3}He,^{7}Be), 25.5 to 30 MeV, finite range coupled channels anal. 4−9238
^{12}C(^{3}He,^{7}Be)^{8}Be, FRDWBA anal. of 0^+ to 0^+ ground state transitions 4−9237

nuclear reactions and scattering due to helium-3 continued
^{12}C(^{3}He,α)^{11}C, 217 MeV, DWBA anal. and optical model parameters 4−2937
^{12}C(^{3}He,n)^{14}O, 3 to 5 MeV, n polarisation meas. 4−19376
^{12}C(^{3}He,p)^{14}N, 2.4 to 3.6 MeV, p polarisation meas. R-matrix theory anal. 4−19528
^{12}C(^{3}He,p)^{14}N*(p′)^{13}C, 12 to 14 MeV, ang. correlation anal. of p decay of ^{14}N states 4−31399
^{13}C(^{3}He,γ)^{16}O, 3 to 16 Mev, anal. of resonant structure 4−31398
Ca, inelastic scattering to low lying O^{+} states at 29 MeV 4−5826
^{40}Ca(^{3}He,^{3}He)^{40}Ca, 51.4 and 80 MeV, microscopic helion optical potential 4−2921
^{40}Ca(^{3}He,^{7}Be)^{36}Ar, FRDWBA anal. of 0^{+} to 0^{+} ground state transitions 4−9237
^{40}Ca(^{3}He,2p)^{41}Ca, 14.5 and 18 MeV, ^{41}Ca high-spin states 4−5710
^{40}Ca(^{3}He,α)^{39}Ca, 20 MeV, study of particle hole multiplets in ^{40}Ca 4−2938
^{40}Ca(^{3}He,$\alpha\gamma$)^{39}Ca, energy levels, lifetime, ^{39}Ca 4−12267
^{40}Ca(^{3}He,n)^{42}Ti, 8.0 MeV, e.m transitions in ^{42}Ti 4−15697
^{41}Ca(^{3}He,α)^{40}Ca, 20 MeV, study of particle hole multiplets in ^{40}Ca 4−2938
^{42}Ca(^{3}He,$\alpha\gamma$)^{41}Ca, 18 MeV, gamma-ray spectra, excitation of 3.62 MeV doublet 4−19291
^{42}Ca(τ,p)^{44}Sc, 35 MeV, $f_{7/2}^{4}$ levels of ^{44}Sc rel. to those of ^{52}Mn 4−12172
^{42}Ca(τ,p)^{44}Sc, 35 MeV, shell model analysis of analogue states of ^{44}Sc *(French)* 4−12365
^{50}Cr(^{3}He,^{2}He) at 41 MeV, spin parity and transition strength assignments 4−15628
^{50}Cr(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{50}Cr(τ,p)^{52}Mn, 35 MeV, $f_{7/2}^{4}$ levels of ^{52}Mn rel. to those of ^{44}Sc 4−12172
^{50}Cr(τ,p)^{52}Mn, 35 MeV, shell model analysis of analogue states of ^{52}Mn *(French)* 4−12365
^{63}Cu(^{3}He,α)^{62}Cu, 18 MeV, ^{62}Cu nuclear spectroscopy 4−9067
^{19}F(^{3}He,d)^{20}Ne, 20-23 MeV, angular distrib. and excitation function, collective model analysis 4−9231
^{54}Fe(^{3}He,nγ)^{56}Ni, Doppler-shift attenuation method of ^{56}Ni e.m. transition rates 4−12253
^{154}Gd(^{3}He,α)^{153}Gd, energy levels of ^{153}Gd 4−5709
^{a}Ge(^{3}He,d), A=70, 72, 74, 76, 23 MeV, high energy resolution study of As odd-even isotopes 4−9077
^{1}H(^{3}He,pd)^{1}H, break-up angular distribs., reaction mechanism 4−15897
^{1}H(^{3}He,pp)^{2}H, 69 MeV, purity of p-p final state interaction T-matrix factorization 4−15896
^{1}H(^{3}He,pp)^{2}H, break-up angular distribs., reaction mechanism 4−15897
^{2}H + ^{3}He, quasifree processes at 27 MeV 4−15857
^{2}H(^{3}He,^{3}H p)p, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
^{2}H(^{3}He,^{3}He p)n, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
^{2}H(^{3}He,p)pt, final state interaction of three-particle reactions, level struct. of ^{4}He, ^{5}He, ^{5}Li 4−27240
^{3}H + ^{3}He, quasifree processes at 50 MeV 4−15857
^{3}H(^{3}He, ^{4}He)^{2}H, 16 MeV, test of isospin conservation by comparison with ^{3}He(^{3}He, ^{4}He)2p 4−31400
^{3}H(^{3}He,n)^{3}Li, 2.70 and 3.55 MeV, angular distribs. and neutron polarisation 4−15903
(^{3}He, ^{6}He) multinucleon transfer reactions, Z>N nuclei study 4−9244
(^{3}He,α) mechanism and spectroscopic factors, optical model anal. *(Roumanian)* 4−19522
(^{3}He,α) reactions, deexcitation by α emission before statistical equil. *(French)* 4−23714
(^{3}He,d) analogue reaction on Zr isotopes and even Mo isotopes, analogue state obs. 4−9194
(^{3}He,d) reaction, shape transition obs. in odd-A Eu isotopes 4−406
(^{3}He,dp) analogue reaction on ^{90,92}Zr, ^{92,94}Mo, analogue state obs. 4−9194
(^{3}He,n), on ^{40}Ca to ^{60}Ni, 18 and 21 MeV, excited O^{+} states 4−9233
(^{3}He,n), on ^{9}Be to ^{14}N, ^{36,38,40,}Ar, ^{48}Ca, ^{48,50,}Ti, ^{50,52}Cr and ^{54}Fe, direct two proton transfer, 10 to 13 MeV 4−9234
(^{3}He,p) two-nucleon transfer reactions, finite range corections 4−9206
(^{3}He,t), nonorthogonality effects 4−9130
(^{3}He,t) angular distrib., comparison with ^{26}Mg(^{6}Li,^{6}He)^{26}Al 4−9079
(^{3}He,t) reactions, DWBA anal. of quadratic spin orbit effects 4−19531
^{3}He(^{3}He, ^{4}He)2p, 16 MeV, test of isospin conservation by comparison with ^{3}H(^{3}He, ^{4}He)^{2}H 4−31400
^{3}He(^{3}He,2p)^{4}He, existence of resonance rel. to solar neutrino problem 4−29788
^{3}He(^{3}He,γ)^{6}Be, 12 to 27 MeV, resonant structure obs. 4−27338
^{3}He(^{3}He,pp)^{4}He, cross section meas., search for resonance in $14 < E_{cm}(\mathrm{keV}) < 30$ region, reln. to solar neutrino problem 4−15900
^{3}He(^{3}He,pp)^{4}He, extrapolation to very low energies using DWBA, nuclear distortion effects 4−15901
^{4}He + ^{3}He elastic scattering, odd-even features in effective interaction 4−15753
^{4}He(^{3}He, $\alpha\alpha$)γ, 7.4 MeV, bremsstrahlung cross sections 4−19519
^{4}He(^{3}He,^{3}He)^{4}He, 8.3-13.0 MeV, absolute polarisation meas. 4−19495
^{177}Hf(^{3}He,α)^{176}Hf, high-K bands in ^{176}Hf 4−5748
^{165}Ho(^{4}He,d), 35.6 MeV, DWBA anal. of rotation bands in ^{166}Er 4−31401
^{129}I(^{3}He,d), determ. of energy spectra and spectroscopic factors in collective model 4−12223
^{41}K(^{3}He,d)^{42}Ca, 20 and 23 MeV, spectroscopic factor determ. by DWBA analysis 4−12164
^{6}Li(^{3}He,p)^{8}Be, 1.4 to 2.0 MeV, p polarisation meas. 4−19525
^{6}Li(^{3}He t), 46.3 MeV, search for Be* resonant final state, reln. to solar neutrino puzzle 4−9209
^{7}Li(^{3}He,p)^{9}Be reaction, 3.2, 4.5, 10 MeV, cluster-transfer analysis 4−655
^{175}Lu(^{3}He,d)^{176}Hf, high-K bands in ^{176}Hf 4−5748
^{24}Mg(^{3}He,^{7}Be)^{20}Ne, 25.5 to 30 MeV, finite range coupled channels anal. 4−9238

nuclear reactions and scattering due to helium-3 continued
^{24}Mg(^{3}He,d)^{25}Al, states of ^{25}Al up to 7.8 MeV excitation and mass of ^{25}Al 4−12165
^{55}Mn(^{3}He,α), α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
^{96}Mo(^{3}He, d)^{97}Tc, deuteron spectra obs. using 35.4 MeV ^{3}He beam 4−5823
^{14}N(^{3}He, d)^{15}O, ^{14}N ground state magnetic moment from sum rules 4−2753
^{14}N(^{3}He,n)^{16}F, identification of new energy levels in ^{16}F 4−9066
^{15}N(^{3}He,^{3}He)^{15}N, 16.5-37.7 MeV, 15°-127°, differential cross-sections, optical model 4−2922
^{15}N(^{3}He,t)^{15}O, 16.5-37.7 MeV, 15°-127°, differential cross-sections, optical model 4−2922
^{20}Ne, confirmation of hexadecapole deform. from scatt., E=68 MeV 4−36104
^{20}Ne(^{3}He,^{7}Be)^{16}O, FRDWBA anal. of 0^{+} to 0^{+} ground state transitions 4−9237
^{20}Ne(^{3}He,n)^{22}Mg, 2.6 to 40 MeV, excitation functions and didfferential cross-section meas. 4−27337
Ni(^{3}He,d), 18 MeV, meas. cross section, study of Cu isotopes 4−2936
^{62}Ni(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{62}Ni(^{3}He,t)^{62}Cu, 18 MeV, ^{62}Cu nuclear spectroscopy 4−9067
^{16}O, radiative capture 4−5829
^{16}O(^{3}He,^{3}He), 18 to 20 MeV, anal. of polarisation and cross-section ang. distribs. 4−19526
^{16}O(^{3}He,^{7}Be), 25.5 to 30 MeV, finite range coupled channels anal. 4−9238
^{16}O(^{3}He,^{7}Be)^{12}C, FRDWBA anal. of 0^{+} to 0^{+} ground state transitions 4−9237
^{16}O(^{3}He,α)^{15}O, 217 MeV, DWBA anal. and optical model parameters 4−2937
^{16}O(^{3}He,n)^{18}Ne, 10-20 MeV, spin and parity of 4.5 MeV doublet states, $S_{1/2}^{2}$ config. 4−39939
^{17}O(^{3}He,nγ)^{19}Ne, 3.0, 4.0, 5.0 MeV ^{19}Ne deduced levels, γ-branching 4−582
^{18}O(^{3}He, p)^{20}F, spin and parity of ^{20}F levels 4−9058
^{108}Pd(^{3}He,d), 27 MeV, ^{109}Ag nuclear spectroscopy meas. 4−23607
Sb, production of ^{121}I, ^{123}I and ^{124}I, at 30 MeV, excitation function determ. 4−654
^{28}Si(^{3}He, α)^{27}Si at 13 to 15 MeV, ang. correlation meas. on levels in ^{27}Si 4−12155
^{28}Si(^{3}He, p)^{30}P, 2.9 to 4.25 MeV, determ. of excitation functions for ^{30}P states 4−2920
^{28}Si(^{3}He,3n), 29 to 80 Me, search for β-delayed protons 4−9236
^{28}Si(^{3}He,α,2n)^{25}Si, 52 and 80 MeV, search for β-delayed protons 4−9236
^{28}Si(^{3}He,p)^{30}P, 28 MeV, differential cross section 4−9232
^{29}Si(^{3}He,d)^{30}P at 15 MeV, anal. of excited states in ^{30}P 4−12156
^{29}Si(^{3}He,p)^{31}P, 26 MeV, differential cross section 4−9232
^{30}Si(^{3}He,p)^{32}P, 28 MeV, differential cross section 4−9232
^{144}Sm(^{3}He,^{3}He)^{144}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{148}Sm(^{3}He,^{3}He)^{148}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{150}Sm(^{3}He,^{3}He)^{150}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{152}Sm(^{3}He,^{3}He)^{152}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{154}Sm(^{3}He,^{3}He)^{154}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{86}Sr(^{3}He,α)^{85}Sr mechanism and spectroscopic factors, optical model anal. *(Roumanian)* 4−19522
^{181}Ta(^{3}He,yp,xn), 75 MeV, hybrid model for excitation functions 4−9241
^{232}Th(^{3}He,d) reaction, level scheme of ^{233}Pa 4−467
^{46}Ti, ^{48}Ti, 29 MeV inelastic scattering, monopole transitions 4−657
^{46}Ti(^{3}He, p)^{48}V, 17 MeV, proton angular distrib. excitation of 1^{+} states 4−19292
^{48}Ti, inelastic scattering to low lying O^{+} states at 29 MeV 4−5826
^{49}Ti(^{3}He,d), 22 MeV, ^{50}V energy levels, comparison with shell model calc. 4−15623
^{51}V(^{3}He,d)^{52}Cr, angular distribs. for states up to 7 MeV excitation, DWBA theory 4−9229
^{182}W(^{3}He,^{4}He), effects of hexadecapole deformations on $i_{13/2}$ orbits and pickup cross-sections 4−39989
^{a}Zn(^{3}He,d), A=64, 66, 68, 70, DWBA analysis, spectroscopic strengths 4−31402
^{64}Zn(^{3}He,n)^{66}Ge, 18 and 21 MeV, excited O^{+} states 4−9233
Zr(^{3}He,d), A=90 to 96 at 30 MeV anal. of stripping to unbound analogue states in Nb isotopes 4−15889
^{90}Zr(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{90}Zr(^{3}He^{3}He)^{90}Zr, 29.8 MeV, microscopic helion optical potential 4−2921
^{91}Zr(τ,t)^{91}Nb, 24.5 MeV, charge exchange reaction, decay p spectra meas. 4−27340
^{96}Zr(^{3}He,d)^{97}Nb, 22 MeV, DWBA analysis of angular distrib. 4−12166

nuclear reactions and scattering due to hyperons
γ quantum emission, ang. distrib., Glauber theory 4−39968

nuclear reactions and scattering due to mesons
A=6 π^{-} capture rate, structure and transition probabilities 4−31239
elastic low-energy scattering, amplitudes from sum rules, $SU_3 \otimes SU_3$ algebra, PCAC 4−2982
emulsion bombardment with 5.0 GeV/c μ^{+} beam, inelastic interactions study 4−31351
few particle system research at LAMPF 4−23722
Goldstone excitation in coupled pion-nucleon system, pion polarisation function 4−15914
photoemulsion layers, light nuclei and hydrogen conc. depend. *(Russian)* 4−30582
photoemulsion stacks, obs. of interactions along particle trace *(Russian)* 4−35430
photoemulsion tests, nuclear interaction obs. along trace *(Russian)* 4−35429
weak interactions with few nucleon systems, meson and nucleon-isobar effects 4−23667

nuclear reactions and scattering due to mesons continued
γ quantum emission, ang. distrib., Glauber theory 4−39968
K producing π+strangeness analogue state, SU(3) invariant optical potential 4−15917
K scattering by very light nuclei, review 4−23723
K$^-$, double strange exchange in nuclear emulsions, 1.5 BeV/c 4−23563
K$^-$ beam excitation of light nuclei, obs. of hypernuclei transitions 4−566
K$^-$ captures in emulsion nuclei, determination of neutron/proton ratio on surface of nuclei 4−36147
K$^-$ induced strangeness exchange reactions, collective hypernuclear state excitation 4−19328
K$^-$ interaction with emulsion nuclei, hypernuclei prod., hammer tracks 4−31281
K$^-$ irradiation of emulsion 1.5 GeV/c, black track identification for residual excited light nuclei 4−30565
K$^-$ irradiation of nuclear emulsion, Σ hyperon absorption characteristics 4−31420
(π,π), elastic and inelastic, nuclear structure information 4−31418
π, induced nucleon knockout, 180 MeV, two-step resonance model 4−15926
π induced reactions, microscopic description in Jastrow model 4−15925
π scattering by very light nuclei, review 4−23723
π-d scattering length, multiple scatt. calcs. 4−36232
π-nucleus Chew-Low equation for finite nuclei 4−27357
π-nucleus elastic and inelastic scattering, computation of cross sections 4−12385
π-nucleus forward scattering amplitudes, dispersion reln. anal. 4−27358
π-nucleus inelastic scattering, distorted wave method for cross section calc. 4−15924
π-nucleus interactions, 9 to 15 GeV/c, coherent production of three pions optical model anal. *(German)* 4−23719
π-nucleus interactions, determ. of total effective cross sections for $K^+\pi^+\pi^-$ system production *(German)* 4−23720
π-nucleus interactions, Lorentz-Lorenz effect in optical potential 4−12388
π-nucleus low energy interaction, Pauli effects 4−27361
π-nucleus low-energy optical potential (Ericson-Ericson), effect of correlation length 4−667
π-nucleus scattering, Pauli suppression factor effects in optical potential 4−19543
π-nucleus scattering, quenching in basic πN amplitude 4−40044
π-nucleus scattering in Glauber theory, effects of spin and isospin degrees of freedom 4−9309
π^-, 220 MeV reaction with $A \leqslant 51$ nuclei, multinucleon removal 4−27360
π^- capture, quasifree two body model 4−2984
π^+ absorption by C nuclei, 130 MeV 4−668
$\pi^\pm$ reactions on ^{6}Li, ^{7}Li, ^{9}Be, C and O, 90-860 MeV obs. and comparison with Kisslinger and local optical potentials 4−40045
πN resonant scattering, correction to nucleon, pion propagators, calc. 4−15918
$\pi^+\pi^+\pi^-$ system production on light nuclei at 4 GeV 4−19540
Ag(K$^-$,f), 10.1 GeV/c, obs. in nuclear emulsion 4−31434
^{27}Al, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{40}Ar$(\pi^-,\pi^-p)^{39}$Cl, 0.08-2.0 GeV, excitation function calc. 4−15916
^{9}Be, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{9}Be comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
Br(K$^-$,f), 10.1 GeV/c, obs. in nuclear emulsion 4−31434
^{12}C, comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
^{12}C, π inelastic scattering, distorted wave method for cross section calc. 4−15924
^{12}C, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{12}C-π scattering, elastic and inelastic, cross section computation and anal. of ^{12}C low lying states 4−12385
^{12}C+π, 120 to 280 MeV, local first order optical potential 4−31419
^{12}C$(K^-, \pi^-)^{12}C_\Lambda$, 390 MeV/c, hypernucleus excitation spectrum 4−15928
^{12}C$(P,\pi)^{12}$C forward scattering amplitudes, dispersion reln. anal. 4−27358
^{12}C$(\pi, 3\pi)^{12}$C* coherent particle production, excitation of discrete nuclear levels 4−36231
^{12}C$(\pi, \pi)^{12}$C, forward scattering amplitude determ. using dispersion relns. 4−23721
^{12}C(π,π), three-body effects in optical potential in (3,3) resonance region 4−36229
^{12}C$(\pi^-, 2p+\text{anything})$, 4 and 7.5 GeV/c proton pairing correlations 4−27364
^{12}C$(\pi^-, \pi^-n)^{11}$C, 30-90 MeV knockout reaction, cross section, impulse model 4−19542
^{12}C$(\pi^-, \rho^0)^{12}$C, 3.72 GeV/c, for ρN total cross section *(Russian)* 4−36234
^{12}C$(\pi^-,\pi^-)^{12}$C, 180 MeV, Glauber approx. calc. of differential cross section, harmonic oscillator boson model 4−15919
^{12}C$(\pi^-,\pi^-n)^{11}$C, 0.08-2.0 GeV, excitation function calc. 4−15916
^{12}C$(\pi^+, \pi^+n+\pi^0p)^{11}$C, 30-90 MeV knockout reaction, cross section, impulse model 4−19542
^{12}C$(\pi^+, \pi N)^{11}$C, 134-200 MeV, cross section meas. in 3/2, 3/2 resonance region 4−9308
^{12}C$(\pi^+,\pi^+n)^{11}$C, 0.08-2.0 GeV, excitation function calc. 4−15916
^{13}C$(\pi^+, \pi^0)^{13}$N, charge exchange scatt. exchange terms from Glauber model 4−36228
^{13}C$(\pi^+, \pi^0)^{13}$N, Glauber model analysis 4−31416
^{16}C$(\pi^-, 2n)$, three-body problem anal. using Faddeev eqns. 4−27359
C(π^+, π^+p), 60 and 112 MeV, reactions at small momentum transfer, cross sections and ang. distrib. pole mechanism *(Russian)* 4−15922
^{65}Cu$(\pi^-,\pi^-n)^{64}$Cu, 0.08-2.0 GeV, excitation function calc. 4−15916
^{19}F$(\pi^-,\pi^-n)^{18}$F, 0.08-2.0 GeV, excitation function calc. 4−15916
^{19}F$(\pi^+, \pi N)^{18}$F, 134-200 MeV, cross section meas. in 3/2, 3/2 resonance region 4−9308

nuclear reactions and scattering due to mesons continued
H$_2$ capture of π^-, interception damping effect *(Russian)* 4−36235
^{2}H-π scattering with spin at 100 MeV, amplitude calc. *(Russian)* 4−15921
^{2}H(π,π^1), exclusion principle effects near 3,3 resonance 4−19545
^{2}H$(\pi,\pi)^2$H, low energy, two body t matrix representation 4−31417
^{3}He, π^- absorption, 50-150 MeV photon spectra 4−23724
^{3}He, π^- capture rate, Eckstein model 4−23726
^{3}He(π^-, π^+) nnn, double charge exchange, non-resonant mechanics 4−499
^{4}He, comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
^{4}He, π^- capture rate, Eckstein model 4−23726
^{4}He, π^+ induced elastic and inelastic processes at 115 and 150 MeV 4−23725
^{4}He$(\pi, \pi)^4$He, forward scattering amplitude determ. using dispersion relns. 4−23721
^{4}He$(\pi,\pi)^4$He forward scattering amplitudes, dispersion reln. anal. 4−27358
^{4}He(π^-, γ), translational invariant oscillator basis anal. *(Russian)* 4−31272
^{4}He(π^-,nd), capture reactions, meas. of energies and opening angles for emitted pairs 4−12384
^{4}He(π^-,np), capture reactions, meas. of energies and opening angles for emitted pairs 4−12384
^{4}He$(\pi^\pm, \pi^\pm)^4$He, 24-180 MeV, phase shift analysis by accelerated convergence expansion 4−15920
^{11}He$(\pi^-\pi^-)^{11}$He, medium and high energy, Glauber multiple scattering series 4−2715
^{6}Li, ^{7}Li, comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
^{6}Li, π^- absorption, 50-150 MeV photon spectra 4−23724
^{6}Li$(\pi, \pi)^6$Li, forward scattering amplitude determ. using dispersion relns. 4−23721
^{6}Li(π,γ), 50-150 MeV gamma-ray spectrum, branching ratios to ^{6}He states 4−19541
^{6}Li$(\pi,\pi)^6$Li forward scattering amplitudes, dispersion reln. anal. 4−27358
^{6}Li(π^-, nn), calc. of recoil momentum distrib. using cluter model 4−36230
^{6}Li$(\pi^-, \nu)^6$He, partial radiative capture rate calc., impulse approximation 4−15915
^{6}Li$(\pi^+,2p)$, 0-100 MeV, s-wave pions, structure probe 4−23727
^{14}N$(\pi^+,2p)3\alpha$, 80 to 112 MeV, cross section meas., Treiman-Yang anal. 4−27363
^{60}Ni, 500 MeV/c π^- interactions, gamma-ray spectra, reaction mechanism 4−12386
^{60}Ni, fast π^- interactions, α-particle removal, meas. of prompt γ-ray spectra 4−15927
^{16}O, π inelastic scattering, distorted wave method for cross section calc. 4−15924
^{16}O, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{32}S, comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
^{28}Si, 500 MeV/c π^- interactions, gamma-ray spectra, reaction mechanism 4−12386
^{181}Ta$(\pi^-,\pi^-n)^{180}$Ta, 0.08-2.0 GeV, excitation function calc. 4−15916
Xe+π, GeV region, quasifree interactions statistical interpretation *(Russian)* 4−36233

nuclear reactions and scattering due to muons
cosmic ray, e.m. interactions in iron, 5-100 GeV/c, charge asymmetry study 4−38590
emulsion nuclei, interactions of high energy muons, suitability for nuclear structure stidies 4−8444
shadowing in inelastic lepton scattering from complex nuclei, optical model 4−15500
μ^-, interaction with fissile elements 4−5862
$\mu^\pm$-nucleus collisions, charge asymmetry as test for neutral weak current 4−35969
^{40}Ca, muon capture, emitted neutron longit. polarisation calc. 4−19387
^{4}He(μ^-, γ), translational invariant oscillator basis anal. *(Russian)* 4−31272
^{127}I (μ^-, n) at 1.6 to 9.6 MeV, neutron spectra meas. 4−2866
^{14}N, muon capture, excitation and decay of ^{14}C giant resonance 4−2864
^{16}O, calc. of nuclear reactions in random-phase approx. 4−12300
^{232}Th (μ^-, n) at 1.6 to 9.6 MeV, neutron spectra meas. 4−2866

nuclear reactions and scattering due to neutrinos
giant dipole resonance excitation as test for neutral currents 4−39835
stellar collapse model including neutrino-nuclear scattering from neutral current theory 4−38764
weak interactions with few nucleon systems, meson and nucleon-isobar effects 4−23667
weak neutral current study 4−31347
^{2}H$(\nu,pp)e^-$, cross sections at LAMPF energies 4−23669
^{2}H(ν_e,e^-)pp, 43 MeV, total and differential cross sections, effective range theory 4−23670

nuclear reactions and scattering due to neutrons
(n,α), α-particle detection by telescope of counters 4−14966
activation analysis of polythene 4−15044
activation analysis of pre-Chalcolithic Western Mediterranean obsidian 4−7583
cross section, data evaluation tools 4−27288
cross section file, ENDF/B, for dosimetry applications 4−31592
cross sections, review, Z=1 to Z=83, 0.025 eV to 15 MeV 4−5799
cross-section data, efficient representation on common energy mesh 4−36205
cross-section sensitivity anal. in Green's function formalism 4−31448
cross-sections, analysis using calculational model of TAPIRO reactor 4−31463
elastic scattering, 4 MeV neutrons, medium to heavy nuclei 4−19438
elastic scattering, effect of nuclear shell structure on polarisation of neutrons *(Russian)* 4−15784
elastic scattering cross-section meas. of 14.7 MeV beam on plastic scintillations detector 4−30597

nuclear reactions and scattering due to neutrons continued
fission, ambiguities of reaction widths in R-matrix parametrization 4−36241
five-nucleon system, incident beam polarisation calibration 4−12352
gas jet, radioactivity transport system, role of ethylene molecule-clusters 4−5197
graphite, neutron and secondary gamma counting rates, Monte Carlo calc. 4−31453
heavy element fission and capture meas. and calc. of integral cross-section ratios 4−27389
inelastic anisotropic scattering matrices from ENDF data 4−31451
inelastic scattering, low-energy, on even-even nuclei with $A=50$-150, 200, non-statistical effects *(Russian)* 4−23685
inosine-5 phosphates, paper electrophoresis anal. of recoil products 4−31525
isospin potential, complex and energy dependent character 4−2883
laser, γ-transitions with neutron pumping, heating problems, possibility of creation 4−35827
leakage spectra from Be, Ph, Nb, Mo, W, Ta and polyethylene spheres, transport anal. 4−23754
multigroup cross sections and transfer matrices calc. for targets with arbitrary velocity distribs. 4−31450
neutron total cross section, semi-empirical formula and interpretation for $A \geqslant 40$ 4−12349
nuclear transmission, p-wave strength function meas. and low-energy optical potential 4−31367
optical model, isospin dependence in proton, neutron scatt., reformulated pot. calc. 4−39980
polarisation in elastic neutron scattering ~1 MeV, $A=48$ to 238, rel. to optical model 4−19437
radiative capture cross sections in $N=Z$ nuclei, isospin splitting of giant dipole resonance 4−36204
radiative capture of low-energy neutrons in shell-model approach 4−9152
rare earth and heavier nuclei, neutron activation cross-sections 4−631
reactor materials, evaluation of decay scheme data 4−36363
resonance interference effects in neutron cross sections, calc. 4−19391
Saturne nuclear physics experimentation *(French)* 4−2877
spin precession, neutron, in polarized nuclear targets rel. to scattering amplitudes 4−15774
stars, nucleosynthesis mechanisms discussion , slow neutron capture *(Polish)* 4−30016
strength functions, nuclei $138 < A < 202$, from av. capture cross sections, comparison with optical model 4−39996
subthreshold fission processes, intermediate structures analysis 4−5858
superheavy nuclei production by multiple neutron capture 4−9313
thermal neutron capture by nuclei with $A=143$-193, gamma-ray and internal conversion electron spectra 4−9113
three particle scattering, exact unitary model 4−613
three-nucleon and four-nucleon system problems 4−12351
total cross section, semi-empirical formula and interpretation for $A \geqslant 40$ 4−12349
(n, charged particle) reactions, 14 MeV, identification and spectrometry of charged particles 4−30550
(n,2n) cross sections, recommended values 4−40021
(n,2n) reaction cross section calc. w.r.t. fusion reactor *(Japanese)* 4−27479
(n,α) pre-compound emission mechanism and internal cascades 4−36174
(n,f), $A=239$, 244, intermediate struct. rel. to resonance energies 4−9075
(n,f), cross section, kinetic energy distributions for ^{251}Cf and ^{255}Fm 4−31426
(n,γ), 3P size reson. struct., $60 < A < 140$, neutron strength functions, 23 ± 5 MeV 4−633
(n,γ), gamma-ray spectral anal. from statistical description 4−39356
(n,γ), isomeric state production ratios as function of neutron energy 4−427
(n,γ) reaction, population of low spin states in ^{200}Hg 4−465
(n,γ)-(d,p) correlation analysis, $A=24$ to 80 4−9222
(n,γ) channel spin interf., structure of p-states, even A nuclei 4−5720
(n,n), $A=56$, 206, intermediate struct. rel. to resonance energies 4−9075
(n,n′), inelastic scattering, 16 to 20 MeV, pre-equilibrium emission 4−9182
(n,n′), pre-equilibrium state widths, statistical calc. from absolute spectra 4−9176
(n,n′) pre-compound emission mechanism and internal cascades 4−36174
(n,p), pre-compound emission mechanism and internal cascades 4−36174
(n,p) reactions at 14.1 MeV, anal. of level density of sd shell nuclei 4−40015
(nn′), inelastic scattering, separation of pre-equilibrium and equilibrium emission 4−9179
^{176}Lu(n,γ)^{177}Lu, below 47 eV, γ-ray spectra, primary E1 transitions and spin-parity assignments 4−15708
^{235}(n,f) 0.1 to 15 eV, determ. of spins of low energy in resonances 4−15615
Al, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{27}Al(n,α)^{24}Na, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{27}Al(n,n)^{27}Al, 1.36 MeV, angular distrib., depolarisation 4−19439
^{27}Al(n,p)^{27}Mg, control expt. for gas jet radioactivity transport system 4−5197
^{241}Am, production of ^{242}Cm in fast reactor, cross-section 4−9162
^{241}Am(n$_{th}$,f), fission modes 4−5861
^{242m}Am fission, light nuclei prod., energy spectra and yields 4−5867
^{197}Au, neutron capture cross section meas., 167 eV-0.6 MeV 4−5795
^{197}Au(n,γ)^{198}Au, level scheme of ^{198}Au 4−588
^{10}B(n,α), integrated cross-section determ. by He meas. 4−36209
^{10}B(n,α)^{7}Li, reference cross-section, 0.002 to 0.15 eV, for ^{235}U(n,f), slow chopper meas. 4−12392

nuclear reactions and scattering due to neutrons continued
^{10}B(n,α)^{7}Li, use in nuclear pumping, gas lasers *(Japanese)* 4−35840
^{10}B(n,n)^{10}B, 1.5-4.4 MeV, ^{11}B energy levels 4−15627
^{10}B(n,t), cross-section meas. in fast neutron spectrum 4−36207
^{11}B(n,n), continuum shell model calc. below 10 MeV 4−9170
^{11}B(n,n)^{11}B, 2.2 to 4.5 MeV, levels, spins and parities of ^{12}B 4−15626
^{138}Ba(n,γ)^{139}Ba, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{9}Be(n,p)^{9}Li, 14.1 to 14.9 MeV, cross-section meas. for delayed n yield 4−36206
Bi, differential cross sections for small angle elastic scattering 4−5792
^{209}Bi(n,γ)^{210}Bi, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{209}Bi(n,n)^{209}Bi, 1.36 MeV, angular distrib., depolarisation 4−19439
C, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{12}C, 14.4 MeV neutron induced multiparticle breakup reactions, unstable state study 4−15814
^{12}C, 15.8 and 19.6 MeV scattering cross sections, generalised model of direct and resonant processes *(Russian)* 4−23656
^{12}C(n,α_0)^{9}Be, 14.1 MeV, DWBA anal., heavy particle stripping, knock on and pick up processes 4−39997
^{12}C(n,n′γ), obs. of low-energy γ radiation 4−40013
^{12}C(n,n), 3 to 7 MeV, n polarisation map determ. 4−19432
^{12}C(n,n) elastic and inelastic, 14 MeV polarised n, optical-model anal. 4−19433
^{12}C(n,n) elastic and inelastic, 15 MeV, n polarisation meas. 4−19434
^{12}C(n,n) resonant scattering, appl. of real Weinberg state method to ^{12}C unbound levels 4−2889
^{12}C(n,n)^{12}C, 2.63 MeV, neutron polarisation, phase shift meas. 4−15779
^{12}C(n,p), shell model anal. of high-energy peaks in cross-sections *(Russian)* 4−31377
Ca, gamma-ray production, 0.7 to 20 MeV, cross-section meas. 4−23688
^{40}Ca, total neutron cross section, shell model effects for ^{41}Ca 4−9185
^{40}Ca,(n,α), 2.4-2.9 MeV, absolute cross section meas. 4−31355
^{40}Ca(n,α)^{37}Ar, 14.1 MeV, Ang. distrib., direct reaction contrib. 4−39998
^{40}Ca(n,α)^{37}Ar, meas. of human whole body Ca 4−8182
^{40}Ca(n,γ) ground-state transition, isospin splitting of giant dipole resonance 4−36204
^{40}Ca(n,n′) at 3.52 MeV, half life determ. of ^{40}Ca first excited state 4−12247
^{114}Cd(n,n′γ), 3^{-} octupole state investigation 4−39929
^{116}Cd(n,n′γ), 3^{-} octupole state investigation 4−39929
^{116}Cd(n,p) cross section meas. at 14.7 MeV 4−5806
Cd(n,n′γ), even-even isotopes, inelastic cross-section meas., 0.5 to 1.75 MeV *(Russian)* 4−628
^{140}Ce(n,γ)^{141}Ce, 6.2-11 MeV, γ-ray spectra in giant resonance region, semi-direct capture model 4−15817
Ce(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
^{249}Cf fission, 0.5-7.0 MeV, cross section and angular anisotropy *(Russian)* 4−15933
^{35}Cl(n,γ)^{36}Cl → ^{36}Ar, in sodalite, rel. to isotopic composition of Ar 4−38247
^{37}Cl(n,γ)^{38}Cl, gamma decay scheme 4−5797
C(n,α), in cellulose nitrate track detector, dosimetry appl. *(French)* 4−30575
^{40}Cn(n,p), 2.4-2.9 MeV, absolute cross section meas. 4−31355
Co, neutron total cross-section, 3 meV to 1 eV 4−23673
^{59}Co + n total cross section, meas. of quadrupole moment by obs. of deformation effect 4−12131
^{59}Co(n,n)^{59}Co, 1.36 MeV, angular distrib., depolarisation 4−19439
^{59}Co(n,n)^{59}Co, polarized target, deformation effect in total cross section 4−19440
Cr, neutron total cross-section, 3 meV to 1 eV 4−23673
Cu, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
^{63}Cu(n,γ), capture of polarised thermal neutrons, spin assignments 4−2873
^{63}Cu(n,n)^{63}Cu, 1.36 MeV, angular distrib., depolarisation 4−19439
^{65}Cu(n,n)^{65}Cu, 1.36 MeV, angular distrib., depolarisation 4−19439
D(n,n)D, 2.6 MeV, polarised neutron, phase shift analysis, mixing parameters 4−2879
^{160}Dy(n,α)^{157}Gd, 14 and 18 MeV, pre-equilibrium and knock-on anal. 4−9180
^{161}Dy(n,α)^{158}Gd, 14 and 18 MeV, pre-equilibrium and knock-on anal. 4−9180
^{a}Er(n,γ) $A=166$-167, 170, cross sections in 5-70 keV range *(Russian)* 4−15786
^{153}Eu(n,α)^{150}Pm, 14 and 18 MeV, pre-equilibrium and knock-on anal. 4−9180
Eu(n,γ), cross section meas., 1 eV to 50 keV 4−12330
^{54}Fe, 2.9 MeV scattering, optical model and statistical theory *(Russian)* 4−23693
^{54}Fe(n,p)^{54}Mn, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{56}Fe, inelastic 14.1 MeV neutron scatt., differential cross sections, coupled-channel calcs. 4−27310
^{56}Fe(n,n′γ), 5 to 9 MeV, energy level anal. *(French)* 4−40006
^{56}Fe(n,p), 14 MeV, pre-equilibrium emission 4−9182
^{56}Fe(n,p)^{56}Mn, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{57}Fe(n,γ)^{58}Fe, capture of polarised thermal neutrons, anal. of γ-ray intensities and energies 4−2872
Fe(n,γ), cross section meas., 1 eV to 50 keV 4−12330
^{a}Gd(n,γ), $A=154$-158, 160, cross sections in 5-70 keV range *(Russian)* 4−15786
^{155}Gd(n,e)^{156}Gd reaction, conversion electron spectrum, up to 8.5 eV *(German)* 4−27274
^{155}Gd(n,γ), correlation between reduced neutron and partial radiative width 4−40014
^{157}Gd(n,γ)^{158}Gd, thermal n, γ-ray spectra, decay scheme for ^{158}Gd 4−15698
^{160}Gd, enriched, 14.7 MeV neutron irradiation, obs. of ^{160}Eu decay 4−23646

nuclear reactions and scattering due to neutrons continued

^{1}H(n, $\gamma_1\gamma_2$)^{2}H, search for doubly radiative capture of thermal neutron beam on H_2O target 4−9156
^{1}H(n,γ) radiative capture, meson-exchange effects 4−12348
^{1}H(n,γ)^{2}H, thermal neutrons, polarisation meas. for $^{3}S_1$-$^{3}S_1$ radiative transitions 4−15825
^{1}H(n,n), 16 to 21 MeV polarised n's, p polarisation meas. 4−40003
^{1}H(n,n)^{1}H, 16.2 MeV, polarisation meas. using T(d,n)^{4}He neutron source 4−15821
^{1}H(n,n)^{1}H, 21.6 MeV, polarisation meas. using directional dependence of scintillation pulse shapes from anthracene crystal 4−15822
^{1}H(n,n)^{1}H 32 MeV, polarisation meas. by scattering asymmetry obs. for D-T reaction neutrons 4−15823
^{1}H(n,n)^{1}H differential cross section, 14.1 MeV 4−40000
^{1}H(n,nγ)^{1}H, 130 MeV, double differential cross section, and bremsstrahlung meas. 4−15782
^{1}H(n,np), 130 MeV, cross-section meas. 4−15781
^{2}H, breakup calculations, Amado model 4−612
^{2}H, n scattering, determ. of phase shifts for states with high relative orbital ang. momentum 4−12340
^{2}H, total cross section in 1.0-1000 keV range 4−9158
^{2}H break-up, anal. of sensitivity to details of nuclear force 4−27244
^{2}H breakup, separable potentials 4−608
^{2}H(n, 2n), 14.2 MeV, NN final state interaction determ. 4−36191
^{2}H(n, 2n)p, quasi-free scatt. peak shape, deuteron dilation effect 4−36202
^{2}H(n, np) at $\nu_n=0°$, differential cross section, final state interaction 4−19420
^{2}H(n,2n)p, 14 MeV, system for two-neutron detection in three-particle final state 4−27321
^{2}H(n,2n)p, near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
^{2}H(n,γ), low energies, three-nucleon reaction problems 4−499
^{2}H(n,n), 22.7 MeV, sensitivity of scattering states to NN interaction 4−31358
^{2}H(n,n), 2.2 to 7.8 MeV, accurate polarisation data, 120° c.m. 4−36185
^{2}H(n,n) elastic and inelastic, 14 MeV polarised n, optical-model anal. 4−19433
^{2}H(n,n)^{2}H, 14.1 MeV elastic scattering, differential cross section 4−15795
^{2}H(n,n)^{2}H, 24.0 and 27.2 MeV, angular distributions and cross sections 4−9155
^{2}H(n,n)^{2}H, 2.45 MeV, doublet phases and depolarisation factor from phase shift anal. *(French)* 4−23678
^{2}H(n,n)^{2}H, 2.6 MeV elastic scattering, angular dependence of neutron polarisation 4−15826
^{2}H(n,n)^{2}H, 7.89 MeV polarised neutrons, ang. distrib. analysing power and phase-shift anal. 4−19427
^{2}H(n,n)^{2}H, differential cross section for elastic scattering at 128 MeV 4−15792
^{2}H(n,n)^{2}H, differential elastic scattering cross section, 15-18 MeV 4−19419
^{2}H(n,n)^{2}H, dispersion relns. for elastic scattering in Amado model 4−19409
^{2}H(n,n)^{2}H, local potentials, Pade techniques 4−2878
^{2}H(n,n)^{2}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
^{2}H(n,n)^{2}H, s-wave quartet amplitude, Faddeev formalism, soln. of singular integral eqns. 4−36168
^{2}H(n,n)^{2}H , scattering amplitude calc. above breakup threshold using method of complex coords. 4−15791
^{2}H(n,n)^{2}H elastic scattering, anal. of sensitivity to details of nuclear force 4−27244
^{2}H(n,n)^{2}H elastic scattering, 3 to 11 MeV, theoretical phase shift analysis 4−40001
^{2}H(n,nd), 130 MeV, cross-section meas. 4−15781
^{2}H(n,np)n, 14.4 MeV break-up, differential cross section calc. with local potentials 4−15790
^{2}H(n,p)2n, 24.0 and 27.2 MeV, angular distributions and cross sections 4−9155
^{2}H(n,p)2n, 50 MeV, separable approximation method of Amado-Lovelace kernel 4−15733
^{2}H(n,p)2n, E=14.1 MeV, energy cross section and n-n scattering 4−5798
^{3}H-breeding ratio cross-section sensitivity of ^{6,7}Li, Nb and C in fusion reactor blanket 4−23909
^{3}H(n,n)^{3}H, ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ coupling constant calc. 4−15778
^{3}H(n,n)^{3}H, 6-23 MeV, optical model fits to neutron polarisation and differential cross sections 4−15813
^{3}H(n,n)^{3}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
^{3}He, coherent neutron scattering length, reflection from quartz-liquid helium interface 4−36197
^{3}He, neutron total cross section, E$\sim$1-30 MeV 4−2874
^{3}He(n,n), 7.9 to 23.7 MeV cross-section determ. phase-shift anal. 4−31369
^{3}He(n,n)^{3}He, ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ coupling constant calc. 4−15778
^{3}He(n,n)^{3}He, charge independent phase-shift analysis of differential cross section 4−15829
^{3}He(n,p) products, interaction with wall in spherical proportional counters 4−14969
^{3}He(n,p)^{3}H, use in nuclear pumping, gas lasers *(Japanese)* 4−35840
^{3}He(n,p)T, enhancement of CO_2 laser output 4−19085
^{4}He, neutron total cross section, E$\sim$1-30 MeV 4−2874
^{4}He + n, double scatt., 15 MeV, phase shift sets 4−27329
^{4}He + n, microscopic coupled-channel anal. with resonating group method 4−31322
^{4}He(n,n)^{4}He, asymmetry and polarisation function at 27.3 and 30.3 MeV 4−15836
^{4}He(n,n)^{4}He, comparison of analysing power calculated from various phase shift sets 4−15834
^{4}He(n,n)^{4}He, elastic scattering near 20 MeV, differential cross section, phase shifts 4−15835
^{177}Hf(n,γ), 1 to 8 eV, spin assignment of bound levels in ^{178}Hf from γ-ray obs. 4−15614
^{177}Hf(n,γ), resonance reaction, neutron strength function rel. to short range energy 4−9184

nuclear reactions and scattering due to neutrons continued

^{178}Hf(n,γ)^{179}Hf, γ-γ correlation studies of ^{179}Hf de-excitation *(Russian)* 4−573
^{199}Hg(n,γ)^{200}Hg, anal. of low-spin states in ^{200}Hg 4−31243
^{165}Ho, neutron capture cross section meas., 167 eV-0.6 MeV 4−5795
^{165}Ho(n,α), 14 MeV, statistical anal. of pre-equilibrium processes 4−9178
^{129}I(n,2n)^{128}I, $E_n=14$ MeV, cross section meas. *(French)* 4−5762
^{115}In(n,γ)^{116}In, intermediate struct., low energy γ transitions 4−9191
^{115}In(n,n′)^{115m}In, meas. of cross section, 3.37 to 4.89 MeV 4−5793
K natural targets, neutron resonance spectroscopy, total cross sections up to 400 keV 4−12346
^{39}K(n,γ)^{40}K, circular polarisation and γ-γ ang. correlation meas. 4−40007
^{39}K(n,p), 2.4-2.9 MeV, absolute cross section meas. 4−31355
^{6}Li(n,t)^{4}He, 0.1-1.8 MeV, differential cross sections, absolute triton and α-particle yields 4−36195
^{7}Li, 14.4 MeV neutron induced multiparticle breakup reactions, unstable states study 4−15814
^{7}Li(n,^{3}Hα)n, 14.4 MeV, correlation spectra of three-body break-up 4−23689
^{7}Li(n,n')α^{3}H, cross-section sensitivity of ^{3}H breeding ratio in fusion reactor blanket 4−23909
^{24}Mg(n,p)^{24}Na, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{55}Mn, resonance neutron capture, γ-spectrum of ^{56}Mn 4−36210
^{55}Mn(n,n′), inelastic scattering, separation of pre-equilibrium and equilibrium emission 4−9179
N, liquid, 1-20 MeV neutron spectrum 4−31452
N, liquid, neutron and γ transport calc., 1-20 MeV 4−31454
N, liquid, neutron and secondary gamma counting rates, Monte Carlo calc. 4−31453
^{15}N(n,n)^{15}N, infinite oscillator R-matrix model for reaction cross sections 4−19362
Na, metallic, neutron activation analysis for trace elements 4−2428
Na, neutron resonance spectroscopy, total cross section up to 320 keV 4−12345
Nb, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{93}Nb(n,2n)^{92}Nb, 14 MeV neutron cross section 4−2869
Nb(n,2n), primary recoil spectra, reaction rates calc. for radiation effect 4−27478
Nb(n,α), primary recoil spectra, reaction rates calc. for radiation effect 4−27478
Nb(n,p), primary recoil spectra, reaction rates calc. for radiation effect 4−27478
Ni, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{58}Ni + n, compound nucleus structure, imaginary optical potential particle-vibration intermediate states 4−12399
^{58}Ni(n,γ)^{59}Ni, L/K electron capture ratios, nuclear matrix elements 4−19351
^{58}Ni(n,p) pre-equilibrium emission 4−9182
^{58}Ni(n,p)^{58}Co, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{59}Ni(n,α), thermal neutrons, cross-section meas. 4−23687
Ni(n,n)Ni, 1.36 MeV, angular distrib., depolarisation 4−19439
N(n,α), in cellulose nitrate track detector, dosimetry appl. *(French)* 4−30575
^{237}Np, fission cross section, intermediate struct., study 4−5856
^{237}Np(n,2n)^{236}Np$\rightarrow$^{236}Pu, 13.7-14.9 MeV, cross section 4−12347
^{237}Np(n,f), 0.4 to 1.2 MeV, delayed neutron yields 4−40048
^{237}Np(n,f), 3.5 to 4.9 MeV, cross-section meas. 4−31421
^{237}Np(n,f), spin determ. of intermediate structure in subthreshold fission 4−23738
^{239}Np, inelastic neutron cross sections, for fast reactor long-term behaviour 4−19395
^{239}Np(n,n′), cross section calc. rel. to burn-up of fast reactor fuel 4−36186
^{16}O + n, continuum-shell model of low energy compound resons. 4−40009
^{16}O(n,n) at 1 to 4 MeV, high resolution study of n polarisation and phase-shift anal. 4−12341
^{16}O(n,n) elastic and inelastic, 14 MeV polarised n, optical-model anal. 4−19433
^{16}O(n,n)^{16}O, spectroscopic factors extraction using R-matrix theory 4−36169
O(n,α), in cellulose nitrate track detector, dosimetry appl. *(French)* 4−30575
^{187}Os(n,γ)^{188}Os, gamma-ray spectra meas. in 4.5-8.0 MeV excitation region *(Russian)* 4−27312
^{192}Os(n,n′)^{192}Os, 14.5 MeV, 6.1 s isomer, new levels from γ-ray spectra 4−12241
PF_5 gas phase, radiative capture to determ. bond retention 4−1741
^{233}Pa, inelastic neutron cross sections, for fast reactor long-term behaviour 4−19395
^{233}Pa(n,n′), cross section calc. rel. to burn-up of fast reactor fuel 4−36186
Pb, differential cross sections for small angle elastic scattering 4−5792
Pb, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{m}Pb(nlγ)$^{m+1}$Pb, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{204}Pb, neutron capture cross sections for En$>$2.5 keV, resonance parameters 4−5805
^{204}Pb(n,γ) absorption cross section in ^{120}Sn 4−18588
^{206}Pb, neutron capture cross sections for En$>$2.5 keV, resonance parameters 4−5805
^{207}Pb, neutron capture cross sections for En$>$2.5 keV, resonance parameters 4−5805
^{208}Pb, neutron capture cross sections for En$>$2.5 keV, resonance parameters 4−5805
^{208}Pb(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
^{208}Pb(n,γ)^{209}Pb, observed asymmetry at 40.8 keV resonance, explanation 4−31374
Pb^{208}(n,γ)Pb^{209}, compound and direct contrib. 4−5814

nuclear reactions and scattering due to neutrons continued
^{105}Pd(n,γ), 13 to 78 eV, spin assignment of bound levels in ^{106}Pd from γ-ray obs. 4−15614
^{147}Pm, ^{148m}Pm, thermal-neutron cross section determ. using resonance parameters 4−5796
^{141}Pr(n,α), 14 MeV, statistical anal. of pre-equilibrium processes 4−9178
^{239}Pu, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{239}Pu, thermal and epi-thermal fission, mass yield variation 4−2985
^{239}Pu fission, light nuclei prod., energy spectra and yields 4−5867
^{239}Pu(n,f), prompt γ-ray emission, average multiplicity and energy 4−670
^{239}Pu(n,f) at 0.3 to 200 eV, fission width determ. 4−15929
^{239}Pu(n,γf), neutron and gamma ray yields 4−5859
^{239}Pu(n,γf) at 0.3 to 200 eV, fission width determ. and gamma-ray multiplicity meas. 4−15929
^{239}Pu(n,t), calc. of resonance self-shielding 4−36360
^{240}Pu(n,f), 0.5-2.5 MeV, search for fission shape isomers, statistical theory 4−19548
^{226}Ra(n,f), 5-15 MeV, fragment energy distrib., symmetric and anti-symmetric fission 4−2986
^{175}Re(n,γ)^{186}Re, slow neutrons, obs. of ^{186}Re excited states *(German)* 4−23608
Rh, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
^{a}Ru(n,γ), A=96, 98, 100, 102, 104, neutron capture gamma-ray spectra *(Russian)* 4−23679
^{104}Ru(n,γ), 0.02 eV, ^{105}Ru, level scheme and spin-parity assignments 4−23690
^{32}S, inelastic 14.1 MeV neutron scatt., differential cross sections, coupled-channel calcs. 4−27310
^{121}Sb(n,n$'$)^{121}Sb, level widths and spin determ. 4−12272
^{123}Sb(n,n$'$)^{123}Sb, level widths and spin determ. 4−12272
Sc, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
^{28}Si(n,n)^{28}Si, low-energy, rotator-particle coupling for p-wave neutron resonance 4−27316
Si(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
Sm(n,γ), cross section meas., 1 eV to 50 keV 4−12330
Sn(n,n$'\gamma$), even-even isotopes, inelastic cross-section meas., 0.5 to 1.75 MeV *(Russian)* 4−628
^{30}Sr(n,γ)^{31}Si$\rightarrow$^{31}P, for thyristors and rectifiers, fabrication 4−33614
Sr(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
^{181}Ta(n, γ)^{182}Ta, rotational structure of ^{182}Ta 4−15688
^{159}Tb(n,γ), thermal neutrons, ^{159}Tb level scheme determ. 4−36193
^{159}Tb(n,n$'$) gamma-ray transitions, level scheme 4−12256
^{99}Tc, cross-section systematics at 14.7 MeV 4−23686
^{99}Tc(n,γ), cross section meas., 1 eV to 50 keV 4−12330
^{123}Te(n,γ)^{124}Te, spin of composite state nucleus from γ-ray polarisation meas. *(Russian)* 4−15617
^{128}Te(n,γ), 0.5 to 7000 eV, cross sections meas. and Xe anomaly in old Te ores 4−23691
^{130}Te(n,γ), 0.5 to 7000 eV, cross sections meas. and Xe anomaly in old Te ores 4−23691
Te(n,n$'\gamma$), even-even isotopes, inelastic cross-section meas., 0.5 to 1.75 MeV *(Russian)* 4−628
^{232}Th, 14 MeV neutron irradiation, production of Ac heavy isotopes 4−2814
^{232}Th, p-wave strength functions calc. using deformed optical potential 4−12333
^{232}Th, thermal scattering cross-sections determ. 4−36208
^{232}Th(n,2n)^{231}Th, ratio to fission reaction from fast reactor spectra simulation 4−5879
^{232}Th(n,f) at 14.8 MeV, yields of low mass products 4−669
^{46}Ti(n,p)^{46}Sc, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{203}Tl(n,γ), ^{204}Tl low-lying energy levels from γ-ray spectra 4−15619
^{204}Tl(n,γ), thermal neutrons, spectroscopic study of ^{205}Tl by 7646 keV capture gamma-rays 4−15695
^{204}Tl(n,γ)^{205}Tl, meas. of differential energy spectrum of γ-rays for excitation energies up to 7.5 MeV *(Russian)* 4−579
U, differential cross sections for small angle elastic scattering 4−5792
^{233}U, thermal scattering cross-sections determ. 4−36208
^{233}U fission, light nuclei prod., energy spectra and yields 4−5867
^{233}U(n,2n)^{232}U, average cross section determ. for fission spectrum irradiation 4−36184
^{233}U(n,f), prompt γ-ray emission, average multiplicity and energy 4−670
^{233}U(n,f), thermal n, ^{150}Pm independent fractional yield determ. 4−23730
^{235}U, ^{238}U, elastic and inelastic scattering at 14 MeV, neutron spectra 4−19418
^{235}U, total cross section of low energies, intermediate resonances 4−31352
^{235}U fission, light nuclei prod., energy spectra and yields 4−5867
^{235}U fission, rank annihilation method for multilevel cross-section calc., up to 2 eV neutrons 4−15931
^{235}U(n, f) thermal, meas. energy spectrum of He emission in fragment direction 4−2991
^{235}U(n,f), cross-section from 0.002 to 0.15 Ev, slow chopper meas. 4−12392
^{235}U(n,f), thermal n, ^{150}Pm independent fractional yield determ. 4−23730
^{235}U(n,γ), 0.1 to 15 eV, determ. of spins of low energy in resonances 4−15615
^{235}U(n,γf), neutron and gamma ray yields 4−5859
^{235}U(n,t), calc. of resonance self-shielding 4−36360
^{235}U(n,t), intermediate structure of cross-sections in unresolved resonance region 4−36240
^{236}U(n,f), 0.5-2.5 MeV, search for fission shape isomers, statistical theory 4−19548
^{238}U, p-wave strength functions calc. using deformed optical potential 4−12333
^{238}U(N,2n) ^{237}U, 13.7-14.9 MeV, cross section 4−12347
^{238}U(n,2n)^{237}U, ratio to fission reaction from fast reactor spectra simulation 4−5879

nuclear reactions and scattering due to neutrons continued
^{238}U(n,2nf), 13 to 18 MeV, fission fragment anisotropy. *(German)* 4−23732
^{238}U(n,2nf), 14 MeV, meas. of reaction time *(German)* 4−23731
^{238}U(n,f), 0 to 14.9 MeV, test of photon production data from some ENDF/B materials 4−31554
^{239}U(n,f), thermal n, ^{150}Pm independent fractional yield determ. 4−23730
V, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
^{50}V(n, γ)^{51}V, obs. of high spin states and transitions 4−15641
W separated isotopes, neutron resonance spectroscopy 4−12344
^{n}W(n,γ)$^{n+1}$W, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{183}W(n,γ)^{184}W, thermal and 2 keV, band mixing in ^{184}W 4−19324
^{129}Xe(n, γ)^{130}Xe, spin of composite state nucleus from γ-ray polarisation meas. *(Russian)* 4−15617
^{89}Y(n,γ)^{90}Y, 6.2-11 MeV, γ-ray spectra in giant resonance region, semi-direct capture model 4−15817
^{171}Yb(n,γ)^{172}Yb, 50-1650 keV, ^{172}Yb energy level schemes *(German)* 4−40016
^{173}Yb(n,γ)^{174}Yb, 50-1650 keV, ^{174}Yb energy level schemes *(German)* 4−40016
Zr, neutron total cross-section, 3 meV to 1 eV 4−23673
^{90}Zr(n,p), resonant structure obs. rel. to ^{91}Zr isobaric analogue states 4−19397
^{94}Zr, thermal neutron activation cross section, resonance integral 4−15773
^{94}Zr(n,p)^{94}Y, 14.7 MeV, cross section meas., ^{94}Y decay scheme 4−23649
^{96}Zr, thermal neutron activation cross section, resonance integral 4−15773

nuclear reactions and scattering due to nuclei of Z>2
α-transfer reaction, spectroscopic amplitude calc. in j-j coupled shell model 4−39950
(heavy ion, xn), compound nucleus reactions, peak cross section determ. 4−12374
autoionization of positrons, dynamical effects 4−9306
composite projectile optical potential calc. by microscopic method 4−39958
compound, heavy-ion induced, Hauser-Feshbach statistical model analysis of decay 4−15909
critical angular momentum calcs. in entrance reaction channel 4−12373
deformation effects on the Coulomb barrier, for heavy ion transfer reactions 4−2955
direct heavy-ion reactions, primary production of nuclei 4−9284
direct transfer reactions, models and calc. methods *(French)* 4−5838
direct transfer reactions, recoil effects and finite range *(French)* 4−2945
elastic scattering, h.f. interference effects 4−2959
elastic scattering, semi-classical analysis, differential cross sections *(French)* 4−5837
elastic transfer reactions involving C, O and Si ions, interference-resonance effects, collective model *(Russian)* 4−663
emulsion, interactions of 2.1 GeV/nuc accelerated ^{12}C and ^{16}O heavy ions at Bevatron 4−15913
emulsion bombardment with 280 MeV/nucleon Ne ions, pion production mechanism 4−31415
folding model, nucleus-nucleus interactions 4−9247
fusion of heavy ions, threshold and ang. momentum limit 4−2990
fusion of heavy-ions, anal. of expts. 4−31432
fusion reactions, heavy ion induced, simple non-adiabatic model 4−5865
glass detector sensitivity, accelerated heavy ion bombardment *(Russian)* 4−30584
heavy ion, two-nucleon pickup and stripping reactions, systematics of interference 4−12376
heavy ion analogue reactions, spectroscopic application 4−9303
heavy ion collisions, neutral vacuum induced decay in overcritical fields, pair production 4−27352
heavy ion collisions, nuclear shock wave production 4−36225
heavy ion collisions leading to compound system and deep inelastic reactions, mechanism 4−27353
heavy ion collisions with heavy nuclei, prod. of highly excited nuclear matter 4−36227
heavy ion induced, finite-range DWBA, new approach 4−31323
heavy ion induced, GeV accel. techniques, appls. *(Polish)* 4−5141
heavy ion induced reactions, theory of isomer ratios of shape isomers 4−5835
heavy ion reaction, three-body model model using projection operators 4−12371
heavy ion reactions, excitation functions, statistical models *(Russian)* 4−662
heavy ion reactions, Regge pole description of peripheral resonance and scattering angular distribution 4−12372
heavy ion reactions, spin determ. from alpha angular correl. 4−2975
heavy ion scattering, low energy, molecular orbitals framework model 4−36221
heavy ion scattering, microscopic theory of nuclear friction 4−2942
heavy ion scattering at energies well above Coulomb barrier, quasi-molecule formation *(German)* 4−19538
heavy ion transfer reaction, expansion of DWBA transition amplitude 4−2978
heavy ion transfer reaction, recoil effects, ang. momentum coupling 4−31405
heavy ion transfer reactions in nuclear astrophysical processes 4−17901
heavy ion two-nucleon transfer reaction, calc. of form factors 4−15907
heavy nuclei, common aspects with fission 4−39920
heavy-ion collisions, induced radiative transitions of intermediate molecules 4−40037
heavy-ion collisions, supersonic, one-dimensional example 4−40039
heavy-ion induced direct reactions, review of exptl. techniques 4−40043
heavy-ion inelastic scattering near Coulomb barrier, nuclear deformation determ. 4−40042
heavy-ion reactions, connection with fission reactions 4−40041
heavy-ion scattering, deformation effects 4−27349

nuclear reactions and scattering due to nuclei of Z > 2 continued
heavy-ion scattering, interaction potential anal. 4–27348
heavy-ion transfer reactions, improvements, in form factors 4–5834
identical heavy ion scattering potential calculation, parameter free two centre model 4–2956
identical nuclei, interaction, elastic channel projection, resonating group and generator coord. methods 4–12301
induced rotation, modified perturbed stationary state method 4–2971
j-assignment with one-nucleon transfer reactions 4–9254
microscopic description of transfer reactions, generator coord. method applic. *(French)* 4–2944
model for deep inelastic reactions 4–2967
multinucleon transfer at energies above Coulomb barrier 4–31412
multinucleon transfer reactions, optimum Q value 4–2941
optical potential analysis, rel. to absorption coeff. 4–2957
particle production mechanism in high-energy cosmic ray nuclei collisions with light emulsion nuclei 4–5831
polarised spin-3/2 beams, formalism in terms of spherical and Cartesian tensors 4–15749
potential energy surfaces in unified treatment of fission and heavy-ion reactions 4–9325
quasimolecular state interpretation, Regge pole contrib. to wave function 4–2970
rare-earth targets, Ar induced non-complete fusion reactions, recoil study 4–5842
recoil corrections in heavy ion induced transfer 4–2977
scattering, elastic and inelastic nuclear molecule formation and interference phenomena in heavy ion collisions 4–31413
Schrodinger equation, one-dimensional, analytic approx. method problems with three classical turning points 4–8676
single-nucleon transfer reactions, heavy-ion induced, non-statistical collective modes in compound nucleus 4–9100
spontaneous production of positrons in heavy nuclei collisions, cross section and energy spectrum *(Russian)* 4–15912
statistical compound nucleus theory of shape isomers in heavy-ion induced reactions 4–9305
strong-absorption model, scatt. amplitude in complex angular-momentum approach 4–40033
superheavy nuclei production using heavy-ion accelerators, review, reln. to atomic physics *(French)* 4–2943
superheavy nuclei synthesis, future possibilities 4–31414
superheavy nuclei synthesis in reactions with accelerated Zn ions 4–27375
two nucleon transfer in heavy ion reactions, forward cross section sensitivity to edge of nuclear field 4–19536
two-centre Dirac equation, appl. 4–9307
two-nucleon transfer including higher order processes, quantum mechanical treatment 4–9275
viscosity tensor, temperature dependent microscopic formula 4–9094
^{107}Ag(^{12}C, 4nγ)^{115}I, 88 MeV, M2 isomers, deformed nuclear shape for ^{115}I 4–2804
^{107}Ag(^{35}Cl, ^{35}Cl*γ), 64 MeV, ^{107}Ag energy level lifetime meas. 4–36159
^{109}Ag(^{12}C,4nγ)^{117}I, 88 MeV, M2 isomers, deformed nuclear shape for ^{117}I 4–2804
^{109}Ag(^{35}Cl, ^{35}Cl*γ), 64 MeV, ^{109}Ag energy level lifetime meas. 4–36159
^{27}Al, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4–2946
^{27}Al, transfer reactions induced by ^{19}F at 38 MeV 4–9258
^{27}Al + 180 MeV ^{12}C, competing reaction mechanisms 4–5841
^{27}Al(^{16}O, 2p)^{41}K, high-spin state obs. in ^{41}K 4–15638
^{27}Al(^{16}O, pn)^{41}Ca, high-spin state obs. in ^{41}Ca 4–15638
^{27}Al(^{32}S, ^{32}S), 67-120 MeV, effect of nuclear forces on grazing collision 4–666
^{27}Al(^{32}S, X) reaction, 67-132 MeV, fusion cross sections, barrier height, radii 4–665
^{27}Al(^{6}Li, ^{6}He), 34 MeV, ang. distrib. meas. DWBA anal. 4–36220
Ar induced radiative capture, bond electrons, bremsstrahlung 4–5969
^{40}Ar, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4–2947
(^{40}Ar, f), 160 to 300 MeV, on medium and heavy nuclei, total kinetic energy meas. 4–27367
Au(N,f), heavy fragment production rate, plastic stack detector 4–31436
^{197}Au, transfer reactions induced by ^{40}Ar at 300 MeV 4–9280
^{197}Au(^{20}Ne,^{20}Ne$'$), 83 MeV, projectile Coulomb excitation, reorientation meas. 4–31404
^{197}Au(^{22}Ne,^{22}Ne$'$), 91, 80 MeV, projectile Coulomb excitation, reorientation meas. 4–31404
^{197}Au(^{84}Kr,^{84}Kr)^{197}Au, 457 MeV, contrib. of non-elastic processes to angular distrib. 4–2948
^{10}B(^{14}N,α)^{20}Ne, 25 and 35 MeV, reaction mechanism 4–9269
^{10}B(^{16}O, α)^{22}Na, high spin states in ^{22}Na 4–15636
(^{11}B, 6n) reaction obs. of high-spin rotational states in ^{164}Yb and ^{180}Os 4–19304
^{11}B(^{12}C, ^{12}C)^{11}B, 15 to 24 MeV, DWBA anal. of elastic transfer of 1p$_{3/2}$ hole 4–40034
^{11}B(^{16}O,^{15}N)^{12}C, calc. of DWBA cross section using computer program Kundry 4–2981
^{11}B(^{7}Li,p)^{17}N, recoil-distance lifetime meas., ^{17}N 4–591
Be + ^{16}O, high energy, fragmentation of relativistic heavy ion using incoherent droplet model 4–9248
^{9}Be(^{12}C,α)^{17}O, search for nonstatistical resonances below Coulomb barrier 4–9295
Bi, ^{40}Ar and ^{84}Kr induced complete fusion cross sections 4–9311
^{209}Bi, bombardment with ^{12}C heavy reaction products including ^{217}Ac, ^{218}Ac, ^{215}Fr and ^{214}Fr 4–9292
^{209}Bi, transfer reactions induced by ^{14}N and ^{12}C at 91 and 78 MeV 4–9282
^{209}Bi + ^{84}Kr, 525 MeV quasifission reaction, cross-section and ang. distrib. meas. 4–36224
^{209}Bi(^{14}N,5n)^{218}Th, ^{218}Th α-decay, 65-96 MeV 4–15727
$_{35}$Br + $_{35}$Br collisions, observ. of Z=70 K X-rays 4–9470
(^{12}C, 5n) reaction obs. of high-spin rotational states in ^{164}Yb and ^{180}Os 4–19304
^{12}C, bombardment by ^{10}B ions, 100 MeV, nucleon-transfer reactions 4–9261

nuclear reactions and scattering due to nuclei of Z > 2 continued
^{12}C, interaction with ^{16}O, intermediate resonance in ^{28}Si compound system 4–9286
^{12}C-^{12}C cross sections for elastic and inelastic scattering, fluctuation analysis 4–12377
^{12}C + ^{12}C, 100 MeV, secondary neutron spectra calc. 4–23712
^{12}C + ^{12}C elastic and inelastic scattering, 114 and 174 MeV, relative cross sections 4–12378
^{12}C + ^{13}C system, 20-36 MeV, elastic and inelastic transfer, coupled-channels code 4–2949
^{12}C(^{11}B,2α)^{15}N, 28 MeV, energy spectra and cross section meas. reaction mechanism determ. 4–36219
^{12}C(^{12}C, α)^{20}Ne, identification of high spin states in s-d shell nuclei with new ang. correl. method 4–19298
^{12}C(^{12}C,^{12}C)^{12}C, excitation functions rel. to statistical model 4–9293
^{12}C(^{12}C,^{8}Be), 50 to 65 MeV α transfer reaction 4–9274
^{12}C(^{12}C,α_1)^{20}Ne*(α_2)^{16}O*(γ)^{16}O, 36.3, 37.2 MeV, triple correlation meas. of ^{20}Ne high-spin states 4–23598
^{12}C(^{12}C,α_1)^{20}Ne(α_2)^{16}O, 50 MeV, highly excited states of ^{20}Ne 4–9072
^{12}C(^{12}C,α)^{20}Ne, 18 to 25 MeV, excitation functions and statistical anal. 4–9290
^{12}C(^{12}C,n)^{23}Mg, lifetimes of lowest $^{5}/_{2}{}^{+}$ and $^{9}/_{2}{}^{+}$ ^{23}Mg states 4–5751
^{12}C(^{12}C,p)^{23}Na, lifetimes of lowest ^{23}Na $^{5}/_{2}+$ and $^{9}/_{2}{}^{+}$ states 4–5751
^{12}C(^{12}C,p)^{23}Na, possible ^{12}C + ^{12}C resonances 4–9289
^{12}C(^{12}C,p)^{23}Na, selective pop. of lowest-lying negative parity states in ^{23}Na 4–12382
^{12}C(^{12}C,p)^{23}Na resonance reaction, excitation function determ. 4–36223
^{12}C(^{13}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4–9300
^{12}C(^{14}N,^{13}N)^{13}C, 100 MeV, obs. of anomalous ang. distrib. 4–40035
^{12}C(^{14}N,^{6}Li)^{20}Ne, Hauser Feshbach treatment 4–9294
^{12}C(^{14}N,^{7}Be)^{19}F, Hauser Feshbach treatment 4–9294
^{12}C(^{14}N,d)^{24}Mg, absolute cross section meas. 4–9294
^{12}C(^{16}O, ^{20}Ne)^{8}Be, finite range DWBA calcs., pop. of ground state rotational band of ^{20}Ne 4–15906
^{12}C(^{16}O,^{8}Be)^{20}Ne, rel. contributions of direct and compound reaction mechanisms 4–9283
^{12}C(^{16}O,α)^{24}Mg, cross section enhancements beyond (2I + 1) rule for ^{28}Si compound nucleus formation 4–9299
^{12}C(^{16}O,α)^{24}Mg, resonance struct. 4–9287
^{12}C(^{16}O,α)^{24}Mg, statistical model, evidence for ^{24}Mg decay into ^{12}C + ^{12}C 4–9298
^{12}C(^{16}O,α)^{24}Mg, time-differential recoil-into-vacuum meas. of g-factor of ^{24}Mg short-lived state 4–19281
^{12}C(^{6}Li,^{8}B)^{10}Be, 80 MeV, energy spectra 4–9260
^{12}C(^{6}Li,d) ^{16}O, 19 to 24 MeV, excitation functions and d-γ angular correlation, mechanism study 4–9250
^{12}C(^{7}Li, α)^{15}N triton transfer, 28-38 MeV, α spectra, DWBA calc., mechanism 4–664
^{12}C(^{7}Li,^{3}H)^{16}O, 36 to 40 MeV, population of states 4–9268
^{12}C(^{7}Li,α)^{15}N, to 16 MeV, triton transfer reaction mechanism 4–9266
^{13}C + ^{12}C system, 20-36 MeV, elastic and inelastic transfer, coupled-channels code 4–2949
^{13}C(^{12}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4–9300
^{13}C(^{14}N,α)^{23}Na, 40 MeV, selective excitation of high spin states 4–9285
^{13}C(^{14}N,p)^{26}Mg, 40 MeV, selective excitation of high spin states 4–9285
^{14}C(^{16}O,^{18}O)^{12}C, 20, 25 and 30 MeV, interference between transfer processes 4–9262
^{14}C(^{18}O, ^{12}Be)^{20}Ne, 88.7 MeV, ^{12}Be mass excess determ. 4–31408
^{14}C(^{18}O,X)^{26}Na, test of nuclear mass formula for ^{26}Na 4–2744
^{14}C(^{7}Li,X)^{14}B, test of nuclear mass formula for ^{14}B 4–2744
^{40}Ca, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4–2947
^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions, gamma ray spectroscopy of ^{49}Cr 4–452
^{40}Ca(^{12}C,^{8}Be), 50 to 65 MeV α transfer reaction 4–9274
^{40}Ca(^{13}C,^{12}C)^{41}Ca, diffraction-like ang. distribs. for incident energies of 60 and 68 MeV 4–5836
^{40}Ca(^{16}O, ^{12}C)^{44}Ti, high resolution study using slit pole magnetic spectrograph 4–9249
^{40}Ca(^{16}O, 2pα)^{50}Cr, high spin states and transitions 4–12186
^{40}Ca(^{16}O, 3p)^{53}Mn, high spin states and decay schemes 4–19300
^{40}Ca(^{19}F,^{20}Ne)^{39}K, 56 MeV, projectile excitation 4–9255
^{40}Ca(^{32}S, ^{32}S), 67-120 MeV, effect of nuclear forces on grazing collision 4–666
^{40}Ca(^{32}S, X) reaction, 67-132 MeV, fusion cross sections, barrier height, radii 4–665
^{40}Ca(^{32}S,^{28}Si), 100 MeV, alpha transfer reaction 4–9272
^{40}Ca(^{32}S,^{36}Ar), 100 MeV, alpha transfer reaction 4–9272
^{40}Ca(^{40}Ca,^{40}Ca), 130 MeV, elastic scattering excitation functions 4–9272
^{40}Ca(^{6}Li, ^{6}He), 38 MeV, cross-section upper limits determ. 4–36220
^{40}Ca(^{6}Li,^{8}B), 80 MeV, energy spectra 4–9260
^{40}Ca(^{6}Li,d)^{44}Ti, angular distrib. 4–9271
^{40}Ca(^{6}Li,t)^{43}Ti, analogue states in mirror nuclei 4–31406
^{40}Ca(^{6}Li,τ)^{43}Sc, analogue states in mirror nuclei 4–31406
^{44}Ca(^{12}C,^{8}Be), 50 to 65 MeV α transfer reaction 4–9274
^{48}Ca(^{14}N,^{13}C)^{49}Sc, 50 MeV, weak absorptive optical potential 4–9256
^{48}Ca(^{19}F,^{18}O)^{49}Sc, 56 MeV, projectile excitation 4–9255
^{48}Ca(^{6}Li, ^{6}He)^{48}Sc, E=34 MeV ang. distribs., cross sections 4–5832
^{48}Ca(^{6}Li,^{8}B)^{46}Ar, 80 MeV, energy spectra 4–9260
^{48}Ca(^{6}Li,3n)^{51}V, lifetime of (15/2)$^{-}$ state 4–12269
^{48}Ca(^{7}Li, 4n)^{51}V, high spin states and decay schemes 4–19300
^{248}Cm(^{18}O,α3n)^{259}No at 95 to 110 MeV, ^{259}No Z and A assignment, and T$_{1/2}$ determ. 4–12293
^{48}Cn(^{6}Li,p3n)^{50}Ti, lifetime of 4^{+} state 4–12269
^{52}Cr(^{14}N,^{12}C)^{54}Mn, transfer reactions at 90, 70 and 60 MeV 4–9282
Cu, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4–2947
^{63}Cu, large transfer of nuclear matter on ^{40}Ar bombardment at 288 MeV 4–9281

nuclear reactions and scattering due to nuclei of Z > 2 continued
^{65}Cu, large transfer of nuclear matter on ^{40}Ar bombardment at 288 MeV 4−9281
^{160}Dy (^{16}O, ^{16}O$^{1}\gamma$), 51 to 60 MeV, Coulomb excitation studies 4−27350
^{162}Dy(^{16}O, ^{16}O$^{1}\gamma$) 57 to 60 MeV, Coulomb excitation studies 4−27350
^{164}Dy(^{16}O, ^{16}O$^{1}\gamma$), 57 to 60 MeV, Coulomb excitation studies 4−27350
^{166}Er, quantal effects in ^{12}C inelastic Coulomb scattering 4−2960
^{166}Er(^{40}Ar,2p(x+2)n), two peak struct. in excitation function 4−9297
^{166}Er(^{40}Ar,αxn), two peak struct. in excitation function 4−9297
^{166}Er(Ar, 2pxn)Po, 200 to 300 MeV, excitation functions and α-decay from compound nuclei 4−27351
^{168}Er quantal effects in ^{12}C inelastic Coulomb scattering 4−2960
^{19}F induced fusion products, mass distrib. 4−5863
^{19}F + ^{15}N, elastic transfer, interference structure for ^{19}F cluster structure 4−2953
^{19}F + ^{16}O, elastic transfer, interference structure for ^{19}F cluster structure 4−2953
^{19}F + ^{18}O, elastic transfer, interference structure for ^{19}F cluster structure 4−2953
^{19}F(^{10}B,^{9}Be)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{19}F(^{6}Li, ^{6}He), 34 MeV, ang. distrib. meas. DWBA anal. 4−36220
Fe, ^{16}O induced, reaction cross section for n, p, α production 4−9251
^{54}Fe(^{12}C,^{8}Be), 50 to 65 MeV α transfer reaction 4−9274
^{56}Fe, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947
^{56}Fe(^{16}O,^{16}O$'\gamma$), 43 MeV, Coulomb-nuclear interference effects in γ-ray angular correl. 4−2965
^{156}Gd(^{32}S,4n)^{184}Hg, 156 MeV, lifetimes in ^{184}Hg ground state band, deformation parameters 4−9106
^{158}Gd(^{11}B,4nγ), 47 to 88 MeV, ^{165}Tm level scheme determ. 4−19293
Ge, ^{16}O induced, reaction cross section for n, p, α production 4−9251
^{70}Ge, inelastic scattering of ^{16}O, ^{18}O, excitation function, 33 to 52.5 MeV 4−2963
^{2}H(^{12}C,p)^{13}C reaction, meas. of g-factor of 3.85 MeV level in ^{13}C by time differential recoil in vac. 4−414
^{3}H(^{12}C,p)^{14}C reaction, g-factor of 100ps, I$^{\pi}$=3^{-} level in ^{14}C 4−415
^{4}He(^{16}O, γ), relativistic Doppler effect meas. using 8.6 MeV capture γ-rays 4−5191
Hg(^{16}O,^{16}O$^{1}\gamma$), 36 MeV, magnetic moment meas. on Hg isotopes 4−36109
^{204}Hg(^{14}N,5n)^{213}Fr, 94 MeV, population of 29/2^{+} isomeric state in ^{213}Fr 4−12147
Ho, ^{40}Ar and ^{84}Kr induced complete fusion cross sections 4−9311
^{127}I(^{12}C, 4nγ)^{135}Pr, 88 MeV, M2 isomers, deformed nuclear shape for ^{135}Pr 4−2804
^{191}Ir(^{12}C,4n)^{199}Bi reaction, isomeric states in ^{199}Bi 4−464
^{193}Ir(^{12}C,4n)^{201}Bi reaction, isomeric states in ^{201}Bi 4−464
^{39}K(^{7}Li,αn)^{41}Ca, 20 MeV, ^{41}Ca high spin states 4−5710
^{41}K(^{7}Li, p2n)^{45}Sc, high spin states in ^{45}Sc 4−15640
^{84}Kr + heavy nuclei, at 500 MeV anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
^{6}Li, breakup near Coulomb barrier 4−2972
(^{6}Li,^{6}He), microscopic anal. with DWBA 4−2973
(^{6}Li,α), review of anal. of experimental data at 10 to 30 MeV 4−15910
(^{6}Li,d), review of anal. of experimental data at 10 to 30 MeV 4−15910
^{6}Li ion beam, polarisation meas. using (d,α) reaction 4−19532
^{6}Li-^{6}Li optical potential, 9-16 MeV 4−9253
^{6}Li(^{6}Li, ^{6}He)^{6}Be, 28 to 36 MeV, DWBA calcs. 4−31410
^{6}Li(^{6}Li, ^{6}He)^{6}Be, 32 to 36 MeV, violation of charge independence criterion 4−31409
^{6}Li(^{6}Li, ^{6}Li*)^{6}Li*, 32 to 36 MeV, violation of charge independence criterion 4−31409
^{6}Li(^{6}Li, ^{6}Li*)^{6}Li*, 28 to 36 MeV, DWBA calcs. 4−31410
^{6}Li(^{6}Li,^{6}Li)^{6}Li, 10 and 14 MeV, mutual elastic and inelastic scattering 4−2966
^{6}Li(^{6}Li,^{6}Li)^{6}Li, E$_{cm}$=2.10 MeV, excitation functions and ang. distribs. of differential cross section 4−23718
^{7}Li, breakup near Coulomb barrier 4−2972
(^{7}Li,α), review of anal. of experimental data at 10 to 30 MeV 4−15910
(^{7}Li,t), review of anal. of experimental data at 10 to 30 MeV 4−15910
^{176}Lu(^{16}O,^{15}N)^{177}Hf, excitation functions between 63 and 81 MeV 4−9265
^{24}Mg + ^{16}O, 30-40 MeV, high excitation in ^{40}Ca compound nucleus, particle emission 4−12379
^{24}Mg(^{16}O,pnγ)^{38}K reaction population of isomeric state in excited ^{38}K 4−446
^{24}Mg(^{32}S, ^{32}S), 67-120 MeV, effect of nuclear forces on grazing collision 4−666
^{24}Mg(^{32}S, X) reactions, 67 to 132 MeV fusion cross sections, barrier height, radii 4−665
^{24}Mg(^{7}Li,t)^{28}Si at 12 to 20 MeV, anal. of change in deformation sign 4−15904
^{26}Mg, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{26}Mg(^{12}C,^{10}Be)^{28}Si, 46 MeV, DWBA anal. 4−9267
^{26}Mg(^{16}O,^{14}C)^{28}Si probing of nuclear surfaces 4−5833
^{26}Mg(^{16}O,^{15}N)^{27}Al, probing of nuclear surfaces 4−5833
^{26}Mg(^{16}O,^{15}N)^{27}Al, 45 and 60 MeV, angular distrib. meas. 4−9257
^{26}Mg(^{6}Li, ^{6}He) charge exchange, two-step pickup-stripping excitation mode 4−19535
^{26}Mg(^{6}Li,^{6}He)^{26}Al, population of 0^{+} analogue state, comparison of (^{6}Li,^{6}He) and (τ,t) ang. distrib. 4−9079
^{26}Mg(^{6}Li,^{6}He)^{26}Al, two step anal. of spin forbidden 0^{+} + 1^{+} → 0^{+} + 0^{+} transition 4−2974
^{26}Mg(^{6}Li,^{8}B), 80 MeV, energy spectra 4−9260
^{92}Mo ^{16}O induced single-nucleon transfer reactions, spectroscopic factors 4−12380
^{92}Mo(^{13}C,^{12}C), single neutron transfer in subcoulomb region 4−9259
N induced radiative capture, bound electrons, bremsstrahlung 4−5969
^{14}N induced fragmentation in C of high-energy heavy ions 4−18584

nuclear reactions and scattering due to nuclei of Z > 2 continued
^{14}N(^{14}N,^{14}N)^{14}N, direct and exchange potentials 4−2958
^{14}N(^{14}N,^{14}N)^{14}N, optical model with spin-orbit interactions 4−19534
^{14}N(^{14}N,α), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{14}N,d), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{14}N,p), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{7}Li,^{3}H)^{18}F, 36 to 40 MeV, population of states 4−9268
$_{7}{}^{14}$N 250 MeV/nucleon beam, prod. of radioactive fragments, localisation 4−8179
^{93}Nb ^{16}O induced single-nucleon transfer reactions, spectroscopic factors 4−12380
^{9}Nd(^{16}O, ^{16}O γ), A=146, 148, 150, search for quadrupole component in hyperfine interaction on recoil into vacuum 4−9245
^{148}Nd(^{12}C,4n), 55 to 65 MeV, high spin states in ^{156}Dy 4−27237
^{148}Nd(^{16}O,xnγ), (^{16}O,αxnγ), 68 to 84 MeV absolute cross section meas. 4−9296
^{150}Nd(^{16}O,xnγ), (^{16}O,αnxγ), 68 to 84 MeV absolute cross section meas. 4−9296
Ne induced radiative capture, bound electrons, bremsstrahlung 4−5969
^{20}Ne induced fragmentation in C of high-energy heavy ions 4−18584
^{20}Ne(^{6}Li,d)^{24}Mg, meas. d spectra, study of high excitation energy states in ^{24}Mg 4−12158
^{20}Ne(^{7}Li,^{3}H)^{24}Mg, 36 to 40 MeV, population of states 4−9268
^{20}Ne(^{7}Li,t)^{24}Mg, t spectra meas. study of high excitation energy states in ^{24}Mg 4−12158
Ni, ^{16}O induced, reaction cross section for n, p, α production 4−9251
Ni(^{6}Li, ^{6}He), 36 MeV for A=58 to 64, ang. distrib. meas. DWBA anal. 4−36220
^{58}Ni, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{58}Ni(^{12}C,^{8}Be)^{62}Zn, 50 to 65 MeV α transfer reaction 4−9274
^{58}Ni(^{16}O,^{16}O)^{58}Ni, inelastic scattering at 42 MeV, folded potential approach 4−2964
^{58}Ni(^{32}S, X) reaction, 67-132 MeV, fusion cross sections, barrier height, radii 4−665
^{58}Ni(^{6}Li,d)^{62}Zn, 28 MeV, struct. effects in the fp shell 4−9270
^{59}Ni(0,2p) coexistence of spherical and deformed shapes in ^{72}Se 4−19270
^{60}Ni(^{18}O,X), X=^{19}F, ^{12,13,14}C, ^{16}O, angular distrib. at 60 and 63 MeV 4−9264
^{62}Ni(^{18}O, ^{16}O)^{64}Ni, finite range recoil effect DWBA calc. 4−15905
^{62}Ni(^{18}O,X), X=^{19}F, ^{12,13,14}C, ^{16}O, angular distrib. at 60 and 63 MeV 4−9264
^{62}Ni(^{7}Ni, ^{6}He)^{63}Cu, forward angle struct. proton ang. momenta depend. 4−40036
^{64}Ni(^{12}C,^{10}Be), 48 MeV, angular distrib. 4−9263
^{64}Ni(^{12}C,^{11}B), 48 MeV, angular distrib. 4−9263
^{64}Ni(^{16}O,^{14}C), 56 MeV, angular distrib. 4−9263
^{64}Ni(^{16}O,^{15}N), 56 MeV, angular distrib. 4−9263
^{10}O(^{11}B,^{7}Li)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
(^{16}O, ^{15}N) reactions on 2s-1d and 1f-2p shell nuclei, DWBA calcs. 4−9252
^{16}O, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947
^{16}O, interaction with ^{12}C, intermediate resonance in ^{28}Si compound system 4−9286
(^{16}O,nα) on light nuclei, characts. 4−2976
(^{16}O,np) on light nuclei, characts. 4−2976
^{16}O induced fusion products, mass distrib. 4−5863
^{16}O-^{16}O interaction properties, microscopic description 4−2969
^{16}O + ^{12}C scattering, S-matrix, Regge-pole description 4−27356
^{16}O + ^{16}O $\rightleftarrows$ ^{32}S, constrained Hartree-Fock calc. using Skyrme interaction 4−36226
^{16}O + ^{17}O, 22 to 32 MeV, inelastic scattering, 2s$_{1/2}$ state in ^{17}O, optical potential, DWBA calc. 4−2951
^{16}O + ^{17}O, 32 MeV, optical model, effect of Coriolis force, molecular orbitals 4−2950
^{16}O + ^{18}O scattering, optical model, ang. momentum depend. absorpt. rel. to elastic transfer 4−2952
^{16}O(^{11}B, ^{7}Li)^{20}Ne, structure of states in ^{20}Ne 4−428
^{16}O(^{12}C, α)^{24}Mg, identification of high spin states in s-d shell nuclei with new ang. correl. method 4−19298
^{16}O(^{12}C,^{8}Be), 50 to 65 MeV α transfer reaction 4−9274
^{16}O(^{12}C,^{8}Be)^{20}Ne, rel. contributions of direct and compound reaction mechanisms 4−9283
^{16}O(^{12}C,α_{1})^{24}Mg*(α_{2})^{20}Ne*(γ)^{20}Ne, 35-38 MeV, triple correlation meas. of ^{14}Mg high-spin states 4−23599
^{16}O(^{12}C,α)^{24}Mg, resonance struct. 4−9287
^{16}O(^{14}N,^{14}N)^{16}O, optical model with spin-orbit interactions 4−19534
^{16}O(^{16}O, ^{12}C)^{20}Ne, DWBA anal. of four-nucleon transfer reactions 4−2940
^{16}O(^{16}O,X), X=^{16}O,^{12}C, ^{20}Ne, ^{14,15}N, ^{17,18}F, 49-65 MeV, excitation functions, ang. distrib. 4−19533
^{16}O(^{16}O,α)^{28}Si, final states of ^{16}O-^{12}C config. 4−9288
^{16}O(^{6}Li, d)^{20}Ne direct transfer reaction in s-d shell, energy levels of ^{20}Ne 4−19539
^{16}O(^{6}Li,^{8}B), 80 MeV, energy spectra 4−9260
^{16}O(^{6}Li,d)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{16}O(^{6}Li,d)^{20}Ne at 25.8 MeV modified DWBA anal. of observed cross sections 4−2844
^{16}O(^{7}Li,^{3}H)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{16}O(^{7}Li,^{3}H)^{20}Ne, 36 to 40 MeV, population of states 4−9268
^{17}O + ^{16}O, 22 to 32 MeV, inelastic scattering, 2s$_{1/2}$ state in ^{17}O, optical potential, DWBA calc. 4−2951
^{17}O(^{16}O,^{16}O), molecular orbitals and multiple transfer 4−40038
^{17}O(^{16}O,^{16}O)^{17}O, exchange contributions to inelastic scattering 4−2968
^{17}O(^{16}O,^{16}O)^{17}O*, 22 to 32 MeV, interference between inelastic scattering and transfer 4−23717
^{17}O(^{6}Li,^{3}H)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{18}O, finite range recoil effect DWBA calc. for ^{62}Ni(^{18}O, ^{16}O)^{64}Ni 4−15905
(^{18}O,^{16}O), two nucleon transfer, quantum mechanical treatment 4−9275
^{18}O + ^{16}O scattering, optical model, ang. momentum depend. absorpt. rel. to elastic transfer 4−2952

nuclear reactions and scattering due to nuclei of Z>2 continued
^{18}O(^{11}B, ^{9}Li)^{20}Ne, structure of states in ^{20}Ne 4−428
^{18}O(^{11}B,^{9}Li)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{18}O(^{12}C,^{10}Be)^{20}Ne, 46 MeV, DWBA anal. 4−9267
^{18}O(^{13}C, 2p)^{29}Mg, ^{29}Mg mass and β-decay 4−5703
^{18}O(^{13}C,2p)^{29}Mg, 35 MeV, ^{29}Mg mass excess, β-decay spectrum 4−2746
^{18}O(^{18}O,2pn)^{33}Si, 35 MeV, ^{33}Si mass excess 4−2746
^{18}O(^{18}O,pn)^{34}P, 35 MeV, ^{34}P mass excess 4−2746
^{18}O(^{6}Li, ^{6}He) charge exchange, two-step pickup-stripping excitation mode 4−19535
^{18}O(^{6}Li,2p)^{22}F, 26 MeV, ^{22}F beta-decay obs. 4−31311
$_{8}^{16}$O 225 MeV/nucleon beam, prod. of radioactive fragments, localisation 4−8179
^{a}Pb(^{14}N,xn)^{217}Ac, A=207, 208, x=4, 5, ^{217}Ac α-decay, 65-96 MeV 4−15727
^{206}Pb(^{12}C,4n)^{214}Ra, 90 MeV, population of 8^{+} states in ^{214}Ra 4−12145
^{208}Pb, inelastic scattering of ^{11}B ions 4−5839
^{208}Pb, transfer reactions induced by ^{14}N and ^{12}C at 91 and 78 MeV 4−9282
^{208}Pb(^{11}B,^{10}B)^{209}Pb, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{11}B,^{10}Be)^{209}Bi, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{11}B,^{12}B)^{207}Pb, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{11}B,^{12}C)^{207}Tl, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{12}C, ^{11}B), exact finite-range DWBA calcs. 4−31407
^{208}Pb(^{12}C, ^{13}C), exact finite-range DWBA calcs. 4−31407
^{208}Pb(^{12}C,4n)^{216}Ra, ^{216}Ra, α-decay, 65-96 MeV 4−15727
^{208}Pb(^{16}O, ^{15}N)^{209}Bi, exact finite range DWBA calc. 4−12375
^{208}Pb(^{16}O,^{17}O*)^{207}Pb, recoil effects in DWBA calcs. 4−2979
^{208}Pb(^{16}O,^{17}O)^{207}Pb, virtual Coulomb excitation at 2.61 MeV 4−2962
^{208}Pb(^{16}O,^{17}O)^{207}Pb, 69.1 MeV, virtual Coulomb excitation effects 4−19371
^{208}Pb(^{17}O,^{16}O)^{209}Pb, population of ^{209}Pb states, transitions and lifetimes 4−2808
^{208}Pb(^{6}Li, $\alpha\alpha$)^{206}Tl, 24-30 MeV, ^{8}Be intermediate state, three-particle correlations 4−27355
^{208}Pb(^{6}Li, αd)^{208}Pb, 24-30 MeV, ^{6}Li* intermediate state, three-particle correlations 4−27355
^{208}Pb(^{6}Li,αp)^{209}Pb, 24-30 MeV, ^{5}Li intermediate state, three-particle correlations 4−27355
^{208}Pb(^{84}Kr,^{84}Kr)^{208}Pb, 500 MeV, contrib. of non-elastic processes to angular distrib. 4−2948
^{208}Pb(^{9}Be,^{8}Be)^{209}Pb leading to 4.298 MeV unbound state, model calcs. 4−2980
Pt(^{20}Ne,^{20}Ne′), 83 MeV, projectile Coulomb excitation, reorientation meas. 4−31404
Pt(^{22}Ne,^{22}Ne′), 91, 80 MeV, projectile Coulomb excitation, reorientation meas. 4−31404
^{208}Pt(^{11}B,^{11}B), 72.2 MeV inelastic scattering, interference between Coulomb and nuclear excitation 4−12381
^{103}Rh + ^{14}N, ^{117}Te compound nucleus formation, ang. distrib. of evaporated changed particles, critical ang. momenta 4−9302
^{103}Rh(^{35}Cl, ^{35}Cl*γ), 64 MeV, ^{103}Rh energy level lifetime meas. 4−36159
^{32}S + ^{30}Si, 75 to 80 MeV, elastic exchange, DWBA and nuclear orbitals model 4−2954
^{32}S(^{16}O,^{12}C)^{36}Ar, 30 MeV, oscillating angular distributions 4−9246
^{32}S(^{16}O,^{12}C)^{36}Ar, 45 MeV, α transfer reaction 4−9273
^{32}S(^{16}O,^{16}O), 30 MeV, optical model reproduction of diffraction pattern 4−9246
^{32}S(^{32}S,^{32}S), 113 MeV, elastic scattering excitation function 4−9272
^{32}S(^{6}Li, d)^{36}Ar, direct transfer reaction in s-d shell, energy levels of ^{36}Ar 4−19539
^{32}S(^{6}Li,d)^{36}Ar, excitation of odd-parity levels 4−40040
^{123}Sb(^{12}C,4nγ)^{131}La, 88 MeV, M2 isomers, deformed nuclear shape for ^{131}La 4−2804
^{77}Se + ^{40}Ar, ^{117}Te compound nucleus formation, ang. distrib. of evaporated changed particles, critical ang. momenta 4−9302
^{28}Si, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{28}Si + ^{12}C, 24-26 MeV, high excitation in ^{40}Ca compound nucleus, particle emission 4−12379
^{28}Si(^{16}O, 2pγ)^{42}Ca, high spin states of ^{42}Ca 4−15639
^{28}Si(^{6}Li, d)^{32}S, direct transfer reaction in s-d shell, energy levels of ^{32}S 4−19539
^{28}Si(^{6}Li,d)^{32}S, excitation of odd-parity levels 4−40040
^{30}Si + ^{32}S, 75 to 80 MeV, elastic exchange, DWBA and nuclear orbitals model 4−2954
^{30}Si(^{18}O, p2n)^{45}Sc, high spin states in ^{45}Sc 4−15640
Sm(^{11}B, 4n)Ho, odd-A, Ho isotope backbending 4−15687
^{a}Sm(^{16}O,^{14}C), A=150, 152 and 154, excitation functions between 63 and 81 MeV 4−9265
^{144}Sm(^{40}Ar,2p(x+2)n), two peak struct. in excitation function 4−9297
^{144}Sm(^{40}Ar,αxn), two peak struct. in excitation function 4−9297
^{144}Sm(Ar, 2pxn)Pt, 200 to 300 MeV, excitation functions and α-decay from compound nuclei 4−27351
^{150}Sm (^{16}O,xnγ), (^{16}O,αxnγ), 68 to 84 MeV absolute cross section meas. 4−9296
^{a}Sn(^{14}N,3nγ), A=116, 118, 120, 50.5-76 MeV, La energy levels, coupling scheme 4−425
^{a}Sn(^{16}O, xn), A=120, 122, population of high spin levels of ^{133,135}Ce 4−15643
^{112}Sn(^{16}O,2npγ), 72-94 MeV, La energy levels, coupling scheme 4−425
^{120}Sn(^{16}O, 4n)^{132}Ce reaction, high-spin yrast states in transitional nuclei ^{132}Ce 4−19325
^{120}Sn(^{18}O,^{16}C) 100 MeV, two nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{16}O)^{122}Sn, 100 MeV, two nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{17}N), 100 MeV, one nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{17}O), 100 MeV, one nucleon transfer reaction 4−9276
^{122}Sn(^{16}O, 4n) reaction, high-spin yrast states in transitional nuclei ^{134}Ce 4−19325

nuclear reactions and scattering due to nuclei of Z>2 continued
^{124}Sn(^{14}N,5nγ), 50.5-76 MeV, La energy levels, coupling scheme 4−425
^{58}Sr(^{6}Li, ^{6}He), 38 MeV, cross-section upper limits determ. 4−36220
^{88}Sr(^{13}C,^{12}C), single neutron transfer in subcoulomb region 4−9259
^{88}Sr(^{16}O, ^{15}N)^{89}Y, exact finite range DWBA calc. 4−12375
^{88}Sr(^{16}O,^{15}N)^{89}Y, 44-59 MeV, angular distrib., DWBA anal. 4−19537
Ta bombardment with ^{40}Ar, ^{84}Kr, ^{136}Xe, formation of Au isotopes by fission and multinucleon transfer 4−9304
^{181}Ta(^{84}Kr,^{84}Kr)^{181}Ta, 457 MeV, contrib. of non-elastic processes to angular distrib. 4−2948
^{181}Ta(Kr,f), mass and charge distribs. of fission fragments 4−27374
^{181}Ta(Xe,f), mass and charge distribs. of fission fragments 4−27374
^{159}Tb(^{7}Li,α2n)^{160}Dy, gamma spectra meas. rel. to pop. of high spin states of ^{160}Dy 4−12383
Te(^{32}S, ^{32}Sγ), A=122 to 130, 57 to 65 MeV, determ. of static quadrupole moment 4−36217
^{a}Te(^{11}B,4nγ), A=122,124,126,128,130, 40-56.5 MeV, La energy levels, coupling scheme 4−425
^{a}Te(^{16}O, xn), A=122, 124, population of high spin levels of ^{135,137}Nd 4−15643
^{232}Th, bombardment with ^{22}Ne ions at ^{174} MeV, multinuclear transfer 4−9277
^{232}Th, bombardment with ^{40}Ar ions at 288 MeV and 379 MeV 4−9278
^{232}Th, bombardment with ^{40}Ar ions at 288 and 379 MeV 4−9279
^{232}Th, inelastic scattering of ^{84}Kr at 389 and 468 MeV 4−2961
^{232}Th, transfer reactions induced by ^{40}Ar at 300 MeV 4−9280
^{232}Th + ^{40}Ar, 288 and 379 MeV, cross-section for light product formation and critical ang. momentum 4−9301
^{232}Th + ^{40}Ar, transfer reactions at 297 to 388 MeV, theoretical interpretation 4−15908
^{232}Th + ^{74,76}Ge, superheavy nuclei synthesis, production cross-section meas. *(Russian)* 4−31430
^{232}Th + ^{74}Ge, energy dependence of fission and nucleon transfer cross-sections *(Russian)* 4−31429
^{232}Th(^{40}Ar,X), transfer reactions at 297 and 388 MeV 4−2939
^{232}Th(^{84}Kr, ^{84}Kr) inelastic scattering, 371 and 450 MeV, particle-gamma coincidence meas. 4−27354
^{232}Th(^{84}Kr,^{84}Kr)^{232}Th, 500 MeV, contrib. of non-elastic processes to angular distrib. 4−2948
^{48}Ti, A=3 to 20 fragments from ^{16}O bombardment 4−9291
U, ^{40}Ar and ^{84}Kr induced complete fusion cross sections 4−9311
U(Ar,F), 414 MeV, ratio of ternary to binary fission, obs. in mica using hole detector 4−31435
U(Kr,f), mass and charge distribs. of fission fragments 4−27374
U(Xe,f), mass and charge distribs. of fission fragments 4−27374
^{233}U + ^{15}N → ^{244}Es, 77-82 MeV, α-particle spectra, half-life of ^{244}Es 4−12295
^{233}U + ^{15}N → ^{293}Es, 77-82 MeV, α-particle spectra, half-life of ^{243}Es 4−12295
^{238}U, Coulomb excitation using Kr ions, moments of inertia 4−2799
^{238}U, partial fusion reactions with 172 MeV ^{22}Ne and 288, 379 MeV ^{40}Ar, transuranium element synthesis *(Russian)* 4−15911
^{238}U + ^{84}Kr, 408 to 458 MeV, search for Coulomb fission 4−36218
^{238}U(^{11}B,α3n)^{242}Am, heavy ion induced reactions, theory of isomer ratios of shape isomers 4−5835
^{238}U(^{11}B,α3n)^{242}Am, statistical compound nucleus theory of shape isomers 4−9305
U fission, 9.6 MeV/nucleon Fe-ions induced 4−5854
U foil, irradiation with 9.6 MeV/nucleon Cu ions, search for superheavy elements 4−5840
W, ^{40}Ar and ^{84}Kr induced complete fusion cross sections 4−9311
Xe induced K X-ray excitation, 150 MeV 4−9469
^{170}Yb(^{20}Ne,4n)^{186}Hg, 108 MeV, recoil-distance Doppler-shift meas. of lifetime 4−19271
Zr, ^{16}O induced, reaction cross section for n, p, α production 4−9251
^{a}Zr, A=90,91,94, ^{16}O induced single-nucleon transfer reactions, spectroscopic factors 4−12380
^{90}Zr(^{13}C,^{12}C), single neutron transfer in subcoulomb region 4−9259
^{90}Zr(^{16}O,^{15}N), single proton transfer in subcoulomb region 4−9259
^{92}Zr(^{13}C,3n)^{102}Pd, DCO-ratio meas. of ^{102}Pd gamma-ray transitions 4−36160
^{96}Zr(^{18}O, 4nγ)^{110}Cd, linear γ-ray polarisation meas. 4−31411
^{92}Zt(^{16}O,^{15}N), single proton transfer in subcoulomb region 4−9259

nuclear reactions and scattering due to nucleons
see also nuclear reactions and scattering due to neutrons; nuclear reactions and scattering due to protons
cascade avalanche induced by cosmic ray nucleons in iron, absorption *(Russian)* 4−38588
compound nucleus formation, blocking effect meas. of excited state lifetimes 4−27325
deformed nuclei, Hauser-Feshbach theory 4−9134
diffraction scattering at high energy, rel. to nuclear structure 4−27326
elastic, off-energy-shell effects in multiple scattering 4−19361
elastic scattering, collective nucleon-target states in optical potential *(Russian)* 4−23654
elastic scattering, collective states excitation, optical model 4−637
exciton model, intermediate-state decay rates 4−15746
heavy fission nuclei, inelastic interaction at 0.1 to 30 GeV, intranuclear cascade model 4−40005
high-energy nucleon scatt. by complex nuclei, inelastic screening effects 4−19399
inelastic scattering on deformed nuclei, fluctuation cross sections, Hauser-Feshbach theory 4−19374
intermediate structure, calc. of scattering amplitude 4−9192
light nuclei, compound level spectroscopy, polarisation use 4−12315
optical model potential, nucleon-nucleus 4−12353
polarisation phenomena w.r.t. (N,N) type reactions 4−12314
radiative capture in giant resonance region, complex coupling interaction in direct-semidirect theory 4−15819
Saturne nuclear physics experimentation *(French)* 4−2877
scattering, appl. of Migdal's theory 4−9171
shell-model, elastic scatt., averaged S-matrix, s-neutron strength function 4−31360
single nucleon ejection, effects of short range correlations and final state interactions 4−15761
three-body problems, positive energy model equation 4−2830

nuclear reactions and scattering due to nucleons continued
transfer reaction experiments, review 4−15859
γ quantum emission, ang. distrib., Glauber theory 4−39968
N-N interaction, parity-nonconserving effect on nuclear reactions 4−15656
N-N interaction, relativistic description using complex potential, 0-1 GeV 4−19411
^{40}Ca-nucleon optical potential, absorptive part 4−2881
^{2}H, nucleon scattering, separable expansions, local potentials below breakup threshold 4−2829
^{2}H-nucleon scattering cross sections, 0-46 MeV, phase-shift analysis, possible excited state of three-nucleon system 4−15803
^{2}H(N,N)^{2}H, 146 MeV elastic scattering, deuteron D-state percentage 4−15794
^{2}H(N,N)^{2}H, perturbative calcs. of spin observables, comparison with exact calcs. 4−9160
^{4}He + N, total cross section, Glauber approximation, comparison with Pomeron factorisation 4−40010
^{6}Li, elastic nucleon scattering, levels and phase shifts from nucleon-nucleon potential *(French)* 4−9149
^{16}O, calc. of nuclear reactions in random-phase approx. 4−12300

nuclear reactions and scattering due to photons
see also Compton effect; photodisintegration
bremsstrahlung reactions, 270-375 MeV, on hydrogen and nuclear targets, γ-ray and π^0 production 4−27301
bremsstrahlung-produced photoneutron spectra, method for reduction to partial (γ,n) cross sections 4−23660
cross section for photo-proton emission from nuclei between Li and Au, 400 MeV bremsstrahlung 4−624
cross-sections, expt., program for calc. *(Rumanian)* 4−36180
emulsion target, Ilford G-5, electron pair production for 10-300 MeV photons 4−23661
giant dipole resonance in $90<A<150$ nuclei, average energy, exptl. study 4−15760
intermediate structure of giant dipole resonances in light nuclei, microscopic theory 4−39983
measurement data error detection and correction *(Russian)* 4−2355
neutron multiplicities, high-efficiency detection system using ^{3}He proportional counters in polythene cube 4−35401
photoabsorption total cross sections of nuclei for 1.7-4 GeV/c protons, quark and VMD models 4−23497
photoproduction of charged pions near threshold, total cross sections 4−9140
quasideuteron model, review of development *(Russian)* 4−15757
resonances, true width determ. in polychromatic gamma expt. 4−36178
sequential decays, two-proton photo-production 4−5775
single nucleon ejection, effects of short range correlations and final state interactions 4−15761
sum rules for forward elastic scattering 4−31148
Z-dependence of γ-ray elastic scattering including Rayleigh scattering, $Z<82$, 662, 279 keV 4−621
(γ,2n) reactions for $A=103$ to 133 vibrational nuclei, giant dipole resonance obs. 4−27293
(γ,N), $A=12$ to 208 at 10 to 30 MeV, structure of giant resonance 4−15756
(γ,nn), below pion threshold, anal. using e.m. meson exchange currents 4−31341
(γ,n) reactions for $A=103$ to 133 vibrational nuclei, giant dipole resonance obs. 4−27293
(γ,p;t,^{3}He,^{4}He), 450 MeV bremsstrahlung, energy spectra and ang. distribs. meas. for $A=27$ to 197 4−36177
(γ,pn), below pion threshold, anal. using e.m. meson exchange currents 4−31341
(γ,pp), below pion threshold, anal. using e.m. meson exchange currents 4−31341
π^- photoproduction on nuclei, calc. of cross section 4−2862
π^0 production on complex nuclei at 400 to 700 MeV, cross section dependence on mass number 4−27304
$\pi^\pm$ photoproduction, $N>Z$ nuclei, $T_>$ vs. $T_<$ analogue states 4−5776
ρ-meson production from complex nuclei, e.m. and nuclear ρ-ω mixing, optical model 4−36176
Ag(γ,η), total ηN interaction cross-section in η-meson photoproduction 4−9139
^{197}Au, fission-spallation competition at 400 MeV 4−9316
^{197}Au(γ,2n), energies up to 25 MeV, photoneutron cross-section meas. *(Russian)* 4−620
^{10}B, photoneutron cross sections 4−2861
^{11}B, photoneutron cross sections 4−2861
^{9}Be, 400 MeV maximum photoproduction of pions and protons, probability of pion absorption *(Russian)* 4−15758
^{9}Be, photoneutron reaction, cross-section, 1.667-15.5 MeV *(Russian)* 4−19380
^{9}Be(γ,n), intensities of 2158 and 2505 keV γ-rays meas. following ^{60}Co decay 4−12280
^{9}Be(γ,n), photoneutron production cross section, <3 MeV 4−12320
Bi, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{209}Bi(γ,2n), energies up to 25 MeV, photoneutron cross-section meas. *(Russian)* 4−620
^{12}C, pion photoproduction, 0.8 and 0.9 GeV, recoil proton polarisation meas. 4−357
^{12}C, π photoproduction, 250 to 1200 MeV photon energy range 4−36181
^{12}C giant dipole and excited giant dipole states in continuum approximation 4−39942
^{12}C(γ,π^-)^{12}N, photoproduction of charged pions near threshold, total cross sections 4−9140
^{12}C(γ,π^+)^{12}B, photoproduction of charged pions near threshold total cross sections 4−9140
^{12}C(γ,γ), 8.8 MeV, Pomeron exchange dual absorptive model for ρ^0 meson production 4−19381
^{12}C(γ,n)^{11}C, bremsstrahlung activation analysis for O and C traces 4−2429
^{12}C(γ,np) quasideuteron model anal. review of development *(Russian)* 4−15757
^{12}C(γ,π^-)^{12}N, shell model and Helm model anal. 4−27302
^{12}C(γ,π^-)^{12}N, threshold to 375 MeV, total cross-section meas. *(Russian)* 4−31343

nuclear reactions and scattering due to photons continued
^{12}C(γ,π^+)^{12}B, photoproduction, spin flip states, self-conjugate nuclei 4−5777
^{12}C(γ,π^+)^{12}B, shell model and Helm model anal. 4−27302
^{12}C($\gamma,\pi^\pm$), 300-850 MeV, charged pion momentum spectra, cross sections 4−12323
^{12}C($\gamma,\pi^\pm$), giant resonance excitation, comparison of shell model and Helm model 4−15762
^{13}C giant dipole resonance, isospin splitting continuum shell model anal. 4−39985
^{13}C(γ,p), shell model analysis 4−5730
^{40}Ca(γ,n) e.m. giant dipole resonance, factorization method 4−9127
^{40}Ca(γ,p), 340 MeV bremsstrahlung, p spectra meas. 4−39990
^{40}Ca(γ,p)^{39}K, photoproton spectra, angular distribs. and γ-ray de-excitation spectra, cross sections 4−15759
^{44}Ca(γ,p)^{43}K, production of ^{43}K for radiobiological use 4−14695
C(γ,η), total ηN interaction cross-section in η-meson photoproduction 4−9139
^{133}Cs(γ, xnyp) photospallation reactions with 250 MeV bremsstrahlung obs. 4−27300
Cu(γ,η), total ηN interaction cross-section in η-meson photoproduction 4−9139
^{2}D(γ,n) intensities of 2158 and 2505 keV γ rays meas. following ^{60}Co decay 4−12280
^{a}Ge(γ,2n), $A=70$, 72, 74, 76, cross section and yield meas., threshold to 40 MeV, resonance obs. 4−19382
^{a}Ge(γ,n), $A=70$, 72, 74, 76, cross section and yield meas., threshold to 40 MeV, resonance obs. 4−19382
^{a}Ge(γ,np) with $A=70$, 72, 74, 76 $E_\gamma=9.0-40.0$ MeV, cross sections, isospin components 4−623
^{74}Ge(γ,p), $E_\gamma=9.0$-40.0 MeV, cross sections, isospin components 4−623
^{2}H, high-energy states, e.m. excitation 4−31344
^{2}H(γ,n), photoneutron production cross section, <3 MeV 4−12320
^{2}H(γ,n) reaction as photon spectrometer using ^{2}H cryogenic target 4−39319
^{3}H(γ, π^-)^{3}He, reciprocity reln. and $\Delta I\leqslant 1$ rule, sensitivity to T non-invariance 4−625
^{3}He(γ, π^+)^{3}H, reciprocity reln. and $\Delta I\leqslant 1$ rule, sensitivity to T non-invariance 4−625
^{3}He(γ,π^+)^{3}H, differential cross section calc. using impulse approx. and photoprod. amplitudes 4−9143
^{3}He(γ,π^+)^{3}H, photoproduction cross section in 3-3 resonance region 4−23664
^{4}He, gamma absorption, translational-invariant oscillator basis, anal. *(Russian)* 4−31272
^{4}He, photoneutron ang. distrib. and differential cross section, threshold to 33 MeV 4−23665
^{4}He, sum rules for quadrupole photoexcitation 4−12252
^{4}He(γ,n), below pion threshold, anal. using e.m. meson exchange currents 4−31341
^{4}He(γ,n)^{3}He, threshold-110 MeV, evidence of 2^+ state in ^{3}He 4−12322
^{4}He(γ,p), below pion threshold, anal. using e.m. meson exchange currents 4−31341
^{4}He(γ,pπ^-), high nuclear recoil momentum, yield meas., peripheral and resonant mechanisms 4−15763
^{115}In, photoactivation to ^{115m}In, γ-radiation dose meas. 4−19645
^{139}La(γ, xnyp) photospallation reactions with 250 MeV bremsstrahlung obs. 4−27300
^{6}Li, 400 MeV maximum, photoproduction of pions and protons, probability of pion absorption *(Russian)* 4−15758
^{6}Li(γ,^{2}H)^{4}He, M1 transitions, admixture of D-state in wave functions 4−2863
^{7}Li, 400 MeV maximum, photoproduction of pions and protons, probability of pion absorption *(Russian)* 4−15758
^{26}Mg(γ, p)^{25}Na, photoproton energy distrib., decay characts. of giant reson. states 4−12321
^{55}Mn(γ,γ'), 0 to 6.5 MeV, anal. of decay props. of 7491 keV level 4−15754
^{100}Mo(γ,γ') for ^{100}Mo energy levels, spin and parity assignment, mixing ratios 4−15625
^{13}N(γ,p), shell model analysis 4−5730
^{142}Nd (γ,γ'), 0 to 6.5 MeV, anal. of decay props. of 6877 keV level 4−15754
^{16}O, calc. of nuclear reactions in random-phase approx. 4−12300
^{16}O(γ,n), differential polarisations of photoneutrons from giant dipole states 4−19386
^{16}O(γ,n), e.m. giant dipole resonance, factorization method 4−9127
^{16}O(γ,n)^{15}O, bremsstrahlung activation analysis for O and C traces in Na and Cs 4−2429
^{16}O(γ,np), quasideuteron model anal. review of development *(Russian)* 4−15757
^{16}O(γ,π^+)^{16}N, differential cross-section, excitation of analogue states 4−5777
^{18}O(γ,γ'), determ. of 6.20 MeV level width 4−27238
Pb, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
Pb(γ,η), total ηN interaction cross-section in η-meson photoproduction 4−9139
Pr, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{45}Sc(γ,2n), level density formulas, test 4−5721
^{45}Sc(γ,2p), level density formulas, test 4−5721
^{45}Sc(γ,n), level density formulas, test 4−5721
^{80}Se(γ, γ) resonant scattering, level scheme determ. 4−5716
^{29}Si, retardation of E1 transitions, and neutron effective charge, giant dipole resonance effect 4−583
^{88}Sr, elastic and inelastic scattering cross sections using γ-rays in range 8.6 to 12 MeV 4−5774
^{181}Ta, photoneutron production, dynamic collective model interpretation 4−619
^{232}Th, 150 MeV bremsstrahlung irradiation, production of Ac heavy isotopes 4−2814
Th(γ,γ), Delbruck scattering, elastic scattering cross section determ. 4−9141
U, fission-spallation competition at 400 MeV 4−9316
^{235}U, reactor fuel, in D_2O moderator, production of delayed photoneutrons 4−36182

nuclear reactions and scattering due to photons continued

U(γ,γ) Delbruck scattering, elastic scattering cross section determ. 4−9141
Y, photoneutron, cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{64}Zn(γ,p) E=15-27 MeV, giant resonance photoproton cross section and isospin components 4−622
^{90}Zr+γ, intermediate struct. rel. to resonance energies 4−9075
^{90}Zr(γ,p)^{89}Y, 30 MeV, photoproton spectra and core-excitation model 4−31339
^{91}Zr(γ,n), valence component in threshold neutron spectrum 4−31342
^{91}Zr(γ,p)^{90}G, 30 MeV, photoproton spectra and core-excitation model 4−31339

nuclear reactions and scattering due to protons

(p,p′) reactions, collective model anal. using potentials derived from nuclear matter distribs. 4−19448
air nuclei, proton absorption total cross section rel. to cosmic ray data 4−34573
closed shell isotopes, inelastic proton scatt. cross sections, microscopic calcs. for collective levels *(French)* 4−5809
coherent N* production in emulsions off heavy nuclei, white star form. 4−9041
deuteron breakup processes, final state interaction studies *(French)* 4−19377
elastic scattering, angular and energy polarisation relns. in diffraction theory *(Russian)* 4−19375
elastic scattering, optical model with surface term, A=12 to 208, polarisation 4−19441
electron pair production, 200 GeV proton beam on nuclear emulsion 4−36198
emulsion nuclei, 200 GeV proton interactions, shower particle multiplicity, ang. distrib. 4−31364
emulsion nuclei, coherent generation of particles by 200 GeV/c protons 4−27328
fast light nuclide ejection during 600 MeV interactions, thermodynamic model and substruct. ejection *(French)* 4−9163
few body problems, exptl. program at cyclotron of Swiss Inst. for Nuclear Res. 4−23659
few particle system research at LAMPF 4−23722
five-nucleon system, incident beam polarisation calibration 4−12352
fragmentation at heavy target, production of Li, Na neutron rich isotopes 4−2745
giant resonance excitation on spherical and deformed nuclei by inelastic 155 MeV proton scattering 4−15818
high energy elastic scattering, triple scattering effects 4−15820
high-energy, Monte Carlo calcs. of hadron cascades at energies to 400 GeV 4−9153
high-energy nuclear emulsion interactions, meas. and anal. of coherent production of particles 4−19251
inclusive production of $\pi^{\pm}$, $K^{\pm}$, p, d, ^{3}H, ^{3}He, d, ^{3}He, cascade model 4−27317
inelastic proton scattering producing high-lying negative parity states, even-even N=82 nuclei, unified model 4−12194
inelastic scattering, optical models, proton-nucleus spin-orbit coupling 4−27322
inelastic sum rules for high-energy proton scattering from light nuclei, ground state N-N correlation 4−15772
isospin potential, complex and energy dependent character 4−2883
light elements ($Z<10$) conc. meas. by charged particle radioactivation *(French, English)* 4−15038
multiplicity distribs. in proton-nucleus collisions at 67 and 200 GeV 4−5683
multiplicity scaling at high energies, two-cone model 4−27315
multiplicity scaling in cosmic ray jet data, 0.1-10 TeV 4−27314
nuclear multiplicity scaling in 69 GeV collisions 4−27313
optical model, isospin dependence in proton, neutron scatt., reformulated pot. calc. 4−39980
partial widths for elastic scattering 4−9132
photoemulsion layers, light nuclei and hydrogen conc. depend. *(Russian)* 4−30582
photoemulsion stacks, obs. of interactions along particle trace *(Russian)* 4−35430
photoemulsion tests, nuclear interaction obs. along trace *(Russian)* 4−35429
polarisation transfer in elastic and inelastic scattering, formalism 4−15863
proton-nuclear collisions, 200 and 300 GeV, search for fractionally charged quarks 4−36200
quasifree scattering on ^{2}H, ^{3}He, ^{4}He, attenuation model 4−9154
radionuclide cross sections in natural Si, Ca, Ti and Fe targets bombarded with 14 to 45 MeV protons 4−630
rare earth nuclei, (p,α) reaction (10-20 MeV) for α-cluster preformation probability 4−19401
Saturne nuclear physics experimentation *(French)* 4−2877
ternary fission induced by 12.2 GeV protons on U, Th, Pb, Au, Pt, Sn, Ag nuclei 4−31433
three-nucleon and four-nucleon system problems 4−12351
transparency of nuclear matter, in 200 GeV p-nucleus collisions 4−31354
triton production in interactions with Ag and Br nuclei at 24 GeV/c 4−36187
TRIUMF cyclotron for H^{-} ions, appl. to few nucleon system research 4−22934
(p, 2nγ), population of high-spin negative parity states in even-even Os, Pt and Hg nuclei 4−19305
(p, d) reaction, peripheral model analysis with nuclear form factors 4−2876
(p, n), isospin-forbidden, neutron polarisation 4−5802
(p, n) reaction population of rotational bands in ^{187}Os 4−19306
(p, t) reactions on odd-A nuclei, weak-coupling core-excitation model 4−36203
(p,2nγ), 12 MeV, study of negative parity states in Hg, Pt and Os nuclei 4−39937
(p,2p) reaction, quasifree, formal theory derivation 4−31368
(p,2p) reactions for light nuclei, overlap functions, sum rule corrections 4−2851
(p,α), 12-19 MeV on ^{51}V, ^{56,57}Fe, gamma-ray multiplicity meas. 4−23638

nuclear reactions and scattering due to protons continued

(p,α) pre-compound emission mechanism and internal cascades 4−36174
(p,α) reactions, deexcitation by α emission before statistical equil. *(French)* 4−23714
(p,d) analogue reaction on ^{95}Mo, ^{97}Mo, structural study of analogue states 4−9194
(p,d) reactions, study of 1 $g_{9/2}$ neutron state in nuclei with $52\leqslant N\leqslant 82$ 4−9060
(p,γ), level schemes and gamma decay of analogue resonances in ^{47}V and ^{51}Mn 4−12188
(p,γ) reaction, polarised protons, E2 giant resonances 4−5813
(p,^{3}He) reactions on light nuclei, 20 to 45 MeV, meas. energy dependence rel. to DWBA reliability determ. 4−2893
(p,n), Lane model, macroscopic charge independent analysis 4−2887
(p,n) reactions, 0^{+} isobaric analogue states, microscopic calculations 4−636
(p,np_1), compound-nucleus mechanism near neutron threshold, isobaric analogue resonance decay 4−19406
(p,n) reaction on ^{3}H, ^{7}Li at 2 to 5 MeV, n-polarisation meas. 4−19376
(p,n) reactions on light-nuclei, 100 MeV, differential cross section and polarisation predictions 4−40004
(p,p), elastic and inelastic high-energy scattering 4−31379
(p,p), elastic scattering, p polarisation near isobaric analogue resonances 4−15844
(p,p) and (p,p′) scattering expts., polarisation meas., isobaric analogue resons. 4−12355
(p,p) scattering, 156 MeV, cross-section meas. optical model anal. 4−36194
(p,p′), 19-MeV, on ^{56}Fe, ^{112,122}Sn, gamma-ray multiplicity meas. 4−23638
(p,p′), A=40, 70, intermediate struct. rel. to resonance energies 4−9075
(p,p′), from closed shell nuclei, microscopic description of imaginary form factor 4−2871
(p,p′) scattering, polarisation phenomena 4−12354
(p,p′γ) reactions, A=90 region, p,γ ang. correlations near analogue resonances 4−40022
(p,pn), cross section anal. in dispersion theory for direct reactions, singlet deuteron formation *(Russian)* 4−23680
(p,pn) reaction in light nuclei, singlet deuteron effects using dispersion theory 4−27320
(p,p$\pi^{+}\pi^{-}$), coherent generation on emulsion nuclei at 200 GeV/c 4−27328
(p,p) scattering on rare earth nuclei with A=160 to 174, isobaric analogue resonance studies 4−12334
(p,t), anomalous ang. distrib. due to form factor cancellation 4−19396
(p,t), on ^{238}U, ^{209}Bi, ^{197}Au, W and Yb at 1 GeV, ang. correlation of fragments 4−40050
(p,t) reaction, shape transition obs. in odd-A Eu isotopes 4−406
(p,t) reactions, 19 MeV, enriched and natural rare earth nuclei targets, Q-meas. 4−634
(p,t) reactions on 1p shell nuclei, diffraction model 4−5769
(p,t) reactions on rare-earth nuclei, finite range DWBA calcs. 4−27318
(p,t) reactions on light nuclei, 20 to 45 MeV, meas. energy dependence rel. to DWBA reliability determ. 4−2893
(p,xn) estimation of max. cross section of excitation functions 4−12309
(p,xp), 10 to 50 MeV, pre-equilibrium processes 4−31378
p-emulsion nuclei interactions at 200 GeV, multiple production anal. in cascade model 4−12106
p-p bremsstrahlung cross sections, 11 and 13 MeV 4−19392
p-p interaction potential in GeV region, nuclear structure probe 4−15655
scattering at 1.15 to 5.7 GeV, effects of scaling invariance *(Russian)* 4−15573
^{19}(p,t)^{17}F, 42.4 MeV, differential cross section, spin depend., coherent summations 4−19405
^{39}(p,p′γ), 6.0 to 8.2 MeV, decay modes and lifetimes of ^{39}K levels 4−27269
^{107}Ag(p,n), magnetic moment and $T_{1/2}$ of isomeric $^{11}._{2}^{-}$ state in ^{107}Cd 4−39928
Al isotopes, short-lived product nuclei resulting from 1 GeV proton bombardment *(Russian)* 4−629
^{27}Al, double scatt., polarisation meas., model anal. *(Russian)* 4−31376
^{27}Al(p,α)^{24}Mg, compound nuclear lifetime effect on min. yield of blocking phenomena 4−16524
^{27}Al(p,γ)^{28}Si, ^{28}Si level lifetimes, Doppler shift attenuation meas. 4−9204
^{27}Al(p,γ)^{28}Si, 1.118 MeV reson. obs., ^{28}Si levels *(French)* 4−2802
^{27}Al(p,γ)^{28}Si, 633, 744 keV, strengths of resonances in ^{28}Si 4−31366
^{27}Al(p,γ)^{28}Si, 990 to 1800 keV, as gamma ray calibration standard 4−40012
^{27}Al(p,γ)^{28}Si, group decay of resonant states in region of isobaric analogue resonances 4−9115
^{27}Al(p,γ)^{28}Si, γ-γ directional correl. meas. on 1024 keV resonance, 1522 keV transition investig. 4−36162
^{27}Al(p,γ)^{28}Si, radiation damping effect on Doppler shift of gamma-rays *(Russian)* 4−576
^{27}Al(p,γ)^{28}Si, resonance levels, spin-parity assignment *(French)* 4−31233
^{27}Al(p,p)^{27}Al, 6.2-6.8 MeV, excitation functions, cross-section, polarisation meas. *(Russian)* 4−23681
^{27}Al(p,p)^{27}Al, depolarisation parameter meas. 4−19447
^{241}Am(p,2n)^{240}Cm E=8.2-16 MeV neutron-fission competition near threshold 4−656
^{36}Ar(p,t), 40.2 MeV, ^{34}Ar mass determ. and calc. of ft values for Fermi beta-decay 4−31312
^{75}As(p,n$e^{-}\nu$)^{75}Se, low lying transitions in ^{75}Se 4−592
^{197}Au(p,α)^{194}Pt, statistical anal. of pre-equilibrium processes 4−9178
^{197}Au(p,p)^{197}Au, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4−19444
^{197}Au(p,pn)^{196}Au, 52 MeV, effect of residual spin on cross section and recoil ion range 4−9174

nuclear reactions and scattering due to protons continued
^{10}B(p,p)^{10}B, depolarisation parameter meas. 4−19447
^{11}B + p → 3α, cross-section formula, energy dependent terms *(French)* 4−2868
^{11}B(p,alpha)2 alpha, sequential α-decay, proton energy 2.65 MeV 4−27330
^{11}B(p,n)^{11}C, ^{11}C prod. by tandem Van de Graaff accelerator, for medical uses 4−35379
^{11}B(p,p′), 30.3 MeV polarisation and asymmetry calc. using DWBA anal. 4−19449
^{11}B(p,p) elastic and inelastic, 3.5 to 10.5 MeV, polarised protons in giant resonance regions 4−19451
^{17}B, production and identification 4−2743
^{138}Ba, polarised proton scattering near isobaric analogue resonances, core excitation 4−9202
^{138}Ba(p,p′)^{138}Ba(2$^+$), 10.11-11.69 MeV, determ. of wave functions of analogue states 4−9200
Be, n yield meas. at 5 to 10 MeV p energy 4−19398
Be, p bombardment at 724 MeV, neutron spectra meas. with modified time-of-flight spectrometer 4−26643
^{9}Be(p,α)^{6}Li, 300 to 1250 keV, polarised p, differential analysing power and ang. distrib. anal. 4−19431
^{9}Be(p,d), 2.5 to 3.7 MeV, DWBA anal. deuteron D-state effect in tensor polarisation 4−15846
^{9}Be(p,d)^{8}Be, 300 to 1250 keV, polarised p, differential analysing power and ang. distrib. anal. 4−19431
^{9}Be(p,γ)^{10}Be, in energy range 200 to 750 keV 4−12357
^{9}Be(p,p), ^{10}B level struct., obs. for different channels 4−27241
^{9}Be(p,p)^{9}Be, 5-12 MeV elastic scatt., cross section and polarisation, optical model anal. *(Russian)* 4−23684
^{9}Be(p,p)^{9}Be, 6-7 MeV elastic scattering, differential cross section and polarisation is optical model *(Russian)* 4−15788
^{9}Be(p,p)^{9}Be, depolarisation parameter meas. 4−19447
^{9}Be(p,p)^{9}Be depolarisation and spin-spin interaction, 25 MeV 4−2885
^{9}Be(p,pn), 46 MeV, ang. distrib. and cross-section meas. PW1A anal. 4−36196
^{9}Be(p,pn)^{8}Be, 12, 17 MeV, cross section anal. in dispersion theory for direct reactions, singlet deuteron formation *(Russian)* 4−23680
^{9}Be(p,xn), 724 MeV, n-spectra meas. comparison with intracascade model 4−19415
^{14}Be, production and identification 4−2743
^{209}Bi(p,3n), 52 MeV, recoil ion ranges rel. to reaction mechanism 4−9177
^{209}Bi(p,3n)^{207}Po, 24-35 MeV, isomeric decay study 4−581
^{209}Bi(p,4n), recoil ion ranges rel. to reaction mechanism 4−9177
^{209}Bi(p,d)^{208}Bi, 35 MeV, DWBA anal. of particle-hole multiplets in ^{208}Bi 4−19295
^{209}Bi(p,n) at 25 to 50 MeV, complex microscopic effective interaction generation 4−12339
^{209}Bi(p,p′), 39 and 62 MeV, spectra rel. to calc. from pre-equilibrium decay models 4−2849
^{209}Bi(p,p′)^{209}Bi, 14.0 to 15.5 MeV, isobaric analogues of ^{210}Bi, 2p-1h structure 4−12182
^{209}Bi(p,p3n), 52 MeV, recoil ion ranges rel. to reaction mechanism 4−9177
C isotopes, short-lived product nuclei resulting from 1 GeV proton bombardment *(Russian)* 4−629
^{12}C, ang. distribs. of secondary γ-quanta and cross sections for excitation, 1 GeV protons 4−5800
^{12}C, elastic and inelastic scattering, 1 GeV,.multiple diffractive anal. 4−23672
^{12}C, inelastic scatt., 185 MeV, polarization meas., DWIA calc. 4−23692
^{12}C, magnetic moment scattering 4−9205
^{12}C(2,2p), 460 MeV, background resonance interference, inner shell structure 4−19400
^{12}C(p,α)2α, 52 MeV protons, proton and α-particle spectra, excitation state depend. 4−27332
^{12}C(p,γ)^{13}N, isotopic C analysis 4−15047
^{12}C(p,p′), 1 GeV, differential cross-section calc. using diffraction scattering model 4−39982
^{12}C(p,p′), 1 GeV inelastic scatt., Glauber multiple diffraction model 4−31363
^{12}C(p,p′), 185 MeV’ p polarisation in 3^- level excitation 4−15841
^{12}C(p,p′) spin-flip transitions, giant multipole reson., excitation 4−9203
^{12}C(p,p′)^{12}C, 25 MeV, correl. effects in microscopic anal. 4−2886
^{12}C(p,p′)^{12}C, spin flip probability, compound resonance mechanism 4−9173
^{12}C(p,p’) 4.8 to 8 MeV, coupled-channel model anal. 4−19435
^{12}C(p,p’) at 185 MeV, polarisation meas. DWBA, DWIA and strong absorption model anal. 4−12336
^{12}C(p,p)^{12}C, elastic scattering cross section and polarisation meas. by thick target method *(Russian)* 4−23683
^{12}C(p,p)^{12}C, medium energy protons, Glauber multiple scattering series 4−2715
^{12}C(p,p)^{12}C Glauber theory of multiple scattering, eikonal and Fresnel corrections 4−27290
^{12}C(p,p)^{12}C*, 50 MeV, polarisation-asymmetry inequality 4−2888
^{12}C(p,pd)^{10}B, exchange processes, quasifree knockout reaction 4−19410
^{12}C(p,pn), 46 MeV, ang. distrib. and cross-section meas. PW1A anal. 4−36196
^{12}C(p,$\pi^\pm$)^{13}C, 185 MeV, one-nucleon reaction model 4−40011
^{12}C(p,t), 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{13}C(p,γ)^{14}N, isotopic C analysis 4−15047
^{13}C(p,p′), 30.3 MeV polarised p, coupled channel anal. 4−19450
^{13}C(p,π^-)^{4}o, 185 MeV, pion energy spectra, angular distrib. to ground state 4−15783
^{13}C(p,π^+)^{14}C, 185 MeV, pion energy spectra, angular distribs. to ground state 4−15783
^{14}C(p,γ)^{15}N, giant dipole resonance of ^{15}N, E2 and M1 radn. 4−19341
^{40}Ca, elastic scatt. of 1 GeV protons, differential cross section meas. 4−9150
^{40}Ca, excitation of giant resonances in e and p scattering 4−39984
^{40}Ca (p,p′), 24.5 MeV polarised p, asymmetry meas. 4−19453
^{40}Ca(p,p′), 185 MeV, p polarisation in 3^- level excitation 4−15841

nuclear reactions and scattering due to protons continued
^{40}Ca(p,p′), 3^- and 5^- state excitation anal. with Skyrme forces 4−40002
^{40}Ca(p,p′), differential cross sections, scatt. calcs., 3^-, 5^- excitations 4−626
^{40}Ca(p,t)^{38}Ca, 52 MeV, obs. of anomalous L = 0 transition 4−31365
^{42}Ca(p,α)^{39}K, 40.2 MeV, semimicroscopic form factor in DWBA anal. 4−9165
^{42}Ca(p,α)^{39}K, 40.2 MeV, DWBA calcs. using improved form factor 4−12342
^{42}Ca(p,d)^{41}Ca, transfer form-factor calc. with realistic interaction 4−36172
^{42}Ca(p,t)^{40}Ca, study of 0^+ states in core excitation model 4−2891
^{43}Ca(p, t)^{41}Ca, enhanced L = 0 transitions to excited $7/2^-$ states, weak-coupling core-excitation model 4−36203
^{43}Ca(p,t)^{41}Ca, study of $^{7}.{}_{2}^{-}$ states in core excitation model 4−2891
^{44}Ca(p,γ)^{45}Sc, resonances, γ-ray spectra, levels determ., 600-930 keV 4−23601
^{44}Ca(p,n)^{44}Sc, counter ratio method for spin-parity assignment 4−15611
^{44}Ca(p,n)^{44}Sc, low energy, excitation of $k=0^-$ rotational band, statistical model 4−15610
^{48}Ca + p, charge exchange pot., Hartree Fock Lane calcs. 4−31267
^{48}Ca(p,d), 22.9 MeV polarised p, cross-section and asymmetry meas. 4−19456
^{48}Ca(p,n_a)^{48}Sc(IAS) quasi-elastic reaction excitation curves 4−9187
^{48}Ca(p,n)^{48}Sc, total cross-section to isobaric analogue of target state in threshold region 4−9195
^{48}Ca(p,p)^{48}Ca, 6-13 MeV, cross section, polarization energy depend. 4−19443
^{48}Ca(p,t)^{46}Ca two-neutron transfer reactions, DWBA calcs., cross sections 4−19373
Cd (p,α) compound nucleus contrib. 4−5803
^{a}Cd(p,p), A = 110, 112, 114, 116, angular distrib. meas. at 6.5, 7.0 and 7.5 MeV, optical model *(Russian)* 4−627
^{106}Cd(p,$p_1\gamma$), meas. of spin flip at $5/2^+$ isobaric analogue resonances, channel-channel correlations 4−9201
^{110}Cd(p,γ)^{111}In, $E\leqslant 2.3$ MeV, nonstatistical effects 4−5815
^{113}Cd(p,nγ)^{113}In reaction, possible shape isomers in ^{113}In 4−405
^{116}Cd(p,t)^{114}Cd, 27.9 MeV, coupled-channel Born approx. anal. 4−31373
^{140}Ce, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
^{140}Ce(p,nγ)^{140}Pr, 4.78 MeV, DWBA anal. of ^{140}Pr low-lying levels 4−23605
^{35}Cl(p,γ), 0.4-3.0 MeV, ^{36}Ar levels, lifetimes, branching ratios, excitation energies 4−19402
^{37}Cl(p,α), 0.6-2.9 MeV, ^{38}Ar resonances, yield curves excitation energies, branching ratios 4−31286
^{37}Cl(p,γ), 0.6-2.9 MeV, ^{38}Ar resonances yield curves excitation energies branching ratios 4−31286
^{37}Cl(p,γ)^{38}Ar, mean lifetime, Doppler shift meas. 0.9 to 2.7 MeV 4−31287
^{37}Cl(p,n), 0.6-2.9 MeV, ^{38}Ar resonances yield curves excitation energies, branching ratios 4−31286
^{37}Cl(p,p_0) 0.6-2.9 MeV, ^{38}Ar resonances, yield curves excitation energies, branching ratios 4−31286
Co, n yield meas. at 5 to 10 MeV p energy 4−19398
^{59}Co(p, t)^{57}Co, enhanced L = 0 transitions to excited $7/2^-$ states, weak-coupling core-excitation model 4−36203
^{59}Co(p,γ)^{60}Ni, 16.5 to 17 MeV, excitation functions in giant dipole resonance region 4−31395
^{59}Co(p,n), 5 MeV, intermediate struct. of excitation functions 4−9186
^{59}Co(p,p)^{59}Co, 6 MeV elastic scattering cross section, energy and angular depend. *(Russian)* 4−23682
^{50}Cr(p,p’) at 23 MeV, spin, parity and transition strength assignments 4−15628
^{50}Cr(p,p), 2.8 to 4.9 MeV, high resolution meas. *(German)* 4−23674
^{52}Cr(p,n)^{52}Mn, total cross section to isobaric analogue of target ground state in threshold region 4−9195
^{52}Cr(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
^{54}Cr(p,n), 5 MeV, intermediate struct. of excitation functions 4−9186
Cu, n yield meas. at 5 to 10 MeV p energy 4−19398
^{63}Cu(p,p′), 15 MeV, polarised p asymmetry meas. 4−15843
^{64}Cu(p,xn), 724 MeV, n-spectra meas. comparison with intracascade model 4−19415
^{65}Cu(p,nγ)^{65}Zn, 3.5, 4.0 MeV, γ-ray decay properties of ^{65}Zn low-lying levels 4−19336
D(p,2p)n reaction, E = 303 MeV, Amado model 4−639
^{18}F(p, d)^{18}F, anal. in peripheral model with nuclear form factor 4−2876
^{19}F, 3.5 to 7.0 MeV proton scattering, search for intermediate structure 4−9193
^{19}F(p, $\alpha\gamma$), 1.375 MeV, hyperfine interactions of 6.13 MeV 3^- state of ^{16}O ions recoiling into vacuum 4−9063
^{19}F(p,^{3}He)^{17}O, 42.4 and 49.5 MeV, analysing power differential cross section, spin depend., coherent summations 4−19405
^{19}F(p,^{3}He)^{17}O, exptl. cross section, ^{19}F wave functions 4−642
^{19}F(p,α)^{16}O*, direct lifetime meas. of 6.05 MeV 0^+ level in ^{16}O 4−12248
^{19}F(p,t)^{17}F, exptl. cross section, ^{19}F wave functions 4−642
Fe^{+12}, proton impact excitation calc. at solar coronal energies 4−5807
^{54}Fe(p,d)^{53}Fe, 29 MeV, study of low-lying levels in ^{57}Fe 4−12159
^{54}Fe(p,p′), 39 and 62 MeV, spectra rel. to calc. from pre-equilibrium decay models 4−2849
^{54}Fe(p,p′), polarised p, nuclear structure effects on symmetry 4−15840
^{54}Fe(p,p), 2.8 to 4.9 MeV, high resolution meas. *(German)* 4−23674
^{56}Fe(p,p′γ), 6 to 11 MeV, energy level anal. *(French)* 4−40006
^{56}Fe(p,p′γ)^{56}Fe, linearly polarised photon source, quality 4−11564
^{56}Fe(p,t), 52 MeV, anal. of core excited states in ^{54}Fe 4−31357
^{57}Fe(p,α) α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
^{71}Ga(p,n)^{71}Ge, level spins and decay scheme of ^{71}Ge 4−413

nuclear reactions and scattering due to protons continued

^{156}Gd(p,n)^{156}Tb, determ. of ^{156}Tb statistical parameters using compound nucleus model *(French)* 4−19417
^{157}Gd(p,n)^{157}Tb, determ. of ^{157}Tb statistical parameters using compound nucleus model *(French)* 4−19417
^{72}ge, inelastic proton scattering, 5 MeV, compound nucleus blocking lifetime meas. 4−9175
^{73}Ge(p,n)^{73}As, energy levels of ^{73}As 4−454
^{74}Ge(p, nγ)^{74}As, ^{74}As level scheme, spins, parities 5.3 MeV 4−426
^{1}H(p,p), medium energy, nondestructive meas. of H content of thin sheet materials 4−26717
^{1}H(p,p) scattering, 500-2000 keV, differential cross sections, phase shift anal. *(German)* 4−23677
^{1}H(p,p) scattering, differential cross section and spectra meas. 500-2000 keV, scattering chamber *(German)* 4−23676
^{1}H(p,p)^{1}H, 30-50 MeV, polarisation angular distrib. 4−15824
^{2}H, total reaction cross section for 20-50 MeV protons 4−15796
^{2}H break-up, Dalitz plots of cross sections 4−15801
^{2}H break-up reaction at 9.1 MeV c.m. energy, n-p final state interaction 4−15797
^{2}H breakup, separable potentials 4−608
^{2}H breakup at 23 MeV, cross sections and ang. distrib., impulse approx. 4−15800
^{2}H(p, pn)n, 155 MeV, impulse double scattering model, N-N interactions 4−641
^{2}H(p,2p), 46-156 MeV, separable-interaction model 4−12319
^{2}H(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
^{2}H(p,2p) reaction, E=51.8 MeV, coplanar symmetric geometry, ($\theta_1=-\theta_2=8.5°$ and 12.5°) 4−2992
^{2}H(p,2p)n, 156 MeV, single and double peaks 4−5812
^{2}H(p,2p)n, 39.5 MeV, Dalitz plots for cross sections, destructive interference effects 4−15802
^{2}H(p,2p)n, 3.8-5.0 MeV, proton coincidence spectra, search for ^{3}He intermediate state resonance 4−15807
^{2}H(p,2p)n, 44.9 MeV, noncoplanar correlation spectra 4−19403
^{2}H(p,2p)n, comparison with ^{2}H(p,pn)^{1}H at 156 MeV, off-energy shell effects and final state interaction 4−15798
^{2}H(p,2p)n, coplanar and noncoplanar proton correlations at 10.0 MeV 4−15799
^{2}H(p,2p)n, near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
^{2}H(p,2p)n, quasi-elastic mechanism, multiple scatt., 20-50 MeV 4−31361
^{2}H(p,2p)n and ^{2}H(p,pn)p reactions, Coulomb effects, cross sections 4−640
^{2}H(p,2p)n breakup reaction, final state interaction *(French)* 4−5773
^{2}H(p,2p)n low energy, form factor dependence 4−36201
^{2}H(p,γ)^{3}He, 14.0-25.5 MeV, search for resonance in ^{3}He 4−15806
^{2}H(p,γ)^{3}He capture reaction, 10-17 MeV, possible resonance in ^{3}He 4−15805
^{2}H(p,n) 21.4 MeV, neutron polarisation 4−9157
^{2}H(p,p), 1 to 46 MeV, phase-shift anal. of cross sections and ^{3}He excited states 4−36190
^{2}H(p,p) differential cross section 0.1 MeV-3.5 GeV, existence of virtual and excited states 4−15804
^{2}H(p,p)^{2}H, 3.0 to 5.75 MeV, phase-shift analysis, cross-section, proton polarisation 4−2897
^{2}H(p,p)^{2}H, 3.6-9.1 MeV elastic scattering, vector to tensor polarisation transfer 4−15793
^{2}H(p,p)^{2}H, elastic scattering at 50 MeV, triple scattering parameters 4−15827
^{2}H(p,p)^{2}H, phase shift analysis at intermediate energies, possible ^{3}He excited states 4−15808
^{2}H(p,p)^{2}H scattering at and below 800 MeV, cross sections and polarisations 4−19428
^{2}H(p,pn), 76-156 MeV, separable-interaction model 4−12319
^{2}H(p,pn)^{1}H, comparison with ^{2}H(p,2p)n at 156 MeV, off-energy shell effects and final state interaction 4−15798
^{2}H(p,pn)p, 156 MeV, single and double peaks 4−5812
^{2}H(p,pn)p, 1.3 GeV/c, neutron momentum distrib. 4−40019
^{2}H(p,π^{+})^{3}H, 470 and 590 MeV, differential cross section meas. 4−15777
^{3}H, p-induced breakup reactions, 35-45 MeV, mechanisms 4−19423
^{3}H(p,γ)^{4}He, E1 cross section, phase shifts rel. to ^{3}H(p,p)^{3}H 4−19425
^{3}H(p,n)^{3}He, 1.3 to 2.9 MeV polarised protons, analyzing power meas. 4−36192
^{3}H(p,n)^{3}He, 1.5-4 MeV, difference between polarization and analyzing power 4−27323
^{3}H(p,n)^{3}He, charge independent phase-shift analysis of differential cross section and neutron polarisation 4−15829
^{3}H(p,n)^{3}He, neutron polarisation, longit. polarisation transfer, 4-15 MeV 4−31362
^{3}H(p,n)^{3}He, polarisation transfer calc., 2 to 10 MeV 4−2884
^{3}H(p,n)^{3}He determ. of production cross sections and energies 4−12338
^{3}H(p,p)^{3}H, 13.6 MeV polarised protons, asymmetries 4−15831
^{3}H(p,p)^{3}H, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}He(p,p)^{3}He 4−19422
^{3}H(p,p)^{3}H, 4-12 MeV scattering of polarised protons, ang. distribs. and analysing powers 4−15830
^{3}H(p,p)^{3}H, 5.33-5.63 polarised and unpolarised beams, search for 23.9 MeV narrow state in ^{4}He 4−15833
^{3}H(p,p)^{3}H, charge independent phase-shift analysis of differential cross section 4−15829
^{3}H(p,p)^{3}H, excitation function of differential cross section and analysing power, 4-12 MeV 4−15632
^{3}H(p,p)^{3}H, phase shifts rel. to ^{3}H(p,γ)^{4}He 4−19425
He cross sections in natural Mg, Al, and Si targets bombarded with 14 to 45 MeV protons 4−630
He + p, X-ray spectra from 3d→2p transition 4−27275
^{3}He, p-induced breakup reactions, 35-45 MeV, mechanisms 4−19423
^{3}He nuclei production in interactions with Ag and Br nuclei at 24 GeV/c 4−36187
^{3}He(p, 2p)d$^{(*)}$, 45.0 MeV, search for ^{3}He excited states, reaction mechanism 4−12331
^{3}He(p, e^{+}ν)^{4}He, β^{4} decay cross section, solar neutrinos 4−9159
^{3}He(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812

nuclear reactions and scattering due to protons continued

^{3}He(p,2p)^{2}H, quasi-free proton-proton scattering, impulse approx. anal. 4−23694
^{3}He(p,2p)d, 35-155 MeV, ^{3}He wave function calc. from quasi-free scattering 4−19426
^{3}He(p,2p)d, 45.0 MeV, kinematically complete expt., PWIA anal. 4−15810
^{3}He(p,2p)d, 65 MeV, quasi-free knockout in (p,pd) mechanism 4−19421
^{3}He(p,2p)d, 65 to 100 MeV, cross-section meas. comparison with (p,pd) reaction 4−31356
^{3}He(p,2p)d*, 35-155 MeV, ^{3}He wave function calc. from quasi-free scattering 4−19426
^{3}He(p,2p)pn, 45.0 MeV, kinematically complete expt., PTIA anal. 4−15810
^{3}He(p,p) at 600 MeV, anal. in Glauber model with spin, cross section determ. *(Russian)* 4−15785
^{3}He(p,p)^{3}He, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}H(p,p)^{3}H 4−19422
^{3}He(p,p)^{3}He, 4.00-8.82 MeV, modified phase-shift anal., deuteron-exchange pole 4−15811
^{3}He(p,p)^{3}He, analyticity analysis, spectroscopic factors determ. for ^{3}He→p+d 4−2875
^{3}He(p,p)^{3}He, asymmetry in elastic scattering of 42 MeV polarised protons 4−15832
^{3}He(p,p)^{3}He, elastic, calc. of cross section, polarisation values 4−15809
^{3}He(p,pd)p, 156 MeV, pp and pd quasifree scattering cross-sections 4−19424
^{3}He(p,pd)p, 65 MeV, quasi-free knockout in (p,pd) mechanism 4−19421
^{3}He(p,pd)p, 65 to 100 MeV, cross-section meas. comparison with (p,2p) reaction 4−31356
^{4}He, 20-50 MeV total cross sections 4−40017
^{4}He,(p,p)^{4}He, 0 to 18 MeV, R-matrix analysis 4−2880
^{4}He-p bremsstrahlung emission, differential cross section meas., 7-12 MeV 4−638
^{4}He + p, microscopic coupled-channel anal. with resonating group method 4−31322
^{4}He(γ, pπ^{-}) giant (3,3) resonance, particle-hole model, N-Δ residual interaction 4−31328
^{4}He(γ,n)^{3}HE, 22-37 MeV, 98° differential cross section comparison for liquid and gas targets 4−9142
^{4}He(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
^{4}He(p,2p)^{3}H, quasi-free proton-proton scattering, impulse approx. anal. 4−23694
^{4}He(p,p), 1.05 GeV, angular distribution 4−36199
^{4}He(p,p), 1.69 GeV/c elastic scattering, triple scattering effects 4−15820
^{4}He(p,p)^{4}He, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
^{4}He(p,p)^{4}He, 1.69 BeV/c, triple scattering effects, coupled channel model 4−23671
^{4}He(p,p)^{4}He, 20-40 MeV, polarisation and cross section meas. 4−15839
^{4}He(p,p)^{4}He, 3-18 MeV, polarisation ang. distribs., phase-shift representation 4−15838
^{4}He(p,p)^{4}He, elastic scatt. phase shifts above 40 MeV 4−40018
^{4}He(p,p)^{4}He, microscopic study, resonating-group method 4−650
^{4}He(p,p)^{4}He, reaction matrix analysis at 10 MeV 4−19429
^{4}He(p,p)^{4}He Glauber theory of multiple scattering, eikonal and Fresnel corrections 4−27290
^{4}He(p,pn)^{3}He, 1.3 GeV/c, neutron momentum distrib. 4−40019
^{204}Hg(p,3n)^{202}Tl, 28 MeV, determ. of g-factor of 0.57 ms 7^{+} state in ^{202}Tl 4−15616
^{39}K, elastic scatt. of 1 GeV protons, differential cross section meas. 4−9150
^{39}K(p,α_0)^{36}Ar, energy level determ. for ^{40}Ca,E_p=3.05−4.20 MeV 4−12154
^{41}K(p,d), E=15 MeV, neutron correlations, spectroscopic factors 4−648
^{84}Kr(p,p), obs. of energy levels of ^{84}Kr 4−456
Li, n yield meas. at 5 to 10 MeV p energy 4−19398
^{6}Li(p,^{3}He)^{4}He, 3 to 45 MeV, direct reaction behaviour from ang. distrib. and differential cross section meas. 4−2894
^{6}Li(p,^{3}He)^{4}He, composite particle reactions 4−27252
^{6}Li(p,2p)^{5}He, 46 MeV knock-out reaction, comparison with (p,pn) reaction 4−23695
^{6}Li(p,n)^{4}Be, differential cross sections at 14.9 and 17.8 MeV, charge-exchange part of two-particle effective interaction *(Russian)* 4−15787
^{6}Li(p,pd) at 19 MeV, cross section meas. rel. to Treiman-Yang test for pole approx. 4−15775
^{6}Li(p,pd)^{4}He, exchange processes, quasifree knockout reaction 4−19410
^{6}Li(p,pn), 46 MeV; ang. distrib. and cross-section meas. PW1A anal. 4−36196
^{6}Li(p,pn)^{5}Li, 46 MeV knock-out reaction, comparison wih (p,2p) reaction 4−23695
^{7}Li(p,2d)^{4}He, new three-body break-up mechanism, significance 4−15815
^{7}Li(p,n)^{7}Be, 2.05 to 3.00 MeV, proton analyzing power meas. 4−12337
^{7}Li(p,n)^{7}Be, 41 and 64 MeV protons, time of flight technique 4−8491
^{7}Li(p,n)^{7}Be, differential cross sections at 14.9 and 17.8 MeV, charge-exchange part of two-particle effective interaction *(Russian)* 4−15787
^{7}Li(p,n)^{7}Be, neutron flux meas. by Mn bath method 4−39328
^{7}Li(p,n)^{7}Be, the 2^{-} threshold state of ^{8}Be, anal. 4−39940
^{7}Li(p,n)^{7}Be 3 to 4 MeV, meas. of n polarisation 4−19430
^{7}Li(p,pn)^{6}Li, 12 MeV, cross section anal. in dispersion theory for direct reactions, singlet deuteron formation *(Russian)* 4−23680
^{24}Mg(p,d), Q-value meas. using cyclotron magnetic spectrograph 4−26637
^{24}Mg(p,p'), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
^{24}Mg(p,p'γ)^{24}Mg, linearly polarized photon source, quality 4−11564

nuclear reactions and scattering due to protons continued
^{24}Mg(p,p) elastic and inelastic at 30.5 MeV, differential cross section meas. determ. of deformation parameters 4–15780
^{24}Mg(p,t), 40.2 MeV, ^{22}Mg mass determ. and calc. of ft values for Fermi beta-decay 4–31312
^{24}Mg(p,t) Q-value meas. using cyclotron magnetic spectrograph 4–26637
^{26}Mg(p,n)^{26}Al^m, Q-value meas., determ. of ^{14}O β^+ end-point energy 4–15715
^{92}Mo, enhanced compound nucleus cross sections near isobaric analogue resonances 4–9196
^{92}Mo(p,d) at 24.5 MeV DWBA anal. of cross sections and asymmetries 4–15847
^{92}Mo(p,p′)^{92}Mo*, 7.5-9.5 MeV, compound nuclear reaction time and level densities from blocking expt. 4–12332
^{96}Mo bombardment, 20 to 30.3 MeV, decay mode of ^{97}Tc highly excited T> levels 4–12243
^{96}Mo(p,np), 22-29 MeV, evidence for (2n,p) decay of high-spin states 4–9199
^{100}Mo(p,t)^{98}Mo E$_p$=19 MeV, levels of ^{98}Mo *(French)* 4–5718
^{14}N+p, X-ray spectra for 4f→3d transition 4–27275
^{14}N(p,d)^{13}N, ^{14}N ground state magnetic moment from sum rules 4–2753
^{14}N(p,$\gamma\gamma$), mixing ratio of $(P_{3/2})^{-1}\rightarrow(P_{1/2})^{-1}$ transition in ^{15}O 4–31284
^{14}N(p,n)^{14}O, Q-value meas., determ. of ^{14}O β^+ end-point energy 4–15715
^{14}N(p,p′), 24 MeV, meas. and calc. of cross sections and asymmetries using DWBA anal. 4–15842
^{14}N(p,p′)^{14}N, 30 to 40 MeV, tensor part of effective interaction 4–5810
^{14}N(p,p)^{14}N, elastic and inelastic differential cross sections, 8.6-26.0 MeV, model anal. 4–19412
^{15}N(p,^{3}He) polarised p at 43.8 MeV, determ. of vector analyzing power 4–19458
^{15}N(p,γ_0), ^{16}O giant quadrupole resonance 4–19407
^{15}N(p,n)^{15}O, appl. of Migdal's theory 4–9171
^{15}N(p,t) polarised p at 43.8 MeV, determ. of vector analysing power 4–19458
^{93}Nb(p,α)^{90}Zr, 15.2 MeV, energy levels of ^{90}Zr, cluster pick-up DWBA analysis 4–12175
^{142}Nd(p,nγ)^{142}Pm, multiplet splitting, energy level scheme for ^{142}Pm 4–12178
^{150}Nd(p,α), 18 MeV, pre-equilibrium emission 4–9181
Nd(p,t), A=142, 144, 146, 148, 150, superfluid model calc., obs. cross sections 4–635
Ne cross sections in natural Mg, Al, and Si targets bombarded with 14 to 45 MeV protons 4–630
^{20}Ne, elastic scatt., obs. of spin and parity of 4.98 MeV state of ^{21}Na *(Russian)* 4–36116
^{20}Ne(d,p)^{21}Ne, cross sections obs. using electromagnet system *(French)* 4–18534
^{20}Ne(p,p′), 24.5 MeV polarised p, hexadecapole deformation and asymmetry 4–19452
^{20}Ne(p,t)^{18}Ne, 41.8 MeV, spin and parity of 4.5 MeV doublet states, $S_{1/2}^2$ config. 4–39939
^{22}Ne(p,^{3}H)^{20}Ne, coupled channel Born approx. anal. 4–9167
^{22}Ne(p,p′), 24.5 MeV polarised p, hexadecapole deformation and asymmetry 4–19452
^{22}Ne(p,t)^{20}Ne two-neutron transfer reactions, DWBA calcs., cross sections 4–19373
^{2X}Ni+p→$^{2X+1}$Cu, X=29 to 33, weak coupling model calc. 4–12217
^{58}Ni, ^{64}Ni, isotopic effects in cross sections for production of H, He and Li isotopes at 600 MeV *(Russian)* 4–15789
^{58}Ni, elastic and inelastic scattering, 1 GeV, multiple diffractive anal. 4–23672
^{58}Ni(p, t)^{56}Ni two-nucleon transfer reactions, finite range corrections 4–9206
^{58}Ni(p,^{3}H)^{56}Ni, two step reaction mechanism 4–9169
^{58}Ni(p,α)^{55}Co, 12 to 16 MeV, states of ^{55}Co 4–31370
^{58}Ni(p,n)^{58}Cu, total cross section to isobaric analogue of target ground state in threshold region 4–9195
^{58}Ni(p,p′), 1 GeV inelastic scatt., Glauber multiple diffractive model 4–31363
^{58}Ni(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4–19454
^{58}Ni(p,p′), 60 MeV polarised protons, cross sections and analysing powers in giant resonance region 4–15816
^{58}Ni(p,p)^{58}Ni, 6 MeV elastic scattering cross section, energy and angular depend. *(Russian)* 4–23682
^{60}Ni(p,γ)^{61}Cu, gamma decay of analogue states in ^{61}Cu 4–12259
^{60}Ni(p,γ)^{61}Cu, meas. of M1 transition from isobaric analogue state of g$_{9/2}$ in ^{61}Ni 4–9114
^{60}Ni(p,p), 3-4 MeV, high-resolution meas. of analogue states in ^{61}Cu 4–9198
^{60}Ni(p,p)^{60}Ni, 6 MeV elastic scattering cross section, energy and angular depend. *(Russian)* 4–23682
^{60}Ni(p,p)^{60}Ni, meas. of M1 transition from isobaric analogue state of g$_{9/2}$ state in ^{61}Ni 4–9114
^{60}Ni(p,t)^{58}Ni, 46.5 MeV, determ. of ^{58}Ni levels *(French)* 4–36189
^{62}Ni, ^{64}Ni(p,nγ)^{62,64}Cu, Doppler shift attenuation determ. of ^{62,64}Cu lifetimes 4–39966
^{62}Ni bombardment, obs. of isobaric analogue resonances in ^{63}Ni 4–31353
^{62}Ni(p,γ) 2.4 MeV gamma-decay from ^{63}Ni isobaric analogue resonance 4–31371
^{62}Ni(p,p′), polarised p, nuclear structure effects on asymmetry 4–15840
^{62}Ni(p,p′)^{62}Ni*, 2.5-4.5 MeV, isobaric analogue resonances 4–9078
^{62}Ni(p,p)^{62}Ni, 6 MeV elastic scattering cross section, energy and angular depend. *(Russian)* 4–23682
^{62}Ni(p,p)^{62}Ni 2.5-4.5 MeV, isobaric analogue resonances 4–9078
^{62}Ni(p,t)^{60}Ni, 46.5 MeV, determ. of ^{60}Ni levels *(French)* 4–36189
^{64}Ni(p,γ)^{65}Cu, E$_p$=1000 to 1850 keV, obs. of levels and transitions in ^{65}Cu 4–2803
^{64}Ni(p,nγ)^{64}Cu reaction, obs. of low-lying levels 4–453
^{64}Ni(p,p)^{64}Ni, 6 MeV elastic scattering cross section, energy and angular depend. *(Russian)* 4–23682

nuclear reactions and scattering due to protons continued
O isotopes, short-lived product nuclei resulting from 1 GeV proton bombardment *(Russian)* 4–629
^{16}O, ang. distribs. of secondary γ-quanta and cross sections for excitation, 1 GeV protons 4–5800
^{16}O+p, X-ray spectra from 4f→3d transition 4–27275
^{16}O(p,^{3}He) 49.5 MeV polarised p, polarisation analysing power meas. 4–19459
^{16}O(p,^{3}He) polarised p at 43.8 MeV, determ. of vector analysing power 4–19458
^{16}O(p,2p), J-depend. of knock-out reactions 4–27331
^{16}O(p,α)^{13}N, exptl. cross section, stellar reaction rates explosive nucleosynthesis 4–7978
^{16}O(p,α)^{13}N at 6.13-7.26 MeV in explosive nucleosynthesis 4–14344
^{16}O(p,d)^{15}O, 30 MeV effect of deuteron D-state on DWBA calcs. 4–19455
^{16}O(p,γ) at 0.3 to 3.1 MeV, cross section meas. spectroscopic factors determ. 4–15776
^{16}O(p,p′), 1 GeV, differential cross-section calc. using diffraction scattering model 4–39982
^{16}O(p,p′), 30.3 MeV polarised p, couled channel anal. 4–19450
^{16}O(p,p), 8 to 12 MeV p polarisation and ang. distrib. meas. 4–19436
^{16}O(p,p) phase shift analysis of T=3/2 states in ^{17}F 4–9080
^{16}O(p,p)^{16}O Glauber theory of multiple scattering, eikonal and Fresnel corrections 4–27290
^{16}O(p,t), polarised p at 43.8 MeV, determ. of vector analysing power 4–19458
^{16}O(p,t) 49.5 MeV polarised p, polarisation analysing power meas. 4–19459
^{17}O (p,γ) at 0.3 to 1.9 MeV, cross section meas. spectroscopic factors determ. 4–15776
^{18}O(p, α)^{15}N, for ^{18}O distrib. meas. using magnetic spectrometer 4–35542
^{18}O(p, d)^{17}O, anal. in peripheral model with nuclear form factor 4–2876
^{18}O(p,α)^{15}N, oxygen diffusion studies using 1.763 MeV reson. in TiO$_2$ 4–37036
^{18}O(p,d)^{17}O, 24.4 MeV polarised protons, differential cross sections and analysing powers, DWBA anal. 4–19413
^{18}O(p,d)^{17}O at 24.5 MeV, modified DWBA anal. of observed cross sections 4–2844
^{18}O(p,t)^{16}O, 24.4 MeV polarised protons, differential cross sections and analysing powers, DWBA anal. 4–19413
^{190}Os(p,t) ^{188}Os, 19 MeV, ^{188}Os strong population of excited O$^+$ states 4–9099
^{192}Os(p,t)^{190}Os, 19 MeV, ^{190}Os strong population of excited O$^+$ states 4–9099
^{31}P(p,α), statistical fluctuation analysis, isospin dependence of ^{32}S level widths 4–12168
^{31}P(p,γ)^{32}S, resonance obs., 1890-2690 keV, determ. of isospin level scheme *(Russian)* 4–409
^{31}P(p,p′), statistical fluctuation analysis, isospin dependence of ^{32}S level widths 4–12168
^{205}Pb(p,p′)^{206}P*, concomitant compound and direct nuclear reaction mechanism 4–9172
^{206}Pb(p,n)^{206}Bi, internal conversion electrons, ^{206}Bi transitions 4–589
^{207}Pb(p,p^1), 35 MeV, DWBA anal. of ang. distributions 4–19416
^{208}Pb, ang. distribs. of secondary γ-quanta and cross sections for excitation, 1 GeV protons 4–5800
^{208}Pb, elastic and inelastic scattering, 1 GeV, multiple diffractive anal. 4–23672
^{208}Pb antiproton absorpt., neutron halo 4–31359
^{208}Pb(p,3n)^{206}Bi, 24-35 MeV M2 isomerism 4–581
^{208}Pb(p,α), 35 MeV, ^{205}Tl level structure determ. 4–39935
^{208}Pb(p,d)^{207}Pb, 52 MeV, effect of deuteron break-up channels, optical potential 4–2890
^{208}Pb(p,γ)^{209}Bi, collective E2 resonance 4–27324
^{208}Pb(p,n), optical model, microscopic isospin interpretation of neutron distrib. 4–31375
^{208}Pb(p,n) at 25 to 50 MeV, complex microscopic effective interaction generation 4–12339
^{208}Pb(p,n)^{208}Bi, internal conversion electrons, ^{208}Bi transitions 4–589
^{208}Pb(p,p′), 1 GeV inelastic scatt., Glauber multiple diffraction model 4–31363
^{208}Pb(p,p′), 155 MeV, polarisation and symmetry calc. using DWBA anal. 4–19449
^{208}Pb(p,p′), 185 MeV, p polarisation in 3$^-$ level excitation 4–15841
^{208}Pb(p,p′) differential cross sections, scatt. calcs., 3$^-$ excitation 4–626
^{208}Pb(p,p′) at 185 MeV, polarisation meas. DWBA, DWIA and strong absorption model anal. 4–12336
^{208}Pb(p,p), 156 MeV elastic scattering, Glauber approx. 4–15736
^{208}Pb(p,t)^{206}Pb 40MeV polarised protons, analysing powers of L=0,2,4,6 transitions 4–5801
Pb(p,t), 51.9 MeV on A=202 to 206 isotopes, energy levels determ. 4–31372
^{a}Pd(p,n), A=104, 106, 108, 110 cross section, excitation mechanism of IAS *(Russian)* 4–19393
^{a}Pd(p,p), A=106, 108, 110, angular distrib. meas. at 6.5 7.0 and 7.5 MeV, optical model *(Russian)* 4–627
^{a}Pd(p,p) elastic scattering, A=104, 106, 108, 110, cross section, excitation mechanism of IAS *(Russian)* 4–19393
^{108}Pd(p,n)^{108}Ag, γ-ray meas., Knight shift, temp. depend. 4–33317
Pt(p,p)Pt, elastic, ~5 MeV, search for Mott-Schwinger polarization 4–19445
^{87}Rb(p,p′)^{87}Rb at 20.89 MeV meas. ang. distrib. model anal. of states 4–2765
^{103}Rh(p,n), (p,p′), 18 MeV, comparison of energy spectra using pre-equilibrium models 4–9183
^{32}S(p,d)^{31}S, 35 MeV, high resolution determ. of ^{31}S mass 4–12123
^{32}S(p,γ)^{33}Cl, 580, 588 keV, strengths of resonances in ^{33}Cl 4–31366
^{32}S(p,p), 3.3 to 5.0 MeV, anal. of ^{33}Cl excited states 4–27319
^{32}S(p,t), 40.2 MeV, ^{30}S mass determ. and calc. of ft values for Fermi beta-decay 4–31312
^{34}S(p,γ)^{35}Cl, 1214 keV, strengths of resonances in ^{35}Cl 4–31366

nuclear reactions and scattering due to protons continued
^{34}S(p,n)^{34}Cl, Q-value meas., determ. of ^{14}O β^+ end-point energy 4-15715
^{34}S(p,p), 1 to 2 MeV, determ. of ^{35}Cl isobaric analogue resonances 4-39986
^{36}S(p,γ)^{37}Cl, E_p=1000-1900 keV, resons., level struct., decay schemes 4-9161
^{45}Sc(p,p′γ), 5 MeV, props. of low-lying levels, excited-core model anal. 4-23604
^{45}Sc(p,p'γ)^{45}Sc, low-lying levels, ^{45}Sc 4-12268
^{76}Se(p,p)^{76}Se, obs. of mixed analogue resonances in ^{77}Br 4-9197
Si, inelastic proton polarization meas., second scatterer in polarimeter 4-19442
^{28}Si(p,p)^{28}Si, depolarisation parameter meas. 4-19447
^{28}Si(p,t), 40.2 MeV, ^{26}Si mass determ. and calc. of ft values for Fermi beta-decay 4-31312
^{28}Si(p,t) 49.5 MeV polarised p, polarisation analysing power meas. 4-19459
^{144}Sm, polarised proton scattering near isobaric analogue resonance, core excitation 4-9202
^{144}Sm(d,2nγ)^{144}Eu, multiplet splitting, energy level scheme for ^{144}Eu 4-12178
^{144}Sm(p,p′), isobaric analogue resons. and low energy states *(French)* 4-40020
^{144}Sm(p,p)^{144}Sm, 25.6 MeV, 10-170°, optical model 4-2882
^{147}Sm(p,α), 18 MeV, pre-equilibrium emission 4-9181
^{148}Sm(p,p)^{148}Sm, 25.6 MeV, 10-170°, optical model 4-2882
^{150}Sm(p,p)^{150}Sm, 25.6 MeV, 10-170°, optical model 4-2882
^{152}Sm(p,α), 18 MeV, pre-equilibrium emission 4-9181
^{152}Sm(p,p)^{152}Sm, 25.6 MeV, 10-170°, optical model 4-2882
^{154}Sm(p,α), 18 MeV, pre-equilibrium emission 4-9181
^{154}Sm(p,p)^{154}Sm, 25.6 MeV, 10-170°, optical model 4-2882
Sn (p,α) compound nucleus contrib. 4-5803
^{a}Sn(A=116, 118, 124), (p,α) reaction and structure of ^{115}In 4-643
^{a}Sn(p,p), A=118, 120, 122, 124, angular distrib. meas. at 6.5, 7.0 and 7.5 MeV, optical model *(Russian)* 4-627
^{112}Sn, ^{124}Sn, isotopic effects in cross sections for production of H, He and Li isotopes at 600 MeV *(Russian)* 4-15789
^{116}Sn(p,p'), 16 MeV, density dependent effective interactions 4-5811
^{118}Sn(p,d) at 24.5 MeV using polarised protons, cross sections and asymmetry meas. 4-15848
^{118}Sn(p,n)^{118}Sb, angular distrib. of pre-compound particles 4-39999
^{118}Sn(p.d), polarised p, effect of spin orbit terms in p and d channels 4-15849
^{119}Sn(p,d), polarised p effect of spin orbit terms in p and d channels 4-15849
^{119}Sn(p,d) at 24.5 MeV, j-mixing determ. from asymmetry and cross section meas. 4-19457
^{119}Sn(p,d) at 24.5 MeV using polarised protons, cross sections and asymmetry meas. 4-15848
^{119}Sn(p,n)^{119}Sb, preparative method, for use in Mossbauer spectroscopy of ^{119}Sn 4-33326
^{120}Sn(p,p′), differential cross sections, scatt. calcs., 2^+, 3^- excitations 4-626
Sn(p,n), 5.7 MeV, population of low-lying states in ^{78,80}Br, γ-ray ang. distrib. 4-9056
Sn(p,p′), 14 to 17.8 MeV on A=118 to 124 isotopes, isospin conservation and pre-equilibrium decay 4-40008
^{84}Sr(p,t), triton spectra obs. using 31 MeV protons, energy levels, spin-parity assignments 4-5717
^{86}Sr(p,γ)^{87}Y, 4.8 MeV, in analogue resonance range *(German)* 4-23675
^{86}Sr(p,p′γ), 4.8 MeV, in analogue resonance range *(German)* 4-23675
^{86}Sr(p,p), 4.8 MeV, in analogue resonance range *(German)* 4-23675
^{86}Sr(p,t), triton spectra obs. using 31 MeV protons, energy levels, spin-parity assignments 4-5717
^{88}Sr, enhanced compound nucleus cross sections near isobaric analogue resonances 4-9196
^{88}Sr(p,p_0), 12.5 MeV, intermediate struct. in min. of excitation function 4-9189
^{159}Tb(p, 4n)^{156}Dy, 39 MeV, ground-state and β-bands population, twin backbending obs. 4-36154
^{159}Tb(p, 4nγ)^{156}Dy, high-spin states in ^{156}Dy 4-19326
^{159}Tb(p,n), (p,p′), 18 MeV, comparison of energy spectra using pre-equilibrium models 4-9183
Te, even isotopes, excited level characts. from (p,t) reactions *(French)* 4-9164
^{a}Te(p,^{3}H), A=122, 124, 126, 128 and 130, inelastic scattering effects at 52 MeV 4-9166
^{2n}Te(p,t)$^{2n-2}$Te at 51.9 MeV, 5^- and 7^- quasiparticle states 4-12170
^{125}Te(p,t)^{123}Te, 17 to 19 MeV, DWBA two nucleon transfer program anal. 4-2892
^{128}Te(p,p), 9.8 to 10.5 MeV, p polarisation meas. rel. to isobaric analog resonance anal. 4-15845
^{232}Th(p,6n)^{227}Pa, 20-100 MeV, excitation function meas. 4-19404
^{232}Th(p,7n)^{226}Pa, 20-100 MeV, excitation function meas. 4-19404
^{232}Th(p,t), ground state band members obs. for ^{230}Th 4-39934
Th(p,f) binary and ternary fission at 14 to 23 GeV, cross section determ. 4-12398
^{a}Ti(p,γ)$^{a+1}$V, A=48,50, analogue states of ^{49}Ti, ^{51}Ti, γ-ray branching ratios, strengths 4-5794
^{a}Ti(p,p)^{a}Ti, A=48,50, analogue states of ^{49}Ti, ^{51}Ti, γ-ray branching ratios, strengths 4-5794
^{47}Ti(p,nγ)^{47}V, level struct. and decay scheme of ^{47}V *(French)* 4-5753
^{48}Ti(p,n)^{48}V, discussion of counter ratio method for spin-parity assignment 4-15611
^{48}Ti(p,nγ)^{48}V, obs. of low-lying states 4-450
^{49}Ti(p,d), 20.9 MeV polarised p cross-section and asymmetry meas. 4-19456
^{50}Ti(p,n), 5 MeV, intermediate struct. of excitation functions 4-9186
^{50}Ti(p,n)^{50}V, total cross section to isobaric analogue of target state in threshold region 4-9195
^{50}Ti(p,p′γ)^{50}Ti, 3.5-4.8 MeV, isobaric analogue state obs. 4-23606
^{205}Tl(p,p′), 20 MeV, ^{205}Tl level structure determ. 4-39935

nuclear reactions and scattering due to protons continued
^{169}Tm(p,n), (p,p′), 18 MeV, comparison of energy spectra using pre-equilibrium models 4-9183
^{238}U, recoil properties of rare-earth nuclides using 11.5 GeV and 440 MeV protons 4-9315
^{238}U p-induced fission, 30-85 MeV, nuclear charge dispersion in mass chains 130-135 4-27365
^{238}U(p,3p)^{236}Th, 100 MeV, identification of ^{236}Th from beta and gamma ray meas. 4-23648
^{238}U(p,n)^{238}Np, 8 MeV, cross sections, search for γ-branch from ^{238}Np shape isomers 4-19337
^{238}U(p,t), ground state band members obs. for ^{236}U 4-39934
^{238}U(p,xn), 740 MeV, high energy n spectra meas. 4-19414
^{51}V(p,n)^{51}Cr, 18-26 MeV, angle-integrated spectra, nonequilibrium contribs. 4-12343
^{51}V(p,nγ)^{51}Cr. 3.8 MeV, lifetime and E2 transitions of 749.1 keV level in ^{51}Cr 4-23650
W, 24 GeV induced secondary reactions, search for superheavy element and actinide production 4-5808
W, 24 GeV irradiation, eka-element and actinide production cross-sections 4-31424
W, emulsion nuclei, 200 GeV proton interactions, particle multiplicity meas. 4-27311
^{186}W(p,d)^{185}W, 18 MeV, multistep reaction process 4-9168
^{89}Y, enhanced compound nucleus cross sections near isobaric analogue resonances 4-9196
^{89}Y(p,γ_0)^{90}Zr, 5.4 to 17.0 MeV, anal. of isospin splitting of giant E1 excitations in ^{90}Zr 4-12335
^{89}Y(p,γ), compound contrib. to radiative width of ground-state analogue in ^{90}Zr 4-19342
^{89}Y(p,γ)^{90}Zr*, 5.4 to 17.0 MeV, anal. of isospin splitting of giant E1 excitations in ^{90}Zr 4-12335
^{89}Y(p,p′)^{89}Y at 20.51 MeV meas. ang. distrib. model anal. of states 4-2765
^{176}Yb(p,2n) 14 to 29 MeV, intrinsic and rotational excitations in ^{175}Lu 4-23635
^{176}Yb(p,α), 18 MeV, pre-equilibrium emission 4-9181
Zn, A=64, 66, 68 or 70, elastic and inelastic scatt., E_p=6 MeV *(Russian)* 4-19394
^{66}Zn(p, p′γ)^{66}Zn, spins of analog resonances of ^{67}Zn determ. 4-5804
^{66}Zn(p,p')^{67}Ga, intermediate struct. near isobaric analogue resonance 4-9188
^{67}Zn, ^{70}Zn(p,nγ)^{67,70}Ga, Doppler shift attenuation determ. of ^{67,70}Ga lifetimes 4-39966
^{90}Zr, enhanced compound nucleus cross sections near isobaric analogue resonances 4-9196
^{90}Zr(p,d) at 22.9 MeV, DWBA anal. of cross sections and asymmetries 4-15847
^{90}Zr(p,$p_2\gamma$), meas. of spin flip at $3/2^+$ isobaric analogue resonances, channel-channel correlations 4-9201
^{90}Zr(p,p′), 185 MeV, ṗ polarisation in 3^- level excitation 4-15841
^{90}Zr(p,p′), polarised p, nuclear structure effects on asymmetry 4-15840
^{91}Zr(p,p′)^{91}Zr at 20.47 MeV, meas. ang. distrib. model anal. of states 4-2765
^{92}Zr(p,α)^{89}Y, fine and intermediate structure in cross section near isobaric analogue resonance 4-19408
^{92}Zr(p,α)^{89}Y, isospin forbidden reaction, isobaric analogue resonance 4-9190
^{92}Zr(p,d)^{91}Zr at 22.11 MeV, meas. ang. distrib. model anal. of states 4-2765
^{92}Zr(p,n)^{92}Nb, 5.5 MeV, g-factor determ. of ^{92}Nb 2^- state 4-36112
^{92}Zr(p,nγ)^{92}Nb, 3.0 to 4.8 MeV, determ. of energy levels in ^{92}Nb 4-15629
^{96}Zr(p,p)^{96}Zr, 12 MeV, analyzing power of polarised protons, quasielastic (p,n) threshold 4-19446

nuclear reactions and scattering due to tritons
elastic scattering, optical potentials 4-12363
light elements (Z<10) conc. meas. by charged particle radioactivation *(French, English)* 4-15038
optical model potential from A>40, E<40 MeV elastic scattering 4-19496
relativistic collisions with photoemulsion nuclei, intranuclear cascade model *(Russian)* 4-645
relativistic energies, absorption and partial production cross sections 4-23696
(t,p), repulsive core effect, importance for spectroscopic factors 4-36171
(t,p) two-nucleon transfer reaction, finite range corrections 4-9206
^{27}Al(t,p), 2.5 MeV, DSA meas. of ^{29}Al energy level lifetimes 4-15700
^{12}C, radiative capture, giant resonance energy region 4-9224
^{40}Ca(t, p)^{42}Ca two-neutron transfer reactions, finite range corrections 4-9206
^{40}Ca(t,p)^{42}Ca two-neutron transfer reactions, DWBA calcs., cross sections 4-19373
^{248}Cm(^{3}H,p) at 15 MeV, cross section meas. ^{250}Cm energy levels determ. 4-15620
^{52}Cr(t,d_0)^{53}Cr, DWBA analysis, test of optical potential approach to) 4-5819
^{52}Cr(t,d) at 2.0 to 3.5 MeV, determ. of normalisation factor of DWBA anal. 4-2913
^{52}Cr(t,t_0)^{52}Cr, E_t=2-3.5 MeV, optical potential asymptotic part role *(French)* 4-5819
D(t,α)n, triton polarisation meas. 4-19494
^{19}F(t,$\alpha\gamma$), 2.4 MeV, ^{18}O level scheme with excitation energy <8 MeV 4-19290
^{3}H(t,α)2n, 40 keV, two-dimensional energy spectra, n-α and n-n interactions 4-19467
^{3}He(t,d)^{4}He, 1.5-3.3 MeV, forward to backward differential cross section ratio, Barshay-Temmer symmetry 4-23716
^{4}He(t,t)^{4}He, 6.0-12.25 MeV, absolute polarisation meas. 4-19495
^{4}He(t,t)^{4}He, triton polarisation meas. 4-19494
H(t,t)H, triton polarisation meas. 4-19494
Li isotopes bombardment, production of highly excited states of ^{9}Be and ^{10}Be *(Russian)* 4-424
^{24}Mg(t,h)^{24}Na, E=23.5 MeV, M1 giant reson., charge-exchange mode, excitation 4-5821
^{26}Mg(t,^{3}He), 23.5 MeV, spherical shell model description of ^{26}Na 4-31388

nuclear reactions and scattering due to tritons continued
^{20}Ne, radiative capture, giant resonance energy region 4−9224
^{60}Ni(t,d), at 2.0 to 3.5 MeV, determ. of normalisation factor of DWBA anal. 4−2913
^{16}O, radiative capture, giant resonance energy region 4−9224
^{16}O(t,p)^{18}O*, 3.1 MeV, lifetime meas. of ^{18}O* 4_1^+ state 4−31293
Pb (t,p), even isotopes, 20 MeV, study of pairing force collective states 4−562
^{204}Pb(t,p)^{206}Pb, 20 MeV, level scheme, elementary modes of excitation 4−36211
^{28}Si(t,^{3}He)^{28}Al, 23.5 MeV charge exchange mode of giant M1 resonance 4−36213
^{154}Sm(t,p)^{156}Sm, pairing and hexadecapole deformations, differential cross section 4−36105
^{a}Te(t,α), (A=even 122 to 130) E=12 MeV, α ang. distribs. 4−5817
^{230}Th(^{3}H,p) at 15 MeV, cross section meas. ^{232}Th energy levels determ. 4−15620
^{232}Th(^{3}H,p) at 15 MeV, cross section meas. ^{234}Th energy levels determ. 4−15620
U(^{3}H,p), A=236 to 240 at 15 to 16 MeV, determ. energy levels in ^{236,238,240}U 4−15620
^{182}W(t,p)^{184}W, anomaly in cross section systematics rel. to other reactions in rare earth and actinide regions 4−12307
^{a}Zr(t,p), 20 MeV, A=90,92,94,96, $^{a+2}$Zr low-lying states, shell model calc. 4−19464

nuclear reactions and scattering due to X-rays *see nuclear reactions and scattering due to photons*

nuclear reactions and scattering involving few nucleon systems
i.e. with $A \leqslant 4$
astrophysical importance, solar, stellar interstellar and fireball nucleon densities 4−29817
boson elastic scattering, exact three particle scattering calc. 4−2858
break-up reactions, three-particle model 4−616
deuteron breakup processes, final state interaction studies *(French)* 4−19377
diffraction approximation 4−9138
effective interaction between light nuclei, odd-even features 4−15753
few nucleon reaction problem, Schrodinger equation approximations, spurious states 4−610
few particle problems, conference, Los Angeles, USA (28 Aug.-1 Sep. 1972) 4−15652
few-body break-up expts., information on nuclear forces 4−487
five-nucleon system, incident beam polarisation calibration 4−12352
graph summation method for multiparticle reactions 4−15734
LAMPF, research on few particle systems 4−23722
low energy three nucleon breakup 4−2860
mesic interactions in very light nuclei, review 4−23723
model interactions, unitary pole expansion, three-body problem 4−611
nonconvergence of resonating group method with approximate channel functions 4−15741
polarised beams, review, calibration standards 4−19378
resonating group studies of ^{3}He(d,d)^{3}He, ^{4}He(p,p)^{4}He, ^{3}He(d,p)^{4}He 4−650
scattering states of four-, five- and six-nucleon systems, refined cluster model 4−19368
separable approximation method of Amado-Lovelace kernel 4−15733
sequential decay, 3-body treatment of final-state reson. reactions 4−27295
three particle reaction, quasifree scattering and angular correl. 4−2859
three particle scattering, exact unitary model 4−613
three-body non-relativistic scattering wave function, primary singularities, asymptotic behaviour, unitarity 4−9137
three-body problems, positive energy model equation 4−2830
three-body reactions, with multidetector system BOL 4−23658
three-body scattering and break-up problems 4−496
three-body scattering in local Yukawa potentials, resonating group method anal. 4−36175
three-boson system, numerical comparison of Faddeev and resonating group method for elastic scattering 4−15750
three-nucleon and four-nucleon system problems 4−12351
three-nucleon resonance, S-matrix theory 4−15752
three-nucleon resonance searches 4−15751
three-particle inelastic scattering, application of Kohn variational principle 4−31321
three-particle scattering, alternative set of operators 4−609
three-particle scattering, Faddeev formalism, soln. of singular integral eqns. 4−36168
TRIUMF cyclotron for H$^-$ ions, appl. to few nucleon system research 4−22934
wave functions, cut corrections from scattering amplitudes 4−19379
α-α interaction, ℓ-depend. using Woods-Saxon pot. 4−27346
α-α phase shifts, determ. from Hill-Wheeler eqn. soln. 4−27287
$\alpha\alpha$ scattering, generator coordinate method rel. to resonating group method 4−19518
N-N interaction, relativistic description using complex potential, 0-1 GeV 4−19411
np bremsstrahlung, meson-exchange effects 4−12191
p induced, exptl. program at cyclotron of Swiss Inst. for Nuclear Res. 4−23659
p-p bremsstrahlung cross sections, 11 and 13 MeV 4−19392
^{7}Be systems, penetration effects on resonance parameters 4−9128
D(d,d)D, 6.0-11.5 MeV, analyzing power meas., excited states of ^{4}He 4−19475
D(d,p)T, 3.0-11.5 MeV, analyzing power meas., excited states of ^{4}He 4−19475
D(d,pd)n, Treiman-Yang test, 26.5 MeV 4−19476
D(n,n)D, 2.6 MeV, polarised neutron, phase shift analysis, mixing parameters 4−2879
D(p,2p)n reaction, E=303 MeV, Amado model 4−639
D(t,α)n, triton polarisation meas. 4−19494
^{1}H-^{2}H scattering at 12 MeV, spin-spin correlation coeff. 4−9225
^{1}H-d bremsstrahlung emission, differential cross section meas., 7-9 MeV 4−638

nuclear reactions and scattering involving few nucleon systems continued
^{1}H(^{3}He,pd)^{1}H, break-up angular distribs., reaction mechanism 4−15897
^{1}H(^{3}He,pp)^{2}H, 69 MeV, purity of p-p final state interaction T-matrix factorization 4−15896
^{1}H(^{3}He,pp)^{2}H, break-up angular distribs., reaction mechanism 4−15897
^{1}H(d,d)^{1}H, 20.4, 25.2, 29.9 MeV, vector and tensor analysing power meas., three-body calcs. 4−19470
^{1}H(d,d)^{1}H, 6.0-11.5 MeV elastic scattering, phase shift analysis 4−15852
^{1}H(d,d)^{1}H backward elastic scattering, 3.43-6.6 GeV/c, differential cross section 4−12362
^{1}H(d,d)^{1}H elastic scattering, 6 and 10 MeV, tensor moments $\langle iT_{11}\rangle$, $\langle T_{20}\rangle$, $\langle T_{21}\rangle$, $\langle T_{22}\rangle$ 4−15864
^{1}H(d,n), 42.8 MeV, neutron polarisation 4−9157
^{1}H(d,n)pp, polarisation transfer at 0°, model 4−15870
^{1}H(d,pn)^{1}H, 26.5 MeV, purity of p-p final state interaction T-matrix factorization 4−15896
^{1}H(d,pp)n, 26.5 MeV, kinematically complete meas., comparison with Faddeev calc. 4−15854
^{1}H(n, $\gamma_1\gamma_2$)^{2}H, search for doubly radiative capture of thermal neutron beam on H_2O target 4−9156
^{1}H(n,γ)^{2}H, thermal neutrons, polarisation meas. for $^3S_1$-$^3S_1$ radiative transitions 4−15825
^{1}H(n,n), 16 to 21 MeV polarised n's, p polarisation meas. 4−40003
^{1}H(n,n)^{1}H, 16.2 MeV, polarisation meas. using T(d,n)^{4}He neutron source 4−15821
^{1}H(n,n)^{1}H, 21.6 MeV, polarisation meas. using directional dependence of scintillation pulse shapes from anthracene crystal 4−15822
^{1}H(n,n)^{1}H 32 MeV, polarisation meas. by scattering asymmetry obs. for D-T reaction neutrons 4−15823
^{1}H(n,n)^{1}H differential cross section, 14.1 MeV 4−40000
^{1}H(n,nγ)^{1}H, 130 MeV, double differential cross section, and bremsstrahlung meas. 4−15782
^{1}H(n,np), 130 MeV, cross-section meas. 4−15781
^{1}H(p,p) scattering, 500-2000 keV, differential cross sections, phase shift anal. *(German)* 4−23677
^{1}H(p,p) scattering, differential cross section and spectra meas. 500-2000 keV, scattering chamber *(German)* 4−23676
^{1}H(p,p)^{1}H, 30-50 MeV, polarisation angular distrib. 4−15824
^{2}H, n scattering, determ. of phase shifts for states with high relative orbital ang. momentum 4−12340
^{2}H, neutron induced break-up, anal. of sensitivity to details of nuclear force 4−27244
^{2}H, neutron scattering, breakup calculations, Amado model 4−612
^{2}H, neutron total cross section in 1.0-1000 keV range 4−9158
^{2}H, nucleon scattering, separable expansions, local potentials below breakup threshold 4−2829
^{2}H, total reaction cross section for 20-50 MeV protons 4−15796
^{2}H break-up reaction on protons at 9.1 MeV c.m. energy, n-p final state interaction 4−15797
^{2}H breakup, separable-interaction model 4−12319
^{2}H breakup by nucleons, separable potentials 4−608
^{2}H proton induced break-up, Dalitz plots of cross sections 4−15801
^{2}H proton induced breakup at 23 MeV, cross sections and ang. distrib., impulse approx. 4−15800
^{2}H target, off-shell effects in particle scatt. 4−31337
^{2}H-nucleon scattering cross sections, 0-46 MeV, phase-shift analysis, possible excited state of three-nucleon system 4−15803
^{2}H-p, quasi-free scattering, attenuation model 4−9154
^{2}H + ^{2}H reaction at low energies, DWBA analysis, polarisation effects 4−15865
^{2}H + ^{3}He, quasifree processes at 27 MeV 4−15857
^{2}H(^{3}He,^{3}H p)p, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
^{2}H(^{3}He,^{3}He p)n, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
^{2}H(^{3}He,p)pt, final state interaction of three-particle reactions, level struct. of ^{4}He, ^{5}He, ^{5}Li 4−27240
^{2}H(N,N)^{2}H, 146 MeV elastic scattering, deuteron D-state percentage 4−15794
^{2}H(N,N)^{2}H, perturbative calcs. of spin observables, comparison with exact calcs. 4−9160
^{2}H(N,N)^{2}H, spin observables, perturbative calc. 4−475
^{2}H(α,^{3}He), 166 MeV, forward-backward asymmetry meas. *(French)* 4−27339
^{2}H(α,α)^{2}H, description from microscopic calc. of ^{6}Li scattering system 4−36215
^{2}H(α,αp)n, differential cross section at 165 MeV, comparison with impulse approx. 4−15894
^{2}H(α,αp)n, differential cross section calc. including effects of initial state interaction 4−15895
^{2}H(α,dt)^{1}H, 70 MeV, p-d final state Coulomb interaction 4−23715
^{2}H(α,t), 166 MeV, forward-backward asymmetry meas. *(French)* 4−27339
^{2}H(α,t)^{3}He, 166 MeV, Barshay-Temmer symmetry test 4−9235
^{2}H(d, n), deuteron energies <200 keV, parametrization 4−649
^{2}H(d, p), deuteron energies <200 keV, parametrisation 4−649
^{2}H(d,d)^{2}H, accurate elastic scattering cross section, 12.305 MeV 4−15855
^{2}H(d,dp)n, 12.15 MeV, cross section away from major enhancements 4−19472
^{2}H(d,dp)n, 52.3 MeV, angular distrib. for quasielastic dp scattering 4−19473
^{2}H(d,dp)n cross sections in region of small relative neutron and proton energies *(Russian)* 4−19461
^{2}H(d,n)^{3}He, 12 MeV, vector analysing power 4−15868
^{2}H(d,n)^{3}He, 25-40 MeV, neutron polarisation 4−15867
^{2}H(d,n)^{3}He, 6-14 MeV, differential cross sections, neutron polarisation 4−15866
^{2}H(d,n)^{3}He, neutron production cross sections and energies 4−12338
^{2}H(d,n)^{3}He, polarisation transfer at 0°, model 4−15870
^{2}H(d,n)^{3}He, polarised incident beam, meas. of neutron polarisation, 7-16 MeV neutron energies 4−15869
^{2}H(d,n)^{3}He, polarised n-beam production using associated particle method 4−19513
^{2}H(d,p)^{3}H, 150-340 keV polarised and unpolarised deuterons, proton angular distribs., analysing powers 4−15871
^{2}H(n, 2n), 14.2 MeV, NN final state interaction determ. 4−36191

nuclear reactions and scattering involving few nucleon systems continued
- ^{2}H(n, 2n)p, quasi-free scatt. peak shape, deuteron dilation effect 4−36202
- ^{2}H(n, np) at $v_n=0^\circ$, differential cross section, final state interaction 4−19420
- ^{2}H(n,2n)p, 14 MeV, system for two-neutron detection in three-particle final state 4−27321
- ^{2}H(n,2n)p, near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
- ^{2}H(n,n), 22.7 MeV, sensitivity of scattering states to NN interaction 4−31358
- ^{2}H(n,n), 2.2 to 7.8 MeV, accurate polarisation data, 120° c.m. 4−36185
- ^{2}H(n,n)^{2}H, 14.1 MeV elastic scattering, differential cross section 4−15795
- ^{2}H(n,n)^{2}H, 24.0 and 27.2 MeV angular distributions and cross sections 4−9155
- ^{2}H(n,n)^{2}H, 2.45 MeV, doublet phases and depolarisation factor from phase shift anal. *(French)* 4−23678
- ^{2}H(n,n)^{2}H, 2.6 MeV elastic scattering, angular dependence of neutron polarisation 4−15826
- ^{2}H(n,n)^{2}H, 7.89 MeV polarised neutrons, ang. distrib. analysing power and phase-shift anal. 4−19427
- ^{2}H(n,n)^{2}H, differential cross section for elastic scattering at 128 MeV 4−15792
- ^{2}H(n,n)^{2}H, differential elastic scattering cross section, 15-18 MeV 4−19419
- ^{2}H(n,n)^{2}H, dispersion relns. for elastic scattering in Amado model 4−19409
- ^{2}H(n,n)^{2}H, local potentials, Pade techniques 4−2878
- ^{2}H(n,n)^{2}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
- ^{2}H(n,n)^{2}H, s-wave quartet amplitude, Faddeev formalism, soln. of singular integral eqns. 4−36168
- ^{2}H(n,n)^{2}H , scattering amplitude calc. above breakup threshold using method of complex coords. 4−15791
- ^{2}H(n,n)^{2}H elastic scattering, anal. of sensitivity to details of nuclear force 4−27244
- ^{2}H(n,n)^{2}H elastic scattering, 3 to 11 MeV, theoretical phase shift analysis 4−40001
- ^{2}H(n,nd), 130 MeV, cross-section meas. 4−15781
- ^{2}H(n,np)n, 14.4 MeV break-up, differential cross section calc. with local potentials 4−15790
- ^{2}H(n,p)2n, 24.0 and 27.2 MeV, angular distributions and cross sections 4−9155
- ^{2}H(n,p)2n, 50 MeV, separable approximation method of Amado-Lovelace kernel 4−15733
- ^{2}H(n,p)2n, E=14.1 MeV, energy cross section and n-n scattering 4−5798
- ^{2}H(p, pn)n, 155 MeV, impulse double scattering model, N-N interactions 4−641
- ^{2}H(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
- ^{2}H(p,2p) reaction, E=51.8 MeV, coplanar symmetric geometry, $(\theta_1=-\theta_2=8.5^\circ$ and $12.5^\circ)$ 4−2992
- ^{2}H(p,2p)n, 156 MeV, single and double peaks 4−5812
- ^{2}H(p,2p)n, 39.5 MeV, Dalitz plots for cross sections, destructive interference effects 4−15802
- ^{2}H(p,2p)n, 3.8-5.0 MeV, proton coincidence spectra, search for ^{3}He intermediate state resonance 4−15807
- ^{2}H(p,2p)n, 44.9 MeV, noncoplanar correlation spectra 4−19403
- ^{2}H(p,2p)n, comparison with ^{2}H(p,pn)^{1}H at 156 MeV, off-energy shell effects and final state interaction 4−15798
- ^{2}H(p,2p)n, coplanar and noncoplanar proton correlations at 10.0 MeV 4−15799
- ^{2}H(p,2p)n, near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
- ^{2}H(p,2p)n, quasi-elastic mechanism, multiple scatt., 20-50 MeV 4−31361
- ^{2}H(p,2p)n and ^{2}H(p,pn)p reactions, Coulomb effects, cross sections 4−640
- ^{2}H(p,2p)n breakup reaction, final state interaction *(French)* 4−5773
- ^{2}H(p,2p)n low energy, form factor dependence 4−36201
- ^{2}H(p,γ)^{3}He, 14.0-25.5 MeV, search for resonance in ^{3}He 4−15806
- ^{2}H(p,γ)^{3}He capture reaction, 10-17 MeV, possible resonance in ^{3}He 4−15805
- ^{2}H(p,n) 21.4 MeV, neutron polarisation 4−9157
- ^{2}H(p,p), 1 to 46 MeV, phase-shift anal. of cross sections and ^{3}He excited states 4−36190
- ^{2}H(p,p) differential cross section 0.1 MeV-3.5 GeV, existence of virtual and excited states 4−15804
- ^{2}H(p,p)^{2}H, 3.6-9.1 MeV elastic scattering, vector to tensor polarisation transfer 4−15793
- ^{2}H(p,p)^{2}H, elastic scattering at 50 MeV, triple scattering parameters 4−15827
- ^{2}H(p,p)^{2}H, phase shift analysis at intermediate energies, possible ^{3}He excited states 4−15808
- ^{2}H(p,p)^{2}H scattering at and below 800 MeV, cross sections and polarisations 4−19428
- ^{2}H(p,pn)p, 156 MeV, single and double peaks 4−5812
- ^{2}H(p,pn)p, 1.3 GeV/c, neutron momentum distrib. 4−40019
- ^{2}H(p,π^{+})^{3}H, 470 and 590 MeV, differential cross section meas. 4−15777
- ^{3}H, p-induced breakup reactions, 35-45 MeV, mechanisms 4−19423
- ^{3}H + ^{2}H, quasifree processes at 35 MeV 4−15857
- ^{3}H + ^{3}He, quasifree processes at 50 MeV 4−15857
- ^{3}H(^{3}He,n)^{3}Li, 2.70 and 3.55 MeV, angular distribs. and neutron polarisation 4−15903
- ^{3}H(d,α)n, 51, 76 and 93 keV, analyzing power 4−15873
- ^{3}H(d,d) at 5 to 11.5 MeV, meas. of tensor analysing powers T_{20}, T_{21} and T_{22} 4−12358
- ^{3}H(d,d)^{3}H, 3.3-12.3 MeV vector polarised deuterons, angular distribs., analysing powers and cross sections 4−19477
- ^{3}H(d,d)^{3}H, 5-11.5 MeV polarised deuterons, tensor analysing power 4−19460
- ^{3}H(d,n), comparison of vector analysing power with mirror reaction ^{3}He(d,p) 4−15877
- ^{3}H(d,n) reaction as polarised 14 MeV n source 4−22940
- ^{3}H(d,n)^{4}He, 7.0 and 11.4 MeV polarised deuterons, neutron polarisation, spin-flip mechanism 4−15875

nuclear reactions and scattering involving few nucleon systems continued
- ^{3}H(d,n)^{4}He, 7.0 to 11.4 MeV, neutron polarisation angular distribs., analysing powers 4−15872
- ^{3}H(d,n)^{4}He, fast neutron spectra near neutron generators *(Czech)* 4−31380
- ^{3}H(d,n)^{4}He, neutron production cross sections and energies 4−12338
- ^{3}H(d,n)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
- ^{3}H(d,n)^{4}He, polarised n-beam production using associated particle method 4−19513
- ^{3}H(d,n)^{4}He below 1 MeV, analysing power of vector and tensor polarization 4−15874
- ^{3}H(d,n)^{4}He polarisation transfer reaction, quadratic relns. between observables 4−15876
- ^{3}H(d,n)pt, compound nucleus states in ^{5}He 4−31241
- ^{3}H(d,n)pt, final state interaction of three-particle reactions, level struct. of ^{4}He, ^{5}He, ^{5}Li 4−27240
- ^{3}H(n,n)^{3}H, ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ coupling constant calc. 4−15778
- ^{3}H(n,n)^{3}H, 6-23 MeV, optical model fits to neutron polarisation and differential cross sections 4−15813
- ^{3}H(n,n)^{3}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
- ^{3}H(p,γ)^{4}He, E1 cross section, phase shifts rel. to ^{3}H(p,p)^{3}H 4−19425
- ^{3}H(p,n)^{3}He, 1.3 to 2.9 MeV polarised protons, analyzing power meas. 4−36192
- ^{3}H(p,n)^{3}He, 1.5-4 MeV, difference between polarization and analyzing power 4−27323
- ^{3}H(p,n)^{3}He, charge independent phase-shift analysis of differential cross section and neutron polarisation 4−15829
- ^{3}H(p,n)^{3}He, neutron polarisation, longit. polarisation transfer, 4-15 MeV 4−31362
- ^{3}H(p,n)^{3}He, neutron production cross sections and energies 4−12338
- ^{3}H(p,n)^{3}He, polarisation transfer calc., 2 to 10 MeV 4−2884
- ^{3}H(p,p)^{3}H, 13.6 MeV polarised protons, asymmetries 4−15831
- ^{3}H(p,p)^{3}H, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}He(p,p)^{3}He 4−19422
- ^{3}H(p,p)^{3}H, 4-12 MeV scattering of polarised protons, ang. distribs. and analysing powers 4−15830
- ^{3}H(p,p)^{3}H, 5.33-5.63 polarised and unpolarised beams, search for 23.9 MeV narrow state in ^{4}He 4−15833
- ^{3}H(p,p)^{3}H, charge independent phase-shift analysis of differential cross section 4−15829
- ^{3}H(p,p)^{3}H, excitation function of differential cross section and analysing power, 4-12 MeV 4−15632
- ^{3}H(p,p)^{3}H, phase shifts rel. to ^{3}H(p,γ)^{4}He 4−19425
- ^{3}H(t,α)2n, 40 keV, two-dimensional energy spectra, n-α and n-n interactions 4−19467
- H(d,d)H, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
- H(d,d)H, 3.0 to 5.75 MeV, phase-shift analysis, cross-section, proton polarisation 4−2897
- ^{3}He, coherent neutron scattering length, reflection from quartz-liquid helium interface 4−36197
- ^{3}He, neutron total cross section, E$\sim$1-30 MeV 4−2874
- ^{3}He, p-induced breakup reactions, 35-45 MeV, mechanisms 4−19423
- ^{3}He, polarised target, summary of expts. at Rice University 4−18580
- ^{3}He polarised target, asymmetries in deuteron scattering, 9.9 and 11.9 MeV 4−15880
- ^{3}He-p, quasi-free scattering, attenuation model 4−9154
- ^{3}He + ^{2}H, quasifree processes at 27 MeV 4−15857
- ^{3}He + ^{4}He elastic scattering, odd-even features in effective interaction 4−15753
- ^{3}He + d, microscopic coupled-channel anal. with resonating group method 4−31322
- ^{3}He(^{3}He,2p)^{4}He, existence of resonance rel. to solar neutrino problem 4−29788
- ^{3}He(^{3}He,γ)^{6}Be, 12 to 27 MeV, resonant structure obs. 4−27338
- ^{3}He(^{3}He,pp)^{4}He, cross section meas., search for resonance in $14<E_{cm}$(keV)<30 region, reln. to solar neutrino problem 4−15900
- ^{3}He(^{3}He,pp)^{4}He, extrapolation to very low energies using DWBA, nuclear distortion effects 4−15901
- ^{3}He(^{4}He,^{4}He), polarised target, analysing power meas. at low energies 4−19524
- ^{3}He(^{4}He,^{4}He)^{3}He at 28 to 44 MeV, meas. of differential cross section and ^{3}He polarisation 4−12366
- ^{3}He(α,α'), 63.7-81.4 MeV, sequential reactions 4−9230
- ^{3}He(α,p), 63.7-81.4 MeV, sequential reactions 4−9230
- ^{3}He(d,d)^{3}He, 10 and 13 MeV polarised deuterons, vector and tensor analysing power 4−15879
- ^{3}He(d,d)^{3}He, 10 MeV, spin-dependent interactions 4−23707
- ^{3}He(d,d)^{3}He, 4-10 MeV elastic scattering, tensor moments meas. 4−15881
- ^{3}He(d,d)^{3}He, reaction matrix analysis at 10 MeV 4−19429
- ^{3}He(d,p), comparison of vector analysing power with mirror reaction ^{3}H(d,n) 4−15877
- ^{3}He(d,p)^{4}He, 10 MeV polarised deuterons, vector and tensor analysing powers 4−19478
- ^{3}He(d,p)^{4}He, 2-13 MeV vector polarised deuterons, angular distrib. of vector analysing power 4−19480
- ^{3}He(d,p)^{4}He, 2.0-6.0 MeV, proton polarisation meas. 4−15850
- ^{3}He(d,p)^{4}He, 2.8-10 MeV, tensor moments, angular distribs. and ^{5}Li resonant states 4−15884
- ^{3}He(d,p)^{4}He, 366-1090 keV polarised deuterons, analysing powers 4−23706
- ^{3}He(d,p)^{4}He, 4-14 MeV, polarisation transfer coeffs. 4−9213
- ^{3}He(d,p)^{4}He, 430 keV, polarised target and deuterons, efficiencies, partial waves and analysing powers 4−19482
- ^{3}He(d,p)^{4}He, 6-10 MeV polarised deuterons, vector polarisation and proton asymmetries 4−19479
- ^{3}He(d,p)^{4}He, 6.6 to 15.8 MeV polarised d, tensor analysing power at $\theta=0$ 4−31383
- ^{3}He(d,p)^{4}He, d vector polarisation, 13.6 MeV 4−19492
- ^{3}He(d,p)^{4}He, microscopic study, resonating-group method 4−650
- ^{3}He(d,p)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
- ^{3}He(d,p)^{4}He, polarisation-asymmetry relns. in terms of reaction scattering matrices 4−15882
- ^{3}He(d,p)^{4}He, polarised target, analysing power below 2.5 MeV 4−15885

nuclear reactions and scattering involving few nucleon systems continued
^{3}He(d,p)^{4}He, polarised target, proton angular asymmetries at 6 and 8 MeV 4−15886
^{3}He(d,p)^{4}He, polarised target, analysing power, 2.8-10 MeV 4−19481
^{3}He(d,p)^{4}He, vector analysing power near 430 keV resonance 4−15883
^{3}He(d,p)pt, compound nucleus states in ^{5}Li 4−31241
^{3}He(n,n), 7.9 to 23.7 MeV cross-section determ. phase-shift anal. 4−31369
^{3}He(n,n)^{3}He, ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ coupling constant calc. 4−15778
^{3}He(n,n)^{3}He, charge independent phase-shift analysis of differential cross section 4−15829
^{3}He(n,p)^{3}H, use in nuclear pumping, gas lasers *(Japanese)* 4−35840
^{3}He(n,p)T, enhancement of CO$_2$ laser output 4−19085
^{3}He(p, 2p)d$^{(*)}$, 45.0 MeV, search for ^{3}He excited states, reaction mechanism 4−12331
^{3}He(p, $e^{+}\nu$)^{4}He, β^{4} decay cross section, solar neutrinos 4−9159
^{3}He(p,2p')d, 65 to 100 MeV, cross-section meas. comparison with (p,pd) reaction 4−31356
^{3}He(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
^{3}He(p,2p)^{2}H, quasi-free proton-proton scattering, impulse approx. anal. 4−23694
^{3}He(p,2p)d, 35-155 MeV, ^{3}He wave function calc. from quasi-free scattering 4−19426
^{3}He(p,2p)d, 45.0 MeV, kinematically complete expt., PWIA anal. 4−15810
^{3}He(p,2p)d, 65 MeV, quasi-free knockout in (p,pd) mechanism 4−19421
^{3}He(p,2p)d*, 35-155 MeV, ^{3}He wave function calc. from quasi-free scattering 4−19426
^{3}He(p,2p)pn, 45.0 MeV, kinematically complete expt., PTIA anal. 4−15810
^{3}He(p,p) at 600 MeV, anal. in Glauber model with spin, cross section determ. *(Russian)* 4−15785
^{3}He(p,p)^{3}He, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}H(p,p)^{3}H 4−19422
^{3}He(p,p)^{3}He, 4.00-8.82 MeV, modified phase-shift anal., deuteron-exchange pole 4−15811
^{3}He(p,p)^{3}He, analyticity analysis, spectroscopic factors determ. for ^{3}He$\rightarrow$p+d 4−2875
^{3}He(p,p)^{3}He, asymmetry in elastic scattering of 42 MeV polarised protons 4−15832
^{3}He(p,p)^{3}He, elastic, calc. of cross section, polarisation values 4−15809
^{3}He(p,pd)p, 156 MeV, pp and pd quasifree scattering cross-sections 4−19424
^{3}He(p,pd)p, 65 MeV, quasi-free knockout in (p,pd) mechanism 4−19421
^{3}He(p,pd)p, 65 to 100 MeV, cross-section meas. comparison with (p,2p) reaction 4−31356
^{3}He(t,d)^{4}He, 1.5-3.3 MeV, forward to backward differential cross section ratio, Barshay-Temmer symmetry 4−23716
^{4}He, neutron total cross section, E$\sim$1-30 MeV 4−2874
^{4}He,(p,p)^{4}He, 0 to 18 MeV, R-matrix analysis 4−2880
^{4}He-^{4}He scattering, forward dispersion relns. 0-120 MeV 4−15888
^{4}He-α bremsstrahlung emission, differential cross section meas., 12.5-19 MeV 4−638
^{4}He-p, quasi-free scattering, attenuation model 4−9154
^{4}He-p bremsstrahlung emission, differential cross section meas., 7-12 MeV 4−638
^{4}He + ^{2}H system, distortion effects in scattering and compound nucleus states 4−9215
^{4}He + N, microscopic coupled-channel anal. with resonating group method 4−31322
^{4}He + n, double scatt., 15 MeV, phase shift sets 4−27329
^{4}He(^{3}He, $\alpha\alpha$)γ, 7.4 MeV, bremsstrahlung cross sections 4−19519
^{4}He(α, $\alpha\alpha$)γ, 9.35 MeV, 11.4-13.5 MeV 4−19519
^{4}He(α,α'), approximation of S-matrix using rotational functions 4−2658
^{4}He(d,^{3}He)^{3}H, 30 to 40 MeV, vector analysing power meas., deviation from isospin imposed symmetry 4−2916
^{4}He(d,d), 12 MeV polarised d, meas. of vector and tensor analysing power 4−19484
^{4}He(d,d), 3 to 11.5 MeV, meas. of tensor moments and ang. distribs. 4−19485
^{4}He(d,d), 3 to 11.5 MeV polarised beam, phase shift anal. 4−19486
^{4}He(d,d), determ. of ^{2}H tensor polarisation *(German)* 4−23698
^{4}He(d,d)^{4}He, 11.5 MeV, comparison of double scattering and polarised ion source meas. 4−19483
^{4}He(d,d)^{4}He, 12-17 MeV, analysing power, appl. on polarisation standard 4−9211
^{4}He(d,d)^{4}He, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
^{4}He(d,d)^{4}He, 4.8-9.0 MeV, polarization transfer coeffs. and analysing tensors 4−9214
^{4}He(d,d)^{4}He elastic scattering, polarization transfer meas. 4−15856
^{4}He(d,t)^{3}He, 30 to 40 MeV, vector analysing power meas., deviation from isospin imposed symmetry 4−2916
^{4}He(γ,n)^{3}He, calc. of scattering cross sections 4−19385
^{4}He(γ,p)^{3}H, calc. of scattering cross sections 4−19385
^{4}He(n,n)^{4}He, asymmetry and polarisation function at 27.3 and 30.3 MeV 4−15836
^{4}He(n,n)^{4}He, comparison of analysing power calculated from various phase shift sets 4−15834
^{4}He(n,n)^{4}He, elastic scattering near 20 MeV, differential cross section, phase shifts 4−15835
^{4}He(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
^{4}He(p,2p)^{3}H, quasi-free proton-proton scattering, impulse approx. anal. 4−23694
^{4}He(p,p), 1.05 GeV, angular distribution 4−36199
^{4}He(p,p)^{4}He, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
^{4}He(p,p)^{4}He, 1.69 BeV/c, triple scattering effects, coupled channel model 4−23671
^{4}He(p,p)^{4}He, 20-40 MeV, polarisation and cross section meas. 4−15839

nuclear reactions and scattering involving few nucleon systems continued
^{4}He(p,p)^{4}He, 3-18 MeV, polarisation ang. distribs., phase-shift representation 4−15838
^{4}He(p,p)^{4}He, elastic scatt. phase shifts above 40 MeV 4−40018
^{4}He(p,p)^{4}He, microscopic study, resonating-group method 4−650
^{4}He(p,p)^{4}He, reaction matrix analysis at 10 MeV 4−19429
^{4}He(p,pn)^{3}He, 1.3 GeV/c, neutron momentum distrib. 4−40019
^{4}He($\pi^{\pm}$, $\pi^{\pm}$)^{4}He, 24-180 MeV, phase shift analysis by accelerated convergence expansion 4−15920
^{4}He(t,t)^{4}He, 6.0-12.25 MeV, absolute polarisation meas. 4−19495
^{4}He(t,t)^{4}He, triton polarisation meas. 4−19494
^{5}He systems, penetration effects on resonance parameters 4−9128
^{4}Hr, 20-50 MeV proton total cross sections 4−40017
H(t,t)H, triton polarisation meas. 4−19494
^{7}Li systems, penetration effects on resonance parameters 4−9128

nuclear reactor fuel
arbitrary element, heat conduction, approximate averaging 4−3031
boiling-water, fuel testing, Halden project, recent developments 4−5902
bred fissionable species, corrections for burnup determs. 4−40122
burn-up determ. using burnable poisons, gamma-spectroscopy meas. 4−3004
burnt-up fuel transportation problems *(Czech)* 4−36378
burnup, fission product noble gas determ., static mode mass spectrometry 4−30653
burnup measurement, in core and out of core methods *(German)* 4−31460
by-product recovery in irradiated nuclear fuel processing *(French)* 4−5905
CANDU lattice, simulated, boosted, determ. of Pt self powered detector response 4−36271
cargo vehicle, design concepts study 4−27497
ceramic porous microstructures characteriz., topology and geometry 4−4168
charging machine for A-1 reactor 4−23774
chemical analytic methods for determ. of burn-up and neutronic data *(French)* 4−35522
cladding failure prediction under internal pressures at elevated temps. 4−40087
coated particles, UC$_2$:UC kernel, PyC and SiC layers, coating failure 4−31530
cycle physical process variables, relationships for small variations 4−31492
doorway monitor for diversion safeguard of special nuclear materials 4−27499
Douglas Point boiling water reactor, description, handling system 4−12455
EBR II, Mark-II driver fuel texture, irradiation performance specification 4−27456
EBR II stainless steel clad mixed oxide fuel rods, postirradiation exam. 4−23903
EBR mixed-oxide elements, short-term restructuring and densification 4−23884
EBR-II driver fuel, texture and irrad. growth 4−31539
EBR-II driver fuel elements, anal. of burnups 4−31498
EBR-II fuel pin melting, central power increase determ. 4−19602
EBR-II irradiated Mark I-A driver fuel elements, end-of-life obs. 4−27457
91-element bundle, coolant peripheral flow visualisation 4−36314
element improvement by systems management task force 4−5926
element testing channel loop with natural coolant circulation 4−19573
encapsulated elements, fission gas and void volume meas. system 4−36335
energy resources 4−31549
evolution rel. to reactors 4−9354
failed fuel monitoring, tag-gas capsule filling operation using laser 4−23891
fast, burn-up, inelastic neutron scatt. calcs. for ^{233}Pa and ^{239}Np 4−36186
fast breeder assemblies, non-destructive exam. 4−36348
fast breeder reactor blanket performance, economic characterization 4−31489
fast breeder reactors, large, core design 4−673
fast reactor cores, gas cooled reactors, fuel arrangement, mixed critical system *(German)* 4−3007
fast reactor excursion, effects of fuel density gradients and molten fuel freezing 4−40097
fast reactor materials, high temp. phys. props. 4−19581
fast reactor overpower transient, reactivity effects of internal molten fuel motion models 4−40095
fast reactor safety analysis problems 4−3050
FBR, residual power meas. by calorimetric methods *(French)* 4−9332
FBR Pu content control, calorimetric methods *(French)* 4−9331
FFTF driver fuel, shipping container, safety anal. 4−27489
FFTF-type pre-irradiated fuel pins, loss-of-flow simulation 4−40099
fissile-metal and fissile soln. combinations, criticality study 4−23846
fission gas swelling and long-range migration at low temps. 4−12445
fission product meas. by gamma-ray scanning, self-shielding effects 4−36295
FR2 research reactor, pressurized water test loop 4−40060
fuel cycle, CNEN expertise 4−9353
fuel cycle, problems *(German)* 4−5900
fuel pins, stress calc., computer program 4−9355
fuel recycling plant, economics 4−40149
fuel-to-cladding mechanical interaction under steady-state conditions, circumferential cladding temp. variation effects 4−36309
fusion power reactor, fuel reprocessing, fusion torch concept 4−23917
fusion reactor technology review *(Japanese)* 4−40131
GCFR, 300 MW(e) demonstration plant, status and safety aspects 4−27400
GCFR, fuel rod bundle thermal performance anal. 4−36323
GCFR, materials and design concepts 4−27394
GCFR fuel elements, development, irradiation testing 4−9338

nuclear reactor fuel continued
- GCFR fuel pressure equalization system, irradiation testing of vented-fuel-rod design 4−27402
- graphite matrix fuels, irradiated engineered dry storage facility 4−36395
- graphitic elements, chemical and electrochem. methods for disintegration 4−36349
- heat transfer in rod bundle with helical wire wrap spacers, numerical model 4−40069
- high temperature, fuel element manufacture *(German)* 4−3032
- HTGR, carbonization and heat treatment of fuel particles from ion exchange resins 4−3027
- HTGR, economic and environmental impact 4−3022
- HTGR, fuel rod fabrication, development of lab. slug injection machine 4−36336
- HTGR, low-enriched with continuous refuelling, running in strategies 4−31493
- HTGR, materials and design concepts 4−27394
- HTGR, timing use of recycle fuel, economic forecast 4−31491
- HTGR candidate recycle fuels, thermally severe irradiation test 4−23789
- HTGR fuel head-end reprocessing, solubility of Kr and Xe in liquid CO$_2$ 4−31580
- HTGR fuel particles, remote coating 4−3024
- HTGR fuel rod fabrication, production slug injection machine 4−36337
- HTGR fuel rods, matrix-particle mechanical interaction 4−23790
- HTGR fuel sticks fabrication 4−3025
- HTGR-type elements, nondestructive assay, fission induced prompt and delayed neutrons 4−23853
- in-core management, perturbation theory and linear programming 4−31486
- in-plant application of nondestructive instrumentation 4−23778
- irradiated cask, criticality safety anal., engineering approach 4−27491
- irradiated fuel reprocessing, solvent extraction applic. *(French)* 4−5904
- irradiated oxide fuel pins, fuel/clad reactions 4−27437
- isotope separation, thermally induced flow in gas centrifuge 4−19644
- JPDR-I, transplutonium nuclide correl. with burnup in spent fuel 4−5913
- liquid, in direct contact reactors, heat transfer in continuous jet cooling 4−36324
- LMFBR, 217-pin fuel assembly, temperature mapping 4−36320
- LMFBR, efficiency and safety aspects 4−40059
- LMFBR, fuel pin failure threshold, effect of reactivity insertion rate 4−27412
- LMFBR, fuel pin remote metallography using 70 mm. roll camera 4−36334
- LMFBR, high flux level reaction rate meas. 4−36338
- LMFBR, optimal nuclear fuel management model 4−23768
- LMFBR, single-pin computer anal. of thermal hydraulic behaviour 4−36319
- LMFBR duplex pins, power cycling effects on centre temp. 4−23886
- LMFBR fuel elements, heat transfer, effects of fuel pellet displacement 4−40062
- LMFBR fuel rod design, cladding integrity assessment by damage fraction rules 4−36308
- LMFBR fuel swelling due to sodium reactions, analytical model 4−3013
- LMFBR fuel thermal performance, core-wide probabilistic anal. 4−36317
- LMFBR overpower transients fuel sweeping assumptions in HEDL model 4−40096
- LMFBR scale model, rod bundle air flow tests 4−36312
- logistics *(German)* 4−23822
- low-enriched array, isolation, KENO calc. 4−27485
- LWR, determ. of burnup and heavy isotope composition of spent fuel 4−36294
- LWR, optimization of refuelling schedule, power distrib. calc. 4−31487
- LWR fuel assembly, shipping container, safety evaluation 4−27488
- LWR multiple array, criticality control in spent-fuel shipping casks 4−27490
- management in advanced gas cooled reactors, three-dimensional neutron flux soln. 4−27438
- melting behaviour of irrad. fuels 4−15952
- metallic, for water reactors, future potential 4−23827
- microsphere prep. from ion exchange resins 4−15959
- mixed oxide, fission gas behaviour under transient power conditions 4−40094
- mixed oxides, O$_2$ to metal ratio determ., review of anal. methods 4−35530
- mixed-oxide, in EBR-II subassemblies, interference stress anal. 4−27455
- mixed-oxide, irradiated fuel failure experiment 4−27410
- mixed-oxide designs, recycled fuel exptl. confirmation 4−27459
- mixed-oxide elements, cladding rupture, failure mechanism 4−23897
- mixed-oxide elements, steel cladding attack 4−23895
- mixed-oxide pins, modelling fuel cladding post irradiation gap 4−23782
- mixed-oxide rods, correlation of cladding chemical attack 4−23896
- molten, heat transfer, post-accident 4−31482
- MTR fuel element development history 4−23875
- NDT, state-of-the art 4−31548
- NDT of components in High Flux Isotope Reactor program 4−31546
- neutron and γ radiography with research reactor 4−21530
- nondestructive assay, anal. of Pb spectrometer 4−23854
- nondestructive assay by X-ray fluorescence and gamma spectroscopy, computerized system 4−23938
- nondestructive assay instrumentation for in-plant applications 4−23777
- nondestructive assay using ^{124}Sb-Be photoneutron system 4−23940
- NRU research reactor, underwater handling and examination of exptl. fuel 4−36392
- optimum fuel, thermoelectric emitters *(French)* 4−5921
- oxide, in-reactor behaviour study, applic. of deform. maps 4−12454

nuclear reactor fuel continued
- oxide, irradiated, computer program for redistrib. of U, Pu and O by vapour transport and solid diffusion 4−27447
- oxide, mech. response to rapid heating 4−3051
- oxide columns, apparatus to simulate in-reactor transient heating conditions 4−3002
- oxide elements, reaction with Na in LMFBR, meas. of oxygen threshold 4−27450
- oxide pellets, reaction kinetics and swelling in sodium, out-of-pile investigation 4−40128
- oxide systems, chemical state and thermomigration behaviour of fission product Cs 4−27446
- pellet gaps, determ. of resulting local perturbations 4−36270
- pencil in case, determ. of thermal contact *(French)* 4−9350
- performance experience, survey 4−31561
- pins, real-time X-ray inspection system 4−27388
- post-dryout heat transfer studies on fuel bundles 4−40113
- power reaction, fuel management simplified treatment of reactivity and reactivity lifetime transients 4−12437
- power reactors, fuel management and refuelling schemes 4−12436
- power release distribution in element meat 4−23775
- processing facilities, appl. of nondestructive assay techniques 4−23936
- processing plant, ^{129}I levels in milk and water nearby 4−40134
- PWR, determ. of optimum fuel loadings, using dynamic programming 4−9348
- PWR, optimization of loading patterns by reference design perturbations 4−31488
- pyrocarbon coatings on fuel particles for high temp. reactors, anisotropy determ. by X-ray diffr. *(French)* 4−40124
- quality assurance in fuel development 4−5920
- radioactive waste disposal in underground salt cavities *(Dutch)* 4−23925
- radioactive wastes, high-level, from fuel reprocessing, alternative means of management 4−31584
- radioactive wastes from fuel cycle, projections 4−31583
- recycling, solidification of waste fission product solution *(French)* 4−36373
- refuelling efficiency, arguments for six-month and for eighteen-month cycle 4−5892
- reprocessing, dynamics and control of uranium product evaporator 4−5915
- reprocessing by fluoride volatility *(French)* 4−36372
- reprocessing in high capacity annular centrifugal contactor 4−31575
- reprocessing plant, optimisation of on-line alpha monitor 4−31582
- review of services provided by nuclear fuel industry 4−40114
- safeguards technology for plants and transportation 4−27496
- shipping container, criticality safety 4−31553
- shipping container, Exxon, drop test qualification 4−31581
- sintered bodies, eqns. describing dimens. and density variations rel. to optimum prod. practice 4−7249
- sintered ceramic, for fast reactor use, preferred values for thermal conductivity 4−19605
- subassemblies, radiographic inspection method 4−23890
- subchannel mixing, single-phase, in simulator assembly 4−31472
- transient swelling, HORSE code approach 4−672
- transport, foamglas shipping container, criticality evaluation 4−27495
- transportation, internal polytropic compression as dominant damping protection during impacts 4−36381
- transuranium elements, energy and radiation sources *(Japanese)* 4−2171
- transuranium processing plant, remote maintenance experience 4−36394
- tritium release from HTR fuel elements *(German)* 4−23833
- U, neutron absorption of shipping container material 4−27482
- UO$_2$ effect of porosity and stoichiometry on thermal cond. 4−37051
- VK-50 elements, obs. of transuranium element buildup in BWR operation 4−23852
- VK-50 elements for BWR, deposit formation 4−19594
- wastes arising from fuel reprocessing, assay of fissile material, soln. 4−27439
- Zircaloy-2-sheated He bonded pins, in-pile thermal conductivity meas. 4−23881
- ZPPR, fuel cycle effects on small sample reactivity traverses 4−36280
- H$_2$, technical and economic aspects *(Dutch)* 4−36365
- Mo:U alloy, irradiation induced reversion of gamma phase 4−23874
- MoO$_3$-UO$_3$ system, X-ray anal. of phases 4−23851
- Na bonded fuel pins possibility of nitridation 4−40129
- ^{237}Np, meas. of absolute fission rates 4−36242
- ^{237}Np(n,f), 3.5 to 4.9 MeV, cross-section meas. 4−31421
- (Pu, U)C$_x$N$_y$ specimens, composition determ. by lattice parameter meas. 4−12456
- (Pu, U)O$_2$ rods, LMFBR-type, effect of oxygen on swelling 4−27448
- (Pu,U)O$_2$ polystyrene, neutron poisoning effect of Cu and Cu-Cd 4−31577
- Pu, chemical assay for safeguards 4−27501
- Pu, contract analyses and standards fabrication *(French)* 4−36343
- Pu, improved recycle capabilities in modified fuel assembly 4−27420
- Pu, in EBR-II, meas. and calc. of integral cross-section ratios 4−27389
- Pu, recycle in Westinghouse PWRs, management scheme 4−27423
- Pu, recycle modes rel. to large PWRs 4−27421
- Pu, storage capacity as function facility size 4−31574
- Pu, utilization, in utility power system 4−27419
- Pu Dresden 1 demonstration program, operational data 4−27458
- Pu in ZPPR, evaluation of control rod worths using subcritical techniques 4−36278
- Pu processing facility, appl. of radiometric nondestructive assay 4−23939
- Pu recycle, BWR, interchangeable design basis 4−27422
- Pu recycle considerations 4−19606
- Pu recycle fuel, solid and annular pellet, irradiation performance in BWR 4−23788
- Pu utilization in HTGR 4−27424
- Pu/U clusters, reactivity worths determ. by reactor oscillator method 4−5890

nuclear reactor fuel continued
$Pu(NO_3)_4$ solution, shipping container design 4−31578
PuO_2, DOT-6M packages for shipment 4−27494
PuO_2, inhalation of dust, dose determ. using consistent analytical models 4−31597
PuO_2, lenticular pore props. 4−31541
PuO_2 coated-particle fuel for water-cooled reactors, kernel agglomeration during irradiation 4−23906
PuO_2/Ir cermets, fabrication and characteriz. 4−3030
PuO_2-Mo cermet fuel, helium release obs. 4−15957
PuO_2-UO_2, fission gas behaviour in mild overpower transient 4−23786
^{238}Pu, separation from fission prod. by solvent extraction using HDEHP di(2-ethylhexyl)phosphoric acid 4−36346
^{238}Pu commercial production 4−36344
^{238}Pu spherical fuel forms, hot pressing 4−15967
$^{238}PuO_2$, room temp. mech. props. 4−25407
$^{238}PuO_2$, self-radiation damage 4−23824
$^{238}PuO_2$ radioisotopic fuels, fabrication parameters 4−23826
$^{238}PuO_2$ spheres, instability modes 4−23825
^{239}Pu, ^{240}Pu determ. in reactor fuel, use of filtered neutron beams 4−19604
^{239}Pu, anal. of resonance self-shielding expts. with Monte Carlo code 4−36361
^{239}Pu, fission product γ-activity rel to ^{235}U 4−19567
^{239}Pu, fission product rate meas. using foil technique 4−36243
^{239}Pu, in aqueous soln. minimum critical concentration 4−27492
^{239}Pu, meas. of absolute fission rates 4−36242
^{239}Pu, minimum critical conc. in water 4−27493
$^{239}Pu(n,t)$, calc. of resonance self-shielding effects 4−36360
SiC coated particles, detection of defective coating layers 4−23849
$(Th,U)O_2$, removal of U by fluorination 4−36345
Th, chem. extraction from calcite, anal. of products 4−36356
Th, metallic, determ. of potential in LWR's and PWR's 4−3033
Th blanket economics for fast breeder reactors 4−31490
Th-alpha phase, diffusion of fission products 4−23889
ThN, specific heat from 450 to 850 K 4−6506
Th_3N_4, specific heat from 450 to 850 K 4−6506
^{232}Th, neutron thermal scattering cross-sections determ. 4−36208
$^{232}Th(n,f)$, meas. of fission product yields 4−31428
$(U, Pu)O_2$, development of elements for fast power reactors 4−23850
$(U, Pu)O_2$, fuel pins, elimination of CO_2 and H_2O as oxygen transport species 4−40121
$(U, Pu)O_2$, molten, phys. props. characteriz. 4−3014
$(U,Ce)O_2$ coarse powder, effect of growth, nucleation on kinetics of oxidation *(Czech)* 4−5917
(U,Pu) oxide, gas equilibration method, O/metal ratios 4−8583
(U,Pu)C, evap. and self-diffusion processes 4−23843
(U,Pu)C, LMFBR fuel prep. by carbothermic reduction 4−15956
$(U,Pu)(NO_3)_4$ solution, criticality determ. 4−27486
$(U,Pu)O_2$, actinide redistrib. by vapour migration along cracks 4−12446
$(U,Pu)O_2$, actinide redistrib. by vapour migration along pores 4−12447
$(U,Pu)O_2$, analyt. expressions for enthalpy and ht. capacity 4−40119
$(U,Pu)O_2$, comparison of sphere-pac and pellet fuel pins 4−27441
$(U,Pu)O_2$, composite thermal cond. expression 4−3018
$(U,Pu)O_2$, determ. of oxygen interactions with Na coolant in EBR II 4−31550
$(U,Pu)O_2$, evap. and self-diffusion processes 4−23843
$(U,Pu)O_2$, fabrication and irrad. effects on dissolution 4−15955
$(U,Pu)O_2$, final-stage densification 4−15963
$(U,Pu)O_2$, lenticular pore props. 4−31541
$(U,Pu)O_2$, mech. blended, dissolution 4−15954
$(U,Pu)O_2$, sintering role in modelling actinide redistrib. 4−3017
$(U,Pu)O_2$, compressive creep correl. with microstruct., influence on fuel element performance 4−3019
$(U,Pu)O_2$ fuel elements, plutonium segregation and central-void form. 4−31536
$(U,Pu)O_2$ fuel pins, distribution of ^{134}Cs and ^{137}Cs and precursors 4−27435
$(U,Pu)O_2$ fuel pins, hypostoichiometric, oxygen distrib. calc. 4−23842
$(U,Pu)O_2$ helical-spring specimens, extruded, effect of fabrication variables on props. 4−3028
$(U,Pu)O_{2-x}$, room temp. oxidation obs. 4−15958
(U,Th)C coated particles, HTGR fuel cycle 4−27440
$(U,Th)O_2$ coated particles, HTGR fuel cycle 4−27440
$(U,Th)O_2$ HTGR fuel, remote fabrication problems 4−15961
$(U,Th)O_2$ powder, blending and homogenization 4−15960
$(U,Th)O_2$-UO_2 powder, blending and homogenization 4−3029
U, A=233 to 238, meas. and calc. of integral cross section ratios in EBR-II reactor 4−27389
U, deposition of energy during irradiation 4−23847
U, enriched, storage capacity as function of facility size 4−31574
U, hexavalent, hydrolytic props. *(Russian)* 4−36366
U, use in power channel U-graphite reactors 4−40125
U alloy development, irradiation effects 4−23872
U assay requirements of nuclear accountability and safeguards 4−27500
U chem. extraction from calcite, anal. of products 4−36356
U distribution analyzer for Al clad fuel tubes 4−31547
U enrichment, calc. of mixing loss in a step cascade 4−19642
U enrichment facilities, use of nondestructive assay instrumentation 4−23937
U enrichment plant, pressure detectors *(Japanese)* 4−18405
U plasma, emission coeff. meas., 1200-45000 Å, 8000-10000K 4−20122
U plasma, fissioning, prod., radiative props. 4−20123
U rods, for power station, props., construction props. *(Czech)* 4−5918
U:Zr alloys, physical and mechanical props. at low temps. 4−19595
U/Pu fuel elements in LWRs, nuclear characteristics by Multi Variable Synthesis *(German)* 4−40115
U-5% wt. fissium fuel pin, texture, irradiation performance specification 4−27456
U-Cr binary system, computer calc. of transform. curves, α-β and β-γ *(Czech)* 4−7012
U-metal high performance, use in HWR 4−23873

nuclear reactor fuel continued
U-Th cycle in HTGR at Fort St. Vrain, construction and testing experience 4−27392
U-ZrH element react., for dual core research reactor for testing power reactor fuel 4−36273
UC, deposition of energy during irradiation 4−23847
UC, fission product gas release in burst region 4−5847
UC, hyperstoichiometric, carbon self-diffusion 4−19589
UC, self diffusion of C, temp. depend. 4−5914
UC-UN solid solns., sintered, compressive creep 4−12450
UC_2, stability under heating under stress, U_2C_3 form. 4−5909
UC_2 microspheres, pyrocarbon-coated, fission-product release 4−3015
UC_x, carbon self-diffusion mechanism and kinetics 4−23840
UF_3-UF_4 molten solution, in contact with graphite equilibrium investig. rel. to temp., composition 4−40117
UF_6, liquid, on-line enrichment monitor 4−23941
UF_6, portable instrument anal. of enrichment in containment cylinders 4−23848
UO_2, calc. of kinetic constants and densification during sintering *(Russian)* 4−21417
UO_2, creep depend. on grain size 4−13823
UO_2, deposition of energy during irradiation 4−23847
UO_2, diffusional creep, stoichiometric comp. deviations influence 4−33847
UO_2, fission gas content, small bubble size distrib. effects 4−15970
UO_2, fission gas release during temp. transients 4−31537
UO_2, fission gas resolution kinetics 4−15969
UO_2, gas equilibration method, O/metal ratios 4−8583
UO_2, grain size effect on swelling and gas release props. during irrad. 4−31538
UO_2, high temp., microstruct. rel. to manuf. variables 4−7316
UO_2, high temp. Doppler meas. using pulsed activation technique 4−36283
UO_2, in-pile fission gas release mechanisms 4−23832
UO_2, in-reactor densification evaluation 4−23883
UO_2, irrad. with low external restraint, density and gas release meas. 4−15968
UO_2, lenticular pore props. 4−31541
UO_2, molten, thermal interaction with coolants, energy conversion *(German)* 4−36253
UO_2, molten, viscosity meas. 4−31543
UO_2, pellets and Vipac, in-pile thermal conductivity meas. 4−36352
UO_2, prediction of in-reactor densification behaviour 4−23882
UO_2, primary creep, impurity effects 4−3021
UO_2, radiation-induced primary creep at low temps. 4−23823
UO_2, rapid sintering in glow discharge 4−23888
UO_2, sintered, tensile strength dependence on microstruct. 4−21407
UO_2, thermal stress mechanism for fragmentation on contact with Na coolant 4−40127
UO_2, thermally shocked, crack healing and crack growth 4−3020
UO_2, unirradiated, in irradiated Zr alloy cladding, failure mechanisms 4−23905
UO_2 axial blanket pellets, interaction with fission product Cs, effect on cladding 4−27445
UO_2 defected fuel elements, neutron radiography 4−3016
UO_2 fuel pin, fission gas release during irradiation, in fast reactor, meas. 4−9340
UO_2 helical-spring specimens, extruded, effect of fabrication variables on props. 4−3028
UO_2 microspheres, pyrocarbon-coated, fission-product release 4−3015
UO_2 pellet stack shortening in a boiling water reactor, mathematical modelling 4−5894
UO_2 pellets, thermal resinter characts. 4−15962
UO_2 pins, Zircaloy clad, release of fission products at 1000°C 4−5923
UO_2 powder compacts, sintering and morphology of interconnected porosity 4−13825
UO_2 sintered pellets, isothermal grain growth kinetics 4−19580
UO_2/W composites, melt-grown, characteriz. w.r.t. fuel applic. 4−15950
UO_2-PuO_2, pellets and sol-gel in-pile thermal conductivity meas. 4−36352
UO_2-PuO_2 pins, dimensional variations under irradiation in FBR 4−23885
UO_2-PuO_2 pins, irradiated, central void size determ. 4−23887
UO_2-ThO_2 mixtures, powder characts. influence on sintering behaviour 4−7320
UO_3 solid particles, process for recovery from graphite based Rover fuel 4−31579
$UO_{2-x}N_{0.75x}$, thermodynamic characteriz., 1250-1850°C, rel. to HTGR 4−3023
US, oxidation, 350-720°C 4−40989
US, thermal diffusivity, 638-1823 K 4−24597
U_3Si, transform. twins and elastic props. at low temp. 4−16505
^{38}U contribution of excited states in intermediate resonances 4−12420
^{233}U, neutron thermal scattering cross-sections determ. 4−36208
^{233}U, prompt fission neutron spectrum meas. from 0.8 to 10 MeV 4−5848
^{233}U, separation by double decomposition of ThO_2 with H_2SO_4 4−5910
^{234}U, ^{235}U, ^{238}U, fuel element fabrication, waste air cleaning *(Russian)* 4−31621
^{235}U, anal. of resonance self-shielding expts. with Monte Carlo code 4−36361
^{235}U, compact Cu-reflected TAPIRO reactor exptl. results on reactivity and fission rate ratios 4−36328
^{235}U, fission, percentage burn-up determ. by mass spectrometry *(Czech)* 4−31545
^{235}U, fission product γ-activity rel. to ^{239}Pu 4−19567
^{235}U, fission product rate meas. using foil technique 4−36243
^{235}U, in D_2O moderator, production of delayed photoneutrons 4−36182
^{235}U, lattices, prediction of reactivity and reaction rate ratios 4−12422
^{235}U, meas. of absolute fission rates 4−36242
^{235}U, power emitted by fission products, calorimetric meas. *(French)* 4−9310

nuclear reactor fuel continued
  ^{235}U enriched fuel assembly, criticality safety evaluation of transporting wooden pallets 4−27487
  ^{235}U enrichment, isotope separation nozzle method *(German)* 4−5901
  ^{235}U enrichment 4−15975
  ^{235}U enrichment determ. in UF_6, ^{4}He proportional counter fast-neutron detector 4−23943
  ^{235}U slug, enriched tubular, light-water-moderated reactivity rel. to storage 4−27483
  ^{235}U(n,t), calc. of resonance self-shielding effects 4−36360
  ^{235}U(n,t), intermediate structure of cross-sections in unresolved resonance region 4−36240
  ^{238}U, dieaway expt. anal., image method for time-depend. neutron diffusion 4−31467
  ^{238}U, fission product rate meas. using foil technique 4−36243
  ^{238}U, isotope separation by plasma centrifuge 4−31528
  ^{238}U, meas. of absolute fission rates 4−36242
  ^{238}U, thermal fission, β and γ decay energies of short lived products 4−5883
  ^{238}U in heterogeneous fast reactor assembly, intermediate treatment of resonance absorption 4−12423
  ^{238}U/^{235}U (1.3%) TRX lattice anal. with ENDF/B-III data 4−36289
  ^{238}U-^{239}Pu fast breeder reactor optimisation, cooperative games 4−3003
  $^{238}UO_2$, contribution of excited states in intermediate resonances 4−12420
  ^{238}U(n,f), 0 to 14.9 MeV, test of photon production data from some ENDF/B materials 4−31554
  Zr:U alloy, stability of epsilon-phase 4−23874
nuclear reactor materials
  see also moderators; nuclear reactor fuel
  absorbing rod efficiency, shielding 4−40065
  alkali metals, liquid, as coolants, conference, Nottingham, England (April 1973) 4−3036
  alkali metals, liquid, as coolants, conference, Nottingham, England (April 1973) 4−27460
  alkali metals, liquid, solubility of non-metals, screened potential, quasi-lattice models 4−4313
  alloy, multiphase, γ-irrad. induced precipitate morphology changes 4−13635
  buckling meas. for mixed reactor lattices 4−27443
  BWR feedtrains, materials selection rel. to corrosion control 4−31559
  calandria sample, search for voids by positron annihilation and electron microscopy 4−31527
  CANDU circuits, approach to materials selection rel. to corrosion control 4−31558
  carbides, cemented, friction characteristics in liquid sodium 4−27461
  casings, fracture, irrad. effects on ductility, creep and metal swelling *(French)* 4−36350
  cladding, damage due to sodium cleaning and subsequent air storage 4−31556
  cladding, effect of Cs interaction with irradiated oxide fuel pins 4−27445
  cladding and structural components of LMFBR, performance prediction, deformation mechanism maps 4−27454
  cladding layers, microanalysis of fission product particles after irradiation *(French)* 4−40118
  cladding stresses in EBR-II mixed-oxide fuel subassemblies 4−27455
  composition, using Ge(Li) γ spectrometry system 4−11588
  concrete, calcs. of time-dependent neutron and gamma-ray transport 4−36399
  concrete, Monte Carlo anal. of neutron and gamma-ray transport in concrete 4−36400
  concrete, prestressed, for power reactor pressure vessel, comparison with steel vessels 4−27431
  concrete, prestressed, pressure vessels, assessment of bounds on stresses and strains 4−40123
  concrete, prestressed pressure vessel, viscoelastic anal. by finite element method 4−27471
  concrete surfacers and coatings 4−31551
  constructional, for Na cooled FBR, high temp. characts. and compatibility problems 4−5925
  control rod, ex-reactor, testing using ^{252}Cf source 4−23779
  coolant void fraction meas. using dual photon method 4−31474
  corrosion control of power reactor contribution materials, water chemistry 4−31560
  corrosion of irradiated materials, examination *(French)* 4−36342
  crud formation and radiation level buildup modelling 4−23780
  diffusion coefficients, very small, alpha-spectroscopy determ. 4−26615
  EBR II stainless steel clad mixed oxide fuel rods, postirradiation exam. 4−23903
  elastic and inelastic props. meas. and recording apparatus *(German)* 4−13957
  end fittings and fuel channel, improvements in materials and design rel. to corrosion control 4−31503
  fast reactor materials, high temp. phys. props. 4−19581
  FBR-type fuel pins, meas. of Pu fissile content by ^{252}Cf in interrogation 4−5895
  fission product distrib. among molten fuel and reactor phases 4−23829
  fission product distrib. among molten fuel and reactor phases 4−23830
  fuel sheathing, testing, hydraulic burst test rig 4−9349
  fusion reactor, radiation damage limits on wall loadings 4−27477
  fusion reactor blanket, neutronic study of LiF + BeF_2, tritum breeding 4−19610
  fusion reactor blankets, neutron-photon comparison of Nb and V 4−19607
  fusion reactor shield for CTR magnet, optimum design, materials 4−19608
  fusion reactor technology review *(Japanese)* 4−40131
  fusion reactors, magnetically confined, material problems in design 4−27476
  GCFR, materials and design concepts 4−27394
nuclear reactor materials continued
  graphite, effects of fluence and temperature in fusion reactor operation 4−19600
  graphite, neutron irradiation effects on electrical and thermal conductivity 4−23862
  graphite, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
  hard-facing alloys, friction characteristics in liquid sodium 4−27461
  Hastelloy-X, boron distrib. and segregation obs. 4−23838
  helical sping creep specimens, phenomenological effects of swelling on deflection 4−19590
  HTGR, economic and environmental impact 4−3022
  HTGR, materials and design concepts 4−27394
  inosine-5 phosphates, paper electrophoresis anal. of recoil products from neutron irradiation 4−31525
  ion exchange resins, uranium loading for HTGR's 4−3026
  irradiated metal, voids, review 4−19593
  LCTR, materials requirements for dry and wetted wall and BLASCON types 4−23919
  liquid metal, incipient boiling superheat, vel. influence, forced convection *(Italian)* 4−12443
  liquid metals, physical props. meas., O in liquid Cs 4−3038
  liquid metals, two-phase flow, void fraction and frictional pressure drop 4−5908
  LMFBR materials, evaluation of decay scheme data 4−36363
  low-friction, for wear application in fast flux test reactor 4−27444
  LWR waste product conditioning methods 4−40147
  matrix material, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
  metal, b.c.c., fusion reactor neutron spectrum effects simulation by protons 4−1071
  metal, b.c.c. and f.c.c., creep strain on neutron irrad. 4−17319
  metal, fast neutron irrad., isochronal recovery 4−19584
  metal, neutron irradiated, model for void nucleation and growth 4−24495
  metal, oxidation, diffusion in finite system with moving boundary 4−24653
  metal, proton simulation of displacement effects induced by 14 MeV neutrons 4−23828
  metal, void coalescence and growth anal. 4−1044
  metal b.c.c., diffuse X-ray scatt. from interstitials, Green's function lattice statics approach 4−1053
  metal irradiated, effect on void nucleation of impurity atoms 4−1046
  metal-water explosion analysis using equilib. models 4−12425
  metals and alloys, stress effects on swelling 4−27453
  molten-salts, corrosion product transport in fusion reactors 4−23867
  oxide absorber materials, review of characteristics 4−15948
  point defect migration in crack tip stress fields 4−12985
  pressure vessel closure studs, failure anal. 4−27434
  pyrocarbon, neutron-irrad., heat-treated, microporosity, small-angle X-ray scatt. obs. 4−31533
  radioactive materials, chemical analytic methods involving hot cells and glove boxes *(French)* 4−35522
  rare earth pyrohafnates, prep. and characteriz. for power reactor control rods 4−12444
  refractories, thermal diffusion meas. in nuclear technology *(Spanish)* 4−35203
  refractory carbide, interdiffusion in temp. gradient 4−31552
  rods of material, continuous meas. of changes of diameter under pressure, method *(French)* 4−2343
  safety, X-ray fingerprints for seals 4−19640
  shielding slabs, investigation using beam of CP-5 reactor *(Korean)* 4−31576
  sintering, application of theory in practice 4−21379
  steam-H_2O condensing injector, study of heat transfer process 4−5880
  steel, 20% CW Type 316 stainless, time-to-rupture in postirradiation and in-pile creep 4−23902
  steel, austenitic, corrosion in flowing sodium composition dependence 4−27466
  steel, austenitic, stainless, study of thermal stress ratchetting using three bars specimen 4−33804
  steel, austenitic stainless, effect of minor alloy variations on thermal densification 4−17313
  steel, austenitic stainless, in flowing sodium interstitial element movement 4−27469
  steel, austenitic stainless, interstitial and minor element mass transfer in sodium 4−27470
  steel, austenitic stainless, kinetic aspects of corrosion in high temp. sodium 4−27467
  steel, carbon, meas. and Monte Carlo calcs. of n spectra behind thick samples 4−36364
  steel, carbon for power reactor feedtrains, corrosion control 4−31501
  steel, Cr-Ni-Mo-Ti, B diffusion after liq. Na heat treatment *(German)* 4−21320
  steel, fatigue crack propag. in irrad. and unirrad. ASTM A533-B specimens at low cyclic freq. 4−19592
  steel, Fe-Mo-C, neutron irrad., effect of addition of Mo, Snoek peak, recovery 4−37895
  steel, ferritic, effect of carbon on creep-rupture properties in LMFBR 4−23898
  steel, ferritic, influence of alloying elements on corrosion in dynamic sodium 4−31555
  steel, ferritic, low-alloy, pressure vessel surveillance specimen evaluation techniques 4−36362
  steel, friction characteristics in liquid sodium 4−27461
  steel, high yield strength, development *(French And English)* 4−5907
  steel, in fast reactors, effect of corrosion product transfer in sodium 4−27427
  steel, liquid metal embrittlement by alkali metals and alloys 4−3046
  steel, low alloy ferric, strain concentration behaviour in notched round bar subjected to creep 4−23810
  steel, neutron embrittlement surveillance of Garigliano pressure vessel 4−32587
  steel, reactor pressure vessel, acoustic emission rel. to crack opening displacements meas. 4−29291
  steel, stainless, AISI Type 304, heat-to-heat variations in fatigue and creep fatigue at 593°C 4−25361

nuclear reactor materials continued
steel, stainless, AISI Type 304, low-cycle fatigue behaviour, hold time effects 4-4141
steel, stainless, austenitic, void form. with high-energy electron irrad., grain size effect 4-20297
steel, stainless, casings, irrad. effects on ductility, creep and metal swelling *(French)* 4-36350
steel, stainless, cladding of EBR-II irradiated Mark-IA driver fuel, end-of-life obs. 4-27457
steel, stainless, coarse grain austenitic, angle beam u.s. testing, longit. mode 4-33936
steel, stainless, effect of high He content on swelling, fusion reactor applications 4-23860
steel, stainless, effect of O_2 in Na on radionuclide release 4-23877
steel, stainless, in sodium systems, corrosion and mass transport 4-27468
steel, stainless, liq. Na exposed, corrosion products identification 4-10597
steel, stainless, liq. Na exposed, electron microprobe anal. 4-10598
steel, stainless, neutron irrad. induced swelling, effect of minor constituents 4-12449
steel, stainless, neutron transmutation effects in CTR blankets 4-23858
steel, stainless, sensitized, stress corrosion cracking in oxygenated high temp. water 4-41650
steel, stainless, transport of activated corrosion products in Na loops 4-23880
steel, stainless, Type 304, elevated temp. flow at high strain rates, math. description 4-17483
steel, stainless, Type 304, grain boundary corrosion by caesium oxides 4-5919
steel, stainless, Type 316, annealed and cold worked, nickel ion bombardment 4-23835
steel, stainless, Type 316, grain boundary penetration by Cs_xO_y, biaxial stress-to-failure props. 4-31544
steel, stainless, Type 316, neutron irrad., ferrite form. 4-23907
steel, stainless, Type 316L, Ni^+ irrad., dislocation density changes *(French)* 4-19587
steel, stainless, void form., growth, vol. depend. on neutron flux 4-5922
steel, stainless 304, effect of temp. on fusion reactor first-wall erosion by radiation blistering 4-23855
steel, stainless corrosion chemistry in liquid sodium 4-27464
steel, stainless Type 304, surface effects on tritium diffusion 4-23834
steel, stainless type 304 welded, strength and microstructure in LMFBR pressure vessel 4-23899
steel, stainless type 308 shielded metal arc weld, varying ferritic content, high temp. properties 4-23900
steel, thick-walled and multilayer pressure vessels, comparison with concrete vessel 4-27431
steel, thick-walled pressures vessels for water-cooled plants, fracture tests 4-36311
steel, Type 316 stainless, heat treatment effect on fast neutron damage, creep-rupture tests 4-27452
steel cladding, on mixed oxide fuel elements, intergranular and uniform attack 4-23895
steel cladding, on mixed-oxide fuel elements, rupture mechanism 4-23897
steel cladding, type 316 stainless, deformation mechanism maps appl. to performance prediction 4-27454
steel cladding on mixed oxide fuel rods, correlation of chemical attack 4-23896
steel cladding-liquid sodium interface, possibility of nitridation 4-40129
steel dispersion-strengthened ferritic, use for canning and wrapper tubes in fast reactor 4-27451
steel forgings, radiation embrittlement sensitivity, contrib. of residual elements 4-10626
steel pressure vessels, exptl. determ. of plastic collapse loads 4-23816
steel pressure vessels, thick walled, fracture behaviour 4-40089
steel tubes, stainless, in-reactor creep expts. 4-23901
steel tubing, stainless, elastoplastic behaviour under bending, pressure, torsion 4-29297
transition metals, kinetic study on reaction with gases 4-15973
transuranic contaminated solid waste treatment development facility 4-40151
transuranic waste assay at 10 nCi/g level 4-40150
TZM, molybdenum-base-alloy, effect of He on fatigue behaviour 4-23861
void nucleation, suppression by oversized solute atoms, dislocation core interaction 4-3034
void nucleation, suppression by oversized solute atoms, dislocation core interaction 4-3035
waste product, pressurised O_2 combustion 4-40146
waste storage in concrete-polymer composites 4-40152
water, chemistry control for corrosion prevention of construction materials 4-31560
water, peripheral flow visualisation in 91-element bundle 4-36314
water-cooled reactors, movement of unwanted radioactivity rel. to materials selection 4-31500
Zircaloy, cladding and process tube in water cooled reactor, heat transfer following loss-of-coolant accident 4-40105
Zircaloy, in-reactor corrosion mechanism 4-12453
Zircaloy, molten, thermal interaction with coolants, energy conversion *(German)* 4-36253
Zircaloy 2 in reactors, effects of irradiation 4-40130
Zircaloy casings, irrad. effects on ductility, creep and metal swelling *(French)* 4-36350
Zircaloy clad UO_2 fuel pins, release of fission products at 1000°C 4-5923
Zircaloy cladding, fracture under simulated power ramp conditions 4-19588
Zircaloy tubing, u.s. testing techniques 4-23844
Zircaloy-2, corrosion under radiation in moist CO_2-air mixtures 4-19586
Zircaloy-2, effect of stress on hydride precip. 4-5912
Zircaloy-2, fast neutron irrad. and annealed, radiation hardening 4-29130

nuclear reactor materials continued
Zircaloy-2, irrad. damage produced by ion bombardment 4-41688
Zircaloy-2, oxidation characts. from 450 to 750°C 4-7224
Zircaloy-2, surface effects on tritium diffusion 4-23834
Zircaloy-2, yield and flow, effect of temp. and strain-rate, 77 to 660 K 4-7217
Zircaloy-2 rod containing B_4C, hot swage fabrication and characteriz. 4-41800
Zircaloy-2 with varying O content, cold-worked and quenched, recovery 4-41689
Zircaloy-clad UO_2 fuel, fission product-induced stress corrosion cracking 4-23905
Al, electron irrad., cold worked, internal friction Hasiguti peak 4-9930
Al alloy pressure vessels, buckling of cylinder-torisphere combinations under external pressure 4-23800
Al-Fe interface in LMFBR, fast neutron transport in two-region systems 4-36290
AlN compatibility with Li systems in fusion reactors 4-23868
Al_2O_3, molten, thermal interaction with coolants, energy conversion *(German)* 4-36253
Al_2O_3 single crysts., 14 MeV neutron damage 4-15951
Al_2O_3/Nb, first wall of reference theta-pinch reactor, thermal, mechanical and irradiation response 4-23914
^{94}Ar, ^{96}Zr, thermal neutron activation cross sections, resonance integral 4-15773
Au, TEM anal. of 14-MeV neutron displacement damage 4-23857
B burnup rate, He and ^{3}H production in LMFBR 4-36293
B_4C, development for FFTF control elements 4-15941
B_4C, EBR-II irrad., tritium retention 4-15945
B_4C, fast-reactor irradiated, crystallographic changes 4-23892
B_4C, irrad. behaviour under PWR conditions 4-15946
B_4C, neutron irrad., defect struct. 4-19582
B_4C, neutron irrad., thermal and elec. cond., thermal expansion 4-31529
B_4C, neutron irrad. damage, small-angle scatt. obs. 4-31532
B_4C, pore morphology, struct. and irrad. effects 4-15942
B_4C, thermal cond., 20-1400°C 4-15944
B_4C, thermal props., room temp. to 1500°C 4-15947
B_4C pellets, thermal cond., 20-1300°C 4-15943
B_4C poisoned core assembly in ZPPR, Na void reactivity anal. 4-36279
B_xC_y LMFBR absorber material, YY02 instrumented irradiation 4-23893
BN compatibility with Li systems in fusion reactors 4-23868
^{10}B, pressure vessel steel weldment, effect of B on neutron damage 4-5916
$^{10}B(n,\alpha)$, integrated cross-section determ. by He meas. 4-36209
^{10}B(n,t), cross-section meas. in fast neutron spectrum 4-36207
BeO spheres, quenching, thermal stress to crack obs. 4-15974
^{9}Be(n,p)^{9}Li, 14.1 to 14.9 MeV, cross-section meas. for delayed n yield 4-36206
BxCy/C, pyrocarbon coated, an absorber material in HTGR, irradiation behaviour *(German)* 4-12442
C, pyrolytic, fluidized bed deposition, oxidizing diluent 4-15953
C fibres, oriented, thermal conductivity meas. rel. to use as insulators in fusion reactors 4-23864
CO_2 coolant, thermodynamic cycle evolution and anal. of heat exchanger operation 4-19571
Cr_xC_y, low-friction, for wear applications in fast flux test reactor 4-27444
Cs, liquid, model potential method for halide impurities, O^{--} 4-3715
Cu, neutron irrad., instantaneous flux effect on swelling *(French)* 4-15972
EuO LMFBR absorber material, YY02 instrumented irradiation 4-23893
Eu_2O_3, monoclinic, thermal diffusivity, 100-1425°C 4-12452
Eu_2O_3, thermal props., room temp. to 1500°C 4-15947
Eu_2O_3 absorber material fabrication 4-15949
Fe, molten, thermal interaction with coolants, energy conversion *(German)* 4-36253
Fe, study of corrosion products by sodium containing oxygen 4-27463
Fe-$Cr_{1.45}$-C, work hardened and irrad., recovery, Snoek peaks 4-37894
Fe-Cr-Ni alloys, reactions with Na containing O_2 4-23878
Fe-Cu(0.3 at %), neutron and heavy ion irrad., effect of additions on void nucleation and growth 4-1043
Fe-V(0.3 at %), neutron and heavy ion irrad., vacancy trapping model 4-1043
H_2O coolant, thermodynamic cycle evolution and anal. of heat exchanger operation 4-19571
^{2}H permeation through clean and oxide coated metals at low pressures rel. to fusion reactors 4-23870
^{3}H recovery in fusion reactor Li threading blanket 4-27475
^{3}H removal from fusion reactor Li blanket by cold trapping of liquid metals Na, K and NaK 4-19598
He coolant in 2300 MW(e) twin HTGR, design features 4-27393
He gas cooling for fusion reactor blanket 4-40132
He gas cooling of fusion reactor vacuum wall and blanket region, design eqns. 4-27474
I, accidental release from secondary coolant system, mathematical model 4-40073
I, scrubbing from reprocessing plant off-gases with mercuric nitrate solns. 4-40148
I in LWR, effects of spiking on accident anal. 4-40072
^{135}I in Na coolant determ. rel. to LMFBR fuel element cladding penetration anal. 4-23770
K vapour, action on MeO_2 and M_2MeO_4 (M=Na, K; Me=Mo, W), 300-600°C, 0.01-0.1 Torr 4-4255
Li, corrosion product transport in fusion reactors 4-23867
Li coolant, induced radioactivity, in reference theta pinch reactor 4-19613
Li liquid, chemical props., use as blanket material 4-3037
Li systems compatibility with Li systems in fusion reactors 4-23868
Li_2BeF_4 fused salt corrosion and prevention, CTR blanket coolant applications 4-23866
LiF-BeF_2-ZrF_4, molten salt reactor stream, LaF_3 as membrane ref. electrode 4-34051

nuclear reactor materials continued
LiF-BeF_2-ZrF_4 molten salt reactor stream, electroreduction and electroanalysis of BiF_3 4–34050
LiF-NaF-KF, molten salt reactor stream, LaF_3 as membrane ref. electrode 4–34051
LiH on neutron shield for mobile nuclear reactors 4–40144
Mg, Peierls energy and stress computation for glide systems 4–33695
Mg alloys and sintered materials, comparison of oxide film form. and props. 4–25360
Mg extruded compacts, preferred orientation 4–31542
Mo, brazing methods, fusion reactor applications 4–23871
Mo, He re-emission and surface deformation rel. to CTR design 4–23856
Mo, neutron irrad., annealing and void form., positron annihilation obs. 4–20296
Mo, neutron irrad., efficiency of void form. during annealing 4–16483
Mo, neutron irrad., fluence and temp. depend. of swelling 4–23836
Mo, neutron irradiation effects, stability of damaged state 4–19599
Mo, radiation anneal hardening 4–25391
Mo, Ta^{3+} irrad., void vol. and swelling formula 4–1042
Mo containers, fabrication procedures for fusion reactors 4–19601
Mo TZM materials, helium-implanted, fatigue crack growth 4–12457
N_2O_4, dissociating coolant, gas-cooled fast reactor 4–40064
Na, coolant, anal. of fuel fragmentation in fuel-coolant interaction 4–40127
Na, coolant, max. positive void reactivity in B_4C poisoned core in ZPPR 4–36279
Na, Cs, bremsstrahlung activation analysis for O and C traces 4–2429
Na, electrochemical techniques for obs. of carbon behaviour 4–4266
Na, expulsion test in 7-pin geometry 4–40126
Na, FTR coolant, anal. of void expts. using ENDF/B-III data 4–36286
Na, flow patterns in cold trap crystallisers 4–23781
Na, high-temp., carbon activity determ. using solid-electrolyte O_2-activity meter 4–26721
Na, incipient superheat reduction in fast reactor by nitriding heating wall 4–19579
Na, LMFBR fuel-coolant interactions, TREAT tests 4–40081
Na, liq., oxygen analysis by vanadium wire equilibration technique 4–23051
Na, liquid, C content, cover gas correlation, high temp. loop 4–3040
Na, liquid, comparison of two in-line distillation units, sampling device for loop system 4–2426
Na, liquid, corrosion and deposition examination using physical techniques 4–27462
Na, liquid, friction characteristics of steels and alloys 4–27461
Na, liquid, hydrocarbon reactions at surface, 100 to 200°C 4–4301
Na, liquid, instrumentation 4–15971
Na, liquid, model potential method for halide impurities, O^{--} 4–3715
Na, liquid, monitoring of H_2, O_2 4–4265
Na, liquid, plugging meter response, multiple temp. breaks, O, solubility equilib. 4–2427
Na, liquid, precipitation of Ba_2N, Ba_3N_2, ternary phase diagram 4–4311
Na, liquid, reaction with water vapour, 300 to 450°C, Na-H-P phase diagram 4–4253
Na, liquid, self-welding of structural materials 4–3047
Na, liquid, with metallic solutes, reactivity towards H_2, 393-573 K, 0-35 kNa^{-2} 4–4254
Na, liquid coolant, V corrosion, dissolved O_2 effect 4–24651
Na, liquid coolant in LMFBR, H-activity meter application 4–36355
Na, metallic, impurity analysis by X-ray fluorescence spectroscopy 4–2430
Na, metallic, neutron activation analysis for trace elements 4–2428
Na, operation of linear motion freeze-seal valve in FFTF 4–27405
Na, reaction with oxide fuel elements, meas. of oxygen threshold 4–27450
Na, removal from FFTF components. development program 4–36263
Na, technological review *(Japanese)* 4–31531
Na, voiding effects on small sample reactivity traverses in ZPPR assembly 3 4–36280
Na cold traps, neutron radiography of hydride formations 4–23879
Na containing O_2 reactions with Fe-Cr-Ni alloys 4–23878
Na coolant, in LMFBR, calc. of transport to secondary containment in accident 4–31475
Na coolant, prototype applications loop for O_2detection 4–23876
Na coolant effect of O_2 in Na on radionuclide release from stainless steel 4–23877
Na coolant in EBR-II, utilisation of on-line monitors of purity 4–36354
Na coolant in LMFBR, determ. of fuel cladding penetration by monitoring for ^{135}I 4–23770
Na coolant in LMFBR, oxygen interactions with U-Pu(25%) oxide fuel 4–31550
Na coolant in LMFBR problems due to large temp. differences 4–36359
Na coolant interaction with fuel in LMFBR, heat loss to cold structure 4–40083
Na cooled heat exchangers, water leaks detection 4–3010
Na film, motion model, LMFBR loss-of-flow transient 4–31478
Na freeze seals, rotary-motion shear properties, use in FFTF and LMFBR 4–23787
Na gas test loop, Ar impurity chromatography 4–23061
Na heated steam generator, leaks, Na/H_2O reactions 4–3011
Na liquid, distribution of Ba, Cs isotopes 4–3042
Na loops, transport of activated corrosion products from irradiated stainless steel 4–23880
Na vapour, action on MeO_2 and M_2MeO_4 (M=Na, K; Me=Mo, W), 300-600°C, 0.01-0.1 Torr 4–4255
Na void reactivity, effect of axial streaming, heterogeneity, calc. of elastic removal cross sections 4–5881
Na/H_2O, explosive interaction, material wastage, at heat exchanger leaks 4–3009

nuclear reactor materials continued
Na/stainless steel system, solubility, deposition of NaI, NaBr 4–3043
Na/steel cooling systems, corrosion and mass transfer effects 4–5911
Na/steel system, C transport between steels 4–3041
Na-cooled, effect on structural materials, C-meter development 4–3039
Na-Cs(I) liquid-vapour system, thermodynamic props., mass spectra 4–4312
Na-stainless steel coolant system, transport, deposition of metal radioisotopes 4–19565
$NaBF_4$, molten salt reactor stream, LaF_3 as membrane ref. electrode 4–34051
Na corrosion effects on structural materials of corrosion loop after 25000 hours operation 4–27426
Nb, α-irrad., atomic He charact. and behaviour 4–1077
Nb, corrosion products in liquid alkali metals 4–27465
Nb, effect of temp. on fusion reactor first-wall erosion by radiation blistering 4–23855
Nb, fusion blanket design, meas. of $^{93}Nb(n,2n)$ cross section 4–2869
Nb, He re-emission and surface deformation rel. to CTR design 4–23856
Nb, irradiated with 14-MeV neutrons, particle release investigation 4–37725
Nb, neutron effects, primary recoil spectra 4–27478
Nb, Ta ion bombardment, void formation, saturation, void lattice, 800°C, 900°C 4–16486
Nb neutron irradiation damage in absence of transmutation products, CTR applications 4–23859
Nb:Zr(1%), neutron irradiation damage in absence of transmutation products, CTR applications 4–23859
Nb-W-Zr-C alloys, phase structure, and C solubility determ. 4–19596
Nb-Zr(1 wt.%) alloy, helium-implanted, fatigue crack growth 4–12457
Nb_3Sn, multifilamentary superconducting magnet materials, stability rel. to fusion reactors 4–23863
NbTi, multifilamentary superconducting magnet materials, stability rel. to fusion reactors 4–23863
Ni, ^3H release fusion reactor applications 4–23869
Ni, energetic particle irradiation, effects of insoluble gases on void nucleation 4–1045
Ni alloys, in sodium systems, corrosion and mass transport 4–27468
Ni base alloys, friction characteristics in liquid sodium 4–27461
Ni neutron transmutation effects in CTR blankets 4–23858
$NpAl_2(Ni_2)(Co_2)(Fe_2)(Ir_2)$, hyperfine fields and ordering temp., Mossbauer obs. 4–25040
O_2, detection meters calibration stability in LMFBR Na systems 4–36353
α-Pu, fine-grained, tensile deform. behaviour 4–33773
α-Pu, strength differential effect 4–13705
Pu-Ga(1 wt.%) alloy, cold rolled, annealing kinetics and softening behaviour 4–13634
$^{238}PuO_2$, self-radiation damage, lattice parameter obs. 4–28115
β-SiC, neutron irrad., post-irrad. annealing behaviour 4–23831
SiC, self-bonded, REFEL, engineering applics. 4–10650
SiC coated fuel particles, detection of defective coating layers 4–23849
Ta, corrosion products in liquid alkali metals 4–27465
Th, electron irrad., low temp., defect production, Frenkel pairs, elec. resist. 4–16489
ThO_2, stopping power of 1-9 MeV He^{2+} ions 4–24504
Ti, kinetic study on reaction with hydrogen, reln. to phase transformation 4–15973
Ti rod endings, for power station, welding, construction *(Czech)* 4–5918
$(U,Pu)O_2$, high temp. enthalpy 4–15964
$(U,Pu)O_2$, stopping power of 1-9 MeV He^{2+} ions 4–24504
U, highly irrad., oxidation behaviour in dry CO_2 and air 4–31535
U, molten, reaction with Al_2TiO_5 crucibles 4–19591
U-Hf(Mo)(Nb)(Zr) system solid solns., computer calc. of phase equil. curves 4–25298
U-Mo-C system, phase behaviour and $UMoC_2$ free energy of form. 4–25299
U-Mo(10 wt.%) alloy, thermal cond., 320-680K *(French)* 4–23839
U-Nb-Zr alloy, isothermal transform. kinetics, resist. obs., 130-590°C 4–13594
U-Nb(7.5 wt.%)-Zr(2.5 wt.%) alloy, transition phase form., equil. α phase props. *(French)* 4–1462
U-Pu-W-C system, thermodynamic estimations, rel. to fuel-cladding compatibility 4–19583
U-Rh-C system, phase and thermodynamic behaviour 4–31540
U-Ti(2.5 at.%) alloy, isothermal precip. kinetics, resist. obs. *(French)* 4–25322
UC based cpds., low density, compression creep tests 4–7273
UC_x, stoichiometric, ^{233}U self-diffusion parameters 4–23837
U_2Co_{11}, Gibbs energy of formation determ. using solid-state chemical cell 4–27436
UF_6, specific heat ratio meas. up to 1500K with ballistic piston compressor 4–23894
UO_2, molten, redox equil., stoichiometry changes 4–15965
UO_2, polycryst., compressive deform. 4–15966
UO_2, stopping power of 1-9 MeV He^{2+} ions 4–24504
UO_2, stress relax. and grain boundary sliding 4–17398
UO_2, thermal cond. before and during irradiation *(Rumanian)* 4–36357
UO_2 and Fe, molten, fission product distrib. 4–23829
UO_2 deformed at high temps., lattice and grain boundary dislocations 4–25413
UO_2-basalt mixture and Fe, molten, fission product distrib. 4–23830
UO_2-Y_2O_3 solid solution, oxidation X-ray diffraction exam. of final state 4–31534
$UO_{2\pm x}$, elec. cond. 4–32965
U_3O_8, α-, β- and δ-phases, phase transition obs. 4–12451
U_4O_{9-y}, nonstoichiometric, λ-type sp. ht. anomaly 4–19585
$UReC_{2-x}$ ternary cpd., unit cell size 4–25300
UZrC-UC_2-C ternary system, thermodynamic and phase relns. 4–33857

nuclear reactor materials continued
U(93.2)-metal cylinders, criticality of three dimensional arrays 4–5889
V, corrosion by liquid Na, dissolved O_2 effect 4–24651
V, corrosion products in liquid alkali metals 4–27465
V, effect of temp. on fusion reactor first-wall erosion by radiation blistering 4–23855
V, fusion reactor blankets, neutronic anal. and comparison with No 4–31563
V, He re-emission and surface deformation rel. to CTR design 4–23856
V, neutron irrad., oxygen Snoek damping correl. with TEM obs. 4–25362
V, oxidation effects in Li corrosion, fusion reactor applications 4–23865
V, superconductor, effect of fast neutron irrad. rel. to crit. current density 4–37367
V neutron transmutation effects in CTR blankets 4–23858
V:He (10 ppm), N^+ irrad., void formation 4–1041
V:Ti(20%), oxidation effects in Li corrosion, fusion reactor applications 4–23865
V-Cr-Ti alloy, α-irrad., mech. behaviour, 700-900°C 4–1041
Va, solute redistribution in 3.25 MeV Ni^+ bombardment 4–23904
Xe temp. controlled reactor dynamics, nonlinear anal. by method of averaging 4–19569
YH_x, hydrogen release kinetics in vacuum between 550 and 950°C *(German)* 4–23841
Zr, corrosion in steam, 325-700°C 4–5924
Zr, neutron irrad. at 77K, internal friction *(French)* 4–27442
Zr, oxidation characts. from 450 to 750°C 4–7224
Zr, Peierls energy and stress computation for glide systems 4–33695
Zr alloy sheathing, irrad., u.s. testing 4–23845
Zr alloys, mechanism of in-reactor oxidation from oxide elec. characts. 4–41690
Zr alloys, stress corrosion cracking by iodine, expts. at 300°C 4–27449
Zr and alloys, dilatational misfit of precipitated hydride 4–25320
Zr and alloys, precipitated hydride, dislocation generation 4–25321
Zr-Cr alloy, corrosion in steam, 325-700°C 4–5924
Zr-Cr(1.14%)-Fe(0.1%), effect of metallurgical condition and irrad. on strength and ductility 4–41691
Zr-H alloys, γ and δ hydride relationships 4–25297
Zr-Nb system solid solns., computer calc. of phase equil. curves 4–25298
Zr-Nb(25 wt.%) alloy, residual stress effect on hydride orientation 4–33712
Zr-Nb(2.5 wt.%) alloy, corrosion under radiation in moist CO_2-air mixtures 4–19586
Zr-Nb(2.5 wt.%) alloys, neutron radiation damage 4–4158
Zr_3Al, ordered, transmission electron microscope obs. 4–41569
Zr_3Al alloys, microstruct. revealing methods 4–33713
Zr_3Al-based alloys, ordered, tensile and corrosion behaviour, microstruct. 4–41687
ZrC, chem. vap. deposition on pyrocarbon-coated fuel particles 4–40120
ZrO_2 amorphous film, fission fragment irrad. effects 4–32440

nuclear reactor moderators *see moderators*

nuclear reactor operation
A-1 reactor starting problems 4–23773
accident, heat transfer from molten fuel layer 4–31482
AGR test loops, coolant treatment plants for, experience 4–9341
BLWR feedtrain, radioactivity transport, crud development and control 4–31505
boiling water reactors, AEG, concept, experience, development *(German)* 4–9346
bottom flooding expts. with simple geometries under E.C.C. conditions 4–9333
Brunswick reactor, 1972 *(German)* 4–40112
burnup physics, review of current capability in reln. to design and operation of specific reactors 4–12432
BWR, axial power distrib. phenomena 4–23769
BWR, high-energy fluid line breaks, multi-cell flow transient anal. 4–40107
BWR, methods of data meas. and application of critical determinations 4–36329
BWR, on-load monitoring of local steam velocity by neutron noise anal. 4–36274
BWR, transient response anal. of activated charcoal delay bed *(Japanese)* 4–31469
BWR core, simulated, optimal control rod policies for operating cycle 4–23791
BWR heavy-water-moderated light-water-cooled, reactivity feedback effect on hydrodynamic stability 4–12439
charging machine for A-1 reactor 4–23774
cladding deformation anal. of H5 TREAT test by SAS2A/DEFORM-II 4–40100
cladding failure prediction under internal pressures at elevated temps. 4–40087
coarse-mesh method of Robinson and Eckard, three dimensional, exptl. verification 4–36296
commissioning, reactor core of nuclear ship Otto Hahn *(German)* 4–36252
coolants, monitoring of voids by microwave open ended cavity 4–31464
core measurements using pulsed neutrons, nuclear ship Otto Hahn *(German)* 4–36251
core tests, zero power expts. on nuclear ship Otto Hahn *(German)* 4–36250
crud formation and radiation level buildup modelling 4–23780
Czechoslovak KS-150, physical start up, adaptability *(Slovak)* 4–5884
Dresden 1 plutonium demonstration program, operational data 4–27458
dryout onset in transient conditions, rel. to development of computational method for prediction 4–9334
EBR-II, anal. of reaction rate meas. at full power 4–31496
EBR-II, emergency cooling systems for shutdown and fuel unloading machine 4–40084
EBR-II, performance of high-worth control rods 4–36264

nuclear reactor operation continued
EBR-II, small reactivity perturbations rel. to experimental subassembly irradiation 4–36267
EBR-II, soln. of rotating plug seal operational problems 4–36265
EBR-II primary cooling system coolant coastdown characteristics 4–36266
failure diagnosis, power spectral density of neutron fluctuations, automatic control system 4–31468
fast, role of liquid sodium research laboratory 4–5906
fast gas cooled reactor cores, fuel arrangement, mixed critical system *(German)* 4–3007
fast reactor burst pin detection system sensitivity improvement 4–39329
fast reactor excursion, effects of fuel density gradients and molten fuel freezing 4–40097
fast reactor fuel, fission gas behaviour under transient power conditions 4–40094
fast reactor long-term behaviour, ^{233}Pa, ^{239}Np inelastic neutron cross sections 4–19395
fast reactor meltdown accidents, explosive and thermal energy releases 4–40098
fast reactor overpower transient, reactivity effects of internal molten fuel motion models 4–40095
fast reactors, effect of corrosion product transfer in sodium 4–27427
faulty conditions, emergency supply for circulating pump *(Russian)* 4–19564
FFTF hex-can response to local molten fuel coolant interaction 4–27415
FFTF-type pre-irradiated fuel pins, loss-of-flow simulation 4–40099
first Czechoslovak nuclear power station, starting of A-1 reactor 4–23771
flux relationships, in-core and out-core in Oconee 1 4–36330
FTR, incoherency of subassembly voiding, effect on loss-of-flow accident sequence 4–27413
FTR hypothetical unscrammed loss-of-flow transient, structural reactivity effects 4–27414
fuel burn-up determ. using burnable poisons, gamma-spectroscopy meas. 4–3004
fuel coolant interaction, heat transfer study by implicit continuous Eulerian containment code 4–40092
fuel element acceleration accidents, shock resistance of internal gas, spring and friction 4–12421
fuel-coolant interaction, liquid-liquid film boiling 4–40078
fuel-to-cladding mechanical interaction under steady-state conditions, circumferential cladding temp. variation effects 4–36309
gamma-ray dosimetry rel. to Tehran university research reactor core 4–12458
gas cooled reactors, thermo-hydraulic analysis, calculational methods *(Czech)* 4–15940
gas-cooled fast reactor, dissociating coolant, safety 4–40064
gasdynamics of condensing vapours, high and low pressure effects 4–23761
GCFR, migration of volatile fission products in fast flux irradiation 4–27406
GCFR, response to coolant depressurization accidents 4–27401
GCR, Oldbury-on-Severn power station, exam. of concrete pressure vessels after five years of service 4–27433
heat exchanger anal. for CO_2 and water coolants, thermodynamic cycle evolution 4–19571
heat transfer in liquid metal heat transfer media of power stations 4–40058
heat transfer in rod bundle with helical wire wrap spacers, numerical model 4–40069
heterogeneous reactor, stability of stationary regime 4–40066
high flux isotope reactor, core component surveillance using pattern recognition methods 4–40110
HPRR, n spectra calc. for simulated accident conditions 4–36256
HTGR, control rod drive system, design, development and operation 4–27398
HTGR, Fort St. Vrain, construction and testing experience 4–27392
HTGR, low-enriched with continuous refuelling, running in strategies 4–31493
HTGR, Peach Bottom Power Station, operating experience 4–27391
HTGR advanced design, nuclear by-product heat generation rate, comparison with LWR 4–31494
HTGR plant dynamics anal. under accident conditions 4–27396
HTGR plant safety design bases and operating characteristics 4–27395
HTR cores, neutron flux instabilities, Xe induced, control of spatial power distrib. *(German)* 4–36254
hypothetical core disruptive accident, fission gas plenum cladding as heat sink 4–40091
in-house core analysis capability for San Onofre Unit 1 4–27425
irradiated fuel failure experiment, reactivity accident 4–27410
ITR-2000 reactor at Sofia, neutron and gamma-ray dosimetry and personnel monitoring 4–15979
kinetics, accident conditions, high-order numerical method 4–31484
KS-150 reactor control and protection system supplemented with mobile neutron detector 4–23772
LMFBR, 19-rod simulated subassembly, effect of inlet blockages 4–40079
LMFBR, alternate shutdown system 4–27417
LMFBR, angular-dependent disassembly models 4–27418
LMFBR, axial heat flux effects on DNB in forced convection 4–36321
LMFBR, efficiency and safety aspects 4–40059
LMFBR, fuel pin failure threshold, effect of reactivity insertion rate 4–27412
LMFBR, optimal nuclear fuel management model 4–23768
LMFBR, sodium film motion model 4–31478
LMFBR, steel cladding performance during loss-of-coolant transient 4–27454
LMFBR accident, calc. methods for vapour and fuel transport to secondary containment 4–31475
LMFBR fuel elements, heat transfer, effects of fuel pellet displacement 4–40062
LMFBR local core accidents, acoustic detection 4–27416
LMFBR loss-of-flow accident, cladding motion model 4–40093

nuclear reactor operation continued
LMFBR overpower transients fuel sweeping assumptions in HEDL model 4–40096
LMFBR simulator ZPPR (assembly 3), critical life study 4–36281
loss-of-coolant accident, steam relief in scaled models of cold-leg piping and pressure vessel 4–40103
LWR, safe low power critical experiment 4–36275
LWR accident anal. effects of I spiking 4–40072
neutron noise meas. at Oconee I, power and cross-power spectral density plots 4–40109
nonstationary heat processes, optimal control 4–2998
Pilgrim 2 design safety function and protection sequence anal. 4–40074
pipe break accidents, time-dependent force approx. for elastic-plastic restraint dynamics 4–36306
piping connections, low-cycle fatigue strength 4–31518
power channel U-graphite reactor, use of U 4–40125
power distrib. monitoring in active zone 4–19574
power reactor startup, applications of observational kinetics 4–36331
power reactors, fuel management and refuelling schemes 4–12436
power reactors, physics problems in start up and operation 4–12435
power reactors, role of reactor physics in design and operation 4–12430
pressure vessel, integrity assessment of models with notched nozzles under cyclic press. loading 4–31519
pressure vessel, u.s. in-service inspection 4–31512
pressure vessel closure studs, failure anal. 4–27434
pressure vessel welds, u.s. testing 4–31514
pressure vessel welds, u.s. testing methods 4–31513
pressure vessels, acoustic emission testing 4–31509
pressure vessels, automatic defect location by acoustic emission 4–31511
pressure vessels, brittle fracture safety, systems approach 4–33967
pressure vessels, coldstretched austenitic stainless steel, development 4–31524
pressure vessels, crack initiation, arresting conditions w.r.t. energy 4–31522
pressure vessels, design, for repeated press. applics. 4–31521
pressure vessels, fracture analysis in high nominal strain areas 4–31523
pressure vessels, low-cycle fatigue strength 4–31517
pressure vessels, prestressed-concrete, instrumentation R & D program 4–40057
pressure vessels, rupture modes, stress intensity factors 4–33968
pressure vessels, welded, flush and extruded nozzles, stress conc. factors and fatigue assessment 4–31520
PWR, effectiveness of delayed neutrons 4–31485
PWR, internal vibr. monitoring by pressure transducers 4–2995
PWR, practical Xe spatial control 4–36261
PWR, review of Combustion Engineering startup physics testing 4–36332
PWR, startup physics testing at Westinghouse 4–31495
PWR FLECHT test facility, loss-of-coolant accident simulation, cladding temp. meas. 4–40101
PWR small-break loss-of-coolant accident, core uncovering expts., void correlation 4–40102
quality control of pumps for nuclear applications 4–31457
reactivity effects due to magnetic scattering of thermal neutrons by magnetised Fe 4–36327
refuelling efficiency, arguments for six-month and for eighteen-month cycle 4–5892
rod bundles, unbaffled, turbulent flow, effect of rod displacement on circumferential temp. and heat flux distribs. 4–40063
rod bundles, vibr., effect of surface tension, gas density in two-phase flow 4–2996
safety, boiling of alkali metals, investigation 4–19576
safety system, period detection instrument 4–9347
SEFOR, balanced oscillator expt. 4–36299
shielding, absorbing rod efficiency 4–40065
short-term blowdown transients, following loss-of-coolant accident, modelling 4–40104
SNR-300 primary system components, radiation levels induced by active corrosion product deposition 4–27428
steel piping components, low-cycle fatigue strength 4–31515
steel pressure vessels, acoustic emission inspection 4–31510
steel pressure vessels, acoustic emission testing 4–31508
steel pressure vessels, COD as measure of fracture initiation 4–33963
steel pressure vessels, low-cycle fracture resist. 4–31516
thermal processes, optimal control *(Russian)* 4–36340
unstable fission products release during variable reactor operating histories 4–31470
u.s. equipment for periodic inspection of nuclear reactor pressure vessel 4–21518
water cooled, water moderated power reactor, leak monitoring of primary loop in steam generators 4–19572
water-cooled N-Reactor, radiation heat transfer following loss-of-coolant accident 4–40105
water-cooled reactors, computer anal. of compartment pressure transients from pipe breaks outside containment 4–40106
WMR, meas. of control rod interference and flux peaking using TCA 4–31461
zero power experiments, nuclear ship Otto Hahn *(German)* 4–31459
ZPPR, axial power and photon heating shifts due to partial control rod insertions 4–36282
ZPPR reactivity meas. effect of core configurations on accuracy 4–36284
^{17}F reactor performance monitor, D_2O moderator *(German)* 4–3008
I, accidental release from secondary coolant system, mathematical model 4–40073
Na, liquid, superheat in flowing systems 4–12441
Na cooled heat exchangers, water leaks detection 4–3010
Na heated steam generator, leaks, Na/H_2O reactions 4–3011
Na-stainless steel coolant system, transport, deposition of metal radioisotopes 4–19565
Na_2O, aerosol to closed chamber, fast reactor safety 4–19568
Na corrosion effects on structural materials of corrosion loop after 25000 hours operation 4–27426

nuclear reactor theory
branch pipe lateral and tee connections, limit interaction of external couples and internal pressure 4–23814
branch-pipe lateral and tee connections, limit interaction of external couples and internal pressure 4–23813
bred fissionable species, corrections for burnup determs. 4–40122
buckling in intermediate resonance integral 4–19562
buckling of liner shell, cylindrical, encased in concrete and stud supported, stress analysis 4–30792
burnup physics, review of current capability in reln. to design and operation of specific reactors 4–12432
BWR, high-energy fluid line breaks, multi-cell flow transient anal. 4–40107
BWR, integral neutron transport program THERMOGENE for arbitrary X-Y geometry systems 4–12418
BWR pressure vessel, stress anal. with finite element programs BERSAFE and FLHE 4–23808
BWR rod bundles, status of art in burnout predictions 4–36322
coarse-mesh method of Robinson and Eckard, three dimensional, exptl. verification 4–36296
conservation during Doppler broadening 4–9329
control elements in closely spaced ring, determ. of reactivity worth expression 4–19570
control systems for power reactors 4–12434
core, thermal-hydraulic anal., numerical model 4–31477
core-support barrel, flange supported, beam modes of vibration 4–31473
cosine currents approximation, response matrix method 4–27408
critical condition of reflected spherical reactor 4–9342
critical fast assemblies, finite element analysis 4–9343
critical heat flux, obstacles effect on liq. film 4–40068
criticality, of three-dimensional arrays of U(93.2)-metal cylinders 4–5889
delayed neutrons, effectiveness in commercial PWR 4–31485
design, elastic cracks, three-dimensional finite element anal. 4–30764
diffusion coefficients, Benoist and Selengut with absorbing media 4–12405
diffusion equation, generalized, computation of transport scalar flux 4–23793
double-bent duct in concrete γ-ray shielding wall, line-of-sight method 4–19638
dynamics of reactors, computer iterative code 4–36255
EBR-II, comparison of triangular and rectangular geometrical representations 4–31497
EBR-II, prediction and meas. of coolant flow and pressure drop distribs. 4–36315
EBR-II primary cooling system coolant coastdown characteristics 4–36266
energy release from fission products, design requirements 4–5883
fast breeder reactor blanket performance, economic characterization 4–31489
fast breeder reactors, large, core design 4–673
fast reactor calcs., comparison of transport approximations 4–36325
fast reactor spectra, simulation, appl. to reactivity, fission-to-(n,2n) ratios 4–5879
fast reactor transients, few-group methods 4–23767
fast-reactor data-testing assemblies, calc. using cross-sections from MC^2 and SDX codes 4–9345
fault tree construction, formal methodology 4–12424
FBR, definitions of breeding ratio and doubling time 4–36260
FBR, heterogeneous, intermediate treatment of resonance absorption 4–12423
FBR, heterogeneous effects on reactivity 4–36291
FBR, sensitivity anal. of inverse kinetics rod-drop technique 4–36298
FBR diffusion calcs. using modified one-mode method 4–23748
fissile nuclides, multilevel effects in unresolved resonances region of cross sections 4–5771
fission gas behaviour in mild overpower transient in PuO_2-UO_2 fuel element 4–23786
fission gas re-solution, effects of bubble size 4–23785
fluid flow, numerical techniques 4–31476
forward Kolmogorov equation, Lie series solution 4–5896
forward Kolmogorov equation development, probability balance 4–5897
fuel coolant interaction, heat transfer study by implicit continuous Eulerian containment code 4–40092
fuel cycle physical process variables, relationships for small variations 4–31492
fuel element acceleration accidents, shock resistance of internal gas, spring and frictions 4–12421
fuel element oscillations, correlations with neutron noise in ECO-reactor 4–12417
fuel swelling and gas release model, BUBL-2 program 4–23784
fuel-to-cladding mechanical interaction under steady-state conditions, circumferential cladding temp. variation effects 4–36309
functional analysis method for upper bound of eigenvalue errors 4–15124
fusion reactors, nuclear heating, consistency of data and processing codes 4–19609
gas cooled reactors, thermo-hydraulic analysis, calculational methods *(Czech)* 4–15940
GCFR, fuel rod bundle thermal performance anal. 4–36323
heat diffusion through media with non-conducting inclusions, numerical soln. 4–39663
heat transfer in rod bundle with helical wire wrap spacers, numerical model 4–40069
heterogeneous reactor, stability of stationary regime 4–40066
hot channel factor determ. in LMFBR 4–3001
HTGR, two-dimensional coarse nodal diffusion calc. 4–23795
HTGR type, radiative heat transfer by solid suspension turbulent flow 4–674
in-core fuel management, perturbation theory and linear programming 4–31486
in-house core analysis capability for San Onofre Unit 1 4–27425
inelastic neutron scattering effect on parameters of fast critical assemblies 4–9344
interdiffusion, in temp. gradient, of refractory carbides 4–31552

nuclear reactor theory continued
intermediate resonances, contribution of excited states, effect in fuel elements 4−12420
kinetic accident conditions, high-order numerical method 4−31484
kinetic equation with external neutron source, numerical integration *(Russian)* 4−36341
kinetics, response-matrix method 4−27407
liquid-cooled reactors, bubble collapse, effect of heat transfer 4−24247
liquid-fuel, direct-contact reactors, heat transfer in continuous jet cooling 4−36324
LMFBR, 10000 MWe, design and optimisation 4−31466
LMFBR, 217-pin fuel assembly, temperature mapping 4−36320
LMFBR, accident conditions, compressible hydrodynamics 4−31480
LMFBR, angular-dependent disassembly models 4−27418
LMFBR, fast neutron transport in two-region systems 4−36290
LMFBR, fuel-coolant interaction calcs. comparison with S-11 TREAT test 4−40082
LMFBR, heat loss to cold structure during fuel coolant interaction 4−40083
LMFBR, heating rates and worths of control assemblies 4−36293
LMFBR, local coolant flow diversion from failed subassmebly 4−40080
LMFBR, Na cooled, comparison of transport and diffusion theory for shielding calcs. 4−12419
LMFBR, nonperturbing techniques for reactivity 4−27403
LMFBR, single-pin computer anal. of thermal hydraulic behaviour 4−36319
LMFBR, sodium film motion model 4−31478
LMFBR, thermal stress mechanism in fuel-coolant interaction 4−40127
LMFBR, thermal/hydraulic core design using NICER program 4−36318
LMFBR, three-dimensional neutronics calcs. of FFTF safety parameters 4−36301
LMFBR, TREAT tests of fuel-coolant interactions 4−40081
LMFBR accident, calc. methods for vapour and fuel transport to secondary containment 4−31475
LMFBR critical assemblies anal. of ZPPR-2 critical expts. using GGA methods 4−36276
LMFBR fuel pin correlation for heat transfer in gas-jet impingement area 4−40076
LMFBR fuel pin thermal stress anal. 4−40077
LMFBR fuel thermal performance, core-wide probabilistic anal. 4−36317
LMFBR subassemblies, liquid entrainment rate relative to fission gas jet impingement 4−40075
LMFBR thermally bowed core, computer program for elastic anal. 4−36307
LWR, non-boiling natural convection, stochastic fluctuations 4−19566
LWR, optimization of refuelling schedule, power distrib. calc. 4−31487
LWR, SLOWPOKE, self limiting power excursion behaviour 4−36302
LWR pin cell, thermal neutron calc. 4−27409
LWR pressure vessels, stress concentrations at nozzle-to-cylinder intersections 4−23804
metal-water explosion analysis using equilib. models 4−12425
multidimensional kinetics, operator splitting 4−31483
multigroup diffusion eqn. for EK-10 and IRTM fuelled reactor, appl. of CDM-1 code 4−3006
multilevel resonance parameters, transform. into single level pseudo-parameters and smooth background 4−5891
multiregion problem, finite element solns. 4−27411
multizone, spherical fuel elements, neutron flux distrib., neutron multiplication factors *(German)* 4−9330
neutron activation cross-sections in rare earth and heavier nuclei 4−631
neutron diffusion, cylindrical cell, calc. by P_3 method, radial coefficient 4−12404
neutron foil detectors, thermal neutrons, Cd correction factors 4−11578
neutron resonance integral calculations, equivalence relations 4−19558
neutron slowing down problem, computational benchmark soln. 4−40071
neutron spectrum in reactor lattice cell, RJG5-THERESA code system 4−19577
neutron thermalisation in cylindrical reactor lattice cells, RJT4-CATHY computer code 4−19560
non-boiling liquid, noise sources, effect on stochastic fluctuations 4−5882
nonstationary heat processes, optimal control 4−2998
nozzles in cylindrical vessels or branch-pipe tee connection, out-of-plane limit couples 4−23817
one-dimensional fluid flow, implicit characteristic method 4−32084
parallel leakage in thin-cell plate arrays 4−36287
perturbed reactor with negative feedback, new equilib. state 4−5887
pipe bends under in-plane bending, limit loads 4−23819
pipelines, nonlinear, elastic-plastic and creep anal. by finite elements, rel. to LMFBR 4−23809
pipes, curved in-plane and out-of-plane bending, flexibility and stresses 4−23820
piping system, strain concentration in elbow under high temp. relaxation conditions 4−23818
plastic beam, rigid, expansion and contraction of hinge, pulsed reactor 4−18896
point kinetics, accuracy in reactor dynamics 4−36297
point kinetics reactivity, error due to spatial effects 4−23764
power distribution synthesis using control rod influence functions 4−23794
power reaction, fuel management simplified treatment of reactivity and reactivity lifetime transients 4−12437
power reactor dynamics, hydrodynamic models of boiling channels 4−12438
power reactor startup, applications of observational kinetics 4−36331

nuclear reactor theory continued
power release distrib. in fuel element meat 4−23775
pressure components, computer program for elevated temp. cyclic anal. 4−23811
pressure components, strain concentration behaviour in notched round bar subjected to creep 4−23810
pressure vessel, automated stress analysis 4−23806
pressure vessel, contact between cylindrical shell and rigid ring 4−23137
pressure vessel, elastic stability of cylinder-torisphere combinations 4−23800
pressure vessel, elastic stresses due to axial load on nozzle intersecting cylindrical shell 4−23803
pressure vessel, exact soln. of stress anal. of truncated conical shell 4−23136
pressure vessel, spherical, with nonradially penetrating cylindrical shell, stress distrib. 4−23802
pressure vessel, stress distribs. for spherical shells with nonradial nozzles 4−23801
pressure vessel, unstiffened cylindrical, twin saddle support 4−23135
pressure vessel design, rel. to reinforcements for thin shells 4−23134
pressure vessels, computer-aided design to ASME VIII recommendations 4−23807
pressure vessels, elastoplastic behaviour and shakedown of radial nozzle-on-sphere geometrics 4−23815
PWM, large, synthesis techniques for core calcs. 4−23792
PWR, determ. of optimum fuel loadings, using dynamic programming 4−9348
PWR, integral neutron transport program THERMOGENE for arbitrary X-Y geometry system 4−12418
PWR, optimization of loading patterns by reference design perturbations 4−31488
PWR, predicted local power peaking due to interpellent gaps 4−36288
radiative neutron capture, p-wave strength functions of ^{232}Th, ^{238}U 4−12333
reactivity coefficient, for power reactors 4−12433
reactivity determ. from noise spectra using two-equivalent group theory 4−36300
reactivity worth estimation by local calc. 4−36292
reference theta pinch reactor, Li coolant, induced radioactivity 4−19613
reference theta-pinch reactor, bulk shielding props. 4−19612
reference theta-pinch reactor, tritium breeding, nuclear heating 4−19611
resonance integral calculations, RYF4 RIFFRAFF and RYF5-RIFF—HOM computer codes 4−19578
safety analysis, mesh regularising mechanism 4−31479
secondary fast reactor optimisation, two-matrix game problem 4−3005
shell, cylindrical, creep curvature under combined loading 4−30793
shell, cylindrical, effects of shear and normal deformation using Zerna's exact theory 4−30765
shielding behind bores in shielding walls, ray analysis calc. of width 4−19639
short-term blowdown transients, following loss-of-coolant accident, modelling 4−40104
side structures, dynamic behaviour when subjected to impulsive bending moments 4−30763
slab lattices, ambiguity in definition of effective diffusion coeffs. 4−23760
square cell, neutron diffusion coeff. 4−12428
square idealised reactor, flux distrib. calc. using singular functions with finite element approx. 4−5340
states, variable thickness, bending anal. using triangular elements 4−30811
subchannel mixing, single-phase, in simulated fuel assembly 4−31472
thermal neutron absorption closely spaced lattice, corrections to zeroth approximation 4−23758
thermal neutron spectra at an interface meas. and calc. space dependence *(German)* 4−12401
thermal neutron use factor, scattering anisotropy 4−40055
two-group neutron diffusion, nonlinear optimisation problem *(German)* 4−15936
two-phase flashing flow, high speed *(Japanese)* 4−32128
two-phase flow, one-dimensional 4−31481
water moderated reactors, TRX lattice anal. with ENDF/B-III data 4−36289
water power reactors, criticality calcs. 4−12431
water-cooled movement of unwanted radioactivity rel. to materials selection 4−31500
water-cooled reactors, flow transients in two-phase systems, soln. by method of characts. 4−40067
ZPPR (assembly 3), Na void reactivity in B_4C poisoned core 4−36279
ZPR, broad-group study of central worth discrepancy in benchmark critical assemblies 4−36285
n multigroup cross-section dependence on weighting function model 4−36304
n multiplication factor dependence on number of multigroups and weighting function model 4−36305
Na void reactivity, effect of axial streaming, heterogeneity, calc. of elastic removal cross sections 4−5881
Th blanket economics for fast breeder reactors 4−31490
^{235}U, lattices, prediction of reactivity and reaction rate ratios 4−12422
^{238}U, dieaway expt. anal., image method for time-depend. neutron diffusion 4−31467
^{238}U-^{239}Pu fast breeder reactor optimisation, cooperative games 4−3003
Xe temp. controlled reactor dynamics, nonlinear anal. by method of averaging 4−19569

nuclear reactors
see also fusion reactors; nuclear power stations; nuclear reactor materials; nuclear reactor operation; nuclear reactor theory
300 MWe gas cooled fast breeder, physical design 4−9339
advanced design, changes in coolant chemistry rel. to corrosion control 4−31506

nuclear reactors continued
advanced gas cooled reactor fuel management, three-dimensional neutron flux soln. 4−27438
AGR test loops, coolant treatment plants for, design and operation 4−9341
ATR, prototype, FUGEN, pressure vessel structure design and development 4−23797
BLWR feedtrain, chemistry control and purification 4−31504
boiling water reators, AEG, concept, experience, development *(German)* 4−9346
boiling-water, fuel testing, Halden project, recent developments 4−5902
BWR, automatic system for low-level environmental radiation monitoring 4−31603
BWR, axial power distrib. phenomena 4−23769
BWR, buildup of transuranium elements in VK-50 fuel 4−23852
BWR, corrosion deposits on VK-50 fuel elements 4−19594
BWR, determ. of UO$_2$ pellet stack shortening 4−5894
BWR, diagnostics by noise analysis 4−40108
BWR, high-energy fluid line breaks, multi-cell flow transient anal. 4−40107
BWR, in-core meas. using self-powered Pt flux detector 4−36272
BWR, irradiation performance of solid and annular pellet Pu recycle fuels 4−23788
BWR, methods of data meas. and application of critical determinations 4−36329
BWR, on-load monitoring of local steam velocity by neutron noise anal. 4−36274
BWR, optimization of refuelling schedule, power distrib, calc. 4−31487
BWR, radionuclide balances in effluent and process streams 4−36388
BWR, REBECCA-C, with prestressed concrete pressure vessel, design 4−27432
BWR, transient response anal. of activated charcoal delay bed *(Japanese)* 4−31469
BWR core, simulated, optimal control rod policies for operating cycle 4−23791
BWR feedtrains, materials selection rel. to corrosion control 4−31559
BWR improved response to rapid load changes 4−36262
BWR plutonium recycle, interchangeable design basis 4−27422
BWR rod bundles, status of art in burnout predictions 4−36322
CANDU, design factors for corrosion control 4−31501
CANDU circuits, approach to materials selection rel. to corrosion control 4−31558
CANDU power reactors, corrosion control, conference, Canada (October 1972) 4−31557
CANDU power reactors, corrosion prevention, design aspects 4−31499
CANDU power reactors, movement of unwanted radioactivity, rel. to materials selection 4−31500
CANDU-PHW system, and fitting and fuel channel materials and design 4−31503
CANDU-PHW system, end fittings and fuel channel design rel. to corrosion control 4−31502
concrete pressure vessels, prestressed, developments in France 4−27432
conference, American Nuclear Society winter meeting, San Francisco, U.S.A. (Nov 1973) 4−19554
construction, reliability *(German)* 4−5875
construction, role of reactor physical processes *(German)* 4−5876
corrosion control, radioactivity effects rel. to fitting and fuel channel design 4−31507
CP-5 reactor beam, shielding slab evaluation *(Korean)* 4−31576
damping values of power plant components 4−40061
Douglas Point boiling water reactor, design 4−14935
dual-core U-ZrH research reactor for testing power reactor fuel 4−36273
EBR II, meas. and calc. of integral heavy element cross-section ratios 4−27389
EBR-II, anal. of burnups in driver fuel elements 4−31498
EBR-II, anal. of reaction rate meas. at full power 4−31496
EBR-II, central power increase to produce fuel element melting 4−19602
EBR-II, comparison of triangular and rectangular geometrical representations 4−31497
EBR-II, emergency cooling systems for shutdown and fuel unloading machine 4−40084
EBR-II, environmental instrumented subassembly for temp. and flow rate meas. 4−23783
EBR-II, irradiation performance of eddy-current flow sensor 4−36358
EBR-II, neutron flux anal. using SAND-II multiple-foil method 4−36396
EBR-II, on-line monitoring of Na purity 4−36354
EBR-II, performance of high-worth control rods 4−36264
EBR-II, postirradiation handling of in-core instrument test facility components 4−36393
EBR-II, prediction and meas. of coolant flow and pressure drop distribs. 4−36315
EBR-II, short-term restructuring and densification in mixed-oxide fuel elements 4−23884
EBR-II, small reactivity perturbations rel. to experimental subassembly irradiation 4−36267
EBR-II, soln. of rotating plug seal operational problems 4−36265
EBR-II heterogeneous loadings, local hydraulic effects 4−36316
EBR-II primary cooling system coolant coastdown characteristics 4−36266
ENDF/B-IV data library development 4−36303
environmental aspects, gaseous effluents 4−30262
environmental hazards of nuclear fission of ^{235}U/Pu^{219} cycle 4−36387
evolution rel. to fuel 4−9354
fast, fission gas release from uranium dioxide fuel pin during irradiation, meas. 4−9340
fast, irradiated fuel failure experiment 4−27410
fast, irradiated oxide fuel pins, fuel/clad reactions 4−27437
fast, Na-cooled, C meter development 4−3039

nuclear reactors continued
fast, sintered ceramic fuel, preferred values for thermal conductivity 4−19605
fast, small water leak detection in Na cooled heat exchangers 4−3010
fast, SNR pipework for primary and secondary main sodium loops, design requirements 4−31471
fast, sodium-cooled, primary system design 4−9336
fast, use of dispersion-strengthened ferritic steels for structural materials 4−27451
fast breeder, fuel cycle, problems *(German)* 4−5900
fast breeder fuel assemblies, non-destructive exam. 4−36348
fast breeder reactor, refuelling schemes for radial blanket 4−31465
fast breeder reactors, large, core design 4−673
fast breeders, technological advantages of gas cooling 4−27390
fast flux test facility, engineering scale tests of fission gas delay beds 4−27404
fast flux test facility, low friction materials for wear application 4−27444
fast flux test facility, operation of linear motion sodium freeze-seal valve 4−27405
fast flux test facility, rotary motion shear properties of Na freeze seals 4−23787
fast power reactors, use of effective operators and cross sections in physics 4−12440
fast zero power reactor FRO, effective delayed-neutron fraction in three cores 4−5888
fast-source TAPIRO reactor, reactivity and fission rate ratio meas. 4−36328
FBR, definitions of breeding ratio and doubling time 4−36260
FBR, demonstration assembly, gamma-ray heating meas. 4−23766
FBR, development of fuel elements, particularly mixed oxides 4−23850
FBR, gamma-ray heating meas. using thermoluminescent dosimeters 4−23765
FBR, heterogeneous effects on reactivity 4−36291
FBR, Mol-ΣΣ secondary intermediate energy standard neutron field 4−36339
FBR, non-fission reaction rate meas. of nonfissile foils 4−36398
FBR, sensitivity anal. of inverse kinetics rod-drop technique 4−36298
FBR, Uo$_2$-PuO$_2$ fuel stack dimensional variations under irradiation 4−23885
FFTF, digital on-line reactivity anal. 4−36268
FFTF, pressure loss coefficients for staggered multiorifice shield plates 4−36313
FFTF components, development program for Na removal 4−36263
FFTF hex-can response to local molten fuel coolant interaction 4−27415
FFTF reactor mockup, noise anal. at delayed criticality 4−36277
filament-wound bottles, burst tests, acoustic emission obs. 4−1693
flow boiling system, liquid metal heated, nucleate boiling departure 4−15939
FR2 research reactor, pressurized water test loop 4−40060
FTR, adequacy of low-level flux monitor for IKRD calibration 4−36269
FTR, incoherency of subassembly voiding, effect on loss-of-flow accident sequence 4−27413
FTR hypothetical unscrammed loss-of-flow transient, structural reactivity effects 4−27414
FTR radial cavity shield, penetration calc. 4−31608
FTR-EMC, Na void expts. anal. using ENDF/B-III data 4−36286
fuel assembly design for improved plutonium recycle capabilities 4−27420
future, fuel logistics *(German)* 4−23822
gamma-ray spectroscopy applications *(French And English)* 4−5878
gas-cooled, technological advantages for fast breeder and steam plant development 4−27390
gas-cooled fast reactor, dissociating coolant, safety 4−40064
gas-graphite coolants, heat transfer, calc. 4−19603
GCFR, 300 MW(e) demonstration plant, status and safety aspects 4−27400
GCFR, 300 MWe, design and safety 4−9337
GCFR, fuel rod bundle thermal performance anal. 4−36323
GCFR, materials and design concepts 4−27394
GCFR, migration of volatile fission products in fast flux irradiation 4−27406
GCFR, response to coolant depressurization accidents 4−27401
GCFR fuel elements, development, irradiation testing 4−9338
GCFR fuel pressure equalization system, irradiation testing of vented-fuel-rod design 4−27402
HBWR, spectral anal. of sampled data with heterodyne digital filtering techniques 4−5893
heat exchangers, corrosion resistance of alloys 4−36347
heat transfer and pressure drop, enhancement devices in tubes, comparison using gas coolant 4−31462
heavy-water moderated assembly reactivity worths of Pu/U clusters by reactor oscillation method 4−5890
heterogeneous, stability of stationary regime 4−40066
high flux isotope reactor, core component surveillance using pattern recognition methods 4−40110
high temperature, fuel element manufacture *(German)* 4−3032
high temperature, graphite irradiation for moderator stresses calc. *(Dutch)* 4−40116
high-temperature, graphite irradiations, obs. *(Dutch)* 4−5903
HTGR, 2300 MW(e) twin, Philadelphia, design features 4−27393
HTGR, as source of high temperature process heat 4−27399
HTGR, control rod drive system, design, development and operation 4−27398
HTGR, design and development of series steam turbine driven helium circulator 4−27397
HTGR, discontinuity effects on flux distrib., finite element soln. 4−27411
HTGR, disintegration of graphitic fuel elements 4−36349
HTGR, Fort St. Vrain, construction and testing experience 4−27392
HTGR, fuel characteristics and fuel cycle rel. to 1160 MW(e) plant 4−27440
HTGR, fuel rod fabrication, development of lab. slug injection machine 4−36336
HTGR, irradiation behaviour of coated LB absorber material *(German)* 4−12442

nuclear reactors continued
HTGR, low-enriched with continuous refuelling, running in strategies 4−31493
HTGR, materials and design concepts 4−27394
HTGR, Peach Bottom Power Station, operating experience 4−27391
HTGR, plutonium utilization 4−27424
HTGR, timing use of recycle fuel, economic forecast 4−31491
HTGR, two-dimensional coarse nodal diffusion calc. 4−23795
HTGR advanced design, nuclear by-product heat generation rate, comparison with LWR 4−31494
HTGR candidate recycle fuels, thermally severe irradiation test 4−23789
HTGR fuel rod fabrication, production slug injection machine 4−36337
HTGR fuel rods, matrix-particle mechanical interaction 4−23790
HTGR plant dynamics anal. under accident conditions 4−27396
HTGR plant safety design bases and operating characteristics 4−27395
HTGR pyrocarbon-coated fuel particles, chem. cap. deposition of ZrC 4−40120
HTGR type, radiative heat transfer by solid suspension turbulent flow 4−674
HTR, post-irradiation microanalysis of fuel particles *(French)* 4−40118
HTR cores, neutron flux instabilities, Xe induced, control of spatial power distrib. *(German)* 4−36254
HWR, development of high performance U-metal fuels 4−23873
in-plant application of nondestructive instrumentation 4−23778
IR-100, shielding, absorbing rod efficiency 4−40065
irradiated fuel reprocessing, solvent extraction applic. *(French)* 4−5904
liquid-fuel, direct-contact reactors, heat transfer in continuous jet cooling 4−36324
LMFBR, 10000 MWe, design and optimisation 4−31466
LMFBR, 19-rod simulated subassembly, effect of inlet blockages 4−40079
LMFBR, 217-pin fuel assembly, temperature mapping 4−36320
LMFBR, alternate shutdown system 4−27417
LMFBR, anal. of ZPPR-2 critical expts. using GGA methods 4−36276
LMFBR, angular-dependent disassembly models 4−27418
LMFBR, breeding and economic performance of Th blanket 4−31490
LMFBR, calibration stability of O_2 meters for Na systems 4−36353
LMFBR, cross-section meas. of ^{10}B(n,t) in fast neutron spectrum 4−36207
LMFBR, delayed neutron temperature sentinel 4−31458
LMFBR, determ. of fuel cladding penetration by Na coolant monitoring for ^{135}I 4−23770
LMFBR, discontinuity effects on flux distrib., finite element soln. 4−27411
LMFBR, effect of carbon on creep-rupture properties of ferritic steel 4−23898
LMFBR, efficiency and safety aspects 4−40059
LMFBR, ENDF/B file for dosimetry applications 4−31592
LMFBR, fast neutron transport in two-region systems 4−36290
LMFBR, fuel pin failure threshold, effect of reactivity insertion rate 4−27412
LMFBR, fuel pin remote metallography using 70 mm. roll camera 4−36334
LMFBR, fuel-coolant interaction calcs. comparison with S-11 TREAT test 4−40082
LMFBR, H activity meter for liquid Na 4−36355
LMFBR, heat loss to cold structure during fuel coolant interaction 4−40083
LMFBR, heating rates and worths of control assemblies 4−36293
LMFBR, high flux level reaction rate meas. 4−36338
LMFBR, hot channel factor determ. 4−3001
LMFBR, local coolant flow diversion from failed subassmebly 4−40080
LMFBR, optimal nuclear fuel management model 4−23768
LMFBR, oxygen interactions between Na coolant and U-Pu(25%) oxide fuel at 65° to 90°C 4−31550
LMFBR, primary coolant system pipes, low-cycle fatigue strength 4−31515
LMFBR, problems due to large temp. differences 4−36359
LMFBR, single-pin computer anal. of thermal hydraulic behaviour 4−36319
LMFBR, sodium film motion model 4−31478
LMFBR, study of large scale vapour explosions using freon-water system 4−41947
LMFBR, thermal stress mechanism in fuel-coolant interactions 4−40127
LMFBR, thermal/hydraulic core design using NICER program 4−36318
LMFBR, three-dimensional neutronics calcs. of FFTF safety parameters 4−36301
LMFBR, transport of activated corrosion products from irradiated stainless steel 4−23880
LMFBR, TREAT tests of fuel-coolant interactions 4−40081
LMFBR absorber material, YY02 instrumented irradiation 4−23893
LMFBR core restraint configs., characteristics determ. using planar clamping model 4−40086
LMFBR design, ratchetting deformation as affected by loading sequence variations 4−23812
LMFBR duplex pins, power cycling effects on centre temp. 4−23886
LMFBR fuel elements, heat transfer, effects of fuel pellet displacement 4−40062
LMFBR fuel pin thermal stress anal. 4−40077
LMFBR fuel reprocessing plant off-gases, scrubbing radioiodine with mercuric nitrate solns. 4−40148
LMFBR fuel rod design, cladding integrity assessment by damage fraction rules 4−36308
LMFBR fuel thermal performance, core-wide probabilistic anal. 4−36317
LMFBR in thermonuclear target area, civil defence implications 4−36370
LMFBR local core accidents, acoustic detection 4−27416
LMFBR loss-of-flow accident, cladding motion model 4−40093

nuclear reactors continued
LMFBR materials, evaluation of decay scheme data 4−36363
LMFBR optimisation, computer-based model, economic design trends 4−40085
LMFBR overpower transients fuel sweeping assumptions in HEDL model 4−40096
LMFBR simulator ZPPR (assembly 3), critical life study 4−36281
LMFBR strength and microstructure of welded type 304 stainless steel pressure vessel 4−23899
LMFBR test facility, rotary motion shear properties of Na freeze seals 4−23787
LMFBR thermally bowed core, computer program for elastic anal. 4−36307
LWR, determ. of burnup and heavy isotope composition of spent fuel 4−36294
LWR, determ. of potential of metallic Th as fuel 4−3033
LWR, operation and control in safe low power critical experiment 4−36275
LWR, optimization of refuelling schedule, power distrib. calc. 4−31487
LWR, radioactive releases assessment of radiological environmental doses 4−31593
LWR, reliability of pressure vessels, status and research planning 4−23798
LWR, SLOWPOKE, self limiting power excursion behaviour 4−36302
LWR accident anal. effects of I spiking 4−40072
LWR pin cell, thermal neutron calc. 4−27409
LWR waste product conditioning methods 4−40147
mobile, use of LiH as neutron shield 4−40144
MTR fuel element development history 4−23875
nondestructive assay instrumentation for in-plant applications 4−23777
Oconee I power reactor, neutron noise meas. 4−40109
off-shore, energy source for navy *(French)* 4−38309
optimal feedback control system, appl. of model expansion method and function space method, characts. 4−36257
organic coolants, microwave void fraction meas. 4−5899
piping system components, ORNL design criteria program 4−36310
pollution, ^{137}Cs levels in humans, from effluents, forecast 4−40136
power, analysis of reactivity coefficients 4−12433
power, environmental monitoring of radiation release 4−31594
power channel U-graphite reactor, use of U 4−40125
power reactor, large, neutron and γ-ray distrib. during normal operation 4−31607
power reactor, radiation dose distrib. calc. after shutdown 4−36402
power reactor physics developments, conference, Herceg-Novi, Yugoslavia (Aug-Sept. 1970) 4−12429
power reactor pressure vessels, comparison of prestressed concrete, thick-walled and multilayer steel 4−27431
power reactors, role of reactor physics in design and operation 4−12430
pressure vessel, behaviour of 90° bend with elliptical section, expl. and computer anal. 4−27429
pressure vessel, real-time software operating system for computer controlled acoustic emission flow monitor 4−4238
pressure vessel inspection acoustic emission applic. *(French)* 4−23762
pressure vessel technology, conference, San Antonio, Texas, USA (October 1973) 4−23796
pressure vessels, exptl. determ. of plastic collapse loads 4−23816
pressure vessels, in-service inspection techniques 4−40090
pressure vessels, quality assurance programmes 4−23799
pressure vessels, thick-walled cylindrical, stress concentrations at offset oblique holes 4−23805
protection with process computer, pulse monitoring units *(German)* 4−8479
PWM, large, synthesis techniques for core calcs. 4−23792
PWR, consistent meas. of control rod worths 4−36333
PWR, determ. of optimum fuel loadings, using dynamic programming 4−9348
PWR, determ. of potential of metallic Th as fuel 4−3033
PWR, discontinuity effects on flux distrib., finite element soln. 4−27411
PWR, effectiveness of delayed neutrons 4−31485
PWR, large, plutonium fuel management option 4−27421
PWR, optimization of loading patterns by reference design perturbations 4−31488
PWR, practical Xe spatial control 4−36261
PWR, predicted local power peaking due to interpellent gaps 4−36288
PWR, radiation level calc., shielding 4−31604
PWR, review of Combustion Engineering startup physics testing 4−36332
PWR, startup physics testing at Westinghouse 4−31495
PWR containment design 4−12427
PWR FLECHT test facility, loss-of-coolant accident simulation, cladding temp. meas. 4−40101
PWR primary loop, dynamic characteristics using electrodynamic shaker forces 4−27430
PWR primary shield, and of γ-ray sources 4−31606
PWR shield heating analysis 4−31609
PWR small-break loss-of-coolant accident, core uncovering expts., void correlation 4−40102
PWR-440 Mwe, effect of including burnable poison for fuel burn-up determ. 4−3004
PWRs, Westinghouse, plutonium recycle, management scheme 4−27423
research centres, role in project feasibility study *(German)* 4−5877
rocket engine, diffusion in refractory carbides 4−31552
rod bundles, square array, pressure drop, heat transfer 4−15938
sandwiched-blanket type core, design, nuclear characts., comparison with core without sandwich-blanket 4−36258
Shippingport nuclear reactor neighbourhood infant and neonatal mortality rates, regression analysis 4−42602
site criteria, various countries *(Japanese)* 4−2997
stacked disc filter backwashing 4−40070
steam generator design, vibration of heated cylinder in steam-water axial flow 4−5898

nuclear reactors continued
- structural design methods, high-temp, deformation behaviour, ORNL program 4—40088
- TAPIRO reactor, calculational model and nuclear data testing 4—31463
- testing components using eddy current *(German)* 4—19563
- thermoelectronic, immersible *(French)* 4—27472
- TRIGA Mk-II, dynamic response, cross correlation method *(Korean)* 4—5885
- vibration analysis, appl. of Walsh transforms and linear discriminant technique 4—39575
- water, metallic fuels for, future potential 4—23827
- water-cooled, fracture tests on thick-walled steel pressure vessels 4—36311
- water-cooled power reactors, optimal control of thermal processes *(Russian)* 4—36340
- water-moderated and -reflected reactor, comparison of neutron waves reflected from core and reflector 4—12426
- welding elbows with end effects, exptl. study of flexibility factors and stresses 4—23821
- WMR, meas. of control rod interference and flux peaking using TCA 4—31461
- WMR, thermal neutron spectra anal., rel. to thermalisation process 4—19575
- zero power reactor, universal preamplifier for ionisation and scintillation detectors *(Czech)* 4—26629
- ZPPR, axial power and photon heating shifts due to partial control rod insertions 4—36282
- ZPPR assembly 3, control rod worths evaluation using subcritical techniques 4—36278
- ZPPR assembly 3, fuel cycle and Na voiding effects on small sample reactivity traverses 4—36280
- ZPPR assembly 3, max. Na void reactivity in B_4C poisoned core 4—36279
- ZPPR reactivity meas. effect of core configurations on accuracy 4—36284
- ZPR, broad-group study of central worth discrepancy in benchmark critical assemblies 4—36285
- ZR-6 reactor measuring system, structure, specifications, operation experience 4—2999
- n interaction and absorption, energy distribution *(German)* 4—40111
- $^{18}O/^{16}O$ ratio meas. in fast neutron reactor 4—9335
- U/Pu fuel elements in LWRs, nuclear characteristics by Multi Variable Synthesis *(German)* 4—40115
- ^{235}U-fueled fast subcritical reactor, scalar neutron flux meas. 4—3000

nuclear resonance reactions and scattering
- analogue resonances, reaction mechanism and spectroscopy 4—39920
- balance tests, detailed, of T reversal invariance in fluctuation region 4—23657
- baryon resonances in nuclei, coupled-channel treatment 4—15743
- boson interactions, final-state resonance reactions, 3-body treatment 4—27295
- break-up reactions, three-particle model 4—616
- broad-peripheral resonance state, angular dependence of shape-elastic wave function 4—39938
- charged particle elastic scattering, even-even nuclei, distant-level background, R-matrix model 4—19370
- class II state parameters, fine structure fission widths 4—5857
- compound nuclear reactions, computation of total and differential cross section 4—9133
- continuum shell model, coupled channel calc. 4—9129
- doorway state resonances in nuclei with large neutron excesses, nucleon decay *(Russian)* 4—27292
- eigenchannel theory rel. to ^{28}Si giant dipole resonance particle continuum effects 4—12305
- elastic transfer reactions involving C, O and Si ions, interference-resonance effects, collective model *(Russian)* 4—663
- extended resonating group method, for boson elastic scattering 4—2858
- few nucleon reaction problem, Schrodinger equation approximations, spurious states 4—610
- fissile nuclides, multilevel effects in unresolved resonances region of cross sections 4—5771
- fluctuation region, restraints on detection of resonance parameter correlations 4—2856
- gamma-ray resonance scattering, appl. to borehole analysis for copper and nickel 4—38516
- generalised model of direct and resonance reactions *(Russian)* 4—23656
- giant (3,3) resonance particle-hole model, N-Δ residual interaction 4—31328
- giant dipole resonance, neutrino excited, as test for neutral currents 4—39835
- giant dipole resonance in $90<A<150$ nuclei, average energy, exptl. study 4—15760
- giant dipole resonance width, semi-phenomenological description 4—27294
- giant isovector, monopole, and quadrupole states 4—5772
- giant resonance excitation in radiative π^- capture 4—27362
- giant resonance excitation on spherical and deformed nuclei by inelastic 155 MeV proton scattering 4—15818
- giant resonance intermediate structure in heavy deformed nuclei 4—39987
- giant resonances of multipolarities other than E1, experimental evidence 4—31331
- giant-dipole resonance structure in deformed spheroidal nuclei *(Russian)* 4—31330
- heavy ion analogue reactions, spectroscopic application 4—9303
- heavy ion reaction, Regge pole description of peripheral resonance and scattering angular distribution 4—12372
- heavy ion scattering at energies well above Coulomb barrier, quasimolecule formation *(German)* 4—19538
- interference of rescattering graphs with pole graphs during modulation of resonance excitation function 4—2848
- intermediate resonance integral calc. contribution of excited states 4—12420
- intermediate structure, statistical tests for randomness 4—9075
- intermediate structure and doorway states, review 4—36170

nuclear resonance reactions and scattering continued
- isobaric analogue resonances, reaction mechanism and spectroscopy 4—39988
- Lane equations, soln., and spectroscopic information *(Rumanian)* 4—31329
- least squares approximation for false resonance suppression 4—15737
- least-squares method for suppression of false resonances 4—15738
- Monte Carlo resonance integral calculation of finite size samples 4—27380
- multichannel resonating group calculation, for $^3H(p,n)^3He$ transfer reaction, 2 to 10 MeV 4—2884
- multilevel resonance parameters, transform. into single level pseudo-parameters and smooth background 4—5891
- multinucleon transfer reactions, optimum Q value 4—2941
- $N>Z$ nuclei, excitation of $T_>$ isospin components of giant dipole states by muon capture 4—19278
- neutron cross sections, calc. of resonance interference effects 4—19391
- neutron fission, ambiguities of reaction widths in R-matrix parametrization 4—36241
- neutron intermediate resonance absorption, soln. of transcendental eqn. 4—19557
- neutron strength functions, nuclei $138<A<202$, from av. capture cross sections, comparison with optical model 4—39996
- nonconvergence of resonating group method with approximate channel functions 4—15741
- nucleon escape width, calc. rel. to single-particle component of doorway state 4—9135
- nucleon inelastic scattering, Hauser-Feshbach theory for deformed nuclei 4—9134
- optical potential, generalized, in R-matrix theory 4—31325
- overlapping resonances, intermediate structure, microscopic theory 4—39983
- peripheral model for direct resonance reactions 4—19372
- photonuclear resonances true width determ. in polychromatic gamma expt. 4—36178
- polarised neutrons on polarised targets, transmission expts. 4—12317
- pre-equilibrium decay models, intranuclear transition rates 4—2849
- quasimolecular state interpretation in heavy ion reactions, Regge poles 4—2970
- radiative capture of low-energy neutrons in shell-model approach 4—9152
- radiative nucleon capture in giant resonance region, complex coupling interaction in direct-semidirect theory 4—15819
- rescattering process, obs. of triangle graph 4—2850
- resonance width determ. in presence of Gaussian errors 4—35152
- resonating-group-method is one-channel approx. for elastic scattering of light nuclei 4—15753
- scattering matrix, overlapping resonances and unitarity 4—15740
- sd-shell nuclei, giant dipole resonance calc. in open-shell random phase approx. 4—31327
- shape, relation to lowest resonance energy 4—27229
- spectroscopic factors extraction using R-matrix theory 4—36169
- statistical model of nuclear reactions *(Rumanian)* 4—31335
- stripping into continuum, new spectroscopic tool for nuclear off-shell scattering 4—9220
- stripping reactions to unbound states, anal. of DWBA cross sections calc. 4—15744
- supermultiplets, rel. to orbital symmetry 4—9074
- three-body model, exactly soluble, for study of resonance phenomena 4—615
- three-boson system, numerical comparison of Faddeev and resonating group method for elastic scattering 4—15750
- three-nucleon resonance, S-matrix theory 4—15752
- three-nucleon resonance searches 4—15751
- (α, γ_0) reactions to giant dipole resonances of 1d2s and h2p shell nuclei 4—9226
- (α,γ) E2 giant resonances, T-mixing in E1 reson. 4—5830
- (d,p), prediction of new type of threshold effect 4—2905
- (e,e′), giant multipole resonance anal. 4—31350
- (e,e′) reaction, giant monopole reson., excitation energy 4—5791
- $(\gamma,2n)$ reactions for $A=103$ to 133 vibrational nuclei, giant dipole resonance obs. 4—27293
- (γ,N), $A=12$ to 208 at 10 to 30 MeV, structure of giant resonance 4—15756
- (γ,n) reactions for $A=103$ to 133 vibrational nuclei, giant dipole resonance obs. 4—27293
- (n,γ), 3P size reson. struct., $60<A<140$, neutron strength functions, 23 ± 5 MeV 4—633
- (n,γ) cross sections in $N=Z$ nuclei, isospin splitting of giant dipole resonance 4—36204
- (p, n), isospin-forbidden, neutron polarisation calc. 4—5802
- (p,γ), level schemes and gamma decay of analogue resonances in ^{47}V and ^{51}Mn 4—12188
- (p,γ) reaction, polarised protons, E2 giant resonances 4—5813
- (p,np_1), compound-nucleus mechanism near neutron threshold, isobaric analogue resonance decay 4—19406
- (p,p), elastic scattering, p polarisation near isobaric analogue resonances 4—15844
- (p,p) and (p,p′) scattering expts., polarisation meas., isobaric analogue resons. 4—12355
- $(p,p'\gamma)$ reactions, $A=90$ region, p,γ ang. correlations near analogue resonances 4—40022
- π, induced nucleon knockout, 180 MeV, two-step resonance model 4—15926
- π resonant propagation in nuclear matter, correction to nucleon, pion propagators 4—15918
- π-nucleus scattering, quenching in basic πN amplitude 4—40044
- $\pi^\pm$ photoproduction, $N>Z$ nuclei, $T_>$ vs. $T_<$ analogue states 4—5776
- $^{176}Lu(n,\gamma)^{177}Lu$, below 47 eV, γ-ray spectra, primary E1 transitions and spin-parity assignments 4—15708
- $^{235}(n,f)$ 0.1 to 15 eV, determ. of spins of low energy in resonances 4—15615
- $^{27}Al(p,\gamma)^{28}Si$, 1.118 MeV reson. obs., ^{28}Si levels *(French)* 4—2802
- $^{27}Al(p,\gamma)^{28}Si$, 633, 744 keV, strengths of resonances in ^{28}Si 4—31366
- $^{27}Al(p,\gamma)^{28}Si$, 990 to 1800 keV, as gamma ray calibration standard 4—40012
- $^{27}Al(p,\gamma)^{28}Si$, depth profile determ. in S, SiC, SiO_2 4—6418

nuclear resonance reactions and scattering continued
^{27}Al(p,γ)^{28}Si, group decay of resonant states in region of isobaric analogue resonances 4−9115
^{27}Al(p,γ)^{28}Si, resonance levels, spin-parity assignment *(French)* 4−31233
^{40}Ar(π^-,π^-p)^{39}Cl, 0.08-2.0 GeV, excitation function calc. 4−15916
^{197}Au(p,pn)^{196}Au, 52 MeV, effect of residual spin on cross section and recoil ion range 4−9174
^{10}B(α,n)^{13}N, ^{13}N* cross section determ. at 1 to 5 MeV, ^{14}N energy level anal. 4−12367
^{10}B(n,n)^{10}B, 1.5-4.4 MeV, ^{11}B energy levels 4−15627
^{11}B(n,n), continuum shell model calc. below 10 MeV 4−9170
^{11}B(p,p) elastic and inelastic, 3.5 to 10.5 MeV, polarised protons in giant resonance regions 4−19451
^{138}Ba, polarised proton scattering near isobaric analogue resonances, core excitation 4−9202
^{138}Ba(p,p′)^{138}Ba(2$^+$), 10.11-11.69 MeV, determ. of wave functions of analogue states 4−9200
^{7}Be systems, penetration effects on resonance parameters 4−9128
^{8}Be, composite particle reactions in unified theory, nuclear struct. 4−27252
^{9}Be, photoneutron reaction, cross-section, 1.667-15.5 MeV *(Russian)* 4−19380
^{9}Be(^{12}C,α)^{17}O, search for nonstatistical resonances below Coulomb barrier 4−9295
^{9}Be(^{3}He,γ)^{12}C, 3 to 26 MeV, anal. of resonant structure 4−31398
^{9}Be(α,α)^{9}Be, 1.4-2.5 MeV, elastic scattering, resonance at 1.93 MeV 4−31393
^{9}Be(d, tα)^{4}He 26.3 MeV, energy correlations, resonance states in ^{7}Li and ^{8}Be 4−12361
^{9}Be(d,γ_0)^{11}B, 3-12 MeV isospin splitting in ^{11}B giant resonance 4−19274
^{9}Be(d,p$_1$)^{8}Be, at 1.85 MeV, ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
^{9}Be(p,p)^{9}Be, 5-12 MeV elastic scatt., cross section and polarisation, optical model anal. *(Russian)* 4−23684
Bi, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
Bi muonic, microscopic description of resonance process 4−40207
^{209}Bi(d,p)^{210}Bi, intermediate structure in ^{211}Po, isobaric analogue of single particle neutron strengths in ^{211}Bi 4−9076
^{12}C, complex Hamiltonian and three α resonances 4−5735
^{12}C, interaction with ^{16}O, intermediate resonance in ^{28}Si compound system 4−9286
^{12}C, radiative capture of tritons, giant resonance energy region 4−9224
^{12}C giant dipole and excited giant dipole states in continuum approximation 4−39942
^{12}C photodisintegration, bound-state shell model and R-matrix theory anal. 4−27303
^{12}C + 2p → ^{14}O, three body resonances, coupled channel N/D method 4−2824
^{12}C(^{12}C,p)^{23}Na, possible ^{12}C + ^{12}C resonances 4−9289
^{12}C(^{12}C,p)^{23}Na resonance reaction, excitation function determ. 4−36223
^{12}C(^{16}O,α)^{24}Mg, resonance struct. 4−9287
^{12}C(^{3}He,p)^{14}N, 2.4 to 3.6 MeV, p polarisation meas. R-matrix theory anal. 4−19528
^{12}C(α,$\alpha'\gamma$)^{12}C*, isospin forbidden reaction 4−9240
^{12}C(α,γ_0)^{16}O $E_\alpha = 10$ to 27.5 MeV, ^{16}O dipole and quadrupole resonances 4−5828
^{12}C(α,γ)^{16}O, search for parity nonconserving effects 4−23711
^{12}C(d,d), 2.71 MeV, cross-section meas. ^{13}C deduced levels 4−31381
^{12}C(d,p), 2.71 MeV, cross-section meas. ^{14}N deduced levels 4−31381
^{12}C(d,p)^{13}C, second order processes and resonances 4−5820
^{12}C(d,p)^{13}C*, second-order processes in direct reactions 4−27297
^{12}C(e,e′) high energy electrodisintegration nucleon channel coupling in shell model calcs. 4−12327
^{12}C(γ,$\pi^\pm$), giant resonance excitation, comparison of shell model and Helm model 4−15762
^{12}C(n,n) resonant scattering, appl. of real Weinberg state method to ^{12}C unbound levels 4−2889
^{12}C(n,p), shell model anal. of high-energy peaks in cross-sections *(Russian)* 4−31377
^{12}C(p,p′) spin-flip transitions, giant multipole reson., excitation 4−9203
^{12}C(p,p′)^{12}C, spin flip probability, compound resonance mechanism 4−9173
^{12}C(p,p') 4.8 to 8 MeV, coupled-channel model anal. 4−19435
^{12}C(π,π), three-body effects in optical potential in (3,3) resonance region 4−36229
^{12}C(π^-,π^-n)^{11}C, 0.08-2.0 GeV, excitation function calc. 4−15916
^{12}C(π^+,π^+n)^{11}C, 0.08-2.0 GeV, excitation function calc. 4−15916
^{13}C giant dipole resonance, isospin splitting continuum shell model anal. 4−39985
^{13}C(^{3}He,γ)^{16}O, 3 to 16 Mev, anal. of resonant structure 4−31398
^{14}C(p,γ)^{15}N, giant dipole resonance of ^{15}N, E2 and M1 radn. 4−19341
^{40}Ca, e.m. giant dipole resonance, factorization method 4−9127
^{40}Ca, excitation of giant resonances in e and p scattering 4−39984
^{40}Ca, giant quadrupole reson., α-particle inelastic scatt. 4−27341
^{40}Ca, total neutron cross section, shell model effects for ^{41}Ca 4−9185
^{40}Ca(α,γ)^{44}Ti, isospin forbidden radiative capture in giant resonance region, E1 transition strength 4−15898
^{40}Ca(γ,p)^{39}K, photoproton spectra, angular distribs. and γ-ray deexcitation spectra, cross sections 4−15759
^{40}Ca(n,γ) ground-state transition, isospin splitting of giant dipole resonance 4−36204
^{42}Ca(τ,p)^{44}Sc, 35 MeV, shell model analysis of analogue states of ^{44}Sc *(French)* 4−12365
^{44}Ca(p,γ)^{45}Sc, γ-ray spectra, 600-930 keV, ^{45}Sc levels determ. 4−23601
^{48}Ca(p,n$_a$)^{48}Sc(IAS) quasi-elastic reaction excitation curves 4−9187
^{48}Ca(p,n)^{48}Sc, total cross section to isobaric analogue of target ground state in threshold region 4−9195
^{106}Cd(p,p$_1\gamma$), meas. of spin flip at 5/2$^+$ isobaric analogue resonances, channel-channel correlations 4−9201

nuclear resonance reactions and scattering continued
^{140}Ce, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
^{140}Ce(n,γ)^{141}Ce, 6.2-11 MeV, γ-ray spectra in giant resonance region, semi-direct capture model 4−15817
^{37}Cl + p reactions, 0.6-2.9 MeV, ^{38}Ar resonances yield curves, excitation energies, branching ratios 4−31286
^{37}Cl(p,γ)^{38}Ar, mean lifetime by Doppler shift meas., spin and parity determ., 0.9 to 1.7 MeV 4−31287
^{59}Co(p,γ)^{60}Ni, 16.5 to 17 MeV, excitation functions in giant dipole resonance region 4−31395
^{59}Co(p,n), 5 MeV, intermediate struct. of excitation functions 4−9186
^{50}Cr(p,p), 2.8 to 4.9 MeV, high resolution meas. *(German)* 4−23674
^{50}Cr(τ,p)^{52}Mn, 35 MeV, shell model analysis of analogue states of ^{52}Mn *(French)* 4−12365
^{52}Cr(p,n)^{52}Mn, total cross section to isobaric analogue of target ground state in threshold region 4−9195
^{54}Cr(p,n), 5 MeV, intermediate struct. of excitation functions 4−9186
^{65}Cu, anal. of self absorpt. and recoil energy distrib. shapes in nuclear resonance fluorescence *(German)* 4−12244
^{65}Cu(π^-,π^-n)^{64}Cu, 0.08-2.0 GeV, excitation function calc. 4−15916
^{19}F, 3.5 to 7.0 MeV proton scattering, search for intermediate structure 4−9193
^{19}F(π^-,π^-n)^{18}F, 0.08-2.0 GeV, excitation function calc. 4−15916
^{54}Fe(p,p), 2.8 to 4.9 MeV, high resolution meas. *(German)* 4−23674
^{56}Fe(α,γ)^{60}Ni, 8.0 to 17.6 MeV, excitation functions in giant dipole resonance region 4−31395
^{a}Ge(^{3}He,d), A = 70, 72, 74, 76, 23 MeV, high energy resolution study of As odd-even isotopes 4−9077
^{a}Ge(γ,2n), A = 70, 72, 74, 76, cross section and yield meas., threshold to 40 MeV, resonance obs. 4−19382
^{a}Ge(γ,n), A = 70, 72, 74, 76, cross section and yield meas., threshold to 40 MeV, resonance obs. 4−19382
^{a}Ge(γ,np) with A = 70, 72, 74, 76 $E_\gamma = 9.0$-40.0 MeV, cross sections, isospin components 4−623
^{72}ge, inelastic proton scattering, 5 MeV, compound nucleus blocking lifetime meas. 4−9175
^{74}Ge(γ,p), $E_\gamma = 9.0$-40.0 MeV, cross sections, isospin components 4−623
^{2}H(α,α)^{2}H, description from microscopic calc. of ^{6}Li scattering system 4−36215
^{2}H(p,2p)n, 3.8-5.0 MeV, proton coincidence spectra, search for ^{3}He intermediate state resonance 4−15807
^{2}H(p,γ)^{3}He, 14.0-25.5 MeV, search for resonance in ^{3}He 4−15806
^{2}H(p,p) differential cross section 0.1 MeV-3.5 GeV, existence of virtual and excited states 4−15804
^{2}H(p,p)^{2}H, phase shift analysis at intermediate energies, possible ^{3}He excited states 4−15808
^{2}H(π,π^1), exclusion principle effects near 3,3 resonance 4−19545
^{3}H(p,p)^{3}H, 5.33-5.63 polarised and unpolarised beams, search for 23.9 MeV narrow state in ^{4}He 4−15833
(^{3}He,d), radial integration for stripping amplitude to isobaric analogue resonances in Tc isotopes 4−9132
^{3}He inelastic scattering, 71 MeV, on A = 27-209 targets, obs. of giant quadrupole state 4−15899
^{3}He(^{3}He,2p)^{4}He, existence of resonance rel. to solar neutrino problem 4−29788
^{3}He(^{3}He,γ)^{6}Be, 12 to 27 MeV, resonant structure obs. 4−27338
^{3}He(^{3}He,pp)^{4}He, cross section meas., search for resonance in $14 < E_{cm}(\mathrm{keV}) < 30$ region, reln. to solar neutrino problem 4−15900
^{3}He(d,p)^{4}He, 2.8-10 MeV, tensor moments, angular distribs. and ^{5}Li resonant states 4−15884
^{3}He(d,p)^{4}He, vector analysing power near 430 keV resonance 4−15883
^{3}He(γ,p)d, 200-350 MeV Δ(1236) region, differential cross section 4−23662
^{3}He(γ,π^+)^{3}H, photoproduction cross section in 3-3 resonance region 4−23664
^{4}He,(p,p)^{4}He, 0 to 18 MeV, R-matrix analysis 4−2880
^{4}He + ^{2}H system, distortion effects in scattering and compound nucleus states 4−9215
^{4}He(γ, pπ^-) giant (3,3) resonance, particle-hole model, N-Δ residual interaction 4−31328
^{4}He(γ,p)^{3}H, 200-350 MeV Δ(1236) region, differential cross section 4−23662
^{4}He(γ,pπ^-), high nuclear recoil momentum, yield meas., peripheral and resonant mechanisms 4−15763
^{4}He(γ,pπ^-)(ppn), anomaly in Δ(1236) resonance region 4−23663
^{4}He(p,p)^{4}He, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
^{5}He systems, penetration effects on resonance parameters 4−9128
^{177}Hf(n,γ), 1 to 8 eV, spin assignment of bound levels in ^{178}Hf from γ-ray obs. 4−15614
^{177}Hf(n,γ), resonance reaction, neutron strength function rel. to short range energy 4−9184
^{199}Hg(n,γ)^{200}Hg, anal. of low-spin states in ^{200}Hg 4−31243
^{204}Hg(^{14}N,5n)^{213}Fr, 94 MeV, population of 29/2$^+$ isomeric state in ^{213}Fr 4−12147
^{127}I(μ^-, n) at 1.6 to 9.6 MeV, n spectra meas. 4−2866
K natural targets, neutron resonance spectroscopy, total cross sections up to 400 keV 4−12346
^{39}K(p,α_0)^{36}Ar, energy level determ. for ^{40}Ca,$E_p = 3.05 - 4.20$ MeV 4−12154
Kr(α,2n)^{86}Sr, g-factor for the 460 nsec 8$^+$ state of ^{86}Sr 4−12136
^{6}Li, energy level calc. from elastic nucleon scattering *(French)* 4−9149
^{7}Li, composite particle reactions in unified theory, nuclear struct. 4−27252
^{7}Li systems, penetration effects on resonance parameters 4−9128
^{24}Mg(α,α)^{24}Mg, intermediate resonance like struct. 4−9242
^{24}Mg(d,p), stripping reaction, nuclear off-shell scattering 4−9220
^{24}Mg(t,h)^{24}Na, E = 23.5 MeV, M1 giant reson., charge-exchange mode, excitation 4−5821
^{26}Mg(^{6}Li,^{6}He)^{26}Al, population of 0$^+$ analogue state, comparison of (^{6}Li,^{6}He) and (τ,t) ang. distrib. 4−9079

nuclear resonance reactions and scattering continued

^{26}Mg(γ, p)^{25}Na, photoproton energy distrib., decay characts. of giant reson. states 4−12321
^{55}Mn, resonance neutron capture, γ-spectrum of ^{56}Mn 4−36210
^{92}Mo, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{92}Mo(d,p) 4.0 MeV, comparison of sub-Coulomb stripping and analogue resonance results 4−23704
^{100}Mo(γ,γ'), ^{100}Mo resonance decay at 7637, 6517 and 6418 keV 4−15625
^{14}N, muon capture, excitation and decay of ^{14}C giant resonance 4−2864
^{14}N(^{14}N,α), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{14}N,d), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{14}N,p), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(d,p), stripping reaction, nuclear off-shell scattering 4−9220
^{15}N(p,γ_0), ^{16}O giant quadrupole resonance 4−19407
^{15}N(p,n)^{15}O, appl. of Migdal's theory 4−9171
Na, neutron resonance spectroscopy, total cross section up to 320 keV 4−12345
^{23}Na(pγ)^{24}Mg, depth profile determ. in Si, SiC, SiO_2 4−6418
^{20}Ne, radiative capture of tritons, giant resonance energy region 4−9224
^{58}Ni(p,n)^{58}Cu, total cross section to isobaric analogue of target ground state in threshold region 4−9195
^{58}Ni(p,p′), 60 MeV polarised protons, cross sections and analysing powers in giant resonance region 4−15816
^{60}Ni, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{60}Ni(p,γ)^{61}Cu, gamma decay of analogue states in ^{61}Cu 4−12259
^{60}Ni(p,γ)^{61}Cu, meas. of M1 transition from isobaric analogue state of $g_{9/2}$ in ^{61}Ni 4−9114
^{60}Ni(p,p), 3-4 MeV, high-resolution meas. of analogue states in ^{61}Cu 4−9198
^{60}Ni(p,p)^{60}Ni, meas. of M1 transition from isobaric analogue state of $g_{9/2}$ in ^{61}Ni 4−9114
^{62}Ni proton bombardment, obs. of isobaric analogue resonances in ^{63}Ni 4−31353
^{62}Ni(p,p′)^{62}Ni*, 2.5-4.5 MeV, isobaric analogue resonances 4−9078
^{62}Ni(p,p)^{62}Ni, 2.5-4.5 MeV, isobaric analogue resonances 4−9078
^{64}Ni(p,γ)^{65}Cu, E_p=1000 to 1850 keV, obs. of levels and transitions in ^{65}Cu 4−2803
^{237}Np, fission cross section, intermediate struct., study 4−5856
^{237}Np(n,f), spin determ. of intermediate structure in subthreshold fission 4−23738
^{16}O, e.m. giant dipole resonance, factorization method 4−9127
^{16}O, interaction with ^{12}C, intermediate resonance in ^{28}Si compound system 4−9286
^{16}O, radiative capture of tritons, giant resonance energy region 4−9224
^{16}O + α, calc. of resonating group method kernel 4−2928
^{16}O + n, continuum-shell model, four particle-four hole excitation 4−40009
^{16}O(^{12}C,α)^{24}Mg, resonance struct. 4−9287
^{16}O(^{16}O,α)^{28}Si, final states of ^{16}O-^{12}C config. 4−9288
^{16}O(α,α), elastic and inelastic, rel. to determ. of α decay-widths in ^{20}Ne 4−12294
^{16}O(α,α)^{16}O, 26 to 32 MeB, absorption rel. to angular momentum mear resonance energy 4−9239
^{16}O(α,α)^{16}O, Regge pole analysis, rot. bands of ^{20}Ne *(French)* 4−5825
^{16}O(n,n)^{16}O, spectroscopic factors extraction using R-matrix theory 4−36169
^{16}O(p,p), phase shift analysis of T=3/2 states in ^{17}F 4−9080
^{18}O(γ,γ′), determ. of 6.20 MeV level width 4−27238
^{31}P(p,γ)^{32}S, resonance obs., 1890-2690 keV, determ. of isospin level scheme *(Russian)* 4−409
Pb, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{105}Pb(n,γ), 13 to 78 eV, spin assignment of bound levels in ^{106}Pd from γ-ray obs. 4−15614
^{204}Pb, neutron capture cross sections for En>2.5 keV, resonance parameters 4−5805
^{205}Pb(p,p′)^{206}P*, concomitant compound and direct nuclear reaction mechanism 4−9172
^{206}Pb, neutron capture cross sections for E_n>2.5 keV, resonance parameters 4−5805
^{207}Pb, neutron capture cross sections for E_n>2.5 keV, resonance parameters 4−5805
^{208}Pb, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{208}Pb, neutron capture cross sections for En>2.5 keV, resonance parameters 4−5805
^{208}Pb giant E2 resonance, fine structure, missing oscillator strength 4−12304
^{208}Pb(e,e′) E<35 MeV giant resonance excitation 4−5790
^{208}Pb(p,γ)^{209}Bi, collective E2 resonance 4−27324
^{a}Pd(p,n), A=104, 106, 108, 110 cross section, excitation mechanism of IAS *(Russian)* 4−19393
^{a}Pd(p,p) elastic scattering, A=104, 106, 108, 110, cross section, excitation mechanism of IAS *(Russian)* 4−19393
^{147}Pm, ^{148m}Pm, neutron induced resonance parameters determ. 4−5796
Pr, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{239}Pu(d,pf), fission fragments, mass distrib. and ang. anisotropy 4−5860
^{239}Pu(n,f) at 0.3 to 200 eV, fission width determ. 4−15929
^{239}Pu(n,γf), 0.3 to 200 eV resonance n induced, fission width and gamma-ray multiplicity meas. 4−15929
^{239}Pu(n,γf), neutron and gamma ray yields 4−5859
^{239}Pu(n,t), anal. of resonance self shielding expts. 4−36361
^{239}Pu(n,t), calc. of resonance self-shielding 4−36360
^{32}S(p,γ)^{33}Cl, 580, 588 keV, strengths of resonances in ^{33}Cl 4−31366
^{34}S(p,γ)^{35}Cl, 1214 keV, strengths of resonances in ^{35}Cl 4−31366
^{34}S(p,p), 1 to 2 MeV, determ. of ^{35}Cl isobaric analogue resonances 4−39986

nuclear resonance reactions and scattering continued

^{36}S(p,γ)^{37}Cl, E_p=1000-1900 keV, γ-ray obs. 4−9161
^{121}Sb(n,n′)^{121}Sb, level widths and spin determ. 4−12272
^{123}Sb(n,n′)^{123}Sb, level widths and spin determ. 4−12272
^{76}Se(p,p)^{76}Se, obs. of mixed analogue resonances in ^{77}Br 4−9197
^{80}Se, level scheme, high precision obs. by resonant scattering method 4−5716
^{28}Si, giant dipole resonance, continuum shell model calculations, including collective correlation effects 4−12305
^{28}Si giant dipole resonance, effects of core excitation 4−15742
^{28}Si(α,α)^{28}Si, intermediate resonance like struct. 4−9242
^{28}Si(α,γ_0)^{32}S, 12 to 18 MeV, excitation of giant quadrupole resonance 4−19515
^{28}Si(d,p)^{29}Si, study of T=2 level in ^{30}P, as a compound nuclear reson. 4−5822
^{28}Si(e, e^{1})^{28}Si at 100 to 200 MeV, excitation of level complexes and form factor determ. 4−2865
^{28}Si(n,n)^{28}Si, low-energy, rotator-particle coupling for p-wave neutron resonance 4−27316
^{28}Si(t,^{3}He)^{28}Al, 23.5 MeV charge exchange mode of giant M1 resonance 4−36213
^{29}Si, retardation of E1 transitions, and neutron effective charge, giant dipole resonance effect 4−583
^{144}Sm, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
^{144}Sm(p,p′), isobaric analogue resons. and low energy states *(French)* 4−40020
^{86}Sr(p,γ)^{87}Y, 4.8 MeV, in analogue resonance range *(German)* 4−23675
^{86}Sr(p,p'γ), 4.8 MeV, in analogue resonance range *(German)* 4−23675
^{86}Sr(p,p), 4.8 MeV, in analogue resonance range *(German)* 4−23675
^{88}Sr, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{88}Sr(d,p)^{89}Sr, anomaly in excitation functions near isospin coupled channel threshold due to IAR 4−9223
^{88}Sr(e,e′p), 14 to 30 MeV, photoproton spectra meas. 4−36183
^{88}Sr(p,p_0), 12.5 MeV, intermediate struct. in min. of excitation function 4−9189
^{181}Ta, giant resonance, study of photoneutron cross section 4−619
^{181}Ta(π^-,π^-n)^{180}Ta, 0.08-2.0 GeV, excitation function calc. 4−15916
^{128}Te(n,γ), 0.5 to 7000 eV, cross sections meas. and Xe anomaly in old Te ores 4−23691
^{128}Te(p,p), 9.8 to 10.5 MeV, p polarisation meas. rel. to isobaric analog resonance anal. 4−15845
^{130}Te(n,γ), 0.5 to 7000 eV, cross sections meas. and Xe anomaly in old Te ores 4−23691
^{232}Th, photofission cross section meas., 5-8 MeV, resonance structure obs. 4−19552
^{232}Th(μ^-, n) at 1.6 to 9.6 MeV, n spectra meas. 4−2866
^{50}Ti(p,n), 5 MeV, intermediate struct. of excitation functions 4−9186
^{50}Ti(p,n)^{50}V, total cross section to isobaric analogue of target ground state in threshold region 4−9195
^{50}Ti(p,p′γ)^{50}Ti, 3.5-4.8 MeV, isobaric analogue state obs. 4−23606
^{233}U, Adler-Adler reson. parameters, statistical theory 4−31334
^{235}U, Adler-Adler reson. parameters, statistical theory 4−31334
^{235}U, intermediate resonances in total neutron cross section 4−31352
^{235}U(n,γf), neutron and gamma ray yields 4−5859
^{235}U(n,t), anal. of resonance self shielding expts. 4−36361
^{235}U(n,t), calc. of resonance self-shielding 4−36360
^{235}U(n,t), intermediate structure of cross-sections in unresolved resonance region 4−36240
^{236}U, photofission cross section meas., 5-8 MeV, resonance structure obs. 4−19552
^{238}U in heterogeneous fast reactor assembly, intermediate treatment of resonance absorption 4−12423
^{239}U, decay widths of one-nucleon quasistationary states of deformed nuclei 4−2800
^{255}U(n,γ), 0.1 to 15 eV, determ. of spins of low energy resonances 4−15615
W separated isotopes, neutron resonance spectroscopy 4−12344
Y, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{89}Y, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{89}Y(d,p) 4.0 MeV, comparison of sub-Coulomb stripping and analogue resonance results 4−23704
^{89}Y(e,e′p), 14 to 30 MeV, photoproton spectra meas. 4−36183
^{89}Y(n,γ)^{90}Y, 6.2-11 MeV, γ-ray spectra in giant resonance region, semi-direct capture model 4−15817
^{89}Y(p,γ_0)^{90}Zr, 5.4 to 17.0 MeV, anal. of isospin splitting of giant E1 excitation in ^{90}Zr 4−12335
^{89}Y(p,γ)^{90}Zr*, 5.4 to 17.0 MeV, anal. of isospin splitting of giant E1 excitation in ^{90}Zr 4−12335
^{64}Zn(γ,p) E=15-27 MeV, giant resonance photoproton cross section and isospin components 4−622
^{66}Zn(p, p′γ)^{66}Zn, spins of analog resonances of ^{67}Zn determ. 4−5804
^{66}Zn(p,p')^{67}Ga, intermediate struct. near isobaric analogue resonance 4−9188
^{90}Zr, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{90}Zr, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{90}Zr(e,e′p), 14 to 30 MeV, photoproton spectra meas. 4−36183
^{90}Zr(n,p), resonant structure obs. rel. to ^{91}Zr isobaric analogue states 4−19397
^{90}Zr(p,$p_2\gamma$), meas. of spin flip at $3/2^+$ isobaric analogue resonances, channel-channel correlations 4−9201
^{91}Zr(γ,n), valence component in threshold neutron spectrum 4−31342
^{92}Zr(p,α)^{89}Y, fine and intermediate structure in cross section near isobaric analogue resonance 4−19408
^{92}Zr(p,α)^{89}Y, isospin forbidden reaction, isobaric analogue resonance 4−9190
^{94}Zr, thermal neutron activation cross sections, resonance integral 4−15773

nuclear resonance reactions and scattering continued
- ^{96}Zr, thermal neutron activation cross sections, resonance integral 4-15773

nuclear scattering *see nuclear reactions and scattering*

nuclear shape
- A=12-68, variational calcs. with density-dependent interaction 4-550
- A=17 nuclei, electric quadrupole enhancements, deformation effective charges 4-410
- A=4n sd shell nuclei, Hartree Fock calc. using density dependent effective interaction 4-12228
- actinide nuclei, equilib. deformations, scattering of ^{4}He ions 4-9110
- actinide region, fission barriers in terms of quadrupole, hexadecapole and axially asymmetric deformations 4-9054
- axially asymmetric nuclei, shape dependent factors of droplet model energy 4-23624
- bubble nuclei, Hartree-Fock, anal. of density depletions in nuclear interior 4-15679
- bubble nuclei, Hartree-Fock calc. of degree of freedom 4-12235
- bubble nuclei, stability against symmetry preserving breathing deformations 4-5705
- critical and shape-instable nuclei, radial shape and pairing fluctuation 4-523
- deformation, fluctuation of seniority and moment in Hartree-Fock calcs. 4-39960
- deformation, rotational heavy nuclei, from electron scattering 4-5706
- deformation barriers, Hartree-Fock field and energy surfaces for simple multipole potentials 4-549
- deformation by static external field, Hartree-Fock calc. of energy 4-39961
- deformation determ. in heavy-ion inelastic scattering near Coulomb barrier 4-40042
- deformed nuclei, forking and backbending in rot. spectra 4-5731
- deformed nuclei, multi-step model anal. of single nucleon transfer reactions 4-15745
- deformed nuclei A=139 to 205, mass number dependence of $^{1}{.}_{2}^{+}$ states density near neutron B.E. *(Russian)* 4-31223
- deformed spheroidal nuclei, giant-dipole resonance structure *(Russian)* 4-31330
- deformed-nuclei, odd-mass, magnetic moments in nonadiabatic model 4-27236
- equilibrium configurations of rotating charged or gravitating liquid masses with surface tension 4-23622
- even-even deformed nuclei, $152 \leqslant A \leqslant 190$, E2/M1 multiple mixing ratios of γ transitions 4-9111
- even-odd nuclei with N or Z=11 and 13, Bohr-Mottelson and Nilsson model calcs. 4-12221
- fission barrier calc. with Skyrme interaction 4-9052
- fission fragment ang. momentum distrib. due to bending modes at scission point 4-36237
- fission of asymmetrical heavy nuclei, nucleon/charge redistribution 4-27372
- fission product mass asymmetry, potential energy surface explanation 4-12389
- fission shape isomers, search in (n,f) reactions around 1 MeV 4-19548
- fissioning nucleus, axial symmetry 4-9323
- ground state shell correction energies, temp. smearing method determ. 4-9087
- Hartree-Fock distortion energy for nucleus in external field 4-15681
- heavy deformed nuclei, intermediate structure of giant resonance 4-39987
- heavy ion transfer reactions, nuclear deformation effects on the Coulomb barrier 4-2955
- heavy nuclei, fission barrier shape anal. 4-40051
- heavy-ion collisions, shock wave production in matter compression 4-36225
- high-spin collective states, axial asymmetry, macroscopic model 4-15669
- highly deformed systems, Hartree Fock calcs., two-centre harmonic oscillator basis 4-15682
- isomers, excitation functions and isomer ratios in heavy-ion induced reaction 4-5835
- M2 isomers in neutron deficient I, La, Pr associated with deformed shape 4-2804
- mass equations, shell model, calculations 4-2784
- moments of inertia, even-even nuclei, ground state band, Skyrme-type formulas 4-557
- non-axial nuclei, elastic and inelastic scatt. of fast electrons 4-9147
- nucleon inelastic scattering, Hauser-Feshbach theory for deformed nuclei 4-9134
- odd-nonaxial nuclei with modified moments of inertia, rotational one-particle states *(Russian)* 4-31246
- potential energy surfaces in unified treatment of fission and heavy-ion reactions 4-9325
- rare earths, rotating nuclei, charge distrib. 4-2792
- rare-earth nuclei, deformed, rotations and intrinsic $K^{\pi}=1^{+}$ excitations 4-19320
- resonance energy, lowest, rel. to shape 4-27229
- rotational model optical potential, struct. of deformed imaginary part 4-2846
- rotational model optical potential, struct. of deformed real part 4-2845
- s-d shell odd nuclei, Hartree-Fock method 4-439
- scission point, axial and mass asymmetry 4-5850
- spherical, residual interaction struct., shell and magic oscills. *(Russian)* 4-15664
- spherical nuclei, A=139 to 205, mass number dependence of $^{1}{.}_{2}^{+}$ states density near neutron B.E. *(Russian)* 4-31223
- spherical nuclei, bubble density distribs. 4-15604
- spherical to asymmetric transition in mass region $50<(N,z)<82$ 4-31260
- statistical compound nucleus theory of shape isomers in heavy-ion induced reactions 4-9305
- strength functions, line shape and spreading width 4-39979
- superheavy nucleus $^{298}X_{184}$, potential energy surface for fission 4-12396
- surface and curvature energy, $A^{1/3}$ term in mass formula 4-9049

nuclear shape continued
- surface thickness, Thomas-Fermi method 4-5704
- ^{244}Cm fission isomers, quadrupole and hexadecapole moments 4-9059
- ^{59}Co, quadrupole moment determ. by obs. of deformation effect in neutron total cross section 4-12131
- ^{158}Er, centrifugal stretching due to behaviour of energy spacings of high spin states 4-5714
- ^{162}Er rotational motion, energy spectra variational calc. 4-5713
- ^{166}Er, α-particle excitation, charge deformation parameters 4-12370
- ^{149}Eu, shape transition obs. by (p,t) reaction 4-406
- ^{151}Eu, shape transition obs. by (p,t) and (^{3}He,d) reaction 4-406
- ^{19}F pop. in ^{19}F(α,α') at 25 MeV, DWBA anal. deformation parameter extraction 4-12368
- ^{151}Gd, shape coexistence, γ-ray meas. 4-15603
- Ge even-even isotopes, deformation and pairing correlations in f-p-g configuration space 4-552
- ^{3}He(^{3}He,pp)^{4}He, extrapolation to very low energies using DWBA, nuclear distortion effects 4-15901
- Hg isotopes, variable collective inertia and spherical to deformed shape transition 4-2752
- Hg light isotopes, isomeric states, quadrupole moments, search for strong deformation 4-2759
- ^{184}Hg, anal. of bubble shape existence 4-39924
- ^{184}Hg from ^{156}Gd(^{32}S,4n) at 156 MeV, lifetimes in ground state band, deformation parameters 4-9106
- ^{186}Hg deformation from 2^{+}, 4^{+}, 6^{+}, 8^{+} state lifetime 4-19271
- ^{113}In, possible shape isomers obs. by ^{113}Cd$(p,n\gamma)^{113}$In reaction 4-405
- ^{119}In, possible shape isomers obs. by ^{119}Cd beta-decay 4-405
- ^{24}Mg, determ. of deformation parameters from optical model, coupled channel and DWBA anal. of (p,p) reactions 4-15780
- ^{24}Mg(α,α'), 104 MeV, finite nuclear deformations 4-2934
- ^{24}Mg(d,p), stripping reaction, nuclear off-shell scattering 4-9220
- ^{186}Mg, energy level ordering, from relative intensity of transitions meas. 4-2751
- ^{14}N(d,p), stripping reaction, nuclear off-shell scattering 4-9220
- ^{a}Nd, A=142,146,150, elastic electron scatt., 30-80 MeV, charge distrib., skin thickness 4-31346
- ^{20}Ne, confirmation of hexadecapole deform. from ^{3}He scatt., E=68 MeV 4-36104
- ^{20}Ne, hexadecapole deformation and asymmetry in 24.5 MeV (p,p′) reactions 4-19452
- ^{20}Ne, octupole deformation, rotational bands 4-440
- ^{20}Ne(α,α'), 104 MeV, finite nuclear deformations 4-2934
- ^{22}Ne, hexadecapole deformation and asymmetry in 24.5 MeV (p,p′) reactions 4-19452
- ^{24}Ne, shape-mixing as approx. to shell model 4-12208
- ^{58}Ni(^{16}O,^{16}O)^{58}Ni, inelastic scattering at 42 MeV, folded potential approach 4-2964
- ^{238}Np shape isomers, search for γ-branch in ^{238}U(p,n) reaction 4-19337
- ^{16}O, axial asymmetry and positive parity spectrum 4-12201
- ^{208}Pb, deformation effects in heavy ion scattering 4-27349
- ^{240}Po, pairing gap energies at fission saddle point 4-31427
- ^{208}Pt(^{11}B,^{11}B), 72.2 MeV inelastic scattering, interference between Coulomb and nuclear excitation 4-12381
- ^{a}Pu, A=238, 240, 242, fission isomers, quadrupole and hexadecapole moments 4-9059
- ^{240}Pu, fission barrier deform. energy curves, self-consistent calc. *(French)* 4-5853
- ^{240}Pu deformation energy curve calc. using constrained Hartree-Fock method 4-547
- $^{240}Pu \rightarrow {}^{142}Ba + {}^{92}Sr$, external fission potential energy surface and mass distrib. 4-9324
- ^{32}S, zero range density depend. approx. selfscreening and shape transition 4-19308
- ^{72}Se, coexistence of spherical and deformed shapes 4-19270
- Si even-even isotopes, deformation and pairing correlations in f-p-g configuration space 4-552
- ^{28}Si, configuration mixing with generator coordinate method *(French)* 4-39955
- ^{28}Si, Hartree-Fock calcs. including states of prolate band 4-551
- ^{28}Si pop. in ^{24}Mg(^{7}Li,t) at 12 to 20 MeV anal. of deformation sign in s-d shell 4-15904
- Sm deformed isotopes, pairing and hexadecapole fields, two-nucleon transfer reaction probe 4-36105
- ^{152}Sm, generator coordinate method for beta vibrations 4-12126
- ^{154}Sm, α-particle excitation, charge deformation parameters 4-12370
- ^{230}Th, ^{232}Th fission isomers, quadrupole and hexadecapole moments 4-9059
- ^{232}Th, deformation effects in heavy ion scattering 4-27349
- ^{232}Th, muonic, K X-ray obs. of shape deformation 4-27231
- Ti, A=46, 48 and 49, on (α,α') at 104 MeV deformation anal. using coupled channel methods 4-15891
- ^{46}Ti, collective potential energy surface 4-9091
- ^{48}Ti, collective potential energy surface 4-9091
- ^{50}Ti, collective potential energy surface 4-9091
- ^{a}U, A=234, 236, 238 fission isomers, quadrupole and hexadecapole moments 4-9059
- ^{236}U, pairing gap energies at fission saddle point 4-31427
- ^{236}U, potential energy surface in two-centre shell model 4-9053
- ^{236}U fission, axial symmetry, potential energy calcs. 4-9323
- ^{236}U shape isomers, search for γ-branch in ^{235}U(d,p) reaction 4-19337
- ^{238}U, muonic, K X-ray obs. of shape deformation 4-27231
- ^{182}W, α-particle excitation, charge deformation parameters 4-12370
- ^{182}W, effects of hexadecapole deformation on $i_{13/2}$ orbits and pickup cross-sections 4-39989
- ^{184}W, deformed, anomalously weak population of 2^{+} state in ^{182}W(t,p) reaction 4-12307
- ^{187}W, β-decay, shape factor behaviour near end-point analysis 4-15717
- ^{168}Yb rotational motion, variational calc. of energy spectra 4-5713
- ^{170}Yb, rotations and $K^{\pi}=1^{+}$ intrinsic excitation calcs., random phase approx. 4-19320

nuclear shell model
- $1f_{7/2}$ shell nuclei, in-beam γ-ray obs. of collective, single-particle props. 4-12213

nuclear shell model continued
A=16 nuclei, particle-hole states calc. using Woods-Saxon approx. for single-particle pot. 4-39952
A=17, 18 nuclei, effective operators in (2s, 1d) shell in exact calcs. 4-27246
A=17 nuclei, electric quadrupole enhancements 4-410
A=50 to 58, N=30 nuclei, anal. of proton-neutron correlations, relationship with collective model for ^{56}Fe spectra 4-15661
A=6-14 nuclei with realistic interaction 4-12202
A=88 region, investigation by high resolution direct reactions 4-2765
alpha decay of light nuclei, integral formulae for alpha width *(Russian)* 4-31316
alpha-nucleus potential and alpha-particle struct., comparison with nuclear-nucleus pots. 4-31403
anharmonicity oscillator, shell closure effect, anharmonicity of two-phonon triplets 4-527
antipairing, antistretching in sd and pf shell nuclei 4-12232
asymmetric two-centre model, nuclear fission mass distribs. 4-27370
asymmetry in mirror Gamow-Teller β decay, for A=8, 9, 12, 13 p-shell multiplets 4-15720
bound-state wave function, asymptotic normalisation integral expression 4-19310
Brueckner renormalised theory, single-particle potential calc. 4-12199
bubble nuclei, degree of freedom calc. 4-12235
charge distributions, elastic electron scattering, N=50 isotones 4-5789
charge monopole and dipole modes, two-body correlation effects on sum rules 4-19273
closed-shells, binding energy, nucleon eigenvalue formula 4-402
cluster structure of nuclei and cluster transfer 4-31262
Cohen-Kurath calc. for A=8 to 13 p-shell mass multiplets beta-decay mirror asymmetry 4-12281
collective structure of shell model wave functions for ^{56}Fe 4-525
collinear three-centre, rel. to light-particle accompanied fission 4-19311
continuum, coupled channel calc. for ^{11}B(n,n) below 10 MeV 4-9170
continuum, coupled channel calc. of resonant states 4-9129
continuum, determ. of deuteron and triton decay widths 4-2781
continuum, nuclear off-shell scattering for ^{24}Mg(d,p) and ^{14}N(d,p) 4-9220
core-excitation model rel. to (p,t) reactions on odd-A nuclei 4-2891
core-excited model, mess-40 region, for particle-particle to particle-hole discrepancies 4-2775
core-particle coupling model for e.m. properties of ^{75}As low lying levels 4-2755
correlated quasiparticles method, 0^+ particle-particle residual interaction in odd-mass systems 4-12230
deformed oscillator shell model, collective rotation and moments of inertia, classical approach 4-36139
density of states with fixed angular momentum 4-517
Eλ transition operators, sd-shell nuclei, spin dependence 4-12263
effective two-body interaction, nature in G-matrix renormalization and shell model calcs. 4-493
electrodisintegration of nuclei in (e.e') high energy scattering, applications to ^{12}C 4-12327
electron scattering, form factors of nuclear states 4-5729
excitation energy, giant monopole reson., (e,e') expts. 4-5791
excitation solvable model, spherical nuclei, yrast level calc. 4-2774
excited core model rel. to level structure in ^{27}Si 4-12155
excited nuclei, pairing and angular momentum 4-12205
$f_{7/2}$ shell nuclei, phenomenological shell model fit using two and three body effective forces 4-9085
few nucleon reaction problem, Schrodinger equation approximations, spurious states 4-610
Finite Fermi Systems, muonic atoms magnetic h.f. splitting, influence of higher configurations 4-3086
fissile atomic nuclei, theory on basis of shell model *(German)* 4-5868
fp shell spectra, review of calcs. not restricted to $f_{7/2}{}^n$ or $(p_{1/2}p_{3/2}f_{5/2})^n$ configurations 4-12215
fragmentation as basis for understanding structure of highly excited states 4-472
full 2s-1d basis calcs. of ^{22}F beta decay data 4-31311
giant resonances, determ. of excitation energies using self consistent field theory 4-15739
ground state rotational band, pseudo SU(3) states, calc. for ^{20}Ne 4-5727
ground state shell correction energies, temp. smearing method determ. 4-9087
harmonic oscillator length parameter basis, single particle energies 4-12212
harmonic oscillator transformation bracket, computation techniques 4-2780
Hartree-Fock-Bologlubov theory, 2s-1d shell, level spectra rel. to shell model 4-12200
independent particle, rel. to hyperspherical harmonics model, calc. for ^{16}O 4-27249
infinite oscillator R-matrix model for reaction cross sections, ^{15}N(n,n)^{15}N 4-19362
intermediate coupling, interpretation of ^{195}Au levels *(French)* 4-430
intermediate-coupling unified model rel. to props. of ^{55}Mn low-lying levels 4-12203
isospin polarisation approximation, comparison with random phase approximation 4-12236
large model calcs. on nuclear structure in s-d shell nuclei 4-31258
least squares approximation for false resonance suppression 4-15737
level densities with two kinds of exciton, shell effects 4-473
light nuclear isotopes, multi-nucleonic configurations *(Russian)* 4-27245
light nuclei, configuration mixing calcs. 4-510
light nuclei, moments of inertia, calcs. in sd shell using Hartree-Fock-Skyrme formalism 4-36106
linear spectroscopic relations for nuclear spectra associated with simple configurations, review 4-36136
magic-plus(minus)-two nuclei, Finite Fermi System theory, moments and transitions 4-12144

nuclear shell model continued
many-particle resonances, modified theory, anal. of ^{12}C(n,p) high energy peaks *(Russian)* 4-31377
mass equations, calc. 4-2784
mass parameter of breathing mode state 4-2778
microscopic alpha + core model for core-excited-state series in ^{20}Ne to ^{16}O 4-538
microscopic description of transfer reactions between heavy ions, generator coord. method applic. *(French)* 4-2944
microscopic theory for A=55 to 65 nuclei, anal. of single particle levels 4-15680
mirror nuclei, anal. of discrepancy in isodoublet Coulomb displacement energies 4-2767
moment of inertia, Strutinsky type averaging procedure 4-524
muonic hyperfine structure, exchange currents and finite size effects 4-2758
N=50 isotones, nuclear charge determ. comparison with (e,e) scattering data 4-15765
N=50 nuclei, energy levels, E2 and M4 transitions anal. 4-31257
N=82 region, particle (hole)-core coupling and high spin states 4-15642
natural parity states in $10\leqslant A\leqslant 14$ mass region, properties 4-504
neutron-rich spherical nuclei, single particle spectra from Saxon-Woods potential *(French)* 4-12196
Nilsson model, classification of low spin states of ^{153}Gd obs. in ^{153}Tb e.c. decay 4-12169
Nilsson model anal. of two-neutron quasiparticle states in ^{236}U using (d,p) reaction 4-23702
Nilsson model for ^{20,22}Na, comparison with inelastic electron scattering data 4-5779
Nilsson model of ^{109}Ag pop. in ^{148}Pd (^{3}He,d) at 27 MeV 4-23607
Nilsson model rel. to statistically excited nuclei, dependence of shell structure on ang. momentum 4-12197
Nilsson states, M1 transitions in odd-A nuclei, determ. by matrix element for penetration factor 4-12250
normal-parity states, A=35 and 34 nuclei 4-5722
nucleon transfer overlaps, tail region investigation 4-2785
nucleon-nucleus elastic scattering, averaged S-matrix, s-neutron strength function 4-31360
nuclidic mass relationships and equations 4-2742
number-projected BCS theory for Z=50, N=50, N=82 nuclei, low-energy properties 4-12216
odd-A nuclei, K=1/2 rotation spectrum, collective and single-particle effects 4-2786
odd-odd nuclei, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4-23618
p-shell nuclei, Woods-Saxon potential 4-614
pairing-plus-quadrupole model, microscopic approach to backbending and forking at high spin 4-412
particle-core model, appl. to ^{14}N+^{14}N elastic scattering 4-2958
particle-hole conjugation operator 4-2777
particle-hole model of nuclear giant (3,3) resonance, N-Δ residual interaction 4-31328
particle-hole multiplet $f_{7/2}d^{-1}{}_{3/2}$, T=1 to T=0 splitting 4-15662
photo- and electrodisintegration of independent-particle model nuclei 4-31345
photo-reactions, analysis, A=13 nuclei 4-5730
projection technique for eigenstates of an operator based on Lanczos algorithm 4-36132
quadrupole vibr. coupling of valence-shell 3-particle (hole) cluster 4-2795
radiative capture of low-energy neutrons in shell-model approach 4-9152
radiative capture reactions on ^{16}O and ^{17}O, spectroscopic factors determ. 4-15776
rare earth nuclei, anal. of effective n-p interaction properties in doubly odd nuclei 4-15646
rare-earth nuclei populated in (d,p) reactions, neutron strength function calc. 4-40025
rearrangement energies, explanation of positive values from independent pair model 4-12125
renormalisation of two body matrix elements, quadrupole-quadrupole force in sd shell 4-36127
residual interaction, short range, superfluid functions, shell model calc. 4-23616
resonance phenomena study by exactly soluble three-body model 4-615
review of symmetries in vector spaces 4-36135
rotational bands, exactly soluble models and CAP mechanisms 4-515
s-d shell, computer calc. of state density 4-469
s-d shell nuclei, identification of high spin states with new ang. correl. method 4-19298
s-d shell nuclei, odd-A, deformed, high-spin states 4-19299
s-d shell nuclei, structure of high spin negative parity states 4-15637
Saxon-Woods models, for A=8 to 13 p-shell mass multiplets beta-decay mirror asymmetry 4-12281
sd shell, low-seniority levels, binding energies $16<A\leqslant 40$ 4-12211
sd shell, wave functions for 4n nuclei *(French)* 4-9086
sd-shell nuclei, $18\leqslant A\leqslant 21$ and A=23, non-central interaction in SU$_3$ model 4-12207
sd-shell nuclei, giant dipole resonance calc. in open-shell random phase approx. 4-31327
self-consistent calcs. of ground state properties, shell-structure effects 4-545
separable residual interaction, model, excited low lying collective states of shell model nuclei 4-490
shell corrections, spherical nuclei with great neutron excess 4-511
shell-correction method, self-consistence 4-27248
single particle Woods-Saxon parameter fit to Sn-, In- and Sb isotopes 4-12177
single-particle density matrix, ground state, best approximation 4-36120
single-particle energies, microscopic calcs. of rearrangement corrections 4-39962
single-particle energies and wave function of Woods-Saxon potential 4-27247
single-particle model, relativistic corrections to nuclear matrix elements in mirror β-decays 4-12283
single-particle states, $35\leqslant A\leqslant 65$, 2s neutron hole states 4-401

nuclear shell model continued
single-particle states, $A<35$, systematics 4−2761
single-particle states and connection between Jastrow and Bruckner theory 4−9084
spectral distribs. of mixed configs. of identical nucleons in seniority scheme 4−512
spectral distribution method with fixed J-average 4−516
spectroscopic factors, three and four particle cluster transfer in some s-d and f-p shell nuclei 4−15663
spherical, anal. of ^{26}Na from ^{26}Mg(t,^{3}He) reaction 4−31388
spherical nuclei, residual interaction struct., instability *(Russian)* 4−15664
spin-orbit interaction, origin 4−12219
Strutinsky's shell correction method rel. to shell structure effects on n polarisation in elastic scattering *(Russian)* 4−15784
Strutinsky and partition function methods, equivalence for shell corrections to binding energy 4−39951
Strutinsky shell correction, calc. of charge vibration in ^{236}U fission 4−40046
Strutinsky-Nilsson shell corrections, constrained Hartree-Fock interpretation 4−19309
SU$_3$ basis, truncation scheme for $13 \leqslant A \leqslant 20$ 4−12206
SU$_3$ wavefunction, calc. of spectroscopic amplitudes for cluster transfer on light nuclei 4−617
successive coupling scheme, transformation matrices in terms of 3nj- and 21j-coeffs. *(Russian)* 4−5726
supermultiplets in nuclear reactions 4−9074
three-particle channel reaction, scattering theory *(German)* 4−39978
translationally invariant, classification of single quantum excited states in (2s-2d) shell nuclei *(Russian)* 4−23620
two-centre, model for asymmetric fission 4−9321
two-centre model, fission mass asymmetry 4−9322
two-nuclei shell model with pairing, appl. to scission region 4−9319
two-proton cluster core coupling model for isomeric 6^+ state in Te heavy doubly-even isotopes 4−23609
vibrational nuclei, selection, intensity rules, E2 transitions, quadrupole moments 4−12264
wave functions, test using ^{24}Mg(α,α') and ^{28}Si(α,α') at 166 MeV 4−2935
weak coupling model for shell-model nuclei, generalised 4−12217
weak-coupling structure, excited O$^+$ states of fp-shell nuclei 4−36133
Z=50 closed shell, even-even nuclei, systematic features of low lying levels 4−9061
zero range density dependence approximation, ^{32}S selfscreening and shape transition 4−19308
α-transfer reaction, spectroscopic amplitude calc. in j-j coupled shell model harmonic oscillator model 4−39950
NN force in effective interactions for shell model calcs. 4−31254
(p,p′) scattering, polarisation phenomena 4−12354
π^- photoproduction on nuclei, calc. of cross section 4−2862
^{24}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{25}Al structure calcs. B(E2) and B(M1) rate determ. and rotational band ordering anal. 4−12198
^{26}Al, rotational band shifts in shell model calc. 4−36134
^{26}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{36}Ar energy level obs., ^{32}S(^{6}Li, d)^{36}Ar direct transfer reaction in s-d shell 4−19539
^{38}Ar, comparison with exptl. data from ^{37}Cl + p reactions 4−31287
^{38}Ar(^{3}He,n)^{40}Ca, two-particle two-hole 0$^+$ states in ^{40}Ca 4−12174
^{10}B, intermediate coupling with Projected Hartree-Fock functions *(French)* 4−2783
^{12}B, levels, spins and parities from ^{11}B(n,n)^{11}B, 2.2 to 4.5 MeV 4−15626
^{138}Ba, level scheme anal. from gamma decay data 4−31296
^{209}Bi, two-particle one-hole structure, isobaric analogues of ^{210}Bi from ^{209}Bi(p,p′)^{209}Bi* 4−12182
^{211}Bi, first excited state, 405 keV, particle-vibration coupling 4−12183
^{211}Bi, single particle neutron strength, intermediate structure in ^{211}Po isobaric analogue resonances 4−9076
^{12}C photodisintegration, bound-state shell model and R-matrix theory anal. 4−27303
^{12}C($\gamma,\pi^{+ \text{ or } -}$), anal. of differential and total cross sections 4−27302
^{12}C($\gamma,\pi^\pm$), giant resonance excitation, comparison of shell model and Helm model 4−15762
^{13}C, $\pi^\pm$ photoproduction and T$_>$ vs. T$_<$ analogue states 4−5776
^{13}C giant dipole resonance, isospin splitting 4−39985
^{15}C, T=3/2 analogue states, effect of model space expansion on structure of A=15 nuclei 4−12204
^{40}Ca, particle hole states from ^{41}Ca(^{3}He,α) and ^{40}Ca(^{3}He,α) reactions 4−2938
^{41}Ca, total neutron cross section, shell model effects for ^{41}Ca 4−9185
^{42}Ca-^{42}Sc, higher order core polarization 4−2773
^{49}Ca, weak coupling, evidence from ^{48}Ca(d,p)^{49}Ca at 20 MeV 4−12214
^{55}Co, shell-model calc. of core excitation effects 4−31240
^{48}Cr, intrashell quartet spectra, sensitivity to model 4−12210
^{50}Cr, high spin states and transitions obs. by ^{40}Ca(^{16}O, 2pα)^{50}Cr, reaction 4−12186
^{52}Cr, spectroscopic strength calcs. 4−9229
^{138}Cs, level scheme anal. from gamma decay data 4−31296
Cu isotopes, normal parity states 4−5723
^{64}Cu low lying levels populated in ^{64}Ni(p,nγ)^{64}Cu reaction, intermediate coupling model 4−453
^{19}F, wave functions, shell model programs 4−642
^{20}F level scheme, rel. to rot. band grouping 4−9058
^{52}Fe, intrashell quartet spectra, sensitivity to model 4−12210
^{146}Gd, Bardin-Cooder-Schrieffer calcs. for nuclear structure 4−12179
^{151}Gd, shape coexistence, γ-ray meas. 4−15603
^{72}Ge, collective excitations 4−15660
^{4}He, large basis calc. for convergence of binding energy 4−506
^{4}He(γ,pπ^-), independent particle model of nucleus, impulse approx. 4−23663
Hg isotopes, spherical to deformed shape transition, variable collective inertia 4−2752

nuclear shell model continued
Hg neutron poor isotope shift, Strutinsky shell correction, Nilsson averaged field calcs. 4−404
^{184}Hg, anal. of bubble shape existence 4−39924
In, odd-mass isotopes, hole-vibration coupling calc. for $1/2^+$, $3/2^+$ states 4−12173
^{41}K ground state, neutron correlations, spectroscopic factors 4−648
^{6}Li, energy level calc. from elastic nucleon scattering *(French)* 4−9149
^{6}Li form factor parameters applied to energy calcs., considering short-range correlations 4−27239
^{7}Li, 1s, 1p parameters, oscillator pot., expt. comparison 4−39992
^{24}Mg, complete config. space of 8 nucleon states in sd shell *(French)* 4−9086
^{24}Mg, few-nucleon substructures, anal. by variational method 4−2776
^{24}Mg, intrashell quartet spectra, sensitivity to model 4−12210
^{24}Mg, shell model energy level calc. 4−505
^{25}Mg, rotational band shifts in shell model calc. 4−36134
^{25}Mg structure calcs. B(E2) and B(M1) rate determ. and rotational band ordering anal. 4−12198
^{52}Mn, shell model for analogue states *(French)* 4−12365
^{15}N-^{15}O, mirror pair, structure of natural and unnatural parity states 4−12204
^{22}Na, deformed shell model energy level calcs. 4−509
^{24}Na, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{20}Ne, few-nucleon substructures, anal. by variational method 4−2776
^{20}Ne, intrashell quartet spectra, sensitivity to model 4−12210
^{20}Ne, J-depend. of density of states, shell model calc. 4−9065
^{20}Ne, many-body theoretical anal. of alpha-like four body correlations 4−5740
^{20}Ne, positive parity 0$^+$ and 2$^+$ levels, particle-hole structure calc., closed ^{12}C core 4−508
^{20}Ne, shell model energy level calc. 4−505
^{20}Ne, structure and freedom of inversion motion 4−539
^{20}Ne energy level obs., ^{16}O(^{6}Li, d)^{20}Ne direct transfer reaction in s-d shell 4−19539
^{24}Ne, shell model approximation from mixing of prolate, oblate Hartree-Fock solns. 4−12208
^{56}Ni, shell-model calc. of core excitation effects 4−31240
^{57}Ni, shell-model calc. of core excitation effects 4−31240
^{59}Ni, seniority-three states, γ-decay 4−15703
^{62}Ni, J-depend. of density of states, shell model calc. 4−9065
^{15}O-^{15}N, mirror pair, structure of natural and unnatural parity states 4−12204
^{16}O, axial asymmetry and positive parity spectrum 4−12201
^{16}O, generalized Bethe-Goldstone eqn. soln. 4−2782
^{16}O, interacting boson approximation, low lying T=0 levels 4−433
^{16}O, microscopic calc. of rearrangement energies 4−19321
^{16}O, three-body forces and 6.06 MeV O$^+$ excited state 4−19334
^{16}O + n, continuum-shell model of low energy compound resons. 4−40009
^{16}O(d,2n)-reaction, shell model scattering theory *(German)* 4−39978
^{17}O, coupling model, low lying states, p-(ph), h-(pp) coupling 4−513
^{18}O, K-harmonic model, spherical or deformed, e.m. props. 4−31285
Pb isotopes, Nilsson single-particle level scheme, partial state densities for proton-neutron configs. 4−5728
Pb region, structure of low-lying states 4−23619
^{205}Pb, spectrum from ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV and ^{208}Pb(d,p)^{209}Pb 4−12185
^{206}Pb, level scheme from ^{204}Pb(t,p) reaction, elementary modes of excitation 4−36211
^{208}Pb, evidence for 2p-2h correlations from (d,p) reactions 4−12181
^{208}Pb, proton and neutron radii from transfer reactions and single particle energies 4−23596
Pd nuclei (A=98, 100, 102, 104), spherical and near spherical, 'phase transitions' in ground state bands 4−15690
^{32}S energy level obs., ^{28}Si(^{6}Li, d)^{32}S direct transfer reaction in s-d shell 4−19539
^{127}Sb level structure anal. 4−31298
^{44}Sc shell model for analogue states *(French)* 4−12365
^{81}Se, energy level scheme, shell and unified model calcs. 4−27283
Si(^{3}He,p) reactions, differential cross section determ. with shell model wave functions 4−9232
^{28}Si, 1522 keV transition investig., rel. to shell model calc. 4−36162
^{28}Si, core excitation effects on giant dipole resonance 4−15742
^{28}Si, HF, projection of good J states, single shell calc., prolate and oblate minima determ. 4−551
^{28}Si, intrashell quartet spectra, sensitivity to model 4−12210
^{28}Si, wave functions and energy spectrum *(French)* 4−9086
^{28}Si giant dipole resonance continuum calcs. including collective correlation effects 4−12305
^{28}Si(n,n)^{28}Si, low-energy, rotator-particle coupling for p-wave neutron resonance 4−27316
^{29}Si, retardation of E1 transitions, and neutron effective charge, giant dipole resonance effect 4−583
^{29}Si, weak coupling model for rot. spectrum, deformed nucleus 4−12209
^{144}Sm, Bardin-Cooder-Schrieffer calcs. for nuclear structure 4−12179
Sn-region, magnetic moments, $11/2^-$ states, core polarisation effects 4−12134
^{a}Sn A=111-125, FBCS theory and inverse gap eqns. lowest states of even isotopes, calc. 4−31273
Sr, A=86 to 80, shell model, p-n configurations, emergence of rotation-like spectra 4−12218
Sr, A=89-94, effective N-N interactions and energy levels by shell model 4−9064
^{86}Sr, dipole state calcs. 4−31256
^{86}Sr(d, ^{3}He)^{85}Rb, E$_d$=28 MeV possible Z=38 magic number 4−9212
^{88}Sr, dipole state calcs. 4−31256
^{88}Sr(d, ^{3}He)^{87}Eb=28 MeV possible Z=38 magic number 4−9212
^{181}Ta, parity non conserving E1 transitions calc. in oscillator shell model 4−5749
^{44}Ti, intrashell quartet spectra, sensitivity to model 4−12210

nuclear shell model continued
- ^{47}Ti, band mixing spectrum calc. 4−2779
- ^{48}Ti, structure study via (d,t) and (α,α') reactions 4−12130
- ^{167}Tm, 1/2$^-$[541] band, Nilsson configuration 4−19303
- ^{169}Tm, 1/2$^-$[541] band, Nilsson configuration 4−19303
- ^{236}U, potential energy surface in two-centre shell model 4−9053
- ^{49}V excited states populated by ^{46}Ti$(\alpha,p)^{49}$V reaction 4−451
- ^{51}V, obs. of high spin states and transitions by ^{50}V$(n,\gamma)^{51}$V reaction 4−15641
- Y, A=89-95, effective N-N interactions and energy levels by shell model 4−9064
- ^{88}Y, level structure from γ-ray spectra, in ^{85}Rb$(\alpha,n\gamma)$, 11.8-13.0 MeV 4−19289
- ^{90}Y, level structure from γ-ray spectra, in ^{87}Rb$(\alpha,n\gamma)$, 11.8-13.0 MeV 4−19289
- ^{90}Zr, dipole state calcs. 4−31256
- ^{90}Zr, energy levels, cluster pick-up DWBA analysis, from ^{93}Nb$(p,\alpha)^{90}$Zr, 15.2 MeV 4−12175
- ^{90}Zr, finite Fermi systems theory, single particle energies of low lying states 4−514

nuclear size
- A=12-68, variational calcs. with density-dependent interaction 4−550
- A=4n sd shell nuclei, Hartree Fock calc. using density dependent effective interaction 4−12228
- absorption radii for elastic scattering of ^{32}S on ^{24}Mg, ^{27}Al, ^{40}Ca, nuclear force effect 4−666
- curvature correction in mass formula 4−396
- deformed and fissioning nuclei, single particle K-matrix 4−2988
- finite nuclei calcs. using velocity-dependent effective potential of s-wave interaction *(Russian)* 4−15651
- muonic atom, vacuum polarisation nuclear size depend. 4−27066
- muonic atom, vacuum polarisation nuclear size depend. ^{208}Pb 4−27067
- muonic hyperfine structure, exchange currents and finite size effects 4−2758
- optical model anal. of strongly interacting particle scattering, review 4−15606
- p-shell nuclei, Woods-Saxon potential 4−614
- radius, calculation in the shell model 4−2784
- rare earths, rotating, change in mean square radii for $2_1^+ \rightarrow 0^+$ transition 4−2792
- residual interaction model, radius effect on coupling const. *(Russian)* 4−15664
- r.m.s. radius, elastic electron scattering, N=50 isotones 4−5789
- r.m.s. radius in Jastrow cluster expansion method for $16 \leqslant A \leqslant 208$ 4−36141
- self-consistent calcs. including shell structure effects 4−545
- shape-unstable and critical nuclei, around ^{186}Pt 4−523
- three-nucleon calcs. without explicit use of two-body potentials, Faddeev eqn. soln. 4−502
- e wave functions at nuclear surface, finite size corrections, β-decay 4−19352
- ^{27}Al, double elastic p scatt., polarisation anal. *(Russian)* 4−31376
- Ar isotopes, electric charge radii, using muonic X-rays 4−2749
- ^{36}Ar, electric charge radius, muonic X-ray meas. 4−19272
- ^{197}Au$(p,p)^{197}$Au, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4−19444
- C, muonic X-ray transition, charge radii determ. 4−2750
- ^{12}C, ground state in quasiparticle method with Coulomb forces 4−9096
- ^{12}C, rms charge radii from relative electron scattering meas. at low energies 4−23597
- ^{40}Ca density, correlation effects 4−9051
- ^{149}Eu, shape transition obs. by (p,t) reaction 4−406
- ^{151}Eu, shape transition obs. by (p,t) and (^{3}He,d) reactions 4−406
- ^{2}H, rms charge radius determ. from ^{2}H(e,e) scattering meas. 4−9146
- ^{3}H, charge radius calc. with realistic NN -potentials in hyperspherical basis 4−15647
- ^{3}H, sensitivity of properties on low-energy N-N scattering parameters using delta shell N-N potential 4−15654
- ^{3}H bound state problem, binding energy, charge radius, form factors 4−496
- ^{3}H ground state observables study using Bressel-Kerman-Rouben potential 4−15601
- ^{3}He, charge radius cal. with realistic N N-potential in hyperspherical basis 4−15647
- ^{3}He, Hamada-Johnston potential, r.m.s. charge radius 4−15608
- ^{3}He charge form factor, realistic potentials, r.m.s. charge radius calc. 4−403
- ^{3}He ground state observables study using Bressel-Kerman-Rouben potential 4−15601
- ^{3}He pionic radius and charge radius determ. from dispersion relation considerations *(Russian)* 4−15607
- ^{4}He, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4−15683
- ^{4}He charge form factor, realistic potentials, r.m.s. charge radius calc. 4−403
- N, muonic X-ray transitions, charge radii determ. 4−2750
- ^{56}Ni density, correlation effects 4−9051
- ^{60}Ni, pop. in (e,e') at 25 to 250 MeV, transition radius determ. 4−15769
- O, muonic X-ray transition, charge radii determ. 4−2750
- ^{16}O, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4−15683
- ^{16}O density, correlation effects 4−9051
- ^{208}Pb, neutron distrib. radius from (p,n) quasielastic scatt. 4−31375
- ^{208}Pb, proton and neutron radii from transfer reactions and single particle energies 4−23596
- ^{208}Pb, radius determ. from deformation effects in heavy-ion scattering 4−27349
- (^{32}S, X) reactions, 67 to 132 MeV, reaction and fusion cross sections, barrier heights, fusion radii 4−665
- ^{232}Th, radius determ. from deformation effects in heavy-ion scattering 4−27349
- ^{90}Zr, pop. in (e,e') at 25 to 250 MeV, transition radius determ. 4−15769

nuclear spallation
- energy resources, nuclear 4−31549

nuclear spallation continued
- ^{197}Au, 400 MeV photon bombardment, fission-spallation competition 4−9316
- ^{133}Cs$(\gamma, xn\gamma p)$ photospallation reactions with 250 MeV bremsstrahlung obs. 4−27300
- ^{139}La$(\gamma, xn\gamma p)$ photospallation reactions with 250 MeV bremsstrahlung obs. 4−27300
- Li, near-barrier energy region, quasiclassical approach 4−27289
- U, 400 MeV photon bombardment, fission-spallation competition 4−9316
- ^{238}U, recoil properties of rare-earth nuclides using 11.5 GeV and 440 MeV protons 4−9315

nuclear spin and parity
- ^{138}Ba, assignments to levels populated by ^{136}Xe$(\alpha,3n)$ reaction, γ-ray obs. *(Russian)* 4−422
- ^{156}Gd, ^{155}Gd(n,e) conversion electron spectrum obs. *(German)* 4−27274
- A=17-40 (2s-2d) shell nuclei, classification of anomalous parity states for K-Harmonic method *(Russian)* 4−23620
- A=21 to 44, review of exptl. determ. props. 4−9062
- A=21-44, γ-ray transition strengths between bound states, table 4−31283
- A=6-20, gamma-ray transitions from bound and nearly bound tables 4−31282
- backbending and forking at high spin, microscopic approach based on pairing-plus-quadrupole model 4−412
- collective model anal. of pairing Hamiltonian using yrast approximation 4−15667
- deformed-nuclei, odd-mass, magnetic moments in nonadiabatic model 4−27236
- density of states with fixed angular momentum 4−517
- DWBA model, spin-dependent sum rules for spectroscopic factors as accuracy test 4−2839
- E1, M2, E3 mixing, deformed doubly even nuclei, 2$^-$ states decay 4−2807
- Eλ transition operators, sd-shell nuclei, spin dependence 4−12263
- effective interactions, spin and density dependence 4−492
- even mass nuclei, rotational bands associated with built-up states *(Russian)* 4−23602
- even-even N=82 nuclei, high-lying negative parity levels, unified model description 4−12194
- even-even spherical nuclei, boson expansion method and collective negative parity states 4−9092
- five-nucleon systems translational-invariant oscillator basis, anal. of negative parity levels *(Russian)* 4−31272
- four-channel estimation of isospin violation, for ^{12}C$(d,d')^{12}$C 4−2899
- four-nucleon system, translational-invariant oscillator basis, anal. of negative parity levels *(Russian)* 4−31272
- generalized quasispin operator *(Russian)* 4−5708
- Glauber theory for pion-nucleus scattering, effects of spin and isospin degrees of freedom 4−9309
- Hauser-Feshbach calculations, absolute cross section for ^{150}Sm, ^{150,148}Nd$(^{16}O,xn\gamma)$ and $(^{16}O\alpha xn\gamma)$ reaction 4−9296
- heavy ion reactions, spin determ. from alpha angular correl. 4−2975
- high and low spin rotational states and CP model 4−444
- high-spin rotational states and nuclear structure 4−31236
- high-spin states, rotation aligned coupling scheme for odd-A and even-even nuclei 4−31235
- isobaric multiplets structure, charge asymmetric nucleon-nucleon interaction 4−39926
- isoscalar transition density, for isovector excitation, general derivation 4−19331
- isospin and nucleon number, nucleon-proton interaction depend. mass relationships 4−2742
- isospin mixing, E1 reson., E2 giant reson. (α,γ) reactions 4−5830
- isospin potential, complex and energy dependent character 4−2883
- isospin purity of excitation levels in nuclei with A=18-40 *(Russian)* 4−408
- isospin splitting of giant dipole resonance in (n,γ) reactions in N=Z nuclei, effect on cross section 4−36204
- j-assignment w, one-nucleon transfer reactions induced by heavy ions 4−9254
- level densities, spin-dependent, for deformed nuclei 4−529
- moment of inertia, variable, constrained Hartree-Fock calcs. 4−15618
- muonic atoms, magnetic h.f. splitting, influence of higher configurations 4−3086
- N=75-80 and Z=59-64, high spin bands of odd-mass nuclei populated by (α, xn) reactions 4−19302
- N=82 region, particle (hole)-core coupling and high spin states 4−15642
- N>Z nuclei, excitation of $T_>$ isospin components of giant dipole states by muon capture 4−19278
- natural parity states in $10 \leqslant A \leqslant 14$ mass region, shell model calc. 4−504
- neutron responses, total α-widths distribution Monte Carlo methods, spin assignments *(Russian)* 4−604
- neutron spin precession in polarized nuclear targets rel. to scattering amplitudes 4−15774
- normal-parity states, A=35 and 34 nuclei 4−5722
- odd-A deformed nuclei, charges in moment of inertia 4−19285
- odd-A nuclear, energies of single particle states from (d,p) polarisation reactions on A=40 to 54 nuclei 4−19508
- odd-A nuclei, K=1/2 rotation spectrum, collective and single-particle effects 4−2786
- odd-mass nuclei, effective g-factors in rotational bands 4−15674
- optical model, isospin dependence in proton, neutron scatt., reformulated pot. calc. 4−39980
- 0p shell nuclei, three body effective force effects in normal parity spectra 4−27242
- p-states structure, even A nuclei, (n,γ) channel spin interf. 4−5720
- polarised spin-3/2 beams, formalism in terms of spherical and Cartesian tensors 4−15749
- rare earths, (p,t) reactions, 19 MeV, Q-meas. 4−634
- rotational bands, exactly soluble models and CAP mechanisms 4−515
- rotational bands, theory, spin and coupling effects 4−27250
- spin orbit splitting, off-energy-shell behaviour in P-waves 4−36122
- SU(4) isospin-spin averages, in light nuclei with excess neutrons 4−31229

nuclear spin and parity continued
symmetry and polarisation properties 4−12311
T> levels highly excited, evidence for decay mode 4−12243
target spin effects in scattering of composite particles 4−9227
(p,n) reactions, 0^+ isobaric analogue states, microscopic calculations 4−636
^{176} Lu(n,γ)^{177}Lu, below 47 eV, γ-ray spectra, primary E1 transitions and spin-parity assignments 4−15708
^{26}Al, assignments to levels populated in ^{24}Mg(α,d) reaction 4−19520
^{27}Al, deformed s-d shell, high-spin states obs. via ^{24}Mg(α, nγ) reaction 4−19299
^{36}Ar, populated in (^{6}Li,d) reaction, obs. of odd parity levels 4−40040
^{37}Ar levels below 3.8 MeV, from ^{34}S(α,nγ) reaction 4−12157
^{38}Ar, assignments to resonances in ^{37}Cl(p,γ) reaction 4−31287
As odd-even isotopes, positive parity states and analogue states 4−9077
^{73}As energy levels populated by ^{73}Ge(p,n)^{73}As reaction 4−454
^{74}As, level scheme from ^{74}Ge(p,nγ), transition multipolarities 4−426
^{195}Au levels, from e.m. transitions in ^{195}Hg *(French)* 4−430
^{196}Au, effect of residual spin on cross section and recoil ion range, for ^{197}Au(p,pn) at 52 MeV 4−9174
^{10}B(d,d^{1})^{10}B, 5 to 16 MeV, isobaric spin violation 4−31386
^{11}B, giant resonance, isospin splitting following ^{9}Be(d,γ_0)^{11}B 4−19274
^{12}B, levels, spins and parities from ^{11}B(n,n)^{11}B, 2.2 to 4.5 MeV 4−15626
^{137}Ba, assignments to levels populated by ^{136}Xe(α,3n) reaction, γ-ray obs. *(Russian)* 4−422
^{138}Ba, assignments to levels populated following ^{138}Cs beta decay 4−19358
^{138}Ba, level scheme determ. and shell model anal. 4−31296
^{138}Ba(p,p′)^{13}8Ba(2^+), 10.0-11.69 MeV, determ. of analysing power and spin-flip probability and asymmetry 4−9200
^{8}Be, isospin mixing in resonant reactions 4−9128
^{9}Be, assignments to levels from photoneutron reactions *(Russian)* 4−19380
^{9}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
^{9}Be(p,p)^{9}Be depolarisation and spin-spin interaction, 25 MeV 4−2885
^{10}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
^{209}Bi, calc. of particle-phonon multiplets, spin assignment 4−12222
^{209}Bi, spin and parity from ^{209}Bi(p,p′)^{209}Bi*, 14.0 to 15.5 MeV, isobaric analogues of ^{210}Bi 4−12182
^{138}Bn, $J^{\pi}=1^+$ excited states, 3-12 MeV, Saxon Woods potential calc. 4−419
^{75}Br assignments from ^{75}Kr decay scheme determ. 4−12290
^{79}Br, assignments from ^{79}Kr decay 4−5750
^{12}C, isospin forbidden reaction ^{10}B(α,$\alpha'\gamma$)^{12}C* 4−9240
^{12}C, isospin-forbidden transition in ^{14}N(d,α) at 40 MeV 4−9217
^{12}C, magnetic moment scattering of protons, parity-violating amplitudes 4−9205
^{12}C, spin-flip states, π^+(π^-) photoproduction 4−5777
^{12}C(α, γ)^{16}O, test of parity nonconservation, irregular alpha-widths 4−9228
^{12}C(α,$\alpha'\gamma$)^{12}C*, isospin forbidden reaction 4−9240
^{12}C(α,γ)^{16}O, search for parity nonconserving effects 4−23711
^{12}C(p,p′) spin-flip transitions, giant multipole reson., excitation 4−9203
^{12}C(p,p′)^{12}C, spin flip probability, compound resonance mechanism 4−9173
^{13}C compound nucleus in ^{9}Be(α,α)^{9}Be, spin-parity assignment 4−31393
^{41}C, spins of ln=1 levels using angular correlation data from ^{40}Ca(d,pγ)^{41}Ca reaction 4−448
^{38}Ca to ^{56}Ni, from (^{3}He,n) reactions at 10 to 13 MeV 4−9234
^{40}Ca, even parity spectrum in extended model 4−31230
^{41}Ca, assignments to 3.62 MeV doublet excited in ^{42}Ca(^{3}He,$\alpha\gamma$) and ^{40}Ca(d,pγ) reactions 4−19291
^{41}Ca, $K=3/2^+$ and $K=3/2^-$ rot. bands, study using ^{40}Ca(d,p) reaction 4−442
^{41}Ca, properties of high spin states from ^{40}Ca(^{3}He,2p) and ^{39}K(^{7}Li,αn) reactions 4−5710
^{41}Ca high-spin state populated by ^{27}Al(^{16}O, pn) reaction 4−15638
^{42}Ca, assignments to levels populated in (α,α') reaction 4−12164
^{42}Ca, high-spin states ppopulated by reaction 4−15639
^{47}Ca produced in ^{48}Ca(p,d) using 22.9 MeV polarised p, cross section and asymmetry meas. 4−19456
^{107}Cd populated in (p,n), (d,p) and (α,n) reactions, anal. of isomeric $^{11}._{2}{}^{-}$ state 4−39928
^{110}Cd populated in ^{96}Zr(^{18}O,4nγ)^{110}Cd, at 60 MeV, odd parity assignments 4−31411
^{132}Ce, high-spin yrast states populated in ^{120}Sn(^{16}O, 4n) reaction 4−19325
^{133}Ce, ^{135}Ce, population of high spin levels by ^{a}Sn(^{16}O, xn), (A=120, 122) reaction 4−15643
^{134}Ce, high-spin yrast states populated in ^{122}Sn(^{16}O, 4n) reaction 4−19325
^{140}Ce, $J^{\pi}=1^+$ excited states, 3-12 MeV, Saxon Woods potential calc. 4−419
^{140}Ce, level structure, gamma spectroscopy 4−461
^{35}Cl, structure of high spin negative parity states and transitions 4−15637
^{35}Cl resonances anal. using ^{34}S(p,p) reaction at 1 to 2 MeV 4−39986
^{49}Cr, gamma ray spectroscopy of levels populated by ^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions 4−452
^{50}Cr, energy level assignments from p,d, ^{3}He and α inelastic scattering meas. 4−15628
^{50}Cr, high spin states and transitions obs. by ^{40}Ca(^{16}O, 2pα)^{50}Cr, reaction 4−12186
^{51}Cr, assignements to levels populated in ^{51}Mn decay 4−23650
^{138}Cs, assignments to levels populated following ^{138}Xe beta decay 4−19358
^{138}Cs, level scheme and determ. and shell model anal. 4−31296
Cu isotopes, normal parity states, shell model study 4−5723
^{61}Cu, high resolution meas. of analogue states for piston energies up to 4 MeV 4−9198
^{62}Cu, nuclear spectroscopy with ^{63}Cu(d,t) and ^{64}Zn(d,α) reactions 4−9067

nuclear spin and parity continued
^{64}Cu, spin assignments to levels populated in ^{63}Cu(n,γ) reaction 4−2873
^{64}Cu low lying levels populated in ^{64}Ni(p,nγ)^{64}Cu reaction 4−453
^{156}Dy, high spin states populated in ^{159}Tb(p, 4nγ)^{156}Dy reaction 4−19326
^{156}Dy, populated in ^{155}Gd(^{4}He,3n) and ^{148}Nd(^{12}C,4n), high spin states in ground and β-bands 4−27237
^{159}Dy, calc. of anomalous $5/2^+$ rotational band, cranking model 4−19307
^{160}Dy pop. in (^{7}Li,α2n) reaction at 28 to 37 MeV gamma spectra meas. rel. to pop. of high spin states 4−12383
^{a}Er, A=155, 157, 159, 161 high-spin decoupled bands populated by (α,xn) reactions 4−23611
^{156}Er, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{158}Er, mechanism for E2 transitions to ground state from critical spin region (10^+-18^+) *(Russian)* 4−570
^{162}Er, calc. of backbending effect in even rotational nucleus 4−19286
^{164}Er, lifetimes and backbending of levels populated in ^{164}Dy(α, 4n)^{164}Er reaction 4−15692
^{168}Er, spin of 1.094 MeV state, from time differential directional correlation meas. 4−12132
^{16}F, pop. in ^{14}N(^{3}He,n)^{16}F, determ. of J^{π} and transition L-values 4−9066
^{18}F compound nucleus in ^{16}O(d,α) isospin-forbidden and-allowed reactions, spin assignments 4−9210
^{19}F, parity-mixing of ground and first excited states from obs. of parity-violating transition 4−411
^{20}F levels, from γ-ray linear polarisation meas. 4−9058
^{22}F, ground state spin determ. in beta-decay obs. 4−31311
^{53}Fe, assignments to low-lying levels 4−12159
^{56}Fe populated in (p,p′γ) and (n,n′γ) reactions, energy level anal. *(French)* 4−40006
^{58}Fe, spin assignments to levels populated in ^{57}Fe(n,γ) reaction 4−2872
^{153}Gd, obs. of low spin states following ^{153}Tb e.c. decay 4−12169
^{153}Gd levels, populated in (d,t) and (^{3}He,α) reactions 4−5709
^{154}Gd, from ^{154}Sm (α, 4n), $E_{\alpha}=41$ to 50 MeV, backbending from band crossing 4−12240
^{154}Gd, spin depend. of M1 admixtures in β and γ vibr. transitions 4−36163
^{154}Gd high spin states, crossing of energy levels and anomalous moments of inertia *(Russian)* 4−420
^{155}Gd(n,γ), correlation between reduced neutron and partial radiative width 4−40014
^{158}Gd, low spin state obs. from beta-decay of ^{153}Gd 4−462
^{a}Ge(γ,np) with A=70, 72, 74, 76 $E_{\gamma}=9.0-40.0$ MeV, cross sections, isospin components 4−623
^{71}Ge, level spins and decay scheme of levels populated by ^{71}Ga(p,n)^{71}Ge reaction 4−413
^{72}Ge prod. in ^{72}Ga decay, spin determ. of 2065 keV level from transition meas. 4−23636
^{74}Ge(γ,p), $E_{\gamma}=9.0$-40.0 MeV, cross sections, isospin components 4−623
^{2}H-π scattering with spin at 100 MeV, amplitude calc. *(Russian)* 4−15921
^{2}H(N,N)^{2}H spin observables, perturbative calc. 4−475
^{3}H(^{3}He, ^{4}He)^{2}H, 16 MeV, test of isospin conservation by comparison with ^{3}He(^{3}He, ^{4}He)2p 4−31400
^{3}He-^{3}H energy difference and isospin impurities 4−15596
^{3}He(^{3}He, ^{4}He)2p, 16 MeV, test of isospin conservation by comparison with ^{3}H(^{3}He, ^{4}He)^{2}H 4−31400
^{4}He, calc. of negative parity spectrum using Sussex interaction 4−27234
^{4}He, $J^{\pi}=2^-$, T=0 level, final state interaction calc. of ang. correlation in ^{4}He(α,α't) reaction 4−23610
^{168}Hf, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{168}Hf, yrast states, magnetic moments 4−12141
^{172}Hf, magnetic moments of yrast states 4−12141
^{177}Hf(n,γ), resonance reaction, neutron strength function rel. to short range energy 4−9184
^{178}Hf pop. in ^{177}Hf(n,γ) at 1 to 8 eV spin assignment of bound states 4−15614
^{179}Hf, γ-γ correlation studies of ^{178}Hf(n,γ) reaction, decay schemes, energy levels and spin-parity assignments *(Russian)* 4−573
Hg, A=190 to 194, studied in Pt(α,xn)Hg at 65 to 108 MeV, Coriolis-decoupled bands 4−36118
Hg, A=195, 197, 199 decoupled bands populated by (α, xnγ) reactions 4−23612
Hg, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4−39937
^{a}Hg, A=196, 198, 200, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{190}Hg, ^{192}Hg, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{196}Hg levels populated by ^{196}Tl decay *(French)* 4−9112
^{198}Hg levels populated by ^{198}Tl decay *(French)* 4−9112
^{200}Hg, investigation of low spin states populated in (n,γ) reactions 4−465
^{200}Hg, populated in (n,γ) reaction, anal. of low-spin states 4−31243
^{200}Hg levels populated by ^{200}Tl decay *(French)* 4−9112
^{202}Hg levels populated by ^{202}Tl decay *(French)* 4−9112
^{129}I, anal. using ^{128}Te(p,p) at 9.8 to 10.5 MeV, p polarisation meas. 4−15845
^{113}In, possible shape isomers obs. by ^{113}Cd(p,nγ)^{113}In reaction 4−405
^{115}In populated in ^{115}Cd decay, gamma-gamma directional correlation of 485 to 934 keV cacade 4−23639
^{119}In possible shape isomer obs. in ^{119}Cd beta decay 4−405
^{187}Ir, search for rotation particle decoupled bands 4−23613
^{187}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4−23614
^{189}Ir, search for rotation particle decoupled bands 4−23613
^{189}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4−23614
^{38}K, 7^+ state from ^{40}Ca(d,α)^{38}K 4−12171
^{38}K, assignments to levels populated in ^{40}Ca(d,$\alpha\gamma$) reaction 4−19345

nuclear spin and parity continued
^{38}K, magnetic moment of 22 μsec isomeric state by differential spin precession meas. on ^{35}Cl(α,n) 4−19280
^{39}K, gamma ray obs. of excited states with high ang. momenta populated by ^{36}Ar(α,pγ)^{39}K 4−447
^{40}K, populated in (n,γ) reaction, J$^{\pi}$ and spin restrictions 4−40007
^{41}K high-spin state populated by ^{27}Al(^{16}O, 2p) reaction 4−15638
^{42}K, 7^{+} state from ^{44}Ca(d,α)^{42}K 4−12171
^{46}K, 7^{+} state from ^{48}Ca(d,α)^{46}K 4−12171
Kr, A=78 to 81 isotopes, anal. of excited states from Rb isotope beta decay meas. 4−12160
^{140}La, level structure, gamma spectroscopy 4−461
^{171}Lu, microscopical approach to $\Delta K \neq 1$ band mixing 4−19296
^{92}Mb pop. in ^{92}Zr(p,nγ) at 3.0 to 4.8 MeV, energy level anal. 4−15629
^{23}Mg, assignments to levels populated in ^{24}Mg(d,t) reaction 4−19471
^{24}Mg, identification of high spin states with new ang. correl. method using ^{16}O(^{12}C, α)^{24}Mg reaction 4−19298
^{24}Mg high-spin states in continuum ffom ^{16}O(^{12}C,α_1)^{24}Mg* (α_2)^{20}Ne*(γ)^{20}Ne triple correlation meas. 4−23599
^{24}Mg levels, pop in (α,nγ) and (d,pγ) reactions, spin assignments 4−12133
^{25}Mg, deformed s-d shell, high-spin states obs. via ^{22}Ne(α, nγ) reaction 4−19299
^{26}Mg, high spin selectivity by ^{13}C(^{14}N,p)^{26}Mg at 40 MeV 4−9285
^{26}Mg, inelastic electron scattering, excited states study 4−9116
^{27}Mg pop. in ^{26}Mg(d,p) at 3.1 MeV, DWBA anal. of 4.82 MeV level 4−19283
^{51}Mn, level schemes and gamma decay of analogue resonances 4−12188
^{53}Mn, high spin states and decay schemes obs. by ^{40}Ca(^{16}O, 3p) reactions 4−19300
^{55}Mn, applicability of 2J+1 rule in ^{52}Cr(α,p) reaction 4−660
^{55}Mn, spins and lifetimes of excited state levels 4−19277
^{96}Mo, populated in ^{96}Tc decay, level spins determ. from gamma-gamma correlations 4−31300
^{98}Mo excited levels populated in ^{100}Mo(p,t) at 19 MeV, rot. band *(French)* 4−5718
^{100}Mo levels, spin and parity assignment, mixing ratios, from ^{100}Mo(γ,γ') 4−15625
^{14}N, spin and parity assignment from ^{10}B(α,n)^{13}N reaction obs. 4−12367
^{14}N states, ang.$_{12}$ correlation anal. of p decay in ^{12}C(^{3}He,p)^{14}N*(p$'$)^{13}C reaction 4−31399
^{15}N-^{15}O, mirror pair, shell model anal. of natural and unnatural parity states 4−12204
^{21}Na, 4.98 MeV state, ^{20}Ne elastic proton scatt. obs. *(Russian)* 4−36116
^{21}Na, 5/2^{+} assignment to 300 keV excited state populated in ^{20}Ne(d,nγ) reaction 4−23629
^{22}Na, assignments to levels below 5 MeV populated in ^{19}F(α,nγ) reaction, rot. band struct. 4−19344
^{22}Na, band structure, low lying positive parity states 4−5715
^{22}Na, high spin states obs. via ^{10}B(^{16}O, α)^{22}Na reaction 4−15636
^{23}Na, high spin selectivity by ^{13}C(^{14}N,α)^{23}Na at 40 MeV 4−9285
^{23}Na pop. in ^{12}C(^{12}C,p)^{23}Na, selective pop. of lowest-lying negative parity states 4−12382
^{26}Na, produced in ^{26}Mg(t,^{3}He), spherical shell model anal. 4−31388
^{135}Nd, ^{137}Nd, population of high spin levels by ^{a}Te(^{16}O, xn), (A=122, 124) reaction 4−15643
^{142}Nd, J$^{\pi}$=1^{+} excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{144}Nd, populated in ^{144}Pr and ^{144}Pm decays, $\gamma\gamma$ ang. correlation studies 4−27270
^{18}Ne, S$_{1/2}$^{2} config. of 0^{+} state in 4.5 MeV doublet, ^{16}O(^{3}He,n) and ^{20}Ne(p,t) reactions 4−39939
^{20}Ne, high-spin states in continuum, from a$_2$)^{16}O*(γ)^{16}O triple correlation meas. 4−23598
^{20}Ne, highly excited states 4−9071
^{20}Ne, highly excited states, ^{12}C(^{12}Cα_1)^{20}Ne(α_2)^{16}O at 50 MeV 4−9072
^{20}Ne, identification of high spin states with new ang. correl. method using ^{12}C(^{12}C, α)^{20}Ne reaction 4−19298
^{20}Ne, positive parity 0^{+} and 2^{+} levels, particle-hole structure calc., closed ^{12}C core 4−508
^{20}Ne, Regge poles and high spin states, obs. with ^{16}O(α, α)^{16}O reaction 4−15635
^{20}Ne, structure and freedom of inversion motion 4−539
^{20}Ne, structure of states from ^{18}O(^{11}B, ^{9}Li)^{20}Ne and ^{16}O(^{11}B, ^{7}Li)^{20}Ne reactions 4−428
^{21}Ne, from ^{23}Na(d,α)^{21}Ne low energy reactions, spin assignment 4−40024
^{22}Ne, surface potential well model of α-cluster levels *(Russian)* 4−31247
Ni isotopes, structure studies by isobaric analogue resonances 4−9078
^{55}Ni, J$^{\pi}$=1^{+} excited states, 3-12 MeV, Saxon Woods potential calc. 4−419
^{56}Ni, distrib. of dipole and spin dipole strengths 4−36110
^{56}Ni, unnatural parity states from ^{58}Ni(p,^{3}H)^{56}Ni reaction 4−9169
^{58}Ni produced in ^{60}Ni(p,t) at 46.5 MeV, anal. of energy levels *(French)* 4−36189
^{60}Ni, produced in ^{62}Ni(p,t) at 46.5 MeV, energy level anal. *(French)* 4−36189
^{63}Ni, isobaric analogue resonances, structure determ. 4−31353
^{237}Np, spin determ. of intermediate structure in subthreshold fission 4−23738
^{15}O-^{15}N, mirror pair, shell model anal. of natural and unnatural pairty states 4−12204
^{16}O, isospin assignments to new 1d$_{5/2}$.1p$_{3/2}$$^{-1}$ states, test of effective interaction 4−432
^{16}O, parity nonconservation effects, ^{12}C(α,α)^{12}C study 4−27336
^{16}O, search for 8^{+} level with ^{12}C(α, ^{8}Be)^{8}Be reaction 4−19297
^{16}O, spin-flip states, π^{+}(π^{-}) photoproduction 4−5777
^{16}O, surface potential well model of α-cluster levels *(Russian)* 4−31247
^{16}O(p,p) phase shift analysis of T=3/2 states in ^{16}O+p entrance channel 4−9080
^{17}O, absolute parity determ. from S-matrix anal. of ^{13}C(α,n) reaction data 4−19530

nuclear spin and parity continued
^{17}O, determ. of J$^{\pi}$ of states near 8 MeV from ^{13}C(α,n)^{16}O anal. 4−19529
^{18}O, levels with excitation energy <8 MeV populated in ^{19}F(t,$\alpha\gamma$) reaction 4−19290
^{19}O, bound and unbound states anal. from ^{18}O(d,p) reaction at 14.8 MeV 4−27333
Os, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4−39937
^{a}Os, A=182, 184, 186, 188, systematics of backbending in yrast bonds populated by (α, xnγ) reactions 4−19327
^{180}Os, high-spin rotational states populated by (^{11}Bn, 6n) and (^{12}C, 5n) reactions 4−19304
^{182}Os, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{185}Os, rotational bands and transitions obs. by (α, 2n) and (d, 2n) reactions 4−19306
^{186}Os, ^{188}Os, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{186}Os pop. in ^{186}Ir beta-decay, interband and intraband transitions 4−19294
^{187}Os, low spin rot. bands, expectation values, wave functions 4−2764
^{187}Os, rotational bands and transitions obs. by (d, 2n) and (p, n) reactions 4−19306
^{190}Os populated in ^{190}Re and ^{190}Ir decays and ^{189}Os(d,p) reaction 4−39936
^{30}P pop. in ^{29}Si(^{3}He,d) reaction at 15 MeV, anal. of excited states 4−12156
^{31}P, collective structure, assignment, to higher spin states populated in ^{28}Si(α, γ) 4−563
^{31}P, spin assignments to excited states populated in ^{33}S(d,α) reaction *(Russian)* 4−15631
^{234}Pa pop. in ^{234}Th beta-decay, deduced energy levels and parity configuration *(French)* 4−15621
Pb, A=202 to 206, distorted wave theory anal. of (p,t) reaction 4−31372
^{208}Pb, distrib. of dipole and spin dipole strengths 4−36110
^{208}Pb, J$^{\pi}$=1^{+} excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{208}Pb particle-hole interaction, isospin depend. from consistency rel. 4−31276
^{209}Pb, first excited state, populated by ^{208}Pb(^{17}O,^{16}O) reaction, lifetime 4−2808
^{102}Pd, inversion of rotational states in excited bands and Goldhaber expt. 4−15691
^{102}Pd, spin assignments from DCO-ratio meas. of gamma-ray transitions 4−36160
^{106}Pd pop. in ^{105}Pd(n,γ) at 13 to 78 eV spin assignment of bound levels 4−15614
^{146}Pm beta decay, determ. of spectra shape factor and ground state spin and parity assignments *(German)* 4−12291
^{147}Pm, assignment to 490 keV level in γ-γ ang. correl. study 4−39967
^{138}Pr, assignments to levels populated in ^{138}Nd decay *(Russian)* 4−27267
^{140}Pr, low-lying levels, DWBA anal. of ^{140}Ce(p,nγ) and ^{141}Pr(d,t) reactions 4−23605
Pt, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4−39937
^{a}Pt, A=190, 192, 194, 196, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
Rb, A=80 to 83 isotopes, anal. of excited states from Sr isotope beta-decay meas. 4−12160
^{91}Rb populated in ^{91}Kr decay, level scheme determ. 4−31297
^{105}Ru populated in ^{104}Ru(n,γ) at 0.02 eV, level scheme and spin-parity assignments 4−23690
^{32}S, excitation energy $\leqslant$7.15 MeV, inelastic α-particle scatt. 4−27232
^{32}S, isospin dependence of level widths from ^{31}P(p,α) and ^{31}P(p,p$'$) reactions 4−12168
^{32}S, isospin level scheme determ. from resonances in ^{31}P(p,γ) reaction, 1890-2690 keV *(Russian)* 4−409
^{32}S, populated in (^{6}Li,d) reaction, obs. of odd parity levels 4−40040
^{34}S pop. in ^{31}P(α,pγ)^{34}S, e.m. transition rates and vibrational modes 4−12257
Sb isotopes, doubly odd, with (h$_{11/2}$)^{n} neutron configuration spin determ. 4−36108
^{117}Sb, rotational-like structure obs. in ^{115}In(α, 2n)^{117}Sb reaction 4−19301
^{121}Sb inelastic neutron scattering, level widths, spin determ. 4−12272
^{123}Sb, inelastic neutron scattering, level widths, spin determ. 4−12272
^{125}Sb, populated in ^{125}Sn beta-decay, level spin assignments 4−23637
^{127}Sb, populated in ^{127}Sn beta decay, level scheme determ. 4−31298
^{44}Sc, anal. of odd parity levels using projected Hartree-Fock wave functions 4−15622
^{44}Sc, excitation of k=0^{-} rotational band with ^{44}Ca(p,n) at low energy 4−15610
^{44}Sc from ^{44}Ca(p,n)^{44}Sc, counter ratio method for spin-parity assignment 4−15611
^{45}Sc, high-spin states populated by ^{30}Si(^{18}O, p2n) and ^{41}K(^{7}Li, p2n) reactions 4−15640
^{45}Sc, props. of low-lying levels from 5 MeV (p,p$'\gamma$) reaction anal. 4−23604
^{45}Sc, reson. states, ^{44}Ca(p,γ)^{45}Sc, 600-930 keV 4−23601
^{48}Sc, from ^{48}Ca(^{6}Li, ^{6}He)^{48}Sc reaction, E=34 MeV, level study 4−5832
^{75}Se, obs. of excited states populated in ^{72}Ge(α,nγ) and ^{73}Ge(α,2nγ) reactions 4−455
^{75}Se produced in ^{76}Se(d,t), Coriolis coupling theory of anomalous parity states in 1g$_{9/2}$ 4−12359
^{80}Se, level scheme, high precision obs. by resonant scattering method 4−5716
^{81}Se, gamma-ray spectra, energy level scheme 4−27283
^{27}Si produced in ^{28}Si(^{3}He,α) at 13 to 15 MeV, spin restrictions and assignments 4−12155

nuclear spin and parity continued
^{28}Si, compound, high-spin states, cross-section enhancements beyond $(2I+1)$ rule in ^{12}C(^{16}O,α)^{24}Mg 4−9299
^{28}Si, $J^{\pi}=6^-$, $T=1$ state, 14356 keV, from ^{27}Al(p,γ) reaction *(French)* 4−31233
^{28}Si, shell with large dimensionalities, fixed J-average spectral distribution method 4−516
^{28}Si levels populated in ^{27}Al(p,γ) reaction *(French)* 4−2802
^{29}Si pop. in ^{26}Mg(α,n) at 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV 4−19516
^{151}Sm transitional nucleus, rotational bands populated by ^{150}Nd(α, 3n)^{151}Sm reaction 4−15644
^{152}Sm, directional correlation meas. of spin of 1082-8 keV level 4−36113
Sn, even isotopes, $J^{\pi}=1^+$ excited states, 3-12 MeV, Saxon Woods potential calc. 4−419
^{137}Sn, distrib. of dipole and spin dipole strengths 4−36110
Sn(p,p′), 14 to 17.8 MeV on A=118 to 124 isotopes, isospin conservation and pre-equilibrium decay 4−40008
^{82}Sr, assignments by means of (p,t) reaction 4−5717
^{84}Sr, assignments by means of (p,t) reaction 4−5717
^{86}Sr, assignments by means of (p,t) reaction 4−5717
^{86}Sr in Kr gas, 460 nsec 8^+ state, g-factor, stroboscopic resonance method 4−12136
^{89}Sr, obs. of low-lying levels populated in ^{88}Sr(d,pγ)^{89}Sr reaction 4−587
^{91}Sr populated in ^{91}Rb decay, level scheme determ. 4−31297
^{181}Ta, parity non conserving E1 transitions calc. in oscillator shell model 4−5749
^{91}Tc, ^{90}Tc, β- and γ-ray spectroscopy, half-lives and spin parity assignments 4−19350
^{95}Tc, low-lying states populated in ^{93}Nb(α,2nγ)^{95}Tc reaction 4−457
^{95}Tc assignments to levels populated in ^{97}Ru decay 4−36165
^{97}Tc, assignments to levels populated in ^{97}Ru decay 4−36164
^{97}Tc high-spin states in ^{96}Mo(p,np), evidence for (2n,p) decay 4−9199
^{97}Tc level scheme determ. from ^{96}Mo(^{3}He, d)^{97}Te reaction 4−5823
^{124}Te, spin and parity of states populated in ^{124}Sb→^{124}Te beta decay 4−31307
^{124}Te, spin of composite neutron-capture states *(Russian)* 4−15617
^{124}Te levels populated in ^{124}Sb decay, $\beta\to\gamma\to\gamma$ ang. correl. studies 4−599
^{130}Te, assignments to levels populated in β-decay of ^{130}Sb *(Russian)* 4−421
^{228}Th, negative parity states, hydrodynamic model *(Russian)* 4−23623
^{44}Ti, angular distrib. of ^{40}Ca(^{6}Li,d)^{44}Ti reaction 4−9271
^{48}Ti, assignments to levels populated in (d,t) and (α,α') reactions 4−12130
^{51}Ti, assignments to isobaric analogue states obs. in ^{50}Ti(p,p′γ) reaction 4−23606
^{51}Ti, assignments to levels populated in ^{50}Ti(d,pγ) reaction 4−19348
^{a}Tl, A=193 to 202, atomic beam meas. 4−417
^{202}Tl pop. in ^{204}Hg(p,3n) at 28 MeV, determ. of g-factor of 0.57 ms 7^+ state in ^{202}Tl 4−15616
^{204}Tl, assignments to low lying levels populated in ^{203}Tl(n,γ) reaction 4−15619
^{167}Tm, 1/2$^-$[541] band, Nilsson configuration 4−19303
^{169}Tm, 1/2$^-$[541] band, Nilsson configuration 4−19303
^{232}U, negative parity states, hydrodynamic model *(Russian)* 4−23623
^{235}U(n,f), 0.1 to 15 eV, determ. of spins of low energy in resonances 4−15615
^{236}U pop. in ^{235}U(n,γ) reaction, determ. of spins of low energy in resonances 4−15615
^{238}U, Coulomb excitation using Kr ions, moments of inertia 4−2799
^{47}V, level schemes and gamma decay of analogue resonances 4−12188
^{49}V excited states populated by ^{46}Ti(α,p)^{49}V reaction 4−451
^{51}V, high spin states and decay schemes obs. by ^{48}Ca(^{7}Li, 4n) reactions 4−19300
^{51}V, obs. of high spin states and transitions by ^{50}V(n, γ)^{51}V reaction 4−15641
^{182}W, $K^{\pi}=2^-$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
^{183}W, low spin rot. bands, expectation values, wave functions 4−2764
^{184}W, mixing of $K^{\pi}=0^+$ and 2^+ bands 4−19324
^{130}Xe, spin of composite neutron-capture states *(Russian)* 4−15617
^{89}Y, isospin forbidden reaction, ^{92}Zr(p,α)^{89}Y 4−9190
^{94}Y, ground-state assignment following ^{94}Zr(n,p) reaction 4−23649
^{164}Yb, high-spin rotational states populated by (^{11}B, 6n) and (^{12}C, 5n) reactions 4−19304
^{168}Yb, calc. of backbending effect in even rotational nucleus 4−19286
^{170}Yb, rotations and $K^{\pi}=1^+$ intrinsic excitation calcs., random phase approx. 4−19320
^{174}Yb, $K^{\pi}=2^-$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
^{64}Zn(γ,p) E=15-27 MeV, giant resonance photoproton cross section and isospin components 4−622
^{65}Zn, ^{67}Zn, γ-ray spectra, coupling schemes 4−23641
^{65}Zn, assignments to low-lying levels populated in ^{65}Cu(p,nγ) reaction 4−19336
^{67}Zn, analog resonances determ. from ^{66}Zn(p,p′γ)^{66}Zn reaction 4−5804
^{90}Zr, distrib. of dipole and spin dipole strengths 4−36110
^{90}Zr pop. in ^{89}Y(p,γ) at 5.4 to 17 MeV, isospin splitting of giant E1 excitations 4−12335
^{93}Zr, assignments to levels populated in ^{93}Y β-decay 4−12284
nuclear spin-lattice relaxation *see spin-lattice relaxation*
nuclear spin-spin relaxation *see spin-spin relaxation*
nuclear structure
see also nuclear density; nuclear energy levels; nuclear matter; nuclear models; nuclear theory
absorption of low-energy pions as structure probe 4−23727
density fluctuations, nuclear-matter variational-calculations 4−9098
di-molecular structure, confirmation through α-decay width 4−537
diffraction scattering, nucleon-nucleus, at high energy, differential scattering 4−27326
nuclear structure continued
emulsion nuclei, interactions of high energy muons, suitability for nuclear structure studies 4−8444
finite nuclei calcs. using velocity-dependent effective potential of s-wave interaction *(Russian)* 4−15651
light-nuclei with large neutron excesses 4−31255
muonic 1s(1/2) and 2p(1/2) orbits, new reln. between magnetic hyperfine structure consts. 4−36161
off-energy shell effects in multiple scattering 4−9122
off-energy-shell effects in multiple scattering 4−19361
polarisation applic. for structure probing, review 4−12312
projection technique for eigenstates of an operator based on Lanczos algorithm 4−36132
review, as quantal many body system, and various aspects 4−36103
review of studies at Naval Research Laboratory, Washington, D.C. 4−5701
s-d shell nuclei, large shell model calcs. 4−31258
strong band mixing by Coriolis interaction, attenuation factors 4−528
π probes, Faddeev approach to pion production 4−23537
^{133}Cs, 81 keV transition, M_1 conversion, nuclear struct. effects 4−19332
^{153}Eu, nuclear structure effect in internal conversion of 103 keV transition 4−23630
^{54}Fe, structure effects on asymmetry of polarised p inelastic scattering 4−15840
^{3}He wave function calc., quasi-free scattering in ^{3}He(p,2p)d, ^{3}He(p,2p)d* 4−19426
^{62}Ni, structure effects on asymmetry of polarised p inelastic scattering 4−15840
^{90}Zr, structure effects on asymmetry of polarised p inelastic scattering 4−15840

nuclear theory
see also BCS theory; clebsch-gordan coefficients; nuclear structure
aligned coupling scheme, semiclassical approach to schematic model 4−31253
antipairing, antistretching in sd and pf shell nuclei 4−12232
approximate-relativistic theory, calc. of single particle basis Hamiltonian from internucleon interactions 4−19319
BCS state, conserving particle numbers, conserving particle numbers *(Russian)* 4−39959
BCS theory adaption for nucleon-pair correlations and associated quasiparticle states in excited nuclei *(Russian)* 4−519
boson representation of fermion operators rel. to spectra of low-lying excited states 4−15685
closed-shell A=16-208 nuclei, calc. using Hartree-Fock theory and local-density approx. 4−486
closed-shell nuclei, renormalization and potential energy of intermediate states, Brueckner calcs. 4−23627
density of excited states, pseudopotential method calc. of interaction effects *(Russian)* 4−23603
diffuse potential well, WKB method for density parameter *(German)* 4−31274
effective interaction, energy dependent, convergent calc. 4−489
effective interaction, need for long range components 4−36125
effective interaction in nuclei, calc. using Pade approximants 4−488
even-even spherical nuclei, boson expansion method and collective negative parity states 4−9092
even-even spherical nuclei in excited states, static moments 4−12129
few particle systems, space-time symmetries 4−346
fissile atomic nuclei, on basis of shell model *(German)* 4−5868
fixed particle number and angular momentum double-projected BCS wave functions 4−9097
four-nucleon bound state problem soln. using integral eqn. method *(Russian)* 4−31224
four-nucleon problem, Faddeev theory, n-body formalism 4−498
generalized Tamm-Dancoff method *(Russian)* 4−19322
generator coordinate method, odd-even mass differences 4−27257
generator coordinate theory, classical Hamiltonian, Gaussian overlap space, redundant double projection space 4−27258
giant resonances, determ. of excitation energies using self consistent field theory 4−15739
Green's function methods, appl. to particle-hole interaction RPA self-screening 4−31271
ground state energy lower bounds by density matrices variational calc. 4−5745
harmonic oscillator length parameter basis, single particle energies 4−12212
Hartree-Fock method, constrained, choice of constraining operator 4−27254
Hartree-Fock-Bogoliubov equations, nature of solns. in rotating frame 4−36145
high moment of energy spectra, S-fixed, many-body configuration 4−31231
high-spin states, rotation aligned coupling scheme for odd-A and even-even nuclei 4−31235
highly deformed systems, Hartree Fock calcs., two-centre harmonic oscillator basis 4−15682
hyperspherical formalism and bound states *(French)* 4−5378
isoscalar transition density, for isovector excitation, general derivation 4−19331
Iwamoto-Yamada cluster expansion, application of Ritz variational principle 4−12229
Jost function, appl. to off-shell scattering 4−9124
light nuclei, configuration mixing calcs. 4−510
light-nuclei near closed shells, second order B.E. and spectra 4−27228
linked cluster theorem in finite model spaces 4−530
many-fermion system, expansions in Brueckner reaction matrices 4−27255
mass-18 nuclei, doubly-partitioned calc. of effective two-particle interaction 4−494
matrix elements evaluation, harmonic oscillator wave functions 4−31263
microscopic, intermediate structure, overlapping resonances, photonuclear reactions in light nuclei 4−39983
microscopic, rotational motion, deformed odd-mass nuclei 4−31266
microscopic theory of effective interactions, application problems 4−39948
microscopic theory of rotation-particle coupling 4−15675

nuclear theory continued
- mirror nuclei, microscopic description of isovector monopole vibration and Coulomb energy difference 4-15684
- multidimensional harmonics method rel. to system of A bound nucelons 4-2796
- $N \neq Z$ nuclei, ground state correlations in random phase approx. 4-5743
- N-particle systems with long- or short-ranged forces, existence of non-trivial HF solns. 4-543
- neutron matter state eqn., meson current corrections, astrophysical consequences 4-2035
- operator, two-body, configuration averaging 4-35587
- overlap functions, ^{45}Sc neutron transfer reactions, spin assignments in ^{44}Sc, ^{46}Sc 4-2852
- overlap functions for nuclei, single particle sum rules with 1/A corrections 4-2851
- overlap representation, single particle, nuclear densities and e.m. operators 4-2754
- phenomenological interaction currents anal. using group theory 4-27243
- potential matrix elements evaluation in deformed Cartesian basis 4-5742
- rare earth nuclei, HF calcs. of ground state properties using Skyrme interaction 4-546
- real Weinberg function, positive energy 4-5766
- sd-shell nuclei, giant dipole resonance calc. in open-shell random phase approx. 4-31327
- self-consistent calcs. of ground state properties 4-545
- seniority, approximate conservation in low-lying sd shell levels 4-12211
- single-particle energies, microscopic calcs. of rearrangement corrections 4-39962
- single-particle states and connection between Jastrow and Bruckner theory 4-9084
- Skyrme interaction prediction of nuclear masses 4-400
- smearing of multiple HF minima by HFB pairing correlations 4-554
- spectral distribs. of mixed configs. of identical nucleons in seniority scheme 4-512
- spherical nuclei, Brueckner H-F calcs. with second order corrections using modified Sussex interaction 4-548
- stationary BCS functions for small numbers of nucleons and associated quasiparticle states *(Russian)* 4-518
- SU(4) symmetry, spin effects in nuclei with excess neutrons 4-31229
- successive coupling scheme, transformation matrices in terms of 3nj- and 2lj-coeffs. *(Russian)* 4-5726
- superfluidity excited nuclei calc. from shell model and pairing Hamiltonian 4-12205
- Thomas-Fermi approximation and imaginary part of optical potential 4-12303
- three- and four-body systems, method of vertex functions 4-2841
- three-body problem, basis functions 4-2772
- three-body problem, bound, scattering, break-up aspects 4-496
- three-nucleon system, two-body potentials, quasi particle, Faddeev calcs. 4-500
- two-centre harmonic oscillator potential *(Rumanian)* 4-30864
- unified microscopic theory of spectra 4-555
- variational calc. with density-dependent interaction of light nuclei systematics 4-550
- Woods-Saxon potential, best fit to experimental energies for Sn, In, Sb isotopes 4-12177
- ^{36}Ar, bubble formation in Hartree-Fock calcs., dependence on odd-state force 4-27256
- ^{40}Ca, influence of Pauli operator on density distrib. in Brueckner-Hartree-Fock approach 4-9048
- ^{40}Ca density, correlation effects 4-9051
- ^{114}Cd spectra of low-lying excited states, boson representation of fermion operators 4-15685
- ^{18}F, projected Hartree-Fock wave functions 4-12231
- ^{4}He, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4-15683
- ^{23}Na, band mixing calcs., low lying levels and e.m. properties 4-39943
- ^{56}Ni density, correlation effects 4-9051
- ^{16}O, microscopic calc. of rearrangement energies 4-19321
- ^{16}O, proton knockout, Brueckner-Hartree-Fock anal. 4-2853
- ^{16}O, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4-15683
- ^{16}O density, correlation effects 4-9051
- ^{16}O region, self-consistent core polarization, phonon-mediated screening effects 4-23621
- ^{18}O, projected Hartree-Fock wave functions 4-12231
- ^{208}Pb particle-hole interaction, isospin depend. from consistency rel. 4-31276
- ^{240}Pu deformation energy curve calc. with constrained Hartree-Fock method 4-547
- ^{28}Si, configuration mixing with generator coordinate method *(French)* 4-39955
- ^{a}Sn A=111-125, FBCS theory and inverse gap eqns. lowest states of even isotopes, calc. 4-31273
- ^{116}Sn, spectra of low-lying excited states, boson representation of fermion operators 4-15685
- ^{170}Yb, rotations and $K^{\pi}=1^{+}$ intrinsic excitation calcs., random phase approx. 4-19320

nuclear track emulsions
- airborne detection of low energy Fe group nuclei 4-22198
- black prongs from nuclear evaporation, use in locating star centre of high energy interactions 4-30566
- black track identification for residual excited light nuclei following 1.5 GeV/c K^{-} meson irradiation 4-30565
- colloid stability, with gelatine substituted by PVAc-2, 4-disulphobenzoaldehyde and PVA 4-18661
- conference, Bucharest, 10-15 Jul. 1972 4-18643
- cosmic ray dosimetry, high altitude meas. on Concorde, active and passive film detectors *(French)* 4-30585
- cosmic ray nuclei charge determination, modelling 4-18644
- diffusion technique, multiple *(French)* 4-30580
- dispersion of registration thresholds after discriminational development 4-30571

nuclear track emulsions continued
- electron pair production, 200 GeV proton beam on nuclear emulsion 4-36198
- fine-grain, sensitisation with amines and other organic compounds 4-21595
- fission fragment energy distrib. meas. for (α,f) reactions on preactinide nuclei 4-19550
- gamma-ray effects on registration efficiency of plastic detectors 4-18640
- heavy ion induced interactions at 2.1 GeV/nuc, ^{16}O and ^{12}C 4-15913
- heavy ion track width, study of the energy dose concept for ion velocities $\beta \leqslant 0.3$ 4-18648
- heavy nuclei tracks, photometer for profile meas. 4-8469
- hypernuclei, production by K^{-} meson interaction, decay products, hammer tracks 4-31281
- Ilford G5, veloc. dependence, of photometrically determined track width 4-18634
- Ilford G-5, electron pair production, photon energies, 10 to 300 MeV 4-23661
- interactions of high energy muons, suitability for nuclear structure studies 4-8444
- Kodak personal neutron monitoring films type-A, use in routine personnel dosimetry 4-35425
- luminescence, due to excitation by α- and β-radiation 4-18651
- multiple diffusion technique, trace analysis *(French)* 4-30581
- NTB-3, for use in u.v. electronographic camera 4-26187
- nucleus-nucleus interaction obs. by bombardment with 280 MeV/nucleon Ne ions, pion production mechanism 4-31415
- optimum plasticising, photographic layer *(Russian)* 4-18673
- particle track parameters, change under the action of pulsed electric field 4-18652
- photoemulsion layers, light nuclei and hydrogen conc. depend., study by proton and meson irradiation *(Russian)* 4-30582
- photoemulsions, proton and π-meson irradiation expts. *(Russian)* 4-35429
- photoemulsions, relativistic proton and π meson irradiation *(Russian)* 4-35430
- range difference for Π^{+} and Π^{-} mesons 4-22945
- relativistic, sensitivity and photographic properties *(Russian)* 4-18670
- sensitivity control by electric field 4-22961
- sequential analysis method for separation of grey and relativistic tracks 4-2359
- short-lived particle detection, 10^{-10}-10^{-17} sec range 4-31137
- slow particle ionization paths, use of digital equipment *(French)* 4-30587
- space particles, energetic, spacebourne detection 4-18666
- Tsytovich effect and ioniz. by 50-3000 MeV electrons *(French)* 4-30555
- white star events as coherent N* prod. off heavy nuclei 4-9041
- μ^{+} inelastic interactions, 5.0 GeV/c, black prong kinetic energy distrib. 4-31351
- n annihilation obs. in emulsion under ISR conditions, statistical procedure 4-30564
- n sensitivity determ. in personnel dosimeters using type-K emulsions 4-19649
- π^{-}-N interactions in emulsion, 50 GeV/c, coherent-production multiplicity, angular and rapidity distribs. 4-2731
- Σ hyperon absorption following K^{-} irradiation, hypernuclei production 4-31420
- Ag, 10.1 GeV K^{-} meson induced fission 4-31434
- AgBr grains in nuclear emulsions, electron capture cross-sections 4-11603
- AgCl crystal, as visual detectors of nuclear particles, review 4-18663
- AgCl detector, Cd doped, mechanism of track formation 4-21596
- AgCl:Cd detector, detecting properties for ionising particles 4-21597
- Br, 10.1 GeV K^{-} meson induced fission 4-31434

nucleation
- *see also crystal growth*
- alloy, denucleation processes 4-25316
- atmosphere precipitation formation, role of aerosol particles 4-42120
- atmospheric aerosol particle growth rel. to rel. humidity 4-4450
- carbonaceous surface structures, hydrocarbon chemisorption on Pt, LEED 4-13100
- cholesteryl stearate, solid-state phase transform. kinetics 4-28019
- cloud, warm cumulus convection, numerical modelling 4-4435
- crystal breakage in a mixed suspension crystalliser 4-3455
- crystal breakage in batch mass crystallisation 4-3456
- crystal growth, nonlinear phenomena *(Japanese)* 4-36837
- Crystal size distribution in precipitates 4-3457
- crystallisation, heterogeneous nucleation, molecular theory, book 4-6353
- cumulus seeding, Florida experiments, application of Bayesian statistics 4-21955
- n-decane, cluster sizes in prefreezing region, viscosity anomalies rel. to reduced freezing temp. 4-6480
- diamond nucleation from graphite in presence of Ni 4-41817
- field emitter substrate, of metal crystals 4-25217
- film deposition, heterogeneous kinetics, Monte Carlo simulation 4-37129
- glass, catalysed crystallisation, activity of nucleation cores *(German)* 4-28025
- glass, nature of vitreous state *(Czech)* 4-16432
- n-heptane, cluster sizes in prefreezing region, viscosity anomalies rel. to reduce freezing temp. 4-6480
- heteromolecular theory applied to atmospheric gas to particle conversion 4-29563
- ice, filter technique for supersaturation spectra 4-7714
- ice, in clouds, by liquid propane spray 4-11042
- ice, on NaI, size effect 4-9868
- ice, on radioactive and nonradioactive AgI 4-34392
- ice, positive and negative catalysis, NaI, exposure to light 4-12886
- ice, properties of AgI-NaI, -KI, NH_4I, cloud chamber tests 4-10928
- ice crystal growth from frozen cloud droplets 4-29576
- ice crystals, columnar cirrus-like, from frozen droplet 4-29595
- ice formation mechanism after seeding by AgI *(French)* 4-29613

nucleation continued
ice nucleus concentrations, shipboard measurements, Southern hemisphere 4−21953
ice nucleus counter, NCAR, evaluation, basic operation 4−11040
kinetics, supersaturated system *(Russian)* 4−6502
at low supersaturation, experimental test of theory 4−20239
at low supersaturation, thermodynamic investig. of growth rate on low energy planes 4−20238
melt crystallization kinetics, boundary fluctuations *(Russian)* 4−36836
monosodium urate, solubility and nucleation, rel. to gouty arthritis 4−4869
nematics, surface disclination lines, anchoring energies 4−3443
$PbMoO_4$, crystal growth, colour var. rel. to impurity content, stoichiometry 4−21187
perfect crystal growth, general theory 4−32458
polymer crystal lamellar growth rate theory 4−21186
polymorphic pressure induced phase transition, hysteresis effect *(French)* 4−37002
PVC thin film growth, adsorption controlled multiple nucleation model 4−4225
rate law, use of irreversible thermodynamics 4−29614
salol, growth from melt, mechanism determ. 4−36835
solid-solid transformations, nucleation of second solid phase along dislocations, model 4−37808
solid/liquid interfacial free energies role, review 4−32798
spiral dislocation model, disc shaped holes 4−12888
supersaturated liquid, throttling, bubble formation 4−40581
upper atmospheric aerosols, review 4−42124
water drop freezing, size effects, mechanism 4−38340
Ag, film, mechanism of nucleation and epitaxial growth by sputtering 4−1178
Ag, on alkali halide substrates, theoretical model 4−37134
AgI seeded clouds charge carriers and ice nucleation 4−17734
AgI seeded supercooled clouds, relative freq. of contact and deposition nucleation, lab. expts. 4−17733
Al_2O_3, anisotropic sintering investig., nucleation statistical model *(German)* 4−33928
Ar, cluster beam aggregate growth, electron diffraction anal. of crystalline and non-crystalline props. 4−9867
Au, deposited on cleaved NaCl, KBr, meas., kinetics theory 4−20509
Au, on alkali halide substrates, theoretical model 4−37134
BaO-Al_2O_3-SiO_2 glass films, crystn. process, hexacelsian phase form. 4−7263
Bi film, on NaCl crystals, preferential nucleation in condensation 4−16679
C fibres, vapour grown, struct. and growth process *(Japanese)* 4−33886
$CaSO_4.2H_2O$, in aq. soln., heterogeneous process, rate obs. 4−32456
Cu films, growth kinetics of nuclei on inhomogeneous substrates 4−16678
Fe-Zn alloys, ferritic supersaturated, vol. precip. kinetics *(German)* 4−7051
GaAs thin film, nucleation, growth and structure, review 4−37778
GeTe film, o KCl, SnTe, mechanism 4−20508
liquidH_2, boiling from metal surface, nucleation study 4−9689
He, liquid, cavitation nucleation 4−24250
In crystallites, on molybdenite 4−24670
Ir monolayer growth on W(110), obs., mechanism 4−28314
$MgSO_4$, secondary nucleation by fluid shear 4−6352
liquidN_2, boiling from metal surface, nucleation study 4−9689
$(NH_4)_2SO_4$, crystn. kinetics 4−1017
Na, liquid, superheat in flowing systems 4−12441
Ni, epitaxial film, electrodeposition, effect of substrate surface contamination 4−20492
PbI_2 seeding, artificial rainmaking *(German)* 4−10892
Pt, monolayer growth on W (110), obs., mechanism 4−28314
Si, pyrolytic thin films, N_2 exposure depend. 4−6567
Si thin film, nucleation, growth and structure, review 4−37778
SiO_2-Al_2O_3-Li_2O, glass nucleation and crystallisation, variation of props. 4−32441
SiO_2-CaO-Na_2O glass, inhomogeneity growth, ripening mechanism 4−6343
Sn superconducting thin film, normal state nucleation times 4−24877
Ti, Ti-O alloys, β-α transform., low cooling rates 4−25291
W, oxidation of (110) surface, 650-1100K, LEED and Auger emission obs. 4−24658
YIG, temperature, by induced striation method 4−16509
ZnO, sputtering, surface influence, film transducer prep. 4−28762

nuclei *see nucleus*

nuclei with $\mathbf{A \leqslant 5}$
^3He filled corona counter, high-pressure, pulse amplitude 4−14970
^4He, liquid, resonant heat transfer, from metal surface 4−37053
boson elastic scattering, exact three particle scattering calc. 4−2858
cosmic ray, primary antinuclei content, upper limit estimation 4−22195
few nucleon reaction problem, Schrodinger equation approximations, spurious states 4−610
few-nucleon reactions, solar, stellar interstellar and fireball nucleon densities 4−29817
light nuclei, binding mechanism 4−5741
polarized target, gas circulation system 4−39322
single-particle states, $A<35$, systematics 4−2761
three nucleon system, T-matrix perturbation theory with Reid potential 4−5702
three particle scattering, exact unitary model 4−613
three-body problem, Malfliet-Tjon I and III potentials, unitary pole expansion 4−2771
three-body problem, model interactions, unitary pole expansion 4−611
three-body problems, positive energy model equation 4−2830
three-nucleon $1/2^+$ states, for realistic potentials below breakup threshold 4−15658
three-nucleon ground state properties for realistic local and nonlocal nucleon-nucleon interaction 4−15659
three-particle scattering, alternative set of operators 4−609

nuclei with $\mathbf{A \leqslant 5}$ continued
trinucleon bound state, soln. by hyperspherical expansion method 4−15657
two-particle density matrix, calc. for excited $U_{3(n-1)}$ states, $A \leqslant 16$ *(Russian)* 4−31238
^2H-π scattering length, multiple scatt. calcs. 4−36232
preformation probability rare earth nuclei, (p,α) reaction (10-20 MeV) 4−19401
D-T fusion reaction, energy balance in beam-target system 4−40047
^2D, spin-lattice relax. in 1,3,5-trifluorobenzene 4−28721
^2D n.m.r. in D_2O, temp. effects 4−3200
D(d,d)D, D(d,p)T, 3.0-11.5 MeV, ^4He excited states 4−19475
D(d,pd)n, Treiman-Yang test, 26.5 MeV 4−19476
D(n,n)D, 2.6 MeV, polarised neutron, phase shift analysis, mixing parameters 4−2879
D(p,2p)n reaction, E=303 MeV, Amado model 4−639
$D(t,\alpha)n$, triton polarisation meas. 4−19494
H_2 capture of π^-, interception damping effect *(Russian)* 4−36235
^1H-^2H scattering at 12 MeV, spin-spin correlation coeff. 4−9225
$^1H(^3H,pp)^2H$, 69 MeV, purity of p-p final state interaction T-matrix factorization 4−15896
$^1H(^3He,pd)^1H$, break-up angular distribs., reaction mechanism 4−15897
$^1H(^3He,pp)^2H$, break-up angular distribs., reaction mechanism 4−15897
$^1H(d,d)^1H$, 20.4, 25.2, 29.9 MeV, vector and tensor analysing power meas., three-body calcs. 4−19470
$^1H(d,d)^1H$, 6.0-11.5 MeV elastic scattering, phase shift analysis 4−15852
$^1H(d,d)^1H$ backward elastic scattering, 3.43-6.6 GeV/c, differential cross section 4−12362
$^1H(d,d)^1H$ elastic scattering, 6 and 10 MeV, tensor moments $\langle iT_{11}\rangle$, $\langle T_{20}\rangle$, $\langle T_{21}\rangle$, $\langle T_{22}\rangle$ 4−15864
$^1H(d,n)$, 42.8 MeV, neutron polarisation 4−9157
$^1H(d,n)pp$, polarisation transfer at 0°, model 4−15870
$^1H(d,pn)^1H$, 26.5 MeV, purity of p-p final state interaction T-matrix factorization 4−15896
$^1H(d,pp)n$, 26.5 MeV, kinematically complete meas., comparison with Faddeev calc. 4−15854
$^1H(e,e)$, 150 to 275 MeV, proton e.m. form factors at low four momentum transfer 4−39993
$^1H(e,e)$, meas. of ratio G_e/G_m of p form factors at very low momentum transfer 4−12329
$^1H(e,e)$, meas. of ratio of deuteron to proton electric form factors 4−9146
$^1H(n, \gamma_1\gamma_2)^2H$, search for doubly radiative capture of thermal neutron beam on H_2O target 4−9156
$^1H(n,\gamma)$ radiative capture, meson-exchange effects 4−12348
$^1H(n,\gamma)^2H$, thermal neutrons, polarisation meas. for $^3S_1$-$^3S_1$ radiative transitions 4−15825
$^1H(n,n)$, 16 to 21 MeV polarised n's, p polarisation meas. 4−40003
$^1H(n,n)^1H$, 16.2 MeV, polarisation meas. using $T(d,n)^4He$ neutron source 4−15821
$^1H(n,n)^1H$, 21.6 MeV, polarisation meas. using directional dependence of scintillation pulse shapes from anthracene crystal 4−15822
$^1H(n,n)^1H$ 32 MeV, polarisation meas. by scattering asymmetry obs. for D-T reaction neutrons 4−15823
$^1H(n,n)^1H$ differential cross section, 14.1 MeV 4−40000
$^1H(n,n\gamma)^1H$, 130 MeV, double differential cross section, and bremsstrahlung meas. 4−15782
$^1H(n,np)$, 130 MeV, cross-section meas. 4−15781
$^1H(p,p)$ scattering, 500-2000 keV, differential cross sections, phase shift anal. *(German)* 4−23677
$^1H(p,p)$ scattering, differential cross section and spectra meas. 500-2000 keV, scattering chamber *(German)* 4−23676
$^1H(p,p)^1H$, 30-50 MeV, polarisation angular distrib. 4−15824
^2H, breakup calculations, Amado model, neutron scattering 4−612
^2H, charge and magnetic form factors and electrodisintegration 4−23668
^2H, d.m.r. obs. of aquo Cr(III) complex 4−25476
^2H, elastic electron scattering neutron electric form factor 4−5782
^2H, high-energy states, e.m. excitation processes 4−31344
^2H, K^- radiative capture study of Λ-n scattering parameters from $\Lambda n\gamma$ branch 4−15541
^2H, n scattering, determ. of phase shifts for states with high relative orbital ang. momentum 4−12340
^2H, n.m.r. in $Na_2ZnCl_4.3D_2O$, hydrogen positions, hydrogen bonds 4−16992
^2H, n.m.r. obs. of molecular motion and deuteron quadrupole coupling in solids 4−33284
^2H, neutron total cross section in 1.0-1000 keV range 4−9158
^2H, nucleon scattering, separable expansions, local potentials below breakup threshold 4−2829
^2H, one-boson exchange potential 4−39945
^2H, proton quasifree scattering, attenuation model 4−9154
^2H, relativistic, inelastic collision with photoemulsion, intranuclear cascade model *(Russian)* 4−645
^2H, relativistic P-state wavefunctions calc. 4−5725
^2H, total reaction cross section for 20-50 MeV protons 4−15796
^2H, weak interactions of leptons, meson and nucleon-isobar effects 4−23667
^2H break-up reaction on protons at 9.1 MeV c.m. energy, n-p final state interaction 4−15797
^2H breakup, separable-interaction model 4−12319
^2H breakup by nucleons, separable potentials 4−608
^2H electrodisintegration, cross section and proton angular distrib. 4−39995
^2H n.m.r., and t-butyl chloride, solid, liq. 4−13361
^2H photodisintegration, total cross sections and angular distrib. for 17-28 MeV energy transfers 4−39991
^2H proton induced break-up, Dalitz plots of cross sections 4−15801
^2H proton induced breakup at 23 MeV, cross sections and ang. distrib., impulse approx. 4−15800
^2H target, off-shell effects in particle scatt. 4−31337
^2H wave functions, momentum space behaviour 4−481
^2H-nucleon scattering cross sections, 0-46 MeV, phase-shift analysis, possible excited state of three-nucleon system 4−15803
^2H-π scattering with spin at 100 MeV, amplitude calc. *(Russian)* 4−15921

nuclei with A$\leqslant$5 continued
- ^{2}H + ^{2}H reaction at low energies, DWBA analysis, polarisation effects 4−15865
- ^{2}H + ^{3}He, quasifree processes at 27 MeV 4−15857
- ^{2}H + ^{4}He system, distortion effects in scattering and compound nucleus states 4−9215
- ^{2}H(^{12}C,p)^{13}C reaction, meas. of g-factor of 3.85 MeV level in ^{13}C by time differential recoil in vac. 4−414
- ^{2}H(^{2}H,n)^{3}He, determ. of production cross sections and energies 4−12338
- ^{2}H(^{3}He,^{3}H p)p, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
- ^{2}H(^{3}He,^{3}He p)n, 35.9 MeV, absolute coincidence cross sections, exchange and final-state interaction effects 4−36216
- ^{2}H(N,N)^{2}H, 146 MeV elastic scattering, deuteron D-state percentage 4−15794
- ^{2}H(N,N)^{2}H, perturbative calcs. of spin observables, comparison with exact calcs. 4−9160
- ^{2}H(N,N)^{2}H, spin observables, perturbative calc. 4−475
- ^{2}H(α,^{3}He), 166 MeV, forward-backward asymmetry meas. *(French)* 4−27339
- ^{2}H(α,αp)n, differential cross section at 165 MeV, comparison with impulse approx. 4−15894
- ^{2}H(α,αp)n, differential cross section calc. including effects of initial state interaction 4−15895
- ^{2}H(α,dt)^{1}H, 70 MeV, p-d final state Coulomb interaction 4−23715
- ^{2}H(α,t), 166 MeV, forward-backward asymmetry meas. *(French)* 4−27339
- ^{2}H(α,t)^{3}He, 166 MeV, Barshay-Temmer symmetry test 4−9235
- ^{2}H(d, n), deuteron energies <200 keV, parametrization 4−649
- ^{2}H(d, p), deuteron energies <200 keV, parametrisation 4−649
- ^{2}H(d,d)^{2}H, accurate elastic scattering cross section, 12.305 MeV 4−15855
- ^{2}H(d,dp)n, 12.15 MeV, cross section away from major enhancements 4−19472
- ^{2}H(d,dp)n, 52.3 MeV, angular distrib. for quasielastic dp scattering 4−19473
- ^{2}H(d,dp)n cross sections in region of small relative neutron and proton energies *(Russian)* 4−19461
- ^{2}H(d,n)^{3}He, 12 MeV, vector analysing power 4−15868
- ^{2}H(d,n)^{3}He, 25-40 MeV, neutron polarisation 4−15867
- ^{2}H(d,n)^{3}He, 6-14 MeV, differential cross sections, neutron polarisation 4−15866
- ^{2}H(d,n)^{3}He, neutron detector, efficiency meas. from 7 to 14 MeV 4−35446
- ^{2}H(d,n)^{3}He, polarisation transfer at 0°, model 4−15870
- ^{2}H(d,n)^{3}He, polarised incident beam, meas. of neutron polarisation, 7-16 MeV neutron energies 4−15869
- ^{2}H(d,n)^{3}He, polarised n-beam, production using associated particle method 4−19513
- ^{2}H(d,p)^{3}H, 150-340 keV polarised and unpolarised deuterons, proton angular distribs., analysing powers 4−15871
- ^{2}H(e,e'n), 4 to 11 MeV, ratio of photodisintegration to electrodisintegration yields 4−27306
- ^{2}H(e,e), contributions to e.m. form factors from isobar considerations using nonrelativistic calcs. 4−12328
- ^{2}H(e,e), meas. of ratio of deuteron to proton electric form factors 4−9146
- ^{2}H(e,e)^{2}H, relativistic corrections 4−2857
- ^{2}H(e,e)^{2}H elastic scattering, tensor polarisation, deuteron wave function at small distances 4−27309
- ^{2}H(e,en)^{1}H, impulse approx. cross section determ. in meson exchange current anal. 4−15767
- ^{2}H(e,p)e'n at 30 to 107 MeV, differential cross section and p. ang. distrib. meas. 4−15768
- ^{2}H(γ,n), photoneutron production cross section, <3 MeV 4−12320
- ^{2}H(γ,n) reaction as photon spectrometer using ^{2}H cryogenic target 4−39319
- ^{2}H(γ,n)p, 5-40 MeV, 90° differential polarisation of photoneutrons 4−15764
- ^{2}H(n, 2n), 14.2 MeV, NN final state interaction determ. 4−36191
- ^{2}H(n, np) at $v_n=0^\circ$, differential cross section, final state interaction 4−19420
- ^{2}H(n,2n)p, 14 MeV, system for two-neutron detection in three-particle final state 4−27321
- ^{2}H(n,2n)p, near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
- ^{2}H(n,γ), low energies, three-nucleon reaction problems 4−499
- ^{2}H(n,n), 22.7 MeV, sensitivity of scattering states to NN interaction 4−31358
- ^{2}H(n,n) elastic and inelastic, 14 MeV polarised n, optical-model anal. 4−19433
- ^{2}H(n,n)^{2}H, 14.1 MeV elastic scattering, differential cross section 4−15795
- ^{2}H(n,n)^{2}H, 24.0 and 27.2 MeV angular distributions and cross sections 4−9155
- ^{2}H(n,n)^{2}H, 2.45 MeV, doublet phases and depolarisation factor from phase shift anal. *(French)* 4−23678
- ^{2}H(n,n)^{2}H, 2.6 MeV elastic scattering, angular dependence of neutron polarisation 4−15826
- ^{2}H(n,n)^{2}H, 7.89 MeV polarised neutrons, ang. distrib. analysing power and phase-shift anal. 4−19427
- ^{2}H(n,n)^{2}H, differential cross section for elastic scattering at 128 MeV 4−15792
- ^{2}H(n,n)^{2}H, differential elastic scattering cross section, 15-18 MeV 4−19419
- ^{2}H(n,n)^{2}H, dispersion relns. for elastic scattering in Amado model 4−19409
- ^{2}H(n,n)^{2}H, local potentials, Pade techniques 4−2878
- ^{2}H(n,n)^{2}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
- ^{2}H(n,n)^{2}H, s-wave quartet amplitude, Faddeev formalism, soln. of singular integral eqns. 4−36168
- ^{2}H(n,n)^{2}H , scattering amplitude calc. above breakup threshold using method of complex coords. 4−15791
- ^{2}H(n,n)^{2}H elastic scattering, 3 to 11 MeV, theoretical phase shift analysis 4−40001
- ^{2}H(n,nd), 130 MeV, cross-section meas. 4−15781
- ^{2}H(n,np)n, 14.4 MeV break-up, differential cross section calc. with local potentials 4−15790

nuclei with A$\leqslant$5 continued
- ^{2}H(n,p)2n, 24.0 and 27.2 MeV angular distributions and cross sections 4−9155
- ^{2}H(n,p)2n, 50 MeV, separable approximation method of Amado-Lovelace kernel 4−15733
- ^{2}H(n,p)2n, E=14.1 MeV, energy cross section and n-n scattering 4−5798
- ^{2}H(ν,pp)e^{-}, cross sections at LAMPF energies 4−23669
- ^{2}H(ν_e,e^{-})pp, 43 MeV, total and differential cross sections, effective range theory 4−23670
- ^{2}H(p, pn)n, 155 MeV, impulse double scattering model, N-N interactions 4−641
- ^{2}H(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
- ^{2}H(p,2p) reaction, E=51.8 MeV, coplanar symmetric geometry, ($\theta_1=-\theta_2=8.5^\circ$ and 12.5°) 4−2992
- ^{2}H(p,2p)n, 156 MeV, single and double peaks 4−5812
- ^{2}H(p,2p)n, 39.5 MeV, Dalitz plots for cross sections, destructive interference effects 4−15802
- ^{2}H(p,2p)n, 3.8-5.0 MeV, proton coincidence spectra, search for ^{3}He intermediate state resonance 4−15807
- ^{2}H(p,2p)n, 44.9 MeV, noncoplanar correlation spectra 4−19403
- ^{2}H(p,2p)n, comparison with ^{2}H(p,pn)^{1}H at 156 MeV, off-energy shell effects and final state interaction 4−15798
- ^{2}H(p,2p)n, coplanar and noncoplanar proton correlations at 10.0 MeV 4−15799
- ^{2}H(p,2p)n, near-on-shell nucleon-nucleon T-matrix, Coulomb effects 4−474
- ^{2}H(p,2p)n, quasi-elastic mechanism, multiple scatt., 20-50 MeV 4−31361
- ^{2}H(p,2p)n and ^{2}H(p,pn)p reactions, Coulomb effects, cross sections 4−640
- ^{2}H(p,2p)n breakup reaction, final state interaction *(French)* 4−5773
- ^{2}H(p,2p)n low energy, form factor dependence 4−36201
- ^{2}H(p,γ)^{3}He, 14.0-25.5 MeV, search for resonance in ^{3}He 4−15806
- ^{2}H(p,γ)^{3}He capture reaction, 10-17 MeV, possible resonance in ^{3}He 4−15805
- ^{2}H(p,n), 21.4 MeV, neutron polarisation 4−9157
- ^{2}H(p,p), 1 to 46 MeV, phase-shift anal. of cross sections and ^{3}He excited states 4−36190
- ^{2}H(p,p) differential cross section 0.1 MeV-3.5 GeV, existence of virtual and excited states 4−15804
- ^{2}H(p,p)^{2}H, 3.0 to 5.75 MeV, phase-shift analysis, cross-section, proton polarisation 4−2897
- ^{2}H(p,p)^{2}H, 3.6-9.1 MeV elastic scattering, vector to tensor polarisation transfer 4−15793
- ^{2}H(p,p)^{2}H, elastic scattering at 50 MeV, triple scattering parameters 4−15827
- ^{2}H(p,p)^{2}H, phase shift analysis at intermediate energies, possible ^{3}He excited states 4−15808
- ^{2}H(p,p)^{2}H scattering at and below 800 MeV, cross sections and polarisations 4−19428
- ^{2}H(p,pn)^{1}H, comparison with ^{2}H(p,2p)n at 156 MeV, off-energy shell effects and final state interaction 4−15798
- ^{2}H(p,pn)p, 156 MeB, single and double peaks 4−5812
- ^{2}H(p,pn)p, 1.3 GeV/c, neutron momentum distrib. 4−40019
- ^{2}H(π,π^{1}), exclusion principle effects near 3,3 resonance 4−19545
- ^{2}H(π,π)^{2}H, low energy, two body t matrix representation 4−31417
- ^{3}H, binding energy, r.m.s. charge radius and charge form factor calcs. 4−502
- ^{3}H, binding energy and charge form factor, effect of off-shell changes in d wave function 4−15597
- ^{3}H, binding energy determ. with phase-equivalent potentials 4−31222
- ^{3}H, bound state properties for nearly separable potentials 4−15594
- ^{3}H, β-spectrum, determ. of 86 eV upper limit for electronic antineutrino rest mass *(German)* 4−31314
- ^{3}H, calcs. of properties with realistic NN potentials in hyperspherical basis 4−15647
- ^{3}H, charge and magnetic form factors and electrodisintegration 4−23668
- ^{3}H, charge asymmetry effects and ^{3}H/^{3}He binding energy difference 4−9047
- ^{3}H, ground state observables study using Bressel-Kerman-Rouben potential 4−15601
- ^{3}H, meson current contribution to magnetic form factor 4−2768
- ^{3}H, non-variational calc. of binding energy with hard-core spin-dependent local potentials 4−15599
- ^{3}H, one-pion exchange contrib. to β-decay and magnetic moment 4−15714
- ^{3}H, p-induced breakup reactions, 35-45 MeV, mechanisms 4−19423
- ^{3}H, relativistic, inelastic collision with photoemulsion, intranuclear cascade model *(Russian)* 4−645
- ^{3}H, sensitivity of properties on low-energy N-N scattering parameters using delta shell N-N potential 4−15654
- ^{3}H, sensitivity to variations in off-energy-shell nucleon-nucleon T-matrix 4−15653
- ^{3}H, weak interactions of leptons, meson and nucleon-isobar effects 4−23667
- ^{3}H activities, very low, meas. by liquid scintillation technique, electrolytic concentration effect *(Czech)* 4−15039
- ^{3}H and nuclear matter, comparison of binding energy sensitivities to high energy phase shift 4−15595
- ^{3}H beta-decay, bubble creation by electrons. in H bubble chamber 4−30558
- ^{3}H binding energies, meson-theoretical potentials, variational calc. 4−2740
- ^{3}H binding energy, application of T-matrix perturbation theory 4−398
- ^{3}H binding energy, bounds on off-shell variation for phase equivalent potentials of rank-two 4−15600
- ^{3}H binding energy, hyperspherical function method, realistic two nucleon potentials 4−2741
- ^{3}H binding energy, relative importance of deuteron wave function and phase shift 4−27226
- ^{3}H binding energy, variational method calc. with realistic potentials 4−399
- ^{3}H binding energy, variational method with realistic potentials 4−31220
- ^{3}H binding mechanism 4−5741

nuclei with $A \leqslant 5$ continued
^{3}H bound state problem, binding energy, charge radius, form factors 4−496
^{3}H$_\Lambda$, mean lifetime and decay branching ratio for $\pi^- + {}^3$He and $\pi^- + p + d$ modes 4−27263
^{3}H-breeding ratio in fusion reactor blanket, n cross-section sensitivity for ^{6,7}Li, Nb, and C 4−23909
^{3}H + ^{2}H, quasifree processes at 35 MeV 4−15857
^{3}H + ^{3}He, quasifree processes at 50 MeV 4−15857
^{3}H(^{12}C,p)^{14}C reaction, g-factor of 100ps, $I^\pi = 3^-$ level in ^{14}C 4−415
^{3}H(^{2}H,n)^{4}He determ. of production cross sections and energies 4−12338
^{3}H(^{3}He, ^{4}He)^{2}H, 16 MeV, test of isospin conservation by comparison with ^{3}He(^{3}He, ^{4}He)2p 4−31400
^{3}H(^{3}He,n)^{5}Li, 2.70 and 3.55 MeV, angular distribs. and neutron polarisation 4−15903
^{3}H(d,α)n, 51, 76 and 93 keV, analyzing power 4−15873
^{3}H(d,d) at 5 to 11.5 MeV, meas. of tensor analysing powers T_{20}, T_{21} and T_{22} 4−12358
^{3}H(d,d)^{3}H, 3.3-12.3 MeV vector polarised deuterons, angular distribs., analysing powers and cross sections 4−19477
^{3}H(d,d)^{3}H, 5-11.5 MeV polarised deuterons, tensor analysing power 4−19460
^{3}H(d,n), vector analysing power, comparison with mirror reaction ^{3}He(d,p) 4−15877
^{3}H(d,n) reaction as polarised 14 MeV n source 4−22940
^{3}H(d,n)^{4}He, 7.0 and 11.4 MeV polarised deuterons, neutron polarisation, spin-flip mechanism 4−15875
^{3}H(d,n)^{4}He, 7.0 to 11.4 MeV, neutron polarisation angular distribs., analysing powers 4−15872
^{3}H(d,n)^{4}He, fast neutron spectra near neutron generators *(Czech)* 4−31380
^{3}H(d,n)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
^{3}H(d,n)^{4}He, polarised n-beam production using associated particle method 4−19513
^{3}H(d,n)^{4}He below 1 MeV, analysing power of vector and tensor polarization 4−15874
^{3}H(d,n)^{4}He polarisation transfer reaction, quadratic relns. between observables 4−15876
^{3}H(γ, π^-)^{3}He, reciprocity reln. and $\Delta I \leqslant 1$ rule, sensitivity to T non-invariance 4−625
^{3}H(n,n)^{3}H, ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ coupling constant calc. 4−15778
^{3}H(n,n)^{3}H, 6-23 MeV, optical model fits to neutron polarisation and differential cross sections 4−15813
^{3}H(n,n)^{3}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
^{3}H(p,γ)^{4}He, E1 cross section, phase shifts rel. to ^{3}H(p,p)^{3}H 4−19425
^{3}H(p,n)^{3}He, 1.3 to 2.9 MeV polarised protons, analyzing power meas. 4−36192
^{3}H(p,n)^{3}He, 1.5-4 MeV, difference between polarization and analyzing power 4−27323
^{3}H(p,n)^{3}He, charge-independent phase-shift analysis 4−15829
^{3}H(p,n)^{3}He, neutron polarisation, longit. polarisation transfer, 4-15 MeV 4−31362
^{3}H(p,n)^{3}He, polarisation transfer calc., 2 to 10 MeV 4−2884
^{3}H(p,n)^{3}He determ. of production cross sections and energies 4−12338
^{3}H(p,p)^{3}H, 13.6 MeV polarised protons, asymmetries 4−15831
^{3}H(p,p)^{3}H, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}He(p,p)^{3}He 4−19422
^{3}H(p,p)^{3}H, 4-12 MeV scattering of polarised protons, ang. distribs. and analysing powers 4−15830
^{3}H(p,p)^{3}H, 5.33-5.63 polarised and unpolarised beams, search for 23.9 MeV narrow state in ^{4}He 4−15833
^{3}H(p,p)^{3}H, charge-independent phase-shift analysis 4−15829
^{3}H(p,p)^{3}H, excitation function of differential cross section and analysing power, 4-12 MeV 4−15632
^{3}H(p,p)^{3}H, phase shifts rel. to ^{3}H(p,γ)^{4}He 4−19425
^{3}H(t,α)2n, 40 keV, two-dimensional energy spectra, n-α and n-n interactions 4−19467
$_\Lambda{}^4$H, lambda-sigma coupling effect 4−567
H(d,d)H, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
He, stellar shell, explosive ejection in stellar evolution and nucleosynthesis 4−34599
He cross sections in natural Mg, Al, and Si targets bombarded with 14 to 45 MeV protons 4−630
He + p, X-ray spectra from 3d→2p transition 4−27275
in He^3, quasifree, three-nucleon reaction problems 4−499
^{2}He(e,p)ne′ coincidence counting technique study, determ. of differential cross sections for energies up to 100 MeV *(Russian)* 4−618
^{3}He, 50-150 MeV photon spectra from pion absorption 4−23724
^{3}He, binding energy, r.m.s. charge radius and charge form factor calcs. 4−502
^{3}He, calcs. of properties with realistic N N potentials in hyperspherical basis 4−15647
^{3}He, charge and magnetic form factors and electrodisintegration 4−23668
^{3}He, charge asymmetry effects and ^{3}H/^{3}He binding energy difference 4−9047
^{3}He, charge form factors with realistic hard core potentials 4−19269
^{3}He, coherent neutron scattering length, reflection from quartz-liquid helium interface 4−36197
^{3}He, ejection during proton interactions on nuclei at 600 MeV *(French)* 4−9163
^{3}He, ground state energy, form factor, var. with two-nucleon potential 4−12192
^{3}He, ground state observables study using Bressel-Kerman-Rouben potential 4−15601
^{3}He, Hamada-Johnston potential, charge form factor, radius and Coulomb energy 4−15608
^{3}He, meson current contribution to magnetic form factor 4−2768
^{3}He, n.m.r. longit. and transverse, A-phase struct. determ. 4−40942
^{3}He, neutron total cross section, E$\sim$1-30 MeV 4−2874
^{3}He, one-pion exchange contrib. to isovector magnetic moment 4−15714
^{3}He, p-induced breakup reactions, 35-45 MeV, mechanisms 4−19423
^{3}He, polarised source based on ^{3}He$^+$ ion Lamb shift 4−35382

nuclei with $A \leqslant 5$ continued
^{3}He, polarised target, summary of expts. at Rice University 4−18580
^{3}He, produced in ^{7}Li(d,α) reaction, determ. of width of ground state *(French)* 4−19287
^{3}He, production in proton interactions with Ag and Br nuclei at 24 GeV/c 4−36187
^{3}He, proton quasifree scattering, attenuation model 4−9154
^{3}He, π^- capture rate, Eckstein model 4−23726
^{3}He, sensitivity of properties on low-energy N-N scattering parameters using delta shell N-N potential 4−15654
^{3}He, sensitivity to variations in off-energy-shell nucleon-nucleon T-matrix 4−15653
^{3}He, three nucleon calcs. without explicit use of two-body potentials 4−12193
^{3}He, weak interactions of leptons, meson and nucleon-isobar effects 4−23667
^{3}He charge form factor, realistic potentials, r.m.s. charge radius calc. 4−403
^{3}He elastic scattering, anal. of target spin effects using optical model 4−9227
^{3}He excited states, phase-shift anal. using ^{2}H(p,p) reaction 4−36190
^{3}He highly oriented gas, n.m.r. meas. of nuclear polarisation 4−40171
^{3}He pionic radius determ. from dispersion relation considerations *(Russian)* 4−15607
^{3}He polarised target, asymmetries in deuteron scattering, 9.9 and 11.9 MeV 4−15880
^{3}He wave function calc., quasi-free scattering in ^{3}He(p,2p)d, ^{3}He(p,2p)d* 4−19426
^{3}He-^{3}H energy difference and isospin impurities 4−15596
^{3}He-semiconductor sandwich, γ-discriminating, fast spectra meas. 4−30595
^{3}He + ^{197}Au, peripheral collision, ^{3}He break-up, p-d scatt. 4−27344
^{3}He + ^{2}H, quasifree processes at 27 MeV 4−15857
^{3}He + d, microscopic coupled-channel anal. with resonating group method 4−31322
^{3}He(^{3}He, ^{4}He)2p, 16 MeV, test of isospin conservation by comparison with ^{3}He(^{3}He, ^{4}He)2p 4−31400
^{3}He(^{3}He,2p)^{4}He, existence of resonance rel. to solar neutrino problem 4−29788
^{3}He(^{3}He,γ)^{6}Be, 12 to 27 MeV, resonant structure obs. 4−27338
^{3}He(^{3}He,pp)^{4}He, cross section meas., search for resonance in $14 < E_{cm}$(keV)< 30 region, reln. to solar neutrino problem 4−15900
^{3}He(^{3}He,pp)^{4}He, extrapolation to very low energies using DWBA, nuclear distortion effects 4−15901
^{3}He(^{4}He,^{4}He), polarised target, analysing power meas. at low energies 4−19524
^{3}He(^{4}He,^{4}He)^{3}He at 28 to 44 MeV, meas. of diffential cross section and ^{3}He polarisation 4−12366
^{3}He(α,α'), 63.7-81.4 MeV, α-particle spectra, sequential reactions 4−9230
^{3}He(α,p), 63.7-81.4 MeV, backward proton spectra, sequential reactions 4−9230
^{3}He(d,d)^{3}He, 10 and 13 MeV polarised deuterons, vector and tensor analysing power 4−15879
^{3}He(d,d)^{3}He, 10 MeV, spin-dependent interactions 4−23707
^{3}He(d,d)^{3}He, 4-10 MeV elastic scattering, tensor moments meas. 4−15881
^{3}He(d,d)^{3}He, microscopic study, resonating-group method 4−650
^{3}He(d,d)^{3}He, reaction matrix analysis at 10 MeV 4−19429
^{3}He(d,p), vector analysing power, comparison with mirror reaction 4−15877
^{3}He(d,p)^{4}He, 10 MeV polarised deuterons, vector and tensor analysing powers 4−19478
^{3}He(d,p)^{4}He, 2-13 MeV vector polarised deuterons, angular distrib. of vector analysing power 4−19480
^{3}He(d,p)^{4}He, 2.0-6.0 MeV, proton polarisation meas. 4−15850
^{3}He(d,p)^{4}He, 2.8-10 MeV, tensor moments, angular distribs. and ^{5}Li resonant states 4−15884
^{3}He(d,p)^{4}He, 366-1090 keV polarised deuterons, analysing powers 4−23706
^{3}He(d,p)^{4}He, 4-14 MeV, polarisation transfer coeffs. 4−9213
^{3}He(d,p)^{4}He, 430 keV, polarised target and deuterons, efficiencies, partial waves and analysing powers 4−19482
^{3}He(d,p)^{4}He, 6-10 MeV polarised deuterons, vector polarisation and proton asymmetries 4−19479
^{3}He(d,p)^{4}He, 6.6 to 15.8 MeV polarised d, tensor analysing power at $\theta = 0$ 4−31383
^{3}He(d,p)^{4}He, d vector polarisation, 13.6 MeV 4−19492
^{3}He(d,p)^{4}He, microscopic study, resonating-group method 4−650
^{3}He(d,p)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
^{3}He(d,p)^{4}He, polarisation-asymmetry relns. in terms of reaction scattering matrices 4−15882
^{3}He(d,p)^{4}He, polarised target, analysing power below 2.5 MeV 4−15885
^{3}He(d,p)^{4}He, polarised target, proton angular asymmetries at 6 and 8 MeV 4−15886
^{3}He(d,p)^{4}He, polarised target, analysing power, 2.8-10 MeV 4−19481
^{3}He(d,p)^{4}He, vector analysing power near 430 keV resonance 4−15883
^{3}He(e,e′p)^{2}H, reaction cross section calc. taking into account interaction at final state *(Russian)* 4−19389
^{3}He(e,e)^{3}He relativistic corrections 4−2857
^{3}He(e,pd)e′, coincidence counting technique study, determ. of differential cross sections for energies up to 100 MeV *(Russian)* 4−618
^{3}He(e,pp)ne′, coincidence counting technique study, determ. of differential cross sections for energies up to 100 MeV *(Russian)* 4−618
^{3}He(γ, π^+)^{3}H, reciprocity reln. and $\Delta I \leqslant 1$ rule, sensitivity to T non-invariance 4−625
^{3}He(γ,p)d, 200-350 MeV Δ(1236) region, differential cross section 4−23662
^{3}He(γ,π^+)^{3}H, differential cross section calc. using impulse approx. and photoprod. amplitudes 4−9143
^{3}He(γ,π^+)^{3}H, photoproduction cross section in 3-3 resonance region 4−23664
^{3}He(n,n), 7.9 to 23.7 MeV cross-section determ. phase-shift anal. 4−31369

nuclei with A$\leqslant$5 continued
^{3}He(n,n)^{3}He, ^{3}Hdn, ^{3}H^{3}Hπ and ^{3}He^{3}Heπ coupling constant calc. 4−15778
^{3}He(n,n)^{3}He, charge-independent phase-shift analysis 4−15829
^{3}He(n,p) products, interaction with wall in spherical proportional counters 4−14969
^{3}He(n,p)^{3}H, use in nuclear pumping, gas lasers *(Japanese)* 4−35840
^{3}He(n,p)T, enhancement of CO_2 laser output 4−19085
^{3}He(p, 2p)d$^{(*)}$, 45.0 MeV, search for ^{3}He excited states, reaction mechanism 4−12331
^{3}He(p, e$^+\nu$)^{4}He, β^4 decay cross section, solar neutrinos 4−9159
^{3}He(p,2p')d, 65 to 100 MeV, cross-section meas. comparison with (p,pd) reaction 4−31356
^{3}He(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
^{3}He(p,2p)^{2}H, quasi-free proton-proton scattering, impulse approx. anal. 4−23694
^{3}He(p,2p)d, 45.0 MeV, kinematically complete expt., PWIA anal. 4−15810
^{3}He(p,2p)pn, 45.0 MeV, kinematically complete expt., PTIA anal. 4−15810
^{3}He(p,p) at 600 MeV, anal. in Glauber model with spin, cross section determ. *(Russian)* 4−15785
^{3}He(p,p)^{3}He, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}H(p,p)^{3}H 4−19422
^{3}He(p,p)^{3}He, 4.00-8.82 MeV, modified phase-shift anal., deuteron-exchange pole 4−15811
^{3}He(p,p)^{3}He, analyticity analysis, spectroscopic factors determ. for ^{3}He$\rightarrow$p+d 4−2875
^{3}He(p,p)^{3}He, asymmetry in elastic scattering of 42 MeV polarised protons 4−15832
^{3}He(p,p)^{3}He, elastic, calc. of cross section, polarisation values 4−15809
^{3}He(p,pd)p, 156 MeV, pp and pd quasifree scattering cross-sections 4−19424
^{3}He(p,pd)p, 65 to 100 MeV, cross-section meas. comparison with (p,2p) reaction 4−31356
^{3}He(p,pd)p and ^{3}He(p,2p)d, 65 MeV, quasi-free knockout in (p,pd) mechanism 4−19421
^{3}He(t,d)^{4}He, 1.5-3.3 MeV, forward to backward differential cross section ratio, Barshay-Temmer symmetry 4−23716
^{4}He, 3-nucleon cluster equations, matrix method soln. 4−531
^{4}He, calc. of negative parity spectrum using Sussex interaction 4−27234
^{4}He, charge and magnetic form factors and electrodisintegration 4−23668
^{4}He, charge form factors with realistic hard core potentials 4−19269
^{4}He, comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
^{4}He, cross-section ratio $\sigma(\gamma,p)/\sigma(\gamma,n)$ 4−5778
^{4}He, density matrix evaluation, application to ground state form factors 4−36144
^{4}He, determ. of 0$^+$ bound states using Yakubovsky four-body eqns. 4−36131
^{4}He, E1 cross-section from ^{3}H(p,γ) 4−19425
^{4}He, electric dipole sum rule using BHF wave functions 4−31269
^{4}He, four-nucleon bound state problem soln. using integral eqn. method *(Russian)* 4−31224
^{4}He, high energy alpha-particle and nucleon induced reactions, factorisation 4−40010
^{4}He, in ^{3}H(p,p)^{3}H, ^{3}H(p,n)^{3}He and ^{3}He(n,n)=He, charge-independent phase-shift analysis 4−15829
^{4}He, J$^\pi$=2$^-$, T=0 level, final state interaction calc. of ang. correlation in ^{4}He(α,α't) reaction 4−23610
^{4}He, large basis shell model calc. for convergence of binding energy 4−506
^{4}He, level structure rel. to 5 nucleon system, compound nucleus reaction, E$\leqslant$30 MeV 4−27240
^{4}He, neutron total cross section, E$\sim$1-30 MeV 4−2874
^{4}He, photoneutron ang. distrib. and differential cross section, threshold to 33 MeV 4−23665
^{4}He, proton quasifree scattering, attenuation model 4−9154
^{4}He, π^- capture rate, Eckstein model 4−23726
^{4}He, π^+ induced elastic and inelastic processes at 115 and 150 MeV 4−23725
^{4}He, search for 23.9 MeV narrow state in ^{3}H+p channel 4−15833
^{4}He, sum rules for quadrupole photoexcitation 4−12252
^{4}He, translational invariant oscillator basis anal. of energy levels and π, μ, γ reactions *(Russian)* 4−31272
^{4}He, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4−15683
^{4}He,(p,p)^{4}He, 0 to 18 MeV, R-matrix analysis 4−2880
^{4}He binding energy, variational method calc. with realistic potentials 4−399
^{4}He binding energy, variational calc. with realistic NN potentials 4−31221
^{4}He binding mechanism 4−5741
^{4}He charge form factor, realistic potentials, r.m.s. charge radius calc. 4−403
^{4}He excited states from D(d,d)D, D(d,p)T, 3.0-11.5 MeV 4−19475
^{4}He Hartree-Fock approx., ambiguities in intermediate-state particle spectrum calcs. 4−31275
^{4}He produced in ^{235}U fission, energy spectrum meas. 4−2991
^{4}He production in few-nucleon reactions, solar, stellar, interstellar and fireball atmospheres 4−29817
^{4}He spectroscopy with ^{3}H(p,p)^{3}H and ^{2}H(d,n) reactions 4−15632
^{4}He-^{4}He scattering, generator coordinate method rel. to resonating group method 4−19518
^{4}He+^{2}H system, distortion effects in scattering and compound nucleus states 4−9215
^{4}He+^{3}He elastic scattering, odd-even features in effective interaction 4−15753
^{4}He+N, microscopic coupled-channel anal. with resonating group method 4−31322
^{4}He+n, double scatt., 15 MeV, phase shift sets 4−27329
^{4}He(^{3}He, $\alpha\alpha$)γ bremsstrahlung cross sections, 7.4 MeV 4−19519
^{4}He(^{3}He,^{3}He)^{4}He, 8.3-13.0 MeV, absolute polarisation meas. 4−19495
^{4}He(α, $\alpha\alpha$)γ bremsstrahlung cross sections, 9.35 MeV, 11.4-13.5 MeV 4−19519
nuclei with A$\leqslant$5 continued
^{4}He(d,^{3}He)^{3}H, at 30 to 40 MeV, meas. vector analysing powers, deviation from isospin imposed symmetry 4−2916
^{4}He(d,d), 12 MeV polarised d, meas. of vector and tensor analysing power 4−19484
^{4}He(d,d), 3 to 11.5 MeV, meas. of tensor moments and ang. distribs. 4−19485
^{4}He(d,d), 3 to 11.5 MeV polarised beam, phase shift anal. 4−19486
^{4}He(d,d), determ. of ^{2}H tensor polarisation *(German)* 4−23698
^{4}He(d,d)^{4}He, 11.5 MeV, comparison of double scattering and polarised ion source meas. 4−19483
^{4}He(d,d)^{4}He, 12-17 MeV, analysing power, appl. on polarisation standard 4−9211
^{4}He(d,d)^{4}He, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
^{4}He(d,d)^{4}He, 4.8-9.0 MeV, polarization transfer coeffs. and analysing tensors 4−9214
^{4}He(d,d)^{4}He elastic scattering, polarization transfer meas. 4−15856
^{4}He(d,t)^{3}He, at 30 to 40 MeV, meas. vector analysing powers, deviation from isospin imposed symmetry 4−2916
^{4}He(e,e'p)^{3}H, 1187 MeV, p binding energy determ. 4−39994
^{4}He(e,e)^{4}He, relativistic corrections 4−2857
^{4}He(γ, ^{3}He)n, 48-83 MeV, total and differential cross sections 4−19383
^{4}He(γ, pπ^-) giant (3,3) resonance, particle-hole model, N-Δ residual interaction 4−31328
^{4}He(γ,n), below pion theshold, anal. using e.m. meson exchange currents 4−31341
^{4}He(γ,n)^{3}HE, 22-37 MeV, 98° differential cross section comparison for liquid and gas targets 4−9142
^{4}He(γ,n)^{3}He, calc. of scattering cross sections 4−19385
^{4}He(γ,n)^{3}He, threshold-110 MeV, evidence of 2$^+$ state in ^{3}He 4−12322
^{4}He(γ,p), below pion threshold, anal. using e.m. meson exchange currents 4−31341
^{4}He(γ,p)^{3}H, 200-350 MeV Δ(1236) region, differential cross section 4−23662
^{4}He(γ,p)^{3}H, 23-35 MeV, total and differential cross sections 4−19383
^{4}He(γ,p)^{3}H, calc. of scattering cross sections 4−19385
^{4}He(γ,pπ^-), high nuclear recoil momentum, yield meas., peripheral and resonant mechanisms 4−15763
^{4}He(γ,pπ^-)(ppn), anomaly in Δ(1236) resonance region 4−23663
^{4}He(γ,t)^{1}H, 32-72 MeV, total and differential cross sections 4−19383
^{4}He(n,n)^{4}He, asymmetry and polarisation function at 27.3 and 30.3 MeV 4−15836
^{4}He(n,n)^{4}He, comparison of analysing power calculated from various phase shift sets 4−15834
^{4}He(n,n)^{4}He, elastic scattering near 20 MeV, differential cross section, phase shifts 4−15835
^{4}He(p,2p), 65 MeV, energy dependence and multiple scattering effects 4−15812
^{4}He(p,2p)^{3}H, quasi-free proton-proton scattering, impulse approx. anal. 4−23694
^{4}He(p,p), 1.05 GeV, angular distribution 4−36199
^{4}He(p,p), 1.69 GeV/c elastic scattering, triple scattering effects 4−15820
^{4}He(p,p)^{4}He, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
^{4}He(p,p)^{4}He, 1.69 BeV/c, triple scattering effects, coupled channel model 4−23671
^{4}He(p,p)^{4}He, 20-40 MeV, polarisation and cross section meas. 4−15839
^{4}He(p,p)^{4}He, 3-18 MeV, polarisation ang. distribs., phase-shift representation 4−15838
^{4}He(p,p)^{4}He, elastic scatt. phase shifts above 40 MeV 4−40018
^{4}He(p,p)^{4}He, microscopic study, resonating-group method 4−650
^{4}He(p,p)^{4}He, reaction matrix analysis at 10 MeV 4−19429
^{4}He(p,p)^{4}He Glauber theory of multiple scattering, eikonal and Fresnel corrections 4−27290
^{4}He(p,pn)^{3}He, 1.3 GeV/c, neutron momentum distrib. 4−40019
^{4}He(π, π)^{4}He, forward scattering amplitude determ. using dispersion relns. 4−23721
^{4}He(π,π)^{4}He, forward scattering amplitude, dispersion reln. anal. 4−27358
^{4}He(π^-,nd), capture reactions, meas. of energies and opening angles for emitted pairs 4−12384
^{4}He(π^-,np), capture reactions, meas. of energies and opening angles for emitted pairs 4−12384
^{4}He($\pi^\pm$, $\pi^\pm$)^{4}He, 24-180 MeV, phase shift analysis by accelerated convergence expansion 4−15920
^{4}He(t,t)^{4}He, 6.0-12.25 MeV, absolute polarisation meas. 4−19495
^{4}He(t,t)^{4}He, triton polarisation meas. 4−19494
^{5}He, 5 nucleon system, compound nucleus reaction, E$\leqslant$30 MeV, level structure 4−27240
^{5}He, compound nucleus states, ^{3}H(d,p)pt and ^{3}H(d,n)pt reactions 4−31241
^{5}He as product of ternary fission, calc. 4−12397
^{5}He systems, penetration effects on resonance parameters 4−9128
^{11}He($\pi^-\pi^-$)^{11}He, medium and high energy, Glauber multiple scattering series 4−2715
$_\Lambda{}^4$He, lambda-sigma coupling effect 4−567
$_\Lambda{}^5$He, lambda-sigma coupling effect 4−567
^{4}Hr, 20-50 MeV proton total cross sections 4−40017
H(t,t)H, triton polarisation meas. 4−19494
^{5}Li, compound nucleus states, ^{3}H(d,p)pt and ^{3}H(d,n)pt reactions 4−31241
^{5}Li 5 nucleon system, compound nucleus reaction, E$\leqslant$30 MeV, level structure 4−27240
^{5}Li resonant states in ^{3}He(d,p)^{4}He reaction between 2.8 and 10 MeV 4−15884
nuclei with 6$\leqslant$A$\leqslant$19
^{18}F, populated in ^{19}F(π^+, πN), half-life 4−9308
A=12-19, systematics, variational calc. with density-dependent interaction 4−550
A=16 nuclei, particle-hole states calc. using Woods-Saxon approx. for single-particle pot. 4−39952
A=17 nuclei, electric quadrupole enhancements 4−410

nuclei with $6\leqslant A\leqslant 19$ continued
A=17-19 (2s-2d) shell nuclei, classification of single quantum excited states *(Russian)* 4−23620
A=18 nuclei, effective two-particle interaction, convergence props. of perturbation expansion 4−36123
A=3-19, fragments from bombardment of ^{48}Ti with ^{16}O 4−9291
A=6 system, structure, transition probabilities and π^- capture rates 4−31239
A=6 to 14, (d,p) reactions, polarised d, vector analysing power meas. 4−19510
A=6-14 nuclei, shell model calcs. with realistic interaction 4−12202
A=8 to 13 p-shell mass multiplets Gamow-Teller allowed decay mirror asymmetry 4−12281
A=9 to 14, (^{3}He,n) reactions, direct two proton transfer, 10 to 13 MeV 4−9234
angular distribution of light products in ^{232}Th+^{40}Ac system 4−9279
asymmetry in mirror Gamow-Teller β decay, for A=8, 9, 12, 13 p-shell multiplets 4−15720
C (graphite), neutron and secondary gamma counting rates, Monte Carlo calc. 4−31453
cluster model, Hartree-Fock calc., ^{12}C-^{40}Ca, A=4n, density distribs. 4−15676
cosmic ray, primary antinuclei content, upper limit estimation 4−22195
cross section for formation of $3\leqslant Z\leqslant 12$ elements in ^{232}Th, ^{22}Ne system 4−9277
energy spectra of light products $5\leqslant Z\leqslant 20$ in ^{232}Th+^{40}Ar system 4−9278
magnetic moments of odd-odd nuclei with $A\leqslant 90$, tables of theoretical and exptl. values *(Russian)* 4−407
mass-18 nuclei, doubly-partitioned calc. of effective two-particle interaction 4−494
natural parity states in $10\leqslant A\leqslant 14$ mass region, shell model calc. 4−504
odd-A, magnetic moments, M-5 non local interaction 4−416
odd-odd nuclei, ^{10}B to ^{42}Sc, calc. of strength of M1 and E2 transitions *(Russian)* 4−578
reaction γ-ray spectroscopy, transitions tabulated for A=6 to A=20 4−31282
sd shell, low-seniority levels, binding energies, $16<A\leqslant 40$ 4−12211
sd-shell nuclei, $18\leqslant A\leqslant 21$ and A=23, non-central interaction in SU$_3$ model 4−12207
shell model, SU$_3$ basis, truncation scheme for $13\leqslant A\leqslant 20$ 4−12206
single-particle states, A<35, systematics 4−2761
two-particle density matrix, calc. for excited $U_{3(n-1)}$ states, $A\leqslant 16$ *(Russian)* 4−31238
A=7 isobar, cluster model, anal. of generator coordinate and resonating group methods 4−5737
B isotopes, multi-nucleonic configurations *(Russian)* 4−27245
^{8}B, beta-decay, weak magnetism, second-class current interactions 4−27281
^{10}B, ^{11}B, K$^-$-meson absorption, below-threshold effects, mesonic atom energy levels 4−19544
^{10}B, 1.75 and 2.20 MeV levels, from deuteron and heavy particle stripping of ^{9}Be 4−19462
^{10}B, from ^{9}Be+p, level struct. near 10 MeV 4−27241
^{10}B, intermediate coupling with Projected Hartree-Fock functions *(French)* 4−2783
^{10}B, neutron damage on nuclear reactor pressure vessel steel weldment, effect of B 4−5916
^{10}B, photoneutron cross sections 4−2861
^{10}B, populated in ^{9}Be(α,t) reaction, energy level obs. 4−40029
^{10}B levels spectroscopy from ^{9}Be(d,n) reaction 4−9069
^{10}B(^{14}N,α)^{20}Ne, 25 and 35 MeV, reaction mechanism 4−9269
^{10}B(^{16}O, α)^{22}Na, high spin states in ^{22}Na 4−15636
^{10}B(α,$\alpha'\gamma$)^{12}C*, isospin forbidden reaction 4−9240
^{10}B(α,n)^{13}N at 1 to 5 MeV, meas. of differential cross section, ^{14}N deduced levels 4−12367
^{10}B(d,α)^{8}Be, final state α-spectra 4−27347
^{10}B(d,d^1)^{10}B, 5 to 16 MeV, isobaric spin violation 4−31386
^{10}B(n,α), integrated cross-section determ. by He meas. 4−36209
^{10}B(n,α)^{7}Li, reference cross-section, 0.002 to 0.15 eV, for ^{235}U(n,f), slow chopper meas. 4−12392
^{10}B(n,α)^{7}Li, use in nuclear pumping, gas lasers *(Japanese)* 4−35840
^{10}B(n,n)^{10}B, 1.5-4.4 MeV, ^{11}B energy levels 4−15627
^{10}B(n,t), cross-section meas. in fast neutron spectrum 4−36207
^{10}B(p,p)^{10}B, depolarisation parameter meas. 4−19447
^{11}B, evidence for level at 16.43 MeV, excitation functions 4−31244
^{11}B, giant resonance, isopin splitting following ^{9}Be(d,γ_0)^{11}B 4−19274
^{11}B, n.q.r. study of MgO-Na$_2$O-B$_2$O$_3$ and CaO-B$_2$O$_3$-Al$_2$O$_3$ glasses 4−20217
^{11}B, photoneutron cross sections 4−2861
^{11}B energy levels from ^{10}B(n,n)^{10}B, 1.5-4.4 Mev 4−15627
^{11}B ions, inelastic scattering from ^{208}Pb 4−5839
^{11}B+p→3α, cross-section formula, energy dependent terms *(French)* 4−2868
^{11}B(^{12}C, ^{12}C)^{11}B, 15 to 24 MeV, DWBA anal. of elastic transfer of 1p$_{3/2}$ hole 4−40034
^{11}B(^{16}O,^{15}N)^{12}C, calc. of DWBA cross section using computer program Kundry 4−2981
^{11}B(^{7}Li,p)^{17}N, recoil-distance lifetime meas., ^{17}N 4−591
^{11}B(α,n)^{14}N low energies, calc. of n polarisation 4−19527
^{11}B(d,n$_{1,0}$) 7 to 12 MeV, cross-section and n polarisation meas. DWBA anal. 4−19499
^{11}B(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
^{11}B(d,n)^{12}C, ang. distrib. and excitation functions, deuteron energies 3-5.5 MeV 4−27334
^{11}B(n,n), continuum shell model calc. below 10 MeV 4−9170
^{11}B(n,n)^{11}B, 2.2 to 4.5 MeV, levels, spins and parities of ^{12}B 4−15626
^{11}B(p,α)2α, sequential α-decay, reaction cross-sections 4−27330
^{11}B(p,n)^{11}C, ^{11}C prod. by tandem Van de Graaff accelerator, for medical uses 4−35379
^{11}B(p,p′), 30.3 MeV polarisation and asymmetry calc. using DWBA anal. 4−19449

nuclei with $6\leqslant A\leqslant 19$ continued
^{11}B(p,p) elastic and inelastic, 3.5 to 10.5 MeV, polarised protons in giant resonance regions 4−19451
^{12}B, levels, spins and parities from ^{11}B(n,n)^{11}B, 2.2 to 4.5 MeV 4−15626
^{12}B→^{12}C+e$^-$+ν, radiative corrections to asymmetry and energy spectra from polarised nuclei 4−12282
^{14}B, test of mass formula 4−2744
^{17}B, production and identification 4−2743
Be, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
Be isotopes, multi-nucleonic configurations *(Russian)* 4−27245
Be+^{16}O, high energy, fragmentation of relativistic heavy ion using incoherent droplet model 4−9248
^{6}Be, populated in (^{3}He,γ) reaction, resonant structure obs. 4−27338
^{6}Be, two-cluster model for hypothetical solar-neutrino related 0$^+$, T=1 level at 11.5 MeV 4−25901
^{6}Be*→^{3}He+^{3}He, in ^{6}Li(^{3}he,t) at 46.3 MeV, reln. to solar neutrino puzzle 4−9209
^{7}Be, alpha decay shell model and cluster model anal. of decay widths *(Russian)* 4−31316
^{7}Be decay constant rel. to pressure 4−5763
^{7}Be pop. in ^{6}Li(d,n) reaction below 3 MeV using polarised ^{2}H beam, Q-value determ. *(German)* 4−23699
^{7}Be systems, penetration effects on resonance parameters 4−9128
^{7}Be→^{7}Li, s electron radiative capture, internal bremsstrahlung spectrum 4−19354
^{8}Be, alpha decay shell model and cluster model anal. of decay widths *(Russian)* 4−31316
^{8}Be, alpha-particle model anal. of low-lying states 4−31242
^{8}Be, collective states description *(French)* 4−9093
^{8}Be, ground state rot. bands, moment of inertia, rot. angular vel. 4−438
^{8}Be, nuclear reactions and struct., composite particle reactions 4−27252
^{8}Be, rotational spectra anal. of ground rotational band 4−27273
^{8}Be, stability of α-cluster struct. 4−2793
^{8}Be, the 2$^-$ threshold state for ^{7}Li(p,n)^{7}Be 4−39940
^{8}Be detection efficiency using counter-telescopes with circular and rectangular collimation 4−26613
^{8}Be di-molecular structure, confirmation through α-decay width 4−537
^{8}Be ground state calc. from $\alpha\alpha$ forward disperson relations, 0-120 MeV 4−15888
^{8}Be region, α-α potential, anal. of generator coordinate and resonating group methods 4−5737
^{8}Be→α+α, fission effects, realistic single-particle K-matrix 4−2988
^{8}Be→$\alpha\alpha$, final state α-spectra from 2 different entrance channels 4−27347
^{9}Be, α-α potential, anal. of generator coordinate and resonating group methods 4−5737
^{9}Be, comparison of π+ and π^- total cross section near 3-3 resonance 4−2983
^{9}Be, magnetic elastic electron scattering, E=35 to 90 MeV 4−5783
^{9}Be, photoneutron reaction, cross-section, 1.667-15.5 MeV *(Russian)* 4−19380
^{9}Be, photoproduction of pions and protons, cluster structure effect on pion absorption probability *(Russian)* 4−15758
^{9}Be, pionic, strong interaction widths, shifts of 1s level 4−15645
^{9}Be, proton and neutron reaction in energy range 200 to 750 keV 4−12357
^{9}Be, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{9}Be, $\pi^\pm$ reactions, 90-860 MeV obs. optical pots. 4−40045
^{9}Be, structure, molecular orbit method 4−535
^{9}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4−424
^{9}Be$_\Lambda$ hypernucleus, excitation energies, calc. 4−12242
^{9}Be(^{12}C,α)^{17}O, search for nonstatistical resonances below Coulomb barrier 4−9295
^{9}Be(^{16}O,nα)^{20}Na, characts. 4−2976
^{9}Be(^{16}O,np)^{23}Na, characts. 4−2976
^{9}Be(^{3}He,^{3}He), 18 to 20 MeV, anal. of polarisation and cross-section ang. distribs. 4−19526
^{9}Be(^{3}He,α)^{8}Be, final state α-spectra 4−27347
^{9}Be(A,t)^{10}B, 27 MeV, ang. distrb. meas. ^{10}B levels determ. 4−40029
^{9}Be(α,α)^{9}Be, 1.4-2.5 MeV, elastic scattering, resonance at 1.93 MeV 4−31393
^{9}Be(d, tα)^{4}He 26.3 MeV, energy correlations, resonance states in ^{7}Li and ^{8}Be 4−12361
^{9}Be(d,α), angular distrib. meas., DWBA calc. 4−31392
^{9}Be(d,γ_0)^{11}B, 3-12 MeV isospin splitting in ^{11}B giant resonance 4−19274
^{9}Be(d,n), 3.0 to 3.5 MeV n polarisation meas. 4−19497
^{9}Be(d,n)^{10}B, 7-16 MeV, spectroscopy of ^{10}B levels 4−9069
^{9}Be(d,n)^{10}B, ang. distrib. and excitation functions, deuteron energies 3-5.5 MeV 4−27334
^{9}Be(d,n)^{10}B, deuteron and heavy particle stripping, neutron ang. distrib. 4−19462
^{9}Be(d,n)^{10}Be, neutron energy spectrum 4−40027
^{9}Be(d,p$_0$)^{10}Be at 0.9 to 3.1 MeV, ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
^{9}Be(d,p$_1$)^{8}Be, at 1.85 MeV, ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
^{9}Be(d,p), angular distrib. meas., DWBA calc. 4−31392
^{9}Be(d,t$_0$)^{8}Be at 0.9 to 3.1 MeV, ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
^{9}Be(d,t), angular distrib., meas., DWBA calc. 4−31392
^{9}Be(d,t)^{8}Be*→α+α, anal. of fully measured particle-particle correlation patterns 4−2903
^{9}Be(e,e) determ. of charge and current distribs. for 1p shell nuclei 4−27307
^{9}Be(γ,n), photoneutron production cross section, <3 MeV 4−12320
^{9}Be(n,p)^{9}Li, 14.1 to 14.9 MeV, cross-section meas. for delayed n yield 4−36206
^{9}Be(p,α)^{6}Li, 300 to 1250 keV, polarised p, differential analysing power and ang. distrib. anal. 4−19431
^{9}Be(p,d), 2.5 to 3.7 MeV, DWBA anal. deuteron D-state effect in tensor polarisation 4−15846

nuclei with $6\leqslant A\leqslant 19$ continued
^{9}Be(p,d)^{8}Be, 300 to 1250 keV, polarised p, differential analysing power and ang. distrib. anal. 4–19431
^{9}Be(p,p), ^{10}B level struct., obs. for different channels 4–27241
^{9}Be(p,p)^{9}Be, 5-12 MeV elastic scatt., cross section and polarisation, optical model anal. *(Russian)* 4–23684
^{9}Be(p,p)^{9}Be, 6-7 MeV elastic scattering, differential cross section and polarisation is optical model *(Russian)* 4–15788
^{9}Be(p,p)^{9}Be, depolarisation parameter meas. 4–19447
^{9}Be(p,p)^{9}Be depolarisation and spin-spin interaction, 25 MeV 4–2885
^{9}Be(p,pn), 46 MeV, ang. distrib. and cross-section meas. PW1A anal. 4–36196
^{9}Be(p,pn)^{8}Be, 12, 17 MeV, cross section anal. in dispersion theory for direct reactions, singlet deuteron formation *(Russian)* 4–23680
^{9}Be(p,xn), 724 MeV, n-spectra meas. comparison with intracascade model 4–19415
^{10}Be highly excited states populated by deuteron and triton bombardment of Li isotopes *(Russian)* 4–424
^{11}Be, short-lived product nuclei resulting from 1 GeV proton bombardment of various isotopes *(Russian)* 4–629
^{12}Be, mass excess determ. from ^{14}C(^{18}O, ^{12}Be)^{20}Ne reaction at 88.7 MeV 4–31408
^{12}Be, SU$_4$ symmetry, binding energy and many-body forces 4–27227
^{12}Be, test of mass formula 4–2744
^{14}Be, production and identification 4–2743
Be(e,e'), 1.2 GeV, quasielastic cross-section meas., 20-35° *(Russian)* 4–31348
C, absorption of cosmic ray protons, 20 to 10^5 GeV 4–7870
C, bremsstrahlung activation analysis, C and O traces in Na, Cs 4–2429
C, collisions with d, t, ^{3}He, ^{4}He at relativistic energies, Coulomb dissociation 4–23696
C, elastic and inelastic neutron scattering, 14 MeV, spectra 4–19418
C, multinucleon removal in 220 MeV π^- reaction 4–27360
C, muonic, X-ray transitions, nuclear charge radii 4–2750
C, π^+ absorption, 130 MeV, propane bubble chamber 4–668
C, $\pi^\pm$ reactions, 90-860 MeV obs. optical pots. 4–40045
C, stellar shell, explosive ejection in stellar evolution and nucleosynthesis 4–34599
C, total ηN interaction cross-section in η-meson photoproduction 4–9139
C electrodisintegration, study using nitrocellulose track detector *(French)* 4–30583
C ions in elastic transfer reactions, interference-resonance effects, collective model *(Russian)* 4–663
C isotopes, multi-nucleonic configurations *(Russian)* 4–27245
C isotopes, short-lived product nuclei resulting from 1 GeV proton bombardment *(Russian)* 4–629
C + n, ^{3}H-breeding ratio cross-section sensitivity in fusion reactor blanket 4–23909
^{10}C, short-lived product nuclei resulting from 1 GeV proton bombardment of various isotopes *(Russian)* 4–629
^{11}C, meas. of energy of excited states using cyclotron magnetic spectrograph 4–26637
^{11}C, populated in ^{12}C(π^+, πN), half-life 4–9308
^{11}C, prod. by tandem Van de Graaff accelerator, for medical uses 4–35379
^{11}C produced in ^{16}O(^{3}He,α)^{15}O 217 MeV, DWBA anal. and optical model parameters 4–2937
^{12}C, 14.4 MeV neutron induced multiparticle breakup reactions, unstable state study 4–15814
^{12}C, 15.8 and 19.6 MeV neutron scattering cross sections, generalized model of direct and resonant processes *(Russian)* 4–23656
^{12}C, 3-alpha model for ground state, charge form factor 4–31261
^{12}C, 40 MeV protons, small angle inelastic scattering 4–19240
^{12}C, 4.44 MeV gamma-rays from pion$^-$ absorption at rest in ^{16}O 4–12387
^{12}C, alpha decay shell model and cluster model anal. of decay widths *(Russian)* 4–31316
^{12}C, alpha-particle model calcs. of form factors and spectra 4–36142
^{12}C, anal. of low lying states from π-nucleus scattering data 4–12385
^{12}C, ang. distribs. of secondary γ-quanta and cross sections for excitation, 1 GeV proton scatt. 4–5800
^{12}C, anomalous levels, interpretation as loosely coupled 3α structure 4–435
^{12}C, as bound state of three-alpha system, separable potential phase shift analysis 4–15598
^{12}C, α clustered states, projected spectra 4–536
^{12}C, α-decay width anal. using R-matrix theory 4–27286
^{12}C, bombardment by ^{10}B ions, 100 MeV, nucleon-transfer reactions 4–9261
^{12}C, calc. of energy difference of second excited state and three alpha particles 4–15726
^{12}C, capture of μ^- mesons, emission probabilities and multiplicity distrib. determ. 4–2821
^{12}C, cluster transfer reactions, spectroscopic amplitudes 4–617
^{12}C, collective states description *(French)* 4–9093
^{12}C, comparison of π^+ and π^- total cross section near 3-3 resonance 4–2983
^{12}C, complex Hamiltonian and three α resonances 4–5735
α-^{12}C, di mol.-like struct. anal. of decay widths 4–5738
^{12}C, E = 180 MeV, fusion with ^{27}Al, competing reaction mechanisms 4–5841
^{12}C, electric dipole sum rule using BHF wave functions 4–31269
^{12}C, electron scattering form factors and α-particle description 4–5784
^{12}C, ground state in quasiparticle method with Coulomb forces 4–9096
^{12}C, ground state rot. bands, moment of inertia, rot. angular vel. 4–438
^{12}C, inelastic α-particle scattering, excitation energy spectrum, 3 α-particle states 4–27345
^{12}C, inelastic p scatt., 185 MeV, polarisation meas., DWIA calc. 4–23692
^{12}C, inelastic scattering from ^{166}Er and ^{168}Er, quantal effects 4–2960
^{12}C, interaction with ^{16}O, intermediate resonance in ^{28}Si compound system 4–9286

nuclei with $6\leqslant A\leqslant 19$ continued
^{12}C, K$^-$-meson absorption, below-threshold effects, mesonic atom energy levels 4–19544
^{12}C, magnetic elastic electron scattering, E = 35 to 90 MeV 4–5783
^{12}C, magnetic moment scattering of protons, parity-violating amplitudes 4–9205
^{12}C, model independent charge distribs. from (e,e) scattering data *(German)* 4–23594
^{12}C, model-independent charge density from elastic electron scattering 4–19268
^{12}C, muon capture, SU$_4$ breaking and allowed transitions 4–2818
^{12}C, photodisintegration, 250-1200 MeV, π absorpt. mechanism, proton prod. *(Russian)* 4–15755
^{12}C, pion photoproduction, 0.8 and 0.9 GeV, recoil proton polarisation meas. 4–357
^{12}C, polarisation of α-clusters 4–534
^{12}C, positive pion production by 185 MeV protons, one-nucleon reaction model 4–40011
^{12}C, proton elastic and inelastic scattering, 1 GeV, multiple diffractive anal. 4–23672
^{12}C, π inelastic scattering, distorted wave method for cross section calc. 4–15924
^{12}C, π photoproduction, 250 to 1200 MeV photon energy range 4–36181
^{12}C, π^- photoproduction, calc. of cross section 4–2862
^{12}C, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4–5843
^{12}C, radiative capture of tritons, giant resonance energy region 4–9224
^{12}C, radiative helion capture 4–5829
^{12}C, rms charge radii from relative electron scattering meas. at low energies 4–23597
^{12}C, rotational spectra anal. of ground rotational band 4–27273
^{12}C, spin-flip states, $\pi^+(\pi^-)$ photoproduction 4–5777
^{12}C, stability of α-cluster struct. 4–2793
^{12}C giant dipole and excited giant dipole states in continuum approximation 4–39942
^{12}C Hartree-Fock approx., ambiguities in intermediate-state particle spectrum calc. 4–31275
^{12}C heavy ion induced interactions in nuclear emulsion, 2.1 GeV/nuc 4–15913
^{12}C low lying states, alpha cluster model 4–533
^{12}C muonic atom, charge radii determ. from X-ray transition meas. 4–27230
^{12}C photodisintegration, bound-state shell model and R-matrix theory anal. 4–27303
^{12}C populated in (α,α^1) reaction, decay of 7.65 MeV state 4–31294
^{12}C resonant structure anal. in ^{9}Be(^{3}He,γ) reaction, 3 to 26 MeV 4–31398
^{12}C-^{12}C cross sections for elastic and inelastic scattering, fluctuation analysis 4–12377
^{12}C + ^{12}C, 100 MeV, secondary neutron spectra calc. 4–23712
^{12}C + ^{12}C elastic and inelastic scattering, 114 and 174 MeV, relative cross sections 4–12378
^{12}C + ^{13}C system, 20-36 MeV, elastic and inelastic transfer, coupled-channels code 4–2949
^{12}C + ^{16}O scatt., Regge-pole description 4–27356
^{12}C + ^{4}He, 100 MeV incident energy, secondary spectra calc. 4–23712
^{12}C + 2p → ^{14}O, three body resonances, coupled channel N/D method 4–2824
^{12}C + π, 120 to 280 MeV, local first order optical potential 4–31419
^{12}C*, break-up into three alpha-particles at 18.36 MeV 4–27330
^{12}C(^{11}B,2α)^{15}N, 28 MeV, energy spectra and cross section meas. reaction mechanism determ. 4–36219
^{12}C(^{12}C, α)^{20}Ne, identification of high spin states in s-d shell nuclei with new ang. correl. method 4–19298
^{12}C(^{12}C,^{12}C)^{12}C, excitation functions rel. to statistical model 4–9293
^{12}C(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4–9274
^{12}C(^{12}C,α_1)^{20}Ne*(α_2)^{16}O*(γ)^{16}O, 36.3, 37.2 MeV, triple correlation meas. of ^{20}Ne high-spin states 4–23598
^{12}C(^{12}C,α_1)^{20}Ne(α_2)^{16}O, 50 MeV, highly excited states of ^{20}Ne 4–9072
^{12}C(^{12}C,α)^{20}Ne, 18 to 25 MeV, excitation functions and statistical anal. 4–9290
^{12}C(^{12}C,n)^{23}Mg, lifetime meas. 4–5751
^{12}C(^{12}C,p)^{23}Na, lifetime meas. 4–5751
^{12}C(^{12}C,p)^{23}Na, possible ^{12}C + ^{12}C resonances 4–9289
^{12}C(^{12}C,p)^{23}Na, selective pop. of lowest-lying negative parity states in ^{23}Na 4–12382
^{12}C(^{12}C,p)^{23}Na resonance reaction, excitation function determ. 4–36223
^{12}C(^{13}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4–9300
^{12}C(^{14}N,^{13}N)^{13}C, 100 MeV, obs. of anomalous ang. distrib. 4–40035
^{12}C(^{14}N,^{6}Li)^{20}Ne, Hauser Feshbach treatment 4–9294
^{12}C(^{14}N,^{7}Be)^{19}F, Hauser Feshbach treatment 4–9294
^{12}C(^{14}N,d)^{24}Mg, absolute cross section meas. 4–9294
^{12}C(^{16}O, ^{20}Ne)^{8}Be, finite range DWBA calcs., pop. of ground state rotational band of ^{20}Ne 4–15906
^{12}C(^{16}O,^{8}Be)^{20}Ne, rel. contributions of direct and compound reaction mechanisms 4–9283
^{12}C(^{16}O,α)^{24}Mg, cross section enhancements beyond (2I + 1) rule for ^{28}Si compound nucleus formation 4–9299
^{12}C(^{16}O,α)^{24}Mg, resonance struct. 4–9287
^{12}C(^{16}O,α)^{24}Mg, statistical model, evidence for ^{24}Mg decay into ^{12}C + ^{12}C 4–9298
^{12}C(^{16}O,α)^{24}Mg, time-differential recoil-into-vacuum meas. of g-factor of ^{24}Mg short-lived state 4–19281
^{12}C(^{16}O,nα)^{23}Mg, characts. 4–2976
^{12}C(^{16}O,np)^{26}Al, emission of d*(T = 1) singlet deuterons 4–2976
^{12}C(^{3}He,^{3}He), 18 to 20 MeV, anal. of polarisation and cross-section ang. distribs. 4–19526
^{12}C(^{3}He,^{3}He), 217 MeV elastic scattering, Glauber approx. 4–15736
^{12}C(^{3}He,^{7}Be), 25.5 to 30 MeV, finite range coupled channels anal. 4–9238
^{12}C(^{3}He,^{7}Be)^{8}Be, FRDWBA anal. of 0^+ to 0^+ ground state transitions 4–9237
^{12}C(^{3}He,α)^{11}C, 217 MeV, DWBA anal. and optical model parameters 4–2937

nuclei with 6⩽A⩽19 continued
^{12}C(^{3}He,p)^{14}N, 2.4 to 3.6 MeV, p polarisation meas. R-matrix theory anal. 4−19528
^{12}C(^{3}He,p)^{14}N*(p′)^{13}C, 12 to 14 MeV, ang. correlation anal. of p decay of ^{14}N states 4−31399
^{12}C(^{6}Li,^{8}B)^{10}Be, 80 MeV, energy spectra 4−9260
^{12}C(^{6}Li,d) ^{16}O, 19 to 24 MeV, excitation functions and d-γ angular correlation, mechanism study 4−9250
^{12}C(^{7}Li, α)^{15}N triton transfer, 28-38 MeV, α spectra, DWBA calc., mechanism 4−664
^{12}C(^{7}Li,^{3}H)^{16}O, 36 to 40 MeV, population of states 4−9268
^{12}C(^{7}Li,α)^{15}N, to 16 MeV, triton transfer reaction mechanism 4−9266
^{12}C(K$^-$, π^-)^{12}C$_\Lambda$, 390 MeV/c, hypernucleus excitation spectrum 4−15928
^{12}C(P,π)^{12}C forward scattering amplitudes, dispersion reln. anal. 4−27358
^{12}C(2,2p), 460 MeV, background resonance interference, inner shell structure 4−19400
^{12}C(α, ^{8}Be)^{8}Be reaction, search for 8$^+$ level in ^{16}O 4−19297
^{12}C(α, α^1)^{12}C, 18 to 27 MeV, ang. distrib. and cross section meas. in backward scattering 4−2919
^{12}C(α, γ)^{16}O, test of parity nonconservation, irregular alpha-widths 4−9228
^{12}C(α,^{8}Be)^{8}Be reaction, search for 8p-8h 8$^+$ state in ^{16}O 4−445
^{12}C(α,$\alpha'\gamma$)^{12}C, anal. of $\alpha\gamma$ angular correlation functions *(Russian)* 4−15893
^{12}C(α,$\alpha'\gamma$)^{12}C*, isospin forbidden reaction 4−9240
^{12}C(α,α)^{12}C, 3-10 MeV, parity-nonconservation effects in ^{16}O 4−27336
^{12}C(α,α)^{12}C, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{12}C(α,α)^{12}C scattering, forward dispersion relations 4−2929
^{12}C(α,γ_0)^{16}O E_α=10 to 27.5 MeV, ^{16}O dipole and quadrupole resonances 4−5828
^{12}C(α,γ)^{16}O, cross-section at astrophysical energies, reln. to dynamical behaviour of stars 4−15902
^{12}C(α,γ)^{16}O, search for parity nonconserving effects 4−23711
^{12}C(α,γ)^{26}O, cross section at astrophys. energies, R-matrix optical model 4−31394
^{12}C(α,n$_0$)^{15}O threshold reaction for accelerator energy calibration 4−26573
^{12}C(d,α_2)^{10}B, 14 to 16 MeV, isospin forbidden, ^{14}N levels anal. 4−31385
^{12}C(d,d′)^{12}C, isospin violation, four-channel mechanism 4−2899
^{12}C(d,d′)^{12}C*$\rightarrow\alpha+{}^8$Be, anal. of fully measured particle-particle correlation patterns 4−2903
^{12}C(d,d), 12.3 MeV, tensor analysis powers, incident polarised d 4−19504
^{12}C(d,d), 2.71 MeV, cross-section meas. ^{14}N deduced levels 4−31381
^{12}C(d,d)^{12}C, 41-51 MeV, differential cross section fitting, vector polarisation 4−19489
^{12}C(d,d)^{12}C*, effect of intermediate channels in isospin forbidden reactions 4−19469
^{12}C(d,np), 5.2-9.8 MeV, excitation functions, interference effects, proximity scattering 4−23705
^{12}C(d,p), 12-15 MeV, compound-nucleus and deuteron D-state effects in T$_{20}$ analysing power 4−9208
^{12}C(d,p) 12.3 MeV, tensor analysing powers, incident polarised d 4−19504
^{12}C(d,p) appl. of real Weinberg state method to ^{12}C unbound levels 4−2889
^{12}C(d,p) at 12.35 MeV, polarisation meas. and DWBA anal. 4−19502
^{12}C(d,p)^{13}C, 2.71 MeV, cross-section meas. ^{13}C deduced levels 4−31381
^{12}C(d,p)^{13}C, 51 MeV, differential cross section and p polarisation meas. 4−19503
^{12}C(d,p)^{13}C, d vector polarisation, 13.6 MeV 4−19492
^{12}C(d,p)^{13}C, energies near 1.2 MeV, angular differential cross-sections *(Russian)* 4−646
^{12}C(d,p)^{13}C, second order processes and resonances 4−5820
^{12}C(d,p)^{13}C*, second-order processes in direct reactions 4−27297
^{12}C(d,pn)^{12}C, 5.15-6.5 MeV, energy dependence of p-n proximity scattering 4−15858
^{12}C(e,e′) high energy electrodisintegration nucleon channel coupling in shell model calcs. 4−12327
^{12}C(e,e′p), removal and kinetic energies of protons 4−5785
^{12}C(e,e′p)^{11}B, DWBA anal. using spherical Hartree-Foch wave functions 4−27308
^{12}C(e,e) meas. of ratio G_e/G_m of p form factors at very low momentum transfer 4−12329
^{12}C(γ, π^-)^{12}N, photoproduction of charged pions near threshold, total cross sections 4−9140
^{12}C(γ, π^+)^{12}B, photoproduction of charge pions near threshold, total cross sections 4−9140
^{12}C(γ,np) quasideuteron model anal. review of development *(Russian)* 4−15757
^{12}C(γ,π^-)^{12}N, shell model and Helm model anal. 4−27302
^{12}C(γ,π^-)^{12}N, threshold to 375 MeV, total cross-section meas. *(Russian)* 4−31343
^{12}C(γ,π^+)^{12}B, shell model and Helm model anal. 4−27302
^{12}C(γ,$\pi^\pm$), 300-850 MeV, charged pion momentum spectra, cross sections 4−12323
^{12}C(γ,$\pi^\pm$), giant resonance excitation, comparison of shell model and Helm model 4−15762
^{12}C(n,α_0)^{9}Be, 14.1 MeV, DWBA anal., direct interaction mechanisms 4−39997
^{12}C(n,n′γ), obs. of low-energy γ radiation 4−40013
^{12}C(n,n), 3 to 7 MeV, n polarisation map determ. 4−19432
^{12}C(n,n) elastic and inelastic, 14 MeV polarised n, optical-model anal. 4−19433
^{12}C(n,n) elastic and inelastic, 15 MeV, n polarisation meas. 4−19434
^{12}C(n,n) resonant scattering, appl. of real Weinberg state method to ^{12}C unbound levels 4−2889
^{12}C(n,n)^{12}C, 2.63 MeV, neutron polarisation, phase shift meas. 4−15779
^{12}C(n,p), shell model anal. of high-energy peaks in cross-sections *(Russian)* 4−31377

nuclei with 6⩽A⩽19 continued
^{12}C(p,α)^{8}Be, alpha-particle break up, depend. on excitation state 4−27332
^{12}C(p,p′), 1 GeV, differential cross-section calc. using diffraction and scattering model 4−39982
^{12}C(p,p′), 1 GeV inelastic scatt., Glauber multiple diffraction model 4−31363
^{12}C(p,p′), 185 MeV, p polarisation in 3$^-$ level excitation 4−15841
^{12}C(p,p′) spin-flip transitions, giant multipole reson., excitation 4−9203
^{12}C(p,p′)^{12}C, 25 MeV, correl. effects in microscopic anal. 4−2886
^{12}C(p,p′)^{12}C, spin flip probability, compound resonance mechanism 4−9173
^{12}C(p,p’) 4.8 to 8 MeV, coupled-channel model anal. 4−19435
^{12}C(p,p’) at 185 MeV, polarisation meas. DWBA, DWIA and strong absorption model anal. 4−12336
^{12}C(p,p)^{12}C, elastic scattering cross section and polarisation meas. by thick target method *(Russian)* 4−23683
^{12}C(p,p)^{12}C, Glauber theory of multiple scattering, eikonal and Fresnel corrections 4−27290
^{12}C(p,p)^{12}C*, 50 MeV, polarisation-asymmetry inequality 4−2888
^{12}C(p,pn), 46 MeV, ang. distrib. and cross-section meas. PW1A anal. 4−36196
^{12}C(p,t) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{12}C(π, 3π)^{12}C* coherent particle production, excitation of discrete nuclear levels 4−36231
^{12}C(π, π)^{12}C, forward scattering amplitude determ. using dispersion relns. 4−23721
^{12}C(π,π), three-body effects in optical potential in (3,3) resonance region 4−36229
^{12}C(π^-, 2p + anything), 4 and 7.5 GeV/c proton pairing correlations 4−27364
^{12}C(π^-, ρ^0)^{12}C, 3.72 GeV/c, for ρN total cross section *(Russian)* 4−36234
^{12}C(π^-,π^-)^{12}C, 180 MeV, Glauber approx. calc. of differential cross section, harmonic oscillator boson model 4−15919
^{12}C(π^+, πN)^{11}C, 134-200 MeV, cross section meas. in 3/2, 3/2 resonance region 4−9308
^{12}C($\pi^\pm$, πN)^{11}C knockout reactions, 30-90 MeV, cross sections, impulse model 4−19542
^{13}C, 7.50 and 7.55 MeV levels, effect on phase shifts in ^{12}C(n,n)^{12}C 4−15779
^{13}C, chemical shielding anisotropies in organic compounds, LCAO-MO-MINDO calc. 4−31895
^{13}C, chemical shift, n.m.r., methanol in nematic cryst. solvent 4−9582
^{13}C, chemical shift, self consistent perturbation gauge LCAO calc. 4−40318
^{13}C, chemical shift atomic INDO parameters for F in organic compounds 4−12606
^{13}C, e.p.r. of C$_2$H in inert gas matrix, hyperfine splitting 4−6110
^{13}C, hyperfine struct., in 1,4-dihydropyrazine cation 4−16123
^{13}C, meas. of g-factor of 3.85 MeV level populated in ^{2}H(^{12}C,p)^{13}C reaction by time differential recoil in vac. 4−414
^{13}C, n.m.r., chemical shifts, trimethylene sulphite conformational anal. 4−31893
^{13}C, n.m.r., state-of-the-art 4−14933
^{13}C, n.m.r. applics. to stereochemistry 4−16126
^{13}C, n.m.r. in cyclic cpds. 4−16127
^{13}C, n.m.r. in phenyltin and para-tolyltin (IV) trichlorides, coupling consts. and Si analogue chemical shift 4−41284
^{13}C, n.m.r. in polyisobutylene, PVC, polyacrylonitrile, and polyvinyl alcohol, spin-lattice relaxation 4−37519
^{13}C, n.m.r. of benzene adsorbed on charcoal and silica gel 4−28280
^{13}C, n.m.r. of quaternary ammonium salts and isonitriles 4−19883
^{13}C, n.m.r. of U$_2$C$_3$, electronic transition obs. *(French)* 4−20878
^{13}C, n.m.r. of unsaturated fatty acids, elec. field effects 4−12609
^{13}C, $\pi^\pm$ photoproduction and $T_>$ vs. $T_<$ analogue states 4−5776
^{13}C, $\pi^\pm$ production by 185 MeV protons 4−15783
^{13}C, shell model analysis of photo reactions 4−5730
^{13}C, substituted in pyridine, microwave spectra, quadrupole coupling, substitution struct. 4−19852
^{13}C analysis, using low energy protons, ^{12}C(p,γ)^{13}N and ^{13}C(p,γ)^{14}N reactions 4−15047
^{13}C chem. shielding anisotropy in acetonitrile 4−33281
^{13}C Fourier transform spectroscopy in solids by double resonance indirect detection 4−41234
^{13}C giant dipole resonance, isospin splitting continuum shell model anal. 4−39985
^{13}C n.m.r., chemical shift tensor 4−6104
^{13}C n.m.r., perfluorocyclobutanone chemical shifts and coupling consts. 4−28717
^{13}C n.m.r., relax. time obs. of organic mol. dynamics and stereochemistry 4−16128
^{13}C n.m.r. data, nonheuristic computer analysis for mol. struct. elucidation 4−36554
^{13}C n.m.r. displacement in boron trihalide complexes with special ethers 4−27713
^{13}C n.m.r. relax. meas. of mol. motion in micellar solns. 4−1687
^{13}C n.m.r. shifts in org. cpds., temp. effects 4−3200
^{13}C n.m.r. spectra and shielding of ligand nuclei in π-complexes of transition d-metals 4−856
^{13}C n.m.r. spectroscopy, organic compounds, assignment of ^{13}C resonance signals 4−854
^{13}C populated in ^{12}C(d,p) at 2.71 MeV levels determ. 4−31381
^{13}C spin echoes in solids 4−16995
^{13}C unbound levels, from neutron scattering and (d,p) on ^{12}C, real Weinberg state method 4−2889
^{13}C$_\Lambda$ hypernucleus, excitation energies, calc. 4−12242
^{13}C + ^{12}C system, 20-36 MeV, elastic and inelastic transfer, coupled-channels code 4−2949
^{13}C(^{12}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4−9300
^{13}C(^{14}N,α)^{23}Na, 40 MeV, selective excitation of high spin states 4−9285
^{13}C(^{14}N,p)^{26}Mg, 40 MeV, selective excitation of high spin states 4−9285
^{13}C(^{16}O,nα)^{24}Mg, characts. 4−2976
^{13}C(^{16}O,np)^{27}Al, characts. 4−2976

nuclei with $6 \leqslant A \leqslant 19$ continued
^{13}C(α, α^1)^{13}C, 18 to 27 MeV, ang. distrib. and cross section meas. in backward scattering 4−2919
^{13}C(α,d)^{15}N, deuteron ang. distrib. and reaction cross sections, E_α=13-25 MeV *(Russian)* 4−19514
^{13}C(α,n)^{16}O, determ. of J^π of states in ^{17}O near 8 MeV 4−19529
^{13}C(α,n)^{16}O, determ. of absolute parities of ^{17}O states from S-matrix anal. 4−19530
^{13}C(α,t)^{14}N, 27 MeV, ang. distrib. meas. ^{14}N levels determ. 4−40029
^{13}C(d,pγ)^{14}C, ^{14}C first excited state, lifetime determ. 4−590
^{13}C(e,e) determ. of charge and current distribs. for 1p shell nuclei 4−27307
^{13}C(p,p′), 30.3 MeV polarised p, coupled channel anal. 4−19450
^{13}C(π^+, π^0)^{13}N, Glauber model analysis 4−31416
^{13}C(π^+, π^0)^{13}N pion charge exchange scattering, Glauber model 4−36228
^{14}C, ang. distribs. for proton capture leading to ground state following ^{13}C(p,π^+) 4−15783
^{14}C, charging of Fe-Cr alloys, high resolution radiography 4−29275
^{14}C, continuous monitoring in flowing blood using flow-cell device 4−35497
^{14}C, g-factor of 100ps, I^π=3$^-$ level populated in ^{3}H(^{12}C,p)^{14}C reaction 4−415
^{14}C, lifetime of excited states from (d,pγ) reaction 4−15701
^{14}C, lifetime of first excited state 4−590
^{14}C, radioactive age determ., extension of accuracy by isotope enrichment *(German)* 4−40145
^{14}C giant resonance, muon capture by ^{14}N 4−2864
^{14}C radiocarbon dating measurements, computer program, data processing 4−21636
^{14}C(^{16}O,^{18}O)^{12}C, 20, 25 and 30 MeV, interference between transfer processes 4−9262
^{14}C(^{18}O, ^{12}Be)^{20}Ne, 88.7 MeV, ^{12}Be mass excess determ. 4−31408
^{14}C(p,γ)^{15}N, giant dipole resonance of ^{15}N, E2 and M1 radn. 4−19341
^{15}C, shell model anal. of T=3/2 analogue states 4−12204
^{16}C(π^-, 2n), three-body problem anal. using Faddeev eqns. 4−27359
$_6{}^{11}$C, prod. from heavy charged particles, localisation 4−8179
C(π^+, π^+p), 60 and 112 MeV, reactions at small momentum transfer, cross sections and ang. distrib. pole mechanism *(Russian)* 4−15922
F, multinucleon removal in 220 MeV π^- reaction 4−27360
^{12}F, n.m.r. in CaF$_2$, residual linewidth 4−13352
^{16}F, pop. in ^{14}N(^{3}He,n)^{16}F, determ. of J^π and transition L-values 4−9066
^{17}F in tetragonal MgF$_2$ single crystal, quadrupole efects in n.m.r. spectra 4−12148
^{17}F reactor performance monitor, D$_2$O moderator *(German)* 4−3008
^{17}F-^{17}O, monopole polarisation charges, microscopic calc. 4−2748
^{17}F-^{17}O mirror nuclei, microscopic description of isovector monopole vibration and Coulomb energy difference 4−15684
^{18}F, ^{19}F, Eλ transition operators, spin dependence 4−12263
^{18}F, projected Hartree-Fock wave functions 4−12231
^{18}F, two particle random phase approximation for energy levels using 4p-2h core correls. 4−12237
^{18}F, Van de Graaff prod., clinical use 4−8181
^{18}F compound nucleus in ^{16}O(d,α) isospin-forbidden and-allowed reactions, spin assignments 4−9210
^{18}F isospin purity of excitation levels *(Russian)* 4−408
^{18}F scintigraphy, femoral head circulation 4−35048
^{18}F(p, d)^{18}F, anal. in peripheral model with nuclear form factor 4−2876
^{19}F, 3.5 to 7.0 MeV proton scattering, search for intermediate structure 4−9193
^{19}F, α-cluster plus ^{16}O core model explanation of weak coupling scheme 4−5739
^{19}F, chemical shift in BeF$_2$ 4−25010
^{19}F, cluster structure from elastic transfer with ^{15}N,^{16,18}O 4−2953
^{19}F, Coulomb excitation, timing with thin-film detectors in perturbed ang. correlations expt. 4−26593
^{19}F, double ENDOR, hyperfine interactions in CaF$_2$:Tm^{2+} 4−10358
^{19}F, gamma-radiation, linear polarisation, effect of hyperfine interaction 4−12261
^{19}F, n.m.r. in substituted aryl fluorides, chemical shifts 4−36543
^{19}F, n.m.r. in trans-1-fluoro-2-iodocyclohexane 4−9573
^{19}F, n.m.r. in trifluoro-1,2-oxathietane-2,2-dioxide, mol. config. and coupling consts. 4−24118
^{19}F, n.m.r. spectra, magnetic screening in KMgF$_3$, KZnF$_3$, RbZnF$_3$ 4−1351
^{19}F, parity-mixing of ground and first excited states from obs. of parity-violating transition 4−411
^{19}F, shell model predictions of three and four particle cluster transfer spectroscopic factors 4−15663
^{19}F, spin lattice relax. in 1,3,5-trifluorobenzene 4−28721
^{19}F, spin-lattice relaxation time, n.m.r. of carbon tetrafluoride 4−19869
^{19}F, wave functions, comparison by reaction studies, DWBA calcs. 4−642
^{19}F CIDNP in 1,2,2-triphenylethyl chloride 4−10739
^{19}F induced fusion reaction products, mass distrib. 4−5863
^{19}F induced transfer reactions, projectile excitation 4−9255
^{19}F n.m.r., perfluorocyclobutanone chemical shifts and coupling consts. 4−28717
^{19}F to ^{16}O, core excited state series, microscopic alpha + core model 4−538
^{19}F(^{10}B,^{9}Be)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{19}F(^{3}He,d)^{20}Ne, 20-23 MeV, angular distrib. and excitation function, collective model analysis 4−9231
^{19}F(^{6}Li, ^{6}He), 34 MeV, ang. distrib. meas. and DWBA anal. 4−36220
^{19}F(α,nγ)^{22}Na, 11 MeV, neutron-gamma coincidence meas. for transitions between states <5 MeV 4−19344
^{19}F(α,nγ)^{22}Na, 5-8 MeV, rotational structure, e.m. transitions for levels E_{ex}<4.0 MeV 4−19343
^{19}F(α,nγ)^{22}Na, rot. band structure determ. of ^{22}Na 4−12265
^{19}F(p, $\alpha\gamma$), 1.375 MeV, hyperfine interactions of 6.13 MeV 3$^-$ state of ^{16}O ions recoiling into vacuum 4−9063
^{19}F(p,^{3}He)^{17}O, 42.4 and 49.5 MeV, analysing power differential cross section, spin depend., coherent summations 4−19405

nuclei with $6 \leqslant A \leqslant 19$ continued
^{19}F(p,α)^{16}O*, direct lifetime meas. of 6.05 MeV 0$^+$ level in ^{16}O 4−12248
^{19}F(p,t)^{17}F, 42.4 MeV, differential cross section, spin depend., coherent summations 4−19405
^{19}F(π^+, πN)^{18}F, 134-200 MeV, cross section meas. in 3/2, 3/2 resonance region 4−9308
^{19}F(t,$\alpha\gamma$), 2.4 MeV, ^{18}O level scheme with excitation energy <8 MeV 4−19290
^{17,18}F pop. in (p,γ) reactions at 0.3 to 3.1 MeV, spectroscopic factors for final states 4−15776
^{6}He, branching ratios to states following radiative pion capture in ^{6}Li 4−19541
^{6}He, time-of-flight meas. following (^{3}He, ^{6}He) reaction, study of Z>N nuclei 4−9244
^{6}He produced in ^{235}U fission, energy spectrum meas. 4−2991
^{8}He, SU$_4$ symmetry, binding energy and many-body forces 4−27227
K$^-$N inelastic two-body channels, energy-dependent partial wave analysis, resonance obs. 4−2715
Li, p bombardment at 5o to 10 MeV, n yield meas. 4−19398
Li, spallation in near-barrier energy region, quasiclassical approach 4−27289
Li isotopes, bombardment with deuterons and tritons, production of highly excited states of ^{9}Be and ^{10}Be *(Russian)* 4−424
Li isotopes, multi-nucleonic configurations *(Russian)* 4−27245
^{6}Li, ^{7}Li, comparison of π^+ and π^- total cross section near 3-3 resonance 4−2983
^{6}Li, 50-150 MeV photon spectra from pion absorption 4−23724
^{6}Li, alpha decay, shell model and cluster model anal. of decay widths *(Russian)* 4−31316
^{6}Li, alpha-deuteron cluster structure 4−15677
^{6}Li, breakup near Coulomb barrier 4−2972
^{6}Li, depth of penetration determ. in SiO$_2$-Al$_2$O$_3$-Na$_2$O glass *(Polish)* 4−4200
^{6}Li, energy levels, oscillator cluster parent states and supermultiplet expansion 4−27253
^{6}Li, energy levels from elastic scattering of nucleons *(French)* 4−9149
^{6}Li, form factor parameters applied to energy calcs., considering short-range correlations 4−27239
^{6}Li, inelastic electron scattering, low momentum transfer 4−5787
^{6}Li, meas. of polarisation using (d,α) reaction 4−19532
^{6}Li, muon capture, SU$_4$ breaking and allowed transitions 4−2818
^{6}Li, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{6}Li, photoproduction of pions and protons cluster structure effect on pion absorption probability *(Russian)* 4−15758
^{6}Li, pionic, strong interaction widths, shifts of 1s level 4−15645
^{6}Li, π^- absorption, appl. of πNN effective interaction in deformed α-deuteron cluster model 4−15923
^{6}Li, $\pi^\pm$ reactions, 90-860 MeV obs. optical pots. 4−40045
^{6}Li, solar-neutrinos related M1 transition 4−25901
^{6}Li, state assignations from polarisation transfer meas. on ^{4}He(d,d)^{4}He 4−15856
^{6}Li, sum rule photodisintegration cross sections 4−31338
(^{6}Li,^{6}He), microscopic anal. with DWBA 4−2973
(^{6}Li,^{6}He), two step anal. of spin forbidden $0^+ + 1^+ \rightarrow 0^+ + 0^+$ transition 4−2974
^{6}Li cluster structure anal. from distorted wave interpretation of cluster knock out reactions 4−12360
^{6}Li dissociation in field of ^{208}Pb, 24-30 MeV, three-particle correlations 4−27355
^{6}Li elastic scattering of α-particles, α-deuteron cluster structure of target 4−658
^{6}Li induced transfer reaction at 10 to 30 MeV, review of data anal. 4−15910
^{6}Li sandwich detector, neutron spectroscopy, energy range 10 to 500 keV 4−8489
^{6}Li scattering system, microscopic calc., description for elastic α-d scatt. 4−36215
^{6}Li semiconductor sandwich technique, reproducibility, investigation 4−8490
^{6}Li system, elastic ^{4}He + ^{2}H scattering data, microscopic theory 4−651
^{6}Li-^{6}Li optical potential, 9-16 MeV 4−9253
^{6}Li-loaded glass detector for neutron cross-section meas. on Harwell synchrocyclotron 4−26642
^{6}Li + n, ^{3}H-breeding ratio cross-section sensitivity in fusion reactor blanket 4−23909
^{6}Li(^{3}He,p)^{8}Be, 1.4 to 2.0 MeV, p polarisation meas. 4−19525
^{6}Li(^{3}He t), 46.3 MeV, search for Be* resonant final state, reln. to solar neutrino puzzle 4−9209
^{6}Li(^{6}Li, ^{6}He)^{6}Be, 28 to 36 MeV, DWBA calcs. 4−31410
^{6}Li(^{6}Li, ^{6}He)^{6}Be, 32 to 36 MeV, violation of charge independence criterion 4−31409
^{6}Li(^{6}Li, ^{6}Li*)^{6}Li*, 32 to 36 MeV, violation of charge independence criterion 4−31409
^{6}Li(^{6}Li, ^{6}Li*)^{6}Li*, 28 to 36 MeV, DWBA calcs. 4−31410
^{6}Li(^{6}Li,^{6}Li)^{6}Li, 10 and 14 MeV, mutual elastic and inelastic scattering 4−2966
^{6}Li(^{6}Li,^{6}Li)^{6}Li, E_{cm}=2.10 MeV, excitation functions and ang. distribs. of differential cross section 4−23718
^{6}Li(α,2α), 42.8 MeV, distorted wave impulse approx. 4−9218
^{6}Li(α,α)^{6}Li, cross-sections from R-matrix theory, computer program 4−5824
^{6}Li(d, dd)^{4}He, E=6−11 MeV, quasi-free scattering 4−5816
^{6}Li(d,2d), 27 MeV, distorted wave impulse approx. 4−9218
^{6}Li(d,2d)^{4}He, E_d=27 MeV, distortion effects analysis 4−5818
^{6}Li(d,α)^{4}He, 0.4 to 1 MeV polarised d, analyzing power meas. 4−19487
^{6}Li(d,α)^{4}He, 3 to 11.5 MeV polarised deuterons, vector analysing power meas. *(German)* 4−23700
^{6}Li(d,dα), 27 MeV, distorted wave impulse approx. 4−9218
^{6}Li(d,n), below 3 MeV polarised ^{2}H beam, Q-value determ. of ^{7}Be energy levels *(German)* 4−23699
^{6}Li(d,tp)^{4}He, deuteron-cluster deformation, plane wave approx. 4−19468
^{6}Li(e,e′p)^{5}He, high energies, anal. of ^{6}Li α-d structure in cluster model *(Russian)* 4−31349

nuclei with $6 \leqslant A \leqslant 19$ continued
^{6}Li(e,e), charge and current distrib. determ. for 1p shell nuclei 4−27307
^{6}Li(γ,^{2}H)^{4}He, M1 transitions, admixture of D-state in wave functions 4−2863
^{6}Li(γ,τ)^{3}H, photo breakup reaction, unified nuclear theory, cluster model, 16-35 MeV 4−31340
^{6}Li(n,t)^{4}He, 0.1-1.8 MeV, differential cross sections, absolute triton and α-particle yields 4−36195
^{6}Li(p,^{3}He)^{4}He, 3 to 45 MeV, direct reaction behaviour from ang. distrib. and differential cross section meas. 4−2894
^{6}Li(p,^{3}He)^{4}He, composite particle reactions 4−27252
^{6}Li(p,2p)^{5}He, 46 MeV knock-out reaction, comparison with (p,pn) reaction 4−23695
^{6}Li(p,n)^{4}Be, differential cross sections at 14.9 and 17.8 MeV, charge-exchange part of two-particle effective interaction *(Russian)* 4−15787
^{6}Li(p,pd) at 19 MeV, cross section meas. rel. to Treiman-Yang test for pole approx. 4−15775
^{6}Li(p,pd)^{4}He, exchange processes, quasifree knockout reaction 4−19410
^{6}Li(p,pn), 46 MeV, ang. distrib. and cross-section meas. PW1A anal. 4−36196
^{6}Li(p,pn)^{5}Li, 46 MeV knock-out reaction, comparison wih (p,2p) reaction 4−23695
^{6}Li(π, π)^{6}Li, forward scattering amplitude determ. using dispersion relns. 4−23721
^{6}Li(π,γ), 50-150 MeV gamma-ray spectrum, branching ratios to ^{6}He states 4−19541
^{6}Li(π,π)^{6}Li forward scattering amplitudes, dispersion reln. anal. 4−27358
^{6}Li(π^{-}, nn), calc. of recoil momentum distrib. using cluster model 4−36230
^{6}Li(π^{-}, ν)^{6}He, partial radiative capture rate calc., impulse approximation 4−15915
^{6}Li(π^{+},2p), 0-100 MeV, s-wave pions, structure probe 4−23727
^{7}Li, ^{9}Be, ^{12}C, ^{16}O, ang. distrib. of protons from bremsstrahlung, max. energy 400 MeV 4−624
^{7}Li, 14.4 MeV neutron induced multiparticle breakup reactions, unstable states study 4−15814
^{7}Li, alpha decay shell model and cluster model anal. of decay widths *(Russian)* 4−31316
^{7}Li, breakup near Coulomb barrier 4−2972
^{7}Li, monoenergetic neutron source, stability 4−8491
^{7}Li, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{7}Li, n.m.r. in LiVO$_{3}$, quadrupole interactions 4−6793
^{7}Li, n.m.r. in lithium acetate dihydrate 4−37499
^{7}Li, nuclear reactions and struct., composite particle reactions 4−27252
^{7}Li, photoproduction of pions and protons, cluster structure effect on pion absorption probability *(Russian)* 4−15758
^{7}Li, pionic, strong interaction widths, shifts of 1s level 4−15645
^{7}Li, $\pi^{\pm}$ reactions, 90-860 MeV obs. optical pots. 4−40045
^{7}Li electrodisintegration, alpha-triton oscillator cluster wave functions 4−15770
^{7}Li induced reactions at 10 to 30 MeV, review of anal. of transfer reaction data 4−15910
^{7}Li nuclear relaxation, in muscle cells and ion-exchange resins 4−22508
^{7}Li systems, penetration effects on resonance parameters 4−9128
^{7}Li^{+}, in liquid crystal, static quadrupolar effects rel. to ion binding 4−10331
^{7}Li(^{3}He,p)^{9}Be reaction, 3.2, 4.5, 10 MeV, cluster-transfer analysis 4−655
^{7}Li(d,α)^{5}He, determ. width of ^{5}He ground state *(French)* 4−19287
^{7}Li(d,α)αn, 180 keV, α-α, α-n coincidence meas. techniques 4−23697
^{7}Li(e,e′p)^{6}He, 1200 MeV, proton ang. distrib., 1s, 1p shell parameters 4−39992
^{7}Li(e,e), determ. of charge and current distribs. for 1p shell nuclei 4−27307
^{7}Li(n,^{3}Hα)n, 14.4 MeV, correlation spectra of three-body break-up 4−23689
^{7}Li(n,n’)α^{3}H, cross section sensitivity of ^{3}H breeding ratio in fusion reactor blanket 4−23909
^{7}Li(p,2d)^{4}He, new three-body break-up mechanism, significance 4−15815
^{7}Li(p,n)^{7}Be, 2.05 to 3.00 MeV, proton analyzing power meas. 4−12337
^{7}Li(p,n)^{7}Be, 41 and 64 MeV protons, time of flight technique 4−8491
^{7}Li(p,n)^{7}Be, differential cross sections at 14.9 and 17.3 MeV, charge-exchange part of two-particle effective interaction *(Russian)* 4−15787
^{7}Li(p,n)^{7}Be, neutron flux meas. by Mn bath method 4−39328
^{7}Li(p,n)^{7}Be, the 2^{-} threshold state of ^{8}Be, anal. 4−39940
^{7}Li(p,n)^{7}Be 3 to 4 MeV, meas. of n polarisation 4−19430
^{7}Li(p,pn)^{6}Li, 12 MeV, cross section anal. in dispersion theory for direct reactions, singlet deuteron formation *(Russian)* 4−23680
^{8}Li, beta-decay, weak magnetism, second-class current interactions 4−27281
^{9}Li, decay props., mass spectroscopic study, delayed neutron emission 4−2801
^{11}Li, decay props., mass spectroscopic study, delayed neutron emission 4−2801
^{11}Li, SU$_{4}$ symmetry, binding energy and many-body forces 4−27227
^{11}Li neutron rich isotopes, mass meas. by on-line mass spectrometry 4−2745
Li(d,n)Be, fast neutron prod. 4−5144
^{24}Mg(d,p)^{25}Mg, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
N, collisions with d, t, ^{3}He, ^{4}He at relativistic energies, Coulomb dissociation 4−23696
N, liquid, 1-20 MeV neutron spectrum 4−31452
N, liquid, neutron and secondary gamma counting rates, Monte Carlo calc. 4−31453
N, muonic, X-ray transitions, nuclear charge radii 4−2750
^{12}N → ^{12}C + e^{+} + ν, radiative corrections to asymmetry and energy spectra from polarised nuclei 4−12282

nuclei with $6 \leqslant A \leqslant 19$ continued
^{13}N(γ,p), shell model analysis 4−5730
^{14}N, ^{15}N targets, self-supporting TaN foil preparation 4−26584
^{14}N, elastic scattering from ^{26}Mg, ^{27}Al, ^{28}Si, ^{58}Ni, 40-81 MeV 4−2946
^{14}N, elastic scattering on ^{14}N, ^{16}O, optical model with spin-orbit interactions 4−19534
^{14}N, in c-propylene imine, quadrupole coupling consts. 4−12592
^{14}N, levels, partial wave anal. of ^{12}C(d,α_{2})^{10}B isospin forbidden reaction 4−31385
^{14}N, μ^{-} capture, emission probabilities and multiplicity distrib. determ. 4−2821
^{14}N, n.q.r. in S$_{4}$N$_{4}$ 4−25021
^{14}N, n.q.r. spectroscopy, conf. Viareggio, Italy (1973) 4−6804
^{14}N, nuclear quadrupole resonance in 3-cyanopyridene 4−20896
^{14}N, populated in ^{13}C(α,t) reaction, energy level obs. 4−40029
^{14}N, pure n.q.r. in amino acid crysts. 4−28726
^{14}N, pure n.q.r. investigation of phase transition in s-triazine 4−33300
^{14}N, spin and parity assignment from ^{10}B(α,n)^{13}N reaction obs. 4−12367
^{14}N, spin-lattice relaxation times in 3,5-dichloropyridine 4−10344
^{14}N ground state magnetic moment from one-nucleon transfer data, sum rules 4−2753
^{14}N muonic atom, charge radii determ. from X-ray transition meas. 4−27230
^{14}N populated in ^{12}C (d,d) at 2.71 MeV, level determ. 4−31381
^{14}N states, ang.$_{12}$ correlation anal. of p decay in ^{12}C(^{3}He,p)^{14}N*(p′)^{13}C reaction 4−31399
^{14}NH$_{3}$, mol. beam maser oscillator 4−39717
^{14}N + p, X-ray spectra for 4f → 3d transition 4−27275
^{14}N(^{14}N,^{14}N)^{14}N, direct and exchange potentials 4−2958
^{14}N(^{14}N,α), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{14}N,d), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{14}N,p), search for nonstatistical resonances below Coulomb barrier 4−9295
^{14}N(^{3}He,n)^{16}F, identification of new energy levels in ^{16}F 4−9066
^{14}N(^{7}Li,^{3}H)^{18}F, 36 to 40 MeV, population of states 4−9268
^{14}N(d,α)^{12}C, 40 MeV, isospin-forbidden transition 4−9217
^{14}N(d,n), 10 to 11.8 MeV polarised d, meas. and DWBA anal. of vector analysing power 4−19498
^{14}N(d,nγ)^{15}O, 2.2-2.8 MeV, neutron angular distrib. from γ-ray line shape studies 4−15851
^{14}N(d,p), stripping reaction, nuclear off-shell scattering 4−9220
^{14}N(d,p)^{15}N, d vector polarisation, 13.6 MeV 4−19492
^{14}N(e^{-},ν)^{14}C(α,γ)^{18}O, destruction of ^{14}N in electron degenerate matter 4−5780
^{14}N(e^{-}ν)^{14}C(α,γ)^{18}O in degenerate matter, Population II red giant interiors 4−30005
^{14}N(p,$\gamma\gamma$), mixing ratio of $(P_{3/2})^{-1} \rightarrow (P_{1/2})^{-1}$ transition in ^{15}O 4−31284
^{14}N(p,p′), 24 MeV, meas. and calc. of cross sections and asymmetries using DWBA anal. 4−15842
^{14}N(p,p’)^{14}N, 30 to 40 MeV, tensor part of effective interaction 4−5810
^{14}N(p,p)^{14}N, elastic and inelastic differential cross sections, 8.6-26.0 MeV, model anal. 4−19412
^{14}N(π^{+},2p)3α, 80 to 112 MeV, cross section meas., Treiman-Yang anal. 4−27363
^{15}N, excited in ^{12}C(^{7}Li, α), 28-38 MeV, DWBA calc., mechanism 4−664
^{15}N, giant dipole resonance, ^{14}C(p,γ)^{15}N study 4−19341
^{15}N, induced activity, applic. to flow rate meas. *(Czech)* 4−35573
^{15}N, n.m.r., mag. shielding anisotropies in N$_{2}$O in EBBA 4−28716
^{15}N, struct. of states from ^{12}C(^{7}Li,α) reaction, to 16 MeV 4−9266
^{15}N, substituted in pyridine, microwave spectra, quadrupole coupling, substitution struct. 4−19852
^{15}N chem. shielding anisotropy in acetonitrile 4−33281
^{15}N-^{15}O mirror pair, shell model anal. of natural and unnatural parity states 4−12204
^{15}N + ^{19}F, elastic transfer, interference structure for ^{19}F cluster structure 4−2953
^{15}N(^{3}He,^{3}He)^{15}N, 16.5-37.7 MeV, 15°-127°, differential cross-sections, optical model 4−2922
^{15}N(^{3}He,t)^{15}O, 16.5-37.7 MeV, 15°-127°, differential cross-sections, optical model 4−2922
^{15}N(n,n)^{15}N, infinite oscillator R-matrix model for reaction cross sections 4−19362
^{15}N(p,^{3}he) polarised p at 43.8 MeV, determ. of vector analysing power 4−19458
^{15}N(p,γ_{0}), ^{16}O giant quadrupole resonance 4−19407
^{15}N(p,n)^{15}O, appl. of Migdal’s theory 4−9171
^{17}N, coincidence and delayed neutron spectra, branching ratios to ^{17}O bound states 4−9120
^{17}N, recoil-distance lifetime measurement 4−591
$_{7}^{13}$N, prod. from heavy charged particles, localisation 4−8179
Ne isotopes, multi-nucleonic configurations *(Russian)* 4−27245
^{18}Ne, S$_{1/2}^{2}$ config. of 0^{+} state in 4.5 MeV doublet, ^{16}O(^{3}He,n) and ^{20}Ne(p,t) reactions 4−39939
^{19}Ne γ-decay, lifetime and branching ratios from ^{17}O(^{3}He,nγ) reaction 4−582
^{20}Ne, alpha-decay widths in cluster models of nuclei 4−31262
^{20}Ne, radiative capture of tritons, giant resonance energy region 4−9224
^{20}Ne compound nuclear excitation in proton scattering in ^{19}F 4−9193
^{22}Ne surface potential well model of α-cluster levels *(Russian)* 4−31247
O, bremsstrahlung activation analysis, C and O traces in Na, Cs 4−2429
O, collisions with d, t, ^{3}He, ^{4}He at relativistic energies, Coulomb dissociation 4−23696
O, multinucleon removal in 220 MeV π^{-} reaction 4−27360
O, muonic, X-ray transitions, nuclear charge radii 4−2750
O, $\pi^{\pm}$ reactions, 90-860 MeV obs. optical pots. 4−40045
O, stellar shell, explosive ejection in stellar evolution and nucleosynthesis 4−34599
O ions in elastic transfer reactions, interference-resonance effects, collective model *(Russian)* 4−663

nuclei with $6\leqslant A\leqslant 19$ continued
O isotopes, multi-nucleonic configurations *(Russian)* 4−27245
O isotopes, short-lived product nuclei resulting from 1 GeV proton bombardment *(Russian)* 4−629
^{a}O, A=14, 19, 20, short-lived product nuclei resulting from 1 GeV proton bombardment of various isotopes *(Russian)* 4−629
^{10}O(^{11}B,^{7}Li)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{14}O, ang. distribs. for proton capture leading to ground state following ^{13}C(p,π^-) 4−15783
^{14}O, from ^{12}C+2p, three body resonances, coupled channel N/D method 4−2824
^{14}O, superallowed Fermi β decay, half-life, ft values and end-point energies 4−15715
^{14}O→^{14}N superallowed Fermi decay, half-life and ft value 4−9119
^{15}O, from ^{15}N(^{3}He,t), 16.5-37.7 MeV, levels up to 8.28 MeV state, optical model 4−2922
^{15}O, mixing ratio of $(P_{3/2})^{-1}\to(P_{1/2})^{-1}$ transition 4−31284
^{15}O produced in ^{16}O(^{3}He,α)^{15}O, 217 MeV, DWBA anal. and optical model parameters 4−2937
^{15}O-^{15}N mirror pair, shell model anal. of natural and unnatural parity states 4−12204
(^{16}O, ^{15}N) reactions on 2s-1d and 1f-2p shell nuclei, DWBA calcs. 4−9252
^{16}O, 0^{+} excited state, 6.06 MeV, 3-body potential excitation energy calc. 4−19334
^{16}O, 2^{+}(9.85 MeV) and 4^{+} (10.34 MeV) states, e.m. form factors, comparison with calc. 4−2760
^{16}O, alpha-particle model calcs. of form factors and spectra 4−36142
^{16}O, ang. distribs. of secondary γ-quanta and cross sections for excitation, 1 GeV proton scatt. 4−5800
^{16}O, anomalous backward scattering of α particles, resonating group calc. 4−659
^{16}O, axial asymmetry and positive parity spectrum 4−12201
^{16}O, α-cluster model, anal. of first excited 0^{+} state and mode-mode coupling 4−5740
^{16}O, α-decay of 2^{-} excited state, parity forbidden, virtual photon contribution, hadron photon coupling strength 4−39820
^{16}O, α-particle model, low-lying 0^{+} states 4−27251
^{16}O, calc. of nuclear reactions in random-phase approx. 4−12300
^{16}O, cluster model anal. di-mol.-struct. 4−5738
^{16}O, cluster transfer, reactions spectroscopic amplitudes 4−617
^{16}O, Coulomb corrections to induced pseudoscalar term 4−2819
^{16}O, density matrix evaluation, application to ground state form factors 4−36144
^{16}O, dipole and quadrupole resonances from ^{12}C(α,γ_0)^{16}O reaction 4−5828
^{16}O, e.m. giant dipole resonance, factorization method 4−9127
^{16}O, effect of high-lying configurations on odd-parity spectrum, calc. 4−12161
^{16}O, elastic scattering from ^{26}Mg, ^{27}Al, ^{28}Si, ^{58}Ni, 40-81 MeV 4−2946
^{16}O, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947
^{16}O, electric dipole sum rule using BHF wave functions 4−31269
^{16}O, excitation functions and d-γ angular correlations for states populated in ^{12}C(^{6}Li,d) reaction 4−9250
^{16}O, from ^{12}C(α,γ), search for parity-nonconserving effects 4−23711
^{16}O, from ^{17}O(d, t) reaction, population of new $1d_{5/2}.1p_{3/2}^{-1}$ states as test of effective interaction 4−432
^{16}O, generalized Bethe-Goldstone eqn. soln. 4−2782
^{16}O, giant quadrupole resonance, ^{15}N(p,γ_0)^{16}O reaction 4−19407
^{16}O, ground state rot. bands, moment of inertia, rot. angular vel. 4−438
^{16}O, hyperfine interactions of 6.13 MeV 3^{-} state in ions of low charge state recoiling into vacuum 4−9063
^{16}O, hyperspherical harmonics model rel. to shell model 4−27249
^{16}O, interacting boson approximation, low lying T=0 levels 4−433
^{16}O, interaction with ^{12}C, intermediate resonance in ^{28}Si compound system 4−9286
^{16}O, intermediate states, Brueckner-Hartree-Fock theory of closed shell nuclei 4−23627
^{16}O, intermediate structure in giant dipole resonance region, microscopic theory 4−39983
^{16}O, low lying states, alpha cluster model 4−533
^{16}O, microscopic calc. of rearrangement energies 4−19321
^{16}O, microscopic calc. of width of s-state gross-structure resonance 4−39962
^{16}O, muon absorption, factorization method 4−9144
^{16}O, μ^{-} capture, emission probabilities and multiplicity distrib. determ. 4−2821
^{16}O, one-nucleon transfer reactions, overlap functions, sum rule corrections 4−2851
^{16}O, parity nonconservation effects, ^{12}C(α,α)^{12}C study 4−27336
^{16}O, possible alpha-particle cluster absorption of pions 4−12387
^{16}O, proton knockout, Brueckner-Hartree-Fock anal. 4−2853
^{16}O, π electroproduction, final state interaction from nuclei new threshold 4−9145
^{16}O, π inelastic scattering, distorted wave method for cross section calc. 4−15924
^{16}O, π^{+}, π^{-} total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{16}O, radiative capture of tritons, giant resonance energy region 4−9224
^{16}O, radiative helion capture 4−5829
^{16}O, rearrangement energy calc., supersoft-core potential and realistic G-matrix 4−12234
^{16}O, search for 8^{+} level with ^{12}C(α, ^{8}Be)^{8}Be reaction 4−19297
^{16}O, search for 8p-8h 8^{+} state populated by ^{12}C(α,^{8}Be)^{8}Be reaction 4−445
^{16}O, Si detector, charge collection 4−11592
^{16}O, spin-flip states, $\pi^{+}(\pi^{-})$ photoproduction 4−5777
^{16}O, sum rules for inelastic scattering of fast electrons and high-energy protons 4−15772
^{16}O, surface potential well model of α-cluster levels *(Russian)* 4−31247
^{16}O, triple self consistent soln. of three-particle Bethe-Faddeev and Brueckner-Hartree-Fock eqns. 4−15683
^{16}O (e, e'), E=101-126 MeV, positive parity levels, form factors 4−5712
^{16}O α-decay width anal. using R-matrix theory 4−27286
^{16}O density, correlation effects 4−9051

nuclei with $6\leqslant A\leqslant 19$ continued
^{16}O di-molecular structure, confirmation through α-decay width 4−537
^{16}O fragmentation in relativistic heavy ion interactions with Be target nucleus 4−9248
^{16}O Hartree-Fock approx., ambiguities in intermediate-state particle spectrum calc. 4−31275
^{16}O heavy ion induced interactions in nuclear emulsion, 2.1 GeV/nuc 4−15913
^{16}O induced fusion reaction products, mass distrib. 4−5863
^{16}O ion beam bombardment of solid state track detector, rel. to tracks in lunar materials 4−30576
^{16}O muonic atom, charge radii determ. from X-ray transition meas. 4−27230
^{16}O pop. in ^{19}F(p,α)^{16}O*, direct lifetime meas. of 6.05 MeV 0^{+} level 4−12248
^{16}O region, self-consistent core polarization, phonon-mediated screening effects 4−23621
^{16}O resonant structure anal. in ^{13}C(^{3}He,γ) reaction, 3 to 16 MeV 4−31398
^{16}O transient ions, response of NE 111 scintillator foil 4−18604
^{16}O-^{16}O interaction properties, microscopic description 4−2969
^{16}O + ^{12}C scatt., Regge-pole description 4−27356
^{16}O + ^{16}O $\rightleftarrows$ ^{32}S, constrained Hartree-Fock calc. using Skyrme interaction 4−36226
^{16}O + ^{17}O, 22 to 32 MeV, inelastic scattering, 2s$_{1/2}$ state in ^{17}O, optical potential, DWBA calc. 4−2951
^{16}O + ^{17}O, 32 MeV, optical model, effect of Coriolis force, molecular orbitals 4−2950
^{16}O + ^{18}O scattering, optical model, ang. momentum depend. absorpt. rel. to elastic transfer 4−2952
^{16}O + ^{19}F, elastic transfer, interference structure for ^{19}F cluster structure 4−2953
^{16}O + α, calc. of resonating group method kernel 4−2928
^{16}O + n, continuum-shell model of low energy compound resons. 4−40009
^{16}O + p, X-ray spectra from 4f→3d transition 4−27275
^{16}O(^{11}B, ^{7}Li)^{20}Ne, structure of states in ^{20}Ne 4−428
^{16}O(^{12}C, α)^{24}Mg, identification of high spin states in s-d shell nuclei with new ang. correl. method 4−19298
^{16}O(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4−9274
^{16}O(^{12}C,^{8}Be)^{20}Ne, rel. contributions of direct and compound reaction mechanisms 4−9283
^{16}O(^{12}C,α_1)^{24}Mg*(α_2)^{20}Ne*(γ)^{20}Ne, 35-38 MeV, triple correlation meas. of ^{14}Mg high-spin states 4−23599
^{16}O(^{12}C,α)^{24}Mg, resonance struct. 4−9287
^{16}O(^{14}N,^{14}N)^{16}O, optical model with spin-orbit interactions 4−19534
^{16}O(^{16}O, ^{12}C)^{20}Ne, DWBA anal. of four-nucleon transfer reactions 4−2940
^{16}O(^{16}O,X), X=^{16}O,^{12}C, ^{20}Ne, ^{14,15}N, ^{17,18}F, 49-65 MeV, excitation functions, ang. distrib. 4−19533
^{16}O(^{16}O,α)^{28}Si, final states of ^{16}O-^{12}C config. 4−9288
^{16}O(^{3}He,^{3}He), 18 to 20 MeV, anal. of polarisation and cross-section ang. distribs. 4−19526
^{16}O(^{3}He,^{7}Be), 25.5 to 30 MeV, finite range coupled channels anal. 4−9238
^{16}O(^{3}He,^{7}Be)^{12}C, FRDWBA anal. of 0^{+} to 0^{+} ground state transitions 4−9237
^{16}O(^{3}He,α)^{15}O, 217 MeV, DWBA anal. and optical model parameters 4−2937
^{16}O(^{3}He,n)^{18}Ne, 10-29 MeV, spin and parity of 4.5 MeV doublet states, S$_{1/2}^{2}$ config. 4−39939
^{16}O(^{6}Li, d)^{20}Ne direct transfer reaction in s-d shell, energy levels of ^{20}Ne 4−19539
^{16}O(^{6}Li,^{8}B), 80 MeV, energy spectra 4−9260
^{16}O(^{6}Li,d)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{16}O(^{6}Li,d)^{20}Ne at 25.8 MeV modified DWBA anal. of observed cross sections 4−2844
^{16}O(^{7}Li,^{3}H)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{16}O(^{7}Li,^{3}H)^{20}Ne, 36 to 40 MeV, population of states 4−9268
^{16}O(α, α)^{16}O, exchange kernel derivation, resonating group method 4−31396
^{16}O(α, α)^{16}O reaction, Regge poles and high spin states in ^{20}Ne 4−15635
^{16}O(α,α), elastic and inelastic, rel. to determ. of α decay-widths in ^{20}Ne 4−12294
^{16}O(α,α)^{16}O, 26 to 32 MeB, absorption rel. to angular momentum mear resonance energy 4−9239
^{16}O(α,α)^{16}O, Regge pole analysis, rot. bands of ^{20}Ne *(French)* 4−5825
^{16}O(d,2n)-reaction, shell model scattering theory *(German)* 4−39978
^{16}O(d,α)^{14}N, 2-14 MeV isospin-forbidden and-allowed reactions, ^{18}F compound nucleus 4−9210
^{16}O(d,n)^{17}F, use of ^{17}F as reactor performance monitor *(German)* 4−3008
^{16}O(d,p), angular distrib., 25.4 to 63.2 MeV, optical model for ^{17}O levels 4−19463
^{16}O(γ,n), differential polarisations of photoneutrons from giant dipole states 4−19386
^{16}O(γ,np), quasideuteron model anal. review of development *(Russian)* 4−15757
^{16}O(n,n) at 1 to 4 MeV, high resolution study of n polarisation and phase-shift anal. 4−12341
^{16}O(n,n) elastic and inelastic, 14 MeV polarised n, optical-model anal. 4−19433
^{16}O(p,^{3}He) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{16}O(p,T) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{16}O(p,2p), P$_{3/2}$ and P$_{1/2}$ knock-out reaction, J-depend., 460 MeV 4−27331
^{16}O(p,α)^{13}N, exptl. cross section, stellar reaction rates explosive nucleosynthesis 4−7978
^{16}O(p,α)^{13}N at 6.13-7.26 MeV in explosive nucleosynthesis 4−14344
^{16}O(p,d)^{15}O, 30 MeV effect of deuteron D-state on DWBA calcs. 4−19455
^{16}O(p,γ) reaction, polarised protons, E2 giant resonances 4−5813

nuclei with $6 \leqslant A \leqslant 19$ continued
^{16}O(p,p′), 1 GeV, differential cross-section calc. using diffraction scattering model 4−39982
^{16}O(p,p′), 30.3 MeV polarised p, coupled channel anal. 4−19450
^{16}O(p,p), 8 to 12 MeV p polarisation and ang. distrib. meas. 4−19436
^{16}O(p,p) phase shift analysis of $T=3/2$ states in ^{16}O + p entrance channel 4−9080
^{16}O(p,p)^{16}O, Glauber theory of multiple scattering, eikonal and Fresnel corrections 4−27290
^{16}O(t,p)^{18}O*, 3.1 MeV, lifetime meas. of ^{18}O* $4_1{}^+$ state 4−31293
^{17}O, absolute parity determ. from S-matrix anal. of ^{13}C(α,n) reaction data 4−19530
^{17}O, branching ratios to bound states following ^{17}N beta decay 4−9120
^{17}O, DSA lifetime meas. using high-pressure gas cell 4−35388
^{17}O, determ. of J^π of states near 8 MeV from ^{13}C(α,n)^{16}O anal. 4−19529
^{17}O, dynamic polarisation in Al_2O_3:Cr^{3+}, spin temp. 4−25022
^{17}O, ENDOR obs. of MgO:Ni^{2+} 4−20899
^{17}O, low lying states, p-(ph), h-(pp) coupling 4−513
^{17}O, n.q.r. spectrum, KH_2PO_4 ferroelec. transition mechanism 4−33299
^{17}O, pure quadrupole reson. detection, triple reson. method 4−28727
^{17}O, spectroscopic factors extraction using R-matrix theory on ^{16}O(n,n)^{16}O reaction 4−36169
^{17}O n.q.r. double reson. in KH_2PO_4 4−17000
^{17}O single particle levels from ^{16}O(d,p), 25.4-63.2 MeV, optical model 4−19463
$^{17}O_\Lambda$ hypernucleus, excitation energies, calc. 4−12242
^{17}O + ^{16}O, 22 to 32 MeV, inelastic scattering, $2s_{1/2}$ state in ^{17}O, optical potential, DWBA calc. 4−2951
^{17}O + ^{16}O, 32 MeV, optical model, effect of Coriolis force, molecular orbitals 4−2950
^{17}O(^{16}O,^{16}O), molecular orbitals and multiple transfer 4−40038
^{17}O(^{16}O,^{16}O)^{17}O, exchange contributions to inelastic scattering 4−2968
^{17}O(^{16}O,^{16}O)^{17}O*, 22 to 32 MeV, interference between inelastic scattering and transfer 4−23717
^{17}O(^{3}He,nγ)^{19}Ne, 3.0, 4.0, 5.0 MeV ^{19}Ne deduced levels, γ-branching 4−582
^{17}O(^{6}Li,^{3}H)^{20}Ne, 35 MeV, highly excited states in ^{20}Ne 4−9071
^{17}O(d, t)^{16}O, 52 MeV, population of new $1d_{5/2}.1p_{3/2}{}^{-1}$ states as test of effective interaction 4−432
^{18}O, δ_0 calc. oceanic growth models 4−34303
^{18}O, e.m. props., spherical, deformed, K-harmonic model 4−31285
^{18}O, elastic scattering from ^{26}Mg, ^{27}Al, ^{28}Si, ^{58}Ni, 40-81 MeV 4−2946
^{18}O, levels with excitation energy <8 MeV populated in ^{19}F(t,$\alpha\gamma$) reaction 4−19290
^{18}O, low-lying levels study using convergent calc. for effective interaction 4−489
^{18}O, perturbative approximations to an effective Hamiltonian in presence of intruder state 4−12162
^{18}O, projected Hartree-Fock wave functions 4−12231
^{18}O, width of 6.20 MeV level excited, in (γ,γ) reaction 4−27238
(^{18}O,^{16}O), two nucleon transfer, quantum mechanical treatment 4−9275
^{18}O $4_1{}^+$ state, populated in ^{16}O(t,p) reaction, lifetime meas. 4−31293
^{18}O distrib. meas. with magnetic spectrometer using O(p, α)^{15}N reaction 4−35542
^{18}O distribution in equatorial Atlantic waters *(Russian)* 4−38302
^{18}O + ^{16}O scattering, optical model, ang. momentum depend. absorpt. rel. to elastic transfer 4−2952
^{18}O + ^{19}F, elastic transfer, interference structure for ^{19}F cluster structure 4−2953
^{18}O(^{11}B, ^{9}Li)^{20}Ne, structure of states in ^{20}Ne 4−428
^{18}O(^{11}B,^{9}Li)^{20}Ne, 114 MeV, excited states of ^{20}Ne 4−9073
^{18}O(^{12}C,^{10}Be)^{20}Ne, 46 MeV, DWBA anal. 4−9267
^{18}O(^{13}C, 2p)^{29}Mg, ^{29}Mg mass and β-decay 4−5703
^{18}O(^{3}He, p)^{20}F, spin and parity of ^{20}F levels 4−9058
^{18}O(^{6}Li, ^{6}He) reaction, two-step pickup-stripping excitation mode 4−19535
^{18}O(^{6}Li,2p)^{22}F, 26 MeV, ^{22}F beta-decay obs. 4−31311
^{18}O(α,n)^{21}Ne, basis for ^{18}O analyzer 4−2400
^{18}O(d,p)^{19}O, 14.8 MeV polarised, bound and unbound states of ^{19}O 4−27333
^{18}O(p, d)^{17}O, anal. in peripheral model with nuclear form factor 4−2876
^{18}O(p,α)^{15}N, oxygen diffusion studies using 1.763 MeV reson. in TiO_2 4−37036
^{18}O(p,d)^{17}O, 24.4 MeV polarised protons, differential cross sections and analysing powers, DWBA anal. 4−19413
^{18}O(p,d)^{17}O at 24.5 MeV, modified DWBA anal. of observed cross sections 4−2844
^{18}O(p,t)^{16}O, 24.4 MeV polarised protons, differential cross sections and analysing powers, DWBA anal. 4−19413
^{19}O, Bohr-Mottelson and Nilsson model calcs. 4−12221
^{19}O, bound and unbound states anal. from ^{18}O(d,p) reaction at 14.8 MeV 4−27333
$_8{}^{15}$O, prod. from heavy charged particles, localisation 4−8179
^{16,17}O(p,γ) reactions at 0.3 to 3.1 MeV, cross section meas. spectroscopic factors determ. 4−15776

nuclei with $20 \leqslant A \leqslant 38$
^{31}P, n.m.r. of pentamethylcyclopentaphosphine, ^{1}J(PP) spin-spin coupling 4−12611
(2s-2d) shell nuclei, classification of single quantum excited states *(Russian)* 4−23620
$A=20$, fragments from bombardment of ^{48}Ti with ^{16}O 4−9291
$A=20$, tables for reaction γ-ray spectroscopy 4−31282
$A=35$ and 34, normal parity states 4−5722
angular distribution of light products in ^{232}Th + ^{40}Ac system 4−9279
cluster model, Hartree-Fock calc., ^{12}C-^{40}Ca, $A=4n$, density distribs. 4−15676
cross section for formation of $3 \leqslant Z \leqslant 12$ elements in ^{232}Th, ^{22}Ne system 4−9277
energy spectra of light products $5 \leqslant Z \leqslant 20$ in ^{232}Th + ^{40}Ar system 4−9278
even-odd nuclei with N or $Z=11$ and 13, Bohr-Mottelson and Nilsson model calcs. 4−12221

nuclei with $20 \leqslant A \leqslant 38$ continued
gamma-ray transition strengths between bound states of $A=21$ to 44 4−31283
isospin purity of excitation levels in ^{20}Ne, ^{24}Mg, ^{26}Al, ^{28}Si, ^{30}P, ^{32}S, ^{36}Ar *(Russian)* 4−408
magnetic moments of odd-odd nuclei with $A \leqslant 90$, tables of theoretical and exptl. values *(Russian)* 4−407
odd-A, magnetic moments, M-5 non local interaction 4−416
odd-odd nuclei, ^{10}B to ^{42}Sc, calc. of strength of M1 and E2 transitions *(Russian)* 4−578
sd shell, low-seniority levels, binding energies, $16 < A \leqslant 40$ 4−12211
sd-shell nuclei, $18 \leqslant A \leqslant 21$ and $A=23$, non-central interaction in SU_3 model 4−12207
shell model, SU_3 basis, truncation scheme for $13 \leqslant A \leqslant 20$ 4−12206
single-particle states, $35 \leqslant A \leqslant 65$, 2s neutron hole states 4−401
single-particle states, $A<35$, systematics 4−2761
stripping into continuum, new spectroscopic tool for nuclear off-shell scattering 4−9220
systematics, variational calc. with density-dependent interaction 4−550
$A=24$-38, (d,p) (n,γ) correl. anal. 4−9222
Al, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
Al, multinucleon removal in 220 MeV π^- reaction 4−27360
Al, multipole moments, Coulomb excitation 4−12153
Al isotopes short-lived product nuclei resulting from 1 GeV proton bombardment *(Russian)* 4−629
^{24}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{25}Al, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{25}Al, states up to 7.8 MeV excitation and mass 4−12165
^{25}Al one-nucleon transfer reactions, coupled-channel Born approx. analysis 4−12308
^{25}Al structure calcs. B(E2) and B(M1) rate determ. and rotational band ordering anal. 4−12198
^{26}Al, 0^+ analogue state populated in ^{26}Mg(^{6}Li,^{6}He) reaction 4−9079
^{26}Al, excitation functions and angular distribs. from ^{24}Mg(α,d) reaction 4−19520
^{26}Al, rotational band shifts in shell model calc. 4−36134
^{26}Al, search for competitive beta and gamma decay branches 4−19355
^{26}Al, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{26}Al 1.76 and 2.072 MeV level lifetimes, recoil distance, from ^{23}Na(α,n), 6-7 MeV 4−19335
^{26}Al content of rocks and soil near Tunguska event rel. to antimatter theories 4−38734
^{26}Al^m, superallowed Fermi β decay, half-life, ft values and end-point energies 4−15715
^{27}Al, 2.21 and 2.73 MeV levels, ground-state radiation, polarization obs. 4−27264
^{27}Al, ang. distrib. of protons from bremsstrahlung, max. energy 400 MeV 4−624
^{27}Al, DSA lifetime meas. of 1.01 MeV state using ^{24}Mg(α,p) reaction 4−12249
^{27}Al, deformed s-d shell, high spin-state obs. via ^{24}Mg(α, pγ)^{27}Al reaction 4−19299
^{27}Al, double elastic p scatt., polarisation meas., model anal. *(Russian)* 4−31376
^{27}Al, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{27}Al, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{27}Al, inelastic deuteron scattering, weak, strong coupling models 4−652
^{27}Al, Knight shift in Fe-Co-Al solid soln. *(Russian)* 4−20886
^{27}Al, n.m.r. and quadrupole interactions in dilute Al alloys 4−33302
^{27}Al, n.m.r. in I-III-VI_2 semiconductor 4−33301
^{27}Al, n.m.r. in $Lu_3Al_2(AlO_4)_3$ garnet, quadrupole coupling constant determ. 4−33303
^{27}Al, n.m.r. in ruby, 77 and 4.2 K, appl. of marginal oscillator with m.o.s.f.e.t 4−5130
^{27}Al, n.q.r., in $CaAl_2Si_2O_8$, phase transform., distortion 4−6499
^{27}Al, π^+, π^- total cross sections near 3/2, 3/2 resonance, 114 to 210 MeV 4−5843
^{27}Al, spin lattice relax. in supercond. Al-Mn dil. alloy 4−10225
^{27}Al, transfer reactions induced by ^{19}F at 38 MeV 4−9258
^{27}Al in Al-3d transition metal alloy, ^{27}Al n.m.r. quadrupolar line broadening 4−1356
^{27}Al Knight shift in $Fe_{1-x}Ni_xAl$ solid solns. *(Russian)* 4−1350
^{27}Al + 180 MeV ^{12}C, competing reaction mechanisms 4−5841
^{27}Al(^{32}S, ^{32}S), 67-120 MeV, ang. distrib. optical model comparison 4−666
^{27}Al(^{32}S, X), 67 to 132 MeV, reaction and fusion cross sections, barrier heights 4−665
^{27}Al(^{6}Li, ^{6}He), 34 MeV, ang. distrib. meas. and DWBA anal. 4−36220
^{27}Al(α,α)^{27}Al, 22 MeV, angular momentum dependent optical model parameters 4−19517
^{27}Al(d,α)^{25}Mg, 12 MeV, excitation function and vector analysing power meas. 4−31384
^{27}Al(d,d)^{27}Al, vector analyzing power, 9-13 MeV 4−19493
^{27}Al(n,α)^{24}Na, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{27}Al(n,n)^{27}Al, 1.36 MeV, angular distrib., depolarisation 4−19439
^{27}Al(n,p)^{27}Mg, control expt. for gas jet radioactivity transport system 4−5197
^{27}Al(p, γ)^{28}Si, resonances, $E_p=0.7-2.1$ MeV, proton beam-energy analyser calibration 4−11549
^{27}Al(p,α)^{24}Mg, compound nuclear lifetime effect on min. yield of blocking phenomena 4−16524
^{27}Al(p,γ) reaction, polarised protons, E2 giant resonances 4−5813
^{27}Al(p,γ)^{28}Si, ^{28}Si level lifetimes, Doppler shift attenuation meas. 4−9204
^{27}Al(p,γ)^{28}Si, 1.118 MeV reson. obs., ^{28}Si levels *(French)* 4−2802
^{27}Al(p,γ)^{28}Si, 990 to 1800 keV, as gamma ray calibration standard 4−40012

nuclei with $20 \leqslant A \leqslant 38$ continued
^{27}Al(p,γ)^{28}Si, group decay of resonant states in region of isobaric analogue resonances 4−9115
^{27}Al(p,γ)^{28}Si, radiation damping effect on Doppler shift of gamma-rays *(Russian)* 4−576
^{27}Al(p,γ)^{28}Si, resonance levels, spin-parity assignment *(French)* 4−31233
^{27}Al(p,p)^{27}Al, 6.2-6.8 MeV, excitation functions, cross-section, polarisation meas. *(Russian)* 4−23681
^{27}Al(p,p)^{27}Al, depolarisation parameter meas. 4−19447
^{27}Al(t,p), 2.5 MeV, DSA meas. of ^{29}Al energy level lifetimes 4−15700
^{28}Al, lifetime of excited states from (d,pγ) reaction 4−15701
^{28}Al from ^{28}Si(t,^{3}He), 23.5 MeV, charge exchange mode of giant M1 resonance 4−36213
^{29}Al, β-decay scheme, discussion in terms of Nilsson model 4−5703
^{29}Al, pop. in ^{26}Mg(α,p) and ^{27}Al(t,p) reaction, DSA meas. 4−15700
^{26m}Al beta decay, least squares adjustment of vector coupling consts. 4−36166
^{a}Ar(^{3}He,n), A=36,38, direct two proton transfer, 10 to 13 MeV 4−9234
^{32}Ar, Hartree-Fock-Bogoliubov theory 2s-1d shell, level spectra rel. to shell model 4−12200
^{34}Ar, mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{36}Ar, bubble formation in Hartree-Fock calcs., dependence on odd-state force 4−27256
^{36}Ar, electric charge radius, muonic X-ray meas. 4−19272
^{36}Ar, Hartree Fock calcs. using density dependent effective interaction 4−12228
^{36}Ar, Hartree-Fock degree of freedom calc. 4−12235
^{36}Ar, populated in (^{6}Li,d) reaction, obs. of odd parity levels 4−40040
^{36}Ar energy level obs., ^{32}S(^{6}Li, d)^{36}Ar direct transfer reaction in s-d shell 4−19539
^{36}Ar levels, lifetimes, branching ratios, excitation energies from ^{35}Cl(p,γ), 0.4-3.0 MeV 4−19402
^{36}Ar shell model predictions of three and four particle cluster transfer spectroscopic factors 4−15663
^{36}Ar(α,pγ)^{39}K, gamma ray obs. of excited states of ^{39}K with high ang. momentum 4−447
^{37}Ar, energy levels, mean lifetime, γ-ray spectrum 4−12266
^{37}Ar, fast neutron induced, meas. of human whole body Ca 4−8182
^{37}Ar, high energy states, from ^{40}Ca(n,α)^{37}Ar, direct reaction contrib. 4−39998
^{37}Ar, troposphere content determ. using multi-box model for atmospheric mixing *(German)* 4−25688
^{37}Ar pop. in ^{34}S(α,nγ), props. of levels below 3.8 MeV 4−12157
^{38}Ar, lifetimes, spins and parities of resonances in ^{37}Cl(p,γ) reaction 4−31287
^{38}Ar, transitions following ^{38}Cl β^- decay 4−5797
^{38}Ar, yield curves excitation energies and branching ratios in ^{37}Cl+p reactions 4−31286
^{38}Ar(^{3}He,n)^{40}Ca, two-particle two-hole 0^+ states in ^{40}Ca 4−12174
^{33}Cl, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{33}Cl, populated in ^{32}S(p,p) at 3.3 to 5.0 MeV, excited states determ. 4−27319
^{33}Cl, strengths of (p,γ) resonance at 580 and 588 keV 4−31366
^{34}Cl, superallowed Fermi β decay, half-life, ft values and end-point energies 4−15715
^{34}Cl beta decay, least squares adjustment of vector coupling consts. 4−36166
^{35}Cl, e.s.r. obs. of hyperfine coupling consts. in organic metal halides 4−19881
^{35}Cl, in solid Cl$_2$, n.q.r. freq., spin-lattice relaxation times 4−3914
^{35}Cl, K$^-$-meson absorption, below-threshold effects, mesonic atom energy levels 4−19544
^{35}Cl, n.m.r., polypeptrides linewidth investig. rel. to mol. weight, rot. motion, conformation 4−40354
^{35}Cl, n.m.r. in alkali metal halide aq. solns., investig. 4−41290
^{35}Cl, n.m.r. in ferromagnetic GdCl$_3$ 4−20877
^{35}Cl, n.m.r. meas. in CoCl$_2$, NiCl$_2$, temp. depend. 4−13354
^{35}Cl, n.q.r. in 1-chloromethyl-o-carborane, C-derivatives 4−36549
^{35}Cl, n.q.r. in BCl$_3$, line width and asymmetry parameter sign rel. to dipole-dipole interactions 4−10352
^{35}Cl, n.q.r. in chloro-complexes of P, As and Sb struct. studies 4−10351
^{35}Cl, n.q.r. in doped chlorates 4−1355
^{35}Cl, n.q.r. in NaAuCl$_4$.2H$_2$O, press. effects on H bonding, mol. mode analysis 4−10348
^{35}Cl, n.q.r. in NaClO$_3$, KClO$_3$, Ba(ClO$_3$)$_2$, impurity effects 4−10353
^{35}Cl, n.q.r. in p-dichlorobenzene, mechanical coupling of kinetic moment 4−10349
^{35}Cl, n.q.r. in PCl$_3$, AsCl$_3$, SbCl$_3$, line shape and relaxation time 4−10350
^{35}Cl, n.q.r. in t-butyl chloride, solid, liq. 4−13361
^{35}Cl, n.q.r. in tetrachloro-p-benzoquinone 4−24556
^{35}Cl, n.q.r. of geminal systems, electronic effects 4−9586
^{35}Cl, strengths of (p,γ) resonance at 1214 keV 4−31366
^{35}Cl, structure of high spin negative parity states and transitions 4−15637
^{35}Cl in NH$_4$Cl, high pressure n.m.r. obs. of order-disorder transitions *(Japanese)* 4−32647
^{35}Cl resonances anal. using ^{34}S(p,p) reaction at 1 to 2 MeV 4−39986
^{35}Cl(α,n)^{38}K, differential spin precession meas. of g-factor of ^{38}K 22 μsec isomeric state 4−19280
^{35}Cl(n,γ)^{36}Cl→^{36}Ar, in sodalite, rel. to isotopic composition of Ar 4−38247
^{35}Cl(p,γ), 0.4-3.0 MeV, ^{36}Ar levels, lifetimes, branching ratios, excitation energies 4−19402
^{37}Cl, e.s.r. obs. of hyperfine coupling consts. in organic metal halides 4−19881
^{37}Cl, in solid Cl$_2$, n.q.r. freq., spin-lattice relaxation times 4−3914
^{37}Cl, n.m.r. in ferromagnetic GdCl$_3$ 4−20877
^{37}Cl energy levels, mean lifetime, γ-ray spectrum 4−12266
^{37}Cl isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4−580
^{37}Cl level obs. from ^{36}S(p,γ) reaction at 1000-1900 keV 4−9161
^{37}Cl strengths of (p,γ) resonances reln. to decay of analogue resonances 4−31366

nuclei with $20 \leqslant A \leqslant 38$ continued
^{37}Cl+p reactions, 0.6-2.9 MeV, ^{38}Ar resonances yield curves, excitation energies, branching ratios 4−31286
^{37}Cl(n,γ)^{38}Cl, gamma decay scheme 4−5797
^{37}Cl(p,γ)^{38}Ar, mean lifetime, Doppler shift meas. 0.9 to 2.7 MeV 4−31287
^{20}F levels, spin and parity, from γ-ray linear polarisation meas. 4−9058
^{20}F produced in ^{21}Ne(d,^{3}He), DWBA anal. of ang. distrib., T=1 state identification 4−2914
^{20}F short-lived product nuclei resulting from 1 GeV proton bombardment various isotopes *(Russian)* 4−629
^{22}F, beta decay following ^{18}O(^{6}Li,2p) reaction, $T_{1/2}$ determ. 4−31311
^{37}K, shell model predictions of three and four particle cluster transfer spectroscopic factors 4−15663
^{38}K, 7^+ state from ^{40}Ca(d,α)^{38}K 4−12171
^{38}K, excited isomeric state populated by ^{24}Mg(^{16}O, pnγ)^{38}K reaction 4−446
^{38}K, lifetimes of excited states populated in ^{40}Ca(d,$\alpha\gamma$) reaction 4−19345
^{38}K, magnetic moment of 22 μsec isomeric state by differential spin precession meas. on ^{35}Cl(α,n) 4−19280
^{39}K, gamma ray obs. of excited states with high ang. momenta populated by ^{36}Ar(α,pγ)^{39}K 4−447
Mg, multinucleon removal in 220 MeV π^- reaction 4−27360
Mg, multipole moments, Coulomb excitation 4−12153
^{a}Mg(α,α)^{a}Mg, A=24-26, 18-22 MeV, angular momentum dependent optical model parameters 4−19517
^{14}Mg(α,α'), nuclear deformation anal. using folding collective model 4−40030
^{22}Mg, mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{23}Mg, $5/2^+$ and $9/2^+$ states, lifetimes 4−5751
^{23}Mg-^{23}Na mirror states populated in nucleon pickup reactions on ^{24}Mg 4−19471
^{24}Mg, complete config. space of 8 nucleon states in sd shell *(French)* 4−9086
^{24}Mg, DSA lifetime meas. of 1.37 MeV state using ^{24}Mg(α,α') reaction 4−12249
^{24}Mg, evidence for decay into ^{12}C+^{12}C, from ^{12}C(^{16}O,α) reaction 4−9298
^{24}Mg, few-nucleon substructures, anal. by variational method 4−2776
^{24}Mg, ground state rot. bands, moment of inertia, rot. angular vel. 4−438
^{24}Mg, identification of high spin states with new ang. correl. technique using ^{16}O(^{12}C, α)^{24}Mg reaction 4−19298
^{24}Mg, intermediate resonance in ^{16}O+^{12}C interaction 4−9286
^{24}Mg, magnetic moment of 1.37 MeV short lived state by time-differential recoil-into-vacuum technique 4−19281
^{24}Mg, magnetic reorientation effects on Coulomb excitation probabilities of first 2^+ states 4−12167
^{24}Mg, meas. of energy of excited states using cyclotron magnetic spectrograph 4−26637
^{24}Mg, shell model energy level calc. 4−505
^{24}Mg, single nucleon transfer reactions, multi step model anal. 4−15745
^{24}Mg, study of high excitation energy states from ^{20}Ne(Li,d) and (^{7}Li,t) reactions 4−12158
^{24}Mg, substructures, variational determ. 4−540
^{24}Mg high-spin states in continuum ffom ^{16}O(^{12}C,α_1)^{24}Mg* (α_2)^{20}Ne*(γ)^{20}Ne triple correlation meas. 4−23599
^{24}Mg levels, pop in (α,nγ) and (d,pγ) reactions, spin assignments 4−12133
^{24}Mg+^{16}O, 30-40 MeV, high excitation in ^{40}Ca compound nucleus, particle emission 4−12379
^{24}Mg(^{16}O,pnγ)^{38}K reaction population of isomeric state in excited ^{38}K 4−446
^{24}Mg(^{32}S, ^{32}S), 67-120 MeV, ang. distrib. optical model comparison 4−666
^{24}Mg(^{32}S, X), 67 to 132 MeV, reaction and fusion cross sections, barrier heights 4−665
^{24}Mg(^{3}He,^{7}Be)^{20}Ne, 25.5 to 30 MeV, finite range coupled channels anal. 4−9238
^{24}Mg(^{3}He,d)^{25}Al, states of ^{25}Al up to 7.8 MeV excitation and mass of ^{25}Al 4−12165
^{24}Mg(^{7}Li,t)^{28}Si at 12 to 20 MeV, anal. of change in deformation sign 4−15904
^{24}Mg(α, pγ)^{27}Al, high-spin states in deformed odd-A s-d shell nuclei 4−19299
^{24}Mg(α,α'), 104 MeV, finite nuclear deformations 4−2934
^{24}Mg(α,α'), 166 MeV, test of shell model wave functions 4−2935
^{24}Mg(α,α)^{24}Mg, 120 MeV, 6° to 110°, optical model, differential cross sections 4−2924
^{24}Mg(α,α)^{24}Mg, intermediate resonance like struct. 4−9242
^{24}Mg(α,α)^{24}Mg, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{24}Mg(α,d)^{26}Al, 25 and 50 MeV, excitation functions and angular distrib. 4−19520
^{24}Mg(d,d)^{24}Mg, elastic and inelastic, vector analyzing power, DWBA and optical model 4−19490
^{24}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
^{24}Mg(d,pγ)^{25}Mg, 10 MeV, p-γ ang. correlations and differential cross-section meas. 4−31389
^{24}Mg(n,p)^{24}Na, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{24}Mg(p,d), Q-value meas. using cyclotron magnetic spectrograph 4−26637
^{24}Mg(p,p'), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
^{24}Mg(p,p'γ)^{24}Mg, linearly polarised photon source, quality 4−11564
^{24}Mg(p,p) elastic and inelastic at 30.5 MeV, differential cross section meas. determ. of deformation parameters 4−15780
^{24}Mg(p,t) Q-value meas. using cyclotron magnetic spectrograph 4−26637
^{24}Mg(t,h)^{24}Na, E=23.5 MeV, M1 giant reson., charge-exchange mode, excitation 4−5821

nuclei with $20 \leqslant A \leqslant 38$ continued
^{25}Mg, deformed s-d shell, high spin-state obs. via ^{22}Ne(α, nγ) reaction 4−19299
^{25}Mg, nuclear moments, Coulomb excitation 4−12153
^{25}Mg, rotational band shifts in shell model calc. 4−36134
^{25}Mg one-nucleon transfer reactions, coupled-channel Born approx. analysis 4−12308
^{25}Mg structure calcs. B(E2) and B(M1) rate determ. and rotational band ordering anal. 4−12198
^{25}Mg(d,α)^{23}Na, 12 MeV, excitation function and vector analysing power meas. 4−31384
^{26}Mg, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{26}Mg, electron scattering, 6.8 to 11.0 MeV, excited states 4−9116
^{26}Mg, Hartree-Fock-Bogoliubov theory 2s-1d shell, level spectra rel. to shell model 4−12200
^{26}Mg, high spin selectivity by ^{13}C(^{14}N,p)^{26}Mg at 40 MeV 4−9285
^{26}Mg 3.59 and 3.94 MeV level lifetimes, recoil distance, from ^{23}Na(α,p), 6-7 MeV 4−19335
^{26}Mg(^{12}C,^{10}Be)^{28}Si, 46 MeV, DWBA anal. 4−9267
^{26}Mg(^{16}O,^{14}C)^{28}Si probing of nuclear surfaces 4−5833
^{26}Mg(^{16}O,^{15}N)^{27}Al, probing of nuclear surfaces 4−5833
^{26}Mg(^{16}O,^{15}N)^{27}Al, 45 and 60 MeV, angular distrib. meas. 4−9257
^{26}Mg(^{6}Li, ^{6}He) reaction, two-step pickup-stripping excitation mode 4−19535
^{26}Mg(^{6}Li,^{6}He)^{26}Al, population of 0^+ analogue state, comparison of (^{6}Li,^{6}He) and (τ,t) ang. distrib. 4−9079
^{26}Mg(^{6}Li,^{6}He)^{26}Al, two step anal. of spin forbidden $0^+ + 1^+ \rightarrow 0^+ + 0^+$ transition 4−2974
^{26}Mg(^{6}Li,^{8}B), 80 MeV, energy spectra 4−9260
^{26}Mg(α,$\alpha'\gamma$)^{26}Mg, 15 MeV, transition amplitude meas. 4−5827
^{26}Mg(α,$\alpha'\gamma$)^{26}Mg, DWBA anal. of transition matrix elements 4−15892
^{26}Mg(α,n)^{29}Si, 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV in ^{29}Si 4−19516
^{26}Mg(α,p), 7 to 11 MeV, DSA meas. of ^{29}Al energy level lifetimes 4−15700
^{26}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
^{26}Mg(d,p)^{27}Mg, 3.1 MeV, DWBA anal. ^{27}Mg spin and parity assignments 4−19283
^{26}Mg(γ, p)^{25}Na, photoproton energy distrib., decay characts. of giant reson. states 4−12321
^{26}Mg(t,^{3}He), 23.5 MeV, spherical shell model description of ^{26}Na 4−31388
^{27}Mg, lifetime of excited states from (d,pγ) reaction 4−15701
^{27}Mg pop. in ^{26}Mg(d,p) at 3.1 MeV, DWBA anal. of 4.82 MeV level 4−19283
^{29}Mg, produced in ^{18}O(^{13}C,2p)^{29}Mg, 35 MeV, mass excess, β-decay spectrum 4−2746
^{29}Mg mass, and β-decay from ^{18}O(^{13}C, 2p) ^{29}Mg reaction 4−5703
^{34}Mg, intrashell quartet spectra, sensitivity to model 4−12210
Mg(α, α), elastic and inelastic, 22 to 28 MeV, statistical anal. of excitation functions 4−23709
Mg(d,d)Mg, 7.0 MeV, tensor polarisation, optical model 4−19491
Na, bremsstrhalung activation analysis, C and O traces in Na, Cs 4−2429
Na, metallic, neutron activation analysis for trace elements 4−2428
Na, multipole moments, Coulomb excitation 4−12153
Na, neutron resonance spectroscopy, total cross section up to 320 keV 4−12345
Na, neutron rich isotopes, mass meas. by on-line mass spectrometry 4−2745
Na void reactivity, effect of axial streaming, heterogeneity, calc. of elastic removal cross sections 4−5881
^{21}Na, 4.98 MeV state, spin and parity, ^{20}Ne elastic proton scatt. obs. *(Russian)* 4−36116
^{21}Na, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{21}Na, n:γ directional correlation for for 300 kwV state excited in ^{20}Na(d,nγ) reaction 4−23629
^{22}Na, band structure, low lying positive parity states 4−5715
^{22}Na, deformed shell model energy level calcs. 4−509
^{22}Na, high spin states obs. via ^{10}B(^{16}O, α)^{22}Na reaction 4−15636
^{22}Na, rotational band structure determ. 4−12265
^{22}Na, rotational band structure, e.m. transitions for levels of $E_e x < 4.0$ MeV 4−19343
^{22}Na, rotational band structure study using n-γ coincidences in ^{19}F(α,nγ) reaction 4−19344
^{22}Na energy spectra, effects of non-central forces in effective interaction 4−495
^{23}Na, $^5/_2{}^+$ and $^9/_2{}^+$ states, lifetimes 4−5751
^{23}Na, band mixing calcs., low lying levels and e.m. properties 4−39943
^{23}Na, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{23}Na, high spin selectivity by ^{13}C(^{14}N,α)^{23}Na at 40 MeV 4−9285
^{23}Na, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{23}Na, n.m.r. in γ-irrad. $NaNO_2$ 4−10328
^{23}Na, strong coupling collective model, 2s-1d shell band mixing 4−19312
^{23}Na compound nucleus formation in ^{12}C(^{11}B,2α)^{15}N reaction at 28 MeV 4−36219
^{23}Na pop. in ^{12}C(^{12}C,p)^{23}Na, selective pop. of lowest-lying negative parity states 4−12382
^{23}Na populated in ^{12}C(^{12}C,p) resonance reaction, excitation function determ. 4−36223
^{23}Na$^+$, in liquid crystal, static quadrupolar effects rel. to ion binding 4−10331
^{23}Na(α,α)^{23}Na, 22 MeV angular momentum dependent optical model parameters 4−19517
^{23}Na(d,α)^{21}Ne, low energy reactions, spin assignment 4−40024
^{23}Na(d,p)^{24}Na, DWBA anal. of proton groups, 670 and 620 keV 4−12356
^{24}Na, lifetime of excited states from (d,pγ) reaction 4−15701
^{24}Na, untruncated Kuo interaction calc. with Glasgow shell-model program 4−507
^{24}Na-Be, photoneutron source, emission spectra meas. 4−18560
^{24}Na-D_2O, photoneutron source, emission spectra meas. 4−18560

nuclei with $20 \leqslant A \leqslant 38$ continued
^{25}Na, short-lived product nuclei resulting from 1 GeV proton bombardment of various isotopes *(Russian)* 4−629
^{26}Na, produced in ^{26}Mg(t,^{3}He), spherical shell model anal. 4−31388
^{27}Na, decay props., mass spectroscopic study, delayed neutron emission 4−2801
^{28}Na, decay props., mass spectroscopic study, delayed neutron emission 4−2801
^{29}Na, decay props., mass spectroscopic study, delayed neutron emission 4−2801
^{30}Na, decay props., mass spectroscopic study, delayed neutron emission 4−2801
^{31}Na, decay props., mass spectroscopic study, delayed neutron emission 4−2801
Ne, bombardment of nuclear emulsion, 280 MeV/neutron, pion production mechanism 4−31415
Ne, multipole moments, Coulomb excitation 4−12153
Ne cross sections in natural Mg, Al, and Si targets bombarded with 14 to 45 MeV protons 4−630
Ne region, α-cluster plus ^{16}O-core 4−5739
^{20}Ne, ^{22}Ne, correlations in groundstate rot. spectra, ang. momentum dependence 4−441
^{20}Ne, ^{22}Ne, inelastic electron scatt. from low lying excited states 4−5779
^{20}Ne, confirmation of hexadecapole deform. from ^{3}He scatt., E=68 MeV 4−36104
^{20}Ne, constrained Hartree-Fock calcs. for variable moment of inertia 4−15618
^{20}Ne, core excited states, microscopic alpha + core model 4−538
^{20}Ne, elastic proton scatt., obs. of spin and parity of 4.98 MeV state of ^{21}Na *(Russian)* 4−36116
^{20}Ne, electron scattering form factors and α-particle description 4−5784
^{20}Ne, energy levels, ^{12}C(^{16}O,^{8}Be)^{20}Ne and ^{16}O(^{12}C,^{8}Be)^{20}Ne reactions 4−9283
^{20}Ne, excited states from ^{19}F(^{10}B,^{9}Be), ^{18}O(^{11}B,^{9}Li) and ^{10}O(^{11}B,^{7}Li) reactions at 114 MeV 4−9073
^{20}Ne, few-nucleon substructures, anal. by variational method 4−2776
^{20}Ne, from ^{19}F(^{3}He,d) reaction, excitation functions and spectroscopic factors, collective model 4−9231
^{20}Ne, ground state rot. bands, moment of inertia, rot. angular vel. 4−438
^{20}Ne, ground state rotational pop. in ^{12}C(^{16}O, ^{20}Ne)^{3}Be reaction 4−15906
^{20}Ne, high-spin states in continuum, from a_2)^{16}O*(γ)^{16}O triple correlation meas. 4−23598
^{20}Ne, highly excited states 4−9071
^{20}Ne, highly excited states, ^{12}C(^{12}Cα_1)^{20}Ne(α_2)^{16}O at 50 MeV 4−9072
^{20}Ne, identification of high spin states with new ang. correl. technique using ^{12}C(^{12}C, α)^{20}Ne reaction 4−19298
^{20}Ne, in ^{16}O(α,α) elastic and inelastic scattering, decay widths determ. 4−12294
^{20}Ne, intrashell quartet spectra, sensitivity to model 4−12210
^{20}Ne, inversion doublet and $K=0^+$ bond cluster model anal. 4−5738
^{20}Ne, J-depend. of density of states, shell model calc. 4−9065
^{20}Ne, many-body theoretical anal. of alpha-like four body correlations 4−5740
^{20}Ne, moments of inertia, ground state bands 4−557
^{20}Ne, octupole deformation, rotational band study 4−440
^{20}Ne, positive parity 0^+ and 2^+ levels, particle-hole structure calc., closed ^{12}C core 4−508
^{20}Ne, pseudo SU(3) and extension of ground state rot. band 4−5727
^{20}Ne, Regge poles and high spin states, obs. with ^{16}O(α, α)^{16}O reaction 4−15635
^{20}Ne, relativistic Doppler effect meas. using 8.6 MeV capture γ-rays 4−5191
^{20}Ne, rot. bands from Regge pole analysis of ^{16}O(α,α)^{16}O *(French)* 4−5825
^{20}Ne, selective population of states, ^{10}B(^{14}N,α)^{20}Ne at 25 and 35 MeV 4−9269
^{20}Ne, shell model energy level calc. 4−505
^{20}Ne, shell model predictions of three and four particle cluster transfer spectroscopic factors 4−15663
^{20}Ne, structure and freedom of inversion motion 4−539
^{20}Ne, structure of states from ^{18}O(^{11}B, ^{9}Li)^{20}Ne and ^{16}O(^{11}B, ^{7}Li)^{20}Ne reactions 4−428
^{20}Ne, substructures, variational determ. 4−540
(^{20}Ne,^{20}Ne$'$) on ^{197}Au and Pt at 83 MeV, projectile Coulomb excitation, reorientation meas. 4−31404
^{20}Ne (α,α') 104 MeV, finite nuclear deformations 4−2934
^{20}Ne α-decay width anal. using R-matrix theory 4−27286
^{20}Ne di-molecular structure, confirmation through α-decay width 4−537
^{20}Ne energy level obs., ^{16}O(^{6}Li, d)^{20}Ne direct transfer reaction in s-d shell 4−19539
^{20}Ne produced in ^{21}Ne(d,t), DWBA anal. of ang. distrib., T=1 state identification 4−2914
^{20}Ne(^{3}He,^{7}Be)^{16}O, FRDWBA anal. of 0^+ to 0^+ ground state transitions 4−9237
^{20}Ne(^{3}He,n)^{22}Mg, 2.6 to 40 MeV, excitation functions and didfferential cross-section meas. 4−27337
^{20}Ne(^{6}Li,d)^{24}Mg. meas. d spectra, study of high excitation energy states in ^{24}Mg 4−12158
^{20}Ne(^{7}Li,^{3}H), 36 to 40 MeV, population of states 4−9268
^{20}Ne(^{7}Li,t)^{24}Mg, t spectra meas. study of high excitation energy states in ^{24}Mg 4−12158
^{20}Ne(α,2α)^{16}O, quasifree α-α scatt. and sequential decay, α-clustering, 80 MeV 4−27343
^{20}Ne(α,γ)^{24}Mg E2 giant resonances, T-mixing in E1 reson. 4−5830
^{20}Ne(d,nγ)^{21}Na, n-γ directional correlation for excited 300 keV state of ^{21}Na 4−23629
^{20}Ne(d,p)^{21}Ne, cross sections obs. using electromagnet system *(French)* 4−18534
^{20}Ne(d,p)^{21}Ne, study of 5.69 MeV and 5.78 MeV states 4−31245
^{20}Ne(p,p$'$), 24.5 MeV polarised p, hexadecapole deformation and asymmetry 4−19452
^{20}Ne(p,t)^{18}Ne, 41.8 MeV, spin and parity of 4.5 MeV doublet states, $S_{1/2}{}^2$ config. 4−39939

nuclei with $20 \leqslant A \leqslant 38$ continued
^{21}Ne, ^{22}Ne, determ. in minerals and natural gases 4−42033
^{21}Ne, 5.69 MeV, 5.78 MeV states from study of (d,p) reaction 4−31245
^{21}Ne, from ^{23}Na(d,α)^{21}Ne low energy reactions, spin assignment 4−40024
^{21}Ne energy spectra, effects of non-central forces in effective interaction 4−495
^{21}Ne(d,^{3}He)^{20}F, DWBA anal. of ang. distrib., T=1 state identification 4−2914
^{21}Ne(d,t)^{20}Ne, DWBA anal. of ang. distrib., T=1 state identification 4−2914
(^{22}Ne,^{22}Ne) on ^{197}Au and Pt at 91, 80 MeV, projectile Coulomb excitation, reorientation meas. 4−31404
^{22}Ne energy spectra, effects of non-central forces in effective interaction 4−495
^{22}Ne(α, nγ)^{25}Mg, high-spin states in deformed odd-A s-d shell nuclei 4−19299
^{22}Ne(p,^{3}H)^{20}Ne, coupled channel Born approx. anal. 4−9167
^{22}Ne(p,p′), 24.5 MeV polarised p, hexadecapole deformation and asymmetry 4−19452
^{22}Ne(p,t)^{20}Ne two-neutron transfer reactions, DWBA calcs., cross sections 4−19373
^{23}Ne, ^{24}Ne, short-lived product nuclei resulting from 1 GeV proton bombardment of various isotopes *(Russian)* 4−629
^{24}Ne, Hartree-Fock-Bogoliubov theory, 2s-1d shell, level spectra rel. to shell model 4−12200
^{24}Ne, shell model approximation from mixing of prolate, oblate Hartree-Fock solns. 4−12208
^{23}No-^{23}Mg mirror states populated in nucleon pickup reactions on ^{24}Mg 4−19471
^{14}O beta decay, least squares adjustment of vector coupling consts. 4−36166
^{16}O(d,p)^{17}O, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
^{20}O short-lived product nuclei resulting from 1 GeV proton bombardment various isotopes *(Russian)* 4−629
^{29}P, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{29}P pop. in ^{28}Si(d,n) at 13.5 MeV, deduce energy levels from n-peaks 4−2910
^{30}P, compound nuclear resonance, T=2 level investigation 4−5822
^{30}P, energy level lifetime meas. using new technique for recoil dist. meas. 4−30551
^{30}P, pop in ^{28}Si(^{3}He, p) reactions at 2.9 to 4.25 MeV, determ. of excitation functions 4−2920
^{30}P pop. in ^{29}Si(^{3}He,d) reaction at 15 MeV, anal. of excited states 4−12156
^{31}P, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
^{31}P, K^{-}-meson absorption, below-threshold effects, mesonic atom energy levels 4−19544
^{31}P, n.m.r. in PH$_3$, isotropic and nematic solvents, chemical shielding anisotropies, chemical shift 4−33282
^{31}P, spin, parity and γ-ray decay properties 4−563
^{31}P excited states populated in ^{33}S(d,α) reactions, spin assignments *(Russian)* 4−15631
^{31}P isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4−580
^{31}P n.m.r. in P$_4$S$_3$ 4−28714
^{31}P-^{1}H spin-spin coupling, tert-butylphosphines 4−12526
^{31}P(α,pγ)^{34}S, e.m. transition rates and vibrational modes in ^{34}S 4−12257
^{31}P(p,α), statistical fluctuation analysis, isospin dependence of ^{32}S level widths 4−12168
^{31}P(p,γ)^{32}S, resonance obs., 1890-2690 keV, determ. of isospin level scheme *(Russian)* 4−409
^{31}P(p,p′), statistical fluctuation analysis, isospin dependence of ^{32}S level widths 4−12168
^{32}P, man, cancer induction from internal radioactivity 4−8194
^{34}P, mass and β-decay scheme 4−9121
^{34}P, produced in ^{18}O(^{18}O,pn)^{34}P, 35 MeV, mass excess 4−2746
^{204}Pb, ^{206}Pb, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
S, multinucleon removal in 220 MeV π^{-} reaction 4−27360
^{30}S, mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{31}S mass determ. from ^{32}S(p,d) reaction 4−12123
^{32}S, ^{34}S, static quadrupole moments of first excited states, from reorientation effect in Coulomb excitation 4−36114
^{32}S, comparison of π^{+} and π^{-} total cross section near 3-3 resonance 4−2983
^{32}S, inelastic 14.1 MeV neutron scatt., differential cross sections, coupled-channel calcs. 4−27310
^{32}S, isospin dependence of level widths from ^{31}P(p,α) and ^{31}P(p,p′) reactions 4−12168
^{32}S, isospin level scheme determ. from resonances in ^{31}P(p,γ) reaction, 1890-2690 keV *(Russian)* 4−409
^{32}S, isospin mixing anal. from (α,γ_0) reactions to giant dipole resonances 4−9226
^{32}S, K^{-}-meson absorption, below-threshold effects, mesonic atom energy levels 4−19544
^{32}S, model-independent charge density from elastic electron scattering 4−19268
^{32}S, populated in (^{6}Li,d) reaction, obs. of odd parity levels 4−40040
^{32}S, spin-parity combinations, excitation energy $\leqslant$7.15 MeV, inelastic α-paarticle scatt. 4−27232
^{32}S, zero range density depend. approx. selfscreening and shape transition 4−19308
^{32}S energy level obs., ^{28}Si(^{6}Li, d)^{32}S direct transfer reaction in s-d shell 4−19539
^{32}S model independent charge distribs. from (e,e) scattering data *(German)* 4−23594
^{32}S + ^{30}Si, 75 to 80 MeV, elastic exchange, DWBA and nuclear orbitals model 4−2954
^{32}S(^{16}O,^{12}C)^{36}Ar, 30 MeV, oscillating angular distributions 4−9246
^{32}S(^{16}O,^{12}C)^{36}Ar, 45 MeV, α transfer reaction 4−9273
^{32}S(^{16}O,^{16}O), 30 MeV, optical model reproduction of diffraction pattern 4−9246
^{32}S(^{32}S,^{32}S), 113 MeV, elastic scattering excitation function 4−9272

nuclei with $20 \leqslant A \leqslant 38$ continued
^{32}S(^{6}Li, d)^{36}Ar, direct transfer reaction in s-d shell, energy levels of ^{36}Ar 4−19539
^{32}S(p,d)^{31}S, 35 MeV, high resolution determ. of ^{31}S mass 4−12123
^{32}S(p,p), 3.3 to 5.0 MeV, anal. of ^{33}Cl excited states 4−27319
^{32}S → ^{16}O + ^{16}O, constrained Hartree-Fock calc. using Skyrme interaction 4−36226
^{32}S → ^{16}O + ^{16}O, fission effects, realistic single-particle K-matrix 4−2988
^{33}S(d,α)^{31}P, 7.0 MeV, energy spectra and angular distribs. of α-particles, compound nucleus mechanism *(Russian)* 4−15631
^{34}S, alpha-particle elastic and inelastic scattering at 24.2 MeV, differential cross sections, comparison with ^{32}S, L states *(Russian)* 4−653
^{34}S pop. in ^{31}P(α,pγ)^{34}S, e.m. transition rates and vibrational modes 4−12257
^{34}S(α,n)^{37}Ar, gamma-ray spectroscopy 4−12266
^{34}S(α,nγ)^{37}Ar, props. of ^{37}Ar levels below 3.8 MeV 4−12157
^{34}S(α,p)^{37}Cl, gamma-ray spectroscopy 4−12266
^{34}S(p,p), 1 to 2 MeV, determ. of ^{35}Cl isobaric analogue resonances 4−39986
^{35}S, determination of SO$_2$ deposition rates on land and water 4−30264
^{36}S(p,γ)^{37}Cl, E_p=1000-1900 keV, resons., level struct., decay schemes 4−9161
Si, inelastic proton polarization meas., second scatterer in polarimeter 4−19442
Si, multinucleon removal in 220 MeV π^{-} reaction 4−27360
Si, nuclear moments, Coulomb excitation 4−12153
Si, stellar shell, explosive ejection in stellar evolution and nucleosynthesis 4−34599
Si even-even isotopes, deformation and pairing correlations in f-p-g configuration space 4−552
Si ions in elastic transfer reactions, interference-resonance effects, collective model *(Russian)* 4−663
^{25}Si(p,p)^{28}Si, depolarisation parameter meas. 4−19447
^{26}Si, mass determ. from (p,t) reaction, Fermi beta-decay ft values calc. 4−31312
^{27}Si produced in ^{28}Si(^{3}He, α) at 13 to 15 MeV, ang. correlation meas. and excited core model calcs. 4−12155
^{28}Si, ^{16}O-^{12}C config. for ^{16}O(^{16}O,α)^{28}Si stripping reaction 4−9288
^{28}Si, 1522 keV transition investig., following ^{27}Al(pγ) reaction 4−36162
^{28}Si, 500 MeV/c, π^{-} interactions, gamma-ray spectra, reaction mechanism 4−12386
^{28}Si, compound, high-spin states, cross-section enhancements beyond (2I+1) rule in ^{12}C(^{16}O,α)^{24}Mg 4−9299
^{28}Si, compound system, intermediate resonance in ^{16}O + ^{12}C interaction 4−9286
^{28}Si, configuration mixing with generator coordinate method *(French)* 4−39955
^{28}Si, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{28}Si, excited states populated in ^{27}Al(p,γ) reaction, used as gamma ray calibration standard 4−40012
^{28}Si, giant dipole resonance, continuum shell model calculations, including collective correlation effects 4−12305
^{28}Si, group decay of resonant states in region of isobaric analogue resonances 4−9115
^{28}Si, HF, projection of good J states, single shell calc., prolate and oblate minima determ. 4−551
^{28}Si, intermediate structure in giant dipole resonance region, microscopic theory 4−39983
^{28}Si, intrashell quartet spectra, sensitivity to model 4−12210
^{28}Si, isospin mixing anal. from (α,γ_0) reactions to giant dipole resonances 4−9226
^{28}Si, $J^{\pi}=6^{-}$, T=1 state, 14356 keV, from ^{27}Al(p,γ) reaction *(French)* 4−31233
^{28}Si, shell model approach to wave functions and energy spectrum *(French)* 4−9086
^{28}Si, shell with large dimensionalities, fixed J-average spectral distribution method 4−516
^{28}Si, strengths of (p,γ) resonance at 633 and 744 keV 4−31366
^{28}Si energy level lifetimes Doppler shift attenuation meas. 4−9204
^{28}Si giant dipole resonance, effects of core excitation 4−15742
^{28}Si levels populated in ^{27}Al(p,γ) reaction *(French)* 4−2802
^{28}Si pop. in ^{24}Mg(^{7}Li,t) at 12 to 20 MeV, deduced selective pop. of states 4−15904
^{28}Si + ^{12}C, 24-26 MeV, high excitation in ^{40}Ca compound nucleus, particle emission 4−12379
^{28}Si(^{16}O, 2pγ)^{42}Ca, high spin states of ^{42}Ca 4−15639
^{28}Si(^{3}He, α)^{27}Si at 13 to 15 MeV, ang. correlation meas. on levels in ^{27}Si 4−12155
^{28}Si(^{3}He, p)^{30}P, 2.9 to 4.25 MeV, determ. of excitation functions for ^{30}P states 4−2920
^{28}Si(^{3}He,3n), 29 to 80 Me, search for β-delayed protons 4−9236
^{28}Si(^{3}He,α,2n)^{25}Si, 52 and 80 MeV, search for β-delayed protons 4−9236
^{28}Si(^{3}He,p)^{30}P, 28 MeV, differential cross section 4−9232
^{28}Si(^{6}Li, d)^{32}S, direct transfer reaction in s-d shell, energy levels of ^{32}S 4−19539
^{28}Si(α,α'), 166 MeV, test of shell model wave functions 4−2935
^{28}Si(α,α)^{28}Si, 18-22 MeV, angular momentum dependent optical model parameters 4−19517
^{28}Si(α,α)^{28}Si, intermediate resonance like struct. 4−9242
^{28}Si(α,γ_0)^{32}S, 12 to 18 MeV, excitation of giant quadrupole resonance 4−19515
^{28}Si(α,p)^{25}Al, states of ^{25}Al up to 7.8 MeV excitation and mass of ^{25}Al 4−12165
^{28}Si(d,n)^{29}P at 13.5 MeV, meas. n-peaks, deduce ^{29}P energy levels 4−2910
^{28}Si(d,p) 12-15 MeV, compound-nucleus and deuteron D-state effects in T_{20} analysing power 4−9208
^{28}Si(d,p)^{29}Si, 12.3 MeV polarised d, meas. p polarisation 4−19507
^{28}Si(d,p)^{29}Si, study of T=2 level in ^{30}P as a compound nuclear reson. 4−5822
^{28}Si(d,p)^{29}Si at 10 MeV, Hauser-Feshbach corrections to DWBA anal. 4−2908
^{28}Si(d,p)^{29}Si at 13.5 MeV, meas. p-peaks, deduce ^{29}Si energy levels 4−2910

nuclei with $20 \leqslant A \leqslant 38$ continued

- ^{28}Si(d,p)^{29}Si(g.s.) 10 to 15 MeV, DWBA anal. of spin dependent distortion effects 4−19506
- ^{28}Si(e, e^{1}) at 100 to 200 MeV, excitation of level complexes and form factor determ. 4−2865
- ^{28}Si(e,e′p), removal and kinetic energies of protons 4−5785
- ^{28}Si(n,n)^{28}Si, low-energy, rotator-particle coupling for p-wave neutron resonance 4−27316
- ^{28}Si(p,t) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
- ^{28}Si(t,^{3}He)^{28}Al, 23.5 MeV charge exchange mode of giant M1 resonance 4−36213
- ^{29}Si, E1 effective charge, effect of giant dipole resonance 4−15609
- ^{29}Si, pop. in ^{28}Si(d,p) at 13.5 MeV, deduce energy levels from p-peaks 4−2910
- ^{29}Si, retardation of E1 transitions, and neutron effective charge, giant dipole resonance effect 4−583
- ^{29}Si, weak coupling model for rot. spectrum, deformed nucleus 4−12209
- ^{29}Si pop. in ^{26}Mg(α,n) at 6 to 11 MeV, ang. correlation meas. on levels above 5 MeV 4−19516
- ^{29}Si(^{3}He,d)^{30}P at 15 MeV, anal. of excited states in ^{30}P 4−12156
- ^{29}Si(^{3}He,p)^{31}P, 26 MeV, differential cross section 4−9232
- ^{30}Si + ^{32}S, 75 to 80 MeV, elastic exchange, DWBA and nuclear orbitals model 4−2954
- ^{30}Si(^{18}O, p2n)^{45}Sc, high spin states in ^{45}Sc 4−15640
- ^{30}Si(^{3}He,p)^{32}P, 28 MeV, differential cross section 4−9232
- ^{31}Si, ground, excited bands, Hartree-Fock meth., quadrupole moment 4−439
- ^{33}Si, mass and β-decay scheme 4−9121
- ^{33}Si, produced in ^{18}O(^{18}O,2pn)^{33}Si, 35 MeV, mass excess 4−2746
- Si(α, α) elastic and inelastic, 22 to 28 MeV, statistical anal. of excitation functions 4−23709
- Si(d,d)Si, vector analyzing power, 9-13 MeV 4−19493
- Si(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188

nuclei with $39 \leqslant A \leqslant 58$

- A=39, 40 (2s-2d) shell nuclei, classification of single quantum excited states *(Russian)* 4−23620
- A=40,48,50,52 and 54, (^{3}He,n) reactions, direct two proton transfer, 10 to 13 MeV 4−9234
- A=40 to 54, (d,p) reactions at 10 to 11 MeV, meas. vector analyzing power 4−19508
- A=40 to 58, (^{3}He,n) reactions at 18 and 21 MeV, excited O^{+} states 4−9233
- A=55 to 65 nuclei, anal. of single particle levels using microscopic theory 4−15680
- angular distribution of light products in ^{232}Th + ^{40}Ac system 4−9279
- Co, neutron total cross-section, 3 meV to 1 eV 4−23673
- energy spectra of light products $5 \leqslant Z \leqslant 20$ in ^{232}Th + ^{40}Ar system 4−9278
- even-even nuclei, A=50-150, 200, non-statistical effects in neutron inelastic scattering *(Russian)* 4−23685
- Fermi gas model, level density parameters, $40 < A < 250$ 4−15668
- gamma-ray transition strengths between bound states of A=21 to 44 4−31283
- intermediate-coupling unified model rel. to props. of ^{55}Mn low-lying levels 4−12203
- magnetic moments of odd-odd nuclei with $A \leqslant 90$, tables of theoretical and exptl. values *(Russian)* 4−407
- odd-A nuclear, energies of single particle states from (d,p) polarisation reactions on A=40 to 54 nuclei 4−19508
- odd-odd nuclei, ^{10}B to ^{42}Sc, calc. of strength of M1 and E2 transitions *(Russian)* 4−578
- polarisation in elastic neutron scattering ~1 MeV, A=48 to 238, rel. to optical model 4−19437
- sd shell, low-seniority levels, binding energies, $16 < A \leqslant 40$ 4−12211
- single-particle states, $35 \leqslant A \leqslant 65$, 2s neutron hole states 4−401
- systematics, variational calc. with density-dependent interaction 4−550
- (α,p) reactions, 54.8 MeV, proton spectra, precompound emission 4−23713
- A=39-58, (d,p) (n,γ) correl. anal. 4−9222
- ^{27}Al(^{16}O, 2p)^{41}K, high-spin state obs. in ^{41}K 4−15638
- ^{27}Al(^{16}O, pn)^{41}Ca, high-spin state obs. in ^{41}Ca 4−15638
- Ar, acceleration to relativistic velocities, confirmation using cellulose nitrate track detector 4−30567
- Ar isotopes, electric charge radii, using muonic X-rays 4−2749
- ^{40}Ar, bombardment of Ta, reaction mechanism for Au isotope formation 4−9304
- ^{40}Ar, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947
- (^{40}Ar, f), 160 to 300 MeV, on medium and heavy nuclei, total kinetic energy meas. 4−27367
- ^{40}Ar, fusion reactions with U, W, Ho and Bi nuclei, complete cross section determ. 4−9311
- (^{40}Ar,X) on ^{232}Th, transfer reaction 4−2939
- ^{40}Ar (e,e) ^{248}MeV, ^{40}Ar, charge distrib. from phenomenological and model independent anal. 4−27305
- ^{40}Ar/^{39}Ar dating of gabbros and anorthosites, Central Indian Ridge 4−21769
- ^{40}Ar + ^{232}Th, anal. of transfer reaction at 297 to 388 MeV 4−15908
- ^{41}Ar environmental releases at research reactors, reduction 4−19653
- ^{46}Ar, population of states by ^{48}Ca(^{6}Li,^{8}B) reaction at 80 MeV 4−9260
- ^{41}C, spins of ln=1 levels using angular correlation data from ^{40}Ca(d,pγ)^{41}Ca reaction 4−448
- ^{51}C, in V$_{3}$Si, Knight shift anisotropy and EFG meas. by nuclear acoustic resonances 4−10334
- Ca, inelastic scattering of ^{3}He to low lying O^{+} states at 29 MeV 4−5826
- Ca, multinucleon removal in 220 MeV π^{-} reaction 4−27360
- Ca region, single-nucleon transfer form factors calc. with realistic interaction 4−36172
- ^{39}Ca, energy levels, lifetimes 4−12267
- ^{40}Ca, 40 MeV protons, small angle inelastic scattering 4−19240
- ^{40}Ca, absolute cross sections for (n,p) and (n,α) reactions, 2.4-2.9 MeV 4−31355
- ^{40}Ca, ang. distrib. of protons from bremsstrahlung, max. energy 400 MeV 4−624

nuclei with $39 \leqslant A \leqslant 58$ continued

- ^{40}Ca, α-cluster model, anal. of first excited 0^{+} state and mode-mode coupling 4−5740
- ^{40}Ca, α-particle inelastic scattering, 15 MeV, magnetic substate population cross sections 4−15890
- ^{40}Ca, cluster model, Hartree-Fock calc., density distribs. 4−15676
- ^{40}Ca, compound nucleus, particle emission from high excitation 4−12379
- ^{40}Ca, core-excited shell model 4−2775
- ^{40}Ca, Coulomb corrections to induced pseudoscalar term 4−2819
- ^{40}Ca, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
- ^{40}Ca, e.m. giant dipole resonance, factorization method 4−9127
- ^{40}Ca, elastic scatt. of 1 GeV protons, differential cross section meas. 4−9150
- ^{40}Ca, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947
- ^{40}Ca, energy levels, ^{39}K(p,α_{0})^{36}Ar reaction obs. 4−12154
- ^{40}Ca, even parity spectrum in extended model 4−31230
- ^{40}Ca, excitation of giant resonances in e and p scattering 4−39984
- ^{40}Ca, giant quadrupole reson., α-particle inelastic scatt. 4−27341
- ^{40}Ca, influence of Pauli operator on density distrib. in Brueckner-Hartree-Fock approach 4−9048
- ^{40}Ca, intermediate states, Brueckner-Hartree-Fock theory of closed shell nuclei 4−23627
- ^{40}Ca, isospin mixing anal. from (α,γ_{0}) reactions to giant dipole resonances 4−9226
- ^{40}Ca, muon absorption, factorization method 4−9144
- ^{40}Ca, muon capture, emitted neutron longit. polarisation calc. 4−19387
- ^{40}Ca, n-induced gamma-ray production, 0.7 to 20 MeV, cross-section meas. 4−23688
- ^{40}Ca, nuclear charge distrib. comparison with ^{40}Ar 4−27305
- ^{40}Ca, one-nucleon transfer reactions, overlap functions, sum rule corrections 4−2851
- ^{40}Ca, total neutron cross section, shell model effects for ^{41}Ca 4−9185
- ^{40}Ca, two-particle two-hole 0^{+} states from ^{38}Ar(^{3}He,n)^{40}Ca 4−12174
- ^{40}Ca (p,p′), 24.5 MeV polarised p, asymmetry meas. 4−19453
- ^{40}Ca density, correlation effects 4−9051
- ^{40}Ca isospin purity of excitation levels *(Russian)* 4−408
- ^{40}Ca pop. in ^{40}Ca(n,n′), monopole matrix element determ. from half life meas. 4−12247
- ^{40}Ca produced in ^{41}Ca(^{3}He,α), study of particle hole multiplets in ^{40}Ca 4−2938
- ^{40}Ca produced in ^{42}Ca(p,t), study of 0^{+} states in core excitation model 4−2891
- ^{40}Ca-nucleon optical potential, absorptive part 4−2881
- ^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions, gamma ray spectroscopy of ^{49}Cr 4−452
- ^{40}Ca(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4−9274
- ^{40}Ca(^{13}C,^{12}C)^{41}Ca, diffraction-like ang. distribs. for incident energies of 60 and 68 MeV 4−5836
- ^{40}Ca(^{13}C,^{12}C)^{41}Ca, Regge poles and forward-angle anomalies 4−36222
- ^{40}Ca(^{16}O, ^{12}C)^{44}Ti, high resolution study using slit pole magnetic spectrograph 4−9249
- ^{40}Ca(^{16}O, 2pα)^{50}Cr, high spin states and transitions 4−12186
- ^{40}Ca(^{16}O, 3p)^{53}Mn, high spin states and decay schemes 4−19300
- ^{40}Ca(^{19}F,^{20}Ne)^{39}K, 56 MeV, projectile excitation 4−9255
- ^{40}Ca(^{32}S, ^{32}S), 67-120 MeV, ang. distrib. optical model comparison 4−666
- ^{40}Ca(^{32}S, X), 67 to 132 MeV, reaction and fusion cross sections, barrier heights 4−665
- ^{40}Ca(^{32}S,^{28}Si), 100 MeV, alpha transfer reaction 4−9272
- ^{40}Ca(^{32}S,^{36}Ar), 100 MeV, alpha transfer reaction 4−9272
- ^{40}Ca(^{3}He,^{3}He)^{40}Ca, 51.4 and 80 MeV, microscopic helion optical potential 4−2921
- ^{40}Ca(^{3}He,^{7}Be)^{36}Ar, FRDWBA anal. of 0^{+} to 0^{+} ground state transitions 4−9237
- ^{40}Ca(^{3}He,2p)^{41}Ca, 14.5 and 18 MeV, ^{41}Ca high-spin states 4−5710
- ^{40}Ca(^{3}He,α)^{39}Ca, 20 MeV, study of particle hole multiplets in ^{40}Ca 4−2938
- ^{40}Ca(^{3}He,$\alpha\gamma$)^{39}Ca, energy levels, lifetime, ^{39}Ca 4−12267
- ^{40}Ca(^{40}Ca,^{40}Ca), 130 MeV, elastic scattering excitation functions 4−9272
- ^{40}Ca(^{6}Li, ^{6}He), 38 MeV ang. distrib. meas. and DWBA anal. 4−36220
- ^{40}Ca(^{6}Li,^{8}B), 80 MeV, energy spectra 4−9260
- ^{40}Ca(^{6}Li,d)^{44}Ti, angular distrib. 4−9271
- ^{40}Ca(^{6}Li,t)^{43}Ti, ^{40}Ca(^{6}Li,τ)^{43}Sc, analogue states in mirror nuclei, cluster model DWBA calcs. and expt. 4−31406
- ^{40}Ca(α,α), 166 MeV elastic scattering, Glauber approx. 4−15736
- ^{40}Ca(α,γ)^{44}Ti, isospin forbidden radiative capture in giant resonance region, E1 transition strength 4−15898
- ^{40}Ca(α,γ)^{44}Ti, obs. of excited states in ^{44}Ti 4−449
- ^{40}Ca(d,α)^{38}K, proton configuration mixing in target ^{40}Ca(d,α)^{38}K 4−12171
- ^{40}Ca(d,d)^{40}Ca, 30 MeV polarized deuterons, evidence for tensor interaction 4−31382
- ^{40}Ca(d,np), 5.2-9.8 MeV, excitation functions, interference effects, proximity scattering 4−23705
- ^{40}Ca(d,p), 12-15 MeV compound-nucleus and deuteron D-state effects in T$_{20}$ analysing power 4−9208
- ^{40}Ca(d,p), meas. of vector analysing power for $l_{n}=4$ transitions 4−19509
- ^{40}Ca(d,pγ)^{41}Ca, 11 MeV, gamma-ray spectra, excitation of 3.62 MeV doublet 4−19291
- ^{40}Ca(d,pγ)^{41}Ca, 3 MeV, ang. correlation and branching-ratios 4−31387
- ^{40}Ca(d,pγ)^{41}Ca, spins of ln=1 levels using angular correlation data 4−448
- ^{40}Ca(e,e′), form factors, 3^{-}, 5^{-} excitations, transition densities, scatt. calcs. 4−626
- ^{40}Ca(e,e′p), removal and kinetic energies of protons 4−5785
- ^{40}Ca(γ,p), 340 MeV bremsstrahlung, p spectra meas. 4−39990
- ^{40}Ca(γ,p)^{39}K, photoproton spectra, angular distribs. and γ-ray de-excitation spectra, cross sections 4−15759
- ^{40}Ca(n,α)^{37}Ar, 14.1 MeV, Ang. distrib., direct reaction contrib. 4−39998
- ^{40}Ca(n,γ) ground-state transition, isospin splitting of giant dipole resonance 4−36204

nuclei with $39 \leqslant A \leqslant 58$ continued

- ^{40}Ca(p,p′), 3^- and 5^- state excitation anal. with Skyrme forces 4−40002
- ^{40}Ca(p,p′), differential cross sections, scatt. calcs., 3^-, 5^- excitations 4−626
- ^{40}Ca(p,p′), from closed shell nuclei, microscopic description of imaginary form factor 4−2871
- ^{40}Ca(p,p′), intermediate struct. rel. to resonance energies 4−9075
- ^{40}Ca(p,p′) 185 MeV, p polarisation in 3^- level excitation 4−15841
- ^{40}Ca(p,t)^{38}Ca, 52 MeV, obs. of anomalous L=0 transition 4−31365
- ^{40}Ca(t, p)^{42}Ca two-neutron transfer reactions, finite range corrections 4−9206
- ^{40}Ca(t,p)^{42}Ca two-neutron transfer reactions, DWBA calcs., cross sections 4−19373
- ^{41}Ca, approximate relativistic theory, calc. of single particle basis Hamiltonian 4−19319
- ^{41}Ca, electron capture in K-, L-, M-shells, internal bremsstrahlung energy spectra *(Russian)* 4−596
- ^{41}Ca, excitation of 3.62 MeV doublet in ^{42}Ca(^{3}He,$\alpha\gamma$) and ^{40}Ca(d,pγ) reactions 4−19291
- ^{41}Ca, excited $7/2^-$ states, from L=0 (p, t) transitions, weak-coupling core excitation model 4−36203
- ^{41}Ca, high spin states, from ^{40}Ca(^{3}He,2p)^{41}Ca reaction 4−5710
- ^{41}Ca, internal bremsstrahlung spectra for first-forbidden electron capture decay 4−2817
- ^{41}Ca, $K=3/2^+$ and $K=3/2^-$ rot. bands, study using ^{40}Ca(d,p) reaction 4−442
- ^{41}Ca high-spin state populated by ^{27}Al(^{16}O, pn) reaction 4−15638
- ^{41}Ca produced in ^{43}Ca(p,t), study of $^{7}{\cdot}_{2}{}^{-}$ states in core excitation model 4−2891
- ^{41}Ca transition in ^{40}Ca(d,pγ) reaction at 3 MeV, ang. correlation and branching-ratios 4−31387
- ^{41}Ca(^{3}He,α)^{40}Ca, 20 MeV, study of particle hole multiplets in ^{40}Ca 4−2938
- ^{41}Ca(p, t), enhanced L=0 transitions to excited $7/2^-$ states, weak-coupling core-excitation model 4−36203
- ^{42}Ca, high-spin states ppopulated by reaction 4−15639
- ^{42}Ca, spectroscopy via (d,t), (^{3}He,d) and (α,α') reactions 4−12164
- ^{42}Ca, two-particle wave functions in Sturm Liouville basis 4−39941
- ^{42}Ca-^{42}Sc, shell model, higher order core polarization 4−2773
- ^{42}Ca(^{3}He,$\alpha\gamma$)^{41}Ca, 18 MeV, gamma-ray spectra, excitation of 3.62 MeV doublet 4−19291
- ^{42}Ca(p,α)^{39}K, 40.2 MeV, semimicroscopic form factor in DWBA anal. 4−9165
- ^{42}Ca(p,α)^{39}K, 40.2 MeV, DWBA calcs. using improved form factor 4−12342
- ^{42}Ca(p,t)^{40}Ca, study of 0^+ states in core excitation model 4−2891
- ^{42}Ca(τ,p)^{44}Sc, 35 MeV, $f_{7/2}{}^4$ levels of ^{44}Sc rel. to those of ^{52}Mn 4−12172
- ^{42}Ca(τ,p)^{44}Sc, 35 MeV, shell model analysis of analogue states of ^{44}Sc *(French)* 4−12365
- ^{43}Ca, DSA lifetime meas. using high-pressure gas cell 4−35388
- ^{43}Ca n.m.r. in CaF$_2$, nucl. ferromag. existence *(French)* 4−33271
- ^{43}Ca(d,t)^{42}Ca, 20 and 23 MeV, spectroscopic factor determ. by DWBA analysis 4−12164
- ^{43}Ca(p,t)^{41}Ca, study of $^{7}{\cdot}_{2}{}^{-}$ states in core excitation model 4−2891
- ^{44}Ca states with Ex < 3360 keV, lifetimes meas. by Doppler-shift attenuation method 4−5752
- ^{44}Ca(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4−9274
- ^{44}Ca(d,α)^{42}K, proton configuration mixing in target 4−12171
- ^{44}Ca(p,n)^{44}Sc, low energy, excitation of $k=0^-$ rotational band, statistical model 4−15610
- ^{48}Ca + p, charge exchange pot., Hartree-Fock Lane calcs. 4−31267
- ^{48}Ca(^{14}N,^{13}C)^{49}Sc, 50 MeV, weak absorptive optical potential 4−9256
- ^{48}Ca(^{19}F,^{18}O)^{49}Sa, 56 MeV, projectile excitation 4−9255
- ^{48}Ca(^{6}Li, ^{6}He)^{48}Sc, E=34 MeV ang. distribs., cross sections 4−5832
- ^{48}Ca(^{6}Li,^{8}B)^{46}Ar, 80 MeV, energy spectra 4−9260
- ^{48}Ca(^{6}Li,p3n)^{50}Ti, lifetime of 4^+ state 4−12269
- ^{48}Ca(^{7}Li, 4n)^{51}V, high spin states and decay schemes 4−19300
- ^{48}Ca(α,nγ)^{51}Ti, γ-decay of excited states in ^{51}Ti 4−19348
- ^{48}Ca(d,α)^{46}K, proton configuration mixing in target 4−12171
- ^{48}Ca(d,p)^{49}Ca, 20 MeV, evidence for weak coupling in ^{49}Ca 4−12214
- ^{48}Ca(p,d), 22.9 MeV polarised p, cross section and asymmetry meas. 4−19456
- ^{48}Ca(p,n$_a$)^{48}Sc(IAS) quasi-elastic reaction excitation curves 4−9187
- ^{48}Ca(p,n)^{48}Sc, total cross section to isobaric analogue of target ground state in threshold region 4−9195
- ^{48}Ca(p,p)^{48}Ca, 6-13 MeV, cross section, polarization energy depend. 4−19443
- ^{48}Ca(p,t)^{46}Ca two-neutron transfer reactions, DWBA calcs., cross sections 4−19373
- ^{49}Ca, weak coupling, evidence from ^{48}Ca(d,p)^{49}Ca at 20 MeV 4−12214
- ^{49}Ca(d,$\alpha\gamma$)^{38}K, 4.421 MeV, α-γ coincidence meas., lifetime determ. 4−19345
- ^{37}Cl(α,n), 5.0 MeV, ^{40}K magnetic moment determ. 4−39930
- ^{38}Cl($\nu f_{7\cdot 2}$-$\pi d_{3\cdot 2}{}^{-1}$), core-excited shell model 4−2775
- ^{48}Cn(^{6}Li,p3n)^{50}Ti, lifetime of 4^+ state 4−12269
- ^{55}Co, shell-model calc. of core excitation effects 4−31240
- ^{55}Co pop. in ^{54}Fe(d,n)^{55}Co at 5 to 6 MeV, meas. excitation functions for energy level transitions 4−2911
- ^{55}Co produced in ^{58}Ni(p,α)^{55}Co, 12 to 16 MeV, states determ. 4−31370
- ^{57}Co, excited $7/2^-$ states, from L=0 (p, t) transitions, weak-coupling core excitation model 4−36203
- ^{57}Co, γ-source, problem of accumulation of ^{57}Fe *(Russian)* 4−11638
- ^{57}Co, hyperfine interact. in Y$_6$Fe$_{23}$, Mossbauer determin. 4−33323
- ^{57}Co, in CoCl$_2$ hydrates. effect of electron capture on ^{57}Co Mossbauer spectrum 4−10362
- ^{57}Co, ion ^{57}Co(III) (phen)$_3$ (ClO$_4$)$_3$.2H$_2$O, Mossbauer studies of after effects of Auger ionisation 4−41320
- ^{57}Co, Mossbauer effect in CoO, mag. hyperfine field 4−41314
- ^{57}Co, Mossbauer spectra in Invar 4−33316
- ^{58}Co compound nucleus excited at 39 MeV, α-particle spectra *(French)* 4−19523
- ^{59}Co(p, t)^{57}Co, enhanced L=0 transitions to excited $7/2^-$ states, weak-coupling core-excitation model 4−36203

nuclei with $39 \leqslant A \leqslant 58$ continued

- Cr, neutron activation analysis for trace elements in metallic Na 4−2428
- ^{48}Cr, intrashell quartet spectra, sensitivity to model 4−12210
- ^{49}Cr, gamma ray spectroscopy of levels populated by ^{40}Ca(^{12}C, 2pn) and ^{40}Ca(^{14}N, αp) reactions 4−452
- ^{50}Cr, high spin states and transitions obs. by ^{40}Ca(^{16}O, 2pα)^{50}Cr, reaction 4−12186
- ^{50}Cr, spin, parity and transition strength assignments from p,d,^{3}He, and α inelastic scattering meas. 4−15628
- ^{50}Cr(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
- ^{50}Cr(α, nγ)^{53}Fe, 7-10.5 MeV, study of low-lying levels in ^{57}Fe 4−12159
- ^{50}Cr(α,d)^{52}Mn, ^{50}Cr(τ,p)^{52}Mn, 31.2 and 35 MeV, $f_{7/2}{}^4$ levels of ^{52}Mn rel. to those of ^{44}Sc 4−12172
- ^{50}Cr(p,p), 2.8 to 4.9 MeV, high resolution meas. *(German)* 4−23674
- ^{50}Cr(τ,p)^{52}Mn, 35 MeV, shell model analysis of analogue states of ^{52}Mn *(French)* 4−12365
- ^{51}Cr, level scheme study from ^{51}Mn decay and ^{51}V(nγ) reaction 4−23650
- ^{51}Cr, mag. momemt of 760 keV state, γ-ray differential ang. distrib. meas. *(Russian)* 4−27233
- ^{51}Cr, monomolecular radioactive source preparation and characteristics 4−5148
- ^{51}Cr, surface water purification, empirical equation *(French)* 4−31627
- ^{51}Cr decay, radiative capture of s electrons 4−5760
- ^{51}Cr labelling, conc. phagocytes, occult infection diagnosis 4−14691
- ^{52}Cr, inelastic scatt. of 5 MeV vector and tensor polarised deuterons 4−2902
- ^{52}Cr, shell-model calcs. and levels from ^{51}V(^{3}He,d) reaction 4−9229
- ^{52}Cr(^{14}N,^{12}C)^{54}Mn, transfer reactions at 90, 70 and 60 MeV 4−9282
- ^{52}Cr(α,p)^{55}Mn, applicability of 2J + 1 rule 4−660
- ^{52}Cr(α,pγ)^{55}Mn, spins and lifetimes of excited ^{55}Mn states 4−19277
- ^{52}Cr(d,d), 15 MeV, optical potential with tensor term and breakup 4−9216
- ^{52}Cr(d,d)^{52}Cr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
- ^{52}Cr(d,p), meas. of vector analyzing power for $l_n=4$ transitions 4−19509
- ^{52}Cr(d,p)^{53}Cr, 8 MeV, DWBA calcs. including deuteron D-state 4−19501
- ^{52}Cr(d,p)^{53}Cr form factors calc. in coupled-channel Born approx. for vibrational-like states 4−12306
- ^{52}Cr(d,p)^{53}Cr two-step stripping, cross-section, DWBA method 4−644
- ^{52}Cr(p,n)^{52}Mn, total cross section to isobaric analogue of target ground state in threshold region 4−9195
- ^{52}Cr(p,p′), 4 to 7 MeV, p polarisation and excitation function meas. 4−19454
- ^{52}Cr(t,d$_0$)^{53}Cr, DWBA analysis, test of optical potential approach to) 4−5819
- ^{52}Cr(t,d) at 2.0 to 3.5 MeV, determ. of normalisation factor of DWBA anal. 4−2913
- ^{52}Cr(t,t$_0$)^{52}Cr, $E_t=2$-3.5 MeV, optical potential asymptotic part role *(French)* 4−5819
- ^{53}Cr, states populated in ^{51}V(α,d) reaction 4−40028
- ^{53}Cr(d,d)^{53}Cr, vector analyzing power, 9-13 MeV 4−19493
- ^{54}Cr(d,t) at 24 MeV, p-n interaction effect 4−2915
- ^{54}Cr(p,n), 5 MeV, intermediate struct. of excitation functions 4−9186
- ^{59}Cu, ^{58}Ni + p → ^{59}Cu, from ^{58}Ni + p, weak coupling model calc. 4−12217
- Fe, ^{16}O induced reaction cross sections 4−9251
- Fe, absorption of cosmic ray protons, 20 to 10^5 GeV 4−7870
- Fe, neutron activation analysis for trace elements in metallic Na 4−2428
- Fe isotopes, charge distrib. changes, investigation by elastic electron scattering 4−5786
- Fe primary cosmic rays, mass dependence of energy spectrum 4−11090
- Fe^{+12}, proton impact excitation calc. at solar coronal energies 4−5807
- ^{52}Fe, intrashell quartet spectra, sensitivity to model 4−12210
- ^{53}Fe, low-lying levels populated in ^{54}Fe(p, d) and ^{50}Cr(α, nγ) reactions, properties 4−12159
- ^{54}Fe, elastic scatt. by 8 to 15 MeV α-particles 4−2918
- ^{54}Fe, neutron scatt. 2.9 MeV, optical model and statistical theory *(Russian)* 4−23693
- ^{54}Fe,^{56}Fe, inelastic scatt. of 15 MeV vector and tensor polarised deuterons 4−2902
- ^{54}Fe produced in ^{56}Fe(p,t) at 52 MeV, anal. of core-excited states 4−31357
- ^{54}Fe(^{12}C,^{8}Be), 50 to 65 MeV, α transfer reaction 4−9274
- ^{54}Fe(^{3}He,nγ)^{56}Ni, Doppler-shift attenuation method of ^{56}Ni e.m. transition rates 4−12253
- ^{54}Fe(d,α)^{52}Mn, 15 and 28 MeV, $f_{7/2}{}^4$ levels of ^{52}Mn rel. to those of ^{44}Sc 4−12172
- ^{54}Fe(d,n)^{55}Co at 5 to 6 MeV, meas. of excitation functions for transitions in ^{55}Co 4−2911
- ^{54}Fe(n,p)^{54}Mn, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
- ^{54}Fe(p,d)^{53}Fe, 29 MeV, study of low-lying levels in ^{57}Fe 4−12159
- ^{54}Fe(p,p′), 39 and 62 MeV, spectra rel. to calc. from pre-equilibrium decay models 4−2849
- ^{54}Fe(p,p′), polarised p, nuclear structure effects on asymmetry 4−15840
- ^{54}Fe(p,p), 2.8 to 4.9 MeV, high resolution meas. *(German)* 4−23674
- ^{55}Fe, Doppler shift attenuation meas., low recoil velocity, velocity dependence 4−18590
- ^{55}Fe, monomolecular radioactive source preparation and characteristics 4−5148
- ^{56}Fe, 40 MeV protons, small angle inelastic scattering 4−19240
- ^{56}Fe, collective structure of shell model states 4−525
- ^{56}Fe, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
- ^{56}Fe, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947

nuclei with $39 \leqslant A \leqslant 58$ continued
^{56}Fe, inelastic 14.1 MeV neutron scatt., differential cross sections, coupled-channel calcs. 4−27310
^{56}Fe, level scheme from ^{56}Mn decay obs. *(French)* 4−2820
^{56}Fe, rotation like spectrum, relationship between collective and shell models 4−15661
^{56}Fe, rotational, pairing vibr. states, generator coordinate method 4−526
^{56}Fe ion beam bombardment of solid state track detector, rel. to tracks in lunar materials 4−30576
^{56}Fe populated in (p,p'γ) and (n,n'γ) reactions, energy level anal. *(French)* 4−40006
^{56}Fe(^{16}O,^{16}O'γ), 43 MeV, Coulomb-nuclear interference effects in γ-ray angular correl. 4−2965
^{56}Fe(α,γ)^{60}Ni, 8.0 to 17.6 MeV, excitation functions in giant dipole resonance region 4−31395
^{56}Fe(d,α), α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
^{56}Fe(d,d), 15 MeV, optical potential with tensor term and breakup 4−9216
^{56}Fe(d,d)^{56}Fe, 30 MeV polarized deuterons, evidence for tensor interaction 4−31382
^{56}Fe(d,t) at 24 MeV, p-n interaction effect 4−2915
^{56}Fe(n,n), intermediate struct. rel. to resonance energies 4−9075
^{56}Fe(n,p), 14 MeV, pre-equilibrium emission 4−9182
^{56}Fe(n,p)^{56}Mn, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{56}Fe(p,p'γ)^{56}Fe, linearly polarised photon source, quality 4−11564
^{56}Fe(p,t), 52 MeV, anal. of core excited states in ^{54}Fe 4−31357
^{57}Fe, accumulation from ^{57}Co used as γ-source *(Russian)* 4−11638
^{57}Fe, electric quadrupole interaction meas. by Mossbauer effect in $ZnFe_2O_4$ and $CdFe_2O_4$ 4−25028
^{57}Fe, in $CoCl_2$ hydrate, mirror expt., effect of electron capture on ^{57}Co Mossbauer spectrum 4−10362
^{57}Fe, mag. hyperfine interaction in CoO, Mossbauer obs. 4−25038
^{57}Fe, Mossbauer absorption, FeS_2 elec. field gradient 4−37531
^{57}Fe, Mossbauer effect, in ZnO ceramic, electronic charge states obs. rel. to varistor applic. 4−37285
^{57}Fe, Mossbauer effect in $RbFeF_3$ 4−25039
^{57}Fe, Mossbauer effect in $TbFe_{1-x}Cr_xO_3$ *(Japanese)* 4−10359
^{57}Fe, Mossbauer effect in V_2O_3-Cr_2O_3 solid solns. 4−28624
^{57}Fe, Mossbauer effect on splat quenched Al-Fe alloys 4−33315
^{57}Fe, Mossbauer obs. of quadrupole interaction of 14.4 keV level in magnetite 4−3920
^{57}Fe, Mossbauer spectra of quinoxaline-2,3-dithiolate complexes of Fe 4−25034
^{57}Fe, Mossbauer spectrum in $Ni_{1.425}FeTi_{0.475}Sn_{0.05}Li_{0.05}O_4$ 4−12915
^{57}Fe, volume and charging effects in alloy isomer shift 4−17012
^{57}Fe in $Fe_{0.25}Cr_{0.75}$, hyperfine field distrib., Mossbauer obs. *(German)* 4−6818
^{57}Fe in Ni, $Ni_{80}Co_{20}$, Mossbauer obs. 4−6817
^{57}Fe in ZnS, ZnO, chem. isomer shift, Mossbauer obs. 4−28736
^{57}Fe Mossbauer coincidence experiment ang. correlations in 122.0 keV-14.4 keV γ cascade 4−25029
^{57}Fe Mossbauer effect in $[Fe(H_2O)_6](ClO_4)_2$ 4−3919
^{57}Fe Mossbauer effect in austenitic Fe-Mn alloys *(Russian)* 4−1362
^{57}Fe Mossbauer effect in Fe-Si 4−28730
^{57}Fe Mossbauer effect in mixed-valence ferrocene systems 4−1360
^{57}Fe Mossbauer effect in nonsubstitutional solid solns. 4−33674
^{57}Fe Mossbauer effect in Pt-Fe solid solns. 4−1359
^{57}Fe Mossbauer effect in tris(hexamethyldisilylaminato) iron (III) 4−28731
^{57}Fe Mossbauer effect in W-Re solid solns. *(Russian)* 4−33308
^{57}Fe Mossbauer spectra of passivated Fe surfaces 4−20901
^{57}Fe n.m.r. spectra in magnetite, 4.2 to 200K 4−1348
^{57}Fe(n,γ)^{58}Fe, capture of polarised thermal neutrons, anal. of γ-ray intensities and energies 4−2872
^{57}Fe(p,α) α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
^{58}Fe, spin assignments to levels populated in ^{57}Fe(n,γ) reaction 4−2872
Fe(n,γ), cross section meas., 1 eV to 50 keV 4−12330
K natural targets, neutron resonance spectroscopy, total cross sections up to 400 keV 4−12346
^{39}K, absolute cross sections for (n,p) and (n,α) reactions, 2.4-2.9 MeV 4−31355
^{39}K, elastic scatt. of 1 GeV protons, differential cross section meas. 4−9150
^{39}K, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{39}K states populated in ^{42}Ca(p,α) reaction, DWBA calcs. with improved form factor 4−12342
$^{39}K^+$, in liquid crystal, static quadrupolar effects rel. to ion binding 4−10331
^{39}K(^{7}Li,αn)^{41}Ca, 20 MeV, ^{41}Ca high spin states 4−5710
^{39}K(n,γ)^{40}K, circular polarisation and γ-γ ang. correlation meas. 4−40007
^{39}K(p,α_0)^{36}Ar, energy level determ. for ^{40}Ca,$E_p=3.05-4.20$ MeV 4−12154
^{39}K(p,p'γ), 6.0 to 8.2 MeV, decay modes and lifetimes of ^{39}K levels 4−27269
^{40}K, radioactivity measurements in geothermal hot spring systems, northern Nevada 4−21753
^{40}K 3^- level, populated in ^{37}Cl(α,n) reaction, magnetic moment determ. 4−39930
^{40}K($\nu f_{7.2}$-$\pi d_{3.2}{}^{-1}$), core-excited shell model 4−2775
^{41}K, mag. moment of 1290 keV state, γ-ray differential ang. distrib. meas. *(Russian)* 4−27233
^{41}K ground state, neutron correlations, spectroscopic factors 4−648
^{41}K high-spin state populated by ^{27}Al(^{16}O, 2p) reaction 4−15638
^{41}K(^{3}He,d)^{42}Ca, 20 and 23 MeV, spectroscopic factor determ. by DWBA analysis 4−12164
^{41}K(^{7}Li, p2n)^{45}Sc, high spin states in ^{45}Sc 4−15640
^{42}K, 7^+ state from ^{44}Ca(d,α)^{42}K 4−12171
^{43}K, electron linear accelerator production, radiobiological uses 4−14695
^{46}K, 7^+ state from ^{48}Ca(d,α)^{46}K 4−12171
M bath, fast neutron flux meas. 4−39328
^{24}Mg(d,^{3}He)^{23}Na, 21.1 MeV, CCBA analysis of angular distrib., inelastic effects 4−19471

nuclei with $39 \leqslant A \leqslant 58$ continued
^{24}Mg(d,t)^{23}Mg, 21.1 MeV, CCBA analysis of angular distrib., inelastic effects 4−19471
Mn odd-odd isomers, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4−23618
^{35}Mn, resonance neutron capture, γ-spectrum of ^{56}Mn 4−36210
^{51}Mn, level schemes and gamma decay of analogue resonances 4−12188
^{51}Mn→^{51}Cr, decay scheme, γ-ray obs., log-ft. values and ^{51}Cr levels 4−23650
^{52}Mn, $f_{7/2}{}^4$ levels rel. to those of ^{44}Sc from 2-nucleon transfer reactions 4−12172
^{52}Mn, shell model analysis of analogue states from ^{50}Cr(τ,p)^{52}Mn, 35 MeV *(French)* 4−12365
^{53}Mn, high spin states and decay schemes obs. by ^{40}Ca(^{16}O, 3p) reactions 4−19300
^{53}Mn depth profile in lunar surface 4−4742
^{53}Mn in interplanetrary dust, deposition rates from Antarctic ice measurements 4−25889
^{54}Mn, surface water purification empirical equation *(French)* 4−31627
^{54}Mn, transport in undisturbed soil 4−31633
^{55}Mn, applicability of $2J+1$ rule in ^{52}Cr(α,p) reaction 4−660
^{55}Mn, spins and lifetimes of excited state levels 4−19277
^{55}Mn, valence-shell 3-particle (hole) cluster, coupling to quadrupole vibr. 4−2795
^{55}Mn(^{3}He,α), α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
^{55}Mn(γ,γ') at 0 to 6.5 MeV, anal. of decay props. of 7491 keV level 4−15754
^{55}Mn(n,n'), inelastic scattering, separation of pre-equilibrium and equilibrium emission 4−9179
^{56}Mn, γ-spectrum from ^{55}Mn resonance neutron capture, energy levels 4−36210
^{56}Mn, $T_{1/2}$ meas. rel. to measuring equipment checking 4−5190
^{56}Mn→^{56}Fe, and ^{56}Fe level scheme *(French)* 4−2820
Ni, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
Ni, pairing vibrational states, generator coordinate method 4−15670
Ni ^{16}O induced reaction cross sections 4−9251
Ni isotopes, excitation of $T_>$ isospin components of giant dipole states by muon capture 4−19278
Ni isotopes, HFB calcs. of effective-interactions and ground state structure 4−31268
Ni isotopes, spectral distribution, centroid energies, total and partial widths 4−512
^{55}Ni, $J^\pi=1^+$ excited states, 3-12 MeV, Saxon Woods potential calc. 4−419
^{55}Ni→^{55}Co, short-lived high-energy β^+ transition, search in proton irradiation of Co and Ni foils 4−23647
^{56}Ni, distrib. of dipole and spin dipole strength 4−36110
^{56}Ni, e.m. transition rate determ. by Doppler-shift attenuation method on ^{54}Fe(^{3}He,nγ) 4−12253
^{56}Ni, shell-model calc. of core excitation effects 4−31240
^{56}Ni density, correlation effects 4−9051
^{57}Ni, shell-model calc. of core excitation effects 4−31240
^{58}Ni, ^{64}Ni, proton induced isotopic effects in cross sections for production of H, He and Li isotopes at 600 MeV *(Russian)* 4−15789
^{58}Ni, 40 MeV protons, small angle inelastic scattering 4−19240
^{58}Ni, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
^{58}Ni, elastic scattering of ^{14}N, ^{16,18}O, 40-81 MeV, optical model 4−2946
^{58}Ni, inelastic scatt. of 15 MeV polarised deuterons, optical model data 4−2902
^{58}Ni, populated in ^{60}Ni(p,t) at 46.5 MeV, spin and parity determ. *(French)* 4−36189
^{58}Ni, proton elastic and inelastic scattering, 1 GeV, multiple diffractive anal. 4−23672
^{58}Ni ion beams from Van de Graaff with modified ion source 4−35383
^{58}Ni + n, compound nucleus structure, imaginary optical potential particle-vibration intermediate states 4−12399
^{58}Ni + p→^{59}Cu, weak coupling model calc. 4−12217
^{58}Ni(^{12}C,^{8}Be)^{62}Zn, 50 to 65 MeV, α transfer reaction 4−9274
^{58}Ni(^{16}O,^{16}O)^{58}Ni, inelastic scattering at 42 MeV, folded potential approach 4−2964
^{58}Ni(^{32}S, X), 67 to 132 MeV, reaction and fusion cross sections, barrier heights 4−665
^{58}Ni(^{6}Li,d)^{62}Zn, 28 MeV, struct. effects in the fp shell 4−9270
^{58}Ni(α,α)^{58}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{58}Ni(α,α)^{58}Ni, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{58}Ni(d,t) at 24 MeV, p-n interaction effect 4−2915
^{58}Ni(e,e'p), removal and kinetic energies of protons 4−5785
^{58}Ni(n,p) pre-equilibrium emission 4−9182
^{58}Ni(n,p)^{58}Co, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4−27327
^{58}Ni(p, t)^{56}Ni two-nucleon transfer reactions, finite range corrections 4−9206
^{58}Ni(p,^{3}H)^{56}Ni, two step reaction mechanism 4−9169
^{58}Ni(p,α)^{55}Co, 12 to 16 MeV, states of ^{55}Co 4−31370
^{58}Ni(p,n)^{58}Cu, total cross section to isobaric analogue of target ground state in threshold region 4−9195
^{58}Ni(p,p'), 1 GeV inelastic scatt., Glauber multiple diffraction model 4−31363
^{58}Ni(p,p'), 4 to 7 MeV, p polarisation and excitation function meas. 4−19454
^{58}Ni(p,p'), 60 MeV polarised protons, cross sections and analysing powers in giant resonance region 4−15816
^{58}Ni(p,p'), from closed shell nuclei, microscopic description of imaginary form factor 4−2871
^{58}Ni(p,p)^{58}Ni, 6 MeV elastic scattering cross section, energy and angular depend. *(Russian)* 4−23682
Ni(n,n)Ni, 1.36 MeV, angular distrib., depolarisation 4−19439
Sc, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
Sc odd-odd isomers, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4−23618

nuclei with $39\leqslant A\leqslant 58$ continued
^{41}Sc-^{41}Ca, monopole polarisation charges, microscopic calc. 4-2748
^{41}Sc-^{41}Ca mirror nuclei, microscopic description of isovector monopole vibration and Coulomb energy difference 4-15684
^{42}Sc, 2750 4$^+$ state, lifetime meas. by Doppler-shift attenuation method 4-5752
^{42}Sc, two particle random phase approximation for energy levels using 4p-2h core correls. 4-12237
^{42}Sc($\pi f_{7.2}$-$\nu f_{7.2}$), core-excited shell model 4-2775
^{43}Sc, from ^{40}Ca(^{6}Li,τ)^{43}Sc reaction, analogue states 4-31406
^{43}Sc, shell model predictions of three and four particle cluster transfer spectroscopic factors 4-15663
^{44}Sc, anal. of odd parity levels using projected Hartree-Fock wave functions 4-15622
^{44}Sc, excitation of $k=0^-$ rotational band with ^{44}Ca(p,n) at low energy 4-15610
^{44}Sc, $f_{7/2}{}^4$ levels rel. to those of ^{52}Mn, from 2-nucleon transfer reactions 4-12172
^{44}Sc, in Ce, γ-ray ang. distrib. meas., hyperfine field determ. 4-37532
^{44}Sc, shell model analysis of analogue states from ^{42}Ca(τ,p)^{44}Sc, 35 MeV *(French)* 4-12365
^{44}Sc from ^{44}Ca(p,n)^{44}Sc, counter ratio method for spin-parity assignment 4-15611
^{45}Sc, γ-ray spectra, ^{44}Ca(p,γ)^{45}Sc, 600-930 keV, resonant states, levels 4-23601
^{45}Sc, high-spin states populated by ^{30}Si(^{18}O, p2n) and ^{41}K(^{7}Li, p2n) reactions 4-15640
^{45}Sc, low-lying energy levels, lifetimes 4-12268
^{45}Sc, n.m.r. in Pd and Pt 4-16997
^{45}Sc, photonuclear reaction, level density formulas, test 4-5721
^{45}Sc, props. of low-lying levels from 5 MeV (p,p$'\gamma$) reaction anal. 4-23604
^{45}Sc Knight shift in Sc-Zr solid solns. *(Russian)* 4-16993
^{45}Sc neutron transfer reactions, spin depend. sum rules for spectroscopic factors 4-2852
^{45}Sc(α,α)^{45}Sc, 27 MeV elastic differential cross section, optical and folding model analyses 4-19521
^{45}Sc(p,p'γ)^{45}Sc, low-lying levels, ^{45}Sc 4-12268
^{48}Sc, from ^{48}Ca(^{6}Li, ^{6}He)^{48}Sc reaction, E=34 MeV, level study 4-5832
^{48}Sc($\pi f_{7.2}$-$\nu f_{7.2}{}^{-1}$), core-excited shell model 4-2775
^{49}Sc, liquid scintillation meas. of radioactivity 4-11582
^{49}Sc isobaric analogue states, MI decay, half-lives and γ-ray energies, Szentpetery's model *(Russian)* 4-580
^{a}Ti, A=48,50, ^{a}Ti(p,p)^{a}Ti, ^{a}Ti(p,γ)$^{a+1}$V, $^{a+1}$Ti analogue states, $^{a+1}$V levels 4-5794
^{a}Ti, A=49,51, analogue states from $^{a-1}$Ti(p,p)$^{a-1}$Ti, $^{a-1}$Ti (p,γ)^{a}V 4-5794
^{42}Ti, from ^{40}Ca(^{3}He,n)^{42}Ti, 8.0 MeV, e.m. transitions 4-15697
^{43}Ti, from ^{40}Ca(^{6}Li,t)^{43}Ti reaction, analogue states 4-31406
^{44}Ti, band structure, study by ^{40}Ca(α,γ)^{44}Ti reaction 4-443
^{44}Ti, E1 transition strength from isospin forbidden ^{40}Ca(α,γ) reaction in giant resonance region 4-15898
^{44}Ti, intrashell quartet spectra, sensitivity to model 4-12210
^{44}Ti, obs. of excited states populated by ^{40}Ca(α,γ)^{44}Ti reaction 4-449
^{44}Ti, shell model predictions of three and four particle cluster transfer spectroscopic factors 4-15663
^{44}Ti, simultaneous determ. of 3 elements, γ-radiation 4-26705
^{44}Ti/^{44}Sc, source, for positron annihilation studies of condensed matter 4-39321
^{46}Ti, collective energy surface calc. 4-15689
^{46}Ti, collective potential energy surfaces and collective behaviour 4-9091
^{46}Ti, inelastic ^{3}He scattering at 29 MeV, monopole transitions 4-657
^{46}Ti(^{3}He,p)^{48}V, 17 MeV, proton angular distrib., excitation of 1$^+$ states 4-19292
^{46}Ti(α,p)^{49}V reaction, props. of excited states of ^{49}V 4-451
^{46}Ti(d,α)^{44}Sc, 26.7 MeV, $f_{7/2}{}^4$ levels of ^{44}Sc rel. to those of ^{52}Mn 4-12172
^{46}Ti(d,d)^{46}Ti, vector analyzing power, 9-13 MeV 4-19493
^{46}Ti(n,p)^{46}Sc, 2.9-8.4 MeV, fast neutron spectrum for activation analysis 4-27327
^{47}Ti, band mixing shell model calc. 4-2779
^{47}Ti(p,nγ)^{47}V, level struct. and decay scheme of ^{47}V *(French)* 4-5753
^{48}Ti, A=3 to 20 fragments from ^{16}O bombardment 4-9291
^{48}Ti, collective potential energy surfaces and collective behaviour 4-9091
^{48}Ti, inelastic ^{3}He scattering at 29 MeV, monopole transitions 4-657
^{48}Ti, inelastic scattering of ^{3}He to low lying O$^+$ states at 29 MeV 4-5826
^{48}Ti, shell-model structure, study via (d,t) and (α,α') reactions 4-12130
^{48}Ti,^{50}Ti, inelastic scatt. of 15 MeV vector and tensor polarised deuterons 4-2902
^{48}Ti rotational, pairing vibr. states, generator coordinate method 4-526
^{48}Ti(α, α)^{48}Ti, refinement of energy level spectra calc. by generalised collective model 4-15689
^{48}Ti(d,d)^{48}Ti, vector analyzing power, 9-13 MeV 4-19493
^{48}Ti(d,p) meas. of vector analyzing power for $l_n=4$ transitions 4-19509
^{48}Ti(p,nγ)^{48}V, obs. of low-lying states 4-450
^{49}Ti(d,t)^{48}Ti, 18 MeV, study of ^{48}Ti shell model structure 4-12130
^{49}Ti(p,d), 20.9 MeV polarised p, cross section and asymmetry meas. 4-19456
^{50}Ti, collective energy surface calc. 4-15689
^{50}Ti, collective potential energy surfaces and collective behaviour 4-9091
^{50}Ti, lifetime of 4$^+$ state 4-12269
^{50}Ti(d,p) meas. of vector analyzing power for $l_n=4$ transitions 4-19509
^{50}Ti(d,pγ)^{51}Ti, γ-decay of excited states in ^{51}Ti 4-19348
^{50}Ti(p,n), 5 MeV, intermediate struct. of excitation functions 4-9186
^{50}Ti(p,n)^{50}V, total cross section to isobaric analogue of target ground state in threshold region 4-9195
^{50}Ti(p,p$'\gamma$)^{50}Ti, 3.5-4.8 MeV, isobaric analogue state obs. 4-23606

nuclei with $39\leqslant A\leqslant 58$ continued
^{51}Ti, γ-decay of excited levels populated in ^{50}Ti(d,pγ) and ^{48}Ca(A,nγ) reactions 4-19348
^{51}Ti isobaric analogue state obs. in ^{50}Ti(p,p$'\gamma$) reaction 4-23606
Ti(α,α'), A=46, 48, 49, at 104 MeV, deformation anal. using coupled channel methods 4-15891
V, multinucleon removal in 220 MeV π^- reaction 4-27360
V, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4-12350
V odd-odd isomers, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4-23618
^{a}V, A=49,51, bound states from $^{a-1}$Ti(p,γ)^{a}V 4-5794
^{47}V, level schemes and gamma decay of analogue resonances 4-12188
^{47}V, level struct. and decay scheme, ^{47}Ti(p,nγ) obs. *(French)* 4-5753
^{48}V, 1$^+$ states populated in ^{46}Ti(^{3}He,p) reaction 4-19292
^{48}V, β^+ decay to ^{48}Ti, spectrum meas. *(Russian)* 4-31313
^{48}V, obs. of low-lying states populated by ^{48}Ti(p,nγ)^{48}V reaction 4-450
^{48}V from ^{48}Ti(p,n)^{48}V, counter ratio method for spin-parity assignment 4-15611
^{49}V excited states populated by ^{46}Ti(α,p)^{49}V reaction 4-451
^{50}V, levels from ^{49}Ti(^{3}He,d), 22 MeV, and ^{51}V(d,t), 19.5 MeV 4-15623
^{50}V(n, γ)^{51}V, obs. of high spin states and transitions 4-15641
^{51}V, ^{56,57}Fe, ^{55}Mn, ^{58}Ni, gamma-ray multiplicity meas. for (p,α), (d,α), (α,p), (α,α') and (d,p) reactions 4-23638
^{51}V, high spin states and decay schemes obs. by ^{48}Ca(^{7}Li, 4n) reactions 4-19300
^{51}V, lifetime of (15/2)$^-$ state 4-12269
^{51}V, low-lying excited states, level energies, intermediate coupling approach 4-39932
^{51}V, n.m.r. in LiVO$_3$, quadrupole interactions 4-6793
^{51}V, n.m.r. in Pd 4-16997
^{51}V, obs. of high spin states and transitions by ^{50}V(n, γ)^{51}V reaction 4-15641
^{51}V, proton pickup and stripping reactions, overlap representation, multipole moments 4-2754
^{51}V acoustic reson. in V$_3$Si single crysts. *(French)* 4-20868
^{51}V following radiative capture of s electrons in ^{51}Cr decay 4-5760
^{51}V n.m.r. in $(V_3Si)_{1-x}(Cr_3Si)_x$ and $(V_{3.04}Ge_{0.96})_{1-y}(Cr_3Ge)_y$ *(Russian)* 4-16875
^{51}V(^{3}He,d)^{52}Cr, angular distribs. for states up to 7 MeV excitation, DWBA theory 4-9229
^{51}V(α,d)^{53}Cr, ang. distrib. meas., 22 MeV, excited state assignment 4-40028
^{51}V(p, n)^{51}Cr, n polarisation near Ep$\approx$2.335 MeV 4-5802
^{51}V(p,n)^{51}Cr, 18-26 MeV, angle-integrated spectra, nonequilibrium contribs. 4-12343
^{51}V(p,nγ)^{51}Cr. 3.8 MeV, lifetime and E2 transitions of 749.1 keV level in ^{51}Cr 4-23650

nuclei with $59\leqslant A\leqslant 89$
^{64}Ni(p,p)^{64}Ni, 6 MeV elastic scatt. cross section, energy and ang. depend. *(Russian)* 4-23682
A=55 to 65 nuclei, anal. of single particle levels using microscopic theory 4-15680
A=60-89, (n,γ) reactions, 3P size reson. struct., neutron strength functions, 23$\pm$5 MeV 4-633
A=66 to 77 fission product from ^{232}Th(n,f) reaction at 14.8 MeV 4-669
A$\leqslant$68, systematics, variational calc. with density-dependent interaction 4-550
even-even nuclei, A=50-150, 200, non-statistical effects in neutron inelastic scattering *(Russian)* 4-23685
Fermi gas model, level density parameters, $40<A<250$ 4-15668
magnetic moments of odd-odd nuclei with A$\leqslant$90, tables of theoretical and exptl. values *(Russian)* 4-407
polarisation in elastic neutron scattering ~1 MeV, A=48 to 238, rel. to optical model 4-19437
single-particle states, $35\leqslant A\leqslant 65$, 2s neutron hole states 4-401
spherical nuclei with A=75-89, Gammow-Teller isobaric 1$^+$ resonance *(Russian)* 4-15713
(α,p) reactions, 54.8 MeV, proton spectra, precompound emission 4-23713
A=59-80, (d,p) (n,γ) correl. anal. 4-9222
As odd-even isotopes, positive parity states and analogue states 4-9077
^{73}As, γ-decay excitation of 13.3 keV Mossbauer reson. in ^{73}Ge 4-28737
^{73}As energy levels populated by ^{73}Ge(p,n)^{73}As reaction 4-454
^{74}As, level scheme, spins, parities, ^{74}Ge(p, nγ) reaction 4-426
^{75}As, electromag. props. of low lying levels 4-2755
^{75}As, n.q.r. in trimethylindium-Me$_3$N(P)(As)(Sb) 1:1 complex 4-33297
^{75}As, n.q.r. of As$_2$S$_3$, vitreous and cryst., bonding, l.f. vibr. modes 4-6811
^{75}As, nuclear quadrupole resonance in As(III) dithiocarbamates 4-27714
^{75}As, Zeeman perturbed n.q.r. in NH$_4$H$_2$AsO$_4$ 4-13363
^{75}As populated in ^{75}Se decay, decay scheme determ. 4-36157
^{75}As(α,2n)^{75}As, upper limit for cross section at 28.1 MeV 4-2917
^{75}As(α,2n)^{77}Br, 13.8-28.1 MeV, cross section and excitation function meas. 4-2917
^{75}As(α,3n)^{76}Br, upper limit for cross section at 28.1 MeV 4-2917
^{75}As(p,ne$^-\nu$)^{75}Se, low lying transitions in ^{75}Se 4-592
^{77}As, 264 keV level, g-factor, IPAC technique 4-12135
^{77}As, g-factor determ. of 264 keV level using perturbed ang. correlation technique 4-15612
^{77}As, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4-2985
^{81}As→^{81}Se, beta-decay, half-life and gamma-ray spectra 4-27283
Br, 10.1 GeV/c, K$^-$ meson induced fission in nuclear emulsion 4-31434
Br isotopes, in deficient, determ. of total β-decay energies 4-12288
^{75}Br spin and parity assignments from ^{75}Kr decay scheme determ. 4-12290
^{77}Br mixed analogue resonances, obs. in ^{76}Se(p,p)^{76}Se 4-9197
^{78}Br, ^{80}Br, g-factors of first excited states populated in Sn(p, n) reactions, DPAD method 4-9056

nuclei with $59 \leqslant A \leqslant 89$ continued
^{79}Br, e.s.r. obs. of hyperfine coupling consts. in organic metal halides 4−19881
^{79}Br, gamma ray directional correl., from ^{79}Kr decay 4−5750
^{79}Br, transition to isomeric levels produced by Coulomb excitation, γ-ray spectra obs. 4−9104
^{80}Br, 37 keV level, quadrupole moment by time-differential γ-γ angular correlation 4−12149
^{80}Br, isomeric ratios, γ-ray cascade model 4−427
^{80}Br, μ^- capture, emission probabilities and multiplicity distrib. determ. 4−2821
^{81}Br, e.s.r. obs. of hyperfine coupling consts. in organic metal halides 4−19881
^{81}Br, n.m.r. in alkali metal halide aq. solns., investig. 4−41290
^{81}Br, n.m.r. obs. of order parameter for order-disorder transition in NH_4Br 4−20874
^{81}Br, n.q.r. in p-dibromobenzene powder 4−25020
^{81}Br, transition to isomeric levels produced by Coulomb excitation, γ-ray spectra obs. 4−9104
^{81}Br in ND_4Br, high pressure n.m.r. obs. of order-disorder transitions *(Japanese)* 4−32647
Co, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
Co odd-odd isomers, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4−23618
^{59}Co, 1291.5 keV state, g-factor meas., IPAC method 4−23600
^{59}Co, charge distrib. changes, investigation by elastic electron scattering 4−5786
^{59}Co, n.m.r. in Fe-Co-Al solid soln. *(Russian)* 4−20886
^{59}Co, nuclear mag. relax. in ferromag. Ni 4−37521
^{59}Co, quadrupole moment determ. by obs. of deformation effect in neutron total cross section 4−12131
^{59}Co level structure, from γ-ray meas. following ^{59}Fe decay 4−19346
^{59}Co(n,n)^{59}Co, 1.36 MeV, angular distrib., depolarisation 4−19439
^{59}Co(n,n)^{59}Co, polarized target, deformation effect in total cross section 4−19440
^{59}Co(p,γ)^{60}Ni, 16.5 to 17 MeV, excitation functions in giant dipole resonance region 4−31395
^{59}Co(p,n), 5 MeV intermediate struct. of excitation functions 4−9186
^{59}Co(p,p)^{59}Co, 6 MeV elastic scatt. cross section, energy and ang. depend. *(Russian)* 4−23682
^{60}Co, high activity source, isomer activation data 4−19211
^{60}Co, intensities of 2158 and 2505 keV γ rays meas. following β^- decay 4−12280
^{60}Co, liquid scintillation meas. of radioactivity 4−11582
^{60}Co, surface water purification, empirical equation *(French)* 4−31627
^{60}Co detector, NaI crystal mounted in chair 4−27481
^{60}Co γ radiation, perinatally irradiated beagles, renal failure 4−8200
^{60}Co labelled sodium ethylenediaminetetraacetate Co(III) soln., chemical dosimeter 4−14705
^{60}Co teletherapy unit beam, exposure measurement, absorbed dose determ. 4−30257
^{60}Co whole-body irradiator 4−22604
Cr, neutron total cross-section, 3 meV to 1 eV 4−23673
Cu, cross-sections, analysis using calculational model of TAPIRO reactor 4−31463
Cu, elastic scattering from ^{116,118,120,122,124}Sn, 4.14 MeV 4−2947
Cu, from Ni + p, weak coupling model calc. 4−12217
Cu, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
Cu, p bombardment at 5 to 10 MeV, n yield meas. 4−19398
Cu, total ηN interaction cross-section in η-meson photoproduction 4−9139
Cu isotopes, charge distrib. changes, investigation by elastic electron scattering 4−5786
Cu isotopes, low lying energy level lifetimes 4−12270
Cu isotopes, normal parity states, shell model study 4−5723
Cu isotopes, study using Ni(^{3}He,d) reaction at 18 MeV 4−2936
^{61}Cu, $g_{9/2}$ analogue to antianalogue M1 transition 4−9114
^{61}Cu, high resolution meas. of analogue states for piston energies up to 4 MeV 4−9198
^{61}Cu, low-lying level properties in particle-hole coupling model 4−39956
^{61}Cu isobaric analogue states, Ml decay, half-lives and γ-ray energies, Szentpetery model *(Russian)* 4−580
^{61}Cu pop in ^{60}Ni(p,γ)^{61}Cu, at 1.8 to 2.3 MeV, gamma decay of isobaric analogue states 4−12259
^{62}Cu, ^{64}Cu, Doppler shift attenuation determ. of lifetimes, ^{62,64}Ni(p,nγ)^{62,64}Cu reaction 4−39966
^{62}Cu, nuclear spectroscopy with ^{63}Cu(d,t) and ^{64}Zn(d,α) reactions 4−9067
^{63}Cu, ^{65}Cu, 19.5 MeV alpha-particle inelastic scattering, optical model anal. *(Roumanian)* 4−19522
^{63}Cu, collective model anal. of low-lying levels 4−15666
^{63}Cu, large transfer of nuclear matter on ^{40}Ar bombardment at 288 MeV 4−9281
^{63}Cu, low-lying level properties in particle-hole coupling model 4−39956
^{63}Cu, n.m.r., in Cu_2HgI_4, quadrupole coupling const. rel. to temp. *(German)* 4−41302
^{63}Cu, n.m.r. in Cu-Mn dilute alloy 4−20880
^{63}Cu, n.m.r. in dil. Cu-Mn alloys 4−33135
^{63}Cu, n.m.r. in I-III-VI_2 semiconductor 4−33301
^{63}Cu, nuclear quadrupole resonance in Cu(I) dithiocarbamates 4−27714
^{63}Cu, pop. in ^{63}Zn beta-decay, weak γ-ray energy and relative intensity meas. 4−12289
^{63}Cu (p,p'), 15 MeV, polarised p asymmetry meas. 4−15843
^{63}Cu n.m.r. spin echo in metallic Cu foils 4−3904
^{63}Cu(^{3}He,α)^{62}Cu, 18 MeV, ^{62}Cu nuclear spectroscopy 4−9067
^{63}Cu(d,t)^{62}Cu, 16 and 12 MeV, ^{62}Cu nuclear spectroscopy 4−9067
^{63}Cu(n,γ), capture of polarised thermal neutrons, spin assignments 4−2873
^{63}Cu(n,n)^{63}Cu, 1.36 MeV, angular distrib., depolarisation 4−19439
^{63}Cu(p,p') 15 MeV, polarised p asymmetry meas. 4−15843
^{64}Cu, half-life determ. 4−27282
^{64}Cu, neutron activation anal. of Cu in rock 4−26706
^{64}Cu, spin assignments to levels populated in ^{63}Cu(n,γ) reaction 4−2873

nuclei with $59 \leqslant A \leqslant 89$ continued
^{64}Cu low lying levels populated in ^{64}Ni(p,nγ)^{64}Cu reaction 4−453
^{64}Cu(p,xn), 724 MeV, n-spectra meas. comparison with intracascade model 4−19415
^{65}Cu, anal. of self absorpt. and recoil energy distrib. shapes in nuclear resonance fluorescence *(German)* 4−12244
^{65}Cu, large transfer of nuclear matter on ^{40}Ar bombardment at 288 MeV 4−9281
^{65}Cu, nuclear quadrupole resonance in CU(I) dithiocarbamates 4−27714
^{65}Cu(α,α)^{65}Cu, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
^{65}Cu(n,n)^{65}Cu, 1.36 MeV, angular distrib., depolarisation 4−19439
^{65}Cu(p,nγ)^{65}Zn, 3.5, 4.0 MeV, γ-ray decay properties of ^{65}Zn low-lying levels 4−19336
^{67}Cu, use in lung cancer diagnosis 4−14697
^{69}Cu, ang. distrib. of protons from bremsstrahlung, max. energy 400 MeV 4−624
Cu(e,e'), 1.2 GeV, quasielastic cross-section meas., 20-35° *(Russian)* 4−31348
^{57}Fe, valence-shell 3-particle (hole) cluster, coupling to quadrupole vibr. 4−2795
^{59}Fe, labelling in bone 4−35046
^{59}Fe, liquid scintillation meas. of radioactivity 4−11582
^{59}Fe, simultaneous determ. of 3 elements, γ-radiation 4−26705
^{59}Fe, surface water purification, empirical equation *(French)* 4−31627
^{59}Fe decay anomalous anisotropies in 1099 keV and 1293 keV transitions due to intermediate state reorientation 4−15721
^{59}Fe$\rightarrow$^{59}Co, gamma-ray meas., ^{59}Co level structure 4−19346
^{65}Ga, γ-decay obs. of particle-plus-core excitation mode 4−15702
^{67}Ga, ^{70}Ga, Doppler shift attenuation determ. of lifetimes, ^{67,70}Zn(p,nγ)^{67,70}Ga reaction 4−39966
^{67}Ga, analog resonance study of ^{67}Zn from ^{66}Zn(p,p'γ) reaction 4−5804
^{67}Ga, carrier-free, production, ^{68}Zn cyclotron target 4−11560
^{67}Ga, γ-decay obs. of particle-plus-core excitation mode 4−15702
^{67}Ga, incorporated with ^{125}I, intracellular dosimetry calc. 4−8243
^{67}Ga, intermediate struct. near isobaric analogue resonance, for ^{66}Zn(p,p')^{67}Ga 4−9188
^{67}Ga retention, mice, whole-body X-irradiation 4−8201
^{67}Ga scanning, brain lesions, differential diagnosis 4−14693
^{67}Ga standardisation, problems using liquid scintillation counting 4−5174
^{69}Ga, γ-decay obs. of particle-plus-core excitation mode 4−15702
^{69}Ga, n.m.r. in I-III-VI_2 semiconductor 4−33301
^{69}Ga, valence-shell 3-particle (hole) cluster, coupling to quadrupole vibr. 4−2795
^{71}Ga(p,n)^{71}Ge, level spins and decay scheme of ^{71}Ge 4−413
^{72}Ga$\rightarrow$^{72}Ge, E0 transition of 690 keV level, β-conversion electron distribution 4−31304
Ge, ^{16}O induced reaction cross sections 4−9251
Ge even-even isotopes, deformation and pairing correlations in f-p-g configuration space 4−552
^{a}Ge(^{3}He,d), A=70, 72, 74, 76, 23 MeV, high energy resolution study of As odd-even isotopes 4−9077
^{a}Ge(γ,2n), A=70, 72, 74, 76, cross section and yield meas., threshold −40 MeV, resonance obs. 4−19382
^{a}Ge(γ,n), A=70, 72, 74, 76, cross section and yield meas., threshold to 40 MeV, resonance obs. 4−19382
^{a}Ge(γ,np) with A=70, 72, 74, 76 E_γ=9.0−40.0 MeV, cross sections, isospin components 4−623
^{68}Ge/^{68}Ga source for positron annihilation studies of condensed matter 4−39321
^{70}Ge, inelastic scattering of ^{16}O, ^{18}O, excitation function, 33 to 52.5 MeV 4−2963
^{70}Ge(p,p), intermediate struct. rel. to resonance energies 4−9075
^{71}Ge, level spins and decay scheme of levels populated by ^{71}Ga(p,n)^{71}Ge reaction 4−413
^{72}Ge, half-life of 690 keV E0 transition following ^{72}Ga β-decay 4−31304
^{72}ge, inelastic proton scattering, 5 MeV, compound nucleus blocking lifetime meas. 4−9175
^{72}Ge, shell model, collective excitations 4−15660
^{72}Ge prod. in ^{72}Ga decay, energies and mixing ratios of transitions 4−23636
^{72}Ge(α,nγ) reaction, obs. of excited states of ^{75}Se 4−455
^{73}Ge, Mossbauer reson. at 13.3 keV 4−28737
^{73}Ge in Ge[CO_2]O_4, n.m.r. 4−6797
^{73}Ge(α,2nγ) reaction, obs. of excited states of ^{75}Se 4−455
^{73}Ge(p,n)^{73}As, energy levels of ^{73}As 4−454
^{74}Ge(γ,p), E_γ=9.0-40.0 MeV, cross sections, isospin components 4−623
^{74}Ge(p, nγ)^{74}As, ^{74}As level scheme, spins, parities 5.3 MeV 4−426
^{77}Ge, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
Gn β-decay, population of low-lying levels in Zn 4−12270
Kr, A=78 to 81 isotopes anal. of excited states from meas. on Rb isotopes beta-decay 4−12160
Kr isotopes, in deficient, determ. of total B-decay energies 4−12288
^{72}Kr proton-rich nuclide, delayed gamma-ray obs., half-life 4−15716
^{73}Kr proton-rich nuclide, delayed gamma-ray obs., half-life 4−15716
^{75}Kr, decay scheme and total decay energy determ. 4−12290
^{79}Kr$\rightarrow$^{79}Br, directional correlations of γ-rays, log ft values and conversion coeffs. 4−5750
^{84}Kr, bombardment of Ta, reaction mechanism for Au isotope formation 4−9304
^{84}Kr, inelastic scattering from ^{232}Kr at 389 and 468 MeV 4−2961
^{84}Kr, inelastic scattering from ^{232}Thm 371 and 450 MeV 4−27354
^{84}Kr, scattering from ^{208}Pb, ^{232}Th at 500 MeV, and ^{197}Au, ^{181}Ta at 457 MeV, non-elastic processes 4−2948
^{84}Kr fusion reactions with U, W, Ho and Bi nuclei, complete cross section determ. 4−9311
^{84}Kr + heavy nuclei, at 500 MeV anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
^{84}Kr(d,p)^{85}Kr, obs. of energy levels of ^{85}Kr 4−456
^{84}Kr(p,p), obs. of energy levels of ^{84}Kr 4−456
^{85}Kr, atmospheric, calc. of human exposure up to 2000 AD *(Czech)* 4−30260

nuclei with $59\leqslant A\leqslant 89$ continued
^{85}Kr, estimation of radiation exposure 4−31623
^{85}Kr, evaluation of power plant emission 4−31637
^{85}Kr, from reprocessing plant, decontamination factor 4−31622
^{85}Kr, meas. of atmospheric activity at Debrecen, Hungary 4−14111
^{85}Kr, monitoring near Karlsruhe Reprocessing Plant 4−31638
^{85}Kr, obs. of energy levels populated in ^{84}Kr(d,p)^{85}Kr reaction 4−456
^{85}Kr, radioactive, analysis of SO_2 in atmosphere *(Slovak)* 4−4627
^{85}Kr, radiological importance rel. to ^{3}H 4−35067
^{85}Kr, single-hole-core coupling in semimicroscopic model of N=50 region 4−31259
^{85}Kr→^{85}Rb β-decay, correlation effect on excitation probability Kr4p^{6}→Rb^{+}4p^{5}5 4−19702
^{88}Kr, β-decay to levels in ^{88}Rb, γ-ray spectra 4−23652
^{86}Nb, new isotope, obs. of γ-transitions and half-life *(Russian)* 4−23645
^{87}Nb decay, γ-ray energies and intensities *(Russian)* 4−23645
Ni, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
Ni isotopes, charge distrib. changes, investigation by elastic electron scattering 4−5786
Ni isotopes, HFB calcs. of effective-interactions and ground state structure 4−31268
Ni isotopes, odd-even mass differences, generator coord. method 4−27257
Ni isotopes, spectral distribution, centroid energies, total and partial widths 4−512
Ni isotopes, structure studies by isobaric analogue resonances 4−9078
Ni+p→Cu, weak coupling model calc. 4−12217
Ni(^{6}Li, ^{6}He), A=58 to 64, ang. distrib. meas. and DWBA anal. 4−36220
^{a}Ni, A=60,62,64 inelastic scatt. of 15 MeV polarised deuterons, optical model data 4−2902
^{59}Ni, from ^{58}Ni(n,γ), L/K electron capture ratios, nuclear matrix elements 4−19351
^{59}Ni, seniority-three states, γ-decay 4−15703
^{59}Ni(n,α), thermal neutrons, cross-section meas. 4−23687
^{60}Ni, 500 MeV/c π^{-} interactions, gamma-ray spectra, reaction mechanism 4−12386
^{60}Ni, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{60}Ni, fast π^{-} interactions, α-particle removal, meas. of prompt γ-ray spectra 4−15927
^{60}Ni, giant dipole resonance and from (α,γ) and (p,γ) reactions 4−31395
^{60}Ni, inelastic electron scattering, low momentum transfer 4−5787
^{60}Ni, intensities of 2158 and 2505 keV γ rays meas following ^{60}Co decay 4−12280
^{60}Ni, populated in ^{62}Ni(p,t) at 46.5 MeV, spin and parity determ. *(French)* 4−36189
^{60}Ni(^{18}O,X), X=^{19}F, ^{12,13,14}C, ^{16}O, angular distrib. at 60 and 63 MeV 4−9264
^{60}Ni(^{3}He,n)^{62}Zn, 18 and 21 MeV, excited O^{+} states 4−9233
^{60}Ni(α,α)^{60}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{60}Ni(d,d), 15 MeV, optical potential with tensor term and breakup 4−9216
^{60}Ni(d,d)^{60}Ni, 15 MeV, analysis of cross section and analysing powers 4−2898
^{60}Ni(e,e') 25 to 250 MeV, cross section, meas. transition densities determ. 4−15769
^{60}Ni(p,γ)^{61}Cu, gamma decay of analogue states in ^{61}Cu 4−12259
^{60}Ni(p,γ)^{61}Cu, meas. of M1 transition from inelastic analogue state of $g_{9/2}$ state in ^{61}Ni 4−9114
^{60}Ni(p,p), 3-4 MeV, high-resolution meas. of analogue states in ^{61}Cu 4−9198
^{60}Ni(p,p)^{60}Ni, 6 MeV elastic scatt. cross section, energy and ang. depend. *(Russian)* 4−23682
^{60}Ni(p,p)^{60}Ni, meas. of M1 transition from isobaric analogue state of $g_{9/2}$ in ^{61}Ni 4−9114
^{60}Ni(p,t)^{58}Ni, 46.5 MeV, determ. of ^{58}Ni levels *(French)* 4−36189
^{60}Ni(t,d), at 2.0 to 3.5 MeV, determ. of normalisation factor of DWBA anal. 4−2913
^{61}Ni, M1 transition from IAS of $g_{9/2}$ state 4−9114
^{62}Ni, ^{64}Ni(p,nγ)^{62,64}Cu, Doppler shift attenuation determ. of ^{62,64}Cu lifetimes 4−39966
^{62}Ni, 2^{+} core state in ^{63}Cu collective model anal. quadrupole moment determ. 4−15666
^{62}Ni, J-depend. of density of states, shell model calc. 4−9065
^{62}Ni(^{18}O, ^{16}O)^{64}Ni, finite range recoil effect DWBA calc. 4−15905
^{62}Ni(^{18}O,X), X=^{19}F, ^{12,13,14}C, ^{16}O, angular distrib. at 60 and 63 MeV 4−9264
^{62}Ni(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{62}Ni(^{3}He,t)^{62}Cu, 18 MeV, ^{62}Cu nuclear spectroscopy 4−9067
^{62}Ni(^{7}Ni, ^{6}He)^{63}Cu, forward angle struct. proton ang. momenta depend. 4−40036
^{62}Ni(α,α)^{62}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{62}Ni(p,γ) 2.4 MeV gamma-decay from ^{63}Ni isobaric analogue resonance 4−31371
^{62}Ni(p,p′) polarised p, nuclear structure effects on asymmetry 4−15840
^{62}Ni(p,p)^{62}Ni, 6 MeV elastic scatt. cross section, energy and ang. depend. *(Russian)* 4−23682
^{62}Ni(p,t), 46.5 MeV, anal. of ^{60}Ni levels *(French)* 4−36189
^{63}Ni, gamma decay from isobaric resonance following ^{62}Ni(p,γ) reaction 4−31371
^{63}Ni, isobaric analogue resonances, structure determ. 4−31353
^{63}Ni, standardisation using radioactive calorimetry 4−5185
^{64}Ni, ^{58}Ni, proton induced isotopic effects in cross sections for production of H, He and Li isotopes at 600 MeV *(Russian)* 4−15789
^{64}Ni, 19.5 MeV alpha-particle inelastic scattering, optical model anal. *(Roumanian)* 4−19522
^{64}Ni, gamma-ray multiplicity meas. for (α,p) and (α,α') reactions 4−23638
^{64}Ni pop. in (α,$\alpha'\gamma$) at 13 MeV, DSA meas. of excited states lifetimes 4−15699

nuclei with $59\leqslant A\leqslant 89$ continued
^{64}Ni(^{12}C,^{10}Be), 48 MeV, angular distrib. 4−9263
^{64}Ni(^{12}C,^{11}B), 48 MeV, angular distrib. 4−9263
^{64}Ni(^{16}O,^{15}N), 56 MeV, angular distrib. 4−9263
^{64}Ni(α,α)^{64}Ni, 18-27 MeV, back-angle scattering, optical model 4−2925
^{64}Ni(α,n), 13.5 MeV, population of isomeric $^{9}/_{2}{}^{+}$ state in ^{67}Zn 4−9057
^{64}Ni(p,γ)^{65}Cu, E_p=1000 to 1850 keV, obs. of levels and transitions in ^{65}Cu 4−2803
^{64}Ni(p,nγ)^{64}Cu reaction, obs. of low-lying levels 4−453
Rb, A=78 to 81 isotopes, beta-decay anal. rel. to determ. of excited levels in Rb isotopes 4−12160
Rb, A=80 to 83 isotopes, anal. of excited states from meas. on Sr isotope beta-decay 4−12160
^{25}Rb, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{78}Rb radioactive decay and gamma transitions 4−600
^{85}Rb populated in ^{85}Sr electron capture decay, energy level lifetime determ. 4−27279
^{85}Rb spectroscopic factors, possible Z=38 magic number 4−9212
^{85}Rb^{+}, in liquid crystal, static quadrupolar effects rel. to ion binding 4−10331
^{86}Rb, liquid scintillation meas. of radioactivity 4−11582
^{87}Rb, elec. field gradient, temp. depend., n.m.r. obs. 4−33298
^{87}Rb, n.m.r., relax. times meas. in RbF in water-methanol soln., selective solvation 4−41293
^{87}Rb, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{87}Rb spectroscopic factors, possible Z=38 magic number 4−9212
^{87}Rb^{+}, in liquid crystal, static quadrupolar effects rel. to ion binding 4−10331
^{87}Rb(p,p′)^{87}Rb at 20.89 MeV meas. ang. distrib. model anal. of states 4−2765
^{88}Rb β-decay to levels in ^{88}Sr, γ-ray spectra 4−23652
^{88}Rb level scheme, from γ-ray meas. following ^{88}Kr β-decay 4−23652
^{78g}Rb radioactive decay and gamma transitions 4−600
^{68}Se, Hartree-Fock degree of freedom calc. 4−12235
^{72}Se, coexistence of spherical and deformed shapes 4−19270
^{75}Se, calibration standard for Ge(Li) detector 4−2354
^{75}Se, low-lying energy levels, e.m. properties 4−592
^{75}Se, obs. of excited states populated in ^{72}Ge(α,nγ) and ^{73}Ge(α,2nγ) reactions 4−455
^{75}Se, populating levels in ^{75}As, decay scheme determ. 4−36157
^{75}Se produced in ^{76}Se(d,t), Coriolis coupling theory of anomalous parity states in 1$g_{9/2}$ 4−12359
^{76}Se(d,t)^{75}Se, at 18, 19 MeV, Coriolis coupling theory of anomalous parity states in 1 $g_{9/2}$ nuclei 4−12359
^{76}Se(p,p)^{76}Se, obs. of mixed analogue resonances in ^{77}Br 4−9197
^{77}Se+^{40}Ar, ^{117}Te compound nucleus formation, ang. distrib. of evaporated changed particles, critical ang. momenta 4−9302
^{80}Se, level scheme, high precision obs. by resonant scattering method 4−5716
^{81}Se, gamma-ray spectra, energy level scheme 4−27283
^{81}Se, isomeric ratios, γ-ray cascade model 4−427
^{84}Se, Hartree-Fock degree of freedom calc. 4−12235
^{85}Se, γ-ray energy and half life meas. 4−5756
^{86}Se, γ-ray energy and half life meas. 4−5756
Sn(p,n), 5.7 MeV, population of low-lying states in ^{78,80}Br, γ-ray ang. distrib. 4−9056
Sr, A=81 to 83 isotopes, beta-decay anal. rel. to determ. of excited levels in Rb isotopes 4−12160
Sr, A=86 to 80, shell model, p-n configurations, emergence of rotation-like spectra 4−12218
^{58}Sr(^{6}Li, ^{6}He), 38 MeV, cross-section upper limits determ. 4−36220
^{82}Sr, energy levels, spin and parity assignments by means of (p,t) reaction 4−5717
^{84}Sr, energy levels, spin and parity assignments by means of (p,t) reaction 4−5717
^{85}Sr, single-hole-core coupling in semimicroscopic model of N=50 region 4−31259
^{85}Sr, surface water purification, empirical equation *(French)* 4−31627
^{85}Sr electron capture decay, X-ray-γ and $\gamma\gamma$ coincidence meas. 4−27279
^{86}Sr, (p,p), (p,p′) and (p,γ) reactions in analogue resonance range *(German)* 4−23675
^{86}Sr, dipole state calcs., shell model 4−31256
^{86}Sr, energy levels, spin and parity assignments by means of (p,t) reaction 4−5717
^{86}Sr in Kr gas, 460 nsec 8^{+} state, g-factor, stroboscopic resonance method 4−12136
^{86}Sr(^{3}He,α)^{85}Sr, angular distribs., DWBA and optical model anal. *(Roumanian)* 4−19522
^{86}Sr(d, ^{3}He)^{85}Rb, E_d=28 MeV possible Z=38 magic number 4−9212
^{87}Sr, n.m.r. obs. in $SrCl_2$, $Sr(ClO_4)_2$, $SrBr_2$, $Sr(NO_3)_2$, Larmor frequencies 4−1349
^{87}Sr, single-hole-core coupling in semimicroscopic model of N=50 region 4−31259
^{87}Sr/^{86}Sr abundances, Canyon Mountain and Red Mountain ophiolites 4−21768
^{88}Sr, dipole state calcs., shell model 4−31256
^{88}Sr, elastic and inelastic scattering cross sections using γ-rays in range 8.6 to 12 MeV 4−5774
^{88}Sr, elastic electron scattering 4−5789
^{88}Sr, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{88}Sr level scheme, from γ-ray meas. following ^{88}Rb β-decay 4−23652
^{88}Sr(^{13}C,^{12}C), single neutron transfer reaction in subcoulomb region 4−9259
^{88}Sr(^{16}O, ^{15}N)^{89}Y, exact finite range DWBA calc. 4−12375
^{88}Sr(^{16}O,^{15}N)^{89}Y, 44-59 MeV, angular distrib., DWBA anal. 4−19537
^{88}Sr(d, ^{3}He)^{87}Rb, E_d=28 MeV possible Z=38 magic number 4−9212
^{88}Sr(d,p)^{89}Sr, anomaly in excitation functions near isospin coupled channel threshold due to IAR 4−9223

nuclei with $59 \leqslant A \leqslant 89$ continued
^{88}Sr(d,pγ)^{89}Sr, obs. of low-lying levels in ^{89}Sr 4−587
^{88}Sr(e,e'p), 14 to 30 MeV, isobaric analogue resonance 4−36183
^{88}Sr(e,e), at 25 to 120 MeV determ. of nuclear charge distrib. of N=50 isotones 4−15765
^{88}Sr(p,p$_0$), 12.5 MeV, intermediate struct. in min. of excitation function 4−9189
^{89}Sr, effective N-N interactions and energy levels by shell model 4−9064
^{89}Sr, environmental contamination, agricultural aspects 4−35069
^{89}Sr, obs. of low-lying levels populated in ^{88}Sr(d,pγ)^{89}Sr reaction 4−587
Sr(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
Y, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
^{87}Y pop. in ^{86}Sr(p,γ) reaction at 4.8 MeV, low lying level determ. *(German)* 4−23675
^{87}Y standardisation, problems using liquid scintillation counting 4−5174
^{88}Y, shell model level structure from γ-ray spectra, in ^{85}Rb(α,nγ), 11.8-13.0 MeV 4−19289
^{89}Y, effective N-N interactions and energy levels by shell model 4−9064
^{89}Y, elastic electron scattering 4−5789
^{89}Y, excitation functions for transitions to ground and excited states near IAR in ^{92}Zi(p,α) 4−19408
^{89}Y, fine and intermediate struct. in ^{92}Zr(p,α)^{89}Y cross section 4−9190
^{89}Y, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{89}Y levels populated in ^{88}Sr(^{16}O,^{15}N) reactions 4−19537
^{89}Y(d,n), 10 to 11.8 MeV polarised d, meas. and DWBA anal. of vector analysing power 4−19498
^{89}Y(d,p), 4.0 MeV, DWBA anal. of ang. distrib. 4−23704
^{89}Y(e,e'p), 14 to 30 MeV, isobaric analogue resonance 4−36183
^{89}Y(e,e) at 25 to 120 MeV, nuclear charge determ. of N=50 isotones 4−15765
^{89}Y(n,γ)^{90}Y, 6.2-11 MeV, γ-ray spectra in giant resonance region, semi-direct capture model 4−15817
^{89}Y(p,γ), compound contrib. to radiative width of ground-state analogue in ^{90}Zr 4−19342
^{89}Y(p,γ)^{90}Zr*, 5.4 to 17.0 MeV, anal. of isospin splitting of giant E1 excitations in ^{90}Zr 4−12335
^{89}Y(p,p')^{89}Y at 20.51 MeV, ang. distrib. meas. model anal. of states 4−2765
Zn, A=64, 66, 68 or 70, elastic and inelastic proton scatt., $E_p=6$ MeV *(Russian)* 4−19394
Zn, neutron activation analysis for trace elements in metallic Na 4−2428
Zn β-decay, population in low-lying levels in Cu 4−12270
Zn ions, accelerated, superheavy nuclei synthesis expts. 4−27375
Zn isotopes, charge distrib. changes, investigation by elastic electron scattering 4−5786
Zn isotopes, low lying energy level lifetimes 4−12270
^{a}Zn(^{3}He,d), A=64, 66, 68, 70, DWBA analysis, spectroscopic strengths 4−31402
^{63}Zn beta decay, weak γ-ray energy and relative intensity meas. 4−12289
^{64}Zn, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
^{64}Zn(^{3}He,n)^{66}Ge, 18 and 21 MeV, excited O^{+} states 4−9233
^{64}Zn(d,α)^{62}Cu, 12.08 MeV, ^{62}Cu nuclear spectroscopy 4−9067
^{64}Zn(γ,p) E=15-27 MeV, giant resonance photoproton cross section and isospin components 4−622
^{65}Zn, gamma-ray decay properties of low lying levels via ^{65}Cu(p,nγ) reaction 4−19336
^{65}Zn, γ-ray spectrum, ^{62}Ni(α,n) reaction, state struct., coupling schemes 4−23641
^{65}Zn, prod. by electron capture and Coulomb explosion, of ^{65}Cu *(German)* 4−12244
^{66}Zn, 19.5 MeV alpha-particle inelastic scattering, optical model anal. *(Roumanian)* 4−19522
^{66}Zn pop. in (α,α'γ) and (α,pγ) at 13 MeV, DSA meas. of excited states lifetimes 4−15699
^{66}Zn(d,p), temp. depend. of elec. quadrupole interaction 4−12128
^{66}Zn(p,p')^{67}Ga, intermediate struct. near isobaric analogue resonance 4−9188
^{67}Zn, ^{70}Zn(p,nγ)^{67,70}Ga, Doppler shift attenuation determ. of ^{67,70}Ga lifetimes 4−39966
^{67}Zn, γ-ray spectrum, ^{64}Ni(α,n) reaction, state struct., coupling schemes 4−23641
^{67}Zn, half-life and magnetic moment of 9/2^{+} isomeric state, PAD method 4−9057
^{67}Zn, mag. hyperfine field in Fe, ^{64}Ni (α,n)^{67}Zn DPAD meas. 4−33318
^{67}Zn, n.m.r. in aq. solns. of $ZnCl_2$, $ZnBr_2$ and ZnI_2, anomalous solvent isotope effects 4−40321
^{67}Zn, spins of analog resonances determ. from ^{66}Zn(p,p'γ)^{66}Zn reaction 4−5804
^{67}Zn, temp. depend. of electric quadrupole interaction 4−12128
^{68}Zn, cyclotron target, carrier free ^{67}Ga production 4−11560
^{68}Zn (α,α'), 29 to 50 MeV, fine structure of diffraction ang. distrib. 4−40032
^{68}Zn pop. in (α,α'γ) and (α,pγ) at 13 MeV, DSA meas. of excited state lifetimes 4−15699
^{68}Zn(d,d)^{68}Zn, vector analyzing power, 9-13 MeV 4−19493
^{69}Zn, isomeric ratios, γ-ray cascade model 4−427
^{88}Zr, half life meas., γ-ray activity decay, 0.394 MeV 4−5761
^{89}Zr, single-hole-core coupling in semimicroscopic model of N=50 region 4−31259
^{90}Zr, $2_l{}^{+}$ states, B(E2 spin up) and R_{tr} 4−5719

nuclei with $90 \leqslant A \leqslant 149$
$1g_{9/2}$ neutron state in nuclei with $52 \leqslant N \leqslant 82$, (p,d) reaction study 4−9060
^{a}Sn, A=113, 114, 115, 116, 118, isomeric state half-lives study by ^{a}Cd(α,2n)$^{a-2}$Sn reaction, 24 MeV beam 4−12187
A=143-149, gamma-ray and internal conversion electron spectra following thermal neutron capture 4−9113

nuclei with $90 \leqslant A \leqslant 149$ continued
A=90 odd-odd nuclei, magnetic moment tables, theoretical and exptl. values *(Russian)* 4−407
A=90 region, p,γ ang. correlations near analogue resonances in (p,p'γ) reactions 4−40022
A=90-140, (n,γ) reactions, 3P size reson. struct., neutron strength functions, 23±5 MeV 4−633
atomic mass table, for $130 \leqslant A \leqslant 311$, derived from nuclear energy systematics 4−31219
even-even nuclei, A=50-150, 200, non-statistical effects in neutron inelastic scattering *(Russian)* 4−23685
Fermi gas model, level density parameters, $40<A<250$ 4−15668
fission fragment mass asymmetry in subbarrier photofission of ^{238}U 4−9314
giant dipole resonance in $90<A<150$ nuclei, average energy, exptl. study 4−15760
isotones with 82 neutrons, odd-even mass differences, generator coord. method 4−27257
N=50 isotopes, (p,p') scattering from closed shell nuclei, microscopic description of imaginary form factor 4−2871
N=75-80 and Z=59-64, high spin bands of odd-mass nuclei populated by (α, xn) reactions 4−19302
neutron strength functions, nuclei $138<A<202$, from av. capture cross sections, comparison with optical model 4−39996
polarisation in elastic neutron scattering ~1 MeV, A=48 to 238, rel. to optical model 4−19437
rare earth and heavier nuclei, neutron activation cross-sections 4−631
rare earth ion, n.m.r. pseudocontact chemical shifts 4−6801
rare earth nuclei, hexadecapole moments from semiclassical and quantum anal. of Coulomb excitation 4−27235
rare earth nuclei neutron strength functions calc. from (d,p) reactions 4−40025
rare-earth, finite range DWBA calcs. of (p,t) reactions 4−27318
spherical nuclei with A=90-139, Gammow-Teller isobaric 1^{+} resonance *(Russian)* 4−15713
spherical to asymmetric transition in mass region $50<(N,z)<82$ 4−31260
X-ray intensity ratio $I_{l\alpha}/I_{ll}$ in the region $55 \leqslant Z \leqslant 94$ 4−15711
Z=50 closed shell, even-even nuclei, systematic features of low lying levels 4−9061
(α,p) reactions, 54.8 MeV, proton spectra, precompound emission 4−23713
^{119}(p,d) at 24.5 MeV using polarised protons, cross sections and asymmetry meas. 4−15848
^{131}Ac, temp. and density parameter determ. following first n emission due to μ^- absorption 4−2866
Ag, 10.1 GeV/c K$^-$ meson induced fission in nuclear emulsion 4−31434
Ag, electron-emission neutron detector characteristics 4−23776
Ag, ternary fission, 12.2 GeV proton induced, solid state track detector anal. 4−31433
Ag, total ηN interaction cross-section in η-meson photoproduction 4−9139
^{a}Ag (A=115, 117, 119, 121), obs. of corresponding Cd levels by beta-decay 4−460
^{107}Ag, ^{109}Ag, valence-shell 3-particle (hole) cluster, coupling to quadrupole vibr. 4−2795
^{107}Ag, ang. distrib. of protons from bremsstrahlung, max. energy 400 MeV 4−624
^{107}Ag, populated in (^{35}Cl, ^{35}Cl*γ) reaction, energy level lifetime meas. 4−36159
^{107}Ag n.m.r. in aqueous soln. 4−3912
^{108}Ag, Knight shift meas. in Pd, DPAD technique 4−33317
^{109}Ag, μ^- capture, emission probabilities and multiplicity distrib. determ. 4−2821
^{109}Ag, populated in (^{35}Cl, ^{35}Cl*γ) reaction, energy level lifetime meas. 4−36159
^{109}Ag E3-transition, twin conversion line probability *(Russian)* 4−23634
^{109}Ag n.m.r. in aqueous soln. 4−3912
^{109}Ag pop. in ^{108}Pd(^{3}He,d) at 27 MeV, nuclear spectroscopy meas. 4−23607
Ag(e,e'), 1.2 GeV, quasielastic cross-section meas., 20-35° *(Russian)* 4−31348
Ba, isotopes, collective states, Wilets-Jean model 4−437
Ba isotopes, in liq. Na, distribution determ. 4−3042
Ba rotational bands associated with built-up states *(Russian)* 4−23602
^{125}Ba$\rightarrow$^{125}Cs, gamma and conversion electron spectra, search for negative deformed states 4−15722
^{127}Ba$\rightarrow$^{127}Cs, gamma and conversion electron spectra, search for negative deformed states 4−15722
^{133}Ba decay, K-capture probability from X-ray-gamma ray summing in Ge(Li) detectors 4−19333
^{137}Ba, energy level scheme determ. using ^{136}Xe(α,3n) reaction *(Russian)* 4−422
^{138}Ba, energy level scheme determ. using ^{136}Xe(α,2n) reaction *(Russian)* 4−422
^{138}Ba, energy level scheme from ^{138}Cs beta and gamma decay 4−19358
^{138}Ba, $J^{\pi}=1^{+}$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{138}Ba, nuclear polarisation and charge parameters using muonic 2s state 4−19347
^{138}Ba, polarised proton scattering near isobaric analogue resonances, core excitation 4−9202
^{138}Ba pop. in ^{138}Xe and ^{138}Cs decay, level schemes, shell model anal. 4−31296
^{138}Ba unified model, extended, neutron hole states for high-lying negative parity states 4−12194
^{138}Ba(n,γ)^{139}Ba, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{138}Ba(p,p')^{138}Ba(2^{+}), 10.11-11.69 MeV, determ. of wave functions of analogue states 4−9200
^{140}Ba, produced in ^{232}Th(n,f), absolute fission yield determ. 4−31428
^{140}Ba, product of ^{252}Cf fission, range in Al, Ni, Cu and Pd 4−32591
^{140}Ba beta decay to ^{140}La, use in fast and epithermal neutron flux meas. 4−39336

nuclei with $90 \leqslant A \leqslant 149$ continued
^{137}C distribution in (U,Pu)O$_2$ reactor fuel pins 4−27435
Cd isotopes, (p,α) reaction, compound nucleus contrib. 4−5803
Cd isotopes, quadrupole moment calc. using boson variational approach to collective motion 4−15671
^{a}Cd (A=115, 117, 119, 121), level obs. by beta-decay of corresponding Ag isotopes 4−460
^{a}Cd(p,p), A=110, 112, 114, 116, angular distrib. meas. at 6.5, 7.0 and 7.5 MeV, optical model *(Russian)* 4−627
^{a}Cd(p,p) angular distrib. meas. at 6.5, 7.0 and 7.5 MeV, optical model *(Russian)* 4−627
^{105}Cd M1 transition probabilities, lifetimes 4−12271
^{105}Cd pop. in ^{105}In beta-decay, lifetime meas. of first excited states 4−23640
^{106}Cd, excited state quadrupole moments, Coulomb excitation 4−12150
^{106}Cd, quadrupole moments of first 2^+ states 4−9055
^{106}Cd(p,p$_1\gamma$), meas. of spin flip at isobaric analogue resonances, coupled-channel correlation 4−9201
^{107}Cd, $11/2^-$ band from ^{105}Pd(α,2n)^{107}Cd, half-life 80 ns 4−12176
^{107}Cd, transition probabilities of first two excited states *(French)* 4−5754
^{107}Cd M1 transition probabilities, lifetimes 4−12271
^{107}Cd pop. in ^{107}In beta-decay, lifetime meas. of first excited states 4−23640
^{107}Cd populated in (p,n), (d,p) and (α,n) reactions, magnetic moment and T$_{1/2}$ of isomeric $^{11}/_{2}{}^{-}$ state 4−39928
^{108}Cd, excited state quadrupole moments, Coulomb excitation 4−12150
^{108}Cd, quadrupole moments of first 2^+ states 4−9055
^{109}Cd, internal conversion electron meas., high press. proportional counter 4−5168
^{109}Cd, M1 transition probabilities, lifetimes 4−12271
^{110}Cd, elastic electron scattering, $E \leqslant 130$ MeV, cross section 4−5788
^{110}Cd populated in ^{96}Zr(^{18}O,4nγ)^{110}Cd, at 60 MeV, odd parity assignments 4−31411
^{110}Cd(α,α')^{110}Cd, excitation function meas., 8 to 17 MeV 4−2932
^{110}Cd(p,γ)^{111}In, $E \leqslant 2.3$ MeV, nonstatistical effects 4−5815
^{111}Cd, gamma-ray angular correl., protein metal site struc. DPAC determ. 4−27776
^{111}Cd, linear polarisation meas. of 245 keV gamma radiation using Compton polarimeter *(German)* 4−12258
^{111}Cd, n.m.r. in aq. soln. of CdCl$_2$, CdSO$_4$, Cd(NO$_3$)$_2$ and Cd(ClO$_4$)$_2$, chemical shifts 4−20887
^{111}Cd in In, InBi, In$_2$Bi, impurity nuclear quadrupole interaction rel. to ion implantation 4−41304
^{111}Cd^{m}, isomer activation data, high activity ^{60}Co sources 4−19211
^{112}Cd, elastic electron scattering, $E \leqslant 130$ MeV, cross section 4−5788
^{112}Cd(α,α')^{112}Cd, excitation function meas., 8 to 17 MeV 4−2932
^{113}Cd, Knight shift meas. in Cd alloys, interpretation 4−13358
^{113}Cd, n.m.r. in CaCd$_{1-x}$Tl$_x$, Knight shift 4−37516
^{113}Cd(p,nγ)^{113}In reaction, possible shape isomers in ^{113}In 4−405
^{114}Cd, alpha-particle Coulomb excitation, appl. of Gordon's numerical method 4−2933
^{114}Cd, elastic electron scattering, $E \leqslant 130$ MeV, cross section 4−5788
^{114}Cd, inelastic electron scattering, low momentum transfer 4−5787
^{114}Cd, magnetic reorientation effects on Coulomb excitation probabilities of first 2^+ states 4−12167
^{114}Cd spectra of low-lying excited states, boson representation of fermion operators 4−15685
^{114}Cd(α,α')^{114}Cd, excitation function meas., 8 to 17 MeV 4−2932
^{114}Cd(n,n'γ), 3^- octupole state investigation 4−39929
^{115}Cd → ^{115}In gamma-gamma directional correlation of 485 to 934 keV cascade 4−23639
^{116}Cd, elastic electron scattering, $E \leqslant 130$ MeV, cross section 4−5788
^{116}Cd(α,α')^{116}Cd, excitation function meas., 8 to 17 MeV 4−2932
^{116}Cd(n,n'γ), 3^- octupole state investigation 4−39929
^{116}Cd(n,p) reaction cross section meas., 14.7 MeV 4−5806
^{116}Cd(p,t)^{114}Cd, 27.9 MeV, coupled-channel Born approx. anal. 4−31373
^{119}Cd beta decay, possible shape isomer obs. in ^{119}In 4−405
^{120}Cd, beta-decay half life and decay scheme determ. ^{120}In production 4−2813
^{121}Cd and isomeric ^{121}In, half-lives 4−27268
^{122}Cd, beta-decay half life and decay scheme determ. ^{122}In production 4−2813
^{115g}Cd, decay scheme spectroscopy, nuclear excitations of ^{115}In 4−436
^{115m}Cd, 5^3P_1 state, mag. dipole hyperfine struct. const. 4−19279
^{115m}Cd, decay scheme spectroscopy, nuclear excitations of ^{115}In 4−436
Cd(n,n'γ), even-even isotopes, inelastic cross-section meas., 0.5 to 1.75 MeV *(Russian)* 4−628
Ce, Ar induced non-complete-fusion reactions, recoil study 4−5842
Ce, isotopes, collective states, Wilets-Jean model 4−437
^{116}Ce, Hartree-Fock degree of freedom calc. 4−12235
^{132}Ce, high-spin yrast states populated in ^{120}Sn(^{16}O, 4n) reaction 4−19325
^{133}Ce population of high spin levels by ^{a}Sn(^{16}O, xn), (A=120, 122) 4−15643
^{134}Ce, high-spin yrast states populated in ^{122}Sn(^{16}O, 4n) reaction 4−19325
^{135}Ce, population of high spin levels by ^{a}Sn(^{16}O, xn), (A=120, 122) 4−15643
^{137}Ce, dil. LaCe alloy, press. depend. of Kondo effect 4−24928
^{138}Ce, Hartree-Fock degree of freedom calc. 4−12235
^{138}Ce, level structure following ^{138}Pr decay *(Russian)* 4−27267
^{139}Ce, internal conversion electron meas., high press. proportional counter 4−5168
^{140}Ce, $J^{\pi}=1^{+}$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{140}Ce, level structure, gamma spectroscopy 4−461
^{140}Ce, nuclear polarisation and charge parameters using muonic 2s state 4−19347
^{140}Ce, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202

nuclei with $90 \leqslant A \leqslant 149$ continued
^{140}Ce unfieid model, extended, neutron hole states for high-lying negative parity states 4−12194
^{140}Ce(n,γ)^{141}Ce, 6.2-11 MeV, γ-ray spectra in giant resonance region, semi-direct capture model 4−15817
^{140}Ce(p,nγ)^{140}Pr, 4.78 MeV, DWBA anal. of ^{140}Pr low-lying levels 4−23605
^{141}Ce, surface water purification, empirical equation *(French)* 4−31627
^{141}Ce produced in ^{232}Th(n,f), fission yield determ. 4−31428
^{142}Ce, nuclear polarisation and charge parameters using muonic 2s state 4−19347
^{144}Ce, transport in undisturbed soil 4−31633
^{144}Ce-^{144}Pr, pregnant albino rat, fetal uptake 4−8193
Ce(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
^{135}Cr, ^{137}Ce, M1-transitions 4−12273
Cs, bremsstrahlung activation analysis, C and O traces in Na, Cs 4−2429
Cs, determ. of isotope ratio in nuclear reactor spent fuel 4−36294
Cs, neutron activation analysis for trace elements in metallic Na 4−2428
^{125}Cs, reduced transition probabilities in ^{125}Ba β-decay, search for negative deformed states 4−15722
^{127}Cs, reduced transition probabilities in ^{127}Bn β-decay, search for negative deformed states 4−15722
^{133}Cs, 81 keV transition, M$_1$ conversion, nuclear struct. effects 4−19332
^{133}Cs, n.m.r. in biphenyl and fluorenone salts, aq., line widths 4−33292
^{133}Cs pop. in ^{133}Ba decay, K-capture probability from X-ray-gamma ray summing in Ge(Li) detectors 4−19333
^{133}Cs^{+}, in liquid crystal, static quadrupolar effects rel. to ion binding 4−10331
^{133}Cs(γ, xnyp) photospallation reactions with 250 MeV bremsstrahlung obs. 4−27300
^{134}Cs, ^{137}Cs, in liq. Na, distribution determ. 4−3042
^{134}Cs distribution in (U,Pu)O$_2$ reactor fuel pins 4−27435
^{137}Cs, concentration in Colorado mountain watershed 4−18257
^{137}Cs, flood plain transfer and accumulation 4−31630
^{137}Cs, from U and Pu fission in EBR-II reactor, fission rate determ. 4−27389
^{137}Cs, internal conversion electrons, spectrometry, use of surface-barrier Si(Li) detector 4−14973
^{137}Cs, migration from environment to human body *(Russian)* 4−35070
^{137}Cs, radiation exposure modelling 4−35078
^{137}Cs, surface water purification, empirical equation *(French)* 4−31627
^{137}Cs, transition of 622 keV level, photopeak shape in NaI(Tl) scintillation counter 4−39358
^{137}Cs, transmutation in quantity in controlled thermonuclear reactor, half-life reduction 4−23932
^{137}Cs, transport in undisturbed soil 4−31633
^{137}Cs, use as water movement tracer in St George's Channel 4−34298
^{137}Cs, volatile fission product, migration in fuel rods in GCFR fast flux irradiation 4−27406
^{137}Cs, waste disposal in lakes, dose commitments 4−35075
^{137}Cs environment contamination, agricultural aspects 4−35069
^{137}Cs loadings in CTR blanket, reduction of transmutation, half-life 4−23910
^{137}Cs spectrum, study for the determ. of electron energy losses in absorbers 4−18586
^{138}Cs, energy level scheme from ^{138}Xe beta and gamma decay 4−19358
^{138}Cs gamma decay, level scheme determ. and shell model anal. 4−31296
^{138}Cs → ^{138}Ba, beta and subsequent gamma decay, Q value 4−19358
Eu, new neutron deficient isotopes, half lives and gamma rays 4−15723
^{144}Eu, multiplet splitting, energy level scheme from ^{144}Sm(d,2nγ)^{144}Eu and ^{144}Sm(p,nγ)^{144}Eu 4−12178
^{149}Eu, shape transition obs. by (p,t) reaction 4−406
^{145}Gd, level structure from (α,xn) reactions at 20 to 60 MeV 4−12180
^{145}Gd → ^{145}Eu, anomalous ε(tot)/β^+ branching ratios, γ-γ coincidence expt. 4−15725
^{146}Gd, Bardin-Cooder-Schrieffer calc. for nuclear structure 4−12179
^{146}Gd, energy spectra and branching ratios for internal conversion electrons, β^+ decay scheme determ. *(Russian)* 4−577
^{149}Gd internal conversion, electron spectra, KBK values and multipolarities *(Russian)* 4−23633
I, odd-mass isotopes, low lying states, dipole and quadrupole moments, particle-phonon coupling scheme 4−9068
^{115}I, from ^{107}Ag(^{12}C,4nγ)^{115}I, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
^{117}I, from ^{109}Ag(^{12}C,4nγ)^{117}I, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
^{121}I produced in Sb irradiation by ^{3}He at 30 MeV, excitation function determ. 4−654
^{123}I, produced in irradiation of Sb by ^{3}He and ^{4}He at 30 MeV, excitation function determ. 4−654
^{124}I, produced in irradiation of Sb by ^{3}He and ^{4}He at 30 MeV, excitation function determ. 4−654
^{125}I, $^{3}/_{2}{}^{+}$ state, magnetic moment, high density gaseous source 4−12137
^{127}I, $^{3}/_{2}{}^{+}$ state, magnetic moment, high density gaseous source 4−12137
^{127}I, n.m.r. in alkali metal halide aq. solns., investig., data eval. 4−41290
^{127}I, n.m.r. of NaIO$_4$, Zeeman splitting rel. to asymmetry parameter near zero 4−10354
^{127}I, n.q.r. of iodides, 100-600 MHz, temp. depend., cation size, ion arrangement 4−6814
^{127}I, valence-shell 3-particle (hole) cluster, coupling to quadrupole vibr. 4−2795
^{127}I (μ^-, n) at 1.6 to 9.6 MeV neutron spectra meas. 4−2866
^{129}I, absolute activity, half-life meas. *(French)* 4−5762

nuclei with $90 \leqslant A \leqslant 149$ continued
^{129}I, coexistence of three particle clustering and collective core vibrations, (^{3}He,d) stripping reaction anal. 4−12223
^{129}I, from reprocessing plant, decontamination factor 4−31622
^{129}I, large electric field gradient, quadrupole moment measurement 4−12151
^{129}I, Mossbauer effect in sulphenyl iodide compound 4−6822
^{129}I, Mossbauer spectra in para-RPh Hg I type compounds 4−1363
^{129}I, spin and parity anal. using p polarisation meas. in ^{128}Te(p,p) 4−15845
^{129}I in FE (III) complex, spin relaxation and mag. ordering 4−3924
^{129}I Mossbauer effect in Pt (II) complexes 4−25032
^{129}I(n,2n)^{128}I, $E_n=14$ MeV, cross section meas. *(French)* 4−5762
^{131}I, deposition onto environmental material 4−31626
^{131}I, environment contamination, agricultural aspects 4−35069
^{131}I, from reprocessing plant, decontamination factor 4−31622
^{131}I, man, cancer induction, from internal radioactivity 4−8194
^{131}I, produced in ^{232}Th(n,f), fission yield determ. 4−31428
^{131}I, radiochem. separation, determ., from reactor dust particles, collected on Ag filters 4−35547
^{131}I, transport in undisturbed soil 4−31633
^{131}I, volatile fission product, migration in fuel rods in GCFR fast flux irradiation 4−27406
^{131}I beta decay, populating levels in ^{131}Xe, oriented source 4−27271
^{131}I in I^{131}I, photochem. reaction with iodobenzene, isotope exchange, kinetics 4−38163
^{132}I, γ-γ coincidence measurements, ^{132}Xe levels 4−429
^{135}I in nuclear reactor, rel. to fuel element cladding penetration anal. 4−23770
^{135}I$\rightarrow$^{135m}Xe, ^{135g}Xe, branching ratio 4−27277
In, odd-mass isotopes, hole-vibration coupling calc. for $1/2^+$, $3/2^+$ states 4−12173
In isotopes, Woods-Saxon potential, best fit to experimental energies 4−12177
^{108}In, radioactive decay scheme and half-life 4−602
^{111}In, lifetime, direct timing method, meas. 4−8481
^{113}In, lifetime, direct timing method, meas. 4−8481
^{113}In, possible shape isomers obs. by ^{113}Cd(p,nγ)^{113}In reaction 4−405
^{115}In, 828 keV level, sign of nuclear quadrupole interaction, β-γ directional correlations 4−12260
^{115}In, excitations, ^{115g,115m}Cd decay scheme spectroscopy study 4−436
^{115}In, existence of rotational states, magnetic moments 4−564
^{115}In, magnetic moment of 828 keV level from γ-γ PAC 4−39927
^{115}In, n.m.r. in I-III-VI$_2$ semiconductor 4−33301
^{115}In, n.m.r. in La$_3$In, Knight shift and spin lattice relaxation 4−20881
^{115}In, n.m.r. obs. in B2-type PdIn from room temperature to 4.2K 4−1352
^{115}In, n.q.r. in trimethylindium-Me$_3$N(P)(As)(Sb) 1:1 complex 4−33297
^{115}In, n.q.r. of InS, InSe, In$_4$Se$_3$, cryst. struct. determ. 4−6813
^{115}In, photoactivation to ^{115m}In, γ-radiation dose meas. 4−19645
^{115}In level structure populated by (p,α) reaction on ^{a}Sn(A=116, 118, 124) 4−643
^{115}In populated in ^{115}Cd decay, gamma-gamma directional correlation of 485 to 934 KeV cascade 4−23639
^{115}In^m, isomer activation data, high activity ^{60}Co sources 4−19211
^{115}In(α, 2n)^{117}Sb reaction, obs. of rotational-like structure of ^{117}Sb 4−19301
^{115}In(n,γ)^{116}In, intermediate struct., low energy γ transitions 4−9191
^{115}In(n,n$'$)^{115m}In, meas. of cross section, 3.37 to 4.89 MeV 4−5793
^{116}In-Be, photoneutron source, emission spectra meas. 4−18560
^{119}In possible shape isomer obs. in ^{119}Cd beta decay 4−405
^{120}In, half life determ. produced in ^{120}Cd decay 4−2813
^{121}In and isomeric ^{121}Cd, half-lives 4−27268
^{122}In, half-life determ. produced in ^{122}Cd decay 4−2813
^{123}In, nuclear mass surface shapes, from total decay energies 4−2747
^{124}In, nuclear mass surface shapes, from total decay energies 4−2747
^{125}In, nuclear mass surface shapes, from total decay energies 4−2747
^{108m}In, radioactive decay scheme and half-life 4−602
^{91}Kr decay, populating ^{91}Rb, level scheme determ. 4−31297
La, odd nuclei, populated in heavy ion reactions, γ-ray spectra, energy levels, coupling scheme 4−425
La, rotational bands associated with built-up states *(Russian)* 4−23602
^{131}La, from ^{123}Sb(^{12}C,4nγ)^{131}La, 88 MeV, M$_2$isomers, deformed nuclear shape 4−2804
^{133}La, ^{135}La, l-forbidden M1 transitions 4−12273
^{133}La, meas. of g-factor of rotational $11/2^-$ level at 535 keV *(French)* 4−12127
^{135}La, penetration effect, transition probability, $5/2^{+\prime}\rightarrow 7/2^+$ γ-decay meas. 4−9102
^{135}La M1 transitions, penetration effects 4−15709
^{137}La M1 transitions, penetration effects 4−15709
^{139}La(α,2nγ)^{141}Pr, 22 MeV, magnetic moment of single p-state in ^{141}Pr 4−36111
^{139}La(γ, xnγp) photospallation reactions with 250 MeV bremsstrahlung obs. 4−27300
^{140}La, level structure, gamma spectroscopy 4−461
^{140}La produced in ^{140}Ba decay, use in fast and epithermal neutron flux meas. 4−39336
^{140}La-Be, photoneutron source, emission spectra meas. 4−18560
^{92}Mb pop. in ^{92}Zr(p,nγ) at 3.0 to 4.8 MeV, energy level anal. 4−15629
Mo, A=95, 97, nuclear g-factor ratio by Fourier transform n.m.r. spectroscopy 4−2756
Mo isotopes, analogue state study using (^{3}He,d), (^{3}He,dp) and (p,d) reactions 4−9194
^{92}Mo, ^{94}Mo, ratio of quadrupole moments of $8_1{}^+$ states 4−31232
^{92}Mo, elastic electron scattering 4−5789
^{92}Mo, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{92}Mo ^{16}O induced single-nucleon transfer reactions, spectroscopic factors 4−12380
^{92}Mo (e,e) at 25 to 120 MeV, nuclear charge determ. of N=50 isotones 4−15765
^{92}Mo(^{13}C,^{12}C), single neutron transfer reaction in subcoulomb region 4−9259

nuclei with $90 \leqslant A \leqslant 149$ continued
^{92}Mo(d,n)^{93}Tc, excitation function meas., theoretical model *(Russian)* 4−647
^{92}Mo(d,p), 4.0 MeV, DWBA anal. of ang. distrib. 4−23704
^{92}Mo(d,p)^{93}Mo, excitation function meas., theoretical model *(Russian)* 4−647
^{92}Mo(p,d) at 24.5 MeV DWBA anal. of cross section and asymmetries 4−15847
^{92}Mo(p,p$'$)^{92}Mo*, 7.5-9.5 MeV, compound nuclear reaction time and level densities from blocking expt. 4−12332
^{93}Mo, (d,p) and (d,t) reaction, quasi-particle unified model 4−12195
^{93}Mo, radioactivity, γ-ray meas., excited states, half lives *(French)* 4−36158
^{94}Mo, produced in ^{95}Mo(d,t) at 17 MeV, ang. distrib. meas. 4−23701
^{94}Mo(d,nn)^{94}Tc, excitation function meas., theoretical model *(Russian)* 4−647
^{95}Mo, (d,p) and (d,t) reactions, quasi-particle unified model 4−12195
^{95}Mo, level structure from ^{95}Tc* decay meas. *(Russian)* 4−23644
^{95}Mo, nuclear moments, ground state hyperfine struct., atomic beam mag. reson. method 4−19284
^{95}Mo(d,t)^{94}Mo, 17 MeV, ^{94}Mo states determ. from ang. distrib. meas. 4−23701
^{96}Mo, populated in ^{96}Tc decay, level spins determ. from gamma-gamma correlations 4−31300
^{96}Mo, proton bombardment, 20 to 30.3 MeV, decay mode of ^{97}Tc highly excited T> levels 4−12243
^{96}Mo energies, relative intensities and multipolarities of e.m. transitions during ^{96}Tc decay *(Russian)* 4−27266
^{96}Mo(^{3}He, d)^{97}Tc, deuteron spectra obs. using 35.4 MeV ^{3}He beam 4−5823
^{96}Mo(p,np), 22-29 MeV, evidence for (2n,p) decay of high-spin states 4−9199
^{97}Mo, (d,p) and (d,t) reactions, quasi-particle unified model 4−12195
^{97}Mo, nuclear moments, ground state hyperfine struct., atomic beam mag. reson. method 4−19284
^{98}Mo excited levels populated in ^{100}Mo(p,t) at 19 MeV, rot. band *(French)* 4−5718
^{99}Mo, (d,p) and (d,t) reactions, quasi-particle unified model 4−12195
^{99}Mo, product of ^{252}Cf fissioning, range in Al, Ni, Cu 4−32591
^{100}Mo, excited state quadrupole moments, Coulomb excitation 4−12150
^{100}Mo levels, spin and parity assignment, mixing ratios, from ^{100}Mo(γ,γ') 4−15625
^{100}Mo(p,t)^{98}Mo $E_p=19$ MeV, levels of ^{98}Mo *(French)* 4−5718
Nb, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
Nb, radiation effect calc. from (n,2n), (n,p) and (n,α) reactions 4−27478
Nb isotopes, A=91 to 97 pop. in Zr(^{3}He,d) anal. of unbound analogue states 4−15889
Nb odd-odd isomers, linked states, renormalising effect of proton-nuetron interaction *(Russian)* 4−23618
^{92}Nb, 2^- state, g-factor determ. using ^{92}Zr(p,n)^{92}Nb reaction 4−36112
^{93}Nb, Ag, ^{112,119,122}Sn, γ-ray multiplicity meas. (α,α’), (α,p), (d,p), (p,p’) reactions 4−23638
^{93}Nb, e.p.r. of NbO in inert matrix, hyperfine consts. 4−6109
^{93}Nb, muonic, M1, E2 hyperfine effects, nuclear quadrupole moment 4−15613
^{93}Nb, nucl. hexadecapole reson. interaction, obs. in NbCl$_5$ 4−6800
^{93}Nb ^{16}O induced single-nucleon transfer reactions, spectroscopic factors 4−12380
^{93}Nb + n, ^{3}H-breeding ratio cross-section sensitivity in fusion reactor blanket 4−23909
^{93}Nb(α,2nγ)^{95}Tc reaction, low-lying states in ^{95}Tc 4−457
^{93}Nb(n,2n)^{92}Nb, 14 MeV neutron cross section 4−2869
^{93}Nb(p,α)^{90}Zr, 15.2 MeV, energy levels of ^{90}Zr, cluster pick-up DWBA analysis 4−12175
^{95}Nb, simultaneous determ. of 3 elements, γ-radiation 4−26705
^{97}Nb, l-values and spectroscopic factors from ^{96}Zr(^{3}He,d) reaction, level scheme 4−12166
Nd, Ar induced non-complete-fusion reactions, recoil study 4−5842
Nd isotopes, changes in distribution, from optical isotope shifts 4−5948
^{9}Nd(^{16}O, ^{16}O γ), A=146, 148, 150, search for quadrupole component in hyperfine interaction on recoil into vacuum 4−9245
^{135}Nd, population of high spin levels by ^{a}Te(^{16}O, xn), (A=122, 124) 4−15643
^{137}Nd, population of high spin levels by ^{a}Te(^{16}O, xn), (A=122, 124) 4−15643
^{138}Nd$\rightarrow$^{138}Pr$\rightarrow$^{138}Ce, radioactive decay scheme *(Russian)* 4−27267
^{142}Nd, elastic electron scatt., 30-80 MeV, charge distrib., skin thickness 4−31346
^{142}Nd, $J^\pi=1^+$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{142}Nd, unified model, extended, neutron hole states for high-lying negative parity states 4−12194
^{142}Nd(d,2nγ)^{142}Pm, ^{142}Nd(p,nγ) ^{142}Pm, level scheme for ^{142}Pm 4−12178
^{142}Nd(γ,γ’) at 0 to 6.5 MeV, anal. of decay props. of 6877 keV level 4−15754
^{144}Nd, populated in ^{144}Pr and ^{144}Pm decays, $\gamma\gamma$ ang. correlation studies 4−27270
^{146}Nd, elastic electron scatt., 30-80 MeV, charge distrib., skin thickness 4−31346
^{148}Nd(^{12}C,4n), 55 to 65 MeV, high spin states in ^{156}Dy 4−27237
^{148}Nd(^{16}O,xnγ), (^{16}O,αxnγ), 68 to 84 MeV absolute cross section meas. 4−9296
Nd(e,e), for A=142, 146 nuclei at 42, and 60 MeV, search for dispersive effects 4−12325
Nd(p,t), a=142, 144, 146, 148, superfluid model calc., obs. cross sections 4−635
^{60}Ni, $2_l{}^+$ states, B(E2 spin up) and R_{tr} 4−5719
Pd nuclei (A=98, 100, 102, 104), spherical and near spherical, ‘phase transitions’ in ground state bands 4−15690

nuclei with $90\leqslant A\leqslant 149$ continued
  - Pd(I), lifetimes and hyperfine struct. level crossing method *(German)* 4−19689
  - ^{a}Pd, A=104, 106, 108, 110, excitation of isobaric analogue states in (p,p) and (p,d) reactions *(Russian)* 4−19393
  - ^{a}Pd(p,p) angular distrib. meas. at 6.5, 7.0 and 7.5 MeV, optical model *(Russian)* 4−627
  - ^{102}Pd, band structure anal. using DCO-ratio meas. of gamma-ray transitions 4−36160
  - ^{102}Pd, inversion of rotational states in excited bands and Goldhaber expt. 4−15691
  - ^{105}Pd, n.m.r. spectra, Knight shift calc. 4−33279
  - ^{105}Pd, quadrupole moment, hyperfine struct. level crossing determ. *(German)* 4−19689
  - ^{105}Pd(α,2n)^{107}Cd giving 11/2^{-} band, half-life 80 ns 4−12176
  - ^{106}Pd pop. in ^{105}Pd(n,γ) at 13 to 78 eV spin assignment of bound levels 4−15614
  - ^{106}Pd pop. in ^{106}Rh beta-decay, level scheme determ. *(French)* 4−19356
  - ^{108}Pd(^{3}He,d), 27 MeV, ^{109}Ag nuclear spectroscopy meas. 4−23607
  - Pm, new neutron deficient isotopes, half lives and gamma-rays 4−15723
  - ^{142}Pm, multiplet splitting, energy level scheme from ^{142}Nd(d,2nγ)^{142}Pm and ^{142}Nd(p,nγ)^{142}Pm 4−12178
  - ^{144}Pm decay, populating ^{144}Nd levels, $\gamma\gamma$ ang. correlation studies 4−27270
  - ^{146}Pm, determ. of spectra shape factor and ground state spin and parity assignments *(German)* 4−12291
  - ^{147}Pm, ^{148m}Pm, resonance and thermal-neutron cross sections 4−5796
  - ^{147}Pm, γ-γ ang. correl. 4−39967
  - Pr, Ar induced non-complete-fusion reactions, recoil study 4−5842
  - Pr, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
  - ^{135}Pr, from ^{127}I(^{12}C,4nγ)^{135}Pr, 88 MeV, M2 isomers, deformed nuclear shape 4−2804
  - ^{137}Pr, l-forbidden M1-transitions 4−12273
  - ^{138}Pr, γ-ray spectra, conversion electron spectra, multipolarities and spin-parity assignments *(Russian)* 4−27267
  - ^{140}Pr, low-lying levels, DWBA anal. of ^{140}Ce(p,nγ) and ^{141}Pr(d,t) reactions 4−23605
  - ^{141}Pr, 1h11/2 single protin state, magnetic moment, from Larmor frequency 4−12140
  - ^{141}Pr, effective M2 and E3 transition moments for 1 h 11/2 single proton states 4−12254
  - ^{141}Pr, Orbach relax. transition probability calc. in PrF$_3$ 4−24995
  - ^{141}Pr populated in ^{139}La(α,2nγ) at 22 MeV, magnetic moment of single p-state 4−36111
  - ^{141}Pr(d,t), 16 MeV, DWBA anal. of ^{140}Pr low-lying levels 4−23605
  - ^{141}Pr(n,α), 14 MeV, statistical anal. of pre-equilibrium processes 4−9178
  - ^{144}Pr, $0^{-}\rightarrow 0^{+}$, $0^{-}\rightarrow 2^{+}$ beta transitions, spectrum shape factors, end pt. energies 4−2812
  - ^{144}Pr decay populating ^{144}Nd levels, $\gamma\gamma$ ang. correlation studies 4−27270
  - ^{91}Rb decay populating ^{91}Sr, level scheme determ. 4−31297
  - ^{91}Rb populated in ^{91}Kr decay, level scheme determ. 4−31297
  - Rh, electron-emission neutron detector characteristics 4−23776
  - Rh, neutron transmission expt. total cross section meas. at 8 to 500 μeV 4−12350
  - ^{100}Rh, quadrupole interaction in Zn:Pd lattice 4−20917
  - ^{103}Rh, populated in (^{35}Cl, ^{35}Cl*γ) reaction, energy level lifetime meas. 4−36159
  - ^{103}Rh(p,n), (p,p′), 18 MeV, comparison of energy spectra using pre-equilibrium models 4−9183
  - ^{106}Rh beta-decay, populating levels in ^{106}Pd, level scheme determ. *(French)* 4−19356
  - ^{a}Ru, A=101, 103, 105, transition states populated in (n,γ) reaction γ-ray spectra *(Russian)* 4−23679
  - ^{a}Ru(n,γ), A=96, 98, 100, 102, 104, neutron capture gamma-ray spectra *(Russian)* 4−23679
  - ^{95}Ru→^{95}Tc decay scheme, gamma-ray meas. 4−36165
  - ^{97}Ru, determ. of electron density at nucleus as function of chemical state 4−15712
  - ^{97}Ru→^{97}Tc decay schemes, gamma-ray meas. 4−36164
  - ^{99}Ru/^{101}Ru, mag. moment ratio, determ. from n.m.r. of Ru in ferromag. metals 4−31228
  - ^{104}Ru(n,γ), 0.02 eV, ^{105}Ru, level scheme and spin-parity assignments 4−23690
  - ^{105}Ru pop. in ^{104}Ru(n,γ) at 0.02 eV, level scheme and spin-parity assignments 4−23690
  - ^{106}Ru, surface water purification, empirical equation *(French)* 4−31627
  - ^{106}Ru, transport in undisturbed soil 4−31633
  - ^{108}Ru, Strutinsky-Nilsson shell corrections, constrained Hartree-Fock interpretation 4−19309
  - ^{93m}Ru, decay scheme of short-lived isotope 4−601
  - Sb, production of ^{121}I, ^{123}I and ^{124}I from ^{3}He and ^{4}He irradiation at 30 MeV 4−654
  - Sb isotopes, doubly odd, with $(h_{11/2})^{n}$ neutron configuration, magnetic moment meas. 4−36108
  - Sb isotopes, Woods-Saxon potential, best fit to experimental energies 4−12177
  - ^{a}Sb (A=113-116) decay, props. of corresponding neutron-poor Sn 4−459
  - ^{a}Sb (A=113-116) props. of neutron-poor nuclei from decay of corresponding Te isotopes 4−459
  - ^{a}Sb(A=odd 121 to 129), nuclear levels 4−5817
  - ^{117}Sb, rotational-like structure obs. in ^{115}In(α, 2n)^{117}Sb reaction 4−19301
  - ^{119}Sb, preparative method, for use in Mossbauer spectroscopy of ^{119}Sn 4−33326
  - ^{121}Sb, Mossbauer spectra in antimony pentachloride adduct complexes, quadrupole coupling 4−20903
  - ^{121}Sb, n.q.r. in trimethylindium-Me$_3$N(P)(As)(Sb) 1:1 complex 4−33297
  - ^{121}Sb inelastic neutron scattering, level widths, spin determ. 4−12272
  - ^{123}Sb, inelastic neutron scattering, level widths, spin determ. 4−12272
  - ^{123}Sb, n.q.r. in trimethylindium complexes 4−33297

nuclei with $90\leqslant A\leqslant 149$ continued
  - ^{123}Sb level scheme determ. from ^{123}Sn^{g} decay 4−31302
  - ^{124}Sb, beta decay, transition energies and intensities, decay scheme 4−31307
  - ^{124}Sb-Be photoneutron system for fissile materials assay 4−23940
  - ^{124}Sb→^{124}Te, $\beta\rightarrow\gamma\rightarrow\gamma$ ang. correlation studies of decay radiations 4−599
  - ^{125}Sb, populated in ^{125}Sn beta-decay, multipole mixing ratios and level spin assignments 4−23637
  - ^{125}Sb(Cu) Mossbauer source, prep. and linewidth 4−18745
  - ^{127}Sb, populated in ^{127}Sn beta decay, level scheme determ. 4−31298
  - ^{130}Sb→^{130}Te β-decay, 40-min halflife, determ. of ^{130}Te energy-level scheme *(Russian)* 4−421
  - ^{77}Se + ^{40}Ar, ^{117}Te compound nucleus formation, ang. distrib. of evaporated changed particles, critical ang. momenta 4−9302
  - Sm, new neutron deficient isotopes, half lives and gamma-rays 4−15723
  - ^{143}Sm, level structure from (α,xn) reactions at 20 to 60 MeV 4−12180
  - ^{144}Sm, Bardin-Cooder-Schrieffer calcs. for nuclear structure 4−12179
  - ^{144}Sm, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
  - ^{144}Sm, unified model, extended, neutron hole states for high-lying negative parity states 4−12194
  - ^{144}Sm(^{3}He,^{3}He)^{144}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
  - ^{144}Sm(^{40}Ar,αxn), (^{40}Ar,2p(x + 2)n), two peak struct. in excitation function 4−9297
  - ^{144}Sm(Ar, 2pxn)Pt, 200 to 300 MeV, excitation functions and α-decay from compound nuclei 4−27351
  - ^{144}Sm(d,2nγ)^{144}Eu, ^{144}Sm(p,nγ)^{144}Eu, level scheme for ^{144}Eu 4−12178
  - ^{144}Sm(p,p′), isobaric analogue resons. and low energy states *(French)* 4−40020
  - ^{144}Sm(p,p)^{144}Sm, 25.6 MeV, 10-170°, optical model 4−2882
  - ^{146}Sm use as nucleochronometer for p-process 4−34601
  - ^{147}Sm(p,α), 18 MeV, pre-equilibrium emission 4−9181
  - ^{148}Sm, electron scattering, dispersive effects 4−9148
  - ^{148}Sm(^{3}He,^{3}He)^{148}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
  - ^{148}Sm(e,e) at 42, and 60 MeV, search for dispersive effects 4−12325
  - ^{148}Sm(p,p)^{148}Sm, 25.6 MeV, 10-170°, optical model 4−2882
  - Sn, even isotopes, $J^{\pi}=1^{+}$ excited states, 3-12 MeV, Saxon Woods potential calc. 4−419
  - Sn, neutron activation analysis for trace elements 4−2428
  - Sn, pairing vibrational states, generator coordinate method 4−15670
  - Sn, ternary fission, 12.2 GeV proton induced, solid state track detector anal. 4−31433
  - Sn isotopes, odd-even mass differences, generator coord. method 4−27257
  - Sn isotopes, spectral distribution, centroid energies, total and partial widths 4−512
  - Sn isotopes, Woods-Saxon potential, best fit to experimental energies 4−12177
  - Sn isotopes (p,α) reaction, compound nucleus contrib. 4−5803
  - Sn odd isotopes, spectroscopic factors of negative parity multiplet states 4−36119
  - Sn-region, magnetic moments, 11/2^{-} states, core polarisation effects 4−12134
  - ^{a}Sn (A=113-116) props. of neutron-poor nuclei from decay of corresponding Sb isotopes 4−459
  - ^{a}Sn A=111-125, FBCS theory and inverse gap eqns. lowest states of even isotopes, calc. 4−31273
  - ^{a}Sn(^{14}N,3nγ), α=116, 118, 120, 50.5-76 MeV, La energy levels, coupling scheme 4−425
  - ^{a}Sn(^{16}O, xn), A=120, 122, population of high spin levels of ^{133,135}Ce 4−15643
  - ^{a}Sn(A=116, 118, 124), (p,α) reaction and structure of ^{115}In 4−643
  - ^{100}Sn, Hartree-Fock degree of freedom calc. 4−12235
  - ^{100}Sn, number-projected Bardin-Cooder-Schrieffer theory for low-energy props. 4−12216
  - ^{112}Sn, ^{124}Sn, proton induced isotopic effects in cross sections for production of H, He and Li isotopes at 600 MeV *(Russian)* 4−15789
  - ^{112}Sn(^{16}O,2npγ), 72-94 MeV, La energy levels, coupling scheme 4−425
  - ^{114}Sn, quadrupole-octupole anharmonicities 4−2788
  - ^{116}Sn, elastic scattering of ^{16}O, ^{40}Ar, ^{40}Ca, ^{56}Fe, Cu, 4.14 MeV 4−2947
  - ^{116}Sn, spectra of low-lying excited states, boson representation of fermion operators 4−15685
  - ^{116}Sn(p,p’), 16 MeV, density dependent effective interactions 4−5811
  - ^{118}Sn, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
  - ^{118}Sn, elastic scattering of ^{16}O, ^{40}Ar, ^{40}Ca, ^{56}Fe, Cu, 4.14 MeV 4−2947
  - ^{118}Sn(d,p)^{119}Sn reaction, low-lying 7/2^{-} states in ^{119}Sn 4−458
  - ^{118}Sn(p,d), polarised p, effect of spin orbit terms in p and d channels 4−15849
  - ^{118}Sn(p,d) at 24.5 MeV using polarised protons, cross sections and asymmetry meas. 4−15848
  - ^{118}Sn(p,n)^{118}Sb, angular distrib. of pre-compound particles 4−39999
  - ^{119}Sn, determination of quadrupole splitting of first state in β-Sn by angular correlation technique 4−6821
  - ^{119}Sn, Mossbauer effect, in ZnO ceramic, electronic charge states obs. rel. to varistor applic. 4−37285
  - ^{119}Sn, Mossbauer effect, mag. hyperfine anomaly meas. 4−1365
  - ^{119}Sn, Mossbauer effect obs. in deformed polycryst. samples of AgCl 4−17014
  - ^{119}Sn, Mossbauer obs., liquid crystal vibr. anisotropy, lattice contrib. 4−33307
  - ^{119}Sn, n.m.r. spectra in (CH$_3$)$_{4-n}$Sn(OR)$_n$ compounds, R=CH$_3$, C$_2$H$_5$ 4−19872
  - ^{119}Sn, sign of effective mag. field on nuclei in Pd-Co solid solns. 4−13372
  - ^{119}Sn conversion electrons, backscatter Mossbauer studies 4−18744
  - ^{119}Sn low-lying 7/2^{-} states populated in ^{118}Sn(d,p)^{119}Sn reactions 4−458
  - ^{119}Sn Mossbauer effect in Ag-Sn alloys 4−1358

nuclei with $90 \leqslant A \leqslant 149$ continued
^{119}Sn^{4+}, in VO$_2$, Mossbauer effect obs. of phase transition *(French)* 4−37535
^{119}Sn(p,d), polarised p, effect of spin orbit terms in p and d channels 4−15849
^{119}Sn(p,d) at 24.5 MeV, j-mixing determ. from asymmetry and cross section meas. 4−19457
^{120}Sn, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
^{120}Sn, elastic scattering of ^{16}O, ^{40}Ar, ^{40}Ca, ^{56}Fe, Cu, 4.14 MeV 4−2947
^{120}Sn, electric quadrupole transitions in 0 to 30 MeV range, finite Fermi system theory 4−9108
^{120}Sn, γ-ray absorption cross section, ^{204}Pb(n,γ) reaction 4−18588
^{120}Sn, nuclear polarization and charge parameters using muonic 2s state 4−19347
^{120}Sn(^{16}O, 4n)^{132}Ce reaction, high-spin yrast states in transitional nuclei ^{132}Ce 4−19325
^{120}Sn(^{18}O,^{16}C) 100 MeV, two nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{16}O)^{122}Sn, 100 MeV, two nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{17}N), 100 MeV, one nucleon transfer reaction 4−9276
^{120}Sn(^{18}O,^{17}O), 100 MeV, one nucleon transfer reaction 4−9276
^{120}Sn(d,d)^{120}Sn, vector analyzing power, 9-13 MeV 4−19493
^{120}Sn(d,p)^{121}Sn reaction, low-lying $7/2^-$ states in ^{121}Sn 4−458
^{120}Sn(e,e′), form factors, 2^+, 3^- excitations, transition densities, scatt. calcs. 4−626
^{120}Sn(p,p′), differential cross sections, scatt. calcs., 2^+, 3^- excitations 4−626
^{120}Sn(p,p′), from closed shell nuclei, microscopic description of imaginary form factor 4−2871
^{121}Sn low-lying $7/2^-$ states populated in ^{120}Sn(d,p)^{121}Sn reactions 4−458
^{122}Sn, elastic scattering of ^{16}O, ^{40}Ar, ^{40}Ca, ^{56}Fe, Cu, 4.14 MeV 4−2947
^{122}Sn(^{16}O, 4n) reaction, high-spin yrast states in transitional nuclei ^{134}CE 4−19325
^{122}Sn(α,α)^{122}Sn, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
^{122}Sn(d,d), 15 MeV, optical potential with tensor term and breakup 4−9216
^{122}Sn(d,d)^{122}Sn, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
^{123}Sn$^{g} \rightarrow {}^{123}$Sb, obs. of weak gamma transitions level scheme determ. 4−31302
^{124}Sn, elastic scattering of ^{16}O, ^{40}Ar, ^{40}Ca, ^{56}Fe, Cu, 4.14 MeV 4−2947
^{124}Sn(^{14}N,5nγ), 50.5-76 MeV, La energy levels, coupling scheme 4−425
^{125}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{127}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{127}Sn beta-decay, ^{127}Sb level scheme determ. 4−31298
^{129}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{130}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{131}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{132}Sn, distrib. of dipole and spin dipole strength 4−36110
^{132}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{132}Sn, number-projected Bardin-Cooder-Schrieffer theory for low-energy props. 4−12216
^{133}Sn, nuclear mass surface shapes, from total decay energies 4−2747
^{119m}Sn Mossbauer source, in BaSnO$_3$, non-resonant background and recoil-free fraction 4−18746
Sn(n,n′γ), even-even isotopes, inelastic cross-section meas., 0.5 to 1.75 MeV *(Russian)* 4−628
Sn(p,p′), 14 to 17.8 MeV on A=118 to 124 isotopes, isospin conservation and pre-equilibrium decay 4−40008
Sr, A=90-94, effective N-N interactions and energy levels by shell model 4−9064
^{90}Sr, environmental capacity of freshwaters 4−35083
^{90}Sr, environmental contamination, agricultural aspects 4−35069
^{90}Sr, internal bremsstrahlung accompanying β-decay, distortion of β-spectrum *(Russian)* 4−597
^{90}Sr distribution in Mediterranean Sea *(Russian)* 4−38303
^{90}Sr radioecological study, Osaka, Japan 4−7608
^{90}Sr-^{90}Y beta irradiation facility, dosimetry and design 4−26278
^{91}Sr populated in ^{91}Rb decay, level scheme determ. 4−31297
^{95}Sr, gamma-ray spectra, decay props. *(German)* 4−27284
Tc isotopes, stripping amplitude for (^{3}He,d) reactions to isobaric analogue resonances 4−9132
Tc odd-odd isomers, linked states, renormalising effect of proton-neutron interaction *(Russian)* 4−23618
^{91}Tc, ^{90}Tc, mass excess isotope and isomer identification 4−19350
^{91}Tc, decay scheme of short-lived isotope 4−601
^{93}Tc, radioactivity, γ-ray meas., excited states, half lives *(French)* 4−36158
^{93}Tc compound nucleus, level density from blocking expt. in Mo 4−12332
^{95}Tc, low-lying states populated in ^{93}Nb(α,2nγ)^{95}Tc reaction 4−457
^{95}Tc$^{*} \rightarrow {}^{95}$Mo, γ-ray and $\gamma\gamma$ coincidence spectra, conversion electron spectra and β^+ spectra *(Russian)* 4−23644
^{96}Tc beta-decay, populating ^{96}Mo levels, spins determ. from gamma-gamma correlations 4−31300
^{96}Tc internal conversions, electron spectra, γ-transition probabilities *(Russian)* 4−27266
^{97}Tc, from proton bombardment of ^{96}Mo, 20 to 30.3 MeV, decay mode of highly excited T> levels 4−12243
^{97}Tc, level scheme study by obs. on ^{97}Ru decay 4−36164
^{97}Tc high-spin states in ^{96}Mo(p,np), evidence for (2n,p) decay 4−9199
^{99}Tc, 14.7 neutron induced cross-sections 4−23686
^{99}Tc, gamma decay, multipole mixing ratios determ. 4−31295
^{99}Tc^{m}, internal conversion electron meas., high press. proportional counter 4−5168

nuclei with $90 \leqslant A \leqslant 149$ continued
^{99}Tc(n,γ), cross section meas., 1 eV to 50 keV 4−12330
^{99m}Tc, sublimed from ^{99}Mo fission, purity determ. by γ-ray spectrometric anal. 4−30652
^{99m}Tc scanning, brain lesions, differential diagnosis 4−14693
^{99m}Tc-Sn-MAA kit, for nuclear medicine 4−35049
^{99m}Tc-pertechnetate scanning, cerebral ventricle visualisation 4−35051
^{99m}Tc-sulphur colloid, bone marrow scanning, Paget's disease diagnosis 4−14694
Te, even isotopes, excited level characts. from (p,t) reactions *(French)* 4−9164
Te heavy doubly-even isotopes, isomeric 6^+ state in two-proton cluster core coupling model 4−23609
Te isotopes, A=122 to 130, quadrupole moment determ. from (^{32}S, ^{32}Sγ) excitation 4−36217
Te isotopes, quadrupole moment calc. using boson variational approach to collective motion 4−15671
^{a}Te (A=113-116), props. of neutron-poor Sb from beta-decay of Te 4−459
^{a}Te where A=129, 125, large electric field gradient, quadrupole moment measurement 4−12151
^{a}Te(^{11}B,4nγ), A=122, 124, 126, 128, 130, 40-56.5 MeV, La energy levels, coupling scheme 4−425
^{a}Te(^{16}O, xn), A=122, 124, population of high spin levels of ^{135,137}Nd 4−15643
^{a}Te(p,^{3}H), A=122, 124, 126, 128 and 130, inelastic scattering effects at 52 MeV 4−9166
^{a}Te(t,α), (A=even 122 to 130) E=12 MeV, α ang. distribs. 4−5817
^{95}Te, level scheme from observation of ^{95}Ru decay 4−36165
^{117}Te compound nucleus in ^{40}Ar and ^{14}N induced reactins, ang. distrib. of changed particle evaporation, critical ang. momenta 4−9302
^{122}Te(p,t)^{120}Te at 51.9 MeV, 5^- and 7^- quasiparticle states 4−12170
^{123}Te, 248 keV, E5 transition, expt. information on all E5 transitions 4−584
^{123}Te produced in ^{125}Te(p,t) reaction, 17 to 19 MeV, DWBA two nucleon transfer program anal. 4−2892
^{123}Te(n,γ)^{124}Te, spin of composite state nucleus from γ-ray polarisation meas. *(Russian)* 4−15617
^{124}Te, spin and parity of states populated in ^{124}Sb$\rightarrow$^{124}Te beta decay 4−31307
^{124}Te, spin of composite neutron-capture states *(Russian)* 4−15617
^{124}Te levels populated in ^{124}Sb decay, $\beta\rightarrow\gamma\rightarrow\gamma$ ang. correl. studies 4−599
^{124}Te(p,t)^{122}Te at 51.9 MeV, 5^- and 7^- quasiparticle states 4−12170
^{125}Te, 35.5 keV γ-reson. linewidth Cu:^{125}Sb source 4−41318
^{125}Te, change in electron-cloud radius on excitation to 35.45 keV level, quantum chem. calc. 4−6819
^{125}Te(p,t)^{123}Te, 17 to 19 MeV, DWBA two nucleon transfer program anal. 4−2892
^{126}Te, temp. and density parameter determ. following first n emission due to μ^- absorption 4−2866
^{126}Te(p,t)^{124}Te, at 51.9 MeV, 5^- and 7^- quasiparticle states 4−12170
^{128}Te(n,γ), 0.5 to 7000 eV, cross sections meas. and Xe anomaly in old Te ores 4−23691
^{128}Te(p,p), 9.8 to 10.5 MeV, p polarisation rel. to isobaric analog resonance anal. 4−15845
^{128}Te(p,t)^{126}Te, at 51.9 MeV, 5^- and 7^- quasiparticle states 4−12170
^{130}Te energy-level scheme following ^{130}Sb β-decay *(Russian)* 4−421
^{130}Te(n,γ), 0.5 to 7000 eV, cross sections meas. and Xe anomaly in old Te ores 4−23691
^{130}Te(p,t)^{128}Te, at 51.9 MeV, 5^- and 7^- quasiparticle states 4−12170
^{132}Te produced in ^{232}Th(n,f), fission yield determ. 4−31428
Te(n,n′γ), even-even isotopes, inelastic cross-section meas., 0.5 to 1.75 MeV *(Russian)* 4−628
Xe, isotopes, collective states, Wilets-Jean model 4−437
Xe even isotopes, 2^+ levels, ang. correl. study, hyperfine field and g-factor values 4−12139
Xe + π, GeV region, quasifree interactions statistical interpretation *(Russian)* 4−36233
^{a}Xe, A=129, 131, 133, in Fe, $11/2^-$ isomeric state mag.-dipole moment by orientation meas. 4−36117
^{129}Xe, chemical shift in n.m.r. of Xe gas 4−19870
^{129}Xe, magnetic moment of $11/2^-$ isomeric states, meas. by nuclear orientation technique 4−12138
^{129}Xe produced in ^{128}Te(n,γ), explanation of anomaly in old Te ores 4−23691
^{129}Xe(n,γ)^{130}Xe, spin of composite state nucleus from γ-ray polarisation meas. *(Russian)* 4−15617
^{130}Xe, spin of composite neutron-capture states *(Russian)* 4−15617
^{131}Xe, magnetic moment of $11/2^-$ isomeric states, meas. by nuclear orientation technique 4−12138
^{131}Xe, populated in ^{131}I decay, energy level transitions 4−27271
^{131}Xe produced in ^{128}Te(n,γ), explanation of anomaly in old Te ores 4−23691
^{132}Xe energy levels, from decay of ^{132}I, γ-γ coincidence measurements 4−429
^{133}Xe, evaluation of power plant emission 4−31637
^{133}Xe, gas release as fission product in burst regions of UC 4−5847
^{133}Xe, magnetic moment of $11/2^-$ isomeric states, meas. by nearly orientation technique 4−12138
^{133}Xe, off-reactor gas, radioactivity changes, charcoal delay bed *(Japanese)* 4−31469
^{133}Xe clearance, determ. of capillary blood flow, irradiated mice tissue 4−11278
^{133}Xe saline solution, generation using glass ampule equilibration chamber 4−14696
^{136}Xe, bombardment of Ta, reaction mechanism for Au isotope formation 4−9304
^{136}Xe, unified model, extended, neutron hole states for high-lying negative parity states 4−12194
^{136}Xe(α,2n)^{138}Ba, obs. of γ-ray emissions, ^{138}Ba energy levels determ. *(Russian)* 4−422
^{136}Xe(α,3n)^{137}Ba, obs. of γ-ray emissions, ^{137}Ba energy levels determ. *(Russian)* 4−422

nuclei with $90\leqslant A\leqslant 149$ continued
^{137}Xe, beta-moments, for $7/2^-$ (3.63 MeV β^-) $5/2^+$ transition 4−27280
^{138}Xe, gamma decay, level scheme determ. and shell model anal. 4−31296
^{138}Xe$\rightarrow$^{138}Cs, beta and subsequent gamma decay, Q-value 4−19358
Y, A=90-95, effective N-N interactions and energy levels by shell model 4−9064
^{90}Y, electron capture decay, obs. of double-photon decay in ^{90}Zr 4−9105
^{90}Y, shell model level structure from γ-ray spectra, in ^{87}Rb(α,nγ), 11.8-13.0 MeV 4−19289
^{90}Y, single-particle structure from ^{89}Y(n,γ) reaction in giant resonance region 4−15817
^{93}Y-^{93}Zr, mass separated, β-decay, obs. of coincidence and singles γ-ray spectra 4−12284
^{94}Y$\rightarrow$^{94}Zr decay scheme, half-life, β- and γ-ray spectra 4−23649
^{95}Y, gamma-ray spectra, decay scheme *(German)* 4−27284
Zr, ^{16}O induced reaction cross section 4−9251
Zr, neutron total cross-section, 3 meV to 1 eV 4−23673
Zr isotopes, analogue state study using (^{3}He,d) and (^{3}He,dp) reaction 4−9194
Zr(^{3}He,d), A= 90 to 96 at 30 MeV anal. of stripping to unbound analogue states in Nb isotopes 4−15889
^{90,92}Zr(α,2n)^{92,94}Mo. quadrupole moments of $8_1{}^+$ states in ^{92}Mo and ^{94}Mo 4−31232
^{a}Zr, A=90,91,94, ^{16}O induced single-nucleon transfer reactions, spectroscopic factors 4−12380
^{a}Zr(t,p), 20 MeV, A=90,92,94,96, $^{a+2}$Zr low-lying states, shell model calc. 4−19464
^{90}Zr, compound contrib. to radiative width of ground-state analogue from ^{89}Y(p,γ) reaction 4−19342
^{90}Zr, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{90}Zr, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
^{90}Zr, dipole state calcs., shell model 4−31256
^{90}Zr, distrib. of dipole and spin dipole strength 4−36110
^{90}Zr, double-photon decay in 0^+ to 0^+ transition, branching ratio 4−9105
^{90}Zr, elastic electron scattering 4−5789
^{90}Zr, finite Fermi systems theory, single particle energies of low lying states 4−514
^{90}Zr, M1 transitions, from 180° electron scattering 4−5755
^{90}Zr, photoproton spectra and core-excitation model, from (e,e$'$p) and (γ,p) reactions 4−31339
^{90}Zr, proton induced enhanced compound nucleus cross sections near isobaric analogue resonances 4−9196
^{90}Zr pop. in ^{89}Y(p,γ) at 5.4 to 17.0 MeV, anal. of isospin splitting of giant E1 excitations 4−12335
^{90}Zr+γ, intermediate struct. rel. to resonance energies 4−9075
^{90}Zr(^{13}C,^{12}C), single neutron transfer reaction in subcoulomb region 4−9259
^{90}Zr(^{16}O,^{15}N), single proton transfer reaction in subcoulomb region 4−9259
^{90}Zr(^{3}He,^{3}He)^{90}Zr, 29.8 MeV, microscopic helion optical potential 4−2921
^{90}Zr(^{3}He,t), real transition potential for ground-state analogue transitions 4−12369
^{90}Zr(α,α), 40 to 118 MeV energy dependent form factor of α-particle optical potential 4−40031
^{90}Zr(α,α)^{90}Zr, 27 MeV elastic differential cross section, optical and folding model analyses 4−19521
^{90}Zr(α,α)^{90}Zr, 40-118 MeV, energy depend., optical model 4−2926
^{90}Zr(α,α)^{90}Zr, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{90}Zr(d,d), 15 MeV, optical potential with tensor term and breakup 4−9216
^{90}Zr(d,d)^{90}Zr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
^{90}Zr(d,d)^{90}Zr, 28.8 MeV polarised deuterons, evidence for tensor interaction 4−31382
^{90}Zr(d,d)^{90}Zr, vector analyzing power, 9-13 MeV 4−19493
^{90}Zr(d,n)^{91}Nb, excitation function meas., theoretical model *(Russian)* 4−647
^{90}Zr(d,p), meas. of vector analyzing power for $1_n=4$ transitions 4−19509
^{90}Zr(d,p)^{91}Zr, excitation function meas., theoretical model *(Russian)* 4−647
^{90}Zr(d,p)^{91}Zr at 15.89 MeV, ang. distrib. meas. model anal. of states 4−2765
^{90}Zr(e,e$'$p), 14 to 30 MeV, isobaric analogue resonance 4−36183
^{90}Zr(e,e$'$), 25 to 250 MeV, cross-section meas. transition densities determ. 4−15769
^{90}Zr(e,e) at 25 to 120 MeV, nuclear charge determ. of N=50 isotones 4−15765
^{90}Zr(n,p), resonant structure obs. rel. to ^{91}Zr isobaric analogue states 4−19397
^{90}Zr(p,d) at 22.9 MeV, DWBA anal. of cross section and asymmetries 4−15847
^{90}Zr(p,γ) reaction, polarised protons, E2 giant resonances 4−5813
^{90}Zr(p,p$_2\gamma$), meas. of spin flip at isobaric analogue resonance coupled-channel correlations 4−9201
^{90}Zr(p,p$'$), 185 MeV, p polarisation in 3^- level excitation 4−15841
^{90}Zr(p$'$p$'$) polarised p, nuclear structure effects on asymmetry 4−15840
^{91}Zr, photoproton spectra and core-excitation model, from (e,e$'$P) and (γ,p) reactions 4−31339
^{91}Zr isobaric analogue states obs. in ^{90}Zr(n,p) reaction 4−19397
^{91}Zr pp. in ^{91}Zr(p,p$'$) at 20.47 MeV ang. distrib. meas. model anal. of states 4−2765
^{91}Zr produced in ^{92}Zr(p,d) at 22.11 MeV ang. distrib. meas. model anal. of states 4−2765
^{91}Zr(γ,n), valence component in threshold neutron spectrum 4−31342
^{91}Zr(p,np$_1$)^{90}Zr, compound-nucleus mechanism near neutron threshold, isobaric analogue resonance decay 4−19406
^{91}Zr(p,p$'$)^{91}Zr at 20.47 MeV, ang. distrib. meas. model anal. of states 4−2765

nuclei with $90\leqslant A\leqslant 149$ continued
^{91}Zr(τ,t)^{91}Nb, 24.5 MeV, charge exchange reaction, decay p spectra meas. 4−27340
^{92}Zr(^{13}C,3n)^{102}Pd, DCO-ratio meas. of ^{102}Pd gamma-ray transitions 4−36160
^{92}Zr(p,α)^{89}Y, fine and intermediate structure in cross section near isobaric analogue resonance 4−19408
^{92}Zr(p,α)^{89}Y, isospin forbidden reaction, isobaric analogue resonance 4−9190
^{92}Zr(p,d)^{91}Zr at 22.11 MeV ang. distrib. meas. model anal. of states 4−2765
^{92}Zr(p,n)^{92}Nb, 5.5 MeV, g-factor determ. of ^{92}Nb 2^- state 4−36112
^{92}Zr(p,nγ)^{92}Nb, 3.0 to 4.8 MeV, determ. of energy levels in ^{92}Nb 4−15629
^{93}Zr, populated in ^{93}Y β-decay, level scheme and spin-parity assignment 4−12284
^{94}Zr, excited states populated in ^{94}Y decay 4−23649
^{94}Zr, thermal neutron activation cross section, resonance integral 4−15773
^{94}Zr(n,p)^{94}Y, 14.7 MeV, cross section meas., ^{94}Y decay scheme 4−23649
^{95}Zr/^{95}Nb radioactive pair, absolute standardisation procedure 4−26598
^{96}Zr, thermal neutron activation cross section, resonance integral 4−15773
^{96}Zr(^{18}O,4nγ)^{110}Cd, linear γ-ray polarisation meas. 4−31411
^{96}Zr(^{3}He,d)^{97}Nb, 22 MeV, DWBA analysis of angular distrib. 4−12166
^{96}Zr(p,p)^{96}Zr, 12 MeV, analyzing power of polarised protons, quasielastic (p,n) threshold 4−19446
Zr(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
^{92}Zt(^{16}O,^{15}N), single proton transfer in subcoulomb region 4−9259

nuclei with $150\leqslant A\leqslant 189$
1g$_{9/2}$ neutron state in nuclei with $52\leqslant N\leqslant 82$, (p,d) reaction study 4−9060
A=150, average energy of giant dipole resonance, exptl. study 4−15760
A=160 to 174, rare earth nuclei, (p,p) scattering rel. to isobaric analogue resonance studies 4−12334
atomic mass table, for $130\leqslant A\leqslant 311$, derived from nuclear energy systematics 4−31219
correction for angular error 4−2896
even-even deformed nuclei, $152\leqslant A\leqslant 189$, E2/M1 multipole mixing ratios of γ transitions 4−9111
even-even nuclei, A=50-150, 200, non-statistical effects in neutron inelastic scattering *(Russian)* 4−23685
Fermi gas model, level density parameters, $40<A<250$ 4−15668
gamma-ray and internal conversion electron spectra following thermal neutron capture 4−9113
isomeric states, nanosecond lifetimes, deformed nuclei 4−593
neutron scattering, elastic, polarisation, ~1 MeV, rel. to optical model 4−19437
neutron strength functions, nuclei $138<A<202$, from av. capture cross sections, comparison with optical model 4−39996
odd nuclei, nonrotational states, wave functions and level scheme 4−27247
rare earth and heavier nuclei, neutron activation cross-sections 4−631
rare earth deformed nuclei, density of states 4−471
rare earth ion, n.m.r. pseudocontact chemical shifts 4−6801
rare earth nuclei, hexadecapole moments from semiclassical and quantum anal. of Coulomb excitation 4−27235
rare earth nuclei, HF calcs. of ground state properties using Skyrme interaction 4−546
rare earth nuclei neutron strength functions calc. from (d,p) reactions 4−40025
rare earths, (p,t) reactions, 19 MeV, enriched and natural targets, Q-meas. 4−634
rare earths, rotating, charge distribution 4−2792
rare-earth, finite range DWBA calcs. of (p,t) reactions 4−27318
spherical to asymmetric transition in mass region $50<(N,z)<82$ 4−31260
X-ray intensity ratio $I_{l\alpha}/I_{ll}$ in the region $55\leqslant Z\leqslant 94$ 4−15711
(α,p) reactions, 54.8 MeV, proton spectra, precompound emission 4−23713
^{152} Sm, magnetic reorientation effects on Coulomb excitation probabilities of first 2^+ states 4−12167
^{176} Lu(n,γ)^{177}Lu, below 47 eV, γ-ray spectra, primary E1 transitions and spin-parity assignments 4−15708
^{189}Au, mass separated, study of radioactive chain A=189 *(French)* 4−12246
^{197}Au(^{3}He,pd)^{197}Au, peripheral dissoc. of ^{3}He, p-d scatt. 4−27344
Dy even-A isotopes, lifetimes of high spin rotational states 4−9103
^{156}Dy, ground-state and β-bands population in (α, 8n) and (p, 4n) reactions, twin backbending obs. 4−36154
^{156}Dy, high spin states populated in reaction 4−19326
^{156}Dy, populated in ^{155}Gd(^{4}He,3n) and ^{148}Nd(^{12}C,4n), high spin states in ground and β-bands 4−27237
^{156}Dy rotational states, high spin, instability of quasi-particle vacuum and band-crossing 4−36140
^{159}Dy, calc. of anomalous $5/2^+$ rotational band, cranking model 4−19307
^{160}Dy pop. of high spin states in (^{7}Li,α2n) reaction at 28 to 37 MeV 4−12383
^{160}Dy populated in ^{16}O, and ^{4}He inelastic scattering, Coulomb excitation studies of rotational bands 4−27350
^{160}Dy(n,α)^{157}Gd, 14 and 18 MeV, pre-equilibrium and knock-on anal. 4−9180
^{161}Dy in Dy$_3$Fe$_5$O$_{12}$, nuclear transverse relax. 4−20895
^{161}Dy(α,2n), 27 MeV, deduced e.m. transition probabilities in odd-mass Er isotopes 4−31289
^{161}Dy(n,α)^{158}Gd, 14 and 18 MeV, pre-equilibrium and knock-on anal. 4−9180
^{162}Dy, high spin rot. states, lifetime meas. 4−12278
^{162}Dy, negative parity states, hydrodynamic model *(Russian)* 4−23623
^{162}Dy populated in ^{16}O, and ^{4}He inelastic scattering, Coulomb excitation studies of rotational bands 4−27350
^{162}Dy(d,p), DWBA anal. of proton ang. distrib. 4−40023

nuclei with $150 \leqslant A \leqslant 189$ continued

^{162}Dy(d,t), 17 MeV, DWBA anal. rel. to multistep processes 4−23703
^{163}Dy in $Dy_3Fe_5O_{12}$, nuclear transverse relax. 4−20895
^{163}Dy(α,2n), 27 MeV, deduced e.m. transition probabilities in odd-mass Er isotopes 4−31289
^{164}Dy populated in ^{16}O, and ^{4}He inelastic scattering, Coulomb excitation studies of rotational bands 4−27350
^{164}Dy(α, 4n)^{164}Er, lifetimes and backbending in ^{164}Er 4−15692
^{164}Dy(d,t), 17 MeV, DWBA anal. rel. to multistep processes 4−23703
^{165}Dy, isomeric ratios, γ-ray cascade model 4−427
^{166}Dy, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
^{161,162}Er, backbending and rotation alignment 4−39965
Er, odd-mass isotopes, e.m. transition probability determ. from Dy(α,2n), and Tm decay 4−31289
Er even-A isotopes, lifetimes of high spin rotational states 4−9103
^{a}Er, A=155, 157, 159, 161 high-spin decoupled bands populated by (α,xn) reactions 4−23611
^{a}Er(n,γ) A=166-167, 170, cross sections in 5-70 keV range *(Russian)* 4−15786
^{154}Er, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{156}Er, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{158}Er, centrifugal stretching due to behaviour of energy spacings of high spin states 4−5714
^{158}Er, mechanism for E2 transitions to ground state from critical spin region (10^{+}-18^{+}) *(Russian)* 4−570
^{162}Er, calc. of backbending effect in even rotational nucleus 4−19286
^{162}Er, energy spectra variational calc. rotational nuclei at high spins 4−5713
^{163}Er, interband G-ray transition probabilities calc. 4−12275
^{164}Er, high spin rot. states, lifetime meas. 4−12278
^{164}Er, lifetimes and backbending of levels populated in ^{164}Dy(α, 4n)^{164}Er reaction 4−15692
^{165}Er, interband γ-ray transition probabilities calc. 4−12275
^{166}Er, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{166}Er, high spin rot. states, lifetime meas. 4−12278
^{166}Er, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{166}Er, multipole moments, projectile size correction for angular error 4−2896
^{166}Er, quantal effects in ^{12}C inelastic Coulomb scattering 4−2960
^{166}Er, rotational, electron scattering, deformed charge distribs. 4−5706
^{166}Er rotational bands, DWBA anal. of (^{3}He,d) and (α,t) reactions 4−31401
^{166}Er(^{40}Ar,αxn), (^{40}Ar, 2p(x+2)n), two peak struct. in excitation function 4−9297
^{166}Er(Ar, 2pxn)Po, 200 to 300 MeV, excitation functions and α-decay from compound nuclei 4−27351
^{167}Er, n.m.r. in ErIG, hyperfine fields and e.f.g. 4−20876
^{168}Er, high spin rot. states, lifetime meas 4−12278
^{168}Er, spin and magnetic moment of 1.094 MeV state 4−12132
^{168}Er quantal effects in ^{12}C inelastic Coulomb scattering 4−2960
^{168}Er(d,t), 17 MeV, DWBA anal. of ang. distrib. rel. to multistep processes 4−23703
^{151}Eu, numerical calc. of isomer shift, Mossbauer effect 4−13371
^{151}Eu, shape transition obs. by (p,t) and (^{3}He,d) reactions 4−406
^{151}Eu in $(Eu_xY_{1-x})Fe_5O_{12}$, nuclear transverse relax. 4−20895
^{153}Eu, nuclear structure effect in internal conversion of 103 keV transition 4−23630
^{153}Eu(n,α)^{150}Pm, 14 and 18 MeV, pre-equilibrium and knock-on anal. 4−9180
^{155}Eu→^{155}Gd, polarisation and Coriolis force effects on hindrance factors for $\Delta N=2$ allowed transitions 4−12292
^{155}Eu→^{155}Gd beta-transition, polarisation effects on absolute ft values 4−23651
^{156}Eu beta decay, gamma transitions 4−603
^{160}Eu, produced in neutron irradiated enriched ^{160}Gd, half-life and decay scheme 4−23646
Eu(n,γ), cross section meas., 1 eV to 50 keV 4−12330
Gd, electron-emission neutron detector characteristics 4−23776
^{a}Gd(n,γ), A=154-158, 160, cross sections in 5-70 keV range *(Russian)* 4−15786
^{151}Gd, shape coexistence, γ-ray meas. 4−15603
^{153}Gd, obs. of low-spin states following ^{153}Tb decay 4−12169
^{153}Gd levels, populated in (d,t) and (^{3}He,α) reactions 4−5709
^{154}Gd, from ^{154}Sm (α, 4n), E_α=41 to 50 MeV, backbending from band crossing 4−12240
^{154}Gd, spin depend. of M1 admixtures in β and γ vibr. state transitions 4−36163
^{154}Gd, validity of pairing-plus-quadrupole model for deformed nuclei 4−15633
^{154}Gd high spin states, crossing of energy levels and anomalous moments of inertia *(Russian)* 4−420
^{154}Gd(d,t)^{153}Gd, energy levels of ^{153}Gd 4−5709
^{155}Gd(^{4}He,3n), 36 to 40 MeV, high spin states in ^{156}Dy 4−27237
^{155}Gd(n,e)^{156}Gd reaction, conversion electron spectrum, up to 8.5 eV *(German)* 4−27274
^{155}Gd(n,γ), correlation between reduced neutron and partial radiative width 4−40014
^{156}Gd, ^{158}Gd, $K^{\pi}=2^{+}$, 0^{+} bands 4−15707
^{156}Gd, level schemes, and spin and parity, ^{155}Gd(n,e) conversion electron spectrum obs. *(German)* 4−27274
^{156}Gd, validity of pairing-plus-quadrupole model for deformed nuclei 4−15633
^{156}Gd transition obs. from ^{156}Eu beta decay 4−603
^{156}Gd(^{32}S,4n)^{184}Hg, 156 MeV, lifetimes in ^{184}Hg ground state band, deformation parameters 4−9106
^{158}Gd, low spin state obs. from beta-decay of ^{153}Gd 4−462
^{158}Gd from ^{157}Gd(n,γ)^{158}Gd, thermal n, γ-ray spectra, decay scheme 4−15698
^{158}Gd(^{11}B,4nγ), 47 to 88 MeV, ^{165}Tm level scheme determ. 4−19293
^{160}Gd, enriched, 14.7 MeV neutron irradiation, obs. of ^{160}Eu decay 4−23646

nuclei with $150 \leqslant A \leqslant 189$ continued

^{160}Gd(d,t), 17 MeV, DWBA anal. rel. to multistep processes 4−23703
^{171,172}Hf, backbending and rotation alignment 4−39965
^{a}Hf, $K^{\pi}=2^{+}$, O^{+} bands, A=176, 178, 180 4−15707
^{168}Hf, magnetic moment, yrast states 4−12141
^{168}Hf, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{172}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{172}Hf, magnetic moment, yrast states 4−12141
^{174}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{176}Hf, 2^{-} states decay, E1, M2, E3 mixing 4−2807
^{176}Hf, high-K states, populated in (λ,2n) reaction 4−5748
^{176}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{177}Hf, e.m. transitions, gamma spectra, decay scheme, K-conversion coeff. 4−39971
^{177}Hf, internal conversion studies from ^{177}Lu decay 4−31301
^{177}Hf, L-subshell internal conversion, hindered E1 transitions 4−15706
^{177}Hf(n,γ), resonance reaction, neutron strength function rel. to short range energy 4−9184
^{178}Hf, isomeric level obs. from (α,xn) reactions 4−9070
^{178}Hf, neutron transmission meas. to investigate resonance at 0.277 eV 4−12402
^{178}Hf pop. in ^{177}Hf(n,γ) at 1 to 8 eV spin assignment of bound states 4−15614
^{178}Hf(n,γ)^{179}Hf, γ-γ correlation studies of ^{179}Hf de-excitation *(Russian)* 4−573
^{179}Hf, 9/2+[624] ground state rotational band, comparison with ^{183}Os 4−15624
^{179}Hf, γ-γ correlation studies of ^{178}Hf(n,γ) reaction, decay schemes, energy levels and spin-parity assignments *(Russian)* 4−573
^{180}Hf, internal conversion process of electric dipole transition 4−23642
^{180}Hf, time-reversal invariance, enhanced sensitivity γ-γ correlation test 4−9107
^{181}Hf β-decay in Hf-Ni alloy, obs. of PAC of γ-transitions in ^{181}Ta *(Russian)* 4−574
Hg isotopes, spherical to deformed shape transition, variable collective inertia 4−2752
^{181}Hg, isomeric state, hyperfine components, NMR expt. 4−2759
^{183}Hg, ^{185}Hg, anomalous isotope shift, bubble density distribs. 4−15604
^{183}Hg, isomeric state, quadrupole moment, search for strong deformation 4−2759
^{184}Hg, anal. of bubble shape existence 4−39924
^{184}Hg from ^{156}Gd(^{32}S,4n) at 156 MeV, lifetimes in ground state band, deformation parameters 4−9106
^{184}Hg→^{184}Au β^{+} decay, e.m. transition obs. *(French)* 4−9118
^{185}Hg, isomeric state, quadrupole moment, search for strong deformation 4−2759
^{186}Hg, energy level ordering, from relative intensity of transitions meas. 4−2751
^{186}Hg deformation from 2^{+}, 4^{+}, 6^{+}, 8^{+} state lifetime 4−19271
^{189}Hg, mass separated, study of radioactive chain A=189 *(French)* 4−12246
Ho, A=157, 159, 161, backbending obs. from γ-decay high angular momentum states 4−15687
^{165}Ho, gamma-ray transition probabilities, $^{7}/_{2}^{-}$[523] to $^{7}/_{2}^{+}$ [404] state 4−595
^{165}Ho, in ferromag. rare earth alloys, hyperfine interaction 4−33274
^{165}Ho, neutron capture cross section meas., 167 eV-0.6 MeV 4−5795
^{165}Ho(Kr,f) at 500 MeV anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
^{165}Ho(n,α), 14 MeV, statistical anal. of pre-equilibrium processes 4−9178
^{166}Ho, prod. in ^{239}Pu thermal and epi-thermal fission, meas. mass yield variations 4−2985
^{125}I, incorporated with ^{67}Ga, intracellular dosimetry calc. 4−8243
^{186}Ir, quantum no. determ. ^{186}Os level transitions and population determ. 4−19294
^{187}Ir, search for rotation particle decoupled bands 4−23613
^{187}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4−23614
^{189}Ir, search for rotation particle decoupled bands 4−23613
^{189}Ir, strongly perturbed rotational bands populated by (α, 2n) reaction 4−23614
Lu isotopes, equilibrium deformation parameters, one-quasiparticle states 4−12276
Lu isotopes, γ-vibr. and ground state rot. bands, mixing 4−586
^{171}Lu, hyperfine structure from interaction of $1/2^{+}$ and $5/2^{+}$ levels *(Russian)* 4−423
^{171}Lu, microscopical approach to $\Delta K \neq 1$ band mixing 4−19296
^{172}Lu, 67 keV transition, F-selection rules 4−585
^{172}Lu, K and L line obs., ^{172}Yb transitions between excited states *(Russian)* 4−23632
^{175}Lu, L-subshell internal conversion, hindered E1 transitions 4−15706
^{175}Lu, obs. of $1/2^{+}$[411] and $1/2^{-}$[541] rotational bands 4−463
^{175}Lu produced in ^{176}Yb(p,2n) at 14 to 29 MeV intrinsic and rotational excitations 4−23635
^{176}Lu β-decay, γ-ray spectrum, Hf deduced levels 4−598
^{176}Lu use as nucleochronometer for s-process 4−34601
^{176}Lu(^{16}O,^{15}N)^{177}Hf, excitation functions between 63 and 81 MeV 4−9265
^{177}Lu decay to ^{177}Hf, internal conversion studies 4−31301
^{150}Nd, Coulomb excited 4^{+} rot. state, E4-contribution to cross sections 4−12274
^{150}Nd, elastic electron scatt., 30-80 MeV, charge distrib., skin thickness 4−31346
^{150}Nd(^{16}O,xnγ), (^{16}O,αnxγ), 68 to 84 MeV absolute cross section meas. 4−9296
^{150}Nd(α, 3n)^{151}Sm, rotational bands in ^{151}Sm transitional nucleus 4−15644
^{150}Nd(e,e) at 42, and 60 MeV, search for dispersive effects 4−12325
^{150}Nd(p,α), 18 MeV, pre-equilibrium emission 4−9181
^{150}Nd(p,t), superfluid model calc., obs. cross sections 4−635
Os, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4−39937

nuclei with 150⩽A⩽189 continued
^{a}Os, A=182, 184, 186, 188, systematics of backbending in yrast bonds populated by (α, xnγ) reactions 4−19327
^{180}Os, high-spin rotational states populated by (^{11}Bn, 6n) and (^{12}C, 5n) reactions 4−19304
^{181}Os, low-lying states, in-beam γ-ray spectroscopy obs. 4−31237
^{182}Os, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{183}Os from ^{182}W(alpha,3n), 31 to 43 MeV, 9/2^{+}[624] ground state rotational band 4−15624
^{185}Os, rotational bands and transitions obs. by (α, 2n) and (d, 2n) reactions 4−19306
^{186}Os, ^{188}Os, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{186}Os pop. in ^{186}Ir beta-decay, interband and intraband transition 4−19294
^{187}Os, low spin rot. bands, expectation values, wave functions 4−2764
^{187}Os, rotational bands and transitions obs. by (d, 2n) and (p, n) reactions 4−19306
^{187}Os(n,γ)^{188}Os, gamma-ray spectra meas. in 4.5-8.0 MeV excitation region *(Russian)* 4−27312
^{188}Os, strong population of excited O^{+} states from ^{190}Os(p,t)^{188}Os reaction 4−9099
^{188}Os, transitions of levels populated in ^{187}Os(n,γ) reaction *(Russian)* 4−27312
^{188}Os(α,f), 38 MeV, fragments energy distrib. meas. using track method 4−19550
^{189}Os, Mossbauer spectra of 36.2 keV and 69.5 keV gamma rays, isomer shift 4−20918
^{189}Os, nuclear excitation by electron transition 4−19340
^{189}Os(d,p), 12 MeV, ^{190}Os level scheme anal. 4−39936
^{150}Pm, produced in ^{233}U, ^{235}U and ^{239}Pu fission, independent fractional yield determ. 4−23730
^{a}Pt, A=174 to 177, two-peak struct., for ^{144}Sm(^{40}Ar,αxn), (^{40}Ar,2p(x+2)n) reactions 4−9297
^{184}Pt→^{184}Ir β^{+} decay, e.m. transition obs. *(French)* 4−9118
^{189}Pt, level scheme from decay of ^{189}Hg, ^{189}Au *(French)* 4−12246
^{189}Pt, shape-unstable and critical nuclei 4−523
^{175}Re(n,γ)^{186}Re, slow neutrons, obs. of ^{186}Re excited states *(German)* 4−23608
^{182}Re, 236 keV level. Ω-forbidden dipole transition 4−585
^{183}Re, band structure and E1 transitions 4−19349
^{185}Re(α, 2n) population of strongly perturbed rotational bands in ^{187}Ir 4−23614
^{185}Re(α,f) 38 MeV, fragments energy distrib. meas. using track method 4−19550
^{185}Re(d,4n)^{183}Os, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4−31391
^{186}Re, obs. of states excited in ^{185}Re(n,γ), rotational band configs. *(German)* 4−23608
^{187}Re(α, 2n) population of strongly perturbed rotational bands in ^{189}Ir 4−23614
^{187}Re(d,6n)^{183}Os, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4−31391
^{188}Re, Coriolis coupling between 1/2^{-} 510 and 3/2^{-} 512 neutron orbitals 4−15634
Sm deformed isotopes, pairing and hexadecapole fields, two-nucleon transfer reaction probe 4−36105
^{a}Sm, A=148, 150, 152 quadrupole moments, reorientation precession technique 4−12152
^{a}Sm(^{16}O,^{14}C), A=150, 152 and 154, excitation functions between 63 and 81 MeV 4−9265
^{150}Sm, electron scattering, dispersive effects 4−9148
^{150}Sm (^{16}O,xnγ), (^{16}O,αxnγ), 68 to 84 MeV absolute cross section meas. 4−9296
^{150}Sm(^{3}He,^{3}He)^{150}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{150}Sm(α, 3n)^{151}Gd, shape coexistence, γ-ray meas. 4−15603
^{150}Sm(p,p)^{150}Sm, 25.6 MeV, 10-170°, optical model 4−2882
^{151}Sm, from ^{148}Nd(α,nγ), 18 MeV, 261 keV level, life-time meas. 4−15694
^{151}Sm transitional nucleus, rotational bands populated by ^{150}Nd(α, 3n)^{151}Sm reaction 4−15644
^{152}Sm, directional correlation meas. of spin of 1082-8 keV level 4−36113
^{152}Sm, electron scattering, dispersive effects 4−9148
^{152}Sm, generator coordinate method for beta vibrations 4−12126
^{152}Sm, rotational, electron scattering, deformed charge distribs. 4−5706
^{152}Sm(^{3}He,^{3}He)^{152}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{152}Sm(p,α), 18 MeV, pre-equilibrium emission 4−9181
^{152}Sm(p,p)^{152}Sm, 25.6 MeV, 10-170°, optical model 4−2882
^{154}Sm, interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{154}Sm, multipole moments, projectile size correction for angular error 4−2896
^{154}Sm(^{3}He,^{3}He)^{154}Sm, 40.9 MeV, differential cross-sections, optical model 4−2927
^{154}Sm(α,4n)^{154}Gd, E$_{\alpha}$=41 to 50 MeV, backbending from band crossing in ^{154}Gd 4−12240
^{154}Sm(p,α), 18 MeV, pre-equilibrium emission 4−9181
^{154}Sm(p,p)^{154}Sm, 25.6 MeV, 10-170°, optical model 4−2882
Sm(e,e), A=150, 152 nuclei at 42, and 60 MeV, search for dispersive effects 4−12325
Sm(n,γ), cross section meas., 1 eV to 50 keV 4−12330
Ta bombardment with ^{40}Ar, ^{84}Kr, ^{136}Xe, formation of Au isotopes by fission and multinucleon transfer 4−9304
Ta isotopes, equilibrium deformation parameters, one-quasiparticle states 4−12276
^{181}Ta, elec. field gradient in Y, PAC obs. 4−20909
^{181}Ta, hyperfine mag. field in Ni, determ. by perturbed angular correlation 4−20911
^{181}Ta, in HF/HNO$_{3}$ soln., n.m.r., nuclear moments 4−19275
^{181}Ta, in ZrZn$_{2}$, hyperfine field, γ-ray DPAD meas. 4−33319
^{181}Ta, Mossbauer effect in transition metal hosts 4−25041
^{181}Ta, PAC obs. of elec. field gradients in ZrO$_{2}$ and HfO$_{2}$ 4−20907
^{181}Ta, parity non conserving E1 transitions calc. in oscillator shell model 4−5749
^{181}Ta, photoneutron production, dynamic collective model interpretation 4−619
^{181}Ta, retarded 482 keV transition, K-conversion coeff. 4−15705
^{181}Ta, study of PAC of γ-transitions following β-decay of ^{181}Hf in Hf-Ni alloy *(Russian)* 4−574
^{181}Ta(^{84}Kr,^{84}Kr)^{181}Ta, 457 MeV, contrib. of non-elastic processes to angular distrib. 4−2948
^{181}Ta(Kr,f), mass and charge distribs. of fission fragments 4−27374
^{181}Ta(Xe,f), mass and charge distribs. of fission fragments 4−27374
^{181}Ta(α,yp,xn), (^{3}He,yp,xn), (d,yp,xn), hybrid model for excitation functions 4−9241
^{182}Ta, doubly odd deformed, rotational structure 4−15688
^{182}Ta, simultaneous determ. of 3 elements, γ-radiation 4−26705
^{182}Ta β-decay, energy of ^{182}W Kα_{1} X-rays rel. to normal, chemical shift 4−9109
^{153}Tb decay, obs. of low spin states of ^{153}Gd 4−462
^{153}Tb decay, obs. of low-spin states in ^{153}Gd 4−12169
^{156}Tb pop. in ^{156}Gd(p,n) determ. of statistical parameters using compound nucleus model *(French)* 4−19417
^{157}Tb pop. in ^{157}Gd(p,n) statistical parameters using compound nucleus model *(French)* 4−19417
^{159}Tb(^{7}Li,α2n)^{160}Dy, gamma spectra meas. rel. to pop. of high spin states of ^{160}Dy 4−12383
^{159}Tb(n,γ), thermal neutrons, ^{159}Tb level scheme determ. 4−36193
^{159}Tb(n,n′) gamma-ray transitions, level scheme 4−12256
^{159}Tb(p, 4nγ)^{156}Dy, high-spin states in ^{156}Dy 4−19326
^{159}Tb(p,n), (p,p′), 18 MeV, comparison of energy spectra using pre-equilibrium models 4−9183
^{160}Tb populated in ^{159}Tb(n,γ), thermal neutrons, level scheme determ. 4−36193
^{161}Tb→^{161}Dy, first forbidden beta transition, hindrance factors 4−39973
Tm isotopes, γ-vibr. and ground state rot. bands, mixing 4−586
^{163}Tm decay, γ-ce delay meas. e.m. transition probabilities in odd-mass Er isotopes 4−31289
^{165}Tm, pop. in ^{165}Yb decay and ^{158}Gd(^{11}B,4n) reactions, level scheme determ. 4−19293
^{165}Tm decay, γ-ce delay meas. e.m. transition probabilities in odd mass Er isotopes 4−31289
^{167}Tm, 1/2^{-}[541] band, Nilsson configuration 4−19303
^{169}Tm, 1/2^{-}[541] band, Nilsson configuration 4−19303
^{169}Tm, double ENDOR, hyperfine interactions in CaF$_{2}$:Tm^{2+} 4−10358
^{169}Tm, from decay of ^{169}Yb, γ transitions, 307-773 keV *(Russian)* 4−569
^{169}Tm, gamma-ray transition probabilities $^{7}.{}_{2}^{-}$ [523] to $^{7}.{}_{2}^{+}$ [404] state 4−595
^{169}Tm, meas. of internal conversion coefficients of K-forbidden M1 transitions 4−12245
^{169}Tm(p,n), (p,p′), 18 MeV, comparison of energy spectra using pre-equilibrium models 4−9183
^{171}Tm, L-subshell internal conversion, hindered E1 transitions 4−15706
^{171}Tm gamma-ray transition probabilities, $^{7}.{}_{2}^{-}$ [523] to $^{7}.{}_{2}^{+}$ [404] state 4−595
W, 24 GeV proton induced secondary reactions, search for superheavy element and actinide production 4−5808
W, 24 GeV proton irradiation, eka-element and actinide production cross-sections 4−31424
W, chemical shift of Kα_{1} lines following ^{182}Ta beta-decay 4−9109
W, emulsion nuclei, 200 GeV proton interactions, particle multiplicity meas. 4−27311
W separated isotopes, neutron resonance spectroscopy 4−12344
^{n}W(n,γ)$^{n+1}$W, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{180}W, 2^{-} states decay, E1, M2, E3 mixing 4−2807
^{181}W, 9/2^{+}[624] ground state rotational band, comparison with ^{183}Os 4−15624
^{182}W, 100 keV transition, L and M subshell conversion relative intensities 4−23628
^{182}W, 2^{-} states decay, E1, M2, E3 mixing 4−2807
^{182}W, α-particle bombardment, Coulomb-nuclear interference, 11 to 21 MeV 4−2930
^{182}W, effects of hexadecapole deformation on i$_{13/2}$ orbits and pickup cross-sections 4−39989
^{182}W, g-factor determ. by gamma-gamma ang. correlation meas. on first 2^{+} state 4−31226
^{182}W, g-factor meas. of 3^{-} 1374 keV level 4−31227
^{182}W, internal conversion process of electric dipole transition 4−23642
^{182}W, K$^{\pi}$=2^{-} octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
^{182}W interference between direct nuclear reactions and Coulomb excitation with α-particles 4−12370
^{182}W(α,3n), 31 to 43 MeV, ^{183}Os 9/2^{+}[624] ground state rotational band 4−15624
^{182}W(t,p)^{184}W, anomaly in cross section systematics rel. to other reactions in rare earth and actinide regions 4−12307
^{183}W low spin rot. bands, expectation values, wave functions 4−2764
^{184}W, deformed, anomalously weak population of 2^{+} state in ^{182}W(t,p) reaction 4−12307
^{184}W, electron scattering, dispersive effects 4−9148
^{184}W, mixing of K$^{\pi}$=0^{+} and 2^{+} bands 4−19324
^{184}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
^{184}W(e,e) at 42 to 65 MeV, cross section meas. and dispersion effect search 4−15766
^{186}W, electron scattering, dispersive effects 4−9148
^{186}W(Kr,f) at 500 MeV anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
^{186}W(α,α'), nuclear-Coulomb interference, 13 to 19 MeV 4−2931
^{186}W(e,e) at 42 to 65 MeV, cross section meas. and dispersion effect search 4−15766
^{186}W(p,d)^{185}W, 18 MeV, multistep reaction process 4−9168
^{187}W, β-decay, shape factor behaviour near end-point analysis 4−15717
W(p,t), 1 GeV, ang. correlation of fragments 4−40050
Yb even-A isotopes, lifetimes of high spin rotational states 4−9103
Yb isotopes, rotational states lifetimes meas. 4−12277

nuclei with $150\leqslant A\leqslant 189$ continued
^{164}Yb, high-spin rotational states populated by (^{11}B, 6n) and (^{12}C, 5n) reactions 4−19304
^{165}Yb, determ. of ^{165}Tm level scheme 4−19293
^{166}Yb, backbending behaviour, moment of inertia anomaly calc. 4−19282
^{168}Yb, backbending behaviour, moment of inertia anomaly calc. 4−19282
^{168}Yb, calc. of backbending effect in even rotational nucleus 4−19286
^{168}Yb, energy spectra, variational calc. rotational nuclei at high spins 4−5713
^{169}Yb-citrate, tumour scanning 4−35052
^{169}Yb→^{169}Tm, γ transitions, 307-773 keV *(Russian)* 4−569
^{170}Yb, backbending behaviour, moment of inertia anomaly calc. 4−19282
^{170}Yb, internal conversion of 84.23 keV transition, 4π scintillation counter 4−568
^{170}Yb, rotations and $K^{\pi}=1^{+}$ intrinsic excitation calcs. 4−19320
^{170}Yb(^{20}Ne,4n)^{186}Hg, 108 MeV, recoil-distance Doppler-shift meas. of lifetime 4−19271
^{171}Yb(α,3n)^{172}Hf, product isomeric level obs. 4−9070
^{171}Yb(d,p)^{172}Yb, 16 MeV, multistep processes 4−9219
^{171}Yb(n,γ)^{172}Yb, 50-1650 keV, ^{172}Yb energy level schemes *(German)* 4−40016
^{172}Yb, elec. field gradient in Tm, PAC obs. 4−25037
^{172}Yb, energy level scheme, poupulated in ^{171}Yb(n,γ)^{172}Yb reaction *(German)* 4−40016
^{172}Yb, transitions between 1173 keV ($3^{+}3$) and 78 keV ($2g^{+}0$) excited states *(Russian)* 4−23632
^{173}Yb(n,γ)^{174}Yb, 50-1650 keV, ^{174}Yb energy level schemes *(German)* 4−40016
^{174}Yb, 2^{-} states decay, E1, M2, E3 mixing 4−2807
^{174}Yb, energy level scheme, populated in ^{173}Yb(n,γ)^{174}Yb reaction *(German)* 4−40016
^{174}Yb, $K^{\pi}=2^{-}$ octupole state transitions B(E3) values, E1-M2-E3 admixtures 4−2806
^{174}Yb(α,2n)^{176}Hf, 8-24 MeV, population of high-K states 4−5748
^{174}Yb(α,4n)^{174}Hf and ^{174}Yb(α,2n)^{176}Hf, product isomeric level obs. 4−9070
^{176}Yb, multipole moments, projectile size correction for angular error 4−2896
^{176}Yb(α,4n)^{176}Hf and ^{176}Yb(α,2n)^{178}Hf, product isomeric level obs. 4−9070
^{176}Yb(p,2n) 14 to 29 MeV, intrinsic and rotational excitations in ^{175}Lu 4−23635
^{176}Yb(p,α), 18 MeV, pre-equilibrium emission 4−9181
Yb(p,t), 1 GeV, ang. correlation of fragments 4−40050
^{176}Yh single nucleon transfer reactions, multi step model anal. 4−15745

nuclei with $190\leqslant A\leqslant 219$
^{202}Tl→^{202}Hg, transition energies and intensities meas. *(French)* 4−9112
^{207}Pb, e.s.r. obs. of hyperfine coupling consts. in organic metal halides 4−19881
A=190-193, gamma-ray and internal conversion electron spectra following thermal neutron capture 4−9113
atomic mass table, for $130\leqslant A\leqslant 311$, derived from nuclear energy systematics 4−31219
even-even deformed nuclei, A=190, E2/M1 multipole mixing ratios of γ transitions 4−9111
even-even nuclei, A=50-150, 200, non-statistical effects in neutron inelastic scattering *(Russian)* 4−23685
Fermi gas model, level density parameters, $40<A<250$ 4−15668
neutron scattering, elastic, polarisation, ~1 MeV, rel. to optical model 4−19437
neutron strength functions, nuclei $138<A<202$, from av. capture cross sections, comparison with optical model 4−39996
rare earth and heavier nuclei, neutron activation cross-sections 4−631
rare earths, (p,t) reactions, 19 MeV, enriched and natural targets, Q-meas. 4−634
X-ray intensity ratio $I_{l\alpha}/I_{ll}$ in the region $55\leqslant Z\leqslant 94$ 4−15711
(α,p) reactions, 54.8 MeV, proton spectra, precompound emission 4−23713
^{217}Ac, ^{218}Ac, reaction products in ^{209}Bi+^{12}C reaction 4−9292
^{217}Ac, α-decay from $^{207(208)}$Pb(^{14}N,4(5)n)^{217}Ac, 65-96 MeV 4−15727
^{217}Ac, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4−15730
Au, fission induced by 2.1 GeV ^{2}H ions, binary and ternary cross-sections meas. 4−5852
Au, muonic, nuclear excitation from X-ray energies and intensities 4−2810
Au, ternary fission, 12.2 GeV proton induced, solid state track detector anal. 4−31433
Au isotope formation in fission and multinuclear transfer processes in ^{40}Ar, ^{84}Kr and ^{136}Xe bombardment of Ta 4−9304
Au(N,f), heavy fragment production rate, plastic stack detector 4−31436
^{195}Au, conversion electron spectra, low-energy transitions, numerical anal. 4−27265
^{195}Au, deduced levels, spin, parity from ^{195}Hg e.m. transitions *(French)* 4−430
^{197}Au, 400 MeV photon bombardment, fission-spallation competition 4−9316
^{197}Au, ang. distrib. of protons from bremsstrahlung, max. energy 400 MeV 4−624
^{197}Au, lifetime of 77.3 keV level, effect of atomic charge state 4−31299
^{197}Au, low-lying level obs. 4−2763
^{197}Au, neutron capture cross section meas., 167 eV-0.6 MeV 4−5795
^{197}Au, transfer reactions induced by ^{40}Ar at 300 MeV 4−9280
^{197}Au α-particle bombardment, internal conversion, ionisation 4−9243
^{197}Au in Au metal, Mossbauer fraction for 77.3 keV transition, anharmonic contribs. 4−3921
^{197}Au(^{84}Kr,^{84}Kr)^{197}Au, 457 MeV, contrib. of non-elastic processes to angular distrib. 4−2948

nuclei with $190\leqslant A\leqslant 219$ continued
^{197}Au(α,f), 38 MeV, fragments energy distrib. meas. using track method 4−19550
^{197}Au(α,yp,xn), (^{3}He,yp,xn) hybrid model for excitation functions 4−9241
^{197}Au(d,d) 15 MeV, optical potential with tensor term and breakup 4−9216
^{197}Au(d,pxn)$^{198-x}$Au, x=0, 2 and 6, 25 to 86 MeV, excitation functions 4−9221
^{197}Au(d,xn)$^{199-x}$Hg, x=4, 6, 7, 8 and 9, 25 to 86 MeV, excitation functions 4−9221
^{197}Au(γ,2n), energies up to 25 MeV, photoneutron cross-section meas. *(Russian)* 4−620
^{197}Au(n,γ)^{198}Au, level scheme of ^{198}Au 4−588
^{197}Au(p,α)^{194}Pt, statistical anal. of pre-equilibrium processes 4−9178
^{197}Au(p,p)^{197}Au, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4−19444
^{197}Au(p,pn)^{196}Au, 52 MeV, effect of residual spin on cross section and recoil ion range 4−9174
^{197}Au(p,t), 1 GeV, ang. correlation of fragments 4−40050
^{198}Au, beta-decay, effect of chemical environment on decay constant *(German)* 4−23643
^{198}Au level scheme obs. by ^{197}Au(n,γ)^{198}Au reaction 4−588
^{199}Au, low-lying level obs. 4−2763
Au(d,pn)Au, energies below and near Coulomb barrier, exptl. cross sections and theoretical predictions 4−15853
Bi, differential cross sections for small angle elastic scatt. of 4.3 MeV neutrons 4−5792
Bi, fission induced by 2.1 GeV ^{2}H ions, binary and ternary cross sections meas. 4−5852
Bi, photoneutron cross sections and spectra from monoenergetic photons in giant resonance 4−19384
Bi muonic, microscopic description of resonance process 4−40207
^{199}Bi isomeric states populated in ^{191}Ir(^{12}C,4n) reaction 4−464
^{201}Bi isomeric states populated in ^{193}Ir(^{12}C,4n) reaction 4−464
^{206}Bi, $\{\pi(h_{9/2})\nu(i_{13/2})^{-1}\}10^{-}$ state, 1043 keV, magnetic moment 4−12142
^{206}Bi, internal conversion electrons from ^{206}Pb(p,n) reaction 4−589
^{206}Bi, isomer, M2 transition decay, 229.4 keV, 1.0 ms half-life 4−581
^{206}Bi excited states obs. in decay of ^{200}Po 4−466
^{207}Bi, in Ni host, nuclear magn. moment, nuclear reorientation in 0.8 sec isomer of ^{207}Pb 4−36115
^{208}Bi, internal conversion electrons from ^{208}Pb(p,n) reaction 4−589
^{208}Bi, particle-hole multiplets, DWBA anal. of ^{209}Bi(p,d) reaction 4−19295
^{209}Bi, anomalous E1 width of isobaric analogue state, charge-exchange dipole mode coupling 4−31292
^{209}Bi, bombardment with ^{12}C heavy reaction products including ^{217}Ac, ^{218}Ac, ^{215}Fr and ^{214}Fr 4−9292
^{209}Bi, calc. of particle-phonon multiplets using density dependent effective forces 4−12222
^{209}Bi, nuclear spreading of anti-analogue state 4−12163
^{209}Bi, obs. of states populated in ^{208}Pb(^{11}B,^{10}Be) reaction 4−5839
^{209}Bi, transfer reactions induced by ^{14}N and ^{12}C at 91 and 78 MeV 4−9282
^{209}Bi, two-particle one-hole structure, isobaric analogues of ^{210}Bi from ^{209}Bi(p,p$'$)^{209}Bi* 4−12182
^{209}Bi α-particle bombardment, internal conversion, ionisation 4−9243
^{209}Bi muonic atom magnetic hyperfine coupling consts. in polarised atoms 4−27571
^{209}Bi+^{84}Kr, 525 MeV quasifission reaction, cross-section and ang. distrib. meas. 4−36224
^{209}Bi(Kr,f) at 500 MeV anal. of fragments emitted in binary fission from complete fusion nuclei *(French)* 4−12395
^{209}Bi(α,f), 38 MeV, fragments energy distrib. meas. using track method 4−19550
^{209}Bi(d,p)^{210}Bi, intermediate structure in ^{211}Po, isobaric analogue of single particle neutron strengths in ^{211}Bi 4−9076
^{209}Bi(γ,2n), energies up to 25 MeV, photoneutron cross-section meas. *(Russian)* 4−620
^{209}Bi(n,γ)^{210}Bi, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{209}Bi(n,n)^{209}Bi, 1.36 MeV, angular distrib., depolarisation 4−19439
^{209}Bi(p,3n), 52 MeV, recoil ion ranges rel. to reaction mechanism 4−9177
^{209}Bi(p,4n), recoil ion ranges rel. to reaction mechanism 4−9177
^{209}Bi(p,d)^{208}Bi, 35 MeV, DWBA anal. of particle-hole multiplets in ^{208}Bi 4−19295
^{209}Bi(p,n) at 25 to 50 MeV, complex microscopic effective interaction generation 4−12339
^{209}Bi(p,p$'$), 39 and 62 MeV, spectra rel. to calc. from pre-equilibrium decay models 4−2849
^{209}Bi(p,p3n), 52 MeV, recoil ion ranges rel. to reaction mechanism 4−9177
^{209}Bi(p,t), 1 GeV, ang. correlation of fragments 4−40050
^{210}Bi, beta decay, charge-exchange dipole mode coupling 4−31292
^{210}Bi, isobaric analogue states in ^{209}Bi 4−12182
^{211}Bi, first excited state, 405 keV, particle-vibration coupling 4−12183
^{211}Bi, single particle neutron strength, intermediate structure in ^{211}Po isobaric analogue resonances 4−9076
^{213}Fr, $29/2^{+}$ level, configuration and g-factor 4−12147
^{214}Fr, ^{215}Fr, reaction products in ^{209}Bi+^{12}C reaction 4−9292
^{215}Fr, half-life decay energy and reduced width meas. 4−15731
^{215}Fr, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4−15730
Hg, A=190 to 194, from Pt(α,xn) at 65 to 108 MeV, high spin states and Coriolis decoupled bands 4−36118
Hg, A=195, 197, 199 decoupled bands populated by (α, xnγ) reactions 4−23612
Hg doubly even isotopes, populated in (α,2nγ) and (p,2nγ) reactions, level structure 4−39937
Hg isotopes, magnetic moment determ. using (^{16}O, ^{16}O$^{1}\gamma$) reaction 4−36109
Hg isotopes, spherical to deformed shape transition, variable collective inertia 4−2752

nuclei with $190 \leqslant A \leqslant 219$ continued
Hg neutron poor isotopes, isotope shift, shell model calcs., mass parameter 4−404
^{e}Hg, A=196, 198, 200, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{e}Hg, A=198, 200, 202, 204, first 2^+ states, magnetic moments 4−418
^{190}Hg, ^{192}Hg, obs. of backbending phenomenon with (α, 8n) reaction 4−36155
^{193}Hg, isomeric state, quadrupole moment, search for strong deformation 4−2759
^{195}Hg, e.m. transitions, ^{195}Au deduced levels *(French)* 4−430
^{198}Hg, hyperfine mag. field in Fe:Au, PAC obs. 4−17006
^{198}Hg, hyperfine magnetic field effect in Fe, determ. by perturbed angular correlation 4−20910
^{199}Hg, isomeric state, quadrupole moment, search for strong deformation 4−2759
^{199}Hg, transverse spin relax. times, optical orientation, mag. field depend. 4−25016
^{200}Hg, Hartree-Fock degree of freedom calc. 4−12235
^{200}Hg, investigation of low spin states populated in (n,γ) reactions 4−465
^{200}Hg, populated in (n,γ) reaction, anal. of low-spin states 4−31243
^{201}Hg, transverse spin relax. times, optical orientation mag. field depend. 4−25016
^{203}Hg, β-γ directional correlation 4−12285
^{203}Hg, surface water purification, empirical equation *(French)* 4−31627
^{203}Hg, tracer in Phaeodactylum tricornutum pigments 4−30252
^{193m}Hg, isomeric state, quadrupole moment, search for strong deformation 4−2759
^{197m}Hg, cyclotron production, lung tunour imaging 4−14689
^{190}Ir beta-decay populating ^{190}Os, level scheme determ. 4−39936
^{191}Ir(^{12}C,4n)^{199}Bi reaction, isomeric states in ^{199}Bi 4−464
^{192}Ir, γ-ray source, chromosome aberration after accidental exposure 4−8199
^{192}Ir, γ-ray source, hormone serum levels after accidental exposure 4−8197
^{192}Ir, γ-ray sources, biochem. anal. of urine and blood metabolites after accidental exposure 4−8198
^{192}Ir decay, radiations, triple γ angular correlation studies 4−5154
^{192}Ir gamma ray source, accidental exposure, haematological effects 4−8196
^{192}Ir gamma rays, accidental exposure, dose estimation 4−8239
^{193}Ir, electromagnetic moments 4−2757
^{193}Ir(^{12}C,4n)^{201}Bi reaction, isomeric states in ^{201}Bi 4−464
Os, doubly even isotopes populated in (α,2nγ) and (p,2nγ) reactions 4−39937
^{190}Os populated in ^{190}Re and ^{190}Ir decays and ^{189}Os(d,p)^{190}Os reaction, level structure 4−39936
^{190}Os strong population of excited O^+ states from ^{192}Os(p,t)^{188}Os reaction 4−9099
^{192}Os(n,n')^{192}Os, 14.5 MeV, 6.1 s isomer, new levels from γ-ray spectra 4−12241
Pb, 12.2 GeV proton induced ternary fission, solid state track detector anal. 4−31433
Pb, differential cross sections for small angle elastic scatt. of 4.3 MeV neutrons 4−5792
Pb, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
Pb, fission induced by 2.1 GeV ^{2}H ions, binary and ternary cross-sections meas. 4−5852
Pb, muonic, calc. of vacuum polarisation 4−9050
Pb, muonic X-ray spectra 4−5862
Pb, Ω^- hyperonic atom, anal. of hyperfine struct. 4−24019
Pb, pairing vibrational states, generator coordinate method 4−15670
Pb, photoneutron cross sections and spectra from monoenergeitc photons in giant resonance 4−19384
Pb, study of pairing force based collective states by (t,p) reaction on even isotopes 4−562
Pb, total ηN interaction cross-section in η-meson photoproduction 4−9139
Pb isotopes, evolution for Canadian Shield samples, nature of tectonic events 4−17554
Pb isotopes, Nilsson single-particle level scheme, partial state densities for proton-neutron configs. 4−5728
Pb isotopes in ores, alteration by postmineralisation metamorphic and hydrothermal activity 4−29394
Pb region, A=206 to 210, shell model anal. of low-lying states 4−23619
^{m}Pb(n,γ)$^{m+1}$Pb, 14.1 MeV, prompt γ-ray spectra for integrated cross sections 4−2870
^{202}Pb, weak-coupling model anal. 4−23625
^{203}Pb, cyclotron prod., for radiopharmaceutical appl. 4−30234
^{204}Pb, neutron capture cross sections for $E_n > 2.5$ keV, resonance parameters 4−5805
^{204}Pb, nuclear reorientation in 0.8 sec isomer, ^{207}Bi nuclear magn. moment determ. 4−36115
^{204}Pb weak-coupling model anal. 4−23625
^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV, low-lying ^{205}Pb spectrum, .999 MeV state 4−12184
^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV, ^{205}Pb shell model spectrum 4−12185
^{204}Pb(n,γ) absorption cross section in ^{120}Sn 4−18588
^{204}Pb(t,p)^{206}Pb, 20 MeV, level scheme, elementary modes of excitation 4−36211
^{205}Pb, low-lying spectrum from ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV, .999 MeV state 4−12184
^{205}Pb, spectrum from ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV and ^{208}Pb(d,p)^{209}Pb 4−12185
^{205}Pb(p,p')^{206}P*, concomitant compound and direct nuclear reaction mechanism 4−9172
^{206}Pb, level scheme from ^{204}Pb(t,p) reaction, elementary modes of excitation 4−36211
^{206}Pb, neutron capture cross sections for $E_n > 2.5$ keV, resonance parameters 4−5805
^{206}Pb, X-ray energies and nuclear charge parameters for 2s-state transitions 4−19347
^{206}Pb(n,n), intermediate struct. rel. to resonance energies 4−9075

nuclei with $190 \leqslant A \leqslant 219$ continued
^{206}Pb(p,n)^{206}Bi, internal conversion electrons, ^{206}Bi transitions 4−589
^{207}Pb, neutron capture cross sections for $E_n > 2.5$ keV, resonance parameters 4−5805
^{207}Pb, obs. of states populated in ^{208}Pb(^{11}B,^{12}B) reaction 4−5839
^{207}Pb(d,p)^{208}Pb, 18 MeV, high resolution spectroscopic strengths, energy levels 4−2895
^{207}Pb(p,p^1), 35 MeV, DWBA anal. of ang. distributions 4−19416
^{208}Pb, ang. distribs. of secondary γ-quanta and cross sections for excitation, 1 GeV proton scatt. 4−5800
^{208}Pb, charge distrib. from electron elastic scattering and muonic X-rays 4−12324
^{208}Pb, charge monopole and dipole modes, two-body correlation effects on sum rules 4−19273
^{208}Pb, compound states in giant resonance region, density effects *(Russian)* 4−19288
^{208}Pb, deformation effects in heavy ion scattering 4−27349
^{208}Pb, deuteron elastic scatt. optical model anal. energies of 30 MeV 4−2901
^{208}Pb, distrib. of dipole and spin dipole strength 4−36110
^{208}Pb, effective interactions and conserving approx. 4−491
^{208}Pb, elastic electron scattering, muonic X-rays, determ. of charge distrib. 4−5707
^{208}Pb, electric quadrupole transitions in 0 to 30 MeV range, finite Fermi systems theory 4−9108
^{208}Pb, high resolution spectroscopic strengths, energy levels from ^{207}Pb(d,p) reaction 4−2895
^{208}Pb, inelastic scatt. cross sections of 40 MeV α-particles at small angles *(French)* 4−23710
^{208}Pb, inelastic scattering of ^{11}B ions 4−5839
^{208}Pb, $J^\pi = 1^+$ excited states, 3-12 MeV, Saxon-Woods potential calcs. 4−419
^{208}Pb, M1 transitions, from 180° electron scattering 4−5755
^{208}Pb, muonic, vacuum polarisation nuclear size depend. 4−27066
^{208}Pb, muonic, vacuum polarisation corrections due to finite nuclear size 4−27067
^{208}Pb, need for long range components in effective interaction 4−36125
^{208}Pb, neutron capture cross sections for $E_n > 2.5$ keV, resonance parameters 4−5805
^{208}Pb, proton and neutron radii from transfer reactions and single particle energies 4−23596
^{208}Pb, proton elastic and inelastic scattering, 1 GeV, multiple diffractive anal. 4−23672
^{208}Pb, transfer reactions induced by ^{14}N and ^{12}C at 91 and 78 MeV 4−9282
^{208}Pb, weak transitions, 2p-2h correlations, from ^{208}Pb(d,p)^{209}Pb reaction, 20 MeV 4−12181
^{208}Pb (d,p)^{209}Ph, meas. vector analysing power near Coulomb barrier 4−19511
^{208}Pb antiproton absorpt., neutron halo 4−31359
^{208}Pb giant E2 resonance, fine structure, missing oscillator strength 4−12304
^{208}Pb particle-hole interaction, isospin depend. from consistency rel. 4−31276
^{208}Pb(^{11}B,^{10}B)^{209}Pb, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{11}B,^{10}Be)^{209}Bi, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{11}B,^{12}B)^{207}Pb, angular distrib. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{11}B,^{12}C)^{207}Tl, angular distrb. for excited states, 21.6 MeV 4−5839
^{208}Pb(^{12}C, ^{11}B), exact finite-range DWBA calcs. 4−31407
^{208}Pb(^{12}C, ^{13}C), exact finite-range DWBA calcs. 4−31407
^{208}Pb(^{16}O, ^{15}N)^{209}Bi, exact finite range DWBA calc. 4−12375
^{208}Pb(^{16}O,^{17}O*)^{207}Pb, recoil effects in DWBA calcs. 4−2979
^{208}Pb(^{16}O,^{17}O)^{207}Pb, virtual Coulomb excitation at 2.61 MeV 4−2962
^{208}Pb(^{16}O,^{17}O)^{207}Pb, 69.1 MeV, virtual Coulomb excitation effects 4−19371
^{208}Pb(^{6}Li, αα)^{206}Tl, 24-30 MeV, ^{8}Be intermediate state, three-particle correlations 4−27355
^{208}Pb(^{6}Li, αd)^{208}Pb, 24-30 MeV, ^{6}Li* intermediate state, three-particle correlations 4−27355
^{208}Pb(^{6}Li,αp)^{209}Pb, 24-30 MeV, ^{5}Li intermediate state, three-particle correlations 4−27355
^{208}Pb(^{84}Kr,^{84}Kr)^{208}Pb, 500 MeV, contrib. of non-elastic processes to angular distrib. 4−2948
^{208}Pb(^{9}Be,^{8}Be)^{209}Pb leading to 4.298 MeV unbound state, model calcs. 4−2980
^{208}Pb(α, α'n) DWBA anal. assuming unstable ^{5}He formation 4−36214
^{208}Pb(α,α')^{208}Pb(3^-), 21 and 22 MeV, octupole Coulomb-nuclear interference, quantal DWBA treatment 4−27342
^{208}Pb(α,α)^{208}Pb, up to 166 MeV, α-nucleus real potential strength, optical model 4−2923
^{208}Pb(d,d)^{208}Pb, 28.8 MeV polarised deuterons, evidence for tensor interaction 4−31382
^{208}Pb(d,p), 9 MeV, classical model of deuteron D-state effects 4−36212
^{208}Pb(d,p)^{209}Pb, 13.0 and 20.0 MeV, ^{205}Pb shell model spectrum 4−12185
^{208}Pb(d,p)^{209}Pb, 17 to 25 MeV, spectroscopic factor determ. from d and p optical parameter sets 4−2907
^{208}Pb(d,p)^{209}Pb at 12.3 MeV, meas. of tensor analysing power 4−2912
^{208}Pb(e,e'), form factors, 3^- excitation, transition densities, scatt. calcs. 4−626
^{208}Pb(e,e') E<35 MeV giant resonance excitation 4−5790
^{208}Pb(n,γ), 14 MeV, γ-ray spectra comparisons with semi-direct theory, form of coupling interactions 4−36188
^{208}Pb(n,γ)^{209}Pb, observed asymmetry at 40.8 keV resonance, explanation 4−31374
^{208}Pb(p,d)^{207}Pb, 52 MeV, effect of deuteron break-up channels, optical potential 4−2890
^{208}Pb(p,γ)^{209}Bi, collective E2 resonance 4−27324
^{208}Pb(p,n), optical model, microscopic isospin interpretation of neutron distrib. 4−31375

nuclei with $190 \leqslant A \leqslant 219$ continued
^{208}Pb(p,n) at 25 to 50 MeV, complex microscopic effective interaction generation 4−12339
^{208}Pb(p,n)^{208}Bi, internal conversion electrons, ^{208}Bi transitions 4−589
^{208}Pb(p,p′), 1 GeV inelastic scatt., Glauber multiple diffraction model 4−31363
^{208}Pb(p,p′), 155 MeV, polarisation and asymmetry calc. using DWBA anal. 4−19449
^{208}Pb(p,p′), 185 MeV, p polarisation in 3^- level excitation 4−15841
^{208}Pb(p,p′), differential cross sections, scatt. calcs., 3^- excitation 4−626
^{208}Pb(p,p’) at 185 MeV, polarisation meas. DWBA, DWIA and strong absorption model anal. 4−12336
^{208}Pb(p,p), 156 MeV elastic scattering, Glauber approx. 4−15736
^{208}Pb(p,t)^{206}Pb 40MeV polarised protons, analysing powers of L=0,2,4,6 transitions 4−5801
^{209}Pb, angular distrib., spectroscopic factors from ^{208}Pb(d,p)^{209}Pb for ^{205}Pb spectrum 4−12185
^{209}Pb, approximate relativistic theory, calc. of single particle basis Hamiltonian 4−19319
^{209}Pb, first excited state, populated by ^{208}Pb(^{17}O,^{16}O) reaction, lifetime 4−2808
^{209}Pb, obs. of states populated in ^{208}Pb(^{11}B,^{10}B) reaction 4−5839
^{209}Pb produced in ^{208}Pb(d,p)^{209}Pb, 17 to 25 MeV, spectroscopic factor determ. from d and p optical parameter sets 4−2907
^{209}Pb produced in ^{208}Pb(d,p)^{209}Pb at 12.3 MeV, meas. of tensor anal. power 4−2912
^{210}Pb in North Pacific and transport of terrestrial material through atmosphere 4−4394
Pb^{208}(n,γ)Pb^{209}, compound and direct contrib. 4−5814
Pb(p,t), 51.9 MeV on A=202 to 206 isotopes, energy levels determ. 4−31372
^{a}Po, A=194 to 190, two-peak struct., for ^{166}Er(^{40}Arαxn), (^{40}Ar,2p(x+2)n) reactions 4−9297
^{206}Po decay, obs. of excited states of ^{206}Bi 4−466
^{209}Po, perturbed angular distribution patterns of γ-rays in presence of two isomeric levels 4−19339
^{210}Po, perturbed angular distribution patterns of γ-rays in presence of two isomeric levels 4−19339
^{211}Po, intermediate structure, isobaric analogue of single particle neutron strength in ^{211}Bi 4−9076
^{215}Po, e.m. transition rates, attenuation methods 4−31288
^{207m}Po, isomeric decay investigation 4−581
Pt, ternary fission, 12.2 GeV proton induced, solid state track detector anal. 4−31433
Pt doubly even isotopes, populated in (α,2nγ) and (p,2nγ) reactions, level structure 4−39937
^{a}Pt, A=190, 192, 194, 196, high-spin negative parity states populated by (p, 2nγ) and (α, 2nγ) reactions 4−19305
^{192}Pt, triple gamma angular correlation study 4−5154
^{195}Pt, L-subshell internal conversion ratios, 99 keV transition 4−31303
^{197}Pt β decay, level scheme of ^{197}Au 4−2763
^{199}Pt β decay, level scheme of ^{199}Au 4−2763
^{208}Pt(^{11}B,^{11}B), 72.2 MeV inelastic scattering, interference between Coulomb and nuclear excitation 4−12381
^{197m}Pt β decay, level scheme of ^{197}Au 4−2763
Pt(α,xn)Hg, E_α=65 to 108 MeV, Hg (A=190 to 194) high spin states and Coriolis decoupled bands 4−36118
Pt(p,p)Pt, elastic, ~5 MeV, search for Mott-Schwinger polarization 4−19445
^{214}Ra, 8^+ state g-factor, deduction of blocking effect of proton core polarisation 4−12145
^{216}Ra, α-decay from ^{208}Pb(^{12}C,4n)^{216}Ra, 65-96 MeV 4−15727
^{216}Ra, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4−15730
^{190}Re beta-decay populating ^{190}Os, level scheme determ. 4−39936
^{219}Rn, excited states lifetime meas. from conversion electron Doppler shifts following α-decay 4−31291
^{219}Rn→^{215}Po α-decay, e.m. transition rates in ^{215}Po 4−31288
^{181}Ta in Ni, hyperfine critical exponents β and δ, angular correlation technique 4−6820
^{a}Th, A=217-220, half-life decay energy and reduced width meas. 4−15731
^{218}Th, α-decay from ^{209}Bi(^{14}N,5n)^{218}Th, 65-96 MeV 4−15727
^{218}Th, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4−15730
^{a}Tl, A=193 to 202, atomic beam meas. 4−417
^{195}Tl, γ-decay scheme from energy spectra, angular correlation and internal conversion electrons, comparison with ^{197}Tl *(Russian)* 4−572
^{196}Tl→^{196}Hg, transition energies and intensities meas. *(French)* 4−9112
^{197}Tl, γ-decay scheme from energy spectra, angular correlation and internal conversion electron meas. *(Russian)* 4−571
^{198}Tl→^{198}Hg, transition energies and intensities meas. *(French)* 4−9112
^{200}Tl→^{200}Hg, transition energies and intensities meas. *(French)* 4−9112
^{201}Tl, ^{203}Tl, internal conversion penetration parameter for M1(+E2) transitions *(German)* 4−31305
^{202}Tl pop. in ^{204}Hg(p,3n) at 28 MeV, determ. of g-factor of 0.57 ms 7^+ state in ^{202}Tl 4−15616
^{203}Tl, ^{205}Tl, n.m.r. in La_3In, Knight shift and spin lattice relaxation 4−20881
^{204}Tl, electron capture in K-shell, internal bremsstrahlung energy spectra *(Russian)* 4−596
^{204}Tl low-lying energy levels from γ-ray spectra following ^{203}Tl(n,γ) reaction 4−15619
^{204}Tl(n,γ), thermal neutrons, spectroscopic study of ^{205}Tl by 7646 keV capture gamma-rays 4−15695
^{204}Tl(n,γ)^{205}Tl, meas. of differential energy spectrum of γ-rays for excitation energies up to 7.5 MeV *(Russian)* 4−579
^{205}Tl, differential energy-spectrum of γ-rays emitted following ^{204}Tl(n,γ) reaction, excitation energy up to 7.5 MeV *(Russian)* 4−579
^{205}Tl, level structure determ. from (p,p′) and (p,α) reaction 4−39935
^{205}Tl, n.m.r. in $CaCd_{1-x}Tl_x$, Knight shift 4−37516
^{205}Tl, n.m.r. in Tl-As-Se semiconductor glasses *(Russian)* 4−28718

nuclei with $190 \leqslant A \leqslant 219$ continued
^{205}Tl, spectroscopic study by 7646 keV neutron capture gamma-rays 4−15695
^{207}Tl, obs. of states populated in ^{208}Pb(^{11}B,^{12}C) reaction 4−5839

nuclei with $A \geqslant 220$
$A \geqslant 231$, fissionability and criticality investigation 4−5849
actinide fission, statistical model for fragment excitation and energy distrib. 4−36239
actinide nuclei, E2 and E4 transition moments and equilib. deformations 4−9110
actinide radioactive wastes, transmutation using controlled thermonuclear reactor 4−23931
actinide region, fission barriers in terms of quadrupole, hexadecapole and axially asymmetric deformations 4−9054
actinides, sub-barrier fission probability for double humped barrier 4−19547
actinides and superheavy elements, search for production by secondary proton induced reactions in tungsten 4−5808
atomic mass table, for $130 \leqslant A \leqslant 311$, derived from nuclear energy systematics 4−31219
delayed fission, role in production of very heavy and superheavy elements 4−9326
Fermi gas model, level density parameters, $40 < A < 250$ 4−15668
fission half-lives calc., Z=92 to 106 from liquid-drop, single-particle models 4−15930
fusion nuclei, Ar and Kr ions, on medium and heavy targets 4−5864
lifetimes for spontaneous fission and alpha decay of very heavy nuclei with Z=154-164 4−9327
neutron scattering, elastic, polarisation, ~1 MeV, rel. to optical model 4−19437
superheavy elements, search for naturally occurring 114 element 4−1776
superheavy nuclei production using heavy-ion accelerators, review, reln. to atomic physics *(French)* 4−2943
superheavy nucleus $^{298}X_{184}$, potential energy surface for fission 4−12396
transuranic fission isomers, appl. of dielectric detectors 4−30568
transuranium deformed nuclei, density of states 4−471
transuranium elements, as energy and radiation sources *(Japanese)* 4−2171
transuranium elements, detection in cosmic radiation 4−18665
transuranium elements possible synthesis in partial fusion reactions of ^{238}U with heavy ions *(Russian)* 4−15911
U-U collision, neutral vacuum induced decay in overcritical fields, pair production 4−27352
Ac, A=229 to 232, prod. from ^{232}Th, production and radioactive decay schemes 4−2814
^{220}Ac→^{228}Th β decay scheme *(French)* 4−31308
^{227}Ac(d,f), 4 to 6.8 MeV, yield and cross-section meas. 4−40049
^{241}Am, bomb reduction prep. technique, physical props. 4−25513
^{241}Am, in spent nuclear fuel, correl. with burnup 4−5913
^{241}Am, production of ^{242}Cm by neutron irradiation in fast reactor, cross section 4−9162
^{241}Am, sputtering to produce thin film α source 4−26590
^{241}Am alpha-decay influence of collective modes on decay hindrance factors 4−19359
^{241}Am radioactive source production by electrodeposition on stainless-steel backing 4−26585
^{241}Am(n_{th},f), fission modes 4−5861
^{242}Am, comparison of prompt and isomer fission modes 4−9320
^{243}Am alpha-decay influence of collective modes on decay hindrance factors 4−19359
^{242m}Am, prompt fission modes following ^{242}Pu(d,2n) 4−5861
^{242m}Am fission, light nuclei prod., energy spectra and yields 4−5867
^{249}Cf, absolute specific activity and T(1/2) determ. 4−4296
^{249}Cf neutron induced fission, 0.5-7.0 MeV, cross section and angular anisotropy *(Russian)* 4−15933
^{251}Cf fission fragments, cross sections and kinetic energy distribs. calcs. 4−31426
^{252}Cf, fission fragment energy spectrum determ. by solid state track detectors 4−30562
^{252}Cf, fission product mass meas., thin plastic scintillator film detectors 4−5196
^{252}Cf, source for neutron moisture gauge 4−2352
^{252}Cf, spontaneous fission, neutron energy spectra, 0.15 to 15 MeV 4−23728
^{252}Cf, spontaneous fission, determ. of gamma ray total energy 4−23737
^{252}Cf, spontaneous fission, polar light particle emission 4−27371
^{252}Cf, spontaneous fission alpha-particle spectra obs. 4−31425
^{252}Cf, spontaneous fission fragment mass meas. method using plastic scintillator film detectors 4−26627
^{252}Cf, use in ex-reactor control rod testing 4−23779
^{252}Cf activation analysis of Cu content of mill feeds, tailings and geothermal ores 4−26728
^{252}Cf assay system for fast breeder reactor type fuel pins 4−5895
^{252}Cf fission neutron spectrum for fast neutron activation analysis 4−26729
^{252}Cf fission product transport in He-jet system for inaccessible sources 4−30531
^{252}Cf fission products, transmission efficiency, He-jet flow system 4−8434
^{252}Cf range of product nuclei ^{99}Mo and ^{140}Ba in Al, Ni, Cu and Pd 4−32591
^{252}Cf source of neutrons and fission fragments, preparation 4−18563
^{252}Cf spontaneous fission, anal. of energy and mass spectra of fragments *(Russian)* 4−15932
^{252}Cf spontaneous fission, search for retarded neutrons 4−19553
^{252}Cf spontaneous fission fragments, meas. of beta-ray energy spectra 4−27366
^{252}Cf-Ge(Li) sonde systems, Monte Carlo calibration method 4−29739
^{254}Cf, total spontaneous fission half-lives, kinetic energy and mass yield spectra 4−23734
^{352}Cf, total spontaneous fission half-life, mass and charge distrib. 4−23733
^{241}Cm decay, neutron-fission competition near threshold, influence of shells and pairing 4−656
^{242}Cm, in spent nuclear fuel, correl. with burnup 4−5913

nuclei with A$\geqslant$220 continued
^{242}Cm, production from ^{241}Am, fast reactor, cross-section 4−9162
^{244}Cm, in spent nuclear fuel, correl. with burnup 4−5913
^{244}Cm, neutron multiplicity distrib., meas. 4−8457
^{244}Cm, spontaneous fission, average number of neutrons meas. 4−19551
^{244}Cm fission isomers, quadrupole and hexadecapole moments 4−9059
^{244}Cm(n,f), intermediate struct. rel. to resonance energies 4−9075
^{246}Cm, spontaneous fission, average number of neutrons meas. 4−19551
^{248}Cm, spontaneous fission, average number of neutrons meas. 4−19551
^{248}Cm(^{18}O,α3n)^{259}No at 95 to 110 MeV, ^{259}No Z and A assignment, and $T_{1/2}$ determ. 4−12293
^{250}Cm, total spontaneous fission half-lives, kinetic energy and mass yield spectra 4−23734
^{250}Cm pop. in ^{248}Cm(^{3}H,p) reaction, energy levels determ. 4−15620
^{243}Es, from ^{233}U + ^{15}N, 77-82 MeV, α-particle spectra, half-life 4−12295
^{244}Es, from ^{233}U + ^{15}N, 77-82 MeV, α-particle spectra, half-life 4−12295
Fm isotopes, multiplicity distributions, reconstruction, using statistical regularisation method 4−8457
^{254}Fm, spontaneous fission, mass and nuclear charge distribs. of fission yields 4−5851
^{255}Fm, fission fragments, cross sections and kinetic energy distribs. calcs. 4−31426
^{258}Fm, fission mass distribution, asymmetric two-centre shell model 4−27370
^{258}Fm, total spontaneous fission half-lives, kinetic energy and mass yield spectra 4−23734
^{259}No produced in ^{248}Cm(^{18}O,α3n) at 95 to 110 MeV, $T_{1/2}$ determ. for α and β decay 4−12293
^{236}Np$\rightarrow$^{236}Pu, β-decay following ^{237}Np(n,2n) reaction 4−12347
^{237}Np, fission cross section, intermediate struct., study 4−5856
^{237}Np, meas. of absolute fission rates 4−36242
^{237}Np, Mossbauer effect in Np intermetallic Laves phases 4−25040
^{237}Np, orientation in cooled UO$_2$Rb(NO$_3$)$_3$ crystal alpha-decay *(Russian)* 4−27285
^{237}Np, time-dependent fission rate, Th assembly 4−12393
^{237}Np dosimeter, dose assessment procedure 4−23946
^{237}Np energy level lifetime determ. delayed coincidence meas. using semiconductor counters 4−27272
^{237}Np polarised target, low-temp., for use with single-burst n sources 4−18577
^{237}Np(γ,t), 10 to 20 MeV, asymmetry as function of max. bremsstrahlung energy 4−19549
^{237}Np(n,2n)^{236}Np$\rightarrow$^{236}Pu, 13.7-14.9 MeV, cross section 4−12347
^{237}Np(n,f), 0.4 to 1.2 MeV, delayed neutron yields 4−40048
^{237}Np(n,f), 3.5 to 4.9 MeV, cross-section meas. 4−31421
^{237}Np(n,f), spin determ. of intermediate structure in subthreshold fission 4−23738
^{238}Np shape isomers, search for γ-branch in ^{238}U(p,n) reaction 4−19337
^{239}Np, inelastic neutron cross sections, for fast reactor long-term behaviour 4−19395
^{239}Np(n,n'), cross section calc. rel. to burn-up of fast reactor fuel 4−36186
^{239}Np$\rightarrow$^{239}Pu, decay scheme, population of 285.5 keV level 4−12146
Pa, meas. of half-life, student experiment 4−30352
^{231}Pa, study of excited states following α-decay of ^{235}U 4−39974
^{231}Pa, use in threshold detectors for neutron spectra meas. 4−18690
^{233}Pa, inelastic neutron cross sections, for fast reactor long-term behaviour 4−19395
^{233}Pa energy level lifetime determ. delayed coincidence meas. using semiconductor counters 4−27272
^{233}Pa level scheme obs. in ^{232}Th(^{3}He,d) and ^{232}Th(α,t) reactions 4−467
^{233}Pa(n,n'), cross section calc. rel. to burn-up of fast reactor fuel 4−36186
^{234}Pa pop. in ^{234}Th beta-decay, deduced energy levels and parity configuration *(French)* 4−15621
^{236}Pa pop. in ^{236}Th beta-decay, decay scheme determ. rel. to ^{236}Th identification 4−23648
^{237}Pa, $T_{1/2}$, determ. gamma spectra obs. rel. to ^{237}U level scheme determ. 4−12287
^{207}Pb, in Cu$_2$MnBi, PAC obs. of hyperfine mag. field 4−20904
^{240}Po, pairing gap energies at fission saddle point 4−31427
Pu contamination, physio-pathology, poisoning and elimination therapy *(Spanish)* 4−39082
Pu, A=238, 240, 242, fission isomers, quadrupole and hexadecapole moments 4−9059
^{236}Pu, lower limits of detect. in multicomponent samples determ., least squares anal. 4−35546
^{238}Pu, lower limits of detect. in multicomponent samples determ., least squares anal. 4−35546
^{238}Pu, separation from fission prod. by solvent extraction using HDEHP di(2-ethylhexyl)phosphoric acid 4−36346
^{239}Pu, ^{240}Pu determ. in reactor fuel, use of filtered neutron beams 4−19604
^{239}Pu, 285.5 keV level, lifetime and magnetic moment 4−12146
^{239}Pu, alpha decay, effect of low-lying ^{235}U levels 4−15729
^{239}Pu, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
^{239}Pu, fission product γ-activity rel. to ^{235}U 4−19567
^{239}Pu, in aqueous soln. minimum critical concentration 4−27492
^{239}Pu, low-lying energy levels calc. 4−5711
^{239}Pu, lower limits of detect. in multicomponent samples determ., least squares anal. 4−35546
^{239}Pu, minimum critical conc. in water 4−27493
^{239}Pu, reactor fuel, fission product rate meas. using foil technique 4−36243
^{239}Pu, reactor fuel, meas. of absolute fission rates 4−36242
^{239}Pu, suspension, wind-driven redistrib., inhalation 4−35068
^{239}Pu, thermal and epi-thermal, ^{77}Ge, ^{77}As, ^{166}Dy, ^{166}Ho, mass yield variation meas. 4−2985
^{239}Pu, time-dependent fission rate, Th assembly 4−12393
^{239}Pu fission, light nuclei prod., energy spectra and yields 4−5867

nuclei with A$\geqslant$220 continued
^{239}Pu(d,pf), fission fragments, mass distrib. and ang. anisotropy 4−5860
^{239}Pu(n,f), intermediate struct. rel. to resonance energies 4−9075
^{239}Pu(n,f) at 0.3 to 200 eV, fission width determ. 4−15929
^{239}Pu(n,f) prompt γ-ray emission, average multiplicity and energy 4−670
^{239}Pu(n,γf), neutron and gamma ray yields 4−5859
^{239}Pu(n,γf), resonance n induced at 0.3 to 200 eV, fission width determ. 4−15929
^{239}Pu(n,t), anal. of resonance self-shielding expts. with Monte Carlo code 4−36361
^{239}Pu(n,t), calc. of resonance self-shielding effects 4−36360
^{240}Pu, fission barrier deform. energy curves, self-consistent calc. *(French)* 4−5853
^{240}Pu, isomeric fission, fragment mass and kinetic energy distrib. 4−36236
^{240}Pu, spontaneous fission, probability of prompt neutron emission 4−31422
^{240}Pu deformation energy curve calc. with constrained Hartree-Fock method 4−547
^{240}Pu(n,f), 0.5-2.5 MeV, search for fission shape isomers, statistical theory 4−19548
^{240}Pu$\rightarrow$^{142}Ba + ^{92}Sr, external fission potential energy surface and mass distrib. 4−9324
^{241}Pu, half-life determ. by mass spectrometric analysis 4−2815
^{242}Pu(d,2n)^{242m}Am, E=22 MeV, prompt fission modes 4−5861
Pu(n,t), A=239 to 242 meas. and calc. of integral cross section ratios in EBR-II reactor 4−27389
^{224}Ra, man, cancer induction, from internal radioactivity 4−8194
^{226}Ra, fission mass distribution, asymmetric two-centre shell model 4−27370
^{226}Ra, L X-ray spectra from internal conversion of elec. quadrupole transitions following ^{230}Th α decay 4−2805
^{226}Ra, man, cancer induction, from internal radioactivity 4−8194
^{226}Ra, radioactivity measurements in geothermal hot spring systems, northern Nevada 4−21753
^{226}Ra(n,f), 5-15 MeV, fragment energy distrib., symmetric and anti-symmetric fission 4−2986
^{226}Ra$\rightarrow$^{222}Rn α decay, internal conversion of elec. quadrupole transitions, L X-ray spectra 4−2805
^{228}Ra distribution in world oceans 4−29541
^{220}Rn, aerosol particle size distrib. meas. *(German)* 4−4892
^{220}Rn, excited, shell model for pairing and angular momentum 4−12205
^{222}Rn, and daughters, instrumentation for occupational and environmental monitoring 4−30254
^{222}Rn, ionization chamber determ. 4−15048
^{222}Rn, L X-ray spectra from internal conversion of elec. quadrupole transitions following ^{226}Ra α decay 4−2805
^{222}Rn, man, cancer induction, from internal radioactivity 4−8194
^{222}Rn, radioactivity measurements in geothermal hot spring systems, northern Nevada 4−21753
^{222}Rn daughters, short lived, meas. of low conc. in air, α spectroscopy 4−22948
Th, 12.2 GeV proton induced ternary fission, solid state track detector anal. 4−31433
Th, fission induced by 2.1 GeV ^{2}H ions, binary and ternary cross-sections meas. 4−5852
^{220}Th, half-life decay energy and reduced width meas. 4−15731
^{228}Th, α-sources for channelling experiments *(German)* 4−11562
^{228}Th, negative parity states, hydrodynamic model *(Russian)* 4−23623
^{228}Th decay product transport in He-jet system for inaccessible sources 4−30531
^{228}Th + derivatives, γ radiation obs. w.r.t. ^{208}Tl and ^{208}Pb *(French)* 4−2822
^{230}Th, ^{232}Th fission isomers, quadrupole and hexadecapole moments 4−9059
^{230}Th, ground state band members, ^{232}Th(p,t) reaction obs. 4−39934
^{230}Th, radioactive dating of Mn nodules *(German)* 4−7816
^{230}Th/^{232}Th dating of marine sediments 4−29411
^{230}Th$\rightarrow$^{226}Ra α decay, internal conversion of elec. quadrupole transitions, L X-ray spectra 4−2805
^{232}Th, 14 MeV neutron irradiation, production of Ac heavy isotopes 4−2814
^{232}Th, 150 MeV bremsstrahlung irradiation, production of Ac heavy isotopes 4−2814
^{232}Th, bombardment with ^{22}Ne ions at ^{174} MeV, multinuclear transfer 4−9277
^{232}Th, bombardment with ^{40}Ar ions at 288 MeV and 379 MeV 4−9278
^{232}Th, bombardment with ^{40}Ar ions at 288 and 379 MeV 4−9279
^{232}Th, deformation effects in heavy ion scattering 4−27349
^{232}Th, inelastic scattering of ^{84}Kr at 389 and 468 MeV 4−2961
^{232}Th, man, cancer induction, from internal radioactivity 4−8194
^{232}Th, Mossbauer effect linewidth meas. 4−25043
^{232}Th, muonic, K X-ray obs. of shape deformation 4−27231
^{232}Th, neutron thermal scattering cross-sections determ. 4−36208
^{232}Th, p-wave strength functions calc. using deformed optical potential 4−12333
^{232}Th, photofission cross section meas., 5-8 MeV, resonance structure obs. 4−19552
^{232}Th, radioactivity measurements in geothermal hot spring systems, northern Nevada 4−21753
^{232}Th, ratio of (n,2n) to fission and burn-up reactivity from fast reactor spectra simulation 4−5879
^{232}Th, rotational, electron scattering, deformed charge distribs. 4−5706
^{232}Th, transfer reactions induced by ^{40}Ar at 300 MeV 4−9280
^{232}Th (μ^{-}, n) at 1.6 to 9.6 MeV, neutron spectra meas. 4−2866
^{232}Th (n,f) 4.48 and 14.1 MeV, effective cross section, use of mica *(Spanish)* 4−5844
^{232}Th pop. in ^{230}Th(^{3}H,p) reaction, energy levels determ. 4−15620
^{232}Th + ^{40}Ar, 288 and 379 MeV, cross-section for light product formation and critical ang. momentum 4−9301
^{232}Th + ^{40}Ar, transfer reactions at 297 to 388 MeV, theoretical interpretation 4−15908
^{232}Th + ^{74,76}Ge, superheavy nuclei synthesis, production cross-section meas. *(Russian)* 4−31430

nuclei with A$\geqslant$220 continued
^{232}Th + ^{74}Ge, energy dependence of fission and nucleon transfer cross-sections *(Russian)* 4−31429
^{232}Th(^{3}He,d) and ^{232}Th(α,t) reactions, level scheme of ^{233}Pa 4−467
^{232}Th(^{40}Ar,X), transfer reactions at 297 and 388 MeV 4−2939
^{232}Th(^{84}Kr, ^{84}Kr) inelastic scattering, 371 and 450 MeV, particle-gamma coincidence meas. 4−27354
^{232}Th(^{84}Kr,^{84}Kr)^{232}Th, 500 MeV, contrib. of non-elastic processes to angular distrib. 4−2948
^{232}Th(e,f), 8 to 30 MeV, fission fragment ang. distrib. meas. 4−23736
^{232}Th(n,f), meas. of fission product yields 4−31428
^{232}Th(n,f) at 14.8 MeV, yields of low mass products 4−669
^{232}Th(p,t), ground state members obs. for ^{230}Th 4−39934
^{232}Th(p,xn) reactions, 20-100 MeV, excitation function meas. 4−19404
^{233}Th, statistical model of fusion process for mica detector calibration *(French)* 4−30579
^{234}Th α-recoil, factor in extreme ^{234}U/^{238}U fractionation in Trinity aquifer, Texas 4−29526
^{234}Th beta-decay, ^{234}Pa deduced levels and parity configurations *(French)* 4−15621
^{234}Th pop. in ^{232}Th(^{3}H,p) reaction, energy levels determ. 4−15620
^{234}Th/^{238}U activity ratios in Pacific Ocean near bottom waters 4−38291
^{236}Th produced in ^{238}U(p,3p) at 100 MeV, decay scheme determ. for identification 4−23648
Th(γ,γ), Delbruck scattering, elastic scattering cross section determ. 4−9141
Th(p,f) binary and ternary fission at 14 to 23 GeV, cross section determ. 4−12398
U, 12.2 GeV proton induced ternary fission, solid state track detector anal. 4−31433
U, 400 MeV photon bombardment, fission-spallation competition 4−9316
U, A=236 to 240 pop. in (^{3}H,p) reaction, energy levels determ. 4−15620
U, differential cross sections for small angle elastic scatt. of 4.3 MeV neutrons 4−5792
U, electrodeposited source, ejection of atoms from surface due to fission and alpha decay 4−33588
U, fission induced by 2.1 GeV ^{2}H ions, binary and ternary cross-sections meas. 4−5852
U, fission product gas release in burst regions of UC 4−5847
U, uranylacetate, fission fragment track registration, determ. of fission cross-section 4−5846
U fission, 9.6 MeV/nucleon Fe-ions induced 4−5854
U fission, average cross-section meas., threshold reaction 4−19546
U foil, irradiation with 9.6 MeV/nucleon Cu ions, search for superheavy elements 4−5840
U shells surrounding central source, neutron angular flux calc. 4−5874
U(Ar,F), 414 MeV, ratio of ternary to binary fission, obs. in mica using hole detector 4−31435
U(Kr,f), mass and charge distribs. of fission fragments 4−27374
U(Xe,f), mass and charge distribs. of fission fragments 4−27374
^{a}U, A=234, 236, 238 fission isomers, quadrupole and hexadecapole moments 4−9059
^{135}U thermal neutron induced products, gamma-ray spectra *(German)* 4−23740
^{226}U from ^{232}Th(α,10n)^{226}U, 140 MeV, half-life, E_α meas. 4−15728
^{232}U, negative parity states, hydrodynamic model *(Russian)* 4−23623
^{233}U, Adler-Adler reson. parameters, statistical theory 4−31334
^{233}U, neutron thermal scattering cross-sections determ. 4−36208
^{233}U, prompt fission neutron spectrum meas. from 0.8 to 10 MeV 4−5848
^{233}U fission, light nuclei prod., energy spectra and yields 4−5867
^{233}U radioactive source production by electrodeposition on stainless-steel backing 4−26585
^{233}U(n,2n)^{232}U, average cross section determ. for fission spectrum irradiation 4−36184
^{233}U(n,f), thermal neutrons, ^{150}Pm independent fractional yield determ. 4−23730
^{233}U(n,f) prompt γ-ray emission, average multiplicity and energy 4−670
^{234}U, ^{235}U, ^{238}U, fuel element fabrication, waste air cleaning *(Russian)* 4−31621
^{234}U/^{238}U extreme fractionation, in Trinity aquifer Texas, ^{234}Th α-recoil as significant factor 4−29526
^{235}U, ^{237}U, 0^{+} particle-particle residual interactions, energy level spectra 4−12230
^{235}U, ^{238}U, elastic and inelastic neutron scattering, 14 MeV, spectra 4−19418
^{235}U, Adler-Adler reson. parameters, statistical theory 4−31334
^{235}U, cross-sections, analysis using calculational model of TAPIRO reactor 4−31463
^{235}U, effect of low-lying levels on ^{239}Pu alpha decay 4−15729
^{235}U, fission product γ-activity rel. to ^{239}Pu 4−19567
^{235}U, ground state h.f.s., dipole and quadrupole moments *(French)* 4−9390
^{235}U, intermediate resonances in total neutron cross section 4−31352
^{235}U, lattices, prediction of reactivity and reaction rate ratios 4−12422
^{235}U, low-lying energy levels calc. 4−5711
^{235}U, photofission cross section determ. from yield curves, 5-8 MeV 4−23741
^{235}U, power emitted by fission products, calorimetric meas. *(French)* 4−9310
^{235}U, reactor fuel, central reactivity and fission rate ratio meas. 4−36328
^{235}U, reactor fuel, fission product rate meas. using foil technique 4−36243
^{235}U, reactor fuel, in D_2O moderator, production of delayed photoneutrons 4−36182
^{235}U, reactor fuel, meas. of absolute fission rates 4−36242
^{235}U, spontaneous fission, half-life meas. using rotation chamber *(German)* 4−23729
^{235}U, time-dependent fission rate, Th assembly 4−12393

nuclei with A$\geqslant$220 continued
^{235}U α-decay, study of ^{231}Pa excited states, transitions and levels 4−39974
^{235}U enrichment determ. in UF_6, ^{4}He proportional counter fast-neutron detector 4−23943
^{235}U fission, light nuclei prod., energy spectra and yields 4−5867
^{235}U fission, rank annihilation method for multilevel cross-section calc., up to 2 eV neutrons 4−15931
^{235}U fission induced by lunar neutrons, in-situ depth profile measurement of rate 4−26056
^{235}U fuel, percentage burn-up determ. by mass spectrometry *(Czech)* 4−31545
^{235}U separation, nuclear excitation by electron transition 4−9117
^{235}U thermal fission products, $\beta+\gamma$ residual power, 70 to 7×10^{4} s cooling times 4−12391
^{235}UO$_2$, well defined layers preparation, vacuum evaporation techniques 4−14837
^{235}U(d,p), 12 to 16 MeV, obs. of two-neutron quasiparticle states 4−23702
^{235}U(d,p)^{236}U, 11 MeV, cross sections, search for γ-branch from ^{236}U shape isomers 4−19337
^{235}U(n, f) thermal, meas. energy spectrum of He emission in fragment direction 4−2991
^{235}U(n,f), cross-section from 0.002 to 0.15 Ev, slow chopper meas. 4−12392
^{235}U(n,f), thermal mass-yield meas. using time-of-flight method and particle channelling 4−39354
^{235}U(n,f), thermal n, ^{150}Pm independent fractional yield determ. 4−23730
^{235}U(n,γf), neutron and gamma ray yields 4−5859
^{235}U(n,t), anal. of resonance self-shielding expts. with Monte Carlo code 4−36361
^{235}U(n,t), calc. of resonance self-shielding effects 4−36360
^{235}U(n,t), intermediate structure of cross-sections in unresolved resonance region 4−36240
^{236}U, calc. of charge vibration using Strutinsky shell correction 4−40046
^{236}U, fission mass asymmetry as dynamic process 4−9322
^{236}U, fission mass distribution, asymmetric two-centre shell model 4−27370
^{236}U, ground state band members, ^{238}U(p,t) reaction obs. 4−39934
^{236}U, pairing gap energies of fission saddle point 4−31427
^{236}U, photofission cross section meas., 5-8 MeV, resonance structure obs. 4−19552
^{236}U, potential energy surface in two-centre shell model 4−9053
^{236}U, scission point, axial and mass asymmetry 4−5850
^{236}U, use in threshold detectors for neutron spectra meas. 4−18690
^{236}U fission, axial symmetry, potential energy calcs. 4−9323
^{236}U pop. in ^{235}U(d,p) at 12 to 16 MeV, obs. of two-neutron quasiparticle states 4−23702
^{236}U shape isomers, search for γ-branch in ^{235}U(d,p) reaction 4−19337
^{236}U(n,f), 0.5-2.5 MeV, search for fission shape isomers, statistical theory 4−19548
^{236}U$\rightarrow$^{218}Pd + ^{218}Pd appl. of two-nuclei shell model with pairing 4−9319
^{237}U, level scheme determ. from ^{237}Pa beta-decay obs. 4−12287
^{238}U, Coulomb excitation using Kr ions, moments of inertia 4−2799
^{238}U, cross-sections, analysis using calculational model of TAPIRO reactor 4−31463
^{238}U, electrofission, fragment energy 4−5855
^{238}U, isotope separation by plasma centrifuge 4−31528
^{238}U, mass. distrib. of fission products following photofission 4−12394
^{238}U, meas. of absolute fission rates 4−36242
^{238}U, multipole moments, projectile size correction for angular error 4−2896
^{238}U, muonic, K X-ray obs. of shape deformation 4−27231
^{238}U, muonic X-ray spectra 4−5862
^{238}U, p-wave strength functions calc. using deformed optical potential 4−12333
^{238}U, partial fusion reactions with 172 MeV ^{22}Ne and 288, 379 MeV ^{40}Ar, transuranium element synthesis *(Russian)* 4−15911
^{238}U, photofission cross section determ. from yield curves, 5-8 MeV 4−23741
^{238}U, radioactivity measurements in geothermal hot spring systems, northern Nevada 4−21753
^{238}U, ratio of (n,2n) to fission and burn-up reactivity from fast reactor spectra simulation 4−5879
^{238}U, reactor fuel, fission product rate meas. using foil technique 4−36243
^{238}U, recoil properties of rare-earth nuclides using 11.5 GeV and 440 MeV protons 4−9315
^{238}U, rotational, electron scattering, deformed charge distribs. 4−5706
^{238}U, spontaneous fission, prompt neutron multiplicity meas. 4−31423
^{238}U in heterogeneous fast reactor assembly, intermediate treatment of resonance absorption 4−12423
^{238}U muonic atom, difference in electronic and fission decay modes 4−31310
^{238}U p-induced fission, 30-85 MeV, nuclear charge dispersion in mass chains 130-135 4−27365
^{238}U subbarrier photofission, mass asymmetry of fragments 4−9314
^{238}U-^{239}Pu fast breeder reactor optimisation, cooperative games 4−3003
^{238}U + ^{84}Kr, 408 to 458 MeV, search for Coulomb fission 4−36218
^{238}U(^{11}B,α3n)^{242}Am, statistical compound nucleus theory of shape isomers 4−9305
^{238}U(^{11}Bα3n)^{242}Am, heavy ion induced reactions, theory of isomer ratios of shape isomers 4−5835
^{238}U(Kr,f) at 500 MeV anal. of fragments emitted in binary fission from complete fusion nuceli *(French)* 4−12395
^{238}U(n,2n)^{237}U, 13.7-14.9 MeV, cross section 4−12347
^{238}U(n,2nf), 13 to 18 MeV, fission fragment anisotropy *(German)* 4−23732
^{238}U(n,2nf), 14 MeV, meas. of reaction time *(German)* 4−23731
^{238}U(n,f), 0 to 14.9 MeV, test of photon production data from some ENDF/B materials 4−31554

nuclei with A ≥ 220 continued
^{238}U(p,n)^{238}Np, 8 MeV, cross sections, search for γ-branch from ^{238}Np shape isomers 4−19337
^{238}U(p,t), 1 GeV, ang. correlation of fragments in binary fission 4−40050
^{238}U(p,t), ground state members obs. for ^{236}U 4−39934
^{238}U(p,xn), 740 MeV, high energy n spectra meas. 4−19414
^{239}U, decay widths of one-nucleon quasistationary states of deformed nuclei 4−2800
^{239}U(n,f), thermal n, ^{150}Pm independent fractional yield determ. 4−23730
U(γ,γ) Delbruck scattering, elastic scattering cross section determ. 4−9141
U(n,t), A=233 to 238 meas. and calc. of integral cross section ratios in EBR-II reactor 4−27389

nucleon interactions
see also hyperon-nucleon interactions; kaon-nucleon interactions; neutron interactions; nucleon-nucleon interactions; pion-nucleon interactions; proton interactions
ρN total cross section from ^{12}C(π^-, ρ^0)^{12}C, 3.72 GeV/c *(Russian)* 4−36234
effective interaction with rescattering, πprod. and absorption by two nucleons 4−15544
electroproduction on nucleons, model with non-pointlike constituents, renormalization 4−362
eN deep inelastic annihilation functions from analyticity 4−19215
$eN \to e + (\mu^+\mu^-) +$ hadrons, test for bilocal algebra 4−23492
eN long-range potential composite model 4−23489
eN→pions, inclusive, in photon fragmentation region 4−39861
ηN, extension of Pade approximant model of nucleon propagator 4−39879
ηN→ηN, total cross-section calc., 1-300 MeV, S_{11}(1535) resonance region 4−31183
ηN→πN, total cross-section calc., 1-300 MeV, S_{11}(1535) resonance region 4−31183
γN→Nπ, energies up to 1.5 GeV, background effects on cross section, resonance model *(Russian)* 4−15495
γN→πN, energy independent partial wave anal. in first resonance region 4−35991
γN→πN, multichannel partial wave unitarity, Watson final-state theorem 4−15444
γN→πN, vector meson dominance model, Ball invariant amplitude 4−36060
$\mu^\pm N \to \mu^\pm +$ anything, charge asymmetry as test for neutral weak current 4−35969
$\nu_\mu(\nu_\mu)N \to \nu_\mu(\nu_\mu) +$ hadrons, neutral currents rel. to parton model 4−19207
νN, lower bounds to high energy average cross sections 4−23466
νN, parton-chain model of nucleon from scaling form factors 4−5603
νN cross-section, astrophysical upper bounds, $E \geq 3 \times 10^{17}$ eV, from ang. distrib. of EAS 4−34572
νN deep inelastic processes, flux-independent meas., structure functions 4−23471
νN interaction at high energies, constraints from atmospheric neutrino-induced muon flux 4−29790
$\nu N \to \mu^- K\Delta$, high energy, calc. of K_{l3} form factors 4−12034
$\nu_\mu N \to \nu_\mu +$ hadrons, analysis leading to constraints on $\langle r_{\nu(\mu)}^2 \rangle$ and $\langle r_{\nu(e)}^2 \rangle$ 4−35977
νN deep inelastic processes, parton model, charmed hadron prod. 4−31139

nucleon-nucleon interactions
see also proton-proton interactions
$^3S_1$-$^3D_1$ channel, separable representation 4−31248
charge exchange forward amplitudes, 600 MeV/c to 24 GeV/c 4−31190
double scattering and final-state interaction in Xd→YNN type processes 4−27184
energy spectra estimation for 60-1000 GeV cosmic ray nucleons 4−26592
few-body problem in non-relativistic field theory 4−39949
high energy, multiplicity of secondary production, fireball model 4−374
intermediate range, p-wave ππ interaction effect, at ρ resonance 4−15539
locality and energy interdependence, simultaneous approximation 4−5644
meson exchange model, validity of local, energy-independent approxs. 4−5643
multiplicity distribution, modified isobar-fireball model, masses, Lorentz factors 4−36085
nuclear interaction, conference, Los Angeles, USA (28 Aug.-1 Sep. 1972) 4−15652
photoemulsion cascade collision, computer models 4−2823
pion condensation in neutron stars, effect of nucleon correlations 4−34858
pion multiple production, by fast nucleon, isospin effect 4−2732
Δp→nn, 10 MeV to 27 GeV, cross section determ. one pion exchange model 4−2711
NN system, propagator functions in Bethe-Salpeter model 4−27057
np→pX, 2-10 GeV, structure function dependencs *(Russian)* 4−15586
$np \to pp\pi^-$, 1.0 to 8.0 GeV/c, one pion exchange model for physical distrib. 4−5664
$np \to \pi^\pm X$, 2-10 GeV, structure function dependences *(Russian)* 4−15586
$pd \to pd\pi^+\pi^-$, coherent reaction study, 11.6 GeV/c 4−36066
pn, inclusive π^+ single-particle and two-particle distrib., 3-5 GeV/c 4−5686
p̄N annihilation at rest in deuterium angular momentum states 4−36045
$\bar{p}n \to \pi^+\pi^-\pi^-$, grand angular momentum formalism 4−376

nucleon-nucleon scattering
see also neutron-proton scattering; proton-proton scattering
eikonal construction with radiative corrections, form factors 4−15528
elastic, amplitude determ. from complete expts. and unitarity 4−23536
elastic, dual analogue model 4−8981
elastic, exptl. program at cyclotron of Swiss Inst. for Nuclear Res. 4−23659

nucleon-nucleon scattering continued
elastic, unitarity equations, low energy 4−2712
intranuclear transition rates calc., pre-equilibrium decay 4−2849
low-energy parameters, ρ-ω mixing 4−478
nuclear force charge symmetry, nonconfirmation by nucleon-nucleon scattering expts. 4−36126
perturbative invariant amplitudes, analyticity, poles at t=0, Fermi basis 4−15535
phase shifts, ≤400 MeV, Veneziano model 4−12061
relativistic, lowest approx. in functional quantum theory 4−27087
relativistic corrections, quasipotential approach 4−2713
relativistic theory, kinematical 4−31184
unitary eikonal model, multiparticle prod., high energy 4−27159
NN→*(1236)N*(1236), transition potentials for π and ρ exchange, quark model 4−31251
NN→NN*(1236), transition potentials for π and ρ exchange, quark model 4−31251
NN s-wave scattering amplitude, effect of ππ interaction 4−380
NN̄, relativistic, lowest approx. in functional quantum theory 4−27087

nucleon scattering
see also hyperon-nucleon scattering; kaon-nucleon scattering; neutron scattering; nucleon-nucleon scattering; pion-nucleon scattering; proton scattering
high-energy, peculiarities of quanto-mechanical space time description 4−15202
parton model with dissociated coloured quarks, inclusive scattering data 4−27126
vector meson photoproduction by polarised photons off polarised nucleons, cross section, decay angular distribution 4−39853
eN, inelastic, spin depend. high freq., helicity flip couplings 4−8968
eN deep inelastic scattering, resonance saturation scheme, parton model results 4−27118
eN deep inelastic structure functions, modified Kuti-Weisskopf quark-parton model 4−8977
γN diffractive scattering, multichannel impact parameter formalism 4−358
N + axial vector current→πN, nucleon trajectory contribution determ. 4−12057
Nd elastic scattering, intermediate energy, multiple scattering series 4−15537
νN, deep inelastic, breakdown of scaling 4−31140
νN, high energy, review of results from Argonne, CERN and NAL 4−23464
νN, inclusive deep inelastic, radiative corrections calc. in parton model 4−8954
νN, light cone analysis to reveal scaling behaviour of structure functions 4−8927
$\nu_\mu N \to e^0 + H$ gauge theories and 'elastic' weak neutral currents 4−31130
Nd elastic scattering, intermediate energy, relativistic multiple scattering approach 4−23534

nucleons
see also cosmic ray nucleons; neutrons; protons
composite model consisting of diquark and valence quark, long range potential 4−27124
e.m. form factors in quark model 4−8956
form factors with ρ, ω and φ dominance, effects on ρ propagator 4−12075
mass formula, empirical, stable hadrons and muons, improvement of evidence, $m \approx N \times 3m_e$ 4−2737
parton chain model, fits to electroproduction and neutrino interaction data 4−23469
parton model, deep ep scattering information 4−19221
structural model in general relativity 4−219

nucleus
see also hypernuclei; nuclei with 6 ≤ a ≤ 19; nuclei with 20 ≤ A ≤ 38; nuclei with 39 ≤ A ≤ 58; nuclei with 59 ≤ A ≤ 89; nuclei with 90 ≤ a ≤ 149; nuclei with 150 ≤ A ≤ 189; nuclei with 190 ≤ A ≤ 219; nuclei with A ≥ 220
No entries

number theory
see also digital arithmetic
relativistic quaternion quantum mechanical generalisation, reiteration of Hamilton's number system 4−18294

numerical analysis
see also difference equations; error analysis; finite element analysis; function approximation; function evaluation; functional analysis; functional equations; interpolation; iterative methods
boundary layer-external flow interaction in shock tube *(French)* 4−36658
celestial mechanics, eqns. of motion 4−4684
dynamical systems with two degrees of freedom, plane area-preserving mapping 4−38598
e.m. boundary value problems, singularity expansion method 4−30945
e.m. wave scattering, natural mode representation, singularities 4−30961
fatigue crack growth rate determ. by data smoothing technique 4−7392
h.f. response of loop antennas, time domain moment method 4−24774
Kerr liquids, self-focusing and trapping, numerical calc. 4−19135
laser pulse deformation, resonating medium *(Russian)* 4−5483
medical and biological data, multivariable analysis 4−11644
meteorological prediction from incomplete data *(French)* 4−42081
moored buoys, single point mooring of discus shaped buoy 4−17874
multimodal orientation data new numerical analysis method 4−38504
multiply-connected regions subjected to arbitrary body forces and surface, traction, plane elasticity 4−23111
pulsating flow meas. using nozzle, numerical estimation of differential head *(Japanese)* 4−18807
resonance profile broadening by apparatus function 4−35281
shell, thick axisymmetrical, under internal press., numerical soln. of large deform. problems *(French)* 4−30742
sonic flow around airfoil profile, direct calc. method *(French)* 4−40486

numerical analysis continued
sonic flow around symmetrical airfoil profile, direct numerical method *(French)* 4−40485
submerged moored buoy, motion and cable tension 4−17875
temperature fields, optimum determ., local heating of hollow shells *(Russian)* 4−18999
wake analysis, laminar, in uniform shear flow behind symm. two-dimens. body 4−32093

numerical control
see also digital control; machine tools
cutting instrument automatic control device for NC machines and automatic production lines *(Russian)* 4−37913
machine tools, linear and angular displacement meas. *(German)* 4−35905
magnetic couplings as mechanical function generators 4−22916
NDT of composites, LTV numerical control advanced composite tape laying machine 4−21515

numerical methods
see also convergence of numerical methods; predictor-corrector methods
alternating direction implicit procedure for heat diffusion through media with non-conducting inclusions 4−39663
alternating direction implicit techniques for two-dimensional magnetohydrodynamic calcs. 4−6235
alternating direction scheme rel. to soln. of tidal dynamics eqns. 4−7630
aperture-coupled cavities, H-polarised wave propagation *(Russian)* 4−8655
atom-electron scattering, asymptotic regions 4−31715
atom-electron scattering, Fredholm amplitude calc., L^2 basis sets 4−31719
atom-electron scattering, reduction of integro-differential eqns. 4−31714
atom-electron scattering colloquium, Paris, France (9-12 July 1973) 4−31713
atomic scattering, use of analyticity 4−31702
Backus and Gilbert method, geophysical linear inverse problems *(French)* 4−42044
Boltzmann eqn. numerical soln. *(Russian)* 4−15254
bremsstrahlung-produced photoneutron spectra, method for reduction to partial (γ,n) cross sections 4−23660
Bubnov-Galerkin method in nonlinear theory of oscillations of viscoelastic shells *(Russian)* 4−23160
characteristics method calc. of flow in nozzles using time-marching technique 4−6179
collocation method, for elastic stresses due to axial load on nozzle intersecting cylindrical shell 4−23803
compressible-cell-and-marker, for liquid drops impact on rigid plane 4−3346
continuous analogue of Newton's method in nonlinear physics problems 4−8910
convective schemes based on computation of space derivatives rel. to soln. of partial differential eqns. 4−6161
diffraction at acute wedges, numerical calc. *(Italian)* 4−23172
diffraction in waveguides, Fredholm integral eqn. *(Russian)* 4−8654
dispersions, interfacial areas from light transmission meas., numerical soln. 4−4226
electric field computation, rel. to h.v. switchgear c.-a.d. 4−30940
electrodynamics and antenna theory, general algorithms *(Russian)* 4−8754
e.m. fields analysis, book 4−11874
e.m. system, Maxwell eqn. soln. *(French)* 4−35764
e.m. wave propagation and antenna theory conference, Boulder, Colo. (1973) 4−26888
e.m. wave scattering and diffraction, numerically efficient methods 4−8763
enhancement factor equations, approx., gas absorption with second order reaction 4−16269
fluid dynamics numerical methods (Conf. Paris, France, July 1972) 4−911
fluid flow, nuclear reactor appl. 4−31476
geomagnetic field above vertical contact boundary, integral eqns. *(Russian)* 4−10848
Geomagnetic field in a piecewise-layered medium *(Russian)* 4−10849
graphical method for linear interpolation 4−39148
hopscotch methods for anisotropic thermal print head problems 4−23222
image method soln. of neutron time-dependent diffusion eqn. rel. to dieaway expts. 4−31467
integral equations, electric charge distribution in thin conducting shells in piecewise inhomogeneous medium, calc. *(Russian)* 4−15275
inverse geomagnetic and seismic sounding problems, regularising algorithm *(Russian)* 4−10846
ion beam emitter optimisation *(Russian)* 4−8445
Lagrangian hydrodynamic codes mesh regularizing mechanism, nuclear reactor appl. 4−31479
Landau's dispersion eqn. rel. to plasma oscillations 4−6239
lunar analytical theory, computation on literal trigonometric series 4−22340
lunar ephemeris determination by laser ranging 4−22348
lunar orientation determination by numerical integration 4−22349
machine contouring, min. curvature, 2-dimens. interpolation of 1-dimens. spline fit 4−38178
matrices, 'ill-conditioned', importance in numerical analysis *(Italian)* 4−15117
mesh-point methods for bound-state Bethe-Salpeter eqn. 4−23430
MHD, implicit algorithm for transient, two-dimens. flow 4−32119
molecular dynamics, method for searching for neighbours, time-saving technique 4−24157
monochromatic wave diffraction at ideally conducting cylinders, numerical soln. *(Russian)* 4−8756
m.o.s. structure, nonuniformly doped, ideal CV characts. calc. 4−16824
multipath acoustic interference, time-varying medium 4−42642
Newton's method, continuous analogue rel. to calc. of binding energy of mesic molecules 4−5971
nonlinear dynamics of vortex flows, numerical methods 4−3273

numerical methods continued
nonperturbing techniques for nuclear reactor reactivity determ. 4−27403
nonrandom integration for multidimensional problems 4−18834
nonrandom integration method for classical trajectory calcs. in hot atom reaction 4−18835
normalisation and orthogonalization of multilayer field boundary-value problems *(Russian)* 4−35613
northern hemisphere prognostic equations, stable methods for numerical soln. 4−10895
nuclear power reactor core, thermal-hydraulic anal. 4−31477
nuclear reactor kinetics, accident conditions 4−31484
obliquely incident plane wave diffraction at dielectric cylinder, integral eqn. method *(Russian)* 4−8759
optical constants evaluation, from reflectance functions at two angles of incidence 4−41351
oscillating thin surfaces in subsonic flow, aerodynamic theory 4−9671
Pade approximants rel. to numerical analytic continuation 4−5320
parallel shooting soln. of neutron transport eqn. in spherical geometry 4−23746
partial differential eqn. and integral eqn. soln., rel. to flow of incompressible media *(German)* 4−24168
plane problems of elasticity, soln. using partitioning concepts 4−30787
plane slabs, kV electron transport, numerical soln. of Spencer-Lewis eqn. 4−41074
plane waveguide with coaxial ferrite cylinder, numerical synthesis *(Russian)* 4−8657
plasma simulation by dipole expansion method 4−9701
polyvibrating eqn. of Mangeron, Darboux problem *(French)* 4−18828
radiative transfer eqn. soln. frequency-quadrature perturbations 4−7973
Rayleigh-Ritz, calc. of eigenvalues and eigenfunctions of anharmonic oscillators 4−26813
Rayleigh-Ritz minimization methods appl. to integral eqn. of generator coordinate method 4−19315
rectangular waveguide coupling via apertures, numerical soln. *(Russian)* 4−8653
regularization problems with artificial satellite motion 4−38602
Ritz' method, modification rel. to numerical soln. of boundary problems in liquid oscillations 4−16243
rotationally symmetric electric exterior field problems *(Croatian)* 4−11876
saddle-point location, defect migration energy calc. 4−32566
satellite geodesy, numerical averaging techniques 4−14015
spatial correlation method for dynamical problems of continuous media with random boundary data 4−8628
spectral emission-absorption error analysis, Abel inversion 4−36738
stationary diffraction problem, Fredholm integral eqn. *(Russian)* 4−8758
steady state incompressible flow in pipe networks, numerical soln. method 4−6141
stopping method in Racah's formulas of Lie algebra 4−5310
successive convolution, appl. to phase-grating function calc. in dynamic electron diffr. 4−12858
three-body problems with singular cores, soln. 4−15648
three-dimensional flows about aircraft configs., computation procedure 4−27850
three-dimensional potential field in inhomogeneous conducting medium, numerical soln. *(Russian)* 4−8747
for wave propagation problems 4−23154
weather prediction model, numerical, using multiple-instant obs. data 4−34425
$\pi^0\pi^0$ scattering, construction of amplitudes, satisfying unitarity, analyticity, crossing symmetry 4−39887

numerical methods, convergence *see convergence of numerical methods*

nuvistors
No entries

Nyquist diagrams
Meacham bridge oscillator, for thin film thickness monitor, phase lag compensation 4−4968

Nyquist noise *see thermal noise*

observability
high-altitude atmospheric scattering layers 4−7702

occultations
of BD+2°2913 by minor planet Pallas, photoelectric monitoring 4−7957
3C 273 and 279, solar gravitational microwave deflection of radio-source position during occultation 4−25954
4C radiosources, lunar occultation studies at 327 MHz 4−11210
Comet Bradfield (1974b), near occultation by Moon, predictions 4−34737
Earth atmosphere O_3 monitoring, stellar intensity obs. 4−4541
Earth-occultation, microwave pressure reference level system, ground tests 4−8109
Ganymede, occulation of SAO 186800 (1972, June 7) 4−7929
139 Juewa, lunar occultation on 1974 May 3, ephemeris 4−34743
Jupiter's satellites, Io, Ganymede, limb darkening models 4−34669
α Leonis (Regulus) by Venus, light curve rel. to planet's real atmosphere 4−34686
light curve reduction for planetary atmospheres 4−22292
lunar, planetary atmosphere measurement techniques, atmospheric effects, error analyses *(Russian)* 4−2079
lunar occultations of stars, reduction of 119 Cracow obs. 4−34699
lunar photoelectric occultation programme, McDonald Observatory 4−22488
Mariner 9, by Mars, height and atmospheric temp. meas. 4−26018
NP 0532, occultation by Sun, electron density and radio scattering of corona 4−11115
Ooty Lunar Occultation Survey, occultations of 50 sources at 327 MHz, Ooty Survey 4−26137
OTL radiosources, lunar occultation studies at 327 MHz 4−11210
outer planets, reduction of occultation light curves 4−26183
Pioneer 6, by Sun, 2292 MHz line anomalous redshift 4−22213
Pleiades, by Moon, 1972 August 30, accurate timing 4−34709

occultations continued
Pluto, occultation of 17th magnitude star, photoelectric obs. 4−11137
SAO 186800 by Ganymede, rel to satellite's atm. identification 4−34670
Saturn's ring system, extended glow obs. during reappearance from lunar occultation 4−26051
Saturn's satellites, lunar occultations and ephemeris 4−29931
β Scorpii, by Jupiter, periodicity in flashes during disappearance and reappearance 4−38671
βScorpii, by Jupiter, photographic obs. of Jovian atmosphere 4−4724
βScorpii A, occultation by Jupiter, temp. and density profiles of planet's atmosphere 4−4716
β Scorpii by Jupiter, multichannel obs. of planet's upper atmosphere structure 4−26001
β Scorpii by Jupiter, on May 13, 1971, contact times and brightness 4−7969
β Scorpii by Jupiter, structure of planet's upper atmosphere 4−42321
solar u.v. occultation meas. of O_2 in Earth's lower thermosphere 4−22004
star occultations by Moon, Jan. 69-Sept. 72 period *(French)* 4−38685
Sydney Observatory (1971) 4−22389
Titan, lunar occultation on 2-3 March 1974, predictions 4−26045
ZC 1336, 2500, 1705 and 2490 by Moon visible obs. 4−7968
ocean water *see seawater*
oceanography
see also liquid waves; seawater; tides
1000 Hz pulse compression seismic reflection profiling system for sea floor studies 4−25859
$\sqrt{gh}$-waves, refraction by hyperbolic land fall, water depth profiles *(German)* 4−7618
(Sosie), pulse coding system 4−7817
abyssal circulation, Greater Antilles Outer Ridge 4−17641
abyssal circulation model rel. to dissolved O_2 distrib. 4−11049
acoustic propagation, automatic tests 4−11380
acoustic tracking of movement of geophysical ice station 4−14246
acoustic volume scattering measurements in marginal ice zone, instrumentation and results 4−14244
air, flow interaction with water surface waves, turbulence struct. 4−10862
air-sea interface, two layer model for flux of gases 4−17699
air-seawater interface, numerical model of thermal boundary layer 4−17676
ambient sea noise measurement, suitable stable, easily deployable sensor system 4−17876
annual temp. and salinity cycles at OWS NOVEMBER due to advection 4−17668
Antarctic bottom water, high-latitude thermohaline sinking, comments 4−34288
Antarctic bottom water, penetration from Cape basin into Angola basin 4−34282
Antarctic bottom water dynamics, two dimensional model 4−17640
Antarctic ice motions in E. Ross Sea, NOAA 2 satellite obs. 4−29542
Arabian Sea, salinity during S.W. monsoon season 4−17691
Arctic Ocean dynamics, barotropic numerical model 4−21921
Arctic Ocean mixed layer, seasonal var. in density and depth 4−42069
Arctic pack ice, contribution of form drag on pressure ridges to air stress 4−10853
Asian coastal regions, sea water temp., level and salinity *(Russian)* 4−29555
N Atlantic, forecasting and hindcasting the max. combined sea in storms 4−7660
NE Atlantic, mean density structure, stability frequency 4−7635
N Atlantic, statistical analysis of current speed data *(Russian)* 4−42073
N Atlantic, storm wave records and spectra for March 1968 period 4−25649
N Atlantic, vertical distrib. of ^{90}Sr, ^{137}Cs and T 4−1807
W Atlantic abyssal circulation during past 120000 years 4−38305
Atlantic Ocean, acoustic effective reflection coefficient of surface in 1-8 kHz range *(Russian)* 4−14734
W. Atlantic Ocean, silicate meridional distrib. 4−7613
Atlantic temp. var. analysis in upper ocean layer *(Russian)* 4−4399
Atlantic water mass characterization by multiple linear regression analysis 4−17656
atmospheric circulation processes over oceans, seasonal development 4−21939
Baltic Sea, continuous seismic profiling, sedimentary mantle data to 300 m depth 4−21826
baroclinic motions, wind-induced, at continental shelf edge 4−7634
baroclinic waves, large amplitude, behaviour 4−10866
basins with openings of restricted depth, model for nonlinear tides 4−1811
bathyscaphes, prospects for use in physical oceanography 4−22185
Beaufort Sea, ice deformation using mesoscale arrays 4−25636
biological volume scatt. strength prediction 4−11081
bioluminescent fields, amplitude spectra, analytical expression *(Russian)* 4−29551
Black Sea, C, N, P, flux through oxygen-sulphide interface 4−7614
bomb produced tritium in Antarctic Ocean rel. to water mass types and surface water input into deep water 4−29538
bottom density streams on slopes, model *(Russian)* 4−25654
boundary layer, response to imposed wind stress, simple theory 4−14107
boundary layer, response to wind stresses conference, London, (1973) 4−14144
Bowen ratio determ. over oceans *(Russian)* 4−4402
breaking waves, energy coupling with rip currents 4−34284
Brunt-Vaisalla frequency, ocean stability, equation 4−17880
buoys, automatically recording on sea floor for NORPAX 4−22181
Calabrian Ridge, new branch of Mediterranean Ridge 4−25585
capsule for instruments, deep ocean to 16400 ft, seismic and oceanographic appl. 4−7848
Caribbean Sea, evidence of presence of 18°C Sargasso Sea water 4−42068
Cascadia deep-sea channel, origin and development 4−1810
oceanography continued
Caspian Sea, future level forecasts *(Russian)* 4−34296
Cauchy-Poisson waves near slanting bank *(Russian)* 4−24235
Centre de Faibles Radioactivites in Gif-sur-Yvette, investigation methods *(French)* 4−35367
chemical analysis by nuclear reactions, feasibility of automatic system 4−22187
chemical variables measurement in polar seas research 4−14240
Chesapeake Bay, intermittent momentum transport in boundary layer 4−38306
circulation, laboratory model of β effect 4−14109
circulation, strong baroclinic flow, turbulent equations of motion *(Russian)* 4−7626
circulation model, inertial effects 4−10863
circumpolar flow in Antarctic, soln. of incompressible Navier-Stokes eqns. 4−17666
climatic influence of current diversion *(Russian)* 4−38363
cloud cover over tropical Atlantic from satellite observations 4−21938
coastal current NW Alaska, characteristics and cooling and dilution props. 4−17647
coastal currents, effect of bottom profile fracture *(Russian)* 4−34292
coastal currents, Ekman model for shallow sea 4−21924
coastal shelf divergent channel, sound propagation 4−22662
coastal upwelling, development of baroclinic alongshore flow 4−17675
coastal upwelling, internal wave effects on biologically significant props. of water 4−17674
coastal upwelling, jets, continuously stratified ocean 4−7632
coastal upwelling, mesoscale response of ocean to variable winds 4−17671
coastal upwelling, multi-layer transient model 4−7633
coastal upwelling, review of theoretical models 4−17669
coastal upwelling, steady state theory and role of topography 4−17670
coastal zone, underwater sound propagation *(Russian)* 4−42664
cold core cyclonic eddy of S.Korea, satellite i.r. obs. 4−17665
conjugate equations of dynamics *(Russian)* 4−34417
continuous undersea towable sampling system 4−17877
convection in rotating fluid, principle of stability changing *(Russian)* 4−7628
Coriolis force effect on unsteady internal and surface waves produced by travelling disturbance *(Russian)* 4−29546
crest length evaluation from directional spectrum shape 4−21931
Cromwell Current on E. side of Galapagos Islands 4−17695
cross spectrum analysis of pairs of complex valued time series 4−30727
current and sea level variations during coastal upwelling, Oregon, July-August 1972 4−34280
current meas. by acoustic signal propagation time 4−11074
current meters, comparison, accuracy and sources of errors 4−14247
current velocity distribution, statistical analysis *(Russian)* 4−10865
currents, effect of ocean floor relief *(Russian)* 4−25646
currents, measurement of fluctuations 4−34304
data acquisition system, marine use, with quality control 4−7849
data buoy platforms, free and moored for remote gathering of oceanographic data 4−17872
data buoys, remote data acquisition techniques 4−17837
data comparison system for data buoys, minimisation of error caused by environment 4−17881
deep ocean wave dynamics, mode coupling description, surface wave effects 4−17684
deep sea sediments, ^{10}Be and ^{26}Al rel. to cosmic ray intensities 4−10869
deep water gravity waves, geometric group velocity 4−17686
deep-sea erosion, application of theory of turbulence in stratified flow at interfaces *(Russian)* 4−36637
deep-water electronic nephelometer 4−11068
deep-water wave energy spectra for hurricane Audrey of 1957, hindcast 4−7661
Denmark Strait overflow, microstructure level from current, density field, temp. and salinity rel. to turbulence index 4−17679
diffusion simulation, use of DuFort-Frankel finite difference approximation 4−17698
digital filter technique for oceanic small scale structure of salinity, temp. and sound speed 4−17861
dispersion of inert tracers in upper ocean, experimental data 4−34378
Earth and Ocean Physics Applications Program 4−41996
East Australian Current, comparison with western boundary flow in numerical model ocean 4−34277
edge waves, long-wave theory for oceans of finite depth 4−34289
Ekman boundary layer models 4−7623
electrical conductivity measurement in ocean, new technique 4−42235
electrical current induction problems, soln. by one-step iterative method 4−29511
electroexploration, dipole, using the single ship variant *(Russian)* 4−42236
e.m. conductivity under oceans, magnetotelluric sounding 4−38278
e.m. current meter to measure turbulent fluctuations near ocean floor 4−11050
energy spectrum of ocean waves from radio signals reflected by water surface *(Russian)* 4−14233
engineering in ocean environment, conference, Seattle (1973) 4−11064
environmental monitoring, low cost towable underwater system 4−17878
equatorial currents, three-layer model with continuously stratified middle layer *(Russian)* 4−38298
equatorial Pacific, mean monthly sea level tidal heights 4−17659
erosion of coastal cliffs due to waves 4−38294
estuaries, flow in general and breadth integrated models, derivation 4−17690
estuary water quality model, storm-sewage overflow 4−34306
excess Rn profiles in Pacific bottom water 4−29539
extratropical storm surges, automated forecasting for NE coast of US 4−7850
extremes of ocean phenomena, prediction technique 4−14110

oceanography continued
field research by Ukrainian S.S.R. Academy of Sciences 1963-1973 *(Russian)* 4−29552
filtering marine magnetic anomalies, comment on paper by Schouten and McCamy 4−34246
Florida Current, long period barotropic waves 4−7643
flow, initial-boundary value problem 4−25647
Ganges Cone in Bay of Bengal, seismic study of fluvial sediments 4−25648
geomagnetic induction, explanation and analysis in terms of magnetic merging 4−25611
global water circulation, new computation *(German)* 4−1816
Gorda rise, detailed near-bottom study of active spreading centre 4−25573
Grand Banks region, circulation patterns 4−21922
gravel extraction, effect on seabed topography 4−4403
gravity anomalies over oceanic ridges, gradational density model 4−38182
gravity waves, breaking conditions on gently sloping sea bottoms *(Italian)* 4−7611
gravity waves, generation by fluctuating buoyancy flux at surface 4−7619
Great Fisher Bank, shallow water sound attenuation 4−42658
Greenland Sea, Deep Water volume variations 4−1801
Greenland-Spitsbergen passage, year-long current meas. 4−1803
Gulf of Mexico, particle distrib. in surface waters rel. to circulation 4−1808
Gulf Stream boundary eddies, high resolution radiometer observations 4−21930
Gulf Stream cyclonic ring, acoustic properties 4−21927
harbour containing islands, response to ocean waves 4−17687
heat transfer, Red Sea, 19°-26°N, region of brine deeps *(German)* 4−7652
helicopter use from research vessel 4−29770
hemispheric reflectance of sea for atmosphere radiation 4−21932
horizontal circulation in tropical Atlantic *(Russian)* 4−29548
hurricane storm surges heights along Gulf Coast 4−21912
hydrocarbon seepage detection by acoustical subbottom profiling 4−11060
Hydroproducts model 621 wave and tide analyser 4−11048
hydrothermal convection near oceanic ridges, influence of bedrock topography 4−17653
ice beams, bearing capacity analysis, bending strength 4−10855
ice model testing 4−10857
ice pressure ridge form., max. height, crack location 4−10856
ice scour, var. with depth, northern continental shelf, Alaska, July 17-29, 1972 4−10875
iceberg furrow marks on continental shelf near Newfoundland 4−34275
Indian Ocean, clay mineralogy and sedimentation 4−1765
induced electric curents and magnetic fields near coast, estimates 4−25612
inertial-internal ocean waves, topographic scattering model 4−17689
infra-gravity waves in Arctic nearshore zone 4−17650
internal and surface wave induction of e.m. fields 4−17612
internal ocean waves near Hudson Canyon, tidal generation and propagation from ERTS-1 4−17688
internal swash and surf, internal waves crossing continental shelf 4−7648
internal wave generation by periodic disturbance of basin bottom *(Russian)* 4−29544
internal wave obs., 20 KHz echo sounder sample spectra 4−22179
internal waves, long, nonlinear, generation in weakly stratified shear flow 4−29543
internal waves generated by horizontally moving source, two-layer model *(Russian)* 4−34291
internal waves near turning point, Langer's method 4−7620
i.r. temperature meas. remote, comparison of satellite and aircraft results 4−7845
Irish Sea, three dimensional numerical model 4−21914
Irish Sea, turbulent boundary layers, bursting phenomena 4−38307
isopycnal surface profile, main thermocline of Sargasso Sea, towing sensors 4−21925
isothermal layer, two-layer model for calculating thickness *(Russian)* 4−25651
NE Japan bispectra, cross-bispectra of temp. salinity, sound vel., density fluct. 4−7638
Java Trench and Tasman sea, bottom backscattering meas. 4−11373
Jungfern Passage sill bathymetric survey 4−1802
Kalman filtering techniques for prediction of time series of sea current velocity observations *(Russian)* 4−34556
Kalman filters, use in prediction of hydrophysical processes *(Russian)* 4−29772
kinetic energy and temperature dissipation rates *(Russian)* 4−7627
Kodiak Seamount, Giacomini Guyot, radiometric ages 4−34173
Konchibouguac Bay barrier island sand spit system variation in last 160 yrs 4−10858
Kuroshio, current path, bottom rel. obs. 4−7644
Kuroshio Current, dispersion of directional spectrum of short gravity waves 4−1804
large scale sea-air interactions in Pacific Ocean, heat exchange processes 4−17667
laser beam profile and attenuation in seawater, obs. 4−11070
lateral friction, effect of potential vorticity mixing 4−7622
lead driven convection in Arctic Ocean, formation of jets 4−17651
Leeward Islands, near-surface current meter data 4−17697
light absorption, method of evaluation *(Russian)* 4−29773
light absorption, relationship with physico-biological conditions, Atlantic trades zone observations *(Russian)* 4−29554
light absorption and specific scattering capacity of some Atlantic Ocean regions *(Russian)* 4−34294
light diffuse reflectance calc., quasi-single scatt. model 4−14097
light source for underwater TV illumination 4−11065
Lithospheric plate motion, sea level changes and climatic and ecological consequences 4−1770
long-period process of heat and water exchange with atmosphere *(Russian)* 4−42072
Madagascar and Mascarene basins, deep flow obs. 4−42062
magnetic smooth zones, distrib. and geologic environment 4−7603

oceanography continued
manganese nodule distribution, stations and cruise patterns of R.V. 'Valdivia' 4−7646
mantle and crustal rocks, interactions with seawater, estimation of ^{18}O conc. in ocean history 4−42077
marginal seas, internal seiche generation by wind stress 4−21897
marine clayey soil instability off Mississippi River delta during hurricane Camille 4−10877
marine metalliferous muds, prospecting methods, Red Sea Atlantis II deep 4−7659
marine nodules, exploitation of resources, processing 4−4644
marine sediments, properties from Gulf of Mexico cores 4−7662
marine seismic source, Vaporchoc, using pressurized steam 4−7818
measurements in marine environments *(French)* 4−29767
measuring buoys system for oceanographic and meteorological parameters *(German)* 4−34554
Mediterranean, N.W., convection and deep water formation, internal waves 4−17643
Mediterranean Sea, wave spectral model 4−10876
mesoscale baroclinic eddies in North Pacific 4−42078
mesoscale ocean circulation details from satellite i.r. imagery for Sea of Japan and Yellow Sea 4−17655
mesoscale ocean eddies, influence on large scale transport 4−17664
Mid-Atlantic Ridge at 37^{0}N, median valley seismic refraction line 4−4348
Mid-Atlantic Ridge at 37°N, near-bottom obs. of active transform fault 4−7576
mid-ocean surface conditions, over-the-horizon radar 4−34559
mineral resources, principles of exploration and utilisation 4−4645
momentum sublayer thickness 4−7641
monomolecular film expt., Gulf Stream 4−7640
motions, and atmospheric interactions 4−34301
multilayer sediments, computer analysis for acoustic sensing 4−11056
multiple beam sonar system for axis of linear submarine feature determ. 4−14231
natural water monitoring by airborne optical radar 4−11078
navigational precision for exploration vessels *(French)* 4−34560
Nerus Deep, Red Sea, sediment cores, metalliferous layers 4−34157
neutrally buoyant remote controlled deep sea float, discription and performance 4−17871
eastern Newfoundland continental shelf sediments, grain-size distrib. CaCO$_3$ content 4−42061
noise fields, ambient, spatial correlation 4−30300
North Pacific Ocean, large scale heat exchange processes 4−17662
North Sea, pollution *(German)* 4−7647
North Sea water levels, wind-generated elevations, computational forecast *(German)* 4−7612
Northern Hemisphere monthly and annual mean-sea-level press. distrib. for 1951-1956 rel. to 1900-1939 press. and temp. 4−7653
Norwegian Sea Deep Water, overflow across Wyville-Thomson Ridge 4−7615
N.Pacific equatorial countercurrent response to subtropical atmosphere 4−7649
nuclear energy for petrol research *(French)* 4−38309
Objective cross-section analyses by Hermite polynomial interpolation on isentropic surfaces 4−4451
Ocean-Atmosphere Response Studies, progress report 4−42070
ocean-atmosphere system, angular structure of field of brightness, short wave intensity *(Russian)* 4−29540
oceanic growth models 4−34303
oceanwave directional spectra, h.f. meas. 4−7663
offshore nuclear power station methods and instrumentation for environmental studies 4−14230
offshore technology, conference, Houston, Texas, 30 Apr-2 May 1973 4−7654
oil slick detection by synthetic aperture radar 4−11051
oil spill, arctic, survey of effect on ice, snow 4−7657
oil spills, physical, chemical changes under natural weathering 4−7658
optical characteristics of tropical Atlantic, comparison with hydrophysical fields *(Russian)* 4−29550
optical props. of oceanic and coastal water, review 4−4404
optical structure of seawater, seasonal variations, measurements in Straits of Gibraltar *(Russian)* 4−38301
orbital photograph interpretation 4−42187
Oregon upwelling, temp. field and inversions at CUE-I 4−17672
Oregon upwelling, vertical current meas. correlation with wind, sealevel and isopycnal movement 4−17673
oscillations, inertial, energy balance peculiarities *(Russian)* 4−7629
overshoots of sea surface radar image 4−21942
N Pacific, ^{133}Cs concentrations with depth 4−34299
northeast Pacific, deep water thermal structure 4−10868
Pacific, evolution, sea floor sediments obs., review 4−10873
Pacific deep sea cores, atmospherically transported volcanic dust 4−4334
Pacific Equatorial Currents from monthly mean sea levels 4−17658
Pacific Equatorial Undercurrent, vertical mixing 4−7636
Pacific floor heat flow measurements, Manihiki Plateau, Marcus-Necker Rise 4−21827
Pacific Ocean, quantitative tar and plastic waste distrib. 4−10870
Pacific Ocean, very deep scattering layer at transonic freqs. 4−11377
N Pacific sea surface temp., temporal coherence 4−34283
pack ice mesoscale strain meas. comparison with linear drift theory prediction 4−17652
packaged radioactive waste, disposed in deep Atlantic Ocean 4−4895
parameters measurement using underwater robot vehicles 4−14238
particles suspended in ocean, method for refractive index determ. 4−25887
phosphorites, continental margin of Peru, uranium-series dated, results and conclusions 4−1778
photographic applications, remote sensing at the Marine Sciences Directorate, Pacific Region 4−29763
photographic collection of Antarctic sea floor, electronic data processing system 4−38296
pivoted vane current meter for natural waters 4−11072
planetary flow in a circular basin 4−42067

oceanography continued
pole tide, oceanic response to Chandler Wobble by Fourier analysis 4—10871
pollutant dispersion in coastal waters, modelling 4—11079
primitive ocean CO sink by formate production in aqueous solution 4—4395
probe, s.t.d., dissolved O_2, pH, turbidity and specific ion meas. errors 4—11080
profiling system for temperature salinity and sound velocity, measurement, and results 4—17880
radiance field over ocean, angular structure, 0.3 to 3.0 μ *(Russian)* 4—38360
radiation at surface from satellite albedo measurements *(Russian)* 4—34405
radiation polarisation, atmosphere-ocean system, Monte-Carlo calculations 4—21919
radioactive Co and Ag, environmental behaviour, review 4—31629
radionuclides, environmental behaviour, conf., Aix-en-Provence, France (May 1973) 4—35095
Red Sea, two stage sea floor spreading 4—10819
Red Sea hot brines, deep sea electrical resistivity probing 4—7853
refraction of $\sqrt{gh}$-waves using parabolic depth profile *(German)* 4—14100
refraction of $(gh)^{1/2}$ waves, generalised parabolic bathymetry *(German)* 4—38293
remote sensing, estuarine circulation dynamics, aerial photography and i.r. imaging 4—34561
remote sensing, ONR programme 4—34558
research by r/v Akademik Vernadski on sixth cruise in Caribbean *(Russian)* 4—38304
Richards Bay, inshore current reversals obs. using airborne i.r. radiometry 4—42065
ridge crest topography 4—38292
Santa Barbara basin, California, natural hydrocarbon seeps 4—7656
Sargasso Sea, Gulf Stream eddies 4—7637
satellite exploration, use of vessel Calypso for calibration of i.r. and colour information 4—17657
satellite sensing technique, ocean current monitoring 4—11535
saturation vapour pressure over water, simple formula 4—34400
sea bed geology by sparker profiles, Vermilion Block 321, off Louisiana 4—10832
sea bed survey techniques for submarine cable 4—4642
sea bottom instrument packages, launch and recovery techniques 4—2019
sea breezes, effect on dynamic response of coastal processes 4—7683
sea floor acoustic wave reflectivity, Deep Tow Instrumentation System, seismic profiling 4—17860
sea floor mapping and underwater imagery by sonar 4—7852
sea floor morphology using the echo sounder 4—11059
sea floor profiling by Scanned Laser and Tracking System 4—11071
sea ice classification, prototype radar signal processing system 4—14242
sea ice motion, integrated measuring system 4—14241
sea level slope along continental boundaries 4—34285
sea state determ. from second-order h.f. radar echo Doppler spectrum 4—14236
sea surface, wind drag, i.r. images 4—7639
sea surface and near surface temp. structure, radiation thermometry 4—17677
sea surface layer conductivity measurements, e.m. method 4—22182
sea surface properties rel. to weather reporting from Skylab radiometry 4—14099
sea surface temp. and atmospheric flow charts, continuity of singular features 4—17663
sea surface temp. anomaly (1957-58), large scale ocean and atmospheric patterns 4—17661
sea surface temp. data, nearshore eddies and wind-driven currents 4—34287
sea wave digital recording, three channel system with binary conversion *(Polish And English)* 4—25888
sea wave parameter measurements using reflected radio signals from aircraft *(Russian)* 4—29777
sea-air interaction, bulk heat exchange, importance of static stability 4—21920
sea-air interaction calc. 4—10861
sea-air interactions, Gulf of Tonkin, relation to observed cloudiness 4—14108
seabed gravel extraction, sonar topography study, fishing implications 4—2018
seabed investigation using long range side scan sonar 4—11063
seabed sediments, remote assessment for engineering projects review of requirements 4—17866
seawater optical characteristics determination by laser sounding *(Russian)* 4—29776
seawaves, atmospherically induced, Civitavecchia harbour *(Italian)* 4—1800
seawaves accuracy of spectral technique 4—11061
sediment classification, acoustic surveying, review and experimental results of prototype array 4—17870
sediment cores, automatic in situ sound velocity measurement system 4—17867
sediment flux study by NOAA on Atlantic margin 4—10874
sediment identification by oblique acoustic reflection computer analysis 4—11055
sediment resistivity meas. by bottom-deployed horizontal array 4—11058
sediment survey by 'high-resolve' system 4—7851
sedimentation of Fraser river western delta-front, British Columbia 4—17551
sediments, acoustic mineral prospecting and acoustic surveying, technique 4—17868
sediments and Mn nodules, type and distribution, RV Valdivia North Pacific cruise 4—17887
seismic recording in manganese nodules exploration 4—4643
seismology, marine, method based on highly repetitive nonexplosive sources 4—7789
shallow sandy inshore accumulation and erosion processes rel. to wave directions *(Russian)* 4—21933
shear current and gravity wave interaction 4—17685

oceanography continued
shelving ocean coastline, vertical magnetic field reversal 4—4357
shelving ocean model by spherical cap of variable conductivity over superconducting Earth 4—4397
shipboard radio wave-recorder, surface wave elements in open sea 4—22184
shipboard wave height radar system 4—14235
shore fast ice, northern Alaska, influence on currents and sediment 4—17649
small scale baroclinic currents in Arctic under ice cover 4—17646
soil sampling on ocean bottom, acoustic shear wave vel. meas. technique 4—11057
solid-state water current meters, design deficiencies and operational problems 4—11073
Somali Current, large-scale variation during SW monsoon (1970) 4—7616
sound scattering layers in ocean, nature of scatterers, frequency characteristics 4—22660
sound velocity profile variability effect on range to first convergence zone 4—18264
South African Antarctic Earth Science Programme, 1959-69 review 4—4315
spray formation mechanism, effect of wind speed, 0-15 $m.s.^{-1}$, wave height 4—7655
St George's Channel, use of ^{137}Cs as water movement tracer 4—34298
standing high frequency wind sea waves *(Russian)* 4—34278
stationary wind-driven ocean currents, observation rel. to theory *(German)* 4—14101
statistics of current sampling estimates of moment functions of fluctuating fields *(Russian)* 4—38300
storm-surges study for Adriatic 4—29556
subbottom acoustic surveying, single pulse generator, geologic hazards 4—17869
submarine bars, active deposit layers, Spit of Kursiu Nerija *(Russian)* 4—25650
submarine irradiance meter, remote operation 4—7844
subtropical eastern North Pacific, weather ship obs., seasonal spectra 4—17736
Suez Canal, current regime change after construction of Aswan High Dam 4—34300
supercooling of Arctic lead surface water, cause of subsurface freezing 4—21928
surface current meas. by h.f. radio wave backscatter 4—11076
surface heat-balance equation, numerical properties 4—7645
surface temp. changes, near-surface flow model 4—25644
surface temperature, from satellite i.r. data, iterative scheme 4—29750
surface temperature calculations, different boundary conditions 4—21937
surface temperature distribution, Arabian Sea, Nimbus III i.r. measurements 4—17692
surface waves, l.f. sound scattering *(Russian)* 4—42079
surface waves, particle motion and temp. fluctuations in 2 m cube of water 4—17678
surface waves, three dimensional packet evolution 4—36667
surveying, display technique for sonar data 4—11062
suspension fingers, descent rates for inshore deposits in lakes and oceans 4—4373
swell analysis near island of Aruba in Caribbean Sea 4—17694
swell decay rel. to scattering of surface waves by irregular bottom 4—17696
tectonic movements of floor, algorithmic reconstruction based on benthic foraminifera 4—22157
telemetering systems, transistor u.h.f. transmitters description *(Russian)* 4—29775
temperate oceanic environment, river hydrology and dynamics in Moselle basin *(French)* 4—17628
temperature fluctuations, spatial struct., Rossby waves analogy 4—1814
temperature inversions, Red Sea and Mediterranean 4—21935
temperature mapping, remote Raman scatt. technique, laboratory expt. 4—11052
temperature profiles, Central North Pacific, vertical microstructure 4—21926
thermal plume, due to heated effluent, wind effects 4—34305
thermal response of ocean to stationary, time-dependent hurricane model 4—25645
thermohaline circulation, mass flux map for World Ocean 4—21934
thermohaline structure, temp., salinity inversions 4—7642
tide, semi-diurnal, age, localised oceanic resonances 4—7617
tideless sea, quasistationary model of currents and temperature, salt, oxygen distribution *(Russian)* 4—29547
Tonga Trench deep-water, hydrooptical studies *(Russian)* 4—21916
topographic Rossby waves in rough-bottomed ocean 4—7631
trace element composition of low level marine atmospheric particulates 4—1815
tracer dispersion in flows of natural water *(Polish And English)* 4—25653
Tropical Atlantic, integrated ocean circulation *(Russian)* 4—21917
tsunami inundation prediction for Hawaiian Islands 4—38297
tsunami prediction (CETI), evacuation map revision 4—21913
tsunami response for three island system, model of Hawaiian islands Kauai, Niihau, Oahu 4—21923
tsunami type waves, deformation in estuary of variable cross section *(Russian)* 4—34267
tsunami type waves, nonlinear effects in shallow basin zone *(Russian)* 4—34293
tsunami waves, effect of continuous depth change on continental shelf *(Russian)* 4—29545
Tsushima Current, Korean Strait, Geodyne current meter obs. 4—17654
turbulence, u.s. intensity fluctuations 4—26307
turbulence in air above swell, similarity functions 4—21973
turbulent estuarine tidal flow, Reynolds stress meas. 4—17681
ultrasonic transmission, effects of thermal and salinity microstructure in marginal ice zone 4—14245
underwater current velocity meas. by acoustic Doppler techniques 4—11075
underwater exptl. monochrome film 4—18506

oceanography continued
underwater light sources, system performance prediction 4−11066
underwater low light level, TV cameras, video processing techniques 4−22180
underwater obstacle, influence on deformation of long running waves *(Russian)* 4−34290
underwater probes, optical radar applic. 4−29764
underwater p.s.k. acoustic data link 4−35109
underwater TV laser ranging holographic scanner 4−11069
upwelling in Ghanaian coastal waters, evaporation measurements, heat budget calculations 4−21929
velocity and temp. fluctuations in upper ocean, structure analysis *(Russian)* 4−42074
velocity fluctuations of turbulent flows, statistical regime *(Russian)* 4−38361
Venice Lagoon, causes of 'high water' 4−42060
vertical velocity spectra in deep ocean, fine-struct. contamination 4−42064
viscous ocean, stratified by salt and heat, internal wave propag. 4−1812
Washington coast, tidal currents on continental shelf 4−42071
water entry cavity pressure measurements, projectiles in open ocean 4−12729
water temperature measurements from drifting and driven ship, estimate of equivalence *(Russian)* 4−34415
water wave identification and deconvolution in seismic refraction studies 4−42233
wave breaking points, calc. for stepped shallow seabed 4−10872
wave climate data acquisition and p.c.m. telemetering system 4−17864
wave front perturbation, measurement, correlation with microstructure 4−8268
wave generation and propagation in ocean of variable depth 4−21910
wave height estimation by percision radar satellie altimeter 4−29778
wave induced perturbations in turbulent boundary layer over progressive water waves 4−17680
wave parameters, relationship to radar and aerial pictures 4−22183
wave regimes for shelf areas of Black Sea *(Russian)* 4−34297
waves, effect on wind velocity profiles *(Russian)* 4−29621
waves and orthogonal water particle velocities 4−34286
W Weddell Sea, silicate and potential temp. in deep and bottom water 4−10860
West Philippine Basin, Deep Sea Drilling Project leg 31 results 4−10817
western boundary current, dynamics of numerical model ocean 4−34276
whitecaps, relation to environmental parameters, production theories 4−34281
wide swathe bottom mapping, incoherent scatt. model and signal processor 4−17865
wind driven equatorial currents, nonlinear theory *(Russian)* 4−34279
wind generated waves, spectral analysis, laboratory scale 4−17682
wind induced water wave growth, microwave meas. 4−17683
wind induced wave fields in a bay, calculation for Black Sea 4−21936
wind waves, discussion of nonstationary character *(Russian)* 4−38299
wind-driven, equatorial circulation in homogeneous ocean 4−10859
CO_2, industrial produced, accumulation in atmosphere and sea 4−29634
$CaCO_3$ saturation state of Atlantic Ocean waters 4−21940
Cd-Xe arc lamp performance in deep waters 4−11067
Cu content and distribution in Caribbean Sea *(Russian)* 4−34295
Cu content of Pacific tropical zone waters *(Russian)* 4−29553
Mn nodule fields, in situ analysis of major and minor elements 4−14234
Mo content and distribution in Caribbean Sea *(Russian)* 4−34295
Mo content of Pacific tropical zone waters *(Russian)* 4−29553
NaCl in solution of oceanic concentration, thermal and Fickian diffusion 4−17644
O generator and analyser for oceanographic appls., uses of seawater *(French)* 4−38561
P, interstitial waters of S.E. Atlantic sediments 4−21824
Ra extraction from natural waters using Mn-impregnated acrylic fibres 4−29768
Zn content and distribution in Caribbean Sea *(Russian)* 4−34295
Zn content of Pacific tropical zone waters *(Russian)* 4−29553
Zn-Xe arc lamp performance in deep waters 4−11067
OCR *see optical character recognition*
octet theory *see SU_3 theory*
ODMR *see magnetic double resonance*
ohmic contacts
III-V semiconductors, formation using laser beam 4−41508
semiconductor, contact resistance and noise, meas. method 4−13224
n-GaAs, Ni/Au-Ge technology for device production 4−29025
GaAs-Au/In, alloying behaviour, ^{4}He ion backscatt. obs. 4−16822
onGaSb formation contact resist. meas. and investig. *(German)* 4−20682
GaSb with metal contacts, surface conditions rel. to barrier heights *(German)* 4−13222
GaSb-Ag, Au, Ni, Al, In, Sn contacts, ohmic contact resistance meas. *(German)* 4−6675
n-Ge, fabrication by diffusion from SiO_2:As 4−6990
InP, etching and nonblocking contact formation 4−10206
Pd_2Si film, on Si, formation kinetics and structure 4−25283
PtSi-to-Si, W-metallized, elec. and thermal stability 4−16819
PtSi-to-Si, W-metallized, WSi_2 formation 4−16820
ohmmeters
see also resistance measurement
digital teraohmmeter-electrometer, 10^5 to 10^{16} Ω 4−18518
oil refining
electrostatic separation of suspended matter in insulating liquids, methods 4−8748
petroleum wax separation, dielectrophoretic method 4−10716
oil technology
see also oil refining
oil-water interface, photoneutron detection 4−42190
prospecting using aeromagnetic surveys *(French)* 4−38515
oiling (lubrication) *see lubrication*
oils, insulating *see insulating oils*
omega mesons
decay events in $pp \rightarrow 2\pi^+ 2\pi^- \pi^0$, 2.32 GeV/c Dalitz plot asymmetry 4−39899
dominance, behaviour of meson and nucleon form factors 4−12075
exchange contrib. to super-soft-core proton-proton potential 4−479
mass, width and cross section near threshold in $\pi^- p$ (missing mass) + n 4−23555
production in inclusive pp reactions at 12 and 24 GeV/c, polarisation 4−23584
soft vector-meson-gluon model of elastic wide-angle hadronic scattering 4−23549
$K^- p \rightarrow \Lambda\omega$ at 3.13, 3.3 GeV/c, cross section, ω-density meas. 4−12096
$\omega(1675) \rightarrow \omega\pi^+\pi^-$, evidence for existence, branching ratio 4−19254
$\omega \rightarrow \pi\pi\pi$ decay widths, nonlinear eqn. for coupling consts. 4−5627
ω^0, production in $\pi^- p \rightarrow p\pi^+\pi^-\pi^-\pi^0$ at 18.5 GeV/c 4−9012
ω^0 production in πN interactions, predictions for K^{*0} and K^{*0} production 4−27178
ωpp coupling constant, determ. using pp forward dispersion reln. 4−19242
$\omega\pi\pi$ system at A_2 mass region, from $\pi^+ p$ interactions, 4.93 GeV/c 4−39900
$pp \rightarrow pp\omega$, 12 and 24 GeV/c, relation to η, ρ^0, f production 4−36070
π form factor, rho-omega interference 4−2679
$\pi^- p \rightarrow \omega^0 n$, 3.65, 4.50 and 5.50 GeV/c differential cross section and density matrix elements 4−23569
$\pi^- p \rightarrow \pi^- \omega p$, 4.5, 6, 14 GeV/c, observation of ωp enhancement 4−36074
ρ-ω interference, mixing parameter, 2π and 3π final states 4−386
ρ-ω interference in kaonic reactions 4−5671
ρ-ω mixing, nuclear and e.m., from photoproduction 4−36176
ρ-ω mixing effect in nuclear interactions 4−478
omegatrons *see cyclotrons*
on-off control
constant temperature chamber, thermal stability, effect of periodic air temp. fluctuations 4−18397
online operation
see also process control
data acquisition and analysis, stable isotope ratios, using electronic calculator 4−30608
e.e.g. data, remote on-line spectral plotting 4−14675
Fleurs Synthesis Telescope remote online control and data processing facility 4−22497
FRAME, correction procedure for quantitative electron probe microanalysis 4−39446
measurement data processing, survey of algorithms *(German)* 4−23023
moisture content of ore concentrates meas. reflection of infrared radiation 4−35523
nuclear reactor digital on-line reactivity anal. system 4−36268
signal processing in physics experiment, emulation of lock-in detector 4−35491
thickness measurement, wire and fibre diameter meas. using laser diffraction principle 4−35909
O_2 contact control of gases, principles and applications of analysers 4−15034
SO_2, by gas chromatography 4−23049
Onsager relations *see thermodynamics*
Onsager theory of dielectrics *see dielectric properties of substances*
opacimeters *see turbidimetry*
opalescence
see also critical opalescence
No entries
OPDAR *see optical radar*
operating amplifiers *see operational amplifiers*
operational amplifiers
frequency meter application, with linear conversion function *(Russian)* 4−39276
physics laboratory apparatus 4−4943
potentiostatic technique, high speed iR compensation using positive feedback 4−2425
thermistor linearisation application, for temp. meas. 4−22793
operator training *see training*
optic mode of crystals *see lattice dynamics*
optical aberrations *see aberrations*
optical activity *see optical rotation*
optical auroras *see aurora*
optical character recognition
holographic spatial filtering, character recognition using weighted patterns 4−30488
information processing, appls. in Japan 4−22884
optical communication
see also laser beam applications; optical links
beating light beams, power spectral density, heterodyning, homodyning 4−15311
circularly polarised light applic., based on optically-active materials 4−14909
electro-optics applications, conference, Boston, Mass., USA, 30 Apr.-1 May (1973) 4−17034
f.m. laser system for 5 MHz video transmission, experience 4−27021
laser, fundamentals and classification, review 4−15405
laser modulation and demodulation problems *(Rumanian)* 4−23410
laser radiation attenuation in atmosphere, graphical portrayed by new method 4−323
multi-user optical space communication systems, comparison 4−31093
multiple parameter quantum estimation and nonselfadjoint observables 4−2608
spectral bandwidth and shape effect on probability error in laser binary communication systems 4−31063
time of arrival of photoevents, probability distrib. 4−19046
time of arrival of photon packet, optimal estimator 4−8776
turbulent atmosphere, phase fluctuation of modulating signal 4−25719

optical communication continued
CO_2 laser beam through atmosphere 4−25705

optical communication equipment
see also optical waveguides
1 Gb/s q.p.s.k. laser communication subsystems, performance 4−31092
acousto-optic modulator for Nd:YAG laser, i.r. fibre optics 4−8395
internally striped planar laser, transverse single mode 4−5510
laser 1 Gbit/s laboratory, performance, using quadriphase-shift-keyed modulation 4−19160
optoelectronic components *(German)* 4−23402
passive fading reducer, calc. of received field (concentrated) *(Spanish)* 4−8773
quantum receivers, information props. anal. for coherent optical signals *(Russian)* 4−26928
wire-grid polarisers for 10.6 micron radiation 4−22827
GaAlAs laser p.c.m. communication experiment 4−19161
GaAs-Al_xGa_{1-x}As double heterostructure laser, improvement for fibre optic system 4−31051
InSb nonreciprocal reflection beam isolator, for far i.r. use 4−14906
Nd:YAG laser laboratory system, 1 Gbit/s mode-locked freq.-doubled 4−23419

optical constants
see also light absorption; reflectivity; refractive index
anisotropic polyvalent metals, optical conductivities, polarisation dependent reflectivities 4−21018
evaluation, from reflectance functions at two angles of incidence 4−41351
film, possibility of determ. from transition radiation 4−28126
GaSe, Kramers Kronig analysis of reflectivity data, 2 to 80 eV 4−33437
glass, $Na_2O-TiO_2-SiO_2$, optical props. and specific vols., rel. to primary phase diag. 4−38063
insulator, Kramers-Kronig dispersion relation analysis of reflectance spectra 4−25070
liquid, Kerr constants meas. 4−39211
lithium formate, peizoelec. single cryst. 4−13423
metal film, determ. from transmission meas. using semi-graphical method *(German)* 4−35256
metal film, transmission meas. method with Mach-Zehnder interferometer 4−22869
metallic thin film, ellipsometry, Vasicek theory, Murmann-Forsterling theory 4−41449
metallic thin film, thickness effect on i.r. reflectance 4−41453
metallic thin films, ellipsometric determ., formulae for determining Ψ and Δ 4−4019
nonmagnetic material, superconvergent sum rules 4−33367
polyethylene, i.r. absorpt. coeffs., thin layer, Au substrate, surface e.m. wave meas. technique 4−10400
reflective index, reflectivity determ. 4−2268
semiconductor, tetrahedrally bonded, ordered and disordered, Penn gap 4−41023
semiconductor Kramers-Kronig dispersion relation analysis of reflectance spectra 4−25070
strain, ratio sign determ. u.s. meas. 4−41349
Teflon, i.r. absorpt. coeffs., thin layer, Au substrate, surface e.m. wave meas. technique 4−10400
tetraphenylporphine, film, analysis by new Time-Domain procedure 4−1401
transition metal, absorption coeff. calc. from electron energy loss spectra 4−32593
water, i.r. absorpt. coeffs., thin layer, Au substrate, surface e.m. wave meas. technique 4−10400
Ag film, thickness effect on i.r. reflectance 4−41453
AlSb, pseudopotential-k.p combinatorial calc., optical critical points and effective masses 4−20533
As, reflectivity meas., 0.08 to 70 eV, optical and dielectric constants determ. *(French)* 4−41392
As_2S_3, amorphous and crystalline, 3-35 eV range, rel. to electronic struct. 4−37161
Au film, thickness effect on i.r. reflectance 4−41453
Au film, transmission meas. method with Mach-Zehnder interferometer 4−22869
Au-MgF_2 cermet film, ellipsometric determ. 4−37712
$Ca_5(PO_4)_3F$, fluoroapatite, Kramers-Kronig anal. of i.r. refl. spectra 4−13434
CdF_2, and Raman spectra 4−17071
CdS, reflection spectra at 1.8 K, obs. of optical anisotropy of exciton transition 4−17092
Cs film, 1.5-3.8 eV, determ. from transmission meas. using semi-graphical method *(German)* 4−35256
Cu_2O, i.r. and Raman spectra, lattice vibr., optical and dielectric parameters 4−25096
GaAs, application to CO_2 laser windows 4−56
Hg, optical conductivities, polarisation dependent reflectivities 4−21018
In, ellipsometry and normal incidence reflectance meas. 4−20957
$KNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
$K_2O-SrO-SiO_2$, glass system, expansion coeffs. and thermo-optical consts. 4−20958
LiF, cryst. and molten, comparison of optical and dielec. props., i.r. meas. 4−20987
$LiNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
$MgO:Al_2O_3$ Verneuil-grown spinel, optical properties in i.r. region 4−37595
MnAlGe film, optical anisotropy effects 4−37587
MnGaGe film, optical anisotropy effects 4−37587
PbF_2, thin film, optical consts. and exciton states *(Russian)* 4−10450
$Pb_5Ge_3O_{11}$, temp. depend. of nonlinear optical coeffs. investig. 4−20954
SiC polytypes, rel. to energy band struct. 4−24698
SnTe, semicond. thin film, energy band investigs. using optical consts. determ. 4−24694
V-Ga alloys, cast supercond., i.r. and visible meas. *(Russian)* 4−20977
V_2O_5, Kramers-Kronig analysis, i.r. reflection obs. 4−3970
Zn, optical conductivities, polarisation dependent reflectivities 4−21018

optical design techniques
see also optical instruments
automated process for optical systems, computer catalogue of glass props. 4−18439
of beam sampler, monochromatic, polarisation insensitive 4−11495
cam for optomechanical instruments, computerised design 4−14861
coelostat, matrix arrangement of calcs. 4−30145
computer solution, curvilinear bicubic spline fit interpolation scheme 4−2277
of damage resistant components, laser-induced surface damage 4−15383
exposure semiautomatic device, elec. parameter input for amateur cameras 4−18451
interferometer, thickness monitoring of optical component coatings 4−22872
laser, solid-state, solns. for power and halfwidth of first laser spike 4−31038
laser large system, Nd^{3+}:glass, design for fusion 4−31089
lens, LASL, 8 computer program improvements 4−8357
light deviation system, integrated digital electro-optical, reduction of loss of light *(German)* 4−5041
pancratic afocal three-component system 4−22821
reflector, rotationally symm., for illuminating systems, analysis 4−39691
of shutter, large-aperture, for professional cameras 4−14916
signal frequency filter, to eliminate refraction induced noise, theory and design 4−22822
spectrometer, Ebert, astigmatism and coma free, computer-aided design 4−22852
telescope, for optical heterodyne detector, atm. turbulence limits 4−17842
variable focus system, independent parameters for correcting third-order aberrations 4−18442

optical detection of magnetic resonance *see magnetic double resonance*

optical dispersion
see also optical constants
n-alkane, Raman spectra, lattice vibr. dispersion curves 4−41375
astronomical images, dispersion parameter for small and large telescopes *(Russian)* 4−22483
atmospheric turbulence, outer scale, light beam displacement *(Russian)* 4−34370
crystal, light absorpt. with spatial dispersion, Maxwell eqns. 4−13418
dielectric, second harmonic generation, for non-linear optical exam. *(Polish)* 4−27011
dielectric interface, mol. dispersion self-energy 4−28275
dye laser, c.w., freq. locking near gas discharge atomic absorpt. lines 4−23333
electron plasma, artificial cryst. in strong e.m. field 4−13205
fibre, optical glass, material dispersion, GaAs twin laser meas. 4−35903
filter, narrow-band interf., in i.r., phase shift dispersion 4−39252
formate family, new phase-matchable nonlinear props., Sellmeier's dispersion relations 4−19137
glass, partial dispersion, refractive index, wavelength depend. 4−17035
glass fibre, material dispersion 4−30963
laser beam in turbulent atmosphere *(Russian)* 4−25691
laser beams, measuring methods 4−35319
lens dispersion characts. utilization in multislit spectrometer 4−18459
light deviation system, integrated digital electro-optical, reduction of loss of light *(German)* 4−5041
monochromator, dispersion and spectral transparency characts. *(Russian)* 4−18463
nonlinear optics, dispersion relations for second-order phenomena *(French)* 4−35890
nonpolar binary mixture, dielectric const. nonpolar binary mixture, critical behaviour 4−37546
oscillator strength, meas. by anomalous dispersion *(French)* 4−31665
polyatomic gases, refractive index, Kramers-Kronig dispersion eqn. statistical model, temp. depend. *(Russian)* 4−40373
polystrene latex particles, refractive index determ. from dispersed light characts. *(Russian)* 4−29253
pulse self-dispersion in self-phase modulation 4−31078
quadrupole light absorption, role of spatial dispersion, calc. *(Russian)* 4−28798
refractometer, meas. in 0.7 to 50 μ range 4−18432
sillenite type cubic crystals, Faraday rot., 0.43-0.91 μ 4−13470
sodium uranyl acetate, optical rotatory dispersion curve, effect of deuteration on optical activity *(Russian)* 4−33455
stress measurement accuracy, effect of birefr. dispersion of object 4−18375
transparency fluctuations, light beam statistical screening *(Russian)* 4−39698
AsSI, i.r. refr. index, absorpt. effect *(Russian)* 4−33369
AsSeI, i.r. refr. index, absorpt. effect *(Russian)* 4−33369
Au, surface plasmons, dispersion relations, optical meas. 4−41109
$Bi_{12}GeO_{20}$, optical rotatory powder, dispersion, temp. depend. meas. 4−3949
Bi_2S_3, far i.r. reflectivity spectra, anal., dielec. transition 4−13422
CO_2, refractive index 1807 to 2537A, interferometric determ., dispersion formula 4−16063
CS_2, coupling of dispersion and self phase modulation, computer simulation 4−27004
CdS, non-normal incident light, spatial dispersion, polaritons, refl., refr. exciton spectra 4−13467
CdS, two-photon absorpt., spatial dispersion, angular dispersion in exciton region 4−35901
CdS-Ga_2S_3 crystal, pseudocrossing of dispersion curves, Rozhdestvenskii hook method 4−20953
^{113}Cd vapour, change in quasi-reson. monochromatic radiation field 4−11956
α-HIO_3, Raman and i.r. spectra, fund. vibr. spectra, ang. dispersion by phonons 4−16567
He, positive-column discharge, hook spectra meas. of excited state population density 4−36739
He-Ne, d.c. discharge, dispersion meas. at 0.63, 1.15 μ 4−35843

optical dispersion continued
- α-HgS, rotatory power, one oscillator model, rotatory dispersion, absorpt., 300, 196, 77, 20 and 4K *(French)* 4−13443
- I_2 molecules dissolved in chloroform, Raman intensity dispersion, visible absorpt. 4−28826
- n-InSb, dispersion relation for slow surface e.m. waves 4−28445
- NaF, dispersion and diffr. by M-centres, possible appl. to holographic storage 4−28876
- Ne, d.c. discharge, dispersion meas. at 0.63, 1.15 μ 4−35843
- Ne, oscillator strength, meas. by anomalous dispersion *(French)* 4−31665
- Ni-Cr, dispersion depend. of dielec. const., 250 to 1100 nm 4−37625
- $PbO.2Nb_2O_5$, ferroelec., wavelength depend. 4−6862
- $Sb_2S_3(Se_3)$, far i.r. reflectivity spectra, anal., dielec. transition 4−13422

optical fibres *see fibre optics; optical waveguides*

optical films
- anthracene, electroluminesc. asymm. *(Russian)* 4−21080
- antireflection coating, double-layer, theory 4−37711
- antireflection coating for cut-off filter at given spectral point 4−8355
- benzonaphthofuran-naphthacene system, sensitized luminesc. in thin layers 4−28896
- binary anti-reflective, thickness change observation *(Czech)* 4−21112
- dielectric coating, laser damage threshold, effect of inclusions 4−26993
- garnet, epitaxial growth techniques, for laser appls. 4−29003
- garnet waveguides, refr. index meas. 4−17146
- integrated optical circuits, application to scanning and recording of images 4−325
- interference coatings for inhibition of counterfeiting 4−2293
- interferometer, thickness monitoring of optical component coatings 4−22872
- i.r. filter, antireflection coating on powder scatterer 4−35258
- i.r. optical systems, coating specification 4−14844
- laser beat spectroscopy of thin free liquid films 4−13535
- laser coatings, standardisation 4−18492
- laser scans of position, meas. and correction of line spacing errors in laser recorders 4−59
- liquid crystal, thin-film waveguide, optical deflection, elec. field modulation 4−20962
- metal, optical consts., transmission meas. method with Mach-Zehnder interferometer 4−22869
- metallic, ellipsometric determ. of optical constants, formulae for Ψ and Δ 4−4019
- metallic, optical constants, ellipsometric determ. 4−41449
- multicoating, camera lenses, theory and effectiveness, review 4−35339
- multilayer coatings, automatic film thickness monitor 4−14851
- multilayered structures, transmission eqns., absorbing layer and non-absorbing substrate 4−15299
- Newton black film anomaly in bursting of soap films 4−27901
- non-absorbing, multilayer synthesis *(Russian)* 4−25224
- photographic, Wiener noise spectra, meas. technique 4−35345
- plastic, nonlinear optical effects in strong static field *(French)* 4−15393
- polyacetal, prep. techniques, thermochromic props. 4−21113
- polymer film, adsorbed onto polystyrene sphere in soln., spectroscopic characterisation 4−7376
- porosity measurement, vac. deposited, water absorpt. 4−37710
- pressure forming of thin blanks, mold with restricted surface 4−18444
- prism coupler, for meas. of film thickness and refractive index 4−14842
- quartz and glass film, guided-wave struct., second harmonic generation 4−19136
- refractive index and thickness meas. of transparent film, interf. patterns obs. 4−30476
- refractive index meas., Abeles type, film thickness effect 4−39213
- semiconductor, size-quantization optoelectric effect 4−37585
- sputtering onto large surfaces 4−35266
- thermoplastic cement, 20 μ thick, transmission in i.r. 4−25197
- vacuum u.v., material selection 4−26496
- waveguide type travelling wave ring laser, operation 4−23361
- Wolter's multilayer reflection and transmission formulae, extension for orthorhombic absorb. media 4−26919
- Ag, aggregated film with opaque overcoating, spectral transmittance 4−41450
- Ag, light reflectance and transmittance meas. and photoelectric props. at plasma frequency 4−1430
- Al, unbacked filter, transmittance increase on exposure to r.f., d.c. O_2 discharges 4−11481
- Al mirror reflective coating, thermal stability with intermediate protective backing 4−18414
- Au, optical consts., transmission meas. method with Mach-Zehnder interferometer 4−22869
- Au, thermal diffusivity determ., laser reflectance relax. spectroscopy 4−9996
- BeO, reactive evaporation, photoelectric properties *(German)* 4−28988
- Bi, thickness depend. of colour, refractive index, absorpt., island struct. 4−10500
- $12Bi_2O_3{:}Ga_2O_3$, single cryst. waveguiding thin films, liq. phase epitaxial growth 4−4041
- $6Bi_2O_3{:}TiO_2$, single cryst. waveguiding thin films, liq. phase epitaxial growth 4−4041
- CdO, semicond. layer, transmission increase with SiO_2 antireflection coating 4−22834
- CdS, optical exciton interference states obs. 4−41451
- CdSe, optical exciton interference states obs. 4−41451
- CdTe, interband Faraday effect, exciton absorpt. 4−25078
- EuS(Se)(Te), far i.r. absorpt. at 2K, single peak rel. to TO phonon 4−25089
- GaSe, optical transmittance meas. 4−20705
- Ge, amorphous, elec. cond. and optical absorpt., structural damage effects 4−3662
- Ge, amorphous, optical props., substrate temp. depend., mechanism 4−33524

optical films continued
- Ge-ZnS, equivalent refractive index, multilayer deposition 4−28960
- In_2O_3, semicond. layer, transmission increase with SiO_2 antireflection coating 4−22834
- $MgF_2 + ZnS(CdS)$, two-layer antireflection coating, for visible and near i.r. 4−18438
- MnBi, optical and magneto-optical props., dielectric tensor 4−37588
- $MnBi_{1-x}Sb_x$, magneto-optic readout efficiency meas. using mirror substrates 4−25077
- $MnBr_2$, far u.v. absorption spectra between 20 and 67 eV 4−41390
- $MnCl_2$, far u.v. absorption spectra between 20 and 67 eV 4−41390
- MnF_2, far u.v. absorption spectra between 20 and 67 eV 4−41390
- Pb, reflectance meas. 3 to 15.5 eV in u.h. vacuum, existence of volume and surface plasmons 4−41452
- PbF_2 optical consts. and exciton states *(Russian)* 4−10450
- Sb, optical props. 2.5 to 14.5 eV, interband transitions, volume and surface plasmons 4−1397
- Sb_2O_3, transmittance meas., absorption index 4−28962
- SiO_2, transmission and reflection spectra, 5-40 eV 4−25196
- SiO_2 antireflection coating, transmission increase of CdO semicond. layer 4−22834
- $Sm_{1-x}Nd_xSe$, polycryst., semicond. to metal transition, optical props. 4−33047
- SnO_2, semicond. layer, transmission increase with SiO_2 antireflection coating 4−22834
- $SrF_2 + ZnSe(As_2S_3)$, two-layer antireflection coating, for visible and near i.r. 4−18438
- Ta_2O_5-Al_2O_3, structural, optical, physico-chemical and dielectric props. 4−16674
- $Y_{2.7}Bi_{0.3}Fe_{3.8}Ga_{1.2}O_{12}$, liquid phase epitaxy, bubble domains, Faraday rot., absorpt. 4−6867
- YIG:Bi, prep., Faraday rot., optical absorpt. 4−6865
- Yb, optical conductivity, transitions, absorpt. spectrum *(French)* 4−28961
- Yb, vacuum evaporated, optical absorption 4−17088
- $Zn_xCd_{1-x}S$, sputtered film, optical absorpt. edge meas. *(French)* 4−3663
- ZnS:Mn, Cu, Cl film panels, a.c. electrolum., field depend. 4−28938
- ZnS:Mn, spontaneous and stimulated electrolum., theory 4−37636
- $ZnS{:}TbF_3$, electroluminesc. film, optical and elec. props., vacuum evaporation *(Japanese)* 4−37773
- ZnS-MgF_2-SiO, equivalent refractive index, multilayer deposition 4−28960
- ZnS-Na_3AlF_6 equivalent refractive index, multilayer deposition 4−28960
- ZrB_2, optical consts., refl. meas., interband transitions, plasma freq. 4−21114

optical filters
- *see also light absorption; optical films*
- acousto-optic noncollinear, spectral resolution, TeO_2 testing 4−8396
- acousto-optical devices, collinear interaction, for electronically tuneable optical spectrometers 4−30474
- antireflection coating, cut-off system at given spectral point 4−8355
- colour densitometer response functions, interinstrument variability minimisation 4−62
- colour specimens, colorimeter and spectrophotometer monitoring applic. 4−22829
- differentiating, holographic transient signal recording with uncompensated reference beam 4−19051
- dye laser with Faraday filter, frequency locking analysis 4−35315
- echelettes, zero order refl. meas., freq. depend. 4−30447
- electron microscopy, optical filtering techniques, pitfalls 4−6315
- far i.r. for solar observation 4−22480
- Fourier hologram filtering with sphero-cylindrical optics, seismic records deconvolution *(French)* 4−22156
- geophysical prospecting, seismometry, anal. of material from the Pechensky region, applic. *(Russian)* 4−42192
- glass filter absorber, prod. of mode locked laser pulses is Nd:YAG 4−11529
- holographic, for automatic identification of i.r. spectra 4−8370
- holographic, simple isotropic, for optical differentiation *(German)* 4−26531
- holographic character reading using Vander Lugt filters, reasons for failure *(German)* 4−35310
- holographic representation of multielement optical systems, Fourier transform filters 4−8384
- holographic spatial filtering, character recognition using weighted patterns 4−30488
- insect perception of polarised light by filter mechanism 4−14569
- interference, cemented narrow-band, passband shift with ageing 4−22874
- interference, monitoring of vacuum deposition, reflecting coatings 4−2291
- interference, narrow band, effect of absorbed moisture on passband position *(Russian)* 4−11511
- interference narrow-band filter, in i.r., optical props. 4−39252
- i.r., small particle scatt., antireflection coatings, design, operation 4−35258
- laser intensity-dependent filter 4−8393
- line colour balancing for Fabry-Perot experiment 4−22706
- liquid, appl. to elimination of degradation of laser output from Ho^{3+}:YAG 4−35858
- liquid, thermal blooming effect on Nd:glass laser emission, spike intensity 4−5091
- Lyot filters effect of partial polaroid 4−34964
- magneto-optical objects, spatial filtering and multiplex recording 4−18424
- microscopy, dark-ground, high-pass filtering *(German)* 4−5074
- m.i.m. interference filters, 120-250 nm 4−35304
- modulation, by polarisation filters *(Italian)* 4−30437
- narrow band filters for far i.r. 4−4839
- neutral, thickness computation for light attenuation 4−18435
- optical filter for differentiation, grating copy 4−2273
- Polaroid materials, scatter reduction for birefringent filters 4−35254
- polyethylene, black, l.f. spectral transmission meas. 4−30455
- processor, coherent scanning analogue, spatial filtering of transmission electron micrographs 4−14841
- pulse compression and shaping, solid laser, linear and nonlinear techniques compared 4−27003

optical filters continued

- Raman spectroscopy, new techniques 4—22864
- random signals, phase processing, filter block diagram 4—14850
- resolving power using Gabor superresolution theore *(Russian)* 4—35306
- scanning electron microscopy, signal derivative processing 4—35475
- signal frequency filter, to eliminate refraction induced noise, theory and design 4—22822
- spacial filtering, a selected bibliography 4—36
- spatial, phase, for complete meas. process in optical systems 4—35253
- spatial filtering, dimensional meas. and defect location, evaporation mask applic. 4—35245
- spectrometer signal recovering, by phase modulation, filtering and demodulation 4—26520
- spectroradiometer, field, with four circular variable filters, calibration 4—35208
- temporal modulation of optical signal, filtering, coherence rel. to sensitivity *(French)* 4—34
- vacuum u.v., material selection 4—26496
- Vander Lugt filters, amplitude distorted, spatial filtering 4—2299
- variable density, electrooptic, photoconductive film on PLZT ceramic plate 4—14853
- π-phase filter, half-wave centrally coated lens, for photography 4—2311
- Al, unbacked filter, transmittance increase on exposure to r.f., d.c. O_2 discharges 4—11481
- Hg vapour mirror, selective refl., appls. 4—35273
- KH_2PO_4 electro-optical filter, appl. as tuning element in ruby laser *(Russian)* 4—35854
- TiO/SiO_2, 9-layer filter interf. coating, spectral characts. before and after cementing between glasses 4—18471

optical images

- Abbe's theory, image of microscope, historical and philosophical aspects 4—4909
- analytic evaluation of image formation in optical systems 4—23279
- annular aperture with high obstruction, aberration free image form. 4—30984
- apodisation use in coherent imaging system 4—8354
- apodised optical system, generalized freq. response function 4—23278
- apodized apertures, partial coherence, performance characts. 4—2605
- astronomical, quality for small and large telescopes *(Russian)* 4—22483
- astronomical seeing using digital TV system and 3-path star image 4—34359
- catadioptric system, computation of aberrational diffr. images 4—271
- corrector, Rosin-Amon tilted plate, for plane stigmatic imagery 4—38918
- correlative microscopy, precise stage arrangement 4—35294
- cylindrically symmetric wave propagation through optical system of arbitrary complexity 4—26936
- Dialyte problem, generalization *(Italian)* 4—2601
- diffraction images, truncated objects, apodised circular aperture 4—15322
- diffraction images of truncated one-dimens. periodic objects, system with shaded aperture 4—18419
- digital Fourier transforms, for scanner evaluation 4—30977
- electron micrograph, optical diffraction, image reconstruction, book 4—24361
- electron micrograph, optical diffraction, image reconstruction, review 4—24363
- electron microscopy, coherence and resolution *(German)* 4—35476
- electron microscopy, image intensification, radiation sensitive polymers 4—12859
- electron microscopy, image intensity meas. for Au particles 4—10715
- electron microscopy, optical filtering techniques, pitfalls 4—6315
- electron microscopy, single-sideband high resolution with heated aperture 4—5248
- electrooptical Fourier transform system, real-time, for video images 4—30492
- enhancement techniques, grey level, observability of borders of features of digitised imagery 4—8356
- extended objects, transfer functions of semitransparent and phase annuli 4—273
- filters, spatial, phase, for complete meas. process in optical systems 4—35253
- formation, appl. of target-synthesised apertures 4—15319
- Fourier, appl. to particle velocities meas. 4—35459
- Fourier theory *(German)* 4—26935
- high contrast images from low contrast objects, scanning heterodyne microscope 4—5072
- hologram image retrieval, measurements, object coord. formulation 4—30483
- hologram recording accumulation, image quality improvement in obs. through scatt. media 4—11900
- holograms, high-density image-storage, random phase sampling method 4—22885
- holographic, noise reduction 4—18476
- holographic, nonlinear distortions 4—8780
- holographic image printing technique with high resolution 4—18478
- holographic imaging system, resolution and image field *(German)* 4—18475
- holographic memories, binary processes, capacity calc. 4—30489
- holographic multiplexing by spatial division, image contrast and resolution 4—30981
- holographic shape recognition system, resolution 4—19050
- holography, off-axis image plane, complex amplitude transmiss. meas of electron microscope objects 4—26532
- holography, speckle reference, for imaging through turbulent water 4—5081
- image formation, at Fresnel surface *(German)* 4—35812
- instrument image quality improvement, spherical, chromatic aberration correction 4—39216
- intensity distribution, point and line pictures, neglecting Fresnel bending component, procedure *(German)* 4—5474
- intensity meas. amplitude and phase determ. in bright-field optics 4—23280

optical images continued

- isotropic Hilbert spatial filtering 4—5036
- laser recording, multispectral or colour on black and white film 4—2307
- lens, m.t.f. meas., shot noise effects 4—8349
- lens design, LASL, image errors, 8 computer program improvements 4—8357
- lens emulsion system, physical parameters determ., image evaluation technique 4—18418
- lens quality evaluation, image testing system, o.t.f. simultaneous meas. 4—35263
- lenses, near perfect, practical limits of image quality 4—30450
- light valves, laser-addressed, using liquid crystals 4—31087
- line object, contrast calc., bright background 4—30986
- microscopic, reflectance meas. 4—35247
- microscopical communication, historical review 4—35122
- microscopy, Abbe's theory of image formation, coherence theoretical aspects *(German)* 4—26934
- mirrors, with known nonplanarities, for photoelectric autocollimators, aiming centre shift 4—35249
- nonstationary imagery, maximum likelihood restoration 4—39704
- object reconstruction, sampling theorem, images 4—26937
- optical system, wave propagation, intensity distrib. in image space calc. 4—39710
- phase distrib. calcs. from image intensity meas. using iterative methods 4—2603
- phase distrib. calcs. from image intensity using iterative methods, sources of error 4—2604
- photographic emulsions, periodic detail reproduction, anal., modulation transfer functions 4—35336
- plane grating, partially coherent illum., imaging, transition between Kohlers and crit. illum. *(German)* 4—18423
- point image location technique, under-sampled optical system, statistical estimation 4—23275
- point object, contrast calc., bright background 4—30986
- processing methods for short exposure data from large telescopes 4—18069
- profile, functions of two variables, axonometric representation on cathode ray tube 4—5033
- quality, effect of image motion 4—30983
- random patterns in liquid crystals, real time statistical anal. *(French)* 4—15309
- random wavefront errors influence, statistics of transfer function 4—272
- reconstruction from transforms by optical methods 4—8781
- reconstruction theory, new proposal for derivative calc. of function with errors 4—35809
- regeneration, by holographic technique *(Russian)* 4—14892
- regularization algorithm of Tichonov, appl. to object restoration 4—5471
- restoration, linear, of partially coherent images 4—30978
- reversal by spatial filtering and optical subtraction *(Japanese)* 4—15320
- satellite surveying, ERTS 1 multispectral scanner 4—34499
- scanning by acousto-electro-optic interaction 4—35811
- scanning transmission electron microscopy, top bottom effect 4—35473
- schematic, model of recognition 4—39026
- SEM, image anal., laser modified Fraunhofer diffr. technique 4—5252
- shape recognition using coherent optic device *(Russian)* 4—39707
- stellar multiple systems, speckle holographic interferograms, image processing 4—26193
- stereopair, parallax displacements, correl. holography 4—30491
- streak camera, rotation by flexible light duct 4—18503
- Strehl definition intensity, for off-axis image points *(German)* 4—35813
- Strehl number calcs., degraded diffr. patterns of 17 objective lenses 4—35815
- subtraction of images in real time, two diffraction grating modulator *(French)* 4—22818
- superachromats with large image field *(German)* 4—5035
- synthesis by coherent optic method *(Russian)* 4—39709
- telescope modulation transfer functions, measuring apparatus 4—30444
- thermionic emission microscope, image enhancement 4—145
- three component zoom system, image plane depend. on component movements 4—22823
- three-dimensional, information content calc. 4—35808
- transfer function determ. by freq. domain plot inspection, Fourier transform of blurred image 4—23274
- transfer functions for imaging process calcs., Fourier optics 4—8774
- transmission, laser and integrated optics scanners and recorders 4—324
- triangular wave gratings, effect of transverse vibrations on contrast 4—2602
- truncated triangular wave object, apodized slit aperture 4—2606
- turbulent atmosphere, extended object, vacuum Huygens-Fresnel principle 4—35802
- turbulent atmosphere, high resolution imaging 4—34421
- turbulent broadening of focal light spot formed by ring aperture *(Russian)* 4—14122
- two point resolution, non uniform partially coherent illumination, Sparrow criterion 4—15321
- two point resolution, partial coherence, peak intensity var. 4—30985
- visual aids, importance of coherence of coupling for viewing 4—8144
- wave aberration, Fermat principle *(German)* 4—35814

optical information processing

- analogue methods, Fourier hologram *(Russian)* 4—39706
- applications in Japan 4—22884
- coherent scanning analogue processor, novel design 4—14841
- correlator, real-time, using optical beats generated by u.s. waves *(Japanese)* 4—39215
- data processor components, production based on polarisation-interference interaction in light beam *(Russian)* 4—39701
- digital Fourier transforms, for scanner evaluation 4—30977
- electrooptical Fourier transform system, real-time, for video images 4—30492
- encoding masks for Hadamard spectrometric imager 4—35807

optical information processing continued
- filters, spatial, phase, for complete meas. process in optical systems 4—35253
- Fourier hologram filtering with sphero-cylindrical optics, seismic records deconvolution *(French)* 4—22156
- holographic character reading using Vander Lugt filters, reasons for failure *(German)* 4—35310
- holographic filter, simple isotropic, for optical differentiation *(German)* 4—26531
- holographic processing as analogy to neural processing 4—270
- imagery, nonstationary, maximum likelihood restoration 4—39704
- images, three-dimensional, information content calc. 4—35808
- incoherent system for cross-correlation 4—11484
- interferometry, spatial irradiance, with arbitrary source symm., processing 4—39249
- laser speckle patterns, extreme value statistics of max. intensity 4—26931
- light valves, laser-addressed, using liquid crystals 4—31087
- magneto-optical objects, spatial filtering and multiplex recording 4—18424
- map transformation technique 4—26534
- meteorological satellites, Data Acquisition and Processing Program 4—34316
- myocardial sarcomere length meas. by laser beam diffraction and spatial Fourier spectral analysis 4—11702
- nonlinear signal in non-Gaussian noise, processing algorithm 4—23276
- object reconstruction theory, new proposal for derivative calc. of function with errors 4—35809
- particle velocities meas., appl. of Fourier images 4—35459
- photochemical conversion of F centres into X centres in KCl 4—41977
- point image location technique, under-sampled optical system, statistical estimation 4—23275
- quantum receivers, information props. anal. for coherent optical signals *(Russian)* 4—26928
- random patterns in liquid crystals, real time statistical anal. *(French)* 4—15309
- random signals, phase processing, filter block diagram 4—14850
- Rayleigh limit of resolution rel. to maximum encircled energy ratio 4—39703
- real-time holography *(Russian)* 4—39708
- restoration, linear, of partially coherent images 4—30978
- restoration of object, appl. of Tichonov regularization algorithm 4—5471
- signal frequency filter, to eliminate refraction induced noise, theory and design 4—22822
- spatial filtering, dimensional meas. and defect location, evaporation mask applic. 4—35245
- speckle noise reduction by random phase shifters 4—39262
- spectral data scanning and restoration, noise effect 4—39705
- spectrometer, wavelength modulated, signal recovering with one photodetector 4—26520
- stellar multiple systems, speckle holographic interferograms, image processing 4—26193
- strain mesurement, Moire versus random pattern correlation techniques 4—22777
- time impulse and frequency response, optical pupils *(French)* 4—19047
- transfer function determ. by freq. domain plot inspection, Fourier transform of blurred image 4—23274
- transfer functions for imaging process calcs., Fourier optics 4—8774

optical instrument testing
- astronomical image modelling to determine information transmission *(Russian)* 4—22482
- diffraction-limited optical systems, evaluation technique 4—30449
- field lenses, thin double-plane symmetric, distortion and control of field curvature 4—14856
- gratings, diffraction, groove profile measurement, Talystep, method evaluation 4—2274
- holographic diffraction gratings, groove-shape rel. to efficiency *(German)* 4—26530
- lenses, polychromatic transfer function calculation *(German)* 4—5032
- magnification checking, use of moire fringe technique 4—22870
- Michelson interferometer, uniform carriage motion, laser test 4—18310
- screw micrometer, use of supplementary equipment to the Universal Horizontal Metroscope 4—18357
- telescope modulation transfer functions, measuring apparatus 4—30444
- telescope primary mirror cell rigidity meas. by holographic interferometry *(German)* 4—14529
- Tillinghast 60-inch reflector, optical and mechanical performance 4—42522
- transmission electron microscopy, graphite high resolution test 4—146

optical instruments
- *see also colorimeters; coronagraphs; diffractometers; holographic instruments; laser velocimeters; monochromators; optical prisms; photometers; polarimeters; refractometers*
- ABBE vertical metroscope, P 0.1 Projection-Type, description 4—18354
- a.c. reflectometry, for smoke and H_2S meas. 4—35093
- angoe measurement, dynamic method, opto-mechanical instrument, precision mechanism applications *(German)* 4—2222
- autocollimator, reducing error in readings 4—30445
- autocollimators, photoelectric, aiming centre shift for known mirror nonplanarity 4—35249
- beam sampler, monochromatic, polarisation insensitive, design method 4—11495
- bench, use of magnetic riders 4—39220
- bench of new design for optical experiments, vibration free 4—35265
- binoculars, efficiency over field of view 4—26501
- cathode-ray tube, profile images of functions of two variables, axonometric representation 4—5033
- collimator type sighting device, systematic error in angular adjustment 4—18429
- diffusiometer for studying by interference isothermal diffusion in liquids 4—35265

optical instruments continued
- engineering, conference, San Mateo, Calif., USA (1972) 4—11487
- Faraday rotator isolator, large-aperture, high extinction ratio 4—52
- fibre optic tonometer, for intraocular pressure measurement 4—26231
- glassy C mirror development, properties and fabrication 4—34967
- horopter, vertical, stereoscopic sensitivity meas. of retinal regions 4—39034
- hydrostatic pressure chamber, for optical studies in low-temp. 4—35246
- image quality improvement, spherical, chromatic aberration correction 4—39216
- integrating sphere, sphere coating reflectance, performance depend. 4—22837
- light deviation system, integrated digital electro-optical *(German)* 4—5041
- light scattering, for meas. of supersmooth surface roughness 4—30393
- medical negatoscope, for radiogram examination, functional parameter measurement 4—26253
- for medicine, conference, Chicago, USA (1972) 4—2168
- metallic iris, aperture fabrication 4—18433
- microdensitometer for r.m.s. granularity of colour TV films 4—35322
- modular image interpretation system 4—11493
- multiple-pass focused cell, with ellipsoidal mirror, for Raman scattering 4—30440
- opticator, spring-optical mechanism having twofold extension of measurement limits 4—18422
- phase meter, digital 4—18500
- photoabsorptimeter, IFO-453 type, near i.r., performance 4—35255
- photodiode apparatus, position sensitive, rel. to angle of arrival of optical radiation meas. *(Russian)* 4—32
- photometry, spectral distribution of discharge lamps *(Hungarian)* 4—18450
- pyeloscope, objective lens design, aberrations 4—30443
- reflectometer, reflectivity meas. of dielec. mirrors 4—35252
- reflex image centering instrument for systems with small apertures *(German)* 4—26498
- relative angular posn. meas. of two rotating coaxial bodies *(French)* 4—13
- superachromats with large image field *(German)* 4—5035
- thickness measurement, IC coating 4—22813
- Toepler instrument, turbulence characteristic measurement 4—23073
- tristimulus colorimeter, optical cuvette *(Hungarian)* 4—18447
- tristimulus colorimeter *(Hungarian)* 4—18446
- tristimulus colorimeter for liquids and transparent gels *(Hungarian)* 4—18448
- tristimulus colorimeter for surfaces *(Hungarian)* 4—18449
- visual aids, importance of coherence of coupling for viewing 4—8144
- visual tracking performance 4—11488
- Young's eriometer, modern teaching use 4—4942

optical links
- *see also laser beam applications; optical communication equipment*
- 1 Gb/s short-pulse laser communication, acquisition and tracking systems performances 4—31091
- laser 1 Gbit/s laboratory, performance, using quadriphase-shift-keyed modulation 4—19160
- laser beam modulator, high efficiency medium speed 4—35906
- Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4—23419

optical masers *see lasers*

optical materials
- *see also fibre optics; glass*
- alkali halides, polycryst., fabrication, microstruct., mech. and optical props. 4—25414
- balsamine-m, adhesive cement for optical component mounting 4—22835
- ceramic, perovskite-type, synthesis, consolidation and microstruct. analysis 4—7267
- chalcopyrites, $A^{II}B^{IV}C^{V}$ type, cryst. growth 4—37775
- chlorosodalite:S, optical absorption, photoluminesc. and cathodoluminesc. 4—1377
- dielectric surface, laser-induced inclusion damage 4—26994
- electro-optical, conference, Boston, Mass., USA, 30 Apr.-1 May (1973) 4—17034
- glass, fracture energies, flaw depth mirror meas. 4—33896
- glass, interaction of optical, elec. and mech. props. w.r.t. device applic. 4—4179
- glass, K_2O-SiO_2, equilib. compressibilities and density fluctuations 4—38062
- glass, K_2O-SiO_2, Rayleigh and Brillouin scatt., rel. to acoustic wave vel., photoelastic consts. and comp. 4—37598
- glass, luminescence characts. *(Russian)* 4—6924
- glass, optical grade, light scatt., spectrum and intensity 4—22817
- graphite/epoxy composite, thermomechanical stability, holographic meas. 4—38031
- hexamine electro-optic light modulator, description 4—14907
- hot-pressed, for device applic., review 4—17410
- i.r. transmitting materials, optical props. anal. 4—26536
- i.r. transmitting materials, theoretical lower bound on absorpt. coeff. 4—5092
- i.r. transmitting materials, transmitted laser beam props. 4—57
- layer, anisotropic, Poincare sphere anal. of polarisation states 4—19043
- liquid crystals, unusual optical props., possible appl. 4—1008
- lithium-sodium formate, refractive index meas. non-linear material 4—3951
- mechanical macro- and micro-strength, review of meas. methods 4—22832
- naphthalene crysts., mechanically ground, fluorescence 4—5037
- oxide single crystal growth by zone melting *(German)* 4—4046
- polyvinylethylal solution, to form thermochromic materials, variable light transmission 4—25069
- rare earth, halides, anhydrous, single cryst. growth, Bridgman-Stockbarger method 4—4040
- sodium formate, refractive index meas., non-linear material 4—3951
- thermal breakdown threshold, role of absorbing inclusions 4—13480
- for vacuum u.v. optics 4—26496
- vapour transport, single-stage procedure 4—37775

optical materials continued
$Bi_4Ge_3O_{12}$, possible appl. as laser host cryst., luminesc. 4–37661
$Bi_2O_3.3MoO_3$ and $3Bi_2O_3.2MoO_3$, cryst. growth and optical props. 4–25252
CaLaSOAP:Nd, laser material, high average power testing 4–8832
$CaWO_4:Nd^{3+}$, e.s.r. linewidths 4–33251
$CdGeAs_2$, Bridgman growth 4–37775
$CuGa(In)S_2$, sublattice distortion, X-ray diffr. obs. 4–24434
$KIO_3.HIO_3$, growth from soln., non-symm. space group 4–17169
La_2O_2S, Czochralski growth 4–25251
LiF crystals, coatings to improve corrosion resist. 4–18437
NdP_5O_{14} laser material, cryst. struct. 4–36866
SiO_2, finely dispersed silica, spectrophotometric props., diffuse reflection 4–22854
SiO_2, low optical loss, optical anisotropy obs. 4–33894
$(Sr;Ba)Bi_2Ta_2O_9$, cryst. struct. 4–1037
SrF_2, single crysts., melt growth, optical and mech props. 4–25253
YVO_4, Czochralski grown single crysts., inclusions obs. 4–4042
YVO_4, pure and rare earth doped, Czochralski growth problems and characteriz. 4–25250
$ZnGeP_2$ Bridgman growth 4–37775
ZnSe, strength characteriz. using statistically designed proof test 4–5038
$ZnSiAs_2$, Bridgman growth 4–37775
optical microscopes *see microscopes*
optical model (nuclear) *see nuclear optical model*
optical modulation
birefringence observation, optimum spectral range 4–11486
Brewster angle modulation in nanosecond single pulse generation at 10.6 μ 4–35320
ceramic, ferroelastic instabilities exploitation for elastooptic device applic. 4–3941
circular polarisation, based on optically-active materials, for optical communications 4–14909
correlator, real-time, using optical beats generated by u.s. waves *(Japanese)* 4–39215
differential spectrometer 4–18460
double modulation technique, application to optical pumping 4–3065
electro-optic light modulator, birefringence phase shift precise meas. 4–39209
electro-optical, modulator cell, cylindrical ring electrode, KDP, new config. 4–8391
Faraday rotation measurement, rotating polariser method *(Rumanian)* 4–30442
Fourier transforms, one-dimensional, of line tracings 4–15312
gas laser, with multimirror resonator, f.m., calc. *(Russian)* 4–35835
hexamine electro-optic light modulator, description 4–14907
holographic addition and laser irrad. modulation to increase interferometric vibr. range meas. 4–11440
holography, laser irrad. modulated, time-average, sinusoidally vibr. object recording 4–22879
image subtraction (addition) in real time, two diffraction grating modulator *(French)* 4–22818
images, diffr., truncated objects, apodised circular aperture 4–15322
intensity, coherent beam, statistical props., photoelectron bunching effect 4–26938
interferometric technique, for optical 'seeing' through the atmosphere 4–17854
i.r. dye laser by diode laser 4–31034
i.r. wave guided by free carriers at semicond. surface *(French)* 4–31066
Kerr cell experiment with a.c. modulation including circuitry for students 4–35142
laser, c.w. and pulsed, active mode-coupling phenomena, modulator inside laser cavity 4–18496
laser, thin film, distributed amplitude-modulated feedback, tuning method 4–11935
laser beam, high efficiency medium speed Kerr cell with Bentonite suspension 4–35906
laser beam propagation through turbulent atmosphere 4–25719
laser communication system, 1 Gbit/s laboratory, performance using quadriphase-shift-keyed modulation 4–19160
laser intracavity coupling, comparison of CdTe and GaAs crystals at h.f. 4–8397
laser intracavity coupling, comparison of CdTe and GaAs crystals at h.f. 4–18484
laser machining control technique 4–8866
laser machining control technique 4–19148
laser machining with modulated zone plates 4–35904
laser modulation, resonant absorpt. method 4–317
laser modulation and demodulation problems *(Rumanian)* 4–23410
laser radiation, CO_2, i.r., by double-prism attenuator 4–30496
light modulator control voltage shaping cct. 4–39268
light SHF interference modulator with optical resonator *(Russian)* 4–5079
liquid crystal, phase modulation effects, review 4–17047
liquid crystal films, oriented, electrooptic switching, phase modulation of light 4–25076
liquid crystal oriented film with photocond. semicond. struct., switching, light controlled birefr. 4–20960
magnetograph for total vector magnetic field meas., optical modulator for *(Russian)* 4–18524
Michelson interferometer, use of vibrating mirror 4–22871
microwave modulators using birefringent crystals, Faraday effect in varying magnetic field 4–20970
one-arm phase optical bridge, small periodic displacements meas. 4–4963
phase difference rangefinder, pulse counting, digital readout 4–31086
phase shifting slab, high freq. rot., Jones and Muller matrices 4–13417
photographic emulsions, periodic detail reproduction, anal., modulation transfer functions 4–35336
photon counting distribution, under square-wave intensity modulation 4–26942
polarisation filter *(Italian)* 4–30437
polarisation modulated light scattering technique, matrix element determ. 4–2269

optical modulation continued
pulse self-dispersion in self-phase modulation 4–31078
quantum receivers, information props. anal. for coherent optical signals *(Russian)* 4–26928
resonance media, laser pulse investigation theory *(Russian)* 4–19125
Schwarz-Hora effect, emission of bremsstrahlung, string excitation analogy 4–329
semiconductor lasers, large-signal direct modulation 4–5508
sinusoidal radiation chopper 4–11482
spectrometer, wavelength modulated, signal recovering with one photodetector 4–26520
temporal, rel. to metrology *(French)* 4–34
triangular wave gratings, effect of transverse vibrations on contrast 4–2602
u.s. light modulation, optical signal processing system, zero-order background light reduction 4–26929
Vander Lugt filters, amplitude distorted, spatial filtering 4–2299
vibration meas. by laser beam modulation method *(Italian)* 4–14790
$Ba_{0.25}Sr_{0.75}Nb_2O_6$, electro-optic effective modulation of He-Ne laser beam, 0.1 to 2×10^4 Hz 4–20964
CO_2 laser, by gases, identification of absorpt. lines 4–8398
CO_2 laser, by gases, identification of absorpt. lines 4–18485
CO_2 laser, standing-wave intracavity coupling modulator, for 53 GHz c.w. signal 4–18483
CO_2 laser, travelling wave intracavity GaAs coupling modulator, for nanosecond pulses 4–30501
CS_2, linear dispersion in plane-wave self-phase modulation 4–27004
CdSe, A-exciton absorpt., picosecond light pulses from self-phase modulation 4–25124
Fe garnet, magneto-optic materials, performance 4–26537
GaAlAs laser p.c.m. communication experiment 4–19161
$Ga_{1-x}Al_xP$ heterostructures for waveguide modulators, liquid phase epitaxy *(German)* 4–17188
GaAs, birefringence during piezoresonance 4–3953
Ge crystal mode locking using the Brewster angle 4–35320
He-Ne, 6328A laser emission, freq. modulation characts. 4–39735
He-Ne ring laser, mode locked by internal modulation, high peak power and short pulses 4–23356
$LiNbO_3$, u.s. light modulator, diffr. order intensity distrib. with angle of incidence *(Russian)* 4–33376
Nd, pulsed laser, undamped reson. spiking by internal modulation, cavity loss modulation 4–19115
Nd:Glass laser, phase relations between longitudinal modes 4–11937
Nd:glass laser, picosecond pulse evolution, self-phase modulation effect 4–19117
Nd:glass laser pulse shortening using saturable absorbers 4–18497
Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4–23419
Nd:YAG mode-locked freq.-doubled laser 4–23343
ZnS waveguide modulator, for He-Ne laser beam, using u.v. and electron irrad. 4–39271
optical modulators *see modulators; optical modulation*
optical prisms
attenuator, double-prism, variable beam, for i.r. CO_2 laser radiation 4–30496
birefringement, Moire fringe formation, polarisation raster system *(Russian)* 4–18468
birefringent prisms in digital laser beam deflector, compensation of chromatic aberrations *(German)* 4–26539
electrooptic prism-array light deflectors with high S/N ratio 4–22891
film parameters meas. with prism coupler 4–14842
Glan-Thompson, use in double pass spherical Fabry-Perot spectrometer 4–39238
refractive index and angles, simultaneous determ. 4–30438
refractometer, with prism rotation, 0.7 to 50 μ range 4–18432
Rochon, Wollaston and Senarmont double prisms, anal. of binary polarising lens 4–18430
rotating, with two conical mirrors, light source angular intensity distribs. 4–30439
telescopic resonators, aberrations, misalignment, anisotropy 4–22898
LiF prism order sorter, for concave grating vacuum spectrograph, vacuum-u.v. range 4–39237
optical projectors
reflectors, photometric and colorimetric characts. meas. apparatus *(Russian)* 4–2279
optical properties of substances
see also acousto-optical effects; birefringence; brightness; colour; dichroism; dielectric function; elasto-optical effects; electro-optical effects; magneto-optical effects; optical constants; optical rotation; photochromism; pleochroism; reflectivity; thermo-optical effects
alloys, transition metal, rare earth and actinide, localized moment formation, exptl. bulk properties 4–24704
augite, optical properties rel. to lunar materials 4–10792
bytownite, optical properties rel. to lunar materials 4–10792
carbonaceous chrondrites, optical properties rel. to asteroids 4–26082
dielectric surface, optical strength, laser damage mechanism 4–23374
gases at high-pressure, rotational absorption 4–36609
hot-pressed materials, for optical device applic., review 4–17410
liquid crystal, twisted smectic C-phase, unique optical properties 4–10389
liquid crystal twist cell, transmittance and reflectance 4–15308
metallic thin layers, normally incident light 4–6936
metals, inelastic low energy electron scatt. spectroscopy 4–24619
microwave garnet, liquid phase epitaxial growth 4–21184
nonmagnetic crystal, effect of quadrupole electric coeffs. on optical props. 4–20967
perfect crystalline state, theory, book 4–13119
perylene films, in the visible and near u.v. 4–17145
sea water, review of props. 4–4404
seawater, seasonal variations, measurements in Straits of Gibraltar *(Russian)* 4–38301
seawater of tropical Atlantic, comparison with hydrophysical fields *(Russian)* 4–29550

optical properties of substances continued

- semiconductor, attachment for the cryostat 4−35225
- semiconductor, disordered, charge carrier behaviour in random force field and electronic theory 4−32989
- Ar, discharge, spark const. ion transport, thermal model *(German)* 4−24327
- CsI, mono and polycrystalline, optical transmission meas. 4−41352
- GaAs$_{1-x}$P$_x$, optical scanning for comp. uniformity 4−26708
- (Gd,Y,Yb)$_3$(Fe,Ga)$_5$O$_{12}$, mag. bubble garnet 4−21184
- Ge, amorphous film, model, deposition conditions depend. 4−32827
- Ge:Ag(Au)(Ga)(P)(Sb), amorphous layers, elec. cond. and optical props. *(Czech)* 4−16745
- HfO$_2$ thermal control coating, solar radiation effect 4−7265
- KIO$_3$.HIO$_3$, growth from soln., non-symm. space group 4−17169
- N, discharge, spark const. ion transport, thermal model *(German)* 4−24327
- Pt complex, K$_2$Pt(CN)$_4$Br$_{0.3}$.3H$_2$O, one-dimensional, optical excitation of plasma oscillations 4−24773
- Rh, film, optical conductivity, reflectance, energy losses, band structure 4−13536
- (Sm,Y)$_3$(Fe,Ga)$_5$O$_{12}$, mag. bubble garnet, liquid phase epitaxial growth 4−21184

optical pumping

see also atomic excitation; lasers; molecular excitation; two-photon spectra; two-photon spectroscopy

- absorbing media, induced Raman scatt., fluctuation theory 4−10416
- alkali atom, magnetic resonance in hyperfine structure of ground state 4−19681
- alkali halide exciton laser, threshold pumping power correlation with Stokes shift 4−15363
- alkali metal atomic hyperfine structure, mag. reson., cascade r.f. spectroscopy 4−31676
- alkali metal vapour, analytic express. for electronic- and nuclear-spin polarizations 4−23976
- anthracene derivatives, toluene soln., lasing threshold determ. *(Russian)* 4−13473
- antiferromagnet, spin wave excitation, threshold field determ. 4−13320
- atomic ground states, level crossing resonances, dressing effect 4−23978
- atomic system, pumped resonant media, time depend. e.m. properties 4−16004
- atomic transitions of large momenta, light echo *(Russian)* 4−5528
- atomic two level system, single mode photon field interaction *(Russian)* 4−5950
- atomic vapour, Hanle effect of alignment-orientation coupling process induced by Stark effect 4−23970
- Bloch-Siegert shift, derivation 4−27531
- Bloch-Siegert shift, power series expansion anal. for entire energy range 4−31672
- diatomic molecule, stationary population of vibr. levels *(Russian)* 4−9572
- 1,1′-diethyl-2,2′-dicarbocyanine iodide in glycerol, sub-nanosec. lifetime meas. by nanosec. laser pulses 4−3193
- 3,3′ diethylthiatricarbocyanineiodide, in methanol, single-pass gain meas. as function of pump power, wavelength, time 4−39743
- 1,1-difluoroethane, CO$_2$ laser pumped, low threshold c.w. laser action, 41.7 to 1020 micron 4−293
- 1,1-difluoroethylene, CO$_2$ laser pumped, low threshold c.w. laser action, 41.7 to 1020 micron 4−293
- disc laser amplifier, helically pumped, for subnanosecond operation 4−26985
- double modulation technique, distortion 4−3065
- doublet excited state, transverse pumping and Haroche's resonances, r.f. spectroscopy 4−700
- dye i.r. waveguide laser, pulsed GaAlAs diode laser excitation 4−26976
- dye laser, 532 nm pumped by Nd:YAG system, 20 MW peak power 4−31027
- dye laser, coaxial waveguide, high efficiency, internal excitation 4−8820
- dye laser, c.w., Ar ion laser pumped, operation in blue 4−19107
- dye laser, flash lamp pumped and c.w., intracavity enhancement of trace absorpt. 4−22847
- dye laser, flashlamp with 10 ns risetime, for lasing down to 340 nm 4−26975
- dye laser, flashlamp-pumped 4−26973
- dye laser, nitrogen laser pumped, generation of rotationally symm. TE$_{01}$, TM$_{01}$ modes 4−19101
- dye laser, spark-pumped, with high repetition rate and low threshold 4−11930
- dye laser, tunable in 1.0 to 1.145 μ range, 25 MW ruby laser pump 4−19103
- dye laser intra-cavity enhanced absorption, meas. using photodiode array direct reading spectrometer 4−39403
- dye laser reliable operation, use of simple sealed co-axial flashlamp 4−26540
- dye solutions, laser pumping systems investigation *(Russian)* 4−26538
- electron plasma, cryst. props., energy spectrum 4−13205
- ethylene, i.r. laser double resonance, vibr.-vibr. and vibr.-translation/rot. energy transfer 4−27668
- ethylene, laser-induced i.r. fluorescence, fluorescence intensity factors 4−36539
- excited atom electron scattering, laser induced, cross section and excitation probability calc. 4−31726
- flash lamp, vortex stabilized, for dye laser pumping 4−30498
- fluoromethane laser excited, and mixtures with inert gases, vibration-vibration equilibration 4−896
- formaldehyde, gaseous, laser excitation, single vibronic state, fluoresc. obs. 4−24112
- frequency convertor, quantum-mechanical analysis 4−11968
- gas lasers, review of nuclear pumping methods *(Japanese)* 4−35840
- i.r. dye laser by diode laser 4−31034
- i.r. nonlinear spectroscopy, lineshape sampling 4−24096
- i.r.-microwave double resonance, finite pump width effect 4−16116
- laser pulsed and c.w. operation, using plasma-cathode electron gun 4−18486

optical pumping continued

- laser saturation spectroscopy application 4−22861
- lasers, high-power, by magnetically insulated and inductively charged capacitor for gigavolt potentials 4−32339
- light echo study of hyperfine and superhyperfine interactions *(Russian)* 4−11964
- light up-conversion, 10.6μ to visible, in proustite, efficiency increase in pump laser resonator 4−35875
- methane, microwave-i.r. double resonance using 3.39 μ He-Ne laser line 4−9546
- methyl alcohol, CO$_2$ laser pumped, low threshold, low threshold c.w. laser action, 41.7 to 1020 micron 4−293
- methyl fluoride(chloride) mixture, laser pumped vibr. energy transfer, V-V crossover rate 4−31955
- molecular beam, time-of-flight distrib. using modulation spectroscopy of population of quantum state *(French)* 4−31973
- molecular rotation-vibrational transitions, population and gain calcs. 4−23319
- molecular vibration excitation kinetics, i.r. laser radiation *(Russian)* 4−16115
- monochromatic, intense pumping field, atomic excitation probability, three-photon diffusion *(Russian)* 4−39715
- multilevel-atomic system, single-quantised field mode interaction, exact soln. 4−26939
- nonlinear effects in magnetic field, broad line approx. 4−16001
- nuclear reactions, for CO$_2$ laser, mechanisms, expt. problems 4−11926
- optical-r.f. double resonance, consequences of misalignment of oscillating r.f. field 4−31671
- organic compound, soln., laser lamp system 4−5089
- parametric two-mode laser, optical signal statistical props., pumping field instability effect *(Russian)* 4−26947
- perylene, dimethylformamide soln., high-power longit. pumped laser in blue 4−23331
- 1,4-di-2-phenyloxazolyl benzene dye laser, vapour phase, N$_2$ laser pumped 4−31017
- plasmon generation, local modes at impurity centres 4−37201
- polarisation, non-equilib. fluctuations, three photon scatt. *(Russian)* 4−26940
- polymethine dye, quick-damping absorption induced by psec. ruby laser pulses *(Russian)* 4−11932
- polyphosphoric acid, deuterated, Eu^{3+} luminesc., extinction by UO$_2^{2+}$ ion *(Russian)* 4−28928
- quantum oscillator excitation by reson. e.m. radiation, theory 4−30991
- quinoxaline vapour, intermediate strong coupling states, time resolved emission 4−6089
- Raman laser, electronic spin-flip, power outputs, pump, Stokes and anti-Stokes waves 4−23346
- Raman laser, transverse pumping, constraints on geometry 4−23348
- reservoir-driven open systems, phase transitions 4−23293
- resonance fluorescence, Na determ. using dye impulse laser *(Russian)* 4−26736
- rhodamine 6G, triplet state e.s.r. during laser irrad. 4−10309
- rhodamine 6G(B) laser, flash pumped down-conversion in AgGaS$_2$, i.r. generation 4−31067
- rhodamine 6G dye laser, flashlamp souce, u.s. wave limitation 4−2626
- rhodamine 6G laser, flashlamp-pumped, two-band generation 4−15359
- ring laser, mode-locked, ring amplifier characts., operating conditions 4−309
- ruby, refractive index, change in electron component during pumping *(Russian)* 4−26982
- ruby laser Lidar system, beam characts., effect of pumping parameters 4−31035
- short wavelength lasers, transverse travelling-wave electron beam pump 4−8394
- single resonator parametric light generators, optimal focusing of pump *(Russian)* 4−279
- singly resonant optical parametric oscillator, stationarity condition, pump power *(German)* 4−15327
- solid polarised nuclear targets, review 4−12316
- spin-1/2 system, energy level modification by two rotating r.f. fields 4−31675
- three level system, superluminescence excitation *(Russian)* 4−8783
- two-level atom interaction with single-field mode, QED and semi-classical theories 4−2609
- X-ray laser, photoelec. pumping, population inversion for 1 keV radiative transition 4−31016
- X-ray lasers, pumping by means of optical laser 4−5492
- Br$_2$, isotope effects in selective isotopic mol. excitation with single model laser 4−12603
- CO, high-pressure elec. laser, excitation by electron-beam sustained discharge 4−19069
- CO, laser spectrum, $\Delta v=1$ transitions between $v=28$ and 37 4−31888
- CO$_2$, stimulated Raman spectrum, by excitation in resonator using ruby laser *(Russian)* 4−27706
- CO$_2$ glow discharge, pulsed-laser induced perturbation studies of energy transfer processes 4−40718
- CO$_2$ laser, high-press., production of single nanosecond pulses 4−284
- CO$_2$ TEA laser, cold cathode gun characts. *(French)* 4−31003
- CO$_2$($v=1$), vib. energy transfer rates using freq.-doubled CO laser 4−19919
- Ca, perturbation of principal series by metastable atoms 4−23972
- Cd + He collision, meas. of energy transfer cross sections, pulsed laser excitation 4−40199
- CdS, exciton distrib. determ., two photon laser excitation 4−13161
- CdS, intense recomb. radiation and room temp. lasing, high voltage r.f. current pulse excitation 4−8833
- ^{115m}Cd, 5^3P_1 state, mag. dipole hyperfine struct. const., optical level crossing determ. 4−19279
- Cs, in Ar, hyperfine shifts at high density 4−40167
- Cs, in Cs$^+$ + Cs charge exchange collisions, polarisation of Cs$^+$ 4−729
- Cs, longitudinal, resonances for modulation in absorption from ground state obs. 4−9400

optical pumping continued
Cs, relaxation in presence of Ar, Kr, Xe as function of applied mag. field 4−701
Cs atom, Haroche reson., Hanle effect, strong r.f. field 4−19680
Cs vapour, spin relaxation in Ne(Ar) foreign gases 4−24006
Cs$_2$, fluorescence, excitation kinetics, intense optical radn. *(Russian)* 4−6091
Cs$_2$, n.m.r., nuclear relaxation time 4−36555
Cs$_2$ mol. absorption, Rb, Ne laser irradiation *(Russian)* 4−6037
Cs−Ar cell, 760 torr, $\langle S_z \rangle$ relaxation times 4−5954
Cs−Ne cell, 760 torr, $\langle S_z \rangle$ relaxation times 4−5954
^{133}Cs, 11, 12 $^2P_{3/2}$ levels excitation, optical double reson., hyperfine struct. 4−31674
^{133}Cs, hyperfine struct. of $8^2P_{1/2}$ state 4−15997
Cu vapour laser, with CuCl lasant, double discharge current pulse for dissociation and pumping 4−23299
1,4-di-2-5-phenyl-oxazolylbenzene laser pumped generation *(Russian)* 4−40308
Ga$_{0.6}$Al$_{0.4}$As, spin-depend. recomb., optical spin reorientation obs. 4−21074
Ge, transient photoconductivity, associated with formation of electron-hole droplets 4−16796
H, s level transition, two-photon spectroscopy 4−9401
He, 2^3S_1 metastable level in weak discharge, collision processes 4−23977
He, microwave spectra, high Rydberg states, fine struct. 4−23949
He-Ne laser, gain distribution under high freq. excitation *(Russian)* 4−11923
^{3}He, metastability exchange collisions, eqns. of motion *(French)* 4−12484
^{3}He, metastability exchange, mag. reson. expts. *(French)* 4−12485
^{3}He, metastable state, optical orientation effect on electron density and light emission in He plasma 4−36747
^{3}He, weak hyperfine struct. 3^1P_1 level, electronic alignment-nuclear polarisation interaction *(French)* 4−12483
^{3}He gas target for nuclear reactions, influence of pumping light absorption on polarisation 4−18583
^{4}He, zero field parametric reson., weak field magnetometer 4−2334
Hg atom, 6^3P_2 metastable level, orientation and alignment destruction by collisions *(French)* 4−19679
Hg-N$_2$ mixtures, irradiated with 2537 Å Hg resonance radn., Hg$_2$ formation and decay 4−31885
Hg$_2$, continuum radiation negative gain measurements 4−274
^{199}Hg, optically oriented, nucl. relax., effects of X-irrad. of cells 4−20894
^{199}Hg vapour, optically oriented, Bloch-Siegert shift measurement 4−699
^{201}Hg, optically oriented, nucl. relax., effects of X-irrad. of cells 4−20894
I$_2$, $^3\Pi_{0(u)}+$ level lifetime and Lande factors meas. *(French)* 4−3192
I$_2$, B $^3\Pi_{0(u)}+$ state perturbations 4−6087
I$_2$, excited with 5145 Å light, fluorescence spectra, line spacing 4−31853
I$_2$ fluorescence, laser excited and quenching, a student experiment 4−26374
InSb, c.w. spin-flip Raman laser, operation with pump-depletion and spin-saturation 4−26990
K, atom, stimulated electron Raman scatt., polarisation characts. 4−36413
K, hyperfine sublevels of $4^2S_{1/2}$ state 4−12487
Kr, lifetimes and depolarisation cross-sections 4−16003
LaCl$_3$:Nd^{3+}, photoexcited e.p.r., i.r. levels, rapid relax. 4−37486
Li$^+$ like series metastable ions, soft X-ray laser, tow-step excitation 4−31018
N gas laser, axial field, elect. breakdown and pumping 4−15354
N$_2$ electron-beam excited gas laser, plasma electron contribution 4−19078
NH$_3$, collisional energy transfer triple reson. obs. 4−6131
NH$_3$, i.r. laser, Stark tuned, use of CO$_2$ laser pump 4−26952
NH$_3$, i.r.-microwave double resonance spectra, collisional electron rules 4−9620
NH$_3$, i.r.-microwave double reson., collisional relax. among rot. levels 4−31886
NH$_3$, matrix isolated, vibrational relaxation by i.r. double resonance 4−6094
NH$_3$, microwave-i.r. two-photon pumping for i.r.-i.r. double resonance expt. 4−9524
NH$_3$, population inversion, Stark effect laser freq. sweep optical pumping 4−36540
NH$_3$ i.r. double resonance using two-photon technique 4−6095
NO$_2$, microwave-optical double resonance, fluorescence, 4579 Å Ar$^+$ laser line excitation 4−31887
N$_2$O-CO$_2$ mixture, optical transfer excitation, 10.5, 10.8 μ N$_2$O transitions up to 42 atm. 4−39726
Na, 3S→5S two photon transition without Doppler broadening 4−36414
Na, dye laser optical pumping, level crossing on $3^2P_{3/2}$ level 4−31678
Na, groundstate, spin polarization, collisions with He-, H$_2$-isotopes *(German)* 4−5963
Na, hyperfine struct., mag. reson. via P→G decay, cascade r.f. spectroscopy 4−31677
Na, laser excited atom inelastic electron scatt., superelastic, inelastic cross-sections 4−31727
Na, simultaneous two-photon excitation, fine structure splitting of 4d^{2}D state 4−40165
Na, two-photon absorption without Doppler broadening, 3S-5S transition 4−36415
Na atomic beam, c.w. dye laser optical pumping to produce two-level atom 4−31673
Na$_2$ molecule, relax. mechanisms 4−19863
Nd, Cr:YAG, sun-pumped laser, laboratory model 4−8830
Nd:Gd$_3$Sc$_2$Al$_3$O$_{12}$, c.w. laser action, pumping band absorpt. cross section 4−15365
Nd:glass lasers, passive Q-switch conditions *(German)* 4−23342
Nd:glass rods, meas. of lens action *(German)* 4−23341
Nd:YAG laser, K-Rb lamp-pumped, conductively cooled 4−8829
Nd:YAG laser, Kr arc pumped, cavity acousto-optical dumping 4−8840

optical pumping continued
Nd:YAG laser, single diode end pumped, miniature size 4−304
Nd:YAG laser rod, thermally induced focusing at low input powers 4−15362
Nd$_{0.5}$La$_{0.5}$P$_5$O$_{14}$ laser, intense pulse pumping and c.w. operation 4−23334
O$_3$, laser lines, identification and prediction 4−26961
O^{7+}, X-ray laser emission 2s→1s transition 4−35831
Rb$_2$, absorption spectrum, 690-700 nm, ruby laser irrad., valley widening *(Russian)* 4−6038
Rb$_2$, fluorescence, excitation kinetics, intense optical radn. *(Russian)* 4−6091
Rb$_2$, mol. absorption, bright band, gigantic pulse laser radn. *(Russian)* 4−6037
Rb$_2$, mol. absorption, Rb, Ne laser irradiation *(Russian)* 4−6037
Rb$_2$, n.m.r., nuclear relaxation time 4−36555
^{84}Rb laser, tuning by pumping light modulator *(Russian)* 4−51
^{87}Rb, 9 $^2P_{3/2}$ level excitation, optical double reson., hyperfine struct. 4−31674
Sc:NdP$_5$O$_{14}$, 4 mW threshold power, c.w. oscill. 4−11934
SrF$_2$ metastable e.p.r. spectrum with optical pumping, photomagnetism of M-centres 4−41252
Xe, linear and nonlinear polarisability coeff. at ruby laser freq., calc. 4−39768
Xe atom, Nd-glass Q-switched laser, multiphoton ionisation probability 4−27543
Xe laser, short-pulse excitation by relativistic electrons 4−26950
^{136}Xe, 5d[7/2]$_4$ state, magnetic double resonance *(Russian)* 4−12490

optical quantum generators *see lasers*

optical radar
see also laser beam applications
air pollution detect., NO$_2$ atm. conc., appl. of LIDAR with tunable dye laser 4−22163
air pollution meas., laser molecular resonance absorption, sensitivity analysis 4−11345
atmospheric backscattered lidar signals, polarisation characts. 4−22001
atmospheric molecular constituents, remote meas. by laser-Raman radar 4−38547
atmospheric polluted urban environment, analysis using lidar and acoustic radar 4−25872
atmospheric pollution detection, two-wavelength excitation LIDAR technique 4−11350
atmospheric properties meas. 4−29571
detection of NO$_2$, fluorescence versus backscatt. differential absorpt. 4−17840
Doppler, mechanical variables meas. *(German)* 4−39219
heterodyne monopulse receiver, 10.6 μm, Doppler tracking capability 4−19152
image formation, appl. of target-synthesised apertures 4−15319
laser cane, c-5, for the blind 4−35914
laser ranging, novel system with 1 cm resolution, ground to satellite dist. meas. 4−8875
laser ranging system, tracking marine appls. 4−19153
laser receiver, rapid scanning 4−15404
LIDAR, remote detection techniques, review 4−18261
lunar ephemeris determination, numerical analysis 4−22348
lunar libration terms arising from additive and planetary terms 4−22344
lunar ranging, ephemeris error effect reduction 4−22341
marine, tracking and ranging systems using semiconductor lasers *(Japanese)* 4−11971
marine systems, underwater probes 4−29764
Mark II laser radar system, comparison with balloon borne obs. of stratospheric N 4−34546
natural water monitoring by airborne optical radar 4−11078
phase difference rangefinder, pulse counting, digital readout 4−31086
pollution monitoring and meteorological meas. methods and instruments *(German)* 4−14715
railway level crossing road-clear signalling and barrier telecontrol with laser beam *(German)* 4−23411
Raman lidar, daytime use, differencing technique, water vapour meas. 4−2013
Raman lidar transmissometer, expt. field study 4−8873
remote sensing, symposium, Saskatoon, Canada, 5-7 Feb (1973) 4−29695
remote water quality meas,, with lidar polarimeter 4−14724
rendezvous and docking radar optics 4−23406
ruby laser Lidar system, beam characts. 4−31035
sea floor profiling by Scanned Laser and Tracking System 4−11071
semicondcutor laser diode arrays, appl. to helicopter night vision 4−19154
semiconductor laser rangefinder, traffic recording and camera focusing applic. *(German)* 4−23405
underwater TV laser ranging holographic scanner 4−11069

optical resolving power
see also optical instrument testing
absorption enhancement, resolution of flash lamp pumped versus c.w. dye laser systems 4−22847
adapting luminance effects *(Italian)* 4−35023
annular aperture, semi-transparent and π-phase, two-point Sparrow limit of resolution 4−18428
annuli, transfer functions of semitransparent and phase apertures 4−273
biplanar electron-optical amplifiers, resolving power 4−19168
camera systems resolution, data reduction tables 4−11538
critical, in partially coherent light, effect of non-uniform illum. 4−18427
electron microscope, for surface chemical analysis *(French)* 4−30664
electron microscope, high voltage *(French)* 4−18739
electron microscopy, coherence and resolution *(German)* 4−35476
filter, calc. using Gabor superresolution theorem *(Russian)* 4−35306
Fleurs Synthesis Telescope design and development 4−22490
Fresnel sinusoidal zone plate, intensity distrib. calcs. focus shift 4−8376

optical resolving power continued
- fundamental, of optical systems, interf. and diffr. limited resolution, spherical obs. wavefronts 4−8353
- holographic image, effects of photomaterial noise 4−5472
- holographic image printing technique with high resolution 4−18478
- holographic imaging system, resolution and image field *(German)* 4−18475
- holographic interferometry, high resolution, electronic phase meas. 4−14900
- holographic multiplexing by spatial division, image contrast and resolution 4−30981
- of holographic shape recognition system 4−19050
- image formation, appl. of target-synthesised apertures 4−15319
- image formation, two point resolution, non uniform partially coherent source 4−15321
- instrument image quality improvement, beyond diffr. limit resolving points 4−39216
- interferometric technique, for optical 'seeing' through the atmosphere 4−17854
- laser ranging, novel system with 1 cm resolution, ground to satellite dist. meas. 4−8875
- lens emulsion system, physical parameters determ., image evaluation technique 4−18418
- Lyot stop, for reduction of diffraction 4−14857
- microscope, holographic, depth encoding, diffr. limited high resolution 4−5073
- particle spectrometer, Fano factor calculation 4−18683
- photographic lenses, NBS report 4−11537
- polarisation modulators, Faraday-effect, mathematical anal. for optimisation of modulation depth 4−14886
- Rayleigh limit of resolution rel. to maximum encircled energy ratio 4−39703
- scanning transmission electron microscopy, top bottom effect 4−35473
- spectrograph, grating, of high resolution, long duration exposure of mol. band spectra *(French)* 4−14870
- spectrograph of moderate resolution, for rocket expts. 4−34530
- spectrometer, dye laser c.w., high-resolution, construction and use 4−14880
- spectrometer, meas. of mag. induced circular emission 4−30463
- spectrometer, spread function calc., Fourier transform 4−30471
- spectrophotometer, 20-500 μm, double beam system 4−30472
- spectrophotometer, i.r., IKS-24, 0.5 cm^{-1} resolution 4−22855
- Symmar camera, development of objective systems *(German)* 4−35327
- system not diffraction limited 4−5460
- transmission electron microscopy, graphite high resolution test 4−146
- turbulent atmosphere, high resolution imaging 4−34421
- CO_2, c.w. high pressure laser for super-high-resolution spectrometer 4−19070

optical rotation
- *see also Faraday effect; Kerr magneto-optical effect*
- active absorbing crystal, transmission theory Muller matrix 4−13406
- activity, overhead projection system for demonstration 4−2216
- allene derivatives, quantum mechanical theory *(German)* 4−19806
- cholesteric liquid crystal, rotary dispersion and circular dichroism 4−10390
- circular polarisation, based on optically-active materials, for optical communications 4−14909
- Cotton effects, recording spectro-polarimeter for i.r. region *(German)* 4−26522
- crystal, uniaxial gyrotropic, elliptic polarisation of monochromatic waves *(Russian)* 4−33374
- crystals and liquids, nonlinear magneto-optical rotation at Faraday, Voigt configs. 4−318
- DNA, in phage C_d and T2 4−38942
- Drude's classical model of helically moving electron re-analysed 4−8283
- electrogyration effect, in 42m type crystals, controlling deflection angle of emission plane polarisation *(Russian)* 4−28794
- ellipsometric measurement, eigenvalues ratio determ. 4−2272
- external force effects, inc. electro-optical and magneto-optical activity in crystals 4−17049
- Faraday rotator isolator, large-aperture, high extinction ratio 4−52
- invariant ellipticity polarisation states of optical system, parametric eqn. for loci 4−35241
- laser host material, nonlinear ellipse rotation 4−313
- laser systems, large, design for fusion, Faraday rotators 4−31089
- liquid crystal, cholesteric, propag. vibr. obs. in inversion band region, apparent rot. power *(French)* 4−33363
- liquid crystal, helical nematic, rot. of plane of polarization *(French)* 4−33373
- liquid crystal, nematic, microscopic polarimetry *(French)* 4−32426
- liquid crystal, review 4−1380
- liquid crystal, twisted nematic, characts. 4−17033
- macromolecular solutions and suspensions, transient response meas., apparatus 4−8352
- methane derivative, quantum mechanical theory *(German)* 4−19805
- 1-methylindan, gas phase absorption and circular dichroism spectra, 280 to 150 nm 4−19818
- oriented helices, quadrupole contributions 4−27774
- resonance interaction between optically active molecules in crystal 4−20956
- sodium uranyl acetate, optical rotatory dispersion curve, effect of deuteration on optical activity *(Russian)* 4−33455
- thallium uranyl propionate, obs., Rb salt comparison 4−25072
- $Bi_{12}GeO_{20}$, power, dispersion, temp. depend. meas. 4−3949
- $Bi_{12}GeO_{20}$ crystals, nonlinear rotation of light polarisation plane 4−19144
- (−)-S-trans-1,2-di(4-pyridine-1-oxide)oxiran, circular dichroism u.v. spectrum, pyridine-1-oxide 280 and 215 nm transitions 4−24065
- H, circularly polarised light perturbation, time evolution response, semiclassical soln. 4−30849
- H_2O_2, polarisabilities and optical rot. HF perturbation calc. 4−31820
- α-HgS, rotatory power, band gap (0.6 μm) to 1 μm wavelength, one oscillator model, 300, 196, 77, 20 and 4K *(French)* 4−13443
- KCl, F-centre coagulation to quasimetallic centres, obs. 4−13483
- OPH_nX_{3-n}, X=R, OR magnetooptic modulus estimation, electronic struct. calc. *(French)* 4−40230

optical rotation continued
- PH_nX_{3-n}, X=R, OR, magnetooptic modulus estimation, electronic struct. calc. *(French)* 4−40230
- SPH_nX_{3-n}, X=R, OR, magnetooptic modulus estimation, electronic struct. calc. *(French)* 4−40230
- Te, free hole and electron masses, Faraday rot. obs. 4−37165

optical storage devices
- *see also holography*
- holographic element, arithmetic and control operations *(Russian)* 4−39261
- holographic memory devices 4−22883
- light valves, laser-addressed, using liquid crystals 4−31087
- Pb,La(Zr,Ti)O_3 ceramic, holographic storage 4−35307

optical stores
- *see also holography*
- electro-optical, epitaxial $Bi_4Ti_3O_{12}$ film applic. 4−37746
- electrooptic crystals, holographic storage 4−30493
- holograms, high-density image-storage, random phase sampling method 4−22885
- holographic, read-write, heterodyne readout 4−8378
- holographic associative memories, control function realisation applic. *(Russian)* 4−18472
- holographic data storage, use of heat-processed photoresist 4−14894
- holographic information search applic. *(Japanese)* 4−30485
- holographic information storage, PHEDRE system *(French)* 4−35312
- holographic memories, binary processes, capacity calc. 4−30489
- holography, new materials investigation *(Russian)* 4−39256
- holotablet, memory for peripheral terminal devices 4−2298
- information processing, appls. in Japan 4−22884
- $CdIn_2S_4$:Cu(Au), relax. of photocond., residual cond., optical memory effects 4−24779
- $LiNbO_3$:Fe hologram, multiple rerecording, fixation by heating to 75°C, memory appl. 4−11520
- MnBi film signal-to-noise ratio for magnetooptic readout 4−33383
- $MnBi_{1-x}Sb_x$ films magneto-optic readout efficiency meas. using mirror substrates 4−25077
- SmS crystal surface, laser-induced metal to semicond. transition, data storage appl. 4−31061

optical systems
- apertures, target-synthesised, appl. 4−15319
- apodisation use in coherent imaging system 4−8354
- autocollimator, automatically compensated photoelectric 4−30468
- biocular eyepiece, for far i.r. imaging system 4−14852
- for bubble chamber track scanner 4−18642
- contrast transmission function determ. *(Russian)* 4−2278
- cylindrically symmetric wave propagation through system of arbitrary complexity 4−26936
- data processor components, production based on polarisation-interference interaction in light beam *(Russian)* 4−39701
- Dialyte problem, generalization *(Italian)* 4−2601
- dynamic, coherent without noise and speckle applied to zoom stereoscope 4−37
- eigenvalues ratio measurement, known eigenpolarizations, ellipsometric arrangement 4−2272
- fibre optic discs, effects on frequency-contrast characts. 4−5461
- field lenses, thin double-plane symmetric, distortion and control of field curvature 4−14856
- holographic, Shannon number and impulse response 4−30487
- image formation, analytical evaluation 4−23279
- i.r. thin film coating specification 4−14844
- laser interferometer for screw pitch error measurement, error analysis 4−23403
- lens, 2-component pancratic with linearly related component displacements, analysis *(Russian)* 4−8351
- lenses, temperature distribution, design formulae *(Russian)* 4−22816
- Lyot stop, for reduction of diffraction 4−14857
- in machine systems 4−14847
- magnetic bubble-domain detection *(Japanese)* 4−14843
- measurement, complete process with spatial phase filters 4−35253
- modulation transfer function, system with chromatic aberration 4−22825
- Moire fringe formation, polarisation raster system *(Russian)* 4−18468
- objective and fly's eye lens element, modulation transfer function 4−22820
- pancratic, analysis *(Russian)* 4−15302
- pancratic afocal three-component system, design 4−22821
- polarisation states invariant ellipticity, parametric eqn. for loci 4−35241
- reflex image centering instrument for systems with small apertures *(German)* 4−26498
- resolution, critical, in partially coherent light, effect of non-uniform illum. 4−18427
- resolution, fundamental, interf. and diffr. limited, spherical obs. wavefronts 4−8353
- resolving power $\gg$ diffraction limit 4−5460
- with shaded aperture, diffraction images of truncated one-dimens. periodic objects 4−18419
- solar energy two-mirror system, geometric parameters, differential eqn. soln. 4−18396
- spectra, two-channel optical bridge for resolving intensity fluctuations in transmitting medium 4−18461
- three component zoom system, linear relationship between component movements 4−22823
- vacuum u.v., material selection 4−26496
- variable focus system, independent parameters for correcting third-order aberrations 4−18442
- visual, improvement of focusing precision *(Russian)* 4−22815
- wave propagation, intensity distrib. in image space calc. 4−39710

optical telescopes *see telescopes*

optical testing
- *see also optical instrument testing; optical workshop techniques*
- aspherical surfaces, I-D synthesized holograms 4−30454
- centered optical systems contrast transmission function determ. *(Russian)* 4−2278
- chamber, high-pressure, semiconductor laser investigation, low temps. 4−4990

optical testing continued
- cost minimisation, manufacturing programme, use of probability theory *(German)* 4—5040
- flats of optical components, inspection with table model interferometer 4—18441
- fluid dynamic props., meas. by optical methods using salt tracers *(Russian)* 4—26749
- lens, cylindrical, taper and rotation angles, new testing instrument 4—22833
- lens quality evaluation, o.t.f. simultaneous meas. at three field points 4—35263
- lens system, using new design common path interferometer 4—35302
- lenses, near perfect, practical limits of image quality 4—30450
- mirror, large diameter parabolic, compensator for quality inspection 4—18440
- non-optical properties of materials, Brillouin scattering *(German)* 4—5042
- scientific instrument manufacture, appl. of Flatness Interferometer 12 4—18356
- single-coordinate measurements, precision comparators 4—18355
- spatial filtering method, isotropic Hilbert 4—5036
- spherical surfaces, contactless testing with interferometer, choice of light source 4—5044
- sphericity of short radii convex surfaces, instrument patterned from projecting microscope 4—35257
- stress analysis displacement measurement, diffractography, holography, techniques, comparison 4—41
- surface measurement, caustic method 4—35262
- surfaces, radii of curvature calc. from interference fringe obs. 4—8358
- universal bench for optical element examination *(Hungarian)* 4—35260
- CaLaSOAP:Nd, laser material, high average power testing 4—8832
- ZnSe, strength characteriz. using statistically designed proof test 4—5038

optical variables control
- eye focus control rel. to retinal intensity distribution, expt. *(Japanese)* 4—18141
- laser beam power stabilisation, by Pockels effect *(French)* 4—30504

optical variables measurement
- *see also colorimetry; densitometry; light velocity measurement; photometry; polarimetry; refractive index measurement; turbidimetry*
- aberration, modified Vaisala meas. method with incoherently illuminated grating 4—18420
- a.c. reflectometry, for smoke and H_2S meas. 4—35093
- angular adjustment systematic error, collimator type sighting device 4—18429
- angular intensity distribs. of light sources, meas. using rotating prism and conical mirrors 4—30439
- angular motion, use of cylindrical reflection and flat transmission diffraction gratings 4—22824
- back reflection, at reduced specimen distance, according to DIN 67520 *(German)* 4—35248
- birefringence, phase shift precise meas., electro-optic light modulator 4—39209
- coaxial photocell, high-speed, laser pulsed-radiation measurement apparatus, fatigue study 4—30503
- colorimetry, tirstimulus colorimeter *(Hungarian)* 4—18449
- colorimetry, tristimulus colorimeter *(Hungarian)* 4—18446
- colorimetry, tristimulus colorimeter *(Hungarian)* 4—18447
- colorimetry, tristimulus colorimeter for solutions and transparent gels *(Hungarian)* 4—18448
- complete process in optical systems, using spatial phase filters 4—35253
- exposure control apparatus for still cameras 4—18512
- fast optical processes, using image convertor, sweep generator cct. 4—39269
- frequency shift of in-plane vibrations, optical heterodyne technique 4—22767
- glare measuring apparatus, experience *(German)* 4—14846
- granularity of colour TV films 4—35322
- hologram image retrieval, object coord. formulation 4—30483
- laser beam pulse shape, wide range of intensities, meas. 4—5088
- laser modes, off-axial, oscillographic recording 4—2305
- laser pulses, ultrashort, structure 4—22819
- luminescence decay time, by photomultiplier sensitivity modulation 4—39210
- metal film, optical consts., determ. from transmission meas. using semi-graphical method *(German)* 4—35256
- modulation transfer function, objective and fly's eye lens element system 4—22820
- nonvacuum ponderomotive laser energy meters, thermal effects *(Russian)* 4—22897
- optic axial angle and indicatrix orientation, computer determ., extinction data 4—6296
- optical density, of blood, pulsatile and steady state simultaneous measurement 4—38990
- orbital photograph interpretation 4—42187
- o.t.f. simultaneous meas. at three field points, less quality evaluation 4—35263
- photometry, spectral distribution of discharge lamps *(Hungarian)* 4—18450
- plane parallelism, components in optical contact 4—14888
- prism angle and refractive index, simultaneous determ. 4—30438
- pulsed laser emission meter with self-compensating electrostatic torsional microbalances *(Russian)* 4—22896
- quasi-monochromatic thermal light, coherence meas. using speckle patterns 4—18426
- reflectance, microscopic images 4—35247
- reflectivity of dielectric mirrors, reflectometer appl. 4—35252
- spatial frequency analysis of radar topographic images and simulations, viewing angle effects 4—39236
- speckle, second order statistical props. meas., autocorrelation and Wiener spectrum 4—18425
- spectral radiance meas. methods *(German)* 4—22851
- spectral sensitivity meas. of photodetectors, DMR-4 monochromator modernization 4—22856
- temporal modulation of optical signal, filtering, coherence rel. to sensitivity *(French)* 4—34
- thermoelectric cryostat, for optical investigations 4—18400

optical variables measurement continued
- transmission, complex amplitude, of electron microscope objects, holography use 4—26532
- transmittance in visible, spectrophotometer meas. with 0.1% accuracy 4—18462
- ultrashort pulse, using nonlinear mirror 4—26541
- wavelength, Michelson interferometer, He-Ne comparison 4—22877
- Si/SiO_2 interface, surface roughness, guided beam attenuation meas. in Si waveguide 4—26454

optical waveguides
- cutoff condition, round and slab guides 4—15303
- dielectric, dispersive, optical pulse carried by partially coherent waves, propagation characteristics *(German)* 4—39687
- dielectric, extrapolation of Snell's law 4—15304
- distributed feedback lasers, nonuniform gain, coupled mode theory 4—35859
- distributed feedback semiconductor laser, transverse mode control 4—19122
- dye laser, coaxial waveguide, high efficiency, internal excitation 4—8820
- fibre, coherence theory, many modes, time, distance depends. 4—19040
- fibre, evaluation using Brillouin spectroscopy 4—19131
- frog rod properties, determ. by microscope microspectrophotometer 4—14874
- garnet thin films, refr. index meas. 4—17146
- gelatin film microwaveguide, plane and ring waveguide coupling *(Russian)* 4—11496
- glass, conf., Bedford, USA (Oct. 1973) 4—21442
- holographic thin film coupler, coupling coeff. determ. 4—5083
- integrated optical circuits, application to scanning and recording of images 4—325
- integrated optics, holographic coupling 4—11525
- laser, Co waveguide 4—19093
- laser, far i.r. waveguide 4—19123
- laser, waveguide TEA 4—19094
- laser beam stability control, subject to statistical variations 4—8860
- laser modes, nonuniform distributed-feedback waveguide lasers 4—19062
- liquid crystal, thin-film waveguide, optical deflection, elec. field modulation 4—20962
- material dispersion in optical glass fibres 4—30963
- modulation of $Ga_{1-x}Al_xP$ heterostructures prepared by liquid-phase epitaxy *(German)* 4—17188
- multimode fibre waveguide core, light scatt. theory 4—26918
- passive, evanescent field coupling to thin film laser, optimum conditions 4—35867
- propagation along lens-like medium with general taper, analysis 4—5462
- quartz and glass film, guided-wave struct., second harmonic generation 4—19136
- SELFOC fibre waveguide, dielec. const., interferometric meas. to sixth order 4—44
- soda-lime-silica glass, contrib. of optical absorption edge to intrinsic loss 4—19038
- streak camera, flexible light duct for image rotation 4—18503
- $12Bi_2O_3$:Ga_2O_3, single cryst. waveguiding thin films, liq. phase epitaxial growth 4—4041
- $6Bi_2O_3$:TiO_2, single cryst. waveguiding thin films, liq. phase epitaxial growth 4—4041
- CO_2, pulsed waveguide laser, relax. oscillator form. 4—31013
- CO_2, waveguide laser, self-pulsing by discharge relax. oscill. 4—15344
- CO_2 laser, miniature TEA, confined within dielec. and metal waveguide 4—23300
- CO_2 sealed-off waveguide laser characts. 4—19095
- CS_2 filled, pulse propag., computer simulation 4—27004
- GaAs film waveguides, growth and evaluation at 10.6 micron wavelength 4—21217
- $LiNbO_3$, acousto-optical diffraction of guided optical waves 4—11357
- PbTe, thin film, on low refr. index substrate, TE, TM reflectivities 4—26987
- SiO_2 low optical loss 4—33894
- ZnS, modulation of He-Ne laser beam, using u.v. and electron irrad. 4—39271
- ZnS film, for harmonic generation of Nd:YAG laser 4—31079

optical workshop techniques
- aspherical surface grinding, quasi-free lapping control 4—26505
- boring of deep holes in optical blanks 4—14860
- coating of glass blanks with crushed magnesite, fine annealing 4—22836
- component polishing and machining, ion beam use 4—5045
- corundum single crystal, mechanical finishing, optimum procedure calcs. 4—18436
- cylindrometer, lens radii of curvature inspection 4—30451
- drilling of finished optical glass plates, volume effects 4—38
- education, technique for determ. combination lens principle planes and equiv. focal lengths 4—18313
- foil etching, perforated metallic light attenuator fabrication 4—35268
- glass ball manufacture, small diameter, calibrated, from melt 4—30452
- glass tube drawing, for channel emitters, fibre optics 4—35269
- graticule making, automatic machinery, microphotography, photo resists 4—2310
- high-pressure chamber, low temperatures 4—5039
- laps, flexible conforming, method of fabrication 4—39
- laser communication system, 1 Gbit/s laboratory, performance using quadriphase-shift-keyed modulation 4—19160
- lens polishing machine, polishing factors determination glass wearing control expt. *(Japanese)* 4—2276
- lens production, blank mounting, mechanical device 4—30453
- lenses, concentric hemicylinder, production 4—30448
- magnetic bases 4—18326
- metallic iris, aperture fabrication 4—18433
- moire fringe shifting using gap effect, linear relation to shift of optical axis, method 4—40
- optical fibre end preparation for low loss splices 4—14854
- oxide single crystals preparation, zone melting, quantum electronics appls. *(Russian)* 4—37757

optical workshop techniques continued
plane surface production, precision technique *(Czech)* 4—2275
polishing process of optical blanks, stabilisation 4—18443
polygon, optical, method of optimum orientation *(French)* 4—14855
pressure forming of thin blanks, mold with restricted surface 4—18444
replication of optical surfaces, use of polymerising cements 4—22831
semiconductor crystal cleavage, orientation procedure *(German)* 4—29019
spot block for lens manufacture, new casting method 4—18434
surface contaminant removal 4—35261
surface flaw detection, expt. anal. using grazing angle illumination 4—8309
surface testing, radii of curvature calc. from interference fringe obs. 4—8358
telescope, compound, reflecting, alignment technique 4—35264
u.s. method for deblocking of optical blanks 4—35267
vibration machining for surface dulling of instrument components 4—26504
Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4—23419

optics
see also aberrations; atmospheric optics; fibre optics; geometrical optics; integrated optics; mirrors; nonlinear optics; particle optics; physical optics; quantum optics
image intensity meas. amplitude and phase determ. in bright-field optics 4—23280
information theory appl. *(Hungarian)* 4—5470
random field properties *(Russian)* 4—5327
teaching, nonscience students, verbal visual nonmathematical lecture demonstration undergraduate course 4—18291

optimal control
see also dynamic programming; game theory; maximum principle
Bellman's equations, exact soln., appl. to optimum control aircraft banking 4—36654
biological waste treatment reactors, adaptive control 4—4897
BWR core, simulated, optimal control rod policies for operating cycle 4—23791
limit g-load in spacecraft re-entry, control function 4—4682
nuclear reactor, nonstationary heat processes, optimal control 4—2998
nuclear reactor, optimal feedback control system, characts. 4—36257
nuclear reactor thermal processes *(Russian)* 4—36340
pH control process 4—33998
plasma confinement, collisionless, localised time-varying electric fields 4—24304
point mass motion, in spherical lamella of central gravit. field, synthesis 4—2031
potentiostatic technique, high speed iR compensation using positive feedback 4—2425
rocket powered hypervelocity vehicle, optimal three dimensional manoeuvring 4—42290
semiconductor impurity distribution, c.-a.d. 4—6977
spacecraft, guidance trajectory, optimal correction optimal correction of the guidance trajectory 4—4690
spacecraft, parallel guidance method, optimum energy characts. 4—4681
two-group neutron diffusion, nonlinear optimisation problem *(German)* 4—15936
uranium product evaporator 4—5915
waste treatment, biological 4—26284

optimal systems
adaptive optimality, absolute and constrained 4—11396
sonar signal processing, normalisation techniques and optimal processors, comparison 4—11399
water quality management system, distributed, open-loop performance index sensitivity 4—4898

optimisation
see also minimisation
acoustic transducers, electromagnetic for NDT of ferrous sheet metal 4—33949
beam structures, optimum design by dynamic programming 4—2495
Boolean optimisation methods for direct solutions of X-ray diffraction 4—40723
charged particle recording in outer space, geometry factor optimization 4—34971
columns thin-walled closed cross-section, optimum design in elastic and inelastic ranges 4—18865
of computer aided reduction of redundant triangulation *(Russian)* 4—29384
decision problems, derivation of entropy and maximum entropy criterion 4—23230
elastic bar optimal nonhomogeneity anal. 4—35632
e.m. wave scattering from straight perfectly conducting wire 4—26913
fast breeder reactor, ^{238}U-^{239}Pu, cooperative games 4—3003
feedback technique for satellite orbit accuracy *(Japanese)* 4—25917
fibre reinforced-sheets, determ. of optimum fibre arrangements 4—23142
field emission optics, generalised modular system 4—5238
flame spectrometry, on-line digital computer applic. 4—11673
functionals, application to aerodynamic quality of bodies in hypersonic Newtonian flow 4—36651
geophysical equipment load determ., for geophysical parties, reliability theory applic. *(Russian)* 4—42200
geosynchronous satellite ascent, optimization of altitude and inclination charge 4—42291
gravitation, non-coplanar optimal two-impulse transfers *(Russian)* 4—30868
instrumental parameters, automated nonflame atomic fluorescence spectrometer 4—5275
instruments with different measuring ranges, optimal combination *(Russian)* 4—8296
ion beam emitter, numerical optimisation *(Russian)* 4—8445
iteration processes, one and two step, convergence problems, Banach and Hilbert spaces *(German)* 4—2454
lattice structures in creep conditions, optimum design, Kempner-Hoff theory of buckling 4—2494
light emitting diode source/film interface 4—30510

optimisation continued
LMFBR, 10000 MWe, design and optimisation 4—31466
LMFBR, computer-based model, economic design trends 4—40085
local model pseudopotentials values of optimisation criteria calc. 4—1194
LWR refuelling schedule, stagewise optimization 4—31487
mechanical systems, criteria of perfection *(Russian)* 4—39503
molecular orbitals, parameterizations of little rotations for functional iteration 4—27593
N/D equations, CDD poles, inelasticities 4—35961
neutron transport, Monte Carlo convergence 4—31444
nonoverdamped-systems, minimax principle 4—39469
nuclear power reactor optimization of PWR loading patterns by reference design perturbations 4—31488
nuclear reactor, optimal fuel management model 4—23768
plane waveguides separated by multiapertured screen, geometrical optimisation *(Russian)* 4—8659
plate, circular, comparison of optimal and stiffened plates for load carrying capacity 4—11748
radiographic images, in serial angiocardiography 4—30224
radiotherapy, algorithmic approach 4—18220
secondary fast reactor, two-matrix game problem 4—3005
shell, multilayer, cylindrical, in axial compression, optimal design *(Russian)* 4—35687
sonar signal and filter optimisation, jointly and severally 4—14733
space vehicle, optimal reorientation 4—29799
stress analysis, selection of near optimum finite element grids 4—23138
thermal deflections of parallel circular discs, finite element analysis, error bounds 4—30773
underwater sound receiving arrays, beamforming optimisation 4—14736
vibrating rectangular plates, optimal design 4—8646
vibrating structures, optimal disposition of vibration sensors using information theory *(Russian)* 4—18919
vibration suppression optimisation in game theoretic terms *(Russian)* 4—35700
X-ray tube, controlled pulsed, with cold cathode, optimal operating mode 4—18742

optimization *see optimisation*

optimum control *see optimal control*

optoelectronic devices
see also photoelectric devices
atmospheric discharge meas. *(Slovene)* 4—7825
data communication and display applications *(German)* 4—23402
mechanical variables meas., use of lasers and Doppler effect *(German)* 4—39219
optical information processing, appls. in Japan 4—22884
short range surveying 4—34507
for simulation of analysis of complex visual images *(Russian)* 4—30197

OR gates *see logic gates*

orbital calculation methods
see also atomic orbitals; Hartree-Fock method; molecular orbitals calculations; self-consistent field methods
atom, dipole length formulation, calc. of C1 wave functions and oscillator strengths 4—23952
atomic, many electron wavefunction, hyperspherical expansion 4—36408
bound state wave function, anal. for exponentially screened Coulomb pot. 4—23182
excited state coupling in low order many-body theory 4—27510
Gaussian Hartree-Fock calculations, comparison of 3d polarisation functions and bond functions 4—3097
momentum-translation approx., higher order corrections 4—12467
multiconfiguration self-consistent field, general Fock eqn. soln. 4—31782
semiempirical formula for β parameter in molecular energies calculations 4—36471
Slater integrals, exact evaluation using symbol manipulation language ALTRAN 4—23174
Ni atom clusters, CNDO calcs. 4—28328

orbitals, atomic *see atomic orbitals*

orbitals, molecular *see molecular orbitals*

order-disorder transformations
alloy, binary, configurational heat content jump calc. by generalized Bethe method *(Russian)* 4—9990
alloy, connection between Bragg Williams theory and coherent pot. model 4—33660
alloy, electrostatic model *(Russian)* 4—3466
alloy, ternary h.c.p., impurity influence *(Russian)* 4—41525
antifluorite structures, R$_2$MX$_6$, displacive transform., n.q.r. 4—10347
benzene derivatives, orientational correlations, X-ray diffuse scatt. expt. *(French)* 4—6399
binary alloys, critical points, higher order transitions, review, discussion of results 4—37816
β-brass, creep above critical pt., partial decomp. obs. *(French)* 4—25367
critical phenomena, review 4—20402
ferrocene, 165 K, X-ray diffr. obs. *(French)* 4—40795
ferroelectric, phase transitions, order-disorder type, review of expt. results, discussion 4—20940
ferromagnetic Ising fluid model 4—3817
film, second order transitions, expts., review 4—24666
glass, structural disorder, statistical anal. of e.p.r. and n.m.r. spectra 4—20218
graphite, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4—31533
group theory method, to determ. symm. of soft modes in general second order phase transitions 4—1105
Heusler alloys, ordered, antiphase boundaries influence on low temp. precip. *(Russian)* 4—21247
ice, hexagonal, heat capacity meas., relaxational proton ordering 4—37019
ice I, V, VI and VII, orientationally ordered phase formation, dielectric constant meas. 4—36990
Ising model, three-spin interactions on triangular lattice, exact soln. 4—9985

order-disorder transformations continued
  Jahn-Teller cooperative struct. transform., dynamic susceptibility of electron-phonon system 4−32651
  nuclear reactor matrix material, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
  semiconductor, Urbach absoorpt. edge, structural disorder effects 4−1404
  silicates, order-disorder relationships of rock-forming minerals 4−21853
  soft phonons and central mode at structural phase transitions 4−13015
  solid solutions, substitutional and interstitial ordered, problem of symmetry in statistical thermodymamics 4−4053
  structural, disorder, review 4−20213
  superionic conductor, phase transition to cation disordered state, theory 4−40914
  tetramethylammonium metal chlorides, metal=Mn, Ni, Cd, Raman, X-ray and dielectric constant meas. 4−32650
  triglycine sulphate, ferroelec., cryst. struct. refinement, phase transition investig. 4−25061
  trimethylene oxide, in struct. 1 clathrate hydrate, guest-molecule dipole ordering obs. 4−41324
  Ag-Zn alloys, β' phase, disordering kinetics 4−17223
  $AgCuZn_2$, Heusler alloy ordering 4−25310
  $AuAgZn_2$, Heusler alloy ordering 4−25310
  Au_3Cu alloy, phase transitions and ordering process, thermopower meas. 4−10566
  $AuCuZn_2$, Heusler alloy ordering 4−25310
  $BaMnF_4$, Raman obs. of soft-zone boundary phonons and antiferrodistortive phase transition 4−17073
  $CaCO_3.H_2O$, X-ray evidence for carbonate order-disorder 4−6381
  CoPt alloy, equiatomic, periodic array of ordered nuclei *(French)* 4−1488
  Cu-Au alloys, Cu_3Au_{II} phase growth 4−33647
  Cu-Au thin films 4−1102
  Cu-Au(25 at.%), cold worked, annealing behaviour of ordered and disordered phases 4−33686
  Cu-Pt alloys, order hardening 4−1490
  Cu-Zn alloys, β' phase, disordering kinetics 4−17223
  CuAu, high-press. effect, X-ray anal. 4−41526
  CuAu alloy, phase transitions and ordering process, thermopower meas. 4−10566
  CuAu films, r.f. sputtered equiatomic 4−17221
  Cu_3Au, Al additions effect on ordering behaviour 4−25312
  Cu_3Au, ordering and disordering, domain size 4−21228
  Cu_3Au {100} surface, long range order parameter 300 to 648K 4−13613
  CuPt, equiatomic, order hardening phenomena 4−7021
  CuPt, short and long range order development on heating, elec. resist. charges 4−33667
  ^{63}Cu, n.m.r., in Cu_2HgI_4, quadrupole coupling const. rel. to temp. *(German)* 4−41302
  D_2, solid, martensitic order-disorder transform., u.s. velocity changes 4−3548
  D_2O ice-Ih, imperfection-induced phase transform., u.s. meas. 4−36991
  Fe, tensiometric determ. of thermodynamic functions in Fe-Pt *(Czech)* 4−4068
  Fe-Co alloy, long range order parameter, domain size, study 4−29038
  Fe-Co alloys, metastable disordered α-phase irreversible transform. influence on mag. props. *(Russian)* 4−10284
  Fe-Co-V alloy, hardened, ordering kinetics *(French)* 4−1535
  Fe-Ni alloy, ferromag. resonance meas., anisotropy constants 4−16989
  Fe-Si solid solns., b.c.c., ordering reactions, chem. and mag. interaction considerations 4−33670
  Fe-Si(6.5 wt.%) alloy, effect on ductility *(Russian)* 4−1563
  Fe_3Al, Mossbauer obs. 4−25314
  FeCo, sp. ht. obs. 4−33159
  Fe_3O_4, magnetite, thermodynamic model, ferrimag. 4−20557
  FeS single crysts., stoichiometric, 190°C, spin-flop and 155°C cryst. transitions 4−1315
  H_2, solid, martensitic order-disorder transform., u.s. velocity changes 4−3548
  H_2, solid, mol. ordering in mol. field approx. 4−32653
  KH_2PO_4, deuteration effects on static ferroelec. props., model 4−13392
  K_2SeO_4, superstructure obs. 4−40865
  $KTa_xNb_{1-x}O_3$, cubic phase lattice dynamics, soft modes and struct. 4−20399
  Mg-Cd alloy, high press. effects 4−7011
  N_2, solid, mol. ordering in mol. field approx. 4−32653
  $ND_4Br:^{81}Br$, n.m.r. obs. at high pressure *(Japanese)* 4−32647
  ND_4Cl, mode softening at 249.5K transition, temp. depend. of lattice vibrations 4−32628
  NH_3, two dimens. layer, intercalated in TiS_2, TaS_2, mean-field and harmonic libron theories 4−28167
  NH_4Br, order parameter determ. for order-disorder transition, ^{81}Br n.m.r. 4−20874
  NH_4Cl, piezoelectric consts. meas. near order-disorder phase transition 4−41339
  NH_4Cl small crystals, temp. dependence of i.r. absorption and Raman scattering 4−1391
  $NH_4Cl:^{35}Cl$, n.m.r. obs. at high pressure *(Japanese)* 4−32647
  N_2O thin films, electron diffraction study, 2.2K is sublimation temperature 4−16676
  $NaClO_3$, linewidth of phonons associated to disorder mechanism 4−1104
  $Na(H_{1-x}D_x)_3(SeO_3)_2$, Raman study 4−13421
  $NaNO_2$, $NaNO_3$, linewidths of phonons associated to disorder mechanism 4−1104
  $NaNO_2$, Raman spectrum, lattice dynamics model 4−24545
  Ni_3Co alloy, elec. resist. and DTA obs. 4−1472
  Ni_3Mn, thermo-e.m.f. depend., Pt-Ni_3Mn thermocouple expts. *(French)* 4−28395
  Ni_4Mo, stress-ordered, struct. and mech. props. 4−21224
  β_1-NiZn alloys, f.c. tetragonal, lattice disorder effect on thermodynamic parameters 4−1457

order-disorder transformations continued
  Pb based alloy thin films, supercond. tunnelling meas., struct. effect on phonon distrib. 4−3786
  Si(111) surface, laser deposition and ordering kinetics of Al 4−28978
  $SnCl_2.2H_2O$ single crystal, high resolution heat capacity, anomaly at H order-disorder transition 4−13050
  $SnCl_2.2H_2O(2D_2O)$, heat capacity meas., relaxational proton ordering 4−37019
  U_4O_{9-y}, nonstoichiometric, λ-type sp. ht. anomaly 4−19585
  V_xH, near to V_2H, electron microscope and electron diffr. obs. 4−29068

ordinary ray *see birefringence*

ores *see minerals*

organic acids *see organic compounds*

organic bonds *see bonds (chemical)*

organic compounds
    see also free radicals; organometallic compounds; plastics; polymers; Rochelle salt; waxes
  2-methyltetrahydrofuran, polar matrix, bound-free transitions of trapped electrons, semi-continuum model 4−33456
  2-propanol, polar matrix, bound-free transitions of trapped electrons, semi-continuum model 4−33456
  δ_{ab}:benzo[b]fluoroanthene, n.m.r., inter-ring coupling const. and indeterminateness 4−24117
  π-radicals, α, β-protons, ENDOR signals, temp., viscosity depend. 4−17002
  2,5-di(benzimidazole-2′-yl)furan, generating capacity in spectral blue region *(Russian)* 4−1739
  1,4-di(benzoxazol-2′-yl)benzene, generating capacity in spectral blue region *(Russian)* 4−1739
  2,5-di(benzoxazol-2′-yl)thiophene, generating capacity in spectral blue region *(Russian)* 4−1739
  $(TMA^+)_2(TCNQ)_3^{2-}$, struct. 4−9908
  (TTF)(TCNQ), criteria for giant conductivity 4−16890
  (TTF)(TCNQ), dilute nonmag. impurity effect on Peierls instability 4−20736
  (TTF)(TCNQ), one-dimensional conductor, superconducting fluctuations above 60K investigation 4−16889
  (TTF)(TCNQ), optical properties in visible and i.r. 4−10448
  (TTF)(TCNQ), photoemission spectra obs. at room temp. 4−17163
  (TTF)(TCNQ), review of optical, mag., and electrical props. 4−16753
  (TTF)(TCNQ) electrical resistivity and thermoelectric power meas. 4−16754
  (TTF)(TCNQ) polarised reflectivity spectra meas. 4−17089
  (TTF)(TCNQ) powders and films, i.r. and far i.r. absorption spectra 4−17074
  6-endo-bromo-1,5,5-trimethylnorbornane-2,3-dione, p.m.r., X-ray struct. anal. 4−40314
  acenaphthene, 1,2-disubstituted deriv., vicinal ^{19}F-^{1}H coupling consts., electronegativity depend. 4−9574
  acenaphthylene, Raman, i.r., and electronic spectra 4−797
  acenaphthylene 1-carboxylic acid solid surface, mol. packing and struct. defects influence on NH_3 reactions 4−13980
  acetaldehyde, ^{13}C atom in methyl group, relative signs of coupling constants 4−6107
  acetaldehyde, solvent effect on torsion mode 4−21001
  acetaldehyde, STO-3G calculations, orbital factors rel. to asymmetric induction 4−12537
  acetaldehyde and acetaldehyde-d_4, far i.r. and Raman spectra 4−10408
  acetamide-barbital 1:1 complex, cryst. struct. 4−40788
  p-acetamidobenzaldehyde, microwave absorpt. dielectric relax. mech. 4−40238
  acetic acid, chemisorption on Al_2O_3 amorphous film, inelastic electron tunnelling spectra 4−13101
  acetic acid, dissociation const. from conductance data by multiparametric curve-fitting 4−7441
  acetic acid, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
  acetic acid, self-diffusion and viscosity rel. to temp. 4−16607
  acetic acid + HD, D isotope exchange, anharmonic vibr. coupling of hydroxyl and hydrogen bonds 4−41951
  acetic acid + water, thermodynamic props. *(German)* 4−10788
  acetic acid dimers, anomalous isotope effects in hydrogen bonds 4−24114
  acetic anhydride, molecular orbital calc. of interaction force constants 4−19794
  acetone, 1720 cm^{-1} Raman line, solvent effects *(German)* 4−27662
  acetone, ^{13}C chemical shielding anisotropies, LCAO-MO-MINDO anal. 4−31895
  acetone, carbon tetrachloride soln., static dielectric properties, Boltzmann eqn. 4−33332
  acetone, oscillator strength determ. from electron energy loss spectra 4−884
  acetone, p.m.r. obs. of deuterium quadrupole coupling consts. of acetone CD_3 groups in nematic soln. 4−6106
  acetone, r.f. cond., 400 kHz-6 MHz, rel. to viscosity 4−32936
  acetone, self-diffusion and viscosity rel. to temp. 4−16607
  acetone, self-diffusion in cellulose acetate, n.m.r., rel. to membranes 4−20428
  acetone vapour, electron energy loss spectrum 4−24135
  acetone-methanol-propan-2-ol-water, binary, ternary and quaternary systems, vapour-liquid equilibria 4−17544
  acetonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4−28744
  acetonitrile, ^{13}C and ^{15}N chem. shielding anisotropy 4−33281
  acetonitrile, convolution potential sweep voltammetry 4−15043
  acetonitrile, in nonpolar solvents, weak interactions in vib. spectra 4−10409
  acetonitrile, n.m.r. spectra in lyotropic mesophase soln. 4−6796
  acetonitrile, Stark spectroscopy of ν_4 band, analysis and assignments 4−3159
  acetonitrile + $SbCl_3$, splitting of $\nu(C\equiv N)$ band due to intermolecular interaction *(Russian)* 4−13436
  acetonitrile in β-hydroquinone clathrates, far i.r. spectra, 400-30 cm^{-1} 4−3149

organic compounds continued
acetonitrile-water system, phase separation phenomena, selective solvation on addition of electrolytes 4—38148
acetophenone, cryst., polarized i.r. absorpt. spectra, vibr., struct. anal., space group proposed *(French)* 4—41365
acetophenone and derivs., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4—25505
acetophenone and derivs., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4—25504
acetophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4—25506
acetyl acetone, molecular orbital calc. of interaction force constants 4—19794
acetyl cyanide, mol. struct., gas phase electron diffr. 4—27584
N-acetyl-α-D-muramic acid, conformation and comparison with penicillin 4—20275
N-acetyl-DL-phenylalanine-N-methylamide, cryst. and mol. struct. 4—32530
N-acetyl-L-tryptophan methyl ester, cryst. struct. *(French)* 4—28072
N-acetyl-N-benzyl 2,4 dinitroaniline, p.m.r. investig., multiple internal rots., identification, kinetics *(German)* 4—31891
acetylacetone, struct. and bonding, INDO calc. 4—12545
acetylene, 1650-1950 Å, discontinuity in ^{13}C isotope shift 4—6033
acetylene, ab initio force consts. from SCF wavefunctions 4—24056
acetylene, band intensity of π_u vibrational mode, bond moment theory 4—778
acetylene, D/H and T/H isotopic fractionation, partition factors 4—41952
acetylene, endothermic negative-ion charge transfer, electron affinities, mass spectra 4—12640
acetylene, far i.r. ν_5-ν_4 difference band, rot. structure 4—24083
acetylene, ionisation pot. calc. of closed shell mol. 4—6115
acetylene, i.r. combination bands, involving 0000^01^1 state, vibr. consts. 4—24082
acetylene, oxidation to produce c.w. CO chem. laser 4—39737
acetylene, radiation-induced reactions rel. to complex molecule formation in interstellar space 4—34945
acetylene, reaction rate with Nb, Ta, C absorpt. 4—28287
acetylene, Rydberg series, 1250-1360 Å region, D and G states 4—16067
acetylene, vibrational relaxation times, u.s. wave dispersion and absorption 4—31964
acetylene + O reaction, CO fourth positive v u v chemiluminescence 4—34002
acetylene chemisorption at liquid Na surface, 100 to 200°C 4—4301
acetylene deuterated, liquid self-diffusion, rotational correlation times 4—1131
acetylene fluoride, ^{13}C chemical shift, INDO perturbation theory 4—12606
acetylene-N_2O, flame spectroscopy atomisation cell 4—18790
acetylene-O_2 flame, burning parameters, one hole burner design criteria 4—21533
acetylene-oxygen detonation wave, ionised zone, microwave reflection 4—29300
acetylenes, vibr. spectra analogy with nitriles *(Russian)* 4—24091
N-acetylglycine, X-irrad., neg. ENDOR obs. 4—25024
acetylium ion reaction with aromatic compounds, two-stage ion beam spectrometer 4—18788
acridine dyes, dispersion at 77K, e.s.r. spectral investig. of mol. assoc. *(German)* 4—33238
acridine orange, fluoresc. in anisotropic polyvinyl alcohol film, conc. depolarisation *(Russian)* 4—41429
acridine orange, phosphorescence lifetime, conc. and temp. depend. 4—10764
acridine red, excited singlet state absorpt. spectrum with tunable dye lasers 4—21576
acrolein, i.r. spectrum, torsional and in-plane being vibr. 4—16075
acrolein, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4—27730
acrolein, molecular interactions in excited states (EHP)SCF calculations 4—16146
acrolein, solvent effect on torsion mode 4—21001
acrolein, triplet states, correlation effects on electronic charge distrib. 4—36478
acrolein, u.v. spectrum, triplet-singlet transitions, magnetic circular dichroism 4—27651
acrylonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4—28744
acrylonitrile, far i.r. spectrum, band centres, rotational consts., bending modes 4—16076
acrylonitrile, n.m.r. and e.p.r., solid state transitions and mol. motion *(French)* 4—33270
adamantane, complete valence shell electronic structure, He I and II photoelectron spectra 4—31938
adamantane, cubic phase, Brillouin spectrum, phonon interactions investig. *(German)* 4—33393
adamantane and derivatives, 1-adamantyl radical form. following γ-radiolysis 4—29340
adamantane and derivatives, photoelectron spectra and MINDO-SCF-MO calcs. 4—36566
adenine hydrochloride hemihydrate, cryst. struct. 4—16471
adenosine 3′,5′-monophosphate, effect on Limulus lateral eye retinular cells 4—18146
adipic acid, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4—27730
adsorbates used in gas chromatographic method for surface area determ. 4—39441
L-alanine, C—H/C—D and N—H/N—D stretching vibrations 4—12578
L-alanine, X-irrad., ENDOR obs. on carboxyl radical anion rel. to proton couplings 4—25023
L-alanine-d, i.r. spectra and dichroism, vibr. assignments 4—41378
albumin, monodisperse microspheres prod. by spinning disc technique for radioisotope labelling 4—35496
alcohol, aliphatic, in carbon tetrachloride soln., i.r. spectra, broad band meas., autoassociation consts. *(French)* 4—21000
alcohol solutions in neutral solvents, strong elec. field influence on dielec. permittivity 4—33331
alcohol-carbon tetrachloride mixtures, compressibility 4—4980

organic compounds continued
alcohol-water mixtures, boiling heat transfer rate, pressure effect 4—6487
alcohols, aliphatic, in carbon tetrachloride soln., i.r. spectra, autoassociation consts., monomeric conc. *(French)* 4—20999
alcohols, elec. cond. meas., press. effect, temp. depend. 4—24742
alcohols, photoelectron spectra, electron donor ionisation pot., H-O bond effects 4—19896
alcohols, proton donor-acceptor system, overtone region, hydrogen bonds 4—12586
alcohols, Rayleigh scatt., low temp. intensity variation meas., freezing phenomena *(French)* 4—3958
aldehydes, α,β-unsaturated, conformational anal. 4—12610
aldehydes, unsaturated, electronic structure and dipole moments in ground and singlet excited states 4—3109
aliphatic acids, $CH_3(CH_2)_nCOOH$ and $COOH(CH_2)_nCOOH$, effect on quenching of fluoresc. of m-aminobenzoic acid *(Russian)* 4—12601
aliphatic amine glasses, γ-irradiated, effect of dose on yield of trapped electrons 4—4267
aliphatic amines, protonated, gas phase solvation, thermodynamic quantities determ. 4—41935
aliphatic ethers, dielectric relaxation rel. to flexible hydrocarbon chain *(French)* 4—13384
aliphatic film at air-water interface, surface dipole moment calc. 4—37292
aliphatic ketones, dielectric relaxation and intramolecular rotation 4—3933
n-alkane, Raman spectra, crystal struct., energy and vibr. anal. 4—41375
alkane + HF, vibr. deactivation rate 4—31962
n-alkane molecules, interactions, Monte Carlo computer simulation 4—19928
alkane structures, computer program to identify for students 4—26428
alkanes, bond dissocs., rate const. calc. using spectroscopic data *(German)* 4—33979
alkanes, branched, nonheuristic computer determ. of mol. struct. based on ^{13}C n.m.r. data 4—36554
n-alkanes, cryst., h.p. Raman spectrum, Fermi reson. between CH_2 deform. and bending modes 4—28804
n-alkanes, dielec. loss-factor and relax. minima, 26-140 GHz 4—3934
alkanes, dielectric loss in microwave region 4—20930
alkanes, high-temp. pyrolysis, general mechanism, computer modelling 4—21550
alkanes, liquid, temp. depend. of thermodynamic props., interaction props. 4—29360
alkanes, long-chain, aggregation, obs. using tail end region of small-angle scatt. 4—36777
alkanes, luminescence of thin films under slow electron impact at 77°K 4—28942
alkenes, CNDO/2 and EH calcs. of frontier orbitals 4—36469
alkenes, ionization pots., alkyl group structural effects, quantitative assessment 4—31932
alkoxyazoxybenzenes, liquid crysts., Raman spectra, struct., stability 4—6336
alkoxybenzoic acid polyester molecules, electro-opt. props. and intramolec. liq. crystalline order *(Russian)* 4—17046
4-n-alkoxybenzylidene-4'-n-propylaniline series binary mixtures, nematic-smectic A transition 4—36803
alkoxydiarylboranes, conformational anal., low temp., n.m.r. spectral investig. 4—27579
4(4′)-alkoxyformyloxy-4′(4)-alkylazoxybenzenes, liq. crysts., transition temp., comp. determ. 4—9831
alkyl acid ions, collision with NH_3, CH_3NH_2, $(CH_3)_2NH$ mols., proton transfer rate constants 4—7425
di-n-alkyl azoxybenzenes, first-, second-order nematic-smectic A phase transitions 4—3444
alkyl bromides, dielectric relaxation rel. to flexible hydrocarbon chain *(French)* 4—13384
alkyl chlorides, electronic spectra in range 55000 to 90000 cm^{-1}. Rydberg states 4—795
alkyl groups, electronic effects, hyperconjugation hypothesis 4—24044
alkyl iodide, fluorescence quenching of aromatic polynuclear hydrocarbons *(German)* 4—10484
alkyl phenols, mass spectra, gas chromatography, purity 4—19886
alkyl selenocyanates, i.r. spectra, vibr. analyses, rot. isomerism about C-Se bond 4—19842
alkyl sulphates, transfers between solvents, ion pair extraction consts. determ., partition coeffs. 4—38170
N-alkylacetamides, hydrogen bonding rel. to vibr. spectra at 22 to −190°C 4—27664
alkylbenzene cations, gas-phase photodissoc. ion cyclotron resonance in visible region 4—13996
4-alkylnitrobenzenes, p.m.r. spectra, proton coupling constants 4—24115
alkylperoxy radical u.v. absorpt. and mutual recomb. 4—13995
allene derivatives, optical rot., quantum mechanical theory *(German)* 4—19806
allene gas-phase reaction with ozone, 325 to 525 nm chemilum. 4—1708
allene-1, 1-d_2, microwave spectrum 4—12591
allenes, methyl-substituted and tetramethyl bisallenyl, photoelectron spectra 4—36571
allyl cations, geometry and energy, mol. orbital calc. 4—19735
allyl isocyanate, allyl isothiocyanate, vapour, liq., solid, conformations, vibr. spectra 4—19835
allyl radical, π-electron spin density calcs. by Hartree Fock LCAO-MO-SCF 4—36476
allyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4—40320
allylcarbinyl radicals, e.s.r. investig. of conformations and rot. barriers 4—27710
π-allylic palladium chloride (bromide) and deuterated chloride, i.r. and Raman spectra, isotope effects *(French)* 4—10399
aluminium di-2,4-pentandionato-mononitrate film, effect on Si surface recombination rate *(Russian)* 4—20664

organic compounds continued

- amide-amide complexes, i.r. spectroscopic obs. of hydrogen bonding 4—19824
- amides, α,β-unsaturated, conformational anal. 4—12610
- amides, characterisation by p.m.r. of hexamethylphosphoramide solns. 4—40311
- amides, dielec. const. values selection 4—40349
- p-amiloxy-benzylidene-p'n-hexylaniline, Raman and Rayleigh scattering obs. 4—17078
- amine solutions of rhombic S, Raman spectra 4—3964
- amines, ground state, π-bond energy, heat of form. 4—19768
- amino acid analyser, Mikrotechna 881 4—2414
- amino acid L and D isomers, positron annihilation lifetime spectra, triplet component intensities 4—20322
- amino acids, cryst., ^{14}N pure n.q.r. 4—28726
- amino acids, occurrence in Murchison meteorite 4—34769
- amino acids, positron annihilation, lifetime meas., lattice positronium state trapping 4—28119
- amino acids, Raman and i.r. spectra 4—40274
- 2-amino-4-phenylthiazole hydrobromide monohydrate, cryst. and mol. struct. 4—20272
- 2-amino-5-chloropyridine, cryst. and mol. struct 4—24462
- 4- amino-N-methylphthalimide, glycerin soln., fluoresc. shift in nonreson. laser field 4—41422
- amino-organic, NH_2 electronic struct. and basicity, i.r. spectra 4—36521
- amino-organic, n.m.r., proton chemical shift and NH_2 group struct. 4—36546
- 9-aminoacridine hydrochloride monohydrate, cryst. and mol. struct. 4—36886
- aminobenzene sulphonic acid, Na salts and d-analogues, vibr. band assignments 4—25109
- m-aminobenzoic acid, fluoresc. quenching, influence of saturated aliphatic acids in solvents *(Russian)* 4—12601
- ε-aminocaproic acid in aqueous soln. dielec. relax. spectra *(French)* 4—20931
- p-aminocinnamic acid derivatives, liquid crystals, mesophase transformations 4—6330
- μ-aminodiborane, i.r. spectrum, ring-puckering vibration 4—24074
- β-aminoisobutyric acid, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4—8198
- 1-aminonaphthalene, rot. band contour analysis, A^1A'-X^1A' electronic system 4—36496
- aminonitrenes, singlet and triplet states, ab initio MO calc. of geometry 4—27575
- aminophosphines, multiplicity of P-N bond, i.r. absorpt., config. isomers *(French)* 4—19826
- aminophthalimide, soln. of n-propanol, luminesc. spectra, temp. depend. 4—10477
- aminophylline, effect on Limulus lateral eye retinular cells 4—18146
- γ-aminopropyltriethoxysilane, effect on H_2O adsorption on glass 4—1162
- 2-aminopurine, lowest excited states, absorpt. and flüoresc., solvent polarity effects 4—28897
- 2-aminopyridine-barbital 2:1 complex, cryst. and mol. struct. 4—40791
- ammonium bromides and iodides, organosubstituted, n.q.r., effect of pressure on hydrogen bonding 4—10348
- ammonium copper bromide salts, substituted $(RNH_3)CuBr_4$ type, two-dimens., e.s.r. linewidths and g-values 4—13339
- ammonium hydrogen bischloroacetate, ferroelec. phase, cryst. struct 4—28085
- 4-dimethyl-octyl- ammonium stylbene chloride, crystallisation, d.c. electric field effect 4—20504
- ammonium tartrate, second harmonic generation at 1.153 micron 4—5539
- n-amyl alcohol, scattering indicatrix near critical point, critical indices 4—26882
- amyl anthroate photodimer, in polymer film, use as dosimeter 4—38156
- anhydrides, cyclic, negative ion production cross sections, electron attachment 4—9598
- anhydrohemoglobin, Mossbauer studies and techniques *(Hungarian)* 4—35505
- 1,5-anhydropentitols, vibrational spectra, normal coordinate analysis 4—6076
- aniline, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4—24646
- aniline, fluoresc. lifetimes, quantum yield determ., effect of ^2H substitution, transition rates *(German)* 4—31874
- aniline, in soln., i.r. spectra, NH_2 stretching vibrations, N-H bond symmetry 4—28848
- aniline, nuclear spin-spin coupling consts. of NH_2 fragment 4—6098
- aniline and adducts, H bonding and Fermi resonance 4—6053
- aniline derivatives, intersystem crossing from higher singlet states, conform. effects on luminesc. 4—21581
- aniline-cyclohexane binary fluid, coexistence curve and diffusion coeff. determ. by interferometric method 4—37011
- anilines, effects of steric inhibition to resonance, photoelectron spectroscopy 4—31926
- anilines, secondary and solvent deuterium isotope effects on electronic spectra 4—3199
- anilines, subsituted, i.r. spectra, effects of substituents on N-H valency vibr. *(Russian)* 4—40291
- anilines, substituted, benzene soln., molecular dipole moment determ. 4—20920
- 1-anilinonaphthalene-8-sulphonate in ethanol soln., subnanosecond solvent relax. obs. by oxygen quenching of fluoresc. 4—4272
- anils, alkyl carbonate terminally substituted, preparative methods and mesomorphic temp. ranges 4—9838
- anisaldehyde, generalised hydrodynamics and depolarized Rayleigh doublet 4—28811
- anisole, liquid scintillation counting, radiative energy transfer 4—11581
- anisole, ortho- and para-adamantyl groups, n.m.r. spectra 4—3204
- anisole in polystyrene, internal rotation determ. by spin-lattice relaxation 4—33291
- anisolebutylaniline, liquid cryst., phase change investig. by Volta pot. meas. of cell 4—36806

organic compounds continued

- anizal n-aminoazobenzene, liquid cryst., diamag. anisotropy meas., rot. mag. field 4—13294
- annulenes, bond alternation extent, model 4—765
- anthanthrene, benzophenone mixed crystals, delayed fluorescence study *(German)* 4—4006
- anthracene, amorphous film and single crysts., secondary electron emission 4—33541
- anthracene, charge carrier trapping characts., prep. depend. 4—6636
- anthracene, computation of difference due to effective and average fields in vibronic spectra *(Russian)* 4—13465
- anthracene, condensed, static elec. polarisability changes 4—9507
- anthracene, cryst., doped with tetracene, mag. field depend. of delayed fluoresc. 4—41410
- anthracene, cryst., exciton dynamics, 4000 Å transition spectral moment analysis 4—41042
- anthracene, cryst., hot carrier motion 4—28447
- anthracene, cryst., phosphoresc., fluoresc. from triplet exciton trapping, defect struct. determ. 4—37655
- anthracene, cryst., singlet exciton time response function, line shape analysis 4—41041
- anthracene, delayed electroluminesc. quenching, flakes 4—25177
- anthracene, electrolum., brightness peaks rel. to impact ionisation 4—17126
- anthracene, electron transfer to redox ions in soln., rate const. determ. 4—34037
- anthracene, excited-state u.v. absorpt. spectra using solid state laser PTM spectrometer 4—41976
- anthracene, exciton transitions, second quantised boson theory 4—21014
- anthracene, fluoresc. of tetracene surface film, mag. sensitivity *(Russian)* 4—17118
- anthracene, fluoresc. quenching in CCl_4 and n-hexane solns. 4—10478
- anthracene, ideal space charge limited transients in a Kepler experiment 4—16766
- anthracene, intermol. electronic energy transfer 4—3230
- anthracene, l.p. vapour, intersystem crossing to higher triplet states 4—839
- anthracene, molecular polarisability from treatment of local electric field 4—6590
- anthracene, n.m.r. second moment, intramolecular contrib., librational motion 4—20870
- anthracene, permittivity meas. 4—20922
- anthracene, photoreactions, fluoresc. change 4—10471
- anthracene, Raman intensity ratios of librational lattice modes, temp. and press. depend. 4—28803
- anthracene, Raman lattice modes, pressure dependence 4—6466
- anthracene, refl. spectra, transition at 4000 Å rel. to exciton, polariton band splitting 4—41411
- anthracene, resonance Raman spectra of CCl_4- and CS_2 solutions 4—16098
- anthracene, single cryst., electron energy loss, 3 eV to 25 eV, excitons directional dispersion 4—41043
- anthracene, single cryst., optical properties, excitonic region, 4 to 10.5 eV 4—41385
- anthracene, space-charge-limited hole currents, impurity induced exponential trap distrib. 4—32962
- anthracene, tetracene doped, electroluminescence, triplet excitation *(German)* 4—25174
- anthracene, thermal activation energies for cond. interpret. 4—1228
- anthracene, thin film, electroluminesc. asymm. *(Russian)* 4—21080
- anthracene, triplet exciton lifetime, mech. polishing effects 4—37662
- anthracene, triplet excitons, effect of cryst. bending 4—6912
- anthracene + N,N'-diethylaniline, electron-transfer reaction kinetics, using picosecond laser pulses 4—29353
- anthracene crystal, photodimerisation, SEM techniques 4—25510
- anthracene derivatives, toluene soln., stimulated lasing *(Russian)* 4—13473
- anthracene dimer, Herzberg-Teller interactions indicated in fluorescence spectra 4—9565
- anthracene negative ions in tetrahydrofuran soln., freq. shifts, reson. Raman effect, ring vibrs. 4—799
- anthracene sandwich dimers in dianthracene, photodimerization, spectral obs. 4—25507
- anthracene single crystal, charge trapping phenomena, effect of crystal deform. 4—13182
- anthracene vapour, anti-Stokes excitation, fluoresc. fine struct. obs. 4—24111
- anthracene-acridine solid soln., elec. cond., depend. on cryst. state 4—32930
- anthracene-Al interface, exciton dissociation, molecular orbitals calcs. 4—32903
- anthracene-TCNQ complex, exciton states, SCF intermolecular orbitals, triad exciton model 4—28372
- anthracenes, monosubstituted, regularities in u.v. electron vibration spectra 4—36513
- anthracenes, substituted, second triplet states 4—21588
- anthraquinone, charge transport calcs., band struct., mobility anisotropy 4—6626
- anthraquinone, intermol. electronic energy transfer 4—3230
- anthraquinone, irrad. of anthracene, fluoresc. ageing 4—10471
- 9,10-anthraquinone, phosphoresc. spectra, obs. of intensity distrib. in electronic-vibr. progression *(Russian)* 4—13513
- anthraquinone in hexane, phototransformations, luminesc. obs. at 77K 4—7460
- 1 and 2-anthroic acid, u.v., fluoresc. spectral investig. rel. to soln. acidity 4—37686
- antifreeze 65 unstable film boiling critical heat flux density 4—9980
- antimony pentachloride adduct complexes, ^{121}Sb Mossbauer spectra, quadrupole coupling 4—20903
- APAPA nematic liquid crystal, specific heat anomaly *(Japanese)* 4—36807
- 1-β-D-arabinofuranosyluracil, cryst. struct. 4—36878
- aromatic, conformation of carbonyl group in aldehydes, acids and esters 4—738
- aromatic + cycloparaffin mixtures, excess vol., experimental error anal. 4—23

organic compounds continued
aromatic carbonyl compounds linear sweep voltammetry, reduction mechanism 4—26716
aromatic carbonyl cpds., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4—25505
aromatic carbonyl cpds., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4—25504
aromatic carbonyl cpds. temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4—25506
aromatic compound reactions with CH_3CO^+, NO_2^+, two-stage ion beam spectrometer 4—18788
aromatic compounds, non fluorescing, external heavy atom effect on phosphorescence 4—6923
aromatic compounds of para-RPh Hg I type, Mossbauer spectra of ^{129}I, effect of donor-acceptor substituents 4—1363
aromatic crystal, neutral exciton model for triplet factor-group splittings 4—3716
aromatic film at air-water interface, surface dipole moment calc. 4—37292
aromatic hydrocarbon, O_2 quenching of excited triplet states 4—19860
aromatic hydrocarbon crystal, triplet transfer integrals, influence of nonorthogonality corrections 4—10443
aromatic hydrocarbon radical ions recombination in non polar solvents, electron-tunnelling model 4—1747
aromatic hydrocarbons, mechanism of $S_1 \rightarrow T_1$ intersystem crossing process 4—9571
aromatic hydrocarbons, polynuclear, quenched by alkyl halides fluorescence *(German)* 4—10484
aromatic hydrocarbons, static elec. polarisability changes 4—9507
aromatic hydrocarbons in micellar soln. laser photoionis. 4—13994
aromatic hydroxycarbonium ions, u.v.-visible absorpt. and emission spectra, mol. parameters calc., struct. 4—27649
aromatic molecular ion, resonance spontaneous Raman spectra, anal. of electronic struct. *(Russian)* 4—12575
aromatic molecules, condensed, excited state π-electron polarizabilities 4—12544
aromatic molecules, substituted, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4—24646
aromatic phosphrescent molecules, spin-lattice relax. time meas. *(French)* 4—16118
aromatic vapours, triplet-state lifetimes 4—842
aromaticity prediction from Dewar defn. of reson. energy 4—12542
aromatics triplet molecules, e.s.r., h.f.s. of double quantum transition 4—16119
arsenic acid, alkyl derivatives, Raman and i.r. spectra, AsO bond force constants, vibr. energy distrib. 4—36524
aryl fluorides, polar and π-electron substituent effects by ^{19}F n.m.r. 4—36543
3-aryl-1,3,5,5-tetramethylcyclohexene, phenyl and α-naphthyl analogues, ^{13}C n.m.r., structure and conformation determ. 4—27721
arylethylene, sterically hindered, in neat glassy state, fluorescence and absorpt. spectra 4—13490
arylhydantoins, restricted internal rotation, reversal of effective sizes of methyl and Cl 4—27576
N-arylhydroxamic acids and hydroxamic acids, u.v. absorpt. spectra, solvent effects 4—27656
ascorbic acid, effect on light-induced e.p.r. of chlorophyll 4—42526
asphaltenes, oil spills, viscosity, density, concentration changes under natural weathering 4—7658
atebrine, effect of fluorescence of leaves and algae 4—38946
ATTF-TCNQ, microwave conductivites, metal-to-insulator transition near 60 K 4—10174
azabenzenes, mol. orbital interpret. of photoelectron spectra 4—36472
1-1azabicyclo(2.2.2)octan-3-ono, photophys. props., fluoresc., u.v. spectra, intramol. energy transfer investig. 4—41973
azanaphthalenes, triplet energies calc. 4—29349
azaphenanthrenes and protonated species, zero field splittings in lowest excited triplet states 4—21578
azidomorphine, cryst. and mol. struct. 4—28082
azines, mol. orbital interpret. of photoelectron spectra 4—36569
azines, monocyclic, CNDO/2 treatment of electronic transitions 4—40223
azines, photophysical properties hydrogen bonding and metal complexation effects 4—1740
aziridines, C-alkylated and C-arylated, i.r. spectra, NH and ND transitions *(French)* 4—27685
aziridines, secondary, i.r. spectra, ν_{nh} and ν_{nd} stretching bands, invertomer recognition *(French)* 4—27684
trans-2,2′-azo-p-cymene, cryst. and mol. struct. 4—28070
azobenzene, in binary solvent, electronic, i.r. spectral band shifts 4—13450
azobenzene, vibrational spectra, force constants of planar and nonplanar coordinates 4—811
azobenzenes, i.r. spectra, substituent effects on bands around 1600 cm^{-1} 4—36528
p-azoxy anisole, Raman and Rayleigh scattering obs. 4—17078
n-azoxyanisol, liquid cryst.-solid transform., thermodielectric effect 4—16427
p-azoxyanisole, crystal, nematic and isotropic, i.r. integral intensity, temp. depend. 4—28802
p-azoxyanisole, inelastic laser light scattering from free surfaces, rel. to dispersion relation 4—3442
p-azoxyanisole, liq. cryst., intermolecular and intramolecular contribs. to proton relaxation 4—10343
n-azoxyanisole, liquid cryst., diamag. anisotropy meas., rot. mag. field 4—13294
p-azoxyanisole, nematic liq. cryst., polarisation field and molecular order 4—10369
p-azoxyanisole, solid and nematic phases, Raman spectra, vibr. analyses *(French)* 4—37604
azoxybenzenes, p-disubstituted, transition entropies and mesomorphic behaviour 4—6327
p-azoxydianisole; liquid cryst., isotropic to nematic phase transform. investig. using microscope 4—32424
p-azoxyphenetole, high speed nematic-to-crystal phase transition obs. 4—40744
p-azoxyphenetole, nematic liq. cryst., polarisation field and molecular order 4—10369

organic compounds continued
p-azoxyphenetole inelastic laser light scattering from free surfaces, rel. to dispersion relation 4—3442
azulene, and derivatives, quenching effect on fluoresc. of 3,4-benzpyrene, perylene *(German)* 4—37684
azulene, mol. motion in solid, n.m.r. spectral parameter calc. 4—33286
azulene, transient photoconductivity in single crystals 4—10179
azulene cation, e.p.r., proton hyperfine splitting constant, McLachlan method 4—40319
azulene vapour, threshold electron excitation 4—16136
azulene-benzophenone mixed crystal, polarisability and dipole moment changes of azulene $^1\pi\pi^*$ state by Stark effect 4—1399
azulene-naphthalene mixed crystal, polarisability and dipole moment changes of azulene $^1\pi\pi^*$ state by Stark effect 4—1399
azulene-s-trinitrobenzene complex, azulene mol. motion in solid, n.m.r. spectral parameter calc. 4—33286
barium 2-O-sulphonato-L-ascorbate dihydrate, cryst. struct. 4—16472
BBABN, nematic, order parameter determ. from mag. anisotropy meas. *(French)* 4—9818
benzaldehyde, enigma of aldehyde H-wag vibration in $'A''(n\pi^*)-A'$ spectrum 4—16051
benzaldehyde, phosphorescence excitation spectrum, $n\pi^*$ and $\pi\pi^*$ lowest triplet levels, zero-field splittings 4—37667
benzaldehyde, solvent effect on torsion mode 4—21001
benzalmalonitriles, proton n.m.r. spectra, dipole moments *(French)* 4—12613
1,2-benzanthracene, SCF-MO semi-empirical methods 4—12540
benzanthrene solid layers, heterogeneity rel. to temp. widening of i.r. absorpt. bands *(Russian)* 4—17081
benzene, ^{13}C chemical shielding anisotropies, LCAO-MO-MINDO anal. 4—31895
benzene, ^{13}C n.m.r. shifts, temp. effects 4—3200
benzene, π-electron states, large-scale CI calcs. 4—763
benzene, π-electronic transitions assignment 4—31796
benzene, (-d$_6$), triplet states, site geometry effects in inert gas matrices 4—6928
benzene, adsorbed on SiO_2 gel, sp.ht. meas., phase transition below m.p. 4—10041
benzene, adsorbed on stepped Pt surface, LEED, struct. anal. 4—13100
benzene, adsorption on silica gel, phase transitions, vapour pressure analysis 4—40974
benzene, collinear emission of second order Stokes radiation in stimulated Raman scatt. *(German)* 4—2635
benzene, conc. in air, radiochemical anal. 4—25495
benzene, containing water, negative charge carriers injected from metal/liq. interface, mobility determ. *(German)* 4—34045
benzene, cryst., $S_1(0,0)$ band, density of states function, temp. independ. 4—13125
benzene, diffusion coeff. in polybutadiene film 4—24580
benzene, E-glass adsorprion, i.r. absorpt. study, OH group interactions 4—10039
benzene, effect on tensile creep of poly n-butyl methacrylate 4—10690
benzene, electric field perturbation of electronic spectra in rigid solns. 4—9518
benzene, electron repulsion integrals and symmetry adapted charge distributions calcs. 4—9486
benzene, electronic struct. investigation by ab initio calcs. 4—772
benzene, exciton-phonon interaction, energy transfer spectra, deuteration effect 4—41416
benzene, fluoro derivatives, vibrational force field, overlay technique 4—24050
benzene, high resolution ESCA with fine-focusing X-ray monochromator 4—35531
benzene, i.r. spectrum, Rayleigh scattering orientational motion in liquid 4—20983
benzene, isotope effect calc. 4—12604
benzene, isotope separation, thermal diffusion column 4—27502
benzene, liq., optical birefringence obs. induced by intense laser beam 4—25073
benzene, liquid scintillation counting, radiative energy transfer 4—11581
benzene, luminescence of thin films under slow electron impact at 77°K 4—28942
benzene, mol. orbital interpret. of photoelectron spectra 4—36472
benzene, mol. orbital interpret. of photoelectron spectra 4—36569
benzene, multiparticle character of luminesc. spectra, temp. depend. 4—13517
benzene, optical consts. calc., in 1035 cm^{-1} band region, by Kramers-Kronig method *(Russian)* 4—33371
benzene, oriented crystal, u.s. absorpt. meas. 4—40847
benzene, photoelectron spectra additional bands with Ne or Ar resonance lines, origin 4—31931
benzene, pure liq., vacuum u.v. absorpt. 4—25119
benzene, radiation sensitivity *(German)* 4—7463
benzene, saturated with water, elec. cond., press. effects 4—32943
benzene, SCF scattered-wave method, overlapping spheres 4—9481
benzene, sorption by polystyrene, biaxially oriented, entropy and enthalpy calcs. 4—20478
benzene, triplet lifetime, excitation wavelength, environment depends. 4—6084
benzene, two-photon absorpt., selection rules and Herzberg-Teller theory 4—19807
benzene, two-photon absorption spectrum, using frequency doubled Nd laser 4—22858
benzene, vapour, mag. circular dichroism spectrum f $^1B_{2u} \leftarrow {}^1A_{1g}$ transition 4—3133
benzene, vapour phase, triplet-state lifetime obs. 4—841
benzene, Zeeman and microwave induced delayed phosphorescence obs. 4—3197
benzene + methylcyclohexane excess volume measurement 4—23
benzene adsorbed on charcoal and silica gel, ^{13}C n.m.r. chem. shift anisotropy 4—28280
benzene adsorption isotherms on carbon blacks, surface O complexes effects 4—16656
benzene and alkyl derivatives, intermol. vibronic coupling and hexatrienes form. mechanism 4—34069

organic compounds continued
benzene and benzene-d, cryst., far-i.r. translational lattice modes 4−17060
benzene crystal, polarised absorption spectrum at 2000 Å 4−3983
benzene derivatives, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27729
benzene derivatives, metadisubstituted, cryst. growth *(French)* 4−25228
benzene derivatives, substituted, single cryst. growth *(French)* 4−25229
benzene halogen complex, i.r. N_2 matrix isolation spectra, struct. determ. 4−36526
benzene molecular cryst., thermal conductivity, $-196°$ to $+30°C$ 4−32759
benzene molecule, ground electronic state investigation near Hartree-Fock limit 4−773
benzene molecule, near-Hartree-Fock calcs., for excited states and ions 4−761
benzene pulsed discharge, singly ionised C laser transitions at 6783, 6578, 5145A 4−31008
benzene-cyclohexane mixture, excess Gibb's functions determ. from dew press., vapour comp. meas. 4−34091
benzene-d_6, single cryst., polarized spectrum at 2000 Å 4−37624
benzene-h_6(-d_6), two-photon absorpt. of $^1B_{2u}$ state, moderate resolution obs. 4−19808
benzene-water fluidised bed, wake phenomena 4−3324
benzenes, disubstituted, internal chemical shift correlations 4−6101
benzenes, mono-substituted, i.r. spectra, C-H region, subst. influence, temp. depend., computer evaluation *(German)* 4−31836
benzenes, monosubstituted, charge transfer reactions at low energies 4−24148
benzenes, substituted, electronic-vibr. spectra, intramol. charge transfer bands 4−9516
benzenes, zero point energy rel. to molecular isotopic structure 4−40242
benzenoid, p.m.r. proton shift ring-current contribs. 4−36550
benzenoid aromatic hydrocarbons, mol., transient absorption spectra, excited singlet and triplet states determ. 4−4275
benzidine-TCNQ solvent-free complex, cryst. struct. 4−32543
benzil, autodetachment lifetimes of long-lived parent negative ions 4−27731
benzil, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
benzil, single cryst., uniaxial to biaxial modification phase transition 4−32702
3-N-benzilaminopyrrolidine-2,5-dione monohydrate, cryst. and mol. struct. 4−32539
benzofuran, and isoconjugated isomer, ab initio LCAO SCF MO calcs., mol. properties 4−40224
benzofuran, single cryst. e.p.r. of T_1 states 4−1731
benzoic acid and derivatives, polycrst., l.f. Raman spectra, interpret. *(Russian)* 4−17080
benzoin, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
benzol compounds, n.m.r., solvent effects 4−40310
benzonaphthofuran-naphthacene system, sensitized luminesc. in thin layers 4−28896
benzonitrile, field ion emission of W, microscopy and mass spectrometry 4−6964
1,12-benzoperylene, amorphous film, absorpt. and fluoresc. spectra 4−21009
1-12 benzoperylene, SCF-MO-CI method for π electrons, interpretation of electronic spectrum 4−27625
benzophenone, $^3\pi,\pi^*$ energy level, determ., from luminesc. 4−38158
benzophenone, aromatic hydrocarbon mixed crystals, delayed fluorescence study *(German)* 4−4006
benzophenone, benzene soln., molecular dipole moment determ. 4−20920
benzophenone, lowest triplet state population after singlet excitation 4−25115
benzophenone, mag. double reson. and optical studies of triplet state in mixed molec. crysts. 4−28929
benzophenone, photo-CIDEP obs. of triplet intersystem crossing 4−10765
benzophenone, quenching by N,N-diethylaniline, laser photolysis study 4−7458
benzophenone, vapour intermol. electronic energy transfer 4−3230
benzophenone, vibr. luminesc., i.r. absorpt. spectra 4−9568
benzophenone and derivs., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
benzophenone and derivs., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
benzophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
benzophenone ketyl radical, CIDEP, viscosity depend. 4−33980
3,4-benzopyrene, vapour, isolated mols., dual fluoresc. quantum yields, response functions, expressions deriv. 4−36538
p-benzoquinone, optically detected magnetic resonance, orbital assignment of phosphorescent triplet state 4−6815
p-benzoquinone, Stark effects on B_{1g} and A_u $n\pi^*$ triplet states 4−1733
p-benzoquinone, structure and properties using MINDO/2 4−744
p-benzoquinone and hydroquinone doping of nematic liq. crysts., effect on d.c. operation life of dynamic scatt. 4−40739
p-benzoquinone solutions, positronium quenching, diffusion 4−20196
benzoyloxybenzoic acid errors, disubstituted, liquid cryst., electrically induced deform. decay 4−12863
1,12-benzperylene in n-heptane, anomalous fluoresc. 4−837
3,4-benzpyrene, delayed fluoresc., quenching by azulenes *(German)* 4−37684
benzvalene, microwave structural obs. 4−3179
benzyl alcohol, dye laser solvent, effect on triplet state population 4−300
benzyl alcohol, in dil. benzene and carbon tetrachloride soln., dielectric loss, 1 to 300 GHz *(German)* 4−37558
benzyl alcohol mixtures with methanol, ethanol, n-propanol and n-butanol, u.s. velocity pressure dependence *(Japanese)* 4−6459

organic compounds continued
p-benzyl alcohols, i.r. band shape, fundamental OH stretching vibration 4−16068
benzyl cyanide, liq., overall and internal rotation, pressure effects 4−10340
benzyl halides, liquid, self-diffusion and viscosity rel. to temp. 4−16607
benzyl mercaptan, Raman and i.r. spectra, Raman line polarization, vibr. modes 4−40267
benzyl radical, three-step photoselection and assignment of electronic states 4−10774
benzyl radical formation and interaction with chloride ion in rigid matrices 4−34070
benzylalkylketones, u.v. spectrum, transannular interaction *(French)* 4−24064
benzylideneanilines, liquid cryst., phase props., diff. scanning calorimetry, thermal microscopy 4−9820
benzylimine and related isoelectric monosubstituted, electronic spectra and MO calc. 4−9519
4-benzyloxybenzaldehyde, microwave absorpt. dielectric relax. mech. 4−40238
betaines, CNDO/2 and EH calcs. of frontier orbitals 4−36469
biacetyl, molecular orbital calc. of interaction force constants 4−19794
biacetyl, phosphoresc., hydroxy- and amino-benzophenone as sensitizers and quenchers 4−17102
biaziridyl, theoret. conformational analysis using semiempirical calcs. *(French)* 4−27583
bicyclohexyl, fluoresc. characts., cryst. phase effects 4−1406
bicyclo[2.2.1]heptanone-2, methyl subst., barriers of rot. investig. using CNDO-2, PCILO calc. methods *(French)* 4−40211
bifurans, isomeric, electronic spectra 4−3134
binary liquid mixtures, relaxing, Brillouin spectra, intensity ratio meas., activity coeff., excess free energy determ. 4−28819
binary mixtures, mass diffusion and thermal diffusivity, quasi-elastic light scattering 4−16606
biphenyl; methyl substituted, triplet state geometries determ. from e.s.r. spectra 4−36541
biphenyl, dihedral angle in solution and molecular force field 4−27586
biphenyl, methyl derivatives, ENDOR, hyperfine structure coupling consts. 4−13366
biphenyl, molecular polarisability from treatment of local electric field 4−6590
biphenyl, radical ion pairs, alkali n.m.r. shifts, hyperfine splitting constants 4−3901
biphenyl, two-photon spectrum 4−27657
biphenyl crystals, emission intensity changes due to light excitation, mechanisms 4−6915
biphenyl crystals, Raman, i.r. spectra, luminesc., low temp. struct. changes 4−3979
biphenyl neg. ion in THF soln., Raman spectra 4−31839
biphenyl-h_{10}(-d_{10}), low temp. solid, spectroscopic obs. of continuous change in mol. and cryst. struct. 4−20976
biphenyl-tetracyanobenzene complex, e.s.r. investig., charge-transfer triplet excitons *(German)* 4−33237
2,2′-bipyridine.2IBr, cryst. struct. 4−36881
2,2′-bipyridine.2ICl, cryst. struct. 4−36881
bipyrroles, isomeric, electronic spectra 4−3134
bis(dioxane) potassium bis(trimethylsilyl)amide, cryst. struct. 4−20281
cis,cis-1,3-bis(styryl)azulene, cryst. and mol. struct. 4−20285
N,N′-bis-(2,2,6,6-tetramethylpiperidyl-4)-succinic acid diamide dihyrate, cryst. and mol. struct. 4−24459
biscyclopropylidene, vibr. spectra, anal. of C=C weak Raman intensity 4−40279
bithiophenes, isomeric, electronic spectra 4−3134
body fluids computerised spectrochemical anal., orthomolecular medicine 4−35034
borate containing organic films, B diffusion from into Si, Si p-n junction fabrication *(Russian)* 4−21208
(-)-bornyl 9-anthryl-3-propanoate, cryst., fluorescence maximum, temp. shift 4−33481
trans-2-bromo-1-fluoro-indan, n.m.r., conformational study 4−6097
L-3-bromo-4-hydroxy-5-methoxyphenylalanine, cryst. struct. *(French)* 4−28068
5-exo-bromo-6-endo-norbornanol-2-endo-carboxylic acid lactone, cryst. and mol. struct. 4−32542
bromoacetylthiophene, two-step adsorption isotherms 4−7451
N-bromoaziridene vibrational spectra, normal vibrations and force constants 4−813
bromocyanoacetylene, isotopic, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
bromoethane, isotope separation, thermal diffusion column 4−27502
4′bromoflavanone, cryst. and mol. struct. 4−28065
bromoform, in CS_2 soln., effect of conc. fluctuations on vibr. spectra line widths 4−13437
bromoform, statistical model for orientational disorder during crystal growth 4−24406
β-bromonaphthalene, i.r. and Raman spectra, vibr. analysis 4−40269
3-bromoquinoline vapour, u.v. absorption spectrum, vibr. assignment, band shifts, 3250-2850Å 4−19811
bromotrichloromethane, kinetics and mech. of reactions of atomic F, mol. beam analysis 4−10742
cis-butadiene, combination with ethylene, calc. of first stage of Diels-Alder reaction *(Russian)* 4−38123
1,3-butadiene, conformational anal. 4−12527
butan-2-one, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
butanal, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
iso-butane, absorpt. coeff. near 3.39 μ, press. effects, 100-760 mmHg *(Russian)* 4−36519
n-butane, proton pulse radiolysis, methodological aspects of technique 4−7456
butene, photodissociation of cations, cyclotron resonance 4−13998
cis-2-butene, polycryst., Raman spectrum, vibr. analysis, potential energy distribution 4−28820

organic compounds continued
butene-2, $Hg6(^3P_1)$ photosensitized cis-trans isomerism, quantum yield determ. 4−41974
butene-2 + H reaction, in flow apparatus, rate constant *(German)* 4−41954
trans-2-butene-d_0(-d_8), vibr. spectrum, normal coordinate analysis 4−12570
4-n-butoxybenzylidene-4'-n-octylaniline, liquid crystal, impurity diffusion in smectic A and B phases 4−6795
t-butyl alcohol, and binary solns. with ethylene glycol, acoustic relaxation 4−22646
n-butyl benzoates, i.r. and Raman spectra, vibr. freq. assignment 4−40270
t-butyl bromide-h_9, -d_9, mid i.r. spectra of plastic crystal phases 4−10402
t-butyl bromide-h_9 and -d_9, i.r. and Raman spectra, vibrational assignment 4−27663
t-butyl chloride, solid, liq., n.m.r., relaxation times meas. 4−13361
t-butyl compounds, partially deuterated, i.r. spectra, CH bond lengths, CH stretching freqs. 4−27687
di-tert-butyl ketone, transient and stationary nutations in chem. induced dynamic polarisation 4−41306
t-butyl radical, e.p.r. spectra in range 91 to 204 K, evidence for non-planarity 4−3202
4-butyl-oxybenzol-4'-ethylaniline, liquid cryst., positron lifetime in five phases 4−20203
butyl-p-p-(ethoxyphenoxycarbonyl)phenyl carbonate, cholesteric-nematic chirality relationship, Cotton effect 4−6337
2,6-di-t-butyl-parabenzoquinone, vibrational spectra, calc. and interpret. *(Russian)* 4−16091
t-butylbenzene, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4−24646
t-butylchloride, solvolysis, obs. using stabilized direct reading conductance apparatus 4−2215
p-butyloxybenzoic acid, liquid crystal, mol. alignment in a.c. and d.c. fields 4−9834
t-butyloxycarbonyltetra-L-proline benzyl ester, cryst. struct. 4−36884
tertbutylphosphines, barriers to rotation about C-P bond 4−12526
butynedioic acid, proton chem. shift anisotropy in carboxyl groups 4−9576
γ-butyrolactone, microwave spectrum 12.4-40 GHz 4−832
butyronitrile, luminesc. and heat evolution during vitrification 4−24400
caesium acetate, X-ray diffr., lattice consts., thermal expansion 4−20424
calcium cadmium acetate:Cu, paramag., exchange interactions and relax. 4−24988
calcium formate, differential thermal anal., phase struct., polymorphism 4−32546
calcium formate, polymorphism, X-ray diffraction 4−32547
calcium L-glutamate trihydrate, cryst. struct. 4−36885
calcium tartrate tetrahydrate:Mn^{2+}, (Cu^{2+}), (Ni^{2+}), e.s.r. obs. 4−20842
calcium tartrate tetrahydrate:VO^{2+}, e.s.r. obs. 4−20843
Canada balsam, MBBA, cholesteric mixtures, plane texture, morphogenesis *(French)* 4−12864
carbazole, electronic structure, SCF scattered wave method 4−12548
carbazole, ionis. pots., electron affinity, excited states, ab initio calcs. 4−12616
carbazole graphitisability of C from, mesophase form. investigation 4−16417
carbazole-pyridine in solid toluene solns., luminesc. quenching const., temp. effect 4−13508
carbon disulphide, elec. cond. meas., press. effect, temp. depend. 4−24742
carbon disulphide, Raman spectra, depolarisation ratio scanning 4−18452
carbon tetrachloride, conc. in air, radiochemical anal. 4−25495
carbon tetrachloride, dielectric loss in microwave region 4−20930
carbon tetrachloride, mol., collision with K_2, elastic scattering, rainbow struct. obs. 4−4250
carbon tetrachloride, mol. orbital interpretation of photoelectron and X-ray emission spectra 4−36568
carbon tetrachloride, molecular reorientation in liq. and plastic phases, Raman spectra 4−28806
carbon tetrachloride, plastic phase, i.r. spectroscopic study of proton donor, acceptor assoc. *(French)* 4−33400
carbon tetrachloride, Raman spectra, depolarization ratio scanning 4−18452
carbon tetrachloride, resonance spontaneous spectra, correction factor for effective and average radiation fields 4−13435
carbon tetrachloride, soln. in n-hexane, width of depolarized combination scatt. lines, during change with conc. of fluidity *(Russian)* 4−37596
carbon tetrachloride, suspension of diamond particles, turbidity, extinction coeff. and particle size determ. 4−41903
carbon tetrachloride + He, solvation energy, ab initio calc. 4−31814
carbon tetrafluoride, fourth virial coeff. 4−9643
carbon tetrafluoride, gas, n.m.r. ^{19}F spin-lattice relaxation time, Raman spectrum 4−19869
carbon tetrafluoride, Raman scatt., temp. and density monitoring 4−11463
carbon tetrafluoride ion, CF_4^+, kinetic energy release in ion fragmentation, coincidence spectrometry 4−31947
carbonyl complexes dissolved in CCl_4, vibration-rotation coupling effects on vibration rotation spectra *(German)* 4−24072
carbonyl complexes dissolved in N_2 gas, vibration-rotation coupling effects on spectra *(German)* 4−24073
carbonyl cyanide, normal coordinate analysis 4−6011
carbonyl cyclic compounds, ^{13}C-H coupling constants 4−6096
2-carbonyl furan, conformational anal. 4−12610
2-carbonyl thiophene, conformational anal. 4−12610
carbonyls, ($n\pi^*$) type, barrier to mol. inversion, CNDo/2 calcs. 4−19762
carbonyls, phosphorescence spectra, transitional assignments, CNDO method 4−19859
o-carborane, solid, temp. effects of laser Raman spectrum 4−17075
carboxilates, e.s.r. of Fe^{3+} clusters, fine struct., exchange coupling 4−20854

organic compounds continued
R-(+)-3-carboxy-2,2,5,5-tetramethyl-1-pyrrolidinyloxy, spin-label, cryst. and mol. struct. 4−28075
carboxylic acid, acid salts, i.r. spectra, mass and temperature effects on ν_a OHO band 4−806
carboxylic acid anhydrides, carbonyl absorpt. bands in i.r. spectra, effect of solvent *(Russian)* 4−21007
carboxylic acid anhydrides, electron vibr. spectra *(Russian)* 4−24094
carboxylic circuits in soln., reorientational relax., depolarised Rayleigh scatt., bonding effects 4−25088
carboxylic group, gas chromatographic microdeterm. 4−26704
carboxymethylcellulose, aq. soln., heat transfer from vertical surface 4−12675
carboxymethylcellulose, aq. soln., local heat transfer coeff. 4−19970
(-)-o-carboxyphenyl methyl sulphoxide, cryst.and mol. struct. 4−28083
carbozole, spectra, using photoselection technique 4−10773
carotene, resonance Raman spectra, structure of excited electronic state 4−6050
carotene chlorophyll, excitation energy transfer, mixed soln. fluorescence 4−37653
carotenid and chlorophyll mixed soln., electronic excitation energy transfer *(Russian)* 4−10771
castor oil, elec. cond. meas., press. effect, temp. depend. 4−24742
castor oil, viscoelastic props., effect of hydrostatic pressure 4−6426
cellulose acetate methanol dioxan dope for making reverse osmosis membranes 4−41988
cellulose nitrate, rate of development of α particle traces *(French)* 4−18669
cellulose nitrate plastic particle detector etching behaviour under various conditions 4−26628
cetane with A-175 suspension, electrorheological, electrophysical props., effect of nonisothermicity *(Russian)* 4−36679
trans-chalcone, nature of electronic absorption bands 4−790
chemical shift, effect of unpaired electrons on O_2 4−858
chloral, solvent effect on torsion mode 4−21001
chloral hydrate, soln. with added boric acid, use as dosimeter for neutron meas. 4−36377
chloral hydrate dosimeter, modified system 4−14706
p-chloranil, cryst., electron injection via exciton decay at metal and aq. electrodes 4−38146
p-chloranil, cryst., substrate sensitization by induced field emission, multiplication effect *(German)* 4−34038
chloranil, single cryst., polarized i.r. ATR, Raman spectra 4−13451
chloranil monovalent anions, i.r. active fundamental vibrations 4−6051
chloranil-trimethylamine, charge-transfer complex, electron transport, doping effects, hopping, tunnelling mechanism 4−3739
p-chloraniline, forbidden factor group states location 4−10439
1-chloro-1-fluoroethane, microwave spectrum analysis 4−3186
1-chloro-2-bromoethane, liquid state dielectric meas. on trans. and gauche isomers 4−10370
N-chloro-chloroforminidoyl choride, n.q.r. temp. depend. and mol. libration 4−31903
α- chloroacetic acid, vib. spectra and structure 4−28822
N-chloroacetyltyramine derived photodimers, cryst. and mol. struct. 4−29346
chloroaluminium phthalocyanine soln., nonlinear props. absorpt. under ruby laser irrad. 4−15387
N-chloroaziridene vibrational spectra, normal vibrations and force constants 4−813
p-chlorobenzaldehyde, interstate interaction in $T_1 \rightarrow S_0$ spectrum, vibrational analysis 4−17122
chlorobenzene, benzene soln., static dielectric properties, Boltzmann eqn. 4−33332
chlorobenzene, excitonic light absorpt. in Fermi reson. region *(Russian)* 4−33424
chlorobenzene, partial r_0 and r_s structures, microwave spectra *(French)* 4−31858
chlorobenzene, wettability of ice, surface tension calc. 4−37083
chlorobenzenes, u.v. photoelectron spectra, substituent effects rel. to band assignment 4−31920
chlorobenzonitrile isomers, vapours, u.v. spectra, vibr. anal. 4−19810
chlorocyanoacetylene, isotopic, microwave spectra, linear molecular struct., vibr.-rot. consts. 4−19851
chlorocyclohexane, various solvents, dielectric properties, 20°C, 0.3-135 GHz 4−3936
chloroform, diffusion coeff. in polybutadiene film 4−24580
chloroform, dipolar absorpt., memory function hierarchy 4−36792
chloroform, dynamical dielectric response, high freq. extended Onsager theory 4−28754
chloroform, electron cyclotron resonance, energies up to 0.4 eV 4−36560
chloroform, mol. orbital interpretation of photoelectron and X-ray emission spectra 4−36568
chloroform, on CS_2 soln., effect of conc. fluctuations on vibr. spectral line widths 4−13437
chloroform, Overhauser, effect on saturated n.m.r. line, relaxation parameters 4−33304
chloroform, rotational cross correlation 4−6066
chloroform, thermal relaxation, temp. depend. from stimulated Brillouin scattering 4−33413
chloroform, with dissolved I_2 mols., Raman intensity dispersion, visible absorpt. 4−28826
chloroform in liquid cryst. solvents, ^{13}C and ^1H chem.-shift anisotropies 4−20882
chloroform in soln., reorientational relax. from depolarised Rayleigh state and n.m.r. 4−28812
chloroform-ethyl cyanide (methyl cyanide) mixture, liq. solid to −180°C, i.r. spectra, struct. *(French)* 4−20295
chloroform-water interaction, spectroscopic evidence 4−9534
chloromethanes, mol. orbital interpretation of photoelectron and X-ray emission spectra 4−36568
chloromethyl ether, microwave spectrum analysis 4−3185
1-chloromethyl-o-carborane, C-derivatives, ^{35}Cl n.q.r. 4−36549
2-chloromethylcyclohexanes, cis- and trans-, i.r. spectra and conformational equilib. *(Russian)* 4−16090

organic compounds continued
chlorophenyl methyl urea, effect on fluorescence of leaves and algae 4–38946
cis-1-4-chlorophenyl-3-methyl-2-methylisoindoline, cryst. and mol. struct. 4–24463
chlorophyll, excitation energy transfer from carotene, fluorescence 4–37653
chlorophyll and carotenid mixed soln., electronic excitation energy transfer *(Russian)* 4–10771
chlorophyll solution, light absorption, fluorescence, solvent effect 4–21008
chlorophyll-a, fluorescence, excitation-wavelength depend. and solvent effects 4–33477
chlorophyll-a, pigment bearing algae, sea distrib. mapping by laser fluorosensor 4–8874
chlorophyll-a and -b solutions, visible absorption and fluorescence spectra, solvent effect, Stokes' shift 4–28850
2-chloropropanal, STO-3G calc., orbital factors rel. to asymmetric induction 4–12537
1-chloropropane, isotope separation, thermal diffusion column 4–27502
p-chloropropiophenone, microwave absorpt. dielectric relax. mech. 4–40238
chloropyridines, u.v. photoelectron spectra, substituent effects rel. to band assignment 4–31920
4-chlorothiane 1-oxide, cis and trans conformations, 1,3-dipolar effect 4–27574
2-chlorothiophene, 5-substituted, ^{35}Cl n.q.r., electronic effects 4–9586
3-chlorothiotane, Raman and i.r. spectra, vibrations and conformational analysis *(Russian)* 4–16089
chlorotrifluoromethane, gas-phase etching of sapphire substrate 4–28303
cholesteric liquid crystal, rotary dispersion and circular dichroism 4–10390
cholesteric mesophase, mag. properties and cholesteric-nematic transition obs. diamagnetic susceptibility *(French)* 4–10255
cholesterol based film, between Hg electrodes, i-v charact. 4–16839
cholesterol benzoate, MBBA, cholesteric mixtures, plane texture, morphogenesis *(French)* 4–12864
cholesteryl alkyl carbonate esters, liq. cryst., helical twisting power of steroidal solutes 4–9837
cholesteryl esters, binary systems phase studies, aliphatic ester pairs 4–9825
cholesteryl esters, binary systems phase studies, aliphatic ester pairs 4–9826
cholesteryl myristate, solid crystalline phase, X-ray obs. of struct. 4–9836
cholesteryl nonanoate, cholesteric-smectic-A transition, impurity effect 4–32430
cholesteryl nonanoate, liq. crystal, pitch temp. depend. during cholesteric-smectic-A transition 4–16421
cholesteryl stearate, equilib. density-temp. behaviour and interphase transform. kinetics 4–28019
cholesteryl stearate, solid crystalline phase, X-ray obs. of struct. 4–9836
cholesteryl-6-n-alkoxy-2-naphthoates, homologous series, liquid cryst. properties, smectic-cholesteric phase transition 4–40742
choline chloride-KCl-H_2O systems, isothermal diffusion meas., density data, refr. index derivs. determ. 4–29366
chromophore, in water and perfluoro n-hexane solvent, visible spectrum, solvent shifts 4–21013
chromophoric structure, spectral characteristics computation, quantum-chemistry method *(German)* 4–40231
chromosphere, alcohol soln., 77K, vibronic coupling of intramolecular dimers, luminescence and absorption spectra 4–21063
chrysene, charge carrier trapping characts., prep. depend. 4–6636
chrysene, condensed, static elec. polarisability changes 4–9507
chrysene, fluoresc. quenching in CCl_4 and n-hexane solns. 4–10478
cinnamaldehyde, flow birefringence meas. using boundary layer shear waves *(German)* 4–33372
cinnoline and 4-methyl derivative, lowest triplet state nature 4–25497
cinnoline-d_6, in naphthalene, electronic spectra, vibronic band cryst. induced coupling 4–33408
clathrate hydrates, dielectric props. between 4 and 270 K 4–33333
clathrate hydrates, nature and occurrence 4–32550
clathrate ices, n.m.r. properties 4–33275
coating and cleaning of metals, SEM exam. of organic coatings 4–37910
cobalt acetate, anhydrous, crystallographic investigation, lattice parameters and space groups *(Spanish)* 4–32549
cobalt phthalocyanine, mag. circular dichroism 4–28852
colchicine, in soln., photophysics, absorption, luminescence spectra *(French)* 4–10758
collidine, optical anisotropy meas., eq. soln., Rayleigh scatt. 4–13429
conjugated molecules, spin arrangement in strong mag. field 4–27614
conjugated polycyclic systems, valence-bond struct., Kekule index 4–12546
conjugated systems with and without alternation, comparison of expt. and theor. π-electron diamag. susceptibilities 4–36484
coolants for nuclear reactors, microwave void fraction meas. 4–5899
copper formate tetrahydrates, hydrogenated and deuterated, l.f. Raman spectra, phase transition effects *(French)* 4–33396
copper hexadecachlorophthalocyanine, electron microscopy, mol. image resolution 4–28009
copper oxinate, growth on zinc oxinate 4–28031
copper phthalocyanin, non-porous film, prep. and photovoltaic effect in electrolyte 4–26202
copper phthalocyanine, adsorption on W, admolecule-probe field emission microscopy 4–6553
copper phthalocyanine, drift mobility of holes, temp. depend. 4–6625
copper phthalocyanine, low temp. sp. ht., Neel temp., and exchange consts. 4–3841
copper phthalocyanine, model of elec. transport phenomena and surface states 4–3736

organic compounds continued
coronene, amorphous film, absorpt. and fluoresc. spectra 4–21009
coronene, out-of-plane molecular vibrations *(Russian)* 4–12551
coronene, vibr. struct. of fluoresc., solvent effect 4–28900
coronene in n-octane, fluoresc. spectrum, 0-996 cm^{-1} multiplet 4–41360
coronene mononegative ions, angular momentum calculations 4–24031
coronene-triphenylene mixed crysts., fluoresc. and phosphoresc. spectra, 4.2K 4–21046
cortisol, biochem. anal in blood plasma, accidental exposure, ^{192}Ir gamma rays 4–8198
1:1cortisol-pyridine, $C_{21}H_{30}O_5.C_5H_5N$, cryst. struct. *(French)* 4–28056
coumarin, molecule, substituent effects on triplet-triplet absorption spectra 4–4276
coumarin, single cryst. e.p.r. of T_1 states 4–1731
coumarin, triplet-triplet absorpt. spectra 4–34072
coumarin dyes, chemical structure relation with laser action 4–26979
coumarins, electronic struct. molec. orbitals study 4–19769
cracked methanol as protective gas for steel 4–8575
creatine, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4–8198
creatinine, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4–8198
o-, p- and m-cresol-ethyl methyl ketone, binary liquid mixture, ultrasonic obs. of mol. association 4–3524
Cresyl violet-rhodamine 6G, excitation transfer, fluoresc. lifetime meas. 4–26971
cryptocyanine glycine solution 4–26977
cryptocyanine soln, spectral kinetics of laser action 4–26978
cryptocyanine/methanol soln., S_1-absorpt., 530 to 700 nm. *(German)* 4–6893
cryst., proton n.m.r. shielding investig. by multiple pulse techniques 4–41261
crystal violet, picosecond internal conversion and laser element applic. 4–21047
crystal violet semiconductor dye, location depth of local levels determ. 4–37173
crystalline, electrochem. non-equilib. saturation currents, expt. proof 4–29339
crystals, h.v. electron microscopy, increasing specimen lifetime 4–9804
Cu-phthalocyanine vapour, ruby laser quality modulation, 150 to 200 MS cm pulse *(Russian)* 4–39748
cyanin dyes in rigid-glass solns., low temp. delayed fluoresc. 4–1736
cyanine, symmetrical, third-order optical polarisability, π-electron contribs. 4–31825
cyanine dye, monomol. layer on p-chloranil, sensitization by induced field emission, multiplication effect *(German)* 4–34038
cyanine dyes, dispersion at 77K, e.s.r. spectral investig. of mol. assoc. *(German)* 4–33238
cyanine dyes, monolayers, spectral sensitisation of semiconductors, photoconductivity meas. 4–4292
cyanine dyes, origin of low temp. delayed fluorescence 4–28933
cyanine dyes, singly adsorbed layers, ionisation energy 4–4287
cyanine dyes, spectral sensitisation, electrochemical potential data 4–4290
cyanine dyes adsorbed on Ag halides, J-aggregate bands, supersensitization hole-trapping mechanism, luminescent evidence 4–4288
10aα-cyano-1α, 4aβ-dimethyl-7-ethoxy-2β-methoxy-1, 2, 3, 4, 4a, 9, 10, 10a-octahydro-1β-phenanthrenol, cryst. and mol. struct. 4–24460
cyanoallene, microwave spectrum 8-40 GHz 4–830
cyanobenzene, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4–24646
N-p-cyanobenzilidene-p-n-octyloxyaniline, liq. cryst., smectic-A-nematic phase transition bend elastic constant 4–12866
p-cyanobenzilidene-p-octyloxyaniline, smectic-A, quasielastic Rayleigh scatt. from de Gennes undulations 4–17066
N-p-cyanobenzylidene-p-n-octyloxyaniline, in glass tube, nematic-smectic A transition 4–36802
cyanocobalamin (vitamin B_{12}), dicyanocobalamin and cyanoaquocobinamide, resonance Raman spectra 4–6873
1-cyanonaphthalene, triplet extinctions and fluorescence intensities rel. to fluorescence quenchers *(German)* 4–13993
3-cyanopyridene, Zeeman effect of ^{14}N nuclear quadrupole resonance 4–20896
cyclenes, conformational energies calc. 4–746
cyclic, three membered, mechanistic characteristics of thermal ring opening 4–7422
cyclic cpds., ^{13}C n.m.r. 4–16127
cyclic hydrocarbons, electron impact studies 4–874
cycloalkanones, fluorescence 4–3195
cycloalkanones, medium and large ring, ^{13}C and ^{1}H n.m.r. evidence of conformations and energy barriers 4–40208
cyclobutane (and -d_8), ring-puckering isotope effect 4–822
cyclobutanes, methylene tilting 4–27580
cyclobutanone, n.m.r. and ^{13}C satellite spectra, anal. by computer simulation 4–20885
cyclobutylacetylene, photoelectron spectra 4–31936
cyclohexa-1,3-diene, cis- and trans-, 265.4 and 280.4 nm photolysis 4–25508
cyclohexa-1,3-diene, cis- and trans-, unimolecular reactions, gas phase photolysis 4–25509
cyclohexane, ^{13}C n.m.r. shifts, temp. effects 4–3200
cyclohexane, adsorbed on stepped Pt surface, LEED, struct. anal. 4–13100
cyclohexane, cryst., far i.r. spectra, solid-state phase transitions, struct. investig. 4–40893
cyclohexane, dielectric loss in microwave region 4–20930
cyclohexane, fluoresc. characts., cryst. phase effects 4–1406
cyclohexane, isotope separation, thermal diffusion column 4–27502
cyclohexane, mol., collision with K_2, elastic scattering, rainbow struct. obs. 4–4250
cyclohexane, positive ion scavenger effect on ion recomb. times, high mobility hole existence 4–21571
cyclohexane, pure rotational Raman spectrum, determ. of molecular consts. and structure 4–3164

organic compounds continued
  cyclohexane, structure by gas electron diffraction 4−742
  cyclohexane and methylcyclohexane, irrad., solvent positive ions-solute reaction rate consts. 4−10756
  cyclohexane fluorides, chemical-shift isotope effect rel. to stereochemistry 4−12607
  cyclohexane in adamantane matrix, γ-irrad., cyclohexyl radical form., e.s.r. obs. 4−21572
  cyclohexane molecular cryst., thermal conductivity, $-196°$C to $+30°$C 4−32759
  cyclohexane-benzene mixture excess Gibbs functions determ. from dew press., vapour comp. meas. 4−34091
  cyclohexanol, u.s. velocity dispersion 4−11365
  cyclohexanol in different solvents, dielec relax., 20-40°C 4−10373
  cyclohexanone, free energy function determ. microwave spectroscopy 4−12590
  cyclohexene, ^{13}C n.m.r. shifts, temp. effects 4−3200
  cyclohexene-3-carboxylic acid, n.m.r. study of H bonding 4−19885
  cyclohexenes, highly substituted, ^{13}C n.m.r., structure and conformation determ. 4−27721
  cyclohexylacetylene, photoelectron spectra 4−31936
  cyclohexylamines, various solvents, dielectric properties, 20°C, 0.3-135 GHz 4−3936
  cyclohexylfluoride, DCNDO/2 calcs. of electronic struct. *(French)* 4−27620
  cyclooctane, chemically activated, relaxation, i.r. chemiluminescence, vibr. energy distrib. 4−31845
  cyclopentadiene, partially oriented in nematic phase, n.m.r. obs. of mol. struct. 4−19866
  cyclopentadienide ion formation via electron photodetachment, upper limits to electron affinities 4−24122
  cyclopentadienyl cations, stability of isomeric forms, CNDO calc. 4−5976
  cyclopentadienyl cations and anions, $(CH)_5{}^+$ and $(CH_5)^-$, stable forms, MINDO/3 calc. 4−5977
  cyclopentane + benzene, excess volume measurement 4−23
  cyclopentanone, microwave-optical double reson. and dynamic interconversion of configs. of excited states 4−1732
  cyclopentanone, optically detected zero-field multiple resonance of n,π* triplet states 4−28930
  cyclopentanone i.r. and Raman spectra, anharmonic vibr. resonance in C-O stretch band 4−27661
  2-cyclopenten-1-one, -5 and -5-d$_2$, i.r. and Raman spectra, vibr. fundamentals, ring-puckering 4−16078
  cyclopentene, nuclear Overhauser enhancements and relaxation times 4−41307
  cyclopropane, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
  cyclopropane gas, Raman spectra 4−8365
  cyclopropyl cations, geometry and energy, mol. orbital calc. 4−19735
  cyclopropyl cyanide, microwave spectrum 4−9547
  cyclopropyl methyl ether, microwave spectrum, ground state transitions 4−19849
  cyclopropylacetylene, photoelectron spectra 4−31936
  cyclopropylcarbinol, 1-cyclopropylethanol, vapour, liq., cryst., and in CCl_4 soln., conformational behaviour, vibr. spectra 4−19832
  cyclopropylidene, MINDO/2 calcs. of rearrangement reactions 4−741
  L-cysteine, C−H/C−D and N−H/N−D stretching vibrations 4−12578
  cysteine hydrochloride monohydrate, two component phase, 333 to 388K, n.m.r. study 4−41299
  L-cystine, tetragonal, cryst. and mol. struct. 4−28092
  L-cystine dihydrochloride, cryst. and mol. struct., neutron diffr. obs. 4−28074
  cytochrome-c, resonance Raman spectra, effect of excitation-light freq. *(Russian)* 4−12574
  cytosamine triacetate, cryst. and mol. struct. 4−12935
  cytosine monohydrate, e.s.r. of γ-irrad. single cryst. with S impurities 4−20845
  cytosine reaction with solvated electrons, SCF-MO calc. of ketyl radical intermediates 4−27604
  trans-decalin, nuclear Overhauser enhancements and relaxation times 4−41307
  trans-2-decalone, molecular struct.; vibr., conformational energy and electron diffr. studies 4−36464
  decamethanium, n.m.r. study of mol. movements *(French)* 4−9864
  n-decane, cluster sizes in prefreezing region, viscosity anomalies rel. to reduced freezing temp. 4−6480
  n-decanol, dye laser solvent, effect on triplet state population 4−300
  deferoxamine, Mossbauer studies and techniques *(Hungarian)* 4−35505
  11-deoxy-17-ketosteroid, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4−8198
  17-desoxymethasone, $C_{22}H_{29}O_4F$, cryst. struct. *(French)* 4−20280
  deuterobenzene, deuteron quadrupole coupling constant, σ-π inequivalence 4−31902
  deuteromethane, solid, thermal cond. in orientation-disordered phase, 27-90 K 4−24599
  Dewar benzene, microwave spectra and Stark effect, rot. consts. and dipole moments 4−31862
  dextran esters, formation obs. by i.r. methods *(Russian)* 4−6058
  di(2-ethylhexyl) phosphoric acid, use in solvent extraction of ^{238}Pu from fission prods. 4−36346
  4,4′-di(n-alkoxy)azoxybenzene, nematic homologous series, elastic consts. 4−24391
  di(p-halophenyl)-dichalcogenide, crystal data 4−32545
  di(p-tolyl)-diselenide (telluride), crystal data 4−32545
  4,4′-di-n-heptyloxyazoxybenzene, liquid cryst., mol. organisation within smectic C mesophase 4−40745
  cis, trans-2,5-di-t-butylcyclohexanol toluene p-sulphonate, cryst. and mol. struct. 4−28071
  diacetoxynaphthalenes, long-range ^{13}C-H spin-spin coupling 4−27708
  diacetyl ferrocene, marker for Mossbauer spectra of liq. crysts. *(Russian)* 4−20210
  diacyl peroxides, carbonyl absorpt. bands in i.r. spectra, effect of solvent *(Russian)* 4−21007

organic compounds continued
  dialkyl sulphides, electronic structure determ. from X-ray Kβ_1 emission of S 4−6023
  N,N-dialkyl-p-cyanoanilines, anomalous fluorescence 4−16114
  diallyl phthalates, curing reaction, dynamic shear meas. 4−21481
  1,5-diaminonaphthalene, elec. cond., zone refined, impurity effect 4−32944
  dianin clathrates, single cryst. growth *(French)* 4−25231
  diarylaminyl radical, recombination reaction, perturbation molecular orbital study 4−16046
  1,3-diazaazulene, electric field spectra, dipole moments 4−10442
  1,4-diazabicyclo[2.2.2]octane-boron(trihalide) complex, vibr. spectra and assignments 4−40285
  diazanaphthalenes, fluorine substituted, photoelectron spectra 4−31933
  diazaphenanthrenes and protonated species, zero field splittings in lowest excited triplet states 4−21578
  diazines, n.m.r. spectra in lyotropic mesophase soln. 4−6796
  2,3-diazobicyclo[2,2,n]alk-2-enes, n = 1,2,3,4, photoelectron spectra 4−12622
  diazocyclopentadiene, LCAO MO SCF calcs., ESCA, structure, bonding, core and valence ionized states 4−31791
  1,2,5,6-dibenzanthracene, condensed, static elec. polarisability changes 4−9507
  dibenzanthracene, fluorescence, O_2 enhancement in PMAA matrix 4−28890
  1,2,5,6-dibenzanthracene, SCF-MO semi-empirical methods 4−12540
  dibenzo [f,h]-[1,5]-dioxacyclononadiene, u.v. and phosphorescence spectra at 77 K 4−40254
  dibenzofuran, electronic states investigation by absorption and emission spectroscopy 4−3982
  dibenzofuran, i.r. and polarised Raman spectra obs. 4−3966
  dibenzofuran, low energy electronic states, spectroscopic investigation 4−1400
  dibenzothiophen, n.m.r., inter-ring coupling const. and indeterminateness 4−24117
  dibenzothiophene, e.s.r., phosphorescence electronic scheme 4−37481
  5H-dibenzo[a,d]cycloheptene carbanion, paramag. ring currents, proton chem. shifts 4−31894
  5H-dibenz[b,f]azepine nitranion, paramag. ring currents, proton chem. shift 4−31894
  α,ω-dibromo alkanes, dielec. relax., normalized plot, 30-60°C, 1.8 MHz-36.8 GHz 4−20933
  2,3-dibromo-1-propene, liq., cryst., conformations, vibr. spectra 4−19836
  cis-2,4-dibromo-2,4-di-t-butylcyclobutanone, cryst. struct. *(French)* 4−28078
  dibromobenzene, anomalous light absorpt. mechanism *(Russian)* 4−33387
  p-dibromobenzene, n.m.r. in quadrupole regime 4−25011
  p-dibromobenzene, polycryst., ^{81}Br n.q.r. 4−25020
  p-dibromobenzene soln., reson. broadening of i.r. absorpt. bands 4−13432
  1,4-dibromobutene-2, cis conformer, vibr. conformational analysis, rot. isomers 4−16083
  1,2-dibromoethane, thermal conductivity, 4.2K to room temp. 4−40922
  1,4-dibromonaphthalene, absorption line shapes and triplet exciton scatt. 4−21590
  1,4-dibromonaphthalene, e.s.r., triplet exciton temp. depend. 4−33241
  1,2-dibromopropane, liq., microwave dielectric absorption spectrum, electrostatic pot. energy diff. of trans and gauche isomers 4−21108
  1,2-dibromopropane, liq., solid, Raman and i.r. spectra, vibr. freq., assignment 4−19828
  2,5- and 2,6-dibromopyridines, vapour and soln. near u.v. spectra, vibr. analysis, solvent shifts 4−19809
  dibutyl ether, benzene soln., molecular dipole moment determ. 4−20920
  dicalcium strontium propionate, dispersion of u.s. velocity 4−41345
  dicalcium strontium propionate, thermal expansion obs. at ferroelec. transition *(Russian)* 4−6511
  β-dicarbonyl compounds, carbalkoxyl derivatives, study of intramolecular hydrogen bond by p.m.r. method 4−855
  1,1-dichloro-1-nitroethane dilute solution, viscoelastic relax. time, determ. from dielec. relax. 4−6841
  p-dichlorobenzene, ^{35}Cl n.q.r., mechanical coupling of kinetic moment 4−10349
  dichlorobenzene, anomalous light absorpt. mechanism *(Russian)* 4−33387
  p-dichlorobenzene soln., reson. broadening of i.r. absorpt. bands 4−13432
  1-(2′,6′-)dichlorobenzyl-2-ethoxypyridinium fluoroborate, cryst. and mol. struct. 4−28088
  1-(2′,6′-)dichlorobenzyl-2-pyridone, cryst. and mol. struct. 4−28088
  cis-3,4-dichlorocyclobutene, i.r. and Raman spectra, struct. determ. 4−9533
  dichlorodicyanobenzoquinone radical salts, e.s.r. obs. of triplet exciton behaviour 4−10316
  1,2-dichloroethane, thermal conductivity, 4.2K to room temp. 4−40922
  dichloroethylene + F reaction, crossed mol. beam interactions 4−29315
  2,7-dichlorofluorescein in aerated ethanol, attenuating and amplifying, stimulated emission 4−5496
  3,4-dichlorofluorobenzene vapour, electronic spectrum, 2903-2560 Å, vibr. assignment 4−19812
  dichloromethane, in CS_2 soln., effect of conc. fluctuations on vibr. spectral line widths 4−13437
  dichloromethane, mol. orbital interpretation of photoelectron and X-ray emission spectra 4−36568
  dichlorophenoxy acetic acid, Weissenberg photos., geometrical config. 4−20294
  dichlorophenyl oxetanes, p.m.r. spectra, 60 MHz, proton chemical shifts, proton-proton couplings 4−3205
  2,3-dichloropropene, liq., cryst., conformations, vibr. spectra 4−19836
  3,5-dichloropyridine, ^{14}N, H, spin-lattice relaxation time 4−10344

organic compounds continued
- 3,5 & 2,6-dichloropyridines, molecules, i.r. absorption spectra in range 250 to 4000 cm^{-1} 4−3139
- dicyano benzenes, in nematic solvent, p.m.r. obs. 4−852
- 9,10-dicyanoanthracene + 2-methylnaphthalene complex, exciplex and charge transfer fluorescence spectra 4−33478
- dicyclopentadienylberyllium, MO LCAO SCF calc. for exptl. geometric structure 4−752
- dienes, conjugated, long range ^{1}H-^{1}H coupling consts., CNDO, INDO MO calcs. 4−5983
- 1,1'-diethyl 2,2'-cyanine, phosphorescence lifetime, conc. and temp. depend. 4−10764
- diethyl ether, elec. cond. meas., press. effect, temp. depend. 4−24742
- diethyl hexyl sebacate, elec. cond. meas., press. effect, temp. depend. 4−24742
- 3,3'-diethyl thiacyanine, phosphorescence lifetime, conc. and temp. depend. 4−10764
- 1,1′-diethyl-2,2′-dicarbocyanine iodide in glycerol, sub-nanosec. lifetime meas. by nanosec. laser pulses 4−3193
- diethyl-4-4'-azoxydibenzoate, smectic phase obs. by polarising microscope *(French)* 4−24385
- 7-diethyl-amino-4-methyl-cumarin, with tripaflavin addition, ethanol soln., excitation energy transfer *(Russian)* 4−28918
- diethylamine, DTA obs. of crystn. of Se 4−12871
- diethylammonium copper chloride, two-dimens. ferromagnet, e.s.r. 4−24989
- N,N-diethylaniline quenching of benzophenone, laser photolysis study 4−7458
- 3,3'-diethyloxadicarbocyanine iodide and photoisomer mode-locking dye, picosec. meas. of fluoresc. spectra 4−2625
- 3,3′ diethylthiatricarbocyanineiodide, in methanol, optical pumping, single-pass gain meas. 4−39743
- diethynyl ketone, normal coordinate analysis 4−6011
- difluoroacetic acid, rotational barriers, dipole moments 4−745
- difluoroacetone, rotational isomers, solid state i.r. spectra 4−743
- difluoroacetyl fluoride, rotational barriers, dipole moments 4−745
- 1,1-difluorocyclohexane, CNDO/2 calcs. of electronic struct. *(French)* 4−27620
- 1,1-difluorocyclohexane, microwave spectra, dipole moment and struct. 4−27693
- 1,1-difluorocyclopropane, microwave spectrum 4−9548
- 1,1-difluoroethane, CO$_2$ laser pumped, low threshold c.w. laser action, 41.7 to 1020 micron 4−293
- cis-,trans-1,2-difluoroethene, molecular structure, gas phase electron diffraction 4−36461
- trans-1,2-difluoroethene, partially oriented in liq. crysts., n.m.r., indirect couplings, mol. geom. 4−31898
- α,α-difluoroethyl radical, hindered internal rot. of methyl group by e.s.r. 4−12605
- 1,1-difluoroethylene, CO$_2$ laser pumped, low threshold c.w. laser action, 41.7 to 1020 micron 4−293
- 1,1-difluoroethylene gas, used to modulate CO$_2$ laser, Stark splitting of vibr.-rotation lines 4−18485
- difluoromethane, free energy function determ., microwave spectroscopy 4−12590
- diglycyl-glycine, complex with t-RNA, p.m.r. method 4−26200
- 2,3-dihalobutadienes, vibrational spectra, assignments and force consts. 4−6071
- dihalogenated benzenes, in-plane vibrations, i.r. and Raman spectra 4−16072
- dihalogenated benzenes, out-of-plane vibrs., i.r. and Raman spectra 4−16073
- 3,6 dihydro-2H pyran and 2,3 dihydro-p-dioxin, microwave spectra and conform. 4−3181
- p-diiodobenzene, confirmation of theory of spin-lattice relax. in rotating frame 4−25017
- p-diiodobenzene photoconductor, single cryst. phase transition obs. 4−9983
- diisopropylamine, polar matrix, bound-free transitions of trapped electrons, semi-continuum model 4−33456
- 2,3-diisopropylidene-1,4-butanediol, cryst. and mol. struct. 4−40787
- dimenthylketene, microwave spectrum, barrier to internal rot., dipole moment, partial structure 4−24102
- N,N-dimentylformamide, microwave spectrum 4−9556
- dimeric complexes, paramag., exchange interactions and relax. 4−24988
- 4,4'-dimethoxyazoxybenzene nematic mesophase, anisotropic pseudo-potential of dissolved vanadyl chelate 4−20207
- 4,4′-dimethoxyazoxybenzene-4,4′-di-n-hexyloxyazoxybenzene mixture, nematic-isotropic transition 4−20204
- 1,2-dimethoxyethane, dielectric constant, dipole moment meas. 4−13377
- 1,2-dimethoxyethane, intramol. interactions, n.m.r. 4−24026
- 1,2-dimethoxyethane, intramol. interactions 4−24025
- cis- and trans-1,2-dimethoyethylene, vibrational spectra 4−27689
- dimethyl ether-hydrogen chloride system, hydrogen-bonded, broadening of i.r. absorption spectra 4−24088
- dimethyl phosphite, γ-irradiated, H and electron addition to P 4−34065
- dimethyl sulfoxide-water mixture, Raman spectra and hydrogen bonding 4−6890
- dimethyl sulphone, mol. geometry 4−19740
- dimethyl sulphoxide, fine structure determ. by Fourier transform n.m.r. 4−26559
- dimethyl urea, integrated i.r. absorpt. intensities of carbonyl band 4−24070
- 2,6-dimethyl-1,4-dimethoxybenzene, mol., proton mag. relaxation times meas. 4−3909
- 2,3-dimethyl-2-butene, gaseous, electron diffr., bond lengths, angles, struct. 4−19739
- 1,2-dimethyl-4-hydroxy-4-phenylpiperidine hydrochloride, cryst. struct. 4−28067
- dimethyl-p-benzoquinone radical, α, β-protons, ENDOR signals, temp., viscosity depend. 4−17002
- N,N-dimethyl-p-phenylenediamine:1,2,4,5-tetracyanobenzene complex, cryst. struct. 4−9910
- N,Ndimethylacetamide, + trifluoroacetic acid, i.r. and n.m.r. spectra, comments *(French)* 4−25483

organic compounds continued
- dimethylamine, mol., collision with alkyl acid ions, proton transfer rate constants 4−7425
- n-dimethylamine-2,5-diphenyloxadiazole, vapour, luminescence, absorption spectra *(Russian)* 4−844
- 2- dimethylaminopurine, lowest excited states, absorpt. and fluoresc., solvent polarity effects 4−28897
- dimethylammonium trichlorocuprate, low temp. heat capacity 4−33152
- N,N-dimethylaniline, adsorption on aluminosilicagel and decathion ceolites, spectral evidence *(Russian)* 4−1743
- N,N-dimethylaniline hydrochloride, i.r., Raman spectra, band assignment, mol. symmetry, protonation of free base effect *(French)* 4−41366
- N,N-dimethylaniline on zeolites, thermal origin of specific absorpt. centres *(Russian)* 4−6897
- 9,10-dimethylanthracene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4−17100
- 9,10-dimethylanthracene perylene in ethanol soln., anisotropy of rot. diffusion of excited mols., fluoresc. polarisation obs. 4−17101
- 9,10-dimethylanthracene-tri-p-tolylamine in tetrahydrofuran, electrogenerated chemilum. 4−10732
- dimethylarsenic acid, i.r. and Raman spectra, anal. of vibr. assignments 4−9535
- 2,3-dimethylbutane, mol. dissoc., thermal energy depend. in charge exchange collisions 4−27760
- dimethylcyclohexanes, i.r. spectra, low temp., high press., condensed phase 4−20974
- dimethylenolphosphates, conformational anal., CNDO/2 method *(French)* 4−12531
- dimethylformamide convolution potential sweep voltammetry 4−15043
- 1,2dimethylindole in solvent mixtures, fluorescence red shift, solvent dielectric const. 4−3998
- O,Odimethylipecoside, cryst. and mol. struct. 4−28061
- 1, 8-dimethylnaphthalene, energy of combustion determ. using bomb combustion microcalorimeter 4−2249
- dimethylnitramine, perdeuterated derivative, i.r. and Raman spectra, valence force field, normal vibr. modes *(French)* 4−27686
- dimethylselenide, vacuum u.v. absorption, vibr. progressions, band angles and distances 4−31832
- dimethylselenide, vapour, electronic absorption spectra between 3000 and 1200 Å 4−794
- dimethylsulfoxide, in binary solvent, electronic, i.r. spectral band shifts 4−13450
- dimethylsulphide, vacuum u.v. absorption, vibr. progressions, band angles and distances 4−31832
- dimethylsulphoxide, p.m.r., solvated Ni^{2+}, Co^{2+}, chem. exchange, spin relax, molecular impact *(French)* 4−17505
- dimethylsulphoxide-boron trifluoride, conform. analysis, rock and roll internal motion 4−3090
- dimethyltelluride, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
- dimethyltelluride, vapour, electronic absorption spectra between 3000 and 1200 Å 4−794
- 2,7-dimethylthiachromine-8-ethanol dihydrate, cryst. struct. 4−24465
- 1,4-dimethylthioxanthene 10-oxide, cryst. struct. 4−16479
- 7,7-dimethyltricyclo[6,2,1,0^{1,6}]undecane derivatives, $C_{15}H_{24}O_4$ and $C_{17}H_{25}O_5Cl$, cryst. and mol. struct. 4−24454
- dinaphto [1,2-f,1',2'-h]-[1,5]-dioxacyclononadiene u.v. and phosphorescence spectra at 77 K 4−40254
- 1,4- dinitrobenzene anion radical, ^{13}C enriched, e.s.r. obs., spin density distrib. 4−3201
- 4-2′,4′-dinitrobenzylpyridine, cryst. and mol. struct. 4−40786
- 1,1-dinitroethane, rates and H isotope effects in ionisation 4−29369
- dinitrofluorenone, electronic structure, SCF scattered wave method 4−12548
- 4,4'- dioctadecyloxy-azoxybenzene, solid ⇋smectic−B transition, melting of aliphatic chains, e.p.r. meas. 4−6338
- m-dioxane, free energy function determ. microwave spectroscopy 4−12590
- dioxane-H$_2$O mixture, mol. reorientation, press. and temp. depend. 4−25007
- dioxane-pyridine mixture, excess vol. and viscosity, 30°C and 40°C 4−28230
- 1,2-dioxetane conversion to two formaldehydes, CNDO/2 CI calculations 4−7423
- 1,3-dioxolane, microwave spectrum, ring puckering, dipole moment, barrier to pseudorotation 4−27697
- 6,7-dioxycumarine, generating capacity in spectral blue region *(Russian)* 4−1739
- 2,5-(2,2)dioxyphenyloxadiazole-1,3,4, electronic spectrum *(Russian)* 4−9570
- diphenyl:anthracene(phenazine), electron spin polarised triplet state energy transfer 4−33247
- diphenyl, thermal neutron diffusion parameters, 20-170 degrees C 4−671
- diphenyl ether, benzene soln., molecular dipole moment determ. 4−20920
- diphenyl sulphides, p.m.r. spectra, 60 MHz 4−3203
- trans-1,6-diphenyl-1,3,5-hexatriene in ordered liquid crystal solns., absorption spectrum 4−10768
- 2,2-diphenyl-1-(trifluoromethanesulphonyl)-hydrazyl, prep. and e.s.r. spectrum 4−21579
- diphenylacetylene, phosphorescent, lowest triplet state parameters from e.s.r. 4−10761
- diphenylacetylenes, disubstituted, nematic phase props. *(French)* 4−24390
- 9,10-diphenylanthrance, low threshold lasing by nonradiative dipole-dipole energy transfer in binary solute solutions 4−5495
- diphenylbutadiene, location of ^1A_g excited state, two-photon absorpt. obs. 4−27705
- diphenylcarbinol, in dil. benzene and carbon tetrachloride soln., dielectric loss, 1 to 300 GHz *(German)* 4−37558
- 3,6-diphenyldithiine, heat of formation, cyclic struct. *(German)* 4−13986
- diphenyloctatetraene, lowest energy excited singlet state, polyene photochemistry 4−25499
- diphenyloctatetraene, polarized fluorescence spectrum 4−6090

organic compounds continued
  diphenylolefins, cryst., electroluminescence *(Russian)* 4−21083
  2,5-diphenyloxadiazole, vapour, luminescence, absorption spectra *(Russian)* 4−844
  2,5-diphenyloxazole, liquid scintillation counting, radiative energy transfer 4−11581
  2,5 diphenyloxazole, solvent effect on thermodynamic props. of excimer formation process 4−13044
  α,ω-diphenylperfluoropolyenes, vibrational spectra, determ. of configurations and frequencies 4−812
  diphenylpolyene solns., low temp. electroluminescence 4−6929
  trans-trans dipropionamide, C_α and N-deuterated, polarised i.r. spectra vibr. assignments 4−12580
  dipropionamide, lattice vibrs. and Raman band splitting 4−10427
  2,2'-dipyridyl, 1,10-phenanthroline and tris and bis complexes with rhodium(III), phosphoresc. decay, low temps. 4−21586
  Dische reaction positive substances, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4−8198
  disodium chlorin complex, and monoanion, polarization of electronic transitions 4−10766
  disodium chromoglycate-H_2O system, mesophase, X-ray diffr., microscopy 4−24394
  distyrylbenzene and derivatives, electronic spectra *(Russian)* 4−16047
  p-dithiin, n.m.r. spectra in lyotropic mesophase soln. 4−6796
  dithiin derivatives, π system interaction, e.s.r. study 4−27712
  meso-3,3'-dithiobisvaline dihydrate, cryst. and mol. struct. 4−36890
  dithioformate ion, normal coordinate anal. of vibrations 4−3120
  dithioformic acid, hydrogen bonding, tautomerism, normal vibr., CNDO/2 and Huckel methods 4−36483
  dithiooxamides, emission props., 77K 4−13491
  diynes, conjugated, long range ^1H-^1H coupling consts., CNDO, INDO MO calcs. 4−5983
  DMSO-carbon tetrachloride and trichloromethane systems containing $TbCl_3$, absorpt. 4−4009
  DNS, positron annihilation study of band structure *(Hungarian)* 4−35505
  double Schiff's bases, dielectric anisotropy and effect on dynamic scattering 4−6325
  DPPH, ENDOR obs. of proton hyperfine coupling 4−10357
  durene, complex with TCNB, triplet-triplet absorption spectra 4−6914
  durene, in 3-methylpentane, 77K, photodissoc., photoionisation, quantum yield, fluoresc. loss method 4−41978
  durene, photodissociation in rigid soln., biphotonic chem. by fluorescence loss method 4−29354
  durene, rigid soln. 77K, i.r stimulated fluoresc. of duryl radical 4−28893
  durosemiquinone radical, CIDEP in flash photolysis of duroquinone soln. 4−34076
  dye, solid microcryst. phase, fluoresc. and quantum yield, quantum counter appl. *(German)* 4−33502
  dye molecules, solvation in aqueous soln. *(Russian)* 4−9987
  dye solution, Raman line intensity meas., effect of absorpt. of matter 4−10413
  dye solutions, e.s.r. investig. of photoinduced triplet states 4−37479
  dye solutions, photoprotolytic, luminesc., stimulated emission 4−28917
  dye solutions, polar, quencher effects on fluoresc. spectra 4−10767
  dyes, adsorbed, effect of crystal defects on ionisation energy 4−28296
  dyes, laser, review of optical props. and structure 4−31032
  EBBA, ^{15}N n.m.r. mag. shielding anisotropies 4−28716
  EBBA, obs. of proton spin relaxation and self-diffusion 4−10342
  EBBA, proton spin-lattice relax. times in solid, nematic and isotropic phases 4−25014
  electrodeposition of nuclear target materials from organic solns. 4−26583
  electrolyte solutions, aq., struct. determ. by i.r. spectroscopy, high temp., salt effect investig. *(German)* 4−33392
  electronic transition energies $n\rightarrow\pi^*$, calc. by simple semiempircal procedure, using Huckel orbitals *(French)* 4−40221
  enamines, heterocyclic, electronic absorption spectra *(Russian)* 4−9517
  enamines, relationship between frequencies of valence vibrations of N-H, i.r. spectra 4−810
  enol phosphates, calc. and experimental dipole moments *(French)* 4−12532
  enzymes Mossbauer studies and techniques *(Hungarian)* 4−35505
  epibromohydrin, vapour, liq. and solid, i.r. spectra, rot. isomerism 4−19831
  epichlorohydrin, vapour, liq. and solid, i.r. spectra, rot isomerism 4−19831
  epifluorohydrin, vapour, liq. and solid, i.r. spectra, rot. isomerism 4−19831
  epiiodohydrin, vapour, liq. and solid, i.r. spectra, rot. isomerism 4−19831
  epoxy anhydride, curing reaction, dynamic shear meas. 4−21481
  ervatamine, cryst. struct. and stereochemistry *(French)* 4−28081
  erythrosene in acetone soln., pulse shape control in Nd-glass laser 4−11531
  esters, α,β-unsaturated, conformational anal. 4−12610
  esters, dipole moment determ. at static 1 Mc/s 4−6838
  estrogens, total, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4−8198
  ethane, ab initio force consts. from SCF wavefunctions 4−24056
  ethane, absorpt. coeff. near 3.39 μ, press. effects, 100-760 mmHg *(Russian)* 4−36519
  ethane, adsorpt. on Cd, isotherm investig. rel. to adsorbed layer characts. *(French)* 4−40975
  ethane, adsorption on Ni, crystallographic problems *(German)* 4−3642
  ethane, chemical thermodynamic props., rigid rotor harmonic oscill. model 4−24160
  ethane, dissociative ionisation by impact of α-particles and electrons at equal velocities *(German)* 4−36581
  ethane, i.r. spectrum, torsion-vibr.-rot. interaction, barrier to internal rot. 4−27669
  ethane, isoelectronic radical ion, structure, e.s.r., unrestricted Hartree-Fock calcs. 4−31772

organic compounds continued
  ethane, isotope effect calc. 4−12604
  ethane, non-reaction at liquid Na surface 4−4301
  ethane, nonadditivity of interband interactions, rot. barrier 4−9475
  ethane, photoelectron spectra, vibr. states of positive ion 4−36574
  ethane, proton pulse radiolysis, methodological aspects of technique 4−7456
  ethane, with heptane, CO_2, isomorphism of critical phenomena, expt. *(Russian)* 4−28199
  ethane + H_3^+, ion cyclotron resonance study 4−894
  1, 2-ethanediol, dynamic nucl. orientation, deuteron tensor polarization 4−28711
  1,2-ethanedithiol, liq., solid, Raman spectra, vibr. of rot. isomers 4−19829
  ethanes, partially halogenated, n.m.r. spectra 4−19874
  ethanethiol, far i.r. spectra and barrier to internal rotation 4−3142
  ethanol, decomposition, CdO, pure and doped, as catalyst, elec. conductivity of CdO 4−10170
  ethanol, dosimetric props. *(Russian)* 4−36404
  ethanol, effect on tensile creep of poly n-butyl methacrylate 4−10690
  ethanol, effect on tensile stress relaxation of poly n-butylmethacrylate 4−10691
  ethanol, effective Debye temp., temp. and press. depend., quasi-cryst. model 4−40900
  ethanol, electronic spectra of trapped electrons, photobleaching obs., 4K 4−10760
  ethanol, horizontal liquid layers, occurrence of convection 4−40431
  ethanol, n.m.r. spectra in nematic phase 4−6105
  ethanol, oscillator strength determ. from electron energy loss spectra 4−884
  ethanol, u.s. absorption, press. depend. calc. 4−3529
  ethanol and toluene, condensing vapour-gas systems, simultaneous heat and mass transfer 4−3557
  ethanol-CCl_4 mixtures, relative mol. orientation from mag. relax. meas. 4−9577
  ethanol-water mixture, hypersound velocity *(German)* 4−32615
  ethanol-water mixtures, mutual diffusion coeff. determ., rapid new method 4−24574
  ethene and olefin copolymers, spectral determination of $-CH_3$ group *(Russian)* 4−6138
  ethoxy ethyne, microwave spectrum, 12.4-32.0 GHz, rot. isomerism 4−19850
  ethoxyethyne, microwave spectrum, rot. isomer identification 4−3184
  1-ethoxynaphthalene, vapour, in ethanol rigid glass, near u.v. spectra 4−12560
  ethyl α-cyanocinnamic esters, proton n.m.r. spectra, dipole moments *(French)* 4−12613
  ethyl alcohol, aqueous soln., boiling mechanism investig. at low press. 4−32037
  ethyl alcohol, Brillouin spectra, thermal wave freq., lifetime meas. 4−17063
  ethyl alcohol-water mixtures, pool boiling, bubble growth rate and boiling heat transfer *(German)* 4−40889
  ethyl ammonium copper chloride, antiferromag. coupled ferromag. layers, field induced transitions 4−28613
  ethyl chloride, CO_2 laser initiated decomposition 4−41938
  ethyl chloride, threefold potential functions, far i.r. data calc. 4−6008
  ethyl cinnamate, viscosity meas. in thermal gradient 4−13058
  ethyl cyanide, and partially deuterated forms, microwave spectrum 4−27700
  ethyl cyanide-chloroform mixture, liq., solid to −180°C, i.r. spectra, struct. *(French)* 4−20295
  ethyl cyanoacetate, liq. and solid, vibrational spectra and rotational isomerism 4−6055
  ethyl ether, Brillouin spectra, thermal wave freq., lifetime meas. 4−17063
  ethyl flouride, threefold potential functions, far i.r. data calc. 4−6008
  ethyl fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
  ethyl fluoride, far u.v. absorption spectrum 4−6036
  ethyl glyoxylate, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
  ethyl halides, methyl torsional overtones, internal rot. barriers 4−40273
  ethyl iodide, CH_3CD_2I in CD_3CD_2I, quantum mech. tunnelling effects in methyl group n.m.r. spectrum 4−1345
  ethyl iodide, Menschutkin reaction with triethylamine chem. kinetics at critical point 4−17499
  ethyl iodide and deuterated derivatives, i.r. spectra, vibr. assignments, normal coord. calcs. 4−24080
  ethyl nitrene, photodetachment of electrons from anion, upper limit electron affinity determ. for radical 4−36563
  ethyl propenyl ethers, i.r. spectra, vapour, liquid and solid phases 4−804
  ethyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
  O-ethyl S-(5-carboxypentyl)dithiocarbonate, cryst. struct. 4−32529
  ethyl sulphate: Cd^{3+}, g-shift calc., inconsistency of Orbach's procedure 4−20847
  2-S-ethyl-2-thio-D-mannose diethyl dithioacetal, cryst. and mol. struct. *(French)* 4−36888
  ethyl-[(methoxybenzylidene)-amino]cinnamate, liq. crystal, p.m.r. obs. of 'phase change' 4−33289
  ethyl-[p-(p-methoxybenzylide)-amino]-cinnamate p.m.r. obs. of mol. motions and ordering 4−6802
  ethylamine, electronic structure calc. by geminals method 4−31798
  ethylbenzene + o-xylene, + m-xylene, excess vol. meas. 4−1123
  N-ethylcarbazole in n-alkanes, phosphoresc. spectra from selected sites 4−28885
  ethylene, σ and π orbitals description by FSGO *(French)* 4−3096
  ethylene, ab initio force consts. from SCF wavefunctions 4−24056
  ethylene, adsorbed on Pt, struct. and chem., CFSO-BEBO calcs., expt. 4−13098
  ethylene, adsorbed on stepped Pt surface, LEED, struct. anal. 4−13100
  ethylene, dimerization reaction, and combination with cis-butadiene, calc. of first stage of Diels-Alder reaction *(Russian)* 4−38123

organic compounds continued
ethylene, dissociative ionisation by impact of α-particles and electrons at equal velocities *(German)* 4—36581
ethylene, electron repulsion integral approx. for ab initio calcs. 4—3104
ethylene, ground state rot. barrier, double config. SCF approach 4—24046
ethylene, i.r. laser double resonance, vibr.-vibr. and vibr.-translation/rot. energy transfer 4—27668
ethylene, laser-induced i.r. fluorescence, fluorescence intensity factors 4—36539
ethylene, laser-induced i.r. fluorescence, isotropic nature 4—19861
ethylene, mol., long range forces between *(Russian)* 4—6133
ethylene, mol. energy transfer, laser induced fluoresc. 4—24153
ethylene, non-reaction at liquid Na surface, reaction with Na-K 4—4301
ethylene, pyramidal distortions in triplet π,π^* state 4—739
ethylene, quenching of laser induced fluorescence 4—897
ethylene, SCF scattered-wave method, overlapping spheres 4—9481
ethylene, vibrational relaxation times, u.s. wave dispersion and absorption 4—31964
ethylene + H reaction, in flow apparatus, rate constant *(German)* 4—41954
ethylene ^{18}O ozonide, microwave spectrum rel. to ^{18}O aldehyde insertion of ozonolysis reaction 4—9550
ethylene acrylate copolymers, H^1 and C^{13} resonance investig. *(German)* 4—40356
ethylene bromohydrin, luminesc. and heat evolution during vitrification 4—24400
ethylene chlorohydrin, luminesc. and heat evolution during vitrification 4—24400
ethylene cyanohydrin, luminesc. and heat evolution during vitrification 4—24400
ethylene diamine, conformational anal., CNDO/2 method *(French)* 4—12533
ethylene dosimeter, fission fragment deposition efficiency meas. 4—19643
ethylene episulphoxide, thermal decomposition, microwave absorption spectrum detection of transient species 4—34016
ethylene glycol, dye laser solvent, effect on triplet state population 4—300
ethylene glycol, horizontal liquid layers, occurrence of convection 4—40431
ethylene glycol and methyl ether derivs., intramolecular interactions, theory 4—24025
ethylene glycol and methyl ether derivs., intramolecular interactions, n.m.r. 4—24026
ethylene glycol unstable film boiling critical heat flux density 4—9980
ethylene glycol-water, polar matrix, bound-free transitions of trapped electrons, semi-continuum model 4—33456
ethylene molecule clusters, gas jet radioactivity transport system 4—5155
ethylene molecule clusters, in gas jet system, evidence 4—18618
ethylene molecule-clusters, in gas jet radioactivity transport system for neutron-induced reactions 4—5197
ethylene oxide hydrate, mid and far-i.r. spectra at 100 K 4—33426
ethylene oxide process employing nondispersive i.r. analysers 4—23048
ethylene reactive collisions with O + N and N atoms, vacuum u.v. chemiluminescence obs. 4—6132
ethylene sequential adsorption on single cryst. W planes, thermal desorption mass spectra 4—24631
ethylene sulphide, r$_s$-structure, microwave spectroscopic obs. 4—19847
ethylene vinyl acetate copolymers, H^1 and C^{13} resonance investigations *(German)* 4—40356
ethylene-benzene, forced convection boiling heat transfer crisis 4—6486
ethylene-glycol, polycryst., l.f. vibrs. assignments and structure considerations *(French)* 4—17059
ethylene-glycol-water, forced convection boiling heat transfer crisis 4—6486
ethylene-water, forced convection boiling heat transfer crisis 4—6486
ethylenediammonium chloride and chloride-d$_6$, Raman spectra 4—41377
ethyleneglycol:methanol, proton spin-lattice relax. and dynamic polarisation 4—20888
ethylenes, substituted, electronic interaction between vinyl group and substituents, electron-withdrawing effect 4—27735
ethylenes, zero point energy rel. to molecular isotopic structure 4—40242
ethylenimine, photolysis at Kr and Xe resonance lines, primary processes 4—34074
ethylenimine, vacuum u.v. photolysis, imino radical electronic states 4—34075
ethylfluoride, photoelectron spectra and orbital assignment by sum rule consideration 4—31935
9-ethylguanine, cryst. struct. 4—12940
2-ethylthio-8-methylinosine monohydrate, cryst. and mol. struct. 4—36891
ethynyldichloroborane, i.r. and Raman spectra 4—6067
ethynyldichloroborane, vibr. spectra assignments 4—40283
ethynyldifluoroborane, i.r. and Raman spectra 4—6067
ethynyldifluoroborane, vibr. spectra assignments 4—40283
p-p-ethyoxybenzylidene aminobenzonitrile/MBBA, liq. crysts., elec. effects 4—24393
excitons, holes and electrons in organic crysts. *(Polish)* 4—16722
F-22 + DBPL soln., absorption refrigerator, circulation rate 4—8341
fatty acid in Al-Al oxide-metal sandwich, oxide film effect on conductivity 4—33038
fatty acids, monomol. layer on p-chloranil, sensitization by induced field emission, multiplication effect *(German)* 4—34038
fatty amines, lubrication of stainless steel, failure rel. to adsorption 4—12988
ferrous oxalate dihydrate, thermal decomp., γ-Fe$_2$O$_3$ form. 4—41942
flavone, phosphoresc. and absorpt. spectra, solvent and substituent effects on triplet state 4—41980
fluoranil, cryst. struct. *(French)* 4—20283

organic compounds continued
fluoranthene, pyrene doped, host-guest singlet-triplet interaction 4—10114
fluoranthene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4—17100
fluorene, crystallisation, d.c. electric field effect 4—20504
fluorene, graphitisability of C from, mesophase form. investigation 4—16417
fluorene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4—17100
fluorene molecules in ethanol, phosphoresc. and nonradiative transitions, I$^-$ ions influence 4—28898
fluorenone, electronic structure, SCF scattered wave method 4—12548
fluorenone, excited state electronic props. 4—31797
fluorescein fast time-resolved fluoresc. meas., using storage ring synchrotron radiation 4—30469
fluorescein-ethanol soln., fluoresc. depolarization, low temp. struct. modifications of ethanol *(French)* 4—17099
2-fluoro-2,2′-spirobis-(1,3,2-benzodioxaphosphole), cryst. struct. 4—40784
9α-fluoro-6α-methylprednisolone, cryst. and mol. struct. *(French)* 4—28091
fluoro-, photoionisation cross sections rel. to He I and He II photoelectron spectra 4—31929
fluoroacetyl chloride, microwave spectrum analysis 4—3188
3, 4-fluoroaniline, in benzene, microwave spectra, dielec. relax., energy parameters 4—20932
2, 3, 4-fluorobenzaldehyde, in benzene, microwave spectra, dielec. relax., energy parameters 4—20932
fluorobenzene, ^{13}C chemical shift, INDO perturbation theory 4—12606
fluorobenzene, far u.v. absorpt. spectrum, ionisation threshold to 13.5 eV, Rydberg series 4—31828
fluorobenzene, photoelectron spectra additional bands with Ne or Ar resonance lines, origin 4—31931
fluorobenzoylchlorides, isomeric, vibrational spectra, i.r. absorpt. 4—19825
m-fluorochlorobenzene, molecule quadrupole coupling constant determ. from microwave spectra 4—3171
fluoroethylenes, hybridization, electronegative substitution, CC-bond shortening, variational calcs. 4—19759
fluoroform, density depend. of refractivity 4—19966
fluoroform, gaseous and liquid, Coriolis interaction in Raman spectrum 4—800
fluoroheptene, electron cyclotron resonance, energies up to 0.4 eV 4—36560
fluoromethane, fluoromethane-d$_3$, molecular force consts. calc., kinematic method, parameter for choice of root 4—6007
fluoromethane laser excited, and mixtures with inert gases, vibration-vibration equilibration 4—896
β-fluoronaphthalene, in naphthalene, absorpt. and fluoresc. spectra, multiplet struct. *(Russian)* 4—21078
fluoroolefins, comparison of semiempirical MO methods for calc. electronic structure and reactivity 4—31800
fluoroorganic, equivalent-cores analysis of ESCA shifts of fluorine 1s electrons 4—869
2-fluoropropane, rotational and vibrational spectra 4—6054
2-fluoropropene, threefold potential functions, far i.r. data calc. 4—6008
formaldehyde:Li$^+$ complex, binding energy SCF calc. 4—27591
formaldehyde, ^{18}O isotope effect calc. from force constants 4—12604
formaldehyde, $^1A_2$ from $^1A_1$ band system, Zeeman field, magnetically sensitive perturbations 4—782
formaldehyde, Coriolis interactions in microwave spectra of vibrationally excited states 4—9553
formaldehyde, deuterated, deuteron quadrupole coupling, hyperfine structure of rot. transition 4—24100
formaldehyde, evidence for presence in stratosphere, i.r. spectra 4—4504
formaldehyde, gaseous, photochemistry, laser excitation 4—24112
formaldehyde, general harmonic force field 4—16048
formaldehyde, h.f.s. of l.f. transitions, 100 kHz to 300 MHz *(French)* 4—9543
formaldehyde, interstellar molecules, observational data on anomalous emission and absorption, review 4—38902
formaldehyde, ionisation pot. calc. for closed shell mol. 4—6115
formaldehyde, l.f. spectrum, h.f.s. of K-splitting transitions, ^{13}C coupling consts. *(French)* 4—36530
formaldehyde, mol. beam, K splitting of $H_2{}^{13}CO$ and $H_2C^{18}O$ *(French)* 4—31856
formaldehyde, molecular interactions in excited states, (EHP)SCF calculations 4—16146
formaldehyde, proton affinity, FSGO method 4—27587
formaldehyde, radiation induced polymerisation, quantum low-temp. limit 4—38133
formaldehyde, solid i.r. and Raman spectra, crystal struct. 4—41373
formaldehyde, spin dipole-dipole parameters, CI calcs. 4—27607
formaldehyde, Stark spectroscopy of the ν_2 bands, rotational consts., dipole moments determ. 4—6069
formaldehyde and -d$_2$, laser Stark spectroscopy, ν_2 fundamentals 4—16080
formaldehyde and d$_2$, $\Delta K = 2$ transitions, mm wave double resonance, direct absorption 4—16100
formaldehyde H_2O system, ab initio MO calc. of H-bond energy between lower excited states 4—40229
formaldehyde vibronic magnetic rotational strengths and oscillator strengths calc. method 4—6040
formamide, viscosity meas. in thermal gradient 4—13058
formamide in aq. solns., ^{13}C chem. shift and ^{13}C-^{15}N coupling const. 4—19879
formanide, D/H and T/H isotopic fractionation, partition factors 4—41952
formate family, new phase-matchable nonlinear optical crysts., transparency in near i.r. 4—19137
formic acid, adsorbed on Ni(110), decomposition, CO_2 flash desorption with surface explosion 4—34085
formic acid, chemisorption on Al_2O_3 amorphous film, inelastic electron tunnelling spectra 4—13101

organic compounds continued
formic acid, Coriolis interactions in microwave spectra of vibrationally excited states 4−9553
formic acid, microwave spectra, 861-874 GHz 4−11501
formic acid, molecular, interactions in excited states, (EHP)SCF calculations 4−16146
formic acid, monomer, mean amplitude of vibr., iterative procedure, force constants 4−36493
formic acid in β-hydroquinone clathrates, far i.r. spectra, 400-30 cm^{-1} 4−3149
formyl radical, 10.2 Kcal/mole heat of formation determ. 4−34026
formyl radical oxidation, rate consts. with O,O_2 additions 4−34025
o-formylphenyltellurenyl bromide, cryst. and mol. struct. *(French)* 4−28062
formylpyridines, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4−40210
formylpyrroles, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4−40210
freon, gas injection, severe streamwise press. gradients, meas. and anal. 4−27922
freon, gas injection, vel. and conc. profiles for zero press. gradient 4−27921
Freon, use in standard leak calibration 4−22809
freon 113, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
freon bromide, use as filler for bubble chamber 4−14983
Freon-113, boiling, effect of plate position on heat transfer rate 4−32041
Freon-113, heat transfer during boiling at isothermal surface 4−32043
Freon-113, heat transfer during boiling on fins with insulating coating 4−40420
Freon-113 film, condensation of vapour on horiz. corrugated tubes 4−32040
freon-12, heat transfer by free convection, near critical pt. 4−27812
Freon-21, heat flux exponents in heat exchange expts. in boiling liq. 4−40427
fulminic acid, deuterated, mm wave spectrum, 60 to 350 GHz, computer-aided analysis 4−40301
furan, dipolar absorpt., memory function hierarchy 4−36792
furan, n.m.r. spectra in lyotropic mesophase soln. 4−6796
furans, 2- and 3-monosubstituted, absorpt. spectra characts., effect of rotational isomerism *(Russian)* 4−16092
furylpyrroles, isomeric, electronic spectra 4−3134
galvinoxyl, α, β-protons, ENDOR signals, temp., viscosity depend. 4−17002
glasses, trapped electron formation by radiolysis 4−32842
α-glucuronamide, cryst. struct. 4−20287
glycerine, thermal diffusivity meas. using spatially periodic temp. distrib. induced by laser light 4−35888
glycerol:Cr(V) complex, dynamic polaris. and proton relax. 4−41262
glycine, C−H/C−D and N−H/N−D stretching vibrations 4−12578
glycine, complex with t-RNA, p.m.r. method 4−26200
α-glycine, X-ray and neutron diffr., MO calcs., electron density, bonding 4−19773
glycine hydrochloride, e.s.r. obs. of electron preferential gransfer in partially deuterated crystal 4−6780
glyclglycine HNO_3, X-irrad. at 4.2K, e.s.r.and ENDOR obs. 4−24983
glycolic acid, γ-irrad. crysts., spin-lattice relax. on main and satellite lines of oriented free radical 4−10311
glycyl-glycine, complex with t-RNA, p.m.r. method 4−26200
glyoxal, liquid, Raman spectrum, freq., intensity and depolarisation degree 4−41367
glyoxal, structure and properties using MINDO/2 4−744
glyoxal vapour, time-resolved fluorescence from single vibronic levels 4−16113
glyoxal vapours, vibr. relax. by electronic energy transfer 4−12632
cisglyoxal-d_1, rot. analysis of 4875 Å O-O bound of first singlet system 4−27641
group V phenyl compounds, photoelectron spectra 4−27738
guanidine-5-aminotetrazole, CNDO/2 approx., mol. and electronic struct. 4−19736
guanidinium aluminium sulphate:Cr(III), magnetically induced circular emission spectrum 4−6908
β-guanidinopropionic acid, cryst. and mol. struct. 4−32540
guanosine hydrobromide hemihydrate, cryst. and mol. struct. *(French)* 4−16476
halobenzene, trisubstituted, singlet transition energies, MIM wavefunctions, PPP charge densities and bond orders 4−27626
halobenzenes, disubstituted, π-electron calcs. by MIM and PPP methods 4−3106
halobenzenes, triplet state properties, PMDR obs. 4−1357
haloethane derivatives, factors affecting conformational preference, classical energy calc. 4−3089
haloethylenes, photoelectron spectra 4−27739
haloflavone, phosphoresc. and absorpt. spectra, solvent and substituent effect on triplet state 4−41980
1-halogen-alkanes, CX-valence vibr., chain length influence *(German)* 4−12584
halogenobenzophenones, dipole moment rel. to mol. conformation 4−6003
m-halostyrenes, molecules, torsional oscillations and thermodynamic functions 4−3140
hematoporphyrin, fluoresc., conc. and pH depends 4−13488
heptane, ^{13}C n.m.r. shifts, temp. shifts 4−3200
n-heptane, adsorbed on stepped Pt surface, LEED, struct. anal. 4−13100
n-heptane, cluster sizes in prefreezing region, viscosity anomalies rel. to reduced freezing temp. 4−6480
heptane, ethane mixture, isomorphism of critical phenomena, expt. *(Russian)* 4−28199
n-heptane, thermal conductivity meas. 4−3592
heptane, vap.-liq. coexistence curve near critical point, density meas. *(Russian)* 4−24554
n-heptane-phenol system, u.s. absorpt. and relax. near critical region 4−6463

organic compounds continued
di-n-heptyl-azoxybenzene, liq. crystal, anisotropy and dielectric const. temp. depend. 4−16420
4,4′-di-n-heptyloxyazoxybenzene, liq. cryst., Mossbauer spectra with diacetyl ferrocene marker *(Russian)* 4−20210
p-n-heptyloxyazoxybenzene, liq. cryst., spin-spin relaxation, proton spin echo 4−33290
heterocycles related to 9,10-dihydroanthracene, ^{13}C n.m.r. chem. shifts 4−27717
heterocyclic cpds. containing S, electronic structure determ. from X-ray $K\beta_1$ emission of S 4−6023
hexa-1,3,5-triene, cis- and trans-, 228.8 and 253.7 nm photolysis 4−25508
hexa-1,3,5-triene, cis- and trans-, unimolecular reactions, gas phase photolysis 4−25509
hexacene crystals, u.v. absorpt. spectrum meas. *(German)* 4−33454
hexachlorobenzene, cryst. and mol. struct. 4−32538
hexachlorobenzene, intermolecular potential function models, lattice energy 4−1026
hexachlorobenzene, X-ray scatt., orientational correlations *(French)* 4−6399
hexachlorobutadiene matrix for spin-lattice relaxation obs. upon 3,5-dichloropyridine soln. 4−10344
hexachloromethyl benzene derivatives, X-ray scatt., orientational correlations *(French)* 4−6399
hexadecyloxyazoxybenzene, smectic dimorphism, props. 4−24388
hexadecyltrimethyl ammonium bromide adsorbed on glass sheets, effect on adhesium of nematic MBBA *(French)* 4−6547
hexadeuterobenzene, isotopic mixed cryst., thermally stimulated delayed fluoresc., exciton annihilation 4−33482
hexafluorobenzene, far u.v. absorpt. spectrum, ionisation threshold to 13.5 eV, Rydberg series 4−31828
hexafluorobenzene, lattice parameters at −17°C 4−16480
hexafluorocyclopropane, mol. consts. 4−19787
hexafluoropropene, microwave spectrum, ground state rot. consts., CF_3 group barrier to internal rot. 4−27696
hexamethylbenzene, ^{13}C chemical shielding anisotropies, LCAO-MO-MINDO anal. 4−31895
hexamethylbenzene, complex with TCNB, triplet-triplet absorption spectra 4−6914
hexamethylbenzene, cryst., mol., lattice vibr. freqs., calc. from i.r., Raman spectra *(German)* 4−33394
2,2,4,4,6,6-hexamethylcyclohexyl radical, e.p.r., long range interactions 4−36553
hexamethylenetetramine, cryst. growth from soln. *(French)* 4−25227
hexamethylenetetramine, cryst. growth from vapour, obs. using interference microscope, rate, mechanism *(German)* 4−33602
hexamethylenetetramine and hydrate, Raman spectra 4−17083
hexamethylenetetramine hydrate, mid and far-i.r. spectra at 100 K 4−33426
hexamethylphosphoramide solutions, p.m.r. characterisation 4−40311
hexamethylphosphortriamide, irrad., props. and spectrum of solvated electrons, effect of temp. and electrolyte ions 4−34067
hexamine, symm. growth of large cryst., vapour recycling technique 4−21174
hexamine electro-optic light modulator, description 4−14907
hexane, ^{13}C n.m.r. shifts, temp. shifts 4−3200
n-hexane, adsorbed on SiO_2 gel, sp.ht. meas., phase transition below m.p. 4−10041
n-hexane, diffusion in high viscosity hydrocarbons 4−3579
n-hexane, elec. cond. meas., press. effect, temp. depend. 4−24742
n-hexane, soln. in CCl_4, width of depolarized combination scatt. lines during change with conc. of fluidity *(Russian)* 4−37596
n-hexane to n-decane, adsorpt. on low-energy silaned-quartz surfaces, piezo-gravimetric method 4−10048
n-hexane-polyethylene solution, gas chromatographic determ. of thermodynamic props. 4−15032
hexane-water fluidised bed, wake phenomena 4−3324
2,2′,4,4′,6,6′-hexanitroazobenzene, forms I and II, cryst. struct. 4−24456
hexanitroethane, i.r. and Raman spectra, vibrational fundamental assignment 4−19841
hexaphenylcarbodiphosphorane, triboluminescence mechanism, excited state origin 4−37651
1,2,4,5-hexatetraene, vibr. amplitude and perpendicular amplitude correction coeffs. calc. 4−31804
1,3,5-trans-hexatriene, low-energy electron impact excitation, second triplet state obs. 4−873
1-hexene, dependence of field ionisation on field induced surface reactions *(German)* 4−4029
hexomethylenetetramine in water, solute molecule interactions, scatt. obs. 4−36776
hexoses, 2-substituted, catalysis in mutarotation 4−21551
high resolution nuclear mag. double resonance, sensitivity 4−41309
DL-histidine, cryst. and mol. struct. 4−16474
Hofmann-type clathrate, $Mn(NH_3)_2Ni(CN)_4.2C_6H_6$, cryst. structure 4−28089
hyaluronic acid solns., photon correlation spectroscopy, rel. to synovial fluid studies 4−42533
hydrazine, N-N bond rupture on anodic oxidation and catalytic decomposition 4−34063
hydrazyl radical, e.p.r. and p.m.r. spectra, electronic struct. and hyperfine interactions 4−37480
hydrocarbon, combustion, smoke structure and diphasic flow anal. 4−15051
hydrocarbon, unsaturatively bridged small rings, orbital interaction, rel. to chem. reaction 4−19772
hydrocarbon gases, π-electron containing, mobility of thermal electrons 4−764
hydrocarbon liquids, correlation between critical volumes and work functions for electrons 4−29358
hydrocarbon liquids, pipeline flow, streaming current meas., outlet effects 4−16248
hydrocarbon liquids, pure, droplet evaporation and condensation, quasi-steady diffusion controlled 4−32678
hydrocarbons, alternant, force consts. calc. 4−19796
hydrocarbons, alternant and non-alternant, Parr-Pariser-Pople calc. using new form of resonance integral 4−5987

organic compounds continued
hydrocarbons, aromatic, intersystem crossing processes, position depend. deuterium effect on rate consts. 4−840
hydrocarbons, aromatic, sub-nanosecond lifetime meas. from biphotonic fluoresc. produced by nanosecond pulses 4−4273
hydrocarbons, binding energy determ. by semiempirical MO electron correlation method 4−5990
hydrocarbons, conjugated, bounds for total π-electron energy 4−24038
hydrocarbons, conjugated radicals and ions SCF MO LCAO CI methods, electronic spectra 4−19766
hydrocarbons, gaseous, energy loss of α-particles, mol. effects 4−16135
hydrocarbons, interaction of σ-bonds 4−6001
hydrocarbons, ionisation pot., electron affinity, IOC-ω-technique 4−19887
hydrocarbons, linear, CNDO/2 treatment of electronic transitions 4−40223
hydrocarbons, liq., excess electron reaction rates, temp. effects 4−41939
hydrocarbons, liquid, electron range distribution, free ion yields meas. 4−1426
hydrocarbons, liquid, excess electron transport 4−1237
hydrocarbons, PPP calc. with allowance for iteration correction of integrals for neighbouring atoms 4−36477
hydrocarbons, saturated, fluoresc. lifetimes 4−25150
hydrocarbons, Si IC doping, photoemission electron microscope investigation 4−8520
hydrocarbons, struct. and reaction, electrostatic force treatment 4−27596
hydrocarbons, vibrations computed from neutron inelastic scattering 4−9968
hydrocarbons + N_2, interaction second virial coeff., temp. depend. using gas-liq. chromatography 4−11656
hydrocarbons and N-containing hetero molecules, heats of formation calc. using IOC-ω-technique 4−1705
hydrogen bending, effect on $n \to \pi^*$ transition in ROH...OCH_2 dimers 4−19770
hydrogen-bonded complexes, luminesc. quenching const., temp. effect 4−13508
hydroquinone, effect on light-induced e.p.r. of chlorophyll 4−42526
hydroquinone and p-benzoquinone doping of nematic liq. crysts., effect on d.c. operation life of dynamic scatt. 4−40739
hydroquinone clathrates, single cryst. growth *(French)* 4−25231
β-hydroquinone clathrates, various guest molecules, far i.r. spectr, 400-30 cm^{-1} 4−3149
4-hydroxy-4,5-dimethyl-3,5-diphenylpyrrolidin-2-one stereoisomer, cryst. and mol. struct. 4−28060
N-o-hydroxy-p-methoxybenzylidene-p-butylaniline, glassy nematic, thermal props. 4−28021
hydroxyazo dye, u.v. and visible spectra, π-electronic struct. 4−36506
7-hydroxycoumarin, triplet-triplet absorpt. spectra 4−34072
5-hydroxydibenzo-5-H-phosphole-5-oxide, cryst. and mol. struct. 4−32537
5-hydroxyindoleacetic acid, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4−8198
hydroxylamines, N-OH torsional frequency determ. by far infrared spectroscopy 4−6046
1-hydroxynaphthalene, rot. band contour analysis A^1A'-X^1A' electronic system 4−36496
p-hydroxypropiophenone, microwave absorpt. dielectric relax. mech. 4−40238
8- hydroxyquinolinato-palladium (II) chloranil complex, room temp. specular reflection spectra 4−3955
8- hydroxyquinoline-chloranil complex, room temp. specular reflection spectra 4−3955
hydroxytetracycline, diffusion mass transfer through porous membranes, kinetics 4−17537
5-hydroxytryptamine, biochem. anal. in whole blood, accidental exposure, ^{192}Ir gamma rays 4−8198
imidazole, ^{13}C n.m.r. spectrum 4−27722
imidazole, γ-produced radical, ENDOR and ESR obs. anal. giving proton hyperfine tensors 4−10757
imidazole-barbital 1:1 complex, NH...N hydrogen bonding 4−40790
iminodiacetic acid, monoclinic phase, cryst. and mol. struct. 4−20276
iminodiacetic acid hydroiodide, cryst. and mol. struct. 4−32533
indandione-1,3 derivatives, electronic spectra, alternating effect *(Russian)* 4−16066
indanone-1, struct. and vib. spectra from polarized i.r. absorpt. *(French)* 4−28823
indanones-1, 2,3-disubstituted, n.m.r. spectra and stereochemistry 4−851
indene, single cryst. e.p.r. of T_1 states 4−1731
indole, and isoconjugated isomer, ab initio LCAO SCF MO calcs., mol. properties 4−40224
indole, polar soln., u.v. excitaton, biphotonic delayed fluorescence 4−13493
indole, single cryst. e.p.r. of T_1 states 4−1731
indole and substituted indoles, absorpt. and fluoresc. spectra, environment effects *(German)* 4−28920
indole in ethanol soln., subnanosecond solvent relax. obs. by oxygen quenching of fluoresc. 4−4272
indole solutions, solute-solute and solute-solvent interactions 4−9513
indoline spiropyrans, absorpt. and luminesc. spectra obs. of photochromic props. *(Russian)* 4−14001
inosine-5′-phosphate, cryst. and mol. struct. 4−24457
inosine-5 phosphates, paper electrophoresis anal. of recoil products from neutron irradiation 4−31525
iodanil, elec. cond. press. depend. 4−32933
iodine complexes in alcohols and ethers, Raman spectra *(French)* 4−3151
5-exo-iodo-6-endo-norbornanol-2-endo-carboxylic acid lactone 4−32542
iodobenzaldehydes, i.r. and laser Raman spectra, vibr. analysis 4−40268
iodobenzene, photochem. reaction with I^{131}I, isotope exchange, kinetics 4−38163

organic compounds continued
o-iodobenzonitrile, cryst. and mol. struct. 4−36892
^{125}I-19-iodocholesterol, esters of, use as organ or tumor imaging agents 4−4872
iodocyanoacetylene, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
iodotrifluoromethane, kinetics and mech. of reactions of atomic F, mol. beam analysis 4−10742
iodotrifluoromethane, pulsed photolysis, spontaneous emission, h.f. splitting in iodine atoms 4−9397
ion exchange resins, uranium loading for HTGR's 4−3026
ion kinetic energy spectrometry, information from reactions study 4−14875
iron acetate, anhydrous, crystallographic investigation, lattice parameters and space groups *(Spanish)* 4−32549
iron phthalocyanine, mag. circular dichroism 4−28852
isoamyl alcohol, drying kinetics of gels 4−41890
isobutane, gaseous, diffusion of orthopositronium 4−736
isobutane, pyrolysis in 1200-1500 K range general mechanism, computer modelling 4−21550
isobutyric acid-water system, electrical resistance near critical pt. 4−28440
isobutyronitrile, calc. of Raman and i.r. spectra 4−19839
isocinchophyllamine, cryst. and mol. struct. *(French)* 4−32531
isocyanic acid, dipole moment rel. to microwave emission in Sagittarius B2 direction 4−40295
L-isoleucine, C−H/C−D and N−H/N−D stretching vibrations 4−12578
isonitriles, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
isooctane-polyethylene solution, gas chromatographic determ. of thermodynamic props. 4−15032
isoprene, Diels-Alder reaction with maleic anhydride, chem. kinetics at critical point 4−17499
isoproponol, chemical ionisation spectra *(Japanese)* 4−2367
isopropylacetylene, molecule, microwave spectra, structure and dipole moment 4−3175
Jupiter, organic synthesis in simulated atmosphere, aminonitriles 4−34682
Jupiter i.r. spectra and identification of ethane and acetylene 4−29874
keramidonines, low lasing generation threshold *(Russian)* 4−23332
kerosene-water fluidised bed, wake phenomena 4−3324
ketones, α,β-unsaturated, conformational anal. 4−12610
ketones, acryclic, monocyclic, ^{13}C-H coupling consts. 4−6096
ketones, luminescence induced by crystallisation in binary mixtures 4−21039
ketones in nonpolar solvents, weak interactions in vib. spectra 4−10409
ketyls with divalent cations, aggregate form. and dissoc. into biradicals 4−1730
lanthanide induced shifts, conformational anal. of α,β-unsaturated aldehydes, ketones, esters and amides 4−12610
lattice dynamical calcs. on molecular crystals 4−24527
lead acetate trihydrate, X-irrad., damage centre, e.p.r. obs. 4−24998
lead phthalocyanine, one-dimens. conductor, temp. depend. of resist. meas. 4−1231
lecithins, dielec. const., cond. determ. in various solvents 4−29326
L-leucine, C−H/C−D and N−H/N−D stretching vibrations 4−12578
ligand characterization applic. of high resolution X-ray photon emission spectroscopy 4−3217
lignin compounds, C.O. aldehyde and ketone valency vibr., freq. and intensities *(Russian)* 4−40292
liquid, collision absorption, effect of intramolecularly compensated dipoles 4−41327
liquid, dielectric relaxation calc. using Debye's eqns. 4−3935
liquid, mass diffusion and thermal diffusivity, quasielastic light scattering 4−16606
liquid, temp. coeff. of dielectric constant meas. for a homologous series *(Japanese)* 4−1369
liquid crystal, cholesteric mixtures, Goossens theory, helical twisting power 4−9819
liquid hydrocarbons, pulse irradiated, microwave absorption by electrons 4−6420
liquid scintillation counting, sample adsorption and pulse height shift correlation 4−2350
liquids, non-viscous, thermal conductivity anal. using continuity principle 4−20453
lithium acetate dihydrate, quadrupole coupling parameters, ^{7}Li n.m.r. obs. 4−37499
lithium formate monohydrate, freq. doubling of rhodamine 6G laser, continuous tunable coherent u.v. source 4−299
lithium formate monohydrate, i.r. spectrum, deuteron magnetic resonance, H_2O study, quadrupole coupling 4−36548
lithium formate monohydrate, piezoelectric, polarised i.r. spectra 4−13423
lithium-formic acid complex, form. by solvation reaction, interpretation by localised INDO MO's approach 4−41989
lithium-sodium formate, refractive index meas., 0.35-1.5 μm, dispersion relation consts. 4−3951
low-symmetry molecules, self-absorpt. in stimulated Raman scatt. 4−11960
lutidines, 2,6- and 3,5- force consts. determ. and vib. spectrum assignment 4−9527
lycopodine, absolute config., failure of X-RAY 63 and 70 programs to allow for dispersion 4−19734
lycorine, cryst. and mol. struct. 4−24455
magnesium acetate tetrahydrate:VO^{2+}, e.p.r. spectra, struct. anal., H_2O vacancy model 4−28701
magnesium diethyl phosphate, γ-irrad., C_2H_3 radical obs. 4−41236
magnesium diethyl phosphate, γ-irradiated, e.s.r. 4−13992
malachite green, glycerin soln., photolum. depolarisation by powerful excitation, light quenching 4−13511
maleic anhydride, Diels-Alder reaction with isoprene, chem. kinetics at critical point 4−17499
maleic anhydride and deuterated cpds., vib. spectra. 4−27677
malformin A, disulphide bond dihedral angles from Raman spectra 4−11271
malonaldehyde, microwave spectrum 4−12595
malonamide, irrad., imino rational formation 4−29344

organic compounds continued
malonic acid, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
manganese acetate, anhydrous, crystallographic investigation, lattice parameters and space groups *(Spanish)* 4−32549
manganese phthalocyanine, mag. circular dichroism 4−28852
manganous acetate tetrahydrate, mag. struct. in zero appl. field *(French)* 4−41202
marine hydrocarbon seepage detection by subbottom profiling 4−11060
MBBA:tetrabutylammonium picrate, nematic, determ. of elastic constants *(German)* 4−3446
MBBA, cholesteric mixtures, plane texture, morphogenesis *(French)* 4−12864
MBBA, continuity of flow alignment parameters across nematic-isotropic transition 4−20209
MBBA, expsn. coeff., liq. cryst. phase transition 4−9843
MBBA, impurity influence on mol. order and surface tension at nematic-isotropic interface *(French)* 4−16416
MBBA, isotropic phase, self-focusing of laser light 4−11949
p-MBBA, laser-induced optical Kerr effect, orientational order in isotropic phase 4−17044
MBBA, liq. cryst., Raman spectra anal. of statistical theories of nematic ordering 4−10419
MBBA, liq. cryst., spin-spin relaxation, proton spin echo 4−33290
MBBA, liquid cryst., metastable deform., elec. cond. meas. *(German)* 4−32435
MBBA, liquid crystal, nematic, anisotropy of turbidity 4−32434
MBBA, nematic, adhesion to glass sheet, effect of substrate struct. and interfacial orientation *(French)* 4−6547
MBBA, nematic, heat transport obs. 4−40923
MBBA, nematic, order parameter determ. from mag. anisotropy meas. *(French)* 4−9818
MBBA, nematic, self-diffusion meas. by multiple pulse n.m.r. method 4−41231
MBBA, nematic, u.s. relax. phenomena interpret. w.r.t. hydrocarbon chain flexibility 4−9952
MBBA, nematic electrolyte soln., elec. cond. investig., in mag. field *(German)* 4−32422
MBBA, nematic liq. cryst., pre-electrohydrodynamic relaxation phenomenon 4−40740
MBBA, nematic liq. cryst., resistivity, permittivity and space charge capacitance obs. 4−6836
MBBA, nematic liquid cryst., transparency, effect of u.s. surface waves 4−36805
MBBA, nematic liquid crystal, elastic and viscosity constants from new optical method 4−6516
MBBA, nematic-isotropic interface, molecular order and surface tension obs. 4−10034
MBBA, obs. of proton spin relaxation and self-diffusion 4−10342
MBBA, pretransition and crit. phenomena in nematic phase 4−32433
MBBA, structure of metastable crystal phase 4−24396
MBBA, thermal cond. and molecular orientation at nematic-isotropic interface *(French)* 4−24383
MBBA liq. cryst. and in soln., dipole moment, dielec. relax. studies 4−20924
MBBA/PEBAB, liquid crysts., dielec. const., instability in elec. field 4−24393
melatonin, cryst. and mol. struct. 4−28058
mercaptan, mol., proton transfer and methyl cation condensation reactions 4−4247
mercaptans, hydrogen bonding, i.r. spectroscopic study, enthalpy of formation 4−16088
mercaptans, p.m.r., rel. to hydrogen bonding *(Russian)* 4−17508
γ-mercaptopropyltrimethoxysilane, effect on H_2O adsorption on glass 4−1162
mercury(I) trifluoroacetate, cryst. struct. 4−28063
merocyanine dye, triplet state in crystal 4−28932
mescaline salts, cryst. data 4−16481
mesitylene, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4−24646
mesitylene, complex with TCNB, triplet-triplet absorption spectra 4−6914
mesitylene vapour, u.r. absorption spectra, assignment of bands 4−36510
mesoporphyrin dioctadecyl ester, dimer emission, fluorescence spectra 4−6906
meteorites, organic formation by catalytic reactions in solar nebula 4−38737
methacrylate, in polystyrene, mol. motion of polar monomers *(Russian)* 4−9640
methacrylonitrile, $FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4−28744
γ-methacryloxypropyltrimethoxysilane, effect on H_2O adsorption on glass 4−1162
methanal azine, harmonic force field, calculation of various molecular properties 4−779
methane, absorpt. coeff. near 3.39 μ, press. effects, 100-760 mmHg *(Russian)* 4−36519
methane, absorption coefficient at 3.392 μ, test of laser system for air pollution expts. 4−31082
methane, adsorbed on layer-like halide, crit. temp. of two dimens. condensation 4−28293
methane, atmos., anal. of mixing ratios to give stratospheric OH radical conc. 4−7725
methane, atmos., balloon borne profile determ. 4−7721
methane, atmospheric, vertical distrib. in stratosphere 4−7724
methane, bideuterated, ground state mol. consts. *(French)* 4−12565
methane, calculated spectral linewidths for broadening by N_2 and O_2 4−9563
methane, carbon K-absorption spectrum, threshold region 4−3127
methane, CH_2D_2, mol., ν_4 and ν_7 rovibrational bands obs. *(French)* 4−6049
methane, collision broadening of i.r. lines between 80 and 295°K 4−12599
methane, collisional quenching of K*($4p^2P$) and ($5p^2P$) states 4−698
methane, combustion permeable heat and mass transfer in chemically reacting boundary layers 4−32151
methane, density depend. of refractivity 4−19966

organic compounds continued
methane, deuterated, $+H_2^+$ (D_2^+), 2-100 eV study of various reactions *(French)* 4−895
methane, deuterated, mass spectra, pressure dependence of fragment peaks 4−865
methane, deuteron quadrupole coupling const., diamag. shielding and susceptibility, dependence on internuclear distance, LCAO-MO-SCF calc. 4−27720
methane, diamond physico-chemical synthesis from carbonaceous gases, metastable range 4−17170
methane, dissociative ionisation by impact of α-particles and electrons at equal velocities *(German)* 4−36581
methane, electronic props. CI anal. 4−31788
methane, energy spectrum of superexcited state 4−5994
methane, eqn. of state, critical region, Verbeke model 4−28181
methane, fourth virial coeff. 4−9643
methane, frozen in Titan atm., effect on i.r. spectrum 4−34661
methane, gas, evaluation and correl. of viscosity data 4−12666
methane, gas added to He flowing afterglow, molecular spectral emission 4−793
methane, h.f.s. meas. at 3.39 μ using laser saturated absorption 4−9541
methane, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
methane, hyperfine splittings in v=0 rotational lines 4−9504
methane, in Titan atm., spectrographic identification 4−34663
methane, ion-molecule reaction, product distribs. and rate constants 4−21549
methane, ion-molecule reactions in mixtures with CS_2 4−21538
methane, i.r. spectrum, ν_3 band, ground state structure consts. 4−31850
methane, isotope effect calc. 4−12604
methane, LCAO MO SCF calcs., promotion, hybridization effects 4−12529
methane, low temp. depend. of multiplet intensities of 2 ν_3-band 4−36531
methane, microwave-i.r. double resonance using 3.39 μ He-Ne laser line 4−9546
methane, molecular force consts. calc., kinematic method, parameter for choice of root 4−6007
methane, molecule, i.r.-r.f. double resonance obs. of pure rotational Q-branch transitions 4−3148
methane, molecule, satellite peaks in high energy photoelectron spectra 4−3216
methane, monodeuterated, octopole moment determ. from rot. spectrum linewidth meas. 4−40252
methane, polarisabilities of C−H bond, van der Waals interaction between molecules 4−5993
methane, proton pulse radiolysis, methodological aspects of technique 4−7456
methane, reaction rate with Nb, Ta, C absorpt. 4−28287
methane, rel. to YAG:Er 6077 cm^{-1} laser emission coincidence, tetrahedral fine struct. 4−36517
methane, relative tetrahedral struct. consts. of fund. vibronic state *(French)* 4−31859
methane, rotating molecule, model calcs. for neutron scattering 4−24048
methane, saturated absorption under two-mode He-Ne laser oscill. 4−27008
methane, saturated liquid, absolute meas. of viscosity, 95-190 K 4−20429
methane, solid, lattice dynamics calc. for low temp. phase 4−40848
methane, stratospheric content from i.r. spectra 4−4504
methane, Titan and Galilean satellite atm. evolution, H_2 prod. 4−34665
methane, Titan atmosphere, greenhouse model for composition 4−34660
methane, $v_3=1$ excited state, hyperfine interactions, theory 4−40239
methane, vibr. relax. time meas. using laser schlieren 4−40240
methane, vibrational relaxation times, u.s. wave dispersion and absorption 4−31964
methane + C^+ (N^+, Ne^+), carbon K-shell X-ray cross section, 28-145 keV 4−731
methane + H_2 combustion, boundary layer gas concn. meas. 4−16272
methane + H^+, (D^+), (H_2^+) and He^+ collision, K-shell ionization, Auger electron ejection 4−24151
methane + O_3(101), collisional vibr. deactivation of O_3(101), rate const. 4−27759
methane 6190 and 7290 Å band strengths in Jupiter's atmosphere 4−26007
methane 6190 and 7290 Å bands, spectrophotometric scans across disc of Jupiter 4−29927
methane 8880 Å absorption band from Jupiter's disc 4−26008
methane (deuterate), thermal cond. mag. field effect temp. depend. 4−36602
methane and methane-d, vibrational spectra and structure of crystalline phases 4−10437
methane combustion, from gas production in sanitary landfills 4−22631
methane derivative, optical rotation, quantum mechanical theory *(German)* 4−19805
methane desorption from 5A and 13X molecular sieves, temperature of maximum desorption 4−24644
methane effect on O_3 vertical density distrib. theoretical model for upper atmos. 4−7727
methane in Saturn's rings, properties from observations of 8900 A band viewed through rings 4−29880
methane ion, CH_4^+, mass spectra, fixed freq. Fourier transform ion cyclotron reson. 4−30603
methane mixtures with O_2 and N_2, absorpt. intensity of simultaneous vibr. transitions 4−24071
methane molecule, cross section formula for (e,2e) reaction 4−876
methane oxidation reaction intermediates identification *(French)* 4−30650
methane slow neutron scattering, anal. of nuclear spin correlation effect 4−9595
methane with He, Ne, Ar, N_2, Co_2 binary gas mixtures, low density, viscosity determs. 4−40367

organic compounds continued
methane-Ar mixture, viscosity meas., −35 to +35°C 4−9646
methane-Ar radiofrequency plasma, spectra, temp. meas., excitation processes 4−35550
methane-Ar system, vapour-liquid equilibrium ratio, normal and critical regions 4−40882
methane-Ar-CO system, vapour-liquid equilibrium compositions at 123.4, 137.1 and 164.0K 4−16587
methane-CO system, vapour-liquid equilibrium ratio, normal and critical regions 4−40882
methane-d$_1$, i.r. spectrum, forbidden rot. transitions, centrifugal distortion 4−27670
methane-d$_2$, fundamental B-band at 1435 cm^{-1} 4−9539
methane-d$_4$, absorpt. spectrum between 2180 and 2320 cm^{-1}, ν_3 and $2\nu_3$ bands 4−31848
methane-d, solid hindered rotational levels, heat capacity analysis, barrier to internal rot. 4−32452
methane-methane short range interaction potential, fast beam scattering expts. 4−27567
methane-N$_2$ and methane-CO$_2$ mixtures, inelastic collision effects on thermal diffusion 4−12665
methane-N$_2$ system, binary diffusion coeffs., exptl. determ. *(German)* 4−19958
methane-oxygen, 1 atm flame, mass spectrometric anal. 4−26699
methane-oxygen-nitrogen, 1 atm flame, mass spectrometric anal. 4−26699
methanes, zero point energy rel. to molecular isotopic structure 4−40242
methanesulfonic acid, effect on polyamide circular dichroism spectra 4−36591
methanesulphenyl chloride, struct. and direction of dipole moment and quadrupole coupling tensor 4−9545
methanethiol, D/H and T/H isotopic fractionation, partition factors 4−41952
methanol, ab initio SCF calcs. of force consts. and dipole moment derivatives 4−775
methanol, coloured, thermal diffusivity meas. using spatially periodic temp. distrib. induced by laser light 4−35888
methanol, conformation and vibrational analysis from i.r. data 4−6074
methanol, D/H and T/H isotopic fractionation, partition factors 4−41952
methanol, de-exciting KBr mol. beam, inelastic scatt. 4−16142
methanol, deuterated, absorption spectrum, 3850 to 16600 cm^{-1}, hydrogen bonded O-H and O-D overtone bands, potential energy curve 4−40257
methanol, deuterated, CH$_3$OD, deuterium quadrupole coupling 4−827
methanol, dosimetric props. *(Russian)* 4−36404
methanol, effect on tensile stress relaxation of poly n-butylmethacrylate 4−10691
methanol, effective Debye temp., temp. and press. depend., quasi-cryst. model 4−40900
^{13}C methanol, interstellar microwave spectrum 4−30138
methanol, liq., radiolysis, spin trapping of primary radicals formed 4−21573
methanol, microwave double resonance spectra, interstellar implications 4−12597
methanol, microwave spectra, 500 MHz to 200 GHz mol. constants determ. 4−24104
methanol, mol., proton transfer and methyl cation condensation reactions 4−4247
methanol, nematic cryst. solvent, n.m.r., ^{13}C chemical shift, H-C-H bond angle 4−9582
methanol, n.m.r. spectra in lyotropic mesophase soln. 4−6796
methanol, oscillator strength determ. from electron energy loss spectra 4−884
methanol, Raman spectrum, C-O stretching band, effect of environment and association 4−6075
methanol, SCF perturbation theory calculation of molecular electronic structure 4−5986
methanol, u.s. absorption, press. depend. calc. 4−3529
methanol + H$_3^+$, ion cyclotron resonance study 4−894
methanol and water, condensing vapour-gas systems, simultaneous heat and mass transfer 4−3557
methanol glass, e.s.r. of Mn^{2+}, zero-field splitting sites distrib. 4−16974
methanol in β-hydroquinone clathrates, far i.r. spectra, 400-30 cm^{-1} 4−3149
methanol interstellar source in Orion at 25 GHz 4−30139
methanol neutral radical, γ formation, e.p.r. of relative radical distrib. 4−29342
methanol species, CH$_3$O$^-$, CH$_3$OH, CH$_3$OH$_2^+$, near-molecular Hartree-Fock wavefunctions 4−19754
methanol/ethanol 4:1 mixture, hydrostatic limits, to 100 kbar, rel. to appl. as press. transmitting medium 4−36952
4-methoxy 4′-butyl azoxybenzene, liq. cryst., electrohydrodynamic instabilities in d.c. fields 4−40741
p-methoxy benzyl alcohol in different solvents, dielec. relax., 20-40°C 4−10373
3-6′-methoxy-2′-naphthyl-2,2-dimethyl butyric acid, artificial oestrogen, cryst. struct. *(French)* 4−36877
19R-methoxy-5,19-methyleneoxido-17β-acetoxy-5β-androstan-3-one, photochem. reaction product, cryst. struct. 4−29347
methoxy-methyl-phosphoryl-fluoride, struct. and P-F, P-O bond lengths, electron diffraction obs. *(German)* 4−9478
methoxyacetic acid, microwave spectrum, hydrogen bonded rotamer 4−831
methoxyacetonitrile, microwave spectrum analysis 4−3190
4-methoxybenzylidene-4-n-butylaniline, nematic and isotropic phases, Verdet const. meas. 4−6868
p-methoxybenzylidene-p-n-butylaniline, cholesteric-nematic chirality relationship, Cotton effect 4−6337
p-methoxybenzylidenebutylaniline, effect on cholesteric liq. cryst. light transmission 4−10393
2-methoxyethanol, dielectric constant, dipole moment meas. 4−13377
2-methoxyethanol, intramol. interactions, n.m.r. 4−24026
2-methoxyethanol, intramol. interactions, theory 4−24025

organic compounds continued
1-methoxynaphthalene, triplet extinctions and fluorescence intensities rel. to fluorescence quenchers *(German)* 4−13993
1-methoxynaphthalene, vapour, in ethanol rigid glass, near u.v. spectra 4−12560
1-4-methoxyphenyl-3,5-diphenyl-verdazyl radical, mag. susceptibility, 1.9-300K 4−20762
5-methoxytryptamine, cryst. and mol. struct. 4−28057
methyl, mol., electron affinity determ. by calc. of ionisation potentials of negative ions 4−31693
methyl 1,5-dithio-α-D-ribopyranoside quarterhydrate, cryst. and mol. struct. 4−24458
methyl 1,5-dithio-β-D-ribopyranoside, cryst. and mol. struct. 4−24458
4-methyl 2,6-ditertiarybutyl phenol, tunnelling of methyl gps. n.m.r. 4−3905
methyl 3,3,4-trichloro-5-methoxyindolenine-2-carboxylate, cryst. and mol. struct. 4−40793
o-methyl β-methylphenylcholine ether bromide, cryst. struct. 4−36879
methyl acetylene, D/H and T/H isotopic fractionation, partition factors 4−41952
methyl alcohol, CO$_2$ laser pumped, low threshold c.w. laser action, 41.7 to 1020 micron 4−293
methyl amines, calculation of N chem. shifts 4−27719
methyl ammonium aluminium sulphate, ferroelec. Curie temp., high hydrostatic pressure effects 4−25062
9-methyl anthroate, solvent dependent fluorescence, relation with excited state geometry change 4−29351
methyl benzophenones, dipole moment rel. to mol. conformation 4−6003
methyl bromide, charge spectrometry in β-decay, C$_2$H$_5$^{80m}Br 4−7467
methyl bromide, n.m.r. study of ^{13}C chemical shift tensor, coupling consts. and H-C-H bond angle 4−6104
methyl bromide adsorpt. on Cd, isotherm investig. rel. to adsorbed layer characts. *(French)* 4−40975
methyl bromide gas, used to modulate CO$_2$ laser, Stark splitting of vibr.-rotation lines 4−18485
methyl chloride, n.m.r. study of ^{13}C chemical shift tensor, coupling consts. and H-C-H bond angle 4−6104
methyl chloride + H$_3^+$, ion cyclotron resonance study 4−894
methyl chloride adsorpt. on Cd, isotherm investig. rel. to adsorbed layer characts. *(French)* 4−40975
methyl chloride and rare gas mixtures, laser induced fluoresc. obs. of vibr.-vibr. equilibration 4−3223
methyl chloroformate, bond moments, predicting mol. conformations, dipole moment 4−19741
methyl chloroformate and -d$_3$, liq. and solid i.r. and Raman spectra, vibr. analysis 4−28816
methyl coronene, benzophenone mixed crystals, delayed fluorescence study *(German)* 4−4006
methyl cyanide, detection in Comet Kohoutek (1973f) at 2.7 mm 4−34756
methyl cyanide, isomerization, rate constant calc. using Monte Carlo methods 4−25473
methyl cyanide-chloroform mixture, liq. solid to −180°C, i.r. spectra, struct. *(French)* 4−20295
methyl cyanoacetate, liq. and solid, vibrational spectra and rotational isomerism 4−6055
methyl cyanoformate, bond moments predicting mol. conformations, dipole moment 4−19741
methyl fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
methyl fluoride, ^{13}CH$_3$F, photon echo, optical nutation obs., Stark pulse appl. 4−24096
methyl fluoride, harmonic force field uniqueness 4−24053
methyl fluoride, mol. energy transfer, laser induced fluoresc. 4−24153
methyl fluoride, Stark spectroscopy of ν_3 band using 9.6 μm CO$_2$ laser 4−3158
methyl fluoride, Zeeman effect 4−40297
methyl fluoride + H$_3^+$, ion cyclotron resonance study 4−894
methyl fluoride(chloride) mixture, laser pumped vibr. energy transfer, V-V crossover rate 4−31955
methyl fluoride (^{13}C), i.r.-r.f. two-photon Lamb dip spectra 4−16103
methyl fluoride adsorpt. on Cd, isotherm investig. rel. to adsorbed layer characts. *(French)* 4−40975
methyl fluoroformate, bond moments predicting mol. conformations, dipole moment 4−19741
methyl group, cross correlation terms in spin-rotational interaction 4−19877
methyl group, hindered rot. in low temp. solids, quantum mechanical tunnelling in n.m.r. 4−20869
methyl group, proton-decoupled, nonexponential ^{13}C relaxation 4−19878
methyl group tunnelling of hindered triangular rotor, temp. depend. freq. distrib., model 4−20236
methyl halogenide gas, collision integrals, Senftleben-Beenakker effects and nonreson. absorpt. 4−31999
3-methyl indole vapour, electronic absorpt. spectra 4−786
methyl iodide, autoionisation states from resonance photoelectron spectra 4−12624
methyl iodide, liq., ν_4 Raman band, reorientation spreading *(German)* 4−12564
methyl iodide, microwave and i.r. spectra, rot. and doubling consts. of vibr. states 4−19853
methyl iodide, n.m.r. study of ^{13}C chemical shift tensor, coupling consts. and H-C-H bond angle 4−6104
methyl iodide, resonance photoelectron spectroscopy from autoionisation states 4−31924
methyl iodide, tritiated, charge distrib. following β-decay 4−4297
methyl iodide + K reaction, classical trajectory study, reaction cross section 4−34006
methyl iodide + K reaction, molecular kinetics inversion, effective optical potentials 4−33985
methyl iodide + N$_2$F$_4$ chemical laser, rot. nonequilib. obs. 4−23302
methyl isocyanide, CD$_3$CN, two photon spectra 4−24098
methyl isocyanide, rot. spectrum in fund. vibr. state *(French)* 4−31857

organic compounds continued
methyl malonic acid crysts., γ-irrad., methyl group tunnelling rot. freq., temp. depend. 4−20235
methyl mercaptan + H_3^+, ion cyclotron resonance study 4−894
N-methyl morpholine, microwave spectrum assignments 4−3180
methyl naphthalene, CH_3 group rotation down to 4.2K *(German)* 4−3911
methyl phenols, mass spectra, gas chromatography, purity 4−19886
methyl propenyl ethers, i.r. spectra, vapour, liquid and solid phases 4−804
methyl proton spin relaxation, C_3 and C_3' reorientation 4−41300
methyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
methyl radical, first ionization potential from photoelectron spectra, vib. features 4−31923
methyl radical, produced by alkali metal acetate γ-irradiation, e.s.r., hyperfine splitting 4−34064
methyl radical + $N_2F_4(NF_2 + M)$, photolysis, rate consts. 4−21547
methyl radical detection in flow pyrolysis by u.v. spectroscopy 4−10759
methyl radical reactions with atomic oxygen, absolute rate const. 4−10734
methyl selenocyanate, i.r. and Raman spectra, vibr. analysis, rot. isomerism about C-Se bond 4−19842
methyl thiolchloroformate, bond moments predicting mol. conformations, dipole moment 4−19741
methyl trifluoroacetate, bond moments predicting mol. conformations, dipole moment 4−19741
5-methyl-2,2,4-triacetyl-1,3-oxathiole, cryst. and mol. struct. 4−20290
2-methyl-2,2′-spirobis-(1,3,2-benzodioxaphosphole), cryst. struct. 4−40785
4-methyl-2,6-ditertiarybutylphenol, n.m.r. measurements, of proton magnetisation recovery 4−10333
1-1-methyl-2-phenylethyl-2-methyl-3-hydroxy-azetidinium hydrochloride, cryst. and mol. struct. 4−20286
N-methyl-2-pyridone-barbital 1:1 complex, cryst. and mol. struct. 4−40792
3-methyl-4-nitrofuroxan, cryst. and mol. struct. 4−20273
N-methyl-5,6-dihydro-7H, 12H-dibenz[c,f]azocine, conformational determ. by n.m.r. 4−27707
5-methyl-7-bromo-8-hydroxy quinoline dil. soln., microwave absorpt. 4−10374
methyl-β-N,N-dimethylaminovinyl ketone, steric effects 4−27581
N, methylacetamide, + trifluoroacetic acid, i.r. and n.m.r. spectra, comments *(French)* 4−25483
N-methylacetamide, conformational depend. of ^{15}N-C-C-H vicinal coupling consts., in peptide backbone 4−36474
methylacetate (deuterates), vibr. spectra, mol. conformation and assignments, gas, liq. solid 4−40286
methylacetylene, chemisorption at liquid Na surface, 100 to 200°C 4−4301
methylamine, electronic structure calc. by geminals method 4−31798
methylamine, mol., collision with alkyl acid ions, proton transfer rate constants 4−7425
methylamine, mol., proton transfer and methyl cation condensation reactions 4−4247
methylamine + H_3^+, ion cyclotron resonance study 4−894
methylamine hydrochloride, complex with t-DNA, p.m.r. method 4−26200
methylamine hydrochlorides, calculation of N chem. shifts 4−27719
α-methylamobarbital, cryst. and mol. struct. 4−32534
1,2-di(5′-)methylbenzoxazol-2′-yl-ethylene, generating capacity in spectral blue region *(Russian)* 4−1739
5-methylbicyclo[4.3.0^{1,5}]non-1-en-3-one, dual phosphorescence 4−6907
2-methylbutane, conformational anal. 4−12528
methylchlorosilanes, solid, methyl group rot. barriers from T_1 meas. 4−3913
methylcyclohexane, i.r. spectrum, low temp., high press., condensed phase 4−20974
methylcyclopentadienide ion formation via electron photodetachment, upper limits to electron affinities 4−24122
methylcyclosiloxanes, gas phase electron diffraction investigation Si-O bond distance and SiOSi angle obs. 4−747
N-methyldiphenylamine, various solvents, dielectric properties, 20°C, 0.3-135 GHz 4−3936
N- methyldiphenylamine hydrochloride, i.r., Raman spectra, band assignment, mol. symmetry, protonation of free base effect *(French)* 4−41366
methylene, ab initio valence bond calcs. 4−27613
methylene, collision induced singlet to triplet vibronic transition 4−36577
methylene, spin dipole-dipole parameters, CI calcs. 4−27607
methylene bromide, electron diffr., C-Br bond length, mol. struct. 4−19742
methylene chloride, diffusion coeff. in polybutadiene film 4−24580
methylene chloride with benzene, toluene and isomeric xylenes, binary liq. mixtures, statistical thermodynamics 4−25517
methylene fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
methylene peroxide, stability and electronic struct., MO calc. 4−24022
4′-methylene-1,2-di-m-bromopheynl-1′,2′,6′,7′-tetraphenyl spiro 5,3′,5′-tetraone, cryst. and mol. struct. 4−24453
methylene-ion from ethylene, appearance potential 4−31948
methylethylketone, effect on tensile creep of poly n-butyl methacrylate 4−10690
N-methylformamide, microwave spectrum and molecular consts. 4−9555
1-methylindan, gas phase absorption and circular dichroism spectra, 280 to 150 nm 4−19818
methylmalonic acid, ENDOR obs. of tunnelling rotation of the methyl group 4−3918
methylmethacrylate, in polystyrene, mol. motion of polar monomers *(Russian)* 4−9640
1-methylnaphthalene, electronic excitation energy migration *(Russian)* 4−33504

organic compounds continued
1-methylnaphthalene, quenching of fluorescence, electron excitation energy migration coeff. determ. *(Russian)* 4−12602
2-methylnaphthalene + 9,10-dicyanoanthracene complex, exciplex and charge transfer fluorescence spectra 4−33478
α-methylnaphthalene-Ni(γ-picoline)$_4$(NCS)$_2$ clathrate, i.r. spectra in polarised light 4−37603
1-methylnicotinamide iodide, chloride and picrate salts, cryst. struct. 4−24461
3-methylpentane, glassy, absorpt. spectrum of trapped electrons, spectral shifts 4−21584
2-methylpentane, mol. dissoc., thermal energy depend. in charge exchange collisions 4−27760
3-methylpentane, triplet lifetimes of benzene, naphthalene, wavelength depend. 4−6084
β-methylphenylcholine ether bromide hemihydrate, cryst. struct. 4−36880
methylpropargyl ether, i.r. and Raman spectra, vibrational assignments 4−12583
N-methylpropionamide, (deuterate), in-plane mol. vibr. mean amplitude calc. for various linkages 4−40236
N-methylpyrazinobutazone, cryst. and mol. struct. *(French)* 4−28079
methylsilane, relation between bond moments, molecular moments, electronegativity and dipole moment 4−36482
methylsilane-d_3, nematic liq. cryst. solvent, n.m.r., structural parameters, quadrupole coupling consts. 4−36552
methylsiloxanes, cyclic, vibr. spectra, mol. conformation 4−27680
methylsulphonyl chloride, vibration amplitudes from i.r. and Raman spectra 4−805
methylsulphonyl fluoride, vibration amplitudes from i.r. and Raman spectra 4−805
3-methylthiophene, microwave spectrum, internal rot., dipole moment 4−9544
methyltrifluorosilane, electronic struct. and energy differences between rotational isomers *(French)* 4−769
methyltriphenylphosphonium bis-7,7,8;8-tetracyanoquinodimethanide, struct. at 53°C 4−9909
4-methylumbelliferone dye laser, alcoholic soln. with small water content, tunability 415 to 558 nm. 4−23329
4-methylumbelliferone in acidified methanol, automated system for gain meas. 4−14904
methylvinyl ketone, steric effects 4−27581
methyl[2-hydroxy-2-phenyl-2-(2′,4′-dimethylphenyl)]ethyl sulphoxide, cryst. and mol. struct. *(French)* 4−28087
mixed crystals containing linear polyenes, excited state separation, singlet-singlet transition 4−4011
molecular crystal, absorpt., transmission and refl. spectra, exciton interactions 4−28797
molecular crystal, growth and perfection 4−25226
molecular crystal, growth of single crysts. *(French)* 4−25230
molecular crystal, growth of single crysts. *(French)* 4−25232
molecular crystal, optically detected a.p.r. of metastable triplet states 4−17001
molecular crystal, single cryst. growth methods *(French)* 4−25240
molecular crystal growth, conference, Rennes, France (May 1972) *(French)* 4−25225
molecular crystal growth from soln. *(French)* 4−25227
molecular crystal photoelectron emission near threshold 4−33575
molecular dynamics and stereochemistry from ^{13}C relax. meas. 4−16128
molecular struct. determ. by n.q.r., thesis 4−3207
molecules containing ^{31}P and ^{13}C, J coupling consts., Overhauser effect and nucl. polarisation obs. *(French)* 4−19867
monobromoacetonitrile, microwave spectrum and quadrupole coupling 4−3183
monobromodehydrobispulegone, cryst. struct. 4−20279
monocarboxylic acids, halogen-substituted, interaction with autonitrile, i.r. spectra of H-complexes *(Russian)* 4−6059
monocarboxylic acids in Murray and Murchison carbonaceous meteorites 4−4772
monodeuteroacetylene, i.r. spectrum, molecular parameters 4−824
monofluoromethane, Stark pulse switching study of coherent transient effects in collisions 4−9596
monohaloacetylenes, vib. freq., force consts., mean amplitudes, shrinkage effects and thermodynamic functions 4−27634
monohalobenzenes in nonpolar solvents, weak interactions in vib. spectra 4−10409
monomethylated butadienes and acroleins, rot. isomerism, strain energy, internal rot. barrier around C-C bonds 4−19743
monosodium urate, solubility and nucleation, rel. to gouty arthritis 4−4869
monothio-oxamide, NN′ monosubstituted, i.r. and Raman spectra, vibr. anal. 4−25108
morpholinium nitrate, centrosymmetric projections of structure 4−993
mylar polyester, absorpt. spectrum shift in strong elec. field, Stark effects *(French)* 4−6894
n-alkyl carboxylic acids, flow birefringence meas. using boundary layer shear waves, orientational relax. *(German)* 4−33372
N-methylpropionamide, n.m.r. chain association studies 4−13356
naphtha, nonequilib. effects in seepage through porous medium *(Russian)* 4−27917
naphthacene, amorphous film, absorpt. and fluoresc. spectra 4−21009
naphthacene, polycrystal, u.v. photoelectron spectra 4−13554
1- and 2-naphthaldehyde, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
naphthalene:β-fluoronaphthalene, absorpt. and fluoresc. spectra, multiplet struct. *(Russian)* 4−21078
naphthalene:p-dibromobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
naphthalene:p-dichlorobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
naphthalene, absorption line shapes and triplet exciton scatt. 4−21590
naphthalene, benzophenone mixed crystals, delayed fluorescence study *(German)* 4−4006
naphthalene, diffusion in high viscosity hydrocarbons 4−3579

organic compounds continued
  naphthalene, electric field perturbation of electronic spectra in rigid solns. 4—9518
  naphthalene, excited formal struct. Kekule index 4—12546
  naphthalene, excited-state u.v. absorpt. spectra using solid state laser PTM spectrometer 4—41976
  naphthalene, fluoresc. quenching in CCl$_4$ and n-hexane solns. 4—10478
  naphthalene, gas phase reson. fluoresc. spectroscopy, quantum yield determ., transition rate determ. *(German)* 4—31875
  naphthalene, intermolecular forces, energy dispersion calc. *(German)* 4—31975
  naphthalene, i.r. vibr. spectrum, high press. effects on band intensities 4—28846
  naphthalene, long-range ^{13}C-H spin-spin coupling 4—27708
  naphthalene, methyl substituted, fluorescence spectra 4—9566
  naphthalene, molecular polarisability from treatment of local electric field 4—6590
  naphthalene, n.m.r. line shape in crystal 4—6794
  naphthalene, phosphorescence in benzene and -d$_6$, benzophenone and -d$_6$ crystals 4—21059
  naphthalene, pure and mixed crystals, Raman spectra from study of phonons in virtual crystal model 4—6468
  naphthalene, Raman intensity ratios of librational lattice modes, temp. and press. depend. 4—28803
  naphthalene, Raman lattice modes, pressure dependence 4—6466
  naphthalene, single cryst. growth *(French)* 4—25229
  naphthalene, spectra of adsorbed mols. on cation substituted zeolites *(Russian)* 4—13464
  naphthalene, struct. and elasticity tensor, calc. of pot. curves 4—32470
  naphthalene, triplet extinctions and fluorescence intensities rel. to fluorescence quenchers *(German)* 4—13993
  naphthalene, triplet lifetime, excitation wavelength, environment depends. 4—6084
  naphthalene, two-photon absorpt., selection rules and Herzberg-Teller theory 4—19807
  naphthalene, vapour, isolated mols., dual fluoresc. quantum yields, response functions, expressions deriv. 4—36538
  naphthalene, zone melting, travelling heater, localized interface breakdown 4—33610
  naphthalene and 1-methylnaphthalene, laser excited, pressure effects, singlet, triplet growth, fluoresc. decay 4—16108
  naphthalene bis(p-n-alkoxybenzoate) esters, mesomorphic props. 4—1006
  naphthalene crystal and naphthalene in durene, moderate-resolution two-photon spectrum 4—25116
  naphthalene disulphonic acid, effect on electrolytic Ni magnetoelastic props. 4—20823
  naphthalene in p-dibromobenzene and p-dichlorobenzene, structure of phonon sidebands in T$_1$→S$_0$ transition 4—28931
  naphthalene Raman laser, second harmonic generation 4—15366
  naphthalene vapour, fluoresc. lifetimes and yields, press. effects 4—843
  naphthalene-anthracene mixed cryst., anthracene orientation obs. 4—1330
  naphthalene-d$_8$, matrix isolated, phosphorescence, 1 to 35 kBar, 77 K, triplet lifetime 4—25151
  naphthalene-d$_8$ phosphorescence in benzene and -d$_6$, benzophenone and -d$_6$ crystals 4—21059
  naphthalene-TCNE complex, exciton states, SCF intermolecular orbitals, triad exciton model 4—28371
  naphthalic anhydride, hetarylsubstituted, fluoresc. in organic solvents, polymers 4—1410
  naphthalimide, fluoresc. in organic solvents, polymers 4—1410
  1- and 2-naphthoic acid, absorption and excimer fluorescence spectra 4—33460
  2-naphthol, aliphatic amine effects on fluoresc. quenching 4—10479
  2- naphthol, fast time-resolved fluoresc. meas., using storage ring synchrotron radiation 4—30469
  p-naphthol, intermolec. H bonding involving π-base as proton acceptor 4—24039
  β-naphthol, photodissociation in solvent Franck-Condon state 4—21587
  2-naphthol-pyridine in solid toluene solns., luminesc. quenching const., temp. effect 4—13508
  β-naphtholate, photodissociation in solvent Franck-Condon state 4—21587
  1,4-naphthoquinone, molecule, visible emission and absorption spectra, triplet-singlet transition 4—3132
  naphthoylenebenzimidazole, fluoresc. in organic solvents, polymers 4—1410
  2-(1-naphthyl-5-furanoxadiazole, vapour, luminescence, absorption spectra *(Russian)* 4—844
  α-naphthyl-(CH$_2$)$_4$-α-naphthyl, conformation determ. from photoelectron spectra 4—31930
  naphthylamine, spectra of adsorbed mols. on cation substituted zeolites *(Russian)* 4—13464
  2,6-naphthyridine-d$_6$, in naphthalene, electronic spectra, vibronic band cryst. induced coupling 4—33408
  napthalene perdeuterated, phosphorescence quenching by transition metal ions 4—4001
  1,8,9-peri-napthoxanthene, benzophenone mixed crystals, delayed fluorescence study *(German)* 4—4006
  napththalene crysts., mechanically ground, fluorescence 4—5037
  nebularine, cryst. struct. 4—32541
  nematic liquid crystals, order parameters calc. 4—10472
  neopentane, ^{13}C n.m.r. shifts, temp. effects 4—3200
  neopentane, mol. dissoc., thermal energy depend. in charge exchange collisions 4—27760
  neopentane, proton pulse radiolysis, methodological aspects of technique 4—7456
  neopentane, rot. correlation functions involving instantaneous reorientational jumps 4—3450
  nitrate solutions, vibr. spectra, elec. and mag. field effects 4—21555
  nitrile, secondary saturated, electronic structure of carbanions and freq. of nitrile group 4—798
  p-nitrilebenzylidene p-octyloxyaniline, dielec. relax. at nematic-smectic phase transition *(French)* 4—33340
  nitriles, determ. of polarisabilities of CN group 4—6028

organic compounds continued
  nitriles, molecular orbital study rel. to core resonance integral for short C-N bond 4—19753
  nitriles, substituent effects in ^{13}C chem. shifts 4—27715
  nitriles, vibr. spectra analogy with acetylenes *(Russian)* 4—24091
  1-nitrilo-alkanes, CN-valence vibr., chain length influence *(German)* 4—12584
  nitroalkene derivatives, i.r. and u.v. spectra *(Russian)* 4—16087
  nitroaniline, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4—27729
  p-nitroaniline, single cryst., l.f. Raman spectra, vibrs. assignment *(French)* 4—3957
  p-, m-nitroaniline simultaneous determ. of vapour pressure and enthalpy of sublimation 4—1115
  nitroanilines, multi-peak ESCA bands 4—31927
  nitroanilines, photoelectron spectra 4—12621
  o-nitroanisol, liq., optical birefringence obs. induced by intense laser beam 4—25073
  nitrobenzene, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4—24646
  nitrobenzene, forms of line contours for Rayleigh dispersion *(Russian)* 4—24092
  nitrobenzene, halogen derivatives, calculation and interpretation of electronic spectra 4—3108
  nitrobenzene, in-plane vib. freq. calc. 4—6009
  nitrobenzene, liq., optical birefringence obs. induced by intense laser beam 4—25073
  nitrobenzene, negative-ion charge transfer, electron affinities, mass spectra 4—12641
  nitrobenzene, r.f. cond., 400 kHz-6 MHz, rel. to viscosity 4—32936
  nitrobenzene in soln., reorientational relax. from depolarized Rayleigh state and n.m.r. 4—28812
  nitrobenzene molecular ion fragmentation, ·OH loss, chem. reaction mechanism determ. 4—38143
  m-nitrobenzoic acid, cryst. struct. 4—28077
  n-nitrodimethylamine, photoelectron spectra, theory 4—6119
  n-nitrodimethylamine, vibrational spectrum 4—6064
  nitroethane, microwave spectrum and internal rot. 4—828
  nitroethane, microwave Stark and microwave-microwave double resonance spectra 4—9552
  nitroethane-isooctane mixture, depolarised light scatt. near crit. point 4—33436
  nitroethanisoctane, binary soln., dynamic scale theory of crit. point, expt. verification *(Russian)* 4—13046
  nitroethylene, u.v. spectrum, SCF configuration interaction study of ground state 4—31830
  nitromethane, i.r. and Raman spectra, valence force field, normal vibr. modes *(French)* 4—27686
  nitromethane, liq., shock-compression, eqn. of state, continuum of Hugoniots 4—32612
  nitromethane, scattering indicatrix near critical point, critical indices 4—26882
  nitromethane-CS$_2$ system, critical exponent β, rectilinear diameter 4—28189
  o-nitrophenol, autodetachment lifetimes of long-lived parent negative ions 4—27731
  nitrophenol, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4—27729
  trans 1-nitropropene, microwave spectrum, rot. transitions, nitro torsional vibr. 4—27698
  nitropyridines, vibr. freq. and force constant assignment 4—9532
  nitrosomethane dimers, INDO and CNDO/2 calcs. for N-N bond *(French)* 4—31762
  o,m-nitrotoluene, optical birefringence obs. induced by intense laser beam 4—25073
  nitroxide biradical, e.s.r. obs. of slow exchange 4—9585
  nitroxide radicals, rapid rot. diffusion in viscous media investig., using ^{14}N and ^{15}N isotopes, e.s.r. 4—41235
  nitroxide radicals in disordered matrices, matrix ENDOR linewidths 4—1723
  nitroxyde tetramethyl-2,2,6,6,-piperidine oxyle, far i.r. spectrum, polyethylene sandwich technique 4—37615
  nitroxyl radicals, e.s.r. spectra anal. in slow rot. region, rot. rel. to mol. size 4—37478
  n.m.r. of ^{13}C, reson. signal assignments 4—854
  n-nonane series, thin film slow electron impact energy losses 4—28130
  nonaromatic solvents, soln. of 1-phenyl-3,5-dimethyl-pyrazole in, n.m.r., solvent and steric effects 4—33276
  nonradiative energy transfer from rare earth ions to organic radicals 4—13510
  norbornane, nuclear Overhauser enhancements and relaxation times 4—41307
  norbornane-2,3-diones, long-range spin-spin coupling 4—40314
  nuclear magnetic resonance spectrometer, programmer device, organic mol. struct. investigation *(Russian)* 4—18532
  nuclear resonance spectrometer, trans-receiving channel, organic compounds investigation *(Russian)* 4—18531
  nuclear spin system of organic mols., pulse excitation methods appl. *(Russian)* 4—19880
  nuclear spin-spin coupling consts. of NH fragment 4—6098
  o-dichlorobenzene, flow birefringence meas. using boundary layer shear waves *(German)* 4—33372
  octachlorofulvalene, charge-transfer complex formation, demonstration 4—26363
  octadecyloxyazoxybenzene, smectic dimorphism, props. 4—24388
  octadeuteronaphthalene scintillator direction depend. of pulse shape, fast neutron spectrometer 4—22978
  octafluorobutylene, electron cyclotron resonance, energies up to 0.4 eV 4—36560
  n-octane, mol. dissoc., thermal energy depend., in charge exchange collisions 4—27760
  n-octylamine in aq. soln., mesomorphic, struct. relax., u.s. absorpt. obs. 4—16555
  olefin and ethene copolymers, spectral determination of —CH$_3$ group *(Russian)* 4—6138
  olefin-atomic O$_2$ reactions, chemiluminesc., mechanism investig. in i.r. range *(German)* 4—33977
  α-olefine crystals, intermol. interaction and phase transitions, i.r. absorpt. obs. *(Russian)* 4—32454

organic compounds continued
olefines, cycloaddition of O_2 singlet, mechanism spin- and space-symmetry conservation criteria 4—7421
organic solvents, i.r. laser light induced luminescence 4—37681
organofluorine, coating for LiF optical component, corrosion and moisture resist. 4—18437
organofluorine compounds, effect on wetting of metals by nonpolar liquids 4—41889
organophosphorus compounds, conformational anal., i.r. and dipole moment determ. 4—36520
organosilicon cpds. containing S, and complexes with $TiCl_4$, dipole moments and u.v. spectra 4—6029
orthoveratric acid, centrosymmetric projections of structure 4—993
3-oxabicyclo (3.1.0.) hexane, microwave spectrum, conformation, rotational consts. 4—6083
oxadiazole-1,3,4 derivatives in soln., luminescent spectra, vibr. struct. *(Russian)* 4—17120
oxalic acid, anhydrous, solid, proton chemical shielding tensor determ. by multiple pulse n.m.r. 4—41289
oxalic acid, gaseous, i.r. and Raman spectra investigation, freq. obs. 4—809
oxalyl chloridefluoride, 3870 Å absorption system, vibr. analysis 4—24059
1,3-oxathiolane, alkyl substituted, p.m.r., config. and conformational effects 4—36545
oxazole-1,3 derivatives in soln., luminescent spectra, vibr. struct. *(Russian)* 4—17120
oxisuran, cryst. and mol. struct. 4—20284
oxonine, relative parameters from visible spectra for Huckel orbitals calc. *(Portuguese)* 4—5981
oxy-acetylene mixtures, laser spark detonation, schlieren frame and streak records 4—1703
βoxyamines, spectral obs. of H-bonding *(Russian)* 4—6030
2,2 oxydiethanol, dye laser solvent, effect on triplet state population 4—300
oxyethylated alkylphenol, micelle struct., dynamic flow birefringence 4—41886
2-(2-)oxyphenyl-benzimidazole, generating capacity in spectral blue region *(Russian)* 4—1739
β-oxysulphides, spectral obs. of H-bonding *(Russian)* 4—6030
p-aminophenol photographic developer rel. to auto-coupling process in Ag halide chemistry 4—10782
p-azoxyanisole liquid crystal, discontinuities at nematic-isotropic melt phase transition 4—6331
PAA, liquid crystal, Raman and Rayleigh scattering 4—28821
PABHA, liquid crystal, Raman and Rayleigh scattering 4—28821
parabanic acid, and alkyl derivatives, electronic struct., spectroscopy 4—27647
n-paraffin:1,12 benzoperylene, annealed sample, solute associations, absorption and emission spectra 4—13475
n-paraffin:1,12 benzoperylene, fast frozen sample, Schpolskii effect, absorption, fluorescence, phosphorescence 4—13474
n-paraffin: coronene, fast frozen sample, Schpolskii effect, absorption, fluorescence, phosphorescence 4—13474
n-paraffin:coronene, annealed sample, solute associations, absorption and emission spectra 4—13475
n-paraffin:perylene,, fast frozen sample, Schpolskii effect, absorption, fluorescence, phosphorescence 4—13474
n-paraffin:perylene, annealed sample, solute associations, absorption and emission spectra 4—13475
n-paraffin, $C_{36}H_{74}$ and C_{94}-H_{190}, polymorphism effect on Raman-active acoustical mode freqs. 4—28815
n-paraffin crystals, intermol. interaction and phase transitions, i.r. absorpt. obs. *(Russian)* 4—32454
paraffin/W mixture, shock adiabat curves calc. *(Russian)* 4—7347
n-paraffins, i.r. vibr. spectrum, high press. effects on band intensities 4—28846
n-paraffins, l.f. molec. vibrations determ. by neutron inelastic scattering in solid 4—9967
n-paraffins, liquid, self-diffusion and viscosity rel. to temp. 4—16607
paraffins, surface area determination by gas chromatography 4—39441
penanthrene, molecular polarisability from treatment of local electric field 4—6590
pentachlorophenol complexes, spectroscopic criterion of bonding type *(Russian)* 4—40309
pentachlorophenol-hexachlorobenzene, mixed crystal, diamagnetic susceptibility meas. 4—20757
pentadecylic-acid, surface layer, two-dimens. gas eqns. of state 4—27789
pentadiyne-1,3, i.r. and Raman spectra *(French)* 4—9525
pentaerythritol, cryst. growth from soln. *(French)* 4—25227
pentamethonium n.m.r. study of mol. movements *(French)* 4—9864
pentamethylcyclopentaphosphine, ^{31}P n.m.r., $^{1}J(PP)$ spin-spin coupling 4—12611
2,2,4,6,6-pentamethylcylohexyl radical, e.p.r., long range interactions 4—36553
n-pentane series, thin film slow electron impact energy losses 4—28130
pentane-2,3-dione, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4—27730
pentane/isopentane mixture, hydrostatic limits, to 100 kbar, rel. to appl. to press. transmitting medium 4—36952
pentaphene, benzophenone mixed crystals, delayed fluorescence study *(German)* 4—4006
pentatomic heterocyclic compounds, ESCA bands, core ioniz. energies and multi-peak struct. 4—3212
1,2,4-pentatriene, vibr. amplitude and perpendicular amplitude correction coeffs. calc. 4—31804
peptides, conformational depend. of ^{15}N-C-C-H vicinal coupling consts. 4—36474
perchlorocyclotetraene, crystal struct. and mol. conformation *(German)* 4—36895
perchlorodihydropentalene, crystal struct. and constitution *(German)* 4—9913
perdeuteriomethane, ion-molecule reactions 4—21544
perfluoro n-hexane, chromophore solute, visible spectrum solvent shifts 4—21013

organic compounds continued
perfluorocyclobutanone, n.m.r., chemical shifts and coupling consts. 4—28717
perfluorocyclohexane, self-diffusion impurity quenching 4—37039
peroxides, and dissoc. products, luminescence spectra *(Russian)* 4—29352
peroxylamine disulphonate radical, glycerol-water soln., e.s.r. line-shape, saturation props. 4—13337
perylene, amorphous film, absorpt. and fluoresc. spectra 4—21009
perylene, delayed fluoresc., quenching by azulenes *(German)* 4—37684
perylene, dimethylformamide soln., high-power longit. pumped laser in blue 4—23331
α perylene, electron transfer to redox ions in soln., rate const. determ. 4—34037
perylene, in binary solute solutions, low threshold lasing by nonradiative dipole-dipole energy transfer 4—5495
α-perylene, thermally activated hole drift mobility measurement 4—16766
perylene cation radical, nonradiative energy transfer from rare earth ions 4—13510
perylene films, optical props. in the visible and near u.v. 4—17145
perylene in ethanol soln., anisotropy of rot. diffusion of excited mols., fluoresc. polarisation obs. 4—17101
perylene in ethanol soln., excess excitation energy influence on rot. relax., fluoresc. polarisation obs. 4—17100
petroleum-water emulsion, multiple internal reflection spectra *(Russian)* 4—41906
phenanthrene, cryst., exciton-phonon interaction, visible spectrum 4—21012
phenanthrene-tetracyanobenzene charge transfer complexes, phosphorescence and triplet state lifetimes 4—28934
phenanthroline, vibr. spectra, i.r. dichroism, Raman depolarisation ratios, vibr. assignments *(German)* 4—28839
o-phenanthroline hydrate, space group determ. 4—20292
o-phenanthroline monomolecular layers, between Al electrodes, thermally stimulated currents obs. 4—37323
phenazine and derivatives, electronic structure, Mo calc. 4—36487
1,4-trans-phenazinediol-1,2,3,4-tetrahydro-5,10-dioxide, cryst. and mol. struct. 4—20288
phenesine metasulphate, effect on fluorescence of leaves and algae 4—38946
phenobarbitone, polymorphism, cryst. struct. of modification III 4—12933
phenol, dibasic, effect on transfer of protons across bilayer lipid membranes 4—22522
phenol, hydrogen bonded complexes with quinolines, far i.r. studies 4—19844
phenol, optical anisotropy meas., eq. soln., Rayleigh scatt. 4—13429
4X-phenol-4Y-pyridine, H-bonded complexes, intermol. force fields 4—19789
phenolics, river transport props., stochastic modelling 4—29532
phenols, chlorosubstituted, i.r. spectra and hydrogen bonds of OH^-, temp. effects 4—10410
phenols, meta-substituted, barriers to internal rotation 4—5978
phenols, proton donor-acceptor system, overtone region, hydrogen bonds 4—12586
phenols, u.v. ratio spectrophotometric system for trace anal., comparison with ASTM method 4—39396
phenols in organic bases, hydrogen-bonded complexes, valence sub-band struct. of OH group 4—16071
phenothiazine-TCNQ 1:1 complex, sinusoidal struct. 4—36882
phenyl 4-benzoyloxybenzoate derivatives, liq. cryst., synthesis and mesomorphic properties 4—9840
phenyl benzoate derivatives, liq. cryst., mesomorphic thermal properties 4—9839
phenyl benzoates and iso(nicotinates), electronic absorpt. spectra and mol. moments 4—27585
phenyl isocyanate, microwave spectrum and geom. struct. *(French)* 4—12589
phenyl isocyanate dimer, isomorphism with p-terphenyl 4—28090
phenyl phenoxtinium iodide, cryst. and mol. struct. 4—12941
phenyl radical reaction kinetics, CIDNP obs. 4—33987
phenyl salicylate, liq., viscosity, thermal expsn. coeff. meas. 4—13057
1-phenyl-3,5-dimethyl-pyrazole, n.m.r., solvent and steric effects 4—33276
α-phenyl-o-cresol, liq., viscosity, thermal expsn. coeff. meas. 4—13057
phenylacetylene, homogeneous oxidative coupling reaction, e.p.r. identification of $Cu(C_5H_5N)_5^{2+}$ 4—33984
phenylalanine dipeptides, cryst. struct. *(French)* 4—40794
phenylamines, various solvents, dielectric properties, 20°C, 0.3-135 GHz 4—3936
phenylcarbamate alcohol derivatives, mass spectral anal. 4—39410
N,N'-di-β-phenylethylrhodamine, c.w. laser operation rel. to Rhodamine 6G 4—19102
2-phenylindole in n-heptane (hexane)-n-butanol, average interaction energy of solute with solvent mols. *(German)* 4—40731
2-phenylindole in polar and non-polar solvents, electronic spectra study 4—10438
phenylmercaptotetrazole, photographic development retarder, influence on colour reversal 4—10781
1,4-di-2-phenyloxazolyl benzene dye laser, vapour phase 4—31017
2-phenylpropan-2-thiol, n.m.r. and i.r. spectral obs. of association *(Russian)* 4—25487
phenylsulphides, electronic spectroscopy and spin-orbit coupling origin 4—21056
phloxin:Na-fluoresceine, pholtouminescence quantum yield, non-radiative excitation energy transfer *(German)* 4—5498
phosphapyridine derivates, u.v. absorpt. spectra, substituent and solvent effects 4—36511
phosphapyrimidines, substituted, and their N-15 labelled analogues, i.r. and Raman spectra and in-plane vibrational assignment 4—3154
phosphirane, ab initio LCAO-MO-SCF calcs. of electronic struct. 4—19782
phospholipid aqueous suspension, permittivity measurement, cavity resonator method *(German)* 4—6827
phosphonates, var. of vicinal $^{31}P-C-C-{}^{1}H$ couplings with dihedral angle, n.m.r. study 4—27577

organic compounds continued
phosphoranes, polytopal rearrangement 4−5998
phosphororganic molecules, electronic struct. *(Russian)* 4−36481
phosphorothioate protective agents, decomposition 4−22617
phosphorus(III) compounds, radiofreq. spectra, P-N bond stretching freq. *(French)* 4−24106
phosphorus heterocycles, ^{13}C spin-lattice relaxation times 4−19875
photoemission, interpretation of quantum yield curves 4−33576
phthalic anhydride addition, C graphitisability from fluorene and carbazole, mesophase form. investigation 4−16417
phthalimide, stimulated emission polarisation viscosity and temp. depend. *(Russian)* 4−41397
phthalimide derivatives, effect of excitation power on fluoresc. spectra *(Russian)* 4−28921
phthalimide solutions, spontaneous and stimulated emission spectra 4−25135
phthalocyanine, phosphorescence spectra, temp. dependence 4−13487
β- phthalocyanine single crysts., metal-free, photogeneration, drift mobility and trapping of carriers 4−20648
phthalocyanine solution, metal-free, nonlinear props., absorpt. under ruby laser irrad. 4−15387
phthalocyanines, metal free and with transition metals, mass spectra and ionisation potentials 4−40329
γ-picolene, dynamic polarisation, temperature jump technique 4−3916
γ-picoline, methyl group rotation, proton T_1 meas. 4−37520
γ-picoline (-d_7), force consts. determ. and vib. spectrum assignment 4−9527
γ-picoline adduct with Ni(II), Cu(II) complexes, p.m.r. isotropic proton shift 4−6100
piperidine, liquid, Raman spectra of adsorption on SiO_2 4−13092
piperidine adduct with Ni(II), Cu(II) complexes, p.m.r. isotropic proton shift 4−6100
piperidine hydrogen chloride, isomorphism with piperidinium hydrogen sulphide 4−20291
piperidinium hydrogen sulphide, isomorphism with piperidine hydrochloride 4−20291
pivalamide-ND_2, magic angle rotation n.m.r. and internal motions 4−41273
pivalic acid, plastic phase, cryst. growth *(French)* 4−25255
pivalic acid, Rayleigh scatt. anal., liq. and plastic phases 4−41371
PMMA matrix, Ag particles, optical transmission, low temps. *(German)* 4−6896
polar liquid systems, dielec. behaviour *(French)* 4−10366
polyamide films, partially cryst., struct. obs. by electron microscopy, cryst. speed effect 4−16437
polyamides derived from (+)-1,3-trans-cyclohexanedicarboxylic acid, circular dichroism, strong acid spectral effects 4−19945
polycyclic hydrocarbons, microwave structural obs. 4−3179
polyenes, long mols., spin struct. of ground state, antiferromag. criteria 4−16906
polyethylene, i.r. vibr. spectrum, high press. effects on band intensities 4−28846
polyethylene, spark chamber, meas. of proton polarisation 4−14984
polymethene dye and fluorescent dye for two-frequency lasing *(Russian)* 4−19106
polymethine cyanine dyes, long-lived transient absorpt. in nanosecond laser photolysis 4−4274
polymethine dye, quick-damping absorption induced by psec. ruby laser pulses *(Russian)* 4−11932
polymethylsiloxane, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
polypropylene, isotactic, β-modified film ductile props. *(Japanese)* 4−33898
polyriboadenylic acid, delayed fluorescence emission, triplet-triplet absorption processes 4−1738
polystyrene, electrophoretic particle mobility, obs. of Doppler shift in oscill. elec. field 4−26927
polystyrene, monodisperse latex sedimentation distance determ. using aerosol field type spectrometer 4−39367
polyvinyl alcohol, dye fluoresc. in anisotropic film, conc. depolarisation *(Russian)* 4−41429
porphyrin cation radical, e.s.r. obs. of unpaired electron delocalisation *(Russian)* 4−40322
porphyrins, all-valence-electron SCF MO CI calcs., of spectra of dianion and free base porphin 4−3107
porphyrins, electron spin polarisation in photoexcited triplet state 4−25496
porphyrins, electronic struct., mol. orbital calc. 4−19771
positronium reaction rate with diatomic organic molecules 4−29298
potassium laureate in oriented soap-water multilayers, d.m.r. obs. 4−13350
potassium pyrazine, ion pair struct. in dimethoxyethane, e.s.r. h.f.s. 4−16120
5α,17α-pregnane-3β,20α-diol, −170°C, cryst. and mol. struct., . −170°C 4−36889
L-proline residue, barriers to rotation about C^α-C′ bond 4−12525
propanal, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
propane, absorpt. coeff. near 3.39 μ, press. effects, 100-760 mmHg *(Russian)* 4−36519
propane, chemical thermodynamic props., rigid rotor harmonic oscill. model 4−24160
propane, dissociative ionisation by impact of α-particles and electrons at equal velocities *(German)* 4−36581
propane, liquid, ice nucleation in clouds 4−11042
propane, partially deuterated, i.r. spectra, CH bond lengths, CH stretching freqs. 4−27687
propane, polarisability, light scatt. meas., dipole law *(French)* 4−27639
propane, proton pulse radiolysis, methodological aspects of technique 4−7456
propane, Rayleigh scattering, cross section meas. *(French)* 4−27679
propane-CO_2 system, vapour-liquid equilibria, modified Redlich-Kwong eqn. of state 4−40881
propane-He mixture, diffusion through porous plug, mobile adsorbed phase interactions 4−14005

organic compounds continued
propanediol doped with Cr^v complexes, dynamic proton polarisation below 0.5 K 4−28724
n-propanol, in aminophthalimide solns., luminesc. spectra, temp. depend. 4−10477
n-propanol + H_2O mixture, pool boiling heat transfer coeffs. 4−28197
propargyl alcohol, phase diagram, pressures up to 40 kbar, −20 to +130°C 4−32670
propargyl amine, rotational isomerism determ. by Raman spectra 4−27678
propargyl mercaptan, internal rotation of SH group, microwave investigation 4−3178
propene, photodissociation of cations, cyclotron resonance 4−13998
propene, threefold potential functions, far i.r. data calc. 4−6008
propene + H reactions, in flow apparatus, rate constant *(German)* 4−41954
propene-2-C-13, oriented in a nematic phase, spectrum, p.m.r. spectrum 4−853
propenes, cis- and trans-substituted, nonbonded interactions, methyl group internal rotation barrier height 4−36463
1,3-propiolactone, centrifugal distortion consts., calc. by Watson's formalism 4−27635
propiolyl chloride, i.r. and Raman spectra, gas and liq. phases, vibr. analysis 4−19843
propionaldehyde, CIDNP evidence for solvent effect on primary photochemical steps 4−7459
propionamide, (deuterate), in-plane mol. vibr. mean amplitude calc. for various linkages 4−40236
propionanilide derivative, N-{1-[3-(p-lide, cryst. struct. 4−28066
propoxy-4 heptyl-4′ tolane, nematic, refr. indices *(French)* 4−33364
n-propyl alcohol, r.f. cond., 400 kHz-6 MHz, rel. to viscosity 4−32936
n-propyl benzoates, i.r. and Raman spectra, vibr. freq. assignment 4−40270
n-propyl chloride, solvent effect on torsion mode 4−21001
n-propyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
n-propyl radical, e.s.r. spectra, photolysis of n-propyl iodide, 4K, struct., mag. consts. 4−21589
propylene, absorpt. coeff. near 3.39 μ, press. effects, 100-760 mmHg *(Russian)* 4−36519
propylene ^{18}O ozonide, microwave spectrum rel. to ^{18}O aldehyde insertion of ozonolysis reaction 4−9550
c- propylene imine, ^{14}N quadrupole coupling consts. from microwave spectrum 4−12592
propylene ozonide, microwave spectrum 4−9549
n-propylfluoride, photoelectron spectra and orbital assignment by sum rule consideration 4−31935
N-propyltripropylacetamide, cryst. and mol. struct. *(French)* 4−16473
propynal, $^1A''$ from $^1A'$ band system, Zeeman field, magnetically sensitive perturbations 4−782
propynal, visible spectrum, Stark effect on rot. lines, electric dipole moment determ. 4−16053
propyne, gas, liq. and CCl_4 soln. i.r. obs. of mol. rot. 4−12581
proteins, positron annihilation study of band structure *(Hungarian)* 4−35505
pyrazine, lyotropic liq. cryst., orientation, struct., proton mag. reson. spectra 4−9832
pyrazine, mol. orbital interpret. of photoelectron spectra 4−36472
pyrazine, mol. orbital interpret. of photoelectron spectra 4−36569
pyrazine, optical anisotropy meas., eq. soln., Rayleigh scatt. 4−13429
pyrazine, u.v. spectrum, structure-spectrum correlation, protolytic equilibria 4−27644
pyrazine crystal, lattice dynamic anal., by coherent inelastic neutron scatt. 4−9954
pyrazine in polyethylene soln., n-π^* transitions detection by linear dichroism 4−12558
pyrazine N-oxides, normal coordinate analysis, u.v. spectrum, structure-spectrum correlation 4−27644
pyrazines, evidence for second low-lying $n\pi^*$ single state 4−12561
pyrazole, optical anisotropy meas., eq. soln., Rayleigh scatt. 4−13429
pyrazole molecules, isotope substituted, microwave spectrum, rot. and quadrupole interaction consts. 4−12593
pyrazoles, 3- and 5-substituted, absorpt. spectra, polarisation *(Russian)* 4−27688
pyrazoline-2 derivatives, i.r. spectra, intermolecular hydrogen bonding, CNDO/2 calcs. *(French)* 4−36523
pyrene, condensed, static elec. polarisability changes 4−9507
pyrene, lattice dynamical calcs. 4−24527
pyrene, monopositive ion in boric acid glass, absorption spectrum, 200-1400 nm 4−13997
pyrene, polycryst. film, secondary electron emission 4−33541
pyrene, triplet exciton quenching by trapped holes 4−10177
pyrene, triplet exciton-free hole interaction 4−10178
pyrene, use as indicator in polyethylene rel. to crystallite orientation state determ. 4−6350
pyrene, vapour, isolated mols., dual fluoresc. quantum yields, response functions, expressions deriv. 4−36538
pyrene doped fluoranthene, host-guest singlet-triplet interaction 4−10114
pyrene-3-aldehyde, long wave fluorescence *(German)* 4−4007
pyrene-d_{10}, u.v. vibronic spectrum, solvent enhancement of first singlet-singlet transition 4−28862
pyridazine, lyotropic liq. cryst., orientation, struct., proton mag. reson. spectra 4−9832
pyridazine, mol. orbital interpret. of photoelectron spectra 4−36569
pyridene, photoelectron spectra additional bands with Ne or Ar resonance lines, origin 4−31931
pyridine, ^{13}C n.m.r. shifts, temp. effects 4−3200
pyridine, ^{15}N-, ^{13}C-ring-substituted, microwave spectra, coupling consts., substitution struct. 4−19852
pyridine, DTA obs. of crystn. of Se 4−12871
pyridine, electronic struct. investigation by ab initio calcs. 4−772
pyridine, far u.v. absorpt. spectrum, ionisation threshold to 13.5 eV, Rydberg series 4−31828

organic compounds continued
pyridine, mol. orbital interpret. of photoelectron spectra 4–36472
pyridine, mol. orbital interpret. of photoelectron spectra 4–36569
pyridine, normal coordinate analysis, u.v. spectrum, structure-spectrum correlation 4–27644
pyridine, optical anisotropy meas., eq. soln., Rayleigh scatt. 4–13429
pyridine adduct with Ni(II), Cu(II) complexes, p.m.r. isotropic proton shift 4–6100
pyridine Br_2 complex, solvent effect on Br-Br stretching mode 4–21001
pyridine derivatives in solns., i.r. absorpt. spectra, specific interactions 4–40265
pyridine in polyethylene soln., n-π^* transitions detection by linear dichroism 4–12558
pyridine in various solvents, deuteron and proton spin-lattice relaxation 4–20891
pyridine on SiO_2-Al_2O_3, Raman scattering obs. 4–16661
pyridine-acid H-bonded complex, chloroform soln., i.r. spectrum, internal vibr. 4–20990
pyridine-intercalated TaS_2, cryst. struct., X-ray and electron diffr. obs. 4–36870
pyridine-iodomonochloride, charge transfer complex, ESCA obs. 4–12619
pyridinediols variable electronegativity π-electron SCF-MO theory, electronic spectra 4–40228
pyridines, substituted, adsorbed on SiO_2, H-bonding, i.r. spectra obs. 4–24633
pyridinic aromatic esters, mol. conformation 4–27585
pyridinium dipicrylaminate, γ-irradiated for i.r. spectral impurity enhancement 4–39443
pyridinium dipicrylaminate, struct. prep. and physico-chem. props. 4–40797
pyridoxal-5′-phosphate, absorpt. and luminescent props. *(Russian)* 4–17121
pyridyl benzoates and (iso)nicotinates, electronic absorpt. spectra and mol. moments 4–27585
pyrimidine, 4,6-disubstituted, effect of tautomerism on absorpt. spectra 4–36460
pyrimidine, lyotropic liq. cryst., orientation, struct., proton mag. reson. spectra 4–9832
pyrimidine, mol. orbital interpret. of photoelectron spectra 4–36472
pyrimidine, mol. orbital interpret. of photoelectron spectra 4–36569
pyrimidine, triplet-singlet emission, transition probability, validity of relationship *(German)* 4–31873
pyrimidine, u.v. spectrum, structure-spectrum correlation, protolytic equilibria 4–27644
anti-4-pyrimidinecarboxaldehyde oxime, cryst. and mol. struct. 4–32536
pyrimidines, d-substituted, preparation and vibrational spectra 4–27691
pyroform salts of polyanhydrouronic acid, coordination of carboxylate ion *(Russian)* 4–19798
L-pyroglutamic acid, i.r. and Raman spectra *(French)* 4–12572
pyromellitic dianhydride addition, C graphitisability from fluorene and carbazole, mesophase form. investigation 4–16417
pyrrole, acetylation, ion cyclotron resonance single and double resonance signals 4–33999
^{15}N-pyrrole, long-range C-H couplings determ. 4–19876
pyrrole, potential interstellar mols., n.q.r. coupling and rot. consts. of N atom 4–31890
pyrrole type compounds, ground state, π-bond energy, heat of form. 4–19768
pyrrole-NaCl system, interactions at solid-liquid interface, i.r. spectra *(French)* 4–13084
pyruvic acid, microwave spectrum, 8-40 GHz 4–6080
pyruvic acid and deuterated analogue, microwave spectra, conformation, barrier to internal rot., dipole moment 4–19854
quaternary ammonium salts, ^{13}C n.m.r., correl. of J_{nc} with s-character 4–19883
quinine and related cpds., shift of emission band on excitation at long wavelength absorpt. edge 4–3194
quinodimethanes, ionisation pot., IOC-ω-technique 4–19887
quinoline, aq. soln., optical anisotropy meas., Rayleigh scatt. 4–13429
quinoline, depolarised light scatt., component struct. 4–25125
quinoline, DTA obs. of crystn. of Se 4–12871
quinoline, forms of line contours for Rayleigh dispersion *(Russian)* 4–24092
i-quinoline, in durene, microwave induced triplet-triplet absorption 4–12612
quinoline, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4–27730
quinoline-d_6, in naphthalene, electronic spectra, vibronic band cryst. induced coupling 4–33408
quinolines, substituted, far i.r. studies, hydrogen bonding 4–19844
quinone, single-electron reduction by OH^- in biological membranes 4–22526
quinoxaline, in durene, microwave induced triplet-triplet absorption 4–12612
quinoxaline vapour, intermediate strong coupling states, time resolved emission 4–6089
quinuclidine-boron(trihalide) complex, vibr. spectra and assignments 4–40285
rare earth ethyl sulphates, nondipolar interactions, origin 4–6592
retigeranic acid p-bromoanilide, cryst. struct. 4–20274
retinol, polarized fluorescence spectrum 4–6090
N-retinylidene derivatives, elec. π dipole polarisabilities in ground and first excited singlet states 4–784
rhodamide solution, stabilisation of developed photographic image *(Russian)* 4–38162
rhodamine 6G, B, triplet store population in jet stream c.w. dye laser 4–300
rhodamine 6G, laser, new saturable absorbers for picosecond pulse generation 4–26974
rhodamine 6G, triplet state e.s.r. during laser irrad. 4–10309
rhodamine 6G(B) laser, flash pumped down-conversion in $AgGaS_2$, i.r. generation 4–31067
Rhodamine 6G dye solution, influence of mol. parameters on laser props. 4–11931

organic compounds continued
rhodamine 6G ethanol solution, lasing spectral-time characteristics 4–26977
rhodamine 6G ethanol solution, spectral kinetics of laser action 4–26978
rhodamine 6G in aerated ethanol, attenuating and amplifying, stimulated emission 4–5496
rhodamine 6G laser, flashlamp-pumped, two-band generation 4–15359
rhodamine 6G-Cresyl violet, excitation transfer, fluoresc. lifetime meas. 4–26971
rhodamine B:acriflavine, photoluminescence quantum yield, nonradiative excitation energy transfer *(German)* 4–5498
rhodamine B, dimer spectra 4–1405
rhodamine B glycerol-water solutions, concentration depolarisation and quenching of photoluminescence 4–21044
rhodamine dye associates, luminescence and absorption spectra obs. at 73 to 293K *(Russian)* 4–6922
rhodopsin, absorp. spectra time depend. photolysis 4–7461
riboflavin solns., absorpt. and luminesc. spectra, temp. effect, conformity to universal relationship *(Russian)* 4–6913
rotational relaxation time measurement by i.r.-microwave double resonance 4–834
rubrene, electrogenerated chemiluminescence, effect of solvents on quantum efficiency 4–29323
ruthenium acetylacetonate, paramag., exchange interactions and relax. 4–24988
saccharides, (mono-, di-, and tri-), far i.r. spectra at 4.2K, absorption bands 4–20998
salicylaldehyde, salicylaldimine, electronic spectra investigation, quantum chemical results 4–848
salicylamide-amobarbital 1:1 complex, cryst. struct. 4–36876
N-salicylideneanilines-iodine complexes nature by adducts 4–10346
salipyrine, cryst. struct. 4–28073
salol, growth from melt, mechanism determ. 4–36835
saturated nitrogen-containing cpds., geminal method calcs. of electronic struct. 4–9494
Saturn's atmopshere, $3\nu_3$ band absorption, Fourier i.r. spectroscopy 4–4715
Schiff's base of D-glucosamine with aromatic aldehyde, anomerim, p.m.r., conformation *(Russian)* 4–40214
secondary chlorides, calculated intermolecular interactions 4–24156
secondary chlorides, general valence force field 4–3117
selenine, relative parameters from visible spectra for Huckel orbitals calc. *(Portuguese)* 4–5981
selenophen and derivatives, ioniz. energies determ. 4–860
semiconductor, contact and bulk cond. 4–28493
semiconductor, double space charge developed by Costa Ribeiro effect, expt. obs. 4–28423
semiconductors, elec. and mag. props., review *(Hungarian)* 4–37228
L-serine, cryst., X-irradiated, e.s.r. at 77K, hyperfine and g-tensors 4–20831
L-serine dimorph, X-ray powder photographs, unit cell, space group determ. 4–20293
silver dicyanonitromethanide, cryst. struct. 4–28064
sodium acetate, X-ray diffr., lattice consts., thermal expansion along cryst. axes 4–20424
sodium ammonium tartrate:Cr^{3+}, phase transition, e.s.r. obs. 4–41346
sodium dodecylsulphate, vibr. anal. of crystal struct. 4–10426
sodium formate, refractive index meas., 0.35-1.5 μm, dispersion relation consts. 4–3951
sodium methylphosphonate, n.m.r. spectra in lyotropic mesophase soln. 4–6796
sodium tetraphenylboron and glyme complexes, in THF solvents, density, viscosity meas., solvation investig. 4–29367
sodium tetrazolate monohydrate, ion-dipole, Coulomb energies, van der Waals, hydrogen bonding 4–1024
sodium uranyl acetate, optical rotatory dispersion curve, effect of deuteration on optical activity *(Russian)* 4–33455
solid layers, heterogeneity rel. to temp. widening of i.r. absorpt. bands *(Russian)* 4–17081
solution, width of depolarized combination scatt. lines, during change with conc. of fluidity *(Russian)* 4–37596
solutions, laser lamp pumping system 4–5089
solvatochromic merocyanine dye, acid-base equil. in ground and excited states 4–25467
solvent effects, Nd and Er complexes, ionic transition oscill. strengths *(Russian)* 4–41361
solvents and reactants, appl. in semiconductor surface cleaning unit, in vacuum *(Russian)* 4–21207
3,3′-spirobi-(3-selenaphthalide), cryst. and mol. struct. 4–28084
(±)-2,2′-spirobi[indan]-1,1′-dione, cryst. struct. 4–20271
spiropyran solutions, nonlinear coloration, laser bleaching 4–23388
sporidesmin G etherate, cryst. struct. 4–28080
squaric acid, proton chem. shift anisotropy in carboxyl groups 4–9576
trans-stilbene, cryst. and mol. struct. 4–20278
stilbene, fast neutron scintillation spectrometer 4–18682
stilbene scintillator, direction depend. of pulse shape, fast neutron spectrometer 4–22978
stilbene-chloroform solns., strong nonlinear absorpt., superposition of two-photon and one-photon absorpt. 4–19134
strontium formate, differential thermal anal., phase struct., polymorphism 4–32546
strontium formate, polymorphism, X-ray diffraction 4–32547
styrene, solid monomer, energy transfer of singlet excitation, organic impurity effects 4–37669
styrenes, photoelectron spectra 4–36570
substituted cyclopentones, n.m.r., non-planar rings, conformational anal. *(French)* 4–19871
subtituted benzenes, correlation of ionisation potentials and sums of substituent constants 4–6112
succinonitrile, plastic cryst., optical Kerr effect, susceptibility, order parameter 4–20966
succinonitrile, plastic phase, cryst. growth *(French)* 4–25255
succinonitrile, space correlations obs. by X-ray scattering 4–16439
sucrose/H_2O system, diffusion induced drift of soot particles, analogy to Kirkendall effect *(German)* 4–37027

organic compounds continued
- sulfolane with alcohols, binary liquid mixture, viscosity 4−32736
- sulphenyl iodide compound, Mossbauer effect of ^{129}I 4−6822
- superconductivity investigation 4−16888
- 1,3,5-sym-triazine, spectra, geometry of excited states 4−17086
- 1,3,5-, symmetry ordering of excited states, expt. and theoretical description 4−796
- tanol suberate, ferromag. transition, sp.ht. obs. 4−3840
- tartaric acid in aq. soln., photolysis, radical kinetics, e.s.r. obs. 4−21592
- taurine, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4−8198
- TCNB complex, triplet-triplet absorption spectra 4−6914
- TCNB-toluene complex, fluorescent state absorpt. spectra interpret., 4.2 K, structural change model 4−4000
- TCNE, liq. mix. with aromatic electron donors, Raman spectra 4−3960
- (1:1) TCNE-naphthalene complex, disordered, constrained refinement of struct. 4−28076
- TCNQ, $^1/_4$ filled band electronic spectrum, Hubbard model 4−20532
- TCNQ, ion radical salt, $(\varphi_3AsCH_3)^+(TCNQ)_2^-$, proton spin lattice relaxation, temp. depend. 4−33288
- TCNQ, one-dimens., possibility of metal-dielec. transition 4−37181
- TCNQ, photoemission spectra obs. at room temp. 4−17163
- TCNQ and anions, ab initio calcs. of ioniz. energies and charge distribs. 4−31790
- TCNQ anion radical salt of diethylcyclohexylammonium, 347 K first-order transition 4−1310
- TCNQ charge-transfer salt, Hubbard model, SCF calc. of effective parameters 4−3680
- TCNQ complex of 1-methyl-3,3-dimethyl-2-(para-n-methyl-n-β-chloroethylstyryl) indole cryst., mol. structs. 4−16482
- TCNQ complexes, surface morphology and slip behaviour *(German)* 4−6406
- TCNQ ion-radical salts, high cond., charge transfer singlet excitons 4−32897
- TCNQ monovalent anions, i.r. active fundamental vibrations 4−6051
- TCNQ salt, $(\varphi_3AsCH_3)^+(TCNQ)_2^-$, evidence for exciton motion from nuclear relaxation times meas. 4−13362
- TCNQ salt, $Cs_2(TCNQ)_3$, cryst., i.r., Raman spectra of TCNQ sites, ground state charge densities 4−41363
- TCNQ salts, 'equal level spacing' model, thermodynamic props. 4−6474
- TCNQ salts, extended Frenkel excitons, dipolar splitting parameters 4−3717
- TCNQ-TTF, temp. depend. X-ray obs. around cond. maximum 4−36894
- TEA, for sensitisation of fine-grain photographic emulsions 4−21595
- $TEA(TCNQ)_2$, electrical conductivity and dielectric constant meas. at 10^8 and 2×10^8 Hz 4−28442
- $TEA(TCQN)_2$, anisotropic semicond., polarised optical reflection spectra obs. 4−37626
- tellurophen, isotropic and nematic phase n.m.r., 60 MHz, mol. geometry 4−16122
- tellurophen and derivatives, ioniz. energies determ. 4−860
- terephtal-bis-(p-n-butylaniline) and methylchloride deriv., smectic phase obs., p.m.r. 4−10332
- terephthal-bis-butylaniline, smectic phases, X-ray monodomain and powder patterns, structure 4−28022
- p-terphenyl, isomorphism with phenyl isocyanate dimer 4−28090
- terphenyl isomers, thermoluminesc., carrier trap centre mechanism 4−41441
- o-terphenyl liq., viscosity, thermal expsn. coeff. meas. 4−13057
- 1,4-di(5′-)tert-butyl-benzoxazole-2′-ylbenzene, generating capacity in spectral blue region *(Russian)* 4−1739
- 1,4-di(5′-)tert-butylbenzoxazol-2′-yl-2,5-dichlorobenzene, generating capacity in spectral blue region *(Russian)* 4−1739
- tertiary amine, conjugate acid, vicinal H-N-C-H coupling constants, angular depend., n.m.r. 4−850
- 2,3;6,7;2′,3′;6′,7′-tetrabenzoheptafulvalene stereoisomers, cryst. and mol. struct. 4−12934
- tetrabenzoporphin, blue fluoresc. obs., transition mechanisms 4−16110
- sym-tetrabromobenzene, lowest triplet state, Br hyperfine and quadrupole fine struct. in MODR spectra 4−4010
- 1,1,2,2-tetrabromoethane dilute solution, viscoelastic relax. time, determ. from dielec. relax. 4−6841
- tetrabutyl ammonium trihalide salts, (I_3^-, IBr_2^-, Br_3^-), n.q.r. determ. 4−28725
- tetracene, charge carrier trapping characts., prep. depend. 4−6636
- tetracene, condensed, static elec. polarisability changes 4−9507
- tetracene, crystalline, triplet exciton-charge carrier interaction 4−6598
- tetracene, doping of anthracene cryst., mag. field depend. of delayed fluoresc. 4−41410
- tetracene, film on anthracene, mag. sensitive fluoresc. *(Russian)* 4−17118
- tetracene, polycryst. film, secondary electron emission 4−33541
- tetracene crystal, singlet exciton fission rate, picosecond laser pulse meas. 4−17108
- tetrachloro-p-benzoquinone, coupled libration soft modes assoc. with phase transition, n.q.r. obs. 4−24556
- tetrachloro-p-benzoquinone, coupled librational soft modes assoc. with phase transition, ht. capacity obs. 4−24557
- symtetrachlorobenze, optical detection of electron spin echoes 4−17004
- 1,2,4,5-tetrachlorobenzene, optically detected a.p.r. of metastable triplet states 4−17001
- 1,2,4,5-tetrachlorobenzene, Raman spectrum, calculation of lattice vibrations 4−6878
- tetrachloroethylene, filling rates of quartz capillary, practical press. limit 4−37081
- 1,1,2,2,-tetrachlorotetrafluorocyclobutane, vapour and crystalline, i.r. and Raman spectra 4−807
- tetracyanodithiin anion radical, π system interaction, e.s.r. study 4−27712

organic compounds continued
- tetracyanoethylene, autodetachment lifetimes of long-lived parent ions 4−27731
- tetracyanoethylene, long-lived parent negative ions formed via nuclear-excited Feshbach resonances 4−27730
- tetracyanoethylene, photoconductivity, in argon matrix containing Na atoms and tetracyanoethylene mols. 4−28448
- tetracyanoethylene radical anion, vibronic interactions in Raman spectra 4−9537
- tetracylines, i.r. internal refl. spectra 4−20973
- tetraeleneonanpthacene, elec. cond. press. depend. 4−32933
- tetraethylammonium salt, $(Et_4N)_3Cr_2Cl_9$, exchange interactions, e.p.r. obs. 4−3889
- tetraethylorthosilicate, oxidation to SiO_2 films, growth rate influence on props. *(Russian)* 4−37319
- tetraethylorthosilicate, oxidation to SiO_2 films, low-temp. investig. *(Russian)* 4−41125
- 2,3,5,6-tetrafluoro-P-xylene, n.m.r., energies, relative intensities 4−12615
- 1-chloro-2,2,3,3,-tetrafluorocyclobutane, vapour and crystalline, i.r. and Raman spectra 4−807
- tetrafluorodichloroethane, Lennard-Jones, Stockmayer, Kihara intermol. potential parameter calc. 4−12649
- tetrafluoroethylene reactive collisions with O+N and N atoms, vacuum u.v. chemuluminescence obs. 4−6132
- tetrafluoromethane, molecular force consts. calc., kinematic method, parameter for choice of root 4−6007
- 2,3,6,7-tetrahydro-4H-thiazolo[3,2-a]s-triazin-2-on-4-thione, cryst. and mol. struct. 4−36893
- tetrahydrofuran, pulse radiolysis, prod. of solvated electrons, ion-pairs and alkali metal anions 4−29341
- tetrahydrofuran clathrate hydrate, rotation of tetrahydrofuran 4−40266
- tetrahydropyran, free energy function determ. microwave spectroscopy 4−12590
- 1,2,4,5-tetrahydroxybenzene, radical cation, e.s.r., hyperfine coupling, hindered rotation 4−36551
- tetraiodoethylene, single cryst., vibr. spectra, mol. orientation 4−20988
- tetralin, soln. in cyclohexane, width of depolarized combination scatt. lines during change with conc. of fluidity *(Russian)* 4−37596
- tetramethoxymethane, mol. struct., gas phase electron diffr. obs. 4−27582
- tetramethyl ammonium manganese chloride, pressure-induced, low-temp. transforms. 4−3571
- tetramethyl ammonium nickel chloride, absorpt. spectrum, mechanism 4−33435
- tetramethyl ammonium salts, p.m.r. linewidth, second moment, internal motions 4−33273
- tetramethyl urea, integrated i.r. absorpt. intensities of carbonyl band 4−24070
- 2,2,4,4-tetramethyl-1,3-cyclobutanedione, cryst. struct. 4−28069
- 2,2,6,6-tetramethyl-4-piperidinone-1-oxyl, orthorhombic phase, cryst. struct. *(French)* 4−32535
- tetramethyl-p-phenylenediamine, trapped electron prod. and absorpt. spectrum 4−21584
- tetramethylammonium manganese chloride, magnon sideband, intensity, freq. and line width, temp. depend. 4−13313
- tetramethylammonium manganese trichloride, symmetry of phases at high pressure 4−32394
- tetramethylammonium metal chlorides, metal=Mn, Ni, Cd, order-disorder transition investigation 4−32650
- tetramethylammonium salts, $Me_4NHg(SCN)_3$ and $(Me_4N)_2Hg(SCN)_4$, isomorphism with inorganic $MHg(SCN)_3$ and $M_2Hg(SCN)_4$ salts *(French)* 4−28054
- tetramethylammonium tetracyano-1,1,3,3-aza-2 propenide, electronic struct., u.v. spectra and solvation energy *(French)* 4−27621
- tetramethylammonium trichloronickelate, low temp. heat capacity 4−33152
- tetramethylstannane, γ-irrad., Me_4Sn^- radical obs. 4−17534
- tetranactin, cryst. and mol. struct. 4−36887
- tetraphene, two-photon excitation 4−11958
- tetraphenylarsine copper chloride, $(Ph_4As)CuCl_3$, cryst. struct. 4−16475
- tetraphenylarsonium salts, γ-irrad., Ph_4As radical obs. 4−17534
- tetraphenylporphyrin, metallocomplexes soln., planarity, resonance effect, Lennard-Jones calcs. 4−36465
- 1,1,14,14tetraphenyltetradecaheptaene in dil. benzene soln., quantum yields of reson. Raman scatt. 4−801
- tetrathiofulvalene, electronic struct. from photoelectron and polarised u.v.-visible spectra 4−33568
- tetrathiofulvalinium tetracyanoquinodimethane, polarized reflectance temp. dependence 4−10418
- tetrathioteracene thin films, photogeneration and charge carrier transfer mechanisms by pulse photocond. *(Russian)* 4−41096
- tetrathiotetracene, LCAO calc. of π-electron structure 4−3110
- tetrathiotetracene, semicond. props., role of dithiotetracene impurity *(German)* 4−10149
- sym-tetrazine, excited state electronic struct. and dynamics 4−24110
- s-tetrazine, mol. orbital interpret. of photoelectron spectra 4−36472
- s-tetrazine, mol. orbital interpret. of photoelectron spectra 4−36569
- tetrazole, microwave spectrum, dipole moment meas. 4−40299
- tetrolyl chloride, i.r. and Raman spectra, gas and liq. phases, vibr. analysis 4−19843
- thallium uranyl propionate, rot. dispersion meas., Rb salt comparison 4−25072
- 2-thenyl radical, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
- 7-thiabicyclo[2.2.1]heptane, photoelectron spectrum 4−36567
- thienylfurans, isomeric, electronic spectra 4−3134
- thienylpyrroles, isomeric, electronic spectra 4−3134
- thiirane, ab initio LCAO-MO-SCF calcs. of electronic struct. 4−19782
- thin deuterated-polyethylene targets, improved technique for preparation 4−8439
- thiobinupharidine, spectrscopic props., mol. structure determ. 4−5974
- thiocarbamide solution, stabilisation of developed photographic image *(Russian)* 4−38162

organic compounds continued
thiocarbonyl heterocyclic compounds, electronic spectra, expt. and calcs. 4−27660
thioformaldehyde, non-empirical SCF and CI calcs. for ground and excited states 4−31792
thiolacetic acid, hydrogen bonding, tautomerism, normal vibr., CNDO/2 and Huckel methods 4−36483
thiolformic acid, hydrogen bonding, tautomerism, normal vibr., CNDO/2 and Huckel methods 4−36483
β thionaphol, i.r. and Raman spectra *(French)* 4−13428
thionine, relative parameters from visible spectra for Huckel orbitals calc. *(Portuguese)* 4−5981
thiophen radicals, hyperfine coupling consts. calc. using INDO-MO method 4−31899
thiophene, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
thiophene, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
thiophene, n.m.r. spectra in lyotropic mesophase soln. 4−6796
thiophene, soln. in cyclohexane, width of depolarized combination scatt. lines during change with conc. of fluidity *(Russian)* 4−37596
thiophene solutions, out-of-plane deform. vibrs. of CH bands, solvent effects *(Russian)* 4−31855
2-thiophenesulphonamides, u.v. and i.r. absorpt. spectra, substituent effects 4−28840
thiopropionamide, (deuterate), in-plane mol. vibr. mean amplitude calc. for various linkages 4−40236
thiourea, cryst. struct. with 1,6-$[Coen_2Cl_2]Cl.3SC(NH_2)_2$ 4−12929
thiourea HCl solution, etching of PbS, points of emergence of dislocations 4−28305
thulium ethyl sulphate, mag. susceptibility crystal field anal., obs. comparison 4−37402
TMMC, antiferromag., sp. ht. meas., phase transition 4−37412
tolanes, nematic liq. crysts., electrochem. behaviour 4−1713
toluene, ^{13}C chemical shielding anisotropies, LCAO-MO-MINDO anal. 4−31895
toluene, additive effect on performance of HF pulsed laser 4−35838
toluene, adsorbed on stepped Pt surface, LEED, struct. anal. 4−13100
toluene, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4−24646
toluene, complex with TCNB, triplet-triplet absorption spectra 4−6914
toluene, i.r. absorption spectra, vibr. anal. *(French)* 4−41372
toluene, liq., optical birefringence obs. induced by intense laser beam 4−25073
toluene, liquid scintillation counting, radiative energy transfer 4−11581
toluene, metastable ion decomposition, Major defocusing technique 4−161
toluene, molecular isotopes, microwave rotational spectra obs. 4−3173
toluene, phosphoresc. spectrum, entire tabulated results and discussion 4−21058
toluene, polystyrene soln. in, sedimentation constant conc. depend. *(Russian)* 4−27784
toluene, thermal conductivity of liquid up to 6250 atm. 4−32754
toluene + methylcyclopentane, excess volume measurement 4−23
toluene adsorbed on charcoal, ^{13}C n.m.r. chem. shift anisotropy 4−28280
toluene derived ions, $C_7H_8^+$, ion cyclotron resonance photodissociation investigation 4−868
p-toluenesulphonic acid monohydrate, deuteration effects, oxonium ion geometry 4−24466
N-p-toluenesulphonyliminotriphenylphosphorane, cryst. and mol. struct. 4−16477
transition metal phthalocyanine, mag. circular dichroism 4−28852
tri-n-butylamine, chemical ionisation spectra *(Japanese)* 4−2367
2,4,6-tri-t-butylphenol, calc. and interpretation of vibr. spectra *(Russian)* 4−24093
1,3,5-triacetylbenzene, electron density distrib., combined X-ray and neutron diffr. data 4−20243
triarylboranes, conformational anal., X-ray, n.m.r. investig. 4−27578
s-triazine, ^{14}N pure n.q.r. investigation of phase transition 4−33300
s-triazine, mol. orbital interpret. of photoelectron spectra 4−36472
s-triazine, mol. orbital interpret. of photoelectron spectra 4−36569
S-triazine vapour, single vibronic level fluorescence from $^1E''(S_1)$ state 4−16112
1,3,5-trichlorobenzene single cryst., Brillouin scatt. obs. 4−10398
1,1,2-trichloroethane, gas phase electron diffraction, molecular structure 4−36462
1,1,1-trichloroethane, heat capacity, 77-450K 4−3569
trichloromethane, ang. correl. functions influenced by Coriolis coupling 4−16139
trichloromethane-d, D n.m.r. spin-lattice relax., mol. reorientation rel. to liquid models 4−41291
trichloromethoxysilane, i.r. and Raman vibr. spectra, force field 4−9531
triethanolamine-barium acetate complex, cryst. and mol. struct. *(French)* 4−12939
triethanolamine-NaI complex, cryst. and mol. struct. *(French)* 4−12937
triethanolamine-$Sr(NO_3)_2$ complex, cryst. and mol. struct. *(French)* 4−12938
triethylamine, Menschutkin reaction with ethyl iodide, chem. kinetics at critical point 4−17499
triethylamine, polar matrix, bound-free transitions of trapped electrons, semi-continuum model 4−33456
trifluoro-1,2-oxathietane-2,2-dioxide, ^{19}F n.m.r. spectra, mol. config. and coupling consts. 4−24118
trifluoroacetate, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
trifluoroacetates, i.r. and Raman spectra, as compound and free ion 4−3152
trifluoroacetic acid, amide protonation, i.r. and n.m.r. spectra, comments *(French)* 4−25483
trifluoroacetic acid, rotational barriers, dipole moments 4−745

organic compounds continued
trifluoroacetonitrile, microwave spectrum, l-type resonance, energy matrix diagonalization 4−27699
trifluoroacetyl fluoride, rotational barriers, dipole moments 4−745
trifluoroacetylacetone, struct. and bonding, INDO calc. 4−12545
1,3,5-trifluorobenzene, lattice parameters at −17°C 4−16480
1,3,5-trifluorobenzene-d, ^2D and ^{19}F spin-lattice relaxation, correl. times 4−28721
trifluorochloroethylene luminesc., laser pulse excitation, visible, u.v., mechanism *(Russian)* 4−16111
trifluoromethyl thiol, electron diffraction, molecular structure, bond angles and lengths 4−36466
trifluoromethylbromide, reaction with F, 188-373 K, mol. beam analysis, pseudotrihalogen radical intermediate 4−13984
trifluoromethylhalide, i.r. band contours and pot. functions for perperdicular vibs. 4−24075
trifluorothiolacetic acid, vibr. spectra, H-bonding, conformational effects 4−12563
triglycine fluoberyllate, ferroelec., acoustic mode investig. using Brillouin scatt. 4−20980
triglycine selenate, electrooptical effects 4−13408
triglycine selenate, ferroelectric dispersion in microwave region 4−6842
triglycine selenate, thermal expansion obs. at ferroelec. transition *(Russian)* 4−6511
triglycine sulphate:Cr^{3+}, e.s.r., anomalous temp. depend. 4−41242
triglycine sulphate:Cr^{3+}, ferroelectric, electric field modulation of e.p.r. spectrum 4−33259
triglycine sulphate:Cr^{3+}, phase change, e.s.r. obs. 4−10318
triglycine sulphate:Cu^{2+}, e.s.r. spectra, anal. 4−10317
triglycine sulphate:Fe, thermal diffusivity and sp. ht. near crit. pt. 4−3574
triglycine sulphate, 180° domain boundary surface tension meas. 4−17032
triglycine sulphate, coeff. of thermal expansion and crit. behaviour 4−3945
triglycine sulphate, dielectric spectrum meas. 4−13379
triglycine sulphate, electron beam irradiation, effects on temp. of permittivity max. 4−10367
triglycine sulphate, ferroelec., cryst. struct. refinement, phase transition investig. 4−25061
triglycine sulphate, ferroelec., reversible domain switching investig. using laser 4−20943
triglycine sulphate, ferroelec., X-irrad., temp. depend. of, investig. using UV absorpt. 4−25143
triglycine sulphate, ferroelec. cryst. struct., neutron diffr., hydrogen bonding 4−9912
triglycine sulphate, ferroelec. domain struct., SEM obs. 4−6851
triglycine sulphate, ferroelec. transition, press. effect 4−41344
triglycine sulphate, ferroelec. transition, proton spin-lattice relax. obs. 4−33294
triglycine sulphate, ferroelectric, laser Raman spectrum 4−3974
triglycine sulphate, ferroelectric dispersion, microwave region up to 10 GHz 4−3946
triglycine sulphate, ferroelectric domain struct., SEM obs. *(French)* 4−41347
triglycine sulphate, i.r. laser pulse pyroelectric response, time depend. 4−28768
triglycine sulphate, selenate and fluoroberyllate, cryst. growth from pure and impure solns. *(French)* 4−25233
triglycine sulphate, single cryst., electric polarisation curve, domain struct. depend. 4−25050
triglycine sulphate, thermally reversible inversion of spontaneous polarisation 4−20948
triglycine sulphate, u.v. reflectance spectra, temp. depend. and para-ferroelectric transition *(Russian)* 4−13466
triglycine sulphate, X-ray damage, effect on dielec. props., thermodynamic theory 4−10379
triglycine sulphate cryst., acoustical nonlinearity near the phase transition *(Russian)* 4−3944
triglycine sulphate crystal, liquid crystal method for revealing ferroelectric domains 4−1376
triglycine sulphate film, ferroelec., coercive field thickness depend., surface layer existence *(French)* 4−41342
triglycine sulphate monocrystal, hydrostatic pressure induced phase transition, up to 12 kbar 4−6855
trihalogeno-2,2,2 ethanols, torsion vibr. obs., 450-160 cm^{-1} region *(French)* 4−16070
triiodomethane-d_1, prediction of normal vibr. frequencies *(Russian)* 4−31812
trimethincyanine dyes adsorbed on AgBr, J-aggregate frequency shifts, relation to structure 4−4289
2,2′,2″-trimethoxytriethylamine-NaI complex, cryst. and mol. struct. *(French)* 4−12936
trimethyl carbamate, increase of time resolution of n.m.r., use of lanthanide shift reagent 4−12608
trimethyl lead chloride, e.s.r. obs. of radical anion 4−19881
2,2,4-trimethyl-pentane, diffusion coeff. in polybutadiene film 4−24580
trimethylamine vapours, absorpt. of 1.22 cm radiation *(French)* 4−3170
trimethylamine-borane, Lewis acid-base complex, conformational anal. *(French)* 4−40209
trimethylarsine selenide, molecule, normal coordinate analysis, i.r. and Raman spectra 4−808
trimethylarsine sulphide, molecule, normal coordinate analysis, i.r. and Raman spectra 4−808
trimethylarsineborane, microwave spectra analysis 4−3187
trimethylene oxide, free energy function determ., microwave spectroscopy 4−12590
trimethylene oxide, in struct. 1 clathrate hydrate, rot. mobility investig. dipole ordering transition 4−41324
trimethylene oxide, microwave spectra, vibrational depend. of centrifugal distortion consts. 4−6082
trimethylene sulphite, ^{13}C n.m.r. chemical shifts, conformational anal. 4−31893
trimethylethylene + H reaction, in flow apparatus, rate constant *(German)* 4−41954
trimethylphosphine-borane, Lewis complex, MO calcs., conformational anal., electronic struct. *(French)* 4−19737

organic compounds continued
trimethylpimelic acid ((±)-2,4,6), centrosymmetric projections of structure 4−993
trimethylsilylcyanide, struct. determ. using gas-phase electron diffr. *(German)* 4−36467
1,1,2-trimorpholinoethene, cryst. and mol. struct. 4−20289
trinitrofluorenone: poly(N-vinyl carbazole) charge transfer complex, electronic props. 4−37251
trinitrofluorenone, electronic structure, SCF scattered wave method 4−12548
trinitrofluorenone, ionis. pots., electron affinity, excited states, ab initio calcs. 4−12616
trinitromethane and halo derivatives, equilibrium angles, barriers to internal rotation, electronic structure 4−5979
trioxane, α-particle irradiated, growth direction of polyoxymethylene cryst. 4−20332
trioxane, microwave spectra, l-type resonance anal., vibr.-rot. energies calc. 4−40296
tripaflavin, in ethanol soln. of 7-diethyl-amino-4-methyl-cumarin, excitation energy transfer *(Russian)* 4−28918
triphenyl lead chloride, e.s.r. obs. of radical anion 4−19881
triphenylarsine oxide, i.r. spectrum, correlation with group IVB phenyl compounds i.r. spectra 4−12587
1,3,5-triphenylbenzene, single cryst., Raman active lattice spectra 4−33407
triphenylcarbinol, in dil. benzene and carbon tetrachloride soln., dielectric loss, 1 to 300 GHz *(German)* 4−37558
triphenylene, phosphorescence quenching by transition metal ions 4−4001
triphenylene, vibr. struct. of fluoresc., solvent effect 4−28900
1,2,2-triphenylethyl chloride fluorinated, CIDNP of ^{19}F, determ. of hyperfine coupling consts. 4−10739
triphenylmethane and graphite compound, metallic electrical properties 4−37234
triphenylphosphine oxide, i.r. spectrum, correlations with group IVB phenyl compounds i.r. spectra 4−12587
tripropylacetamide, cryst. and mol. struct. *(French)* 4−16473
trithiapentalene, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
trivinylborane and related mols., gas liquid and solid states, vibrational spectra and struct. 4−6063
tropolone, nematic solvent, n.m.r., exchanging spin system, dipolar coupling consts., chemical shift 4−33283
tryptophan, fluorescent state, dipole moment changes 4−37654
TTF, photoemission spectra obs. at room temp. 4−17163
TTF-TCNQ, apparent giant cond. peaks near 70K 4−24753
TTF-TCNQ, cryst. struct. 4−32532
TTF-TCNQ, electron transfer 4−33556
TTF-TCNQ, metal-insulator transition, pressure depend. 4−10195
TTF-TCNQ, microwave conductivities, metal-to-insulator transition near 60 K 4−10174
TTF-TCNQ, phonon drag cond. contrib. above Peierls transition 4−20735
TTF-TCNQ, sp. ht., metal-insulator transition 4−37018
TTF-TCNQ, temp. depend. X-ray obs. around cond. maximum 4−36894
TTF-TCNQ, valence electronic struct. and charge transfer 4−28990
typaflavin, fluoresc. in anisotropic polyvinyl alcohol film, conc. depolarisation *(Russian)* 4−41429
tyrosine dipeptides, cryst. struct. *(French)* 4−36883
tyrosine isomers, effect of mag. transition dipole moment on quantum yield of luminescence 4−13503
unsaturated fatty acids, ^{13}C n.m.r., elec. field effects 4−12609
uracil reaction with solvated electrons, SCF-MO calc. of ketyl radical intermediates 4−27604
uranyl acetates, hydrated and deuterated analogues, fluoresc. spectra and decay 4−21054
urea, cryst. growth from soln. *(French)* 4−25227
urea, longit. phonons of translation along 4 axis, freqs. at zone boundaries 4−13001
urea, X-ray induced thermolum., anal. of three glow peaks 4−28949
urea-barbital 1:1 complex, NH...O=C hydrogen bonding 4−40789
ureas, characterisation by p.m.r. of hexamethylphosphoramide solns. 4−40311
L-valine, C−H/C−D and N−H/N−D stretching vibrations 4−12578
vanadyl acetylacetonate, e.p.r model calc., liquids cryst. or isotropic solvent 4−6781
vanadyl acetylacetonate, e.p.r. obs. of smectic-A liquid crystals with VAAC probe 4−10319
vanadyl chelate dissolved in nematic mesophase of 4,4'-dimethoxyazoxybenzene, anisotropic pseudo-potential 4−20207
vanadyl halogenoacetates complexes, infrared and magnetic studies at 100 to 400K *(French)* 4−3965
vanadyl ion, in ethanol-, methanol-water solns., e.s.r. spectra, structuring effect 4−17545
vanadyl thiocyanate method for spectrophotometric determ. of V (IV) 4−5279
vapour, 'sorbent' instrument, dynamics of adsorption 4−26703
vapour, influence on exoelectron emission from Fe surface exposed to discharge 4−17160
vermiculite-ornitine complex, condensation and peptide form. reaction *(French)* 4−21534
vinyl cations, geometry and energy, mol. orbital calc. 4−19735
vinyl chloride, parent ion reactions, thermal energy rate constants by ion cyclotron resonance 4−863
vinyl chloride gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4−8398
vinyl chloride gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4−18485
vinyl cyanide, molecule, microwave spectrum and centrifugal distortion constants 4−3172
vinyl fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
vinyl fluoride, parent ion reactions, thermal energy rate constants by ion cyclotron resonance 4−863
vinylacetylene, photoelectron spectra 4−31936
vinylborane, rot. barrier and bond lengths, ab initio calc. 4−31766
vinylcyclopropane, microwave spectrum, rot. transitions for ground and torsionally excited states 4−31863

organic compounds continued
vinylethynes, alkylthio-, alkylseleno-, alkyltelluro-, u.v. spectra, electronic structure *(Russian)* 4−31831
vinylidene carbene, acetylene and isomeric cyclic intermediate, ab initio MO calcs. 4−19764
vinyltrimethoxysilane, effect on H_2O adsorption on glass 4−1162
viscosity-temp. relation 4−40908
vitamin-A acetate, cryst. and mol. struct. 4−16470
white spirit jet, directed at two-phase interface, onset of entrainment and mass transfer 4−27885
xanthene dye solutions, absorpt. spectra, conc. depend., aggregation 4−21011
xanthene dyes in aqueous and alcoholic solns., deuterium effects on radiationless electronic transitions 4−7457
xanthene dyes in H_3BO_3 and D_3BO_3 glasses, solvent isotope effect on triplet state 4−4002
xanthone in 3-methylpentane, anomalous phosphoresc. at 77K 4−4271
xanthurenic acid, biochem. anal. in urine, accidental exposure, ^{192}Ir gamma rays 4−8198
xylene, additive effect on performance of HF pulsed laser 4−35838
m-xylene, chemisorpt. on Pt (111) and (100) faces, LEED and work function obs. 4−24646
xylene, liquid scintillation counting, radiative energy transfer 4−11581
m-, p-, and o-xylene binary mixtures, excess vol meas. 4−1123
xylene vapour, adding effect in TEA double discharge CO_2 laser 4−39733
xylene-sugar water system, stratified flow, equilib. Newtonian tube flow 4−27893
xylenes, i.r. absorption spectra, vibr. anal. *(French)* 4−41372
ytterbium ethyl sulphate, crystal field parameters, mag. anisotropy 4−33107
yttrium ethyl sulphate, Pr^{3+}-doped paramag. ion relax., multiphonon interpretation 4−33295
zinc o-ethoxybenzoate monohydrate, cryst. struct. 4−20277
codeposited on Au contacts, effect on wear and friction 4−18740
benzene and benzene-d_6, reaction with H or D atoms, kinetics and mechanism 4−25472
1,3-butadiene, -d_4 and -d_6, low freq. vibr., i.r. spectrum 4−16074
s-trans 1,3-butadiene, electron impact spectroscopy, optically forbidden transitions 4−31949
n-butanol, u.s. waves, structural relaxation 4−11366
CF_5^-, geometrical struct., wave mechanical investigation 4−3093
CH, valence excited states, potential curves ab initio configuration calc. 4−9505
CH^+, mol. vibr., eqn. of motion anal. of oscillator strengths 4−31827
CH_4, saturated and compressed fluid, permittivity and polarisability 4−13376
$CH_4/NH_3/N_2/H_2$ system, liquid/vapour equilibrium at 25°C and 500 bar *(German)* 4−1113
CH_3O_2 radical, generalised valence band and configuration interaction calcs. of low-lying states 4−3113
carbon tetrabromide, crystal growth, effect of temp. oscills. on interface movement investig. 4−21193
2-chloroethanol, oriented, n.m.r. 4−36561
1,4-di-2-5-phenyl-oxazolylbenzene laser pumped generation *(Russian)* 4−40308
(−)-S-trans-1,2-di(4-pyridine-1-oxide)oxiran, circular dichroism u.v. spectrum, pyridine-1-oxide 280 and 215 nm transitions 4−24065
O-dichlorobenzene, tetramethylsilane solvent, n.m.r., asymmetric intramol. nuclear Overhauser spectrum 4−20898
N,N-dimethylanthranilic acid, i.r. spectrum, intramolecular hydrogen bonding 4−28849
α,α'-diphenyl β-picrylhydrazyl films, freq. depend. of a.c. conductivity 4−20604
fluorenone, radical ion pairs, alkali n.m.r. shifts, hyperfine splitting constants 4−3901
trans-1-fluoro-2-iodocyclohexane, n.m.r. conformational analysis 4−9573
1-fluoronaphthalene, rot. band contour analysis A^1A'-X^1A' electronic system 4−36496
HCO radical chemiluminescence reaction with $O_2(^1\Delta_g)$ 4−7464
H_2O-triethylamine solution, with low segregation point, ultra- and hypersonic props. 4−22651
He-methane system, binary diffusion coeffs., exptl. determ. *(German)* 4−19958
3-hydroxy-4-pyridinaldimine, electronic spectra investigation, quantum chemical results 4−848
3-hydroxy-r-pyridinaldehyde, electronic spectra investigation, quantum chemical results 4−848
ICN, photofragment spectrum, laser dissociation 4−22859
β-Mercaptoethylamine-HCl, protection of mammalian oral mucosa exposed to radiation 4−8234
2-methylfuran, microwave spectrum, rot. Zeeman effect 4−16102
Na-fluorescein, fluoresc. in anisotropic polyvinyl alcohol film, conc. depolarisation *(Russian)* 4−41429
n-nitrosodimethylamine photoelectron spectra, theory 4−6119
OH...O hydrogen bond angles, non-linearity in molecular crystals 4−40212
n-paraffins, l.f. Raman active lattice vibrations 4−6889
$PhNO_2$, soln. of 1-phenyl-3,5,-dimethyl-pyrazole in, n.m.r., solvent and steric effects 4−33276
quinone, effect of light-induced e.p.r. of chlorophyll 4−42526
SO_2, air pollutants, ethylene, acetone, acetaldehyde, formaldehyde, laser induced i.r. fluoresc. and absorpt. 4−26723
Salol, cryst. growth, effect of temp. oscills. on interface movement investig. 4−21193
TCNQ salts, optical spectra, temperature dependence 4−17072
$TEA(TCNQ)_2$, elec. cond., anisotropy investigs. 4−16750
(TTF) (TCNQ), hydrostatic press. effect on lattice transition temp. 4−16869
tetraphenylporphine, film, vacuum u.v. absorption coeff., optical constants analysis 4−1401
1,3,5-trineopentyl-benzenes, nuclear magn. double resonance, chemical exchange among three spin-coupled sites, barriers to internal rot. 4−34020
zeolite surfaces, formation of stable carbonium ions in adsorption and desorption processes 4−3646

organic insulating materials
see also insulating oils; paper; plastics; rubber; silicones; varnish; waxes
cable insulation, radiation effects, rel. to particle accelerator applic. *(French And English)* 4−5138
liquid hydrocarbons, pulse irradiated, microwave absorption by electrons 4−6420
PMMA, tree starting voltage and growth rate, temp. depend. obs. *(Japanese)* 4−41335
polyethylene, tree starting voltage and growth rate, temp. depend. obs. *(Japanese)* 4−41335
polypropylene, tree starting voltage and growth rate, temp. depend. obs. *(Japanese)* 4−41335
PVC, irradiated, effects of added cross-linkable monomers 4−29229
PVC, irradiated, heat resisting, high tensile strength, wire insulation applic. 4−29230
STYROFLEX film, orientation stages *(German)* 4−1670
tree starting and development mechanisms under impulse voltage *(Japanese)* 4−37564

pto-cyclopentadienyl)hydridomolybdenum 4−28086
5-exo--6-endo-norbornanol-2-endo-carboxylic acid lactone 4−32542
acenaphthene, 1,2-disubstituted deriv., vicinal ^{19}F-^{1}H coupling consts., electronegativity depend. 4−9574
acetaldehyde, STO-3G calculations, orbital factors rel. to asymmetric induction 4−12537
acetyl cyanide, gas phase electron diffr. 4−27584
N-acetyl-α-D-muramic acid, conformation and comparison with penicillin 4−20275
N-acetyl-DL-phenylalanine-N-methylamide 4−32530
acetylacetone, struct. and bonding, INDO calc. 4−12545
aldehydes, α,β-unsaturated, conformational anal. 4−12610
aliphatic ethers, dielectric relaxation rel. to flexible hydrocarbon chain *(French)* 4−13384
alkanes, branched, nonheuristic computer determ. of mol. struct. based on ^{13}C n.m.r. data 4−36554
alkyl bromides, dielectric relaxation rel. to flexible hydrocarbon chain *(French)* 4−13384
alkyl halide, p.m.r. study of H-C-H bond angle 4−6104
alkyl radical, adsorbed on silica gel, e.s.r. at 4K 4−40320
allyl cations, geometry and energy, mol. orbital calc. 4−19735
allyl isocyanate, allyl isothiocyanate, solid, liq., vapour, i.r. and Raman spectra, conformations 4−19835
amides, α,β-unsaturated, conformational anal. 4−12610
2-amino-4-phenylthiazole hydrobromide monohydrate 4−20272
2-amino-5-chloropyridine 4−24462
2 amino-ethyl-acetate, ab initio calc. 4−9479
amino-organic, n.m.r., proton chemical shift and NH$_2$ group struct. 4−36546
-aminoacetophenone, geometrical depend. of nucl. spin-spin coupling consts. 4−6098
9-aminoacridine hydrochloride monohydrate 4−36886
aminonitrenes, singlet and triplet states, ab initio MO calc. of geometry 4−27575
aminophosphines, multiplicity of P-N bond, i.r. absorpt., config. isomers *(French)* 4−19826
2-aminopyridine-barbital 2:1 complex 4−40791
aniline, geometrical depend. of nucl. spin-spin coupling consts. 4−6098
aniline derivatives, intersystem crossing from higher singlet states, conform. effects on luminesc. 4−21581
anilines, effects of steric inhibition to resonance, photoelectron spectroscopy 4−31926
9,10-anthraquinone, phosphoresc. spectra, effect of config. changes *(Russian)* 4−13513
1-β-D-arabinofuranosyl-cytosine, X-ray obs. *(French)* 4−28055
aromatic, conformation of carbonyl group in aldehydes, acids and esters 4−738
3-aryl-1,3,5,5-tetramethylcyclohexene, phenyl and α-naphthyl analogues, ^{13}C n.m.r., structure and conformation determ. 4−27721
arylhydantoins, restricted internal rotation, reversal of effective sizes of methyl and Cl 4−27576
azidomorphine, X-ray obs. 4−28082
trans-2,2′-azo-p-cymene 4−28070
barium 2-O-sulphonato-L-ascorbate dihydrate, X-ray obs. 4−16472
benzalmalononitriles, proton n.m.r. spectra, dipole moments *(French)* 4−12613
benzene halogen complex, i.r. N$_2$ matrix isolation spectra, struct. determ. 4−36526
3-N-benzilaminopyrrolidine-2,5-dione monohydrate 4−32539
p-benzoquinone, structure and properties using MINDO/2 4−744
benzvalene, microwave structural obs. 4−3179
p-benzyl alcohols, i.r. band shape, fundamental OH stretching vibration 4−16068
biaziridyl, theoret. conformational analysis using semiempirical calcs. *(French)* 4−27583
bicyclo[2.2.1]heptanone-2, methyl subst., barriers of rot. investig. using CNDO-2, PCILO calc. methods *(French)* 4−40211
biphenyl; methyl substituted, triplet state geometries determ. from e.s.r. spectra 4−36541
biphenyl, dihedral angle between rings in solution 4−27586
biphenyl-h$_{10}$(-d$_{10}$), low temp. solid, spectroscopic obs. of continuous change in mol. and cryst. struct. 4−20976
cis, cis-1,3-bis(styryl)azulene 4−20285
N,N’-bis-(2,2,6,6-tetramethylpiperidyl-4)-succinic acid diamide dihydrate 4−24459
6-endo-bromo-1,5,5-trimethylnorbornane-2,3-dione, p.m.r., X-ray struct. anal. 4−40314
trans-2-bromo-1-fluoro-indan, n.m.r., conformational study 4−6097
L-3-bromo-4-hydroxy-5-methoxyphenylalanine *(French)* 4−28068
bromocyanoacetylene, isotopic, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
4′-bromoflavanone, X-ray obs. 4−28065
1,3-butadiene, conformational anal. 4−12527
butan-2-one, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
butanal, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537

organic molecule configurations and dimensions continued
t-butyloxycarbonyltetra-L-proline benzyl ester 4−36884
tertbutylphosphines, barriers to rotation about C-P bond 4−12526
calcium L-glutamate trihydrate 4−36885
μ-carbonato-bis(tetraphenylantimony), X-ray obs. 4−28059
carbonyl cyclic compounds, ^{13}C-H coupling constants as probes for hyperconjugation and homoconjugation 4−6096
2-carbonyl furan, conformational anal. 4−12610
2-carbonyl thiophene, conformational anal. 4−12610
R-(+)-3-carboxy-2,2,5,5-tetramethyl-1-pyrrolidinyloxy, spin-label 4−28075
carboxylic circuits in soln., reorientational relax., depolarised Rayleigh scatt., bonding effects 4−25088
(-)-o-carboxyphenyl methyl sulphoxide 4−28083
1-chloro-1-fluoroethane, microwave spectrum analysis 4−3186
α- chloroacetic acid, vib. spectra and structure 4−28822
N-chloroacetyltyramine derived photodimers, cryst. and mol. struct. 4−29346
chlorobenzene, partial r_0 and r_s structures, microwave spectra *(French)* 4−31858
chlorocyanoacetylene, isotopic, microwave spectra, linear molecular struct., vibr.-rot. consts. 4−19851
chloromethyl ether, microwave spectrum analysis 4−3185
2-chloromethylcyclohexanes, cis- and trans-, i.r. spectra and conformational equilib. *(Russian)* 4−16090
cis-1-4-chlorophenyl-3-methyl-2-methylisoindoline 4−24463
2-chloropropanal, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
4-chlorothiane 1-oxide, cis and trans conformations, 1,3-dipolar effect 4−27574
2-chlorothiophene, 5-substituted, ^{35}Cl n.q.r., electronic effects 4−9586
3-chlorothiotane, i.r. spectra, vibrations and conformational analysis *(Russian)* 4−16089
10aα-cyano-1α, 4αβ-dimethyl-7-ethoxy-2β-methoxy-1, 2, 3, 4, 4a, 9, 10, 10a-octahydro-1β-phenanthrenol 4−24460
cyclenes, conformational energies calc. 4−746
cyclic compounds, three membered, mechanistic characterisation of thermal ring opening 4−7422
cycloalkanones, medium and large ring, ^{13}C and ^{1}H n.m.r. evidence of conformations and energy barriers 4−40208
cyclobutanes, methylene tilting 4−27580
cyclohexane, by gas electron diffraction 4−742
cyclohexane, pure rotational Raman spectrum, determ. of molecular consts. and structure 4−3164
cyclohexane fluorides, chemical-shift isotope effect rel. to stereochemistry 4−12607
cyclohexenes, highly substituted, ^{13}C n.m.r., structure and conformation determ. 4−27721
cyclopentadiene, partially oriented in nematic phase, n.m.r. obs. 4−19866
cyclopentadienyl cations, stability of isomeric forms, CNDO calc. 4−5976
cyclopentadienyl cations and anions, $(CH)_5{}^+$ and $(CH_5)^-$, stable forms, MINDO/3 calc. 4−5977
cyclopropyl cations, geometry and energy, mol. orbital calc. 4−19735
cyclopropyl cyanide, ring structure 4−9547
cyclopropylcarbinol, 1-cyclopropylethanol, vapour, liq., cryst., and in CCl$_4$ soln., conformational behaviour, vibr. spectra 4−19832
cyclopropylidene, MINDO/2 calcs. of rearrangement reactions 4−741
L-cystine, tetragonal 4−28092
L-cystine dihydrochloride, neturon diffr. obs. 4−28074
cytosamine triacetate, X-ray obs. 4−12935
trans-2-decalone, molecular struct.; vibr., conformational energy and electron diffr. studies 4−36464
cis, trans-2,5-di-t-butylcyclohexanol toluene p-sulphonate 4−28071
1,4-diazabicyclo [2.2.2]octane-boron(trihalide) complex, mol. symmetry, vibr. spectra anal. 4−40285
2,3-dibromo-1-propene, liq. and cryst., i.r. and Raman spectra, conformations 4−19836
1,4-dibromobutene-2, cis conformer, vibr. conformational analysis, rot. isomers 4−16083
1-(2′,6′-)dichlorobenzyl-2-ethoxypyridinium fluoroborate 4−28088
1-(2′,6′-)dichlorobenzyl-2-pyridone 4−28088
cis-3,4-dichlorocyclobutene, i.r. and Raman spectra, struct. determ. 4−9533
dichlorophenoxy acetic acid, Weissenberg photos., geometrical config. 4−20294
2,3-dichloropropene, liq. and cryst., i.r. and Raman spectra, conformations 4−19836
dicyclopentadienylberyllium, MO LCAO SCF calc. for exptl. geometric structure 4−752
difluoroacetone, solid state, rotational isomers, i.r. study 4−743
1,1-difluorocyclohexane, microwave spectra analysis 4−27693
cis-,trans-1,2-difluoroethene, molecular structure, gas phase electron diffraction 4−36461
trans-1,2-difluoroethene, partially oriented in liq. crysts., n.m.r., indirect couplings, mol. geom. 4−31898
α,α-difluoroethyl radical, hindered internal rot. of methyl group by e.s.r. 4−12605
3,6 dihydro-2H pyran and 2,3 dihydro-p-dioxin, microwave spectra and conform. 4−3181
2,3-diisopropylidene-1,4-butanediol, X-ray obs. 4−40787
1,2-dimethoxyethane, intramol. interactions, n.m.r. 4−24026
1,2-dimethoxyethane, intramol. interactions 4−24025
dimethyl sulphone, electron diffr. study, mol. geometry 4−19740
dimethyl sulphoxide-SbCl$_5$ complex, vibr. spectra, normal coord. anal. *(French)* 4−19834
2,3-dimethyl-2-butene, gaseous, electron diffr., bond lengths, angles, struct. 4−19739
dimethylcyclohexanes, conformational changes, i.r. spectrum, low temp., high press. 4−20974
dimethylenolphosphates, conformational anal., CNDO/2 method *(French)* 4−12531
O,O-dimethylipecoside, X-ray obs. 4−28061
dimethylstannane, gas-phase electron diffr. obs. 4−24021
dimethylsulphoxide-boron trifluoride, conform. analysis, rock and roll internal motion 4−3090

organic molecule configurations and dimensions continued
- 2,7-dimethylthiachromine-8-ethanol dihydrate 4–24465
- 7,7-dimethyltricyclo [6,2,1,$0^{1,6}$]undecane derivatives, $C_{15}H_{24}O_4$ and $C_{17}H_{25}O_5Cl$ 4–24454
- 4-2′,4′-dinitrobenzylpyridine, X-ray obs. 4–40786
- 3,6-diphenyldithiine, heat of formation, cyclic struct. *(German)* 4–13986
- α,ω-diphenylperfluoropolyenes, vibrational spectra, determ. of configurations and frequencies 4–812
- trans-trans dipropionamide, C_α and N-deuterated, polarised i.r. spectra vibr. assignments 4–12580
- meso-3,3’-dithiobisvaline dihydrate 4–36890
- dye molecule, used in dye lasers, review paper 4–31032
- electrostatic force treatment, calc. of structural parameters of hydrocarbons, chemical reactions 4–27596
- enol phosphates, calc. and experimental dipole moments *(French)* 4–12532
- ervatamine, X-ray obs. *(French)* 4–28081
- esters, α,β-unsaturated, conformational anal. 4–12610
- ethane, isoelectronic radical ion, structure, unrestricted Hartree-Fock calcs. 4–31772
- ethane, nonadditivity of interband interactions, rot. barrier 4–9475
- ethanol, n.m.r. spectra in nematic phase 4–6105
- ethoxyethyne, microwave spectrum, rot. isomer identification 4–3184
- ethyl α-cyanocinnamic esters, proton n.m.r. spectra, dipole moments *(French)* 4–12613
- ethyl glyoxylate, STO-3G calc., orbital factors rel. to asymmetric induction 4–12537
- ethyl propenyl ethers, rotameric forms, i.r. study of vapour, liquid and solid phases 4–804
- ethyl radical, adsorbed on silica gel, e.s.r. at 4K 4–40320
- O-ethyl S-(5-carboxypentyl)dithiocarbonate 4–32529
- 2-S-ethyl-2-thio-D-mannose diethyl dithioacetal *(French)* 4–36888
- ethylene, ground state rot. barrier, double config. SCF approach 4–24046
- ethylene, internal rotation anal. by Hartree-Fock unrestricted theory 4–10746
- ethylene, pyramidal distortions in triplet π,π^* state 4–739
- ethylene diamine, conformational anal., CNDO/2 method *(French)* 4–12533
- ethylene glycol and methyl ether derivs., intramolecular interactions, theory 4–24025
- ethylene glycol and methyl ether derivs., intramolecular interactions, n.m.r. 4–24026
- ethylene sulphide, r_s-structure, microwave spectroscopic obs. 4–19847
- ethylene-glycol, polycryst., l.f. vibrs. assignments and structure considerations *(French)* 4–17059
- 2-ethylthio-8-methylinosine monohydrate 4–36891
- fatty acids, conformational analysis, ^{13}C n.m.r., elec. field effects 4–12609
- ferrocene, cryst., lambda transition, mol. config., i.r. spectra 4–13424
- 2-fluoro-2,2′-spirobis-(1,3,2-benzodioxaphosphole) 4–40784
- 9α-fluoro-6α-methylprednisolone *(French)* 4–28091
- fluoroacetyl chloride, microwave spectrum analysis 4–3188
- 3, 4-fluoroaniline, in benzene, microwave spectra, dielec., relax., mol. and intramol. group rot. 4–20932
- 2, 3, 4-fluorobenzaldehyde, in benzene, microwave spectra, dielec. relax., mol. and intramol. group rot. 4–20932
- formamide, microwave spectrum, r_s structure 4–31865
- o-formylphenyltellurenyl bromide, X-ray obs. *(French)* 4–28062
- formylpyridines, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4–40210
- formylpyrroles, total energies, elec. dipole moments calc. for all conformations, CNDO/2 method *(French)* 4–40210
- geminal systems, ^{35}Cl n.q.r., electronic effects 4–9586
- glyoxal, structure and properties using MINDO/2 4–744
- guanidine-5-aminotetrazole, CNDO/2 approx. of MO calc., mol. struct., hydrogen bonding 4–19736
- β-guanidinopropionic acid 4–32540
- guanosine hydrobromide hemihydrate, X-ray obs. *(French)* 4–16476
- haloethane derivatives, factors affecting conformational preference, classical energy calc. 4–3089
- halogenobenzophenones, dipole moment rel. to mol. conformation 4–6003
- hexachlorobenzene, X-ray obs. 4–32538
- hexafluoropropene, microwave spectrum, ground state rot. consts., CF_3 group barrier to internal rot. 4–27696
- 2,2,4,4,6,6-hexamethylcyclohexyl radical, e.p.r., long range interactions 4–36553
- DL-histidine, X-ray determ. 4–16474
- hydrocarbon liquids, correlation between electron-molecule hard-cord radii and critical volumes 4–29358
- 4- hydroxy-4,5-dimethyl-3,5-diphenylpyrrolidin-2-one stereoisomer 4–28060
- 5-hydroxydibenzo-5-H-phosphole-5-oxide 4–32537
- imidazole-barbital 1:1 complex, NH...N hydrogen bonding 4–40790
- iminodiacetic acid, monoclinic phase 4–20276
- iminodiacetic acid hydroiodide 4–32533
- indanones-1, 2,3-disubstituted, n.m.r. spectra and stereochemistry 4–851
- inosine-5′-phosphate, X-ray obs. 4–24457
- 5-exo-iodo-6-endo-norbornanol-2-endo-carboxylic acid lactone 4–32542
- o-iodobenzonitrile, X-ray obs. 4–36892
- iodocyanoacetylene, microwave spectra, linear mol. struct., vibr.-rot. consts. 4–19851
- isocinchophyllamine *(French)* 4–32531
- isopropylacetylene, microwave spectra, bond lengths and angles 4–3175
- ketones, α,β-unsaturated, conformational anal. 4–12610
- ketones, acyclic, monocyclic, ^{13}C-H coupling consts. as probes for hyperconjugation and homoconjugation 4–6096
- lycopodine, failure of X-RAY 63 and 70 programs to allow for dispersion 4–19734
- lycorine, X-ray obs. 4–24455

organic molecule configurations and dimensions continued
- malformin A, disulphide bond dihedral angles from Raman spectra 4–11271
- melatonin, X-ray obs. 4–28058
- methane, deuteron quadrupole coupling const., diamag. shielding and susceptibility, dependence on internuclear distance, LCAO-MO-SCF calc. 4–27720
- methanesulphenyl chloride, struct. and direction of dipole moment and quadrupole coupling tensor 4–9545
- methanol, conformation and vibrational analysis from i.r. data 4–6074
- methanol, p.m.r., H-C-H bond angle determ. 4–9582
- 19R-methoxy-5,19-methyleneoxido-17β-acetoxy-5β-androstan-3-one 4–29347
- methoxy-methyl-phosphoryl-fluoride, struct. and P-F, P-O bond lengths, electron diffraction obs. *(German)* 4–9478
- methoxyacetic acid, microwave spectrum, hydrogen bonded rotamer 4–831
- methoxyacetonitrile, microwave spectrum analysis 4–3190
- 2-methoxyethanol, intramol. interactions, n.m.r. 4–24026
- 2-methoxyethanol, intramol. interactions, theory 4–24025
- 5-methoxytryptamine, X-ray obs. 4–28057
- methyl 1,5-dithio-α-D-ribopyranoside quarterhydrate 4–24458
- methyl 1,5-dithio-β-D-ribopyranoside 4–24458
- methyl 3,3,4-trichloro-5-methoxyindolenine-2-carboxylate 4–40793
- o-methyl β-methylphenylcholine ether bromide 4–36879
- 9-methyl anthroate, solvent dependent fluorescence, relation with excited state geometry change 4–29351
- methyl bensophenones, dipole moment rel. to mol. conformation 4–6003
- methyl chloroformate, bond moments, predicting mol. conformations, dipole moment 4–19741
- methyl cyanoformate, bond moments predicting mol. conformations, dipole moment 4–19741
- methyl fluoroformate, bond moments predicting mol. conformations, dipole moment 4–19741
- N-methyl morpholine, microwave spectrum assignments 4–3180
- methyl propenyl ethers, rotameric forms, i.r. study of vapour, liquid and solid phases 4–804
- methyl radical, adsorbed on silica gel, e.s.r. at 4K 4–40320
- methyl thiolchloroformate, bond moments predicting mol. conformations, dipole moment 4–19741
- methyl trifluoroacetate, bond moments predicting mol. conformations, dipole moment 4–19741
- 5-methyl-2,2,4-triacetyl-1,3-oxathiole 4–20290
- 2-methyl-2,2′-spirobis-(1,3,2-benzodioxaphosphole) 4–40785
- 1-1-methyl-2-phenylethyl-2-methyl-3-hydroxy-azetidinium hydrochloride 4–20286
- N-methyl-2-pyridone-barbital 1:1 complex 4–40792
- 3-methyl-4-nitrofuroxan 4–20273
- N-methyl-5, 6-dihydro-7H, 12H-dibenz[c,f]azocine, conformation determ. by n.m.r. 4–27707
- methyl-β-N,N-dimethylaminovinyl ketone, steric effects 4–27581
- N-methylacetamide, conformational depend. of vicinal ^{15}N-C-C-H coupling consts. in peptide backbone 4–36474
- methylacetate (deuterates), vibr. spectra, mol. conformation and assignments, gas, liq. solid 4–40286
- α-methylamobarbital 4–32534
- 2-methylbutane, conformational anal. 4–12528
- methylcyclohexane, conformational changes, i.r. spectrum, low temp., high press. 4–20974
- methylcyclosiloxanes, gas phase electron diffraction investigation Si-O bond distance and SiOSi angle obs. 4–747
- methylene bromide, electron diffr., C-Br bond length, mol. struct. 4–19742
- methylene peroxide, stability and conform., SCF MO calc. 4–24022
- 4′-methylene-1,2-di-m-bromophenyl-1′,2′,6′,7′-tetraphenyl spiro ,5′-tetraone 4–24453
- α-methylnaphthalene-Ni(γ-picoline)$_4$(NCS)$_2$ clathrate, i.r. spectra in polarised light struct. determ. 4–37603
- β-methylphenylcholine ether bromide hemihydrate 4–36880
- methylpropargyl ether, i.r. and Raman spectra, vibrational assignments, symmetry considerations 4–12583
- N-methylpyrazinobutazone, X-ray obs. *(French)* 4–28079
- methylsiloxanes, cyclic, vibr. spectra, mol. conformation 4–27680
- methyltrichlorostannane, gas-phase electron diffr. obs. 4–24021
- methylvinyl ketone, steric effects 4–27581
- methyl[2-hydroxy-2-phenyl-2-(2′,4′-dimethylphenyl)]ethyl sulphoxide *(French)* 4–28087
- molecular struct. determ. by n.q.r., thesis 4–3207
- monomethylated butadienes and acroleins, rot. isomerism, C-C bonds, substitution 4–19743
- α-naphthyl-(CH$_2$)$_4$-α-naphthyl, conformation determ. from photoelectron spectra 4–31930
- nitrosomethane dimers, INDO and CNDO/2 calcs. for N-N bond *(French)* 4–31762
- nitroxyl radicals, e.s.r. spectra anal. in slow rot. region, rot. rel. to mol. size 4–37478
- nuclear spin system of organic mols., pulse excitation methods appl. *(Russian)* 4–19880
- organophosphorus compounds, conformational anal., i.r. and dipole moment determ. 4–36520
- 3-oxabicyclo (3..1.0.) hexane, microwave spectrum, conformation, rotational consts. 4–6083
- 1,3-oxathiolane, alkyl substituted, p.m.r., config. and conformational effects 4–36545
- oxisuran, X-ray obs. 4–20284
- 2,2,4,6,6-pentamethylcyclohexyl radical, e.p.r., long range interactions 4–36553
- pentamethylcyclopentaphosphine, ^{31}P n.m.r., ^{1}J(PP) spin-spin coupling 4–12611
- pentaphenylarsenic (antimony), vibr. spectra struct. anal. 4–41376
- peptides, conformational depend. of ^{15}N-C-C-H vicinal coupling consts. 4–36474
- perchlorocyclotetraene, and cryst. struct. *(German)* 4–36895
- perchlorodihydropentalene, crystal struct. and constitution *(German)* 4–9913
- 1,4-trans-phenazinediol-1,2,3,4-tetrahydro-5,10-dioxide 4–20288
- phenyl benzoates and iso(nicotinates), electronic absorpt. spectra and mol. moments 4–27585

organic molecule configurations and dimensions continued
phenyl isocyanate, microwave spectrum and geom. struct. *(French)* 4−12589
phenyl phenoxtinium iodide, X-ray anal. 4−12941
phosphonates, var. of vicinal $^{31}P-C-C-{}^{1}H$ couplings with dihedral angle, n.m.r. study 4−27577
phosphoranes, polytopal rearrangement 4−5998
polycyclic hydrocarbons, microwave structural obs. 4−3179
polyethylene-polyamine, n.m.r. and i.r. spectra, struct. depend. *(Russian)* 4−41285
5α,17α-pregnane-3β,20α-diol, −170°C 4−36889
L-proline residue, barriers to rotation about C^{α}-C′ bond 4−12525
propanal, STO-3G calculations, orbital factors rel. to asymmetric induction 4−12537
propargyl amine, rotational isomerism determ. by Raman spectra 4−27678
n- propyl radical, adsorbed on silica gel, e.s.r. at 4K 4−40320
n-propyl radical, e.s.r. spectra, photolysis of n-propyl iodide, struct. 4−21589
propylene ozonide, conformation determ. from microwave spectrum 4−9549
N-propyltripropylacetamide, X-ray obs. *(French)* 4−16473
pyrazine, mol.config. effect on lattice dynamics of crystal 4−9954
pyridine, ^{15}N-, ^{13}C-ring-substituted, microwave spectra, coupling consts., substitution struct. 4−19852
pyridinic aromatic esters, phenyl and pyridyl benzoates and (iso)nicotinates 4−27585
pyridyl benzoates and (iso)nicotinates, electronic absorpt. spectra and mol. moments 4−27585
pyrimidine, 4,6-disubstituted, effect of tautomerism on absorpt. spectra 4−36460
anti-4-pyrimidinecarboxaldehyde oxime 4−32536
L-pyroglutamic acid, i.r. and Raman spectra *(French)* 4−12572
pyruvic acid and deuterates analogue, microwave spectra, conformations, hydrogen bonding 4−19854
quinuclidine-boron(trihalide) complex, vibr. spectral assignments 4−40285
Schiff's base of D-glucosamine with aromatic aldehyde, anomerism *(Russian)* 4−40214
3,3′-spirobi-(3-selenaphthalide) 4−28084
stannanes, $(CH_3)_{4-n}Sn(OR)_n$, $R=CH_3$, C_2H_5, n.m.r. spectra, substitution effect, polymeric struct. 4−19872
trans-stilbene, X-ray obs. 4−20278
styrenes, photoelectron spectra 4−36570
substituted cyclopentones, n.m.r., non-planar rings, conformational anal. *(French)* 4−19871
TCNQ complex of 1-methyl-3,3-dimethyl-2-(para-n-methyl-n-β-chloroethylstyryl) indole 4−16482
tellurophen, isotropic and nematic phase n.m.r., 60 MHz, mol. geometry 4−16122
2,3;6,7;2′,3′;6′,7′-tetrabenzoheptafulvalene stereoisomers X-ray obs. 4−12934
2,3,6,7-tetrahydro-4H-thiazolo[3,2-a]s-triazin-2-on-4-thione 4−36893
tetraiodoethylene, single cryst., vibr. spectra, mol. orientation 4−20988
tetramethoxymethane, gas phase electron diffr. obs. 4−27582
tetranactin, X-ray obs. 4−36887
tetraphenylporphyrin, metallocomplexes soln., planarity, resonance effect, Lennard-Jones calcs. 4−36465
tetrazole, microwave spectrum, dipole moment meas. 4−40299
thiobinupharidine, spectroscopic props., mol. structure determ. 4−5974
thioformaldehyde, non-empirical SCF and CI calcs. for ground and excited states 4−31792
thioformamide, microwave spectrum, r_s structure 4−31864
β thionaphtol, i.r. and Raman spectra *(French)* 4−13428
N-p-toluenesulphonyliminotriphenylphosphorane, X-ray obs. 4−16477
1,1,2-trichloroethane, gas phase electron diffraction, molecular structure 4−36462
triethanolamine-barium acetate complex, X-ray obs. *(French)* 4−12939
triethanolamine-NaI complex, X-ray obs. *(French)* 4−12937
triethanolamine-$Sr(NO_3)_2$ complex, X-ray obs. *(French)* 4−12938
trifluoro-1,2-oxathietane-2,2-dioxide, ^{19}F n.m.r. spectra, mol. config. and coupling consts. 4−24118
trifluoroacetylacetone, struct. and bonding, INDO calc. 4−12545
trifluoromethyl thiol, electron diffraction, molecular structure, bond angles and lengths 4−36466
trifluorothiolacetic acid, conform. effects w.r.t. vibr. spectra 4−12563
2,2′,2″-trimethoxytriethylamine-NaI complex, X-ray obs. *(French)* 4−12936
trimethylamine-borane, Lewis acid-base complex, conformational anal. *(French)* 4−40209
trimethylarsineborane, microwave spectra analysis 4−3187
trimethylchlorostannane, gas-phase electron diffr. obs. 4−24021
trimethylene sulphite, ^{13}C n.m.r. chemical shifts, conformational anal. 4−31893
trimethylphosphine-borane, Lewis complex, MO calcs., conformational anal. *(French)* 4−19737
trimethylsilylcyanide, struct. determ. using gas-phase electron diffr. *(German)* 4−36467
trimethylstannane, gas-phase electron diffr. obs. 4−24021
trimethyltin methoxide, X-ray obs. 4−20282
1,1,2-trimorpholinoethene 4−20289
trinitromethane and halo derivatives, conformational analysis, equilibrium angles 4−5979
tripropylacetamide, X-ray obs. *(French)* 4−16473
tris(cyclopentadienyl)titanium, X-ray obs. 4−24464
trivinylborane and related mols., gas liquid and solid states, vibrational spectra and struct. 4−6063
urea-barbital 1:1 complex, NH...O=C hydrogen bonding 4−40789
vinyl cations, geometry and energy, mol. orbital calc. 4−19735
vinylborane, rot. barrier and bond lengths, ab initio calc. 4−31766
vitamin-A acetate, X-ray obs. 4−16470
CF_5^-, geometrical struct., wave mechanical investigation 4−3093
CH_2, Walsh's rules and mol. geom. 4−19747
^{13}C relax. time meas. 4−16128

organic molecule configurations and dimensions continued
Cu(II) complexes, formed by N-substituted ethylenediamines cryst. struct. 4−36847
trans-1-fluoro-2-iodocyclohexane, n.m.r. conformational analysis 4−9573
W complex, $(C_5H_5)_2WS_2C_6H_4$, nonlinear metallocene, struct. 4−9907

organic molecule electronic structure
acetaldehyde, ^{13}C atom in methyl group, relative signs of coupling constants 4−6107
acetaldehyde, STO-3G calculations, orbital factors rel. to asymmetric induction 4−12537
acetone, from vapour phase electron energy loss spectrum 4−24135
acetone, oscillator strength determ. from electron energy loss spectra 4−884
acetylacetone, struct. and bonding, INDO calc. 4−12545
acetylene, ionisation pot. calc. of closed shell mol. 4−6115
acetylene, Rydberg series, 1250-1360 Å region, D and G states 4−16067
acetylene, spectrum 1650-1950 Å discontinuity in ^{13}C isotope shift 4−6033
acetylene fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
adamantane, complete valence shell electronic structure, He I and II photoelectron spectra 4−31938
adamantane and derivatives, energy levels determ. from photoelectron spectra 4−36566
alcohols, photoelectron spectra, electron donor ionisation pot., H-O bond effects 4−19896
aldehydes, unsaturated, calculations of ground and singlet excited states 4−3109
alkenes, ionization pots., alkyl group structural effects, quantitative assessment 4−31932
alkyl groups, electronic effects, hyperconjugation hypothesis 4−24044
allenes, methyl-substituted and tetramethyl bisallenyl, photoelectron spectra 4−36571
allyl cations, geometry and energy, mol. orbital calc. 4−19735
amines, IOC-ω-technique, ground state, π-bond energy 4−19768
aminonitrenes, singlet and triplet states, ab initio MO calc. 4−27575
aniline, fluoresc. lifetimes, quantum yield determ., effect of ^{2}H substitution, transition rates *(German)* 4−31874
annulenes, bond alternation extent, model 4−765
anthracene, computation of difference due to effective and average fields in vibronic spectra *(Russian)* 4−13465
anthracenes, substituted, second triplet states 4−21588
aromatic hydrocarbon crystal, triplet transfer integrals, influence of nonorthogonality corrections 4−10443
aromatic hydrocarbons, mechanism of $S_1 \rightarrow T_1$ intersystem crossing process 4−9571
aromatic hydroxycarbonium ions, u.v.-visible absorpt. and emission spectra, mol. parameters calc., struct. 4−27649
aromatic molecular ion, resonance spontaneous Raman spectra, anal. of electronic struct. *(Russian)* 4−12575
aromatic molecules, condensed, excited state π-electron polarizabilities 4−12544
aromaticity prediction from Dewar defn. of reson. energy 4−12542
aryl fluorides, polar and π-electron substituent effects by ^{19}F n.m.r. 4−36543
azulene $^{1}\pi\pi^*$ state, polarisability and dipole moment changes, Stark effect 4−1399
1,2-benzanthracene, SCF-MO semi-empirical methods 4−12540
benzene, π-electron states, large-scale CI calcs. 4−763
benzene, π-electronic transitions assignment 4−31796
benzene, ab initio calcs. using multiple scattering $X\alpha(MSX\alpha)$ method 4−772
benzene, ground electronic state near Hartree-Fock limit 4−773
benzene, SCF scattered-wave method, overlapping spheres 4−9481
benzenoid hydrocarbon, p.m.r. proton shift ring-current contribs. 4−36550
1-12 benzoperylene, SCF-MO-CI method for π electrons, interpretation of electronic spectrum 4−27625
benzophenone, triplet state electron spin density distrib., low and zero field mag. double reson. determ. 4−28929
p-benzoquinone, Stark effects on B_{1g} and A_u $n\pi^*$ triplet states 4−1733
benzyl radical, three-step photoselection and assignment of electronic states 4−10774
benzylimine and related isoelectronic monosubstituted benzenes, MO calculations 4−9519
biphenyl, transitions determ. from two-photon spectrum 4−27657
butan-2-one, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
butanal, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
carbazole, ab initio calcs. of excited states 4−12616
carbazole, SCF scattered wave method 4−12548
carbonyls, $(n\pi^*)$ type, barrier to mol. inversion, CNDo/2 calcs. 4−19762
carbonyls, phosphorescence spectra, transitional assignments, CNDO method 4−19859
carbozole, polarisation of transitions, photoselection spectra 4−10773
carotene, excited state, resonance Raman spectra 4−6050
trans-chalcone, nature of electronic absorption bands 4−790
charge-transfer complex formation using octachlorofulvalene, demonstration for students 4−26363
chlorobenzenes, u.v. photoelectron spectra, substituent effects rel. to band assignment 4−31920
2-chloropropanal, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
chloropyridines, u.v. photoelectron spectra, substituent effects rel. to band assignment 4−31920
chromophoric structure, spectral characteristics computation, quantum-chemistry method *(German)* 4−40231
collective electron oscillation in π systems, Tomonaga model 4−3112
conjugated molecules, spin arrangement in strong mag. field 4−27614

organic molecule electronic structure continued
conjugated polycyclic systems, valence-bond struct., Kekule index 4−12546
conjugated systems with and without alternation, comparison of expt. and theor. π-electron diamag. susceptibilities 4−36484
coumarin and derivatives, electronic spectra calc. by Pariser-Parr-Pople method in variable β approx. 4−31829
coumarins, molec. orbitals study 4−19769
cyanocobalamin (vitamin B_{12}), dicyanocobalamin and cyanoaquocobinamide, resonance Raman spectra 4−6873
cyclohexylfluoride, DCNDO/2 calcs. of electronic struct. *(French)* 4−27620
cyclopentanone, microwave-optical double reson. and dynamic interconversion of configs. of excited states 4−1732
cyclopentanone, optically detected zero-field multiple resonance of n,π^* triplet states 4−28930
cyclopropyl cations, geometry and energy, mol. orbital calc. 4−19735
cyclopropylidene, MINDO/2 calcs. of rearrangement reactions 4−741
dialkyl sulphides, determ. from X-ray $K\beta_1$ emission of S 4−6023
diarylamine radical, π-bonding, recombination reaction 4−16046
diazanaphthalenes, fluorine substituted, photoelectron spectra 4−31933
2,3-diazobicyclo[2,2,n]alk-2-enes, n=1,2,3,4, photoelectron spectra 4−12622
diazocyclopentadiene, LCAO MO SCF calcs., ESCA, structure, bonding, core and valence ionized states 4−31791
dibenzothiophene, e.s.r., phosphorescence electronic scheme 4−37481
1,1-difluorocyclohexane, CNDO/2 calcs. of electronic struct. *(French)* 4−27620
dinitrofluorenone, SCF scattered wave method 4−12548
distyrylbenzene and derivatives *(Russian)* 4−16047
dithiin derivatives, π system interaction, e.s.r. study 4−27712
DNA, monoprotonated base, electronic reorganisation, intermol. interaction 4−19940
DNA II, effect of electric field on electronic struct. during unwinding 4−12656
ethane, photoelectron spectra, electronic and vibr. states of positive ion 4−36574
ethanol, oscillator strength determ. from electron energy loss spectra 4−884
ethyl fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
ethyl glyoxylate, STO-3G calc., orbital factors rel. to asymmetric induction 4−12537
ethylamine, calc. by geminals method 4−31798
ethylene, σ and π orbitals description by FSGO *(French)* 4−3096
ethylene, pyramidal distortions in triplet π,π^* state 4−739
ethylene, SCF scattered-wave method, overlapping spheres 4−9481
ethylenes, substituted, electronic interaction between vinyl group and substituents, electron-withdrawing effect 4−27735
ferricenium ion, absorpt., magnetic circular dichroism and e.s.r. anal. of electronic struct. 4−9583
ferrocene, diamagnetic susceptibility, modification of two-dimens. electron gas model 4−31799
ferrocene, level ordering, Hartree-Fock-Slater and Hartree-Fock models comparison 4−9482
ferrocene, monosubstituted derivatives, n.m.r. and electronic effects 4−6102
ferrocene, SCF $X\alpha$ scattered-wave calc. 4−24027
flavone, phosphoresc. and absorpt. spectra, solvent and substituent effects on triplet state 4−41980
fluorenone, excited state electronic props. 4−31797
fluorenone, SCF scattered wave method 4−12548
fluorobenzene, ^{13}C chemical shift, INDO perturbation theory 4−12606
fluoroolefins, comparison of semiempirical MO methods for calc. electronic structure and reactivity 4−31800
formaldehyde, ionisation pot. calc. of closed shell mol. 4−6115
formaldehyde H_2O system, ab initio MO calc. of H-bond energy between lower excited states 4−40229
furocoumarin and derivatives, electronic spectra calc. by Pariser-Parr-Pople method in variable β approx. 4−31829
α-glycine, electron density, X-ray and neutron diffr., Fourier synthesis vs. MO calcs. 4−19773
glyoxal vapour, time-resolved fluorescence from single vibronic levels 4−16113
group V phenyl compounds, photoelectron spectra and orbital participation 4−27738
guanidine-5-aminotetrazole, CNDO/2 approx. of MO calcs., mol. and electronic struct. 4−19736
halobenzene, trisubstituted, singlet transition energies, MIM wavefunctions, PPP charge densities and bond orders 4−27626
halobenzenes, disubstituted, π-electron calcs. by MIM and PPP methods 4−3106
halobenzenes, triplet state properties, spin orbit perturbations 4−1357
haloethylenes, from photoelectron spectra 4−27739
haloflavone, phosphoresc. and absorpt. spectra, solvent and substituent effects on triplet state 4−41980
Hartree-Fock unrestricted theory rel. to chemical reactions and internal rotation of ethylene 4−10746
heterocyclic cpds. containing S, determ. from X-ray $K\beta_1$ emission of S 4−6023
1,3,5-trans-hexatriene, low-energy electron impact excitation, second triplet state obs. 4−873
hydrazyl radical, e.p.r. and p.m.r. spectra, electronic struct. and hyperfine interactions 4−37480
hydrocarbon, unsaturatively bridged small rings, orbital interaction, rel. to chem. reaction 4−19772
hydrocarbon gases, π-electron containing, mobility of thermal electrons 4−764
hydrocarbons, conjugated, bounds for total π-electron energy 4−24038
hydrocarbons, conjugated radicals and ions SCF MO LCAO CI methods, electronic spectra 4−19766
hydrocarbons, PPP calc. with allowance for iteration correction of integrals for neighbouring atoms 4−36477

organic molecule electronic structure continued
hydrogen bond, effect on $n\rightarrow\pi^*$ transition in $ROH...OCH_2$ dimers 4−19770
hydroxyazo dye, u.v. and visible spectra, π-electronic struct. 4−36506
indandione-1,3 derivatives, electronic spectra, alternating effect *(Russian)* 4−16066
indoline spiropyrans, absorpt. and luminesc. spectra obs. of photochromic props. *(Russian)* 4−14001
isonitriles, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
long range forces between mols., with conjugate bonds *(Russian)* 4−6133
magnesium porphine, electronic struct., mol. orbital calc. 4−19771
many-body Rayleigh-Schrodinger perturbation theory calcs. for π-electron systems 4−9588
merocyanine dye, triplet state in crystal 4−28932
mesitylene vapour, u.r. absorption spectra, assignment of bands 4−36510
methane, deuteron quadrupole coupling const., diamag. shielding and susceptibility, dependence on internuclear distance, LCAO-MO-SCF calc. 4−27720
methane, electronic props. CI anal. 4−31788
methane, superexcited states, energy spectrum 4−5994
methanol, oscillator strength determ. from electron energy loss spectra 4−884
methanol, SCF perturbation theory, effect of arbitrary change in nuclear configuration 4−5986
methyl fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
methylamine, calc. by geminals method 4−31798
methylene, ab initio valence bond calcs. 4−27613
methylene fluoride, ^{13}C chemical shift, INDO perturbation theory 4−12606
methylene peroxide, electronic charge distrib. 4−24022
methyltrifluorosilane, semi-empirical CNDO method *(French)* 4−769
monodeuteroacetylene, i.r. study 4−824
naphthalene, gas phase reson. fluoresc. spectroscopy, quantum yield determ., transition rate determ. *(German)* 4−31875
nitrile, secondary saturated, electronic structure of carbanions and freq. of nitrile group 4−798
nitroanilines, photoelectron spectra 4−12621
nitrobenzene, halogen derivatives, calculation and interpretation of electronic spectra 4−3108
nitrosomethane dimers, INDO and CNDO/2 calcs. for N-N bond *(French)* 4−31762
osmocene, diamagnetic susceptibility, modification of two-dimens. electron gas model 4−31799
parabanic acid, and alkyl derivatives, electronic struct., spectroscopy 4−27647
pentatomic heterocyclic compounds, ESCA bands, core ioniz. energies and multi-peak struct. 4−3212
phenanthrene tetracyanobenzene charge transfer complexes, phosphorescence and triplet state lifetimes 4−28934
phenazine and derivatives, Mo calc. 4−36487
phosphirane, ab initio LCAO-MO-SCF calcs. 4−19782
phosphororganic compounds, calc. using iterative method *(Russian)* 4−36481
phthalocyanines, stability of ring system 4−40329
porphyrin cation radical, e.s.r. obs. of unpaired electron delocalisation *(Russian)* 4−40322
porphyrins, all-valence-electron SCF MO CI calcs., of spectra of dianion and free base porphin 4−3107
porphyrins, electronic struct., mol. orbital calc. 4−19771
propanal, STO-3G calculations, orbital factors rel. to asymmetric induction 4−12537
pyrazines, evidence for second low-lying $n\pi^*$ single state 4−12561
pyridine, ab initio calcs. using multiple scattering $X\alpha(MSX\alpha)$ method 4−772
pyridine-iodomonochloride, charge transfer complex, ESCA obs. 4−12619
pyrimidine, 4,6-disubstituted, effect of tautomerism on absorpt. spectra 4−36460
α-pyrone derivatives, electronic spectra calc. by Pariser-Parr-Pople method in variable β approx. 4−31829
pyrrole type compounds, IOC-ω-technique, ground state, π-bond energy 4−19768
quaternary ammonium salts, ^{13}C n.m.r., correl. of J_{nc} with s-character 4−19883
ruthenocene, diamagnetic susceptibility, modification of two-dimens. electron gas model 4−31799
salicylaldehyde, salicylaldimine, electronic spectra investigation, quantum chemical results 4−848
sandwich molecules, two-dimensional electron gas model and diamagnetic susceptibility 4−5999
saturated nitrogen-containing cpds., geminal method calcs. 4−9494
1,3,5-sym-triazine, spectra, quinoidal geometry of excited states 4−17086
TCNQ and anions, ab initio calcs. of ioniz. energies and charge distribs. 4−31790
teaching paper, resonance theory and enumeration of Kekule structure 4−26376
tetracyanodithiin anion radical, π system interaction, e.s.r. study 4−27712
tetramethylammonium tetracyano-1,1,3,3-aza-2 propenide, and u.v. spectra and solvation energy *(French)* 4−27621
tetrathiotetracene, LCAO calculations, π-electron structure 4−3110
sym-tetrazine, excited state electronic struct. and dynamics 4−24110
thiirane, ab initio LCAO-MO-SCF calcs. 4−19782
thiocarbonyl heterocyclic compounds, electronic spectra, expt. and calcs. 4−27660
thioformaldehyde, non-empirical SCF and CI calcs. for ground and excited states 4−31792
toluene, phosphoresc. spectrum, entire tabulated results and discussion 4−21058
transition energies, $n\rightarrow\pi^*$, calc. by simple semiempirical procedure, using Huckel orbitals *(French)* 4−40221
S-triazine vapour, single vibronic level fluorescence from $^1E''(S_1)$ state 4−16112
trifluoroacetylacetone, struct. and bonding, INDO calc. 4−12545

organic molecule electronic structure continued
  trimethylphosphine-borane, Lewis complex, MO calcs. *(French)* 4—19737
  trinitrofluorenone, ab initio calcs. of excited states 4—12616
  trinitrofluorenone, SCF scattered wave method 4—12548
  trinitromethane and halo derivatives, quantum calc. 4—5979
  vinyl cations, geometry and energy, mol. orbital calc. 4—19735
  vinyl fluoride, ^{13}C chemical shift, INDO perturbation theory 4—12606
  vinylethynes, alkylthio-, alkylseleno-, alkyltelluro-, u.v. spectra, electronic structure *(Russian)* 4—31831
  vinylidene carbene, acetylene and isomeric cyclic intermediate, ab initio MO calcs. 4—19764
  C_2^-, in inert gas matrix, e.p.r. and optical spectra 4—6110
  CH, valence excited states, potential curves ab initio configuration calc. 4—9505
  C_2H, in inert gas matrix, e.p.r. and optical spectra 4—6110
  1,2,5,6-dibenzanthracene, SCF-MO semi-empirical methods 4—12540
  3-hydroxy-4-pyridinaldimine, electronic spectra investigation, quantum chemical results 4—848
  3-hydroxy-r-pyridinaldehyde, electronic spectra investigation, quantum chemical results 4—848

  pto-cyclopentadienyl)hydridomolybdenum, struct. 4—28086
  allylic type, metal-ligand bond vibrs. and forces *(French)* 4—36489
  arylethynyl copper, photocond. props., effects of struct., O_2 in air 4—37271
  bis(benzene) chromium iodide, cryst. struct. 4—32544
  μ-carbonato-bis(tetraphenylantimony), Cryst. and mol. struct. 4—28059
  carbonyls, monosubstituted group VIB, mass spectra and bonding 4—866
  cis-dichloro-cis-bis(dimethyl-sulfoxide)-trans-dimethyltin (IV), single cryst., soln., Raman spectra 4—13448
  coboglobin, stereochemistry of cooperativity effects in prosthetic group 4—24159
  dimethyl sulphoxide-$SbCl_5$ complex, i.r. and Raman spectra, normal coord. anal. *(French)* 4—19834
  dimethylcadmium, photofragmentation dynamics 4—31905
  dypiridinium thallium (III) penta chloride, two-photon excitation 4—11958
  ferricenium ion, absorpt., magnetic circular dichroism and e.s.r. anal. of electronic struct. 4—9583
  ferricenium salts, n.m.r. isotropic shifts and linewidths, spin delocalization 4—13351
  ferrocene, cryst., lambda transition, mol. config., i.r. spectra 4—13424
  ferrocene, diamag. susceptibility, modification of two-dimens. electron gas model 4—31799
  ferrocene, level ordering, Hartree-Fock-Slater and Hartree-Fock models comparison 4—9482
  ferrocene, monosubstituted derivatives, n.m.r., substituent effects 4—6102
  ferrocene, SCF Xα scattered-wave calc. 4—24027
  ferrocene, vibr. spectra, factor group anal. assignments 4—37602
  ferrocene, X-ray diffr., cryst. struct., 295-80 K *(French)* 4—40795
  ferrocene systems, mixed-valence, Mossbauer spectra, temp. depend. phenomena 4—1360
  geminal systems, ^{35}Cl n.q.r., electronic effects 4—9586
  group IVB phenyl compounds, i.r. spectra correlations with group IVB phenyl compounds i.r. spectra 4—12587
  group V phenyl compounds, photoelectron spectra 4—27738
  magnesium porphine, electronic struct., mol. orbital calc. 4—19771
  metal-porphyrin complexes in soln., triplet-triplet abosrpt. and phosphoresc. 4—14000
  metallic sandwich complexes, ligand field theory, axial field spin-orbit perturbation calc. 4—27617
  metalloporphyrins, Raman and Shpolsky spectra 4—16085
  methyl-^{203}Hg, distrib. in pregnant rats, foetuses, tracer study 4—30241
  nickelocene, vibr. spectra, factor group anal. assignments 4—37602
  organo-tin polymeric films, formation in glow discharge and props. *(Russian)* 4—10702
  organogermanium, synthesis, physical constants, chemical reactions, book 4—21553
  organolead, synthesis, physical constants, chemical reactions, book 4—21553
  organotin, synthesis, physical constants, chemical reactions, book 4—21553
  osmocene, diamag. susceptibility, modification of two-dimens. electron gas model 4—31799
  osmocene, vibr. spectra, factor group anal. assignments 4—37602
  palladium octaethyl porphyrin, meas. of mag. induced circular emission 4—30463
  pentaphenylarsenic (antimony), vibr. spectra struct. anal. 4—41376
  phenyltetrachloroarsenic, ^{35}Cl n.q.r., struct. studies 4—10351
  phenyltin(silyl)(IV)trichloride, ^{13}C and ^{1}H n.m.r., coupling consts. and paramagnetic shielding 4—41284
  ruthenocene, diamag. susceptibility, modification of two-dimens. electron gas model 4—31799
  ruthenocene, vibr. spectra, factor group anal. assignments 4—37602
  sandwich molecules, two-dimensional electron gas model and diamagnetic susceptibility 4—5999
  stannanes, $(CH_3)_{4-n}Sn(OR)_n$, $R=CH_3$, C_2H_5, n.m.r. spectra, substitution effect, polymeric struct. 4—19872
  stannanes, substituted, $MeSnCl_3$, Me_3SnCl, Me_3SnH and Me_2SnH_2, mol. struct., gas-phase electron diffr. obs. 4—24021
  superconductivity investigation 4—16888
  TCNQ-triphenylmethylphosphonium (arsonium) complexes, surface morphology, slip, electron and optical microscopy *(German)* 4—20308
  tetraphenylboronbis(trimethylphosphite)rhodium(I), cryst. struct. 4—32481
  tetraphenylporphyrin, metallocomplexes soln., planarity, resonance effect, Lennard-Jones calcs. 4—36465
  p-tolyltin(silyl)(IV) trichloride, ^{13}C and ^{1}H n.m.r., coupling consts. and paramagnetic shielding 4—41284

organometallic compounds continued
  trimethyl aluminium, artificial cloud, atmospheric turbopause *(French)* 4—38429
  trimethylindium-$Me_3N(P)(As)(Sb)$ 1:1 complex, n.q.r., coupling consts. and asymmetry parameters 4—33297
  trimethyltin methoxide, cryst struct. 4—20282
  tris(cyclopentadienyl)titanium, cryst. and mol. struct. 4—24464
  $B(CH_3)_3$, mol. orbital calcs., bonding lengths and mechanisms 4—40218
  $Be(CH_3)_2$, mol. orbital calcs., bonding lengths and mechanisms 4—40218
  Fe(III) heme protein, isotropic n.m.r. shifts, magnetic susceptibility anisotropics 4—37505
  $LiCH_3$, mol. orbital calcs., bonding lengths and mechanisms 4—40218
  Pd(II) complex, $\alpha,\beta,\gamma,\delta$-tetraphenylporphyrin, electrogenerated chemiluminescence 4—34046
  Pt(II) complex, $\alpha,\beta,\gamma,\delta$-tetraphenylporphyrin, electrogenerated chemiluminescence 4—34046
  Ti complex, $(C_3H_5)_2TiS_2(CH)_2$, metallocene, struct. *(German)* 4—9911
  W complex, $(C_5H_5)_2WS_2C_6H_4$, nonlinear metallocene, struct. 4—9907
organs (artificial body) *see artificial organs*
origin of elements *see element origin*
orthicons *see television camera tubes*
oscillations
  see also circuit oscillations; electromagnetic oscillations; harmonics; liquid oscillations; mechanical oscillations; piezoelectric oscillations; plasma oscillations; resonance; stability; vibrations
  autonomous systems, self-oscillations determ. using Bubnov-Galerkin method *(Russian)* 4—23159
  beats phenomena demonstrated through an electromechanical experiment 4—26395
  betatron oscill. frequencies at 6 GeV, Yerevan synchrotron *(Russian)* 4—35369
  compressible dissipative inhomogeneous media, mass transfer produced by finite amplitude oscillations *(French)* 4—6146
  differential equations, retarded, oscillatory and asymptotic behaviour 4—30714
  electrochemical, and voltamperometric minima 4—17517
  fluid, incompressible, horizontal boundaries with temp. gradient, modes and stability 4—24230
  liquid-gas-interface, with nonharmonic oscills., dynamic stabilization and parametric excitation of instabilities 4—16239
  monoelectron oscillator, forced axial oscillation in Penning trap 4—11439
  nonlinear interaction, weak turbulence kinetics, Kalmagorov spectrum 4—11859
  satellite in elliptical orbit, nonlinear plane oscillations 4—29801
  self-induced flow oscillation, flow structure 4—12718
  spherical gas bubble, nonlinear acoustic response 4—6207
  Stokes layers, linear stability theory 4—36642
  violin string, physics of bowing 4—42678
oscillators
  see also microwave oscillators; relaxation oscillators
  classical, two-dimensional, q-equivalent particle Hamiltonians 4—5334
  fluidic, flow measurement 4—23068
  frequency modulated, for student laboratory 4—22722
  h.f. coagulator, decerebration applic. 4—39388
  h.f. current source, for antenna current meter calibration 4—18338
  h.f. power supply to heavy-ion linear accelerator *(Russian)* 4—35372
  linear, narrow-band process, first-passage time moment 4—30801
  low noise u.h.f. and s.h.f. oscillators by v.h.f. crystal resonators, limitations and design 4—22681
  n.m.r. marginal oscillator with m.o.s.f.e.t. operating at low temp. 4—5130
  Pound-Knight-Watkins, n.m.r. signal detection 4—26558
oscillistor effect *see oscillistors*
oscillistors
  No entries
oscillograms *see oscillographs*
oscillograph recorders *see oscillographs*
oscillographs
  see also cathode-ray oscilloscopes
  echo oscillograms, rel. to acoustical criteria in room acoustics, conversion to physical quantities 4—8264
  laser beam pulse shape, wide range of intensities, meas. 4—5088
  laser modes, off-axial, appearance 4—2305
  polarograph, cyclic volt-ampere characteristics 4—21563
  time signal reception with phase shaping device *(Russian)* 4—18523
oscilloscopes, cathode-ray *see cathode-ray oscilloscopes*
Oseen method *see flow*
osmium
  coating on carbide emitter, effect on thermal electron emission *(Russian)* 4—21142
  film, on ZrC cathode, Auger spectra, thermoemission *(Russian)* 4—33534
  specific heat, 0.18-4.2K 4—3790
  Os I, $(d+s)^n$ mixed configuration spectra, second-order spin-orbit interaction influence 4—693
osmium alloys
  see also osmium compounds
  Mo_3Os, superconducting film, ion beam deposited, transition temps. 4—20722
  $Os_{0.5}Ge_{0.5}$ film, absence of superconductivity down to 1.1K 4—13245
  V-Os A15 alloy, anticorrelation of atomic ordering with superconductivity 4—10219
osmium compounds
  see also osmium alloys
  complex, dihydridobis (ethylenediamine) osmium tetrachloro zincate, i.r. spectra 4—3153
  Mossbauer isomer shifts and quadrupole splittings 4—20918
  oxide, ternary, prep. by thermal decomp. of hydroxide intermediates 4—29318

osmium compounds continued
[OsNCl$_4$], X-ray struct. 4−6387
Os complex, dihydridobis (ethylenediamine) osmium tetrachloro zincate, i.r. spectra 4−3153
Os complex in molten thiocyanates, elec. spectra obs. 4−3981
Os(II) complex, pentammine carbonyls (nitrogenyls), vibr. spectra 4−28838
Os(III) complexes, facial isomers of MCl$_3$L$_3$ type, absorption and mag. circular dichroism spectra, bonding study 4−40259
Os(III)acidopentammine, vibr. spectra anal. of metal-ligand bond 4−13446
OsO$_4$, electronic absorption spectra 4−19815
OsO$_4$, mag. circular dichroism spectrum, electronic transitions 4−787
OsO$_4$, photoelectron spectra 4−6118
OsO$_4$, vib. spectra, ν_2(E) and ν_4(F$_2$) assignment, relative Raman intensity effect 4−24077
OsO$_x$F$_y$, struct., X-ray obs., 20 to −100°C 4−16458
osmosis
see also membranes
absorption and desorption curves, surface conc. effects, electroanalog model 4−28276
anomalous, exact solns. of Navier-Stokes and Nernst-Planck eqns. for ion exchange membrane 4−10786
cell devised with const. maintained ionic conc. gradient across membrane, biophysical model *(French)* 4−34989
electroosmosis, eqns. of membrane transport formulated by Kedem and Katchalsky, criticism, comments 4−38151
electroosmosis, relationship derived for electroosmotic press. and electroosmotic permeability 4−37029
electroosmosis in layered porous systems 4−40609
electroosmosis in two-layer diaphragms 4−17536
flux equation, derived using Hilbert's invariant integral 4−37028
flux equation, experimental evaluation 4−37031
human volume-osmolarity regulatory system, analogue computer model 4−14548
hydroxytetracycline, diffusion mass transfer through porous membranes, kinetics 4−17537
hyperfiltration at high fluxes, forced convection mass transfer, reduced conc. polarization 4−27923
ideal gas model, life science student, basic physics course 4−18289
isotonic, on cation exchange membranes, point of inversion, comment on previous papers 4−37030
nylon membrane, dye sorption, reverse osmosis, diffusion solubility model 4−24584
oncotic pressure measurement, microsample membrane osmometer 4−30638
osmotic pressure measurement, magnetic suspension osmometer 4−39463
poly(butyl acrylate-co-methyl methacrylate) in dil. soln., copolymeriz., viscometry, osmometry, and light scatt. 4−29216
poly-3-ethyl-3-pentyl methacrylate in various solvents, dilute soln. props. and dimensions 4−21493
proton-coupled solute porter system, performance and conservation of osmotic work, review 4−22534
reverse osmosis membrane made from cellulose acetate methanol dioxan 4−41988
seawater, specific interaction model of ionic components, osmotic coeff. 4−42066
surface skin formation, reverse membranes, thickness factors anal. 4−20428
tube, permeable, radial convection mass transport model 4−36681
KCl, diffusion mass transfer through porous membranes, kinetics 4−17537
osmotic pressure *see osmosis*
otology *see ear*
ovens
see also domestic appliances; electric heating
coke, Coaltek charging process reduces pollution 4−42633
ring oven of 'home-made' type for microanalysis 4−26713
Overhauser effect
biradicals, CIDNP mag. field depend. 4−21580
chloroform, Overhauser, effect on saturated n.m.r. line, relaxation parameters 4−33304
CIDNP, transient and stationary nutations in 4−41306
dynamic polarisation of nuclei in chemical reactions 4−1712
measurement on commercial student spectrometer, procedures 4−26417
organic molecules containing ^{31}P and ^{13}C, J coupling consts. *(French)* 4−19867
phase correlation for secondary n.m.r. signals, non-static Overhauser effect *(Russian)* 4−6791
phenyl radical reaction kinetics, CIDNP obs. 4−33987
p.m.r. spectra, measurement and interpretation of intramolecular nuclear Overhauser effect 4−857
polyacrylonitrile, ^{13}C n.m.r., nuclear Overhauser enhancement factor 4−37519
polyisobutylene, ^{13}C n.m.r., nuclear Overhauser enhancement factor 4−37519
polyvinyl alcohol, ^{13}C n.m.r., nuclear Overhauser enhancement factor 4−37519
propionaldehyde, CIDNP evidence for solvent effect on primary photochemical steps 4−7459
PVC, ^{13}C n.m.r., nuclear Overhauser enhancement factor 4−37519
rotational diffusion anisotropy in near ellipsoidal molecules 4−41307
1,2,2-triphenylethyl chloride fluorinated, CIDNP of ^{19}F, determ. of hyperfine coupling consts. 4−10739
O-dichlorobenzene, tetramethylsilane solvent, n.m.r., asymmetric intramol. nuclear Overhauser spectrum 4−20898
overhead line conductors
linear, parallel with cylindrical e.m. screens, steady state, investigation *(French)* 4−19025
overvoltage
nuclear reactor power transient, fuel swelling, HORSE code approach 4−672
time-dependent current leading to spark, secondary ionisation by positive ions and photons, calc. 4−16364
overvoltage protection
nuclear fuel mech. response to rapid heating 4−3051
overvoltage protection continued
nuclear fuel problems in fast reactor safety analysis 4−3050
oxidation
see also combustion; corrosion
acetylene, to produce c.w. CO chem. laser 4−39737
alloy, control with elec. fields 4−7226
alloy, in gaseous media, heat resistance test equipment 4−29287
binary alloy, selective, metal diffusion investig. *(French)* 4−32743
carbon fibres, prolonged oxidation effects on strength and sheath thickness 4−7343
chlorophyll, light induced e.p.r. 4−42526
coboglobin, stereochemistry of cooperativity effects in prosthetic group 4−24159
cyanine dyes, spectral sensitisation, redox pots. 4−4290
deep sea sediment cores, oxidation and reduction effects on CRM 4−38263
electrochemical analysis potentiodynamic method, irreversible oxidation or reduction of reaction product 4−34057
electrode, illumination to reduce electronic excitation and electrochem. reactions, also inverse process *(German)* 4−34030
formyl radicals, rate consts. with O,O$_2$ additions 4−34025
graphite fabric, heat treatment effect 4−21444
graphite fibres, pyrolytic surface treatment and effects 4−38036
Hastelloy X, oxide spallation kinetics and product morphology 4−13793
hydrazine, N-N bond rupture on anodic oxidation and catalytic decomposition 4−34063
Inconel 601, oxide spallation kinetics and product morphology 4−13793
linear sweep voltammetry, kinetic control 4−26715
linear sweep voltammetry, reduction mechanism, aromatic carbonyl compounds 4−26716
LOCMOS technology *(French)* 4−25278
lower atmosphere oxidation of gaseous S, N and C compounds 4−14117
magnetite, photostimulated oxidation, kinetics and alteration phase identification 4−25501
magnetite, photostimulated oxidation, reaction mechanism 4−25502
Martian surface materials, photo-stimulated oxidation by solar u.v. 4−29900
metal, diffusion in finite system with moving boundary 4−24653
metal, during heating by laser beam *(Russian)* 4−33763
metal, thermal and anodic oxide growth behaviour correl. 4−1173
metals, review of governing principles 4−24655
methane oxidation reaction intermediates identification *(French)* 4−30650
mitochondria, isolated, effect of u.v. radiation on oxidative phosphorylation, state of proteins 4−26209
oceanic basalts, stable single domain to superparamagnetic transition during low temp. oxidation 4−7561
olefin-atomic O$_2$ reactions, chemiluminesc., mechanism investig. in i.r. range *(German)* 4−33977
olivine, oxidation in western Musgrave Block rocks in central Australia 4−42018
olivine, stability w.r.t. oxidation and reduction 4−34145
oscillographic polarograph, simultaneous observation of reduction and oxidation processes 4−21563
oxidative atmosphere, welding electrode metal drops, heat content and temperature 4−8733
polymer molecule, exact soln. of stochastic model 4−16151
potentiodynamic method, theory of second max., effect of reaction rate, transfer on pots. 4−38154
rare earth metal, films, X-ray and electron diffraction obs. 4−16672
rare earth metals, Auger electron spectroscopy 4−13105
redox electrochemical reaction, electron transfer rate, Levich and Dogonadze theory 4−21561
refractories, state of reduction, glass blister heating 4−21399
soda-lime-silica melts, SO$_3$ solubility, redox equilib. 4−9855
spectral sensitisation, modifications by alterations in environment 4−25512
steel, heat resistant, effect of structure 4−41749
steel, in gaseous media, heat resistance test equipment 4−29287
steel, Mn-C type, high temp. oxidation characts. 4−7223
steel, oxide film struct., grain size and growth effects *(Japanese)* 4−41570
steel, stainless, arsenic residual element evaluation 4−13775
steel, stainless, oxide spallation kinetics and product morphology 4−13793
steel, stainless 18-8, oxide films, effect of surface polishing in high temp. water *(Japanese)* 4−13686
steel, surface investigation by secondary ion mass spectrometry 4−10599
steel, wear, sliding friction investigation, influence of oxidation characts. and humidity *(German)* 4−21347
steel cladding attack on mixed oxide fuel elements 4−23895
steel cladding on mixed oxide fuel rods, correlation of chemical attack 4−23896
tetraethylorthosilicate, to SiO$_2$ films, growth rate influence on props. *(Russian)* 4−37319
tetraethylorthosilicate, to SiO$_2$ films, low-temp. investig. *(Russian)* 4−41125
titanomagnetites, Mossbauer effect study of oxidation states 4−42039
tolanes, nematic liq. crysts., electrochem. behaviour 4−1713
Zircaloy-2, oxidation characts. from 450 to 750°C 4−7224
Ag, image-dye image transformations, electrochem. investig. of kinetics *(German)* 4−34078
Ag alloy, internal oxidation at high O$_2$ pressure, rel. to disperse materials prodn. *(German)* 4−37995
Ag whiskers and epitaxial layers on W tips, FEM specimen, annealing and oxidation 4−28323
Ag-CdO composites, fine-dispersed, sintered, rel. to production *(German)* 4−38043
Ag-Cu(2.5 wt.%) alloy, internal oxidation, Cu$_2$O and CuO form. 4−33824
Ag-Sn alloys, internal oxidation phenomena, Mossbauer and isotope exchange obs. 4−1358
Al, anodised, struct. investigation by through electron microscopy and electron diffraction *(Spanish)* 4−37117
Al, etching, formation and props. of surface oxide 4−6558

oxidation continued
Al, heating effect of CO_2 laser radiation, mechanisms 4−11948
Al, voluminous oxidation by continuous dissolution in wetting mercury film 4−38126
Al, voluminous oxidation by continuous dissolution in wetting mercury film 4−38127
Al film, electron energy loss spectrum, plasma oscill. 4−12965
Al-Zn(10%), high temp. microstructure variations using elec. microscopy 4−4098
Ba, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24656
BiF_3 in LiF-BeF_2-ZrF_4 molten salt reactor stream, electroreduction, electroanalysis 4−34050
C, graphitic, peripheral turbostratic struct., on oxidation and deflagration, electron micrography investigation 4−17435
C, to graphitic oxides *(French)* 4−16667
C adsorbed layers on W and Mo, Auger electron spectroscopy determ. of adsorption characteristics 4−20480
C fabric, heat treatment effect 4−21444
C fibre thickness reduction, graphitisation in below 1100°C, electron micrography investigation 4−17434
C/C composites, SEM obs. 4−17414
CO, heterogeneous catalytic activities of ZrO_2 and ThO_2 4−41943
Co-Cr alloy, environment resistant, development 4−13788
Co-Cr alloys, interdiffusion rel. to Cr_2O_3 layer formation 4−13741
Co-Ni-Cr alloy, precipitates formed by internal oxidation, under reduced O_2 pressure *(French)* 4−37850
Cr, (110) and (100) surfaces, LEED-Auger electron spectroscopy study 4−37121
Cr, heating effect of CO_2 laser radiation, mechanisms 4−11948
Cr(100) and (110) surfaces, LEED-AES study 4−3656
Cu, annealing in oxygen, review 4−41703
Cu, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24657
Cu, oxidation kinetics during pulse heating of OFHC specimens 4−41717
Cu cathode, erosion meas., rotating arc vel. depend. 4−24337
Cu-Au, single crysts., oxidation, high temp. surface struct. model 4−28309
Cu-Au(Ag)-alloys, oxidation technique for Fe removal, thermoelec. study 4−32925
Cu-Be alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Ti alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Ti dil. solid solns., internal oxidation kinetics and structures 4−17259
Fe, cast, oxide spallation kinetics and product morphology 4−13793
α-Fe, high-temp. creep in low oxygen pot. atms. 4−29132
Fe, oxide formation, exam. by secondary ion mass spectrometry 4−28308
Fe, surface investigation by Mossbauer scatt. 4−17008
Fe-Co-Cr-C system, oxidation rate in air, 900°C 4−41848
Fe-Cr, role of oxygen transport, nuclear obs. technique 4−16668
Fe-Cr, vacancy condensation and void formation in duplex oxide scales 4−4145
Fe-Cr alloy, oxidized at 600°C in CO_2-1% Co, phase interactions in oxide thin film growth 4−37118
Fe-Cr-Al alloy, surface finish effects on corrosion resistance and oxide adherence 4−13773
Fe-Cr-Al-Y, control of oxidation with elec. fields 4−7226
Fe-Cr-Ni alloys reaction with Na containing O_2, rel. to nuclear reactors 4−23878
Fe-Fe_2O_3-CaO ternary system, phase diag. and reduction equilibria, 550-1070°C *(German)* 4−13585
$FeCr_2O_4$, low temp., and reduction *(French)* 4−25482
Fe(100) and Fe(110) oxidation, LEED-AES obs. 4−10058
GaAs, anodic oxide films, He^+ back scatt. and X-ray induction anal. 4−6949
$GaAs_{1-x}P_x$, by O plasma, film form., props. 4−25267
Ge, surface layer charging kinetics, adsorption effect 4−37300
Ge, temp. depend., 300-1100K, capture coeff. *(Russian)* 4−32824
Ge, temp. exposure depends., surface defect mechanism 4−6563
GeTe powder, atmospheric, room temperature 4−7378
HfB_2, processing and prop. characteriz. 4−4182
Mg, effect on slow secondary electron peak of Auger spectrum 4−21137
Mg, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24656
Mg alloys and sintered materials, comparison of oxide film form. and props. 4−25360
Mo, thin film, surface oxidation, investig. by energy loss and Auger electron spectroscopy 4−37116
Nb, high temp., in vacuum 4−13681
Nb alloys, temp., press. depends., mechanism, protective coating 4−24652
Ni, in air, water vapour, optical consts. meas., temp. depend. 4−24650
Ni, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24657
Ni, single crystals, oxide struct. influence on rate 4−6560
Ni alloy, air environment effect on creep and rupture 4−29177
Ni-Cr, in air, water vapour, optical consts. meas., temp. depend. 4−24650
Ni-Cr alloy, oxidation kinetics, Cr_2O_3 volatilization effect 4−17322
Ni-Cr(20 wt.%), alloys with oxide dispersions, conc. profiles through oxide scales by ion probe microanalysis 4−7066
Ni-Fe alloy substrate for reeds, surface segregation mechanism 4−1516
Ni-P, in air, water vapour, optical consts. meas., temp. depend. 4−24650
NiAl, annealing of voids, vacancy dislocation loops, TEM study 4−3654
NiAl type coatings on Ni-Co alloys, prep., degradation and oxidation mechanisms 4−13757
NiCr, in dynamic high temp. environment, oxide morphologies 4−13106
Ni(100), enhanced by Cs monolayer 4−3655
Pb, Auger and ellipsometric studies of ultrathin layer 4−1174
Pb, film, r.f. sputter etching in O plasma 4−37720

oxidation continued
Pb films, growth of PbO layers 4−10056
Pb films, theory of growth of thin PbO layers 4−10057
Pb-acid battery, influence of commercial additives on $PbSO_4$ form. at Pb electrode 4−34053
PbTe powder, atmospheric, room temperature 4−7378
Pu contamination, physio-pathology, poisoning and elimination therapy *(Spanish)* 4−39082
$ReO_2.2H_2O$, electron microscope obs. *(French)* 4−41945
Ru III complex in molten thiocyanates, elec. spectra obs. of reduction 4−3981
Si, dopant redistribution, during thermal oxidation, models 4−10553
Si, electrorefl. and surface recomb. velocity, effect of degree of oxidation *(Russian)* 4−20491
Si, oxidised thin film, defect generation at stacking faults 4−3668
Si, photoelectron spectra obs. of oxide layer form. *(French)* 4−3653
Si, thermal growth of HCl-O_2 oxides, kinetics 4−6562
Si, thermal oxidation after ion implantation 4−6991
Si anodisation, by r.f. O plasma, film thickness depend. 4−6561
Si:B, rel. to dislocation generating sources 4−9921
Si:P, degenerate, P redistrib. during thermal oxidation, Auger and ellipsometric obs. 4−41497
SiC, 6H, mechanisms 4−10060
SiC, by O_2, CO_2 and CO, 1000-1600°C, kinetics 4−10059
SiC, high-strength, characterization 4−25409
SiC, hot-pressed, alumina content influence on oxidation characts. 4−7276
Si_3N_4, high temp. characterization 4−7313
Si_3N_4, high-strength, characterization 4−25409
Si_3N_4, reaction sintered, effect on internal struct. and strength 4−13827
SnTe powder, atmospheric, room temperature 4−7378
Sr, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24656
Sr surface, oxidation process, Auger electron obs. 4−24654
Ta, Kossel microdiffr. obs. of TaO_z 4−32822
Ta, plasma oxidation, single-layer oxide model with 2.21 refractive index, ellipsometric meas. 4−28307
Th, photoemission, X-ray induced, clean and oxidised surfaces 4−33564
Ti, effect on high resolution Auger spectra 4−33539
Ti, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24657
Ti, surface emission phenomena, at nonstationary heating by Ar-air low temp. plasma flow *(Russian)* 4−41443
Ti alloys, chem. and thermal treatments influence on wear resist. and mech. props. *(Russian)* 4−7174
Ti-Al-Nb alloy, development for use at 750°C *(German)* 4−33821
Ti(III), by hydrogen atoms, rate const. 4−1704
TiNi intermetallic, Al influence *(German)* 4−21351
Tl_2O-silicate glass, form. of surface conducting Tl_2O_3 film 4−6663
$(U,Ce)O_2$ coarse powder, effect of growth, nucleation on kinetics *(Czech)* 4−5917
$(U,Pu)O_{2-x}$ fuel, room temp. oxidation obs. 4−15958
U, highly irrad., oxidation behaviour in dry CO_2 and air 4−31535
U, photoemission, X-ray induced, clean and oxidised surfaces 4−33564
UO_2-Y_2O_3 solid solution, oxidation X-ray diffraction exam. of final state 4−31534
US, 350-720°C 4−40989
V, effects in Li corrosion, fusion reactor applications 4−23865
V:Ti(20%), oxidation effects in Li corrosion, fusion reactor applications 4−23865
V(100) plane, preparation and surface oxidation *(French)* 4−10053
W, (110) surface, 650-1100K, LEED and Auger emission obs. 4−24658
W, adsorpt. of alkaline earth metals on O_2 layer aided by surface ionisation *(German)* 4−3643
W single crystals, in O_2, 1200-1500K, high elec. field effects, field emission and electron microscope obs. 4−40990
W wire, high temp. oxidation in O_2-Ar mixtures 4−37939
W-Ta alloys, oxidation rates and products 4−41826
YCl_3 and $FeCl_2$, for vapour phase synthesis of YIG *(French)* 4−1710
ZnO surface, of CO, under high vac., on u.v. illum., high temp., in presence of O_2 *(German)* 4−32813
ZnS, unactivated, luminesc. rel. to ZnO form. by high temp. oxidation *(Russian)* 4−28951
Zr, 1000-1400K, O_2 press. 20-700 Torr 4−4197
Zr, oxidation characts. from 450 to 750°C 4−7224
Zr, oxide layer form. and semicond. characts. 4−7323
Zr alloys, mechanism of in-reactor oxidation from oxide elec. characts. 4−41690
Zr-C(11%), mechanism, catastrophic failure 4−7134
ZrB_2, effect of SiC addition, gravimetric and microstruct. obs. 4−38008
ZrB_2, processing and prop. characteriz. 4−4182
ZrO_2, form. in Mo alloy, sub-grain struct. *(Russian)* 4−21259

oxide coated cathodes
see also coating techniques; thermionic electron emission
photoresist binder to enable photolithographic cutting, electron emission work function meas. 4−37730
Schottky relations and temp. depend of yield, appl. of semicond. model with surface donors *(Russian)* 4−21147
thermionic emission, energy spectrum 4−21148
Ni core, Ba-implanted, emission characts. *(Russian)* 4−21143
Ni core, Ba-implanted, emission kinetics *(Russian)* 4−21144

oxide semiconductors
ceramic, microstruct. rel. to nonlinear elec. props. and varistor applic. 4−37244
CdO, pure and doped with Al, Cr or Fe, elec. conductivity rel. to catalytic activity in ethanol decomp. 4−10170
CdO degenerate films, optical absorpt. by free polarons at 5 to 25 μm 4−3721
CeO_2:Ca, high temp. dielec. behaviour 4−25053
CeO_{2-x}, elec. cond., temp. and comp. depends. 4−24739
CeO_3:CaO, mixed conductivity obs. 700-1500°C 4−1257
Co_3O_4, film, thermal switching, static and dynamical props. calcs. 4−33046

oxide semiconductors continued
- CuO, Cu_2O, surface layer, relaxation times for collision processes 4−28398
- CuO, elec. cond., temp. depend., when equilib. with gas phase is disturbed 4−13178
- Cu_2O, binding energy of excitonic molecules determ. 4−3720
- Cu_2O, in Pt-Cu_2O-Pt struct., photoelec. effects in exciton absorpt. region 4−28451
- Cu_2O, photographic recording system, disproportionation reaction 4−35344
- Cu_2O, two-photon absorp. due to excitonic states 4−28861
- Er_2O_3, high temp. cond., p- to n-type transition, press. depend. *(French)* 4−32934
- Eu-O system, d.c. cond. meas. from 20 to 400°C *(French)* 4−32954
- EuO, activated, insulator-metal transition depend. on mag. order 4−24764
- n-EuO, resistivity and Hall effect meas. 4−24763
- EuO magnetic semiconductor, Raman scattering at 300 K *(German)* 4−25083
- EuO:Gd magnetic semiconductor, Raman scattering at 300 K *(German)* 4−25083
- FeO-MnO solid solution single crystal, phase boundaries, phase separation and elec. props. 4−38010
- In_2O_3 thin films, charge transfer anal. at weak and high fields 4−16837
- In_2O_3:Sn thin films, ionised impurity scattering 4−3735
- Lu_2O_3, high temp. cond., p- to n-type transition, press. depend. *(French)* 4−32934
- MgO:NiO, elec. cond. meas., high temp., under increasing O_2 partial press. 4−28467
- Mn based thermistor material, effect of addition of glass and Ag powders 4−41836
- NiO:Li film, polycryst., surface switching 4−33012
- NiO-CoO solid solution single crystal, phase boundaries, phase separation and elec. props. 4−38010
- $(Sc_{1-x}Ti_x)_2O_3$, elec. cond., comp. and temp. depend. 4−13179
- SiO_2 m.o.s., ion transport 4−10209
- SnO_2, elec. cond. meas., 700-1300°C, defect struct., donor levels 4−20559
- SnO_2, magnetooptic absorption, electron-hole wavefunction derivation 4−28863
- $SrTiO_3$, single-valley degenerate, postulated superconducting behavior, two phonon deform. pot. theory 4−24852
- ThO_2-Y_2O_3, thermal electron emission spectrum calc. *(Russian)* 4−33547
- TiO_2, powdered, work function variation investig., experimental set-up *(French)* 4−33018
- TiO_2, powdered, work function variation investig., rel. to u.v. O_2 photodesorpt. *(French)* 4−33019
- TiO_2, rutile, flux-grown crysts., elec. props., B incorporation effects 4−41034
- TiO_2, rutile, photocond. and photolum. kinetics of luminesc. centre 4−37678
- Ti_2O_3, cryst. struct., V substitution effect 4−32514
- Tm_2O_3, high temp. cond., p- to n-type transition, press. depend. *(French)* 4−32934
- $V_{1-x}Cr_xO_2$, semicond.-metal transition, hysteresis effects 4−10109
- VO_2, a.c. hopping cond., temp. depend. 4−37236
- VO_2, coplanar devices, thermal switching, pulse response 4−3766
- VO_2, metallic transition, nonstoichiometry effects 4−16804
- VO_2 film, temp. depend. of elec. cond., use in coplanar switches 4−28469
- VO_2:W(Mo), doping effect on electrical cond. meas. *(German)* 4−32945
- V_2O_3 metal-insulator transition props., theory 4−3708
- V_2O_5, elec. switching, temp. and press. effects 4−37287
- V_2O_5, single cryst., electrical conductivity 4−6628
- V_2O_5-metal boundary, high temp. diode *(Russian)* 4−37308
- $V_{1-x}Ti_xO_2$, Raman spectra and cond. props., rel. to metal-insulator transition 4−20656
- Y_2O_3-ThO_2, thermal electron emission spectrum calc. *(Russian)* 4−33547
- Yb_2O_3, high temp. cond., p- to n-type transition, press. depend. *(French)* 4−32934
- ZnO, adsorpt. of mol. H_2, D_2, investig. using i.r., adsorpt. techniques 4−37084
- ZnO, adsorpt. of O_2 and N_2, i.r. investig., specificity of N_2 adsorpt. 4−37085
- ZnO, angular focusing of acoustoelec. active phonons at 300 K 4−3764
- ZnO, Brillouin scatt. by acoustoelectric domains 4−21004
- ZnO, doped, electrode, electron tunnelling effect in spectral sensitization by dye mols. *(German)* 4−34039
- ZnO, elastic and elec. props., 4.2-700K *(Russian)* 4−13387
- ZnO, film, prep., elec. cond. and piezoelec. props., hypersonic transducer appl. 4−3744
- ZnO, film transducer fabrication, sputtering nucleating surface influence 4−28762
- ZnO, Hall effect and electron mobility anisotropy *(German)* 4−32976
- ZnO, high temp. dielec. behaviour, Li, Na doping 4−25054
- ZnO, needle growth from molten KOH soln., Raman spectra 4−21201
- ZnO, nonlinear acoustoelectric effect meas. 4−20654
- ZnO, O_2 desorption, CO oxidation on u.v. illum. cryst. in high vac. *(German)* 4−32813
- ZnO, semiconductor, absorption edge meas. and Urbach's rule anal. 4−10445
- ZnO, slightly doped, acoustoelec. domain development, Brillouin scatt. obs. 4−24784
- ZnO, TEM obs., dislocation images 4−28101
- ZnO, thermodiffusion treatment, electrical props. control 4−1448
- ZnO, transient phase gratings induced by two-photon absorpt. 4−35889
- ZnO ceramic, Mossbauer effect of ^{119}Sn and ^{57}Fe, electronic charge states during switching obs. rel. to varistor applic. 4−37285
- ZnO films, surface oxygen processes 4−18772
- ZnO substrate, electrolytic deposition of Zn, mechanism investig. by differential refl. spectroscopy *(German)* 4−34035

oxide semiconductors continued
- ZnO:^{57}Fe, II-VI luminophor, ^{57}Fe chem. isomer shifts, Mossbauer obs. 4−28736
- ZnO:Bi_2O_3 ceramic, nonlinear elec. props. rel. to microstructure 4−6634
- ZnO:Cu, Li, luminescent transitions and conductivity 4−21069
- ZnO:dyes, X, X=Br, I anode, influence of inorganic salts on sensitization by dyestuffs *(German)* 4−34040
- ZnO:Mn, near-band-edge absorption, 2-3 eV *(German)* 4−20449
- ZnO:Ni^{2+}, $^3T_1(P)$ absorpt. band of Ni^{2+}, Jahn-Teller model of zero-phonon lines 4−28872
- ZnO:O,La^{3+} activated, rising pattern of photocurrent 4−3760
- ZnO-based ceramic, nonlinear conductivity and dielec. props. *(Russian)* 4−20624
- ZnO-MgO system, electrical nonlinear props. and microstruct. 4−37245
- ZnO-resin layer surface corona discharge model and expt. *(Japanese)* 4−36754
- ZnO-sapphire layered system, acoustic surface wave propag. 4−28273
- ZrO_2, p-type and n-type semicond. characts. 4−7323

oxygen
- absorption of O and O_2 on solids, rel. to chemiluminescence *(Russian)* 4−17507
- acetylene-oxygen detonation wave, ionised zone, microwave reflection 4−29300
- adsorption by Al-Al_2O_3-Au struct., rel. to voltage controlled negative resist. 4−20700
- adsorption by Ba on W, effect on heat of adsorption, work function *(Russian)* 4−33017
- adsorption by GaAs, low energy electron spectroscopy *(Russian)* 4−32805
- adsorption by Mg and Cu phthalocyanines, effect on photoionisation energies 4−28965
- adsorption by SiO_2, gels, pore struct. anal. 4−13948
- adsorption by W, Mo, chem. displacement in Auger spectrum *(Russian)* 4−32804
- adsorption in porous materials, struct. anal. methods, t-curves 4−10711
- adsorption on alumina, titania, isothermal comparison with N_2, CO 4−37087
- adsorption on CdS film, effect on elec. props. 4−20707
- adsorption on Cu (100) and (111) surfaces, LEED and Auger electron spectroscopy 4−37096
- adsorption on Ge surface, desorption kinetics, mass spectra 4−20482
- adsorption on Nb, X-ray photoelectron spectra investigation 4−37735
- adsorption on Ni film, conditions, struct. investig. by electron diffr. *(German)* 4−37095
- adsorption on Ni-Cu finely divided alloy supported on SiO_2, saturation magnetiz. obs. *(French)* 4−24642
- adsorption on Pt(111) surface, kinetics in range 214 to 400C 4−1167
- adsorption on Ru, low temp. field ion study 4−13096
- adsorption on Si (111) surfaces, ellipsometric obs. 4−40987
- adsorption on silica gel, effect on positronium quenching 4−28117
- adsorption on W, Auger electron spectroscopy, low press., high temp. 4−6943
- adsorption on W, high temp. Auger spectroscopy 4−11660
- adsorption on W single crystal, (110) surface, chemisorption layers, coverages 4−37113
- ambient effect on Ge surface electrostatic pot. when subjected to fast electron irradiation *(Russian)* 4−20669
- atmosphere, energetic O^+ flux precipitation, heating effects 4−22034
- atmosphere, O emission at 5577 A, twilight enhancement 4−22032
- atmosphere, OI emission features at 1304, 5577 and 6300 A 4−10965
- atmosphere estimation of sink caused by reduced rock weathering 4−34309
- atmospheric, 5577 Å glow in night time F-region 4−29659
- atmospheric, A-band, pressure depend. of line shifts 4−38367
- atmospheric, atomic, 90 to 120 km altitude, middle and high latitude, sounding rockets 4−17766
- atmospheric, diurnal variation of species in O-H-N-C model, 10-110 km 4−25687
- atmospheric atomic and molecular, measurements by mass spectrometer with cryoion source, 85 to 115 km 4−25749
- atmospheric concentrations, 45 to 60 km, rocket and balloon borne samplers 4−22010
- atmospheric H and O, 60-140 km, review 4−10937
- atmospheric O_2 absorption at cm. wavelengths, simple formulation 4−34380
- atmospheric OI red line at twilight 4−1927
- atom, ^1D, ^1S metastable states in discharge, deactivation coeffs. 4−9785
- atom, anal. of vibr. relaxation time of shock heated N_2 4−9609
- atom, autoionising states determ. by electron decay-in-flight spectra of highly ionised states 4−9410
- atom, beam-foil excited, metastable γ-ray states 4−12480
- atom, beam-foil spectroscopy, lifetime meas., e.u.v., at 1.15 MeV/nucleon 4−15983
- atom, beam-gas spectra, v.u.v., analysis of newly observed lines 4−15987
- atom, elastic electron scatt. cross-sections calc., threshold-5 eV 4−40191
- atom, electron spectroscopy of autoionizing states 4−31915
- atom, gas phase reaction kinetics review 4−34027
- atom, highly ionised, anal. of Auger spectra 4−9409
- atom, multiply excited states in highly ionised ion 4−9465
- atom, photoionisation cross sections and autoionisation struct. 4−27539
- atom, polarisability, coupled multiconfiguration SCF calc. 4−23969
- atom, recombination in CO_2 laser gases, O_2, CO_2 and CO_2-N_2-He mixture 4−40325
- atom recombination, influence of ang. momentum and temp. depend. 4−9591
- atomic, spectroscopic obs. of impulse corona discharges in air 4−40704

oxygen continued
atomic, upper atmosphere mass spectrometer measurements, laboratory simulation 4–17768
atomic beam, Al target, inner shell ionization, X-ray spectrum 4–31697
atomic beam production and meas. *(German)* 4–19726
atomic ions, multiply charged, electron capture from Ar 4–9468
atomic O_2-olefin reaction, chemiluminesc., mechanism investig. in i.r. range *(German)* 4–33977
atomic oscillator strengths, autoionization region 4–27540
balloon borne i.r. obs. for O_2 and N_2 4–10939
blood concentration, monitoring instrumentation and sensors 4–14678
breath-by-breath uptake, by rapid gas analysis mass spectrometer 4–18192
bremsstrahlung activation analysis, O and C traces in Na and Cs 4–2429
bubble, gas, electrolytically evolved, effect on thickness of diffusion layer at gas evolving electrode 4–10748
chemisorbed on Ni, electronic energy level meas. by electron energy loss spectroscopy 4–28301
chemisorbed on Ni, u.v. photoemission spectra, theoretical interpretation 4–41469
chemisorbed on Te, trace analysis via oxide stripping with HCl 4–15076
chemisorbed on W(111), effect on physisorption of Xe 4–40983
chemisorption by GeTe film, effect on electronic phase transition 4–37290
chemisorption on clean Ni surface 4–13103
chemisorption on clean Ni surfaces 4–16663
chemisorption on Cu (100), (110) and (111) faces *(French)* 4–10052
chemisorption on Rh powder, absorpt. rate rel. to work function investig. 4–32820
co-adsorption of O and CO on Ag 4–28290
collisional quenching of Cs($6^2P_{3/2,1/2}$) doublet in flames 4–9416
condensed, hypersonic wave velocities from thermal Brillouin scattering 4–40844
consumption, continuous monitor based on polarograph 4–18193
cosmic ray isotopes, airborne cellulose nitrate sheet obs. 4–22197
desorption from 5A and 13X molecular sieves, temperature of maximum 4–24644
diffusion in b.c.c. Nb, Ta, V, activation energy calc. 4–6522
diffusion in irradiated oxide fuel elements, computer program 4–27447
diffusivity in liq. Ag, electrochem. meas. 4–41519
discharge, direct current, radial distribs. of ions and electrons *(German)* 4–32351
dissociation in discharge investigation *(Russian)* 4–27999
dissolved, potentiometric measurement methods in hydrology *(German)* 4–39100
dissolved O_2 distrib. in oceans, abyssal circulation model 4–11049
distribution, viable tumour cords, response to single dose of radiation 4–8202
electron drift velocity, 293 K, $0.8 \leqslant E/N \leqslant 12$ Td 4–32004
electrotransport and diffusion in hafnium 4–28244
explosive burning of O and Si and resulting nucleosynthesis 4–26099
fractionation factor for O isotope exchange between silicates, magnetite and water, temp. dependence 4–10809
generator and analyser for oceanographic appls., uses of seawater *(French)* 4–38561
glow discharge, ions in cathode region, mass, energy analysis 4–12830
HD 122563, metal deficient star, O abundance from [OI] 6300 A line obs. 4–38779
implanted in Cu film, depth distrib., proton backscatt. obs. 4–16510
impurity in AlN powders, effect on thermal conductivity at high temp. 4–25419
interaction with Ni film in transmission electron microscope, kinetic and microstructural aspects 4–1170
ion-molecule reactions, endothermic, in strong elec. fields under drift tube conditions 4–6124
ionic emission and surface pot. of metals, O_2 effects *(French)* 4–10509
ionisation potential, charge distribution, self-consistent Hartree-Fock Slater calc. 4–768
ionosphere, ionic composition at 500-2000 km *(French)* 4–42149
ionosphere, O_2 electron cooling, impact cross section for vibrational excitation 4–4564
ionosphere, O^+ relative abundance at 500-2000 km *(French)* 4–42149
ionospheric H^+ and O^+ density response to magnetic storm, OGO-6 obs. 4–22057
isoelectronic sequence, $2p^4$-$2p^3$ 3s transitions 4–16010
isotope fractionation, alkali halide solns. in H_2O and D_2O *(German)* 4–41950
isotope fractionation in oxygen cycle, appl. for respiration, photosynthesis and marine prod. *(German)* 4–34983
laser performance, pulsed ion, 350 to 460 nm 4–15347
low-temperature techniques, reaction control systems for Space Shuttle 4–5011
lower thermosphere, O density from 5577A nightglow obs. 4–4538
luminosity sensitive O I multiplet formation at 7774 Å in model atmospheres 4–30004
Mars, lower ionosphere, O_2 and CO low concentrations, effect on ion-clustering reactions 4–2087
mass spectrometric determination at partial pressures $<1.5\ \mu$Pa (10^{-8} torr) 4–18794
mesospheric O decrease during PCA event 4–1930
methane-oxygen, 1 atm flame, mass spectrometric anal. 4–26699
methane-oxygen-nitrogen, 1 atm flame, mass spectrometric anal. 4–26699
molecular, vibr. excitation of H_2O and CO_2, quenching and i.r. emission obs. 4–27749
molecular flow past liquid H_2 evaporating surface, laminar boundary layer *(Russian)* 4–27845
molecule, 304 Å dispersed He II photoelectron spectra 4–31934
molecule, $^3\Sigma^-$ ground state splitting 4–27609

oxygen continued
molecule, absolute differential cross sections of elastically scattered electrons 4–40334
molecule, dissoc. ionis. by electron impact, kinetic energies and ang. distribs. 4–872
molecule, effective spin-spin consts., semi empirical formulae 4–27608
molecule, electron affinity in decaying air plasma 4–20148
molecule, electron cyclotron resonance, energies up to 0.4 eV 4–36560
molecule, electron impact energy loss spectra of low Rydberg states 4–24137
molecule, fine struct. and centrifugal distortion in electronic and microwave spectra 4–19855
molecule, Gaussian orbitals, O-O bond lengths, harmonic force constants 4–31770
molecule, ionisation and fragmentation by 5-45 keV Ne^+, Na^+ and Ne 4–19891
molecule, microwave absorption lines, pressure broadening 4–6078
molecule, photoelectron spectra and autoionisation states near ionisation threshold 4–24129
molecule, quenching of Ar, Kr metastable states, cross section vel. depend. 4–9414
molecule, satellite peaks in high energy photoelectron spectra 4–3216
molecule, vibr. excited, collisional deactivation in laser cell 4–12644
molecule, vibration-rotation Raman spectrum, 4880 Å laser excited 4–3163
molecules, intermolecular enhancement of spin forbidden transitions, selection rules 4–27648
molecules, opacity distrib. functions and absorption in Schumann-Runge bands 4–27654
muonic X-ray transition, charge radii determ. 4–2750
neutron activation anal. of polyethylene, O_2 content determ. 4–15044
nightglow OI lines, radiative cascade model from recombination and emission rate coeffs. 4–22029
nightglow u.v. spectra, 1900-3400 A 4–7753
O_4^-, electron avalanche continuity eqns., effective reaction rates 4–9619
O + acetylene reaction, CO fourth positive v u v chemiluminescence 4–34002
oxy-acetylene mixtures, laser spark detonation, schlieren frame and streak records 4–1703
partial pressure meas. below 10^{-2} Torr, suitability of $Ca_{0.15}Zr_{0.85}O_{1.85}$ 4–22807
Penning ionization of O atoms by He metastable atoms, absolute cross sections 4–36433
permeability in nitrile polymers, Permachor values 4–24576
photodesorption from TiO_2, rel. to work function variation investig. experimental set-up *(French)* 4–33018
photodesorption from TiO_2, rel. to work function variation investig., effect of u.v. irrad. *(French)* 4–33019
photodissociation by far u.v. photons produced in aurora, major source of green line 4–22017
photoelectron spectrum, time-averaged, deconvoluted, first band 4–3214
plasma, carbon fibre etching 4–17417
plasma, high-frequency, at low pressure, degree of dissociation and neutral gas temp. *(German)* 4–24309
plasma, negative-ion rich, production by electron attachment in low pressure gases 4–3384
plasma, radiation losses from oxygen impurities, anal. 4–32159
polarisability and permittivity, calcs. by semiclassical damped oscillator theory 4–9508
pressure broadening of λ5577 Å line by rare gas 4–9616
pressurised O_2 combustion for nuclear reactor waste disposal 4–40146
solidified, compression testing method and apparatus *(Russian)* 4–10721
solubility in solid Y, temp. depend., heat of soln. 4–33708
sorption on Ta, Auger analysis 4–17156
spectra, electron excitation, effective atom and mol. cross section 4–19905
stellar atmospheres, M-stars, TiO and O_2 abundances *(Russian)* 4–38798
stratosphere, trace constituents involving odd oxygen, nitrogen oxides and water vapour 4–17705
surface layer, on Nb, Ge matrices, distrib. determ., anal., by α-scattering 4–38166
thermal diffusion in Ti-Mo alloy 4–7326
thermosphere, O and N_2 vertical transport vel. in 200-500 km range 4–17779
thermosphere, vibrational temps., production and quenching processes 4–10964
thermospheric, concentrations of atomic and molecular evaluated from F-region density profile measurements 4–34445
thermospheric densities, based on Ogo 6 mass spectrometer data, used in global temperature model 4–25743
trace detection in CO h.f. discharge by relative $^{16}O/^{18}O$ isotope exchange *(Russian)* 4–40717
upper atmosphere, Ogo 6 557.7 nm airglow obs. 4–4537
upper atmosphere concentration, 80 to 150 km, by rocket borne electron beam fluorescence probe 4–42227
upper atmospheric energetic O atoms, effect on neutral density models 4–1923
vacuum u.v. absorption spectrum 4–6041
vapour transport in irradiated oxide fuel elements, computer program 4–27447
Venus O_2 7635 Å line search rel. to upper atmosphere model 4–26027
adsorption on Ni, and Ni-Cr alloys influence on secondary ionic emission *(French)* 4–3649
$CO + O_2$, collisional broadening of CO spectral lines *(French)* 4–27703
$CO_2 + O$ collisions, vibr. relax. obs. by laser fluoresc. 4–892
$CS_2 + O_2$, reaction kinetics of flame 4–7427
Cs_2-O_2-He, pulse discharged mixture, lasing action, rel. population of CO meas. 4–26991

oxygen continued
Cu, internal friction, influence on *(German)* 4−10601
GaAs:Cs-O, negative electron affinity surface, emitted electron energy distrib., calc. 4−37733
GaAs:O, impurity states, calc. 4−3712
GaP:O, doping conc. meas. using (p,α) reaction, Li diffusion 4−18777
GaP:Zn-O, electron-hole recomb. anal. 4−37677
H_2+O_2, supersonic blunt body, pulsating combustion effects *(Russian)* 4−35570
He-O_2 dense mixtures, density dependence of electron attachment 4−6140
$He^+ + O_2$ collision, He^+ (2S) direct excitation 4−27563
KBr:O_2^-, luminesc., 4.2-50K *(Russian)* 4−28919
Kr:O_2, solid, luminescence from zero-phonon transitions 4−21067
$N+O_2+C_2F_4$reaction, 150-230 nm chemilum., C(^{3}P,^{1}D) obs. 4−13977
$N^+ + O_2$, reaction rate const. meas., flow-drift technique 4−30610
$N_2^+ + O_2$, reaction rate const. meas., flow-drift technique 4−30610
in Na, liq., analysis by vanadium wire equilibration technique 4−23051
in Na, liquid, electrochemical meas. 4−4265
Na, liquid, plugging meter response, multiple temp. breaks, O, solubility equilib. 4−2427
Nb:O, effects of interstitial O on superconductivity 4−16866
Ne/He flash tubes, decrease in recovery time by addition of O_2 4−2357
O, O_2, chemical reactions involving excited states found in atmosphere 4−10936
O I, weakly autoionising states, lifetimes, and vacuum u.v. spectroscopy 4−27538
O I and II, from dissociation of H_2O, vacuum u.v. spectrosocpic observations, excitation functions 4−3211
O III 1664 Å semi-forbidden emission lines, excitation in various quasar models 4−14446
O surface recombination on upper atmosphere aerosols 4−34437
O VI resonance multiplet, transition prob., 1032, 1038 Å, astrophysical importance 4−5957
O-O bonds characteristics 4−5980
$O+Br_2$, persistent collision complex 4−13981
O + HCl reaction, vibr. excited, rate consts. 4−25468
O + N and N reactive collisions with tetrafluoroethylene and ethylene, vacuum u.v. chemuluminescence obs. 4−6132
$O+NO_2$ reaction, mechanism determ. by gas-phase e.p.r. spectroscopy 4−34016
$O+NO \rightarrow h\nu + NO_2$, chemiluminesc., near i.r., radiative rate const. 4−21543
O + OCS reaction, mechanism determ. by gas-phase e.p.r. spectroscopy 4−34016
O^-, electron avalanche continuity eqns., effective reaction rates 4−9619
O^-, O_2^-, drift tube mass spectrometer prod., retarding pot. meas., ion energies distrib. 4−27725
O^- O_2^-, collisional detachment of electrons and ion-mol. reactions 4−19960
$O^- + CO(NO)(H_2)$ anc (D_2), reaction rate constants meas. flow-drift technique 4−30611
O^+, desorption from W(100) surface, electron stimulated, angular distrib. 4−37102
O^+, ionisation by electrons in hollow beam trap 4−722
O^+, O^-, ion mobility meas. in He and H_2, flow-drift technique 4−30609
O^+, reaction with vibrationally excited N_2, rate coefficient 4−3228
O^+ 7319 Å emissions in twilight and nightglow 4−38414
O^+ impulsive inelastic scatt. by isotopic hydrogen mols. 4−728
O^+ ion height distrib., in ionospheric F2 region *(Russian)* 4−1968
O^+ recombination, thermal instability, astronomical object formation 4−2136
$O^+ + H_2(HD)(D_2)$, reactive and nonreactive scatt. dynamics above 13 eV 4−31963
$O^+ + N_2$, mass spectrometer determ. of reaction rates from 300 K to 2 eV 4−10740
$O^+ + N_2$, reaction rate const. meas., flow-drift technique 4−30610
$O^+ + N_2 \rightarrow NO^+ + N$ reaction, cross-sections at high energy 4−36579
$O^+ + O_2$, mass spectrometer determ. of reaction rates from 300 K to 2 eV 4−10740
$O^+ + O_2$, reaction rate const. meas., flow-drift technique 4−30610
O_2, adsorption on Si, electron beam induced effects, Auger spectroscopy 4−24636
O_2, adsorption on Si, electron beam induced effects, Auger spectroscopy and SEM 4−24637
α-O_2, bimolecular exciton states, absorpt. obs. at 1.3K 4−10119
γ-O_2, crystal, Brillouin scatt., hypersonic velocities and adiabatic elastic consts. determ. 4−37613
O_2, dissociative ionisation by electron impact, 0-60 eV 4−882
O_2, NO_2 mixtures, electronic energy transfer formation of $O_2(a^1\Delta_g)$ 4−12639
$^1\Delta_gO_2$, prod. from microwave discharges in CO_2, NO_2, e.s.r. investig., mechanism 4−40315
O_2, Rydberg-Klein-Rees pot. curve calcs., accuracy 4−9501
α-O_2, spin-1 Heisenberg antiferromagnet, nearest neighbour correlations 4−1291
O_2 1.27μ emission enhancements in aurora 4−25736
O_2 60 GHz absorption band, effect on amplitude fluctuations of mm. rad waves *(Russian)* 4−7688
O_2 auroral, 1.27 μ emission enhancements, photometric observations 4−42146
O_2 in lower thermosphere from SOLRAD-10 solar u.v. occultation meas. 4−22004
O_2 singlet, cycloaddition reaction with olefines, mechanism, spin- and space-symmetry conservation criteria 4−7421
O_2/H_2, mixed adsorption layers, on W, electron impact desorpt. of H^+ and H_2 4−41457
O_2/ZnO system, adsorpt. investig., comparative study with N_2 4−37085
O_2-acetylene flame, burning parameters, one hole burner design criteria 4−21533
O_2-Ar van der Waals mol., i.r. spectra, struct., props. 4−802
O_2-H_2 flame, burning parameters, one hole burner design criteria 4−21533

oxygen continued
O_2-H_2O-D_2O, gas mixture, vibrational relaxation 4−40366
$O_2 + 2O_2 \rightarrow O_4^+ + O_2$, $O_4^+ + 2O_2 \rightarrow O_6^+ + O_2$, temp. depend. of rate consts. 4−29312
$O_2 + Ar^+(Kr^+)$ reactions, cross sections, 0.04-3 eV 4−16144
O_2 + GaP, Auger electron spectrum fine struct. anal. 4−10512
$O_2 + N^+$ collision, Wigner spin rule 4−24011
O_2 + N(H) reaction rate consts. 4−13979
$O_2 + O_3$, vibrational relax. 4−27756
$O_2 + O_3(101)$, collisional vibr. deactivation of $O_3(10\bar{1})$, rate const. 4−27759
O_2^-, electron avalanche continuity eqns., effective reaction rates 4−9619
O_2^-, electron detachment cross-sections for collisions in gases 4−898
O^{2-}, restricted HF-Roothaan wavefunction stability 4−15981
O^{2-}, stability in liquid alkali metals, resistivity effect 4−3715
O_2^+, $A^2\Pi_u$-$X^2\Pi_g$ transition 4−6044
O_2^+, charge exchange reaction with noble gases, cross section meas. 4−19913
O^{2+}, collisional excitation of $2s^22p^q$-$2s2p^{q+1}$ type transitions observed in quasars 4−2126
O_2^+ D-region production rate compared with electron densities, various solar zenith angles and activity 4−25787
O_2^+ gas-phase reactions with neutral molecules, classical and quantal contribuions 4−27764
O_2^+ + Ar charge transfer collisions, incident ion internal energy participation 4−27750
O_3-CO_2-Ar, shock wave meas. of vibr. relax. of CO_2 by O atoms 4−9613
O_3^-, electron avalanche continuity eqns., effective reaction rates 4−9619
O^{4+}, exchange integral effect on 2p-orbitals of ^{1}p and ^{3}p states 4−27512
O^{4+} + Ar, LMM Auger electron spectra of argon 4−9450
$O_4^\pm$, formation, equilibrium, binding energy, general review 4−859
O^{5+} bombardmnt of Ne, multiple ionisation, high-resolution K-Auger spectrum 4−12519
O^{5+} + Ar, LMM Auger electron spectra of argon 4−9450
O^{6+}, collisional excitation on electron impact 4−23996
O^{7+}, X-ray laser emission, 2s→1s transition, optical pumping 4−35831
$O_2(^1\Delta)$ in atmospheric, i.r. obs. 4−10938
$O_2(^1\Delta_g)$ aurorally associated emissions from rocket measurements 4−25746
$O_2(^1\Delta_g)$ chemiluminescence reaction with HCO radical 4−7464
$O_2(^1\Delta_g)$ collisional quenching by NO 4−3225
$O_2(^1\Delta_g)$ equatorial emission after sunset at 80 km 4−1922
$O_2(^1\Delta_g)$ molecules mean lifetime, twilight airglow rocket observations 4−29655
OI, vacuum u.v. spectra and lifetimes of weakly autoionising states 4−16014
OI 1300 Å radiation in Martian atmosphere, Mars 3 u.v. obs. 4−29925
OI 1304 and 1356 Å auroral emissions, height-intensity profiles 4−29658
OI 5577 and 6300 Å emission rate, ionospheric response to particle bombardment originating in magnetospheric cleft 4−38436
OI(5577)Å emission, in nightglow, aurora, excitation mechanisms 4−7760
$O(^3P) + Alk \rightarrow O^-(2P) + Alk^+ + \varepsilon$, three state computer calc. 4−25479
$O(^3P) + O_3$, reaction, flash photolysis-reson. fluoresc. kinetic study 4−1737
$O(^1S)$, quantum yields of 557.7 nm emission in vac. u.v. photolysis of CO_2 4−10775
$O(^1S)$ excitation in aurora, by linear analysis by linear cross-correlation technique 4−25882
$O(^1S)$ production from photodissociation of O_2 4−25737
$O(^1S)$ velocity distribution in upper atmosphere, associated airglow line profiles 4−22016
O^3S_1-$^3P_{2,1,0}$ resonance absorption and fluorescence, appl. to rate consts. determ. for rapid bimolec. reactions 4−29317
O(V), atomic polarisability, lower bound and Hylleraas variation perturbation method 4−23968
O(V), calc. of oscillator strengths for ^{1}S-^{1}P transitions 4−23952
$^{16}O^+$, contamination of $^4He^+$ analysis beams, Au film back-scatt. spectra meas. 4−18738
^{17}O, pure quadrupole reson. detection, triple reson. method 4−28727
^{18}O profile in ice, polar palaeoclimatology 4−1910
$^{18}O/^{16}O$, abundance ratios, mass spectroscopic measuring procedure and corrections 4−163
$^{18}O/^{16}O$ ratio meas. in fast neutron reactor 4−9335
$^{18}O/^{16}O$ ratios in lunar fines and rocks 4−38689
$^{18}O_2$, rot. microwave spectra 4−16101
O^-. electron detachment cross-sections for collisions in gases 4−898
$O_2(a^1\Delta_g)$, formation by electronic energy transfer collisions in NO_2, O_2 mixs. 4−12639
$O_2(a^1\Delta g)$, dissociative attachment for production of o^- 4−24132
$SH_2 + O_2 \rightarrow S + H_2O_2$, metal ion catalysis, increased valence mechanism 4−38129
Si:O, Fourier transform i.r. spectra, O detection, computer anal. 4−18762
n-Si:O, mobility, depend on O conc. 4−28412
in Ti-Al-Zr alloy, effect on modulus of elasticity, elec. resistivity, hardness and mech. props. 4−33793
W(112)-O_2 system, adsorbed layer models, eval. using LEED and opt. diffr. patterns 4−37100
ZnS, unactivated, luminesc. rel. to ZnO form. by high temp. oxidation *(Russian)* 4−28951
ZnS:O, luminophor, luminesc., photoelectron spectra, O_2 luminesc. centre model proposed *(Russian)* 4−28927
ZnTe:O, ground state energy and wave function calc. 4−37190

oxygen compounds
atmospheric, diurnal variation of species in O-H-N-C model, 10-110 km 4−25687
homologous, lone pair bands, He I-, He II-photoelectron spectra, photoionisation cross-section of mol. orbitals 4−16132
oxide powders, prep. methods *(French)* 4−41806
oxides in steel, electron probe and X-ray diffr. microanal. 4−37840

oxygen compounds continued

- oxides of elements N to Ru, properly value relationships 4−17383
- oxides with perovskite structure, checking unit cell parameters 4−12930
- OD, line shape of predissociated transitions in $B^2\Sigma \rightarrow A^2\Sigma$ system 4−40304
- CO and CO_2 surface complexes, effect on adsorption isotherms of benzene on carbon blacks 4−16656
- $KCl:OH^-$, optical and thermal bleaching characts. 4−3990
- Li-O system, identification of new oxide, Li_3O_2 4−1109
- O + OCS reaction, mechanism determ. by gas-phase e.p.r. spectroscopy 4−34016
- OAlF, i.r. matrix isolation spectra 4−31841
- OCS, high resolution microwave obs. of mag. props. 4−826
- OCS, relax. cross section, mol. beam maser spectroscopy 4−27754
- OCS, rot. mag. moment for J = 1 to 5 states 4−27637
- OCS, time depend. microwave spectroscopy 4−3182
- OCSe, photoelectron spectra, Franck-Condon factors, mol. ion geometry 4−27734
- OCS isotopes, (01^10) vibr. state mol. consts., mol. beam elec. reson. spectroscopy obs. 4−27638
- OD, $A^2\Sigma^+$-$X^2\Pi_i$ transition, oscillator strengths from line absorption 4−9515
- OD, electric dipole moment, mol. beam electric resonance 4−3129
- OH, $A^2\Sigma^+$-$X^2\Pi_i$ transition, oscillator strengths from line absorption 4−9515
- OH, conc. in air, diurnal variation, resonance fluorescence obs. 4−29635
- OH, electric dipole moment, mol. beam electric resonance 4−3129
- OH, free radical, sensitised fluorescence by Hg (6^3P_0) metastables 4−847
- OH, gas phase reaction kinetics review 4−34027
- OH, proton Fermi-contact hyperfine const. many-body pertubation theory 4−16041
- OH 8-6 band, day and night airglow, i.r. photometry from balloon 4−1928
- OH and OH^+, band system characts. from Comet Bennett (1970 II) spectrographic obs. *(French)* 4−11153
- OH emission in 1.5-2.5 μ range, balloon-borne obs. of irregularities 4−7759
- OH i.r. rotation line emission from premixed flame 4−18766
- OH in interstellar dust clouds, 1667 MHz line obs. 4−11239
- OH radical, flow tube expt., decay kinetics, e.s.r. spectrometry 4−10736
- OH radicals, vibrationally excited, molecular constants from e.p.r. spectrum 4−40323
- OH vibration-rotation spectrum, experimental oscillator strengths 4−24069
- $OH + NH_3 \rightarrow H_2O + NH_2$, 298 K, rate consts., perturbed stratosphere dynamics, reson. fluoresc. obs. 4−21575
- $OH + O_3 \rightarrow HO_2 + O_2$, 298 K, rate constants., perturbed stratosphere dynamics, reson. fluoresc. obs. 4−21575
- OH^-, desorption from KCl, in vacuum and Cl_2 atmosphere 4−6554
- OH^-, distrib. in KCl:Ca(Sr):OH, ionic thermocurrents study 4−32574
- OH^-, photodetachment and photoionisation spectra, rot. effects 4−6116
- OH^- ions, impurity effects on NaF u.v. spectra, rel. to prep. of pure single cryst. 4−33600
- OH_2, Walsh's rules and mol. geom. 4−19747
- $O_2H^+ + H_2$, equilib. consts. and proton affinity 4−34009
- $OH(X^2\Pi)$ meinel bands, absolute intensities of vibration-rotation transitions 4−3124
- $OPCl_3(Br_3)$, photoelectron spectra and assignment 4−31921
- OPH_nX_{3-n}, X = R, or magnetooptic modulus estimation, electronic struct. calc. *(French)* 4−40230
- ^{16}OD, transition frequencies and probs. for hyperfine sublevels near 310 MHz 4−40300
- ^{16}OH radical, microwave spectrum analysis *(French)* 4−31861

ozone

- air pollutant, rel. to premature crosslinking of photoresists 4−25282
- atmosphere, effect on plastic track recorder detecting properties 4−18659
- atmospheric, 110.836 GHz transition in absorption and emission spectra 4−1884
- atmospheric, automated Dobson spectrophotometer 4−4632
- atmospheric, automatic recorder for near surface meas. 4−4636
- atmospheric, balloon borne spectrophotometer, crepuscular var. meas. *(French)* 4−4639
- atmospheric, BUV determ., aerosol limitation 4−4499
- atmospheric, conc. and flux meas. near ground in tropics 4−4489
- atmospheric, continuous recording, Brewer electrochemical bubbler 4−4637
- atmospheric, cyclic charges in a zone global level and possible causes 4−4477
- atmospheric, diurnal variation in O-H-N-C model, 10-110 km 4−25687
- atmospheric, Huggins band, new method 4−4631
- atmospheric, Indian high level warmings and total ozone distrib. 4−4479
- atmospheric, instantaneous photochemical rates in global stratosphere 4−7729
- atmospheric, international standardisation of instruments 4−4634
- atmospheric, kinetics of photochemistry 4−7728
- atmospheric, laminated vertical distribution, seasonal and latitude variations 4−14145
- atmospheric, meridional distrib. of tropospheric ozone between Norway and South Africa 4−4480
- atmospheric, near Arctic surface, conc. var. with weather conditions 4−4487
- atmospheric, near surface, extremely high values, meteorological parameters 4−4485
- atmospheric, night airglow spectrum OH bands, nocturnal var. 4−4542
- atmospheric, nighttime distrib. in low latitude mesosphere, star occultation data 4−4541
- atmospheric, Nimbus 4 BUV expt. 4−4497
- atmospheric, ocean surface destruction rate, wind vel. depend. 4−4488
- atmospheric, optimum ozone station distribution global 4−4635

ozone continued

- atmospheric, photometric meas. of sky radiation 4−4633
- atmospheric, rel. to spectral meas. of solar radiation 4−4501
- atmospheric, replacement for Dobson spectrophotometer 4−4629
- atmospheric, review of chemistry, photochemistry 4−10934
- atmospheric, short term ground fluctuations, rel. to weather conditions 4−4486
- atmospheric, short-time period fluctuations 4−4475
- atmospheric, solar activity influence on stratospheric layer 4−4503
- atmospheric, solar heating rates 4−14170
- atmospheric, statistical anal. of sunspot number correlation 4−4502
- atmospheric, symposium, Arosa, Switzerland, of 1972, 21 to 25 August 4−4473
- atmospheric, total ozone meas. in North America, 1960's decade 4−4476
- atmospheric, total var. rel. to ionospheric parameters in winter 4−4595
- atmospheric, tropospheric meridional distrib. meas. inside airliners 4−4481
- atmospheric, vert. distrib. rel. to western disturbances over India 4−4494
- atmospheric, vertical distrib., solar activity effect, Umkehr meas. 4−4490
- atmospheric, vertical distrib. from soundings, long term climatological mean 4−4491
- atmospheric, vertical distrib. in mid-latitudes, statistical characts. 4−4495
- atmospheric, vertical profile vars. for India, temp. depend. 4−4493
- atmospheric cloudy weather total ozone meas. 4−4630
- atmospheric concentrations from nighttime rocket obs. in 65-75 km range 4−29636
- atmospheric distribution, investigation with ozonometers in aircraft cabins *(Russian)* 4−38365
- atmospheric distribution, meas., seasonal var., Sardinia *(French)* 4−4492
- atmospheric distribution, rocket soundings 4−4500
- atmospheric field variations, Nimbus 4 BUV expt. 4−4498
- atmospheric global distribution, Nimbus IRIS expt., winds 4−4496
- atmospheric observations, ozonograms, partial pressures, mixing ratios, standard level temperatures *(French)* 4−38385
- bound electronic excited states. CI calcs. 4−16043
- chemiluminescence, gas-phase reaction of ozone and allene 4−1708
- corona discharge in air, introduction of N_2 to reduce ozone prod. *(French)* 4−40699
- electrostatic charging, heated positive corona wires for, ozone generation, obs. 4−15280
- generation in positive and negative corona discharge parameters 4−16378
- ionosphere D-region in winter, O_3 effect on electron density var. 4−38453
- laser lines, optically pumped, identification and prediction 4−26961
- lower stratosphere, O_3 seasonal variations, photochemical and dynamic processes 4−4513
- Mars, polar hood, ozone content from u.v. obs. 4−26014
- mesopheric O_3 decrease during PCA event 4−1930
- mesosphere and upper stratosphere, vertical density distrib. theoretical model 4−7727
- molecule, (101) level vibr. deactivation in molecular and atomic collisions 4−27759
- molecule, Anderson intramolecular potential energy function 4−12535
- molecule, bound electron states, MC SCF calcs. 4−771
- molecule, electron energy loss spectrum 4−27741
- molecule, excited state equilib. geometry, SCF-CI-MO calc. 4−36479
- molecule, Gaussian orbitals, O-O bond lengths, harmonic force constants 4−31770
- molecule, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
- molecule, low-lying excited states, electronic structure calcs. 4−770
- molecule, unsymmetrical $^1B_2(\pi\pi^*)$ state obs. 4−740
- nightglow u.v. spectra, 1900-3400 A 4−7753
- northern hemisphere distribution, rel. to 100 mb temp. field 4−4474
- Northern Hemisphere O_3 trend, Fourier analysis of 11 yrs data 4−17710
- photochemistry HNO_3 and pollution effects upon O_3 conc. 4−7722
- photoelectron spectra, high resolution, vertical ionis. pots. 4−24128
- photolysis in excess of H_2, single line far-i.r. water laser 4−21585
- solar radiation absorption spectrum in region 9 to 11.6 μ 4−7718
- stratosphere, accumulation in winter hemisphere rel. to circumpolar vortex 4−4508
- stratosphere, during 1972 July 10 partial eclipse at Alaska 4−10922
- stratosphere, influence of vertical motion field on O_3 concentration 4−4507
- stratosphere, O_3 and temp. vertical profiles, comparison with synoptic meteorological data 4−4510
- stratosphere, O_3 density, effect of fleet of supersonic transports 4−42119
- stratosphere, O_3 distrib., general circulation models 4−4514
- stratosphere, O_3 response to simulated injection of NO using photochemical and vertical transport model 4−17711
- stratosphere, vertical distrib. of O_3 mixing ratio and meridional circulation theory 4−4506
- stratospheric, correl. between temp. and O_3 distrib. in disturbed winter atmos. 4−7730
- stratospheric, effect of H_2O and nitrogen oxides 4−7731
- stratospheric, generation by electrically active thunderstorms 4−34398
- stratospheric cycle, two dimensional model with photochemical and transport effects 4−34444
- stratospheric densities, from solar UV irradiance measurements, 48.5 km, effects of photodissociation and recombination 4−17769
- stratospheric density, chemiluminescent sensor and u.v. photometer measurements, balloon based, 48 km 4−22011
- stratospheric Lagrangian tracer use 4−4638
- stratospheric particle densities during sunrise, 40 to 58 km, measured and calculated 4−22012
- tropopause, correlation with horizontal wind and O_3 distribution 4−4511

ozone continued
- troposphere, O_3 altitude and seasonal dependence from photochemical theory 4−17709
- tropospheric, seasonal, latitude vars, global circulation 4−4484
- tropospheric distribution north of 50°, aeroplane meas. 4−4482
- tropospheric O_3 source, photochemical theory 4−25701
- tropospheric residence time, sinusoidal exchange process, injection function calc. 4−4483
- $NO + O_3 \rightarrow NO_2 + O_2$ reaction, chemilum. obs. 4−4246
- O-O bonds characteristics 4−5980
- $O_2 + O_3$, vibrational relax. 4−27756
- O_3, distrib. over India 4−4478
- O_3 detection near surface, conditions for very high conc. 4−4485
- $O_3 + O(^3P)$ reaction, flash photolysis-reson. fluoresc. kinetic study 4−1737
- $OH + O_3 \rightarrow HO_2 + O_2$, 298 K, rate constants., perturbed stratosphere dynamics, reson. fluoresc. obs. 4−21575
- $^{16}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4−31847
- $^{18}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4−31847
- $O_3(101) + O_3$, collisional vibr. deactivation of $O_3(101)$, rate const. 4−27759

ozonosphere
- No entries

P invariance
- anomalous parity-violating Boltzman distrib. 4−26869
- atoms, parity-violation in SO(3) gauge model 4−27075
- Compton scattering on targets of arbitrary spin, low-energy theorems without C, P and Ti invariances 4−2682
- experimental aspects of symmetries 4−345
- few particle systems 4−346
- hadron e.m. interactions, conserved hadronic axial current coupling to photon, limits on strength 4−39820
- nonleptonic decays, parity-violating, null theorems, SU(3) transformation properties 4−8953
- nuclear polarisation reactions 4−12311
- optical isomers, β-decay, reln. between purity of living matter and parity violation 4−5764
- unified gauge theory, parity violation in M- and quark schemes, comparison 4−5577
- vector meson dominance model of parity-violating nonleptonic decays of K mesons and of hyperons 4−5602
- weak neutral currents, P-violation in heavy atoms 4−19185
- ep beam collisions, with polarised electrons, parity violation obs. 4−26579
- $N \rightarrow p\pi^-$, estimate of coupling with final-state interactions 4−15474
- N-N interaction, parity-nonconserving effect on nuclear reactions 4−15656
- pp meson exchange reactions, parity violation 4−31185
- pp scattering, polarised, parity violation 4−377
- ^{12}C, magnetic moment scattering of protons, parity-violating amplitudes 4−9205
- ^{16}O, parity nonconservation effects, $^{12}C(\alpha,\alpha)^{12}C$ study 4−27336

p-n heterojunctions
- $Al_xGa_{1-x}As$-GaAs light and voltage noise 4−15372
- current/voltage characteristics 4−6664
- double heterojunction laser, reduction of threshold current by electron superinjection 4−23347
- AlAs-GaAs, electron beam microprobe anal. of multilayer heterojunction structures 4−3772
- $Al_xGa_{1-x}As$, multiple layer heterojunction structure investig. using electron microprobe anal. 4−20672
- AlGaAsSb system double heterojunction, tunable field assisted photocathode 4−10520
- AlInAsSb system double heterojunction, tunable field assisted photocathode 4−10520
- CdS heterojunctions, props. of photovoltaic elements *(Russian)* 4−6669
- CdS:Cu(Te)(Bi) heterojunctions, influence of impurities on spectral dependence 4−10175
- $CdS-C_2S$, photoelectric props., mathematical analysis 4−13219
- $CdS-Cu_2S$, prep. in aq. soln., growth rate 4−29015
- $CdSnP_2$-CdSe, spectral characts. of photosensitivity *(Russian)* 4−33028
- $CdSnP_2-Cu_2S$, spectral characts. of photosensitivity *(Russian)* 4−33028
- p-Cu_2S-n-Si, photosensitivity 4−28485
- Cu_xS-CdS topotaxial heterojunction, photovoltaic efficiencies of Cu_xS phases 4−41116
- Cu_2Se-CdSe radiation detector, sensitivity and response, temp. range 120-340K *(Russian)* 4−18619
- Cu_2Se-ZnSe, form. from vapour phase and electrolum. 4−4013
- (Ga,Al)As/GaAs heterostructure, etching of (110) cleaved faces *(German)* 4−3652
- $Ga_{1-x}Al_xP$ heterostructures for optical waveguide modulators, preparation by liquid-phase epitaxy *(German)* 4−17188
- GaAs/Ge diodes, minority carrier diffusion lengths 4−10204
- GaAs-$Al_xGa_{1-x}As$, energy barrier determ. by capacitance measurements 4−1268
- GaAs-$Al_xGa_{1-x}As$, minority carrier lifetime, interface influence 4−37305
- GaAs-AlAs, p-n-p-n struct., electroluminesc., transient processes 4−28482
- GaAs-AlAs, phototransistor, electrical and photoelectric characts. 4−28483
- Ge-$Al_xGa_{1-x}As$, energy barrier determ. by capacitance measurements 4−1268
- $Pb_{1-x}Sn_xTe$-PbTe laser, fabrication and characts. 4−15368
- PbTe-Ge, prep., diode characts., spectral response 4−28487
- Se-Ag_2Se, film heterojunction, elec. characteristics in the pulsed regime *(Russian)* 4−1269
- Se-Ag_2Se, polycryst. thin film heterojunction, switching effect and memory peculiarities *(Russian)* 4−6668
- Se-Ag_2Se p-n heterojunctions, phys. state investigation, switching without memory regime *(Russian)* 4−33030
- Se-CdSe, reverse biased, features typical of m.i.s. structs. *(Russian)* 4−13218
- Si-NiO, prep., I-V curves, photo e.m.f., temp., wavelength depends. *(Russian)* 4−24814

p-n heterojunctions continued
- ZnSe-ZnTe, liquid-phase epitaxial growth 4−17182
- ZnSe-ZnTe, thin film, voltage-current characts. *(Russian)* 4−33026
- ZnTe-ZnSe, elec. props., growth conditions depend. 4−28486
- ZnTe-ZnSe, electrolum. 4−4012

p-n homojunctions
- p^+-n, deep centres, capacitance 4−3774
- photovoltaic effect, minority carrier drag current 4−24824
- planar diffused structure, with field limiting rings, field calc. 4−28488
- $CuInSe_2$, electrolum., quantum effiency of band near 1.34 μ 4−41432
- GaAs, luminesc. polarisation, diagonal tunnelling, uniaxial deform. effect 4−37692
- GaAs, phototunnel conductance effect 4−20671
- GaAs:Au,Cu, adsorbed impurity effect on electroluminesc. *(Russian)* 4−20663
- GaAs:Ge, electrolum. diode 4−25149
- $GaAs_{1-x}P_x$ light-emitting diode, red, deep-level defects 4−41435
- $GaAs_{1-x}P_x$ radiative lifetime and quantum efficiency 4−1420
- GaP, liquid phase epitaxial growth for red emitting diodes 4−6979
- GaP, liquid phase epitaxial growth for green emitting diodes 4−6980
- GaP, p-ν-n structure, current-voltage characts. 4−28484
- GaP diodes, charge collection current and cathodoluminescence intensity 4−17125
- Ge, avalanche multiplication factors in one-sided abrupt junctions 4−28479
- InSb, noise and elec. props., illumination effects 4−20676
- PbS, epitaxial, electric and photoelectric props. 4−33027
- Si, abrupt, VI characs. and diffusion capacitance, interpretation *(French)* 4−24813
- Si, As-implanted, damage, i.r. microscopy obs. 4−12962
- Si, avalanche multiplication due to carrier generation in space-charge region 4−3775
- Si, avalanche multiplication factors in one-sided abrupt junctions 4−28479
- Si, doping profile at p-n junction investig. using electron beam microprobe *(German)* 4−20673
- Si, electron injection into SiO_2 4−1271
- Si, fabrication, B diffusion into Si, from glassy B organic films *(Russian)* 4−21208
- Si, microplasma effect 4−20675
- Si, one-sided abrupt barriers, experiment determ. of avalanche region 4−41117
- Si, planar, analysis of circular approximation 4−24818
- Si diode, 1/f noise models 4−20679
- Si p^+-n junction, quenched in deep donor levels 4−24820
- Si surface-controlled junction diode, 1.0 MeV electron-irrad., characts. 4−28480
- Si wafer with p-n junction, surface photo-Hall effect 4−37256
- Si with implanted impurities, electron mirror microscopy 4−10205
- SiC, electrolum. p^+-n and n^+-p junction prep. 4−10526
- SiC, electron emission in reverse bias mode, vacuum and cathode ray tube appl. 4−10203
- SiC, light-emitting diode, thermally stimulated e.m.f. 4−24822

p-n junctions
- *see also p-n heterojunctions; p-n homojunctions*
- 1/f noise in various semiconductors and ambient media, surface phenomenon *(German)* 4−3773
- abrupt, field and potential distrib. and capacitance calc. *(German)* 4−16814
- deep traps, charge exchange, thermally stimulated current, high-resist. cryst. 4−24823
- electron beam X-ray microprobe, soln. of semiconductor problems *(German)* 4−6667
- five-layer p-n-p-n-p structure, inversion phenomena *(Russian)* 4−37303
- forward biased, Boltzmann boundary conditions, accuracy 4−20677
- hot point generation, in reverse bias, two-piece model 4−24819
- magneto-current, in forward bias, oscillatory behaviour 4−33029
- multiplication factors and breakdown voltages 4−10202
- out-of-focus images, contrast effects 4−16816
- p-n-p-n structures, nonuniform effect 4−6670
- p-n-p-n structures, two-dimensional voltage distribution at nonuniform turn-on 4−24816
- peripheral and diffused layer effects on doping profile 4−24815
- surface cleaning unit, organic solvents and reactants, in vacuum *(Russian)* 4−21207
- thermally stimulated capacitance and current, theory including generation-recomb. centres 4−6665
- $In_yGa_{1-y}As$ crystal doped with Ge, amphoteric properties 4−17178

P-V-T relations *see equations of state*

pacemakers
- *see also patient treatment*
- implanted cardiac pacemaker monitoring by telephone 4−26248
- onlay epicardial pacemaker lead, post-operative electrophysiology 4−26228
- power supply, anatomical power extraction, experiments in dog 4−18131
- triggered, effects of active mag. fields from airport weapons detectors 4−23239

pair algebra *see algebra*

pair annihilation, electron *see positron annihilation*

pair production, electron *see electron pair production*

pairs, electron *see electron pairs*

palaeomagnetism
- S Arizona, palaeomagnetism of St. David formation 4−14075
- Australian Cenozoic, synthesis of results 4−34241
- basaltic lavas, N. America, magnetostratigraphy and oroclinal folding 4−34236
- basalts from southern Argentina, part of glacial history study of Patagonia 4−21875
- Bergell massif, Switzerland, magnetic anisotropy of granitic rocks 4−14065
- British Caledonides, variety of rocks from several locations 4−7592
- British Caledonides study, regional and global implications 4−7593
- Brunhes epoch from lavas and ignimbrites on Terceira Island, Azores 4−25622

palaeomagnetism continued
- Bulgaria, variation during the last 2400 years 4—1780
- Cainozoic magnetic anomaly, rel. to development of Mid-Atlantic ridge 4—1773
- controlled O_2 fugacity techniques for palaeointensity studies 4—14214
- Coppermine River lava flows, fault rotation and revised poles 4—10834
- correlation with palaeoclimatic indices, sea floor dynamic processes as possible cause 4—29779
- c.r.m. development during early stages of red-bed formation in Late Tertiary sediments 4—14066
- deep sea sediment cores, oxidation and reduction effects on CRM 4—38263
- deep sea sediments, post depositional remanent magnetisation 4—1788
- Devonian geomagnetic axis, N. Scotland, thermal analysis of Caithness Old Red Sandstone 4—34258
- direction analysis, Gauss coeff. computation, Quatertary, Late Terniary fields 4—4356
- Easter Island, palaeosecular var. from lava examinations 4—14072
- England, Lake District, remanence, fold test 4—7590
- evidence for Central Iran as part of Gondwanaland 4—34259
- felsite and basic intrusions from Virginia 4—29449
- Fen complex South Norway, magnetization history 4—29513
- field reversals and crustal spreading rates during Miocene 4—17607
- Gilsa and Reunion polarity events at type sections, lava palaeomagnetism 4—14073
- Grenville Province, tectonics rel. to magnetic records of intrusive rocks 4—1789
- Hopewell Group red beds, vector analysis of DRM and CRM meas. 4—42048
- interfingering study of basalt members of Columbia River group 4—21762
- intergrowth structure significance, effect on remanent magnetisation properties 4—34240
- isothermal remanent magnetisation anisotropy measurements compared with susceptibility anisotropy measurements *(French)* 4—29482
- Jamaica, Upper Cretaceous ignimbrites 4—7605
- Jurassic sediments, Mangyshlak peninsula 4—7598
- late Precambrian glaciations from palaeomagnetic results 4—42052
- Lebanon, palaeomagnetism of Mesozoic and Cenozoic volcanic rocks 4—42053
- Lower Carboniferous St. Joe limestone of Arkansas 4—17610
- Lower Devonian rocks of Cheviot Hills, England 4—38272
- Madjarovo hypogenic channelway, Bulgaria, igneous activity and struct. 4—10794
- magnetite, TRM in synthetic submicroscopic particles rel. to NRM in igneous rocks 4—21877
- Mamainse Point lavas, pole positions, Keweenawan pole path and polarity sequence 4—10835
- Mealy Mt. anorthosite suite, evidence for rotation 4—34237
- metamorphic rocks, errors from intrinsic anisotropy 4—29494
- Mississippi Valley type ore deposits in North American mines, NRM and origin 4—38257
- Missoula Group (belt supergroup), pole positions 4—38262
- E Morocco, palaeomagnetic study of Tertiary and Quaternary volcanic formations *(French)* 4—4355
- Mount Pavagarh, India, paleomagnetic study of volcanic flows, continental drift 4—38276
- Mount Pavagarh, India, volcanic flows, paleosecular variations, continental drift 4—38276
- Neohelikian Nemegosenda carbonatite complex, Ontario, pole positions 4—38258
- Nipissing diabase, Lake Matinenda area, Ontario, magnetic and palaeomagnetic studies 4—42047
- Nonacho Group sandstones, associated sparrow dikes, polar wander path 4—34238
- Nurancha anticline, evaluation of horizontal deformation displacement amplitudes 4—29506
- Otish Gabbro, Grenville Front, pole positions 4—10836
- NW Pacific, palaeomagnetic constraints on tectonic models 4—14071
- NW Pacific, palaeomagnetism and plate tectonics 4—21725
- palaeointensity analysis, improved instrumentation 4—17823
- Palaeozoic sediments, Central Australia 4—25625
- Panchet clay beds, N.E. India, probable remagnetisation of Gondwana red beds by Deccan Trap flood basalts 4—34256
- Pleistocene chronology, radiometric and palaeomagnetic polarity dating 4—14061
- Pliocene-Pleistocene boundary sections in Italy and New Zealand 4—14076
- Pliocene-Quaternary deposits, contribution to history of geomagnetic field 4—29497
- Pliocene-Quaternary terrace deposits, Southern Dniester area *(Russian)* 4—29502
- polarity transitions in high deposition rate deep sea core from NRM 4—29484
- pole coordinates, simple technique based on Wulff net 4—7799
- Precambrian Gwalior Traps, Central India 4—34257
- Precambrian Martin Formation, Saskatchewan, regional chronology 4—10833
- Quaternary lake sediments from western US and Mexico 4—17609
- Reunion Island lavas, palaeomagnetism rel. to. Brunhes epoch secular var. 4—17614
- reverse natural remanance of basic dykes cutting Loch Ba felsite ring dyke, Scotland 4—38267
- review of present knowledge *(Italian)* 4—34235
- Scotland, Aberdeenshire, Younger Gabbros 4—7589
- Scotland, Strathmore region, Lower Devonian lavas 4—7591
- secular var. records for stable and reversing geomagnetic field 4—17608
- serpentinite near Erbendorf (Oberpfalz), natural induced and remanent magnetization *(German)* 4—42051
- Shabogamo Gabbro, Labrador, evidence for rotation 4—34237
- shape anisotropy effects on palaeointensity determ. 4—17605
- small scale marine magnetic anomalies rel. to fluctuations of palaeomagnetic field 4—14078

palaeomagnetism continued
- southern continents drift trend, application of correlation analysis and Feynman diagram 4—17597
- Sulitjelma Gabbro, N. Norway, Ordovician palaeomagnetism 4—38217
- titanomagnetite, magnetic props. rel. to NRM with Al or Mg substitution 4—29468
- TRM, multidomain model, based on domain wall-external field interaction, demagnetizing field and lattice defects 4—29485
- TRM formed in Triassic from magnetic props. of heated contact 4—29504
- TRM meas. in Rumanian Neogene clays from NW Oltenia *(Rumanian)* 4—34255
- Ukraine and Moldavia, during last 6000 years 4—7606
- Upper Cretaceous Niobrara Formation in Wyoming, Colorada and Kansas 4—14077
- Upper Jurassic, sequence of reversals from Morrison Formation 4—14070
- virtual poles, approximate method for estimating rate of movement 4—25619
- Wales, Radnorshire, igneous rocks of Ordovician inlier 4—7588
- W Washington, palaeomagnetic field excursion 4—14074
- West African Precambrian rocks 4—25615
- Mn nodules, possibility of reversals for use in age determination *(German)* 4—7816

palladium
- adsorption and absorption, H on evaporated Pd films, surface pot. changes meas. 4—28294
- adsorption of H_2, on α and β phases, react. $H_2 \rightleftharpoons 2H$ (dissolved) studied, kinetics, mechanism, rel. to temp. 4—40970
- chemisorption of CO, Anderson formalism including overlap 4—37111
- Debye temperature calc. using iterative approach 4—1101
- dielectric screening and lattice dynamics, Wannier representation 4—36970
- diffusion in Ni, Mo and W, elec. resist. meas., 500-1000°C *(Russian)* 4—32749
- diffusion of H, electrochemical oscillation method *(German)* 4—13060
- diffusion of hydrogen in Pd, reversed and normal isotope effects, 60 to 500K 4—1140
- elastic constants, temp. and vol. depends. 4—37946
- elastic moduli, electronic band struct. influence *(French)* 4—20351
- elastic moduli, second order hydrostatic press., temp. depend., 200-425K *(French)* 4—20350
- film, photoelectric determ. of equilib., work function 4—28510
- film, thermoelectric effects, charge transfer two zone model, meas. *(Russian)* 4—33550
- film, work function changes on Xe adsorpt., field emission and photoemission obs. 4—37092
- magnetic susceptibility, temp. depend. 4—37405
- n.m.r. of ^{45}Sc and ^{51}V, impurity states obs. 4—16997
- paramagnons in uniformly exchange enhanced mag. systems 4—37428
- phonon dispersion, lattice dynamical models 4—20377
- photoelectron spectra, surface effects, vacuum evaporation and Ar sputtering comparison 4—33555
- powder, adsorption, tracer investig. method 4—6551
- range of ^{99}Mo and ^{140}Ba, from spontaneous fission of ^{252}Cf 4—32591
- solid and porous electrode polarisation obs. 4—14620
- surface, adsorption of hydrogen, LEED, thermal desorpt. and contact potential obs. 4—24635
- surface structure, LEED intensities from clear and H_2 covered surfaces 4—1153
- thermal expansion, rel to Cu 4—1129
- void formation, interstitial H introduction and removal 4—16485
- work function by Auger electron spectroscopy 4—15094
- X-ray photoemission of 3d electrons, core line asymmetries 4—25209
- Au-Ta-Pd, thin film reliability 4—3667
- Pd I, Pd II, time resolved intensities in break arcs 4—32358
- Pd X, u.v. spectra, classification 4—31660
- Pd:Dy^{3+}, interpretation of crystal field groundstate 4—10321
- Pd/H system, pressure against composition isotherms for α-phase 4—33714
- Pd/H_2 system, dynamic equilib. between chemisorbed, adsorbed H_2 investig., entropies determ. 4—37104
- Pd-Au contacts, particle emission at atmospheric pressure 4—16382
- Pd(I), lifetimes and hyperfine struct. level crossing method *(German)* 4—19689
- Zn:^{100}Pd, ^{100}Rh quadrupole interaction, temp. depend. 4—20917

palladium alloys
- *see also palladium compounds*
- dilute, low temp. elec. resist., depend. on impurity type 4—32914
- rare earth palladium indium intermetallics, equiatomic ternary phase characterization 4—25306
- rare earth thallium palladium intermetallics, Fe_2P-type phase characterization 4—25307
- rare earth-Pd, R_3Pd_4, cryst. struct. and lattice constants 4—16449
- Ag-Pd, Knight shift temp. depend., DPAD technique 4—33317
- AgPd, valence band spectra using X-ray photoemission 4—37739
- Au-Ag-Pd thin films, interdiffusion 4—24595
- Au-Pd, evaporated coating, for scanning electron microscopy 4—26676
- Au-Pd, nearest neighbour and long range interactions between atoms *(Russian)* 4—6358
- $(Au_{1-x}Pd_x)Ga_2$, supercond. transition temp., pressure depend. up to 24 kbar 4—33071
- Cu-Pd, nearest neighbour and long range interactions between atoms *(Russian)* 4—6358
- $Cu_{1-x}Pd_xFe_y$, (x=0-40, y=30-300 ppm), mag. props., Kondo temp. lowering 4—1303
- Fe-Pd, chem. diffusion and Kirkendall effect *(French)* 4—6527
- Mn-Pd-Bi, preparation and characterisation, cryst. struct. 4—16451
- Ni-Pd based, ternary elec. resist. meas. at low temp., depend. on impurity type 4—32914
- Pd-5% Rh alloy, high field, low temperature measurements of magnetisation and magnetoresistance 4—41062
- Pd-Ag, adsorpt. of H_2, react. $H_2 \rightleftharpoons 2H$ (dissolved) studied, kinetics mechanism, rel. to temp. 4—40970

palladium alloys continued
- Pd-Ag, diffusion of H, electrochemical oscillation method *(German)* 4–13060
- Pd-Ag-H, superconducting transition temp., lattice struct. and instabilities 4–16867
- Pd-Ag-H system, variations of elastic moduli and internal friction 4–17202
- Pd-Ag-Ni(Pt), hydrogen permeability and stability *(Russian)* 4–10620
- Pd-Ba emitter, Auger spectroscopy obs. *(Russian)* 4–21124
- Pd-Co:Sn, sign of effective mag. field on Sn nuclei, Mossbauer spectra 4–13372
- Pd-Cr, mag. susceptibility, conc. depend. 4–24927
- Pd-Cr, Pd-V, Pd-Mo, Pd-Ni dilute systems, localised spin fluctuations 4–3826
- Pd-Cu-Si metallic glasses, chem. bonding role in density, stability and form. 4–1011
- Pd-Fe, (8-18% Fe), resist. meas., Curie temp., short-range order parameter, 77-400 K 4–41194
- Pd-Fe, dil., spin-lattice relax. rate, effect of electron-electron interaction 4–25018
- Pd-Fe, magnetiz. and thermo-e.m.f., temp. depend., 4.2-300K *(Russian)* 4–3856
- Pd-Gd($4f^7$) alloy, e.s.r. meas., temp. depend. of g value and linewidth 4–33254
- Pd-Ge alloy film, supercond. crit. temp., comp. depend. 4–13245
- Pd-H, superconducting transition temp., lattice struct. and instabilities 4–16867
- Pd-Mn alloys, hydrogenated, ferromag. to antiferromag. transition 4–6732
- Pd-Mn-Te, antiferromagnetism, crysts. struct., PdMnTe compound *(Japanese)* 4–3837
- Pd-Ni, dilute alloys, press. effect on spin-fluctuation resistivity 4–24723
- Pd-Ni-P, glassy, thermal expansion and density, comp. depend. 4–24573
- Pd-Rh, thermoelec. power, phonon drag contrib. 4–24730
- Pd-Rh system, diffusion consts. determ. for interstitial H_2 rel. to composition 4–40911
- Pd-Ti, diffusion, electron probe analysis, intermetallic phase form. *(German)* 4–1145
- $Pd_{60}Ag_{40}$, resist. min. obs. at 700K, s-d scatt. interpretation, comparison with $Ni_{35}Cu_{65}$ 4–37213
- $Pd_{0.775}Cu_{0.06}Si_{0.165}$ glasses, compressive deform., 77-520 K 4–13695
- PdIn, B2-type, n.m.r. measurements on ^{115}In 4–1352
- PdMnSb and Pd_2MnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4–37530
- $Pd_{80}Si_{20}$, amorphous, crystn. kinetics, electron microscope obs. 4–24399
- $Pd_{80}Si_{20}$, amorphous, X-ray struct. obs., random packing of hard spheres 4–32439
- $Pd_{0.755}Si_{0.165}Cu_{0.06}$, anharmonicity of amorphous and crystalline phases 4–36968
- Pt-Pd-C, evaporated coating, for scanning electron microscopy 4–26676
- Ru-Pd, superconducting transition temp. depression 4–37359
- Th_3Pd_4, cryst. struct. and lattice constants 4–16449
- Ti-Pd system, eutectoid region obs. 4–13603
- V_3Pd, electronic struct. peculiarities, X-ray emission spectra obs., theory 4–41012
- Y_3Pd_4, cryst. struct. and lattice constants 4–16449

palladium compounds
- *see also palladium alloys*
- palladium octaethyl porphyrin, meas. of mag. induced circular emission 4–30463
- PD(diphenylglyoxime)$_2$I complex, elec. cond. meas. 4–28402
- Pb(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4–10423
- Pd complex, $(CH_3OCS_2)_2Pd$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4–25105
- Pd complex in molten thiocyanates, elec. spectra obs. 4–3981
- Pd-complexes, chlorins, phosphoresc. spectra, effect of pyrrole ring hydrogenation *(Russian)* 4–28922
- $Pd_{0.775}Ag_{0.06}Si_{0.165}$, ultrasonic attenuation, freq. and temp. depend. 4–3527
- $PdCl_2$, electron transfer band in chlorine K-X-ray absorpt. spectra 4–21094
- PdD, supercond. transition temp., press. depend. 4–20713
- PdH, supercond., prep., props., H conc. depend., clustering 4–28528
- PdH, supercond. transition temp., press. depend. 4–20713
- PdH system, Gruniesen constant calc. for high frequency H mode 4–10220
- PdH_n, α and β forms, n.m.r., proton Knight shifts at varying temps., press. 4–33279
- PdH(D) system, high freq. local modes, superconductivity, anomalous isotope effect 4–6687
- Pd(II) complex, 8-hydroxyquinolinato-palladium (II) chloranil, specular reflection spectra 4–3955
- Pd(II) complex, $\alpha,\beta,\gamma,\delta$-tetraphenylporphyrin, electrogenerated chemiluminescence 4–34046
- Pd(II) complex, β-mercaptoethylene, vibr. spectra 4–28835
- Pd(II) complex, chloro(2,2',2''-terpyridine) palladium(II)chloride dihydrate, cryst. and mol. struct. 4–32521
- Pd(II) complex, $Pd(C_{18}H_{36}N_2O_4S_2)Cl_2$, cryst. and mol. struct. *(French)* 4–32483
- Pd(II) complex, planar, chemical shift of apical hydrogen atom 4–19882
- Pd(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4–20997
- Pd(II) methylpyridine complex, i.r. spectrum, coordinate vibrations *(French)* 4–20996
- Pd_2Si, growth and transformation on Si, epitaxy, temp. depend. 4–3666
- Pd_2Si, polycrystalline layers, proton, $^4He^+$ channelling yields meas., orientation spread 4–20345
- Pd_2Si film, on Si, formation kinetics and structure 4–25283

paper
- *see also paper industry*
- moisture measurement, weighing method, error analysis 4–23056

paper industry
- black liquor recovery unit control safety, economic and ecological aspects 4–4899
- pollution, present situation and trends, report 4–39105
- pollution control and chemical recovery, book 4–4894
- pollution monitoring instrumentation and techniques 4–4896

paraelectric materials *see dielectric materials*

paralleled resonator filters *see band-pass filters*

paramagnetic properties of substances
- *see also paramagnetic resonance; paramagnetism*
- bone, X-irradiated in vivo 4–35056
- calcium cadmium acetate:Cu, exchange interactions and relax. 4–24988
- coke, saccharose, adsorbing surface, chem. activation effect by mag. reson. methods *(French)* 4–16657
- 5H-dibenzo[a,d]cycloheptene carbanion, paramag. ring currents, proton chem. shifts 4–31894
- 5H-dibenz[b,f]azepine nitranion, paramag. ring currents, proton chem. shifts 4–31894
- dimeric complexes, exchange interactions and relax. 4–24988
- enzymes, dry and in aqueous soln. *(French)* 4–31977
- ethylene, internal rotation anal. by Hartree-Fock unrestricted theory 4–10746
- exchange interactions and relax. 4–24988
- lanthanide-Cu, with $CeCu_6$ structure, magnetic susceptibilities meas. at 80 to 1200K 4–6712
- 1-4-methoxyphenyl-3,5-diphenyl-verdazyl radical, susceptibility, 1.9-300K 4–20762
- rare earth hydroxides, cryst. field parameters, one-electron orbital energies, correl. with ionicity and nephelauxetic effect 4–16893
- rare earth iron intermetallics, paraprocess near Curie temp. mag. compensation temp. existence criterion *(Russian)* 4–28611
- rare earth-Co_2Ge_2 alloys, low temp. ordering 4–20772
- rare earths, heavy, elec. resist., Fermi surface anisotropy 4–24687
- ruthenium acetylacetonate, exchange interactions and relax. 4–24988
- transition metal complex, paramag. susceptibility calc. using ligand field theory 4–33131
- type I superconductor, critical currents, destruction of mixed state, obs. of paramag. behaviour 4–28564
- Au:Fe, local susceptibility of Fe ions, Curie-Weiss props., Mossbauer obs. 4–3824
- B, beta rhombohedral samples, expt. determ. of magnetic susceptibility 4–1302
- $B_2O_3.Fe_2O_3.2MgO$, synthesis, crystallographic and mag. props. 4–9898
- $B_2O_3.Fe_2O_3.4NiO$, synthesis, crystallographic and mag. props. 4–9898
- $BaEu_2Fe_2O_7$, tetragonal, Mossbauer and susceptibility obs., 100-700K 4–24934
- Ca_4IrO_6, $CaIrO_3$, Curie-Weiss behaviour 4–32512
- Ce complex, cerium ethylsulphate, paramagnetic susceptibility 10-55 MHz, 1.2-4.2K, relaxation rate 4–1331
- Ce compounds, powdered, adiabatic demag., mag. susceptibility and cooling 4–24974
- $Ce_2Mg_3(NO_3)_{12}$ 24 H_2O, use for mag. cooling *(Czech)* 4–14833
- $Ce_2Mg_3(NO_3)_2.24H_2O$, sp. ht., 0.3-4 K, anomalous behaviour 4–24567
- Cr, band struct., LCAO calcs. 4–41014
- $CrAlF_5$, above 4.2K behaviour, Weiss const. 4–28608
- $Cs_2CuX_4.2H_2O$, (X=Cl, Br), quasi b.c.c. Heisenberg ferromag., further neighbour interactions 4–37397
- $CsMnCl_3.2H_2O$, antiferromag.-spin flop-paramag. transitions, magnetostriction and magnetothermal study 4–20775
- Cu (II) pyrazine nitrate, mag. susceptibility, Curie-Weiss law 4–10254
- Cu(II):Ni(II)bis(diselenocarbamate) anal. of magnetic anomalies 4–10253
- $Cu_{0.6}Ni_{0.4}$, giant moments, magnetis. obs. 4–28604
- $Cu_{0.9}Ni_{0.1}$:Fe, $Cu_{0.8}Ni_{0.2}$:Fe, dilute alloy, mag. clusters of Fe moments, magnetisation interpretation 4–33138
- $Cu_{1-x}Pd_xFe_y$, (x=0-40, y=30-300 ppm), nearest-neighbour interactions, Kondo temp. lowering 4–1303
- EuFCl, susceptibility, Curie type behaviour, 77-300K *(French)* 4–9900
- EuO, paramagnetic surface layer, doping effect on molecular field *(German)* 4–24981
- $EuTaO_4$, susceptibility meas., temp. depend. 4–13295
- Fe-Ni alloys, f.c.c., elastic consts. w.r.t. Invar props. 4–3883
- $FeCO_3$, symmetry of magnons and paramagnons 4–20795
- β- FeOOH, small antiferromag. particles, paramag. and antiferromag. components, Mossbauer obs. 4–20816
- $GdCrO_3$, mag. interactions between ions, Neel pt. behaviour mag. reson. obs. *(French)* 4–3892
- $GdVO_4$, low temp., mag. phase transitions, spin-flop, exchange and anisotropy consts., spin-wave renormalisation 4–16927
- ^3He, liq., paramagnetic transition, phenomenological approach to role of spin systems 4–32779
- ^4He-^3He mixtures, low temp. nuclear magnetic susceptibility theory 4–3618
- $HoAsO_4$, pramag.-antiferromag. transition, mag. susceptibility, Fisher's theory, exchange and dipolar fields 4–13308
- $K_2CuX_4.2H_2O$, (X=Cl, Br), quasi b.c.c. Heisenberg ferromag., further neighbour interactions 4–37397
- $La_{x-y}Gd_yWO_3$, electronic struct., susceptibility obs. 4–3689
- $Li_2Gd_4(MoO_4)_7$, room temp. susceptibility 4–17027
- Mn complex, di-iodotetrakis(pyrazole)-MN(II), zero-field splitting determ. 4–20846
- $MnCO_3$, symmetry of magnons and paramagnons 4–20795
- $MnCo(P_{1-y}As_y)$, paramag. moment, comp. depend. 4–24936
- $(NH_4)_2CuX_4.2H_2O$, (X=Cl, Br), quasi b.c.c. Heisenberg ferromag., further neighbour interactions 4–37397
- $NdTaO_4$, susceptibility meas., temp. depend. 4–13295
- Ni, susceptibility, temp. depend., band model calc. 4–16911
- Ni-based Heusler alloys, Ni_2XSn, (X=Zr, Hf, Nb), susceptibility 4–41196
- NiAl, intrinsic low temp. mag. and transport props., simple Fermi surface model 4–13298
- α-Ni_3In, paramagnet, no ferromag. props. *(German)* 4–6713
- NiS, hexagonal, transition temp. region behaviour 4–24794

paramagnetic properties of substances continued
- Pd-Ni, dilute alloys, press. effect on spin-fluctuation resistivity 4−24723
- $Rb_2CuX_4.2H_2O$ (X=Cl, Br), quasi b.c.c. Heisenberg ferromag., further neighbour interactions 4−37397
- $RbMnF_3$, antiferromag., spin pair Raman scatt. in paramag. phase, Green's function anal. 4−13454
- $RbMnF_3$, spin diffusion, temp. depend., 90 to 300 K 4−20758
- $SmTaO_4$, susceptibility meas., temp. depend. 4−13295
- $SrEu_2Fe_2O_7$, tetragonal, Mossbauer and susceptibility obs., 100-700K 4−24934
- $SrO(6-x)Fe_2O_3xAl_2O_3$, cryst. struct., mag. props. 273 to 1000K 4−6716
- Ta-Co Laves phases, Pauli behaviour 4−33673
- $TbAsO_4$, 1.50K paramag. to antiferromag. transition, cryst. props. 4−6726
- Th refractory compounds, magnetic susceptibility meas. 4−13296
- $ThNi_2Co_3(Co_2)$, neutron diffr., 5-297K, moment direction 4−28630
- $TlMnCl_3$, cryst., paramag., crystallographic and mag. phase transitions 4−10265
- U_3As_4, electrical resistivity near Curie temp., external magn. field 4−6615
- VN-CrN alloys, phase study, metallic atom ordering *(French)* 4−13301
- Y-Ce-H system, paramag. susceptibility meas., temp. depend. 4−28603
- $ZnFe_2O_4$, vibrational component of specific heat 10 to 350 K 4−37415

paramagnetic resonance
- *see also acoustic paramagnetic resonance; ENDOR; paramagnetic resonance of ions; spin-lattice relaxation; spin-spin relaxation*
- acetophenone and derivs., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
- acridine dyes, dispersion at 77K, e.s.r. spectral investig. of mol. assoc. *(German)* 4−33238
- acrylonitrile, peroxyradical, e.p.r. obs. of mol. motion in solid state *(French)* 4−33270
- aliphatic amine glasses, γ-irradiated, trapped electron yield determ. 4−4267
- allyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
- allylcarbinyl radicals, e.s.r. investig. of conformations and rot. barriers 4−27710
- aromatic carbonyl cpds., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
- aromatic phosphrescent molecules, spin-lattice relax. time meas. *(French)* 4−16118
- aromatics triplet molecules, e.s.r., h.f.s. of double quantum transition 4−16119
- avalanche relaxation, phonon bandwidth, rate eqns. 4−41238
- azaphenanthrenes and protonated species, zero field splittings in lowest excited triplet states 4−21578
- azulene cation, e.p.r., proton hyperfine splitting constant, McLachlan method 4−40319
- benzofuran, single cryst. e.p.r. of T_1 states 4−1731
- benzophenone, photo-CIDEP obs. of triplet intersystem crossing 4−10765
- benzophenone and derivs., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
- benzophenone ketyl radical, CIDEP, viscosity depend. 4−33980
- biphenyl; methyl substituted, triplet state geometries determ. from e.s.r. spectra 4−36541
- biphenyl-tetracyanobenzene complex, charge-transfer triplet excitons *(German)* 4−33237
- broad lorentzian line, modulation broadening for linewidth estimation 4−39293
- calcium cadmium acetate:Cu, exchange interactions and relax. 4−24988
- chemically induced electron spin polarisation, rotating triplet model 4−34071
  - in chemistry, book 4−24987
- chlorophyll, e.p.r. on photoreduction and oxidation 4−42526
- coumarin, single cryst. e.p.r. of T_1 states 4−1731
- cyanine dyes, dispersion at 77K, e.s.r. spectral investig. of mol. assoc. *(German)* 4−33238
- cyclohexane in adamantane matrix, γ-irrad., cyclohexyl radical form., e.s.r. obs. 4−21572
- cyclopentanone, microwave-optical double reson. and dynamic interconversion of configs. of excited states 4−1732
- cytochrome P-450, mol. structure and mechanism of functioning 4−18086
- cytosine monohydrate, e.s.r. of γ-irrad. single cryst. with S impurities 4−20845
- 4,4′-di-n-heptyloxyazoxybenzene, liquid cryst., tilt angle determ. for smectic C phase 4−40745
- diacetylene polymer, cryst., fund. electronic and defect props. 4−28851
- diamond, ion-implanted, defect e.p.r. spectrum 4−28702
- diazaphenanthrenes and protonated species, zero field splittings in lowest excited triplet states 4−21578
- dibenzothiophene, e.s.r., phosphorescence electronic scheme 4−37481
- diboranyl radicals, e.s.r. obs. in γ-irrad. diborane 4−21574
- 1,4-dibromonaphthalene, e.s.r., triplet exciton temp. depend. 4−33241
- diethylammonium copper chloride, two-dimens. ferromagnet 4−24989
- α,α-difluoroethyl radical, hindered internal rot. of methyl group by e.s.r. 4−12605
- dilute solid, spin echo signal of free radicals *(Russian)* 4−20836
- dimeric complexes, exchange interactions and relax. 4−24988
- dimethyl phosphite, γ-irradiated, H and electron addition to P 4−34065
- 1,4- dinitrobenzene anion radical, ^{13}C enriched, e.s.r. obs., spin density distrib. 4−3201
- diphenyl:anthracene(phenazine), electron spin polarised triplet state energy transfer 4−33247
- 2,2-diphenyl-1-(trifluoromethanesulphonyl)-hydrazyl, prep. and e.s.r. spectrum 4−21579

paramagnetic resonance continued
- diphenylacetylene, phosphorescent, lowest triplet state parameters 4−10761
- dithiin derivatives, π system interaction, e.s.r. study 4−27712
- DPPH, obs. of hyperfine struct. 4−10357
- durosemiquinone radical, CIDEP in flash photolysis of duroquinone soln. 4−34076
- dye solutions, e.s.r. investig. of photoinduced triplet states 4−37479
- dynamic biradical system, spectrum shape calcs. 4−20834
- ELDOR, applic. of e.s.r. lineshapes, saturation in slow motional region 4−36542
- electron, liquid crystals, and n.m.r. methods *(Polish)* 4−6782
- electron spin coherence, obs. of localised state decay into delocalised band states 4−32881
- electron spin-echo signal decay, effect of cross-relaxation transitions 4−16972
- e.p.r. data from static torque meas. 4−28683
- e.p.r. detection sensitivity, using mag. circular dichroism *(Roumanian)* 4−20829
- e.p.r. liquid crystal, obs. of magnetic field alignment of smectic-A phase systems 4−10319
- e.s.r. investigation at 0.5 to 4.2 K, cryostat using liquid ^3He evacuation 4−5129
- ethane, isoelectronic radical ion, structure, unrestricted Hartree-Fock calcs. 4−31772
- ethyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
- exciton, spin exchange, derivation of exchange interaction kinetic eqns. 4−20565
- excitons, triplet molecular, phonon coupling, mag. field orientation depends. 4−33243
- gas phase spectroscopy, free radical detection, reaction mechanism study 4−34016
- glass, oxide, radiation damage and struct. obs., review 4−25000
- glass, structural disorder, statistical anal. of spectra 4−20218
- glasses, irradiation defect centres, e.p.r. obs. 4−33260
- glycine hydrochloride, e.s.r. obs. of electron preferential gransfer in partially deuterated crystal 4−6780
- glyclglycine HNO_3, X-irrad. at 4.2K, e.s.r.and ENDOR obs. 4−24983
- glycolic acid, γ-irrad. crysts., spin-lattice relax. on main and satellite lines of oriented free radical 4−10311
- halobenzenes, triplet state properties, PMDR obs. 4−1357
- 2,2,4,4,6,6-hexamethylcyclohexyl radical, e.p.r., long range interactions 4−36553
- hydrazyl radical, electronic struct. and hyperfine interactions 4−37480
- hydrocarbon radical, quartet state, line shape and zero field splitting 4−9579
- indene, single cryst. e.p.r. of T_1 states 4−1731
- indole, single cryst. e.p.r. of T_1 states 4−1731
- inert gas:Al(Ga) crystals, electronic quenching of isolated atoms 4−25136
- inert gas:CsO_2, struct. and electronic props. 4−33246
- inert gas:KO_2, struct. and electron props. 4−33246
- inert gas:NaO_2, struct. and electronic props. 4−33246
- inert gas:RbO_2, struct. and electronic props. 4−33246
- intratissue water, temp. dependence of nuclear relaxation 4−38963
- i.r. transitions, laser magnetoreflection spectroscopy 4−22865
- Jahn-Teller effect for ^2E electronic state coupled to continuous phonon spectrum 4−41031
- ketyls with divalent cations, aggregate form. and dissoc. into biradicals 4−1730
- lead acetate trihydrate, X-irrad., damage centre obs. 4−24998
- line shape, effect of coupled coherent and incoherent triplet exciton motion 4−20572
- liquid crystal, thermotropic, technique potential 4−9827
- magnesium diethyl phosphate, γ-irrad., C_2H_3 radical obs. 4−41236
- magnesium diethyl phosphate, γ-irradiated, e.s.r. 4−13992
- magnetic alloy, dilute crystalline field effects in e.s.r. 4−33257
- magnetically diluted crystals, electronic spin echo, theory *(Russian)* 4−20837
- metal film, spin effects associated with electronic moments, conduction e.s.r. 4−25003
- methyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
- methyl radical, e.s.r., hyperfine splitting 4−34064
- modulation effects in saturation of nonuniformly broadened lines 4−36559
- molecular crystal, line shape of optical and e.p.r. absorpt., exciton motion influence 4−33388
- molecular magnetism, book 4−24119
- naphthalene-anthracene mixed cryst., anthracene orientation obs. 4−1330
- nitroxide radicals, rapid rot. diffusion in viscous media investig., using ^{14}N and ^{15}N isotopes, e.s.r. 4−41235
- nitroxyl radicals, e.s.r. spectra anal. in slow rot. region, rot. rel. to mol. size 4−37478
- optically detected e.s.r. of excited triplet states at zero field, polarization meas. 4−20827
- paramagnet, exchange interactions and relax. 4−24988
- 2,2,4,6,6-pentamethylcyclohexyl radical, e.p.r., long range interactions 4−36553
- peroxylamine disulphonate radical, glycerol-water soln., e.s.r. lineshape, saturation props. 4−13337
- phenyl-t-butyl nitrone:methanol neutral radical, γ-radiolysis radical formation 4−29342
- phenylacetylene, homogeneous oxidative coupling reaction, e.p.r. identification of $Cu(C_5H_5N)_5^{2+}$ 4−33984
- phonon role at low temp., method of nonlinear equations 4−20832
- phospholipid bilayer membranes, mag. field induced orientation obs. 4−29356
- photographic development kinetics monitoring using e.p.r. spectroscopy 4−2316
- point defects insulators, hyperfine interaction anal. 4−20299
- poly(2,6-dimethyl phenylene oxide) radicals, hindered rotation, e.s.r. studies 4−19944
- polymer, for obs. of mol. bond rupture in fracture, book 4−7370
- polyphenylacetylene, thermolysed, paramagnetic centres and spin-lattice relaxation *(Russian)* 4−37485

paramagnetic resonance continued

- polystyrene, solid spin-labelled, slow-motional effects, e.s.r. studies 4−6787
- polystyrene in dilute soln., mol. wt. depend. of segmental rotational correl. times determ. by spin labelling 4−27782
- porphyrin cation radical, e.s.r. obs. of unpaired electron delocalisation *(Russian)* 4−40322
- porphyrins, electron spin polarisation in photoexcited triplet state 4−25496
- potassium pyrazine in dimethoxyethane, e.s.r. second order shifts due to ion pair 4−16120
- n-propyl radical, adsorbed on silica gel, e.s.r. at 4K, conformation, g-factor, hyperfine coupling anisotropies 4−40320
- n-propyl radical, e.s.r. spectra, photolysis of n-propyl iodide, 4K, struct., mag. consts. 4−21589
- pyrazine, 1-hydropyrazine radical, e.s.r. spectra, mol.-orbital calcs. from spin densities 4−16123
- quantum mechanical transition probability demonstrated by e.s.r. experiment for students 4−30338
- quartz:Ge, e.p.r. of multiple alkali compensated centres 4−37496
- quartz glass, deviations from stoichiometry and interstitial paramag. O_2^- ions, e.p.r. and optical spectra obs. 4−13346
- radical, transient nutation of absorpt. and dispersion mode signals 4−33240
- radical anion, intermolecular and intramolecular electron transfer effects 4−9578
- radical pairs, electron spin emission spectra 4−1735
- radicals formed during radiolysis of liq. methanol, spin trapping obs. 4−21573
- rhodamine 6G, triplet state obs. during laser irrad. 4−10309
- rotation diffusion, mols. in viscous medium, e.s.r. spectra 4−16121
- ruthenium acetylacetonate, exchange interactions and relax. 4−24988
- second moments, optico-electronic device for determination *(Czechoslovakian)* 4−5123
- semiconductor, noncentrosymm., spin relax. due to cond. band spin orbit splitting 4−28688
- semiconductor, organic, electronic props., review *(Hungarian)* 4−37228
- semiconductor, spin dependent cond. changes, low temp. 4−37240
- L-serine, cryst., X-irradiated, e.s.r. at 77K, hyperfine and g-tensors 4−20831
- silicate glasses, γ-irrad., interpretation of e.s.r. spectrum 4−16971
- solid$\rightleftharpoons$smectic-B transition, melting of aliphatic chains, e.p.r. meas. 4−6338
- spectral diffusion, dipole-dipole interactions, strong saturation of broadened lines 4−10313
- spectrometer, transistorised X-band *(Roumanian)* 4−22923
- spin label method, applic. of e.p.r. spectroscopy to biological chem. and mol. biology, review *(French)* 4−11270
- spin-lattice relaxation of paramagnetic centres in vicinity of off-central ions 4−33263
- superconductor, type II, internal field distrib. 4−41150
- tartaric acid in aq. soln., photolysis, radical kinetics, e.s.r. obs. 4−21592
- tetracyanodithiin anion radical, π system interaction, e.s.r. study 4−27712
- tetraethylammonium salt, $(Et_4N)_3Cr_2Cl_9$, exchange interactions obs. 4−3889
- 1,2,4,5-tetrahydroxybenzene, radical cation, e.s.r., hyperfine coupling, hindered rotation 4−36551
- tetramethylstannane, γ-irrad., Me_4Sn^- radical obs. 4−17534
- tetraphenylarsonium salts, γ-irrad., Ph_4As radical obs. 4−17534
- 2-thenyl radical, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
- thiophene, n.m.r. and e.s.r. parameters calcs., INDO method, d-orbital effect 4−16125
- tolanes, nematic liq. crysts., electrochem. behaviour 4−1713
- transition metal, relax. theory of mag. moment of cond. electrons *(Russian)* 4−20863
- trapped electrons in glassy medium, electron spin echo envelope modulation 4−1724
- trapped electrons in glassy medium, forbidden matrix proton spin flip satellites 4−1725
- vanadyl acetylacetonate, in liquid cryst. or isotropic solvent, model calc. 4−6781
- weakly magnetic solids with random orientation of paramagnetic particles 4−1333
- wood, pyrolyzed, e.s.r. spectra, paramagnetic environment effects on unpaired spins 4−41240
- Ag small particles, conduction e.s.r., quantum size effect 4−33265
- Ag:Dy, crystalline field effects in e.s.r. 4−33257
- Ag-Er dilute system, local moment conduction electron system 4−13344
- $AgBF_4$, in frozen organic soln., γ-irrad., e.s.r. obs. of paramag. Ag atom clusters 4−25494
- $AgClO_4$, in frozen benzene soln., γ-irrad., e.s.r. obs. of paramag. Ag atom clusters 4−25494
- AgX where X=halide, meas. *(Russian)* 4−19690
- Al/Zn, cond. e.s.r., surface relax. boundary conditions 4−20860
- α-Al_2O_3, gamma and gamma+neutron irradiated, crystal defect aspects 4−10322
- Au:Er, crystalline field effects in e.s.r. 4−33257
- $B_2H_6^-$, isoelectronic radical ion, structure, unrestricted Hartree-Fock calcs. 4−31772
- BaClF, obs. of U_2-centres 4−1340
- Be, conduction electrons, linewidth temp. depend. 4−20861
- BeO, X-irrad., thermally stimulated electron emission and e.p.r. *(Russian)* 4−37728
- $(Bi_{1-x}La_x)FeO_3$, phase diagram construction 4−33165
- t-butyl radical e.p.r. spectra in range 91 to 204 K, evidence for nonplanarity 4−3202
- C_2, in inert gas matrix, electronic struct. 4−6110
- C_2H, in inert gas matrix, ground state, unpaired electron orbital 4−6110
- CaF_2, X-irrad., new e.s.r. centre 4−16983
- CaF_2:Eu^{2+}, luminesc., reson. reabsorpt. and e.p.r. transitions, magneto-optical obs. 4−37670
- $CaWO_3$, e.s.r. of electron and hole centres due to WO_4^{2-} anion 4−33262

paramagnetic resonance continued

- ClO_2, in inert matrices at 4.2 K, e.s.r., g-, A- and Q-tensors 4−28692
- $Co_xFe_{1-x}S_2$, solid solns., shallow donor electrons 4−41239
- $Co_xNi_yFe_{1-x-y}S_2$, solid solns., electron energy states 4−41239
- α-Cr_2O_3, Neel's temp. determ. from e.p.r. spectra temp. relationship 4−37410
- Cr_2O_3-Ga_2O_3, cryst. growth, e.s.r., X-ray diffr. investigs., phase diagram *(German)* 4−36838
- $Cs^+ + Cs$ collisions, e.p.r. line width measurements 4−729
- $Cs_3Cr_2Cl_9$, exchange interactions obs. 4−3889
- CuCr catalyst supported by Al_2O_3, valence state, absorpt. effect 4−35482
- Cu(II) complex, bis(,1-dicyanoethylene-2,2-dithiolate), single cryst. e.s.r. study 4−10314
- Cu(II) complex, Cu(II)picolinate:Zn(II)picolinate.$4H_2O$, ^{17}O H.F.S. in single cryst. E.S.R. 4−16969
- Cu(II) complex, pyridine N-oxide bridged dimeric copper(II) nitrate complexes, ring substitution, ground state struct. 4−19873
- Cu(II) complex, tris(octamethylpyrophosphoramide) Cu(II) perchlorate, single cryst. e.p.r., trigonal g-tensor model 4−33242
- Cu(II) complexes, spectra of powder samples 4−32905
- $CuWO_4$, temp. depend., short range order effect, broadening mechanism *(Russian)* 4−24986
- D_2, triplet state, microwave optical mag. reson. induced by electrons, fine struct. 4−6108
- D_2O, low J states, electric dipole moment, e.s.r. 4−12554
- EuB_6, semicond. ferromagnet, high temp. e.p.r. linewidth, exchange narrowing 4−6779
- $(Fe^{III}O_{3/2}Se)2R$, R=Li, Na or K, black glass, optical absorpt. characts. investig. 4−32446
- Ga_2O_3:Cr(III), cryst. growth, e.s.r., X-ray diffr. investigs. *(German)* 4−36838
- Gd-Fe garnet, exchange narrowing of e.p.r. lines near Curie point 4−16970
- $Gd_xLa_{1-x}S$, e.s.r. spectra, s-f exchange interaction 4−37483
- $Gd_xY_{1-x}S$, e.s.r. spectra, s-f exchange interaction 4−37483
- Ge, crushed crystals, e.s.r. obs., paramagnetic surface states 4−41241
- α-Ge film, e.s.r. obs., shock-crystallisation 4−6573
- Ge surface, photoinduced e.p.r. signals 4−28685
- Ge:As, g-value of donor electrons, conc. depend. 4−25001
- Ge-S glass, e.s.r. signal obs., spin density determ. 4−1332
- H atoms in amorphous matrix, spin-echo meas., phase relax. mechanism 4−13338
- H_2, gaseous, e.s.r. obs. of xenon-photosensitized decomp. 4−29350
- H_2, triplet state, microwave optical mag. reson. induced by electrons, fine struct. 4−6108
- H_2 Fermi-contact hyperfine interaction, g_s-factor, MOMRIE obs. 4−27711
- p-H_2 k(p)$^3\Pi_u$, fine structure, microwave optical magnetic resonance, electron induced 4−9575
- H_2CN, e.s.r. and bond structure 4−12614
- H_2O, low J states, electric dipole moment, e.s.r. 4−12554
- He, liquid, of negative ions, electron field emission from Fe and W tips 4−28253
- $Hf(BH_4)_3$-$U(BH_4)_4$ mixed crystal, e.p.r. and optical (5000-300 cm^{-1}) spectra, electronic origins 4−3978
- K, cond. electrons, crit. angle anomalies 4−41256
- K, paramagnetic resonance of conduction electrons, theory of anomalies near critical angle 4−41257
- KCl, F-centre coagulation to quasimetallic centres, obs. 4−13483
- KCl, X-irradiated, e.p.r. of hole centres, 175-227K *(Russian)* 4−20859
- KCl:F centres, exchange effects in optical detection e.s.r. 4−1342
- KCl:Li, F-centres, spin-lattice relaxation, spin Hamiltonian modulation by phonon interactions 4−33263
- $KClO_3$, irrad., e.s.r. obs. of ClO_3 quadrupole coupling 4−10310
- $K_2Cr_2O_7$, γ-irrad. 4−33261
- KH_2PO_4-K_2SeO_4, of SeO_4^{3-}, SeO_3^-, proton hyperfine struct. 4−41237
- $K_3Ir^{III}(CN)_6$-KCl, quadrupole effects on h.f.s. in $Ir^{II}(CN)_5$ species 4−20830
- $KMgF_3$, F-centre, mag. circular dichroism and e.p.r. obs. 4−21028
- $K_3Mo(CN)_8$ and $K_3W(CN)_8$ in solns., mag. field depend. of electron spin relaxation 4−28681
- $(K_2O)_{0.2}(P_2O_5)_{0.8}$, phosphate glasses, paramag. centre form., by fracture and γ-irrad., e.s.r. 4−28703
- $KZnF_3$, perturbed $[F_2^-]$ centres, motional behaviour 4−25138
- La:Er, superconducting, temp. and conc. depend. of line width 4−13258
- $LaAl_2$:Gd, Ce, e.p.r. conduction-electron relaxation calc. 4−1343
- Li small particles, electronic quantum effects 4−25002
- LiB_6, polycryst., cond. e.p.r., temp. independ. intensities and positive g-shifts 4−33264
- Li_2O-Al_2O_3-SiO_2 system cryst. and vitreous forms, radiation centres 4−24991
- $(Li_2O)_{0.2}(P_2O_5)_{0.8}$ glass, paramag. centre form., by fracture and γ-irrad., e.s.r. 4−28703
- $Li_2O.Al_2O_3.SiO_2$ glass, X-irrad. 4−13526
- MgO-MnO solid solution, exchange coupled ion clusters, Mn conc. depend. 4−6786
- MgO-NiO solid solution, powder, mag. interactions, antiferromag. behaviour 4−6785
- Mn complex, $NC_5H_5HMnCl_3.H_2O$, structure and magn. props., magn. susceptibility, e.s.r. 4−20765
- Mn(II) mixed solvent system, e.s.r., hyperfine line shape 4−13341
- $Mn(NO_3)_2.4H_2O$ aqueous solns., e.p.r. signals evolution *(French)* 4−33239
- MoO_3-$TeO_2(P_2O_5)$, amorphous semicond., hyperfine interaction of d-electrons 4−3891
- NF_2, gaussian type orbitals calcs. of e.s.r. coupling consts., ΔH_{298}^0 calc. 4−40316
- $NH_4H_2PO_4$:K_2SeO_4 mixed crystals, X-irrad. damage centres, obs. 4−20856
- $(NH_4)_xV_2O_5$, bronze phase, localised cond. electrons 4−32516
- Na, cond. electron relax., 14-20 K, surface contrib. 4−41255
- Na, cond. electrons, crit. angle anomalies 4−41256
- Na, paramagnetic resonance of conduction electrons, theory of anomalies near critical angle 4−41257

paramagnetic resonance continued
NaB_6, polycryst., cond. e.p.r., temp. independ. intensities and positive g-shifts 4—33264
$NaClO_3$, irrad., e.s.r. obs. of ClO_3 quadrupole coupling 4—10310
$NaCrS_2$, e.h.f. meas. of e.p.r. 4—20833
NaN_3, conduction e.s.r. of small Na particles, size effect 4—33267
$NaNO_2$ crysts., triplet state, e.s.r. and opt. investig. *(German)* 4—41982
Na_2O-CaO-SiO_2 glass, e.s.r., absorption edge tail region, optical waveguide 4—19038
$(Na_2O)_{0.2}(P_2O_5)_{0.8}$ glass, paramag. centre form., by fracture and γ-irrad., e.s.r. 4—28703
$Na_2O.SiO_2$ glass, X-irrad. 4—13526
NbO in inert matrices, electronic ground state, mag. parameters 4—6109
Ni film, evaporated on silica, e.s.r. spectra rel. to ferromag. resonance *(German)* 4—33268
$Ni_xFe_{1-x}S_2$, solid solns., deep donor electrons 4—41239
$NiSnF_6$ and $NiSnCl_6$, e.s.r., mag. props. 4—16978
$NiTiF_6$, e.s.r., mag. props. and phase transformation 4—16978
$^1\Delta_gO_2$, prod. from microwave discharges in CO_2, NO_2, e.s.r. investig., mechanism 4—40315
OH radical, flow tube expt., decay kinetics, e.s.r. spectrometry 4—10736
OH radicals, vibrationally excited, molecular constants from e.p.r. spectrum 4—40323
PF_2 radical, ab initio MO calcs. of e.s.r. proton coupling consts. 4—19749
Pd-Gd($4f^7$) alloy, e.s.r. meas., temp. depend. of g value and linewidth 4—33254
Pt complex $K_2Pt(CN)_4Br_{1/3}.3H_2O$, e.p.r. evidence for metal-insulator transition 4—13145
Rb_2CuCl_4, polycryst., e.s.r., magnetic measurements 4—28618
$Rb_2CuCl_2Br_2$, polycryst., e.s.r., magnetic measurements 4—28618
Rb_2CuCl_3Br, polycryst., e.s.r., magnetic measurements 4—28618
Si, e.p.r. of cond. electrons produced by H ion implantation 4—33266
Si, e.p.r. spectra of dislocations 4—41253
Si, neutron irradiated, e.s.r. saturation 4—13347
Si, neutron-irradiated, e.p.r., negative charge state of nonplanar five-vacancy cluster 4—20857
Si film amorphous, e.s.r. obs., spin density determ., depend. on deposition rate 4—1233
Si surface, photoinduced e.p.r. signals 4—28685
Si:P, spin dependent cond. meas. 4—41254
Si-P, exchange and dipolar fields, electron spin echo investig. 4—24985
$Si_{1-x}Ge_x$:P, g-values, hyperfine splittings, and linewidths, rel. to band struct. 4—37487
SiH_3, e.s.r. spectrum, high-order calculation 4—36557
SrF_2, metastable spectrum with optical pumping, photomagnetism of M-centres 4—41252
$SrF_2:V_k$ centre, e.s.r. obs., g-factor and hyperfine interaction constants determ. 4—1341
$SrTiO_3$, oxygen octahedra rot. fluctuations, critical dynamics 4—20835
Ti_4O_7, electronic properties and defect struct. 4—28684
YIG, exchange narrowing of e.p.r. lines near Curie point 4—16970
$Zn_{1-x}M_xWO_4$, (M=Cd,Ca,Cr,Li), line width, expt. and theory *(Russian)* 4—28689
$ZrSiO_4$, structure of colour centre, X-band results at 4.2K, A-, g-tensor axes 4—16984

paramagnetic resonance of colour centres *see colour centres; paramagnetic resonance*

paramagnetic resonance of conduction electrons *see charge carriers; paramagnetic resonance*

paramagnetic resonance of crystal defects *see crystal defects; paramagnetic resonance*

paramagnetic resonance of ions
alum:Cr^{3+}, uniaxial stress effects on zero-field splitting 4—20853
ammonium copper bromide salts, substituted $(RNH_3)CuBr_4$ type, two-dimens., e.s.r. linewidths and g-values 4—13339
$\varphi_4AsCuCl_3:Cu_2Cl_6^{2-}$, e.s.r., zero field splitting, spin Hamiltonian 4—28693
calcium tartrate tetrahydrate:Mn^{2+}, (Cu^{2+}), (Ni^{2+}), rel. to detailed struct. 4—20842
calcium tartrate tetrahydrate:VO^{2+} 4—20843
carbosilicate complexes:Cr^{3+}, spin hamiltonian for exchange coupled ions, C_{3v} and D_{3h} symmetries 4—28686
carboxilates, of Fe^{3+} clusters, fine struct., exchange coupling 4—20854
dichlorodicyanobenzoquinone radical salts obs. of triplet exciton behaviour 4—10316
electric field effects e.p.r. spectra *(Rumanian)* 4—37490
ethyl sulphate: Cd^{3+}, g-shift calc., inconsistency of Orbach's procedure 4—20847
ferricenium ion, absorpt., magnetic circular dichroism and e.s.r. anal. of electronic struct. 4—9583
imidazole, γ-produced radical obs. anal. giving proton hyperfine tensors 4—10757
Kramers-non Kramers ion cross relaxation, quadrupole elec. field interaction 4—33249
lunar anorthite, Fe^{3+} content, using e.p.r. *(German)* 4—11146
magnesium acetate tetrahydrate:VO^{2+}, e.p.r. spectra, struct. anal., H_2O vacancy model 4—28701
methanol glass, of Mn^{2+}, zero-field splitting sites distrib. 4—16974
nitroxide biradical, obs. of slow exchange 4—9585
Orbach relaxation transition probability, strong electron-phonon interaction 4—24995
polycrystal, radiospectroscopic study of defects 4—41248
pressure effects, orbit-lattice interaction calcs. for covalent crysts. 4—12994
rare earth ions in diamagnetic host, zero-field paramagnetic resonance spectra 4—3899
relaxation time measurements *(French)* 4—3894
ruby, line broadening of e.p.r. absorpt. spectrum, external field direction effects 4—20851
sodium ammonium tartrate:Cr^{3+}, ferroelec. transition obs. 4—41346

paramagnetic resonance of ions continued
sodium decyl sulphate: VO^{2+}, counterion mobility, micellar soln. 4—29243
transition metal complexes, metal-ligand bond, obs. 4—16982
triglycine sulphate:Cr^{3+}, anomalous temp. depend. 4—41242
triglycine sulphate:Cr^{3+}, ferroelectric, electric field modulation of e.p.r. spectrum 4—33259
triglycine sulphate:Cr^{3+}, phase change obs. 4—10318
triglycine sulphate:Cu^{2+} spectrum anal. 4—10317
trimethyl lead chloride, radical anion 4—19881
triphenyl lead bromide, radical anion 4—19881
triphenyl lead chloride, radical anion 4—19881
water-ethanol (methanol) solns., of vanadyl ions, structuring effect 4—17545
zeolites, of $^{17}O_2^-$ and SO_2^- generated from Na_4^{3+} centres 4—21601
AgBr, transition metal impurities, valent state, lattice position and site symmetry 4—3896
AgCl, transition metal impurities, valent state, lattice position and site symmetry 4—3896
AgCl:Yb^{3+}(Er^{3+})(Dy^{3+}), e.p.r. spectra at 4.2K obs. 4—16976
$AlCl_3.6H_2O$; Cr^{3+}, hydrate isomerism 4—37495
α-Al_2O_3, gamma and gamma + neutron irradiated, study of Al ion pairs 4—10322
Al_2O_3:Cr^{2+}(Cr^{3+})(Cr^{5+})(Fe^{2+})(Ni^{3+}), thermal detection of e.p.r. 4—3897
Al_2O_3:Cr^{3+}, e.p.r., spin echo formation *(Russian)* 4—13340
Au_xAg_{1-x}:Yb, e.s.r linewidth obs., Kondo effect 4—1339
$BaCl_2$:Gd^{3+}, g-value and crystal field parameters detn. 4—37488
BaO:Gd^{3+}, e.p.r. low symmetry spectrum 4—28697
$Bi_4(GeO_4)_3$:Gd^{3+}, room temp. spectra at 9.3 GHz, spin Hamiltonian parameters for threefold station symmetry 4—20840
$CaCO_3$:Zn^+, γ-irradiated, e.p.r. spectra, hyperfine interactions 4—10320
$CaCd(Ac)_4.6h_2O$:Cu^{2+}, obs. of spin-lattice relax. 4—1335
CaF_2:Er^{3+}, Yb^{3+}, γ irrad. effect on impurity centre struct. 4—37491
CaF_2:Eu^{2+}, superhyperfine structure, e.p.r. spectra 4—16977
CaF_2:Mn^{2+}, exchange coupled ion pairs, spin Hamiltonian 4—37493
CaF_2:Tm^{2+}, trigonal centres, γ-ray bombard., stability determ. 4—37494
CaS:Sn, n.g.r., e.p.r., and optical spectra meas. 4—28740
$CaWO_4$:Cr^{3+}, spin-lattice relax. meas., temp. depend. 4—13345
$CaWO_4$:Nd^{3+}, e.s.r. linewidths 4—33251
$CdCl_2(Br_2)$, optical absorpt. due to Cu^+, Cu^{2+} centres, e.p.r. obs. of Cu^{2+} centre growth 4—1403
CdS:Gd^{3+}, form of spin Hamiltonian 4—33256
CdS:Mn^{2+}, hexagonal, spin-lattice relax., 1.3-4.2K 4—20852
CdS:Yb^{3+}, complex site struct. with ions or defects 4—33250
CeO_2:Tb,$^{4+}$, e.p.r. meas. *(Italian)* 4—37489
CrF_6^{5-}, spin density distrib. of ions with d^5 config. 4—1338
$CsAl(SO_4)_2$:Cr^{3+}, e.s.r., temp. depend. of Cr^{3+} Hanle effect 4—20838
Cs_2HfCl_6, Cs_2ZrCl_6, e.p.r. sites of Mo ions 4—33252
Cu complex, diethyldithiocarbamate, exchange coupled pairs, e.p.r. investigation 4—13306
Cu complex, diethyldithiophosphate, bonding obs. 4—28691
Cu complexes with catecholviolet, erythrosin, X-band linewidths 4—13343
Cu:Mn, giant transmission e.p.r., theoretical model 4—41250
Cu(II) chabazite, of Cu^{2+}, ion site obs. 4—20841
Cu(II) complexes, Jahn-Teller distortions from powder spectra 4—1334
$Cu(SO_4)_2(NH_4)_26H_2O$, e.s.r. properties of single crystal, g-factor determ. 4—3890
Fe (III) complex, tris (dicyclohexyldithiocarbamato) iron (III), spin equil. obs. 4—10315
FeF_6^{3-}, spin density distrib. of ions with d^5 config. 4—1338
$GdCrO_3$, mag. interactions between ions, Neel pt. behaviour *(French)* 4—3892
K halides, investigation of Sb impurity centres 4—28877
KBr:Eu^{2+} impurities, e.s.r. spectrum, spin Hamiltonian formed 4—28699
KCl:$KNO_2(KNO_3)(NO_2)$, e.p.r. spectra after X-ray irrad. 4—33244
KCl:Mn^{2+}, vacancy-impurity complex reorientation *(French)* 4—32558
KCl(I):N_2^-, e.p.r. temp. and stress depend., obs. of molecular reorientation rate 4—1336
$K_2Co(SO_4)_2$:Cu^{2+}, spin Hamiltonian parameters and relax. time 4—33248
$K_2Cr_2O_7$ single crystals, Cr^{5+} ion paramag. reson. 4—13342
$KHCO_3$, γ-irrad., of CO_3^- radical ion 4—27716
K_2SO_4:Co^{2+}, optical and elec. props., e.s.r. spectra, doping effects 4—25121
K_2SO_4:Mn^{6+}, e.s.r. meas., spin Hamiltonian determ. 4—28698
$KY(MoO_4)_2$:Dy^{3+}, dipole coupled pairs, anisotropy effect 4—37492
$LaCl_3$:$^{144}Nd^{3+}$, photoexcited states of $^{143}Nd^{3+}$ 4—24993
$LaCl_3$:Nd^{3+}, photoexcited i.r. levels, rapid relax. 4—37486
$La_{x-y}Gd_yWO_3$, electronic struct. obs. 4—3689
$La_2Mg_3(NO_3)_{12}$:Cu^{2+}, tunnelling and strain parameters 4—41245
$La_2Mg_3(NO_3)_{12}.24H_2O$, spin-lattice relax. of Cu^{2+}, Jahn-Teller effect *(French)* 4—41251
$La_2(Zr_{1.95}Tb_{0.05})O_7$, e.p.r. spectrum of Tb^{4+}, X-ray powder diffraction pattern 4—20848
LiF:Ti^{3+}, X- or γ-irrad., centre form. mechanism 4—24990
$LiNbO_3$, e.p.r. obs. of Fe^{3+}, Mn^{2+} impurities 4—33245
Li_2O-Al_2O_3-SiO_2:V^{4+} system, cryst. and vitreous forms 4—24991
Mg-Cl boracite:Mn^{2+} strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4—16979
$MgAl_2O_4$:Cr^{3+}, e.s.r. obs. of nearest neighbour Cr^{3+}-Cr^{3+} interactions 4—24994
MgO:$(OF)^{2-}$ mol. ion, neutron irrad. defect 4—24999
MgO:Cr^{3+}, strain-modulated e.s.r., evidence for induced off-diagonal elements in g-tensor 4—20850
MgO:Fe^{2+}(Fe^{3+})(Cr^{3+}), thermal detection of e.p.r. 4—3897
Mg_2SiO_4, forsterite, location of Fe^{3+} ions by e.p.r. studies 4—25538
Mn antipyrine complex in concentrated soln., e.s.r. spectra 4—33255
Mn complex, di-iodotetrakis(pyrazole)-Mn(II), tetragonal, zero-field splitting 4—20846
Mn complexes with erythrosin, catecholviolet, and antipyrine, powders, linewidth determ. 4—28694
MnF_6^{4-}, spin density distrib. of ions with d^5 config. 4—1338

paramagnetic resonance of ions continued
Mn(II) complexes, motional model in electron spin relax., rot. or fluctuation process 4−16973
$(NH_4)_3AlF_6$, of Fe^{3+}, temp. depend. phase change obs. *(French)* 4−20839
$NH_4Cl:Cu^{2+}$, e.s.r. investigation at 4.2 K 4−28729
$(NH_4)_2Ni_2(SO_4)_3Mn^{2+}$, explanation of linewidths and intensities 4−33253
$(NH_4)_2SO_4:Co^{2+}$, optical and elec. props., e.s.r. spectra , doping effects 4−25121
$NaCa_2Mg_2V_3O_{12}$ garnet, of V^{4+}, linewidth and intensity, homogeneous broadening, 77K 4−28690
NaF, sintering kinetics and paramag. centres influence 4−41249
$Na_2SO_4:Co^{2+}$, optical and elec. props., e.s.r. spectra, doping effects 4−25121
$Na_2ZnCl_4/3H_2O;Mn^{2+}$, e.p.r., 100 to 300 K 4−16981
Ni(II) complex, nickel(II)-bis-(di-n-butyl-diselenocarbamate), paramag. adduct existence 4−3893
$PbBr_2$, u.v. irradiated, e.p.r. of Pb^+ ions and exchange-coupled Pb^+ ion pairs 4−20849
PbCl, u.v. irradiated, e.p.r. of Pb^+ ions and exchange-coupled Pb^+ ion pairs 4−20849
$PbTiO_3:Fe^{3+}$, temp. depend. of e.p.r. spectra 4−25045
$Pd:Dy^{3+}$, interpretation of crystal field groundstate 4−10321
Pr^{3+}, paramagnetoelectric reson. absorption, electric dipole reson. and echoes 4−41246
$PrAlO_3:Gd^{3+}$ e.p.r., internal-displacement order parameter below 151 K Jahn-Teller phase transition 4−24992
$Si:B^+$, ion implantation, lattice damage at 140 keV, e.p.r. obs. 4−41501
$SrF_2:Mn^{2+}$, exchange coupled ion pairs, spin Hamiltonian 4−37493
$SrF_2:Tm^{2+}$, trigonal centres, γ-ray bombard., stability determ. 4−37494
$SrFCl:Eu^{2+}$, tetragonal centre 4−20855
$SrTiO_3$, effect of uniaxial ⟨100⟩ stress on e.p.r. fine structure lines of Fe^{3+} ions *(German)* 4−6783
$SrTiO_3$, light induced O_2^{3-} centre kinetics 4−24997
$Te_{55}As_{35}Ge_{10-x}Si_x:Mn^{2+}$, glass, variation of e.s.r. spectrum with x and annealing 4−41244
$TeO_2:Gd^{3+}$, e.s.r. spectra, crystal field splitting 4−28696
TeO_2-$V_2O_5:Gd^{3+}$, amorphous, e.s.r. spectra, crystal field splitting 4−28696
$TiO_2:Al^{3+}$, rutile crystals, e.p.r. studies 4−6788
$TiO_2:Fe^{3+}$, crystal defect struct. anal. 4−41247
TiO_2:Nb, temp. depend., impurity-cond. band-impurity hopping interpretation 4−33258
$TlMnCl_3$, cryst., paramag., crystallographic and mag. phase transitions 4−10265
$WO_3:P_2O_5$ glass:$V_2O_5(MoO_3)(CuO)$, e.p.r. spectra, mag. impurity effects 4−16975
YAg:Gd, sign reversal for g-shift with increasing Gd conc. 4−6784
YAl_2:Gd, 65-340K 4−6803
Zn-Br boracite:Mn^{2+}, strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4−16979
Zn-Cl boracite:Mn^{2+}, strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4−16979
Zn-I boracite:Mn^{2+}, strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4−16979
$ZnO:Na^+$ e.s.r. spectra, hyperfine structure obs. 4−16980
$ZnS:Eu^{3+}$, effect of lattice structure on luminescence and e.p.r. *(Russian)* 4−10487
$ZnS:Mn^{2+}$, diffusion effect on cubic-hexagonal transition 4−13041
$ZnS:Mn^{2+}$, e.p.r. line broadening by elec. fields of point defects *(Russian)* 4−28700
$ZnS:Mn^{2+}$, spectra, twin boundaries, normal and defective sites *(Russian)* 4−6413
$ZnS:Sc^{2+}$, during optical excitation, spin hamiltonian parameters detn. 4−41243
$ZnSiF_6:Cu^{2+}$, effect of Jahn-Teller dynamics 4−20844

paramagnetism
see also paramagnetic properties of substances
conjugated molecules, spin arrangement in strong mag. field 4−27614
deformable materials with memory, thermodynamic theory 4−24976
dilute Van Vleck paramagnet, substituted alloys, coherent pot. model 4−41182
electron gas, DODS method applic., correl. induced instability 4−28326
electron gas, interacting, paramag. susceptibility at metallic densities 4−10078
electron gas, specific heat and spin paramagnetism, reson. scatt. impurity effects 4−37395
exchange interactions in symmetrical triads of paramag. ions 4−33130
ferromagnetic alloy, susceptibility, temp. depend. 4−24937
gauge invariance of nuclear magnetic shielding const. 4−9584
Heisberg model, spin-pair correlation functions, paramag. and ferromag. temps., self-consistent Monte Carlo calcs. 4−41174
Heisenberg antiferromagnet, spin pair Raman scatt. in paramag. phase, Green function anal. 4−13454
Heisenberg model, dipolar corrections to spectral densities 4−24912
Heisenberg paramag. dynamics, memory function approach 4−3812
Hubbard model, electron-charge ordering and insulator-metal transition 4−24920
Hund's rule coupling, metal-insulator transition and mag. ordering in degenerate narrow bands 4−20552
interacting electron system, paramag. phase instability towards ferromag., f.c.c., b.c.c., s.c. structs. 4−16908
intermetallic compounds, fluctuation between spin config. and Kondo effect, explanation of Curie Weiss behaviour 4−33133
Ising model, critical behaviour in transverse field 4−41173
Ising model, i.r. branching method, correlation function in crit. region *(Russian)* 4−41168
Ising model, i.r. branching method, two point correlation in paramag. crit. region *(Russian)* 4−41167
Ising model, paramagnetic impurities effect, inclusion of second-neighbour interaction 4−28584
linear chain of rare earth compounds, Frenkel mag. excitons 4−24923

paramagnetism continued
metal, spin waves, anal. of excitation by circularly polarised e.m. wave *(Russian)* 4−33132
microwave pulse propag. in paramag. spin systems 4−41223
nonequilibrium fluctuations in paramagnetic systems 4−16909
paramagnons in uniformly exchange enhanced mag. systems 4−37428
polymer with conjugated bonds, long-wave absorpt. rel. to paramag. 4−9632
rare earth metal, spin susceptibilities calc., ferromag. criterion *(Russian)* 4−20754
second harmonic generation at microwave freqs., theory 4−31074
semiconductor, strong spin-electron interaction, conduction electron states investigation 4−16917
single impurity in paramag. induced moment system, local instability 4−24931
spin-phonon interactions, theory, sp. ht., phase transitions 4−3836
superconducting non-equilibrium conditions, paramag. effects mag. field penetration 4−16852
superconducting thin film, high field 4−33078
superconductor, paramag. impurities, impurity spin vectors, ferromag.-supercond. coexistence 4−16842
superexchange between ferrimagnet five sublattices, theoretical temp. depend. of paramag. susceptibility 4−6715
susceptibility, discussion of relation $\chi = C/(T+\Delta)$ 4−3820
transition metal, spin susceptibilities calc., ferromag. criterion *(Russian)* 4−20754
transition metal compounds, photoelectron spectra, shake-up satellites correl. with paramag. 4−25206
X-Y model, relax., shape function for spin $^1/_2$, memory function approach 4−28590
X-Y model, spin-1/2, molecular field approx. 4−37389
^3He, paramagnetic solid, antiferromagnetic and ferromagnetic exchange interactions 4−16644

parametric amplifiers
70 GHz, for radioastronomical instruments 4−22501
Alfven waves, parametric amplification with l.f. magnetic velocity modulation *(French)* 4−20042
electroacoustic parametric phenomena in nonlinear dielectrics *(Russian)* 4−24782
Josephson junction, four-photon parametric amplification 4−6694
Josephson junction, parametric plasma oscill. excitation theory 4−28574
optically pumped, sum frequency influence 4−35885

parametric devices
frequency convertor, quantum-mechanical analysis 4−11968

parametric oscillators
equations of motion with trilinear hamiltonian, time depend. of density operator 4−31070
optical, tunable light generation, state-of-the-art 4−315
optical parametric oscillator with resonant pump wave *(German)* 4−5515
physics of, educational paper 4−18303
CdSe, as tunable i.r. parametric oscillator 4−5509

parametric up-convertors *see parametric devices*

parametric varactor diodes *see varactors*

parametrons *see parametric oscillators*

parity
see also hyperon spin and parity; meson spin and parity; nuclear spin and parity
multilevel-atomic system, single-quantised field mode interaction, exact soln. 4−26939

parking control *see traffic control*

partial differential equations
see also boundary value problems
Backlund transformation, inverse scatt. method correspondence 4−35608
beam with one end spring-hinged and mass at free end, vibr. freqs. 4−30832
biharmonic problems, strongly implicit procedure for soln. of 13 point finite difference eqns. 4−23084
boundary problems soln. by capacitance network model *(Russian)* 4−35782
boundary-value problems, non-removable singularities, finite element soln. 4−5341
Callan-Symanzik type, rel. to spontaneous chiral symmetry breaking 4−35930
Cauchy problem, coupled elliptic eqns., uniqueness, stability, pointwise estimates 4−18838
Cauchy problem for fluid flow through porous media 4−16268
column under short response axial loads, dynamic response 4−30826
decomposition formulae for class of even order eqns. 4−30724
deformation of structures, formally integrable involutive systems *(French)* 4−15136
degenerate elliptic equations of second order, singular perturbations 4−30705
Dirichlet problem, continuous analysis by Monte Carlo method *(Italian)* 4−15125
Dirichlet problem, soln. from Laplace equation 4−35598
domain regularity, first boundary value problem, semi-linear parabolic partial differential equations 4−2452
double integrals with second partial derivatives, integration 4−30716
electrical problems, involving homogeneous anisotropic material, complementary variational principles 4−2586
e.m. wave propagation in ionised media, reciprocity relations for n 2nd-order eqns. 4−16288
equatorial electrojets, returning flow of currents 4−29654
field problems, convergence acceleration of finite element method 4−8735
finite difference scheme family for eqns. without mixed derivatives *(French)* 4−30707
first integral for mechanical systems with gauge variant Lagrangians 4−11717
flow stability boundary in system of parallel steam generator tubes, quantitative effects 4−40428
Fokker-Planck eqn. for particle scatt. by random pot. *(French)* 4−2570
forward Kolmogorov, Lie series solution 4−5896

partial differential equations continued

- forward Kolmogorov for time, space and energy dependent reactor, probability balance 4−5897
- heat conduction, Fox's H-function 4−244
- heat diffusion through media with non-conducting inclusions, numerical soln. 4−39663
- hereditary systems reducibility to dynamical systems *(French)* 4−23082
- hyperbolic, local errors of difference approx. 4−36613
- hyperbolic problems of damping of oscillations, quantitative approach *(French)* 4−2448
- Korteweg-de Vries equation, modified N-soliton soln. 4−35622
- laminated composite cylinders subjected to circumferentially varying heat flux, diffusion eqn. 4−39664
- linear, analytic solutions 4−176
- linear, first-order in r-dimens. cartesian space, soln. *(Italian)* 4−30703
- Love waves, longitudinal impact, bars 4−23148
- membrane, neo-Hookean, general finite deforms. 4−30768
- membrane and discs, variable mass, eqn. of oscillation *(Russian)* 4−26792
- multicomponent diffusion, static and kinetic principal directions 4−24594
- neutron transport, time-dependent, collided flux expansion method 4−12414
- nonlinear elasticity, appl. of calculus of variations 4−15142
- numerical convective schemes for soln. based on computation of space derivatives 4−6161
- numerical solution, rel. to flow of incompressible media *(German)* 4−24168
- parabolic, finite-difference solns. accuracy estimation 4−30715
- phase equilibria, first and second order 4−40868
- pipes, curved in-plane and out-of-plane bending, flexibility and stresses 4−23820
- Poisson equations of motion, solns. for phase operator calc. in quantum mechanics 4−18938
- polyvibrating eqn. of Mangeron, Darboux problem, numerical soln. *(French)* 4−18828
- pseudo-dynamical systems, stability of sets 4−30708
- pulsar magnetosphere, algorithm for nonlinear equation describing electrodynamics 4−18025
- quantum field theory, light cone singularities, Green's functions 4−337
- rectangular plate of variable thickness, buckling 4−30785
- rectangular plates, flexure, three-dimens. analysis 4−30782
- rectangular plates subject to following comprressive forces, stability *(Russian)* 4−39538
- regenerations, cyclic cryogenic, thermal analysis 4−8342
- relativistic mechanics, predictive, eqns. reduction to four eqn. system *(French)* 4−39600
- Schrodinger operator with almost periodic functions, spectral properties 4−30709
- shell, prestressed nonlinear orthotropic shallow, function space approach 4−2473
- stagnant zone medium, convective diffusion eqns. 4−39656
- steady-state heat distribution on square plate, Monte Carlo methods *(Turkish)* 4−35756
- surface waves, three dimensional packet evolution 4−36667
- three-layer panel with viscoelastic filler, buckling *(Russian)* 4−39540
- torsion of round bars of variable diameter, approximate analysis 4−39507
- unsteady nonuniform flow in entrance of pipe 4−32071
- variational principles to obtain equations of motion for nonlinear gravitational theories 4−26830
- vibrating rectangular plates, optimal design 4−8646
- vibration theory, application of spectral method to nonlinear problems *(Russian)* 4−196
- Volterra equation, bound, heat conduction 4−39479
- water entry problem for wedge, cone, free surface shape, Lagrangian coords. 4−3343

particle accelerator accessories

- *see also storage rings*
- beam current integrator, cross-section meas. *(Rumanian)* 4−35373
- CERN synchrocyclotron beam extraction system 4−5143
- coincidence, pulse summation by logical nanosecond-electronics system 4−22964
- cyclotron control, and data processing, hard- and software facilities 4−11639
- diffraction spectrometer, for study of particle excited radiative transitions 4−18687
- electron proton injector, 2 to 50 μA, 2 to 30 keV, description 4−22929
- electron-beam furnace, for heating accelerator targets 4−18539
- excitation function, automatic meas. by continuous beam-energy modulation 4−18538
- frequency-to-flux density readout convertor for HVEC n.m.r. fluxmeter 4−18533
- hard tube modulators, high repetition rate, 600 kW peak 4−30535
- hot-cathode heavy ion source, for 2MV Van de Graaff accelerator 4−18535
- injector, negative-ion, for 10 MeV electrostatic charge exchange accelerator 4−22928
- ion microbunches, meas. of phase, time structure, intensity 4−22930
- klystron modulators, 1.25 MW, at the Los Alamos Meson Physics Facility 4−30536
- mechanical sample sweeping system, for surface irradiation 4−8426
- meter, for measuring position and shape of accelerated electron beam 4−14940
- modulators, line type, high power, pulse group operation 4−30538
- monochromator, grazing incidence for use with synchrotron radiation 4−14942
- NIMROD injector system, shim sizes for sector magnet by TRIM 4−5142
- plastic scintillator, time response characts. 4−18615
- proton beam profiles, from ^{24}Na activity, accelerator energies 4−8458
- pulse generators, high current, long duration rectangular pulses 4−30534
- pulse generators, h.v., for kicker magnet excitation 4−30537

particle accelerator accessories continued

- quantameter, high-precision, for NAL 4−18616
- reaction chamber, for tandem polarised target expts. *(Roumanian)* 4−18623
- Riken (IPCR) variable energy multiparticle, r.f. system 4−11555
- secondary electron emission monitor based on delta-electrons, description 4−22931
- single-pulse integrator, description 4−18537
- superconducting resonators, parameters, method for study 4−14937
- tandem accelerator terminal stabilizer 4−26572
- Van de Graaf,, shielding cave, for low-level gamma expts. 4−11552
- Van de Graaff 5 MHz pulser, 3 MV terminal, description 4−11550
- water-cooled target-mounting system, short source-to-sample distance, for 14 MeV neutron generator 4−8431
- waveguides shielded helix, transmission line theory, treatment of field stabilisation 4−11783

particle accelerators

- *see also beam handling equipment; cyclotrons; electron accelerators; electron ring accelerators; linear accelerators; proton accelerators; synchrotrons*
- acceleration by intense electron beams 4−18541
- alternating gradient type, transverse particle motion, area preserving mappings computation 4−35387
- atoms, laser radiation reson. field, theory 4−11556
- autoresonant accelerator with relativistic electron beam, fields >1 MV/cm, concept 4−8433
- beam-foil spectroscopy, with low-energy accelerators 4−14878
- cable insulation, synthetic, radiation effects *(French And English)* 4−5138
- CERN accelerator, central control operator interaction devices, report 4−2390
- collective methods of acceleration, by electron beams, review 4−18540
- collective methods of acceleration, development 4−14945
- data acquisition and control system, minicomputer applic. 4−8432
- electron beam, strong-current, passing through low-pressure gas, structure, gas focusing 4−8881
- H-type structures, comparison of interdigital and Saclay structures *(French)* 4−35371
- heavy ion, new generation, scattering at energies well above Coulomb barrier *(German)* 4−19538
- high-energy beams, multi-hundred GeV accelerators, problems and features 4−78
- ion, magnetically insulated and inductively charged capacitor for gigavolt potentials 4−32339
- laser beam application, acceleration by template modified coherent light 4−11554
- Princeton, Ar nuclei acceleration to relativistic velocities, obs. with cellulose nitrate track detector 4−30567
- pulsed beam production, quarter wave cable *(German)* 4−8428
- radiation hazards of, review 4−35374
- relativistic electron beams, auto-resonance acceleration, expt. 4−5139
- review of modern exptl. techniques 4−2344
- satellite borne, general possibility and appls. *(Russian)* 4−5136
- superheavy nuclei, production and detection, developments *(German)* 4−5140
- synchronous motion of charged particles in travelling-wave field 4−22932
- tandem, regulator for reducing effects of terminal voltage fluctuations 4−35377
- v/γ electron beam, in a torus, appl. 4−18542
- nuclei with $A>1$, GeV accel. techniques, appls. *(Polish)* 4−5141

particle backscattering

- Auger emission, solids, atomic number depend. 4−13540
- Bragg's rule, validity determ., ^{4}He$^+$ scatt. 4−16535
- charged particle backscattering, Monte Carlo simulation, classical isotope effects 4−39325
- charged particle backscattering in crystal, Monte Carlo simulation program 4−39324
- crystal surface struct. anal., SEM techniques, high and low energies 4−40949
- elastic recoil of ^{4}He, surface contamination identification table 4−16645
- electron, by homogeneous thick targets, energy distrib. function *(French)* 4−4021
- electron energy distribution, 10-30 keV, spherical retarding-field analyser 4−28972
- electron microscope thickness meas., backscattering cartridge 4−8318
- electron microscopy, stereometric microstruct. anal. 4−9800
- electrons, semi-infinite targets, empirical treatment, 10-100 keV 4−28122
- film, of ^{4}He elastic scatt. calcs., thickness meas. 4−16682
- film analysis, Rutherford scatt. 4−28316
- ice, channelling of H$^+$, D$^+$ and He$^+$, surface disorder and Cl location 4−36929
- ion, surface layer analysis *(Japanese)* 4−11617
- ion energy spectra, theoretical anal. 4−6950
- material analysis, comparison of backscatt. parameters using high energy O and He ions 4−6952
- metal sandwich targets, surface layer anal. by light ion back-scatt. 4−6947
- metals, heavy particle interaction with electronic excitation 4−25204
- metals, inelastic low energy electron scatt., spectroscopy 4−24619
- metals, theory, expt., conf., Hindas, Sweden (1973) 4−24802
- proton beam surface analysis technique 4−6948
- protons, differentiated spectrometry for elemental anal. 4−17155
- protons, focused beam for analysis 4−18555
- random elastic scattering spectra, stopping power models 4−17154
- scanning electron microscope, electron backscatter and beam focusing *(German)* 4−139
- SEM, edge effect as focusing aid *(German)* 4−35474
- SEM, rel. to energy depend. of electron channelling patterns 4−36788
- semiconductor, backscattered electrons and their effect on resolution of transmission secondary electron multiplier 4−37717
- stopping cross section calcs. for ^{4}He$^+$ all elements, 400-4000 keV 4−16539
- stopping cross section factors, relative meas. 4−16533

particle backscattering continued
- surface layer analysis technique 4−8579
- surface layer ion implantation analysis, He^+ scatt., lateral annealing 4−16525
- thin single crystals, blocking effect in fast charged particle scatt. 4−17152
- transition metal films, He^+ energy loss parameter meas. 4−17153
- Al, film, Monte Carlo calc. of electron diffusion 4−9802
- Al film, MeV He^+ backscatt. obs. of Ge solubility 4−7000
- Al-Ag film system on SiO_2-Si, low temp. stability, interdiffusion 4−20447
- Al_2O_3, alumina single crysts., lattice disorder produced by Kr ion bombardment, Rutherford technique obs. 4−1076
- Au, film, Monte Carlo calc. of electron diffusion 4−9802
- Au thin film, ^{16}O contamination of ^4He meas. 4−18738
- Au/In-GaAs ohmic contact, ^4He ion backscattering study of alloying behaviour 4−16822
- α, focused beam for analysis 4−18555
- BaF_2, defect struct., He^+ channelling 4−24505
- BaF_2, proton channelling, Rutherford backscatt. obs. 4−16526
- CaF_2, defect struct., He^+ channelling 4−24505
- CaF_2, proton channelling, Rutherford backscatt. obs. 4−16526
- CdS, stopping power for the He ions, energy spectrum meas. 4−36925
- CdTe, diffusion of Au, Bi, anal. technique 4−21213
- Cu film, depth distrib. of implanted He, C and O, proton backscatt. obs. 4−16510
- Cu-Au, bimetallic thin films, low temp. interdiffusion, He^+ anal. 4−20446
- Cu-Au thin film, $^4He^+$ anal., interdiffusion mechanism 4−20448
- Er film, stopping cross section meas. technique, He^+ scatt. 4−16532
- Fe:Br, channelling ang. distrib., multiple peaking and possible enhanced diffusion effect 4−1079
- GaAs, anodic oxide films, He back-scatt. obs. 4−6949
- Ge, energy spectra, diffusion model for planar channelling 4−40820
- $^4He^+$, differentiated spectrometry for elemental anal. 4−17155
- $^{14}N^+$, differentiated spectrometry for elemental anal. 4−17155
- NaI(Tl), backscattering, high source-cryst. distances 4−18594
- Nb, proton stopping power meas., Rutherford scatt. 4−16537
- NbC, of $^4He^+$, Bragg's rule validity, rel. to supercond. transition temp. 4−16534
- NbN, of $^4He^+$, Bragg's rule validity, rel. to supercond. transition temp. 4−16534
- Pd_2Si film, on Si, formation kinetics and structure obs. 4−25283
- Pt film, energy straggling of ^4He, back-scatt. meas. below 2 MeV 4−16538
- Si, aligned crystals, molecular ion effects 4−20342
- Si, of He^{2+}. C^{2+}, impurity detection sensitivity 4−6951
- Si, surface contamination on polishing and cleaning, backscatt. obs. 4−1171
- Si wafer, solution contaminant detection, MeV ion scatt. 4−25270
- Si:^{84}Kr, impurity distrib. meas., $^4He^+$ scatt. 4−21212
- Si:As, diffusion profile obs., comparison with differential cond. method 4−29013
- Si:P, heavily diffused, α-particle backscatt. obs. 4−6976
- SiO_2, of He^+, stoichiometry of layer on Si 4−40991
- SiO_2 layers on Si, $^4He^+$ meas., line shape extraction anal. 4−20346
- Ta, proton stopping power meas., Rutherford scatt. 4−16537
- Ta_2O_5, proton stopping power meas., Rutherford scatt. 4−16537

particle beams
- *see also atomic beams; electron beams; ion beams; molecular beams; particle optics*
- alpha particle beam, space charge distrib. *(French)* 4−35915
- blocking effect, fast charged particle scatt. in thin single crysts. 4−17152
- charged, in inhomogeneous mag. field, nonadiabatic motion 4−39578
- charged-particles, multi-GeV scatter focusing 4−26576
- current, single component, like charge, generalised theory, I 4−31097
- current, single component, like charge, generalised theory, II 4−31098
- current integrator, cross-section meas. *(Rumanian)* 4−35373
- density distribution function, intense charged beam perturbation anal. 4−31099
- electrostatic guide, large angle bends, testing 4−14947
- fast retrace of particle orbits, through large inhomogeneous magnetic field 4−18554
- high-energy, multi-hundred GeV accelerators, problems and features 4−78
- hyperon, design and operation of Yale-NAL-BNL system 4−26578
- neutral, momentum meas. for SLAC bubble chamber 4−35422
- neutral-hadrons multi-GeV scatter focusing 4−26576
- optical parameters meas., exptl. methods 4−18553
- path lengths, scattering chambers, calculation 4−5153
- polarisation determ. by quench ratio method 4−18573
- polarised, transport, spin aberration calc. using transfer matrix method 4−18557
- profile and position determ. device 4−18552
- relativistic charged particle beam, numerical modelling of dynamics *(Russian)* 4−39775
- review of modern exptl. techniques 4−2344
- π relativistic particle identification by transition radiation 4−26608
- Π^- radiological beam line, optics, particle and ionization distributions 4−42599
- $\pi^\pm$, low energy, calorimetric monitoring system 4−26575

particle counters *see counters*

particle detectors
- *see also bubble chambers; counters; ionisation chambers; particle track visualisation; radiation detectors; streamer chambers*
- analogue particle identifier with wide dynamic range of E/ΔE ratio 4−39335
- cellulose nitrate, mechanism of etching 4−18656
- charged, energy spectrum, and angular distribs. of charged particles, simultaneous meas. 4−14964
- coaxial beam diagnostic probe, termination effects 4−35410
- counter-telescopes with circular and rectangular collimation rel. to ^{8}Be detection 4−26613

particle detectors continued
- crystal filament counter, polyatomic quenching component, Ar, Xe, CH_4 4−11595
- drift-chambers, data selection and readout 4−26633
- electron-emission neutron detectors, characteristics of Ag, Ag^{109}, Rh and Gd emitters 4−23776
- electrons above 10 keV, semicond. detection system 4−8534
- fission fragment mass meas. using thin-plastic scintillator film detectors 4−26627
- fission fragments, with surface barrier detector *(French)* 4−18599
- heavy ions, thin film detector, appl. 4−5198
- heavy-ion, Si surface barrier, pulse height defect and mass dependence 4−11610
- magnetic detector with 235g/cm² filter for π-μ separation 4−39339
- magnetic monopole e.m. detector 4−39337
- molecular beam, modulated *(French)* 4−31974
- multiplicity distributions, reconstruction, using statistical regularisation method 4−8457
- neutron, wall-effect response function calc. for proton-recoil detectors 4−30554
- neutron and charged particle 180° degree scattering anal. 4−26621
- neutron monitors, errors in multiplicity meas. 4−14978
- neutron prompt-response, self-powered detectors, calc. model for nuclear reactor flux meas. 4−22957
- nitrocellulose, efficiency and other properties, study 4−18653
- nuclear-cascade counter, energy deposition and energy-deposition fluctuations 4−11613
- optical, application of TV cameras to high energy physics data collection, tube systems 4−107
- photomultiplier tubes, low-voltage blanking of output pulses 4−26632
- photomultiplier tubes, scintillation and Cerenkov detectors, recent progress 4−73
- plastic track, effect of ozone atmosphere on detecting properties 4−18659
- proportional chamber, 50K wires, trigger and control system, operation 4−114
- pulse-amplifier for sub-nanosecond pulse 4−26630
- reaction chamber, for tandem polarised target expts. *(Roumanian)* 4−18623
- relativistic particle identification by transition radiation 4−26608
- review of modern exptl. techniques 4−2344
- secondary electron, for shielded scanning electron microscope 4−26673
- solid state track, conference, Bucharest, 10-15 Jul. 1972 4−18643
- solid state track, etch kinetics of heavy ion tracks 4−18658
- solid state track, stability of heavy ion tracks against ionisation effects *(French)* 4−18662
- solid-state track, α-particle registration characts. in cellulose nitrate 4−18637
- spectrometer-telescope, multiple-magnet momentum, aperture determ. 4−8492
- surface barrier detectors, high resolution timing system for particle-particle coincidence 4−18675
- telescope three-detector, particle identification computer code BINIT 4−26694
- track, relativistic increase of ionisation 4−18650
- two-phase liquid gas systems, electronic method 4−5193
- AgCl, dosimetric and radiobiological application 4−18664
- Pt self-powered neutron detector response in nuclear reactor CANDU lattice 4−36271
- Pt self-powered neutron flux detector for use in boiling water reactor 4−36272
- Si, epitaxial, thin dE/dx detectors of uniform thickness 4−11583
- Si, surface barrier detector irradiated with 0.5 to 1.5 MeV electrons, multiplication phenomena 4−39334
- Si, surface-barrier, cooling 4−8455
- p-Si surface barrier, for α-particles, electrons, prep., performance 4−30553
- p-Si-SiO_2 system, activation of SiO_2 film for improved sensitivity *(Russian)* 4−18621
- p-Si-SiO_2 system, detector design, construction and operation for alpha-particles *(Russian)* 4−18620

particle focusing *see focusing; particle optics*

particle lenses, electrostatic *see electrostatic lenses*

particle lenses, magnetic *see magnetic lenses*

particle optics
- *see also aberrations; electrodynamics; electron optics; ion optics*
- charged-particles, multi-GeV scatter focusing 4−26576
- current, single component, like charge, generalised theory, I 4−31097
- current, single component, like charge, generalised theory, II 4−31098
- cyclotron, azimuthally varying electric field, anal. of accel. and focusing 4−11557
- diaphragm, rectangular aperture approx. anal. of field 4−31096
- electrostatic analyser, adjustable field shape, first order focusing theory 4−31104
- electrostatic lens, multielectrode, tubular, immersion, anal. 4−31095
- electrostatic twisted quadrupole lense, imaging properties electrically charged dust particles 4−31094
- focusing properties, in axially symmetric mag. field, Hookes and Jeeves method 4−39773
- fringing fields of electrostatic quadrupole lenses, lens design 4−26683
- lenses, quadrupole triplet, calc. of gradient 4−22936
- magnetic line cusps, particle trapping 4−9764
- magnetic quadrupole lenses, functional depend. of changes of energetic resolution of charged particle beam *(Russian)* 4−22935
- molecular beam, bi-spiral systems, focusing *(Russian)* 4−2638
- neutral-hadrons multi-GeV scatter focusing 4−26576
- toroidal electrostatic mirror, transfer matrix in second-order approximation including aberratons 4−26653
- universal deflection unit, generating mag. field of any order and azimuth 4−39774
- Π^- radiological beam line, optics, particle and ionization distributions 4−42599

particle range *see energy loss of particles*

particle scattering
see also collision processes; elementary particle scattering; energy loss of particles; ion scattering; nuclear reactions and scattering; particle tracks; potential scattering; S-matrix theory
amplitude, scaling parameter optimization, virial theorems 4−26799
atom-solid surface collisions, elastic scatt., semiclassical treatment, diffr. intensities, lattice disorder effects 4−41455
chamber, large general purpose, construction 4−11573
charged-particle collision theory, variational methods 4−5376
classical cross-section for cut-off Coulomb potential 4−8282
Fokker-Planck eqn. for particle scatt. by random pot. *(French)* 4−2570
Fredholm substituted determinants, complex basis function anal. 4−30861
high-energy, investigation using hodoscopic installation 4−14965
integral equations for one-particle scattering in potentials of finite range 4−26805
inverse scattering problem, class of algorithms *(French)* 4−18932
magnetised Fe medium, multiple scattering and focusing 4−8447
molecular beam, gas scatt. effusive flow patterns in semi-infinite slit chambers 4−32109
molecular solid, multiquantum incoherent neutron scatt. 4−28975
path lengths, scattering chambers, calculation 4−5153
point particles in external field 4−30855
point particles in external time varying field 4−30854
semiclassical rigid sphere scattering 4−8675
standing wave solutions to the inhomogeneous equation 4−39580
LiF(001), diffraction and surface rainbow in atom-surface scatt. 4−1151

particle separators
superconducting cavity applic., review *(German)* 4−39303

particle size
aerosol, biological, using photoelectric dispersiometer 4−23024
in aerosol, motion in isothermal curvilinear flow, effect of shape and density 4−40590
aerosol, size distribution measurement, ^{220}Rn labelling *(German)* 4−4892
aggregates, grain size distrib. and grain structure *(German)* 4−38097
airborne sea-salt particles, size distrib. and inland penetration 4−1813
alloy, hot pressing, structural and mech. characts. of materials produced 4−41793
alloyed powders, effect on spectral analysis 4−7256
atmospheric aerosol microstructure from aureole scattering function in fogs *(Russian)* 4−4427
atmospheric aerosols, from remote oceanic areas, conc. size distrib. and chem. nature of particles 4−42114
automatic recording sedimentation balance, description and computer program *(Polish)* 4−8315
bulk crystallisation, cryst. size distribution in precip. rel. to batch and continuous tank crystallizers 4−20241
carbon black, photometric method 4−26453
ceramic, liquid phase sintering kinetics 4−17390
ceramic powder, particle size classification 4−4167
china clay particle size meas. by X-ray absorption in suspension, teaching paper 4−23018
chrome-carbide hard metals, prodn. parameters rel. to phys. props. *(Russian)* 4−37999
combustion gases, particles anal. from internal combustion engines by SEM 4−18259
Comet Bennett (1970 II), particle size distrib. in tail and coma 4−29966
condensation nuclei counters, smallest particle size detectable 4−7820
conducting particles in insulating medium, effect on elec. cond. 4−1244
crystal growth from soln. relation between kinetics and size distrib. 4−3453
crystal size distrib. in continuous crystallisers, effects of crystal attrition 4−3454
crystalline phase, minimum size 4−3458
crystallite size distrib. in supported catalysts. 4−32391
dust, free flow meas. 4−27910
dust, scattering of laser radiation 4−35316
fibrous particulate matter, moving, size distrib. from multiple exposure holography 4−14
fixed bed tubular reactor, longitudinal mixing of flowing liquid *(Russian)* 4−6170
fog droplet spectral distributions, spray equation 4−4438
fractional analysis, spectro-ultramicroscopic method 4−35296
grain compaction, general parameter evaluation 4−29255
holograms, computer-synthesized, for 1 to 10 micron particle size anal. 4−8317
holograms, computer-synthesized for 1 to 10 micron particle size anal. 4−35169
interference microscope determ. 4−2290
interstellar dust, size distribution rel. to u.v. extinction obs. 4−42504
interstellar grains, scattering properties 4−42500
latex, turbidity meas., estimation of particle size and refractive index 4−13945
latex aerosol, light scattering diagrams and particle size determ. 4−2224
measurement, synthetic hologram, optical correlation *(German)* 4−2226
measurement, turbulent flow technique for determ. of particle size 4−29258
measurement in atmospheric suspension by light diffraction, student experiment 4−26349
monodisperse medium, light scatt. meas. *(Russian)* 4−41897
polydisperse crystal suspension, growth calc. 4−29251
polystyrene latex, turbidity meas., estimation of particle size and refractive index 4−13945
Puerto Rican aerosols, ion ratio var. with particle size 4−25703
quartz particles aqueous suspension, extinction coeff. and particle size determ. 4−41903
quartz sand, free flow meas. 4−27910
refractory, multicomponent particle-size system, particle-size distrib. and packing vol. calc., model *(Japanese)* 4−25418

particle size continued
Rochelle salt, compressed powder, effect on ferroelec. transitions 4−28774
Saturn, ring particle size estimates, eclipse cooling curve method, results 4−29879
Saturn's rings, particle size estimates rel. to cosmogony 4−22287
Saturn's rings, radar obs. at 12.6 cm 4−22286
sedimentation, submicrometer particle, effect of diffusion in particle size anal. 4−29250
segregation, vibr. granular system size, shape density depend. 4−29257
sintering, conf., Herceg-Nova, Yugoslavia (Sep. 1973) 4−21369
sintering, initial-stage, effects of particle-size distrib. 4−13836
sintering theory, application in practice 4−21378
solid solution, precip. kinetics investig. using resist. maximum *(German)* 4−25335
sphere, determ. from extrema of scatt. intensity 4−17455
steel, water jet atomisation of molten steel 4−17371
submicron counting and size analysis, automatic flow ultramicroscope 4−26654
variable slit impactor, aerosol particle size distrib. 4−26661
vertical pipe transport, upward turbulent flow 4−12738
AgI, cloud seeding aerosols, particle size investigation, X-ray scattering 4−21988
Al fine particles, supercond. transition temp. relation to particle size 4−28555
Al micropowder, particle size meas. by microscopic and condumetric methods, accuracy 4−41798
Al smoke, in He, ultrafine particles formed by gas evaporation technique 4−7374
Al_2O_3, alumina, three-dimens. characteriz. of powder particles by automated SEM 4−17380
Al_2O_3, hot pressed, influence of powder characteristics 4−21410
Al_2O_3, initial sintering, shrinkage rel. to particle size and packing 4−21412
Au, image intensity meas., phase contrast 4−10715
B, sintering behaviour, 2155-2268K, crystalline specimens 4−17393
B_xN_y powders, electron microscope obs. 4−41819
Cu, dispersion strengthened with Al_2O_3, prod. by electroless codeposition method 4−41794
Cu, spherical particles, sintering kinetics rel. to pressing 4−21372
Cu powder, sintering behaviour, effects of particle size, shape and surface props. *(German)* 4−37983
Cu-Be alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-SiO_2 single crystal, void formation rel. to deform. and SiO_2 particle size *(Japanese)* 4−13638
Cu-ThO_2 dispersion hardened alloy, thermomech. processing 4−25385
Cu-Ti alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Fe, in zeolite, influence on Curie point, mag. susceptibility meas. *(German)* 4−33150
Fe-Cu(20 wt.%), solid particle growth during sintering in liq. phase presence 4−1536
MgO, by thermal decomposition, factors affecting sinterability 4−21409
MgO, refractory, particle size distribution effects *(Japanese)* 4−13854
Mn, in zeolite, influence on Curie point, mag. susceptibility meas. *(German)* 4−33150
NaCl:Pb^{2+}, precipitate size effects on Rayleigh scatt. and u.v. absorpt. 4−13441
Ni, in zeolite, influence on Curie point, mag. susceptibility meas. *(German)* 4−33150
Ni alloy with HfO_2 dispersion, particle growth in hardening phases *(Russian)* 4−41786
Ni and Ni-Cr alloys, growth kinetics of dispersed thoria 4−7059
Ni superalloy, γ' precipitates, morphology and growth, effects of ageing *(Korean)* 4−21267
Pt catalyst particles, finely dispersed, on Al_2O_3, Ostwald ripening 4−21282
(Sm,Pr)Co_5 powders, mag. props. and cryst. struct. rel. to particle size *(Russian)* 4−20799
β-Ti-V alloys, deform. modes and textures, X-ray exam. 4−41580
UO_2, initial sintering, shrinkage rel. to particle size and packing 4−21412
W powders, photosedimentation analysis, particle size distrib. 4−17471
Zn, evaporated fine particles, growth on C film 4−28999
$Zn_{0.97}Cd_{0.03}S$:Cu,Al, comminution effects on luminesc. 4−17129
ZnS:Ag,Al, comminution effects on luminesc. 4−17129

particle sources
see also ion sources; neutron sources; radioactive sources
ν expts., targeting aspects 4−84
electron, high energy, linear accelerator 4−39316
electron beam, relativistic high-current, computation of 'Pierce electrodes' 4−11565
Lamb-shift source, absolute beam polarisation determ. by quench ratio method 4−18573
neutral beam production, by passing 20 keV ion beam through D_2 gas 4−39317
polarized photon beam, coherent pair prod. in oriented graphite 4−14951
review of modern exptl. techniques 4−2344

particle spectrometers
see also alpha-particle spectrometers; beta-ray spectrometers; gamma-ray spectrometers; neutron spectrometers; x-ray spectrometers
analyser for inflight spectrometer, calc. of electrostatic field and geometric factor 4−42225
bevatron heavy ion beam calibration facility 4−35445
Cherenkov spectrometers, monitoring by GaP light emitting diodes 4−22979
conversion-electron, for spectra of short-lived nuclides 4−18688
cosmic rays, high-energy, characteristics of CsI particle discriminator 4−26639
cyclotron-magnetic spectrograph system, meas., of nuclear excitation energies and Q-values 4−26637
effective-mass, Argonne USA, description 4−122

particle spectrometers continued
- energy loss, high resolution, for nuclear-electron scattering 4−8495
- energy-loss spectrograph, dipole magnet field mapping with mechanical hoop ahd Hall probe 4−30596
- Fano factor calculation, rel. to resolving power 4−18683
- filmless spark chamber, trigger for K^0 expts. 4−125
- filmless spark chamber spectrometer, K^0 decays, angular resolution 4−126
- hodoscope scintillation, for magnetic particle spectrometer, 0.8-4.0 GeV/c 4−22977
- hybrid bubble chamber-wide gap spark chamber system 4−26635
- internal-pair formation for multipolarity anal. using detectors with superconducting solenoids 4−26640
- ion beam spectrometry study of surfaces 4−30348
- ionisation, energy deposition and energy-deposition fluctuations 4−11613
- liquid scintillation spectrometer, routine checking of electronics 4−18681
- magnetic, cosmic ray studies to 300 GV 4−8494
- magnetic, digital regulatable current supply with automatic demagnetisation program *(German)* 4−35447
- magnetic, large volume, toroidal magnetic fields, advantages, techniques 4−124
- magnetic spectrometer, simultaneous recording of mesons, protons up to 4 GeV/c 4−22975
- multi-particle Brookhaven USA, large field volume C-magnet, almost 4π solid angle detection, description 4−123
- multiparticle, using digitized cylindrical spark chambers 4−14995
- Omega, installation of frozen spin polarised target 4−22941
- Omega spectrometer CERN, large scale 3D matrix, double or triple coincidences, hodoscope planes and Cerenkov hodoscope 4−113
- Omega spectrometer CERN, TV camera system for data acquisition and digitisation, track visualisation 4−120
- photomultipliers, sensitivity distrib. meas. over entrance window *(German)* 4−26641
- positron lifetime spectrometer, digital stabilisation, description 4−2362
- proportional counters for 50000-wire multiparticle spectrometer 4−26638
- pulse spectrometry, use of pileup rejector 4−18685
- retarding field analyzer, electron energy resolution and tertiary effects *(German)* 4−14989
- review, present situation, future problems 4−121
- review of modern exptl. techniques 4−2344
- semiconductor detector with magnetic momentum analyser 4−30594
- spectrometer-telescope, multiple-magnet momentum, aperture determ. 4−8492
- K$^+$ decay, in flight measurements, 2500 wire proportional chamber system and CAMAC interface, operation 4−119
- CdTe, nuclear radiation spectrometer, polarization phenomena 4−5205
- Pb, for nondestructive assay of fissile materials 4−23854
- Si(Li), rise time discrimination in 20 MeV proton spectroscopy 4−35407

particle track visualisation
- *see also bubble chambers; cloud chambers; nuclear track emulsions; scintillation chambers; spark chambers; streamer chambers*
- bubble-chamber track analysis, accuracy in scan and measure instruments 4−18641
- c.-a.a. of track-chamber pictures, XDS Sigma 3 computer 4−8478
- cellulose nitrate, rate of development of α particle traces *(French)* 4−18669
- cellulose nitrate detector, with high sensitivity, investigation 4−18636
- cellulose nitrate plastic detector, etching behaviour under various conditions 4−26628
- cellulose nitrate range and energy loss rate for heavy ions 4−26625
- cellulose nitrate track detector, appl. to fast neutron dosimetry *(French)* 4−30575
- cellulose nitrate track detector, confirmation of Ar nuclei acceleration to relativistic velocities 4−30567
- cosmic radiation, by discharge-diffusion chamber and Ar filler 4−14986
- cosmic ray primaries, $Z>60$, fast-film images in Cherenkov detectors 4−18667
- c.r.t. film scanner, phosphor noise, reduction by analogue divider 4−99
- dielectric detectors, applications in nuclear reaction studies 4−30568
- dielectric track detectors, appl. to nuclear fission process investigation *(Russian)* 4−30561
- digitised trajectories, identification 4−22963
- dosimetry application, assessment of physiochemical effects *(French)* 4−30586
- drift chambers, electronics, analogue and digital time measurement methods, techniques, systems 4−110
- fission fragment damage track detectors, accuracy of spark counting 4−35427
- fission-track dating in dielectric solids, correction for thermal fading 4−30563
- flash tube hodoscope chambers, review 4−35424
- fused quartz, usefulness at high environmental temps. 4−18635
- glass detectors, performance analysis using accel. heavy ions and fission fragments *(Russian)* 4−30584
- glasses as fission fragment energy detectors 4−39346
- graft-copolymerisation, copolymer induction by ionising radiation in a manomer, technique 4−100
- heavy ion, biostack experiment in Apollo 16 *(French)* 4−18674
- heavy ion, effect of degree of crystallinity of plastic type detector *(French)* 4−18672
- heavy ion, speed of development of traces in Makrofol polycarbonate *(French)* 4−18671
- laser track chamber, for cosmic rays, feasibility study 4−104
- low energy heavy ion, mineral detectors *(French)* 4−22962
- Makrofol, range and energy loses rate for heavy ions 4−26625
- mica detector, efficiency from experiments, ^{232}Th fission model *(French)* 4−30579
- mica hole detector, ratio of ternary to binary fission in U(Ar,f) 4−31435
- momentum analysis of particle moving in magnetic field, quintic spline model for track 4−35415

particle track visualisation continued
- momentum/charge ratio meas. using magnetic spectrograph, scintillator and streak camera 4−35421
- monitoring of heavy particle irradiation of biological targets 4−18760
- multiwire proportional chambers, avalanche centre of gravity, high accuracy measurements 4−8477
- multiwire proportional chambers, high intensity operation 4−11598
- Muscovite mica, usefulness at high environmental temps. 4−18635
- MWPC, beam profile and position monitoring 4−11600
- MWPC, high accuracy, two-dimens. read-out 4−8475
- MWPC, mechanical resonance detector 4−8476
- nitrocellulose-plastic sheets, track discrimination of low-energy nuclei 4−35417
- Omega spectrometer CERN, TV camera system for data acquisition and digitisation 4−120
- optical system, for bubble chamber track scanner 4−18642
- pattern recognition in wire chamber data, hardware processors 4−109
- plastic detector, sensitivity to α particle registration 4−18655
- plastic detector of sandwich construction, results for alpha particle and deuteron induced fission *(French)* 4−35428
- plastic detectors, calibration for low energy cosmic rays for use on Apollo XVI 4−30570
- plastic detectors, for obs. of electrodisintegration of C *(French)* 4−30583
- plastic detectors, photodeposition of translucent coordinate grids for track location 4−30578
- plastic detectors, use in Biostack expt. (Apollo 16) 4−18759
- plastic detectors for cosmic ray study, comparison of various detectors and accuracy of method 4−35426
- plastic stacks, meas. of heavy cosmic ray nuclei at supersonic transport altitudes 4−30569
- plastic track detectors, complex alpha-ray pattern, etching props. calc. 4−30559
- plastics, low sensitivity, influence of thermal effects on track registration 4−18660
- polymer foil track detectors, energy threshold for neutron detection 4−30573
- polymer foils, fast neutron produced charged particle tracks, appl. to dosimetry 4−30574
- polymer thermal stability, related to damage track registration 4−18657
- pyroxenes, heavy ion detection and cosmic ray composition determ. 4−18668
- sequential analysis method for separation of grey and relativistic tracks 4−2359
- solid státe detector, efficiency calibration 4−18654
- solid state detectors, neutron fluence meas. by fission track method using fissionable elements in solns. and glasses 4−30572
- solid state nuclear track detectors, determ. of fission fragment energy spectrum 4−30562
- solid state track detector, automatic meas. of tracks 4−30577
- solid state track detector, for proton induced ternary fission obs. 4−31433
- solid state track detector heavy ion bombardment, appl. to track identification in lunar materials 4−30576
- solid state track detectors, appl. to nuclear fission studies 4−30560
- solid-state, fission track registration in detectors immersed in fissile-material solns. 4−26624
- solid-state detectors, fast-neutron dosimetry 4−14711
- solid-state detectors, latent damage trains, annealing 4−11597
- streamer chamber, TV track recording system 4−105
- track sensitive H target with N-H mixture, rel. to H bubble chamber 4−39348
- α-particles, detection threshold in celluloid films 4−39345
- K$^+$ decay, in flight measurement spectrometer, 2500 wire proportional chamber system and CAMAC interface, operation 4−119
- AgCl crystal, as visual detectors of nuclear particles, review 4−18663
- He streamer chambers, holographic fast detection of electron tracks 4−103
- He-Ne flash tube particle detector for cosmic rays, review paper 4−35423
- RdTh daughter nuclides, alpha emitters, solid state track detector 4−11604
- Si(Li) position-sensitive surface-barrier detector, for low energy γ-rays 4−11596

particle tracks
- *see also energy loss of particles*
- alpha particle, formed by fast neutron irradiation of polymer foils, dosimetry appl. 4−30574
- automatic measurement of nuclear tracks in solid state track detectors 4−30577
- charge particle, formed by fast neutron irradiation of polymer foils, dosimetry appl. 4−30574
- cosmic ray, detection using pulsed TEA CO$_2$ laser amplifier 4−39343
- cosmic ray nuclei charge determination, modelling 4−18644
- formation and development in plastics 4−18645
- free falling particle cloud, heat transfer *(Japanese)* 4−12737
- heavy charged particles, structure, rel. to biological effects 4−11321
- heavy ion, etch kinetics in solid state track detectors 4−18658
- heavy ion, stability against ionisation effects in solid state detectors *(French)* 4−18662
- heavy ion radiation, effect on quartz glass 4−18649
- heavy ion track width, study of the energy dose concept for ion velocities $\beta\leqslant0.3$ 4−18648
- lunar breccia, microscopy track anal. *(French)* 4−4752
- photometry at ion velocities $>0.3c$, appl. of track formation theory 4−18647
- polymers, spatial energy-density distribs. 4−18646
- quartz glass, heavily ionising particle tracks obs. by electron microscopy using C replicas 4−14987
- streamer characteristics, Ne-He streamer chamber 4−8472
- trajectory fitting, particles in non-uniform magnetic fields 4−11601
- Tsytovich effect and ioniz. by 50-3000 MeV electrons *(French)* 4−30555

particle velocity analysis
see also energy loss of particles; ion mobility; mass spectrometers; particle spectrometers
F-region ion transport velocity, Arecibo vector meas. 4—25782
ionosphere, ion velocity distrib., simple collision model 4—17785
particle track momentum anal. using quintic spline model 4—35415
piezoacoustic pickup for meas. of charged particle current density distrib., energy 4—22974
time-of-flight machine, for molecular beam studies, calibration 4—14992
Ar nuclei, acceleration to relativistic velocities, confirmation using cellulose nitrate track detector 4—30567

particles, elementary *see elementary particles*

parton model
Bjorken scaling, asymptopia in deep inelastic scattering and annihilation 4—2691
chains in nucleon, fits to electroproduction and neutrino interaction data 4—23469
critical temperature and pairing 4—5623
current interactions, gauge-invariant scaling parton model, finite sum rules 4—27119
deep hadron-hadron scattering, parton exchange models 4—27121
deep inelastic leptoproduction, point-like scaling behaviour 4—23486
deeply inelastic reactions, resonance and parton-model description of inclusive spectra 4—23501
duality in current propagator 4—35956
elastic processes, large momentum transfer, parton model, form factor asymptotic behaviour 4—15507
fast hadron inelastic interaction with nuclei 4—19222
field-theory formulation, for ep deep inelastic scatt., e^+e^- annihilation, p form factor 4—39860
Godelised hadrons, gravitational charge and hadron hydrodynamics 4—34598
gravitation, contrib. of null e.m. fields 4—30885
hadron bound state description, local spinor field 4—5622
hadron electroproduction in virtual photon fragmentation region, factorisation laws 4—2692
hadron interactions, cross section factorisation 4—27128
hadron resonance form factors asymptotic behaviour and absolute scale 4—36003
hadron-hadron scattering, inelastic vertex characteristics 4—2735
inclusive lepton-induced reactions, quark-parton model for hadronic charge ratios 4—23498
inclusive single-particle distributions, broken conformal symmetry 4—12112
Kuti-Weisskopf quark-parton model, modification 4—8977
lepton-hadron deep inelastic scattering, pomeron in quark-parton model 4—27111
lepton-hadron deep inelastic scattering, Regge-Mueller vs parton model analysis 4—36083
light cone physics, need for consistent dynamical model 4—12051
light-cone formulation, for deep inelastic processes 4—27125
multiperipheral parton model, parton distrib. 4—15505
multiplicity, development of parton model for e^+e^- annihilation, ep collisions 4—12048
non-pointlike constituents, model for deep inelastic electroproduction 4—362
nucleon structure, deep ep scattering information 4—19221
parton-chain model of nucleon, using neutrino production scaling form factors 4—5603
parton-parton interaction and backward peak in elastic pp and K^-p scattering with exotic u-channel 4—27174
parton-parton scattering, non-scaling behaviour at large transverse momentum 4—36013
PCAC, dynamic interpret. rel. to dual parton model of hadrons 4—36024
quark parton model, inclusive electroproduction 4—363
quark-parton, for electroproduction type processes, scale invariance and light cones 4—2656
quark-parton, neutral current calculations 4—31128
quark-parton model predictions for e^+e^- annihilation into hadrons 4—8966
rapidity space, effect of parton-parton interaction on partonic cluster model 4—12053
reciprocity relations, Gribov-Lipatov, implications in inclusive processes 4—12046
semiempirical mass formula, highly charged partons and new class of hadrons 4—23511
single particle electroproduction and photoproduction at large transverse momenta 4—8967
Weinberg neutral current in quark-parton models, neutrino and antineutrino cross sections 4—23453
Weinberg theory for neutral currents in inclusive neutrino reactions 4—12033
eN deep inelastic scattering, resonance saturation scheme, parton model results 4—27118
$\gamma\gamma$ virtual scattering amplitude asymptotic behaviour 4—39858
Kp elastic scattering, differential cross section anal. at 5 and 10 GeV 4—39890
N, with dissociated coloured quarks, inclusive scattering data 4—27126
$\nu_\mu(\nu_\mu)N \to \nu_\mu(\nu_\mu)$ + hadrons, neutral currents rel. to parton model 4—19207
νN deep inelastic processes, charmed hadron prod. 4—31139
pp inclusive expts. at ISR energies, high transverse momentum, central and fragmentation regions 4—27200
$pp \to \mu^-\mu^+$ + hadrons; single muon distrib. calc. by parton model 4—12116
$pp \to pX$, fragmentation region, parton model, single proton distrib., asymmetry 4—19264
pp scattering, gluon-exchange model, high transverse momentum hadron jet prod. 4—15561
π form factor, inclusive electroproduction 4—355
π production with large transversal momenta 4—2736
$\pi N \to N\rho$, in forward and backward regions, differential cross section and energy depend. determ. 4—36025
πp elastic scattering, differential cross section anal. at 5 and 10 GeV 4—39890
W^0 effects in inclusive e^+e^- annihilation, general parton model 4—31153

parton model continued
νN deep inelastic inclusive scattering radiative corrections calc. in parton model 4—8954

Paschen-Back effect *see Zeeman effect*

passenger traffic *see traffic*

passive attenuators *see attenuators*

patient care
blind, using u.s. mobility aid system *(Japanese)* 4—35035
hospital safety, leakage current reduction by double-screened power transformer 4—18181
surgical intensive care monitoring system, computer-based, engineering evaluation 4—18187

patient diagnosis
angiography, direct, programmed control 4—39058
arterial sounds, anal. and interpretation using small clinical computer system 4—14683
arteriography, u.s. duplex echo-Doppler scanner 4—26257
arteriosclerotic deposits, laser scan acoustic camera obs. 4—26259
audiometry, evoked-response 4—39015
automation via computer-aided physiological system modelling 4—14637
axial transverse tomographic devices application 4—8187
ballistocardiography, patient trials 4—14604
black lung disease profusion classification from chest X-rays, image processing and pattern recognition techniques 4—26266
bone densitometry, photon imaging by multiwire proportional chamber, high precision techniques 4—2191
bone scanning, $^{99}Tc^m$ labelled pyrophosphate applic. 4—22599
bone-mineral determinations, X-ray spectrophotometry 4—39070
brain impedance as function of O_2 and CO_2 partial pressures 4—14641
brain tumour, ^{67}Ga and ^{99m}Tc scanning 4—14693
breast cancer detection by thermography 4—14636
cancer, lung, carrier-free ^{67}Cu detection 4—14697
cancer detection by n.m.r. spectrometry 4—26245
cardiac catheterisation, and cinefluorography, up to 200 frames a second, patient exposure 4—39049
cardiac echo differentiation, u.s., function during rest and supine cycling 4—42589
cardiology, intraventricular ultrasonic technique with shift register memory 4—18217
cardiology u.s. technique giving two dimension display, hand held instrument 4—22608
Cataract Detector, for self-recording of rate of growth of cataract 4—14681
cerebral angiography, value of electronic subtraction 4—30233
cerebral blood flow, and static brain studies, coupling of results 4—30239
chemical analysis automated future trends 4—39428
chronic pulmonary obstruction, He tracer methodology and instrumentation 4—14629
congenital heart disease, computer processing of chest radiographs 4—18210
deafness, u.s. audiometry 4—14591
displacement cardiography, ischaemic heart disease obs. 4—14603
e.c.g. data transmission to semiautomated heart station 4—14635
echocardiography, development, interaction of physicians, physicists and industry 4—39074
echoventriculography, possibilities and reliability 4—39075
enlargement radiography, rotating anode X-ray tube with ultrafine focus, clinical appls. *(Japanese)* 4—35490
esters of 19-radioiodinated cholesterol, use as organ or tumour-imaging agents 4—4872
extremities examination, diagnostic possibilities with low kV radiography using mammographic equipment 4—30230
eye refractive properties, automatic meas. using recording ophthalmetron 4—26236
eye refractors, computer-actuated 4—11297
fluoroscopic spotfilms, instant TV replay, the Memospot, in internal medicine and paediatrics 4—39057
foetal cephalometry, u.s., critical assessment 4—30635
gamma ray scanning detector, model RDA 601/602, whole body 4—35055
gastrointestinal malignancy, by temperature telemetry 4—14682
heart cross sections, in situ using ultrasonics 4—22605
hepatic angiography, false positive liver scan caused by dilated splenic vein 4—39067
hepatic blood flow measurement, dual, in awake patients 4—34998
imaging, u.s. holography, liquid surface, medical imaging capability, prototype system 4—2186
impediography, u.s. technique for specific acoustic impedance meas. 4—25464
laparoscopy with fibre-optic cinematographic equipment 4—22595
left ventricular dimension meas., in children, feasibility of using ultrasound 4—22607
liquid crystal temperature sensor, clinical use 4—24382
liver scintigram, electronic device corrects for motion 4—30240
lung expansion, regional, using ^{133}Xe 4—35045
lung respiratory measurement, use of sine wave pressure generator 4—26247
medical physics, review 4—18283
medical radiography, difference images, digital processing 4—26260
middle part of face, panoramic radiography with Status X unit 4—35039
Morbus Wilson disease, by photo slitlamp documentation of the eye 4—4866
myocardial infarction, heart sound spectra, as functions of time and frequency 4—14684
neuroradiology, Roentgen magnified image intensified 70 mm filming, evaluation 4—2183
nuclear diagnostic instrumentation trends 4—14687
occult infections, ^{51}Cr labelling of conc. phagocytes 4—14691
operative cholangiography, results 4—39055
ophthalmic u.s. scanning system 4—35029
Paget's disease, bone marrow scanning using ^{99m}Tc-sulphur colloid 4—14694
pancreatic scintigraphy, simultaneous double nuclide subtraction, using two-channel scanners and tape recorder 4—39054

patient diagnosis continued
- Papanicolaou smears, computer-aided analysis for cancer detection 4—14632
- pattern recognition applics. clinical-image pattern recognition laboratory 4—26250
- pattern recognition techniques 4—14672
- pediatric bone lesions, correlation of various methods 4—4873
- periodic body sounds, subjected to spectral analysis, computerised diagnosis 4—18191
- peripheral vascular system, impedance rheography 4—14643
- pneumoconiosis, automated detection from routine chest radiograph 4—18222
- pneumoconiosis, X-ray automatic texture evaluation 4—14630
- profile scanning optimisation, experimental study 4—14692
- pulmonary disease, ^{133}Xe soln., generation using glass ampule equilibration chamber 4—14696
- radiographic equipment, pinhole collimators, practical considerations 4—39068
- radiographic measured data, Sinuc system for collection, storage and evaluation 4—39059
- radiography, X-ray stereocomparator, Zeiss StR 1-3, stereoplotting system, design, characteristics 4—2192
- radiography, xeroradiography and other electrophotographic methods 4—30232
- radioisotope images, quantum fluctuation elimination employing computer 4—8189
- radiological, effect on medical judgement, quantification 4—18221
- radiology, application of shape analysis 4—2178
- radiology, fluoroscopy, CCTV systems, optimal operating parameters 4—2184
- radiology, radioisotope imaging, gamma-ray, incoherent holography, zone plate technique 4—2185
- radiology, technical prospects 4—14686
- radiology, video techniques, electronic recording 4—2182
- radionuclide image processing, quantitative effects 4—35047
- respiratory disease, by acoustic instrument *(Slovak)* 4—18185
- retinal-fluorescence cinematography, computer aided picture pattern recognition 4—18172
- retinoscopy, influence of bias 4—11298
- roentgenograph analysis, digital computer tone-texture transformation 4—18200
- scinticisternography, subcutaneous extravasation of CSF 4—35050
- scintigraphic abnormality, factors affecting recognition 4—39072
- scintigraphy, brain, bullet track demonstration 4—39066
- soft-tissue abnormality, use of heavy-particle radiography 4—14699
- sonar, synthetic aperture, 2 MHz, for medical use 4—18204
- three-dimensional radioisotope images meas. employing transverse section tomographic system 4—8188
- thyroid disease, computer assisted diagnosis 4—18190
- tissue analysis, n.m.r. methods 4—18097
- tomography, time-resolved acquisition and storage system 4—2187
- tomography, transverse, spatial filtering 4—35041
- total skeletal mass estimation by scanning femur with 60 keV photons 4—8547
- traumatic pancreatic cyst, u.s. diagnosis 4—39077
- tumour scanning, ^{169}Yb-citrate 4—35052
- ultrasound application, review 4—14599
- unified human/computer logical system 4—14634
- urine, I trace detection by neutron activation analysis, Szilard-Chalmers effect 4—30242
- urology, X-ray, image intensifier photography 4—30229
- u.s. applic., in medicine and biology, bibliography 4—38938
- u.s. applications, bibliography 4—38939
- u.s. applications, prospects 4—18237
- u.s. array scanning, of kidney 4—39080
- u.s. arteriography, high speed imaging system, enhancement by quantisation 4—18218
- u.s. beam, electronically steerable array on single crystal, manufacturing techniques 4—15031
- u.s. image formation, Abbe's theory, appl. for biological objects *(German)* 4—22649
- u.s. imaging of arterial wall echoes 4—39076
- white blood cell analyser, optical instrument 4—14671
- whole-body counting, discussion 4—39073
- X-ray, ferrite contrast medium testing 4—30237
- X-ray departments, influence of new units 4—39056
- X-ray exposure with TV apparatus 4—8236
- X-ray fluoroscopy, dose reduction by scanning X-ray beams 4—18214
- X-ray multiorbital tomography equipment model LGM-1 4—8185
- O_2 consumption, continuous flow method 4—35033
- ^{99m}Tc-pertechnetate scanning, cerebral ventricle visualisation 4—35051

patient monitoring
- *see also electrocardiography; electroencephalography*
- acutely ill, by digital computer from remote monitoring station 4—18188
- blood flow, magnetic fluid tracer 4—6775
- breath-by-breath O_2 uptake, by rapid gas analysis mass spectrometer 4—18192
- breathing of infants, prototype ultrasonic monitor 4—22609
- Cataract Detector, for self-recording of rate of growth of cataract 4—14681
- Detector of Ventricular Ectopics, trend recorder 4—14661
- direct gradient calorimeter for continuous heat loss recording 4—18183
- e.e.g., computer system, appl. 4—14677
- e.e.g., home, for surveillance of anticonvulsant treatment 4—14673
- e.e.g., photically stimulated, phase-alignment hypotehsis, mathematical model 4—14674
- e.e.g. data, remote on-line spectral plotting 4—14675
- foetal descent during labour, u.s. time-of-flight meas. 4—14618
- haemodynamics, measurement methods, review *(Danish)* 4—14595
- implanted cardiac pacemaker monitoring by telephone 4—26248
- in vivo neutron activation anal., flux distrib. problems 4—42591
- interim cardiac monitoring and alarm system 4—14615
- intra-partum physicists's and obstetrician's views 4—14608
- liver, scintigraphic study of high-energy radiotherapy effects *(French)* 4—8176

patient monitoring continued
- neonates, extraluminal catheter tip O_2 partial pressure monitor 4—14626
- oviductal motility recording, using implantable u.s. transducer 4—11641
- perinatal intrauterine pressure and foetal e.c.g., dual channel telemetry system 4—14617
- renal, system impulse response 4—18197
- static scintigraphy display system 4—42594
- stroke volume monitoring, comparison of several pulse pressure techniques 4—38991
- surface myopotentials, method for obtaining independent control signals for prosthetics 4—18199
- surgical intensive care monitoring system, computer-based, engineering evaluation 4—18187
- thermodilution flowmeter, for cardiac output meas. in patients 4—14679
- total body plethysmograph, heating and humidification model 4—14665
- total skeletal mass estimation by scanning femur with 60 keV photons 4—8547
- transplanted lungs, monitoring transthoracic bioelectric impedance 4—39007
- u.s. cardiography on exercising upright patients, prototype system 4—22610
- O_2 consumption, continuous, polarographic instrument 4—18193
- Pu in lung, empirical formula for effective tissue thickness 4—35044

patient treatment
- *see also surgery*
- acupuncture anaesthesia, omputer simulation based on bioholographic model of pain 4—14653
- anticonvulsant, home e.e.g. monitoring 4—14673
- beam therapy contribution to genetically significant dose, Japan (1971) 4—42603
- beam therapy contribution to population mean marrow dose and leukaemia significant dose, Japan (1971) 4—42604
- biomedical simulation, with differential equations *(Danish)* 4—14593
- blood irradiation, ^{90}Sr-^{90}Y portable irradiator, design improvements 4—18213
- blood irradiation, extracorporeal, ^{90}Sr-^{90}Y applicator 4—18206
- cancer radiotherapy, optimisation problem, algorithmic approach, feasibility 4—18220
- cancer radiotherapy with negative pions, dosimetry problems 4—18238
- cancer therapy using irradiation techniques 4—4928
- cardiac catheterisation, personnel protection, hazard comparison for undercouch and overcouch X-ray tube mountings 4—35036
- chronic nonunion tibial fracture osteogenesis induced by f.e.t. pulse generators 4—14654
- clinical tracking task battery, portable, for therapeutic trial evaluation 4—22591
- Curie therapy, dosimetric evaluation by computer, simple method *(French)* 4—8237
- electron therapy, for intrathoracic tumours 4—30231
- gain improvement, by functional stimulation of the lateral poplitial nerve 4—35010
- i.r. and u.v. therapy *(German)* 4—39053
- laser retinal photocoagulator system using high power transmission core glass fibre 4—26249
- medical betatron, high intensity 25 MeV, description, features, safety devices *(Japanese)* 4—35508
- medical betatron, shielding investig., spectra of X-rays transmitted through various materials *(Japanese)* 4—39094
- medical physics, review 4—18283
- medicine, administration, technological advances *(Danish)* 4—14594
- microwave therapy, temp. distrib. for two layer system of fat and muscle 4—11303
- Neptune, 6 MeV medical accelerator, for radiotherapy *(French)* 4—35054
- nerve impulses from neuroma and counterstimulation as pain therapy 4—42558
- orthopaedic bone plate using mech. memory effect in TiNi 4—30218
- pain inhibition by electrostimulation, digital model 4—14659
- radiation research, conference, St.Louis, Mo., USA (1973) 4—8170
- radiation therapy, minicomputer applics. 4—4875
- radiation therapy, treatment monitoring and verification, using PDP 11/45 computer 4—18216
- radiation therapy, treatment position reproduction using CCTV and photography 4—18211
- radiation therapy, u.s. kidney localisation 4—39051
- radiology, mesons, negative pi, tumour therapy, visualisation of stopping region 4—2190
- radiology, technical prospects 4—14686
- radiotherapeutic dose data, storage and manipulation by digital computer 4—35037
- radiotherapy, γ- or X-ray attenuation due to overlying tissue, meas. method 4—22597
- radiotherapy, brain scalpel, calc. of background dose rates 4—30261
- radiotherapy, deep, with X-rays and electrons up to 50 MeV, physical aspects 4—30227
- radiotherapy, dose distribution, general field equation extension for several therapy units 4—22601
- radiotherapy, experience with fast electrons, 5-40 MeV 4—35038
- radiotherapy, fast-electron, review 4—39061
- radiotherapy, instrumental progress 4—22602
- radiotherapy, isodose shift calculation, oblique incidence correction 4—22600
- radiotherapy, possible contribution of radiobiology 4—18202
- radiotherapy, SL-75 series acclerators 4—26265
- radiotherapy, superficial, effects of back-scattered electron from metal shields 4—42592
- radiotherapy, treatment planning and following up results, u.s. applications *(German)* 4—39079
- r.f. heating at 915 MHz, therapeutic applications 4—14698
- selective stimulation, d.c. field produced by implanted diode exposed to r.f. field, theoretical analysis 4—26246
- synovectomy, radioisotope, with $Cr^{32}PO_4$, kinetic studies 4—14690

patient treatment continued
tissue stimulation by implanted semiconductor diode, theory 4–14656
transthoracic ventricular LC defibrillator effectiveness with additional series resistance 4–14657
tumour growths in hamsters, experimental control, implantable d.c. power unit 4–38977
u.s. aerosol generator for patient treatment 4–26242
vaginal applicator with radioactive source parallel or perpendicular to uterine applicator, comparison 4–42593
X-ray, dose meas. on the RUM-7 apparatus 4–11304
X-ray therapy, superficial unit 4–39050
^{137}Cs brachytherapy tubes, surrounding water dose distribution obs. 4–30223
Ra intracavitary treatment of carcinoma of the uterine cervix, dosimetric problems 4–4870

pattern recognition
see also character recognition; speech recognition
analysis of complex visual images, instrumental simulation *(Russian)* 4–30197
biological applic. 4–11646
black lung disease profusion classification from chest X-rays 4–26266
breast cancer detection by thermography 4–14636
Cherenkov counter, focusing, ring and spot image detectors, review 4–35413
clinical applications, clinical-image pattern recognition laboratory 4–26250
clouds, environmental satellite data applic. 4–25884
crystal symmetry, n-dimensional array languages and description 4–28032
document falsification, material fatigue detect., laser speckle pattern correlation 4–14899
face recognition expts., review 4–8775
holographic shape recognition system, resolution 4–19050
image coding parameters from energy evaluation *(Russian)* 4–30181
image shape using coherent optic device *(Russian)* 4–39707
image similarity, incomplete, theory of estimation *(Russian)* 4–30196
i.r. spectra, interpretation using pattern recognition techniques 4–5052
machines, recognition and counting accuracy 4–14667
mass spectra automatic classification by digital learning nets 4–5280
medical applic., new developments 4–14672
nuclear reactor core component surveillance, computer categorization of noise signatures 4–40110
particle tracks, high energy physics, hardware processors for pattern recognition in wire chamber data 4–109
pneumoconiosis, X-ray automatic texture evaluation 4–14630
retinal-fluorescence cinematography, computer aided picture pattern recognition 4–18172
rubber mask technique, template matching, applics. 4–2397
spectral analysis, using Hamamard transform, followed by pattern recognition *(X)* 4–23042
textures, brightness and roughness algorithm 4–8545
visual apparent motion effect, experimental examination 4–39028
visual perception, roles of central and peripheral vision 4–14567
visual space normalization operators, application *(Russian)* 4–30195
X-ray picture patterns, chest X-rays 4–26261

Patterson diagrams *see X-ray crystallography calculation methods*

p.c.m. links *see pulse-code modulation links*

Peierls-Nabarro force *see dislocations*

Peltier effect *see thermoelectricity*

PEM effect *see photoelectromagnetic effects*

Pendellosung fringes *see X-ray crystallography*

pendulums
see also mechanical oscillations; time measurement
adiabatic variation, exponential property 4–2470
approximate solution, pendulum-type differential eqns. 4–35625
inverted, subject to random parametric excitation, mean square stability 4–26768
inverted electromagnetically excited torsion pendulum, elastic relaxation and fatigue meas. *(French)* 4–4243
mechanical resonance using pendulums, student experiment 4–30347
plane, approx. for horizontal motion 4–35138
quasilinear oscillators linked by complex oscillating system, synchronisation *(Russian)* 4–39496
simple, action change with adiabatic frequency variation 4–18852
spring-pendulum system, periodic solns., celestial mechanics treatment 4–11725
stabilisation, dynamic using Lyapunov function *(Russian)* 4–39571
student experiment with square-law damping 4–26345
submerged, with elastic oscillations 4–6189
torsion, with electrostatic drive and optical readout, for carbon fibre obs. 4–17428

pens (light) *see light pens*

pentary algebra *see algebra*

pentodes
No entries

perception (hearing) *see hearing*

performance index
see also control systems; reliability; sensitivity
water quality management system, index sensitivity 4–4898

perfusion *see diffusion*

periodic system of elements
see also elements (chemical)
low-energy level spacing distrib. in nuclear table 4–431
Mendeleev table, new format *(French)* 4–31640
superheavy nuclei, extensions to system *(German)* 4–5140
superheavy nuclei, production, detection, from shell structure, radioactivity *(German)* 4–503

peripheral equipment (computers) *see computer peripheral equipment*

peripheral models
absorptive multiperipheral model and elastic rescattering corrections, triple pomeron coupling 4–39870
baryon exchange processes 4–27172
Cheng-Wu model of high energy hadronic cross section, multiplicities 4–19237
diffractive overlap integral model, using triple Regge diagrams, peripherality 4–31178
diffractive scattering, multiperipheral prod. of particles, pomeron components 4–27158
hadron multiparticle dynamics, critical review 4–12076
inclusive reactions, multiperiphism and Regge-exchange models 4–5696
inclusive spectra, bootstrap model, multiplicity distribution for multiperipheral models 4–12113
inclusive spectra anal. at large transverse momentum 4–9023
meson exchange models for pp interaction, ωpp coupling const. determ., dispersion reln. 4–19242
multiperipheral, base on Bethe-Salpeter equation, statistical processes and fireball formation 4–12073
multiperipheral, conclusions from high-energy interaction data 4–27153
multiperipheral, for K^-p charge exchange and distrib. at 10 and 16 GeV/c 4–2721
multiperipheral, generalised, pion exchange and Van der Waals gas 4–23528
multiperipheral, multiparticle generating function and Froissart bound 4–15529
multiperipheral, pp collisions at high energies 4–12095
multiperipheral, resonances and exotic quantum numbers, energy dependence of cross sections 4–27161
multiperipheral, self consistent diffraction, vanishing triple pomeron vertex 4–39875
multiperipheral, violation of scaling in production of particles with high transverse momentum 4–27160
multiperipheral, with isospin, multiplicity distribs. 4–23529
multiperipheral cluster emission model, multiplicity distrib. and inclusive spectra 4–9031
multiperipheral cluster model, generating functionals formalism 4–36036
multiperipheral dynamics, successive asymptotic expansions 4–31180
multiperipheral eqn. derivation for inclusive spectra 4–39873
multiperipheral equivalence with Mueller Regge model 4–15527
multiperipheral form of unbaryon rearrangement diagrams, propagators 4–12118
multiperipheral high-energy production processes, critical discussion 4–5620
multiperipheral integral equation, self-consistency conditions 4–15525
multiperipheral mechanism in diffractive dissoc. model, charged particle correlations 4–27163
multiperipheral model, multiplicity distrib. *(Russian)* 4–31182
multiperipheral model, scaling of inclusive distribs. 4–27214
multiperipheral model in nonforward M^2 absorptive part in double-Regge model 4–8998
multiperipheral model including resonances for pp annihilation reactions in flight 4–15567
multiperipheral model with constant total cross-section, experimental consequences 4–39878
multiperipheral overlap integral, interference terms 4–8994
multiperipheral parton model, parton distrib. 4–15505
multipheripheral, Poisson multiplicity distribution 4–375
multipheripheral, threshold behaviour and oscillations 4–27155
one pion exchange model, $K^-\pi^-$ cross sections from K^-p data 4–5669
one-pion exchange, rel. to $\Delta p\to nn$ at 10 MeV to 27 GeV 4–2711
one-pion exchange model, $np\to pp\pi^-$, 1.0 to 8.0 GeV/c, physical distrib. 4–5664
production processes, leading particle asymmetry, heat propagation in hadronic matter 4–36040
Regge pole model in direct channel for $K^-p\to K^0n$ at 0.77 to 2.25 GeV 4–15521
resonance production, influence on angular correlations between pions 4–5673
three-body systems, overlapping resonances, isobar approx. 4–23525
two-to-two processes, review paper 4–36042
Nd elastic scattering, intermediate energy, multiple scattering series 4–15537
(p, d) reaction anal. in model with nuclear form factors 4–2876
pp elastic scattering, high-energy, periphery of proton at large impact parameter 4–27157
π inclusive production cross sections in pionization region, unified treatment of peripheral models 4–9036
π production with large transversal momenta 4–2736
$\pi\Delta$ system dynamics, ρ-exchange, partial wave analysis, $D_{15}(1670)$ and $S_{11}(1535)$ resonances 4–23590
πN backward scattering at 6 GeV/c, amplitude anal. 4–12093
πN charge exchange, helicity-independent structure hypothesis, peripherality 4–384
πN scattering at 6 GeV/c, amplitude anal. based on peripherality 4–12085
$\pi^-p\to\pi^\pm\pi^\pm+X$, 40 GeV, two-pion correlation function, multiperipheral model 4–31210

peripheral processors *see satellite computers*

peripheral speed *see velocity*

Permalloy
bubble domain translational force, effect of gradient in bubble material/Permalloy film spacing 4–6765
film, 10000Å, mag. props. and internal stresses, effect of deposition conditions 4–6743
film, cylindrical, magnetic parameters, effect of Cu substrate, electron microscope obs. *(German)* 4–33195
film, deposited at elevated temp., rot. hysteresis *(Russian)* 4–1322
film, deposition by pulsed laser-radiation, crystal structure and chemical composition 4–4034
film, electroplated, annealing effect on resist., coercivity, permeability 4–33224

Permalloy continued
film, homogeneity and chem. comp. investigation using microprobe 4−33225
film, mag. anisotropy dispersion, time stability, biaxial anisotropy *(French)* 4−28672
film, magnetoresistive, figure of merit, annealing effects 4−6603
film, nonlinear domain wall motion, calc. and expt. 4−6755
film, plane thermomag. effect in weak mag. fields *(Russian)* 4−16951
film, polycryst., mag. domain and wall struct., electron microscope obs. *(German)* 4−33193
film, rotatory hysteresis, thickness effects *(Russian)* 4−37464
film, surface uniaxial anisotropy, spin-wave reson. spectra obs. 4−37467
film, theromag. effects *(Russian)* 4−28669
film, with band domain struct., magnetoresist. phenomena *(Russian)* 4−16948
film structure, cylindrical, Permalloy/Ni-Co/Permalloy, storage props. *(German)* 4−33222
film with head-on domains, polar Kerr effect, 50 to 100 micron wall width 4−10280
magnetic anisotropy, rolling induced, quenched single crysts. *(Russian)* 4−28641
magnetic anisotropy induced by plastic deform., induced defect interactions *(Russian)* 4−37434
magnetic bubble metallurgy, thermal stability, Au contacts 4−37439
Matteucci effect, thin permalloy wires 4−32923
plated wire domains, Bitter pattern obs. 4−37443
thin film, mag. domain wall vel. and interrupted pulse expts. 4−33197
thin sheets, magnetisation eddy current delay curve, domain wall width *(Spanish)* 4−6746

permanent magnets
$Co_{3.8}Cu_{0.9}Fe_{0.5}Ce$, TEM obs. of age hardening precipitates 4−4084
magnetic field meas. using current galvanometer student expt. 4−4929
rare earth-Co, RCo_5, new permanent magnet materials, review *(German)* 4−6761
rare earth-Co alloy, magnetic domain obs. by magneto-optical Kerr effect *(German, English)* 4−3877
self centring magnetic suspensions, performance testing 4−2333
sextupole, variable velocity selector for paramagnetic atomic beams 4−31754
Ticonal four-pole rotary, heat treatments 4−13328
Ce-Mischmetal-Co, comp. analysis by X-ray fluoresc. 4−21236
Ce-Mischmetal-Co, constitution of Ce-La-Co system *(German)* 4−21237
(Ce-Mischmetal)-Cu-Co chill-cast alloys, permanent magnet props. rel. to microstruct. 4−41214
Co-Fe-Ti alloy, origin of coercivity 4−10290
Co-La, Ce alloys, hyperstoichiometry effect on coercive field 4−25292
Co_5Ce, powder, X-ray strain meas. 4−33805
$Co_{3.5}CuFe_{0.5}Ce_{1.09}$, mag. domain wall struct. obs. by Lorentz electron microscopy 4−3854
$Co_{3.5}Fe_{0.5}CuCe_x$, $0.8<x<1.2$, SEM study, mag. behaviour Ce content influence 4−3868
$NdCo_5$, mag. domains, electro-etching obs. 4−3866
$Pr(Co_{1-x}Cu_x)_5$, mag. easy direction, temp. depend. 4−6764
$(Sm,Pr)Co_5$ powders, mag. props. and cryst. struct. rel. to particle size *(Russian)* 4−20799
Sm-Co alloys, sintering mechanisms, isothermal shrinkage meas. *(German)* 4−7258
Sm-Co system, Co-rich part, phase diagram determ. 4−37784
$SmCo_5$, fluid-quenched, mag. props., effect of quenching rate 4−3861
$SmCo_5$, hysteresis loops and magnetisation curves investigation 4−33203
$SmCo_5$, liq. phase sintered, phase anal. 4−4059
$SmCo_5$, mag. domains, electron microscope obs. 4−3867
$SmCo_5$, magnetocryst. anisotropy consts. *(Russian)* 4−16941
$SmCo_5$, struct. and stability, 500°C to m.p. 4−4058
$SmCo_5$ based alloys, relative orientations of phases *(Russian)* 4−33701
$SmCo_5$ single crystls, coercive force, influence of surface conditions 4−3860
$SmCo_5$-Lodex composite, demagnetization curves 4−3865
$SmCo_5$-Pb composite, demagnetization curves 4−3865
$SmCo_5$-$SmCu_5$ cast alloys, microstruct. rel. to mag. props. *(Korean)* 4−37837

permeability
see also diffusion; mechanical permeability
bimolecular membrane, in the presence of nystatin and amphotericin B 4−18100
bimolecular phospholipid changes in permeability of cellular contact 4−18099
butyl rubber swollen membrane, pressure induced organic liquid diffusion 4−24581
carbonate rocks, penetration of aqueous solutions under different pressures *(Russian)* 4−38256
cellophane membrane, permeability ceoff. for polyethylene glycols 4−24585
collagen film, gas permeation, effect of cross-linkage, moisture and plasticizer content 4−24579
electro-excitable membrane, changes in ionic permeability, molecular mechanisms 4−22517
electro-excitable membrane, molecular mechanisms of changes in ionic permeability 4−22524
electroosmotic, relationship derived 4−37029
excitable cell membrane, conformational model 4−18098
excitable membrane changes, for Na, physical interpretation of mathematical models 4−14546
facilitated transport of gas through liquid membrane, similarity parameters 4−21603
filled epoxy resin, permeation of liq. water up to 130°C 4−24583
gas, at low pressure rel. to capillaries 4−24227
glass, sintered disc, dissolution by HF 4−17472
liposomes, effect of valinomycin induced anions 4−22527
membrane, bilayer lipid, mechanism of conductivity of protons, in the presence of diabasic phenol 4−22522

permeability continued
membrane, electro-excitable, ionic permeability change, molecular mechanisms 4−22520
membranes, biological, Chinese hamster ovary cells, permeability changes during cell generation cycle 4−8129
membranes, biological, dielectric measurement, chloroplast internal membranes 4−8130
micelles of biological interest, photochem. reactions 4−21582
node of Ranvier membrane, K^+ conductivity, effect of surface charge 4−22521
polymer, nitrile, permeability of gases and vapour 4−24576
polymer, transport phenomena, 2nd Symposium, New York, USA (27 Aug to 1 Sep 1972) 4−24575
polymer membrane, permeability coeff. for polyethylene glycols 4−24585
polystyrene-polyphenlene oxide glassy blend, permeability of Ar, Ne and Kr gases 4−24578
porous medium, homogeneous, dissolution by acid 4−17472
red cell, membrane permeability coeff., probability density function 4−22538
silicone rubber membrane, transport of dissolved CO_2 4−24577
skin friction and heat transfer dependence on injection regime 4−36644
H_2, penetrance coeff. determ. in metallic coatings 4−18701
^2H through clean and oxide coated metals at low pressures rel. to fusion reactors 4−23870

permeability (electric) *see permittivity*

permeability (magnetic) *see magnetic permeability*

permeability measurement (magnetic) *see magnetic permeability measurement*

permittivity
see also electric strength
(TTF)(TCNQ) polarised reflectivity spectra meas. 4−17089
acetone, carbon tetrachloride soln., static dielectric properties, Boltzmann eqn. 4−33332
air discharge plasma, organic vapour impurities, effective dielectric constant 4−40675
Al, oxidized, fine grained film, elec. cond., permitt., temp. and freq. depend. 4−28518
alcohol solutions in neutral solvents, strong elec. field influence 4−33331
aliphatic ethers, dielectric relaxation rel. to flexible hydrocarbon chain *(French)* 4−13384
alkyl bromides, dielectric relaxation rel. to flexible hydrocarbon chain *(French)* 4−13384
amides, dielec. const. values selection 4−40349
ε-aminocaproic acid in aqueous soln. dielec. relax. spectra *(French)* 4−20931
anilines, substituted, benzene soln., dipole moment determ. 4−20920
anthracene, immersion method meas. 4−20922
antiferromagnetic dielectric, rel. to exciton process in light absorpt. 4−33440
benzophenone, benzene soln., dipole moment determ. 4−20920
chalcogenide glass, densification effects 4−6347
chlorobenzene, benzene soln., static dielectric properties, Boltzmann eqn. 4−33332
clathrate hydrates, dielectric props. between 4 and 270 K 4−33333
Cole-Cole plots use in permittivity/polarization/decay time relationships derivation *(French)* 4−33339
complex molecular systems, dielec. const. values selection 4−40349
composite material, macroscopically homogeneous and axially isotropic two-phase, dielec. consts. calcs. 4−41328
critical behaviour in a binary fluid system 4−19013
diamond, band struct. calc., exchange energy approx. methods 4−10095
1,3-diazaazulene, dielectric constant meas. 4−10442
α,ω-dibromo alkanes, dielec. relax., normalized plot, 30-60°C, 1.8 MHz-36.8 GHz 4−20933
dibromobenzene, steric dispersion, anomalous light absorpt. mechanism *(Russian)* 4−33387
dibutyl ether, benzene soln., dipole moment determ. 4−20920
1,1-dichloro-1-nitroethane dilute solution, 4.0 GHz, rel. to viscoelastic parameter determ. 4−6841
dichlorobenzene, steric dispersion, anomalous light absorpt. mechanism *(Russian)* 4−33387
dielectric const. determ. of moist disperse systems *(Russian)* 4−1368
dielectric constant representation by Gaussian and rectangular distributions 4−41323
1,2-dimethoxyethane, low freq. meas., −20 to +50°C 4−13377
diphenyl ether, benzene soln., dipole moment determ. 4−20920
disperse system, elec. field between coaxial cylinders 4−41893
dolomite, underground e.m. sounding, 16-50 MHz, dielec. const. 4−38233
electron gas, scatter by charged filament, appl. to cond. in semicond. with ionized impurities 4−32928
epoxy resins, rel. to hardening kinetics *(French)* 4−17023
epoxy resins, variation during hardening *(French)* 4−4210
ethylene-methacrylic acid copolymer, dielectric studies 4−37544
fibre composites, theory 4−10672
3, 4-fluoroaniline, in benzene, microwave spectra, dielec. const. relax., energy parameters 4−20932
2, 3, 4-fluorobenzaldehyde, in benzene, microwave spectra, dielec. const., relax., energy parameters 4−20932
foodstuffs, microwave thermal effects *(Spanish)* 4−10365
glass, dispersion temp. depend., vacancy mechanism 4−28756
glass, electronic and ionic cond. mechanisms, correl. with dielec. dispersions 4−6659
di-n-heptyl-azoxybenzene, liq. crystal, anisotropy and dielectric const. temp. depend. 4−16420
ice:HF, dielectric props., 190 to 270K 4−37550
ice, 96.5 GHz, −28°C, meas. 4−28748
ice, dielectric constant, improved calcs. 4−37547
ice, effect of plastic deformation 4−17024
ice, microwave dielectric investigation 4−37549
ice formed by supercooling breakdown, changes in dielectric props. 4−37560

permittivity continued
ice I, V, VI and VII, orientationally ordered phase formation, dielectric constant meas. 4–36990
ice-Ih, plastic deformation influence on electrical props. 4–37551
ice-Ih single crystal, ageing effects of electric props. 4–33345
II-VI semiconductor, dielectric function determ. in quasi-free electron approx. *(Russian)* 4–37140
inorganic solids, static dielectric constant 4–25048
insulator solid solutions, vibr. props. theory 4–13002
lecithins, dielec. const., cond. determ. in various solvents 4–29326
liquid, collision absorption, effect of intramolecularly compensated dipoles 4–41327
liquid crystal, dielectric anisotropy and effect on dynamic scattering 4–6325
liquid drops, suspension, viscosity in electric field 4–38085
MBBA, nematic liquid crystal, freq. depend. 4–6836
MBBA liq. cryst. and in soln., dipole moment, dielec. relax. studies 4–20924
MBBA/PEBAB mixtures, liq. cryst., l.f. 4–24393
metal, plasmon dispersion curves and Lindhard-Hubbard dielec. consts. *(French)* 4–32898
metals with overlayers, rel. to surface e.m. wave propag. 4–24807
2-methoxyethanol, low freq. meas., −20 to +50°C 4–13377
microwave heating, in solid with temp. depend. damping 4–13533
Mylar film, 9.375 GHz, mounted on waveguide 4–28747
nonpolar binary mixture, dielectric const. critical behaviour 4–37546
nonpolar fluid, state depend. of effective polarisability 4–33330
nonpolar liquids, Lorentz-Lorentz relation, temp. depend. 4–24379
one-dimensional band conductor, soft phonon mode and dielec. const. below Peierls transition temp., mean field theory 4–9974
organic liquid, temp. coeff. of dielectric constant meas. for a homologous series *(Japanese)* 4–1369
n-paraffin mixtures, rel. to effect of environment on fluoresc. spectra of 1,2-dimethylindole 4–3998
plasma, degenerate electron-hole, free carrier nonlinear permittivity 4–20641
plasma, rel. to nonlinear susceptibility, fluctuation effects 4–32202
plasma, saturating nonlinear, e.m. heating effect on carrier distrib. 4–16319
plastics in water, for dielec. polarizability model, Van der Waals interactions 4–1688
PMMA with low molec. admixture, temp. and freq. dependencies *(Russian)* 4–20934
polar, calc. of dielectric constant in classical fluid 4–6318
polar fluid, dielectric constant calc. 4–17018
polar liquid systems, dielec. behaviour *(French)* 4–10366
polydimethylsiloxane, excluded vol. effects upon dipole moment 4–9633
polymers with low molecular admixtures, temp. and freq. depend. *(Russian)* 4–20934
polystyrole with low molec. admixture, temp. and freq. dependences *(Russian)* 4–20934
polyvinylidene fluoride film, freq. depend. 4–10380
powder, correlation with bulk material at microwave freqs. 4–37545
powder-bulk correlation, test and use of Fricke and Pearce eqns. 4–20923
PTFE film, 9.375 GHz, mounted on waveguide 4–28747
quartz, moisture-saturated, second-order phase transition 4–41896
random heterogeneous statistically anisotropic materials, effective permittivity bounds 4–28749
random system, binary, effective-medium theory for a.c. behaviour 4–10125
Rochelle salt, compressed powders, transitions, particle size effects 4–28774
SBR-wax matrix, resistivity and dielec. const. of carbon black 4–6650
semiconductor, A^nB^{8-n} type, electronic band structure rel. to chemical bonding 4–20534
semiconductor, isotropic zone-struct. model *(Russian)* 4–41326
semiconductor, of hot electrons, quantum theory 4–17020
semiconductor plasma, nonlinearity due to hot carrier diffusion 4–3756
SiO_2, thin film, transmission and reflection spectra, 5-40 eV, spectral depend. of dielectric permittivity 4–25196
small interacting particles embedded in dielectric Clausius-Mossotti rel., average dielec. function 4–17017
styrene-butadiene rubber/SiO_2 mixtures 60-10^8 Hz 4–1367
target parameters retrieval by microwave radiometry 4–35205
TEA(TCNQ)$_2$, highly anisotropic organic semiconductor meas. at 10^8 and 2×10^8Hz 4–28442
1,1,2,2-tetrabromoethane dilute solution, 4.0 GHz, rel. to viscoelastic parameter determ. 4–6841
tetrahedrally coordinated solid, band-orbital model 4–37139
tetramethyl ammonium manganese chloride, meas. at pressure induced transforms. 4–3571
tetramethylammonium metal chlorides, metal = Mn, Ni, Cd, order-disorder transition investigation 4–32650
transition metal, complex dielectric constant calc. from electron energy loss spectra 4–32593
triglycine sulphate, dielectric spectrum meas. 4–13379
triglycine sulphate, electron beam irradiation, effects on temp. of permittivity max. 4–10367
triglycine sulphate, microwave dielec. linearity 4–20949
triglycine sulphate, press. effect, Curie temp. shift 4–41344
triglycine sulphate, X-ray effect, thermodynamic theory 4–10379
trimethylene oxide, in struct. 1 clathrate hydrate, rot. mobility investig. dipole ordering transition 4–41324
u.s. harmonic generation due to strain depend. dielectric const. 4–37281
vitreous ionic conductors, nonsymm. decay function for elec. relax. 4–1373
Ag liquid, and alloys, nearly-free electron part 4–3929
AgI, moisture-saturated, second-order phase transition 4–41896
$AgNa(NO_2)_2$, nonlinearity 4–28775
Al, oxidized, fine grained film, temp. and freq. depend. 4–28518
Al, plasmon dispersion curves and Lindhard-Hubbard dielec. consts. *(French)* 4–32898
$3Al_2O_3.2SiO_2$, sintered mullite, microwave dielec. props. rel. to density 4–6837

permittivity continued
As, reflectivity meas., 0.08 to 70 eV, optical and dielectric constants determ. *(French)* 4–41392
$As_xP_{1-x}In$, solid soln., i.r. refl., lattice vibr., dielec. const. 4–25094
Au, liquid and alloys, nearly-free electron part 4–3929
$(Ba,Sr)(Zr, Ti)O_3$ ceramic, loss tangent 4–6835
Ba_2BTeO_6, B = Mg, Co, Mn, Ca, Cd, temp. depend., antiferroelec., ferroelec. 4–13399
$Ba_{4\|x}Na_{2-x}Nb_{10-x}Ti_xO_{30}$, rel. to electrooptical use 4–28789
$Ba_{0.25}Sr_{0.75}Nb_2O_6$, single cryst., phase transition obs. 4–37584
$BaTiO_3$, calc. using point dipole model 4–33349
$BaTiO_3$, Devonshire theory of ferroelec., calc. of dielec. props. 4–28773
$BaTiO_3$, dielec. props. interpret. using phenomenological model *(French)* 4–41341
$BaTiO_3$, powder, anomalies, embedded grains, pressed powder 4–13378
$BaTiO_3$ glass-ceramic, phase distribution and boundaries, electrical effects 4–37543
$BaTiO_3$-$BaNbO_3$ solid solutions, phase anal. 4–16469
$BaTiO_3$-$BaZrO_3$, electron and proton irrad. effects *(Russian)* 4–41325
$Bi_{1-x}La_xFeO_3$, anomalies, rel. to thermal expansion obs., 20-700°C 4–24571
$(Bi_{1-x}La_x)FeO_3$, phase diagram construction 4–33165
Bi_2Se_3, static dielectric constant determ. 4–28162
Bi_2Te_3, i.r. reflectivity meas. to determ. dielectric const. and optical phonon information 4–1392
CH_4, fluid, saturated and compressed, molar polarisability determ. 4–13376
CO_2, polarisability and permittivity calcs. by semiclassical damped oscillator theory 4–9508
$Ca(Zr,Ti)O_3$ ceramic, loss tangent 4–6835
$CdIn_2S_4$, h.f. i.r. reflectivity data 4–6880
CeO_2:Ca, up to 1000°C, exponential rise 4–25053
Cu, liquid, and alloys, nearly-free electron part 4–3929
Cu-Mn ferrites, dielectric constant, anomalous freq. and temp. depend. 4–17019
Cu-Ni ferrites, dielectric constant, anomalous, freq. and temp. depend. 4–17019
Er complex, oscill. strength depend. on solvent permeability *(Russian)* 4–41361
GaAs, rel. to field depend. of i.r. absorpt., refl., refractive index *(Russian)* 4–25075
GaP, determ. of dielectric const. by refined analysis of donor acceptor pair luminescence 4–13501
GaTe, layer compound, 1-6 eV, from reflectivity spectrum 4–17036
Ge, amorphous, dielectric constant using nondirect transition model 4–20521
Ge, isotropic zone struct. model, wave vector depend. *(Russian)* 4–41326
Ge:Sb, Ga, charged centre anisotropy, defect light sensitivity model 4–32892
H_2, polarisability and permittivity calcs. by semiclassical damped oscillator theory 4–9508
H_2O, polarisability and permittivity calcs. by semiclassical damped oscillator theory 4–9508
^3He, density discontinuity below 3 mK, permittivity obs. 4–32778
α-HgS, dielectric constant meas. in microwave region 4–20921
αHgS, synthetic, polarised light, i.r. spectra, lattice vibrs., dielec. const. dispersion, 80K, 300 K *(French)* 4–13442
In, dielectric constant determ. 4–20957
$K^+B^{5+}B^{6+}O_6{}^{2+}$, where $B^{5+}=Nb^{5+}$, Ta^{5+}, and $B^{6+}=Mo^{6+}$, W^{6+}, dielec. const., loss tangent and room temp. resistivities 4–10368
KCl:OH^-, stress dependence of paraelectric susceptibility, 0.3-5 K 4–25046
$KD_3(SeO_3)_2$, microwave meas., temp. depend. 4–6834
KH_2PO_4, dispersion meas., −196-180°C, 10^3-4×10^{10} Hz 4–17021
KH_2PO_4, ferroelec. and paraelec. regions, dielec. and piezoelec. nonlinearity 4–33359
$KH_3(SeO_3)_2$, hydrostatic press. effect on phase transition temp. 4–20412
$KIO_3.HIO_3$, growth from soln., non-symm. space group 4–17169
$K_2Pt(CN)_4X_{0.3}.3H_2O$, X = Br, Cl, growth and purity obs. 4–41476
K_2SO_4, microwave measurement of dielectric const. using Looyenga's formula, temp. depend. 4–3928
$KTaO_3$, dielectric constant, stress induced ferroelectricity 4–13397
Kh_2AsO, ferroelec. single cryst., temp. depend. meas. 4–10382
La_2TiO_7, electrooptic piezoelectric crystal, synthesised by floating zone technique 4–3937
LiF, cryst. and molten, comparison, i.r. obs. 4–20987
Li_2GeO_3, single cryst., temp. coeff., u.s. transducer appl. 4–33352
$LiNbO_3$, permitt. spectrum to i.r. freq., temp. depend. of microwave losses 4–28750
$Li_2SO_4.H_2O$, microwave measurement of dielectric const. using Looyenga's formula, temp. depend. 4–3928
$Na^+B^{5+}B^{6+}O_6{}^{2+}$ where $B^{5+}=Nb^{5+}$, Ta^{5+} and $B^{6+}=Mo^{6+}$, W^{6+}, dielec. const., loss tangent and room temp. resistivities 4–10368
$NaBrO_3$, i.r., derivation from Raman scatt. spectra 4–13459
$NaH_3(SeO_3)_2$, meas. in triclinic ferroelec. phase 4–28772
$NaNO_3$, temp. depend. of libration mode and dielectric relaxation 4–28758
Na_2SO_4, microwave measurement of dielectric const. using Looyenga's formula, temp. depend. 4–3928
Nd complex, oscill. strength depend. on solvent permeability *(Russian)* 4–41361
$Ni_3B_7O_{13}I$, l.f. dielectric dispersion depend. on defect struct. 4–33357
O_2, polarisability and permittivity calcs. by semiclassical damped oscillator theory 4–9508
$(Pb,Ba)Nb_2O_6$, solid soln., ceramic *(Russian)* 4–41340
Pb_2BTeO_6, B = Mg, Co, Ni, Zn, Mn, Ca, Cd, temp. depend., antiferroelec. 4–13399
$Pb_{1-x}Na_yTiO_{3-x\|(y/2)}$, defect ferroelec. material, comp. and permittivity 4–6852
$3PbO$-$2GeO_2$, vacuum condensates, ferroelec. props. permittivity and hysteresis loop 4–20952

permittivity continued
- $Pb_{1-x}Sn_xTe$, ferroelec., dielec. const. explained rel. to TO-phonon mode softening 4—25067
- $PbTiO_3$, ceramic and single cryst., temp. depend. of dielectric permeability 4—25045
- $PbTiO_3$ crystals, fine-grained, precipitated in glass 4—25047
- $PbTiO_3$-$Pb(Cd_{0.5}W_{0.5})O_3$ system, dielec., piezoelec., and elastic properties 4—37565
- $PbTi_xZr_{1-x}O_3$, Devonshire theory of ferroelec., calc. of dielec. props. 4—28773
- $Pb(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ solid-solution, rel. to piezoelectric props. 4—3938
- PrO_2, film, a.c. meas., temp., freq., thickness depends. 4—20925
- $RbAg_4I_5$, disordered solid electrolyte, far i.r. spectra, lattice vibrs., optical, dielec. props. *(German)* 4—36986
- RbH_2PO_4, temp. and press. effects, rel. to ferroelec. transition 4—25066
- $RbHSO_4$, press. effect on ferroelec. Curie temp. 4—6848
- $RbH_3(SeO_3)_2$ hydrostatic press. effect on Curie temp. 4—20950
- SbSI, diffuse phase transition mechanism *(Russian)* 4—20947
- SbSI:Cu(Ga)(In)(Ge)(Sn)(Pb), dielectric permeability, polarisation props. *(Russian)* 4—13382
- Si, amorphous, dielectric constant using nondirect transition model 4—20521
- Si, isotropic zone struct. model, wave vector depend. *(Russian)* 4—41326
- SiO_2 films, low-temp. investig. *(Russian)* 4—41125
- $Sr_{1-x}Ba_xNb_2O_6$, La modified, ferroelec. cryst., i.r. detector applic. 4—28769
- $Sr_xBa_{1-x}Nb_2O_6$, Czochralski grown ferroelec. cryst., dielec. props. *(Japanese)* 4—1439
- (TTF)(TCNQ) dielectric constant obs. 4—16753
- Ta_2O_5 film, dispersion of complex permittivity, m.i.s. struct. obs. *(French)* 4—37321
- Ta_2O_5-Al_2O_3 mixture films, dielectric constants meas. 4—16674
- $V_{1-x}Cr_xO_2$, $0\leqslant x\leqslant 0.05$, 20 GHz, hysteresis effects 4—41102
- in-YIG, interpretation in terms of two-layer model 4—24751
- ZnO, high temp., freq. depend., doping effect 4—25054

permittivity measurement
- bibliography for 1971, in book 4—6830
- cavity resonator method for small liquid samples, 0.7-25 GHz *(German)* 4—6827
- deep Antarctic ice, using electrically short dipole probe 4—29535
- demountable thermostat jacket, for rigid coaxial lines 4—22849
- dielectric rods, microwave barrel resonator method 4—6833
- dielectric slab, in rectangular cavity, stationarity prop. applic. 4—8415
- dielectric slab, in rectangular resonant cavity, using stationarity prop. 4—17016
- electrolyte, review 4—17531
- film, microwave freq., mounted on waveguide 4—28747
- frequency domain method, for microwave frequencies, using lumped components 4—28746
- glaciers and Moon, at 1 to 32 MHz 4—34273
- ice, employing electrically short sheathed dipole antenna 4—2000
- liquid, cell for complex permittivity meas. in u.h.f. band *(French)* 4—30522
- liquid, nonlinearity in strong elec. field 4—18520
- liquids, low loss, use of hyperfrequency e.m. surface waves *(French)* 4—8411
- mechanical drive technique using transversely polarized ceramic bar 4—26468
- plasma, in shock tube, 200-7300 MHz *(Russian)* 4—36734
- PLZT ceramics containing high La content 4—17050
- rocks, heterogeneous with significant ohmic conductivities 4—29703
- sea ice using microwave radiometers 4—7854
- SELFOC fibre waveguide, interferometric meas. to sixth order 4—44
- slab-type material, using microstrip cavity 4—8414
- soil moisture, at 30 MHz to 4 GHz 4—14222
- soil moisture dielectric constant, by microwave sensors 4—14218
- solids, use of hyperfrequency e.m. surface waves *(French)* 4—8411
- thin film, microwave frequencies 4—26550
- $As_2Te_3-As_2Se_3$ system, using waveguide technique 4—37291
- Si_4N_3 films *(Hungarian)* 4—37765

personnel
- *see also education; management; teaching; training*
- biomedical safety training for electronics technicians 4—22594
- electrical, of patients, training of hospital staff, case histories method, results 4—18195
- radiation exposure assessment 4—35066

perturbation techniques
- *see also control system analysis; control system synthesis*
- acoustic wave diffraction plate of finite thickness, field determ. by singular perturbation methods 4—11363
- binary liquid system, partially miscible, interfacial instability 4—17540
- e.m. problems 4—26890
- non-Newtonian flow between porous discs, singular perturbation problem 4—24224
- nonlinear optics, dispersion relation for second-order phenomena *(French)* 4—35890
- nuclear power reactor optimization of PWR loading patterns by reference design perturbations 4—31488
- nuclear reactor in-core fuel management simulation 4—31486
- nuclei with A=18, convergence props. of perturbation expansion for effective two-particle interaction 4—36123
- rectangular plate of variable thickness, buckling 4—30785
- satellite orbit expansion, by const. low thrust 4—34590
- singular, rel. to viscous fluid flow between two stationary uniformly porous discs 4—32150
- surface Helmholtz integral equation, non-degenerate characteristic frequency 4—42637
- temperature stress anal. of inhomogeneous viscoelastic sphere *(Russian)* 4—15155
- vibration suppression optimisation in game theoretic terms *(Russian)* 4—35700
- viscoelastic BKZ liquids small deformations on large deformations 4—26773

perturbation theory
- *see also quantum theory*
- acoustic wave scattering in hard walled container, asymptotic expansion method 4—39112
- anharmonic oscillators, coupled, large order behaviour 4—26810
- anharmonic oscillators, coupled, large order behaviour 4—26811
- anharmonic relaxation and dissoc., perturbation analysis 4—24045
- atom, Stark effect, ground state hyperfine struct. of alkali atoms 4—31662
- atom, two level, spontaneous emission multiple-time-scale anal. II 4—16000
- atom, two-level, spontaneous emission multiple-time-scale-anal., isolated atom system 4—15999
- atom + rigid rotor scattering, rot. excitation, first-order generalized phase shift and perturbation treatments 4—12625
- atom spectra, Jl coupling in ns level 4—19655
- atom-molecule repulsive interaction potential, statistical calc. 4—31943
- atomic absorption of ultra intense laser raddiation 4—12462
- atomic expectation values, uncoupled SCF and Hf perturbation thories 4—5938
- Bose system, energy spectrum, OK, using perturbation theory of decoupled chain of Green functions *(German)* 4—35744
- Callan-Symanzik equation, short-distance behaviour of proton propagator 4—23436
- canonical systems, general perturbations based on Lie series and von Zeipel method 4—42276
- chiral, pion and kaon e.m. masses 4—39847
- chiral, SU(2) × SU(2) and SU(3) × SU(3) symmetries realized by Nambu-Goldstone bosons 4—39822
- chirality, symmetry breaking in renormalized Lagrangian field theory 4—35930
- chirally-invariant quantum field theory, perturbation rules 4—11995
- critical behaviour in renormalized local field theory 4—11983
- critical cross-over exponent calc. from Callan-Symanzik eqns. 4—8724
- degenerate system, reservoir coupling, solns. of master eqn. without thermal equilib. 4—18980
- delayed neutrons, effectiveness in commercial PWR 4—31485
- diffractive dissociation at high energies, perturbative treatment 4—23531
- elastic wave scattering at rough free surfaces 4—2511
- electron diffraction, dynamical theory, nature of errors using first order perturbation theory for absorpt. coeff. calc. 4—20193
- electron optics, lens aberration calc. graphical representation of perturbation-theory series 4—31102
- electrostatics, perturbation expansion of pot. of charged dielectric sphere in asymmetric electrolyte 4—30941
- e.m. waves, diffr. in refracting lattices, soln. using perturbation theory approx. *(Russian)* 4—35796
- equal-time commutator of charge densities in fourth order perturbation theory 4—5573
- Euclidean field theory with conformal invariance, review 4—11981
- ferromagnet, anisotropic construction of non complete set of eigenstates 4—33106
- flow, convective in porous media, stability with vertical and horizontal temp. gradients 4—27920
- fluid hypernetted chain-type approximation, free energy and struct. perturbation correction 4—28014
- fluid mixture, free energy and structure, perturbation correction 4—19014
- fluid structure, triangular well potential, Monte Carlo and perturbation calcs. 4—24377
- gravitational potentials calc. for four-body system in quantum theory 4—39817
- hard sphere fluid, Percus-Yevick eqn. analytic soln. 4—19008
- harmonic oscillator, 3-D, spectrum perturbation by a δ-potential 4—18939
- harmonic oscillator, linear, in path-integral formalism, perturbation calc. rel. to energy states 4—18937
- Hartree-Fock polarisabilities and optical rot. for H_2O_2 4—31820
- Hori's noncanonical perturbation theory, covariance 4—42278
- host cell perturbation by virus, cybernetic model *(French)* 4—11275
- hydrogen bonded systems, second order effects on pots. calculated by CNDO/2 method 4—27606
- hydrogenic r^k integrals, bound-free matrix elements determ. by ladder-operator method 4—31651
- Hylleraas variation perturbation calc. of atomic polarisability 4—23968
- inert gas, multipole Van der Waals interaction coeffs., Brueckner-Goldstone perturbation anal. 4—31756
- invariant, development from invariant functional formulation of nonlinear chiral theories 4—39826
- ionic solid, with 3d or 4f cation, mag. ordering, exchange-perturbation treatment 4—24904
- ionisation energies direct calc., transition operator for ΔE_{sce} method 4—755
- Ising model, time dependent statistics in a magnetic field 4—28599
- Jahn-Teller effect for orbital triplet, second order perturbation series summarisation 4—1204
- Josephson element, resistivity shunted, soln. of eqns. of motion 4—37376
- kinetic equations, asymptotically stable, continuously perturbed equivalent classes 4—39638
- Lagrangian model, Zimmermann's formulation 4—35932
- Lagrangians, exponential, fourth order perturbation theory 4—27033
- Lamb shift, gauge invariance breakdown 4—31655
- laminar wake anal., in shear flow behind symm. two-dimens. body 4—32093
- laser theory, multimode operation, Lamb semiclassical theory extension 4—31058
- LEED intensities, effects of potential barrier and surface relax., comparison between exact and perturbation method calcs. *(French)* 4—40955
- Lie transforms., algorithm for inverse 4—42277
- light cone operator expansions, asymptotic behaviour 4—15433
- light cone operator expansions, Feynman diagrams 4—15432
- linear, ^3H-breeding ratio cross-section sensitivity in fusion reactor blanket 4—23909
- liquid-solid transformations, hard sphere fluid 4—40879

perturbation theory continued
- low-order, perturbative approximations to an effective Hamiltonian in presence of intruder state in ^{18}O 4—12162
- magnetism, non-hermitean perturbations, mag. dynamical susceptibilities calcs. 4—6702
- many-body Rayleigh-Schrodinger perturbation theory calcs. for π-electron systems 4—9588
- many-electron atom, relativistic corrections in external mag. field, Hegstrom-Breit Hamiltonian 4—31654
- many-fermion system, expansions in Brueckner reaction matrices 4—27255
- mass-18 nuclei, doubly-partitioned calc. of effective two-particle interaction 4—494
- massless particles, scalar, i.r. singularities 4—12011
- matrix moments, boson field models, anharmonic oscillators 4—18928
- meson nucleon dynamics, Zimmermann expansion for normal product algorithm 4—35931
- metal, electronic structure, d-states from plane waves, residual hybridization pseudopotential 4—1198
- metal, indirect exchange integral contribs. in s-d model *(Russian)* 4—28354
- metal lattice dynamics, hird order electron energy 4—20382
- minerals, lattice thermal conductivity at high temps. 4—32643
- molecule, pressure effects, anal. of spectra and relaxation 4—19816
- multiple wave scattering application *(Russian)* 4—23267
- N-electron system, one-particle perturbation, Hartree-Fock theory 4—5411
- neutron transport, compatibilities of multigroup computer programmes 4—19561
- n.m.r. chemical shift, gauge invariant LCAO anal. 4—40318
- non-symmetric method for calculation of molecular interaction energies 4—9471
- non-symmetric method for calculation of molecular interaction energies, appl. to H_2^+ 4—9472
- nonlinear, rel. to cosmic ray propagation in random magnetic fields 4—14248
- nonlinear oscillator, Heisenberg picture, accurate N^{th}-order iterative method for transition frequencies 4—39592
- nonrenormalizable theories from singular interaction potentials 4—11982
- nuclear collective model anal. of pairing Hamiltonian using yrast approximation 4—15667
- nuclear matter symmetry coeff. in second-order perturbation theory 4—560
- nuclear matter symmetry coefficient calc. in second-order perturbation theory 4—39963
- nuclear pairing force model, two-level, perturbation theory for projected states 4—19314
- one-electron system, variational expectation values and perturbation theory corrections 4—30848
- optical rotation, allene derivatives, quantum mechanical theory *(German)* 4—19806
- optical rotation, methane derivative, quantum mechanical theory *(German)* 4—19805
- $P(\varphi)_2$ field theory, asymptotic perturbation expansion 4—27034
- particle beam, density distribution function, intense charged beam perturbation anal. 4—31099
- photoemission from thin metallic film, quantum perturbation method 4—28991
- piezoelectric polaron, energy change at interaction 4—20571
- planetary satellite orbit improvement 4—4692
- plasma, circularly polarised e.m. waves, third order secular free solns. 4—20073
- plasma, collisional, e.m. pulse, self distortion 4—27937
- polar and polarisable fluids, thermodynamic props., numerical accuracy by Monte Carlo methods 4—40904
- polar molecule, rot. inelastic collision induced transition, perturbation anal. 4—9614
- pomeron, perturbative S-matrix description, multifireball expansion 4—39871
- positronium, ground state splitting, Coulomb distortions on vacuum polarisation 4—23441
- potential flow models, rel. to long wave eqns. of motion, perturbation scheme 4—16240
- projected states, convergence criteria and soluble model 4—8683
- quantum field theory, Lagrangian, functional techniques 4—35929
- quantum heats, generalised perturbation factor approach to interference effects in spectroscopy 4—18984
- Raman scattering, phonon exciton coupling in Cu_2O 4—28827
- Rayleigh-Schrodinger, appl. to time independent Hamiltonians 4—18941
- Rayleigh-Schrodinger perturbation theory applic. to excitation energies calc. of π-electron systems 4—27611
- redox electrochemical reaction, electron transfer rate, Levich and Dogonadze theory 4—21561
- Rellich's theory, application to classical boundary and eigenvalue problem 4—30836
- renormalised, approach to scaling, critical exponents 4—15427
- renormalization, second sheet poles in unstable particle theory 4—12005
- renormalization method, energy-momentum tensor in $g\varphi^4$ theory 4—8884
- satellite, artificial, luni-solar perturbation appl. Lie transforms 4—4670
- Schrodinger eqn., one dimensional non selfadjoint, perturbation, complex valued potential 4—2541
- Schwarzschild geometry perturbation, master eqns. 4—39610
- second order, appl. to fine struct. calc. for exciton lines in CuCl 4—20566
- second-order, calc. of ^4He negative parity spectrum 4—27234
- second-order, rel. to light nuclei binding energies and spectra 4—27228
- self-interacting field theory, Borel summability of partial propagator 4—19174
- semiconductor, tetrahedrally bonded, perturbative approach to valence charge density 4—16691
- simple liquid perturbation theory 4—6319
- single particle time correlation function, projection operators removal 4—18979

perturbation theory continued
- small perturbation equation, analogue simulation, transonic flow applic. 4—24211
- spinor field, nonlinear classical electrodynamics, perturbative and exact approach 4—26796
- spinor model, exactly soluble, interaction with its e.m. field 4—26797
- structure-invariant, in three particle scattering 4—19364
- T-matrix, for three-nucleon system with Reid potential 4—5702
- t-matrix rel. to ^3H binding energy calc. 4—12124
- thermodynamic limits in quantum field theory models, S-matrix 4—12019
- time-ordered in infinite momentum frame, renormalisation theory 4—39811
- transport theory, disordered alloy elec. cond. 4—32920
- wave, nonlinear system, individual mode phase-uncertainty 4—15133
- Wilson's incomplete integration theory, perturbation theoretic derivation 4—248
- Yukawa model, scalar coupling, scale invariance 4—339
- e^+e^- scattering, high energy behaviour of total cross section and Lamb shift 4—2683
- N-N interaction, two-potential formalism 4—475
- NN elastic scattering, amplitudes, analyticity, poles at t=0, Fermi basis 4—15535
- φ^4 model, crit. phenomena 4—2582
- B atom, external electron, wave functions and transitions oscillator strength calcs., perturbation by configurational interaction *(Russian)* 4—19661
- ^9Be, excited, nuclear quadrupole interaction correlation effects 4—15995
- CO, anal. of perturbation parameters in $a^3\Pi$ and $A^1\Pi$ static 4—9484
- H_2, anal. of nuclear motion influence on mag. props. 4—12549
- H_2, electronic transition moments calc. by perturbation of multiconfiguration wavefunction method 4—40226
- H_2, excited Σ^+ states, many body perturbation theory calcs. by Brandow's method 4—12539
- H_2^+, one-dimens. model, projected perturbation theory 4—19751
- ^3H binding energy, application of T-matrix perturbation theory 4—398
- He I, isoelectronic sequence, Z-expansion anal. of D state variational energies 4—9362
- MgO, electronic transition moments calc. by perturbation of multiconfiguration wavefunction method 4—40226
- ^{95}Mo, nuclear moments, ground state hyperfine struct., atomic beam mag. reson. method 4—19284
- ^{97}Mo, nuclear moments, ground state hyperfine struct., atomic beam mag. reson. method 4—19284
- Na, liquid, optical absorption, temp. dependence, electron energy perturbation calc. 4—37635
- Ne_2, dispersion energy between two atoms calc. using perturbative procedure 4—40202
- OH, proton Fermi-contact hyperfine const. many-body pertubation theory 4—16041
- ^{16}O, effect of high-lying configurations on odd-parity spectrum, calc. 4—12161

petrol engines *see internal combustion engines*

petroleum industry
- electrostatic precipitator, fluid catalytic cracker flue gas applic. 4—23245
- industrial nondestructive testing, thermal imaging systems, practical applic. 4—22791
- petrol blending operation, Pb antiknock content, automatic sampling 4—23050
- wax separation, dielectrophoretic method 4—10716

petroleum refining *see oil refining*

p.f.m. *see pulse frequency modulation*

pH
- amino-organic, NH_2 electronic struct. and basicity, i.r. spectra 4—36521
- 1 and 2-anthroic acid, u.v., fluoresc. spectral investig. rel. to soln. acidity 4—37686
- dye solutions, photoprotolytic, effect on luminesc., stimulated emission 4—28917
- hematoporphyrin, fluoresc. depend. 4—13488
- International Weston cell e.m.f. stability rel. to electrolyte pH 4—35157
- mica, ground in water, pH, thermodynamics problem for students 4—26357
- ph/blood gas analysis apparatus 4—2393
- PbO_2, electrode, thermodynamic investig., stoichiometry changes rel. to pH, Pb^{2+} ions conc. *(German)* 4—38147
- Zn atomic absorption analysis, pH effect 4—19666

pH control
- computer simulation of pH control reaction 4—33998

pH factor *see pH*

pH measurement
- oceanographic s.t.d. probe, dissolved O_2, pH, turbidity and specific ion meas. errors 4—11080
- water waste and sewage disposal, electronic meas. 4—30654

phase angle meters *see phase meters*

phase-contrast microscopy *see microscopy*

phase control
- correlator for radiotelescope receiver 4—22494

phase diagrams
- *see also phase equilibrium*
- acetone-methanol-propan-2-ol-water, binary, ternary and quaternary systems, vapour-liquid equilibria 4—17544
- actinide oxides, phase equilib. diagrams and crystallographic data 4—40875
- alloy, binary eutectic, effect of parameters of pure constituents on graphic structure *(Polish)* 4—17190
- alloy, eutectic, comp. depend. on supercooling 4—7003
- alloy, interdendritic eutectic composition 4—17204
- alloy, lamellar eutectic, stability of growth, theory 4—33669
- alloy, polyphase diffusion couple, intermediate phase, activation energies for layer growth and interdiffusion 4—41550
- alloy, W-structure variants *(German)* 4—1479

phase diagrams continued
antiferromagnets, first-order phase transitions 4−13310
binary alloys, critical points, higher order transitions, review, discussion of results 4−37816
bronze, Cr, recrystallisation diags., rel. to heat treatment before deform. 4−29062
computation methods 4−20408
ferroelectric, phase transitions, order-disorder type, review of expt. results, discussion 4−20940
ferromagnet, tricritical point anal. 4−1309
ferromagnetic Ising planes, critical points 4−24917
glass, binary, metastable immiscibility boundary, third component effect 4−7295
glass, differential thermal analysis obs. 4−36811
glass, Na_2O-TiO_2-SiO_2, optical props. and specific vols., rel. to primary phase diag. 4−38063
heptane, vap.-liq. coexistence curve near critical point, density meas. *(Russian)* 4−24554
ideal fluids, quantum and classical gases, thermodynamic definition and phase diagrams 4−39668
III-V quaternary system, liquidus and solidus data 4−32669
Ising magnet/lattice gas, press./density, press./temp., phase transitions, mag. effects *(German)* 4−32644
Ising model, simple compressible, zero field 4−20748
liquid crystals, Kobayashi-McMillan model potential 4−12865
magnetic, Hubbard model, s-d-model, system with strong electron correlation *(German)* 4−16918
metal-metal oxide ternary eutectics, directional solidification, eutectics growth 4−17217
multicomponent systems, geom. represent. of equil. 4−41533
multiphase interdiffusion, diffusion coeffs. and rate consts. of moving phase interface 4−29043
olivine, stability w.r.t. oxidation and reduction 4−34145
pair potential model of intermetallic phases 4−33643
pair potential model of intermetallic phases 4−33644
plasma, crystallised, Monte Carlo anal. of solid-fluid coexistence curve 4−32163
propargyl alcohol, pressures up to 40 kbar, −20 to +130°C 4−32670
rare earth indium nickel (palladium) intermetallics, equiatomic ternary phase characterization 4−25306
rare earth metallide-hydride, RCo_5-H and RNi_5-H systems 4−9978
rare earth oxides, phase equilib. diagrams and crystallographic data 4−40875
rare earth-cobalt systems, revised diagrams and crystallographic parameters 4−41524
rare earth-transition metal intermetallics, Laue phase studies *(Russian)* 4−7033
rare earth-transition metal-aluminium ternary systems, Laue phase obs. *(Russian)* 4−7032
spinodal decomposition, theory and statistical methods 4−33638
steel, low-C, boron-treated, transform. kinetics and hardenability 4−7017
steel, martensitic point, physical interpret. *(Russian)* 4−13587
steel, pearlite morphology, model approach 4−17270
steel, proeutectoid ferrite reaction kinetics, Al, Co and Si influence 4−17203
ternary system, unidirectional solidification of liq. into two solid phases 4−41536
tetramethyl ammonium manganese chloride, pressure-induced transforms, triple points 4−3571
tetramethylammonium manganese trichloride, symmetry of phases at high pressure 4−32394
transition metal alloys, type A_3B(β-W), rel. to supercond. transition temp. 4−33059
transition metal oxides, phase equilib. diagrams and crystallographic data 4−40875
Ag-Al system, alloying behaviour, pseudopotential calc. 4−25296
Ag-Al system, μ and phase stability, electronic sp. ht. obs. 4−33637
Ag-Au, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
α-Ag-In(Sn) solid solns., activities, free energies, Hume-Rothery phenomena 4−1461
Ag-Mg system, alloying behaviour, pseudopotential calc. 4−25296
Ag-Pb(Sb)(Sn) alloys, molten, activities meas. 4−41551
Ag_3PO_4-$AgPO_3$ system, liquidus diagram study by differential thermal analysis 4−1108
Al-Ag system, solubility of Ag 4−29042
Al-Al_3Ni eutectic:Fe, (Si), space orientation of phases *(Slovak)* 4−7013
β-Al-Cu system, intermediate phase, activation energies for layer growth and interdiffusion 4−41550
Al-Cu(45 at.%) alloy, metastable Al_3Cu_2 phase parameters 4−41527
Al-Ga-P-As, liquidus and solidus data 4−32669
Al-Ge system, metastable phase obs. 4−7043
Al-Zn(28 at.%) alloy, matrix precip. effects on cellular growth kinetics, miscibility gaps 4−37792
Al_2O_3-Nb_2O_5-Cr_2O_3, solid state equilib. at 1400°C *(Italian)* 4−32661
Au-Co system, reaction diffusion and associated nonequil. effects 4−37801
Au-Mg system, alloying behaviour, pseudopotential calc. 4−25296
Au-Si alloy system, non-equil. phase cryst. struct. 4−12900
Au-Zn system, thermodynamic parameters 4−1456
$BaCl_2$-$CeCl_3$, peritectical transformation *(Russian)* 4−40873
$BaCl_2$-NaCl-$CeCl_3$, nonvariant points *(Russian)* 4−40874
$BaTiO_3$-TiO_2 system, subsolidus phase relations, X-ray diffr. 4−32517
Be-B system, phase constitution and struct. *(German)* 4−1476
Bi-Pb system, contact melting kinetics, omnidirectional press. influence *(Russian)* 4−37791
$BiI \rightleftharpoons BiII$ transforms. at h.p. under hydrostatic conditions. temp.-press. equil. diagram *(Russian)* 4−37000
$(Bi_{1-x}La_x)FeO_3$, electric, mag., X-ray and e.p.r. meas. 4−33165
Bi_2Se_3, calcined, pellets, electronic props., existence region constructed, enthalpy, heat of form. calc. *(French)* 4−32869
Bi_2Se_3-Bi_2Te_2S-Bi_2S_3 system, physicochem. investig. 4−32666
C, rel. to laser irrad. behaviour at low pressure 4−31062
CaO-MgO-SiO_2-H_2O system liquidus relations at 10 kb 4−7514
Cd-Ge-P system, cross section CdP_2-Ge 4−32663

phase diagrams continued
Cd-Sb alloys, liq., heat capacity, liquidus curve to 630°C 4−32716
Cd-Te-Sn system, cross section CdTe-Sn 4−32664
CdSe-Cr_2Se_3 system, rel. to $CdCr_2Se_4$ formation 4−3552
Ce-Co system, revised diagrams and crystallographic parameters 4−41524
Ce-La-Co system, constitution of Ce-Mischmetal-Co base alloys *(German)* 4−21237
Ce-Mischmetal-Co, comp. analysis by X-ray fluoresc. 4−21236
Ce_5Co_{19}, struct., existence region, rel. to La substitution *(German)* 4−7007
Co superalloys, aligned multicomponent, coupled growth and stability 4−13622
Co-Co_2Si system, metastable eutectic existence 4−29041
Co-La, Ce alloys, homogeneity, stoichiometry 4−25292
Co-Ni alloys, rel. to comp. depend. of secondary ion emission intensity *(Russian)* 4−6940
Co-Ni-O, phase composition and mag. props. *(Russian)* 4−6475
Cr-Pt system, constitution diagram 4−41535
Cr-Ti system, up to 1390°C *(Russian)* 4−7026
Cs_2MoO_4-MoO_3, thermal, spectral and X-ray diffraction obs. 4−28185
Cu/E phase, pseudobinary eutectic, unidirectional solidification *(German)* 4−17198
Cu-Al system, comp. depend. of mech. behaviour under h.p., banded struct. 4−17335
Cu-Al system, eutectoid reaction mechanism and kinetics 4−33636
Cu-Al(Ni) alloys, rel. to comp. depend. of secondary ion emission intensity *(Russian)* 4−6940
Cu-Cu_5Hf alloys, constitution and props. after directional solidification 4−4069
Cu-Mn-Al alloys, modulated, γ-phase precip. 4−17284
Cu-Pt(65-78 at.%) alloys, ordered structs., electron diffr. and microscope obs. 4−16444
Cu-Sn-Se system quasibinary Cu_2Se-$SnSe_2$, Cu_2SnSe_3-SnSe and Cu_2Se-SnSe systems 4−13019
Cu-Ti alloys, metastable precipitate cryst. struct. 4−29073
Cu-Ti alloys, metastable precipitate cryst. struct. 4−29074
Cu_3SbSe_4 type cpds., form. by peritectic reaction 4−4043
Cu_2Te, molten, compatibility with Mo, for container applics. 4−41548
Dy_2O_3-CaO system, 1400-2400°C 4−13020
Er-Rh system, phase equil. and phase structs. 4−7018
Fe, cast, eutectoid transform. kinetics, effect of Cr 4−41546
Fe, cast, nucleation and growth phenomena of eutectic cells of grey and ductile irons 4−13620
γ-Fe, solubility of silver, 1366-1561K 4−37803
Fe, tensiometric determ. of thermodynamic functions in Fe-Pt *(Czech)* 4−4068
Fe/Fe-Pd and Fe/Fe-C diffusion couples, austenitic, enhanced surface diffusion 4−21232
Fe-Al, from energy of mixing, X-ray scatt. determ. 4−13658
Fe-Al alloy, appl. of X-ray diffuse scatt. method 4−17209
Fe-Al diffusion couples with Fe, interdiffusion and equil. diagram behaviour 4−41549
Fe-Al-Zr alloy, two-phase, struct. of $ZrFe_{3.3}Al_{1.3}$ *(French)* 4−37822
Fe-Be system, precip. sequences 4−33646
Fe-C system, calc. of T-P-C of melt near equilib., up to 100 kbar 4−13616
Fe-Co(Cr)(Zr) alloys, rel. to comp. depend. of secondary ion emission intensity *(Russian)* 4−6940
Fe-Cr system, thermochem. and phase equil. 4−25305
Fe-Fe_2O_3-CaO ternary system, and reduction equilibria, 550-1070°C *(German)* 4−13585
Fe-Mn-C system, solid phase thermodynamics 4−33677
Fe-Mo, Fe-W and Fe-Mo-W systems, equil. between ferrite, austenite and intermediate phases 4−13605
Fe-Ni system, thermochem. and phase equil. 4−25305
Fe-Si, ^{57}Fe Mossbauer study, phase transformations, isomer shift and quadrupole splitting 4−28730
Fe-Si solid solns., b.c.c., ordering reactions, chem. and mag. interaction considerations 4−33670
Fe-Si system, rel. to spinodal decomp. theory 4−29039
Fe-Zn binary couples, phases diffusion coeffs. *(Japanese)* 4−41529
Fe-$ZrFe_2$ Laue phase obs. *(Russian)* 4−7035
Ga-In-Sb, rel. to soln. growth of n-Ga_x In_{1-x}Sb 4−41506
Ga-S, physical-chemical anal. 4−6509
Ga-Se binary system, determ. by differential thermal anal. 4−36993
$Ga_xIn_{1-x}As_ySb_{1-y}$ alloy, composition anal. by X-ray fluoresence, solid soln. and phase diagram data 4−39444
$Ga_xIn_{1-x}Sb$, liquid phase epitaxial growth region *(French)* 4−41507
Ga_2O_3-Cr_2O_3, cryst. growth, e.s.r., X-ray diffr. investigs., phase diagram *(German)* 4−36838
GaP, solidus curve, vacancy conc. determ. 4−24550
GaP and GaAs in Sn and Bi, solubilities *(German)* 4−13024
Gd-Co system, homogeneity region of $GdCo_5$ and Gd_2Co_{17} 4−1464
H_2-D_2 system, vapour-liquid (solid) and liquid-solid phase equilibria, 14 to 20K *(Russian)* 4−36995
He, solid, predictions via generalised quantum-mechanical cell model 4−24612
^{3}He enthalpy-pressure diagram, range $1.0 \leqslant T \leqslant 4.17$K, $0 \leqslant p \leqslant 6.5$ atm and inversion curve for $T \leqslant 4.17$K 4−16636
^{3}He-^{4}He mixture, liquid-vapour critical line, thermodynamic props. and eqn. of state 4−28259
Hf-Hg system, intermetallic phase studies *(German)* 4−1477
Hf-Mo system, Laue phase studies *(Russian)* 4−7029
Hf_2Ni_7, isotypic relationship with Zr_2Ni_7 *(German)* 4−7041
Hg-Tl system, eutectic behaviour at h.p. 4−1455
InP-InSb quasi-binary phase diagram *(Japanese)* 4−40871
$(K^+,Ag^+\|NO_3^-,SO_4^{2-})$ reciprocal system, thermodynamic props. calc. from phase diagram 4−29364
K-Cs(Rb) alloy systems, size factor rule justification by pseudo alloy atom model 4−33645
$KH_3(SeO_3)_2$, hydrostatic press. effect on phase transition temp. 4−20412
$K_2Pt(CN)_4$, mixed-valence triclinic product formed by partial bromination, identification 4−1119
K_2SO_4-Cs_2SO_4 system 4−13832
Li_2O-B_2O_3 system, in situ growth of aligned composites from vitreous state 4−29209

phase diagrams continued
Mg-Li oriented lamellar eutectic system, phase boundaries *(French)* 4−33649
MgO-Al_2O_3-P_2O_5 system, subsolidus phase diagram 4−13820
Mn-C system, solid phase parameters 4−41534
Mn-Cu-Si system, $MgZn_2$ type Laves phase obs. 4−7016
MnS-Ga_2S_3 system, phases identification and crystallographic characteriz. *(French)* 4−40869
Mo-Co system, diffusion couples, 800-1300°C 4−25294
Mo-O system, solid solubility of oxygen 4−33675
Mo-O-C system, zeta carbide struct., X-ray anal. 4−7009
Mo-V-Zr system, solid soln. phase studies *(Russian)* 4−7031
Na-Cs(K)(Rb) alloy systems, size factor rule justification by pseudo alloy atom model 4−33645
Na-K, eutectic system, liquid curves under press. 4−33666
NaF-AlF_3 system, cryolite liquidus curve behaviour 4−7477
$Na(H_{1-x}D_x)_3(SeO_3)_2$, Raman study of order-disorder solid phase transformation 4−13421
Na_2O-Ga_2O_3 system, β and β' alumina type phase obs. *(French)* 4−1111
Na_2O-Li_2O system, DTA analysis *(French)* 4−20407
Na_2SO_3 and Na_2SO_4 aqueous solns., spontaneous rupture of supercooling and supersaturation states *(French)* 4−9977
Nb-Ga alloys, fast cooling rates influence on solidification *(Russian)* 4−10564
Nb-W-Zr-C alloys, phase structure, and C solubility determ. 4−19596
NbF_5-PbF_2 system *(French)* 4−28191
Nd-Co system, revised diagrams and crystallographic parameters 4−41524
Nd-Zn system intermetallics and liq. alloys, Zn v.p. and free energy of form. 4−41537
Ni superalloys, aligned multicomponent, coupled growth and stability 4−13622
Ni-Al system, Ni-rich side, Ni_3Al layer growth, diffusion coeffs., interface concs., 1000-1300°C 4−37809
Ni-Al-Cr-Ti-Mo-W superalloy system, phase stability, 850°C 4−13617
ni-Cr-S alloy system, phase constitution, 600-850°C 4−37804
Ni-Cu, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
Ni-Ga-Ge mixture, 700°C isothermal section, phase characteriz. *(German)* 4−7040
α-Ni-Zn terminal f.c.c. solid solns., Zn thermodynamic activities, phase boundaries 4−33640
NiFe ferrite system, phase diagram at 1300°C, lines for const. vacancy content 4−36994
$Ni(NO_3)_2 6NH_3$, magnetic, determ. from temp. depend. of susceptibility 4−16923
NiO-CoO solid soln. single crystals, phase separation investigation 4−6477
β_1-NiZn alloys, f.c. tetragonal, lattice disorder effect on thermodynamic parameters 4−1457
$(Pb,La)Zr_{0.65}Ti_{0.35}O_3$, phase relations, La content and temp. depend., ferroelectric transition 4−7296
Pb-Sn-Se(Te), liq.-solid, rel. to epitaxial growth 4−33617
$PbCl_2$-$ZnCl_2$ binary system, phase diagram and density of melt *(Japanese)* 4−13023
PbSe(Te), press.-temp.-comp. diagrams and elec. characteriz. 4−13022
PbTe based II-IV-VI cpds., phase equil. relationships 4−13021
PbTe-InTe system, thermoelec. props. obs. 4−6648
PbTe-SnTe solution, ternary, solid-liquid phase diagram *(French)* 4−13018
$PbZr_{1-x}Ti_xO_3 + 0.8\%WO_3$, press.-elec. field, press.-comp., depolarization 4−37570
Pr-Co system, revised diagrams and crystallographic parameters 4−41524
Pr-Co-Cu, Pr-Co-Cu-Fe and Pr-Co-Ni systems phase constitution and structure *(Russian)* 4−1463
Rb-Cs alloy system, size factor rule justification by pseudo alloy atom model 4−33645
RbCl-$CdCl_2$ system, subsolidus behaviour, tetragonal-cubic transition, anomalous polymorphism 4−13025
RbF-YbF_3 system, phase relations and new cpd. obs. *(French)* 4−40870
S, adsorption on metal surface, struct. rel. to formation mechanism *(French)* 4−10047
Se-Tl liquid, miscibility phase transition elec. resist. meas. 4−28213
SiO_2-Al_2O_3 systems, stable and metastable states 1 atm. 4−40872
Sm-Co system, Co-rich part, X-ray diffr., metallographic and thermoanalytic obs. 4−37784
Sm-Co system, homogeneity region of $SmCo_5$ 4−1464
$SmCo_5$, liq. phase sintered, phase anal. 4−4059
$SmCo_5$, struct. and stability, 500°C to m.p. 4−4058
Sn-Ag-Sb liq. alloys, interdiffusion coeffs. determ. *(French)* 4−25304
Sn-Mg alloys, Sn-rich, liquidus obs. 4−7022
Sn-Pb-As, Pb-rich portion investigation by thermal anal. and X-ray techniques 4−17199
Sr-Hg, thermal, micrographic, X-ray anals. 4−29033
Ta-Co Laves phases, cryst. struct., homogeneity ranges and mag. props. 4−33673
Ta-Cr system, intermediate phase studies *(Russian)* 4−7027
Ta-D, deuteride precipitation effects 4−37821
Ta-N system, metal-rich side phase equil. 4−37806
Ta-N system, nitride phase obs. 4−25309
Ta-S, high temp. diagram, 1000°C *(French)* 4−20406
Te, liquid, pressure-temp. diagram, boundary interpret. and reln. to melting-curve max. 4−6479
Te-TeI_4 system, thermal, X-ray anals., vap. press. meas. 4−32673
(Ti,Zr,Hf)-Cu-Si ternary phase diagram at 800°C *(German)* 4−17197
Ti-Al alloys, α-phase decomp., resist. and TEM obs. 4−37796
Ti-Al-H and Ti-Al-V-H systems, hydrogen solubility, 800-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
Ti-Cu(Fe)(Ni)-Al system phase equil. and phase form. studies *(Russian)* 4−7034
Ti-Hg system, intermetallic phase studies *(German)* 4−1477
Ti-Ni metastable alloys, Ni conc. depend. 4−13614

phase diagrams continued
Ti-Pd system, eutectoid region obs. 4−13603
Ti-V-H and Ti-Al-V-H systems, hydrogen solubility, 80-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
Ti-W-C alloys 4−1465
TiC, homogeneity region, two struct. types for different C conc., X-ray obs. *(Russian)* 4−37013
TiS systems, 800 and 900°C *(French)* 4−24547
TlF-YbF_3 system, phase relations and new cpd. obs. *(French)* 4−40870
U-Hf(Mo)(Nb)(Zr) system solid solns., computer calc. of phase equil. curves 4−25298
U-Mo-C system, phase behaviour and $UMoC_2$ free energy of form. 4−25299
U-Pu-W-C system, thermodynamic estimations, rel. to fuel-cladding compatibility 4−19583
U-Rh-C system, phase and thermodynamic behaviour 4−31540
$UNi_{5-x}Al_x$ X-ray obs., conc. depend. 4−7008
UO_2-MgO-W system, directional solidification, eutectics growth 4−17217
UO_3-MoO_3 nuclear reactor fuel, X-ray anal. of phases 4−23851
V-C system, determ. from vaporization behaviour of VC_x carbides 4−32689
V-Fe(Co)(Ni)-B systems, X-ray obs. 4−13590
V-H solid solns., solubility and trapping of vanadium 4−1505
V-H system, isotope effect on solvus 4−37795
V-H(D), comparison by n.m.r., comp. var., temp. depend. 4−32668
V-Pt system constitution diagram 4−7015
$V_{1-x}Cr_xO_2$, rel. to hysteresis effects in semicond.-metal transition 4−10109
V_3Ga, supercond., growth kinetics in V-Ga/Cu-Ga composite system 4−13624
V_3Ga alloys, processed, homogenization and comp. relationships 4−13623
V_2O_3-Cr_2O_3 system: Fe^{57}, antiferromagnetic transitions, Mossbauer meas., temp. dep. of mag. field at Fe impurity 4−28624
W-Cr-Zr system, 1200 and 1500°C *(Russian)* 4−7030
Y_2O_3-CaO system, 1400-2400°C 4−13020
Yb-Ni system, X-ray diffr., thermography, metallography 4−7010
Yb_2O_3-CaO system, 1400-2400°C 4−13020
Z-Nb alloys, supercond., flux pinning processes w.r.t. phase separation reaction 4−13266
δ_1-Zn pseudo-binary couples, phases diffusion coeffs. *(Japanese)* 4−41529
Zn-Ag(Cu) alloys, splat cooled, metastable phase relationships 4−1458
Zn-Sb alloys, liq., thermodynamic props. and cpd. cluster form. 4−37818
$ZnSiP_2$:Sn system, temp.-comp. diagram 4−4048
Zr-Cr system, Laue phase studies *(Russian)* 4−7028
Zr-Hg system, intermetallic phase studies *(German)* 4−1477
Zr-Nb system solid solns., computer calc. of phase equil. curves 4−25298
Zr-Pt alloying behaviour 4−7042
Zr-transition metal alloying behaviour 4−7042
Zr_2Ni_7, isotypic relationship with Hf_2Ni_7 *(German)* 4−7041
$ZrNi_{5-x}O_x$, X-ray obs., conc. depend. 4−7008

phase equilibrium
see also phase diagrams; solutions
acetone-methanol-propan-2-ol-water, binary, ternary and quaternary systems, vapour-liquid equilibria 4−17544
acetonitrile-water system, phase separation phenomena, selective solvation on addition of electrolytes 4−38148
alkyl sulphates, transfers between solvents, ion pair extraction consts. determ., partition coeffs. 4−38170
alloy, molten metallic, two-phase equil. obs. using maximum bubble press. method 4−1480
benzene, adsorbed on SiO_2 gel, below m.p., sp.ht. meas. 4−10041
binary fluid, coexistence curve and diffusion coeff. determ. by interferometric method 4−37011
binary organic liquid system, liquid-vapour equilibria at 45°C., meas. using Brown-Ewald still *(French)* 4−34090
β-brass, stability limits 4−25310
classical bodies, second order, generalised Ehrenfest eqns. 4−2580
first and second order, for classical bodies 4−40868
gas, critical phenomena demonstration for students 4−4940
n-hexane, adsorbed on SiO_2 gel, below m.p., sp.ht. meas. 4−10041
metal, idealized close packed, faulting and phase stability 4−20317
methane-Ar-CO system, equilibrium compositions at 123-4, 137.1 and 164.0K 4−16587
mixture, binary, coexistence curve meas., gravity-induced gradients effect 4−34087
molecular H-He mixtures at high pressure, phase equilibria 4−25996
multicomponent polymer liquids, solubility *(German)* 4−4308
multicomponent systems, geom. represent. 4−41533
multiphase system, gen. eqns. for calcs. of equilibria 4−35760
oxide absorber materials, review of characteristics 4−15948
polymer solutions, concentrated, vapour-liquid equilibrium 4−7471
polystyrene-cyclohexane system, coexistence curve in critical region 4−38068
Raney alloy, vapour phase deposits on NaCl cryst., phase struct. 4−20494
solutions with free charges, anomalous Gibbs enriched layer *(Russian)* 4−28215
steel, austenitic, 1Kh14N18V2B, carbide phases, effect of B on distrib. and amounts 4−7083
steel, carbonitrided, failure character and phase comp. of surface layer, tempering effect 4−29120
steel, deformed at high rates, effect on grain size, carbide heterogeneity and bending strength, R18 4−13736
steel, martensitic point, physical interpret. *(Russian)* 4−13587
steel, parallel appl. of electron microanal. and X-ray anal. for determ. chem. and phase composition 4−4067
steel, second phases, kinetics of soln., Kh18N12T 4−33731
steel, stabilisation and ageing of austenite, 25-80°C *(French)* 4−37943
steel, stainless maraging Fe-Cr-Ni, effect of alloying and phase comp. on props. 4−13726
supercritical fluids and their mixtures, at very high pressures, thermodynamic props. 4−3573

phase equilibrium continued
- ternary liquid-liquid equilibrium, prediction from binary data 4−4305
- vapour-liquid, high pressure, partial press. calc. from total press., thermodynamic consistency 4−29361
- vapour-liquid, modified Redlich-Kwong eqn. of state 4−40881
- water, adsorbed on SiO_2 gel, below m.p., sp.ht. meas. 4−10041
- water, PVT behaviour of negative press., capillary tube deform. effects 4−28182
- Ag-Al system, μ and phase stability, electronic sp. ht. obs. 4−33637
- Ag-Au, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
- α-Ag-In alloys, indium v.p. meas. using atomic absorpt., thermodynamic parameters 4−13606
- Ag-Nd system, thermal, metallographic, X-ray, chemical anals. 4−29031
- Ag-Pr system, thermal, chemical, metallographic, X-ray anals. *(French)* 4−29030
- Al-Ag alloys, metastable miscibility gap and crystallog. struct. of G.P. zones *(French)* 4−17238
- Al-Si-Fe alloy, morphology of eutectic, solid solns., and intermetallic phases *(German, English)* 4−21231
- Al_2O_3-Nb_2O_5-Cr_2O_3, solid state equilib. at 1400°C *(Italian)* 4−32661
- Ar, phase change studies 4−24548
- Ar-CO system, vapour-liquid equilibrium ratio, normal and critical regions 4−40882
- Ar-methane system, vapour-liquid equilibrium ratio, normal and critical regions 4−40882
- Ar-N_2 system, vapour-liquid equilibrium ratio, normal and critical regions 4−40882
- Au-Co(Fe) systems, thermodynamic characteriz. of solid and liq. solns. *(German)* 4−7039
- $BaO.Fe_2O_3$-$BaO.6Fe_2O_3$ subsystem, below 1200°C 4−13840
- Be-B system, phase constitution and struct. *(German)* 4−1476
- Bi-Zn alloy, molten, two-phase equil. obs. using maximum bubble press. method 4−1480
- BiTe-Bi_2O_3-$Bi_2(TeO_3)_3$-Te system, and oxygen donor effect 4−32665
- CO-methane system, vapour-liquid equilibrium ratio, normal and critical regions 4−40882
- CO_2-propane system, vapour-liquid equilibria modified Redlich-Kwong eqn. of state 4−40881
- CS_2-nitromethane system, coexistence curve, critical exponent β, rectilinear diameter 4−28189
- Co-Co_2Si system, metastable eutectic existence 4−29041
- Co-Cr-C system, carbide precip. and carbide equilib. 4−13650
- $Co_{1-x}Ni_xCr_2S_4$, phase relns. between spinel and defect NiAs structs. 4−28617
- CrS_x system, nonstoichiometry and thermodynamics 4−1118
- Cu-Be alloy system, eutectoid decomp., crystallo-struct. obs. of initial decomp. stage *(Russian)* 4−37788
- Cu-Ga alloy with 18-70 wt% Ga 4−17214
- Cu-Ga alloys, rel. to charact. for soldering pastes 4−25286
- $CuIn_2O_4$, stability, obs. using e.m.f. method 4−13045
- CuO, elec. cond., temp. depend., when equilib. with gas phase is disturbed 4−13178
- $CuTaO_3$, stability, obs. using e.m.f. method 4−13045
- Er-Rh system, phase equil. and phase structs. 4−7018
- EuB_6 phase, existence range *(German)* 4−1110
- EuS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
- Fe-Co alloy, overheating phase, chem. comp., YuNDKT alloys 4−29037
- Fe-Co system, mag. field effects 4−1471
- Fe-Cr alloy, oxidized at 600°C in CO_2-1% Co, phase interactions in oxide thin film growth 4−37118
- Fe-Cr alloys, prepared by amalgamation process, struct. props. by X-ray diffr. 4−41557
- Fe-Mn-Mo(Si)(V) systems, ferrite/austenite equil., γ-loops *(Japanese)* 4−41530
- Fe-Mo, Fe-W and Fe-Mo-W systems, equil. between ferrite, austenite and intermediate phases 4−13605
- Fe-Ni alloys, prepared by amalgamation process, struct. props. by X-ray diffr. 4−41557
- Fe-$ZrFe_2$ Laue phase obs. *(Russian)* 4−7035
- $Fe_{1-x}Ni_xCr_2S_4$, phase relns. between spinel and defect NiAs structs. 4−28617
- FeO-MnO single crystal, phase boundaries, phase separation, and elec. props. 4−38010
- Ga-Te alloy, liq., resist. and thermoelec. power, evidence for cpd. formation 4−37221
- GaAs-ZnTe system 4−32667
- Gd-Sn alloys, liquid, N_2-GdN equilibria 4−33994
- GdS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
- γ-Gd_2S_3, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
- ge-Te alloy, liq. resist. and thermoelec., power, evidence for cpd. formation 4−37221
- GeS_x glasses 4−1012
- HoS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
- InSb-NiSb eutectic alloys, interface energy from total self energy of interface dislocations 4−17206
- K_2O-Nb_2O_5-WO_3 system, subsolidus phase study, tungsten bronze phase type obs. 4−29195
- Li-O system, identification of new oxide, Li_3O_2 4−1109
- Li_xBi_{1-x}-LiCl system, equilib. distrib. between liquid Li-Bi alloy and molten LiCl 4−29029
- MgO basic refractories, phase equilibria and microstructure 4−33865
- MgO-SiO_2-H_2O, high press. and high temp. meas., reaction products exam. by optical, thermal, X-ray meas. 4−29197
- $Mn_{1-x}Ni_xCr_2S_4$, phase relns. between spinel and defect NiAs structs. 4−28617
- Mo-Cu-Ni system, two-phase field of Mo(Ni, Cu) and Cu(Ni, Mo) solid solns., boundary 4−37815
- Mo-W-C system, 1000°C 4−7306
- Na, liquid, precipitation of Ba_2N, Ba_3N_2, ternary phase diagram 4−4311

phase equilibrium continued
- Na, liquid, reaction with water vapour, 300 to 450°C, Na-H-P phase diagram 4−4253
- NaCl-AgCl, solid soln., two-phase decomposition model 4−6504
- Na_2O-BaO-SiO_2 ternary system, subsolidus phase equilib. and compound formation 4−29225
- Na_2O-IrO_2 system, equilib. phase rel., quenching technique in air 4−28186
- Na_2O-PtO_2 system, equilib. phase rel., quenching technique in air 4−28186
- Ni superalloy, Mar-M200 4−17215
- Ni-Al powder mixture, nature of kinetics and reaction diffusion *(Russian)* 4−13808
- Ni-Al-Cr-Ti-Mo-W superalloy system, phase stability, 850°C 4−13617
- Ni-Cr alloy, eutectic, struct. and comp. of phases during solidification 4−13609
- Ni-Cu, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
- Ni-Ni_3Ta directionally precip. hardened composites, thermal stability 4−17425
- NiO-CoO single crystal, phase boundaries, phase separation, and elec. props. 4−38010
- Pb, liquid, distrib. of Sb *(Japanese)* 4−17201
- Pb-Sn eutectic, thermal stability, microstruct. obs. 4−17224
- Pb-Sn system, determ. of solute interaction parameters using linear programming technique 4−1459
- Pb-Te alloy, liq., resist. and thermoelec. power, evidence for cpd. formation 4−37221
- PbO-SiO_2 system, liquid, distrib. of Sb *(Japanese)* 4−17201
- PbO-TiO_2 system, free energy of formation of intermediate compounds 4−3553
- PbTe based II-IV-VI cpds., phase widths and solubilities 4−13021
- $Pb(Zr,Ti)O_3$, intrinsic nonstoichiometry, Knudsen effusion determ. 4−38016
- Pr-Sn alloys, liquid, N_2-PrN equilibria 4−33991
- SF_6, critical liquid-vapour interface, diffuse transition layer thickness 4−16589
- SF_6, law of rectilinear diameter, deviations vapour liquid density obs. 4−40887
- Sb minerals, fine-grained intergrowth of complex sulphides *(German)* 4−6503
- Si, sublimation, mass spectrometric study of vapour species 4−32688
- SiO_2, sublimation, mass spectrometric study of vapour species 4−32688
- SmS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
- $Sr_3Fe_2O_{7-x}$, polymorphism 4−37003
- Ta-Cr system, intermediate phase studies *(Russian)* 4−7027
- Ta-N system, metal-rich side phase equil. 4−37806
- Ta-N system, nitride phase obs. 4−25309
- Ta-O film, annealing and phase stability 4−24668
- $TaS_{1-x}Se_x$ system, single crystal, and powder samples, prepared by hot pressing 4−28188
- Ti alloys, binary, negative temp. coeff. of resist. w.r.t. metastable beta phase 4−25315
- Ti-Cu(Fe)(Ni)-Al system phase equil. and phase form. studies *(Russian)* 4−7034
- Ti-Nb alloy, superconducting, props. and struct. 4−13246
- Ti-refractory elements, mech. props., struct., and phase composition 4−33794
- Tl-S system, below 100°C 4−32662
- TlI-CsI system, lattice consts. and solid solubility, X-ray obs. 4−28190
- TlI-RbI system, lattice consts. and solid solubility, X-ray obs. 4−28190
- TlI-TlCl system, lattice consts. and solid solubility, X-ray obs. 4−28190
- U-Hf(Mo)(Nb)(Zr) system solid solns., computer calc. of phase equil. curves 4−25298
- UO_2, hyperstoichiometric, vacancy model, O_2 press. exam. 4−32709
- U_3O_8, nonstoichiometry at 675-1125 K 4−32708
- UZrC-UC_2-C ternary system, thermodynamic and phase relns. 4−33857
- V-Mo-Zr ternary system *(Russian)* 4−21227
- V-Ti-N system phase studies *(Russian)* 4−7025
- V-Zr-N system phase studies *(Russian)* 4−7025
- V_3Ga alloys, processed, homogenization and comp. relationships 4−13623
- W-Cr-Zr system, 1200 and 1500°C *(Russian)* 4−7030
- WC-Co cemented carbides, composition and microstruct. of binder phases 4−7235
- YS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
- Zr-Al(8.8 wt.%) alloy, cast and transformed, microstruct., hardness and length change 4−41608
- Zr-Nb system solid solns., computer calc. of phase equil. curves 4−25298
- ZrC_x, defect carbides, phase boundaries of ZrC phase 4−32690
- $Zr(Se_sTe_{1-s})_2$ ternary phase, non-stoichiometry investigation *(French)* 4−16595

phase equilibrium diagrams *see phase diagrams*

phase-locked loops
- correlator for radiotelescope receiver 4−22494
- low noise u.h.f. and s.h.f. oscillators, a.f.c. by v.h.f. crystal resonators 4−22681
- maser oscillator, molecular beams, analogue of forced phase-locking in lasers 4−2613
- v.l.f. phase meter, meas. of signals at widely spaced points *(Russian)* 4−30993

phase measurement
- antenna nearfield distribution meas. by holographic method 4−26535
- bridge cct., precision rel. to phase method for thermal cond. measurement 4−22787
- Fleurs Synthesis Telescope phase and gain calibration techniques 4−22499

phase measurement continued
frequency stability comparison, multichannel, data acquisition by punched paper tape recording system 4−18350
local time linkage with international atomic time for Borowiec, Poland *(Polish)* 4−26656
microwave installation, submillimeter field, comparison with reference field, description 4−2328
microwave interferometer, phase shift meas. for plasma diagnostics 4−27981
standards, frequencies of 1 to 100 MHz, initial apparatus creation problems 4−35159
standards, required reserve accuracy 4−22755
tracking system total phase error analysis *(Russian)* 4−4948
v.l.f. phase meter, meas. of signals at widely spaced points *(Russian)* 4−30993

phase meters
optical digital phase meter 4−18500
v.l.f. signals, measurement at widely spaced points, Rb maser *(Russian)* 4−30993

phase modulation
see also phase shift keying
geophysical digital data multichannel telecommunication system 4−11026
one-arm phase optical bridge, small periodic displacements meas. 4−4963
optical, in liquid crystals, review 4−17047
spectrometer signal recovering, by phase modulation, filtering and demodulation 4−26520
CS$_2$, coupling of dispersion and self phase modulation, computer simulation 4−27004

phase regulation *see phase control*

phase shift keying
1 Gb/s q.p.s.k. laser communication subsystems, performance 4−31092
laser communication system, 1 Gbit/s laboratory, performance using quadriphase-shift-keyed modulation 4−19160
underwater p.s.k. acoustic data link 4−35109

phase shift microphones *see microphones*

phase space methods
acoustic objective analysis of subjective props. by delay-plane method, mathematics 4−26311

phase transformations
see also heat of transformation; liquid-vapour transformations; phase diagrams; phase equilibrium; solid-liquid transformations; solid-state phase transformations; solid-vapour transformations
4(4′)-alkoxyformyloxy-4′(4)-alkylazoxybenzenes, liq. cryst. transition temp. determ. 4−9831
anisolebutylaniline, liquid cryst., phase change investig. by Volta pot. meas. of cell 4−36806
n-azoxyanisol, nematic liq. cryst.-solid, thermodielectric effect 4−16427
azoxybenzenes, p-disubstituted, transition entropies and mesomorphic behaviour 4−6327
p-azoxydianisole, liquid cryst., isotropic to nematic, investig. using hot stage microscope 4−32424
p-azoxyphenetole, high speed nematic-to-crystal phase transition obs. 4−40744
biopolymer, and end effects, models 4−27772
boehmite gel, simultaneous sintering and phase transformation 4−21411
Bose system, microscopic approach to continuous phase transformations 4−23228
Bose transition, self consistent random phase approx. for Bose-Einstein condensation of charged Bose gas 4−30893
cholesteric-nematic phase change effect in mixtures containing liquid crystal 4-n-pentyl-4-cyanobipheny 4−6326
cholesteryl esters, binary systems phase studies, aliphatic ester pairs 4−9825
cholesteryl esters, binary systems phase studies, aliphatic ester pairs 4−9826
cholesteryl stearate, equilib. density-temp. behaviour and interphase transform. kinetics 4−28019
cholesteryl-6-n-alkoxy-2-naphthoates, homologous series, liquid cryst. properties, smectic-cholesteric phase transition 4−40742
computer simulation, review paper 4−30933
constrained systems, tricritical phenomena, thermodynamic props. 4−24546
cooperative phenomena, book 4−23216
demonstration of critical point using CO$_2$ critical tubes without vacuum lines 4−30328
ensemble theory of large interacting systems, computer simulation, relaxation process 4−15246
Ginzburg-Landau field in one dimension, screening approx. 4−26884
glasses, Fe$_2$O$_3$- and TiO$_2$-doped, optical absorpt. effect of heat treatment 4−6349
harmonic oscillator, oscillatory threshold, positive feedback and phase transitions *(German)* 4−19020
Ising magnet/lattice gas, press./density, press./temp., phase transitions, mag. effects *(German)* 4−32644
Ising model, crit. exponent, many body effects 4−23213
Ising spin systems, absence of phase transitions, GHS inequality 4−18985
lattice fluids with short-range interactions 4−39640
Lennard-Jones system, 2-dimens., Monte Carlo method, solid to gas phases, critical points 4−16148
liquid crystal, cholesteric-nematic and reverse transition, dynamics of mol. orientation 4−6329
liquid crystal, cholesteric-nematic transition mag. and h.f. elec. field effects 4−32431
liquid crystal, nematic-smectic A, crit. elastic const., viscosity 4−36799
liquid crystal, Schiff's base esters, mesophase transformations 4−6330
liquid crystal, smectic-A-nematic phase transition, first order 4−28529
liquid crystal phase transitions in mixtures of rodlike and platelike molecules 4−20206
liquid crystals, review 4−20211

phase transformations continued
neutron star matter, possibility of transition to neutron solid 4−8010
nuclear matter, low density, meson condensate *(Russian)* 4−15650
one-, zero-dimensional systems with short-range forces 4−30922
Ornstein-Zernike system, tricritical point 4−33163
p-azoxyanisole liquid crystal, discontinuities at nematic-isotropic melt phase transition 4−6331
Peierls' argument, use of reflection as symmetry operation 4−40862
polyurethanes, glass-forming temp. calcs. *(German)* 4−36823
Potts model, continuity criteria, renormalized cubic coupling const. 4−32656
quantum mechanical many-body systems far from thermal equilibrium 4−11868
quartz, moisture-saturated, second-order phase transition 4−41896
quasi first order, n-component field, 1-D 4−35747
reservoir-driven open systems, appl. to lasers and superconductors 4−23293
solvation, particle, two step process, hole form., adhesion, binding forces est. *(German)* 4−38169
symmetry breakdown and phase transition in general lattice systems 4−18987
two-component stream with phase transition, thermodynamic processes *(Russian)* 4−27891
AgI, moisture-saturated, second-order phase transition 4−41896
As$_2$Se$_3$ glass, kinetic parameters for glass transition, specific heat meas. 4−20220
D$_2$O ice, enthalpy relaxation from heat capacity meas. 4−16597
GeS$_x$ glasses, characteristic temperatures 4−1012
Li$_x$Bi$_{1-x}$-LiCl system, equilib. distrib. between liquid Li-Bi alloy and molten LiCl 4−29029
Na-Cs alloy, liq., chem. pot. meas., calc. of comp. fluctuations 4−28015
Rh:C system, change in emissivity for bulk phase transition 4−17539
Se, thin film, reversible transformation to cryst., liquid and vapour phases 4−1190

phased locked oscillators *see parametric oscillators*

phi mesons
dominance, behaviour of meson and nucleon form factors 4−12075
mass, width and cross section near threshold in $\pi^- p$ (missing mass) + n 4−23555
$pd \rightarrow p_s \varphi \pi^-$, study of φ-meson production frequency, mass, width, decay angular distribution 4−36043

philosophical aspects
see also humanities
bootstrap theory, its relationship to eastern philosophy 4−11402
creativity and research organization *(German)* 4−14771
general theories, growth 4−30317
geometrodynamics and geochronometry, review of space-time theories *(German)* 4−35733
human consciousness and primary reality, quantum theoretical concepts 4−30843
Hypothesis of relative advantage 4−4
invariance principles, time scale *(German)* 4−30315
mathematical methods, appl. to philosophy of science *(German)* 4−18277
puzzles, scientific, logic 4−30314
scientific metaphysics, Leibnizian-Newtonian debates, review 4−18278
seventeenth century science, links with Anglicanism and latitudinarianism 4−2
statistical explanation and ergodic theory 4−30310
testing of theories as a bootstrap operation 4−30313
thought experiments, critical, usage 4−30316
time and clocks, nature and definition 4−39145

phonographs *see gramophones*

phonon bottleneck *see phonons*

phonon-phonon interactions
anharmonic crystal, collective phonon microscopic theory 4−20397
coupling between pairing-vibrational and two-phonon states, Tamm Dancoff approximation 4−40853
cubic powder, mono-atomic, two-phonon scattering cross section 4−40857
III-V compounds, thermal cond., phonon scatt. at high temp. 4−28177
III-V semiconductors, phonon scatt. mechanism, thermoelectric power meas. 4−16784
paramagnetic ion spin-lattice relaxation, multiphonon process 4−33295
poly-atomic crystals, intensity of two-phonon thermal diffuse scattering 4−40856
PVC, filled plasticised polymer, thermophysical props. 4−7355
α-quartz, phonon self-energy investigation 4−1097
ruby, thermal conductivity at 1 to 4K, effect of Cr^{2+} ion 4−24600
semiconductors, wurtzite type, phonon drag part of thermoelectric power tensor calc. 4−1242
Sitalls, thermal cond. and specific heat 4−4184
superconductor, relax. process 4−13263
CdSe, Urbach rule, absorpt. coeff. meas. 4−32625
(GaSb)$_x$-(GaTe)$_{1-x}$, (GaSb)$_{3x}$-(Ga$_2$Te$_3$)$_{1-x}$, (InSb)$_x$-(GaSb)$_{1-x}$, thermal cond. 4−3595
Ge, amorphous, low temp. heat capacity, phonon-phonon coupling const. 4−28220
Ge, thermal cond., phonon scatt. at high temp. 4−28177
(InSb)$_x$-(InTe)$_{1-x}$, (InSb)$_{3x}$-(In$_2$Te$_3$)$_{1-x}$, (InSb)$_x$-(GaSb)$_{1-x}$, thermal cond. 4−3595
KCl(Br)(I), intrinsic tail spectra, Urbach rule 4−28168
NaF(Cl)(Br)(I), intrinsic tail spectra, Urbach rule 4−28168
SRTiO$_3$, single-valley degenerate semiconductor, two phonon deform. pot. theory of supercond. 4−24852
Si, thermal cond., phonon scatt. at high temp. 4−28177
Ti, phonon thermal cond. determ. 4−6602

phonons
see also elastic waves; lattice dynamics; lattice phonons; phonon-phonon interactions; spin-phonon interactions
measurement, neutron scattering, filter detector spectrometer system 4−12855
nuclear model, fragmentation as basis for understanding structure of highly excited states 4−472

phonons continued
- nuclei, normal and superfluid, self-consistent quasiparticle-phonon coupling 4−434
- spectroscopy, freq. above 100 GHz, state-of-the-art *(German)* 4−8329
- surface optical, on reconstructed surfaces, theory 4−37072
- He, liq., phonon spectrum, power series expansion 4−24601
- He, superfluid, phonon emission and absorpt., phonon-roton interaction 4−10012
- He II, press. dependent dispersion, series representation of excitation spectrum 4−16630
- ^{4}He, liquid, excitation spectrum parametrization, dispersion anomaly 4−28248
- ^{4}He, liquid, quasicrystal model, collective excitations, phonon frequency *(Russian)* 4−32765
- ^{4}He, solid, one-phonon spectral function, secondary structure 4−32782
- ^{4}He, superfluid, normal fluid viscosity below 0.6 K 4−16634
- MgO small particles, excitation of surface phonons by keV electrons, theory 4−40960

phosphorescence
- *see also fluorescent screens; phosphors*
- acetophenone and derivs., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
- acetophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
- acridine orange, in polyvinyl alcohol anisotropic film, conc. depolarisation *(Russian)* 4−41429
- acridine orange, lifetime, conc. and temp. depend. 4−10764
- 2- aminopurine, phosphoresc. to fluoroesc. ratios, solvent polarity effects 4−28897
- aniline derivatives, intersystem crossing from higher singlet states, conform. effects on luminesc. 4−21581
- anthracene, cryst., phosphoresc., fluoresc. from triplet exciton trapping, defect struct. determ. 4−37655
- 9,10-anthraquinone, obs. of intensity distrib. in electronic-vibr. progression *(Russian)* 4−13513
- aromatic carbonyl cpds., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
- aromatic carbonyl cpds. temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
- aromatic compounds, non fluorescing, external heavy atom effect on phosphorescence 4−6923
- aromatic hydrocarbon, O_2 quenching of excited triplet states 4−19860
- aromatic hydrocarbons, mechanism of $S_1 \rightarrow T_1$ intersystem crossing process 4−9571
- aromatic phosphrescent molecules, spin-lattice relax. time meas. *(French)* 4−16118
- aromatics triplet molecules, e.s.r., h.f.s. of double quantum transition 4−16119
- azanaphthalenes, triplet energies calc. 4−29349
- azines, hydrogen bonding and metal complexation effects 4−1740
- benzaldehyde, phosphorescence excitation spectrum, $n\pi^*$ and $\pi\pi^*$ lowest triplet levels, zero-field splittings 4−37667
- benzene, in inert gas matrices, site geometry effects 4−6928
- benzene, Zeeman effect and microwave induced emission 4−3197
- benzofuran, single cryst. obs. of T_1 states 4−1731
- benzophenone, $^3\pi,\pi^*$ energy level, determ., from luminesc. 4−38158
- benzophenone, natural vibr. calcs. 4−9568
- benzophenone and derivs., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
- benzophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
- p-benzoquinone, optically detected magnetic resonance, orbital assignment of phosphorescent triplet state 4−6815
- biacetyl, hydroxy- and amino-benzophenone as sensitizers and quenchers 4−17102
- biphenyl crystals, site splittings, low temp. struct changes 4−3979
- carbazole, wavelength dependence, photoselection meas. 4−10773
- carbonyls, phosphorescence spectra, transitional assignments, CNDO method 4−19859
- p-chlorobenzaldehyde, interstate interaction in $T_1 \rightarrow S_0$ spectrum 4−17122
- cinnoline and 4-methyl derivative, lowest triplet state nature 4−25497
- colchicine, in soln., photophysics, absorption, luminescence spectra *(French)* 4−10758
- coronene-triphenylene mixed crysts., 4.2K, subspectra obs. 4−21046
- coumarin, single cryst. obs. of T_1 states 4−1731
- cyclopentanone, microwave-optical double reson. and dynamic interconversion of configs. of excited states 4−1732
- cyclopentanone, optically detected zero-field multiple resonance of n,π^* triplet states 4−28930
- deconvolution of decay curves, least-squares method 4−6910
- demonstration for students of photochemistry 4−26373
- N,N-dialkyl-p-cyanoanilines in soln., dissimilar phosphorescence processes 4−16114
- 1,3-diazaazulene, dipole moments ground, first excited, phosphorescent states 4−10442
- dibenzo [f,h]-[1,5]-dioxacyclononadiene, u.v. and phosphorescence spectra at 77 K 4−40254
- dibenzofuran, spectrum, vibr. analysis in terms of ground state fundamentals 4−3982
- dibenzofuran, vibrational analysis 4−1400
- dibenzothiophene, e.s.r., phosphorescence electronic scheme 4−37481
- 1,1'-diethyl 2,2'-cyanine, lifetime, conc. and temp. depend. 4−10764
- 3,3'-diethyl thiacyanine, lifetime, conc. and temp. depend. 4−10764
- 2-dimethylaminopurine, phosphoresc. to fluoresc. ratios, solvent polarity effects 4−28897
- dinaphto [1,2-f,1',2'-h]-[1,5]-dioxacyclononadiene u.v. and phosphorescence spectra at 77 K 4−40254
- 2,2'-dipyridyl, 1,10-phenanthroline and tris and bis complexes with rhodium(III), phosphoresc. decay, low temps. 4−21586
- DNA, role of H bands of base pairs 4−38945

phosphorescence continued
- N-ethylcarbazole in n-alkanes, phosphoresc. spectra from selected sites 4−28885
- flavone, solvent and substituent effects on triplet state 4−41980
- fluorene molecules in ethanol, phosphoresc. and nonradiative transitions, I^- ions influence 4−28898
- halobenzenes, total and relative radiative rates 4−1357
- haloflavone, solvent and substituent effect on triplet state 4−41980
- indene, single cryst. obs. of T_1 states 4−1731
- indole, single cryst. obs. of T_1 states 4−1731
- merocyanine dye, triplet state in crystal 4−28932
- metal-porphyrin complexes in soln., triplet-triplet abosrpt. and phosphoresc. 4−14000
- metalloporphyrins, vibrational frequencies 4−16085
- 5-methylbicyclo[4.3.$0^{1,5}$]non-1-en-3-one, dual phosphorescence 4−6907
- molecular crystal, optically detected a.p.r. of metastable triplet states 4−17001
- naphthalene:p-dibromobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
- naphthalene:p-dichlorobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
- naphthalene, naphthalene-d_8, in benzene, benzene-d_6 crysts., phosphorescence lifetimes 4−21059
- naphthalene, naphthalene-d_8, in benzophenone, benzophenone-d_6 crysts., phosphorescence lifetimes 4−21059
- naphthalene, perdeuterated, phosphorescence quenching, by transition metal ions 4−4001
- naphthalene in p-dibromobenzene and p-dichlorobenzene, structure of phonon sidebands in $T_1 \rightarrow S_0$ transition 4−28931
- naphthalene-d_8, matrix isolated, 1 to 35 kbar, 77 K, triplet lifetime 4−25151
- optically detected e.s.r. of excited triplet states at zero field, polarization meas. 4−20827
- n-paraffin:1,12 benzoperylene, fast frozen sample, Schpolskii effect 4−13474
- n-paraffin:coronene, fast frozen sample, Schpolskii effect 4−13474
- n-paraffin:perylene, fast frozen sample, Schpolskii effect 4−13474
- phenanthrene-tetracyanobenzene charge transfer complexes 4−28934
- phenylsulphides, electronic spectroscopy and spin-orbit coupling origin 4−21056
- photographic gelatins, aqueous solns., phosphoresc. spectra and kinetics *(Russian)* 4−28926
- phthalocyanine, temp. dependence 4−13487
- polymer, photoprotection by copolymerized triplet quenchers 4−19943
- polyvinyl alcohol, dye phosphoresc. in anisotropic film, conc. depolarisation *(Russian)* 4−41429
- quinine and related cpds., shift of emission band on excitation at long wavelength absorpt. edge 4−3194
- rhodamine B, dimer spectra 4−1405
- spectroscopy, phase sensitive detector spectrometer, anal. of phosphorimeter factor 4−8366
- TCNB complex, triplet-triplet absorption spectra 4−6914
- sym-tetrabromobenzene, lowest triplet state, Br hyperfine and quadrupole fine struct. in MODR spectra 4−4010
- 1,2,4,5-tetrachlorobenzene, optically detected a.p.r. of metastable triplet states 4−17001
- sym-tetrazine, excited state electronic struct. and dynamics 4−24110
- toluene, phosphoresc. spectrum, entire tabulated results and discussion 4−21058
- triphenylene, phosphorescence quenching by transition metal ions 4−4001
- typaflavin, in polyvinyl alcohol anisotropic film, conc. depolarisation *(Russian)* 4−41429
- xanthone in 3-methylpentane, anomalous phosphoresc. at 77K 4−4271
- Al_2O_3, ruby, phosphoresc. appearance with fluoresc. after high-energy electron irrad. *(Russian)* 4−33453
- $Al(urea)_6I_3:Cr^{3+}$, single crysts., phosphoresc. transition, sidebands of zero phonon bands, vibr. modes *(German)* 4−33501
- $Al(urea)_6I_3:Cr^{3+}$ single crysts., phosphoresc. transition, sidebands of zero phonon bands *(German)* 4−33500
- CaS:As phosphor, thermoluminescence, phosphorescence decay 4−41440
- Co-complexes, chlorins, phosphoresc. spectra, effect of pyrrole ring hydrogenation *(Russian)* 4−28922
- $Cr(ethylenediamine)_3^{3+}$, in aq. soln., quenching by transition metal ions, investig. 4−37663
- D_3BO_3 glass:xanthene dyes, solvent isotope effect on triplet state 4−4002
- H_3BO_3 glass:xanthene dyes, solvent isotope effect on triplet state 4−4002
- He, recombination mechanism 4−6092
- K complex, $K_3Co(CN)_6.nH_2O$, frozen soln., phosphorescence, Co^{3+} energy degradation 4−25159
- K complex, $K_3Cr(NCS)_6.4H_2O$, in frozen soln., phosphorescence, Cr^{3+} energy degradation 4−25159
- KBr:Ag, phosphoresc. decay, scintillation and luminesc. extinction *(Russian)* 4−13494
- KI, divalent ion doped, elec. field effect on recomb. luminesc. *(French)* 4−21048
- La_2O_3:Yb, Er, prep., luminesc., rel. to doping conc. *(German)* 4−37685
- Na-fluorescein, in polyvinyl alcohol anisotropic film, conc. depolarisation *(Russian)* 4−41429
- $NaNO_2$ crysts., triplet state, e.s.r. and opt. investig. *(German)* 4−41982
- Pd-complexes, chlorins, phosphoresc. spectra, effect of pyrrole ring hydrogenation *(Russian)* 4−28922
- Pt(II) complex, counter-ion and mol. geometry effects 4−1412
- Rh(III) complexes of 2,2'-dipyridyl 1,10-phenanthroline, phosphoresc. decay, low temps. 4−21586
- Ru complex, tris(2,2'-dipyridyl)ruthenium(II), quenching by Cr(III) complexes, ligand and geometry effects 4−38160
- Ru(II)-Cr(III) complex, exciton transfer in double complex salts 4−10464
- α-SiC(6H), i.r. irrad. effect on impurity centre recharge, thermolum. and phosphoresc. flashes 4−10462

phosphorescence continued
Y_2O_3:Yb, Er, prep., luminesc., rel. to doping conc. *(German)* 4−37685
phosphorescence microwave double resonance *see magnetic double resonance*
phosphors
see also fluorescent screens; luminescence
c.r.t., phosphor-noise, reduction by analogue divider, particle track film scanner 4−99
electroluminescence brightness, depend. on exciting field freq. for phosphors EL-510, EL-460, and EL-580 *(Russian)* 4−13521
II-VI semiconductor, luminescent rise times, high intensity u.v. excitaton 4−6905
nonlinear, for beam positioning in electron accelerators 4−14941
photon summation with energy transfer, material efficiency of anti-Stokes phosphor:$Yb^{3+}-Er^{3+}$ 4−1409
radical recombination luminescence, H, H_2 adsorption, desorption kinetics *(Russian)* 4−6903
radical recombination luminescence under excitation by atomic O, kinetics *(Russian)* 4−13485
saturation meas. technique at high current densities 4−17128
thermal quenching of characteristic luminescence, phosphor with charge-compensated activators 4−28901
thermoluminescence and thermally stimulated exoelectron emission, microwave effect 4−17133
CaO:Bi, radical recomb. luminesc. under excitation by atomic O, kinetics *(Russian)* 4−13485
KBr-In phosphor, determination of kinetic parameters for luminescence by impulse method *(Russian)* 4−10485
KI:$Na^+(OH^-)(Cu^+)(Tl^+)$, X-ray irrad., thermolum. maxima 4−37696
KI-Tl phosphor, determination of kinetic parameters for luminescence by impulse method *(Russian)* 4−10485
$LaAlO_3$:Cr, candoluminescence obs. 4−25184
La_2O_3:Yb, Er, prep., luminesc., rel. to doping conc. *(German)* 4−37685
La_2O_2S:Tb, phosphor, saturation at high current densities 4−17128
$LaPO_4$:Nd^{3+}, cryst. growth and luminesc. characts. 4−13495
Y_2O_3:Yb, Er, prep., luminesc., rel. to doping conc. *(German)* 4−37685
Y_3OCl_7:Yb, Er phosphor, emission under i.r. excitation 4−6921
YPO_4:Nd^{3+}, cryst. growth and luminesc. characts. 4−13495
YVO_4:Eu,Tb, high pressure Hg vapour lamp phosphor, Tb^{3+} enhancement of Eu^{3+} emission 4−28891
YbP_5O_{14}, structural characteriz. for upconversion phosphor applics. 4−36868
(Zn, Cd)S:Cu, Mn phosphors, electroluminescent properties 4−41434
(Zn,Cd)S:Ag, phosphor, saturation at high current densities 4−17128
$Zn_{0.97}Cd_{0.03}S$:Cu,Al, comminution effects on luminesc. 4−17129
$Zn_xCd_{1-x}S$:Cu,Mn, i.r. induced switching of elec. cond. *(Russian)* 4−20659
ZnO, radical recomb. luminesc. mechanism *(Russian)* 4−21053
$Zn_3(PO_4)_2$:Mn, candoluminescence obs. 4−25184
ZnS, luminescent rise times, high intensity u.v. excitation 4−6905
ZnS:Ag,Al, comminution effects on luminesc. 4−17129
ZnS:Cu, Gudden-Pohl effect rel. to surface states 4−13522
ZnS:Cu, Mn, Cl phosphors, electroluminesc. *(Korean)* 4−33507
ZnS:Cu,Co, cobalt conc. influence on trap distrib. *(French)* 4−41439
ZnS:Cu(Co), radical recomb. luminesc., photoluminesc., i.r. effect *(Russian)* 4−6904
ZnS:Cu(Mn,Cl), radical recomb. luminesc., fading kinetics, H induced *(Russian)* 4−21052
ZnS:Mn, Ag, Co, Cl, phosphor, cathodic luminesc. spectra, emission yields rel. to Mn conc. *(Russian)* 4−28947
ZnS:Mn,Cu,Cl, plastic-embedded, d.c. conduction and electroluminescence 4−1239
ZnS:Pb, powder, green d.c. emission, mechanism 4−25175
ZnSZnSe:Cu, radical recomb. luminesc., fading kinetics, H induced *(Russian)* 4−21052
Zn_2SiO_4:Mn, candoluminescence obs. 4−25184
Zn_2SiO_4:Mn, phosphor, saturation at high current densities 4−17128
Zn_2SiO_4:Mn, radical recomb. luminesc., fading kinetics, H induced *(Russian)* 4−21052
phosphorus
atom, beam foil spectra, 1.5 to 6 MeV 4−15984
atomic, neutral, i.r. laser oscillation 4−23309
Black Sea, flux through oxygen-sulphide interface 4−7614
diffusion in Si, conc. depend. and mechanism 4−1139
diffusion in Si, from SiO_2 layers, temp. depend., ambient atm. effect 4−25268
diffusion in silicon, distrib. function of dislocation segment lengths in free network *(Russian)* 4−3497
implantation in Si, concentration profiles 4−32575
ion irradiation of Si, amorphous and cryst. radiation defects profile *(Russian)* 4−20330
in iron ore concentrates, photocolorimetrical determinations *(Rumanian)* 4−26701
mineral content of interstitial waters of S.E. Atlantic sediments 4−21824
precipitation in Si, X-ray diffr. and optical microscopy 4−28214
radioactive decay, lethal and genetic effects, of radiophosphorous decay, in SP82G and T7 bacteriophages 4−38976
specific charge from mass spectroscopy *(German)* 4−162
CdS:P meas. of vapour pressure dependence of diffusion coeff. and solubility 4−1141
inFe powder, magnetic and elec. props., effect of P additions, in alt. field 4−16964
in Fe sintered powder, effect on magnetic properties 4−7254
GaAs:P lasers, reduction of threshold 4−31053
Ge:P, bound multiple excitons, photolum. obs. 4−25169
P II ^3P-$^3D^0$ f-values, correl. effects, NCMET 4−19657
P X to XII, transitions between levels of principal quantum numbers 2 and 3 4−9384
P-Ar, radiofrequency plasma, emission spectra, excitation processes 4−35550
P-Ni film, cryst. growth, elec. cond., resist., struct., H_2 absorpt. investig. *(French)* 4−40976
phosphorus continued
P^{2-}, restricted HF-Roothaan wavefunction stability 4−15981
Si:B,P, internal absorpt. spectrum of B acceptors, compensation effect 4−28875
Si:P, Anderson transition, Knight shift, theory 4−20554
Si:P, degenerate, P redistrib. during thermal oxidation, Auger and ellipsometric obs. 4−41497
Si:P, detectability limits for P by Auger spectroscopy 4−25284
Si:P, detection by alpha backscattering technique 4−6976
Si:P, diffusion under oxidising atmospheres 4−13582
Si:P, e.s.r., spin dependent cond. meas. 4−41254
Si:P, electron-hole oscills., slow recomb. waves, effect of local electron probe 4−24776
Si:P, Fermi level at diffusion temperature 4−13147
Si:P, n.m.r. line shape and Knight shift 4−20883
n-Si:P, Nernst-Ettingshausen coeff. meas., 77 to 300K 4−20632
Si:P, photoluminescence spectra at 2K as function of impurity conc. 4−1416
Si:P implanted, annealing behaviour of secondary defects, electron microscope exam. 4−28127
Si:P^+, X-ray diffraction contrast asymmetrics, implanted region-nonimplanted region boundary 4−6416
$Si_{1-x}Ge_x$:P, e.p.r., rel. to band struct. and P surroundings 4−37487
SiO_2:P film, trap density and energy levels, thermally stimulated current obs. 4−37341
phosphorus compounds
isocyanates, calculation of vibrational spectra and structure 4−31852
olivine orthophosphate, vibr. spectra, assignments 4−28843
organophosphorus, conformational anal. i.r. and dipole moment determ. 4−36520
phosphororganic molecules, electronic struct. *(Russian)* 4−36481
phosphosilicate glass diffusion source, composition by i.r. absorption 4−6983
polyphosphoric acid, deuterated, Eu^{3+} luminesc., extinction by UO_2^{2+} ion *(Russian)* 4−28928
$(CH_3)_3PBH_3$ and $(CH_3)_3PBD_3$ addition compounds, vibrational spectra and structure, P-B force consts. 4−3141
CaO-P_2O_5 metaphosphate glass crystn. kinetics *(Japanese)* 4−40754
Cd-Ge-P system, cross section CdP_2-Ge 4−32663
F_3PBH_3, solid, vib. spectra 4−28824
H_3PO_4, conc., etch rate of $Gd_3Ga_5O_{12}$ rel. to etchant comp. 4−16664
$(K_2O\text{-}P_2O_5)_x\text{-}(WO_3)_{1-x}$, glass system, X-ray photoemission 4−21151
MgO-Al_2O_3-P_2O_5 system, subsolidus phase diagram 4−13820
MoO_3-P_2O_5, hyperfine interaction of d-electrons, e.s.r. obs. 4−3891
Nd:$POCl_3$-$SnCl_4$ liquid laser, passive Q-switch, self-oscillation mode operation 4−15360
Ni-P oxides, composition of surface formed on electroless deposits 4−7438
$OPCl_3(Br_3)$, photoelectron spectra and assignment 4−31921
P chloro-complexes, ^{35}Cl n.q.r., struct. studies 4−10351
PAs_3, vibrational mean amplitudes, bonded and nonbonded distances 4−16050
PBr_3, Raman spectra, 77-400K, modification I and II obs. 4−10415
PBr_3, spin-orbit interactions in photoelectron spectra, model calc. 4−24130
PC, flexibility of atomic orbitals in mol. environment 4−27588
$P(CN)_3$, quantum mechanical evaluation of tilt of cyano group 4−750
PCl_3, n.q.r. of ^{35}Cl, lineshape and relax. time 4−10350
PCl_3, spin-orbit interactions in photoelectron spectra, model calc. 4−24130
P_2Cl_{10}, coupled librational soft modes assoc. with phase transition at 102K 4−24555
$PCl_2(O)NCO$, i.r. spectra, vibrational frequencies and modes 4−31852
PF, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4−9488
PF, flexibility of atomic orbitals in mol. environment 4−27588
PF_2 radical, ab initio MO calcs. of e.s.r. proton coupling consts. 4−19749
PF_2-CN, quantum mechanical evaluation of tilt of cyano group 4−750
PF_3, two photon spectra 4−24098
PF_5, electronic structure, ab initio LCAO-MO-SCF calc. 4−5998
PF_5, gas phase, Raman band contour of $\nu_7(E')$ fundamental 4−803
PF_5, gas phase neutron induced recoil reactions, complete and partial retention of bonds 4−1741
PF_5, molecular force field 4−774
PF_5, X-ray photoelectron spectra 4−12620
PH_3, comparative SCF and CI calculations 4−19756
PH_3, D/H and T/H isotopic fractionation, partition functions 4−41952
PH_3, i.r.-r.f. two-photon Lamb dip spectra 4−16103
PH_3, isotropic and nematic solvents, ^1H and ^{31}P n.m.r., chemical shielding anisotropics, chemical shift 4−33282
PH_3, liq., mol. motion, Raman obs. 4−33397
PH_3, microwave spectrum, $\Delta k = \pm 3$ rotational transitions 4−24103
PH_3, n-type semicond. gas phase dopant, physical and thermodynamic props. 4−25281
PH_3, splitting const. calc., normal coord. treatment 4−819
PH_3, u.s. rel. dispersion calc. 4−40237
PH_4NH_2, ab initio calcs. of rot. barrier 4−31764
PH_nX_{3-n} X=R, or magnetooptic modulus estimation, electronic struct. calc. *(French)* 4−40230
PN, flexibility of atomic orbitals in mol. environment 4−27588
PO, flexibility of atomic orbitals in mol. environment 4−27588
PO, low-lying valence states, configuration-interaction calcs. 4−31793
PO_4^{3-} tetrahedra, distortion, shape calcs. 4−6385
$P^{16}O$, $P^{18}O$, emission spectrum, $^2\Sigma^+$ states, 50000-58000 cm^{-1}, rot. anal. *(French)* 4−24057
$P^{16}O$, $P^{18}O$, emission spectrum, $D^2\Pi$-$B^2\Sigma^+$, $D'^2\Pi$-$B^2\Sigma^+$, nature of $D'^2\Pi$ valence state *(French)* 4−27645
$P^{16}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4−16052
$P^{18}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4−16052
P_2O_5-Al_2O_3-Na_2O glass, internal friction meas., anal. 4−28148
P_2O_5-Ce_2O_3 glass, magneto-optical props., La^{3+} dilution 4−37589

phosphorus compounds continued
P_2O_5-Na_2O glass, internal friction meas., mechanism, rel. to dielec. loss 4−28145
$POCl_3$, liq., sound velocity and thermodynamic props. 4−9949
$POCl_3$, $POBr_3$, spin-orbit interactions in photoelectron spectra, model calc. 4−24130
$POCl_3$:Nd^{3+} liquid laser, nonlinear effects 4−15399
$POCl_3$:$SnCl_4$, solvent, fluorescence enhancement of Eu^{3+} 4−4005
$POCl_3$:$ZrCl_4$, solvent, fluorescence enhancement of Sn^{3+} 4−4005
POF_xCl_{3-x}, (x=0−3), electronic spectra, 2500-1250Å 4−3135
PS, PSe, PTe, molecular dissociation energies 4−31910
P_4S_3, n.m.r. of ^{31}P, AB_3 type high resolution spectrum 4−28714
$PSCl_3$, $PSBr_3$, spin-orbit interactions in photoelectron spectra, model calc. 4−24130
$PSCl_3$, $PSCl_{3-n}[N(CH_3)_2]_n$, photoelectron spectra 4−9593
PSF_xCL_{3-x}, (x=0−3), electronic spectra, 2500-1250Å 4−3135
PSe, chalcogenide, vitreous, localised states, thermally stimulated depolarisation obs. 4−37175
P_2Se_3, chalcogenide, vitreous, localised states, thermally stimulated depolarisation obs. 4−37175
$SPCl_3(Br_3)$, photoelectron spectra and assignment 4−31921
WO_3-P_2O_5-Li_2O, semiconducting glass, elec. cond. and thermoelec. props. *(Polish)* 4−3742

photocatalysis *see catalysis*

photocathodes
see also photoemission
$Al_xGa_{1-x}As$, liq. phase epitaxial growth on polished and roughened GaP substrates, for transmission photocathodes 4−41498
AlGaAsSb system double heterojunction, tunable field assisted photocathode 4−10520
AlInAsSb system double heterojunction, tunable field assisted photocathode 4−10520
CdS, cold photoemission current generation kinetics, microplasma breakthrough *(Russian)* 4−21155
GaAs:Cs-O, negative electron affinity surface, emitted electron energy distrib., calc. 4−37733
$GaAs/Ga_{1-x}Al_xAs/GaAs$ transmission photocathode, fabrication by liq. phase epitaxy, and quantum yield 4−37734
p-Ge, cold photoemission current generation kinetics, microplasma breakthrough *(Russian)* 4−21155

photocells *see photoelectric cells*

photochemistry
see also photochromism; photolysis
acetophenone and derivs., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
acetophenone and derivs., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
acetophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
alkylbenzene cations, gas-phase photodissoc. ion cyclotron resonance in visible region 4−13996
aniline derivatives, intersystem crossing from higher singlet states, conform. effects on luminesc. 4−21581
1-anilinonaphthalene-8-sulphonate in ethanol soln., subnanosecond solvent relax. obs. by oxygen quenching of fluoresc. 4−4272
anthracene, excited state u.v. absorpt. spectra using solid-state laser PTM spectrometer 4−41976
anthracene + N,N'-diethylaniline, electron-transfer reaction kinetics, using picosecond laser pulses 4−29353
anthracene crystal, photodimerisation, SEM techniques 4−25510
anthracene crystals, fluoresc. change 4−10471
anthracene sandwich dimers in dianthracene, photodimerization, spectral obs. 4−25507
anthracenes, substituted, second triplet states 4−21588
anthraquinone in hexane, phototransformations, luminesc. obs. at 77K 4−7460
aromatic carbonyl cpds., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
aromatic carbonyl cpds., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
aromatic carbonyl cpds. temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
aromatic vapours, triplet-state lifetimes 4−842
atmospheric H and O, 60-140 km, review 4−10937
atmospheric O_3 content, review of chemistry, photochemistry 4−10934
1-1azabicyclo(2.2.2)octan-3-ono, photophys. props., fluoresc., u.v. spectra, intramol. energy transfer investig. 4−41973
azanaphthalenes, triplet energies calc. 4−29349
benzene, radiation sensitivity *(German)* 4−7463
benzene, vapour phase, triplet-state lifetime obs. 4−841
benzene and alkyl derivatives, intermol. vibronic coupling and hexatrienes form. mechanism 4−34069
benzofuran, single cryst. e.p.r. of T_1 states 4−1731
benzophenone, $^3\pi,\pi^*$ energy level, determ., from luminesc. 4−38158
benzophenone, lowest triplet state population after singlet excitation 4−25115
benzophenone, photo-CIDEP obs. of triplet intersystem crossing 4−10765
benzophenone and derivs., e.p.r. obs. of lowest excited triplet states, in mixed crysts. 4−25505
benzophenone and derivs., PMDR obs. of mag. and dynamic props. of lowest excited triplet states 4−25504
benzophenone and derivs., temp. depend. of phosphoresc. and decay rates, in mixed crysts. 4−25506
3,4-benzopyrene, vapour, isolated mols., dual fluoresc. quantum yields, response functions, expressions deriv. 4−36538
p-benzoquinone, Stark effects on B_{1g} and A_u $n\pi^*$ triplet states 4−1733
3,4-benzpyrene, delayed fluorescence, quenching by azulene, triplet energy localisation *(German)* 4−37684
benzyl radical, three-step photoselection and assignment of electronic states 4−10774
bimolecular reaction in soln., diffusion-controlled fluoresc. quenching, transient effects 4−21577
biphotonic, by quantitative fluorescence loss method 4−29354
biradicals, CIDNP mag. field depend. 4−21580
butene, photodissociation of cations, cyclotron resonance 4−13998
photochemistry continued
butene-2, $Hg6(^3P_1)$ photosensitized cis-trans isomerism, quantum yield determ. 4−41974
di-tert-butyl ketone, transient and stationary nutations in chem. induced dynamic polarisation 4−41306
carbozole, spectra, using photoselection technique 4−10773
cationic dyes, phosphoresc. lifetime, conc. and temp. depend. 4−10764
character orders of excited states *(German)* 4−38161
chemically induced electron spin polarisation, rotating triplet model 4−34071
N-chloroacetyltyramine derived photodimers, cryst. and mol. struct. 4−29346
chlorophyll, light induced e.p.r. 4−42526
chlorophyll 'a'-phosphate interactions, i.r. spectra obs. *(French)* 4−41972
chlorophyll and carotenid mixed soln., electronic excitation energy transfer *(Russian)* 4−10771
chloroquine, conc. determ., fluorimetric methods comparison 4−39407
cinnoline and 4-methyl derivative, lowest triplet state nature 4−25497
coumarin, single cryst. e.p.r. of T_1 states 4−1731
coumarin, triplet-triplet absorpt. spectra 4−34072
crystal violet, picosecond internal conversion and laser element applic. 4−21047
cyanin dyes in rigid-glass solns., low temp. delayed fluoresc. 4−1736
cyanine dyes, origin of low temp. delayed fluorescence 4−28933
demonstration for students of energy transfer processes of triplet-triplet type 4−26373
dibenzothiophene, e.s.r., phosphorescence electronic scheme 4−37481
1,4-dibromonaphthalene, absorption line shapes and triplet exciton scatt. 4−21590
1,1'-diethyl-2,2'-dicarbocyanine iodide in glycerol, sub-nanosec. lifetime meas. by nanosec. laser pulses 4−3193
diphenyl octatetraene, lowest energy excited singlet state 4−25499
2,2-diphenyl-1-(trifluoromethanesulphonyl)-hydrazyl, prep. and e.s.r. spectrum 4−21579
diphenylacetylene, phosphorescent, lowest triplet state parameters from e.s.r. 4−10761
2,2'-dipyridyl, 1,10-phenanthroline and tris and bis complexes with rhodium(III), phosphoresc. decay, low temps. 4−21586
disodium chlorin complex, and monoanion, polarization of electronic transitions 4−10766
durene, in 3-methylpentane, 77K, photodissoc., photoionisation, quantum yield, fluoresc. loss method 4−41978
durene, photodissociation in rigid soln., biphotonic chem. by fluorescence loss method 4−29354
durene, rigid soln. 77K, i.r stimulated fluoresc. of duryl radical 4−28893
dye laser application 4−31033
dye solutions, e.s.r. investig. of photoinduced triplet states 4−37479
dye solutions, polar, quencher effects on fluoresc. spectra 4−10767
electrode, illumination to reduce electronic excitation and electrochem. reactions, also inverse process *(German)* 4−34030
electron transfer reactions and triplet state form. inhibition in mixed fluoresc. quencher expts. 4−1729
electron-transfer reaction kinetics, using picosecond laser pulses 4−29353
elliptical photoreflector with a source of finite spatial dimensions, radiation fields 4−5031
ethanol, electronic spectra of trapped electrons, photobleaching obs., 4K 4−10760
ethylene, pyramidal distortions in triplet π,π^* state 4−739
eye, intense laser beam effects on activity of LDH, obtained from corneal and retinal tissues 4−18168
first order consecutive reactions, internal filter effect, rate expression *(German)* 4−41983
gas mixture, isotope separation, reaction stimulation by i.r. laser radiation 4−13999
gas phase reactions, atmosphere chemistry, photochemical and rate data 4−25503
halobenzenes, triplet state properties, PMDR obs. 4−1357
hot atom reaction, integral reaction probability eqn., quantum mechanical nonreactive scatt. 4−21600
7-hydroxycoumarin, triplet-triplet absorpt. spectra 4−34072
indene, single cryst. e.p.r. of T_1 states 4−1731
indole, single cryst. e.p.r. of T_1 states 4−1731
indole in ethanol soln., subnanosecond solvent relax. obs. by oxygen quenching of fluoresc. 4−4272
interstellar molecules formed by dust grain surface photocatalysis *(German)* 4−11243
intersystem crossing, basis functions and selection rule 4−31879
ionospheric D- and E-region ion chemistry 4−10998
ions, photodissociation, appl. of ion cyclotron resonance spectroscopy 4−867
Jupiter's atmosphere, NH_3, photochemistry above tropopause 4−26004
ketyls with divalent cations, aggregate form. and dissoc. into biradicals 4−1730
laser induced reactions, i.r. nonthermal stimulation 4−38157
laser radiation stimulation, excitation conditions 4−25511
lower stratosphere, O_3 seasonal variations, photochemical and dynamic processes 4−4513
magnetite, photostimulated oxidation, kinetics and alteration phase identification 4−25501
magnetite, photostimulated oxidation, reaction mechanism 4−25502
Martian simulated surface, photo-induced free radicals 4−42325
metal-porphyrin complexes in soln., triplet-triplet abosrpt. and phosphoresc. 4−14000
19R-methoxy-5,19-methyleneoxido-17β-acetoxy-5β-androstan-3-one, photochem. reaction product, cryst. struct. 4−29347
methyl radical detection in flow pyrolysis by u.v. spectroscopy 4−10759
molecular interactions in excited states, ab initio (EHP)SCF calculations 4−16146
naphthalene, absorption line shapes and triplet exciton scatt. 4−21590

photochemistry continued
naphthalene, excited-state u.v. absorpt. spectra using solid state laser PTM spectrometer 4–41976
naphthalene, vapour, isolated mols., dual fluoresc. quantum yields, response functions, expression 4–36538
naphthalene crystal and naphthalene in durene, moderate-resolution two-photon spectrum 4–25116
β-naphthol, photodissociation in solvent Franck-Condon state 4–21587
β-naphtholate, photodissociation in solvent Franck-Condon state 4–21587
nitrogen oxides, production and distrib. in lower stratosphere 4–4505
optical information storage in KCl, X centre conversion into X centres 4–41977
organic compound solutions, generation in blue visible region photochemical stability *(Russian)* 4–1739
organic peroxides, and dissoc. products, luminescence spectra *(Russian)* 4–29352
perylene, delayed fluorescence, quenching by azulene, triplet energy localisation *(German)* 4–37684
photodesorption of O_2, from TiO_2, rel. to work function variation investig., experimental set-up *(French)* 4–33018
photodesorption of O_2, from TiO_2, work function variation investig., u.v. irrad. *(French)* 4–33019
photodissociation of atmospheric constituents during sunrise, 40 to 50 km, computer program 4–22012
photographic process, teaching paper 4–30324
photon flux absolute meas., in photochem. expt., appl. of solid fluoresc. dyes *(German)* 4–33502
photopolymeric articles of oligoether acrylates, physico-mech. props. and photochem. conversion *(Russian)* 4–41862
polyriboadenylic acid, delayed fluorescence emission, triplet-triplet absorption processes 4–1738
porphyrins, electron spin polarisation in photoexcited triplet state 4–25496
propene, photodissociation of cations, cyclotron resonance 4–13998
propionaldehyde, CIDNP evidence for solvent effect on primary photochemical steps 4–7459
pyrene, monopositive ion in boric acid glass, absorption spectrum, 200-1400 nm 4–13997
recombination lasers, reaction kinetics 4–23318
rhodamine B, dimer spectra 4–1405
riboflavine phototransformations in anisotropic medium, spectra 4–4269
selective synthesis, anal. of appl. of tunable dye lasers 4–26700
singlet-triplet energy differences calculated from generalised oscillator strengths 4–25498
solution reactions, non-equilibrated Franck-Condon states 4–21587
stratosphere, O_3, and temp. distrib. effect of H_2O and nitrogen oxides 4–7731
stratosphere, O_3 distrib., general circulation models 4–4514
stratosphere, O_3 response to simulated injection of NO using photochemical and vertical transport model 4–17711
tetramethyl-p-phenylenediamine, trapped electron prod. and absorpt. spectrum 4–21584
toluene derived ions, $C_7H_8^+$, ion cyclotron resonance photodissociation investigation 4–868
triplet-singlet transitions, transition probability in at. system, validity of relationship *(German)* 4–31873
troposphere, O_3 altitude and seasonal dependence from photochemical theory 4–17709
upper atmosphere, surface reactions on aerosols affecting local photochemical balance 4–34437
Venus atmosphere, detailed model 4–22310
Venus atmosphere, photochemical haze model for clouds 4–26029
xanthone in 3-methylpentane, anomalous phosphoresc. at 77K 4–4271
Ag, image-dye image transformations, electrochem. investig. of kinetics *(German)* 4–34078
As_2S_3 film, amorphous, photostructural transforms. 4–24398
α-As_2Se_3, film, amorphous, electric field depend. photodensification 4–7462
As_2Se_3 film, amorphous, photostructural transforms. 4–24398
Br_2 + alkali metal atom reactions, cross section meas. 4–10763
CO oxidation, on ZnO surface in presence of O_2 under high vac., on u.v. illum. *(German)* 4–32813
$CO(^1\Sigma^+)+O(^3P)+CO_2 \rightarrow 2CO_2$, rate const. determ., chemiluminesc. obs. 4–25500
CdS, illumination effect on thermal decomposition kinetics 4–38135
CdS, single cryst. prep. with radiation-stability to ionizing radiation 4–33615
$Cr(CN)_6^{3-}$ emission in rigid glass solns., multiple decays 4–37658
H_2, gaseous, e.s.r. obs. of xenon-photosensitized decomp. 4–29350
H_2^+, photodissociation, momentum spectrum rel. to vibr. level 4–31904
HCl, laser-excited fluorescence, state-selected kinetics 4–31969
I_2, liq. 'cage' effect and collision induced predissociation 4–34073
N + O reactive collisions with ethylene and tetrafluoroethylene, vacuum u.v. chemiluminescence obs. 4–6132
NH_3, Jovian atmosphere 4–22306
N_2O, photodissociation by soft X-rays, obs. of relative abundances 4–12618
Na, atmospheric origin and height distribution, theoretical model 4–29646
$NaNO_2$ crysts., triplet state, e.s.r. and opt. investig. *(German)* 4–41982
O_2 photodissociation in aurora, major source of green line 4–22017
O_3, atmospheric, instantaneous photochemical rates in global stratosphere 4–7729
O_3, atmospheric, kinetics of photochemistry 4–7728
O_3, photochemistry HNO_3 and pollution effects 4–7722
O_3 stratospheric cycle 4–34444
O_3 tropospheric source, photochemical theory 4–25701
$O(^1S)$ production from photodissociation of O_2 4–25737
Rh(III) complexes of 2,2'-dipyridyl 1,10-phenanthroline, phosphoresc. decay, low temps. 4–21586

photochromism
chlorosodalite:S, optical absorption, photoluminesc. and cathodoluminesc. 4–1377

photochromism continued
glass containing alkali halide crysts., absorpt. spectra at liq. N_2 temp. 4–41405
indoline spiropyrans, absorpt. and luminesc. spectra obs. of photochromic props. *(Russian)* 4–14001
leaf frog, colour change of melanosomes 4–38979
silicate: Er^{3+} glass, decay-time of excited-state absorpt., conc. depend. 4–1402
sodalites containing sulphate, optically erasable cathodochromic coloration 4–1728
spiropyran solutions, nonlinear coloration, laser bleaching 4–23388
$SrTiO_3$, light induced O_2^{3-} centre kinetics 4–24997

photoconducting devices
see also photoconductive cells; photodiodes; phototransistors
variable density filter, photoconductive film on ferroelec. PLZT ceramic plate 4–14853
CdS photoconductive platelets, plate wave acoustic convoluter 4–28274

photoconducting materials
see also photoconductivity
anthracene, cryst., hot carrier motion 4–28447
anthracene, thermal activation energies for cond. interpret. 4–1228
arylethynyl copper, photocond. props., effects of struct., O_2 in air 4–37271
azulene, transient photoconductivity in single crystals 4–10179
Ceramac type, optically active, review 4–16787
p-diiodobenzene, single cryst. phase transition obs. 4–9983
electrophoresis, toluene dispersed, zeta pot. changes during irradiation in presence of stabilizer *(German)* 4–34041
II-VI compounds, photoplastic effects, model approach 4–32606
liquid crystal-photoconductor system, photocurrent investigation *(Russian)* 4–6656
organic molecular complexes, semicond., photocond., resist. determ., visible spectra rel. to cryst. electronic states 4–37272
photoelectric layer, effect of diffusion on drift of small charge *(Russian)* 4–1250
poly(N-vinylcarbazole), dye-deposited, sensitized photocurrent obs. *(Japanese)* 4–37268
pyrene, triplet exciton quenching by trapped holes 4–10177
pyrene, triplet exciton-free hole interaction 4–10178
traps, recombination centre, classification 4–3747
AgBr, photographic emulsion, decay of hole conc. after photoexcitation 4–20647
As_2Se_3, spectrum location, amorphous sample, thickness depend. 4–33001
As_2SeTe_2, amorphous, bulk and film, photocond. and recomb. kinetics, model approach 4–16786
CdS, current oscills. at 4.2 K, hot exciton model 4–28449
CdS, effect of temp. gradients on photocond. *(Russian)* 4–10176
CdS, free-electron density in elec. fields, field-quenching model, quantitative check-up of consequences 4–28417
CdS, illumination effect on thermal decomposition kinetics 4–38135
CdS, mixing effects of acoustic waves, Brillouin scatt. obs. 4–33009
CdS, moving temp.-elec. domains obs. 4–13207
CdS, obs. of three-photon cond. with mode-locked Nd:glass laser pulses 4–37269
CdS, parametric effects on acoustoelectric current 4–16802
CdS, photoconducting samples, high electric field domains, drift field conditions 4–16761
CdS, thin film, light to dark ratios, spectral response 4–28513
CdS heterojunctions, props. of photovoltaic elements *(Russian)* 4–6669
CdS plate wave acoustic convoluter 4–28274
CdS:Cu, trap parameters from steady state photoconductivity measurements 4–16794
CdS:Cu(Te)(Bi) heterojunctions, influence of impurities on spectral dependence 4–10175
CdSe, photoelectronic properties 4–16795
CdSe-based m.i.s.i.m. structure, photocurrent kinetics *(Russian)* 4–13226
$CdSe_xTe_{1-x}$, deep impurity levels, electroabsorption comparison 4–33450
$CdSe_xTe_{1-x}$, photocurrent and thermostimulated cond. *(Russian)* 4–20652
Cu_2O, in $Pt-Cu_2O-Pt$ struct., negative effect, exciton absorpt. region 4–28451
GaAs, oscillatory photoconductivity, rel. to sample purity and surface treatment 4–24778
GaAs, photocurrent l.f. domain oscillations negative resist., mechanisms 4–28424
GaAs, phototunnel effect in m.i.s. and p-n junctions 4–20671
GaAs:Au,Cu, adsorbed impurity effect *(Russian)* 4–20663
GaAs:Cr, field enhancement of impurity photoconductivity quenching 4–28450
Ge, amorphous film, cond. spectra, temp. depend., annealing effect 4–28405
Ge, p-type, 10.6 μm, intraband transitions 4–16790
Ge_xTe_{1-x} film, amorphous, d.c. cond., optical absorpt., and photocond. 4–24847
n-$Hg_{1-x}Cd_xTe$, donor density, Hall mobility and apparent bandgap after 5 MeV electron irrad., obs. 4–41091
K_2CsSb, band struct., pseudopotential calc. *(Russian)* 4–32866
K_3Sb, band struct., pseudopotential calc. *(Russian)* 4–32866
Na_2KSb, band struct., pseudopotential calc. *(Russian)* 4–32866
Rb_3Sb, band struct., pseudopotential calc. *(Russian)* 4–32866
Se, amorphous film, pulsed light meas., recomb. processes 4–32972
n-Si, current decay kinetics, proton irrad., slow processes 4–37274
$Zn_xCd_{1-x}S$:Cu,Mn, i.r. induced switching of elec. cond. *(Russian)* 4–20659
ZnO:O,La^{3+} activated, rising pattern of photocurrent 4–3760
ZnSe:Cu, Ga, film, i.r. effect on moving high field domains 4–20627
ZnTe:Ga:Zn, photoluminesc., minority carrier traps, 4.2-323K 4–25155

photoconductive cells
exposure control apparatus for still cameras 4–18512

photoconductivity
see also photoconducting devices; photoconducting materials
aliphatic amine glasses, γ-irradiated, trapped electron yield determ. 4−4267
amorphous semiconductor with slowly-varying trap distribs., theory 4−16789
arylethynyl copper props., effects of struct., O_2 in air 4−37271
azulene, transient photoconductivity in single crystals 4−10179
BiSi, induced impurity photocond. and photopolarisation *(Russian)* 4−6655
charge transfer process, for light step and electron adduct 4−17521
crystal violet organic semiconductor dye, location depth of local levels determ. 4−37173
Dember effect, semiconductor cylindrical illumination 4−20645
dielectric, double space charge developed by Costa Ribeiro effect, expt. obs. 4−28423
electrostatic double layer adhesion, direct obs. using light-modulation of surface electronic props. 4−37294
eye pigment epithelium, investigation 4−18138
ice, pure and alkaline, properties of trapped and mobile electrons 4−33008
II-VI semiconductor, negative differential resist. rel. to hot electron enhanced radiative capture 4−41075
III-V semiconductor, negative differential resist. rel. to hot electron enhanced radiative capture 4−41075
liquid crystal oriented film with photocond. semicond. struct., switching, light controlled birefr. 4−20960
microplasma, use as photon counter 4−16785
m.i.s.i.m. structure, based on CdSe, photocurrent kinetics *(Russian)* 4−13226
molecular crystal, charge carrier photoinjection, applicability of Onsager's model for ion recomb. 4−6654
m.o.s. capacitor, surface barrier electrorefl., effect of photocarriers 4−37316
m.o.s. structure, localised excitation, transient response 4−28494
organic molecular complexes, semicond., photocond., resist. determ., visible spectra rel. to cryst. electronic states 4−37272
photoelectric layer, effect of diffusion on drift of small charge *(Russian)* 4−1250
β- phthalocyanine single crysts., metal-free, photogeneration, drift mobility and trapping of carriers 4−20648
poly(N-vinylcarbazole), dye-deposited, sensitized photocurrent obs. *(Japanese)* 4−37268
polyethylene, intrinsic photocond. and photoemission, $7<E<14$ eV 4−1248
pyrene, triplet exciton quenching by trapped holes 4−10177
pyrene, triplet exciton-free hole interaction 4−10178
quartz, X-ray induced transient conductivity, charge carrier transport obs. 4−20653
semiconductor, h.f. electroconcentration effects at inhomogeneous photogeneration of current carriers 4−32993
semiconductor, impact ionisation probability and its energy depend. calc. 4−28453
semiconductor, impurity states, kinetic simulation, electronic transitions *(French)* 4−41005
semiconductor, minority carrier mobility and diffusion const. determ. method *(French)* 4−16788
semiconductor, nonradiative recomb. at deep levels in field of strong e.m. wave 4−16798
semiconductor, organic, double space charge developed by Costa Ribeiro effect, expt. obs. 4−28423
semiconductor, photocarrier generation, magneto-optical instability in crossed elec., mag. fields 4−13413
semiconductor, spectroscopy for residual impurity qualitative analysis 4−16797
semiconductor, thin sample, magnetodiode transients, eigenfunction representation 4−13199
semiconductor junctions, photocurrents induced by radiation pulse, transitory effects *(French)* 4−3776
semiconductor with monolayers of cyanine dyes, spectral sensitisation 4−4292
tetracene, cryst., saturation photocurrent, triplet exciton-charge carrier interaction 4−6598
tetrathioteracene thin films, photogeneration and charge carrier transfer mechanisms by pulse photocond. *(Russian)* 4−41096
AgBr, electrochem. electrode, photoresponse rel. to sensitising dye 4−21593
AgBr, transition metal doped, e.p.r. and photosensitivity 4−3896
AgCl, electrochem. electrode, photoresponse rel. to sensitising dye 4−21593
AgCl, transition metal doped, e.p.r. and photosensitivity 4−3896
Al-Si_3N_4-Al, influence of space charge and traps *(Russian)* 4−1272
Ar, solid, photoemission peaks rel. to band gap effects 4−37738
Ar matrix, containing Na atoms and tetracyanoethylene mols. 4−28448
As_2Se_3, vitreous, relaxation kinetics of photoresponse, surface conds. depend. 4−6657
As_2SeTe_2, amorphous, bulk and film, model approach 4−16786
Au-$CdIn_2S_4$, Schottky-barrier diodes, obs. of photocond. 4−28492
$Ca(NbO_3)_2$ crystals, luminesc. and elec. cond., thermal and optical stimulation 4−33512
CdBr, $CdBr_2(I_2)$, $CdBr_2(PbI_2)$, spectra of pure and doped single crystals *(Russian)* 4−20651
$CdGa_2Se_4$:Au, meas. in range 105 to 300K 4−28452
$CdIn_2S_4$:Cu(Au), residual cond., optical memory effects 4−24779
$CdIn_2Te_4$, thin films, form. conditions and elec. props. *(Russian)* 4−6680
CdS, changes in photoconductivity of sputtered films resulting from O_2 chemisorption 4−10184
CdS, class I crystals, heat treatment effect in ultra-high vacuum 4−20650
CdS, film, adsorption effects, rel. to elec. props. 4−20707
CdS, obs. of three-photon cond. with mode-locked Nd:glass laser pulses 4−37269
CdS, photocurrent oscillations, hot excitons at 4.2K 4−28449
CdS, sintered layer, spectral distrib. of photosensitivity *(Russian)* 4−1251
CdS, three-photon cond., appl. for ultra-short laser pulse meas. 4−24781
CdS film, grown in H_2 atmosphere, spectral characs. 4−16744

photoconductivity continued
CdS film, stimulated cond. props. in dark, planar memory element appl. 4−13209
CdS:Cu, determination of trap parameters 4−16794
CdS:Cu, emission of trapped holes, appl. to negative differential cond. 4−28422
CdS:Cu,Cl, sintered layers, and photolum., depend. on Cu conc. *(Russian)* 4−33007
$CdS_{0.5}Se_{0.5}$, two-photon cond., appl. for ultra-short laser pulse meas. 4−24781
$CdS_{0.5}Se_{0.5}$, ultrashort laser pulse meas., two-photon photocond. technique 4−18498
CdSe, electron trapping levels obs. 4−37250
CdSe, intensity depend., exciton-electron interctions 4−33484
CdSe, thermal quenching, transverse temp.-elec. inhomogeneity, effect on l.f. current oscills. 4−24756
CdSe powder, negative resistance threshold voltage reduction rel. to irradiation wavelength, obs. 4−10161
$CdSe_xTe_{1-x}$, photocurrent and thermostimulated cond. *(Russian)* 4−20652
CdTe, free carrier generation by radiation, quantum efficiency 4−6653
CdTe:Ga(Cl), slow photoconductive kinetics 4−10183
Cu_2O, in Pt-Cu_2O-Pt struct., photoelec. effects in exciton absorpt. region 4−28451
$CuPbSbS_3$, grown by modified zone-melting method, characterization 4−4044
Eu_3SiO_5, with fluoresc., room temp. behaviour 4−33485
GaAs, epitaxial film, spectral dependence, surface trapping 4−3758
GaAs, oscillatory photoconductivity, rel. to sample purity and surface treatment 4−24778
GaAs, two-photon cond., appl. for ultra-short laser pulse meas. 4−24781
GaAs, ultrashort laser pulse meas., two-photon photocond. technique 4−18498
GaAs:Cr, electric field enhancement of quenching 4−28450
GaS, 77K to room temperature 4−17113
GaSb, rel. to Landau struct., magneto-absorpt. meas. 4−33003
n-Ge, ambipolar diffusion coefficient, exptl. detn. 4−20608
Ge, amorphous film, temp. depend. annealing effect 4−28405
Ge, diffusion length and surface recomb. velocity obs. 4−37233
Ge, energy spectrum of free excitons, absorpt. and photocond. obs., collective effects 4−10118
n-Ge, i.r. radiation 4−6658
p-Ge, mag. field effect on photoconductivity oscillations 4−28454
Ge, optically pumped, transient decay props. associated with formation of electron-hole droplets 4−16796
Ge, p-type, 10.6 μm, intraband transitions 4−16790
Ge, p-type, anal. of dislocation effects by photoelectric and galvanomagnetic meas. 4−13206
Ge, photocurrent quantum oscillations in electron-hole condensate 4−13208
Ge, transport and recomb. props. of photoexcited carriers below 30K, theory, carrier heating 4−1247
Ge surface, photoinduced e.p.r. signals 4−28685
Ge:Li, neutron irrad. defect effect, energy levels 4−32893
Ge:Ni, current instability related with recombination *(Russian)* 4−32966
Ge_xTe_{1-x} film, amorphous, room temp. 4−24847
H_3O^+, slow Faradaic processes following homogeneous electron capture 4−17520
$Hg_2(N_3)_2$, absorpt. spectra, photostability and decomposition 4−25156
n-InP, high-resist., trap-controlled current oscills. 4−6632
InSb, excess carriers induced with CO_2 laser 4−20649
InSb, interband transitions, oscillatory curves, mag. field depend. 4−37276
InSb, radiative recomb. of electron-hole pairs generated by two-photon absorption 4−21065
InSb, transient photoconductivity in crossed electric and magnetic field, sweep out effects 4−20646
p-InSb:Ge, non-equilib. photoelectrons under quantising mag. field, alternating oscills. 4−37277
KBr, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
KBr, of K colloids 4−32999
KCl, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
KI, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
N_2O, slow Faradaic processes following homogeneous electron capture 4−17520
NaCl, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
$Pb_xSn_{1-x}Te$ film on mica, spectral distrib. *(Russian)* 4−32832
Pd, thin film, equilib. determ., work function 4−28510
SbSI, induced impurity photocond. and photopolarisation *(Russian)* 4−6655
SbSI film, c-axis oriented 4−6850
Sb_2Se_3 evaporated thin films, effects of preparation conditions *(German)* 4−16799
SbSeI, induced impurity photocond. and photopolarisation *(Russian)* 4−6655
Se, amorphous, charge carrier photogeneration, expt. and model 4−33000
Se, liq., cond. depend. on freq., i.r. meas., 600 degrees C 4−28458
Se:Hg, amorphous sample, anomalous photocond. model 4−16791
Se-S amorphous film, drift mobility, photocond. edges, comp. depend. 4−10181
Si, amorphous, photocond. and absorpt. 0.5 to 3 eV, localised state distrib. model 4−10180
n-Si, current decay kinetics, proton irrad., slow processes 4−37274
p-Si, mag. field effect on photoconductivity oscillations 4−28454
Si, n-channel of f.e.t. p-n junction, memory effect 4−37275
Si, spectral characts. of photocurrent, depend. on quantum energy *(Russian)* 4−32998
Si, transport and recomb. of photoexcited carriers below 30K, carrier heating, theory 4−1247
Si surface, photoinduced e.p.r. signals 4−28685

photoconductivity continued
Si surface recombination rate, effect of aluminium di-2,4-pentandionato-mononitrate film *(Russian)* 4−20664
Si wafer with p-n junction, surface photo-Hall effect 4−37256
Si:Zn, recomb. waves, threshold freq., effect of optical injection 4−24780
Te, i.r. spectral meas. at 90 K 4−10182
Te, interband photoconductivity, hydrostatic press. influence 4−3759
Te, second harmonic generation optimisation, in presence of photoinduced carriers 4−23395
$Te_{40}As_{35}Si_{15}Ge_7P_3$, amorphous glass films, switching, dark and photocond. meas., field depend. 4−24789
TiO_2, rutile, photocond. and photolum. kinetics of luminesc. centre 4−37678
Yb film, absorpt. spectra, interband transitions *(French)* 4−28961
$Zn_xCd_{1-x}S$:Cu,Mn, i.r. induced switching of elec. cond. *(Russian)* 4−20659
$ZnIn_2Se_4$, spectral distrib., response time and lux-ampere characteristics, trap distrib. 4−16792
$ZnIn_2Te_4$, spectral distrib., response time and lux-ampere characteristics, trap distrib. 4−16792
ZnO, hexagonal, two-photon photoconductivity measurements 4−16793
ZnO:dyes, X, X=Br, I anode, influence of inorganic salts on sensitization by dyestuffs *(German)* 4−34040
ZnO:O,La^{3+} activated, rising pattern of photocurrent 4−3760
ZnS film, stimulated cond. props. in dark, planar memory element appl. 4−13209
ZnSe, heterogeneous single cryst., spectral distrib. of photocurrent *(Russian)* 4−32997
ZnSe, reaction-kinetic calcs. simulating oscillations 4−21068

photoconductors *see photoconducting materials*

photocopying
see also electrophotography
metallised photocopy production, Si_3N_4 substrate material *(Russian)* 4−18511

photocurrent *see photoconductivity; photoemission*

photodetectors
bolus transit, video crosscorrelation meas. 4−18201
broadband cooled, operation with cryostat 4−5047
deep-water electronic nephelometer 4−11068
flame photometric, for S emission detection at 3939 Å 4−39098
laser Doppler anemometer, factors influencing optical detector performance 4−15097
photoabsorptimeter, IFO-453 type, near i.r., performance 4−35255
photocounting statistics, light intensity, finite dead time 4−8786
positioning, automatic, of transparent objects, double microscope and photodetector system 4−22868
pulsed signals in noise background, pulse length selector 4−30458
semiconductor interfaces 4−37301
sensitivity increase using quantum fibre amplifiers 4−23336
signal backing-off circuit for kinetic spectrophotometry 4−26515
signal backing-off circuit for kinetic spectrophotometry 4−26516
signal recovering, wavelength modulated spectrometer with one photodetector 4−26520
spectral sensitivity meas., DMR-4 monochromator modernization 4−22856
spectrometer using Si photodiode detector, analog. cross correlation readout system 4−153
star, for satellite attitude determ. 4−34589
strain gauges, diffractographic, structural appls. 4−18376
variable slit impactor, aerosol particle size distrib. 4−26661
vidicon TV tube, 500-channel Si-target, photodetector for atomic absorpt. spectrometry 4−2420
Au-CdS junction, Cu-diffused, photodetection by barrier modulation 4−16818
Ge, design, for c.w. CO_2 lasers 4−11924
Si sensor, exposure meters in photography, new developments and techniques *(German)* 4−14863

photodiodes
elemental emission spectra, identification using photodiode array spectrometer, appl. of logic operations 4−2407
position sensitive, rel. to angle of arrival of optical radiation meas. *(Russian)* 4−32
spectrometer using Si photodiode detector, analog. cross correlation readout system 4−153
Au-CdS junction, Cu-diffused, photodetection by barrier modulation 4−16818
GaAs Schottky barrier avalanche photodiode, electron and hole impact ionis. coeffs. obs. 4−32971
HgCdTe, varactor photodiode, for detect. of CO_2 laser beats beyond 60 GHz 4−8386
$In_xGa_{1-x}As$, Schottky-barrier avalanche type, prep., props., 1.06 μm 4−37758
PbTe, planar n-p junction photodiodes, fabrication by Sb^+ ion implantation 4−25273
PbTe:Sb^+, photodiode fabrication on BaF_2 film, ion implantation method 4−29005
PbTe-Ge heterojunction, prep., i.r. spectral response 4−28487
Si, electrical fields gradients at p-n junctions by electron mirror microscopy 4−10205
Si, pulsed light source measurement and triggering photographic applications 4−11532

photodisintegration
see also deuteron photodisintegration; photofission
two-body disintegration, independent-particle model nuclei 4−31345
$^{12}C(\gamma,p)$, 250-1200 MeV, π absorpt. mechanism *(Russian)* 4−15755
^{13}C, bound-state shell model and R-matrix theory anal. 4−27303
$^{3}He(\gamma,p)d$, 200-350 MeV $\Delta(1236)$ region, differential cross section 4−23662
^{4}He, cross-section ratio $\sigma(\gamma,p)/\sigma(\gamma,n)$ 4−5778
$^{4}He(\gamma,^{3}He)n$, 48-83 MeV, total and differential cross sections 4−19383
$^{4}He(\gamma,n)^{3}He$, calc. of scattering cross sections 4−19385
$^{4}He(\gamma,p)^{3}H$, 200-350 MeV $\Delta(1236)$ region, differential cross section 4−23662

photodisintegration continued
$^{4}He(\gamma,p)^{3}H$, 23-35 MeV, total and differential cross sections 4−19383
$^{4}He(\gamma,p)^{3}H$, calc. of scattering cross sections 4−19385
$^{4}He(\gamma,p\pi^-)(ppn)$, anomaly in $\Delta(1236)$ resonance region 4−23663
$^{4}He(\gamma,t)^{1}H$, 32-72 MeV, total and differential cross sections 4−19383
^{6}Li, sum rule cross sections 4−31338
$^{6}Li(\gamma,\tau)^{3}H$, nuclear photo effects, 16-35 MeV, unified theory, cluster model 4−31340

photodissociation *see dissociation; photochemistry*

photoelasticity
see also mechanical birefringence
alkali halide aggregate, elastic consts. 4−3513
anisotropic media, wave motion recording using dynamic photomechanics 4−26469
caustics method for stress singularities at concentrated loads 4−39156
crack and notch interaction with longitudinal and surface waves, photoelasticity meas. *(Russian)* 4−6542
crystalline rocks, brittle fracture process under uniaxial compression, photoelastic models 4−21831
diffraction grating, strain gauge technique for strain and rot. meas. during elastic impact of rods 4−26470
elastic polarisable and magnetisable isotropic continuum 4−3954
e.m. plane stress-wave generator for transient loading of models 4−30396
finite rectangular plates with rectangular inserts, stress conc. factors 4−35185
glass, K_2O-SiO_2, Rayleigh and Brillouin scatt., rel. to acoustic wave vel., photoelastic consts. and comp. 4−37598
holographic interferometric methods limitations in three-dimens. photoelasticity 4−30479
immersion fluid, mixing, refr. index determ. 4−35259
interferometric stress measurement technique 4−18470
i.r. transmitting materials, freq. depend., model anal. 4−26536
isochromatic-fringe patterns whole-field interpolation 4−39157
laminated plate method rel. to study of bending in rectangular plates 4−182
Moire rosette method for principal strains eval. 4−26471
photoviscoelastic materials, optical calibration on microsec. time scale 4−35187
plastic, fibre reinforced, photoelastic stress analysis 4−21437
plate stiffened on boundary under diagonal loads, stress analysis 4−11747
PMMA, edge crack orientation, effect on passage of surface waves *(Russian)* 4−29232
polyester, stress field surrounding fatigue crack, photoelastic analysis 4−41856
polymer, stress-optical coeffs., depend. on mech. and opt. props. 4−41356
pressure vessels, thick-walled cylindrical, stress concentrations at offset oblique holes 4−23805
quartz, fused, laser drilled holes, defects obs. 4−35882
rocks, used for measurement of recoverable strain 4−34510
static and dynamic point method for stress directions and difference determ. *(French)* 4−35645
static point methods for principal stress determ., plane problem, birefringent material *(French)* 4−39155
stress intensity factors determ., surface flaw problems applic. 4−35186
stress measurement in immersed structures undergoing fluid motion 4−22770
thermoelectric method for data processing *(Russian)* 4−18372
three-dimensional, applic. in fracture mechanics 4−40834
Al alloy 601, serrated flow obs. using photoelastic coatings 4−7148
LiCl bicrystal, growing crack interaction with boundary, photoelasticity meas. *(Russian)* 4−6458
LiF crystal, stress distrib. at crack, dislocation struct. before and after load *(Russian)* 4−28142

photoelectrets *see electrets*

photoelectric cells
see also photoconductive cells; photovoltaic cells
camera brightness detector, through the lens meas. 4−26546
vacuum phototube, relative spectral sensitivity measurement 4−22840
CdS:Cu(Te)(Bi) heterojunctions, influence of impurities on spectral dependence 4−10175

photoelectric devices
see also photocathodes; photoconducting devices; phototubes
aerosol dispensiometer, for sizing biological aerosols 4−23024
exposure meter for astronomical spectrographs *(Russian)* 4−14525
inclinometer assemblies, parallel recording of Earth tidal waves *(Russian)* 4−7498
micropyrometer, multichannel, operation and construction 4−5000
photometer, for meas. of artificial u.v. radiance in UV(A+B)-UVM-1B spectral region 4−35279
pulsed scanning system, for angular meas. in astronomical telescope 4−18082
scanning interferometer, photoelec. setting technique for fringes of equal thickness 4−26524
student article describing 4−30341
GaAs, surface wave convolution, photoenhancement 4−28271

photoelectric electron emission *see photoemission*

photoelectric emission *see photoemission*

photoelectric tubes *see phototubes*

photoelectricity
see also photoconductivity; photoelectromagnetic effects; photoemission; photovoltaic effects
free charge carriers, drift kinetic equations, electric field *(Russian)* 4−3757
liquid crystal-photoconductor system, photocurrent investigation *(Russian)* 4−6656
m.o.s. structure, low temp. photocapacity, fast interface states obs. 4−20696
photoelectrets transient processes analysis 4−3932
polarized beam, mag. field effect, orientation depend., theory 4−33006
relaxation theory, electron diffusion, phonon interaction 4−13195

photoelectricity continued
- SEM, photoelec. exposure meas. on the stereoscan, circuit 4−8528
- semiconductor, attachment for the cryostat 4−35225
- semiconductor, maximum sensitivity in photoelectric spectroscopy of impurities 4−28456
- semiconductor-metal boundaries, detailed analysis 4−41118
- textbook error in derivation of $h\nu$-$e\varphi$=eV 4−4920
- thermoelectric cryostat, for optical investigations 4−18400
- Al-Si_3N_4-n-GaAs m.i.s. structure, influence of light on capacitance 4−28499
- Ar ion laser, two-quantum photoelec. effect, for picosecond time-interval meas. 4−15346
- Au-SiO_2-Si, mechanism, trap charging in oxide 4−28502
- BeO, film, reactive evaporation, photoelectric properties *(German)* 4−28988
- BiI_3, optical spectrum of acceptor centre *(Russian)* 4−41404
- CdS-Cu_2S heterojunction, mathematical analysis 4−13219
- CdSe, photoelectronic properties 4−16795
- $CdSnP_2$-CdSe heterojunction, spectral characts. of photosensitivity *(Russian)* 4−33028
- $CdSnP_2$-Cu_2S heterojunction, spectral characts. of photosensitivity *(Russian)* 4−33028
- CdTe, thin film, internal macrovoltages *(Russian)* 4−1249
- GaAs, surface wave convolution, photoenhancement 4−28271
- GaAs:Cr, photoionisation of deep impurity centres, field and temp. depends. 4−33005
- GaAs-Au Schottky barrier diode, photocapacitance, deep impurity obs. 4−20686
- Ge:Sb, Ga, quasistable light sensitive defects model, irradiated 4−32892
- InSb p-n junction, noise and elec. props., illumination effects 4−20676
- $NbSe_2I_2$, photoelectrical props. 4−32931
- PbS thin films, surface hillocks investigation *(Russian)* 4−28321
- Si amorphous-crystalline junctions, rectification, characteristics, photovoltage production 4−16815
- Si-SiO_2 boundary, condensator photoelectromotive force at high injection levels *(Russian)* 4−33036
- Ti diffusional coating on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4−15052
- Ti-Al-B diffusional coating on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4−15052

photoelectromagnetic effects
- organic crystals, excitons, holes and electrons in *(Polish)* 4−16722
- photomagnetism appl. to film information stores 4−37462
- semiconductor, anomalous Dember effect in case of cylindrical illumination 4−20645
- semiconductor with periodic doping profile, anisotropic Dember effect 4−28455
- semiconductors, magnetoconcentration of excess carriers on surface 4−41113
- semimetal, creation of electrons and holes, photomagnetic e.m.f., appl. of s.h.f. field 4−28457
- CdSb, electron mobility anisotropy temp. depend. meas. 4−24744
- EuO thin film, photomagnetoresistance meas., carrier conc. determ. near Curie temp. 4−10167
- Ge, p-type, anal. of dislocation effects by photoelectric and galvanomagnetic meas. 4−13206
- n-InSb, generalised, obs. in range 80 to 300 K in fields of 1.36 kG 4−37273
- InSb, interband transitions, oscillatory curves, mag. field depend. 4−37276
- Si, anomalous behaviour, photocarrier drift deviation, minority carrier diffusion length 4−33004
- Si, surface recombination rate, effect of aluminium di-2,4-pentandionato-mononitrate film *(Russian)* 4−20664
- YIG, defect struct. and annealing effects 4−24708
- YIG:Si, photomag. effect and electron-diffusion after effect 4−28660

photoelectron spectra
- *see also Auger effect; photoemission*
- adamantane, complete valence shell electronic structure, He I and II photoelectron spectra 4−31938
- adamantane and derivatives 4−36566
- air, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
- alcohols, electron donor ionisation pot., H-O bond effects 4−19896
- alkali chlorides, binding energies of outer electronic bands 4−1429
- alkali fluorides, binding energies of outer electronic bands 4−13549
- alkali metals, plasmon photoeffect mechanism *(Russian)* 4−6957
- alkali negative ion, electron affinity and resonances in autodetaching states 4−19698
- alkenes, ionization pots., alkyl group structural effects, quantitative assessment 4−31932
- allenes, methyl-substituted and tetramethyl bisallenyl 4−36571
- anilines, effects of steric inhibition to resonance, photoelectron spectroscopy 4−31926
- assignments criterion, use of differential photoionis. cross sections as function of excitation energy 4−870
- atom, Z<20, ang. distrib. of photoelectrons from outer 2p and 3p atomic subshells 4−36429
- atomic subshell cross sections in X-ray photoelectron spectra 4−31681
- azabenzenes, ab initio MO-SCF-LCAO interpret. 4−36472
- azines, modified iterative extended Huckel interpret. 4−36569
- band contour interpretation, mol. rot. effects 4−6116
- benzene, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
- benzene additional bands with Ne or Ar resonance lines, origin 4−31931
- β- brass, ordered, expt. agreement with APW band calcs. 4−32862
- chlorobenzenes, u.v. photoelectron spectra, substituent effects rel. to band assignment 4−31920
- chloromethanes, and X-ray emission spectra, molecular orbital interpret. 4−36568
- chloropyridines, u.v. photoelectron spectra, substituent effects rel. to band assignment 4−31920
- CO, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
- core hole state lifetimes, higher transition processes 4−13541

photoelectron spectra continued
- core level chem. shifts, ultrasoft X-ray emission correlated with ESCA determ. 4−36497
- crystal and molecular structure, conference, Gent (1972) 4−33586
- cyclobutylacetylene, determ. of ionisation pots. in low binding region 4−31936
- cyclohexylacetylene, determ. of ionisation pots. in low binding region 4−31936
- cyclopropylacetylene, determ. of ionisation pots. in low binding region 4−31936
- cylindrical mirror energy analyzer, branching ratios determ. 4−30613
- diazanaphthalenes, fluorine substituted, N lone pair bands 4−31933
- 2,3-diazobicyclo[2,2,n]alk-2-enes, n=1,2,3,4 4−12622
- diazocyclopentadiene, LCAO MO SCF calcs., ESCA, structure, bonding, core and valence ionized states 4−31791
- electron spectroscopy, from solid surfaces in u.h.v. 4−135
- energy distribution, meas. by analogue differentiator 4−22971
- ESCA, atomic photoelectric cross section, subshell contributions 4−31682
- ethane, vibr. states of positive ion 4−36574
- ethylenes, substituted, electronic interaction between vinyl group and substituents, electron-withdrawing effect 4−27735
- ethylfluoride, and orbital assignment by sum rule consideration 4−31935
- fluorobenzene, additional bands with Ne or Ar resonance lines, origin 4−31931
- fluoroorganic compounds, equivalent-cores analysis of ESCA shifts of fluorine 1s electrons 4−869
- group V phenyl compounds 4−27738
- group VIA hexacarbonyls, valence region 4−27736
- Hadamard transform spectrometer with computer aided analysis 4−30612
- haloethylenes 4−27739
- high temperature photoelectron spectrometer 4−30614
- III-V semiconductors with Ga and As, determ. of binding energy values 4−10515
- impure crystal, externl multi-photon photoeffect, electron-phonon interaction, photoelectron escape 4−13552
- intensity and angular distrib. calcs. 4−19898
- ionosphere, low-energy vel. distrib. from Boltzmann eqn. 4−7772
- ionosphere, transfer from conjugative ionosphere 4−4585
- ionosphere Monte Carlo simulation, photoelectron and escape electron spectra 4−7771
- ionospheric photoelectron differential energy spectrum meas. 4−25765
- ligand characterization applic. of high resolution X-ray photon emission spectroscopy 4−3217
- metal:oxide impurity, ESCA, matrix pot. distrib. low cond. impurity particle charging effect 4−17162
- metal film, polycryst., ang. and energy depend. of emitted photoelectrons, rel. to Fowler's determ. of work function 4−33583
- metal film surfaces, clean, adsorption, X-ray photoelectron and vacuum u.v. photoelectron studies 4−37097
- methane, energy spectrum of superexcited state 4−5994
- methane, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
- methyl iodide, autoionisation states from resonance photoelectron spectra 4−12624
- methyl iodide, resonance photoelectron spectroscopy from autoionisation states 4−31924
- methyl radical, first ionization potential from photoelectron spectra, vib. features 4−31923
- molecular ionisation, by photoelectron spectroscopy obs. 4−31939
- molecule, 1s hole state multiplet splitting, X-ray photoemission obs. 4−19894
- naphthacene, polycrystal, u.v. photoelectron spectra 4−13554
- α-naphthyl-$(CH_2)_4$-α-naphthyl, conformation determ. 4−31930
- nitroanilines, ionisation potentials 4−12621
- nitroanilines, multi-peak ESCA bands 4−31927
- n-nitrodimethylamine, photoelectron spectra, theory 4−6119
- noble metals with implanted inert gases, X-ray photoelectron spectra, polarization and pot. effects 4−4023
- nuclear reactor materials in liquid Na, corrosion and depositions, physical exam. techniques 4−27462
- organic molecules, rel. to vacuum u.v. spectroscopy 4−31833
- oxygen compounds, band intensities in He I-, He II-photoelectron spectra, photoionization cross-section of mol. orbitals 4−16132
- pentatomic heterocyclic compounds, ESCA bands, core ioniz. energies and multi-peak struct. 4−3212
- photomultiplier tube secondary multiplication anal. using histogram of anode pulse amplitudes *(French)* 4−35403
- polyethylene, ESCA comparison with cryst. orbital calcs. 4−13550
- polyethylene, intrinsic photocond. and photoemission, 7<E<14 eV 4−1248
- n-propylfluoride, and orbital assignment by sum rule consideration 4−31935
- pyridine, additional bands with Ne or Ar resonance lines, origin 4−31931
- pyridine-iodomonochloride, charge transfer complex, ESCA obs. 4−12619
- selenophen and derivatives, ioniz. energies determ. 4−860
- solutions, photoelectron energy distrib., theoretical analysis 4−28986
- spin-orbit interactions, calc. model 4−24130
- styrenes, steric hindrance of methyl groups 4−36570
- sulphur compounds, band intensities in He I-, He II-photoelectron spectra, photoionisation cross-section of mol. orbitals 4−16132
- tellurophen and derivatives, ioniz. energies determ. 4−860
- tetrathiofulvalene, electronic struct. from photoelectron and polarised u.v.-visible spectra 4−33568
- 7-thiabicyclo[2.2.1]heptane 4−36567
- thiophene, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
- transition metal chalcogenides, valence band struct. determ. 4−1202
- transition metal complexes, high energy spectra, core level shifts between free and complexed CO 4−27737
- transition metal compounds, shake-up satellites correl. with paramag. 4−25206

photoelectron spectra continued
transition metal dichalcogenide, band struct. and photoemission 4−37737
trifluoroacetate, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
trithiapentalene, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
TTF-TCNQ, electron transfer 4−33556
TTF-TCNQ, valence electronic struct. and charge transfer 4−28990
ultraviolet, review of band assignment methods 4−36565
u.v. photoemission spectroscopy, electronic structure determ. 4−4025
vinylacetylene, determ. of ionisation pots. in low binding region 4−31936
X-ray, relative intensities 4−36428
X-ray atomic photoelectric cross section, subshell contributions 4−31682
X-ray photoelectron intensities, surface roughness effects 4−33569
X-ray photoelectron spectrometer for surface chemistry studies 4−35489
X-ray photoelectron spectrometer fracture device 4−37736
X-ray photoelectron spectroscopy, review of theory 4−33587
X-ray photoelectron spectroscopy, work function meas., spectra calibration 4−6956
Ag, 145 keV γ-ray K-shell cross sections 4−25211
Ag, valence band spectra using X-ray photoemission 4−37739
Ag, X-ray photoelectron spectrum, valence band meas. 4−33578
Ag, X-ray photoemission of 3d electrons, core line asymmetries 4−25209
Ag thin films, meas. at plasma frequency 4−1430
Ag(III) complex, ethylenebis(biguanide), existence of highly charged Ag ion 4−31928
AgPd alloy, valence band spectra using X-ray photoemission 4−37739
As, (0001) surfaces, excitation, conduction, emission modes, low energy 4−13080
Au, adsorption of C, H_2O and CO_2, X-ray photoelectron and vacuum u.v. photoelectron studies 4−37097
Au, emission spectra meas. for $15\leqslant h\nu\leqslant 90$ eV and X-ray limit 4−10516
Au, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
Au, X-ray photoelectron spectrum, valence band meas. 4−33578
Au, X-ray photoemission of 4f electrons, core line asymmetries 4−25209
Au film, band struct. obs. *(Russian)* 4−20528
Au-Sn alloys, X-ray photoemission of valence bands and core level energy shifts 4−21161
BiSeI:Ag, work function, Fermi level determ. *(Russian)* 4−33560
CO, 304 Å dispersed He II radiation photoelectron spectra 4−31934
CO, adsorbed on Mo and W, ESCA obs. 4−33567
CO, CO_2, molecule, satellite peaks in high energy spectra 4−3216
CO adsorption on Mo film, X-ray and vacuum u.v. photoelectron spectra 4−24629
CO_2, 304 Å dispersed He II radiation photoelectron spectra 4−31934
COS^+, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4−6113
CS, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
CS_2, dissociation study of CS_2^+, kinetic energy release 4−862
CSe_2, Franck-Condon factors, mol. ion geometry 4−27734
CSe_2, He I excitation, shake-up process assignments 4−36573
Cd halide, photoelectron spectra rel. to valence electronic struct. 4−19897
CdS density of valence states determ. using for u.v. photoemission 4−4026
CdTe, valence band density of states, empirical pseudopot. calc. 4−28350
CdX_2, X=Cl, Br, I, gaseous, and mol. orbital assignment 4−36572
ClF_3, X-ray photoelectron spectra 4−12620
$Co(CO)_3NO$, He(I) photoelectron spectra, electronic struct., SCF-mol. orbital calcs., orbital relax. 4−16131
CoO, valence band struct., X-ray photoelectron obs. 4−37169
CsBr, spin-orbit interaction effect 4−12623
CsCl, photoemission F-band at 610 nm, effective escape depth of photoemitted electrons 4−28987
CsCl, spin-orbit interaction effect 4−12623
CsF, spin-orbit interaction effect 4−12623
CsI, spin-orbit interaction effect 4−12623
Cs_2Te, 3 to 12 eV photon energy, hot electron transport, band struct. obs. 4−33573
Cu, u.v. photoemission spectroscopy 4−4025
Cu, valence band spectra using X-ray photoemission 4−37739
Cu, X-ray photoelectron spectrum, valence band meas. 4−33578
Cu-Ni, u.v. photoemission spectroscopy 4−4025
$CuAlS_2$, valence band density of states and core levels, X-ray photoelectron obs. 4−10091
CuNi alloy, valence band spectra using X-ray photoemission 4−37739
CuO, Cu_2O, valence band struct., X-ray photoelectron obs. 4−37169
CuO, Cu_2O, X-ray satellite struct. assignment 4−33565
CuO, neutron irradiated, X-ray photoelectron spectra obs. 4−25210
Cu_2O, neutron irradiated, X-ray photoelectron spectra obs. 4−25210
D_2, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4−31917
D_2, photoionisation into different vib. states, cross-section calcs. rel. to Franck-Condon factors 4−31916
DF, rot. band shapes in photoelectron spectra 4−19895
F cpds., photoionisation cross sections rel. to He I and He II photoelectron spectra 4−31929
Fe complex, chemical shift, 2p, 3p state binding energies 4−28732
$Fe(CO)_2(NO)_2$, He(I) photoelectron spectra, electronic struct., SCF-mol. orbital calcs., orbital relax. 4−16131
FeS_2 obs. of localised levels, $20\leqslant h\nu\leqslant 50$ eV 4−28356
Ga, Auger and direct electron signals in X-ray photoelectron spectra 4−33566
GaAs, 10.2eV, angular depend. for (110) face 4−10514
GaAs, valence band density of states, empirical pseudopot. calc. 4−28350
GaAs (110), caesiated, polarization depend. 4−41470

photoelectron spectra continued
GaAs:Cs-O, negative electron affinity surface, emitted electron energy distrib., calc. 4−37733
Ga_2O_3, Auger and direct electron signals in X-ray photoelectron spectra 4−33566
GaP, valence band density of states, empirical pseudopot. calc. 4−28350
GaSb, valence band density of states, X-ray photoemission obs. 4−28339
GaSe, using synchrotron radiation 4−21158
Ge, valence band density of states, empirical pseudopot. calc. 4−28350
Ge-Ni(Fe)(Au) alloy, amorphous, X-ray photoemission spectra of valence bands 4−41464
H_2, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4−31917
H_2, photoionisation into different vib. states, cross-section calcs. rel. to Franck-Condon factors 4−31916
HBS, ionisation potentials 4−6117
HBS, photoelectron spectra, electronic struct. investig. 4−27733
HCN, first photoelectron band interpret., Renner-Teller interaction 4−16130
HCP, ionis. pots., interpret. of first photoelectron band of HCN 4−16130
HD, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4−31917
HF, rot. band shapes in photoelectron spectra 4−19895
H_2O, molecule, satellite peaks in high energy spectra 4−3216
H_2O, vibr. struct. in photodetachment spectra calc. using one-particle approx. 4−40330
H_2O^+, analysis of Renner effect 4−24131
H_2O_2, nonbonding orbital splitting 4−31919
HgS density of valence states determ. using for u.v. photoemission 4−4026
InP, valence band density of states, X-ray photoemission obs. 4−28339
InSb, valence band density of states, empirical pseudopot. calc. 4−28350
InSb, valence bands and core levels, photoemission obs. 20 to 70 eV 4−10101
Ir, X-ray photoemission of 4f electrons, core line asymmetries 4−25209
Kr, photoelectron backscattering, homogeneous electric field *(German)* 4−31710
Li, X-ray photoelectron spectra, valence bands 4−33572
LiF, thermally stimulated exo-electrons, energy distrib. 4−6961
Methane, molecule, satellite peaks in high energy spectra 4−3216
Mn complexes of N_2 and O_2 donor molecules, X-ray photoelectron spectra, binding energy determ. 4−3215
Mn pentacarbonyls, substituted, high energy spectra, bonding study 4−27737
MnO, valence band struct., X-ray photoelectron obs. 4−37169
$MoS_3(S_2)$, binding energies 4−21156
N_2, 304 Å dispersed He II radiation photoelectron spectra 4−31934
N_2, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
N_2, molecule, satellite peaks in high energy spectra 4−3216
NH_3, partial oscillator strengths for ionization of 3 valence orbitals 4−31914
NH_3 molecule, satellite peaks in high energy spectra 4−3216
NO, threshold-972 Å 4−31925
N_2O, shake-up spectra associated with X-ray photoionisation 4−40331
N_2O^+, predissociation obs. by photoelectron-photoion coincidence spectroscopy 4−6113
Na, free electronlike valence bands, high-resolution X-ray photoemission obs. 4−41467
Na, X-ray photoelectron spectra, valence bands 4−33572
NaOH, free electronlike valence bands, high-resolution X-ray photoemission obs. 4−41467
Nb, X-ray photoelectron obs. of O adsorption 4−37735
Ne, high resolution ESCA with fine-focusing X-ray monochromator 4−35531
Ne photoionisation ang. distribs. and form of resonance lines of photoelectrons *(Russian)* 4−36431
Ni, valence band spectra using X-ray photoemission 4−37739
Ni/chemisorbed O, u.v. photoemission spectra, theoretical interpretation 4−41469
$Ni(CO)_4$, He(I) photoelectron spectra, electronic structure, SCF-mol. orbital calcs., orbital relax. 4−16131
$NiCl_2$, valence band struct., X-ray photoelectron obs. 4−37169
NiO, valence band struct., X-ray photoelectron obs. 4−37169
NiS, valence band struct., X-ray photoelectron obs. 4−37169
NiS_2, obs. of bandlike valence-electron states $20\leqslant h\nu\leqslant 50$ eV 4−28356
n-nitrosodimethylamine photoelectron spectra, theory 4−6119
O_2, 304 Å dispersed He II radiation photoelectron spectra 4−31934
O_2, autoionisation states near ionisation threshold 4−24129
O_2, first band, time-averaged, deconvoluted spectrum 4−3214
O_2, molecule, satellite peaks in high energy spectra 4−3216
O_3, high resolution, vertical ionis. pots. 4−24128
OCSe, Franck-Condon factors, mol. ion geometry 4−27734
$OPCl_3(Br_3)$, and assignment 4−31921
OsO_4, assignment of highest energy filled orbitals 4−6118
PF_5, X-ray photoelectron spectra 4−12620
$PSCl_3$, $PSCl_{3-n}[N(CH_3)_2]_n$, ionization pots., orbital assignment 4−9593
PX_3, PYX_3 (X=Cl, Br, Y=O, S) spin-orbit interactions, calc. model 4−24130
Pb, 145 keV γ-ray K-shell cross sections 4−25211
PbO, PbO_2, Pb_3O_4, $PbO_2.H_2O$, X-ray photoelectron spectral investig., characterisation 4−25205
PbSe, photoelectron spectra investig. rel. to density of states calc. 4−25207
Pd, surface effects, vacuum evaporation and Ar sputtering comparison 4−33555
Pd, X-ray photoemission of 3d electrons, core line asymmetries 4−25209
Pt, X-ray photoemission of 4f electrons, core line asymmetries 4−25209

photoelectron spectra continued
Pt-Sn alloy, surface enrichment, combined X-ray photoelectron and Auger spectroscopy 4−25213
$Pt(CN_4)$ complexes, valence band X-ray photoelectron spectra 4−4024
Rh, X-ray photoemission of 3d electrons, core line asymmetries 4−25209
RuO_4, assignment of highest energy filled orbitals 4−6118
SCSe, Franck-Condon factors, mol. ion geometry 4−27734
SF_4, X-ray photoelectron spectra 4−12620
SO_2, study of predissociation of SO_2^+ 4−861
SO_3, fine structure obs., Jahn-Teller distortion in SO_3^+ 4−19899
S_2O transient species, ionis. pots. 4−3213
$SPCl_3(Br_3)$, and assignment 4−31921
Sb_2Se_3, energy distrib. curves, polarisation depend. and Se lone-pairs 4−10517
ScF_3:Sc^{3+}, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
Sc_2O_3:Sc^{3+}, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
Si, oxidation phenomena obs. *(French)* 4−3653
Si, u.v. photoemission spectra, surface and bulk contribs. 4−28989
Si, valence band density of states, empirical pseudopot. calc. 4−28350
Si (111), caesiated, polarization depend. 4−41470
SiF_4, assignment of He I photoelectron spectrum 4−31922
Sn, 145 keV γ-ray K-shell cross sections 4−25211
SnS_2, $SnSe_2$, u.v. and X-ray induced, band structure obs. 4−16704
SnS_2, $SnSe_2$, u.v. and X-ray induced, energy band structure calc. 4−16705
Ta, 145 keV γ-ray K-shell cross sections 4−25211
TiO_2:Ti^{4+}, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
TiO_x, soft X-ray emission and X-ray photoelectron spectra, rel. to electronic struct. 4−33515
TmTe(Se), spontaneous interconfiguration fluctuations, X-photoemisson spectra 4−41466
W, photoemission spectra, from single cryst., surface and bulk contrib. 4−33585
W, with adsorbed H, electronic energy levels, photoemission obs. 4−37298
W single crystal, photoelectron spectra of adsorbates, rel. to field emission energy distrib. 4−33579
Xe, photoelectron angular distribution in region of first autoionising resonance 4−12493
Xe, photoelectron backscattering, homogeneous electric field *(German)* 4−31710
Zn, Auger and direct electron signals in X-ray photoelectron spectra 4−33566
Zn, X-ray photoemission spectra, extra-atomic relaxation via semilocalised excitons 4−21160
Zn halide, photoelectron spectra rel. to valence electronic struct. 4−19897
ZnO, Auger and direct electron signals in X-ray photoelectron spectra 4−33566
ZnS:O, luminophor, luminesc., photoelectron spectra, O_2 luminesc. centre model proposed *(Russian)* 4−28927
ZnSe, density of valence states determ. using for u.v. photoemission 4−4026
ZnSe, valence band density of states, empirical pseudopot. calc. 4−28350
ZnX_2, X=Cl, Br, I, gaseous, and mol-orbital assignment 4−36572
Zr, 145 keV γ-ray K-shell cross sections 4−25211

photoemission
see also photoelectron spectra; photoemissive devices
(TTF)(TCNQ), TTF, spectra obs. at room temp. 4−17163
adsorbed dye molecules, effect of crystal defects on ionisation energy determ. 4−28296
alkali halides, from F-centres, sorption effect, meas. conditions *(Russian)* 4−33559
alkali metal binary alloys, electron work function, photoemission investig. rel. to temp., conc. 4−41471
azulene, transient photoconductivity in single crystals 4−10179
correlation function, imaginary-time, Nth-order response 4−41465
deep-hole excitations in solids, plasmons and surface effects in X-ray photoemission 4−37198
diffusion current, determ. in solns. where solvated electron scavenger discharged at electrode 4−34059
electron mean free path determination, energy depend. 4−16742
electron microscope, Electron Multiplier Array 4−2383
electron microscope, made from thermionic emission electron microscope 4−35481
electron microscopes, Si IC, C residues, investigation 4−8520
electron microscopy, image brightness and contrast var., contamination layers and evaporation 4−8518
electron microscopy, metal deformation 4−3432
electron microscopy specimen straining stage appl. 4−8523
emitter with negative electron affinity, analytical expressions *(Russian)* 4−21153
glass, reduced Pb silicate, hopping conduction 4−21151
glass electrode membranes, surface layer form., aq. soln., ion sputtering 4−28302
high excitation energy, increased efficiency processes *(Russian)* 4−33558
inelastic effects, microscopic formulation, appl. to pseudo-one-dimensional metal 4−37740
lamp, windowless, and pumping system for high vacuum photoemission spectroscopy 4−35285
magnetic field effect, freq. depend., theory *(Russian)* 4−33557
magnetic surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
metal, adsorption effects 4−13553
metal, surface roughness, effect on Mitchell and Makinson photoelectric theory 4−13551
metal surface, pot. barrier, Cs halide layer effect, Schottky mechanism *(Russian)* 4−37732
molecular crystal photoelectron emission near threshold 4−33575
noble metal, photoelectron emission from single cryst., ang. and polarization depend. 4−33581

photoemission continued
noble metal film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
organic crystals, sensitization by induced field emission, multiplication effect *(German)* 4−34038
organic solid, interpretation of quantum yield curves 4−33576
photoemitting plate, in solar plasma, electric field calc. 4−11164
rare earth metals, X-ray photoemission obs. of valence bands *(French)* 4−21152
semiconductors, energy gap determ., near electrolyte phase limit 4−11542
statistical properties of light, photoelectron distrib. and moment generating function 4−6958
student article describing process 4−30341
TCNQ, spectra obs. at room temp. 4−17163
thin metal foils, graphite-backed, forward and backward X-ray photoemission yields, obs. 4−41463
transition metal film, group VIII, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
u.v. photoemission spectroscopy, electronic structure determ. 4−4025
vacuum, approximate analytical method 4−33577
vacuum photo-Compton emission from one-dimens. materials, analysis 4−41460
X-ray, distinction between weak Auger transitions 4−1431
X-ray induced charge distrib. at interface between materials of different Z, meas. and calc. 4−41461
X-ray photoelectron spectroscopy, review of theory 4−33587
Al, exoelectron and photo-emission under additional influence of light *(German)* 4−37741
Al, exoelectron and photoelectron emission due to friction *(German)* 4−41472
Al, from slip lines, plastic deform., contrast mechanism 4−21159
Al, photoelectron yield rel. to polarized light incidence angle 4−33584
Al, plastic deform., slip line emission, microscopic technique 4−21261
Al, u.v. illumination, energy, ang. distrib. meas. 4−37731
Al plates, X-ray induced photoemission obs. 4−41462
AlGaAsSb system double heterojunction, field assisted photocathode 4−10520
AlInAsSb system double heterojunction, field assisted photocathode 4−10520
Ar, solid, 11.7-16 eV, excitonic transitions, band gap photocond. 4−37738
Ar, solid, photoyield from valence band investigation 4−21164
Au, spectra meas. for $15 \leqslant h\nu \leqslant 90$ eV and X-ray limit 4−10516
Au-Sn alloys, X-ray photoemission of valence bands and core level energy shifts 4−21161
BeO, photostimulated electron emission centres, creation spectrum, soft X-ray region 4−6962
CdS, cold photoemission current generation kinetics, microplasma breakthrough *(Russian)* 4−21155
CdS, kinetic effects, autophotocurrent mechanism *(Russian)* 4−33562
Co, caesiated, spin polarization of photoelectrons, <6 eV 4−25212
Co, electron spin polarisation of photoelectrons, interstitial-electron model 4−41468
Co surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
Cu, cesiated, structure analysis using Chodorow potential 4−21162
Cu, clean single cryst., anisotropic work function, photoelectric thresholds 4−6959
Cu, u.v. illumination, energy, ang. distrib. meas. 4−37731
EuO, surface spin-exchange scatt. of polarised electrons 4−10518
EuS, surface spin-exchange scatt. of polarised electrons 4−10518
Fe, caesiated, spin polarization of photoelectrons, <6 eV 4−25212
Fe, electron spin polarisation of photoelectrons, interstitial-electron model 4−41468
Fe (100) surface, photoelectric work function obs. combined with Auger electron spectroscopy 4−17159
Fe surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
Fe surface, exposed to discharge, organic vapours influence on exoelectron emission 4−17160
GaAs, negative effective relationship, energy distrib. calc. *(Russian)* 4−33563
GaAs (110), caesiated, polarization depend. 4−41470
p-Ge, cold photoemission current generation kinetics, microplasma breakthrough *(Russian)* 4−21155
Ge_xTe_{1-x}, amorphous, X-ray photoemission 4−21151
Ge(111) surface, alkali-covered, photoelectron energy distrib. 4−10519
Hg electrode, photoemission rel. to wavelength of radiation 4−7443
Hg pool cathode, l.p. Townsend discharge, yield meas. 4−24336
InSb, radiative tunnelling in parallel and cross e.m. fields, instability threshold 4−21157
InSb, X-ray induced, valence band density of states obs. 4−17161
$(K_2O\text{-}P_2O_5)_x\text{-}(WO_3)_{1-x}$, glass system, X-ray photoemission 4−21151
Kr, solid, photoyield from valence band investigation 4−21164
Mg, photoelectron yield rel. to polarized light incidence angle 4−33584
Ni, caesiated, spin polarization of photoelectrons, <6 eV 4−25212
Ni, electron spin polarisation of photoelectrons, interstitial-electron model 4−41468
Ni, photoemission electron microscopy 4−2383
Ni, u.v. illumination, energy, ang. distrib. meas. 4−37731
Ni surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
Ni surface, rel. to chemisorption 4−37112
Pt, valence band X-ray photoemission spectrum 4−33570
Rb, film, work function determ. 4−21165
Sb, X-ray induced, valence band density of states obs. 4−17161
Sb-Cs, depth of emergence, below Debye temp. *(Russian)* 4−33561
Sb-Rb-Cs, depth of emergence, below Debye temp. *(Russian)* 4−33561
Sb_2Se_3, energy distrib. curves, polarisation depend. and Se lone-pairs 4−10517
ScF_3:Sc^{3+}, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158

photoemission continued
  $Sc_2O_3:Sc^{3+}$, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
  Se films, amorphous and cryst., X-ray and far u.v. photoemission, valence bands 4−21163
  Si, annealed, surface states determ. 4−25208
  Si, influence of alkali metal impurities *(Russian)* 4−21154
  Si (111), caesiated, polarization depend. 4−41470
  SiO_2, subthreshold photoemission after Na^+ ion implantation obs. 4−41124
  α,β-Sn, X-ray photoemission obs., electron binding 4−33571
  SnS_2, $SnSe_2$, u.v. and X-ray induced, band structure obs. 4−16704
  SnS_2, $SnSe_2$, u.v. and X-ray induced, energy band structure calc. 4−16705
  Ta plates, X-ray induced photoemission obs. 4−41462
  Te film, amorphous and polycryst., electronic struct. obs. 4−17157
  Te films, amorphous and cryst., X-ray and far u.v. photoemission valence bands 4−21163
  Th, photoemission, X-ray induced, clean and oxidised surfaces 4−33564
  $TiO_2:Ti^{4+}$, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
  U, photoemission, X-ray induced, clean and oxidised surfaces 4−33564
  W, u.v. illumination, energy, ang. distrib. meas. 4−37731
  W field emission cathode, field-enhanced photoemission, periodic current deviations 4−6960
  W single crystal, surface electron states, directional photoemission investig. 4−33580
  W surface, rel. to chemisorption 4−37112
  Xe, solid, photoyield from valence band investigation 4−21164
  Zn, X-ray photoemission spectra, extra-atomic relaxation via semilocalised excitons 4−21160
  ZnSeMn(Cu) impact ionisation of deep impurities, multiplication meas. 4−10158
photoemissive devices
  see also photocathodes; photoemission
  No entries
photoemissivity *see emissivity*
photofission
  neutron multiplicities, high-efficiency detection system using ^3He proportional counters in polythene cube 4−35401
  ^{197}Au, 400 MeV photons, fission-spallation competition 4−9316
  $^{237}Np(\gamma,t)$, 10 to 20 MeV, asymmetry as function of max. bremsstrahlung energy 4−19549
  ^{232}Th, cross section meas., 5-8 MeV, resonance structure obs. 4−19552
  U, 400 MeV photons, fission-spallation competition 4−9316
  ^{235}U, cross section determ. from yield curves, 5-8 MeV 4−23741
  ^{236}U, cross section meas., 5-8 MeV, resonance structure obs. 4−19552
  ^{238}U, cross section determ. from yield curves, 5-8 MeV 4−23741
  ^{238}U, mass distrib. of fission products meas. 4−12394
  ^{238}U subbarrier photofission, mass asymmetry of fragments 4−9314
photoflash lamps *see flash lamps*
photoglow tubes *see phototubes*
photographic applications
  see also photolithography
  active volcanoes, surveillance by photogrammetric technique 4−11011
  aerial photogrammetry, atmospheric refraction corrections 4−2314
  aerial photography, aircraft attitude recording 4−26544
  aerial survey film, electronic viewer, for multiband imagery, 1023 line resolution 4−5096
  bubble chamber photograph quality, liquid distortion and aperture shape effects 4−8467
  cartographic accuracy of ERTS 4−42189
  cliff erosion due to waves, aerial photography 4−38294
  contour generation by curvilinear holograms 4−18481
  diagnosis of Morbus Wilson disease, by documentation of the eye 4−4866
  Earth, from Skylark 4−29724
  earth resource studies, system m.t.f., rel. to specification 4−7804
  Earth resources, by employing Skylark 4−29725
  Earth resources, remote sensing research 4−29728
  Earth survey employing satellites 4−29727
  earthquake risk mapping from space photographs 4−17592
  electron microscope autoradiographs, effects of grain size on resolution 4−5272
  environmental studies, surface mining, aerial remote sensing, evaluation 4−22162
  explosions, laser initiated, visualisation studies 4−8595
  fluid surface velocity, particles illuminated by laser light 4−39458
  fluorography, radiochromatography, photographic detect. of radionuclides 4−23033
  geophysical remote sensing, ONR programme 4−34558
  geophysical transient processes in Steppe regions, aerial filming, plane piloting specialities *(Russian)* 4−42212
  gravitational correction determ., increasing the accuracy, for the topography of adjacent zones *(Russian)* 4−42208
  grey density interpretation in colour by TV scanner 4−42188
  histology, three dimensional, 35 mm colour photography 4−30641
  holography, crime investigation, detecting previous deformation of arbitrary surfaces 4−8385
  i.r. methods for cadaver and grave detector for police 4−8405
  land-use identification, by thermal i.r. imaging, computer analysis 4−2313
  laser pulses, ultrashort, structure determ. 4−22819
  lunar cartography by photogrammetry 4−14324
  Mercury transit of Sun, 1970 May 9, obs. with 400 mm photographic telescope *(Russian)* 4−17945
  Moire test gratings recording, high speed deform. 4−21526
  Moon, Pic-du-Midi photographs, calibration of selenodetic control points 4−7950
  multispectral aerial photography, radiometric calibration using idealised atmospheric model 4−34503
  neuroradiology, Roentgen magnified image intensified 70 mm filming, evaluation 4−2183
  neutron flash photography with fast neutrons *(German)* 4−22902
photographic applications continued
  nuclear medicine, influence of various parameters on images *(French)* 4−42595
  oceanography, collection of Antarctic sea floor, photographs 4−38296
  oceanography, remote sensing at the Marine Sciences Directorate, Pacific Region 4−29763
  ophthalmological instrument, flash lamp source cct. 4−26243
  orbital photograph interpretation 4−42187
  Pageos (66 056 01) observations, using AFU-75, Baker-Nunn cameras, Dodaira Station 4−2155
  photogrammetry, data reduction, recursive methods, algorithms 4−30514
  photogrammetry, statistical analysis using modulated normal distrib. 4−30513
  photomasks, processing techniques 4−8406
  plasma, laser-produced, picosecond framing photography 4−9768
  pollution detection, marine oil accumulations, volume determination 4−30271
  pyrometry, in aeroballistic range 4−11467
  radiation therapy, treatment position reproduction using CCTV and photography 4−18211
  radiography, methods for increasing information content *(German)* 4−18751
  radiography, serial angiocardiography, optimum quality conditions 4−30224
  radioprobe, visualisation of the field in the interprobe space 4−33953
  recording, seabed using long range side scan sonar 4−11063
  remote sensing, estuarine circulation dynamics, by aerial photography 4−34561
  remote sensing, feedlot runoff detection 4−35094
  remote sensing, symposium, Saskatoon, Canada, 5-7 Feb (1973) 4−29695
  remote sensing data tests 4−42186
  remote sensing of watershed parameters by aerial and space photography 4−22909
  resource teledetection, BRGM activities *(French)* 4−7807
  resource teledetection from balloons and satellites, image processing and photointerpretation *(French)* 4−7808
  road traffic, automatic speed measurement 4−5099
  satellite surveying, reproduction specifications 4−35329
  selenodetic control derived from Apollo metric photography 4−22342
  simulation of radar topographic images, viewing angle effects 4−39236
  Skylark rocket imagery, digitised analysis 4−29726
  small mass difference determination, using dental X-ray apparatus 4−18207
  snow cover study from airphotography of shadows *(Russian)* 4−29730
  solar coronal structure identification and analysis from X-ray photography 4−22262
  solar flares, automatic cinematographic recording 4−4849
  space research, photographs taken by Skylab telescopes of solar flares and solar corona *(German)* 4−34654
  spherical vapour bubbles in liquids, optical characs. investigation 4−11705
  stereophotogrammetric sea-ice profiles, statistical comparison with airborne laser meas. 4−7847
  surface topography extraction from stereometric pairs of photographs, theory 4−22155
  topographic mapping, combination of aerial and satellite photography 4−17828
  video disc system, using laser based recording on photographic film 4−31080
  waste estimation from aerial photography of sources 4−35337
  water resources and pollution, CERGH activities in teledetection *(French)* 4−7809
  OH nightglow emission spectra, photography of fast var. 4−17774
  PbO, arc spectra photographs, use for struct. and anal. of rot. band systems 4−27655
photographic developers *see photographic materials*
photographic development *see photographic process*
photographic emulsions
  black and white, rel. to colour or multispectral laser recording 4−2307
  characterisation for electron microscopy 4−18730
  cubic-grain emulsion, sensitemetric exam. on over-digestion 4−14002
  cyanine dyes, singly adsorbed layers, ionisation energy 4−4287
  dynamic pressure effects, electron microscope investigation 4−2326
  electrically polarised grains, response to high-intensity exposures 4−2321
  electron microscopy, optical filtering techniques, pitfalls 4−6315
  electron microscopy, probability of microcrystal development *(Russian)* 4−18516
  electronographic, Ilford L4, G5 and XM, sensitometric evaluations 4−11618
  fine-grain, sensitisation with amines and other organic compounds 4−21595
  granularity of colour TV films 4−35322
  hologram image resolving power, effects of photomaterial noise 4−5472
  hologram recording, 3-D, high resolution, prep., struct. 4−35313
  holographic plates, reduction of shrinkage effects in real time holography 4−50
  internal image, formation and related effects 4−4279
  Kodak 4-Z, for i.r. holography 4−22878
  latent image and silver halide, reln. 4−35342
  latent sub-images, ^{60}Co gamma ray exposure 4−4284
  model, covering power, rel. to density 4−2325
  monodisperse liquid development induction determ. by chemical criterion 4−10778
  nuclear, optimum plasticising, photographic stability *(Russian)* 4−18673
  nuclear relativistic, sensitivity and photographic properties *(Russian)* 4−18670
  periodic detail reproduction, anal. 4−35336

photographic emulsions continued
sensitivity of films and scintillation screens for proton radiography 4—26620
spectral sensitisation, modifications by alterations in environment 4—25512
speed, humidity conditioning 4—4294
Ag, low-p, photolysis, implication of Ag ion drift motion in gelatin films 4—4285
Ag halide, latent image formation, mechanism and photographic sensitivity 4—4283
Ag halide, octahedral grain, new form of developed Ag 4—2324
Ag halide, S-sensitized, development rate of fog, depend. on grain size 4—2320
Ag halide, spectral sensitisation using cyanine dyes, electrochem. pot. data applic. 4—4290
Ag halide with adsorbed cyanine dyes, J-aggregate supersensitisation mechanism 4—4288
AgBr, obtained by bromination of developed layers, sensitisation properties 4—4295
AgBr, photo-response, decay of hole conc. 4—20647
AgBr dispersions, S-sensitised, red-light sensitivity, effect of aurous Au 4—4286
AgBr single crystal, the role of iodide ions in photographic process 4—21594
AgBr with adsorbed trimethincyanines, J-aggregate freq. shifts rel. to struct. 4—4289
AgCl, influence of crystals habit on absorpt. spectra, adsorbed sensitizing dyes 4—4291
AgCl, inherent and spectral sensitivity, effect of moisture and O_2 4—4293

photographic filters *see optical filters*

photographic lenses
calibration of Orbigon lens for photogrammetric surveys from satellites 4—35338
half-wave central coating, π-phase filter 4—2311
light distribution in the image plane, photoelectric method *(Czech)* 4—18508
multicoating, theory and effectiveness, review 4—35339
objectives, distortion, phase-freq. characts. 4—8402
photomacrographic objectives, method for focusing using ultraviolet radiation 4—11533
resolving power determ., NBS report 4—11537
Symmar camera, development of objective systems *(German)* 4—35327
ultracentrifuge cell camera lens in schlieren optics, need for focusing 4—26697
underwater cinematography, optical correctors and viewfinders 4—18505
zoom, book 4—18513
zoom, for colour TV, mechanical construction *(German)* 4—35326
zoom lens characteristics, Schneider Varigon lenses for colour TV *(German)* 4—35325

photographic light sources *see light sources; photography*

photographic material sensitivity
conference, Cambridge, England (1972) 4—4277
cyanine dyes, singly adsorbed layers, ionisation energy 4—4287
electronographic emulsions, Ilford L4, G5 and XM, sensitometric evaluations 4—11618
electrophotographic sensitometry, interactive use of time shared process control computer 4—35328
emulsion grain, influence on image properties 4—2323
film sensitometry with laser sources 4—60
films, Kodak PE 4006, 3M type S, suitability for fast developing chest radiography *(French)* 4—8177
humidity effects 4—4294
intensity dependent photoimaging systems, kinetic and spectroscopic requirements 4—2315
kodak spectroscopic plates, hypersensitization 4—42512
latent corpuscular image, short pulsed elec. field *(French)* 4—21598
non-screen X-ray film, sensitometric props. detn. 4—22598
non-silver, in laser recording 4—30509
nuclear relativistic emulsion, photographic properties *(Russian)* 4—18670
present status, review 4—4278
proton irradiation effects on density increase of film darkening 4—8404
silver halide microcrystalline layers, for precision work 4—30515
speed calculation, radiometric and photometric, review 4—11534
Wiener noise spectra, meas. technique 4—35345
Ag halide, spectral sensitisation using cyanine dyes, electrochem. pot. data applic. 4—4290
Ag halide emulsions, latent, image, mechanism of formation 4—4283
Ag halide with adsorbed cyanine dyes, J-aggregate supersensitisation mechanism 4—4288
AgBr, effect of pressure 4—2322
AgBr, electrochem. electrode, photoresponse rel. to sensitising dye 4—21593
AgBr, S-sensitised, red-light sensitivity, effect of aurous Au 4—4286
AgBr emulsions obtained by bromination of developed layers, sensitisation properties 4—4295
AgBr with adsorbed trimethincyanines, J-aggregate freq. shifts rel. to struct. 4—4289
AgCl, electrochem. electrode, photoresponse rel. to sensitising dye 4—21593
AgCl, inherent and spectral sensitivity, effect of moisture and O_2 4—4293

photographic materials
arenesulfonyl azide moieties, photoimaging system 4—61
colour developers, oxidised, computation of overall diffusion coefficient in gelatin 4—10783
for colour negative film rapid processing 4—35331
conference, Cambridge, England (1972) 4—4277
defect detection, laser scanning appl. 4—19159
developing agents, superadditive black and white, relationship between chemical structure and effectiveness 4—10779
emulsions, colour, processing techniques 4—8406
evaluation for reproduction, satellite surveying 4—35329
film, stack piling in Apollo 16, effect of heavy ions on biological materials *(French)* 4—18674

photographic materials continued
film limitations for historadiography 4—35335
gelatins, aqueous solns., phosphoresc. spectra and kinetics *(Russian)* 4—28926
holographic memories, binary processes, capacity calc. 4—30489
information capacity estimation of photographic layer 4—11905
information capacity of photographic layers as measure of detail reproduction *(Russian)* 4—2318
latent image and silver halide, reln. 4—35342
microfilm recording system, high resolution, laser, Bi coated mylar film use 4—18514
p-aminophenol developer, rel. to auto-coupling process in Ag halide chemistry 4—10782
phenylmercaptotetrazole, development retarder, influence on colour reversal 4—10781
photochromic materials, for real time holographic interferometry 4—11513
plates, for nuclear physics, Li introduction 4—14967
Polaroid 55 P/N film, device for processing 4—30511
polyvinyl cinnamate photoresist, suitability for graticule prod. 4—18509
silver halide microcrystalline layers, for precision work, sensitivity, props. 4—30515
underwater cinematography films 4—18505
underwater exptl. monochrome film 4—18506
xerographic thermoplastic holographic recording, electrophotographic response 4—2317
Ag, image-dye image transformations, electrochem. investig. of kinetics *(German)* 4—34078
Ag halide grains, exposure to light, surface and internal sites competition 4—2319
Ag halides, photolytic, mechanics of growth of Ag 4—4282
AgBr, photographic emulsion, decay of hole conc. after photoexcitation 4—20647
AgCl emulsions, influence of crystals habit on absorpt. spectra, adsorbed sensitising dyes 4—4291
$AsSe_{1.5}Tl_x$ mixed electrophotographic layers, dark discharge kinetics investigation *(Russian)* 4—34079
ZnO, electrophotographic layers, spectral sensitiser, fluorescein dye ester adsorption state *(Japanese)* 4—18501

photographic process
see also photochemistry
bleaching, superadditivity effects in Ag development 4—10784
brass, photosensitive film formation in aqueous medium 4—14004
colour developers, oxidised, computation of overall diffusion coefficient in gelatin 4—10783
colour development, superadditivity mechanism 4—10780
colour negative film rapid processing technique 4—35331
colour negative printing, filtration detn. method 4—2308
colour positive film bleaching process 4—10776
colour reversal, influence of development retarders 4—10781
commercial processes, solid-state areas, book 4—7465
dental radiography, system for film processing 4—8407
detective quantum efficiency, influence of fog grains, model calculations 4—8788
developing, superadditive black and white agents, relationship between chemical structure and effectiveness 4—10779
development, auto-coupling process in Ag halide chemistry 4—10782
development induction determ. by chemical criterion 4—10778
development initiation anal. review of exptl. procedures 4—10777
development kinetics monitoring using e.p.r. spectroscopy 4—2316
development of α particle traces, in cellulose nitrate *(French)* 4—18669
development of traces due to heavy ions, in Makrofol polycarbonate *(French)* 4—18671
development reaction, depend. on sensitivity 4—4278
devices with linear processing path 4—8409
emulsion development, electron microscopy of cells and blood *(Russian)* 4—18516
evaluation for reproduction, satellite surveying 4—35329
film drying by i.r. radiation sources 4—5098
film processing in dental radiography 4—8407
fixing, influence on rapid processing 4—10785
gelatin film, Ag ion drift motion, implication in photolysis of low-pAg emulsions 4—4285
image properties, influence of grain sensitivity 4—2323
image stabilisation, in thiocarbamide and rhodamide solutions *(Russian)* 4—38162
internal image, formation and related effects 4—4279
Kodak personal neutron monitoring films type-A, use in routine personnel dosimetry 4—35425
laser, superposed speckled patterns, processing *(German)* 4—5097
latent corpuscular image, short pulsed elec. field *(French)* 4—21598
latent image formation, mechanism and photographic sensitivity 4—4283
latent image speck, properties, quantum mechanical approach 4—4281
latent sub-images, 60 Co gamma ray exposure 4—4284
microholograms, relief phase, recorded in photoresists, characts. 4—30482
nuclear emulsion, dispersion of registration thresholds after discriminational development 4—30571
nuclear relativistic emulsion, photographic properties *(Russian)* 4—18670
over-digestion, latent image dispersion, source of speed loss 4—14002
photon noise, amplification due to photographic defects in photographic exposure 4—8787
photoresist, heat processing for holographic data storage 4—14894
Polaroid 55 P/N film, device for processing 4—30511
positive films, black and white, quick processing in production conditions 4—8403
primary, sensitivity centres, photoelectron capture, quantum mechanical treatment 4—4280
processing techniques, chemistry and systems 4—8406
quality control, archival photography for ERTS satellite data 4—35330
rapid processing, influence of fixing and rinsing 4—10785
rinsing, influence on rapid processing 4—10785
s.e.m. and t.e.m. negatives, N_2 burst processing rack 4—2376

photographic process continued
  spectral sensitisation, modifications by alterations in environment 4—25512
  speed calculation, radiometric and photometric, review 4—11534
  teaching paper describing the chemistry of development 4—30324
  techniques, chemistry and systems 4—8406
  X-ray sheet film, processing device 4—26254
  Ag, image-dye image transformations, electrochem. investig. of kinetics *(German)* 4—34078
  Ag growth, mechanics 4—4282
  Ag small particles, buffered ferrous ferric physical developer effects 4—14003
  AgCl, surface space charge regions obs., rel. to latent image formation 4—24799
  AgCl:Cd detector, detecting properties for ionising particles 4—21597
  AgCl:Cd detector mechanism of track formation 4—21596
  I$^-$ ion, into AgBr single crystals, role 4—21594

photographic recording media *see photographic materials*

photographic techniques *see photography*

photography
  see also cinematography; colour photography; electrophotography; microphotography; photographic applications; photographic lenses; photographic materials; photographic process; radiography
  astronomical photograph postexposure improvement by laser holography, blurring effect of origin shift 4—18068
  colour encoded image recording on monochrome film 4—26549
  developing solutions, thermostat operation *(Spanish)* 4—14915
  displacement measurement, three-dimens., synthesis of holography and speckle photography 4—35167
  electron micrograph, image reconstruction, review 4—24363
  exposure control apparatus, still 4—18512
  film/light source interface optimisation 4—30510
  flash unit, thyristor-controlled computer flash, review 4—35340
  high speed, spark gap to put time marks on the film 4—35341
  high-speed system using multiple-pulse laser, 10^6 f.p.s. recording 4—35324
  image intensifiers, proximity focused for camera systems 4—35332
  image intensifiers, using 100 mm camera, radiography of stomach, with remote controlled Orbiskop 4—30225
  image intensifiers, X-ray urological diagnosis 4—30229
  images, three-dimensional, information content calc. 4—35808
  imaging system pointing precision, spread functions and MTF 4—17833
  instant, new copy bench, description and applics. *(French)* 4—5094
  light-sources, pulsed, measurement and triggering by photodiode 4—11532
  masking process, transfer theory *(German)* 4—18510
  meteor angular vel. meas., photographic scanning method 4—34980
  multichannel image analysis system 4—11540
  nanosecond fluorescence spectrometry, use 4—22905
  noise analysis, microphotometric method 4—22906
  noise meas., automatic projection granulometer *(Russian)* 4—11536
  photomacrography, problems, discussion 4—22904
  planetary exploration photography, fibre-optic faceplate evaluation 4—22502
  printing copy-camera, modulation transfer functions 4—22907
  quasi-holographic method in scientific photography 4—26932
  semiconductor recording system, Cu$_2$O disproportionation reaction 4—35344
  semiconductor system, low temp., electrophoretic image recording 4—35343
  slides, three-dimensional, production and projection 4—26439
  synchronised s.c.r. diode stroboscopic flash equipment *(Spanish)* 4—14914
  Si photocell sensors, exposure meters in photography, new developments and techniques *(German)* 4—14863

photoionisation
  see also photoionisation of gases
  alkali metal atom, multiphoton ionis., totally polarised electrons prod. 4—19692
  alkali metal atom, photoelectron polarisation in multiphoton ionis. 4—9406
  alkali metal negative ions, photodetachment 4—705
  alkali negative ion, electron affinity and resonances in autodetaching states 4—19698
  aromatic hydrocarbons in micellar soln. laser photoionis. 4—13994
  atom, photoelectron ang. distrib. energy and Z-dependence 4—31686
  atom, single-electron, direct multiphoton ionisation by linearly polarised light, electron photodetachment 4—31679
  atom, $Z<20$, ang. distrib. of photoelectrons from outer 2p and 3p atomic subshells 4—36429
  atom, $Z\leqslant 20$, relative intensities of X-ray photoelectrons 4—36428
  atomic orbitals, photoionisation cross-sections, spin-orbit coupling effects, Dirac-Slater calcs. 4—40182
  atomic screening parameters, determ., appl. to plasma radiation theory, photoionisation cross-section calc. *(Rumanian)* 4—36440
  atomic subshell cross sections in X-ray photoelectron spectra 4—31681
  Crab Nebula, calc. of size of ionized region 4—18060
  cyanin dyes in rigid-glass solns., low temp. delayed fluoresc. 4—1736
  cyclopentadienide ion formation via electron photodetachment, upper limits to electron affinities 4—24122
  diatomic molecules, rot. effects in spectra 4—6116
  durene, in 3-methylpentane, 77K, photodissoc., photoionisation, quantum yield, fluoresc. loss method 4—41978
  dynamic information retrieval of atomic codes, implementation 4—23984
  elements of short periods, electron affinity, photodetachment determ. 4—3069
  hydrogenic atoms, multiphoton cross section intense field, Green function method 4—31692
  inert gases, photon flux meas. in vacuum u.v. 4—39222
  inner-shell ionisation energies calc., in model mol. systems, SCF approach 4—40326
  ionosphere, photoionization and ion-molecule reactions, effect on diffusion coefficient 4—1944
  mass spectrometer, MS1302, photoionisation facility 4—5217

photoionisation continued
  mass spectrometer for molecular studies, use of nozzle jet for molecular source 4—35456
  methane, energy spectrum of superexcited state 4—5994
  methylcyclopentadienide ion formation via electron photodetachment, upper limits to electron affinities 4—24122
  noble metals with implanted inert gases, X-ray photoelectron spectra, polarization and pot. effects 4—4023
  oxygen compounds, band intensities in He I-, He II-photoelectron spectra, photoionization cross-section of mol. orbitals 4—16132
  photoelectron spectra assignments criterion using differential cross sections 4—870
  plasma, laser irradiated, collisional-radiative recombination and ionisation coeffs. 4—20085
  polyriboadenylic acid, delayed fluorescence emission, triplet-triplet absorption processes 4—1738
  R-matrix method 4—31718
  rare earth metals and compounds, f shell, coefficients of fractional parentage 4—5956
  rigid media, kinetic model for isothermal recombination luminescence of trapped electrons *(French)* 4—29348
  semiconductor, compensated, spontaneous recomb. radiation 4—28913
  sulphur compounds, band intensities in He I-, He II-photoelectron spectra, photoionisation cross-section of mol. orbitals 4—16132
  Al, photoexcitation and photoionisation, variable matter density effect 4—9407
  Ar, photon momentum induced current calc. 4—31691
  Ba, photoionisation cross section, artificial cloud expts. in upper atmosphere 4—36432
  Ba, relax. shift of 4d hole, calc. 4—16012
  BaI, cross section meas., 1700-2400 Å *(German)* 4—40183
  CO, absorpt. spectrum near 550 Å, photoionis. continuum struct. 4—12559
  CS$_2$, dissociation study of CS$_2^+$, kinetic energy release 4—862
  CSe$_2$, photoelectron spectra, shake-up process assignments 4—36573
  CdF$_2$:ScF$_3$, absorption spectra in near i.r. 4—10457
  Cs, atom and molecule, space-charge-amplification technique in absorpt. spectroscopy 4—16013
  Cs, photoexcitation and photoionisation, variable matter density effect 4—9407
  Cs$_2$ two photon ionisation spectra 4—16129
  Cu complex, phthalocyanine, threshold energy meas., O$_2$, H$_2$ effects 4—28965
  D$_2$, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4—31917
  D$_2$, into different vib. states, cross-section calcs. 4—31916
  D$_2$O, vacuum u.v. absorpt. and photionisation cross sections 4—19822
  Eu, photoionisation cross section, artificial cloud expts. in upper atmosphere 4—36432
  F cpds., photoionisation cross sections rel. to He I and He II photoelectron spectra 4—31929
  GaAs:Cr, deep impurity centres, field and temp. depends. 4—33005
  H atom, multiphoton ionisation from metastable 2S state, polarisation effect 4—702
  H atom, ultra-strong laser field, theory 4—27542
  H$^-$ photoionisation continuum, shape of 1^1S_o-2^1p_1 Fano resonance 4—9408
  H$_2$, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4—31917
  H$_2$, into different vibrational states, cross-section calcs. 4—31916
  HD, comparison of photoelectron intensities and Franck-Condon factors in photoionisation 4—31917
  H$_2$O, vacuum u.v. absorpt. and photoionisation cross sections 4—19822
  H$_2$O, vibr. struct. in photodetachment spectra calc. using one-particle approx. 4—40330
  He, 2^1S and 2^3S states, continuous oscillator strengths, Hartree-Fock bound and free state functions 4—703
  He, atom, laser irrad., double ionisation by many-photon absorpt., non-perturbation calc. 4—19691
  He, atomic level perturbation by intense light, reson. multiphoton ionisation 4—19694
  He, cold, photoexcitation and photoionisation, variable matter density effect 4—9407
  K, reson. three-photon ionization with circularly and linearly polarized light 4—40181
  K atoms, three-photon ionisation by single-mode ruby laser radiation 4—31690
  K$^-$, photodetachment 4—705
  Mg complex, phthalocyanine, threshold energy meas., O$_2$, H$_2$ effects 4—28965
  N, photoionisation cross section, many-electron correlations, Hartree-Fock approximation 4—31680
  NH$_3$, partial oscillator strengths for ionization of 3 valence orbitals 4—31914
  NO, photoelectron spectra, threshold-972 Å 4—31925
  N$_2$O, shake-up spectra associated with X-ray photoionisation 4—40331
  N$_2$O$^+$, vacuum u.v. fluorescence, cross section and band strengths 4—31881
  Na$^-$, photodetachment 4—705
  Ne, 2p photoelectron ang. distrib. energy depend., electron-electron coincidence obs. 4—31687
  O, photoionisation cross sections and autoionisation struct. 4—27539
  Pb vapour, absorpt. spectra in u.v. and Schumann regions, photoionisation cross-sections 4—12472
  SO$_2$, 584 Å radiation, predissociation of SO$_2^+$ 4—861
  Sr, photoionisation cross section, artificial cloud expts. in upper atmosphere 4—36432
  SrI, cross section meas., 1700-2400 Å *(German)* 4—40183
  Xe, multiphoton ionisation by Nd-glass Q-switched laser pulse 4—27543

photoionisation of gases
  air, high velocity elec. streamer formation and guiding by laser induced ionization 4—36759
  ethyl nitrene, photodetachment of electrons from anion, upper limit electron affinity determ. for radical 4—36563
  ionosphere, V.L.F. radiation from soft electron beam 4—14186

photoionisation of gases continued
ionosphere photoelectrons, thermalization and transport 4—4565
u.v source, sliding spark on solid Xe 4—14872
Venus neutral atmosphere, effect on solar wind interaction 4—22283
Ar, X-ray photoionization, electron shake-off probability calc. 4—31696
Ar isoelectronic series, cross section calc., ionization depend. *(French)* 4—36427
CO_2, mechanism 4—19890
CO_2 laser, u.v. preionisation impurity effects and u.v. source characts. 4—19090
CO_2 laser, u.v. preionized elec. discharge, operation in self-sustained mode 4—15338
CO_2 TEA laser, u.v. photoionisation parameters meas. 4—23305
H dissociative photoionization cross section by 584Å radiation in Jovian ionosphere 4—17960
H_2, ion pair form. by photodissoc., electron affinity of H_2 atom determ. 4—40324
Kr, X-ray photoionization, electron shake-off probability calc. 4—31696
N_2, photoionisation yield in band series from 734 to 796 Å 4—24121
N_2O, obs. of photoionisation and relative abundances produced by soft X-rays 4—12618
Ne, ang. distribs. and form of resonance lines of photoelectrons *(Russian)* 4—36431
Ne, X-ray photoionization, electron shake-off probability calc. 4—31696
Ne isoelectronic series, cross section calc., ionization depend. *(French)* 4—36427
No_2^- ion, gas phase photodetachment, cross section determ., evidence for new isomer 4—36562
Xe, X-ray photoionization, electron shake-off probability calc. 4—31696
photolithography
see also masks; photoresists
electron beam microfabrication systems, conf., Cambridge, USA (May 1973) 4—39772
oxide cathodes with photoresist binder capable of photolithographic cutting 4—37730
photostencil production, errors, for IC prep. *(German)* 4—26545
photoluminescence
air, upper atmosphere, fluorescence, stimulated by pulsed source of X-rays 4—4531
alkali halides, absorpt., emission and excitation spectra of Ag^- centres 4—10467
alkaline earth tungstates:U, excitation and emission, vibr. modes 4—41420
9,10-anthraquinone, obs. of intensity distrib. in electronic-vibr. progression *(Russian)* 4—13513
biphenyl crystals, emission intensity vars., quenching centre mechanism 4—6915
chlorosodalite:S, optical absorption, photoluminesc. and cathodoluminesc. 4—1377
complex molecule, luminesc. polarisation due to light quenching *(Russian)* 4—13512
diamond, Stokes and anti-Stokes excitation, mechanisms 4—33489
donor-acceptor pair recombination, asymptotic decay rates 4—25154
dye, anti-Stokes excitation by high-power radiation 4—6916
fused silica glass, vacuum u.v. excitation of photoluminesc. 4—21043
glass:Nd^{3+}, spectral migration effect, inhomogeneous broadening, rate eqns. 4—37682
II-VI phosphor, luminescent rise times, high intensity u.v. excitation 4—6905
malachite green, glycerin soln., photolum. depolarisation by powerful excitation, light quenching 4—13511
optical glass *(Russian)* 4—6924
phloxin:Na-fluoresceine, photoluminescence quantum yield, nonradiative excitation energy transfer *(German)* 4—5498
phosphor:$Yb^{3+}-Er^{3+}$, anti-Stokes, material efficiency for photon summation with energy transfer 4—1409
quartz, effects of γ-ray irrad., radioluminesc. obs. 4—21092
radical recombination, H adsorption and desorption kinetics *(Russian)* 4—6903
rhodamine B:acriflavine, photoluminescence quantum yield, nonradiative excitation energy transfer *(German)* 4—5498
rhodamine B glycerol-water solutions, concentration depolarisation and quenching 4—21044
ruby, anti-Stokes, laser excitation thermal phonon role 4—25173
ruby, radiationless relax. from $^4T_2$ state, transition probability 4—13518
selenides, (Eu,Yb,Ca,Sr,Ba)(Al,Ga,In)Se_4, Eu^{2+} activated fluorescence 4—25153
semiconductor, compensated, spontaneous recomb. radiation 4—28913
semiconductor, donor-acceptor recomb., book 4—6927
silicate glass, vacuum u.v. excitation of photoluminesc. 4—21043
solution, excitation energy transfer between like and unlike molecules, luminescent centre shell model *(German)* 4—36580
solutions, self-quenching and excitation energy remigration in theory of conc. depolarisation 4—21045
sulphides, (Eu, Yb, Ca, Sr, Ba)(Al, Ga, In)S_4, Eu^{2+} activated fluorescence 4—25153
terphenyl isomers, u.v. excitation, carrier trap centre mechanism 4—41441
vibronic model for relaxed excited state of F-centre, general soln. 4—20567
vibronic model for relaxed excited state of F-centre, weak coupling limit 4—20568
$AgGaS_2$, energy gap determ., anomalous temp. depend. 4.2 to 300 K 4—13141
$AgIn_5S_8$, anomalous shift of luminesc. band 4—10469
$AgNa(NO_2)_2$, ferroelec., vibronic interpretation 4—37683
Al alloy oxide anode, in electrolyte soln. *(Russian)* 4—41414
n-$Al_xGa_{1-x}As$:Te, epitaxial film, temp. depend., impurity level 4—17114
Al_2O_3, anode film, impurity effect *(Russian)* 4—41413
As_2S_3, vitreous and crystalline, 4.2 K, decay kinetics 4—17110
As_2Se_3, vitreous and crystalline, 4.2 K, decay kinetics 4—17110
photoluminescence continued
$(As_2Se_3)_x$-$(As_2Te_3)_{1-x}$, amorphous chalcogenide, localised states obs. by radiative recomb. 4—25166
$Bi_4Ge_3O_{12}$, optically and X-ray excited, spectral and decay props. 4—37661
BiI_3, absorption and photoluminescence as function of polarisation, existence of bielectrons *(German)* 4—28886
BiI_3, spectra meas. at low temp. 4—28858
CO, CO^+, proton beam impact, vibronic level relax., radiative lifetimes 4—19858
CO_2, vibr. excitation by $O_2(^1\Sigma_g^+)$, quenching and i.r. emission obs. 4—27749
CaF_2:Eu^{2+}, spin memory, mag. circular luminesc. dichroism 4—13414
$Ca(NbO_3)_2$ crystals, luminesc. and elec. cond., thermal and optical stimulation 4—33512
$Ca(PO_3)_2$:Eu^{3+} glass, excitation migration among inhomogeneously broadened levels 4—1407
$CaSO_4$:V^{5+}, $Ce^{3+}(Bi^{3+})$, energy transfer from Ce^{3+} to VO_4^{3-} 4—33479
$CaWO_4$:Pr^{3+}, scheelite type crysts., luminesc., excitation into charge transfer band 4—37671
$CdBr_2$, quenching mechanism of Pb ions *(Russian)* 4—33497
$CdGa_2Se_4$:Au, meas. in range 105 to 300K 4—28452
$CdIn_2S_4$, anomalous shift of luminesc. band 4—10469
CdS, field quenching model 4—28417
CdS, N_2 laser excitation, emission spectra and kinetics obs. rl. to exciton anal. 4—1217
CdS:Cu,Cl, sintered layers, and photocond., depend. on Cu conc. *(Russian)* 4—33007
CdSe, spontaneous and stimulated, 77-300 K, temp. depend., mechanism 4—33484
CdTe, deep centre ionization energies, determ. from Hall coeff. and photolum. expts. 4—28366
CdTe, electron-phonon interactions 4—37675
CeF_3:Tm^{3+}, spectrum and energy levels *(Russian)* 4—6925
$Cr(CN)_6^{3-}$ emission in rigid glass solns., multiple decays 4—37658
CuCl, exciton bands, effect of high density excitons 4—17107
CuCl, rel. to nonlinear absorpt., two photon transitions 4—35896
$EuAlO_3$:Cr^{3+}, cooperative absorpt. and luminesc. 4—25165
$Ga_{0.6}Al_{0.4}As$, spin-depend. recomb., optical spin reorientation obs. 4—21074
$Ga_{1-x}Al_xAs$-GaAs heterojunction, photolum. probing 4—37304
GaAs, high purity, low temp., free hole-neutral donor recomb. 4—25168
n-GaAs, Ne ion implanted, doping, wavelength depend. 4—21055
GaAs:Cd, acceptor-to-band transitions, effective mass approx. 4—37676
GaAs:Cr, mechanism of recomb. of charge carriers 4—21072
GaAs:Cu, Sn, mag. field induced shift of groundstate of bound excitons 4—21066
GaAs:Ge, liquid phase epitaxial, electrolum. and photolum. peaks, radiative efficiency 4—25149
n-GaAs:Ge, Si, Sn, acceptor levels, rel. to laser props. 4—31048
GaAs:Ge, temp. depend., 4.2-300K, quenching mechanism 4—28887
GaAs:Te, 1.3 eV emission, nonstoichiometry defects effect 4—28359
GaAs-metal contact, form. of new surface recomb. centres *(Russian)* 4—33499
$GaAs_{1-x}P_x$:N, annealing temp. depend. of photoluminesc. spectra 4—41415
$GaAs_{1-x}P_x$:N, hot implantation, isoelectronic radiative recomb. centres 4—41505
GaN:Be(Li)(Dy), insulating, photolum. at 2.16, 2.23, 3.15 eV for Be, Li, Dy impurities 4—1414
GaN:Zn, donor-acceptor pair recomb. 4—28894
GaP, liq. phase epitaxially grown by centrifugal tipping technique, characterization 4—6988
GaP:Ge, 4.2-77K, pair recomb., phonon assisted transitions 4—32977
GaS, indirect excitons and phononless transitions 4—28912
GaS_xSe_{1-x}, recomb. radiation as result of excitation with Nd laser 4—28911
GaSe, emission spectrum under extreme excitation, 2-300K *(German)* 4—25179
GaSe, impurity effects *(French)* 4—21050
GaSe, laser excited, spectra obs., free exciton behaviour and phonon replicas 4—41430
GaSe, long lifetime photolum., 4.2-40K *(French)* 4—21051
GaSe, low temp. photolum., impurity effects 4—28904
Ge, radiative recomb., condensed electron-hole state, doping effects 4—37673
Ge, uniaxially deformed, biexciton luminesc. polarisation of 0.709 eV emission line 4—13500
Ge:P(As), bound multiple-excitons obs. 4—25169
$HCl+D_2$, laser reson. vibr.-vibr. energy transfer exchange rate temp. depend. 4—27757
H_2O, vibr. excitation by $O_2(^1\Sigma_g^+)$, quenching and i.r. emssion obs. 4—27749
$Hg_2(N_3)_2$, absorpt. spectra, photostability and decomposition 4—25156
$In_{1-x}Ga_xAs_{1-y}P_y$, liq. phase epitaxy on InP, heterojunction growth and characteriz. 4—6989
$In_{1-x}Ga_xP(x\sim0.7)$, on $GaAs_{1-x}P_x$, n- or p-type, laser modes 4—28888
InI, photolum. and optical absorpt. spectra *(French)* 4—21049
InP, LED mat., photoluminesc. 4—17103
InP:B, Zeeman effect rel. to spectrum of excitons bound to Bi 4—21060
InSb, radiative recomb. of electron-hole pairs generated by two-photon absorption 4—21065
KBr:Tl^+, 2537 Å excitation, temp. depend., 2 band anal. 4—41419
KBr-In phosphor, determination of kinetic parameters for luminescence by impulse method *(Russian)* 4—10485
KCl, relaxed excited states of paired Ag^- centres 4—6911
KCl:Sn^{2+}, temp. depolarization 4—10480
KCl:Tl^+, luminescence spectra, synchrotron radiation excitation, photomultiplication 4—28915
KI:Tl, u.v., A-absorption bands, mechanism *(Russian)* 4—37665

photoluminescence continued
KI-Tl phosphor, determination of kinetic parameters for luminescence by impulse method *(Russian)* 4—10485
Kr:O_2, solid, X-irradiation, zero-phonon transitions 4—21067
α-$LiAlSiO_4$:Mn^{2+}, 5230 Å and 6900 Å emissions, cathodolum. and photolum. obs. 4—28941
LiCl:Tl, aqueous soln., luminesc. spectra, extinction time meas. *(Russian)* 4—28925
LiH, blue and red luminesc., u.v. radiation effects *(Russian)* 4—33483
LiH:Pb, LiD, single crysts., excitation and luminesc. at 77K, 16170, 16370 cm^{-1} emission lines 4—13509
$LiZnVO_4$, excitation and emission band obs. under u.v. radiation, Stokes shift 4—4003
$MgAl_2O_4$:Cr^{3+}, absorpt. at liquid N_2 temp., 24 and 8 msec. luminesc. time consts. 4—10455
Mg_2TiO_4:Cr^{3+}, annealing effect, activation, struct. mechanism 4—33487
Mg_2TiO_4:Mn^{4+}, N-centre activation mechanism, annealing effect 4—33488
$MnCl_2$ complexes, Stokes and anti-Stokes excitation, mechanisms 4—33489
N_2, N_2^+, proton beam impact, vibronic level relax., radiative lifetimes 4—19858
NO_2, microwave opt. double reson. with tunable c.w. dye laser 4—24113
NaCl:Ag^+, luminescence spectra, synchrotron radiation excitation, photomultiplication 4—28915
NaI(Tl), backscattering, high source-cryst. distances 4—18594
$NaYF_4$:Pr^{3+}, u.v. excitation, two photon emission 4—33490
Nd^{3+} in crystals, stimulated emission $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4—33495
PbI_2, excitonic emission from N_2 laser excitation 4—1417
$PbMoO_4$, decay, temp. depend., emitting centre nature 4—28903
$PbWO_4$, decay, temp. depend., emitting centre nature 4—28903
Pt(II) complex, counter-ion and mol. geometry effects 4—1412
Ru(II) complex, photoluminescence anal. of symmetry assignments for lowest CT excited state 4—10465
Si, electron irrad., temp., stress and annealing effects 4—37659
Si, radiative recomb., condensed electron-hole state, doping effects 4—37673
Si:Li, electron irrad., low temp. photolum. 4—37660
Si:P, impurity conc. depend. 4—1416
SiC, 4H, 95K violet and 300K green luminesc. 4—10490
β-SiC:B,N, pair emission and transitions 4—10489
SiC:H(D), implanted 4—10488
SiC:N, Al, 6H and 4H types, donor-acceptor pair recomb. 4—1408
β-SiC:N, film, annealing effect, interband transitions 4—28908
SnS_2, spectra obs. at 2K 4—25161
$SrAlF_5$:rare earth^{2+}, single cryst. spectra 4—41421
Tb(III):malic acid (aspartic acid) complex, circularly polarised luminesc., ligand environment depend. 4—33480
TiO_2, rutile, photocond. and photolum. kinetics of luminesc. centre 4—37678
TlCl(Br), exciton luminesc. 4—17106
U^{6+} ion in ordered perovskites, efficient green luminesc. 4—1415
UO_2 complex, uranyl nitrates and chlorides with amines, mirror symmetry in i.r. and luminesc. spectra *(Russian)* 4—13514
YF_3:Pr^{3+}, u.v. excitation, two photon emission 4—33490
$Y_{0.8}Gd_{0.2}PO_4$:Tb^{3+}, X-ray excited luminesc., radiographic props. 4—41418
Y_3OCl_7:Yb, Er phosphor, luminesc. under i.r. excitation 4—6921
Y_2O_2S:Tb^{3+}, luminescence, Stark level identifications *(Russian)* 4—10486
Yb^{3+}-Er^{3+} i.r. to visible radiation convertors *(Polish)* 4—37679
Yb^{3+}-Ho^{3+} i.r. to visible radiation convertors *(Polish)* 4—37679
Yb^{3+}-Tm^{3+} i.r. to visible radiation convertors *(Polish)* 4—37679
$Zn_{0.97}Cd_{0.03}S$:Cu,Al, comminution effects 4—17129
$ZnGa_2O_4$, doubly excited Cr^{3+} pairs, excitation and emission spectra 4—25163
ZnO, radical recomb. mechanism, temp.-time depend. *(Russian)* 4—21053
ZnO:Cu, Li, i.r. stimulated, simultaneous meas. with conductivity 4—21069
ZnS, nature of emission centres giving rise to bands with 2.66 eV maxima *(Russian)* 4—6926
ZnS, phosphor, luminescent rise times, high intensity u.v. excitation 4—6905
ZnS, trap parameters of single crysts. and powders *(French)* 4—33476
ZnS epitaxial film, obs. of local energy levels *(Russian)* 4—6591
ZnS initial behaviour of photoelectroluminescent brightness waves 4—17124
ZnS single crystal, neutron bombardment in reactor, photoluminescence change rel. to dose variation *(Russian)* 4—17119
ZnS: Ag,Al, comminution effects 4—17129
ZnS:Cu, donor-acceptor pair recombination, asymptotic decay rates 4—25154
ZnS:Cu phosphor, Gudden-Pohl effect rel. to surface states 4—13522
ZnS:Cu(Ag)(Mn)(Tl), photolum. and X-ray luminesc. *(Russian)* 4—37657
ZnS:Cu(Co) i.r. effect on kinetics *(Russian)* 4—6904
ZnS:Cu(Mn,Cl), radical recomb., fading kinetics, H induced *(Russian)* 4—21052
ZnS:Eu^{3+}, effect of lattice structure on luminescence and e.p.r. *(Russian)* 4—10487
ZnS:Mn, Stokes and anti-Stokes excitation, mechanisms 4—33489
ZnS-Cu-Sn, role of Sn in photoluminesc. at various concs. 4—41409
ZnS-Sn, role of Sn in photoluminesc. at various concs. 4—41409
ZnSZnSe:Cu, radical recomb., fading kinetics, H induced *(Russian)* 4—21052
ZnSe, Cd diffusion, comp.-depth profiles, photolum./chem. etching obs. 4—37768
ZnSe, reaction-kinetic calcs. simulating oscillations 4—21068
ZnSe:Cu, Ga, i.r. illumination effect on moving high field domains 4—20627
ZnSe:Na, Al investigation at temps below 150 K 4—13506
Zn_2SiO_4:Mn, radical recomb., fading kinetics, H induced *(Russian)* 4—21052
ZnTe:Al(I), radiative transitions to defect complexes 4—17115

photoluminescence continued
ZnTe:Ga:Zn, minority carrier traps, isoelectronic impurity centres, 323-4.2K 4—25155

photolysis
acridine red, excited singlet state absorpt. spectrum with tunable dye lasers 4—21576
alkylperoxy radical u.v. absorpt. and mutual recomb. 4—13995
aromatic hydrocarbons in micellar soln. laser photoionis. 4—13994
benzenoid aromatic hydrocarbons, mol., transient absorption spectra, excited singlet and triplet states determ. 4—4275
benzophenone-N,N-diethylaniline system, study of ionic dissociation and hydrogen abstraction 4—7458
1,12-benzperylene, laser flash spectroscopy 4—30462
benzyl radical formation and interaction with chloride ion in rigid matrices 4—34070
carbonmonoxy myoglobin, photodissoc., 50-200K 4—30163
cephalopod rhodopsin *(Japanese)* 4—34077
coronene, laser flash spectroscopy 4—30462
coumarin, molecule, substituent effects on triplet-triplet absorption spectra 4—4276
cyclohexa-1,3-diene, cis- and trans-, 265.4 and 280.4 nm, quenching 4—25508
cyclohexa-1,3-diene, cis- and trans-, unimolecular reactions, gas phase photolysis 4—25509
cyclopentanone, microwave-optical double reson. and dynamic interconversion of configs. of excited states 4—1732
3,4,9,10-dibenzpyrene, laser flash spectroscopy 4—30462
dimethylcadmium, photofragmentation dynamics 4—31905
duroquinone solution, flash photolysis, CIDEP of durosemiquinone radical 4—34076
ethylenimine, photolysis at Kr and Xe resonance lines, primary processes 4—34074
ethylenimine, vacuum u.v. photolysis, imino radical electronic states 4—34075
excited singlet state absorpt. spectrum with tunable dye lasers 4—21576
hexa-1,3,5-triene, cis- and trans-, 228.8 and 253.7 nm, quenching 4—25508
hexa-1,3,5-triene, cis- and trans-, unimolecular reactions, gas phase photolysis 4—25509
hydrocarbons, aromatic, sub-nanosecond lifetime meas. from biphotonic fluoresc. produced by nanosecond pulses 4—4273
iodotrifluoromethane, pulsed photolysis, spontaneous emission, h.f. splitting in iodine atoms 4—9397
isotopic exchange, photochem. induced, kinetic treatment for time depend. of exchanged fraction 4—38163
laser flash spectroscopy, aromatic mols. 4—30462
methanol, u.v. photolysis, OH radical production 4—40307
methyl radical + $N_2F_4(NF_2 + M)$, rate consts. 4—21547
micelles of biological interest, photochem. reactions 4—21582
nanosecond laser flash photolysis, inactivation of enzymes 4—10772
O_3, in excess of H_2, single line far-i.r. water laser 4—21585
polycaproamide fibre, light resistance and depend. on u.v. irradiation and cyanethylation 4—37601
polymer film obtained by u.v. photolysis, elec. microfield obs. on metal surface *(Russian)* 4—20667
polymethine cyanine dyes, long-lived transient absorpt. in nanosecond laser photolysis 4—4274
n-propyl iodide in Ar, 4K, e.s.r. spectra of n-propyl radical, struct., mag. consts. 4—21589
pyrazine, photolytically reduced, e.s.r. spectra of radicals 4—16123
pyrene, laser flash spectroscopy 4—30462
radical formation, e.s.r., transient nutation of absorpt. and dispersion mode signals 4—33240
radical pairs, electron spin emission spectra 4—1735
rhodopsin, absorp. spectra time depend. obs. 4—7461
spectra, automatic calculation and recording 4—43
tartaric acid in aq. soln., radical kinetics, e.s.r. obs 4—21592
water, u.v. photolysis, OH and OD radical production 4—40307
xanthene dyes in aqueous and alcoholic solns., deuterium effects on radiationless electronic transitions 4—7457
Ag emulsions, low-p, implications of Ag ion drift motion in gelatin films 4—4285
BrCN, flash photolysis, CN absorption spectrum, violet system 4—27652
CO_2, vac. u.v. photolysis, quantum yields of atomic 0 557.7 nm emission 4—10775
COS, obs. of deactivation of excited s atom 4—9610
CS_2, free radical prod. rate determ., microwave spectra obs. *(French)* 4—4270
ClO_2, laser production of ClO free radical in Ar matrix 4—16093
ClO_2, vacuum u.v. kinetic spectroscopy for extinction coeffs. from flash photolysis 4—10769
HF chem. laser emission from CHF + O_2 reaction 4—1734
I_2, photolytic cage effect in gases at h.p. 4—21583
I_2 atom recombination, in various carrier gases, press. depend., rate, mechanism *(German)* 4—34068
$NH(D)_3$, gas phase photolysis, 471 nm emission attributed to NH $b^1 \rightarrow X^3$, energy difference determ. 4—38159
No_2 4—21591
O_3, atmospheric, kinetics of photochemistry 4—7728
$O_3 + O(^3P)$ reaction, flash photolysis-reson. fluoresc. kinetic study 4—1737
$OH + NH_3 \rightarrow H_2O + NH_2$, 298 K, rate consts., perturbed stratosphere dynamics, reson. fluoresc. obs. 4—21575
$OH + O_3 \rightarrow HO_2 + O_2$, 298 K, rate constants., perturbed stratosphere dynamics, reson. fluoresc. obs. 4—21575
$PbBr_2$ layers, quantum yield from photolysis *(Russian)* 4—41981
SO_2, electronically excited, chem., phys. quenching investig., SO, vibr. excited SO_2 form. 4—41975
SO_2, free radical prod. rate determ., microwave spectra obs. *(French)* 4—4270
TlCl:Ag crystal, photolytic darkening 4—28873
UO_2^{++} in aqueous soln., absorption of electronically excited ion *(Russian)* 4—10770

photomagnetic effect *see photoelectromagnetic effects*

photomagnetoelectric effect *see photoelectromagnetic effects*

photometers
- *see also photometry; spectrophotometers*
- accuracy, scale end point adjustment errors *(Russian)* 4—14864
- design 4—5050
- differential, light flux variations using two photoreceivers 4—39221
- exposure semiautomatic device, elec. parameter input for amateur cameras 4—18451
- fluorophotometer, high sensitivity, using photon counting 4—5046
- focusing cones, use as collectors for bathyphotometers *(Russian)* 4—38563
- goniospectrophotometer, 3-D light scatt. meas. 4—26508
- heavy nuclei tracks, photometer for profile meas. 4—8469
- home-made high sensitivity solid-state photometer 4—26415
- Interkosmos space research programme, review of solar X-ray measurement system 4—22466
- i.r. astronomical observations, 9 wavelength bands, construction and testing *(German)* 4—8111
- marine wider range logarithmic photometer, new design *(Russian)* 4—34557
- multichannel, for chem. anal. 4—26710
- photoelectric exposure meter for astronomical spectrographs *(Russian)* 4—14525
- photogoniodiffusometer, anisotropic light scatt. components determ. 4—37592
- photomultiplier, photon-counting mode, noise immune channel 4—35270
- reflective properties, of metal surface 4—26507
- RFC 3 automatic colorimeter, double beam photometer principle 4—8360
- student, built in laboratory from other equipment 4—11425
- turbidimetric, gas laser applic., measurement sensitivity 4—30441
- Si cell sensors, exposure meters in photography, new developments and techniques *(German)* 4—14863

photometric light sources
- light emitting diode, pulse shaping cct. for photomultiplier testing applic. 4—39332

photometry
- *see also brightness; colorimetry; densitometry; spectrophotometry*
- absolute monochromatic brightness near Sun rel. to atmospheric aerosol 4—17707
- blueAp stars, a.r. photometry from OAO-z 4—7986
- asteroid ground based observation techniques, review 4—34760
- LY Aurigae, eclipsing binary, u.v. photometry from OAO-2 4—22398
- automotive headlamp, detection system for, description 4—5049
- beam optics, coherence, observability and photometric aspect 4—14862
- camera lens, light distribution in the image plane, photoelectric method *(Czech)* 4—18508
- carbon black, particle size determ. 4—26453
- Comet Bennett (1969i), photometry of head and tail in polarized light *(Russian)* 4—29961
- Comet Bennett (1970 II-1969i), narrow band isophotes 4—14336
- Comet Tago-Sato-Kosaka (1969 IX-1969g), narrow band isophotes 4—14336
- on discharge lamps with metal halide ingredients *(Hungarian)* 4—18450
- equidensitometry, plasma characterisation method 4—12815
- extrasolar planetary systems around variable stars, photometric detection 4—34846
- Faraday signals from bubble material, a.c. dynamic domain wall motion anal. 4—2335
- flame, for determ. of Na and K in silica sand and carbonate rocks 4—18780
- flame photometric detector, for S emission obs. 4—39098
- h and χ Persei association M supergiants, i.r. excesses 4—22407
- integrating sphere, numerical solution of integral equation 4—42
- i.r. 35 μ photometric filter design and atmospheric transmission data 4—14531
- i.r. broadband, thermal spectra of planets and satellites 4—34668
- Mars, dust storm 1971, nine colour photoelectric photometry 4—26021
- Mars, Mariner 9 photometric obs. for November 1971-March 1972 period 4—22298
- medical negatoscope, for radiogram examination, functional parameter measurement 4—26253
- motion analysis, pigment movements in fish melanophores *(German)* 4—35250
- NGC 1999 arc shaped nebulosity surrounding V380 Orionis, photographic surface photometry 4—18059
- NGC 2261, bright cometary nebula surrounding R Monocerotis, photographic surface photometry 4—18059
- NGC 3628, photographic photometry of highly obscured galaxy 4—38886
- NGC 4258 (M 106), peculiar spiral galaxy, photographic photometry 4—38887
- nightglow u.v. photometry at 100 km layer 4—22028
- nuclear track, ion velocities >0.3c, appl. of track formation theory 4—18647
- Orion Nebula, temp. and ionisation structure from photoelectric photometry 4—22459
- outer planets, reduction of occultation light curves 4—26183
- phosphor saturation meas. technique at high current densities 4—17128
- photoevents of low-level light, estimations based on instants of occurrence 4—39224
- photographic noise analysis, microphotometric method 4—22906
- photoionisation of inert gases, absolute photon flux meas. in vacuum u.v. 4—39222
- projection reflectors, photometric characts. meas. apparatus *(Russian)* 4—2279
- relations, appl. to photometric microscope and telescope 4—11497
- sky submillimetre background radiation meas., photometer struct. and performance 4—18067
- solar flares, photometrical study of development in Hα 4—17936
- spectrometer scales, calibration using photometric method *(Russian)* 4—18464
- stability constants from photometric data, calc. 4—2424
- sunspot penumbral intensities by pinhole photometry in 0.387-3.800 μ range 4—17933

photometry continued
- surface relief determ. from optical photometric results *(Russian)* 4—30149
- system of photometry and colorimetry based on visual response 4—5050
- telephotometer INDO, visibility meas. contrast attenuation determ. 4—26506
- transformations between photometric systems for stronomical observations 4—4837
- twilight colour ratios, observation of stratospheric dust event, October 1971 4—34375
- 2 U0900-40, i.r. photometry at 1.25-3.5μ 4—14459
- 2 U1700-37, i.r. photometry at 1.25-3.5μ 4—14459
- UBV, obs. of brightness var. of Saturn's close satellites 4—34659
- units, photometric and radiometric, relations, Lambert's law 4—8359
- u.v. broadband, obs. of Titan's continuum albedo, temp. inversion effect 4—34662
- vacuum photocell relative spectral sensitivity measurement 4—22840
- Vicker hardness indentation measurement *(German)* 4—29292
- zodiacal light intensity variations at 6530 Å by satellite 4—2105
- H_2-F_2-He mixture, flash-photolyzed, laser actinometry 4—31011
- Hγ-absolute magnitude calibration for early type stars 4—18076
- Mo content in magnetic thin film, determ. by extraction-photometric method 4—18771
- $O_2(^1\Delta_g)$ equatorial emission after sunset at 80 km 4—1922

photomultiplier tubes *see photomultipliers*

photomultipliers
- 8850 RCA, subnanosecond light pulse shape, influence of photoelectrons time-of-flight spread on meas. 4—18611
- afterpulsing, reduction 4—8480
- base for photoreceiver, 90 dB dynamic range, characteristics 4—5048
- channeltron electron multipliers, absolute efficiency for 10 to 100 keV X-rays 4—35409
- cooler, photon counting system, high stability of ±0.05°C 4—14865
- high-energy physics instrumentation applications, scintillation and Cerenkov detectors, recent progress 4—73
- low-voltage blanking of output pulses 4—26632
- output signal processing methods, efficiency 4—30457
- photon-counting, individual mode, selection procedure, spectrophotometric installation 4—5055
- photon-counting mode, noise immune channel 4—35270
- RCA C31034 for counting single photons at 0.6 nsec resolution 4—35412
- scintillation counter, pulse height distribution 4—26600
- secondary multiplication anal. using histogram of anode pulse amplitudes *(French)* 4—35403
- SEM, luminescent mode, monochromator-photomultiplier-photon counter detection 4—23011
- sensitivity distrib. meas. over entrance window *(German)* 4—26641
- sensitivity modulation, technique for luminescence decay time determ. 4—39210
- signal reception appl., laser sounding of atmosphere *(German)* 4—7830
- spectroscopy, optical modulation, light intensity monitor device, differential amplifier, description 4—2286
- student article describing 4—30341
- testing, using pulsed l.e.d., pulse shaping cct. 4—39332
- Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4—23419

photon counting
- accuracy of digital autocorrelators, effect of channel correlation 4—2285
- atomic fluorescence spectrometry with graphite atomization and photon counting 4—15082
- coherence time, area and volume definitions, superposed coherent and chaotic radiation, photon statistics 4—35819
- diffusion model and Kubelka-Munk eqn., comparison with radiative transport soln. 4—35816
- dye, solid microcryst. phase, fluoresc. and quantum yield, quantum counter appl. *(German)* 4—33502
- fluorophotometer, high sensitivity, using photon counting 4—5046
- Gaussian light, time limited spectral profile, statistics 4—30989
- generating function for many-time photocount distribs. 4—2610
- Heisenberg field equations in random medium 4—39765
- intensity modulated coherent radiation, statistical props. 4—26938
- intensity modulation, square-wave, photon-counting distrib. 4—26942
- laser, dye, c.w., with and without internal etalons, photocount statistics 4—31025
- laser modes, interacting, photon counting distribs. 4—282
- microplasma, photocarrier generation 4—16785
- nanosecond fluorescence spectrometry in photographic systems 4—22905
- photoionisation of inert gases, absolute photon flux meas. in vacuum u.v. 4—39222
- photomultiplier, individual mode, selection procedure, spectrophotometric installation 4—5055
- photomultiplier, photon-counting mode, noise immune channel 4—35270
- photomultiplier cooler, high stability of ±0.005°C 4—14865
- photomultiplier output signal processing methods, efficiency 4—30457
- polarisation tensors, partially polarised fields generated by const. amplitude beams 4—35820
- quantum field theory model 4—39714
- quantum mechanical operator, number traversing point in infinite time *(Russian)* 4—15209
- Raman scattering cross sections for gaseous molecules, using pulsed N_2 gas laser *(Japanese)* 4—30662
- SEM, luminescent mode, monochromator-photomultiplier-photon counter detection 4—23011
- single photon counting with 0.6 nsec resolution 4—35412
- spectrophotometer, double beam type which counts photons 4—39239
- statistical properties of light, photoelectron distrib. and moment generating function 4—6958
- statistics, photodetector, finite dead time 4—8786
- superposition of linearly polarised coherent and partially polarised chaotic radiation 4—276
- weak light signal detection 4—18415

photon interactions
  see also gamma-ray interactions; hadron photoproduction; nuclear reactions and scattering due to photons
  Bhabha scattering, hard photon corrections 4−35992
  black-body background radiation, induced pair production and opacity 4−31159
  circularly polarised photons, pair production, influence of limits of angles on asymmetry ratio 4−31145
  diffractive dissociation of proton in electroproduction 4−23494
  e.m. interaction, low energy, S-matrix theory with dispersion relations 4−2677
  lepton pair photoproduction, appl. of improved Weizsacker-Williams method 4−23504
  strong interaction between neutrinos, bosons and photons, explanation of solar neutrino and muon experimental results 4−42241
  two-photon induced production of e^+e^- pairs in magnetic field *(Russian)* 4−15494
  two-photon production of particles and equivalent photon approx. 4−8962
  virtual photo absorption, scaling behaviour of ratio of longitudinal to transverse total cross sections 4−23506
  e^+e^- pair photoproduction on electrons (triplets) photon polarisation from recoil electron asymmetry *(Russian)* 4−15493
  $e^-\gamma \to e^-X$, X is C = +1 hadron state, equivalent photon method 4−35990
  $e^-\gamma \to W^-\nu_e$, determ. of total cross-section using Weizsacker-Williams approx. 4−23477
  γ-induced muon decay, spin correlations *(Russian)* 4−353
  $\gamma d \to d(m\pi^+)(m\pi^-)$, m = 1,2, total and partial cross-sections, 7.5 GeV 4−27189
  $\gamma d \to \pi^0 np_s$, 270-370 MeV, test for isotensor term in e.m. current 4−2687
  $\gamma d \to \pi^0 pn_s$, 270-370 MeV, test for isotensor term in e.m. current 4−2687
  $\gamma\gamma$, possible role in $e^+e^- \to$ hadrons, 3 to 5 GeV 4−39855
  $\gamma\gamma \to e^+e^-e^+e^-$, role in photoproduction, colliding beams and cosmic photon absorption 4−23503
  $\gamma\gamma \to \pi^+\pi^-$, amplitude information from $e^\mp e^-$ colliding beam expt. 4−27112
  $\gamma\gamma \to \pi^+\pi^-$, obs. in $\varepsilon(660)$ region in $e^+e^- \to e^+e^-\pi^+\pi^-$ reaction 4−27107
  $\gamma\gamma \to \pi\pi$, cross section dependence on parametrization of $\pi\pi$ scattering, phases *(Russian)* 4−15491
  $\gamma\gamma \to \pi\pi$' amplitude information from e^+e^- colliding beam expts. outside equivalent photon approach *(Russian)* 4−15502
  $\gamma\gamma' \to e^-e^+\gamma''$, theoretical computation of cross section and energy spectra *(Russian)* 4−36007
  $\gamma n \to n(m\pi^+)(m\pi^-)$, m = 1,2, total and partial cross-sections, 7.5 GeV average charge multiplicity 4−27189
  $\gamma n \to p([m\text{-}1]\pi^+)(m\pi^-)$, m = 1,2, total and partial reaction cross-sections, 7.5 GeV 4−27189
  $\gamma n \to p([m\text{-}1]\pi^+)(m\pi^-)\pi^0$, m = 1,2, total and partial reaction cross-sections, 7.5 GeV 4−27189
  γp, new sum rule, derivation and evaluation 4−31148
  $\gamma p \to p(m\pi^+)(m\pi^-)$, m = 1,2, total and partial cross-sections, 7.5 GeV, isoscolar-isovector interference 4−27189
  $\gamma Z \to e^-e^+\gamma' Z'$, Z = arbitrary nucleus, theoretical computation of cross section and energy spectra *(Russian)* 4−36007
  $\mu^+\mu^-$ pair production by, $\gamma\gamma$ annihilation in 2.7 GeV e^+e^- collisions 4−27105
  $\pi^0\gamma\gamma$ form factors, off-shell behaviour in two-photon reactions 4−5586

photon-phonon excitations *see polaritons*

photon polarisation
  angular distrib. of γ-rays emitted from polarised nuclei, approximate theory *(Russian)* 4−575
  bremsstrahlung, linear, by angular correl. detect. in pair production, meas. 4−18593
  bremsstrahlung, low-energy electron induced, linear polarisation 4−19390
  circularly polarised photons, pair production, influence of limits of angles on asymmetry ratio 4−31145
  coherent bremsstralung, from single cryst., polarization meas. 4−8450
  gamma photons from positron annihilation, exptl. test of EPR paradox 4−39590
  gamma-radiation, linear polarisation, effect of hyperfine interaction 4−12261
  gamma-ray rotation of polarisation plane by hyperfine interaction 4−39970
  meson photoproduction, axial vector, at high energies *(Russian)* 4−35988
  Mossbauer radiation polarisation in mixed hyperfine interactions from γ density matrix 4−15704
  transport in air, coherence and polarisation effects 4−31616
  two-photon induced production of e^+e^- pairs in magnetic field *(Russian)* 4−15494
  e^+e^- pair photoproduction on electrons (triplets) photon polarisation from recoil electron asymmetry *(Russian)* 4−15493
  γ-ray linear polarisation and angular-distrib formulas, three multipole mixture 4−19338
  $\gamma N \to \pi N$, energy independent partial wave anal. in first resonance region 4−35991
  $\gamma p \to n\pi^+$, polarised photons in 1-2 GeV range, asymmetry meas. 4−31149
  $\gamma p \to p\pi^0$, polarised photons in 1-2 GeV range, asymmetry meas. 4−31149
  π^0 photoproduction, amplitude analysis using polarisation and differential cross section data 4−5612
  ^{27}Al, 2.21 and 2.73 MeV levels, ground-state radiation, polarization obs. 4−27264
  Si single crystal, polarization meas. of coherent bremsstrahlung 4−15020

photon scattering
  see also Compton effect; gamma-ray scattering; nuclear reactions and scattering due to photons
  anisotropic scattering, invariant imbedding transport eqn. formulation 4−35752
  atom, coherent scatt. cross section, form factor analysis of electron change distrib. 4−23948

photon scattering continued
  deep inelastic, unitarity reln., scaling behaviour 4−19217
  elastic photon-photon, spectral representations 4−39810
  electron photon transport, discrete ordinates method 4−12459
  by external current, photon states and asymptotic observables for i.r. divergent current 4−39808
  polarised, off polarised nucleons, vector meson production 4−39853
  small-angle, pair spectrometer, description 4−8493
  transport in air, coherence and polarisation effects 4−31616
  $e\gamma$, background potential, cross section expressions 4−343
  $\gamma\gamma$ amplitude asymptotic behaviour, light-cone expansions, parton model 4−39858
  $\gamma\gamma \to \gamma\gamma$, cross section dependence on parametrization of $\pi\pi$ scattering phases *(Russian)* 4−15491
  γN diffractive scattering, Pomeranchuk contribution 4−358
  γp, derivative analyticity relations, real part of scatt. amplitude from cross section data 4−39829
  $\gamma p \to \pi^+ n$ very large momentum transfer, vector-meson-gluon model 4−23549

photons
  see also cosmic ray photons; gamma-rays; light; X-rays
  antiphoton, possible identification with tachyon *(German)* 4−19267
  Boltzmann equation for noninertial system, diatomic gas-thermal radiation interaction 4−12646
  Callan-Symanzik equation, short-distance behaviour of proton propagator 4−23436
  decay, soln. of master eqn. 4−18980
  decay and recombination, Markovian approach 4−15467
  $E = h\nu$ relation, derivation in special relativity 4−35145
  gas, equilib. adiabatic law from relativistic kinetic theory 4−11854
  inclusive production in pp collisions at 102 GeV/c 4−15582
  i.r singularities in scalar massless particles 4−12011
  localizability, maximal, unique position operator 4−2693
  mass, upper limit from plasma dynamics 4−7880
  mass limit, determ. from deflection of starlight by sun 4−15219
  momentum in quantum mechanics 4−11787
  monochromatic annihilation beam with ang. discrimination 4−35378
  phase operators and phase relations for photon states 4−27063
  polarized photon beam, coherent pair prod. in oriented graphite 4−14951
  quasar stability, hypothesis based on short-range repulsive forces, photon gas mass contrib. *(Russian)* 4−38850
  rest mass rel. to generalisation of Hubble law 4−17905
  tagging system, high resolution, in GeV region 4−30541
  u.v. long range rel. to track simulation in current limited spark chamber 4−2358
  wave function, duality and hydrogenic atom e.m. interaction 4−12465

photonuclear reactions *see nuclear reactions and scattering due to photons*

photophoresis
  No entries

photoplasticity
  II-VI compounds, model approach 4−32606
  polyester-styrene copolymer, uniaxial and photomech. behaviour at large strains 4−41855
  CdS, effect of illumination on α and β dislocations 4−16546
  CdS, i.r. quenching, charged dislocation movement, model 4−9942
  CdTe, influence of light on each propagation and dislocation generation 4−6456
  CdTe, polycryst., yield strength, grain size depend. 4−12979
  NaCl, colour centre form., spectral characts *(Russian)* 4−13476
  NaCl, coloured cryst., F-stimulated photoplastic effect, u.s. absorpt. changes 4−20362

photoresistors
  No entries

photoresists
  applicator for long fragile crystals 4−37777
  electron resist, exposure, math. model 4−23003
  film, refractive index dispersion, laser interferometer obs. 4−25195
  graticule and mask making, micro image copying 4−2310
  grating formation on positive photoresist, simultaneous exposure and development 4−39272
  grating production by laser beam interference, standing wave effect 4−35
  holographic data storage, use of heat-processed photoresist 4−14894
  microholograms, relief phase, recorded in photoresists, characts. 4−30482
  microlenses' fabrication, junction laser coupling to optical fibres 4−30499
  oxide cathodes with photoresist binder capable of photolithographic cutting 4−37730
  polyvinyl cinnamate, suitability for graticule prod. 4−18509
  premature crosslinking, ozone effects 4−25282
  quartz layers, modulated zone plate prod. 4−8864

photosphere
  brightness and vertical rel. fluctuations, Fe I line obs. 4−38639
  chromosphere transition region, line intensities from eclipse spectra 4−38654
  diatomic molecule diffusion rates 4−17918
  electric field model, mechanism for prominence production 4−34623
  facula line profiles and contrasts rel. to models 4−4702
  faculae, diversion of energy, solar flare model 4−7918
  filigree, Hα bright mottles 4−38648
  five min. period oscillation, review of theoretical interpretations 4−34633
  fluctuation of 25 day period, photospheric faculae explanation 4−7899
  Fraunhofer line sensitivity to local temp. variations 4−38640
  granulation obs. in site survey for solar observatory in Canada 4−11261
  horizontal scale of 5 min oscillations 4−22259
  inhomogeneous atmosphere models, granulation, limb flux and oblateness 4−38638
  i.r. spectrum, identification and oscillator strengths of CI 4−22263
  large sunspot or group rel. to supergranules and solar convection zone 4−25948

photosphere continued
- magnetic field roots rel. to fine structure 4−29846
- magnetic field structure in supergranular network 4−22260
- meridional circulation, obs. of latitudinal motion of sunspots 4−7906
- microturbulence, centre-limb increase of Doppler width in Na D line cores 4−17926
- microturbulent velocity from fine analysis of Cr I 6330 Å line *(Russian)* 4−29829
- microturbulent velocity from fine analysis of multiplet lines *(Russian)* 4−29830
- motions rel. to evolution of active centres 4−29859
- multi-component model for fine structure intensity variations of CN violet band at 3883 A 4−22258
- non-LTE line formation in magnetic field, line contours, influence of noncoherent scattering 4−22241
- non-LTE line formation in magnetic field, non-coherent scattering and true absorption 4−22240
- oscillating motion, waveform classification 4−7908
- oscillatory motion, statistical analysis 4−7909
- quiet solar disc, broadband polarization meas. at 5834 A 4−34612
- radiative transfer eqns., perturbative soln. for Stokes parameters in magnetic field 4−22242
- rotation, interaction with convection 4−38636
- spectral lines, Doppler effect giving rotation relation with solar activity 4−25960
- structure rel. to model of shallow twisted magnetic arcs 4−34639
- sunspot intensity corrections for scattered light 4−22261
- supergranular motion, spectrographic evaluation of velocities 4−17940
- supergranules, depth determ. by analytic solns. of Navier-Stokes eqns. 4−17910
- umbral flashes and penumbral waves, oscills. in superadiabatic, subphotospheric layer 4−2065
- upper photosphere models, one- and multi-component, 3883 A band head of CN analysis 4−25982
- velocity field 5 min oscillations, coherence and phase spectra 4−38651
- velocity field 5 min oscillations, oscillatory velocity and intensity fields 4−38650
- weak magnetic fields, comparison with supergranule fields 4−17911
- white light flare, 1972 August 7, magnetic and velocity field changes 4−34649
- Co photospheric abundance, application of beam foil measurements 4−31698
- Fe abundance from Fe I 5128 Å resonance line independent of line-shape parameters 4−25947
- Hα mottle, fine structure, evolution and oscillation 4−34619
- Na, D line broadening by hydrogen, S-matrix analysis 4−19669
- Th/Pb relative abundance 4−2055

phototelegraphy *see facsimile*

phototransistors
- i.r. laser pulse detection, using IC monostable and oscilloscope 4−18482
- GaAs-AlAs heterojunction, electrical and photoelectric characts. 4−28483

phototubes
- *see also photocathodes; photomultipliers*
- coaxial photocell, high-speed, laser pulsed-radiation measurement apparatus, fatigue study 4−30503
- relative spectral sensitivity measurement 4−22840

photovoltaic cells
- Al-Mg phthalocyanine-Al Schottky barrier cell, operating characts. 4−37322
- KTaO$_3$ u.v. detector, using Czochralski grown crystal 4−33609

photovoltaic effects
- carrier drag current, photons in p-n and p-n-p semicond. structs. 4−24824
- copper phthalocyanin, non-porous film, prep. 4−26202
- m.i.s. structures, photocapacitive effect, theory 4−24834
- BaTiO$_3$ ferroelectric ceramic, large photovoltage obs. 4−37267
- CdS heterojunctions, props. of photovoltaic elements *(Russian)* 4−6669
- CdTe, free carrier generation by radiation, quantum efficiency 4−6653
- CdTe, thin film, dependence on internal macrovoltages *(Russian)* 4−1249
- GaAs, phonons in surface photovoltage 4−33002
- GaAs surface photovoltage spectra, atm. comp. depend. 4−6661
- n-MoS$_2$ work function and photovoltage meas., band gap determ. 4−1262
- Pb,La(Zr,Ti)O$_3$ ferroelectric ceramic, large photovoltage obs. 4−37267
- PbTe-Ge heterojunction, i.r. spectral response 4−28487
- Pb(Zr,Ti)O$_3$ ferroelectric ceramic, large photovoltage obs. 4−37267
- Si-NiO, n-p junction, no-load photo-e.m.f., wavelength depend. *(Russian)* 4−24814

photovoltaic generators, solar *see solar cells*

physical chemistry
- *see also chemical analysis; chemical equilibrium; chemical reactions; chemical structure; crystal chemistry; electrochemistry; nuclear chemistry; pH; photochemistry; quantum chemistry; radiation chemistry; radiochemistry; solvated electrons; surface chemistry; thermochemistry*
- annual review for 1973 4−33971
- collections of data, position review 4−33972
- conference, Erlangen, Germany (May-June 1973) *(German)* 4−33970
- electric field effects, in solution, fast spectrophotometric detection system 4−35275
- hard-sphere solute in aqueous soln., thermodynamic props. rel. to hydrophobic hydration 4−29368
- liquid mixtures, Group Solution Model and principle of congruence for viscosities 4−1745
- multicomponent systems, thermodynamics, quasichemical approximation 4−1748
- reciprocal molten salt system, statistical model rel. to thermodynamic function *(French)* 4−10787
- simple mixtures, general entropy principle 4−4309

physical chemistry continued
- sodium tetraphenylboron and glyme complexes, in THF solvents, density, viscosity meas., solvation investig. 4−29367
- solar nebula, physico-chemical processes from meteorite data 4−25936
- Wilson coefficients, regression method 4−1746

physical data, collections of *see collections of physical data*

physical metallurgy *see metallurgy*

physical optics
- phase distrib. calcs. from image intensity meas. using iterative methods 4−2603
- phase distrib. calcs. from image intensity using iterative methods, sources of error 4−2604
- problems, book for students 4−30965
- time impulse and frequency response, optical pupils *(French)* 4−19047

physics
- *see also computational physics*
- A-level students, suitable mathematics 4−4916
- B.Ed. degree physics syllabus at London university 4−18282
- chemical, advances, book 4−2560
- conference, Canadian Association of Physicists, Montreal (June 1973) 4−39146
- conference, Hamburg, Germany (1973) *(German)* 4−4915
- conference, Swiss Physical Society spring meeting, Neuchatel (May 1973) 4−2205
- high-energy physics 25 years after pion discovery *(Polish)* 4−27029
- macro- and microphysic, interrelationship 4−35742
- New Zealand, educational system and teaching of physics 4−4917
- Norwegian Physical Society meeting, Trondheim, Norway (June 1973) 4−14769
- Ph.D. thesis, the story of its writing 4−11401
- semiconductor, student textbook 4−24697
- solid state, student textbook 4−20183
- Swiss Physical Society meeting, Neuchatel, Switzerland (May 1973) 4−18275
- teaching, goals, problems and methods *(German)* 4−4925
- teaching, without 'in class' exams, Brazilian undergraduates 4−4924
- teaching in late nineteenth century, Winchester College as case history 4−4910
- teaching in secondary schools, role of University physics departments 4−2207

physics fundamentals
- *see also classical field theory; complementarity; cosmology; elementary particles; mechanics; quantum field theory; quantum theory; relativity; thermodynamics; units (measurement)*
- accuracy, functional analysis method for upper bound of errors 4−15124
- Bell's theorem, its implications for the interpretation of quantum mechanics 4−11789
- Bertrand theorem role in symmetry and degeneracy problems *(French)* 4−39581
- causality, in classical relativistic field theory rel. to Lorentz invariance in quantum theory 4−5556
- causlaity, stable, of highly mobile space-times 4−23188
- Dirac particle motion in const. e.m. field, $\alpha = e^2/c$ calc. *(French)* 4−23438
- ether, unified quantum electrodynamic approach 4−8911
- invariance principles, time scale *(German)* 4−30315
- matter, methodological and physical characterisation of concept of structure 4−8989
- perception in definition of observables, meas. from cellular space-time 4−8624
- photon momentum in quantum mechanics 4−11787
- relativistic quaternion quantum mechanical generalisation, reiteration of Hamilton's number system 4−18294
- symmetry principles *(Hungarian)* 4−39818
- testing as a bootstrap operation in physics 4−30313
- theory, improvement and replacement 4−3
- thought experiments, critical, usage 4−30316
- time, relation between ordering and dimensionality props. and the laws of physics 4−8604
- universal length 10^{-16} cm, evidence from rising cross sections, CP-violating kaon decay 4−19259
- π-σ theory, math. formulation for observables and non-observables 4−39821

physiological models
- *see also brain models; electrophysiology; neurophysiology; physiology*
- accommodative vergence, centre for motor control 4−18154
- acupuncture anaesthesia, omputer simulation based on biohholographic model of pain 4−14653
- analysis of complex images, simulation *(Russian)* 4−30197
- aorta parameter determ. and rel. to Welkowitz model 4−11703
- arterial models, haemodynamic parameter estimation, from noninvasively recorded pulse waves 4−42548
- arteriolar flow with myogenic control 4−12743
- blood flow in narrow tubes, Fahraeus effect, peripheral plasma layer model 4−18119
- cell population proliferation, mathematical model, testing state 4−26206
- cellular activity, biocybernetic model *(French)* 4−11274
- circadian clock, membrane model, feedback system involving ion transport 4−34999
- circulatory system, using indicator dilution methods 4−22540
- collagen tissues, uncalcified, model for ultrastruct. based on fibre buckling in composites 4−42524
- colour vision, gopher's retina *(Russian)* 4−30212
- diagnosis automation via computer-aided modelling 4−14637
- dynamic, microorganism reaction analysis *(Japanese)* 4−11272
- e.e.g., photically stimulated, phase-alignment hypotehsis, mathematical model 4−14674
- e.m.g. signals, stochastic analysis, multi-functional prosthesis control applic. 4−35011
- eye fusional response, central component, spatial interactions between adjacent retinal regions 4−18171
- haemodialysis, two compartment mass transfer model for whole blood, experimental verification 4−38992

- **physiological models** continued
  - human eye-brain model, use of opaque flying spot scanner system 4−14584
  - human visual system, spatial information coding, psychophysical data 4−14568
  - human volume-osmolarity regulatory system, analogue computer model 4−14548
  - inverse electrocardiographic problem, model studies using electric and magnetic data 4−18130
  - man, spherical, power deposition in 1-20 MHz e.m. fields 4−18229
  - microcirculation, analysis using tracer methods 4−22541
  - microwave resonance absorption by human skull, computer modelling 4−11317
  - microwave therapy, temp. distrib. for two layer system of fat and muscle 4−11303
  - motorneuron, action potential detn. 4−26225
  - muscular contraction, electrochemical model 4−18122
  - myoelectric signal generation 4−39004
  - neural unit, contrast phenomena 4−8150
  - optical scatt. and absorption by red blood cell, rel. to O_2 saturation meas. 4−8549
  - pain inhibition by electrostimulation, digital model 4−14659
  - pharmacokinetics, D-penicillamine, compartmental study 4−38941
  - placental Ca transport, kinetic analysis 4−34996
  - plasma dynamics, interstitial fluid distribution, following intravenous infusions in dogs, experimental and computer simulation study 4−38988
  - pulse information processing by neuron, theoretical analysis 4−35002
  - pupillary system, active pupillary dilator muscle existence 4−18173
  - rhodopsin rotational diffusion, in digitonin micelle and the visual reactor membrane 4−42579
  - semipermeable tube surface, in moving liquid, ternary gas mixture diffusion (alveolo-capillary exchange) *(French)* 4−26214
  - skin burns, model for use with instrumented manikin 4−14638
  - testosterone control system, mathematical model 4−14549
  - two-compartment, rel. freq. response technique for blood flow meas. 4−22544
  - ventilatory response, to O_2 pressure changes at the carotid body chemoreceptors 4−34982
  - ventricular depolarisation, comparative analysis, string model introduction 4−42560
  - visual perception of movement, based on outflow theory *(Japanese)* 4−2165
  - visual system, spatio-temporal characteristics, analogue simulation 4−35030
  - vocal chord excitation 4−42561
  - X-ray cinedensitometry, deviations, model circulatory system expts. *(German)* 4−8175
  - ^{133}Ba aerosol inhalation exposure and tissue retention model 4−42615
  - Na-Ca transmembrane exchange, carrier model 4−14550
- **physiological optics** *see vision*
- **physiology**
  - *see also blood; electrophysiology; haemodynamics; hearing; neurophysiology; physiological models; speech; vision*
  - blood, experiment and physiological effects 4−22547
  - children, normal and lisping speakers, tongue contact patterns 4−14559
  - cornea, human, viscoelastic response to physiological intraocular press. 4−42580
  - excitation, physical understanding as a cooperative specific adsorption phenomena 4−30173
  - eye, disability glare factor, influence of fatigue and pupil size 4−30190
  - glottal-area time function, subglottal-pressure variation 4−42562
  - heart pacemaker, synchronisation of electrical activity during electrical stimulation 4−18127
  - history, influences from physics 4−30312
  - human circadian rhythms, mutual time relationship and synchronisation *(German)* 4−14537
  - human ear, frequency response and masking effect *(German)* 4−8138
  - human eye, u.v. action spectrum, protection criteria 4−8192
  - jaw acceleration during speech, muscle forcing fn. 4−14558
  - kittens vision, experimental creation of unusual neuronal properties in visual cortex 4−14573
  - myocardium, individual fibre, dipole model of the generator of electric field 4−18128
  - ocular circulation, X-chromosomal maculopathy, with retinoschisis 4−30191
  - oscilloscopic visual displays, orientation variation 4−18140
  - retinal rod outer segments, ion fluxes in disc membranes 4−30194
  - tonal sound duration, natural scales, construction 4−22566
  - turtle retina, C- and L-type horizontal cells, identification 4−30206
  - vision acuity, head orientation and meridional variations 4−30182
  - X-radiography, image reconstruction methods 4−18224
- **pick-up reactions**
  - deuteron, 3-body effects 4−2906
  - heavy ion, two-nucleon exchange, systematics of interference between direct and indirect modes 4−12376
  - hole state structure 4−2854
  - one-nucleon transfer, determ. of ^{14}N ground state magnetic moment 4−2753
  - one-particle transfer, nonorthogonality effects 4−9130
  - transfer reaction experiments, review 4−15859
  - (p,t) reactions, 19 MeV, enriched and natural rare earth nuclei targets, Q-meas. 4−634
  - ^{9}Be(d,t_0)^{8}Be, 0.9 to 3.1 MeV, energy dependence of spectroscopic factors 4−2909
  - ^{9}Be(d,t)^{8}Be$^{*} \rightarrow \alpha + \alpha$, anal. of fully measured particle-particle correlation patterns 4−2903
  - ^{12}C(^{3}He,α)^{11}C, 217 MeV, DWBA analysis and optical model parameters 4−2937
  - ^{40}Ca(^{19}F,^{20}Ne)^{39}K, 56 MeV, projectile excitation 4−9255
  - ^{40}Ca(^{3}He,α)^{39}Ca, 20 MeV, study of particle hole multiplets in ^{40}Ca 4−2938
  - ^{41}Ca(^{3}He,α)^{40}Ca, 20 MeV, study of particle hole multiplets in ^{40}Ca 4−2938
- **pick-up reactions** continued
  - ^{43}Ca(d,t)^{42}Ca, 20 and 23 MeV, spectroscopic factor determ. by DWBA analysis 4−12164
  - ^{54}Cr(d,t), 24 MeV, p-n interaction effects 4−2915
  - ^{56}Fe(d,α), α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
  - ^{56}Fe(d,t), 24 MeV, p-n interaction effects 4−2915
  - ^{57}Fe(p,α), α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
  - ^{4}He(d,^{3}He)^{3}H, 30 to 40 MeV, vector analysing power meas., deviation from isospin imposed symmetry 4−2916
  - ^{4}He(d,t)^{3}He, 30 to 40 MeV, vector analysing power meas., deviation from isospin imposed symmetry 4−2916
  - ^{41}K(d,t), E=15 MeV neutron correlations, spectroscopic factors 4−648
  - ^{41}K(p,d) E=15 MeV, neutron correlations, spectroscopic factors 4−648
  - ^{24}Mg(d,^{3}He)^{23}Na, 21.1 MeV, CCBA analysis of angular distrib., inelastic effects 4−19471
  - ^{24}Mg(d,t)^{23}Mg, 21.1 MeV, CCBA analysis of angular distrib., inelastic effects 4−19471
  - ^{26}Mg(^{6}Li, ^{6}He) charge exchange, two-step pickup-stripping excitation mode 4−19535
  - ^{55}Mn(^{3}He,α), α-particle spectra of ^{58}Co compound nucleus *(French)* 4−19523
  - ^{93}Nb(p,α)^{90}Zr, 15.2 MeV, energy levels of ^{90}Zr, cluster pick-up DWBA analysis 4−12175
  - Nd(p,t), A=142, 144, 146, 148, 150, superfluid model calc., obs. cross sections 4−635
  - ^{21}Ne(d,^{3}He)^{20}F, DWBA analysis, T=1 state identification 4−2914
  - ^{21}Ne(d,t)^{20}Ne, DWBA analysis, T=1 state identification 4−2914
  - ^{58}Ni(d,t), 24 MeV, p-n interaction effects 4−2915
  - ^{16}O(^{3}He,α)^{15}O, 217 MeV, DWBA analysis and optical model parameters 4−2937
  - ^{16}O(p,α)^{13}N at 6.13-7.26 MeV in explosive nucleosynthesis 4−14344
  - ^{17}O(d, t)^{16}O, 52 MeV, population of new $1d_{5/2}.1p_{3/2}^{-1}$ states as test of effective interaction 4−432
  - ^{18}O(^{6}Li, ^{6}He) charge exchange, two-step pickup-stripping excitation mode 4−19535
  - ^{208}Pb(α, α'n) DWBA anal. assuming unstable ^{5}He formation 4−36214
  - ^{208}Pb(p,d)^{207}Pb, 52 MeV, effect of deuteron break-up channels, optical potential 4−2890
  - ^{a}Te(t,α), (A=even 122 to 130) E=12 MeV, α ang. distribs. 4−5817
  - ^{49}Ti(d,t)^{48}Ti, 18 MeV, study of ^{48}Ti shell model structure 4−12130
  - ^{51}V(d,t), 19.5 MeV, ^{50}V energy levels, comparison with shell model calc. 4−15623
  - ^{182}W(d,t), effects of hexadecapole deformations on $i_{13/2}$ orbits and pickup cross-sections 4−39989
- **pick-up tubes, television** *see television camera tubes*
- **pick-ups**
  - dielectric, use to record elastoplastic stress waves in solids 4−1696
  - ferromagnetic element, for laser radiation energy density measurement 4−18494
  - induction, magnetic suspension of ferromagnetic rotors, dia. 0.25 to 2.0 mm 4−5116
  - piezoacoustic, meas. of charged particle current density distrib., energy 4−22974
- **pickups** *see pick-ups*
- **picture processing**
  - *see also pattern recognition*
  - colour encoded image recording on monochrome film 4−26549
  - digitized fluoroscopic images, differential absorption detection capability 4−18223
  - electron microscopy, contrast enhancement, by nonlinear filtering, dislocation image applic. 4−26679
  - image difference recognition *(Russian)* 4−39702
  - image reversal by spatial filtering and optical subtraction *(Japanese)* 4−15320
  - image scanning by acousto-electro-optic interaction 4−35811
  - i.r. image distortion, rectification method 4−17831
  - meteorological satellite scanning radiometer picture contrast expansion processor 4−14229
  - plasma optical interferograms, automatic primary processing system, active filter, computer *(Russian)* 4−39248
  - roentgenograph analysis, digital computer tone-texture transformation 4−18200
  - thermal i.r. image recording and processing 4−17830
  - tomography, transverse, spatial filtering 4−35041
  - u.s. arteriography, high speed imaging system, enhancement by quantisation 4−18218
  - X-radiography, image reconstruction methods 4−18224
  - X-ray difference images, digital processing 4−26260
  - X-ray picture pattern recognition, chest X-rays 4−26261
- **picture transmission** *see facsimile*
- **picture tubes, television** *see television picture tubes*
- **piecewise-linear techniques**
  - laser angular velocity meter, static characs. approx. rel. to meas. errors *(Russian)* 4−23414
  - von Mises yield surface rel. to limit load anal. of thick circular plates 4−5347
- **piezo-magneto-optical effects** *see magneto-optical effects; piezoelectricity*
- **piezo-optical effects**
  - *see also piezoreflectance*
  - covariant forms of third and fourth rank tensors of piezo-optical coeffs. 4−28788
  - liquid crystal mixture, associated with u.s. field 4−17037
  - GaAs, birefringence during piezoresonance 4−3953
  - GaAs, piezoelectroabsorption, polarization increase, band struct. 4−17045
  - KBr, dispersion of C, 30-400°C, rel. to temp. effect on piezo-optic dispersion 4−1379
  - KCl, dispersion of C, 30-400°C, rel. to temp. effect on piezo-optic dispersion 4−1379
  - KI, dispersion of C, 30-400°C, rel. to temp. effect on piezooptic dispersion 4−1379

piezo-optical effects continued
KI single crystals, refl. spectra, oblique incidence of beam, 240-150 nm, axial compression effects *(Russian)* 4−21023
K_2O-SiO_2 glass, i.r. absorpt. spectra, comp. and press. effects, up to 40 kbar 4−37597
Li_2O-SiO_2 glass, i.r. absorpt. spectra, comp. and press. effects, up to 40 kbar 4−37597
NaCl, dispersion of C, 30-400°C, rel. to temp. effect on piezo-optic dispersion 4−1379
Si:B(Al)(In), groun and excited states of acceptors, quantitative piezospectroscopy 4−33465
piezoelectric devices
see also crystal resonators; piezoelectric transducers
coupled semiconductor-piezoelectric convolver, theory 4−37074
gas analyzer, evaluation of substrates for SO_2 4−154
interferometer selector, piezoelectric control, construction *(Russian)* 4−39255
sonic pressure sensor for high level work 4−20
submicron linear positioning, wormlike operation 4−16
surface cleaning, detecting and controlling organic contamination 4−20487
CdS film high-sensitivity strain sensor, struct. and characts. 4−14798
CdS phonon maser, voltage modulation 4−37278
CdS photoconductive platelets, plate wave acoustic convoluter 4−28274
GaAs, surface wave convolution, photoenhancement 4−28271
$LiNbO_3$ gauge, for radiation-induced stress pulse meas. 4−14797
piezoelectric effects *see piezoelectricity*
piezoelectric materials
see also piezoelectricity
absolute configuration bibliography 4−10376
acoustic surface waves, introduction for students 4−26390
acoustic wave amplification, linear theory, domain formation and evolution 4−37280
bibliography for 1971, in book 4−6856
ceramic, development since 1955, review *(German)* 4−33346
ceramic plate, Chladni figures obs., thickness flexure mode 4−33353
ceramic plate, thickness twist modes generation 4−9951
ceramics, temperature stabilised, acoustic surface wave filter applic. 4−25415
flexible, new development used in hydrophone designs 4−6846
hypersonic waves, $>10^8$Hz, propagation and interactions in crystals 4−16553
lithium formate single cryst., polarised i.r. spectra 4−13423
photoconducting, opticoascoustic interaction 4−22648
piezo-ceramic, depolarisation, current enhancement at shock contact *(Russian)* 4−37566
polyvinylidene fluoride, piezoelectric effect of h.f. 4−3939
quartz, γ-ray irrad. colour centre formation, radio- and thermolumin. obs. 4−21092
α-quartz, Al centres, literature review 4−20305
α-quartz, light deflection efficiency of acoustic surface waves 4−25074
quartz, pulse irrad., freq. recovery due to diffusion of H 4−20452
quartz, transient X-ray induced conductivity, charge carrier transport obs. 4−20653
quartz, x-cut, shock-wave compression, Hugoniot elastic limit, elec. response meas. 4−33351
semiconductor, acoustic surface wave velocity and attenuation control using distributed varactor struct. 4−14805
semiconductor, acoustoelectric amplification, phonon-laser approach 4−16801
semiconductor, acoustoelectric domain effect on cond. 4−37279
semiconductor, Brillouin scatt., optical to mm waves, mechanisms 4−33421
semiconductor, e.m. generation of acoustic waves 4−10187
semiconductor, free carriers, i.r. absorpt. theory 4−37617
semiconductor, parametric instabilities of short wavelength acoustic vibrs. in mag. field 4−28352
semiconductor, ultrasonic harmonic generation in e.m. and mag. fields 4−3762
semiconductor, u.s. modulation of microwaves 4−16800
semiconductor, u.s. wave propag., eqns. 4−28459
AlN film, r.f. sputtered on sapphire, piezoelec. props. 4−41478
Al_2O_3, film on glass, wave guiding charachts. 4−28761
$Ba_2Ge_2TiO_8$, cryst. struct. and piezoelec. props. 4−12909
$BaTiO_3$, electromech. props., calc. using point dipole model 4−33349
$12Bi_2O_3$:Ga_2O_3, single cryst. waveguiding thin films, liq. phase epitaxial growth 4−4041
$6Bi_2O_3$:TiO_2, single cryst. waveguiding thin films, liq. phase epitaxial growth 4−4041
$Bi_4(SiO_4)_3$, cryst. growth, elastic, piezoelectric and u.s. props. 4−25249
CdS, acceptor level ionisation effect on absorption edge 4−28879
CdS, photoconductive, mixing effects of acoustic waves, Brillouin scatt. obs. 4−33009
CdS, thermodiffusion treatment, electrical props. control 4−1448
CdS film high-sensitivity strain sensor, struct. and characts. 4−14798
CdS photoconductive platelets, plate wave acoustic convoluter 4−28274
CdS-sapphire layered system, acoustic surface wave propag. 4−28273
$CuGa(In)S_2$, sublattice distortion, X-ray diffr. obs. 4−24434
GaAs, with monolithic struct., Rayleigh wave amplification and attenuation 4−6539
α-HgS, elastic and piezoelectric properties 4−25059
n-InSb, degenerate, u.s. second harmonic generation in d.c. mag. field 4−28153
InSb, shear deformation potential constants determ. 4−28765
InSb-ZnO double layer film, on quartz, u.s. surface wave amplification *(Japanese)* 4−37079
KH_2PO_4, press. depend., soft acoustic mode meas. 4−13391
La_2TiO_7, synthesised by floating zone technique 4−3937
Li_2GeO_3, single cryst., temp. coeff., u.s. transducer appl. 4−33352
$LiNb(I)O_3$, saturation of ^7Li, relax. behaviour 4−33296
$LiNbO_3$, elastic surface wave vel. meas., temp. depend. 4−28269
piezoelectric materials continued
$LiNbO_3$, elastic surface waves, d.c. effects 4−40961
$LiNbO_3$, inverse phase velocity surfaces of bulk and surface acoustic waves, visualization 4−3632
$LiNbO_3$, light deflection efficiency of acoustic surface waves 4−25074
$LiNbO_3$, permitt. spectrum to i.r. freq., temp. depend. of microwave losses 4−28750
$LiNbO_3$ gauge, for radiation-induced stress pulse meas. 4−14797
$LiNbO_3$-Si, nonlinear acoustic surface wave interaction, coupling to charge carriers 4−28268
$LiNbO_3$-Si, validity of theory of coupled semicond. piezoelec. convolver 4−37074
$LiTaO_3$, elastic surface wave vel. meas., temp. depend. 4−28269
$LiTaO_3$, props. rel. to l.f. crystal resonator applic. 4−20938
NH_4Cl, piezoelectric consts. meas. near order-disorder phase transition 4−41339
$(Pb,Ba)Nb_2O_6$, solid soln., aging and stress effects *(Russian)* 4−41340
$(Pb_{1-x}Ba_x)Nb_2O_6$, piezoelectric props., free energy expression, stability of tetragonal and orthorhombic ferroelectric phase 4−28777
$PbTiO_3$-$Pb(Cd_{0.5}W_{0.5})O_3$ system, dielec., piezoelec., and elastic props. 4−37565
$Pb(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ solid solution, cryst. struct. and piezoelectric props. 4−3938
$Pb(Zr,Ti)O_3$, poling depend. of acoustic surface wave freq. generation by interdigital transducers 4−28270
$Sr(Li_{2/5}W_{3/5})O_3$-$PbTiO_3$-$PbZrO_3$, ceramic, surface wave vel. 4−33354
Te, shear sound wave amplification, 116-220 MHz 4−28461
ZnO, elastic and elec. props., 4.2-700K *(Russian)* 4−13387
ZnO, film transducer fabrication, sputtering, nucleating surface influence 4−28762
ZnO, thermodiffusion treatment, electrical props. control 4−1448
ZnO thin films, electromechanical coupling coeffs., hypersonic transducer appl. 4−3744
ZnO-sapphire layered system, acoustic surface wave propag. 4−28273
piezoelectric oscillations
ceramic bar, transversely polarized, mech. drive techniques for piezoelec. parameters meas. 4−26468
ceramic plate, Chladni figures obs., thickness flexure mode 4−33353
crystal bars, high frequency vibrations, theory 4−33347
film, surface guided waves, Hamilton's principle 4−28761
quartz, pulse irrad., freq. recovery due to diffusion of H 4−20452
quartz crystal plate, pure- and quasi-plane elastic waves *(Japanese)* 4−41338
quartz plates, coupled vibrations 4−33348
two-ply systems, transverse normal wave amplification, charge drift *(Russian)* 4−33355
piezoelectric resonators *see crystal resonators*
piezoelectric transducers
in acoustic noise monitoring system, for materilas testing *(German)* 4−10730
for acousto-optical devices, performance 4−14908
bird feather, active properties 4−18235
ceramic bar, transversely polarized, mech. drive techniques for piezoelec. parameters meas. 4−26468
ceramic plate, Chladni figures obs., thickness flexure mode 4−33353
ceramic vibrators, pulsed operation, with a noninductive load 4−33955
fluidised particle impact investigation device *(French)* 4−26657
pickups for meas. of charged particle current density distrib., energy 4−22974
plasma flow measurement, transient characs. of pulsed megawatt gas fed arc 4−32183
quartz crystal fast multicomponent force transducer, dynamics and meas. errors *(German)* 4−26477
quartz sandwich transducer, internal dynamic stress measurement in a rod, technique 4−18
seismic use, field tests *(Russian)* 4−34525
semiconductor, for acoustic microwave devices 4−20477
underground body detection by pulse echo *(Japanese)* 4−7801
u.s., development of piezoelectric ceramics 4−25060
Si crystal piezoresistive pressure tranducers *(German)* 4−30432
Si measuring cell, construction and applications *(German)* 4−35231
ZnO, sputtered film prep., nucleating surface influence 4−28762
ZnO thin films, prep. and props. 4−3744
piezoelectricity
see also electrostriction; piezoelectric devices; piezoelectric materials; piezoelectric oscillations; piezoresistance
acentric crystals, second harmonic generation 4−11966
acoustic mode amplification by charged particle beam 4−37283
Bleustein-Gulyaev geometry, transverse electroacoustic waves, interaction with semicond. 4−3631
ceramic, development for u.s. transducers 4−25060
covariant forms of third and fourth rank tensors of piezoelectric moduli 4−28788
crystal, C_{6v} type, Lamb's waves electronic attenuation, piezoelec. interaction *(Russian)* 4−33356
elastic and e.m. wave interaction in piezoelec. media, transmission-line model 4−39107
elastic wave velocity, piezoelectrically stiffened 4−26786
electroelastic half-space, distrib. of deformation and electric field *(Russian)* 4−20937
electron microscope, straining tensile specimen holder 4−30618
e.m. and acoustic wave propagation in lossless crystals *(German)* 4−41355
e.m. surface waves and acoustic Lamb's waves interaction, piezosemicond. plate 4−10189
ferroelectric crystal, hydrostatic pressure induced phase transition, Devonshire theory 4−20939
ferromagnet, photomagnetic and spin wave excitation 4−16940
ground-state energy of piezoelectric polaron 4−13155
Michelson interferometer meas. of crystal piezoelectric coeffs. *(Russian)* 4−22876
piezoelectric elastic body, Hooke's law *(Japanese)* 4−41337

piezoelectricity continued
polaron interaction, energy change, Coulomb potential, perturbation theory 4−20571
polyethylene, inverse piezoelec. effect under polarising field 4−17026
polyvinylidene fluoride, piezoelectric effect of h.f. 4−3939
PTFE, film, bending effect, poling conditions 4−28763
quartz, x-cut, shock-wave compression, Hugoniot elastic limit, elec. response meas. 4−33351
semiconductor, acoustic amplification strong elec. field 4−24787
semiconductor, nonlinear ultrasound amplification in mag. field, theory 4−13335
semiconductor, parity of electroacoustomag. effect, piezoelec. coeff. anisotropy 4−16803
semiconductor, piezotransistor effect obs. 4−28766
semiconductor, sound propag., effect of h.f. field close to plasma freq. 4−28465
semiconductor, stationary acoustoelectron waves, weak diffusion 4−24788
semiconductor-dielectric layered system, piezoelec. interaction, elastic wave propag. *(Russian)* 4−37567
solid, piezoelec. and pyroelec. props. in elec. fields, thermodynamic variable definition 4−3576
thermodynamics, internal strain in perfect crystals 4−33350
upper bounds of coefficient for thermodynamic stability 4−16967
$Ba_2Ge_2TiO_8$, electromech. coupling factor in thickness shear mode 4−12909
$BaTiO_3$, alternating mechanical stress effect on repolarisation *(Russian)* 4−33358
$BaTiO_3$, piezoelec. coeffs., calc. using point dipole model 4−33349
$Bi_4(SiO_4)_3$, elastic, piezoelectric and u.s. props. 4−25249
CdS, residual conductivity and quantised electron-phonon interactions 4−13184
CdS, thin film, current saturation mechanism, photoconductivity 4−28513
CdSe temp. depend. for wurtzite struct. 4−28767
GaAs, surface effect, atm. comp. depend. 4−6661
n-Ge, piezotransistor effect obs. 4−28766
n-InSb single crystal, temp. depend. of ultrasonic attenuation 4−33227
KH_2PO_4, ferroelec. and paraelec. regions, dielec. and piezoelec. nonlinearity 4−33359
KH_2PO_4 type crystals, transverse const., temp. depend., antiferroelec. props. 4−28764
La_2TiO_7, synthesised by floating zone technique, piezoelec. const. and electromech. coupling const. 4−3937
Li_2GeO_3, temp. coeff. determ. 4−33352
$LiTaO_3$, hydrostatic piezoelec. const., press.-induced reversal of sign 4−10377
$Mn_{0.6}Zn_{0.3}Fe_{0.1}{}^{2+}Fe^{3+}O^4$ crystal, electro-magneto-striction effect 4−13388
NH_4Cl, piezoelectric consts. meas. near order-disorder phase transition 4−41339
$NaH_3(SeO_3)_2$, triclinic ferroelec. phase, meas. of dielec., elastic, piezoelec. props. 4−28772
$(Pb,Ba)Nb_2O_6$, solid soln., ceramic *(Russian)* 4−41340
$PbTiO_3$-$Pb(Cd_{0.5}W_{0.5})O_3$ system, dielec., piezoelec., and elastic properties 4−37565
$Pb(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ solid solution, and crystal struct. 4−3938
ZnO, Hall effect, electron mobility anisotropy due to piezoelec. scatt. *(German)* 4−32976
ZnO, temp. depend., 4.2-700K *(Russian)* 4−13387
ZnO thin films, electromechanical coupling coeffs., hypersonic transducer appl. 4−3744

piezomagnetism *see magnetostriction*

piezoreflectance
$Ga_xIn_{1-x}Sb$, 77-300 K, transition energies, band gap vars. 4−33377

piezoresistance
semiconductors, wurtzite type, phonon drag part of thermoelectric power tensor calc. 4−1242
Bi film, elastoresist. relax. rel. to resist. relax. in transverse elec. field *(French)* 4−3754
CdS film, rel. to appl. as high sensitivity strain sensor 4−14798
InSb, meas. at 77K, shear deformation potential constants determ. 4−28765
n-Si, inversion layers, piezoresistance, low temp. 4−3940
Si crystal pressure transducers *(German)* 4−30432
Te, epitaxial growth, temp.-depend. of resist. and Hall effect investig. *(German)* 4−20704
Te, epitaxial thin film, conductivity and Hall effect meas. *(German)* 4−3781

piezoresistive devices *see piezoelectric devices*

piles (nuclear fission) *see nuclear reactors*

pinch effect
axisymmetric toroidal pinch expts., review 4−32266
axisymmetric torus with noncircular cross-section, field diffusion 4−32271
belt pinch, m.h.d. model, instability growth rate 4−20100
belt pinch, Suydam instability 4−16336
belt pinch, time depend. diffusion 4−32273
belt pinch expt. of Garching, stability and diffusion 4−32312
Bennett pinch, finite radius, hydromag. stability, necessary and sufficient condition 4−40664
diamagnetic pinched plasma, London equation, magnetostatic equilibrium 4−36728
diffuse, current distribution control by relativistic electron components 4−6275
discharge, diffusion and stability 4−32269
double inverse pinch, magnetic neutral pt. system, mass motion, plasma heating 4−24306
drop, instability, pool contact processes, rel. to arc welding 4−25403
fast θ compression, initial variation of T_e/T_i 4−12793
hard-core, parallel viscous modification of resistive tearing instability, cylindrical model 4−3369
high-β stellarator expts., review 4−32267
high-β Tokamak-like expt., programming and use of transverse fields, current control 4−32274
high-β toroidal pinch expt. simulation 4−32270

pinch effect continued
laser blowoff plasma, for tightly pinched electron beam prod. 4−9755
linear diffuse pinch, stability anal. by guiding-centre theory 4−32247
magnetic liquid, free-surface form, magnetostatic pinch effect *(Russian)* 4−24241
magnetic material, relativistic electron beam, model 4−26894
magnetic pressure in cylindrical wires and rectangular rods 4−3417
MHD model for dynamics of dense plasma pinch 4−20126
MHD stability of high-β reverse field pinch 4−32310
multiple mirror field, plasma stability obs. 4−40665
negative theta-pinch experiment, temp. meas. 4−3386
precollapse phase, wall temp. distrib., plasma current 4−24292
reference theta-pinch reactor, engineering design 4−23913
reference theta-pinch reactor, thermal, mechanical and irradiation response of first wall 4−23914
reference theta-pinch reactor blanket, thermal and hydraulic response 4−23915
screw, cylindrical, column compression 4−6262
screw pinch confinement apparatus 4−32348
screw waves in an inert gas contracting positive column 4−3370
Scyllac toroidal sector, helical equil. 4−32268
stability, exact soln., aspect ratio depend. of MHD equilib. 4−32252
theta, fusion reactor, vacuum system design 4−23916
theta and sheet, Alfven wave Landau damping 4−971
theta pinch, analysis using laser heating and mag. compression 4−27957
theta pinch, implosion phase, plasma density distrib. and current-sheath struct. 4−27970
theta pinch, laser heating, holographic interferogram analysis 4−27958
theta pinch, use of alternating direction implicit techniques 4−6235
theta pinch plasma, turbulence spectrum, CO_2 laser scattering 4−20104
theta-pinch, radiation losses from oxygen impurities, anal. 4−32159
theta-pinch plasma, electron density, oscillations, interferometric study 4−32242
theta-pinch plasma, thermal wave axial struct. instability 4−16310
toroidal, fast, pre-ionisation stdy 4−9762
toroidal θ-Z pinch behaviour 4−32282
toroidal confinement, conf., Garching, Germany (March 1973) 4−32265
toroidal equilibria of $\beta=1$ plasmas with strongly non-circular cross section 4−32272
toroidal pinch experiments, future trends 4−32311
Z pinch, confining field diffusion, Ohmic heating instability 4−20131
Z-pinch, noncylindrical, breaking mechanism of current sheath 4−12803
Z-pinch, two temp. eqns. for laser heating with thermonuclear fusion energy 4−6259
Z-pinch fast shock heating experiments, application of inductive energy storage system 4−40670
Z-pinch plasma heating with nuclear fusion, dynamic effects 4−12800
Z-pinch rare gas plasma, vacuum u.v. emissions, appl. as light source 4−36740
Ar discharge, wall hang-up time meas. 4−16345

pincushion distortion *see aberrations*

pion-baryon interactions
see also pion-hyperon interactions; pion-nucleon interactions
No entries

pion-baryon scattering
see also pion-hyperon scattering; pion-nucleon scattering
resonance formation amplitudes, quark model 4−2696
πd at 100 MeV, amplitude calc. taking into account spin and isospin *(Russian)* 4−15921

pion decay
constant relation to γ-ρ coupling constant, KSFR relation 4−35953
Galactic H_2 content from neutral-pion-decay γ-rays 4−8081
$\pi^0,\eta\rightarrow2\gamma$, Cerenkov spectrometer for π^0 detection, 100-700 MeV 4−22976
$\pi^0\rightarrow e^+e^-$, from $\pi^-p\rightarrow\pi^0n$ in $\Delta(1236)$ resonance region and $K^+\rightarrow\pi^+\pi^0$ obs. 4−12028
$\pi^0\rightarrow e^+e^-e^+e^-$, internal conversion into lepton pairs 4−5599
$\pi^0\rightarrow e^+e^-\gamma$, internal conversion into lepton pairs 4−5599
$\pi^0\rightarrow\gamma\gamma$, Adler anomaly (PCAC), extension to real particle, vector dominance, symmetry breaking 4−2680
$\pi^0\rightarrow\gamma\gamma$, anomalies, rel. to low energy theorem for $\gamma\rightarrow\pi\pi\pi$ and unitarity bound on $K\rightarrow\pi\gamma\gamma$ decay rate 4−23462
$\pi^0\rightarrow\gamma\gamma$, deformed quark currents and anomalous Ward identities 4−23461
$\pi^0\rightarrow\gamma\gamma$, in pp inclusive reactions at 12.4 GeV/c 4−31215
$\pi^+\rightarrow e^+\upsilon_e\gamma$ radiative decay, gauge invariance, low-energy theorems and axial-vector form factors 4−23455
$\pi^+\rightarrow\mu^+\upsilon_\mu\gamma$ radiative decay, gauge invariance, low-energy theorems and axial-vector form factors 4−23455
$\pi^\circ\rightarrow\gamma\gamma$, decay rate calc., vector-meson dominance, axial vector current, quark model 4−19236

pion-hyperon interactions
No entries

pion-hyperon scattering
No entries

pion interactions
see also pion-baryon interactions; pion-pion interactions
diffractive resonance production, dual property from semilocal factorisation 4−5625
diffractive resonance production cross section, dual property from semilocal factorisation 4−19227
form factor, bounds and high-energy behaviour from modulus representation 4−39842
tumour therapy, visualisation of stopping region 4−2190
$K^-\pi^-$ inelastic cross sections up to 2.8 GeV c.m. energy, from Chew-Low extrapolation on $K^-p\rightarrow\Delta^{++}$ + anything 4−39914
$K^-\pi^-$ interaction, elastic and total cross sections from K^-p interactions, 8.25 GeV/c 4−5669
π^-d, total cross section differences 4−9022
π^+d, A_2 and $\omega(1675)$ production, evidence for $\omega\pi\pi$ decay modes 4−19254

pion interactions continued
$\pi^+d \to p_s p\pi^+\pi^-$ at 4 GeV/c, p^0 and f^0 production 4−12097
$\pi^+d \to pp$, effective interaction with rescattering, πprod. and absorption by two nucleons 4−15544

pion-nucleon interactions
see also pion-proton interactions
charge exchange amplitude, helicity-independent structure hypothesis, peripherality 4−384
chiral $SU_2 \times SU_2$ Lagrangian, representation mixing 4−15413
coherent production of pions on nuclear target, 9-15 GeV/c *(German)* 4−23719
deuteron scatter at low energy, + matrix representation 4−31417
double strange exchange, K^- with nuclei, 1.5 BeV/c 4−23563
dynamics of $\pi\Delta$ system and πN resonances $D_{15}(1670)$ and $S_{11}(1535)$ 4−23590
inclusive, ν inelastic reactions from total cross section 4−15576
low energy pion-nucleus interactions, Pauli effects 4−27361
overlapping resonances in two-body channels, unitary formalism 4−8987
Pade approximant model of nucleon propagator 4−39879
pion condensation in neutron stars, effect of nucleon correlations 4−34858
pion condensation in nucleon matter, instability conditions from Green function 4−31279
total cross section, rel. to structure function and vector-dominance model for deep inelastic ep scattering 4−23505
π-nucleus interactions, determ. of total effective cross sections for $K^+\pi^+\pi^-$ system production *(German)* 4−23720
π^-C nucleus, at 40 GeV/c, cross section determ. for production of neutral strange particles *(Russian)* 4−15585
$\pi^{-\,12}C \to pp$ + anything, 4 and 7.5 GeV/c, proton pairing correlations 4−27364
$\pi d \to \pi\Delta_x\Delta_s$, spectator isobar production, energy and angular distrib. 4−31196
$\pi^+d \to d\pi^+\pi^+\pi^-$, 13 GeV/c, obs of A_3-amplitude phase change 4−27191
$\pi^+d \to p_s p\,\pi^+\pi^-$, 4 GeV/c, study of ρ^0 and f^0 production and spin structure 4−5675
$\pi^+d \to p_s p\pi^+\pi^-\pi^0$, existence of heavy non-strange mesons in R-S-T-U mass region 4−23552
$\pi^+d \to \pi^+\pi^+\pi^-d$, partial-wave anal. through A_3 meson region 4−36072
$\pi N \to f\Delta^*$ with large helicity flip as tests for cuts generation 4−5634
$\pi N \to fN$ with large helicity flip as tests for cuts generation 4−5634
$\pi N \to K\Sigma$, isospin anal. saturation of isospin bounds 4−9001
$\pi N \to \pi\Delta$, baryon duality solutions with the harmonic oscillator spectrum, amplitude signs 4−36020
$\pi N \to \pi\Delta$, low energy bootstrap model, $N_\gamma(3/2^-)$ (1520) resonance anal. 4−12090
$\pi N \to \pi\Delta$ comparison of quark model with SU_3 theory 4−368
$\pi N \to \pi\pi N$, isotopic amplitudes from threshold up to third order terms 4−27195
$\pi N \to \pi\pi N$, prod. of Regge recurrences, ρ, f_o and g mesons 4−23513
$\pi N \to \pi\pi N$, unitarity constraints 4−12079
$\pi N \to \rho^0 N$, vector meson dominance model, Ball invariant amplitude 4−36060
$\pi N \to \rho\Delta$, with large helicity flip as tests for cuts generation 4−5634
$\pi N \to \rho N$, SU_3 inelastic amplitudes, comparison with quark model 4−368
π^-n, 40 GeV/c, joint description of charge distribs. and neutral-charged particle correlations 4−387
π^-n, at 40 GeV/c, cross section determ. for production of neutral strange particles *(Russian)* 4−15585
$\pi^-N \to \gamma$ + anything, 40 GeV/c, π^0 multiplicity from γ distrib. 4−5676
π^-N interactions in emulsion, 50 GeV/c, coherent-production multiplicity, angular and rapidity distribs. 4−2731
$\pi^-N \to \pi^0 + (\text{anything})^-$, use of approximately normal distribution description, isospin conservation 4−36077
$\pi^+n \to f(\to \pi^+\pi^-)p$, f-N total cross section at 3.5 GeV/c in π^+Ne interaction 4−27186
$\pi^+N \to \omega^0 N$, density matrices, absorption model, predictions for K*0, K^{*0} production 4−27178
$\pi^+n \to p\pi^+\pi^+\pi^-\pi^-$, 11.7 GeV/c, transverse angular momentum distrib. 4−27187
$\pi^+n \to p\pi^+\pi^+\pi^-\pi^-\pi^0$, 11.7 GeV/c, transverse angular momentum distrib. 4−27187
$\pi^+n \to \rho^0(\to \pi^+\pi^-)p$, ρ^0-N total cross section at 3.5 GeV/c in π^+Ne interaction 4−27186
$\pi^\pm N \to \rho^0 N$, density matrices, absorption model, predictions for K^{*0}, K^{*0} production 4−27178
$\pi^+Ne \to \pi^+\pi^-$ + nuclear debris, 3.5 GeV/c, ρ^0-N and f-N total cross sections 4−27186
ρ-ω interference, mixing parameter, 2π and 3π final states 4−386
${}^6Li(\pi^-, \nu)^6He$, partial radiative capture rate calc., impulse approximation 4−15915
$\pi N \to \pi N$, multichannel partial wave unitarity, Watson final state theorem 4−15444

pion-nucleon scattering
see also pion-proton scattering
amplitude analysis and peripherality at 6 GeV/c backward scattering 4−12093
amplitude analysis at 6 GeV/c based on peripherality 4−12085
amplitude evaluation, 1.5 to 14 GeV, small momentum transfer 4−36058
backward hemisphere, model based on Regge poles plus quark rearrangment processes 4−15557
charge exchange, forward dispersion reln. 4−23554
charge exchange, optimal bounds for Regge-pole parameters from low-energy data 4−36028
charge exchange, Regge-pole model without parity doublets in S-channel 4−12072
charge exchange, Regge-Regge-cut model 4−23556
chiral perturbation theory, $SU(2) \times SU(2)$ and $SU(3) \times SU(3)$ symmetries, Nambu-Goldstone bosons 4−39822
D_{13} wave, forces in partial waves by N/D method 4−15543
d-scattering length calculation, high multiplicity charge exchange 4−39882
data analysis, accelerated convergence expansion 4−12080

pion-nucleon scattering continued
duality in sum rules, scattering amplitude in complex energy plane, 2 to 3 GeV 4−2698
elastic, σ-commutator, new calc. from data in 80 to 300 MeV range 4−379
elastic, dual analogue model 4−8981
elastic, exptl. program at cyclotron of Swiss Inst. for Nuclear Res. 4−23659
elastic, resonance saturation of sum rules, inconsistencies 4−23448
elastic and charge exchange, parameter relations in cross-over point of differential cross-sections 4−39894
finite energy sum rules for forward amplitudes, fit to chiral symmetry breaking 4−15542
helicity amplitudes, imaginary parts anal. using phase shift solns. 4−12086
large momentum transfer, amplitudes, 3.7-14 GeV/c 4−9013
low-energy, square-well potential analysis, pion-nucleon bound state 4−2714
phase shifts, nuclear force two pion exchange potential, magnetic monopole model of hadrons 4−36121
phase shifts, uniqueness, numerical tests 4−5648
pion-nucleus optical potential, P-wave interaction volumes 4−36456
Pomeranchuk theorem, validity from low energy data 4−31173
quasipotential approach, parameter calc. 4−15554
Regge residues for πN(CEX) scattering amplitudes, sum rule determ. 4−15545
reggeised absorption model satisfying duality, description in 5 to 30 GeV/c range 4−36038
resonant propagation in nuclear matter, correction to nucleon, pion propagators 4−15918
spin rotation parameters, meas. in proton scattering 4−23558
πd, low energy, loosely bound scalar state, multiple scatt. corrections *(Russian)* 4−27164
πd elastic scatt. near 3-3 resonance, Brueckner model 4−39883
πd scattering length, multiple scatt. calcs. 4−36232
πN, $I=J={}^{1}{}_{.2}$ state, CDD-pole parameters 4−2706
πN and KN(KN) elastic scattering, dual model scaling relation 4−12060
$\pi N \to N\rho$, in forward and backward regions, rel. to dual parton model 4−36025
$\pi N \to \pi N$, saturation of most stringent isospin bound, energies below 2 GeV/c 4−12081
$\pi N \to \pi N^*$, differential cross section and N* spin density matrix determ. 4−12078
ρ exchange amplitudes, comparison of absorption models 4−5638

pion-pion interactions
few particle system research at LAMPF 4−23722
p-wave, effects on intermediate range N-N interaction at ρ resonance 4−15539
$\pi\pi \to KK$, dispersion relation, S-wave interaction for hyperbolic partial wave reln. 4−36059
$\pi\pi \to KK$, theoretical, phenomenological approach, review 4−2716
$\pi\pi \to NN$, s-wave scattering amplitude, models 4−380
$\pi\pi \to NN$, scattering length and partial wave evaluation $-25\mu^2 \leqslant t \leqslant 4\mu^2$ 4−36065
$\pi\pi \to \pi\gamma\gamma$, amplitude prediction based on PCAC, rel. to unitary bound on $K \to \pi\gamma\gamma$ decay rate 4−23462
$\pi^0\pi^0$, lower bound for total cross section 4−39906
$\pi^0\pi^+ \to C$ + anything odd-daughter-eliminating dual amplitude, unitarity constraints 4−27134

pion-pion scattering
Adler-Weisberger theorem, correction to on-mass-shell version 4−39888
central region, Mueller-Regge phenomenology 4−389
chiral invariance in low energy $\pi\pi$ scattering 4−12082
chiral perturbation theory, $SU(2) \times SU(2)$ and $SU(3) \times SU(3)$ symmetries, Nambu-Goldstone bosons 4−39822
Crichton ambiguity, generalised 4−27166
crossing symmetric unitarization of real amplitudes, fixed angle method 4−9005
dispersion relations, connection between high- and low-energy amplitudes 4−15551
dispersion relations, sum rule inequalities, subtractions 4−8932
isospin-two $\pi\pi$ phase shifts from $\pi^+p \to \pi^+\pi^+n$ expt. at 12.5 GeV/c 4−36071
length estimate from $K \to \pi\pi\pi$ exptl. data *(Russian)* 4−15479
low-energy parameters, Froissart-Gribov representation 4−15549
optimal extrapolation around $\nu = t = 0$ for $\pi\pi$ amplitudes up to 1150 MeV 4−15552
partial wave equations, based on three channel crossing symmetry 4−39886
phase parametrization, dependence of cross sections for $\gamma\gamma \to \pi\pi$ and $\gamma\gamma \to \pi\pi$ processes *(Russian)* 4−15491
phase shift ambiguity, dispersion relation analysis *(Russian)* 4−15553
phase shifts, invariant meson-baryon Lagrangian, one-loop approx. 4−2717
phase shifts, nuclear force two pion exchange potential, magnetic monopole model of hadrons 4−36121
quark model, calc. of elastic cross-sections, high energy 4−31188
resonances and scattering lengths, optical model 4−31249
S-wave scattering lengths, bounds, extension to charged pion case 4−15548
threshold behaviour of partial-wave amplitudes 4−35965
$\pi\pi$ phase-shift analysis, 600 to 1900 MeV from $\pi^-p \to \pi^-\pi^+n$ reaction 4−9006
$\pi\pi \to \pi\pi$, theoretical, phenomenological approach, review 4−2716
$\pi^-\pi^-$, studied in reaction $\pi^-p \to \Delta^{++}\pi^-\pi^-$, 3.93 GeV/c, using modified Chew-Low extrapolation 4−36067
$\pi^0\pi^0$, construction of amplitudes, satisfying unitarity, analyticity, crossing symmetry, numerical strategies 4−39887
$\pi^0\pi^0$, lower bound to S-wave scattering length from analyticity, unitarity, crossing symmetry 4−36054
$\pi^0\pi^0$, rigorous bound on scattering amplitude from parametric dispersion relation 4−5567
$\pi^0\pi^0$ low energy scattering, crossing symmetry, analyticity *(German)* 4−9004
$\pi^0\pi^0 \to \pi^0\pi^0$, bounds on derivatives of partial waves 4−2718
$\pi^0\pi^+ \to \pi^0\pi^+$ odd-daughter-eliminating dual amplitude, unitarity constraints 4−27134

pion-pion scattering continued
  - $\pi^+\pi^+$, in $I=2$ channel, 400-1200 MeV, from 5.45 GeV/c π^+p reaction 4−39889

pion production
  - bootstrap model of fireball decay 4−36014
  - Born amplitude, strong interaction theory 4−371
  - charge distribution, Wang's proposal 4−5695
  - charged particle multiplicities in π^+p and pp interactions at 100 GeV/c 4−19253
  - charged particle multiplicity, energy dependence, reln. to single particle inclusive cross section 4−5692
  - condensation in nuclear matter *(Russian)* 4−27259
  - effective interaction with rescattering, πprod. and absorption by two nucleons 4−15544
  - electroproduction, polarised beams and targets, model 4−2690
  - electroproduction on ^{16}O nuclei, final state interaction from nuclei near threshold 4−9145
  - fireball decay, statistical bootstrap without exotic states 4−27132
  - fireball model with quark quantum numbers 4−31181
  - inclusive, in e^+e^- annihilation, W^0 effects, general parton model 4−31153
  - inclusive, with large transversal momenta, multiperipheral and parton model calcs. 4−2736
  - inclusive production cross sections in pionization region, unified treatment of peripheral models 4−9036
  - inclusive spectra in $np\rightarrow\pi^{\pm}X$, 2-10 GeV *(Russian)* 4−15586
  - isospin, effect in multiple production by nucleon-nucleon interaction 4−2732
  - ISR data on total cross sections for p^+, k^+ and π^+ production 4−12100
  - multipion annihilations in pp interactions at 5.7 GeV/c, transverse momentum-correlation features 4−5672
  - multiple, influence of isospin conservation in independent emission models 4−23578
  - multiple production reactions, correlation of identical pions *(Russian)* 4−12099
  - multiplicity distributions, true, in two-component model of K^-p interactions 4−39898
  - nuclear emulsion bombardment with 280 MeV/nucleon Ne ions, pion production mechanism 4−31415
  - pair production in e^+e^- colliding beams outside equivalent photon approach, charge asymmetry *(Russian)* 4−15502
  - peripheral resonance production, influence on angular correlation between pions 4−5673
  - phenomenological analysis of inclusive spectra at large transverse momentum 4−9023
  - photoproduction, extrapolation for vector-axial vector interference terms in inelastic neutrino reactions 4−35978
  - photoproduction, on ^{12}C, 250 to 1200 MeV photon energy range 4−36181
  - photoproduction, resonance coupling fixed-t dispersion relations 4−361
  - photoproduction in first resonance region, partial wave anal. 4−35991
  - photoproduction of charged pions near threshold, total cross sections 4−9140
  - photoproduction of single charged pion, high energies, eikonal approximation 4−15499
  - photoproduction off ^{12}C, 0.8 and 0.9 GeV, recoil proton polarisation meas. 4−357
  - photoproduction on ^6Li, ^7Li, ^9Be at 400 MeV, absorption probability *(Russian)* 4−15758
  - pionisation cross sections, symmetry relations, Mueller's Regge anal. 4−23586
  - pionisation in pp scattering, unitary model 4−27171
  - Regge pole model, electroprod. and photoprod., photon fragmentation region 4−36001
  - scaling regions, large transverse momentum production, model 4−31207
  - two component pionisation + diffraction model for distributions and multiplicities 4−36095
  - ee annihilations, pion distrib. anal. 4−15501
  - e^+e^- annihilation, multi-pion production in cascade model 4−36005
  - e^+e^- multihadron production, scaling results, sum rules, structure functions for pions 4−15497
  - $e^+e^-\rightarrow\pi^+\pi^-$, model for existence of $\rho'(1250)$ 4−394
  - $e^+e^-\rightarrow\pi^+\pi^-\pi^0$ at φ energy, cross-sections 4−23495
  - $e^+e^-\rightarrow\pi\pi\gamma$ at φ energy, cross-sections 4−23495
  - $eN\rightarrow$pions, inclusive, in photon fragmentation region 4−39861
  - $ep\rightarrow en\pi^+$, 0.4 $(GeV/c)^2$, π^+ angular distribution, resonant helicity-$^1{}_{.2}$ amplitudes in 2nd and 3rd resonance regions 4−39857
  - $ep\rightarrow ep\pi^0$, total cross-section meas. just above threshold 4−12047
  - $ep\rightarrow e\pi^+$ + anything, virtual photoproduction cross sections anal. rel. to scaling phenomena 4−8963
  - $e^-p\rightarrow e^-\pi$ + anything, gauge-invariant-pole-dominated model, obs. 4−23490
  - $\eta\rightarrow\pi^+\pi^-\gamma$, charge asymmetry 4−31135
  - $\eta\rightarrow\pi^+\pi^-\pi^0$, charge asymmetry, C-violation 4−31134
  - $f^0(1270)\rightarrow\pi^+\pi^+\pi^-\pi^-$, evidence from π^-p interactions at 3.93 GeV/c 4−27194
  - $\gamma d\rightarrow d(m\pi^+)(m\pi^-)$, $m=1,2$, total and partial cross-sections, 7.5 GeV 4−27189
  - $\gamma d\rightarrow\pi^-pp$, 0.2 to 2.0 GeV, cross section determination 4−8969
  - $\gamma d\rightarrow\pi^-pp$, 240 to 400 MeV, no isotensor contribution, test of spectator model 4−36002
  - $\gamma d\rightarrow\pi^-pp$, 250-400 MeV, first resonance region, spectator model analysis 4−15498
  - $\gamma d\rightarrow\pi^0d$, 350 MeV, cross section asymmetry 4−39851
  - $\gamma d\rightarrow\pi^+nn$, 240 to 400 MeV, no isotensor contribution, test of spectator model 4−36002
  - $\gamma\gamma\rightarrow\pi^+\pi^-$, obs. in $\varepsilon(660)$ region in $e^+e^-\rightarrow e^+e^-\pi^+\pi^-$ reaction 4−27107
  - $\gamma n\rightarrow n(m\pi^+)(m\pi^-)$, $m=1,2$, total and partial cross-sections, 7.5 GeV 4−27189
  - $\gamma N\rightarrow N\pi$, energies up to 1.5 GeV, background effects on cross section, resonance model *(Russian)* 4−15495
  - $\gamma n\rightarrow p([m\text{-}1]\pi^+)(m\pi^-)$, $m=1,2$, total and partial reaction cross-sections, 7.5 GeV 4−27189
  - $\gamma n\rightarrow p([m\text{-}1]\pi^+)(m\pi^-)\pi^0$, $m=1,2$, total and partial reaction cross-sections, 7.5 GeV 4−27189

pion production continued
  - $\gamma n\rightarrow p\pi^-$, single photoproduction in energy region of P_{11}, D_{13}, S_{11} pion-nucleon resonances 4−27103
  - $\gamma n\rightarrow\pi^-p$, 0.2 to 2.0 GeV, cross section determination 4−8969
  - $\gamma N\rightarrow\pi N$, hard-pion model connection with phenomenological Lagrangian 4−8930
  - $\gamma N\rightarrow\pi N$, vector meson dominance model, Ball invariant amplitude 4−36060
  - $\gamma p\rightarrow p(m\pi^+)(m\pi^-)$, $m=1,2$, total and partial reaction cross-section, 7.5 GeV 4−27189
  - $\gamma p\rightarrow p\pi^+\pi^+\pi^-\pi^-$, positron annihilation radiation, cross sections and resonance production 4−5615
  - $\gamma p\rightarrow\pi^-$ + anything, anal. in beam fragmentation region using Regge pole exchange model 4−9024
  - $\gamma p\rightarrow\pi^0X$ at 6 GeV, cross-section determ. using photon-difference method 4−12049
  - $\gamma p\rightarrow\pi^0p$, forward scattering, modulus dispersion relation, corrections 4−5608
  - $\gamma p\rightarrow\pi^+n$, forward scattering, modulus dispersion relation, corrections 4−5608
  - $K\rightarrow\pi\mu(e)\nu$ decay, and quark model commutators 4−19196
  - $K\rightarrow\pi\pi$, CP violation model and broken SU(3) symmetry 4−23459
  - $K\rightarrow\pi\pi\pi$, determ. of slopes of pion spectra using chiral SU(2) × SU(2) symmetry *(Russian)* 4−15478
  - $K\rightarrow\pi\pi\pi$, violation of $\Delta I=1/2$ rule e.m. interaction effects 4−15476
  - $K^0\rightarrow\pi^0\pi^0\pi^0$, search for CP violation *(Russian)* 4−15477
  - $K^0\rightarrow\pi e\nu$, exptl. anal. of $\Delta S/\Delta Q$ rule in time dependent rate 4−35973
  - $K^+\rightarrow\pi^+\pi^0$ rel. to optimal reactions in search for $\pi^0\rightarrow e^+e^-$ reaction 4−12028
  - $K^+\rightarrow\pi^oe^+\nu$, study of q^2 variation of form factor 4−8948
  - $K^+\rightarrow\pi^o\mu^+\nu$, exptl. study of decay Dalitz plot 4−8947
  - $K_l\rightarrow\pi\pi\gamma$, contrib. to absorptive amplitude for $K_l\rightarrow\mu\mu$ 4−5600
  - $K_l{}^0\rightarrow\pi^+\pi^-\pi^0$ at 1.3 GeV/c, branching ratio meas., π^0 energy spectrum 4−12031
  - K^+p eight prong interactions, 12.7 GeV/c, effect of resonance production on angular correlation between pions 4−5674
  - $K^+p\rightarrow K^+\pi^+\pi^-p$, 4.3 to 5.0 GeV/c, simultaneous production of $K^{*0}(892)$ and $\Delta^{++}(1236)$ 4−36073
  - N + axial vector current$\rightarrow\pi N$, nucleon trajectory contribution determ. 4−12057
  - $(p,p\pi^+\pi^-)$, coherent generation on emulsion nuclei at 200 GeV/c 4−27328
  - pN interactions, 200 and 300 GeV 4−9027
  - $pn\rightarrow pp\pi^-$, isospin anal., threshold to 2.90 GeV 4−27190
  - $pn\rightarrow\pi^+\pi^-\pi^-$, grand angular momentum formalism 4−376
  - pp, annihilation, 1.51 to 2.90 GeV/c study of salient features 4−9033
  - $pp\rightarrow\pi^0\pi^0\pi^0$ annihilations of antiprotons obs. at rest 4−5642
  - pp annihilation processes, pion emission, cross section calc. by current algebra and PCAC 4−23573
  - pp annihilations, pion distrib. anal. 4−15501
  - pp collisions n-particle total cross-sections, 4-303 GeV, reconstruction 4−27215
  - $pp\rightarrow\gamma$ + anything, 44.4 GeV, implications for π^0 prod., multiplicity, ISR meas. 4−9019
  - pp ISR and cosmic ray interactions, two cluster scaling model *(Russian)* 4−36098
  - $pp\rightarrow K^0K(m\pi)$ and charge conjugate reaction, $(m=0,1,2,..)$, 1.09 to 3.45 GeV/c, resonance prod. 4−9011
  - $pp\rightarrow np\pi^-$, isospin anal. of single pion prod., threshold to 2.90 GeV 4−27190
  - $pp\rightarrow pn\pi^+$, 12 GeV/c, study of dual diffractive models 4−23560
  - $pp\rightarrow pp\pi^0$, isospin anal. of single pion prod., threshold to 2.90 GeV 4−27190
  - $pp\rightarrow p\pi^+\pi^-p$, double-pomeron-exchange contributions at 205 GeV/c 4−15571
  - $pp\rightarrow\pi^-\pi^-\pi^+\pi^+$, 1.6-2.2 GeV/c. cross section, resonance production 4−19255
  - $pp\rightarrow\pi^-\pi^+$, 0.8 to 2.4 GeV differential cross sections, systematics of dip structures and s-dependence 4−15564
  - $pp\rightarrow\pi^-\pi^+$, 0.8 to 2.4 GeV/c, differential cross section meas. 4−15563
  - $pp\rightarrow\pi^-\pi^+K^-K^+$, 1.6-2.2 GeV/c, cross section, resonance production 4−19255
  - $pp\rightarrow\pi^0\pi^0\eta^0$ annihilations of antiprotons obs. at rest 4−5642
  - $pp\rightarrow\pi^+d$, bootstrap model with Faddeev eqns. 4−23537
  - $pp\rightarrow\pi^+\pi^+\pi^-\pi^-(\pi^0)$ annihilation, 3.6 GeV/c, angular and momentum distrib. of single pions 4−2727
  - $pp\rightarrow\pi+$ anything, scaling breaking with dipole pomeron and growth of total cross section 4−36079
  - $pp\rightarrow x\pi$, $x\geqslant5$, 2.32 GeV/c cross sections, meson resonance production 4−39899
  - π-nucleus interactions, 9 to 15 GeV/c, coherent production of three pions optical model anal. *(German)* 4−23719
  - π-nucleus interactions, determ. of total effective cross sections for $K^+\pi^+\pi^-$ system production *(German)* 4−23720
  - π^-, in $^4He(\gamma,p\pi^-)$ reaction, anomaly in $\Delta(1236)$ resonance region 4−23663
  - π^-, single particle transverse spectra in 8-16 GeV/c K^-p inclusive reaction 4−39910
  - π^- photoproduction on nuclei, calc. of cross section 4−2862
  - π^0, in pp and π^-N reactions, use of approximately normal distribution description, isospin conservation 4−36077
  - π^0, inclusive spectra and correlations in pp reaction, $\pi^0\rightarrow\gamma\gamma$ 4−31215
  - π^0, on hydrogen and complex nuclei, by 270-375 MeV γ-rays 4−27301
  - π^0, prod. cross-section from pp, π^-p interactions 4−27170
  - π^0, π^-, in pp inclusive reactions at NAL energies 4−27199
  - π^0 electroproduction via Primakoff effect, differential cross section 4−5616
  - π^0 in inelastic electron-electron scatt. 4−36000
  - π^0 multiplicity from γ distrib. in $\pi^-N\rightarrow\gamma$ + anything, 40 GeV/c 4−5676
  - π^0 photo- and electroproduction, low energy, chiral breaking 4−35999
  - π^0 photoproduction, 0.55-2.2 GeV, differential cross section 4−35996
  - π^0 photoproduction, 350-850 MeV, differential cross sections 4−35995

pion production continued
π^0 photoproduction, amplitude analysis using polarisation and differential cross section data 4−5612
π^0 photoproduction, eikonal model including reggeon-reggeon cuts 4−27104
π^0 photoproduction in 1-2 GeV polarised photon interactions, asymmetry 4−31149
π^0 photoproduction on complex nuclei at 400 to 700 MeV, cross section dependence on mass number 4−27304
π^+, in $^3He(\gamma,\pi^+)^3H$ in 3-3 resonance region 4−23664
π^+ electroproduction in vector-meson dominance model 4−8961
π^+ from $^2H(p,\pi^+)^3H$; 470 and 590 MeV, differential cross section meas. 4−15777
π^+ inclusive production in pn interactions at 3-5 GeV/c 4−5686
π^+ photoproduction from $^3He(\gamma,\pi^+)^3He$ 4−9143
π^+ photoproduction in 1-2 GeV polarised photon interactions, asymmetry 4−31149
$\pi^\pm$, in 300 GeV/c proton/W collisions 4−27193
$\pi^\pm$, in inclusive pp reactions at very high energies, transverse momentum dependence 4−36090
$\pi^\pm$, pp inclusive, collisions, transverse momentum 0.15-1.0 GeV/c, CERN ISR 4−391
$\pi^\pm$ electroproduction, form factor by extrapolation techniques 4−31142
$\pi^\pm$ inclusive reactions, Regge Mueller anal., sub-asymptotic terms in pionization region 4−31208
$\pi^\pm$ photoproduction in ^{12}C, comparison of shell and Helm models 4−15762
$\pi^\pm$ photoproduction in $\Delta(1236)$ resonance region, isotensor e.m. current *(Russian)* 4−15492
$\pi^\pm$ photoproduction on ^{12}C above 300 MeV, momentum spectrum 4−12323
$\pi^- - \pi^0$ positive correlation in uncorrelated jet model 4−23522
$\pi N \rightarrow \pi\pi N$, isotopic amplitudes from threshold up to third order terms 4−27195
$\pi^- p \rightarrow C +$ anything, $c = p,\pi^\pm$, transverse momentum squared distribs., 16 GeV 4−27213
$\pi^- p \rightarrow \Delta^{++}\pi^-\pi^-$, 3.93 GeV/c study of $\pi^-\pi^-$ scattering using modified Chew-Low extrapolation 4−36067
$\pi^- p \rightarrow pX$, 205 GeV/c, pion diffraction dissociation 4−19261
$\pi^- p \rightarrow p\pi^+\pi^-\pi^-$, 4.5 GeV/c, helicity conservation in $p\pi^+\pi^-$ peripheral production 4−39902
$\pi^- p \rightarrow p\rho' \rightarrow p\pi^+|^-\pi^-\pi^0$, 4.5 GeV/c, anal. of ρ' meson formation 4−39903
$\pi^- p \rightarrow \pi^- +$ anything, 8.05 and 18.5 GeV/c, single-particle inclusive distribs. 4−5685
$\pi^- p \rightarrow \pi^0 n$, charge exchange scattering, differential cross section meas., 20-50 GeV 4−2724
$\pi^- p \rightarrow \pi^0 n$, rel. to optimal reactions in search for $\pi^0 \rightarrow e^+e^-$ 4−12028
$\pi^- p \rightarrow \pi^+\pi^-\pi^- p$, peculiar property of $J^p = 1^+$ $\rho^0\pi^-$ and $\varepsilon^0\pi^-$ states at low $M_{3\pi}$ 4−23572
$\pi^- p \rightarrow \pi^\pm\pi^\pm + X$, 40 GeV, two-pion correlation function 4−31210
$\pi^+ p$, 4.93 GeV/c, structure of $\omega\pi\pi$ system at A_2 mass region 4−39900
$\pi^+ p \rightarrow \pi^+ +$ anything, 18.5 GeV/c, single-particle inclusive distribs. 4−5685
$\pi^+ p \rightarrow \pi^+ +$ anything, forward peak, longitudinal momentum distrib., 8, 16 and 23 GeV/c 4−2734
$\pi^\pm$photoproduction of protons and deuterons, 16 GeV natural and unnatural parity exchanges 4−27102
$\pi^+\pi^-$, in $e^\mp e^-$ colliding beams, differential cross section, extension of equivalent photon approximation 4−27112
$\pi^+\pi^+\pi^-$ system, from $\pi^+ p$, $\pi^+ d$ interactions, partial-wave anal. through A_3 meson region 4−36072
$\pi^+\pi^+\pi^-$ system, production on light nuclei at 4 GeV/c 4−19540
$^{12}C(\gamma,\pi^-)^{12}N$, shell model and Helm model anal. 4−27302
$^{12}C(\gamma,\pi^-)^{12}N$, threshold to 375 MeV, total cross-section meas. *(Russian)* 4−31343
$^{12}C(\gamma,\pi^+)^{12}B$, shell model and Helm model anal. 4−27302
$^{12}C(p,\pi^\pm)^{13}C$, 185 MeV, one-nucleon reaction model 4−40011
$^{13}C(p,\pi^-)^{14}O$, 185 MeV, pion energy spectra, angular distribs. to ground state 4−15783
$^{13}C(p,\pi^+)^{14}C$, 185 MeV, pion energy spectra, angular distribs. to ground state 4−15783
$^2H(\gamma,pp\pi^-)$, anal. of three-body events using proportional counters 4−36179
^3H, ^3He, photo production on, reciprocity relations 4−625

pion-proton interactions
asymmetry dynamics at 40 and 60 GeV 4−39904
axial vector-currents, causal approx. scheme for commutator 4−23447
charged particle multiplicity distributions, 5 to 300 GeV/c, approximately normal distribution 4−36076
inclusive γ, K^0, Λ, Λ prod., 10.5-205 GeV/c, cross sections, multiplicities 4−27201
topological cross sections and correlation functions for energies > 10 GeV/c, two-component model 4−9037
total cross sections, high-mass diffraction and Regge behaviour 4−36089
$\gamma n \rightleftharpoons p\pi^-$, $\Delta(1236)$ resonance region, correction to photoproduction impulse approximation *(Russian)* 4−35997
$\pi p \rightarrow Bp$, application of semilocal duality to Reggeon-particle scattering 4−36049
$\pi p \rightarrow \Delta +$ anything, high energy, pion exchange contribution 4−9038
$\pi p \rightarrow KY$, spin rotation parameters meas. 4−23558
$\pi^- p$, 205 GeV/c, diffraction dissociation N* and A_1 production 2- and 4-prong final states 4−27183
$\pi^- p$, 40 GeV/c, asymmetry in secondary particle production *(Russian)* 4−15587
$\pi^- p$, 40 GeV/c, joint description of charge distribs. and neutral-charged particle correlations 4−387
$\pi^- p$, at 40 GeV/c, cross sections for production of neutral strange particles *(Russian)* 4−15585
$\pi^- p$, total cross section differences 4−9022
$\pi^- p \rightarrow$ (missing mass) + n, masses, widths and cross sections of η, 0, ω and X^0 (958) mesons near threshold 4−23555
$\pi^- p \rightarrow A_1^- p$, parametrisation of Regge residue function for Δ exchange 4−39895
$\pi^- p \rightarrow A_2^- p$, parametrisation of Regge residue function for Δ exchange 4−39895

pion-proton interactions continued
$\pi^- p \rightarrow \alpha_2^-$ p, 4 BeV/c, anal. of $A_2^- \rightarrow K^- K_l^0$ decay 4−23568
$\pi^- p \rightarrow C +$ anything, $c = p,\pi^\pm$, transverse momentum squared distribs., 16 GeV 4−27213
$\pi^- p \rightarrow \Delta^{++}\pi^-\pi^-$, 3.93 GeV/c study of $\pi^-\pi^-$ scattering using modified Chew-Low extrapolation 4−36067
$\pi^- p \rightarrow \eta^0 n$ at 20 to 50 GeV/c, differential cross section meas. *(Russian)* 4−15565
$\pi^- p \rightarrow \eta n$, charge asymmetry in subsequent $\eta \rightarrow \pi^+\pi^-\pi^0$ decay 4−31134
$\pi^- p \rightarrow \eta n$, charge asymmetry in subsequent $\eta \rightarrow \pi^+\pi^-\gamma$ decay 4−31135
$\pi^- p$ fragmentation scattering, t-dependence 25 GeV/c 4−2735
$\pi^- p \rightarrow \gamma +$ anything, 40 GeV/c, π^0 multiplicity from γ distrib. 4−5676
$\pi^- p \rightarrow \gamma n$, differential cross section in $\Delta(1236)$ resonance region, isotensor e.m. current *(Russian)* 4−15492
$\pi^- p$ inelastic interactions, diffraction, multiplicities, prod. cross sections, NAL expt. 4−27170
$\pi^- p$ interactions, 205 GeV/c, cross sections, charged-particle multiplicity 4−9025
$\pi^- p \rightarrow K^0\Lambda^0$, 3 to 6 GeV/c, differential cross sections 4−12094
$\pi^- p \rightarrow K^0\Lambda^0$, 5 GeV/c, Λ^0 polarisation meas. 4−31193
$\pi^- p \rightarrow K^0\Lambda^0$, 5 GeV/c, spin rotation parameters meas. 4−23559
$\pi^- p \rightarrow K^0\Sigma^0$, 3 to 6 GeV/c, differential cross sections 4−12094
$\pi^- p \rightarrow MM + n$, near 1 GeV/c^2 confusion of neutral meson production 4−27192
$\pi^- p \rightarrow MM + n$, new upper limit on width of $X^0(958)$ 4−27224
$\pi^- p \rightarrow n\pi^+\pi^+\pi^-\pi^-$, 11 GeV/c, transverse angular momentum distrib. 4−27187
$\pi^- p \rightarrow \omega^0 n$, 3.65, 4.50 and 5.50 GeV/c differential cross section and density matrix elements 4−23569
$\pi^- p \rightarrow pX$, 205 GeV/c, pion diffraction dissociation 4−19261
$\pi^- p \rightarrow pX$, 205 GeV/c inclusive reaction, diffraction dissociation 4−27183
$\pi^- p \rightarrow p + X$, 205 GeV, momentum transfer, multiplicity, triple Regge theory 4−31209
$\pi^- p \rightarrow p\omega\pi^-$, 9.1 GeV/c, quasi-three-body channel by double-Regge-pole model 4−2726
$\pi^- p \rightarrow p\pi^+\pi^-\pi^-$, 4.5 GeV/c, helicity conservation in $p\pi^+\pi^-$ peripheral production 4−39902
$\pi^- p \rightarrow p\pi^+\pi^-\pi^-\pi^0$, 18.5 GeV/c resonances, cross sections 4−9012
$\pi^- p \rightarrow p\rho' \rightarrow p\pi^+|^-\pi^-\pi^0$, 4.5 GeV/c, anal. of ρ' meson formation 4−39903
$\pi^- p \rightarrow \pi^-\Delta^+$, high energy quasi-two-body reaction, Regge model 4−15560
$\pi^- p \rightarrow \pi^- X^+$, cross section meas. at 42 and 51 GeV/c in beam fragmentation region, Regge pole model 4−12120
$\pi^- p \rightarrow \pi^- +$ anything, 8.05 and 18.5 GeV/c, single-particle inclusive distribs. 4−5685
$\pi^- p \rightarrow \pi^-\omega p$, 4.5, 6, 14 GeV/c, observation of ωp enhancement 4−36074
$\pi^- p \rightarrow \pi^-\pi^-\pi^+ p$, 25 and 40 GeV/c, prod. cross section 4−5665
$\pi^- p \rightarrow \pi^-\pi^-\pi^+ p$ at 25 and 40 GeV/c, A_1, A_2 and A_3 prod., partial-wave analysis 4−5666
$\pi^- p \rightarrow \pi^-\pi^0 p$, 25 and 40 GeV/c, ρ^- prod. 4−5667
$\pi^- p \rightarrow \pi^0 n$, intermediate energies, model with non-negligible Regge-Regge cut 4−39884
$\pi^- p \rightarrow \pi^0 n$, rel. to optimal reactions in search for $\pi^0 \rightarrow e^+e^-$ 4−12028
$\pi^- p \rightarrow \pi^+\pi^- n$, 3.93 GeV/c, evidence for $f^0(1270)$ meson four-pion decay 4−27194
$\pi^- p \rightarrow \pi^+\pi^- n$, in resonant $\pi\pi$ region, Veneziano model 4−12092
$\pi^- p \rightarrow \pi^+\pi^-\pi^- p$, peculiar property of $J^p = 1^+$ $\rho^0\pi^-$ and $\varepsilon^0\pi^-$ states at low $M_{3\pi}$ 4−23572
$\pi^- p \rightarrow \pi^+\pi^+\pi^-\pi^- n$, 3.93 GeV/c, evidence for $f^0(1270)$ meson four-pion decay 4−27194
$\pi^- p \rightarrow \pi^\pm\pi^\pm + X$, 40 GeV, two-pion correlation function 4−31210
$\pi^- p \rightarrow \rho^- p$, 4-15 GeV/c, pion trajectory slope determ. in optical model 4−27182
$\pi^- p \rightarrow \rho^- p$, parametrisation of Regge residue function for Δ exchange 4−39895
$\pi^- p \rightarrow \rho^0 n$, 4-15 GeV/c, pion trajectory slope determ. in optical model 4−27182
$\pi^- p \rightarrow \rho^0 n$, amplitude anal. in vector-meson dominance model 4−27177
$\pi^- p \rightarrow \rho^0 n$ π-Pomeranchon Regge cut study using Gribov's approach to Mandelstam diagram 4−19230
$\pi^- p \rightarrow S^* n$, near the KK threshold, direct evidence for the S* 4−9002
$\pi^- p \rightarrow \Sigma^- K^+$ exotic exchange process, Odorico zeros of invariant amplitudes 4−12089
$\pi^- p \rightarrow X^- p$ at 25 and 40 GeV/c, differential cross sections and scaling 4−2722
$\pi^- p \rightarrow X^0 n$, $X^0 \rightarrow 2\gamma$, up to 50 GeV/c, cross section meas., quark U(6) symmetry *(Russian)* 4−31197
$\pi^- p \rightarrow X^0 n$, $X^0 \rightarrow \gamma\gamma$, to 50 GeV/c, cross section 4−31192
$\pi^+ p$, 100 GeV/c tagged beam multiplicities 4−19253
$\pi^+ p$, 13 GeV/c R meson production, missing mass spectrum in two and four pion channels 4−36069
$\pi^+ p$, 4.93 GeV/c, structure of $\omega\pi\pi$ system at A_2 mass region 4−39900
$\pi^+ p$, at 5 GeV/c, strange particle production 4−23565
$\pi^+ p \rightarrow (\rho^0,\omega)\Delta^{++}$, data for SU_3 sum rule for vector meson prod. mechanism 4−15562
$\pi^+ p \rightarrow \Delta^{++} + X$, 8, 16 and 23 GeV/c inclusive reaction, test of triple Regge limit 4−27211
$\pi^+ p \rightarrow \Delta^{++}\rho^0$, 5 GeV/c, high statistics expt., structure obs. 4−27180
$\pi^+ p \rightarrow \eta\Delta^{++}$, high energy quasi-two-body reaction, Regge model 4−15560
$\pi^+ p$ inclusive reactions, 16 GeV/c, Monte Carlo simulations 4−39913
$\pi^+ p \rightarrow K^+ Y^{*+}$, high energy quasi-two-body reaction, Regge model 4−15560
$\pi^+ p \rightarrow \omega\Delta^{++}$, 2.67 and 7.1 GeV/c, effective B and ρ trajectories determ. 4−27181
$\pi^+ p \rightarrow \omega\Delta^{++}$, prod. amplitudes from full decay distrib. 4−2723
$\pi^+ p \rightarrow p^0\Delta^{++}$, prod. amplitudes from full decay distrib. 4−2723
$\pi^+ p \rightarrow \pi^0\Delta^{++}$, high energy quasi-two-body reaction, Regge model 4−15560
$\pi^+ p \rightarrow \pi^+ +$ anything, 18.5 GeV/c, single-particle inclusive distribs. 4−5685

pion-proton interactions continued
$\pi^+p\to\pi^+$ + anything, forward peak, longitudinal momentum distrib., 8, 16 and 23 GeV/c 4—2734
$\pi^+p\to\pi^+\omega p$ at 7.1 GeV/c, spin-parity anal. of B meson 4—15593
$\pi^+p\to\pi^+\pi^0p$, 3.92 GeV/c, dual resonance model and prism plot 4—23571
$\pi^+p\to\pi^+\pi^+n$, 12.5 GeV/c, isospin-two $\pi\pi$ phase shifts 4—36071
$\pi^+p\to\pi^+\pi^+\pi^-p$, 13 GeV/c, obs. of A_3-amplitude phase change 4—27191
$\pi^+p\to\pi^+\pi^+\pi^-p$, partial-wave anal. through A_3 meson region 4—36072
$\pi^+p\to\pi(N\pi)$, 8 GeV/c, isospin analysis, rel. to results at 16 GeV/c 4—15569
$\pi^+p\to\rho^0\Delta^{++}$ π-Pomeranchon Regge cut study using Gribov's approach to Mandelstam diagram 4—19230
$\pi^+p\to\rho^0$ + anything, high energy, pion exchange contribution 4—9038
$\pi^+p\to\rho^+p$, 1.55-1.84 GeV/c, A1 exchange contrib. calc. 4—385
$\pi^+p\to X^-p$, existence of heavy non-strange mesons in R-S-T-U mass region 4—23552
$\pi^\pm p$, inclusive charge longitudinal distributions, 16 GeV/c 4—15578
$\pi^\pm p$, two-particle inclusive cross section, 8 to 23 GeV/c, reaction mechanism 4—5677
$\pi^\pm p\to\Lambda+X$, 18.5 GeV/c, Regge factorisation scheme 4—19265
$\pi^\pm p\to pX^\pm$, near threshold, in 900-1020 MeV mass region, missing mass spectra 4—36063
$\pi^\pm p\to\pi^-+X$, 8-16 GeV/c, transverse spectra, mass independence, thermodynamic models 4—39910
$\pi^-\rho\to\pi^0n$, differential cross section meas. between 1.0 and 2.4 GeV/c 4—5662
$\pi^-p\to\pi(N\pi)$, 8 GeV/c, isospin analysis, rel. to results at 16 GeV/c 4—15569
π^+p, 5.45 GeV.c, study of I=2 $\pi^+\pi^+$ scatt. 4—39889

pion-proton scattering
quark model, calc. of elastic cross-sections, high energy 4—31188
spin rotation parameters and polarisation for charge exchange in backward region 4—12093
$\pi^\pm$ p, elastic scattering without diffraction or single particle exchange, energy depend. 4—27173
πp elastic scattering anal. in parton and dual absorptive models 4—39890
π^-p, 6 GeV/c, polarization parameter, backward elastic scattering 4—5654
π^-p, elastic, 50 GeV, at Serpukhov proton synchrotron 4—27176
π^-p, parametrisation of Regge residue function for Δ exchange 4—39895
π^-p charge exchange, polarisation phenomena and composite structure of hadrons anal. 4—15508
π^-p elastic cross sections, 205 GeV/c 4—9025
π^-p elastic scattering at 2.44 and 1.91 GeV/c, meas. of real part of forward amplitude 4—39893
π^-p exclusive reactions, non-diffractive and diffractive model 4—31195
$\pi^-p\to p\pi^-\pi^+\pi^-\pi^0$ at 40 GeV/c, branching ratio $A^-_2\to\eta\pi^-/A^-_2\to p\pi$ 4—2729
$\pi^-p\to\pi^-\pi^+n$, $\pi\pi$ phase-shift analysis, 600 to 1900 MeV 4—9006
$\pi^-p\to\pi^0n$, below 2 GeV/c, two-component duality and fixed-t dispersion relns. 4—23539
$\pi^-p\to\pi^0n$, charge exchange scattering, differential cross section meas., 20-50 GeV 4—2724
$\pi^-p\to\pi^0n$, forward scattering cross section, reln. to $\pi^\pm p$ total cross section and dispersion relns. 4—27222
$\pi^-p\to\pi^0n$, very large momentum transfer, vector-meson-gluon model 4—23549
$\pi^-p\to\pi^0n$ cross section, difference from $\pi^\mp p$ total cross section, Regge-pole model 4—27221
π^-p scattering, 40 GeV/c, polarisation parameter, recoil proton spin rotation parameter meas. 4—23551
π^+p, 0.81-2.74 GeV/c phase-shift analysis, high partial waves 4—381
π^+p, 50 MeV elastic scatt., differential cross section, phase shift anal. 4—39885
π^+p, Δ^{++} 2170 to 3490 MeV resons. in backward elastic scatt. 4—39892
π^+p, elastic scatt. energy depend. from 2 to 6 GeV/c 4—19246
π^+p, optical theorem violation 4—5637
π^+p elastic scattering, 10 GeV/c, ang. distrib. 4—382
π^+p radiative scattering for Δ(1236) magnetic moment *(Russian)* 4—36050
$\pi^\pm p$, analytic parametrization of high energy forward scattering amplitude 4—27212
$\pi^\pm p$, elastic, at very large momentum transfer, vector-meson-gluon model 4—23549
$\pi^\pm p$, elastic, statistical approach to differential cross sections near 90° 4—23548
$\pi^\pm p$ derivatve analyticity relations, real parts of scatt. amplitudes from cross section data 4—39829
$\pi^\pm p\to\pi^\pm p\gamma$, 260 and 295 MeV, cross section, backward photon spectrum 4—23540
$\pi^\pm p$ total cross section, rel. to $\pi^-p\to\pi^0n$ forward charge exchange cross section and dispersion relns. 4—27222
$\pi^\mp p$ total cross section, difference from charge exchange cross section, Regge-pole model 4—27221

pion scattering
see also pion-baryon scattering; pion-pion scattering
Kπ, low-energy crossing-symmetric model, unitarity and current algebra constraints 4—15550
$K^-\pi^-$ I=3/2 elastic scattering, in $K^-p\to K^-\pi^-p\pi^+$ reaction at 4.25 GeV/c 4—27175
π^+ induced elastic and inelastic processes on ^4He at 115, 150 MeV 4—23725
$\pi^\pm$ d, optical theorem violation 4—5637
πd, Fermi motion effects near resonance, impulse approximation framework 4—36048
πd collisions, shadow corrections, high energy 4—12121
π^+d, 50 MeV elastic scatt., differential cross section, phase shift anal. 4—39885
πK, resonances and scattering lengths, optical model 4—31249

pions
cosmic ray, momemtum spectrum, 1 to 30 GeV/c, sea-level 4—38583
cosmic ray, propagation through atmosphere, computer simulations, review, comparison with experiment 4—38584
dual model, bootstrap constraints 4—5627
e.m. form factor, optimal information by anal. and expt. data 4—23473
e.m. form factors, ρ dominance, consistency with suppression of $\rho'\to2\pi$ decay mode 4—393
e.m. masses in chiral perturbation theory 4—39847
form factor, asymptotic behaviour, Bethe-Salpeter model for NN system 4—31141
form factor, chiral superpropagator calc. *(Russian)* 4—35986
form factor, effect of singular operator products on hard-pion calc. 4—15481
form factor, e.m., phase investigated in asymptotic region 4—35984
form factor, rho-omega interference 4—2679
form factor, sum rule for modulus in time-like region, existence of complex zeros 4—39846
form factor in parton model 4—355
form factors, two-photon production of particles and equivalent photon approx. 4—8962
form factors in ρ region in e^+e^- collisions 4—23478
form factors with ρ, ω and φ dominance, effects on ρ propagator 4—12075
high-energy physics 25 years after pion discovery *(Polish)* 4—27029
mass, calc. in e.m. theory of strong interactions 4—39880
mass, hadronic origin 4—12006
mass, relation to Cabibbo angle Glashow-Weinberg type theory 4—349
mass difference, from gauge theories of weak and e.m. interactions soft pion techniques 4—39845
mass radius, conformal Ward identities 4—27100
neutron star, superdense, pion condensation and Meisner effect 4—4813
neutron star matter, existence at critical density 4—38834
in neutron stars, pion condensation, effective Lagrangian soln. 4—22413
pseudo-Goldstone boson mass in spontaneously broken gauge model, pion mass 4—27043
radiological beam line, optics, particle and ionization distributions 4—42599
π-μ separation in magnetic detector with 235g/cm² filter 4—39339
π^-, prod. and use in radiotherapy 4—30246
π^-, prod. spatially depend. cell inactivation, energy and range distrib. 4—11319
π^- mass, adjustment of crystal-diffraction meas. 4—5700
π^- beam effects, calc. of dose induced in biological tissue 4—11339
π^- capture in biological tissue, dose distrib. of resulting n's and photons 4—11338
pitch detection *see acoustic variables measurement*
plages *see sun*
plane polarisation *see polarisation*
planetary atmospheres
boundary layer, one-layer model 4—29570
cloud base levels and heteromolecular nucleation theory 4—34678
escape of light gases 4—29932
gas escape rate, lower limit and 'lid' approx. to Jeans' formulation 4—42324
high resolution absorption spectroscopy over ultra long paths 4—30153
Io, NH_3 atmosphere 4—17952
ionospheric plasma, diffusion eqn. non-stationary soln. rel. to gaseous admixtures in gravitational field 4—10989
Jovian, Io-accelerated electrons, radiation belts 4—38682
Jovian atmosphere vertical structure from molecular band var. 4—29928
Jovian ionospheric models 4—2084
Jovian planets, atmospheric and cloud structure 4—22297
Jovian upper atmosphere, temp. and density profiles from β Scorpii A occultation 4—4716
Jovian upper atmosphere structure from β Scorpii occultation 4—42321
Jupiter, $^{13}C/^{12}C$ ratio in atmosphere rel. to outer solar system 4—25939
Jupiter, atmospheric motions 4—17957
Jupiter, CH_4 and NH_3 band strengths, spatial var. rel. to atmosphere 4—26007
Jupiter, circulation 4—17961
Jupiter, cloud var. rel. to H_2 quadrupole line obs. 4—26006
Jupiter, colour photography 4—26043
Jupiter, D/H ratio from HD dipole spectra in 6300-7500 Å range 4—26005
Jupiter, decametric radio emission modulation by sweeping of trapped protons by Io 4—17942
Jupiter, effect of 100 keV electrons from Io, sheath model 4—22284
Jupiter, electron excitation of auroral emission in atmosphere with and without He 4—22289
Jupiter, e.m. instabilities 4—2034
Jupiter, energetic particle population in magnetosphere 4—42328
Jupiter, energy sources to magnetosphere 4—22281
Jupiter, hydrodynamic model, possible cause of Great Red Spot 4—34689
Jupiter, meteoroid detection 4—42360
Jupiter, molecular envelope, density and equation of state from gravitational moments 4—34680
Jupiter, NH_3 absorption rel. to u.v. albedo 4—42318
Jupiter, NH_3 abundance estimates and u.v. albedo 4—26003
Jupiter, NH_3 abundance inferred from microwave radiometry data 4—26050
Jupiter, NH_3 photochemistry above tropopause 4—26004
Jupiter, NNTeB, rotation period for subsurface source from photographs 4—4727
Jupiter, organic synthesis in simulated atmosphere, aminonitriles 4—34682
Jupiter, photochemical study of NH_3 4—22306
Jupiter, photographic study during β Scorpii occultation 4—4724
Jupiter, Pioneer 10, instrumentation and preliminary obs. for Jupiter flyby 4—34691

planetary atmospheres continued
  Jupiter, Pioneer 10 computer processed photographs 4—34692
  Jupiter, plasma analyser experiment, Pioneer 10 4—42327
  Jupiter, radiation belt prediction 4—38680
  Jupiter, relativistic electrons in radiation belts 4—42329
  Jupiter, South Equatorial Belt disturbance, high resolution photographs 4—4725
  Jupiter, thermal map, Pioneer 10 i.r. radiometry 4—42330
  Jupiter, u.v. glow 4—42331
  Jupiter's atmospheric activity, photometric studies from 1962-1969, correlation with solar activity 4—7930
  Jupiter's magnetosphere, electron diffusion coefficient from steady state model 4—26049
  Jupiter's satellite Ganymede, atmosphere obs. from occulation of SAO 186800 (1972, June 7) 4—7929
  Jupiter's satellite Ganymede, occultation of SAO 186800, atm. identification 4—34670
  Jupiter's satellite IO, post eclipse brightening rel. to atm. 4—34667
  Jupiter cloud features, review of wide band photography 4—4721
  Jupiter clouds, correlation between colours and 5μ temps. 4—4728
  Jupiter ionosphere, cross section for dissociative photoionization of H by 584 Å radiation 4—17960
  Jupiter NNTeB, comparison of 1972 spots with previous outbreaks 4—4729
  Jupiter radiation belt, effect on Pioneer 10 4—38681
  Jupiter Red Spot, review of LPL research programme visible and i.r. studies 4—4720
  Jupiter South Equatorial Belt disturbance, projection comparator photographs 4—4726
  Jupiter upper atmosphere, chemical composition, thermal structure, photochemistry and ionosphere 4—11140
  lunar atmospheric He and H distribution 4—26059
  major planets, H_2 pressure-induced lines in spectra 4—11129
  Mars, chemical composition and thermal structure 4—11138
  Mars, climatic change 4—7928
  Mars, climatic changes rel. to atmospheric heating and composition 4—29896
  Mars, cloud distributions from visible and u.v. photography 4—26019
  Mars, dust storm 1971, nine colour photoelectric photometry 4—26021
  Mars, dust storm activity, periodic var. rel. to layered deposits in polar regions 4—29907
  Mars, dust storms, nature, mechanisms, Mariner 9 data 4—4733
  Mars, H I Lyman α, theoretical emergent intensities 4—4735
  Mars, He concentrations in atmosphere, thermal losses 4—29936
  Mars, heat and dust transport rel. to solid CO_2 deposits 4—29908
  Mars, ion losses to solar wind, electrodynamical model 4—26023
  Mars, lower ionosphere, O_2 and CO low concentrations, effect on ion-clustering reactions 4—2087
  Mars, Mariner IX photographic and i.r. obs. *(German)* 4—7927
  Mars, model using Franck-Condon factors from Mariner flights 4—17965
  Mars, morning terminator observations, Mariner 9 u.v. spectrometer experiment 4—29933
  Mars, OI 1300 Å radiation in atmosphere, Mars-3 u.v. obs. 4—29925
  Mars, palaeowind distrib. from Mariner 9 photographs of craters 4—29905
  Mars, phase function in u.v., Mariner 9 measurements 4—22278
  Mars, polar areas, height and atmospheric temp. meas. from Mariner 9 occultation 4—26018
  Mars, polar hood, ozone content from u.v. obs. 4—26014
  Mars, polar volatiles, theory vs. observation 4—14320
  Mars, pressure variation and climate 4—29934
  Mars, review 4—17956
  Mars, spacecraft trajectory, optimal control 4—4687
  Mars, temp. field, Mariner 9 i.r. interferometric spectroscopy 4—26017
  Mars, thermally driven polar symmetric winds, with Ekman layer and surface drag 4—26020
  Mars, u.v. radiation scattered in upper atmosphere, Mars-3 obs. 4—29921
  Mars, water vapour content, i.r. obs. 4—26012
  Mars, water vapour variations, Mariner 9 i.r. obs. 4—26015
  Mars, yellow cloud (July 1971) 4—22274
  Mars ice clouds, i.r. interferometer spectrometry 4—26016
  Mars ionosphere parameters change in relation to seasonal radio wave propagation, solar activity phase, and planet distance from the Sun *(Russian)* 4—2078
  Martian 1971 dust storm, Mariner 9 photos of clearing period 4—29924
  Martian atmosphere, Mars-2 craft obs. 4—17962
  Martian cloud formations, ground-based TV patrol 4—34685
  Martian dune features in Hellespontus region rel. to meteorology and geology 4—29898
  Martian Lyman-α airglow measurements and model 4—17949
  Martian upper atmosphere, escape of ^{4}He and fast O atoms rel. to ^{4}He mixing ratio 4—26047
  mass spectrometer design for registering proportions of various species 4—38551
  mercury, CO_2 atmosphere, upper limit from i.r. interferometry obs. 4—26038
  Mercury, neutral and ion-exospheres, interaction with solar wind 4—4737
  mixing in upper atmospheres of Mars and Venus 4—2085
  Moon, artificial atmosphere creation, loss mechanisms 4—42345
  multilayered, radiative transfer 4—4732
  multiple light scattering in semi-infinite atmospheres *(Russian)* 4—11165
  non-uniform rotating exospheres, density and temp. distributions 4—4736
  nonhomogeneous isotropically-scattering band absorption calc. 4—11134
  occultation experiments, lunar, measurement techniques, atmospheric effects, error analyses *(Russian)* 4—2079
  occultation light curve reduction 4—22292
  optical spectrum, two-layer model, absorpt., refl. effects 4—34690
  path length distributions for diffusely reflected photons 4—29916
  plasma depletion near magnetospheric boundary 4—22103
  radiative transfer, Eddington-Sobolev approx. 4—4730

planetary atmospheres continued
  Rayleigh atmosphere, scattering and transmission matrices of partially polarised radiation 4—29918
  red clouds in reducing atmospheres 4—22291
  reflection spectra of solids of planetary interest 4—26039
  Saturn, entry probe planned for structure and composition obs. of troposphere 4—30151
  Saturn, influence of models on probe design 4—30152
  Saturn, methane $3\nu_3$ band absorption, Fourier i.r. spectroscopy 4—4715
  Saturn, molecular envelope, density and equation of state from gravitational moments 4—34680
  Saturn, u.v. reflectivity comparison of planet, rings and Titan, atm. comp. 4—34664
  Saturn's satellite Titan, satellite obs. of continuum albedo, u.v., temp. inversion effect 4—34662
  Saturn's satellite Titan, spectrographic obs. H_2, methane identification 4—34663
  Saturn's satellite Titan i.r. spectrum, high altitude haze layer interpretation 4—34661
  Saturnian gas ring and recycling of Titan's atmosphere 4—2081
  solar cosmic ray ionization rates 4—17953
  spectra, analytical solution of multiple diffusive absorption *(Russian)* 4—14319
  specularly reflecting boundary, Chandrasekhar's planetary problem reduction to standard problem 4—11133
  synchrotron loss rates of energetic magnetospheric electrons 4—22280
  temperature structure of homogeneous, plane parallel, semiinfinite atmosphere 4—29913
  Titan, atmospheric temp. inversion rel. to i.r. brightness temp. 4—22294
  Titan and Galilean satellites, evolutionary theory, losses by escape 4—34665
  Titan greenhouse model for composition 4—34660
  transfer of polarised radiation in isotropic medium with arbitrary scattering law, Milne's problem *(German)* 4—38348
  Uranus, atmospheric models, analysis of limb darkening curves, comparison 4—29888
  Uranus, entry probe planned for structure and composition obs. of troposphere 4—30151
  Uranus, influence of models on probe design 4—30152
  Uranus, inhomogeneous models, computer analysis of spectrum, evaluation 4—29889
  Uranus, scattering mean free path, high dispersion image-tube spectrography, results, analysis 4—29887
  Uranus, scattering mean free path 4—22296
  Venus, Boussinesq model of deep circulation, stratification 4—4734
  Venus, cloud models from CO_2 1.05 μ obs. 4—26031
  Venus, CO_2 equivalent widths, interpretation of inverse phase effect 4—2082
  Venus, CO_2 i.r. bands, transmissivity at high temp. and pressure, 1.2, 1.6 and 2.0 μ bands *(Russian)* 4—9523
  Venus, CO oxidation a exosphere composition 4—22279
  Venus, discussion of rotation in terms of an equatorial thermal bulge 4—22309
  Venus, escape fluxes for D and H_2 4—42335
  Venus, formation of water drops and ice crystals 4—4719
  Venus, H_2SO_4 in clouds, polarization studies 4—26025
  Venus, H_2SO_4 in clouds rel. to polarimetry and spectra 4—26024
  Venus, He resonance scattering of solar extreme u.v. radiation, 584 Å 4—22277
  Venus, illumination measurements in atmosphere and on surface by Venera-8 4—17963
  Venus, ion losses to solar wind, electrodynamical model 4—26023
  Venus, lower ionosphere model and cosmic ray ionization rate profile 4—34688
  Venus, measurement of temperature, pressure, wind velocity by Venera 8, illuminated side 4—22307
  Venus, occultation of α Leonis (Regulus), light curve 4—34686
  Venus, photochemical haze model for clouds 4—26029
  Venus, photochemistry, detailed model 4—22310
  Venus, photoelectron flux distribution 4—22276
  Venus, radio interferometry at 1.35 cm, implications for middle atmosphere models 4—29912
  Venus, review 4—17956
  Venus, solar radiation flux at planetary surface, Venera 8 measurements 4—22308
  Venus, temp., press., wind vel. meas. by Venera-8 *(Russian)* 4—14321
  Venus, temperature profile from thermal radio emission 4—2077
  Venus, turbulence effects on r.f. propagation 4—34697
  Venus, upper atmosphere, structural model, photochemistry and circulation 4—11139
  Venus, upper cloud deck, circulation patterns from u.v. photographs 4—26036
  Venus, Venera 8 descent module, preliminary results 4—22293
  Venus, visible cloud composition and structure 4—22311
  Venus, water vapour 8197 Å line obs. 4—26028
  Venus atmospheric lateral inhomogeneities, analysis of thermal i.r. maps 4—34677
  Venus cloud composition rel. to 1.2-4.5 μ aircraft obs. 4—26026
  Venus CO_2 i.r. bands, patrol obs. rel. to meteorology 4—26032
  Venus neutral atmosphere, effect on solar wind interaction 4—22283
  Venus u.v. clouds, relative spectrophotometry 4—26037
  Venus weather, joint spectroscopic and photographic patrol 4—26034
  Venusian thermosphere, numerical model for dynamics and composition 4—22275
  CO_2, photodissociation in Mars upper atmosphere 4—34695
  C_3O_2 polymer in Martian atmosphere rel. to 1971 dust storm 4—22301
  H loss in terrestrial planets by diffusion 4—29914
  H_2 in major planets, pressure induced lines, atmospheric analyses 4—29886
  HD rotation-vibration bands, lab. intensity meas. 4—4717
planetary nebulae
  central stars, evolution towards crystallizing white dwarf stage 4—34795
  density fluctuation origin and radial filaments 4—18063

planetary nebulae continued
Doppler expansion velocity and brightness as basis for 2 type classification 4−2140
double shell, distance and mass estimates 4−22463
evolution sequence red giant−planetary nebulae−white dwarf *(Russian)* 4−14343
extinction of radio and $H\beta$ fluxes for line-of-sight to six objects 4−42498
filamentary effects on nebular abundance 4−34954
Hu 1-2, high He abundance 4−38911
IC 2149, confusing nearby radiosource 4−30089
Me 2-2, high He abundance 4−38911
motion, unusual from emission time shapes 4−11247
NGC 2438, search for weak continuum microwave emission 4−26140
NGC 6543, near i.r. photographs *(French)* 4−34955
NGC 6543 knot in outer shell, Ne/H and O/H ratios 4−4836
NGC 6720 (Ring Nebula), monochromatic obs. *(French)* 4−26174
NGC 6826, near i.r. photographs *(French)* 4−34955
NGC 7026, near i.r. photographs *(French)* 4−34955
NGC 7027, forbidden emission lines of CI in i.r. 4−8099
NGC 7027, internal dust using H and radio spectra with reddening law 4−26173
NGC 7027, i.r. spectrum features and S abundance estimate 4−14521
NGC 7027, spatial distrib. of 10 μ emission 4−18062
NGC 7293 (Helix Nebula), obs. of O III 5007 Å forbidden emission line 4−22462
non radio emitting Sharpless H II regions, nebular structure 4−26171
radio obs. at 430 MHz and nature of emission 4−14519
small galactic nebulae structure from 11 cm obs. 4−38910
southern stellar planetary nebulae, forbidden emission lines in spectra 4−18061
spectrophotometry, He I intensity and derived optical edepth 4−8098
2U catalogue and planetary nebulae as X-ray sources 4−14520
visual binaries as central stars, observ. 4−8100
He abundances in excess for two objects 4−38911

planetary satellites
see also moon
Deimos, Mariner 9 polarimetry at 0.57 μ 4−22299
Deimos, photographic photometric meas. near opposition, albedo and magnitude 4−11132
Deimos Mariner IX photographic and i.r. obs. *(German)* 4−7927
double reflection from surface, sphere-sphere model for negative polarisation branch 4−29915
dynamics of planets and their satellites, review 4−17958
Enceladus, Dione, of Saturn, commensurabilities, tidal force action 4−14317
Enceladus-Dione system, resonance motion and origin of commensurabilities 4−17954
Galilean, atm. evolution, losses by escape 4−34665
Galilean satellites, 8-20 μ broad-band spectra 4−38666
Galilean satellites, accuracy analysis of ephemerides 4−14315
Galilean satellites, composition, review of visible and i.r. obs. 4−26041
Galilean satellites, prediction of mutual phenomena during 1973-4 period 4−29930
Galilean satellites, Sampson's theory, computer manipulation 4−34658
Galilean satellites, u.v. glow 4−42331
Ganymede, atmosphere, occulation of SAO 186800 (1972, June 7) 4−7929
Ganymede, occultation of SAO 186800, atm. identification 4−34670
general relativistic motion, quadrature soln. 4−14277
high eccentricity satellite orbits, fast computation, stroboscopic meth. 4−14278
Hyperion, effect of Titan, perturbation calc. 4−14275
ice, lab. simulation, reflectivity spectra 4−34962
Io, colour photography 4−26042
Io, implications of Na emission for surface composition 4−38665
Io, Jovian decametric radioemission modulation by trapped proton sweeping 4−17942
Io, mass, mean density, Doppler tracking, Pioneer 10 4−42332
Io, Na D-line emission, Doppler shift and profile 4−38664
Io, NH_3 atmosphere 4−17952
Io, post eclipse brightening obs. model 4−34667
Io sheath model and emission of 100 keV electrons 4−42323
Io-accelerated electrons, Jovian magnetosphere 4−38682
Jupiter, Galilean, comp. determ. by Fourier spectroscopy, temp. for water ice 4−34674
Jupiter, Galilean, i.r. reflectivity, water frost identification 4−34666
Jupiter, Galilean, reflectivity spectra, lab. simulation of frosts 4−34673
Jupiter, Io and Ganymede, limb darkening from eclipse light curves, occultation diameters 4−34669
Jupiter, undiscovered satellites between Amathea and Io, prediction 4−7932
Laplacean satellites of Jupiter and Uranus rel. to Principle of Least Interaction Action 4−29920
lunar-orbiting objects, tidal loss rel. to lunar surface impact 4−22335
lunar-sized objects in early solar system and satellite origin in capture 4−25937
Mars, Phobos, mapping using Mariner 9 photos, shape, size, surface features 4−34672
Martian, television obs. by Mariner 9, surface features, orbital data 4−34671
Martian moons rendezvous with Viking type spacecraft 4−8108
masses of planets and satellites by comparison of theory and obs. 4−42338
Mimas, inclination-type resonance 4−11098
Mimas, Tethys, of Saturn, commensurabilities, tidal force action 4−14317
Miranda (Uranus V), eccentricity and inclination of orbit 4−11099
Miranda (Uranus V) eccentricity and inclination of orbit 4−26044
orbit improvement processes, perturbation, oblate planets 4−4692
orbital periods of planets and satellites, Bode's law and near-commensurabilities 4−25943
origin and composition of outer planet satellites 4−26053

planetary satellites continued
perturbed Keplerian motion of satellite systems of Jupiter and Saturn 4−42279
Phobos, Mariner 9 polarimetry at 0.57 μ 4−22299
Phobos, Mariner IX photographic and i.r. obs. *(German)* 4−7927
Phobos, photographic photometric meas. near opposition, albedo and magnitude 4−11132
photometric properties of natural snow and snow-covered planets 4−22290
physical properties, review 4−42333
principle of least interaction action rel. to planetary distances, satellite orbits and missing planet 4−42341
red clouds in reducing atmospheres 4−22291
relative motion, osculating reference states 4−38601
review of physical studies in past 2 years 4−29962
Saturn, albedos and densities from visible photometry and i.r. radiometry 4−29917
Saturn, encounter opportunities, Mariner Jupiter-Saturn (1977) 4−11135
Saturn, lunar occultation of satellites and ephemeris 4−29931
Saturn, tidal dissipation function, constraints from satellite orbit theory 4−29877
Saturn, Titan, spectrographic obs., band identification with methane and H_2 4−34663
Saturn, UBV photometric obs. of brightness var. 4−34659
Table Mountain Observatory obs. during 1971-72 period 4−14316
Tethys, inclination-type resonance 4−11098
Titan, atmospheric temp. inversion rel. to i.r. brightness temp. 4−22294
Titan, greenhouse model for atm. 4−34660
Titan, i.r. spectrum, high altitude haze layer interpretation 4−34661
Titan, lunar occultation on 2-3 March 1974, predictions 4−26045
Titan, mass determ., perturbation calc. 4−14275
Titan, recycling of atmosphere and possible Saturnian gas ring 4−2081
Titan, satellite obs. of continuum albedo, U.V., temp. inversion effect 4−34662
Titan, unidentified strong i.r. absorptions, morphology 4−34683
Titan, u.v. reflectivity, photoelec. spectral scans, particle effect 4−34664
Titan, u.v. reflectivity and geometrical albedo 4−22295
Titan atm. evolution, losses by escape 4−34665
Titan-Hyperion system, formation and orbit-orbit resonance 4−42320
Titan-Hyperion system, initial orbital vels. leading to stable librating solns. 4−42340
Io, sheath model, effect of 100 keV electrons in Jovian atmosphere 4−22284

planetoids *see asteroids*

planets
see also asteroids; comets; earth; Jupiter; Mars; Neptune; planetary satellites; Pluto; Saturn; Uranus; Venus
accumulation from protoplanetary gas-dust cloud 4−26052
annual review of Earth and planetary sciences, book 4−21630
astrometric method for detecting planets beyond Pluto 4−38669
Barnard's star, perturbations rel. to orbiting planets 4−26117
boundary layer, eddy friction parameterisation *(German)* 4−7684
circular polarization in reflected light due to double scattering from solid surface irregularities 4−42334
comparative planetology and origin of life 4−29940
composition, review of present situation 4−34696
dynamics of planets and their satellites, review 4−17958
e.m. induction, conference, Edinburgh, Scotland, 20-27 Sept. 1972 4−21882
e.m. induction, eddy current response, effect of solar wind 4−22352
ephemerides, historical development and new determinations 4−42339
ephemeris calc. from transits on solar disc *(French)* 4−14318
extrasolar planetary systems around variable stars, photometric detection 4−34846
flux density meas. at 2.1 mm wavelength 4−34876
flybys, heliocentric orbits normal to ecliptic with fixed perihelia 4−34592
formation by accumulation of sub-condensations 4−11136
general planetary theory of first order 4−14288
general relativistic motion, quadrature soln. 4−14277
geophysical and geochemical exploration, conf. 4−38693
giants, internal constitution and figures 4−38679
Gibeon octahedrite, brittleness of meteoritic iron, rel. to parent planet structure 4−29983
gravity data inversion for giant planets 4−34681
high resolution planetary obs., limiting factors of Earth based stations 4−26188
ice in astronomy 4−38903
interior deformation from structural analysis of olivine in pallasitic meteorites 4−22372
internal evolution of planetary-sized objects 4−38674
Jovian planets, atmospheric and cloud structure 4−22297
large, superconductivity 4−4695
long periodic terms of eight planets, Lagrange soln. *(French)* 4−22273
major, H_2 pressure-induced lines in spectra 4−11129
masses of planets and satellites by comparison of theory and obs. 4−42338
mean elements of principal planets 4−42319
meridian observation of large planets, personal error determination *(Russian)* 4−22303
molecular H-He mixtures at high pressure, phase equilibria 4−25996
oblate, orbiting space station precession rate matching 4−5329
observation, Pulkovo vertical circle flexure, day time *(Russian)* 4−22486
observational data rel. to equilibrium states of condensed cold matter *(German)* 4−22210
occultation light curves reduction rel. to outer planets 4−26183
orbital periods of planets and satellites, Bode's law and near-commensurabilities 4−25943
orbits, osculating elements rel. to mean elements 4−7875
origin and composition of terrestrial planets and outer planet satellites 4−26053
outer, ephemerides calc. using digital computer *(Russian)* 4−18070

planets continued
photometric properties of natural snow and snow-covered planets 4—22290
planet X, impossibility of existence *(Spanish)* 4—29937
Planetary Sciences Div. of Am. Astro. Soc., meeting (Tucson, USA, 20-3 March 1973) 4—25997
preferential perihelion and aphelion distances 4—7874
premercurian planet, prediction of 4—7932
principle of least interaction action rel. to planetary distances, satellite orbits and missing planet 4—42341
reflection spectra 2.5-7 μ of solids of planetary interest 4—26040
reflection spectra of solids of planetary interest 4—26039
rotational motion of satellites and planets, periodic solns. by Poincare method *(French)* 4—14290
shock remagnetization associated with meteorite impact 4—7926
solar activity, planetary effect, calc. of longitude distrib., of flares 4—7919
solar activity influence by planets in solar cycle 19 period 4—2040
solar activity influence causing climatic changes 4—14140
spacecraft orbit in planetary Laplacean sphere of influence accounting for solar gravitational influence 4—4686
structure of terrestrial planets 4—2086
surface relief determ. from optical photometric results *(Russian)* 4—30149
symposium on planetary science, London, England (January 1973) 4—17955
temperature structure of homogeneous, plane parallel, semiinfinite atmosphere 4—29913
terrestrial planetary accretion, stochastic coalescence model 4—29929
tidal influence on earthquake incidence 4—7572
translation-rotational motion of planets, quasi-periodic solutions *(Russian)* 4—4664
transplutonian prediction 4—7932
C prebiotic compounds, origin by catalytic reactions in solar nebula 4—38737
H loss in terrestrial planets by diffusion 4—29914
H_2 in major planets, pressure induced lines, atmospheric analyses 4—29886

planimeters *see area measurement*

plants (industrial) *see industrial plants*

plasma
see also discharges (electric); electromagnetic wave propagation in plasma; plasmons; relativistic plasmas; solid-state plasma; thermonuclear reactions
atmospheric, drift measurements, determination of east-west component of ionospheric electric field 4—38433
atmospheric, influx action on F-region behaviour, midlatitudes, summer and winter nights 4—25788
cosmic, isotope and element separation 4—25925
electron beam technology at NRL 4—36686
exospheric, vertical transport, maintenance of night-time F-region 4—25789
interplanetary inhomogeneities, sectorial structure, anal. of cross correlation func. of intensity fluctuations 4—11162
magnetosphere, astrophysical plasma behaviour 4—42176
magnetospheric, duskside equatorial reconfiguration 4—38476
magnetotail and boundary layer plasmas at 18 R_e, Vela 5 and 6 obs. 4—11000
principles of plasma physics, book 4—12744
solar, electric field in vicinity of photoemitting plate 4—11164

plasma applications
see also plasma devices
centrifuge, for ^{235}U isotope separation 4—31528
erosion-plasma accelerator, obs. of plasma focus 4—12759
etching carbon fibres in O plasma 4—17417
glass production, $SiCl_4$ oxidation 4—33894
isotope separation, rotating Ne plasma 4—18697
laser Q-switching, CO_2, form., technique 4—26956
laser source, u.v. and X-ray, hot plasma expansion in neutral gas *(Russian)* 4—23297
metal evaporation, effect of method on vapour flow energy state *(Russian)* 4—21364
microwave discharges, for chemical processing 4—12790
molecular dissociation by constricted discharges 4—6273
neutron source, D-T plasma in hybrid nuclear reactor 4—32215
polymer etching, electron microscopy specimen prep. *(Russian)* 4—36791
pumping of $GaAs_{1-x}P_x$:N, 77K, using electron beam from gas plasma 4—31047
r.f. induction plasma torch as high-temp. chemical reactor 4—6274
soliton observations, formation and interaction in double plasma device 4—16303
spray torch coating of ceramics 4—7314
spraying of powdered refractory materials with immersion of torch in H_2O 4—17408
welding, 0.05-8.00 mm sheet *(German)* 4—29180
O, oxidation of $GaAs_{1-x}P_x$, h.f. discharge, device appls. 4—25267
Si anodisation, by r.f. O plasma, film thickness depend. 4—6561
SiO_2, formation and removal of films on Si in an oxygen plasma *(Russian)* 4—1447
SiO_2 powder, ultrafine, prep. by evaporation using thermal plasma 4—7380
$ZrSiO_4$, carbonisation in plasma arcs 4—33989

plasma collision processes
see also plasma transport processes
atmospheric, effects on radiated power generated by electron beam injection, natural and artificial 4—29683
beam-plasma system, energy lost by electron beam 4—3374
beam-plasma system, nonlinear interaction, instability 4—12763
carrier redistribution, e.m. wave heating effects 4—16319
charge exchange near electrode, ion collisions 4—16373
chemically reacting gas, H theorem and kinetic model eqns. 4—9694
clusters, acceleration in external magnetic field 4—6232
cold wall contact, hot plasma, conduction eqns. soln. 4—9703
collisional dissipation, fluctuations generated by weak microwave elec. field, kinetic theory anal. 4—32203
Coulomb collisions, electron-neutral collisions, effect on e.m. wave propagation, Dougherty model extn. 4—24268

plasma collision processes continued
Coulomb collisions theory 4—6228
Coulomb scattering in an intense magnetic field, collisional freq. 4—32161
diffusion rate, temporal echo obs. in magnetically pulsed mirror plasma 4—27969
effect on parametric excitation by two laser beams and intensity of flux absorbed *(French)* 4—40659
electro-acoustic wave, attenuation by electron-neutral collisions 4—24278
electron + atom inelastic collision, electron distrib., recursion formula 4—16283
electron beam interaction, particle capture, non-linear theory 4—9748
electron beam neutralisation, dense magnetised plasma 4—9730
electron collisional losses from adiabatic trap in positive pot. plasma 4—32245
electron plasma-wave third-order spatial echo, collision effects on structure 4—40650
electron runaway, anal. of standing wave-mag. field momentum exchange 4—27953
electron-atom collisions, effective cross-section, influence on electrical conductivity of mixtures of partially ionised gases 4—36606
electron-plasma oscillation, longitudinal, dispersion relation, Coulomb collisions effect 4—32187
e.m. pulse, self distortion in collisional plasma, perturbation theory approach 4—27937
e.m. wave incoherent scattering, electron-neutral collision effect *(French)* 4—36698
e.m. wave interaction, energy transfer, self-distortion 4—20076
energy transfer rate calc. 4—36693
envelope shock waves in interactions of longitudinal plasma waves of random phase 4—27943
fully ionized plasma, diffusion of neutral gas 4—40624
hydrogen-like ion plasma, collisional-radiative model of population density distrib., Lyman ratio 4—20142
hydrogenic lines, highly excited levels of multicharged ions, Stark broadening *(French)* 4—23958
impurity modes, fluid like instability, finite thermal cond. 4—20101
inert gas plasma, electron temp. relax. rates 4—32322
inhomogeneous plasma, nonlinear Gross-Krook model 4—9728
ion beam, hypersonic, neutralization by thermal electrons *(French)* 4—36711
ion energy containment, Artsimovich energy loss scaling 4—27968
ion loss rates, comparison of obs, and Fokker-Planck codes, plasma parameter depend. 4—32251
ion momentum and energy transfer rates for charge exchange collisions 4—1974
ion wave instability, current driven, collision depend. of onset 4—32189
ion-acoustic wave, relaxation collision model anal. of ion acoustic wave propag. 4—9735
ion-acoustic wave in current carrying plasma, microwave scattering obs. 4—27956
ion-beam, mode decay instability 4—27950
ion-ion bybrid wave collisional absorption in D-T plasma 4—12802
ion-neutral collisions, ion sound wave, Boltzmann collision operator 4—20072
ionising collisions of sheath in contact with negative metal wall 4—27935
ionosphere, electron energy relaxation, theoretical models, G factor 4—25764
ionosphere, photoionization and ion-molecule reactions, effect on diffusion coefficient 4—1944
ionospheric plasma clouds, ionospheric layers 4—14183
ions moving in strong elec. and mag. crossed fields, vel. and energy calc. 4—19962
Kelvin-Helmholtz discontinuity, two superposed plasmas, stability 4—32185
kinetic and momentum transfer equations 4—9700
kinetic equation for classical nonideal plasma 4—12749
kinetic theory of weakly coupled and weakly inhomogeneous plasma in magnetic field 4—12745
laser generated, X-ray spectra obs. and computer model 4—24303
laser plasma, expanding multiply charged, ion recombination heating 4—32220
magneto-plasma, dispersion relation for e.m. waves 4—16284
magnetoactive plasma, charged particle, polarization energy losses *(Russian)* 4—940
magnetoplasma, locally slowly varying, electron conc. and electron collision freq., simult. determ. *(German)* 4—27938
neutral atom ionisation by thermal elecs. in P.I.G. discharge ion source 4—35385
neutral beam, ion-neutral collision excitation cross section determ. 4—32216
neutral gas interaction, effect on gravitational instability mode 4—16295
neutron scattering, time dependent pair correlations *(German)* 4—20065
nonlinear interactions, due to space charge *(German)* 4—24266
perturbation and particle collection by cylinder in mag. field 4—9772
plasmon gas, finite amplitude in acoustic waves interact., rel. to propag. 4—27955
potential of moving test charge, perturbation effects 4—9706
power transfer, lower hybrid reson., linear conditions, meas. 4—27947
rarefied, aerodynamic coeff. of bodies, intrinsic mag. field *(Russian)* 4—16291
solar wind high velocity proton tail, evaporation 4—2074
Stark broadening theory, approx. treatment of ion dynamics 4—23961
stationary plasma, inversion of H level populations 4—27929
symmetry properties, non-isotropic stationary solns. in weak turbulence theory 4—36692
theta-pinch, radiation losses from oxygen impurities, anal. 4—32159
Vlasov's kinetic equations soln. rel. to aerodynamics of charged sphere moving slowly 4—3352
weakly ionised, with inelastic collisions, electron distrib. and nonlinear wave propagation 4—6230

plasma collision processes continued
weakly ionised plasma, collision integral, spherical harmonic tensors 4−939
weakly ionized plasma, ion-neutral collision, rel. to drift velocity 4−16280
whistler, dispersion and spatial damping, in presence of collisional effects, theory and expt. 4−32188
Ar, electron collision freqs. at 0.4-2 Torr 4−32327
CO_2, electron collision freqs. at 0.4-2 Torr 4−32327
D_2, electron collision freqs. at 0.4-2 Torr 4−32327
D_2 focus, neutron emission meas., 1 kJ input, optical and X-ray struct. 4−36732
H_2, electron collision freqs. at 0.4-2 Torr 4−32327
He, collisional radiative quasi stationary plasma model, applic. to positive columns 4−16278
He, hollow cathode discharge, elastic scatt. electron energy distrib. 4−32170
He I overlapping 4471.48 Å line in plasma Stark broadening, general impact formation 4−32314
He plasma, electron-ion recombination, Manalis model incorrect 4−24265
N_2O, electron collision freqs. at 0.4-2 Torr 4−32327
Ne, afterflow plasma, partial recombination coeff. meas., spectroscopic method *(German)* 4−32315
Ne, afterglow plasma, recombination coeff. meas., spectroscopic method *(German)* 4−32316

plasma confinement
see also magnetic traps; pinch effect
accelerator, closed-drift, ionisation and transit-time instability obs. 4−32262
adiabatic trap, collisional electron losses in positive pot. plasma 4−32245
Alcator experiment, plasma operation at low mag. fields 4−32287
axisymmetric toroidal confinement expt. with noncircular cross-section 4−32313
axisymmetric toroidal pinch expts., review 4−32266
axisymmetric toroidal plasma, anomalous transport 4−32284
axisymmetric torus, neutral injection induced rotations 4−32236
axisymmetric torus with noncircular cross-section, field diffusion 4−32271
banana regime, arbitrary aspect ratio, transport processes 4−16281
baseball trap, magnetic field characteristics 4−20138
belt pinch, Suydam instability 4−16336
belt pinch, time depend. diffusion 4−32273
belt pinch expt. of Garching, stability and diffusion 4−32312
bounded plasma, electron waves and bursts, higher modes, probe, ring and target exciters 4−32258
C-stellarator, plasma containment review 4−20132
capacitor, magnetically insulated and inductively charged, gigavolt potentials 4−32339
CLEO Tokamak experiment, current prod. 4−32285
closed nonsymmetric configuration, helicoidal approximation 4−32256
crystallised plasma, Monte Carlo anal. equilibrium props. and melting transition 4−32163
current equilibria, non-uniform current multipole configs. 4−16340
cusped geometry combined with electrostatic field, self-consistent equil. *(French)* 4−40671
cusped system, truncated Maxwell distribution, fusion reaction rate 4−16338
cylindrical inertial electrostatic device, electron density, microwave and optical determ. 4−36727
cylindrical screw pinch, column compression 4−6262
dense plasma maintenance by e.m. fields, discharge propagation 4−16343
diamagnetic pinched plasma, London equation, magnetostatic equilibrium 4−36728
diffusion model, banana regime, mag. field asymmetry plasma losses 4−16339
double inverse pinch, magnetic neutral pt. system, mass motion, plasma heating 4−24306
Doublet II discharge characteristics 4−32286
drift instability, particle trapping in corrugated geometry 4−9742
drift modes, impurity, magnetically trapped ions 4−9740
electron drift accelerator, azimuthally symmetric modes, anomalous conductivity 4−12784
electron trapping by mixed laser beams 4−40668
electrostatic modified two-stream instability, e.m. and gradB effects 4−16334
equilibria, axially symmetric, magnetohydrostatic and Mercier's stability criteria 4−16330
equilibria, double water-bag electron distribution, stationary states 4−20133
equilibrium properties, Monte Carlo anal. thermodynamic props. and eqn. of state 4−32162
filament, elliptical cross section, hydrodynamic stability conds. 4−24308
finger-ring Tokamak design 4−32279
finite-β stabilization of flute-like microinstabilities 4−32199
focus formation, in erosion plasma accelerator 4−32263
fusion, controlled, rising megagauss magnetic fields, LINUS program 4−36731
gas blanket concept, review 4−32291
gas-blanket system, pressure balance 4−16337
guiding centre plasma, gyroscopic quasielastic fluid behaviour 4−3393
guiding-centre plasma, equilib. and non-equilib. transport properties 4−24263
guiding-centre plasma, Vlasov eqn. stationary and quasistationary solutions 4−32254
heating and instability effects, h.f. electric field near cyclotron resonance 4−12792
Heliotron D, ohmically heated plasma obs. 4−32226
Heliotron-D, diffusion coeffs., neoclassical diffusion theory 4−32246
hexapole, collisonless drift waves 4−32294
h.f. magnetostatic mirror, plasma reflection at electron cyclotron resonance, reversible motion 4−36730
high beta plasma, rotating, equilibrium and stability 4−40667
high-β stellarator expts., review 4−32267

plasma confinement continued
high-β Tokamak-like expt., programming and use of transverse fields, current control 4−32274
high-β toroidal pinch expt. simulation 4−32270
hot-electron plasma, superconducting Levitron, electron current 4−27967
inductive energy storage system for fast pinch experiments 4−40670
inertial, plasma produced by very short laser pulses *(French)* 4−40669
internal ring experiments at Princeton 4−32292
ion energy containment, Artsimovich energy loss scaling 4−27968
ion loss rates, comparison of obs, and Fokker-Planck codes, plasma parameter depend. 4−32251
kink modes, cylindrical plasma carrying uniform current 4−9731
large quiescent plasma, using mag. multipole reflecting mirrors for undergraduate teaching 4−11431
Levitron, neutral injection plasma 4−32225
Levitron, stable confinement and thermalization 4−32295
linear diffuse pinch, stability anal. by guiding-centre theory 4−32247
linear hard-core configuration shear stabilization of drift dissipative instability 4−16332
linear screw pinch, MHD modes, dynamic stabilization 4−24307
magnetic, laser heating, controlled fusion 4−23921
magnetic field plasma boundary layer, structure determ. 4−20128
magnetic line cusps, particle trapping 4−9764
magnetic multipole, longitudinal polarization and focusing of plasmoids 4−20136
magnetic surfaces of stellarator field with current-carrying plasma 4−20129
magnetized plasma, strong turbulence as limiting factor in confinement time 4−3394
MHD ducts, numerical prediction of streamer growth 4−24270
MHD equilibria, stability criteria 4−16329
MHD equilibrium in various cross sections 4−6264
MHD equilibrium with axisymmetry, numerical soln. 4−32309
MHD spectrum in low shear stability 4−36729
MHD stability of high-β reverse field pinch 4−32310
minimum-B mirror, 2XII, microwave obs. of electron density profiles 4−32325
multiple mirror field, plasma stability obs. 4−40665
neutral gas blanket, minimum power effect 4−24293
non-axisymmetric systems, neo-classical theory 4−32304
nonlinear theory of $m=1$ kink mode 4−32210
Octopole, d.c., classical diffusion due to thermal equil. fluctuations 4−32293
octupole hoop determ. of plasma losses 4−9763
optimal, collisionless plasmas, localised time-varying electric fields 4−24304
ORMAK experiment status 4−32277
paramagnetic configuration with absolute minimum-B prop. 4−27971
P.I.G. discharge ion source, power and particle flux balance, ion containment 4−35384
pinch discharge, diffusion and stability 4−32269
polarization interaction of opposed plasma flows in a half torus 4−20137
pulsed D-T reactor, energy flow per pulse 4−15978
Q-machine with radial pot. discontinuities, equil. form. 4−32253
quasiclassical diffusion processes in Tokamak plasmas 4−32171
r.f. plugging in point cusp, efficiency 4−27972
rotating high-beta plasma, poloidal mag. field 4−16342
rotating plasma velocity limitation elimination 4−32259
Saturn-1 Torsatron, low collision freq. plasma confinement 4−32301
screw pinch confinement apparatus 4−32348
Scyllac toroidal sector, helical equil. 4−32268
stationary magnetized plasma, press. balance 4−32217
stationary potential well for plasma ions, ion acceleration 4−12805
stellarator, electron injection, obs. of stationary shock-like struct. near critical rot. speed 4−32248
stellarator, local hydromagnetic stability 4−12777
stellarator, TOR-1, laser plasma confinement 4−32300
stellarator, TOR-2, mag., equipot. and isobaric surfaces 4−32344
stellarator, TOR-2, with elliptical coils, mag. field props. 4−32343
stellarator, Uragan, plasma equil. and stability during ohmic heating 4−32227
stellarator expts. in Japan, review 4−32299
stellarator plasma electrical conductivity, instability 4−20135
TFR experiment, plasma current and position control 4−32289
thermonuclear reactor, operating regime and stability, particle density and temp. fluctuations 4−15977
theta pinch, analysis using laser heating and mag. compression 4−27957
theta pinch, implosion phase, plasma density distrib. and current-sheath struct. 4−27970
theta-pinch plasma, electron density, oscillations, interferometric study 4−32242
theta-punch geometry, adiabatic cusp, plasma losses 4−24305
Tokamak, local meas. of MHD stability props. 4−32335
Tokamak, magnetic disturbances interpret. 4−32290
Tokamak, ohmic and compressional heating, high density limit, disruptive instability 4−32223
Tokamak, particle and energy confinement times 4−32224
Tokamak, plasma equilibrium, two-dimensional problem 4−12806
Tokamak, pseudoclassical diffusion phenomena 4−32303
Tokamak, scaling laws of permeable and impermeable plasmas 4−32296
Tokamak, scaling of performance 4−32345
Tokamak, strong turbulent heating 4−32221
Tokamak, X-ray spectra 4−32336
Tokamak discharge, adiabatic compression 4−32283
Tokamak discharge, radial transport calcs. 4−32281
Tokamak equilibria, octopole shell less, strong vertical mag. field 4−20130
Tokamak equilibria with shaped cross-sections, MHD stability 4−32305
Tokamak FM-1, simulation of confinement problems 4−32297
Tokamak FT-I, microwave absorpt. in upper hybrid freq. range 4−32231

plasma confinement continued
Tokamak JFT-2 expt., maximum current, energy confinment time 4−32278
Tokamak NOVA, shell-less, experimental 4−27990
Tokamak plasmas, hydromagnetic wave heating methods 4−32222
Tokamak T-6, conducting shell effect on toroidal plasma stability 4−32276
Tokamak TM-3, electron energy distrib. function 4−32275
Tokamak-like magnetic config., anomalous heating and confinement 4−32280
toroid, axisymmetric, drift wave anomalous transport 4−32255
toroid, interaction of trapped particles with coherent electrostatic wave 4−32257
toroidal, cold neutrals and charge exchange role 4−32298
toroidal, transit time mag. pumping, elec. field induced losses 4−32240
toroidal θ-Z pinch behaviour 4−32282
toroidal configuration, Alfven waves instability 4−32307
toroidal configuration, fluctuations, anomalous transport and particle scatt. 4−32308
toroidal confinement, conf., Garching, Germany (March 1973) 4−32265
toroidal equilibria, neutral injection effects 4−32306
toroidal equilibria of $\beta=1$ plasmas with strongly non-circular cross section 4−32272
toroidal fusion devices, relativistic electron beam injection, difficulties 4−20114
toroidal magnetic field, minimization of displacement of plasma column 4−32244
toroidal pinch experiments, future trends 4−32311
toroidal plasma, anisotropic, plasma equilibrium, MHD approximation 4−32264
toroidal plasma modes, quasi-trapped particle orbits 4−16341
toroids, turbulent diffusion 4−16282
Torsatron Vint-20, with spatial mag. axis 4−32302
Tuman-2 device, mag. compression of toroidal plasma 4−32288
turbulent ion heating and anomalous skin effects in toroidal device 4−32228
wire grid plasma, quiescent, in 500G field 4−40654
Yin-Yang configuration, magnetic well, maximum mirror ratio 4−16331
Z pinch, confining field diffusion, Ohmic heating instability 4−20131
Cs, thermally produced, plasma density rel. to temp., floating sheath theory 4−40663
N_2 toroidal arc, wall geometry, thickness and material effect on MHD characs. 4−32243
plasma containment *see plasma confinement*
plasma devices
see also magnetohydrodynamic convertors; plasma diodes; plasma guns; plasma probes; Tokamak devices
accelerator, closed-drift, ionisation and transit-time instability obs. 4−32262
accelerator, erosion plasma type, focus formation 4−32263
accelerator, pulsed dielectric erosion, current and density distribs. numerical simulation 4−32340
accelerator, pulsed erosion type, circuit equation, mass flow 4−12819
accelerator, pulsed plasma injector, optimum parameters for delay line 4−20157
accelerator, simultaneous operation with magnetoelectric generator, differential eqns. 4−40690
accelerator, stationary potential well for plasma ions 4−12805
betatron, controlled turbulent heating 4−40660
betatron, fluctuation propagation measurements, high and low frequency 4−40687
capacitor, magnetically insulated and inductively charged, gigavolt potentials 4−32339
confinement device, cylindrical inertial electrostatic, electron density, microwave and optical determ. 4−36727
cutting unit for mild steel 4−37911
erosion-plasma accelerator, obs. of plasma focus 4−12759
FM-1 spherator, electron thermal cond. across mag. surface determ. 4−40666
Focus type system, eqns. for laser heating of plasma 4−3388
Heliotron-D, diffusion coeffs., neoclassical diffusion theory 4−32246
inductive acceleration with nonsinusoidal e.m. standing waves *(German)* 4−27991
Knudsen thermionic convertor, cathode, props., effect on mag. characs. 4−12818
Levitron, superconducting, electron current in hot-electron plasma 4−27967
negative theta-pinch experiment, temp. meas. 4−3386
octupole hoop determ. of plasma losses 4−9763
PIG, discharge ion source, power and particle flux balance, ionisation anal. 4−35385
P.I.G. discharge ion source, power and particle flux balance, ion containment 4−35384
pinch, double inverse, plasma instability at X-type magnetic neutral pt. 4−9732
plasmatron, high temp. chemical reaction applic. *(French)* 4−24323
plasmatron, pulsed jets structures obs. *(Russian)* 4−6236
plasmatron, steady state gas flow, two temperature model. *(Russian)* 4−6272
plasmotron of low power indirect action, optimum working conditions selection 4−20151
pulsed source, for control of short pulses from HCN laser 4−19077
r.f. discharge for study of parametric interaction of a strong E-M field 4−9765
r.f. induction plasma torch as high-temp. chemical reactor 4−6274
screw pinch confinement apparatus 4−32348
spatial Fourier analyser for signals picked up by magnetic probes 4−9778
Stix coil, optimum wavelength 4−6260
superconducting quadrupole, cooling of large enthalpy systems 4−4987
thermonuclear reactor, mirror trap type, stabilization of conical type instability 4−16328
theta-pinch, axial struct. in preheater discharge 4−16310
plasma devices continued
torch, high intensity arc, controlled transpiration cooling of anode 4−40692
torch, immersion in H_2O during spraying of powdered refractory materials 4−17408
torch, mains frequency, automatic system for protection, start up and shut down 4−32338
waveguide, acceleration of electrons in slow wave field 4−24324
He-Cd plasma of hollow cathode discharge, excitation mechanism causing population inversion 4−2622
plasma diagnostics
see also plasma probes
air, i.r. spectra, absorpt. coeffs. of air plasma, 7000 to 15000K, wavelength depend. *(Russian)* 4−39440
arc, magnetic annular, electron temp. and conc. distrib. meas. using electrostatic probe *(Russian)* 4−27987
arc plasma, electron conc. and temp. depend. on plasma composition *(Russian)* 4−40684
arc plasma, radiative flux meas. for various spectral regions 4−20139
arcs displaced by mag. fields, holographic interferometry obs. 4−3412
atmospheric plasma, retarding potential trap, contamination effects on ion and electron temp. meas. by satellite *(Japanese)* 4−7856
atom beam charge exchange method, ion distrib. meas. 4−40678
beam discharge, freq. spectrum of oscillations, phase analysis *(Russian)* 4−32333
Cherenkov radiation excited by low-intensity electron beam, magnetoplasma obs. 4−32198
cold plasma in magnetic field parameters of radial density distrib. determ. *(Spanish)* 4−9770
confinement device, cylindrical inertial electrostatic, electron density, microwave and optical determ. 4−36727
convection measurement, upper ionosphere, differential ion sensor 4−4552
current carrying, ion acoustic wave, microwave scattering obs. 4−27956
d.c. arc plasma, first ionization pot. determ. for U and Th 4−2419
d.c. arc plasma burning in air, electron density calcs. derived from energy balance eqn. 4−2418
density, of small dia. plasma column, using microwave interferometer 4−27982
diamagnetic pressure, density, microwave meas. 4−36725
electron affinity for oxygen in decaying air plasma 4−20148
electron and ion concentration, determ. using ionic Ar laser *(Russian)* 4−16356
electron beam, longitudinal, propagation rel. to distrib. function determ. *(French)* 4−6266
electron beam interactions, apparatus for study of vel. distrib. function 4−40681
electron concentration, in Li plasma flux, several methods *(Russian)* 4−32334
electron concentration and temperature in nonequilib. plasma, spectral line intensity meas. 4−36741
electron density, in cylindrical metal vessel, microwave interference method 4−27980
electron density, plasma freq., monopole and dipole antennas meas. 4−32318
electron density, plasma temp., C II line spectral meas. in He-H_2 plasma *(German)* 4−40168
electron density meas. high resolution interferometry at 337μ *(French)* 4−40674
electron density measurement, high sensitivity HCN laser interferometer use 4−24318
electron density measurement behind shock wave, electrostatic probe, r.f. sensor coil 4−20147
electron density profile determination by reflected wave, Fredholm integral equation 4−24310
electron distribution density, calc. from Compton scattering theory *(Russian)* 4−12814
electron energy, bremsstrahlung Cerenkov detectors 4−16355
electron oscillations, electric probe and antenna meas. 4−40686
electron surface waves guided by plasma column, time-of-flight meas. 4−32328
electron temperature, alkali metal ion beam probe 4−16352
electron temperature, dense Ar plasma, electron cyclotron wave meas. 4−36745
electron waves, antennas, reciprocity theorem 4−24311
electronic density profile determ. using microwave interferometry *(French)* 4−6267
emission spectroscopy, atomic quantity meas. *(German)* 4−9767
energy distribution, anisotropic, characteristics of spherical and plane probes 4−32330
equidensitometry, plasma characterisation method 4−12815
error correction, two-slit spectral line width method, for meas. corrections *(Russian)* 4−26735
exploding wire, holographic interferometry, shock waves, ionisation phenomena 4−27976
extruded d.c. arc burning in inert atmos., rel. to spectrochem. analysis 4−12816
flow velocity, in high-pressure plasma, a.c. Langmuir probe 4−40677
frequency measurement, r.f. spherical probe 4−32317
h.f. fluctuations, auto and cross correlation probe meas. 4−40687
high sensitivity interferometer use 4−11508
high temperature plasma, review of development in last decade 4−9693
holographic HF laser interferometry, elliptical high beta deform. 4−32326
hot electrons temperature in negative luminescence of glow discharge 4−27985
hydrogen-like ion plasma, collisional-radiative model of population density distrib., Lyman ratio 4−20142
hydrogenic lines, highly excited levels of multicharged ions, Stark broadening *(French)* 4−23958
impulsive plane wave, in isotropic plasma halfspace, time depend. waveform by Fourier analysis 4−12751
inductively coupled plasma-optical emission system for determ. of trace metals in soln. 4−39398

plasma diagnostics continued
inert gas discharge, hot cathode low voltage, neutral atoms, molecular beam obs. 4—36735
instability at X-type magnetic neutral point, plasma temp., density spectroscopic meas. 4—9732
ion energy distribution in diverging magnetic field 4—36737
ion extraction by relfex discharge, identification by mass spectrograph 4—16349
ion saturation current in orbital motion regions *(Japanese)* 4—12813
ion specification method in steady state magnetised plasma 4—40676
ion temperature, energy analysis of chrage-exchange neutral atom flux from Tokamaks 4—24320
ion temperature, plasma ohmic heating in Uragan stellarator 4—20117
ion temperature of plasma focus, laser beam scatt. 4—36744
ion temperatures from Doppler broadening of H emission spectrum 4—16348
ion-acoustic cylindrical solitons, Langmuir probe meas. 4—36743
ion-molecule reactions within extraction orifice of mass spectrometric sampling probe, quantitative anal. 4—13985
ionosphere, electron temp. and density meas. by spherical double probes 4—17786
ionosphere, response to media and elec. fields *(French)* 4—38446
ionospheric flight of positively biased body, Sayer's probe *(French)* 4—34462
jet temperature meas. by spectral line intensity pulsation investig. *(Russian)* 4—27988
Jupiter, plasma analyser experiment, Pioneer 10 4—42327
Langmuir probe, cylindrical, moving, current collection characts., theory 4—36736
laser erosion plasma, optical props., interaction zone 4—24321
laser induced, motion in gas-dynamic expansion regime 4—36720
laser interferometer, HCN, 337 μ, design, operation 4—20141
laser produced plasma from spherical target, electron temp. meas., X-ray spectra 4—16320
laser radiation absorption measurements, theory 4—24260
light backscattering obs., from laser-produced plasma 4—27983
light refraction, interferometric meas., effect of quartz wall refraction 4—40680
low-pressure, neutral H_2O density determ. 4—35543
magnetoplasma, locally slowly varying, electron conc. and electron collision freq., simult. determ. *(German)* 4—27938
magnetospheric, movement effect on lower oblique resonance observed with quadrupole pole 4—29682
mass spectrometry, use of TOPATRON-B, 10^{-3} to 10^{-9} torr *(French)* 4—22985
microwave and i.r. meas. rel. to controlled fusion study *(French)* 4—9769
microwave interferometer, phase shift meas. 4—27981
microwave measurements of electron density, Gunn diode oscillator technique 4—3396
microwave radiometric technique, for positive column instability obs. 4—16346
minimum-B mirror, 2XII, microwave obs. of electron density profiles 4—32325
multi-grid orifice probe, anal. technique 4—16344
Ne, positive column, radial gas-temp. distrib. from differential interferometry 4—36742
negative glow plasma, electrical probe method 4—27973
nonthermal electron density fluctuations obs. by light scattering 4—6270
optical polarization measurements of turbulence spectrum, Stark effect 4—12812
optical spectroscopic and magnetic probes, double inverse pinch device, magn. neutral pt. system 4—24306
permittivity measurement, in shock tube, 200-7300 MHz *(Russian)* 4—36734
photography, picosecond framing, of laser-produced plasma 4—9768
pinched discharge, wall hang-up time meas. 4—16345
plasma sphere, e.m. scattering, absorption, Mie theory 4—9698
Pleiade plasma, ion density and energy spectrum determ., Doppler shift meas. *(French)* 4—36733
polarimetry, microwave, duplexer/overdimensional waveguide systems *(French)* 4—5102
positive column, glow discharge optical props., theory 4—40673
potential oscillations, floating probe meas. 4—16354
power transfer measurement, low collision freq., lower hybrid reson. 4—27947
pressure profiles in hydromagnetic equilib. 4—12811
pulsed megawatt gas fed arc, exhaust transient flow characs. 4—32183
radially vibrating plasma, ionic emission Doppler broadening, spectral line profile calc. *(Russian)* 4—40683
radiofrequency mixed gas plasma, emission spectra, temp. meas. excitation processes 4—35550
Raman spectra, use of lasers 4—16086
recovery spark channel, temp. detn. from conductivity probe obs. 4—3395
relativistic plasma temp. determ. from scattered light indicatrix 4—9775
resonance cones detection 4—9771
r.f. conductivity, air dischrage plasma, organic vapour impurities 4—40675
r.f. plasma for study of parametric interaction of a strong E-M field 4—9765
spatial Fourier analyser for signals picked up by magnetic probes 4—9778
spectral emission-absorption error analysis, Abel inversion 4—36738
for spectrochemical analysis, induction heated r.f. discharge, simulation 4—11691
spectroscopic observation of highly ionised species, picosecond laser pulse produced plasma 4—6269
spherical limiter discharge, plasma growth, piezo electric probe 4—20118
temperature, density, plasma produced by helical periodic r.f. source 4—40661
temperature, electron density in expanding laser produced plasma, photon scattering 4—24319

plasma diagnostics continued
theta pinch plasma, turbulence spectrum, CO_2 laser scattering 4—20104
Thomson scattering, c.w. laser light, magnetized arc electron props. 4—20146
time resolved electron energy distribution meas. technique in high-current discharges 4—6268
Tokamak, X-ray spectra 4—32336
Tokamak ion temperature, H atom beam charge exchange method 4—40679
wall-stabilized arc, temp. profiles 4—20150
X-ray emission photography, detection of fast deuterons 4—16347
X-ray emission spectrum, laser prod., two-photon processes 4—27986
X-ray stimulated emission in laser plasma 4—2621
Z-pinch rare gas plasma, vacuum u.v. emissions, appl. as light source 4—36740
Ar, electron collision freqs. at 0.4-2 Torr 4—32327
Ar, high press. cascade arc, line width and shift, temp. meas. 4—32320
Ar, plasma jet, spectra, plasma parameters outside LTE, 4000-6000 Å *(French)* 4—24312
Ar l.p. discharge, readial neutral gas, temp., density profiles 4—27974
Ar plasma, not optically thin, absolute and relative line intensity meas. 4—9773
Ar plasma, Si lines Stark broadening 4—31666
B I, partition function, 5000-35000 K 4—23980
B II, partition function, 5000-35000 K 4—23980
CO_2, electron collision freqs. at 0.4-2 Torr 4—32327
Cd-He laser, cataphoresis excited, temp. and electronic density meas. *(Roumanian)* 4—19081
Cd-He non-equilib. arc plasma 4—9776
Cs plasma discharge, mass spectrometric study of ion composition 4—32331
D afterglow, microwave meas., electron number density 4—27984
D-D pellet, neutron diagnostics, laser-induced 4—20149
D_2, 1 kJ focus, neutron emission, optical and X-ray struct. 4—36732
D_2, electron collision freqs. at 0.4-2 Torr 4—32327
D_2, seeded, error in using classical approx. to X-ray spectra in spectral thermometry 4—32323
D_2 solid target, X-ray emission from laser created plasma 4—3387
Fe atoms, states in sputtering discharges, at. absorpt. spectrometry 4—16357
Fe-Co-Ni, conc. in arc discharge, spectral determ. *(Russian)* 4—39439
H, Stark-Zeeman spectrum, time depend. generalization 4—9382
H, turbulent heating, dynamic Stark effect 4—27966
H, underdense, meas. of laser-induced heating and expansion in mag. field 4—40657
H discharge, interference characteristics *(Russian)* 4—40672
H plasma filament, in Tokamak, C impurity diffusion, optical study 4—9774
H_2, electron collision freqs. at 0.4-2 Torr 4—32327
He, arc, spectroscopic mapping of electron and excitation temp. none-quilibrium 4—32321
He, arc discharge in mag. field, spectroscopic meas. of electron density and temp. 4—40688
He, discharge spectra, verification of balance eqns. for singlet and triplet levels *(Russian)* 4—12809
He, eectron temp. and density, spectral line ratio technique 4—36719
He, high density plasma, polarisation shift of resonance spectra 4—20143
He, moderately dense, Stark profiles of allowed and forbidden transitions 4—20144
He, positive-column discharge, hook spectra meas. of excited state population density 4—36739
He, spectral line ratios, intensities, electron cyclotron resonance heated, temp., number density 4—27975
He I, Stark shifts of 3889, 4713 and 5016 Å lines from atmospheric plasma jet 4—40685
He I overlapping 4471.48 Å line in plasma Stark broadening, general impact formation 4—32314
He plasma, electron density, light emission, metastable ^3He optical orientation effect 4—36747
He plasma, relativistic electron beam heating, spectroscopic heating mechanism determ. 4—36724
He-Ar mixture, h.p. afterglow spectroscopic and probing pulse diagnostics, plasma lifetime meas. 4—40682
He-Ar mixture, He metastables effect on ambipolar to free diffusion transition 4—9777
He-H_2, microwave discharge, spectroscopic study as a radiation source for transition probability meas. 4—8361
Hg, ion acoustic wave nonlinear decay obs., microwave scatt. 4—6238
Hg discharge, emission coeff. meas. in finite continuum spectrum region of $6^{1}3P_2$ series *(French)* 4—3404
Hg discharge, ion density meas., by optical absorpt. *(French)* 4—20145
K plasma, three-wavelength holographic method for electron and atomic density 4—32332
K plasma discharge, mass spectrometric study of ion composition 4—32331
KCl-LiCl:LiI, anodic plasma, spectral line profiles *(French)* 4—24314
N arc, spectra, LTE 4—24313
N_2, arc, elec. and thermal cond., radiative energy transport 4—32319
N_2 coaxial microwave plasmatron, electrical and spectroscopic diagnostics 4—27989
N_2 toroidal arc, wall geometry, thickness and material effect on MHD characs. 4—32243
N_2O, electron collision freqs. at 0.4-2 Torr 4—32327
N_2O-N_2 plasma, N_2O spontaneous emission, rot.-vibr. levels 4—31884
N_2O-N_2 plasma, N_2O vibr. luminescence 4—31883
Ne, afterflow plasma, partial recombination coeff. meas., spectroscopic method *(German)* 4—32315
Ne, afterglow plasma, recombination coeff. meas., spectroscopic method *(German)* 4—32316

- **plasma diagnostics** continued
  - Ne continuous spectra, optical determ. of plasma diagnostics *(Russian)* 4 − 12810
  - O_2 plasma, h.f. low pressure, degree of dissociation and neutral gas temp. *(German)* 4 − 24309
  - Pb, spectroscopic obs. of autoionised lines 4 − 31694
  - Xe, shock wave electron temp. meas., two-line intensity ratio technique 4 − 16350
  - Xe, shock wave electron temp. meas. line intensity ratio 4 − 16351
  - Xe afterglow, electron-ion recomb. of Xe^+ and XeH^+ ions 4 − 32329
  - Xe light source, pulsed, radiative props. calc. from energy balance considerations 4 − 8363
  - $Xe^+ + 2Xe$, association reaction rate const. 4 − 16353
- **plasma diodes**
  - breakdown parameters of diodes with plasma cathode *(Russian)* 4 − 36748
  - duoplasmatron, hollow discharge, negative hydrogen ion source 4 − 8441
  - dynamic characteristics, low voltage arc mode, quasi-stationary approx. 4 − 12820
  - dynamic characteristics, low-voltage arc mode operation 4 − 20158
  - ion beam generation in pulsed diode 4 − 12794
  - jet temperature meas. by spectral line intensity pulsation investig. *(Russian)* 4 − 27988
  - plasmatron, d.c., dynamic volt-ampere characts. at large and small amplitudes and current change rates 4 − 32337
  - plasmatron, d.c. arc, for spectral analysis of glass 4 − 30651
  - plasmatron, thermal working conditions *(Russian)* 4 − 40689
  - plasmatron channel, behaviour of arc, and dynamic elec. characts. *(Russian)* 4 − 27992
  - plasmotron, subdivided, with constricted channel, thermal efficiency of gas heating 4 − 40691
  - N_2 coaxial microwave plasmatron, electrical and spectroscopic diagnostics 4 − 27989
- **plasma equilibria** *see plasma confinement*
- **plasma flow**
  - *see also magnetohydrodynamics*
  - accelerator, pulsed dielectric erosion, current and density distribs. numerical simulation 4 − 32340
  - air, boundary layer temp. distrib. on ablating specimen 4 − 27939
  - arc, combined induction-d.c. discharge, computer model 4 − 32362
  - arc, inductive, energy balance anal. including radial inflow 4 − 32363
  - arcs, cross-flow, in transverse mag. fields, analysis 4 − 3410
  - bulk plasma flow in magnetosphere from IMP-6 and -7 meas. 4 − 22106
  - clusters, acceleration in external magnetic field 4 − 6232
  - collapsed stars, unsteady accretion flow, similarity soln. 4 − 25922
  - compressible Jeffery-Hamel flow 4 − 3368
  - Contact discontinuities in cosmic plasma 4 − 2033
  - current distribution near null line of magnetic field, sheath formation 4 − 12762
  - current layer effect, obs., development characts. 4 − 32184
  - electron temperature enhancement in wake of spherical body 4 − 22188
  - erosion-plasma accelerator, obs. of plasma focus 4 − 12759
  - focus formation, in erosion plasma accelerator 4 − 32263
  - high-pressure plasma, flow velocity meas., a.c. Langmuir probe 4 − 40677
  - hypersonic, relaxation of partially ionised gas in a hypersonic nozzle 4 − 12760
  - interplanetary plasma, flow over terrella, electric and magnetic field microfluctuations 4 − 7965
  - ionosphere, charged particle flow around conducting spacecraft, numerical soln. 4 − 17789
  - ionosphere, meridional F_2-region plasma drifts at Malvern 4 − 17810
  - ionospheric F-region plasma compression rel. to e.m. drift and mid-latitude ion motion 4 − 34466
  - ionospheric plasma drift meas. by incoherent radar scatter 4 − 10981
  - ionospheric plasma drift velocity meas. from Arecibo 4 − 38554
  - jet threaded cylindrical field, upstream MGD effects 4 − 12758
  - Langmuir probe measurement, thermal boundary layer effects, Illingworth-Stewartson transform. 4 − 24315
  - laser induced, motion in gas-dynamic expansion regime 4 − 36720
  - magnetised, anomalous diffusion and electrical cond., non-equilib. thermodynamic anal. 4 − 12750
  - magnetised plasma perturbation by rapidly moving charge, Fourier components 4 − 36702
  - magnetopause field and plasma flow characteristics 4 − 22132
  - magnetospheric, movement effect on lower oblique resonance observed with quadrupole pole 4 − 29682
  - magnetospheric plasma flow in plasma sheet rel. to substorms 4 − 14202
  - MHD, nuclear reactor appl., numerical techniques 4 − 31476
  - MHD, rectangular duct, travelling mag. field, e.m. processes *(Russian)* 4 − 24271
  - near-wake structure of spherical and cylindrical bodies in laboratory plasma 4 − 29781
  - neutral sheet plasma flow at lunar distance during two weak magnetic bays 4 − 1991
  - neutral sheets, adiabatic hot plasma drifts, model 4 − 34473
  - nonstationary behind a moving leading edge 4 − 3366
  - nonuniformly compressed flow, l.f. drift wave instability 4 − 36707
  - plasmasphere, thermal proton flow in morning sector 4 − 17817
  - plasmatron, steady state gas flow, two temperature model *(Russian)* 4 − 6272
  - polarization interaction of opposed plasma flows in a half torus 4 − 20137
  - protonospheric-ionospheric plasma flow, effect on nighttime F-region 4 − 1959
  - pulsed megawatt gas fed arc, exhaust transient flow characs. 4 − 32183
  - rapidly moving body in external magnetic field in rarefied plasma 4 − 3365
  - rarefied, aerodynamic coeff. of bodies, intrinsic mag. field *(Russian)* 4 − 16291
  - re-entry vehicle boundary layer plasma, prediction models, flight meas. 4 − 7855
  - resonance acceleration, violation of quasi-neutrality *(Russian)* 4 − 6233
- **plasma flow** continued
  - shock-heated flows interaction with transverse mag. field, real gas effects 4 − 6234
  - shocked flow, induced radial velocity due to wall boundary layer 4 − 20086
  - solar wind, degree of symmetry of electron velocity distrib. 4 − 22224
  - solar wind, effect of nonstationarity in chemical composition 4 − 2043
  - solar wind, nonradial supersonic flow, MHD eqns. 4 − 22223
  - solar wind, steady state interaction with Moon, electron-proton plasma model 4 − 26054
  - stellarator, electron injection, obs. of stationary shock-like struct. near critical rot. speed 4 − 32248
  - streaming, ion acoustic wave damping, Green's function soln. 4 − 16312
  - streaming dense plasma interactions with variable longitudinal mag. fields and microwaves 4 − 972
  - supersonic, weakly ionized, flow field struct., viscous correction to impact probe 4 − 36701
  - supersonic, weakly ionized, flow past flat plate with sharp leading edge 4 − 40632
  - supersonic vehicle wake, current enhancement 4 − 17883
  - H, axial flow behind normal ionising wave, Doppler shift meas. 4 − 32193
  - Kr, laminar arc, equilibrium model, thermal props. 4 − 27940
  - Xe, laminar arc, equilibrium model, thermal props. 4 − 27940
- **plasma generation** *see plasma production*
- **plasma guns**
  - cutting in sea water 4 − 36749
  - erosion-plasma accelerator, obs. of plasma focus 4 − 12759
  - for laser pulsed and c.w. operation, new plasma-cathode electron gun 4 − 18486
- **plasma heating**
  - Alcator experiment, plasma operation at low mag. fields 4 − 32287
  - byAlfven-wave phase mixing 4 − 27964
  - anomalous by e.m. radiation 4 − 981
  - anomalous resistivity meas. during turbulent heating 4 − 941
  - axisymmetric torus, neutral injection induced rotations 4 − 32236
  - beam-plasma system, backscatt. decay processes, including ion dynamics 4 − 27951
  - beam-plasma system, electron scatt. time depend. 4 − 27949
  - beam-plasma system, stochastic heating of ions 4 − 27961
  - betatron, controlled with second electric field pulse 4 − 40660
  - canted mirror device, high-β plasma behaviour 4 − 976
  - cavity resonator design 4 − 12791
  - column, linear, time depend. of turbulent resistivity 4 − 20112
  - compression consts. optimisation for cumulated plane shock waves in a closed tube 4 − 978
  - in compression expt., theor. predicton 4 − 40662
  - compression of matter to superhigh densities, laser-driven, l-d analytical model 4 − 40658
  - cumulation-laser heating of D-T plasma, two-temp. eqns. with nuclear fusion 4 − 3389
  - current distribution near null line of magnetic field, sheath formation 4 − 12762
  - current plasma, nonlinear decay of ion-acoustic instability 4 − 32211
  - cutting in sea water, torch design 4 − 36749
  - cyclotron resonance, motion of a charged particle asymptotic theory 4 − 32154
  - dense plasma pinch, magnetohydrodynamic model for dynamics 4 − 20126
  - double inverse pinch, magnetic neutral pt. system, mass motion, plasma heating 4 − 24306
  - electrical engineering applic. h.v. switches, research *(Dutch)* 4 − 36721
  - electron beam, compression and stability studies 4 − 40641
  - electron beam interaction, turbulent phase, ion energy distrib. 4 − 27942
  - electron beam technology at NRL 4 − 36686
  - electron beam-dense focus interaction, expts., 280-300 keV, 3.6 MeV 4 − 27959
  - electron cyclotron heating in magnetic mirrors, diffusion losses 4 − 16323
  - electron energy distribution function, fission fragment excited gases, rel. to nuclear pumped lasers 4 − 20120
  - electron gun for beam-plasma interactions, descriptions 4 − 24290
  - electron relativistic beam, automodulation 4 − 16326
  - electron relativistic beam, current amplification in passage through low pressure gas 4 − 20115
  - electron-ion waves, laser beam excitation 4 − 16304
  - e.m. beam, electron redistribution, saturating nonlinear dielec. const., self-focusing 4 − 16319
  - e.m. pump wave, decay into backscattered e.m. wave and plasma wave 4 − 12753
  - fast θ compression, initial variation of T_e/T_i 4 − 12793
  - fast neutral beam, conversion of H^- and D^- intense beams 4 − 32214
  - fast shock experiments in Z-pinch application of inductive energy storage system 4 − 40670
  - fluctuation propagation measurements, high and low frequency, in betatron 4 − 40687
  - focus, fast deuteron location, X-ray emission photography 4 − 16347
  - focus, similarity theory, increased neutron yield 4 − 16322
  - focus type system, eqns. for laser heating of plasma 4 − 3388
  - fusion, laser plasma, mag. field self-generation in focal spot region 4 − 16325
  - fusion plasma, laser-driven instabilities 4 − 965
  - helical Alfven waves 4 − 32229
  - Heliotron D, ohmically heated plasma obs. 4 − 32226
  - h.f. electric field near cyclotron resonance 4 − 12792
  - high temperature plasma, review of development in last decade 4 − 9693
  - implosion, laser driven, spherical, linear stability anal. of surface perturbations 4 − 27962
  - implosion, laser driven anal. of asymmetries 4 − 27963
  - inert gas column, turbulent resistivity, electrostatic fluctuations and microwave emission 4 − 20113
  - intense ion heating, parametric ion cyclotron waves 4 − 986
  - interstellar matter thermal and ionisation equilibrium of X-ray heated intercloud medium 4 − 26165
  - ion beam generation in pulsed diode 4 − 12794
  - ion beam instabilities, review 4 − 980

plasma heating continued
ion heating by anomalous absorpt. of oscill. elect. field, theory 4—32213
ion heating by drift two stream instability in quasi-neutral electron beam 4—6257
ion heating by ion acoustic turbulence in toroidal expt. 4—984
ion-beam, mode decay instability 4—27950
ion-cyclotron and ion-acoustic waves, parametric excitation, heating at cyclotron reson. 4—20096
ion-cyclotron axially symmetric wave, waveguide props. of plasma cylinder 4—20106
ion-density fluctuations, calc. of return-current-generated instability 4—9737
ionospheric, parametric excitation of e.m. waves 4—17792
laser, appl. of eqns. from trans-shock velocity thermal sources in perfect gas 4—16211
laser controlled fusion, DT pellets 4—23920
laser forces and self-focusing 4—16324
laser heated plasma, diagnostics 4—16320
laser induced, appl. of theory for subsonic sources in perfect gas 4—6250
laser induced, motion in gas-dynamic expansion regime 4—36720
laser irradiated, collisional-radiative recombination and ionisation coeffs. 4—20085
laser plasma, expanding multiply charged, ion recombination heating 4—32220
laser plasma, neutron generation mechanisms 4—12789
laser pulses, very short, inertial confinement *(French)* 4—40669
laser radiation, stimulated Raman scatt., density gradient effect 4—40652
laser-induced fusion, numerical simulation 4—24300
laser-induced fusion, numerical simulation of high-density approach 4—24299
laser-induced fusion, simulation 4—24297
laser-plasma interactions, production of short pulses using Nd:glass lasers *(German)* 4—24301
Levitron, stable confinement and thermalization 4—32295
Levitron, superconducting, electron current in hot-electron plasma 4—27967
linear discharge plasma, CO_2 laser beam refr. 4—16318
localised, upper hybrid reson. heating, electron thermal cond. across mag. surface determ. 4—40666
lower hybrid and cyclotron acoustic modes parametric excitation 4—6242
lower hybrid fields for ion heating 4—16297
magnetic field generation, inhomogeneous, rel. to laser nuclear fusion 4—20099
microwave, freq. greater than electron cyclotron freq. 4—6252
microwave absorption, ionisation mechanism of high power pulses 4—3390
minimum power effect, theory, expt., neutral gas blanket 4—24293
mirror fusion reactor exhaust, flow ionisation of injected hydrogen 4—23912
mirror trap, two stream instability, electron heating mechanisms 4—9761
negative theta-pinch experiment, temp. meas. 4—3386
neutral atom injection, toroidal plasma with sheared mag. field 4—16307
neutral beam, ion-neutral collision excitation cross section determ. 4—32216
neutral beam heating, adiabatic toroidal compressor 4—36722
nonoscillatory parametric instability at lower-hybrid frequency, enhanced heating 4—9738
ohmic heating in Uragon stellarator, ion temperature meas. 4—20117
ohmically heated plasma, transport in JIPP stellarator 4—36691
ORMAK neutral injection heating module 4—32237
parametric excitation, ion-acoustic waves mech. of anomalous ion heating in Saturn torsatron 4—32261
particles nonlinear dragging at h.f. heating *(T)* 4—985
plasmotron, subdivided, with constricted channel, thermal efficiency of gas heating 4—40691
pump wave, circ. polarized, decay into circ. polarized wave and Langmuir wave parametric instability 4—24281
r.f. resonance, absorption props. of hot magnetised plasma column in magneto-ion domain 4—951
shock wave, under controlled changeover of lines of magnetic force 4—3391
solar wind heating beyond 1 AU 4—7894
stationary magnetized plasma, press. balance 4—32217
stellarator, figure 8 type, hydromagnetic stability at high plasma pressure 4—12804
stellarator, ohmic heating 4—32230
stellarator, perturbation of magnetic surfaces by heating current 4—12801
stellarator, PROTO-CLEO, h.f. heating 4—32232
stellarator, Uragan, H.F. heating 4—32241
stellarator, Uragan, plasma equil. and stability during ohmic heating 4—32227
stellarator expts. in Japan, review 4—32299
Stix coil, optimum wavelength 4—6260
stochastic under developing instability of Langmuir turbulence 4—983
TFR experiment, plasma current and position control 4—32289
theta pinch, analysis using laser heating and mag. compression 4—27957
theta pinch, laser heating, holographic interferogram analysis 4—27958
theta pinch plasma, turbulence spectrum, CO_2 laser scattering 4—20104
Tokamak, anomalously confined reactor, thermal stability 4—675
Tokamak, fast neutral injection, recycling and mag. field ripple influences 4—32235
Tokamak, heating to ignition by charged particles, calc. of energy exchange 4—20124
Tokamak, neutral beam injection, theory 4—32238
Tokamak, neutral beam injection heating 4—32233
Tokamak, neutral injection heating 4—32234
Tokamak, ohmic and compressional heating, high density limit, disruptive instability 4—32223
Tokamak, particle and energy confinement times 4—32224

plasma heating continued
Tokamak, strong turbulent heating 4—32221
Tokamak devices, complementary heating methods 4—982
Tokamak doublet II device, parallel heat transport effect on mag. configuration 4—6258
Tokamak FT-I, microwave absorpt. in upper hybrid freq. range 4—32231
Tokamak plasmas, hydromagnetic wave heating methods 4—32222
Tokamak proto-reactor, thermal stability 4—31567
Tokamak-like magnetic config., anomalous heating and confinement 4—32280
Tokamaks, CTR, neutral beam heating analysis 4—20125
toroidal confinement, conf., Garching, Germany (March 1973) 4—32265
toroidal fusion devices, relativistic electron beam injection, difficulties 4—20114
transformation of shock compression into isentropic compression 4—979
transit time magnetic pumping, ion motion, r.f. power absorption 4—16321
transit time magnetic pumping, macroscopic plasma eqns. 4—32219
transit time magnetic pumping, self-consistent electrostatic field 4—32239
transit time magnetic pumping in toroidal geom., elec. field induced losses 4—32240
tubular target, Nd laser radiation effects 4—16327
Tuman-2 device, mag. compression of toroidal plasma 4—32288
turbulent heating experiments, quasilinear theory 4—32218
turbulent ion heating and anomalous skin effects in toroidal device 4—32228
turbulent plasma, scaling laws 4—16314
turbulently heated distribution functions and perturbed orbit theory 4—9758
two laser beams, energy absorbed taking account of collision effects *(French)* 4—40659
two-temperature, averaged eqns. with recovery of fusion energy inc. thermal and shock waves 4—20111
two-temperature plasma, hydrodynamic expansion eqns. with recovered fusion energy, plane problem 4—12797
two-temperature plasma, hydrodynamic expansion eqns. with recovered fusion energy, spherical problem 4—12798
two-temperature plasma, spherically symm. case with fusion energy 4—12799
underdense, intense laser electrostatic instability excitation 4—9759
Weibel instability, filamentation and focusing of relativistic electron beam 4—9739
Z pinch, instability caused by Ohmic heating during confining field diffusion 4—20131
Z-pinch, two-temp. eqns. for laser heating with thermonuclear fusion energy 4—6259
Z-pinch plasma heating with nuclear fusion, dynamic effects 4—12800
p-^{11}B, cold fusion power 4—20127
Ar, shock heated, magnetically induced instability 4—9727
Ar ions by h.f. energy transfer from electric fields 4—40653
Cs, thermally produced, plasma density rel. to temp., floating sheath theory 4—40663
D-^{3}He, cold fusion power 4—20127
D-D, cold, fusion power 4—20127
D-D pellet, neutron diagnostics, laser-induced fusioning 4—20149
D-T, as neutron source for hybrid reactor 4—32215
D-T, cold, fusion power 4—20127
D-T, rel. to engineering design of reference theta pinch reactor 4—23913
D-T fusion reaction, energy balance in beam-target system 4—40047
D-T plasma, concentric laser compression 4—977
D-T plasma, ion-ion hybrid wave collisional absorption 4—12802
D-T two-temperature, numerical analysis of laser, concentric, conductive heating 4—6251
$D_2\theta$-pinch, laser beam trapping and absorption, rel. to fusion 4—36717
H, spherical target prod. for laser-produced fusion 4—24291
H, turbulent heating, dynamic Stark effect 4—27966
H, underdense, in mag. field, 1-d hydrodynamic code for laser heating 4—40656
H, underdense, laser-induced breakdown and heating in mag. field, diagnostics 4—40657
H column, turbulent resistivity, electrostatic fluctuations and microwave emission 4—20113
H plasma, stochastic heating using microwave noise 4—36725
He, fully ionised, MHD switch-on shock propag. effect 4—36706
He, r.f., electron, ion temps., near lower hybrid reson. 4—6254
He, relative contrib. of fission fragment, electron excitation 4—20119
He excitation by fission fragments, pressure depend. 4—20121
He partially ionised plasma, relativistic electron beam heating 4—36724
^{3}He Maxwellian, interaction with deuterium beam, breakeven conditions rel. to fast fusion reactor design 4—23911
U, emission coeff. meas., 1200-4500 Å, 8000-10000K 4—20122

plasma in solids *see solid-state plasma*

plasma instability
see also plasma oscillations
absolute electron-cyclotron drift instability, obs. 4—12768
accelerator, closed-drift, ionisation and transit-time instability obs. 4—32262
atmospheric, electrojet instabilities, various density and current regimes 4—22049
atmospheric instabilities in auroral arc 4—38397
auroral E-region currents, small-scale direction variations frofm two-stream instability plasma wave obs. 4—17812
auroral plasma, effect of parametric instabilities on anomalous resistivity 4—22021
auroral zone, effect of electrostatic ion cyclotron turbulence on anomalous resistivity 4—22056
axisymmetric toroidal plasma, anomalous transport 4—32284
backscatter instabilities limitation in laser irradiated plasma 4—962
beam discharge, freq. spectrum of oscillations, phase analysis *(Russian)* 4—32333

plasma instability continued
- beam-plasma, h.f. instabilities, longwave surface-wave mode dispersion eqns. 4−32208
- beam-plasma bounded system, mode analysis 4−40648
- beam-plasma discharge without magnetic field 4−24288
- beam-plasma interaction, obs. of parametric instability 4−9744
- beam-plasma system, electron cyclotron instability in spiralling electron beam 4−36712
- beam-plasma system, e.m. surface wave amplification 4−36705
- beam-plasma system, later stages in evolution 4−9745
- beam-plasma system, longitudinal third-order nonlinear saturation effects 4−957
- beam-plasma system, longitudinally bound, instability 4−3376
- beam-plasma system, nonlinear interaction, instability 4−12763
- beam-plasma system, sidescatter instability 4−12796
- beam-plasma system, stochastic heating of ions 4−27961
- beam-plasma two stream instability, solitary wave excitation 4−40642
- belt pinch, m.h.d. model, instability growth rate 4−20100
- belt pinch, Suydam instability 4−16336
- Bennett pinch, finite radius, hydromag. stability, necessary and sufficient condition 4−40664
- chromospheric force-free fields stability associated with bipolar sunspot groups 4−2070
- collisional impurity modes, wavelengths, finite thermal cond. 4−20101
- collisional trapped-particle instability, in Tokamak device, effect of ellipticity 4−16333
- collisionless drift wave instability, shear stabilisation 4−12788
- composite hydromagnetic plasma, finite Larmor radius effects on gravitational instability 4−29816
- current carrying plasma in magnetic field, electrical conductivity 4−20135
- current driven, linear theory of transverse current > equilib. Larmor current, Bernstein modes 4−32207
- current instability in glow discharge 4−3420
- current plasma, nonlinear decay of ion-acoustic instability 4−32211
- current-driven microinstabilities, computer simulation 4−960
- cyclotron instability, suppression by electron beam modulation 4−20108
- cyclotron resonance, oscill. dispersion relation, instability region plotting 4−32260
- cyclotron waves, longitudinal in rarefied plasma with electron velocity dispersion *(Russian)* 4−24276
- drift dissipative instability, shear stabilization 4−16332
- drift dissipative ion-acoustic, in fast toroidal pinch 4−9762
- drift instability, particle trapping in corrugated geometry 4−9742
- drift two stream instability, ion heating in quasi-neutral electron beam 4−6257
- drift wave, due to nonuniformly compressed flow 4−36707
- electric field fluctuations, plasma with density gradient across mag. field 4−40639
- electron attachment, elec. field depend. 4−24273
- electron density gradients and Farley-Buneman instability 4−25891
- electron runaway, anal. of standing wave-mag. field momentum exchange 4−27953
- electron-hole plasma, electron displacement, linear differential equation *(German)* 4−32996
- electrostatic modified two-stream instability, e.m. and gradB effects 4−16334
- electrothermal instability wavelength 4−32201
- e.m. pulse, self distortion in collisional plasma, perturbation theory approach 4−27937
- e.m. wave energy transfer to parametrically excited ion-acoustic wave 4−20082
- e.m. wave interaction, light filamentation and trapping 4−9713
- F-region plasma instability caused by high power radio waves 4−10995
- filament of elliptical cross-section, spiral instability 4−24308
- finite β drift Alfven instability 4−9726
- fire-hose instability criteria, anisotropic toroidal plasma 4−32264
- flute instability in Tokamak of arbitrary cross-section 4−16335
- Fundamental instability of bounded collisionless plasmas created in volume 4−964
- geomagnetic tail short wavelength instability 4−1998
- gravitational instability mode, plasma-neutral gas-interaction 4−16295
- growth rate of whistler mode instability 4−22068
- h.f. wave nonlinear interaction, radiation effect, bounded plasma *(Russian)* 4−32164
- hydrodynamic instability of e.m. and plasma waves at gyrofrequency harmonics 4−9719
- implosion, laser driven, spherical, linear stability anal. of surface perturbation 4−27962
- infinite belt-pinch, MHD stability, numerical calc. method *(French)* 4−20093
- infinitely long cylinder, effect of gravitational field on temp. gradient instability 4−40645
- inhomogeneous plasma, absolute parametric instabilities, WKB-approx. anal. 4−32190
- instabilities in solar wind produced by ions of planetary and interstellar origin 4−29848
- ion acoustic, non-linear theory and ang. spectrum 4−9734
- ion beam instabilities, heating effects, review 4−980
- ion loss rates, comparison of obs, and Fokker-Planck codes, plasma parameter depend. 4−32251
- ion sound modes, energy convection, plasma skin layer 4−32200
- ion wave instability, current driven, collision depend. of onset 4−32189
- ion-acoustic, non-linear theory and ang. spectrum 4−9734
- ion-acoustic, nonlinear saturation 4−20105
- ion-acoustic, nonlinear saturation level, turbulent freq. spectrum 4−16313
- ion-acoustic current driven instabilities in beam-plasma system 4−967
- ion-beam, double, stability and turbulence 4−16308
- ion-beam, mode decay instability 4−27950
- ion-density fluctuations, calc. of return-current-generated instability 4−9737

plasma instability continued
- ion-ion and electron beam plasma, nonlinear wave struct. on instability development 4−16294
- ionisation wave, large amplitude, hydrodynamic theory anal. 4−12775
- ionosphere, Ba cloud release effects, plasma instabilities and particle precipitation 4−22071
- ionospheric, parametric excitation of e.m. waves 4−17792
- ionospheric instabilities generated by neutral wind velocity disturbance 4−34446
- ionospheric plasma perturbations, effect of neutral winds, electric fields, meteor trains 4−10980
- Jupiter, e.m. instabilities 4−2034
- Kelvin-Helmholtz, suppression by electron plasma waves 4−12786
- Kelvin-Helmholtz discontinuity, two superposed plasmas, stability 4−32185
- kink modes, cylindrical plasma carrying uniform current 4−9731
- kink modes with large azimuthal wave numbers, stability criterion 4−968
- Langmuir oscillations, temporal electrostatic instabilities 4−20103
- Langmuir turbulence instability stochastic heating 4−983
- laser irradiated, collisional-radiative recombination and ionisation coeffs. 4−20085
- Laser-driven instabilities in fusion plasma 4−965
- linear, nonlinear Landau stabilization, wave-particle interaction 4−24282
- linear diffuse pinch, stability anal. by guiding-centre theory 4−32247
- longitudinal oscillations and e.m. waves, unstable growth in h.f. elec. field 4−27954
- low frequency instabilities and turbulence obs. in modified Penning discharge 4−970
- magnetic field generation, inhomogeneous, rel. to laser nuclear fusion 4−20099
- magnetic pulse coupling, field orientation depend. 4−16309
- magnetised plasma with an electron beam, h.f. wave excitation mechanism 4−9747
- magnetopause, Kelvin-Helmholtz instability criterion rel. to Explorer 18 data 4−25795
- magnetopause instability rel. to interplanetary sector structure 4−38498
- magnetosphere, cold plasma effects on whistler instability, computer simulation 4−11005
- magnetospheric cleft, plasma waves and instabilities 4−38493
- magnetospheric instabilities and plasma injection, natural phenomenon and experiments 4−14208
- MHD modes, dynamic stabilization, mode coupling 4−24307
- MHD oscillations decay instabilities in direct MHD wave field 4−3371
- microwave absorption, anomalous absorpt. of 3 cm wave at upper hybrid freq. 4−9716
- microwave field, kinetic instability 4−12776
- microwave generation, collision process with relativistic electron beam 4−36716
- microwave generation, intense relativistic beam appl., expts. 4−36704
- mirror trap, stabilization of conical type instability by microwave pulse 4−16328
- mirror trap, two stream instability, electron heating mechanisms 4−9761
- modulated ion beams, compensation by interaction with background electrons 4−16315
- multimode instabilities, variable gain phase method for feedback stabilization 4−36710
- multiple mirror field, plasma stability obs. 4−40665
- negative ion instability, anal. of ionisation oscillations 4−12771
- negative pressure effects, instabilities 4−3373
- neutral atom injection, sheared mag. field parallel vel. shear instabilities 4−16307
- nonlinear magnetosonic wave stability 4−9725
- nonlinear theory, induced scatt. of monochromatic wave, saturation of instability 4−9695
- nonlinear theory of m=1 kink mode 4−32210
- nonoscillatory parametric instability at lower-hybrid frequency, enhanced heating 4−9738
- octupole hoop determ. of plasma losses 4−9763
- one-component plasma, Hamiltonian development *(French)* 4−20066
- parameteric, decay of circ. polarized pump wave into circ. polarized wave and Langmuir wave 4−24281
- parametric, nonlinear saturation spectrum 4−12764
- parametric excitation, ion-acoustic waves mech. of anomalous ion heating in Saturn torsatron 4−32261
- parametric excitation, relativistic electron plasma, electrostatic and e.m. oscill. propag. 4−32204
- parametric excitation by two laser beams, effect of collision processes *(French)* 4−40659
- parametric excitation of electron-acoustic and ion cyclotron instabilities 4−32205
- parametric excitation of electron-acoustic and ion-cyclotron instabilities, reson. conditions 4−32206
- parametric excitation of upper hybrid and diffusion modes in magnetised plasma 4−32196
- parametric instabilities, coupled mode approach 4−3381
- parametric instabilities, steady-state electron acceleration 4−36708
- parametric instabilities created by high power laser, rate of growth *(French)* 4−40647
- parametric instabilities in bounded homogeneous magnetoactive plasmas, threshold fields 4−32197
- parametric instabilities in inhomogeneous plasma, time behaviour 4−20097
- parametric instability, heating in h.f. electric field near cyclotron resonance 4−12792
- parametric instability interpretation of ionospheric h.f. radiowave excitation 4−25786
- parametric instability near lower hybrid reson. in magnetized plasma with shear *(French)* 4−20092
- parametric interactions in r.f. plasma 4−9765
- parametric three-wave instability, temporal evolution 4−12767
- parametrically unstable mode in magnetized plasma, theory 4−16300
- pinch discharge, diffusion and stability 4−32269

plasma instability continued
- plasmon gas, ion-acoustic wave decay, wave damping and growth mech. 4−40635
- polar cusp, possibility of drift-cyclotron instabilities 4−14192
- positive column instability due to negative impurity ions 4−12779
- pressure profiles in hydromagnetic equilib. 4−12811
- propagation system of whistler mode signals 4−24267
- Raman backscattering in an inhomogeneous plasma 4−12753
- Rayleigh-Taylor instability, stratified plasma with Hall currents, neutral gas friction and ion viscosity effects 4−24277
- Rayleigh-Taylor instability in stratified plasma 4−36714
- Rayleigh-Taylor instability of viscous compressible plasma of var. density 4−29810
- reactive, in lossfree plasma feedback control, electrostatic oscillations 4−9751
- relativistic plasma-magnetic field interface, instabilities at nonequilib. 4−40693
- relaxation processes, parametric excitation, particle vel. distrib. 4−9749
- resistive, magneto-viscous effects 4−20090
- r.f. waves, anomalous nonlinear dissipation 4−16289
- rotating high-beta plasma, poloidal mag. field 4−16342
- Schrodinger equation nonlinear model, oscillating two-stream instability 4−27952
- solar corona, plasma-beam instability in presence of non-linear effects 4−25952
- solar suprathermal plasma nodule production, loop prominences, X-ray heliographs 4−17934
- solar wind, heat current and anisotropy-driven instabilities 4−4708
- solar wind, heat current influenced instabilities parallel to the magnetic field 4−2073
- solar wind, two stream instability in collisionless plasma 4−7892
- stellarator, equilib. of mag. surfaces in current carrying plasma 4−20129
- stellarator, figure 8 type, hydromagnetic stability at high plasma pressure 4−12804
- stellarator, instability due to fine longitudinal electron thermal conductivity 4−12778
- tearing instability, parallel viscous modification, cylindrical model of hard-core pinch 4−3369
- thermal instability, effect of finite Larmor radius 4−40643
- theta pinch, analysis using laser heating and mag. compression 4−27957
- theta-pinch, radiation losses from oxygen impurities, anal. 4−32159
- theta-pinch plasma, thermal wave axial struct. instability 4−16310
- Tokamak, large plasma with mag. shear, trapped ion instability 4−16306
- Tokamak, local meas. of MHD stability props. 4−32335
- Tokamak, magnetic disturbances interpret. 4−32290
- Tokamak, ohmic and compressional heating, high density limit, disruptive instability 4−32223
- toroidal configuration, Alfven waves instability 4−32307
- toroidal configuration, fluctuations, anomalous transport and particle scatt. 4−32308
- toroidal plasma, non-circular cross-section, MHD equilib. 4−32252
- toroidal plasma modes, quasi-trapped particle orbits 4−16341
- two-stream, beam-plasma interaction, saturation by electron trapping 4−12772
- underdense, intense laser electrostatic instability excitation 4−9759
- waves, nonlinear interactions in presence of electron beams 4−32192
- Weibel instability, filamentation and focusing of relativistic electron beam 4−9739
- Weibel instability, relativistic electron beam propagation 4−9739
- at X-type magnetic neutral point, plasma temps., density meas. 4−9732
- Z pinch, confining field diffusion, Ohmic heating instability 4−20131
- Ar, energy transfer to light ions from ion-acoustic wave instability 4−20095
- Ar, shock heated, magnetically induced instability 4−9727
- He beam-plasma, electrostatic ion cyclotron instability 4−40636
- N pulsed discharge, positive column, microwave radiometric technique 4−16346

plasma interactions *see plasma collision processes*

plasma jets
- arc generation, protection of cathode by inert gas flow *(Japanese)* 4−20156
- entrained particles motion 4−7371
- erosion-plasma accelerator, obs. of plasma focus 4−12759
- force measurement, reactive 4−23072
- ionisation relaxation of partially ionised gas in a hypersonic nozzle 4−12760
- laser erosion plasma, optical props., interaction zone 4−24321
- laser interaction with matter, rel. to energy balance 4−24296
- low-pressure, radiation charact. and applic. 4−12817
- MGD effects in jet threaded cylindrical field, flow and Alfven speeds 4−12758
- plasmotron of low power indirect action, optimum working conditions selection 4−20151
- pulsed, in plasmatron, structures obs. *(Russian)* 4−6236
- surface treatment in metal industry, automatic *(German)* 4−32341
- temperature meas. by spectral line intensity pulsation investig. *(Russian)* 4−27988
- Ar, spectra, plasma parameters outside LTE, 4000-6000 Å *(French)* 4−24312
- Ar afterglow production, laminar flow, velocity meas. 4−40700
- Ar plasma in convergent/divergent nozzle thermodynamic expansion process 4−32097

plasma measurement techniques *see plasma diagnostics*

plasma oscillations
- *see also plasma waves*
- accelerator, closed-drift, ionisation and transit-time instability obs. 4−32262
- atom, calc. of eigenfrequencies using microscopic model 4−12464
- beam discharge, freq. spectrum of oscillations, phase analysis *(Russian)* 4−32333
- beam-plasma system, detection of Cherenkov radiation 4−32198
- beam-plasma system, effect of trapped beam electrons on nonlinear beam-plasma interaction 4−24285

plasma oscillations continued
- beam-plasma system, e.m. oscillations, stability 4−12780
- beam-plasma system, excitation of monochromatic plasma wave 4−16298
- beam-plasma system, excitation of plasma modes related to surface and volume waves 4−12783
- beam-plasma system, quasi-coherent electron oscillations, spatial bunching 4−16292
- beam-plasma system, sidescatter instability 4−12796
- beam-plasma system, stability of relativistic self-focussing beam, hydrodynamic theory 4−24286
- beam-plasma system, transverse e.m. wave emission 4−20107
- Bernstein modes, excitation by e.m. wave absorption 4−12755
- bremsstrahlung from electron ion collisions, polarisation 4−9699
- charge density fluctuation-dissipation relations, rel. to nonlinear susceptibility 4−32202
- coherent electron, excited by converging electron beams 4−40686
- collective modes, dispersion relation, rel. to density fluctuation energy spectrum 4−20102
- column, damping of resonances by electron density fluctuations 4−16285
- continuous versus discretised spectrum 4−3379
- current driven, linear theory of transverse current > equilib. Larmor current, Bernstein modes 4−32207
- cyclotron resonance, oscill. dispersion relation, instability region plotting 4−32260
- drift dissipative instability, shear stabilization 4−16332
- drift instability, particle trapping in corrugated geometry 4−9742
- drift modes, impurity, magnetically trapped ions 4−9740
- electron, Landau damping, nonequilibrium statistical mechanics 4−15228
- electron beam interaction, particle capture, non-linear theory 4−9748
- electron drift accelerator, azimuthally symmetric modes, anomalous conductivity 4−12784
- electron gas, collective effects at high temp. in low- and high-magnetic field limits 4−15239
- electron gas, layered, hydrodynamic description 4−8712
- electron Langmuir oscills., stimulated Raman scatt. 4−40652
- electron-plasma oscillation, longitudinal, dispersion relation, Coulomb collisions effect 4−32187
- electrostatic, feedback control of a lossfree plasma 4−9751
- electrostatic modified two-stream instability, e.m. and gradB effects 4−16334
- electrostatic oscillations with freq. > gyrofreq., kinetic instability and propag. 4−16316
- flute instability in Tokamak of arbitrary cross-section 4−16335
- frequency, monopole and dipole antennas meas. 4−32318
- frequency measurement, r.f. spherical probe 4−32317
- geomagnetic tail, effect of pressure anisotropy on oscillations 4−4602
- geomagnetic tail, neutral sheet, short wavelength instability 4−7783
- gravitational instability mode, plasma-neutral gas-interaction 4−16295
- ion heating by anomalous absorpt. of oscill. elect. field, theory 4−32213
- ion oscillations parametric excitation by intense h.f. field close to volume electron eigen mode 4−973
- ion-acoustic, multicomponent plasma 4−16317
- ion-acoustic cylindrical solitons, Langmuir probe meas. 4−36743
- ion-acoustic satellite oscillations, generated by weak microwave elec. field 4−32203
- ion-cyclotron axially symmetric wave, waveguide props. of plasma cylinder 4−20106
- ion-phonon vibrations, time dependent pair correlations *(German)* 4−20065
- ionizing shock waves, non-unique structure 4−24279
- ionosphere, parametric excitation of plasma oscillations near reflection level by radiowaves 4−17788
- ionospheric F1 layer, electron plasma frequency diurnal variations 4−4597
- jet temperature meas. by spectral line intensity pulsation investig. *(Russian)* 4−27988
- Kelvin-Helmholtz instability, suppression by electron plasma waves 4−12786
- kink modes, cylindrical plasma carrying uniform current 4−9731
- Landau's dispersion eqn. numerical soln. 4−6239
- Langmuir, instability, stochastic heating 4−983
- Langmuir, temporal electrostatic instabilities 4−20103
- l.f., electron beam interaction 4−3375
- longitudinal oscillations and e.m. waves, h.f. elec. field induced negative resist. 4−27954
- lower hybrid resonance at low collision freqs. 4−27947
- magnetoactive electron plasma, transverse echo oscills. 4−9750
- magnetosphere, production of magnetic bremsstrahlung at magnetopause 4−1978
- magnetospheric oscillations at 2-3 mHz at 6.6 Earth radii 4−1993
- MHD modes, dynamic stabilization, mode coupling 4−24307
- MHD oscillations decay instabilities in direct MHD wave field 4−3371
- microwave field, resonant parametric excitation, plasma instability 4−12776
- negative ion instability, anal. of ionisation oscillations 4−12771
- nonlinear, Landau damping 4−975
- nonlinear absorption, due to two mixed laser beams *(French)* 4−40646
- parametric coupling between upper and lower hybrid freq. *(German)* 4−20110
- parametric excitation, relativistic electron plasma, electrostatic and e.m. oscill. propag. 4−32204
- parametric excitation of ion oscillations by intense h.f. field in bulk electron freq. region *(French)* 4−40651
- radially vibrating plasma, ionic emission Doppler broadening, spectral line profile calc. *(Russian)* 4−40683
- relativistic electron beams in dense plasma, self-focusing obs. 4−20089
- relaxation, weak turbulence, linear instability , nonlinear wave-particle interaction 4−24282
- Schrodinger equation nonlinear model, oscillating two-stream instability 4−27952

plasma oscillations continued
surface wave propag. and wave-beam interaction, density and static mag. field gradients effect 4—9722
synchrotron radiation, weakly relativistic electron plasma 4—24325
theta pinch-like high-beta stellarator, holographic laser interferometry 4—32326
theta-pinch plasma, electron density, oscillations, interferometric study 4—32242
Tomonaga model for collective electron oscillation 4—3112
toroidal current carrying plasma, three electron populations model 4—24264
toroidal plasma modes, quasi-trapped particle orbits 4—16341
H, turbulent heating, dynamic Stark effect 4—27966
Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, optical excitation of plasma oscillations 4—24773
plasma probes
see also Langmuir probes
antennas, nonlinear isotropic plasma, electron density, plasma freq. meas. 4—32318
characteristics, of spherical and plane probes, anisotropic energy distrib. 4—32330
complex impedance calculated using gradient sheath model 4—29752
continuum electrostatic probes, in presence of negative ions, numerical soln. 4—6265
cylindrical, perturbation and particle collection in mag. field 4—9772
electric probe and antenna measurements of electron oscillations 4—40686
electron density profile determination by reflected wave, Fredholm integral equation 4—24310
electrostatic, characteristics in ion saturation region of collisional plasma sheath 4—27935
electrostatic, electron temp. and conc. distrib. in annular mag. arc *(Russian)* 4—27987
floating, oscillating potential meas. 4—16354
grid-probe placed in Maxwellian plasma, pot. distrib. in interelectrode region *(French)* 4—12808
h.f. fluctuations, auto and cross correlation probe meas. 4—40687
impact, viscous correction from obs. on weakly ionized supersonic plasma flow 4—36701
ion beam, electron temp. meas. 4—16352
ion beam, local meas. of MHD stability props. in ST Tokamak 4—32335
ion rarefaction waves in cylindrical and spherical geometries 4—9724
ionospheric flight of positively biased body, Sayer's probe *(French)* 4—34462
ionospheric l.f. impedance probe 4—34460
multi-grid orifice probe, anal. technique 4—16344
negative glow plasma, electrical probe method 4—27973
orifice, instrumental effects, low press. r.f. discharge 4—24317
orifice probe in dilute plasma, collector characts. 4—27979
potential and density distribution in presence of magnetic field 4—27977
retarding potential trap, contamination effects on ion and electron temp. meas. by satellite *(Japanese)* 4—7856
r.f. spherical probe, plasma freq. meas. 4—32317
satellite photosheath effect on d.c. field meas., modelling 4—22167
temperature meas. 2000-10000 K, calorimetric probe 4—36746
O_2, dissociation in discharge investigation *(Russian)* 4—27999
plasma production
accelerator, pulsed dielectric erosion, current and density distribs. numerical simulation 4—32340
arc, combined induction-d.c. discharge, computer model 4—32362
capacitor, magnetically insulated and inductively charged, gigavolt potentials 4—32339
cavity resonator design 4—12791
critical velocity of neutral gas-plasma interaction, experimental obs. 4—6248
critical velocity of neutral gas-plasma interaction, theories 4—6249
electron beam ionisation, pressure depend., electric field effect *(Russian)* 4—24295
electron beam technology at NRL 4—36686
electron pair production, relativistic electrons from intense laser focus 4—9760
exploding copper foil switches, theory in Ma region *(French)* 4—24294
exploding wire, holographic interferometry obs. 4—27976
fusion of magnetically confined plasma with laser beam, alternative to inertial confinement 4—3385
helical periodic r.f. source, study under various operating conditions 4—40661
Heliotron-D, coaxial-gun and Joule heating, diffusion coeffs., neoclassical diffusion theory 4—32246
ion beam generation in pulsed diode 4—12794
by laser, light backscattering obs. 4—27983
laser, self-focusing plasma shock wave generation 4—27965
laser, X-ray spectra obs. and computer model 4—24303
by laser, X-rays and reflected light 4—24302
laser beam applic. 4—12390
laser beam interaction, two-dimens. simulation, inhomogeneity effects 4—12796
laser beam interactions in gases, cascade breakdown ionization 4—24298
laser beam irradiation of spherical light-element targets, plasma diagnostics 4—16320
by laser blowoff plasma, for tightly pinched electron beam prod. 4—9755
laser heating of solid target, stimulated emission of X-rays 4—2621
laser induced, motion in gas-dynamic expansion regime 4—36720
laser interaction with solids, jet radiation, energy balance 4—24296
by laser picosecond pulse, spectroscopic obs. of highly ionised species 4—6269
laser plasma, neutron generation mechanisms 4—12789
laser produced, nearly spherical const.-power detonation waves driven by focused radiation 4—9757
laser produced, waves harmonic generation and parametric excitation 4—3380
laser produced plasma in gases *(Roumanian)* 4—20116
laser-induced breakdown in high pressure gas jet 4—40655
laser-induced gas breakdown, threshold power 4—990
plasma production continued
Levitron, neutral injection plasma 4—32225
metal foil cylinder, e.m. implosion, high temp., high-Z, up to 20 MJ 4—27960
microwave absorption just below electron cyclotron frequency 4—987
microwave discharges, chemical reactions 4—12790
pair production by high energy laser, efficiency 4—3399
photionisation of gases, u.v. source 4—14872
pinched discharge, wall temp. distrib., current calc. 4—24292
plasma microwave absorption, ionisation mechanism of high power pulses 4—3390
relativistic electron beams, intense, prod. by chemical explosion 4—36715
shock wave production under controlled changeover of lines of magnetic force 4—3391
spherical limiter discharge in NaCl electrolyte 4—20118
theta-pinch plasma, axial struct. in preheater discharge 4—16310
transient gas compression by coalescing waves, exact steady state analogy 4—3383
wire grid plasma, quiescent, in 500G field 4—40654
X-ray emission from laser formed plasma, Al target 4—26686
CO_2 laser irradiated solid surfaces, laser supported detonation waves 4—9756
Cs, from adsorbed layer, by laser beam 4—6253
Cs, thermally produced, plasma density rel. to temp., floating sheath theory 4—40663
D_2, solid, energy transfer in laser produced plasmas 4—6256
D_2 ice, fusion reactions in plasma created by Nd:glass second harmonic *(French)* 4—6255
D_2 pre-ionisation study in fast toroidal pinch 4—9762
D_2 solid target, X-ray emission from laser created plasma 4—3387
H, underdense, laser-induced breakdown and heating in mag. field, diagnostics 4—40657
H_2 solid, laser created plasma, parametric excitation of ion-acoustic wave and harmonic generation 4—6240
He, laser-induced plasma, mag. field effects 4—36719
He, threshold power for CO_2-laser induced breakdown 4—3400
I_2 plasma, negative-ion rich, production by electron attachment in low pressure gases 4—3384
LiD, target, laser beam irradiation, stimulated backscattered radn. 4—12795
LiD + D impregnated polyethylene, high-temp. plasma, laser pulse generation of fusion neutrons 4—36718
N_2 coaxial microwave plasmatron, electrical and spectroscopic diagnostics 4—27989
N_2O_3 plasma, negative-ion rich, production by electron attachment in low pressure gases 4—3384
O_2 plasma, negative-ion rich, production by electron attachment in low pressure gases 4—3384
U fissioning plasma, radiative props. 4—20123
plasma sheaths
see also plasma confinement
charge exchange near electrode, ion collisions 4—16373
conducting cylinder clad in anisotropic plasma 4—946
current distribution near null line of magnetic field, sheath formation 4—12762
electron motion in collisional sheath, potential distrib. function calc. 4—20134
e.m. radiation from slot antenna surrounded by moving magnetoplasma sheath 4—15286
formation near plane absorbing conductor 4—36726
inhomogeneous, surrounding probe immersed in weakly collisional system, perturbation and particle collection 4—9772
ion rarefaction waves in cylindrical and spherical geometries 4—9724
ionising collisions of sheath in contact with negative metal wall 4—27935
ionospheric flight of positively biased body, Sayer's probe *(French)* 4—34462
l.f. capacitive response, Langmuir probes, expt. 4—20140
resolution by variable spatial zoning in computing method for transition from ambipolar to free diffusion 4—6224
resonance observed by high frequency impedance probe 4—29752
Z-pinch, noncylindrical, breaking mechanism of current sheath 4—12803
Cs, thermally produced, plasma density rel. to temp., floating sheath theory 4—40663
plasma shock waves
blast wave, ionisation effects at non-local-thermodynamic equilib. condition 4—27944
collisionless electron wave shocks 4—12787
cumulated plane waves, in closed tube, compression consts. 4—978
discharge propagation and dense plasma maintenance by e.m. fields 4—16343
Earth's bow shock structure, nonlinear collisionless theory 4—38415
envelope shock waves in interactions of longitudinal plasma waves of random phase 4—27943
exploding wire, holographic interferometry 4—27976
flow, shocked, induced radial velocity due to wall boundary layer 4—20086
heating experiments in Z-pinch, application of inductive energy state system 4—40670
interplanetary, generated by solar flares, propag. through solar atm. 4—38745
interplanetary MHD shock wave interaction with magnetopause 4—7782
interplanetary multiple shock ensemble, Pioneer 9 and Ogo 5 obs. 4—22226
interplanetary shock wave acceleration and trapping of < 1 MeV protons 4—22228
interplanetary shocks and flare plasma observed with radially aligned Pioneer spacecraft 4—22387
ionizing shock waves, non-unique structure 4—24279
Jupiter, plasma analyser experiment, Pioneer 10 4—42327
laminar bow shock thermalization layer 4—22102
laminar electrostatic shock waves generated by ion beam 4—9753
laser supported, time-resolved spectroscopy 4—9756
laser-driven, compression of matter to superhigh densities, l-d analytical model 4—40658
magnetic pulse coupling, field orientation depend. 4—16309

plasma shock waves continued
magnetoactive plasma, dispersion effect on non-linearity of quasi-monochromatic helical waves 4−12770
magnetogasdynamic shocks, unified geometric and analytical treatment of shock polars 4−9723
magnetopause and polar magnetosheath, plasma waves in dayside polar cusp 4−34471
MHD, ionising shock propagation in H_2, He, Ne and Ar 4−6241
MHD, real gas effects on ionising wave 4−6234
multitemperature multilevel ionised gas, transport shock and collisional relax. layer interrelated struct. 4−16302
nonlinear particle interaction, intensity, vel. 4−32194
nonlinear shock-like wavetrains and beam-plasma interaction in mirror geometry 4−3377
parallel high β shocks and relaxation phenomena 4−974
self-focusing, laser generated 4−27965
shock wave, supersonic heat source excitation, isentropic compression 4−978
solar wind, Greenstadt's binary index criterion 4−4613
solar wind, interplanetary double shock pairs, numerical simulation 4−22227
solar wind, sudden spherically symmetric disturbance propagation 4−22229
solar wind interaction with H_2O comets 4−4759
stellarator, electron injection, obs. of stationary shock-like struct. near critical rot. speed 4−32248
streaming dense plasma interactions with variable longitudinal mag. fields and microwaves 4−972
thermonuclear plasma production under controlled changeover of lines of magnetic force 4−3391
transformation of shock compression into isentropic compression 4−979
Ar, electron density meas., electrostatic probe, r.f. sensor coil 4−20147
Ar, plasma/cold gas interface analysis of shock refraction 4−6244
H, axial flow behind normal ionising wave, Doppler shift meas. 4−32193
He fully ionised plasma, MHD switch-on electron heating 4−36706
Xe, electron temp. meas. 4−16350
Xe, electron temp. meas. line intensity ratio 4−16351

plasma simulation
accelerator, pulsed dielectric erosion, current and density distribs. numerical simulation 4−32340
beam-plasma instability, bounded system, mode analysis 4−40648
beam-plasma system, sidescatter instability 4−12796
belt pinch, Suydam instability 4−16336
current-driven microinstabilities, computer simulation 4−960
dipole expansion method rel. to determ. of grid change density 4−9701
eigenvalue problem, numerical integration of Vlasov eqn. 4−36689
electron beam-beam interactions, two dimensional computer calculation *(French)* 4−40622
electron mode excitation, arbitrary amplitude, frequency shift and nonlinear dispersion eqn. 4−40649
e.m. wave charged particle trapping, computer simulation of acceleration 4−20081
Fundamental instability of bounded collisionless plasmas created in volume 4−964
high-β toroidal pinch expt. simulation 4−32270
infinite belt-pinch, MHD stability, numerical calc. method *(French)* 4−20093
ion-acoustic wave excitation, laser beam interaction, computer results 4−24287
laser plasma, mag. field self-generation in focal spot region 4−16325
laser-induced fusion, numerical analyses 4−24300
laser-induced fusion, numerical simulation of high-density approach 4−24299
laser-induced fusion phenomena 4−24297
nonlinear interactions by acoustic waves, simulation 4−966
one-dimensional plasma, computer simulation *(Japanese)* 4−27934
Tokamak FM-1, simulation of confinement problems 4−32297
turbulently heated distribution functions and perturbed orbit theory 4−9758
V-05 model, rel. to longitudinal wave propagation *(Spanish)* 4−9718
Vlasov eqn. rel. to simulation with few particles 4−6223
Vlasov equation, numerical integration soln. 4−36690
H, underdense, in mag. field, 1-d hydrodynamic code for laser heating 4−40656

plasma theory
alkali metal, thermodynamic props. calc. *(German)* 4−3353
arc, combined induction-d.c. discharge, computer model 4−32362
arc, inductive, energy balance anal. including radial inflow 4−32363
banana regime, arbitrary aspect ratio, transport processes 4−16281
Biberman-Holstein factor for nonthermal plasma slab, radiation transport theory 4−6222
chemical equilibrium, nonisothermal low pressure plasma 4−27928
chemically reacting gas, H theorem and kinetic model eqns. 4−9694
chromospheric flare initial phase model, strong gasodynamic explosion theory 4−22249
cold electron-ion plasma, electromagnetic wave instability 4−9714
cold plasma, microwave scatt. 4−16273
collisionless, spherical soliton solns. for modified Korteweg-de Vries eqn. 4−12769
column, anomalous skin effect for axial mag. field case 4−9710
composite hydromagnetic plasma, finite Larmor radius effects on gravitational instability 4−29816
Coulomb scattering of electrons in an intense magnetic field, collisional freq. 4−32161
crystallised plasma, Monte Carlo anal. equilibrium props. and melting transition 4−32163
current equilibria, non-uniform current multipole configs. 4−16340
cyclotron resonance, motion of a charged particle asymptotic theory 4−32154
cylindrical plasma, anomalous skin effect 4−9709
cylindrically symmetric inhomogeneous plasmas, optically thick lines intensity 4−3402

plasma theory continued
dielectric constant of plasma with non-azimuthal transverse currents 4−12747
diffusion model, banana regime, mag. field asymmetry plasma losses 4−16339
distribution of charged particles, near bodies with spherically symmetric conditions at infinity *(Russian)* 4−16276
electron collisional losses from adiabatic trap in positive pot. plasma 4−32245
electron gas, collective effects at high temp. in low- and high-magnetic field limits 4−15239
electron trapping by mixed laser beams 4−40668
e.m. wave absorption, at surface of magnetoactive plasma *(Russian)* 4−32155
equilibrium properties, Monte Carlo anal. thermodynamic props. and eqn. of state 4−32162
finite-gyroradius plasma, RPA soln. of partition function 4−27932
Fokker-Planck eqn. for particle scatt. by random pot. *(French)* 4−2570
guiding centre plasma, dielectric function and diffusion 4−20071
guiding-centre plasma, soln. of partition function, new threshold energy 4−27932
heating, ion-neutral collision excitation cross-section determ. 4−32216
heating in compression expt., prediction 4−40662
h.f. plasma, homogeneous, generalised Wiedemann-Franz law 4−20069
high beta plasma, rotating, equilibrium and stability 4−40667
high temperature plasma, review of development in last decade 4−9693
high-temperature multicomponent fluid, phenomenological eqns. in nonequilibrium thermodynamics 4−16168
h.p. arc, anal. of effective periphery, continuum magnetofluid dynamics 4−32361
impurity atom ionisation potential lowering, spectral series limit shift of C and H 4−32158
inhomogeneous plasma, absolute parametric instabilities, WKB-approx. anal. 4−32190
ion energy containment, Artsimovich energy loss scaling 4−27968
ion heating by anomalous absorpt. of oscill. elect. field, theory 4−32213
ion-acoustic resonance, non-quasineutral theory 4−16305
ionisation and recombination in non-thermal plasmas rel. to solar flare X-ray emission 4−17939
ionisation front, at velocity of light, boundary conditions *(Russian)* 4−32156
kinetic and momentum transfer equations 4−9700
kinetic equation, collision terms 4−9728
kinetic equation for classical nonideal plasma 4−12749
Korteweg-de Vries eqn. for small amplitude waves 4−9746
laser radiation absorption, H plasma, 10000 to 40000K 4−24260
linear diffuse pinch, stability anal. by guiding-centre theory 4−32247
magnetic field plasma boundary layer, structure determ. 4−20128
magnetic trap, stellarator-type solenoid, rectilinear approx. anal. of mag. config. 4−32250
magnetised, dielectric function, anal. applicable large temp. anisotropy or large angle propag. 4−9697
magnetoplasma, synchrotron radiation, effects of drift motion 4−32157
matrix analysis and network representation of multicomponent plasma 4−36687
Maxwell's equations, effect of displacement current and charge neutrality 4−20068
neutral sheets, adiabatic hot plasma drifts, model 4−34473
one-component plasma, Hamiltonian development *(French)* 4−20066
optical escape factor, const. source function 4−24259
perturbed orbit, turbulently heated distrib. function 4−9758
photon mass, upper limit from plasma dynamics 4−7880
potential of moving test charge, perturbation effects 4−9706
pseudothermodynamic model, radiation distribs. 4−6221
radiation, atomic screening parameters determ. method applic. *(Rumanian)* 4−36440
recombination and steady current in network of linear conductors 4−19963
relativistic, e.m. susceptibility, derivation of covariant constitutive relations 4−27993
resistivity, soln. of mag. diffusion eqn. 4−9705
scaling laws, high density, charge density 4−36688
scattered, recombination, deviations from thermodynamic equilib. *(Russian)* 4−27933
Scorpius X-1 white dwarf star, optical and magnetohydrodynamic anal. of accreting plasma flow 4−18030
sheath formation near plane absorbing conductor 4−36726
slow-wave coupling to lower-hybrid resonance, r.f. energy coupling 4−32191
solar wind, inviscid heat conducting two fluid model, asymptotic solns. 4−17906
solar wind, plasma theory and coronal radio echo data 4−29870
sphere, moving slowly in highly dilute plasma 4−3352
stability, exact soln., aspect ratio depend. of MHD equilib. 4−32252
Stark broadening theory, approx. treatment of ion dynamics 4−23961
stationary plasma, inversion of H level populations 4−27929
stochastic kinetic, rel. to plasma in strong e.m. fields, friction and diffusion terms 4−3359
stratified, coupled wave eqns. for tensor electron press. perturbation 4−20091
structure factor, state equations, time independent pair correlations *(German)* 4−20064
temperature, multifluids model, spectroscopic mapping of electron and excitation temp. nonequilibrium 4−32321
temperature relaxation, two temp. plasma, directed electron motion *(Russian)* 4−24262
time dependent pair correlations *(German)* 4−20065
transport coefficients, self-diffusion correlation function method 4−32169
turbulence, self-consisting field, pertubing effects, convergence 4−9733

plasma theory continued
- two-dimensional guiding centre plasma, negative temperature states 4−20067
- velocity autocorrelation function, dynamical struct. factor, classical one-compt. plasma 4−27931
- warm plasma, microwave scatt. 4−16274
- wave transformation method, inhomogeneous plasma *(Russian)* 4−32209
- wave-wave interaction, macroscopic anal. of three-wave propag. in magnetized plasma 4−24275
- weakly coupled and weakly homogeneous, in magnetic field, kinetic theory 4−12745
- weakly ionised, distrib. of electric field and charged particles due to charged body 4−12746
- He, collisional radiative quasi stationary plasma model, applic. to positive columns 4−16278
- He_2^+ electronic recombination in afterglow, more complete theory 4−9696

plasma thermocouples *see plasma devices; thermocouples*

plasma torches *see plasma devices*

plasma transport processes
- *see also Vlasov equation*
- absolute electron-cyclotron drift instability, obs. 4−12768
- accelerator, closed-drift, enhanced transverse diffusion due to ionisation instability 4−32262
- accelerator, pulsed dielectric erosion, current and density distribs. numerical simulation 4−32340
- axisymmetric toroidal plasma, anomalous transport 4−32284
- banana regime, arbitrary aspect ratio, trans. 4−16281
- beam-plasma system, electron scatt. time depend. 4−27949
- belt pinch, time depend. diffusion 4−32273
- belt pinch expt. of Garching, stability and diffusion 4−32312
- Bohm diffusion fluxes, determ. of plasma losses to octupole hoop 4−9763
- collisionless plasma, momentum transport, electrical conductivity eqns. 4−16277
- column, anomalous skin effect for axial mag. field case 4−9710
- column, linear, time depend. of turbulent resistivity 4−20112
- Compton scattered transfer, Green's function approach 4−38612
- conductivity to microwaves, Fokker-Planck eqn., stochastic derivation 4−27936
- convection, upper ionosphere, differential ion sensor 4−4552
- convective stability in plasma layer with magnetic shear 4−6226
- current carrying plasma in magnetic field, electrical conductivity 4−20135
- cylindrical plasma, anomalous skin effect 4−9709
- decaying plasma, computation of transition from ambipolar to free diffusion 4−6224
- dielectric constant of plasma with non-azimuthal transverse currents 4−12747
- diffusion across magnetic field, classical and anomalous, theory 4−40623
- diffusion eqn. for turbulently heated plasma 4−9758
- diffusion in PROTO-CLEO stellarator, fluctuations effect 4−32172
- diffusion model, banana regime, mag. field asymmetry plasma losses 4−16339
- diffusion rate, temporal echo obs. in magnetically pulsed mirror plasma 4−27969
- discharges, non isothermal, molecular states, temperature, relaxation time 4−24326
- dissipative processes, propagation phenomena in MHD for nonstationary thermodynamics 4−40633
- drift wave anomalous transport, axisymmetric toroidal plasma 4−32255
- electrical conductivity anomaly in mag. field 4−32173
- electrical conductivity of partially ionised mixtures 4−36606
- electron beam plasma interaction, anal. of solar X-ray burst polarisation *(Russian)* 4−29824
- electron current, hot-electron plasma in superconducting Levitron 4−27967
- electron drift accelerator, azimuthally symmetric modes, anomalous conductivity 4−12784
- electronic thermal conductivity for low Coulomb logarithm values *(French)* 4−20070
- energy convection, ion sound modes, plasma skin layer 4−32200
- energy transfer instability, non-uniform temp. distrib. effects in gravitating plasma 4−40645
- entropy production, long-wave-length electrostatic wave 4−32160
- Grads' thirteen-moment method rel. to coeff. determ. 4−6225
- Green-Kubo formulae for plasma in external magnetic field 4−36700
- guiding centre plasma, dielectric function and diffusion 4−20071
- guiding-centre plasma, equilib. and non-equilib. transport properties 4−24263
- guiding-centre plasma, Vlasov eqn. stationary and quasistationary solutions 4−32254
- gyroscopic-quasielastic system, two-dimens. 4−3393
- heat transfer expts. using a thermocouple 4−3354
- Heliotron-D, diffusion coeffs., neoclassical diffusion theory 4−32246
- h.f. conductivity of magnetised plasma with fluctuations 4−32167
- h.f. plasma, homogeneous, generalised Wiedemann-Franz law 4−20069
- inert gas column, turbulent resistivity, electrostatic fluctuations and microwave emission 4−20113
- inert gas plasma, anomalous resistivity meas. 4−941
- ion energy containment, Artsimovich energy loss scaling 4−27968
- ionosphere, foF2 variation rel. to plasma drift vel. at low latitudes 4−7775
- ionospheric plasma, frequency dispersion of transverse electrical conductivity 4−1943
- ions mobility and diffusion in gases, book 4−12668
- ions motion in uniform mag. field 4−5549
- ions moving in strong elec. and mag. crossed fields, vel. and energy calc. 4−19962
- laser beam self-focusing, electron energy loss 4−20077
- low density plasma, diffusion waves, theory and expt. 4−40637
- magnetic shear effect, convective plasma transport 4−9704
- magnetised, anomalous diffusion and electrical cond., non-equilib. thermodynamic anal. 4−12750

plasma transport processes continued
- magnetized inhomogeneous plasma, far-field potential of test charge 4−32165
- magnetospheric, movement effect on lower oblique resonance observed with quadrupole pole *(French)* 4−29682
- magnetospheric thermal plasma motions and plasmapause stability 4−14206
- Maxwell's equations, effect of displacement current and charge neutrality 4−20068
- microwave high power emission from collective effects 4−3362
- neutral sheets, adiabatic hot plasma drifts, model 4−34473
- non-axisymmetric systems, neo-classical theory 4−32304
- non-linear motion of weak inhomogeneity in magneto-active plasma 4−954
- nonlinear interaction of waves in presence of electron beam, d.c. drifts 4−32192
- Octopole, d.c., classical diffusion due to thermal equil. fluctuations 4−32293
- ohmically heated plasma in JIPP stellarator 4−36691
- orbital motion regions, ion saturation current *(Japanese)* 4−12813
- pinch discharge, diffusion and stability 4−32269
- planetary atmosphere, plasma depletion near magnetospheric boundary 4−22103
- plasma, electron scatt. time depend. 4−27949
- protonosphere, modified thermal cond. effect on temp. distrib. 4−4598
- quasiclassical diffusion processes in Tokamak plasmas 4−32171
- relativistic, e.m. susceptibility, derivation of covariant constitutive relations 4−27993
- relativistic electron beam injection into warm collisional plasmas 4−32168
- resistivity, anomalous, diffusion tensor, turbulent plasma in external magn. and electric fields 4−36694
- resistivity, soln. of mag. diffusion eqn. 4−9705
- r.f. conductivity, air dischrage plasma, organic vapour impurities 4−40675
- self-diffusion coefficient, correlation function method 4−32169
- spherator, electron thermal cond. across mag. surface determ. 4−40666
- stellarator, electron injection, enhanced diffusion in stationary shock-like struct. 4−32248
- tensor conductivity for beam-beam plasma configurations 4−6227
- Tokamak, pseudoclassical diffusion phenomena 4−32303
- Tokamak discharge, radial transport calcs. 4−32281
- Tokamak doublet II device, parallel heat transport effect on mag. configuration 4−6258
- Tokamak plasma, universal Ohm's law for toroidal current density 4−16279
- tokamak plasmas, equilibrium and stability from drift-kinetic equation 4−3392
- toroidal configuration, fluctuations, anomalous transport and particle scatt. 4−32308
- toroidal current carrying plasma, three electron populations model 4−24264
- toroidal plasma, ambipolar elec. field growth 4−9702
- turbulence model, relaxation of weak vel. depend., diffusion coeff. modification 4−958
- turbulent diffusion in toroids 4−16282
- viscosity, parallel, modification of tearing instability in cylindrical model of hard-core pinch 4−3369
- wall-stabilized arc, temp. profiles 4−20150
- weakly ionized gas, diffusion boundary layer, theory 4−32166
- weakly ionized plasma, ion azimuthal drift velocity meas. 4−16280
- Ar, energy transfer to light ions from ion-acoustic wave instability 4−20095
- Ar, high press. cascade arc, line width and shift, temp. meas. 4−32320
- H column, turbulent resistivity, electrostatic fluctuations and microwave emission 4−20113
- H plasma filament, in Tokamak, C impurity diffusion, optical study 4−9774
- H_2 plasma, anomalous resistivity meas. 4−941
- He, arc, spectroscopic mapping of electron and excitation temp. nonequilibrium 4−32321
- He, collisional radiative quasi stationary plasma model, applic. to positive columns 4−16278
- He, low density plasma, diffusion waves 4−40637
- He-Ar mixture, He metastables effect on ambipolar to free diffusion transition 4−9777
- He_2^+ electronic recombination in afterglow, more complete theory 4−9696
- Kr, late afterglow decay, diffusion coeffs. and collisional destruction rates 4−32367
- N_2, arc, elec. and thermal cond., radiative energy transport 4−32319
- O_2, direct current discharge, radial distribs. of ions and electrons *(German)* 4−32351
- O_2 plasma, h.f. low pressure, degree of dissociation and neutral gas temp. *(German)* 4−24309

plasma turbulence
- anomalous resistivity meas. during turbulent heating 4−941
- auroral zone, effect of electrostatic ion cyclotron turbulence on anomalous resistivity 4−22056
- axisymmetric toroidal plasma, anomalous transport 4−32284
- beam-plasma system, stochastic heating of ions 4−27961
- bounded collisionless plasmas created in volume, turbulence spectrum 4−964
- collective modes, dispersion relation, rel. to density fluctuation energy spectrum 4−20102
- collision integral, symm. props., non-isotropic solns. in weak turbulence theory 4−36692
- column, linear, time depend. of turbulent resistivity 4−20112
- current plasma, nonlinear decay of ion-acoustic instability 4−32211
- diffusion in toroids 4−16282
- drift waves, microturbulence mode coupling, dispersion relations 4−9741
- dynamical and stochastical nonlinearities 4−3382
- electron beam interaction, ion energy distrib., enhanced heating 4−27942
- e.m. backscattered cross sections from turbulent plasma 4−32174
- e.m. wave scattering in strong turbulence 4−16287

plasma turbulence continued
frequency shift, anomalous resistivity, external magn. and electric fields 4−36694
Green function, non-Markovian 4−16301
heating, distrib. function and perturbed orbit theory 4−9758
heating experiments, quasilinear theory 4−32218
high temperature plasma, review of development in last decade 4−9693
inert gas column, turbulent resistivity, electrostatic fluctuations, microwave emission 4−20113
interplanetary plasma beyond 1 A.U. power spectra from Pioneer 10 obs. 4−22386
interstellar magnetic turbulence, light depolarization 4−8086
ion acoustic turbulent heating in toroidal expt. 4−984
ion heating and anomalous skin effects in toroidal device 4−32228
ion-acoustic, nonlinear saturation 4−20105
ion-acoustic current driven turbulence in beam-plasma system 4−967
ion-acoustic instability, nonlinear saturation level, turbulent freq. spectrum 4−16313
ion-beam, double, stability and turbulence 4−16308
Langmuir, instability, stochastic heating 4−983
Langmuir spectra, three dimens. 4−9743
low frequency instabilities and turbulence obs. in modified Penning discharge 4−970
magnetic pulse coupling, field orientation depend. 4−16309
magnetized plasma, strong turbulence as limiting factor in confinement time 4−3394
magnetosphere, ion-acoustic turbulence generation by longitudinal currents 4−1980
magnetosphere, MHD wave damping 4−1979
MHD generator, turbulent nonequilibrium plasma, wall-free stream interaction model 4−6271
nonlinear interactions, calc. of stationary spectrum by continuous analogue of Newton's method 4−8910
optical polarization measurements, Stark effect, electrostatic noise spectrum 4−12812
positronium annihilation in plasma *(Russian)* 4−9717
probabilistic model, relaxation of weak vel. depend., diffusion coeff. modification 4−958
radiation pattern from dipole, effect of turbulence 4−6231
random function theory, validity of first order smoothing theory 4−26857
relaxation oscillations, linear instability, nonlinear wave-particle interaction 4−24282
r.f. waves, anomalous nonlinear dissipation 4−16289
scaling laws, universal spectrum 4−16314
Scorpius X-1 white dwarf star, optical and magnetohydrodynamic anal. of accreting plasma flow 4−18030
solar corona, effect of plasma turbulence on e.m. radiation and propagation of particle streams 4−25952
space correlation associated with isotropic turbulence spectral function 4−30894
spectral and polarization properties of generated radiation 4−24274
strong, at helicon freq. 4−36713
strong turbulence theory, convergence 4−9733
theory, equilibrium statistical mechanics, entropy max. concept *(Japanese)* 4−27945
theta pinch plasma, turbulence spectrum, CO$_2$ laser scattering 4−20104
Tokamak, strong turbulent heating 4−32221
wave-wave interaction, weak turbulence kinetic theory 4−959
Ar arc, turbulent, voltage gradient, gas temp. and rel. depend. 4−20160
D_2 pre-ionisation study in fast toroidal pinch, turbulent diffusion 4−9762
H, turbulent heating, dynamic Stark effect 4−27966
H column, turbulent resistivity, electrostatic fluctuations, microwave emission 4−20113
N, pulsed discharge positive column, microwave radiometric technique 4−16346

plasma waves
see also magnetohydrodynamic waves; plasma oscillations
Alfven, super, rarefaction wave, velocity and turbulent diffusion 4−20087
Alfven waves and sonic waves, parametric interaction 4−956
antenna radiation patterns control using d.c. bias voltage 4−32212
atmosphere, particle acceleration by electrostatic wave with spatially increasing phase vel. 4−11082
auroral E-region currents, small-scale direction variations frofm two-stream instability plasma wave obs. 4−17812
beam-plasma, h.f. instabilities, longwave surface-wave mode dispersion eqns. 4−32208
beam-plasma system, backscatt. decay processes, including ion dynamics 4−27951
beam-plasma system, electron cyclotron instability in spiralling electron beam 4−36712
beam-plasma system, electron scatt. time depend. 4−27949
beam-plasma system, e.m. surface wave amplification 4−36705
beam-plasma system, excitation of monochromatic plasma wave 4−16298
beam-plasma system, excitation of plasma modes related to surface and volume waves 4−12783
beam-plasma system, nonlinear-wave particle interaction 4−9721
beam-plasma system, penetration of high freq. longitudinal field 4−12782
beam-plasma system, quasi-coherent electron oscillations, spatial bunching 4−16292
beam-plasma system, solitary wave excitation 4−40642
beam-plasma system, stability of longitudinal waves propagating in magnetic field 4−12781
Bernstein, backward wave obs. with respect to propag. component along mag. field 4−24283
Bernstein and upper hybrid coupling in solar atmosphere, r.f. emission 4−2075
Bernstein modes, continuous versus discretised spectrum 4−3379
boundary, e.m. wave transformation to longit. wave, high field *(Russian)* 4−24269
Brillouin effect, stimulated ion-acoustic light wave coupling, anal. 4−40626

plasma waves continued
Cherenkov cone excited by dipoles in warm streaming plasma 4−9711
cold plasma, microwave scatt. 4−16273
collisionless drift wave instability, shear stabilisation 4−12788
collisionless drift waves in toridal hexapole 4−32294
current driven, linear theory of transverse current > equilib. Larmor current, Bernstein modes 4−32207
cyclotron waves, longitudinal in rarefied plasma with electron velocity dispersion, instability *(Russian)* 4−24276
dissipative or unstable media, modulation of nonlinear wave 4−32111
drift, parametric excitation and supression by lower hybrid fields 4−16297
drift instability, particle trapping in corrugated geometry 4−9742
drift modes, impurity, magnetically trapped ions 4−9740
drift wave anomalous transport, axisymmetric toroidal plasma 4−32255
drift wave instability, neutral atom injection with sheared mag. field 4−16307
drift waves, microturbulence mode coupling, dispersion relations 4−9741
drift waves of small but finite amplitude, propag., theory 4−16293
electro-acoustic, attenuation by electron-neutral collisions 4−24278
electroacoustic, radiation props. of centre driven antiphase dipole in warm plasma 4−3355
electron, excitation by modulated electron beams 4−36709
electron, suppression of Kelvin-Helmholtz instability 4−12786
electron acceleration in slow wave field of plasma waveguide 4−24324
electron cyclotron harmonic, resonant wave-wave interaction 4−6252
electron mode of arbitrary amplitude, frequency shift, simulation 4−40649
electron runaway, anal. of standing wave-mag. field momentum exchange 4−27953
electron surface waves guided by plasma column, time-of-flight meas. 4−32328
electron third-order spatial echo structure determ., collision effects 4−40650
electron waves, detection by antennas, reciprocity theorem 4−24311
electron waves, large amplitude, excitation and damping 4−20098
electron waves and bursts, higher modes, probe, ring and target exciters, bounded plasma 4−32258
electron-ion, laser beam excitation 4−16304
electron-plasma oscillation, longitudinal, dispersion relation, Coulomb collisions effect 4−32187
electrostatic, interaction with trapped particles in toroid 4−32257
electrostatic, pairwise excitation, high freq. plasma resistivity 4−9729
electrostatic ion wave, ion azimuthal drift velocity meas., weakly ionized plasma 4−16280
electrostatic ion waves, l.f., instabilities due to negative pressure effects 4−3373
electrostatic modes, lower hybrid resonance in nonhomogeneous cylindrical plasma column 4−3378
e.m. pump wave, decay into backscattered e.m. wave and plasma wave 4−12753
e.m. wave conversion into electrostatic waves, inhomogeneous plasma 4−36696
e.m. wave decay into plasma and ion-acoustic waves 4−20083
e.m. wave incident on magneto-active plasma, transformation coeff. 4−12748
e.m. wave interaction, light filamentation and trapping 4−9713
e.m. wave transformation at tangential velocity discontinuity 4−12754
finite-β stabilization of flute-like microinstabilities 4−32199
helical Alfven waves, heating obs. 4−32229
hydrodynamic instability at gyrofrequency harmonics in two-component plasmas 4−9719
inert gas column, turbulent resistivity, electrostatic fluctuations, microwave emission 4−20113
inhomogeneous plasma, absolute parametric instabilities, WKB-approx. anal. 4−32190
ion acoustic, excitation by injection of modulated ion sheet beams 4−12766
ion acoustic resonances in bounded plasma 4−32195
ion acoustic wave damping, Green's function soln. 4−16312
ion acoustic wave nonlinear decay obs. by microwave scatt. 4−6238
ion acoustic wave propagation, decay interaction 4−40635
ion cyclotron waves, equivalent circuit 4−9754
ion rarefaction waves in cylindrical and spherical geometries 4−9724
ion sound modes, energy convection, plasma skin layer 4−32200
ion sound wave, ion-neutral collision effect, Boltzmann collision operator 4−20072
ion wave, low freq. harmonic wave propag. in mag. field 4−16311
ion wave instability, current driven, collision depend. of onset 4−32189
ion waves, instantaneous electron energy distribution function meas. 4−969
ion-acoustic, in current carrying plasma, microwave scattering obs. 4−27956
ion-acoustic, multicomponent plasma 4−16317
ion-acoustic, nonlinear, Landau damping 4−9752
ion-acoustic, nonlinear saturation 4−20105
ion-acoustic, nonlinear saturation level, turbulent freq. spectrum 4−16313
ion-acoustic, parametric excitation, mech. of anomalous ion heating in Saturn torsatron 4−32261
ion-acoustic, parametric excitation by e.m. wave 4−20082
ion-acoustic, relaxation collision model anal. of ion acoustic wave propag. 4−9735
ion-acoustic excitation, anomalous effects for double sided laser interaction 4−24287
ion-acoustic resonance, non-quasineutral theory 4−16305
ion-acoustic satellite waves, generated by weak microwave elec. field 4−32203
ion-acoustic waves, parametric excitation in laser created plasma 4−6240
ion-beam, mode decay instability 4−27950

plasma waves continued
- ion-cyclotron, axially symm. modes, waveguide props. of plasma cylinder 4−20106
- ion-cyclotron and ion-acoustic waves, parametric excitation in alternating elec. field 4−20096
- ion-ion and electron beam plasma, nonlinear wave struct. on instability development 4−16294
- ion-ion bybrid wave collisional absorption in D-T plasma 4−12802
- ion-ion hybrid resonance, dispersion relation 4−6247
- ionisation wave, large amplitude, hydrodynamic theory anal. 4−12775
- ionisation waves in weakly ionised plasma, anal. of propagation velocity *(Russian)* 4−24284
- ionization-recombination waves, negative impurity ions, positive column instability 4−12779
- ionosphere, excitation by h.f. radiowaves, incoherent scatter spectrum, parametric instability interpretation 4−25786
- ionosphere, Langmuir wave excitation by e.m. waves 4−4567
- ionosphere, soft electrons as v.l.f. wave source 4−14186
- ionosphere nonlinear wave interaction, ionosonde obs. 4−4551
- Korteweg-de Vries eqn. for small amplitude waves 4−9746
- Langmuir, parametric up-conversion into transverse e.m. wave 4−27948
- Langmuir, parametrically excited, steady-state electron acceleration 4−36708
- Langmuir, resonant interaction, nonlinear frequency shifts 4−40644
- laser forces and self-focusing 4−16324
- laser light, decay into ion acoustic and electron plasma waves 4−16299
- linear resonance props. in bounded RF sustained plasmas 4−961
- longitudinal mag. field penetration into plasma of a linear discharge 4−3367
- longitudinal oscillations and e.m. waves, h.f. elec. field induced negative resist. 4−27954
- longitudinal propagation using V-05 simulation model *(Spanish)* 4−9718
- longitudinal wave excitation by incident e.m. wave 4−16290
- low density plasma, diffusion waves, theory and expt. 4−40637
- lower hybrid and cyclotron acoustic modes parametric excitation 4−6242
- magnetised plasma, h.f. wave excitation by l.f. e.m. wave instability, mechanism 4−9747
- magnetized plasma column, propag. characts. of electrostatic and whistler waves 4−40627
- magnetoacoustic radiation, from point source, field, velocity *(Russian)* 4−32186
- magnetoplasma slab, complete electrostatic spectrum 4−24272
- magnetosonic, nonlinear, stability 4−9725
- magnetosphere, cyclotron resonance wave amplification, energetic particle stability 4−25803
- magnetospheric cleft, plasma waves and instabilities 4−38493
- magnetospheric plasma wave events, intervals of pulsations diminishing in period 4−11008
- microwave absorption, anomalous absorpt. of 3 cm wave at upper hybrid freq. 4−9716
- microwave generation, intense relativistic beam appl., expts. 4−36704
- nonisothermal magnetoplasma, anal. of nonlinear ion and electron acoustic waves 4−12774
- nonlinear interactions by acoustic waves, simulation 4−966
- nonlinear interactions in presence of electron beams 4−32192
- nonlinear theory, induced scatt. of monochromatic wave 4−9695
- nonlinear waves, dispersive media, Whitham's method, wave-wave interaction and self-action 4−24280
- ordinary wave anomalous penetration into magnetoplasma slab 4−6246
- ordinary wave anomalous propagation in a magnetoplasma 4−6245
- parametric decay near the lower hybrid resonance 4−9736
- parametric excitation, plasma line shape in ionosphere 4−1956
- parametric excitation, relativistic electron plasma, electrostatic and e.m. oscill. propag. 4−32204
- parametric excitation and harmonic generation in laser produced plasma 4−3380
- parametric excitation by two laser beams 4−12765
- parametric excitation of electron-acoustic and ion cyclotron instabilities 4−32205
- parametric excitation of electron-acoustic and ion-cyclotron instabilities, reson. conditions 4−32206
- parametric excitation of e.m. and ion-acoustic waves by laser beam with freq. near ω_p *(French)* 4−20094
- parametric excitation of upper hybrid and diffusion modes in magnetised plasma 4−32196
- parametric instability near lower hybrid reson. in magnetized plasma with shear *(French)* 4−20092
- parametric ion cyclotron waves and intense ion heating 4−986
- plasmon gas, finite amplitude in acoustic waves interact., rel. to propag. 4−27955
- polarised e.m. wave coupling, plasmon decay into two polarised waves 4−36697
- positive column weakly ionised, kinetic theory *(Russian)* 4−24289
- propagation in inhomogeneous plasma, nonlinear Gross-Krook model 4−9728
- pump wave, circ. polarized, decay into circ. polarized wave and Langmuir wave parametric instability 4−24281
- recombination waves in weakly ionised plasma, anal. of propagation velocity *(Russian)* 4−24284
- relativistic, beam-plasma system, e.m. waves from induced surface waves 4−12773
- relativistic, nonlinear, stability, Cauchy problem 4−16296
- relativistic mass density of wave packet, equivalence of energy-mass relation and dispersion equation 4−3397
- resonance acceleration, violation of quasi-neutrality *(Russian)* 4−6233
- ring current protons, generation of coherent ion cyclotron waves 4−22128
- screw waves in an inert gas contracting positive column 4−3370
- second harmonic of plasma frequency in solar radio bursts, preferential backward emission 4−17913
- slow-wave coupling to lower-hybrid resonance, r.f. energy coupling 4−32191

plasma waves continued
- solar type IV radio bursts, nonlinear wave coupling between electrostatic waves 4−34651
- solitary pulse propagation in three-wave interaction 4−40638
- soliton, formation and interaction in double plasma device 4−16303
- stratified, coupled wave eqns. for tensor electron press. perturbation 4−20091
- superrelativistic, cosmic ray generation by pulsars 4−14250
- surface, parametric excitation in inhomogeneous magnetized plasma layer, dispersion eqn. 4−12785
- surface wave propag. and wave-beam interaction, density and static mag. field gradients effect 4−9722
- surface wave propagation in nonuniform plasma 4−3372
- theta-pinch plasma, thermal wave axial struct. instability 4−16310
- three-fluid plasma mixed initial-boundary value problem, numerical analysis sensitivity 4−27941
- torsional hydromagnetic waves, nonlinear interaction in plasma waveguide 4−27946
- transformation method, inhomogeneous plasma *(Russian)* 4−32209
- two-stream instability, saturation by electron trapping 4−12772
- two-temperature, averaged eqns. for heating and expansion inc. thermal and shock waves 4−20111
- type II solar radioburst, observed by IMP-6 up to 37 solar radii 4−7890
- underdense, intense laser electrostatic instability excitation 4−9759
- warm current plasma, semi-bounded, h.f. surface waves 4−40640
- warm plasma, microwave scatt. 4−16274
- wave wave interactions in warm magnetoplasma 4−6243
- wave-wave interaction, macroscopic anal. of three-wave propag. in magnetized plasma 4−24275
- wave-wave interaction, weak turbulence kinetic theory 4−959
- whistler, dispersion and spatial damping, in presence of collisional effects, theory and expt. 4−32188
- Ar, energy transfer to light ions from ion-acoustic wave instability 4−20095
- Ar, weakly ionized, sound wave velocity, effect of energy transfer from electrons 4−9720
- Ar plasma, electron temp. meas. by electron cyclotron waves 4−36745
- Ar plasma, nonmonotonic longitudinal density distribution e.m. wave absorption 4−32181
- H column, turbulent resistivity, electrostatic fluctuations, microwave emission 4−20113
- He, low density plasma, diffusion waves 4−40637
- He beam-plasma, electrostatic ion cyclotron instability 4−40636

plasmatrons *see plasma diodes*

plasmoids *see plasma*

plasmons
- *see also solid-state plasma*
- alkali metals, plasmon photoeffect mechanism for photoelectron energy distrib. *(Russian)* 4−6957
- cylinder, non-radiative surface plasmons, dispersion relns. 4−24801
- decay into neutrino pair in magnetized stellar plasma 4−29812
- decay into two e.m. waves by polarised e.m. wave coupling 4−36697
- deep-hole excitations in solids, plasmons and surface effects in X-ray photoemission 4−37198
- dispersion of radiative surface plasmons, electron scattering 4−10200
- electron fluid at metallic densities, Coulomb correlations *(Russian)* 4−28325
- electron gas, Compton effect cross section, collective (plasmon) to single particle transition 4−28374
- gas, finite amplitude ion acoustic waves interact., rel. to propag. 4−27955
- ion acoustic wave propagation, decay interaction 4−40635
- ionic semiconductor, supercond. transition point, effect of optical phonon and acoustic plasma branches 4−24893
- metal, fast electron energy losses by plasmon excitation, lattice effects theory 4−1078
- metal, Fermi-liq., vol. and surface waves, determination of Landau expansion coeff. 4−16723
- metal, light, rel. to inelastic X-ray scatt. cross section calc. 4−17141
- metal, plasmon dispersion curves and Lindhard-Hubbard dielec. consts. *(French)* 4−32898
- metal surface, effective exchange and correlation potential 4−16809
- metal surface, electron gas theory, variational calc. 4−24812
- metal surface, zero-point plasma oscillations contrib. to surface energy 4−3770
- metal surface image potential, dynamical screening, surface plasmon model 4−24805
- metal surfaces, e.m. wave propag., rel. to overlayers 4−24807
- metal surfaces, excitation dynamics, surface energy 4−24810
- rough dielectric surface, surface-plasmon generation 4−37193
- stimulated generation theory, vibr. modes at impurity centres, optical pumping 4−37201
- surface, dispersion and damping sensitivity to alkali adsorption 4−1265
- surface, electron-induced, radiative decay with surface roughness, evaporated Ag targets 4−13158
- surface, in metal, dispersion relation for diffuse boundary scattering 4−41114
- surface, on smooth and rough metal surfaces, attenuated total refl. investig. 4−33023
- transition metals, d-band plasmons and plasmon-phonon coupling 4−20570
- X-ray absorption process, plasmon excitation 4−10498
- X-ray emission spectra, high energy satellites band intensities 4−37700
- X-ray plasmon scatt. temp. depend. 4−20569
- X-ray spontaneous combinational scattering, semi phenomenological description *(Russian)* 4−37266
- Ag, surface plasmons, dispersion curves, backbending 4−20643
- Ag film, surface dispersion curve, damping effect, attenuated total reflection technique 4−13214
- Ag film, surface plasmon reson. absorpt., surface roughness effects 4−33433
- Al, collective volume excitation, crit. wavevector transition to single-particle excitation 4−20563

plasmons continued
Al, free-electron model, dispersion and damping of surface plasmons calc. 4−41111
Al, m.f.p. of electrons, effect of plasmon damping, many body problem 4−32904
Al, plasmon dispersion curves and Lindhard-Hubbard dielec. consts. *(French)* 4−32898
Al thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
Au, Ag-Au alloys, small particles, light absorpt., plasmon modes 4−25134
Au, surface plasmons, dispersion relations, optical meas. 4−41109
Be, X-ray satellite form. mechanism 4−41445
Be film, energy gain in Auger spectrum 4−6942
Co, valence electron oscills. at polymorphic transition 4−37202
Cu, colloidal soln. with gelatin, optical absorption spectra of surface plasmons 4−37623
GaAs, damped longit. plasmon-phonon coupling, arbitrary bonded oscillator model 4−9965
GaSe, optical props., position of plasmon peak 4−33437
InSb, excess carriers induced with CO_2 laser 4−20649
InSb, surface dispersion by grating, e.m. wave refl. 4−20662
K thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
Li, X-ray satellite form. mechanism 4−41445
Li thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
Mg, Auger spectra, high energy satellite peaks, mechanism 4−13543
Mg, enhanced plasmon excitation in inner level ionisation 4−13160
Mg, shifted surface plasmon loss, rel. to secondary electron emission 4−21137
Mg thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
Na, X-ray satellite form. mechanism 4−41445
Na thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
Pb film, refl. meas. 3 to 15.5 eV in u.h. vacuum, existence of volume and surface plasmons 4−41452
Sb, film, optical props. 2.5 to 14.5 eV, interband transitions, volume and surface plasmons 4−1397
Si, Auger spectra, high energy satellite peaks, mechanism 4−13543
Si, enhanced plasmon excitation in inner level ionisation 4−13160

plastic crystals
bicyclohexyl, fluoresc. characts., cryst. phase effects 4−1406
t-butyl bromide-h_9, -d_9, mid i.r. spectra of plastic crystal phases 4−10402
carbon tetrachloride, i.r. spectroscopic study of proton donor acceptor assoc. *(French)* 4−33400
carbon tetrachloride, molecular reorientation in liq. and plastic phases, Raman spectra 4−28806
cyclohexane, fluoresc. characts., cryst. phase effects 4−1406
decamethonium, n.m.r. study of mol. movements *(French)* 4−9864
molecular rotation, dynamics of two interacting rotors 4−9865
neopentane, rot. correlation functions involving instantaneous reorientational jumps 4−3450
α-olefine crystals, intermol. interaction and phase transitions, i.r. absorpt. obs. *(Russian)* 4−32454
n-paraffin crystals, intermol. interaction and phase transitions, i.r. absorpt. obs. *(Russian)* 4−32454
pentamethonium, n.m.r. stdy of mol. movements *(French)* 4−9864
pivalamide-ND_2, magic angle rotation n.m.r. and internal motions 4−41273
pivalic acid, cryst. growth *(French)* 4−25255
pivalic acid, Rayleigh scatt., mol. reorientation relax. time 4−41371
self-diffusion, impurity quenching, theory 4−37039
succinonitrile, cryst. growth *(French)* 4−25255
succinonitrile, optical Kerr effect, susceptibility, order parameter 4−20966
succinonitrile, space correlations obs. by X-ray scattering 4−16439
1,1,1-trichloroethane, globular mod., first-order cryst. transition 4−3569

plastic deformation
see also buckling; ductility; elastoplasticity; ferroelasticity; plastic flow; slip; superplasticity
alkali halides, effect on refl., refractive index *(Russian)* 4−20955
alkali halides, effect on refl. spectra 4−37632
alkali metal, subjected to complex stress systems, mech. props., model pseudopotential calc. *(Russian)* 4−36932
alloy, amorphous, slip markings origin, electron microscope obs. 4−21297
alloy, amorphous, slip markings origin 4−21298
alloy, Cu_3Au type, cross slip, screw superdislocation, dislocation barriers 4−7092
alloy, deform. twinning, review 4−10580
alloy, dispersion hardened, model, elevated temp. deform. 4−29174
alloy, f.c.c., grain form. during heavy deform. 4−41613
alloy, f.c.c., stacking fault tetrahedra form. *(French)* 4−1533
alloy, high temp. characteriz. and strengthening mechanism 4−7311
alloy, long period ordered, deformation mode 4−4103
alloy, rel. to Kirkendall effect 4−3587
alloy, strength-differential effect rel. to plasticity theory and vol. expansion 4−7159
alloy, two-phase, superplastic, strength 4−21343
alloy, uniform elongation during transform. aided plasticity 4−13691
alloys, effect of long range oscillatory interaction 4−20529
anisotropic tube, thin walled, plastic torsion 4−39556
anthracene, triplet excitons, effect of cryst. bending 4−6912
anthracene single crystal, charge trapping phenomena, effect of crystal deform. 4−13182
asymmetric sections in plane of bending, elastic-plastic bending 4−5348
band formation mechanism 4−17274
bar, weakly curved, finite elastic-plastic deflections 4−5345
bar with delayed yielding, active plastic deformation process due to mass impact 4−35692
b.c.c. metal, deformation-induced β internal friction peak, relax. mechanism 4−41768
b.c.c. single crystals, metal, fatigue mechanism, asymm. 4−29096
branch pipe lateral and tee connections, limit interaction of external couples and internal pressure 4−23814

plastic deformation continued
branch-pipe lateral and tee connections, limit interaction of external couples and internal pressure 4−23813
brass, α-β two-phase multicrysts., model obs. 4−17348
α- brass, dislocation dynamics 4−25365
bronze, Cr, recrystallisation diags., rel. to heat treatment before deform. 4−29062
cantilevers, dynamically loaded variable thickness. deformation mode anal. 4−23141
Caprolon, impact strength under various strain rates and planar stress, new device 4−11446
carbonates, kinetics of thermally activated non-isothermal processes *(Russian)* 4−21552
chitin, regenerated films, mech. and chem. characts. 4−13902
circular plates, thick, plastic anal. using von Mises yield criterion 4−5347
circular sheet with central hole anal. of stretch flanging 4−35681
composite, metal-matrix type, deform. processing 4−25428
composite materials, thin, mag. carrier type, strength and deformability at low temp. 4−13885
composites, fibre reinforced, scale effect in extension *(Russian)* 4−38033
continuous media nonlinear mechanics, displacement vector determ. *(Russian)* 4−35630
creep with stepwise temp. change 4−13713
cyclic, in elastoplastic medium, anal. of Arutyunyan-Vakulenko eqns. *(Russian)* 4−18903
cylinder, thin, anal. of stable necking under internal pressure 4−15170
cylindrical shell with circular opening, anal. of elastoplastic stressed state *(Russian)* 4−11753
diamond, indentation hardness, 1500 to 1850°C 4−20360
disc, circular ring with radial cut and internal pressure stress anal. 4−39549
disc, hardness meas. 4−7409
dislocation climb rate meas., diffusional creep expt. *(French)* 4−17318
dislocation density rate of change with strain, evaluation 4−41597
dislocation interaction with colour centres, optical meas. 4−6403
dissipative materials, mathematical frame-free theory 4−35678
ductile failure accompanied by creep, theory 4−1599
dynamical state of dislocations during deform., model 4−20359
elastic-plastic materials, finite-deformation theory 4−8638
elastic-plastic waves in bar with concentrated mass *(Russian)* 4−2522
elastic-viscoplastic block, effects of block height and punch width on deformation 4−7352
elastically connected concentric thick rings, natural vibrations 4−30803
elasto-visco-plastic materials with generalized potential, laws of evolution *(French)* 4−15167
elastoplastic body unloading theorem, determ. of residual stresses and deformations *(Russian)* 4−18907
elastoplastic deformation, Il'yushin isotropy postulate 4−11734
elastoplasticity, growing deformations in composite flexion, elastic returns *(Italian)* 4−39555
elastoviscoplastic and elastoplastic materials with generalized pots., deform. behaviour *(French)* 4−30788
explosive forming sheet metal dished ends, computer aid obs. of deform. characts. 4−13810
f.c.c. crystal, deform. twin form. mechanism 4−17269
ferroelectric, KH_2PO_4 type, spontaneous polarization and deformation, theory *(Russian)* 4−28780
ferroelectric, KH_2PO_4 type, spontaneous polarization and deformation, theory *(Russian)* 4−28781
fibre reinforced-sheets, determ. of optimum fibre arrangements 4−23142
fibre-reinforced materials, axially symmetric deformation anal. 4−35674
fluorlon, failure under nonrepeated loading, kinetics 4−13942
p-Ge, hole mobility anisotropy, dislocation effects 4−10148
glass, hole theory of liquids, strength determ. 4−13940
glass, microindentation damage, electron microscope obs. 4−38080
glass, microviscosity, surface-active medium influence *(Russian)* 4−10635
high speed, photographic recording of Moire test gratings 4−21526
hinge in rapidly heated rigid plastic beam, expansion and contraction 4−18896
hydrates, kinetics of thermally activated non-isothermal processes *(Russian)* 4−21552
ice, effect on dielec. behaviour 4−17024
ice-Ih, friction, deformation and recrystallisation of single crysts. under stress 4−36936
ice-Ih, influence on electrical props. 4−37551
impact loading, dynamical plastic behaviour using Hamilton's principle 4−15169
Inconel 718, hydrogen release during plastic deform. 4−17349
increments, meas., low-temperature creep, high resolution 4−4976
interface, thermal cond. depend. on deformation mode 4−26872
isotropic material, yielding, R-value approach *(German)* 4−7215
isotropy postulate and slip principle deviations *(Russian)* 4−39553
macroplastic flow, influence of microplastic deform., near solid body surface, review *(Russian)* 4−21307
material structures, unique, mathematic theory 4−35679
metal, deform twinning, review 4−10580
metal, deformation under tensile loading, in situ studies in SEM, microstruct. changes 4−24365
metal, dislocation generation under sliding contact, frictional energy dissipation 4−10586
metal, f.c.c., grain form. during heavy deform. 4−41613
metal, f.c.c., stacking fault tetrahedra form. *(French)* 4−1533
metal, f.c.c., thermally activated dislocation intersection, force-displacement curves 4−4102
metal, f.c.c. and h.c.p., stress relax. tests 4−17496
metal, in macrosonic field 4−25400
metal, polycrystalline, influence of limiting dislocation flux on mechanical response 4−10579
metal hollow cylinder, non uniform deformation caused by friction 4−7110
metal plate, cracked, local and gross deformations 4−7122

plastic deformation continued
- metallic cylindrical shell, axially compressed, exptl. anal. of deformation process *(Russian)* 4−17320
- metallic polycrystals, under uniaxial tension, transient viscoplstic phenomena *(French)* 4−37866
- metallic thin films on substrates, strain relax. analysis 4−32829
- metals, elastic to plastic transition in recurring loading *(Russian)* 4−35684
- meteorites, plastic and clastic deformations caused by low temp. thermal fatigue 4−29985
- micro-inhomogeneous strain effects on microhardness determ. 4−21506
- micropolar medium, distortion problem, theorem of reciprocity of works 4−2497
- nonhydrostatically stressed solid, thermodynamic driving forces for shape changes and diffusion 4−32741
- nozzles in cylindrical vessels or branch-pipe tee connection, out-of-plane limit couples 4−23817
- nuclear fuels, oxide, applic. of deform. maps to in-reactor behaviour study 4−12454
- nuclear reactor structural design methods at high temp., ORNL program 4−40088
- Orowan loops, cross-slip at incoherent particles, theory 4−3498
- pencil glide, crystallographic aspects 4−3518
- peridotite, experimental deformation causing flow rel. to plate tectonic mechanisms 4−7512
- Permalloy plated wire, effect on mag. domains, Bitter pattern obs. 4−37443
- phenol-formaldehyde polymer, Griffith fracture, temp. depend. 4−33911
- phosphor bronze, heavily rolled, cell struct. obs. 4−10589
- photoemission electron microscope examination 4−3432
- pipe bends under in-plane bending, limit loads 4−23819
- plastic, strength-differential effect rel. to plasticity theory and vol. expansion 4−7159
- PMMA, breaking stress, creep strain, temp. depend. 4−13914
- pneumatic shells, rotationally-symmetric, unsteady creep in generalized Kelvin model 4−2496
- polyacrylonitrile fibre, struct. and porosity changes *(Polish)* 4−21461
- polycarbonate, tube, torsional deformation, shear bands 4−33915
- polycarbonate, yield locus, plane stress section 4−13908
- polycrystal, anisotropic, constraint at grain boundary *(French)* 4−6411
- polyester-polyether block copolymer, tensile strain effect on crystallisation and orientation 4−16435
- polyester-styrene copolymer, uniaxial and photomech. behaviour at large strains 4−41855
- polyethylene, breaking stress, creep strain, temp. depend. 4−13914
- polyethylene, failure under nonrepeated loading, kinetics 4−13942
- polyethylene, tension tests with discontinuous strain rates *(French)* 4−38051
- polyformaldehyde, crystallized in film and in bulk, microstruct. changes 4−29222
- polyisobutylene soln., presteady-state stage of deform., normal, tangential stresses and reversible deform. 4−17439
- polymer, crystalline, morphology and mechanical props. *(German)* 4−4220
- polymer, ductile, strain-rate-dependent behaviour 4−29217
- polymer, failure under nonrepeated loading, kinetics 4−13942
- polymer, oriented, anisotropic yield criterion 4−1673
- polymer, press. depend. yield criteria 4−13909
- polymer, wear by roll-form 4−10708
- polymer gel, optical-polarization and rheological behaviour, variations 4−17457
- polymers, change in transverse heterogeneity during elongation *(Russian)* 4−36826
- polymers, glassy, theory of yielding by production of local molecular kinks 4−7365
- polypropylene, oriented, deform. mode at low temps. 4−33907
- polypropylene isotactic fibres, deformation properties, texture 4−13911
- polystyrene, atactic, strain props. and limiting mech. props., effect of secondary relax. processes *(Russian)* 4−17451
- polystyrene, breaking stress, creep strain temp. depend. 4−13914
- polystyrene, failure under nonrepeated loading, kinetics 4−13942
- polyvinyl alcohol, breaking stress, creep strain, temp. depend. 4−13914
- porous metals, plasticity theory 4−33757
- PTFE, 78-298K, environmental crazing effects 4−21450
- PVC, rigid, viscoelastic/plastic deform., time depend. constitutive eqn. 4−17454
- PVC beams, prediction of bending from deformational characteristics 4−10699
- quartz rocks, deformed, dislocation substructures 4−16492
- radially stressed annular plate, comparison of flow and deform. theories 4−30795
- ratchetting, affected by loading sequence variations, rel. to LMFBR design 4−23812
- reactor fuel pins, strains due to thermal stresses, computer program calc. 4−9355
- rigid perfectly plastic plates, uniform load, geometry 4−23140
- rod, in initial plastic stress state, superimposition of stress wave, velocity calc. 4−8641
- rubber, dynamic testing for determ. deformation-mechanical behaviour *(German)* 4−1694
- rubber, vulcanized, strength props. and capacity for thixotropic softening 4−17438
- sandwich plates, isotropic, integral transforms of differential eqns. for deflections 4−26776
- SEM techniques, and metalworking 4−25399
- semiconductor, calc. of scattering of free holes using Born approximation 4−10144
- shakedown of structures under cyclic loading, displacement bounding principle 4−8637
- shear crack near elastic interface, relax. theory 4−21315
- sheet metals, instability and fracture 4−37905
- shell, multilayer, cylindrical, in axial compression, optimal design *(Russian)* 4−35687

plastic deformation continued
- shell, thin, elastoplastic deform. considering small strains, theory *(German)* 4−18895
- shell intersection, dynamic plastic behaviour 4−33943
- shell of rotation, rigid plastic, synthesis of optimal surface using adaptive random search algorithm *(Russian)* 4−15176
- shells, cylindrical with oval cross-section stability for momentarily stressed conditions *(Russian)* 4−23146
- shells, sandwich, anal. of stability 4−35693
- specimen platform for fatigue expts. in scanning electron microscope *(German, English)* 4−7094
- sphere indentation on plastic body rel. to Brinell hardness test 4−33934
- steel, annealing texture control by deform. before completion of recrystn. *(Russian)* 4−33696
- steel, austenite, isothermal transform. kinetics, effect of plastic deform. 4−13608
- steel, austenite conversion process, deform. resist. changes *(Russian)* 4−33764
- steel, austenitic, dynamic recrystn. characts. 4−41622
- steel, austenitic, low temp. mech. props. in biaxial tension 4−41731
- steel, austenitic, recrystn. and precip. during hot working 4−41628
- steel, austenitic stainless, deformation martensite *(German)* 4−25290
- steel, austenitic stainless, influence of high hydrostatic pressure on flow stress 4−1604
- steel, biaxial extension, applicability of hardening hypothesis to regions of small deformation *(Russian)* 4−21329
- steel, cold rolled, cementite dislocation struct. *(Japanese)* 4−4090
- steel, construction, recrystallisation and precipitation induced by high temp. deformation *(French)* 4−7175
- steel, Cr-Ni, mech. strength, effect of martensite transform., deform., and unstable austenite 4−33785
- steel, creep resistance, alternating load influence, 450°C *(Russian)* 4−41669
- steel, cyclic plastic reaction, fatigue endurance curves *(Czech)* 4−7138
- steel, deformed at high rates, effect on grain size, carbide heterogeneity and bending strength, R18 4−13736
- steel, f.c.c. to hexagonal martensitic transformations, stress and deform. induced, anisotropic length changes *(German)* 4−13597
- steel, high Cr, Kh17, deformability texture depend. 4−1575
- steel, high-C, low temp. deform. of martensite struct. singularities *(Russian)* 4−17230
- steel, high-C, quenched, tempering, martensitic decomposition stages 4−1584
- steel, high-strength low-alloy, austenite range tensile deform. effect on transform. kinetics 4−37800
- steel, low-C, ferritic and pearlitic, hardening rel. to mode of deformation 4−13683
- steel, low-C, Nb-bearing, hot-rolled, effect of cold rolling and annealing on texture and plastic strain ratio 4−41609
- steel, low-C, resist. to small plastic deform., elastic range loading *(Russian)* 4−37875
- steel, low-C, under plastic deform., H embrittlement rel. to crevice crack formation *(German)* 4−13675
- steel, low-C, warm extrusion, microstructure, mech. props. rel. to working temp. *(Japanese)* 4−4134
- steel, low-carbon, $\alpha \rightleftharpoons \gamma$ transition after high-velocity loading with metallic plate *(Russian)* 4−4057
- steel, low-P high-Mn, thermomech. treatment influence on ductility *(Russian)* 4−7171
- steel, maraging, deform. during heat treatment 4−7179
- steel, maraging, structure development on cumulative thermal cycling *(French)* 4−41583
- steel, martensitic transform., plastic deform. effects, Mn type specimens *(Russian)* 4−21225
- steel, martensitic-ferritic, phase transform. during hot deform. 4−33665
- steel, mechanical properties, effect of plastic deform. in mag. field 4−21342
- steel, metal transfer mechanism in sliding friction 4−33820
- steel, mild, stress and deform. during axisymmetric necking 4−33956
- steel, Nb-Ti, recrystn. in austenite range 4−13633
- steel, phenomena accompanying plastic to brittle, fracture *(Italian)* 4−33811
- steel, plastic deform., void form. around microscopic particles 4−13643
- steel, spheroidised 0.5%C, hydrostatic press. influence on tensile deform., void development 4−37950
- steel, stainless, austenitic, sigma phase form., deform. and recrystn. effect 4−7219
- steel, stainless, Cr-Ni-Nb type, recrystn. processes 4−41616
- steel, stainless, intergranular crack propagation rel. to deformation rate 4−17302
- steel, stainless, laser induced modes, time depend. 4−19127
- steel, stainless, martenisitic transformation *(French)* 4−10567
- steel, stainless, Type 304L, hydrogen release during plastic deform. 4−17349
- steel, stainless and s45, cyclic dynamic loading, shear u.s. second harmonic variation *(Russian)* 4−4123
- steel, strain electricity mechanism 4−29098
- steel, strength-differential effect rel. to plasticity theory and vol. expansion 4−7159
- steel, struct. formation during dynamic hot-pressing *(Russian)* 4−21389
- steel, tool, resistance to plastic deform., elastic limit rel. to comp. and struct. 4−13725
- steel, transformer-grade, under uniaxial extension, hydrogen influence on mosaic block misorientation and subdivision *(Russian)* 4−10577
- steel, TRIP, high-strength, homogeneous deform. and strain rate effects 4−13800
- steel, unstable austenite, characts. 4−1468
- steel, yield stress, deformational anisotropy *(Russian)* 4−10615
- steel cladding, type 316 stainless, deformation mechanism maps appl. to performance prediction 4−27454
- steel strip, Al-killed, plane-strain deform. and recrystn. texture 4−7068

plastic deformation continued
- stochastic model of crystal plasticity 4−1083
- strain gauge, electromechanical, longitudinal deformation meas. 4−26476
- strain hardening, rel. to effect of stressed state 4−13750
- strain-rate dependence on internal stress distrib., dislocation motion model 4−40831
- strength of materials, analogies 4−21527
- stress relaxation, test device, for meas. in uniaxial tension 4−29277
- stress relaxation expts., dislocation struct. changes 4−21524
- stress relaxation expts., dislocation struct. changes 4−21525
- stress-strain equation for prestrained material under reverse loading 4−25350
- stress/load depend. under nonsteady creep conditions 4−7412
- stress/strain relations 4−35676
- styrene acrylonitrile polybutadiene composite, relax. time shift, excess enthalpy 4−21447
- superconductor, type II, influence on peak effect 4−37369
- surface martensite formation mechanism during grinding *(Russian)* 4−41531
- TCNQ complexes, surface morphology and slip behaviour *(German)* 4−6406
- tensile wave passage, one-dimensionality and isochoric deform., surface-angle meas. role 4−39158
- thermally activated glide, rate process theory approach 4−13798
- thermoplastic beams, prediction of bending from deformational characteristics 4−10699
- thermoplastic structures, viscoelastic/plastic deform., time depend constitutive eqn. 4−17454
- thermoplasticity, formulation of coupled problem 4−35694
- transition metal carbides, refractory mech. characteriz. w.r.. bond strength 4−7312
- variable cross section thin-walled beams subjected to loads exceeding proportionality limit calc. by stress-strain curves piecewise approx. 4−5349
- variational techniques applic. to deform. problems 4−29153
- viscoelastic incompressible solids, minimum principles for quasi-static deformation 4−11732
- viscoelastic nonlinear liquids, stress in shear sinusoidal motion, fading memory 4−12713
- viscoplastic short cylindrical shells, radial impulse, buckling 4−189
- warping of materials, unified definition of term *(Russian)* 4−18908
- wear, sliding of Cu against steel, strain distrib. model 4−29146
- yield point phenomenon, ideally viscoplastic analysis 4−1082
- Zircaloy-4, necking strain in dynamic strain ageing range 4−4154
- Ag, low temp., polycrysts. *(Russian)* 4−10612
- Ag film, (100), thickness effects 4−37130
- Ag-Ge eutectic, unidirectionally solidified, temp. depend. 4−37901
- AgBr, press. effect on photographic sensitivity 4−2322
- Ag_3Mg, plastic deformation mode 4−4103
- Al, extension in vacuum, kinetics of intensity of exoelectronic emission 4−4027
- Al, internal friction, recovery after mech. deform. *(Rumanian)* 4−37955
- Al, laser induced modes, time depend. 4−19127
- Al, photoemission from slip lines, contrast mechanism 4−21159
- Al, photostimulated exoelectron emission microscopy 4−21261
- Al, polycryst., flow stress, effect of sub-struct. 4−33756
- Al, shear deformation, final texture *(German)* 4−7097
- Al, structural changes during static and dynamic deform. *(Russian)* 4−37870
- Al, thermal cycling, hydrogen influence on volume increase *(Russian)* 4−41668
- Al, V-notches under tension, plastic constraint 4−13752
- Al, wire, elec. resist. meas., current effect 4−33814
- Al, yield locus and stress/strain behaviour, deform. history influence 4−13700
- Al alloy, hydrogen release during plastic deform. 4−17349
- Al alloy 7075-T6, acoustic emission depend. on strain rate 4−41917
- Al alloy sheet, plastically prestrained, exptl. study of memory effect *(Polish)* 4−17310
- Al coupons, notched, residual-stress-relax. behaviour 4−38104
- Al extruded rods with nonmetallic inorganic additives, deform. behaviour *(German)* 4−1644
- Al substrate with Cr coating, relax. of macrostresses *(Russian)* 4−17234
- Al-Cd(Cu)(Sn) alloys, micro- and macro-deform. effects *(Russian)* 4−7170
- Al-$Cu_2Mg_2Al_2$ unidirectionally solidified quasi-binary eutectic composite, room and elevated temp. tensile props. 4−41774
- Al-Cu-Mg alloys, cyclic deformation, Bauschinger effect, dislocation substructure 4−41767
- Al-Cu(3.4 wt.%) alloy, precip. hardening and plastic deform., electron microscopy investig. *(Korean)* 4−17241
- Al-Hf dil. alloys, influence on quadrupole interaction *(Russian)* 4−37524
- Al-Li single cryst. containing Al_3Li particles, ordered particle effects 4−29137
- Al-Mg(0.13 wt.%) alloy, dislocation loops on cube planes 4−1492
- Al-Mg(5 wt.%) alloy, plastic deform. behaviour in Portevin-Le Chatelier effect region *(French)* 4−41725
- Al-Zn alloys, effects of cyclic recovery *(Russian)* 4−1514
- Al-Zn-Mg alloy, precipitate-free zone width influence on tensile props. 4−37936
- Al_2O_3, sapphire, non-basal slip, bending, temp. depend. 4−3517
- Al_2O_3 sapphire, effects of temperature on fracture, electron microscope examination 4−6457
- Au, dislocation recovery after very small plastic deformation *(French)* 4−7081
- Au-Ag volumetric interaction, diffusion under combination by pressure with preheat *(Russian)* 4−4129
- Au-Cd(47.5 at.%), oriented single crysts., prior plastic deform. effects on martensitic transform. 4−29049
- Au-Cd(47.5 at.%) oriented single crysts., prior plastic deform. effects on martensitic transform. 4−4062
- Au-Hf dil. alloys, influence on quadrupole interaction *(Russian)* 4−37524
- Au-Ti, precipitation hardening 4−4113

plastic deformation continued
- $BaO.6Fe_2O_3$, compressive deform., texture and grain morphology rel. to mag. props. 4−38020
- Be, resist. anisotropy after programmed loading, single crysts. *(Russian)* 4−10609
- Bi single crystal, plastic deform. and dislocation etch-pit distrib. due to $\{001\}\langle 110\rangle$ glide system *(Japanese)* 4−17240
- α-brass, cyclic plastic reaction, fatigue endurance curves *(Czech)* 4−7138
- C fibre, glassy, tensile flow stress meas. 4−17427
- $CaCO_3$, Iceland spar, Rose channel form., microscopic obs. 4−12954
- CaO crystal, deformed, luminescence effect, opt. absorpt. and emission spectra 4−13498
- CdMg alloy, anisotropic elasticity applic. to plastic deform. *(Czech)* 4−41571
- CdS, single crystal plastically deformed, elec. cond. anisotropy and temp. depend. 4−28468
- Co-Fe(9.5 wt.%) alloy, deform. twin form. mechanism 4−17269
- Cr-Ni alloy, heat resistant recrystallized, microstructure, Kh20N80 4−13651
- Cu, as-deformed state, sensitivity of positrons to defects 4−28125
- Cu, climb behaviour of dislocations 4−7100
- Cu, cyclic plastic reaction, fatigue endurance curves *(Czech)* 4−7138
- Cu, diffusion of hydrogen, deform. and stress effects *(Russian)* 4−10617
- Cu, fatigued at low const. plastic strain amplitude, dislocation microstruct., etching obs. 4−1527
- Cu, helical dislocation source in single crysts. with [100] axis orientation 4−21284
- Cu, porous, pulse heating, dynamic response, interferometric meas. 4−29097
- Cu, pure crystal, resist. due to point defects and dislocations 4−12948
- Cu, spherical particles, sintering kinetics rel. to pressing 4−21372
- Cu, thermally activated, activation volume determ. 4−29125
- Cu, wire, elec. resist. meas., current effect 4−33814
- Cu, wire, study of fatigue by resistometric method *(Czech)* 4−13688
- Cu, yield locus and stress/strain behaviour, deform. history influence 4−13700
- Cu bicrystal, rolling, grain interactions *(Japanese)* 4−4091
- Cu bicrystal, rolling deform., finite deform. analysis *(Japanese)* 4−25363
- Cu extruded rods with nonmetallic inorganic additives, deform. behaviour *(German)* 4−1644
- Cu single crystal, cyclic stresses, dislocations, hardening, electron microscopy 4−1609
- Cu single crystals, deformed, cell struct., electron microscope obs. 4−17237
- Cu single crystals, irrad. hardening and activation vol., electron dose depend. 4−16515
- Cu single crysts., tensile deformed at 20°C, stored energy meas. 4−1549
- Cu/W composite, grain boundary cavitation and sliding due to thermal stresses 4−4207
- Cu-Al γ-2 intermetallic, compressive deform. at high hydrostatic press. 4−33832
- Cu-Al-Ni alloys, influence on martensitic transform. *(Russian)* 4−33661
- Cu-Be, plastic workability rel. to strain hardening 4−17330
- Cu-Be (2.5%. wt), hardened, influence of electron irradiation on mechanical properties *(Russian)* 4−4124
- Cu-Be alloys, effects on age hardening *(Japanese)* 4−41694
- Cu-SiO_2 single crystal, void formation rel. to deform. and SiO_2 particle size *(Japanese)* 4−13638
- Cu-Zn martensitic single crysts., memory effect 4−21339
- α-Fe, AlN precipitate distrib. and morphology, prior tensile deform. effect 4−33717
- Fe, austenitic, tensile failure at intermediate strain rates 4−29176
- Fe, cast, cyclic fatigue loading, stress conc. sensitivity 4−1597
- Fe, cast, nodular graphite, plastic and fracture behaviour *(Korean)* 4−37906
- Fe, commercial, temp. effects *(Russian)* 4−7173
- Fe, diffusion of hydrogen, deform. and stress effects *(Russian)* 4−10617
- Fe, effect on diffusion of Cu *(Russian)* 4−40910
- Fe, effect on saturation with C 4−29105
- α-Fe, high temp. deform., recovery and recrystn. 4−7161
- Fe, hydrogen release during plastic deform. 4−17349
- Fe, origin of recryst. texture 4−7101
- Fe, polycryst., local ductile deform. in microcrack peak during chip damage 4−4111
- α-Fe, stress relaxation and mech. eqn. of state in monotonic loading 4−33750
- Fe, struct. formation during dynamic hot pressing *(Russian)* 4−21389
- Fe, white cast, effect of hot deform. on struct. 4−33797
- Fe alloy, conjugate cryst. singularities *(Russian)* 4−10571
- Fe alloy, relax. resist. at high temp. 4−13710
- Fe single crystal, ductile fracture and lattice rotation in necked region *(Japanese)* 4−13684
- Fe single crystal, strained by pulling at room temp., mech. props. and strengthening rate *(French)* 4−37941
- Fe-Al dilute alloy, effect on positron annihilation 4−37184
- Fe-Al-Si alloy, hot forged, bending, brittlenesss, mag. hysteresis, permeability *(Japanese)* 4−4136
- Fe-C, Luders band propag. at low vels. 4−1557
- Fe-C(0.25 wt.% and 0.57 wt.%) alloy, compression deformed and annealed, recrystn. of ferrite and spherodization of cementite *(French)* 4−37849
- Fe-Co, effect of atomic order on slip, twinning and crack formation at 4.2K 4−1553
- α-Fe-Mn(1 wt.%) alloy, polycryst., during combined tensile-torsion deformation 4−4150
- Fe-Si (3%), plastically deformed, dislocation influence on mag. domains 4−33205
- Fe-Si dilute alloy, effect on positron annihilation 4−37184
- Fe-Si single crysts., strengthening zone induced by laser beam, struct. obs. *(Russian)* 4−33702

plastic deformation continued
Fe-V alloys, yielding, slip character and ductility 4−21326
$Fe(CO)_5$ powder, X-ray tensiometry of stresses in stampings *(Czech)* 4−7299
$FeCl_2$, uniaxial tension, antiferromag.-paramag. threshold field, deformations, 4.2K *(French)* 4−24947
FeCr(40 wt.%) alloy single crysts., strain hardening characts. and crit. shear stress *(Russian)* 4−29094
FeSi, X-ray topography, stratified substructure, Luders band model 4−13657
GaAs:Si single crysts., stress/strain behaviour, dislocation mechanisms 4−6430
GaP(As), localized plastic deform. from thermocompression bonding 4−6984
Gd, mag. hysteresis meas., isochronal annealing effect 4−28646
Ge, dynamical state of dislocations during deform. 4−20358
Ge, dynamical state of dislocations during deform., model 4−20359
Ge, hot-pressed, strain field, neutron diffr. topographic obs. 4−16401
Ge, p-type, anal. of dislocation effects by photoelectric and galvanomagnetic meas. 4−13206
Ge diode, anisotropic stress, current instability 4−16817
Hf, single cryst., deform. behaviour, 77-473K 4−37927
HoB_2, synthesis and microhardness *(French)* 4−33851
In, supercond. transition temp., lattice distortion effects *(Russian)* 4−28532
In single crysts., deform. modes 4−33744
LiF, edge and screw dislocation behaviour under alternating stress 4−1084
LiF (TLD-100), effect on thermolum. 4−1421
LiF crystal, dislocation struct. at crack, stress distrib. and plastic deform. *(Russian)* 4−28142
LiF single cryst., plastic deform. at high temp., dislocation patterns 4−32604
Mg, dislocation climb as deform. mechanism, diffusional creep expt. *(French)* 4−17317
Mg, slip mode in c-axis compression 4−1501
Mg extruded compacts, preferred orientation 4−31542
Mg-Li alloys, cyclic stress/strain and fatigue behaviour 4−41685
Mg-Li alloys, tensile microplasticity and fatigue 4−41684
MgO, polycryst., mech. behaviour in compression, 1200-1400°C 4−38026
MgO crystals, indentation and scratch hardness 4−12980
MgO single crysts., dislocation dynamics and thermally-activated deform. 4−16499
MgO single crysts., thermally activated flow parameters in compressive deform. 4−3514
Mo, ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
Mo, fracture and plastic deform. under creep conditions 4−21341
Mo, microtensile behaviour of single crysts., orientation depend. *(German)* 4−41757
Mo alloy, refractory, deform. and failure during programmed temp. change 4−13853
Mo and Mo-Re single crysts., 100-425K, 10^{-4}-10^{+2} sec^{-1} strain rates 4−1574
Mo single crystals, extension along ⟨110⟩ and ⟨100⟩ axes, 77-573K, dislocation struct. obs. 4−29067
Mo single-crystal layer under contact friction forces applied through plastic metal, laws *(Russian)* 4−4126
NaCl, crack form. obs., decoration method 4−12987
NaCl, locally deformed crystal, grain boundary migration investigation 4−16547
NaCl, mech. stability of small angle growth boundaries, X-ray topography 4−16502
NaCl, photoplasticity, colour centre form. *(Russian)* 4−13476
NaCl, single cryst., plastic deform. at high temp., dislocation patterns 4−32604
NaCl, single- and polycrystalline, activation anal. of steady state deformation 4−3515
NaCl, vacancy conc. form., X-ray irrad., optical absorpt. meas. 4−16490
NaCl polycrystals, hydrostatic pressure influence on mechanical props. 4−3516
Nb, critical current, flux line lattice history effect 4−13268
Nb, slip on {110} in ⟨001⟩ single crystals deformed in compression at 77K 4−37945
Nb, stress relaxation and mech. eqn. of state in monotonic loading 4−33750
Nb, superconducting and normal states, tensile tests 4−1554
Nb alloy, refractory, deform. and failure during programmed temp. change 4−13853
Nb-H and Nb-N-H systems, hydride precip. 4−25343
Nb-Hf dil. alloys, influence on quadrupole interaction *(Russian)* 4−37524
Nb-Mo (1.2-7.6 at.% Mo), superconducting and normal states, tensile tests 4−1554
Nb-Mo-N(O) solid solns., alloy softening 77-500K 4−33826
Nb-W, single cryst., thermally activated, hardening mechanism 4−29100
Nb_3Al-Nb_3Ge alloys, effect on supercond. transition temp. 4−33073
$NbFe_2$, dislocations decoration, electron microscope investigations *(German)* 4−33774
$NbFe_2$ electron microscope exam. of plastic deformation *(German)* 4−4137
Ni, anomalous increase in microdeformation and microhardness during rolling in region of large reductions *(Russian)* 4−4128
Ni, diffusion of hydrogen, deform. and stress effects *(Russian)* 4−10617
Ni, dynamic recrystn., grain size effects 4−41621
Ni, u.s. attenuation meas. as function of magnetisation 4−24980
Ni, wire, elec. resist. meas., current effect 4−33814
Ni alloy, relax. resist. at high temp. 4−13710
Ni alloys, heat resistant, surface hardening effectiveness, effect of temp. 4−41742
Ni-Al alloys, ageing, second phase precipitate spatial distrib. effect *(Russian)* 4−10608
Ni-Al alloys with dispersed intermetallic phases, effects on supercond. T_c *(Russian)* 4−6684

plastic deformation continued
Ni-Co (20% wt.), anomalous increase in microdeformation and microhardness during rolling in region of large reductions *(Russian)* 4−4128
Ni-Co alloys, plastic deformation, effect of stacking fault energy 4−1559
Ni-Cr alloy, heat resistant, relax. resistance, conditioning effects 4−7186
Ni-Ti alloy, memory effect rel. to shape and martensitic transform. 4−13709
Ni-W eutectic composites, cyclic loading behaviour, microstruct. influence 4−13887
NiAl, struct. and mech. props. in polycryst. and single cryst. states 4−7208
NiAl crystals, 300-1050 K, kinking, uniform deformation, compression along ⟨001⟩ 4−4147
NiAl crystals, 300-1050 K, kinking, uniform deform. mechanisms 4−4148
Ni_3Nb phase, deform. twins 4−37928
Pb, mech. eqn. of state and grain boundary sliding 4−13794
Pb-In, supercond. transition effect on deforming stress, meas. *(Russian)* 4−13244
PbTe based thermoelectric materials, impurity depend. *(Russian)* 4−20356
$Pd_{0.775}Cu_{0.06}Si_{0.165}$ glasses, compressive deform., 77-520 K 4−13695
Si, dislocation effect on i.r. absorpt., dipole moment form. 4−13481
Si, heavily doped single crysts., Luders band propag. 4−32602
Sn-Bi(In) alloys, superconducting, alloy, effect of compressional plastic deformation on T_c 4−3792
Ta alloy, refractory, deform. and failure during programmed temp. change 4−13853
Te, laser magnetospectrosopy, electronic dislocation bands, cyclotron resonance 4−13149
Ti, cyclic dynamic loading, shear u.s. second harmonic variation *(Russian)* 4−4123
Ti, fracture and deform. behaviour of 4.2 K, A-70 specimens 4−29154
Ti, kinetics evaluation using stress relax. 4−25358
α-Ti, stress relax. tests of low temp. deform. kinetics 4−13795
Ti, stress/strain curves empirical analysis 4−13701
Ti alloys, exptl. anal. of fracture *(Russian)* 4−37888
Ti-Al alloy single crysts., deform. modes 4−17334
Ti-Al alloys, Al conc. and precip. effects on plastic behaviour 4−13692
Ti-Al(6 wt.%) alloy, ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
Ti-Mo-Zr-Sn, deformation struct. 4−10590
Ti-N alloys, stress relax. tests at 300 and 400 K 4−29139
Ti-Nb alloy, superconducting, props. and struct. 4−13246
Ti-O interstitial solid, soln., thermally activated deform. below $0.4T_m$ 4−41770
β-Ti-V alloys, deform. modes and textures, X-ray exam. 4−41580
TiNi, mech. memory effect, orthopaedic bone plate applics. 4−30218
TmB_2, synthesis and microhardness *(French)* 4−33851
UO_2, high temp. deform., lattice and grain boundary dislocations 4−25413
UO_2, polycryst., compressive deform. 4−15966
UO_2, stress relax. and grain boundary sliding 4−17398
V-Ga alloys with dispersed intermetallic phases, effects on supercond. T_c *(Russian)* 4−6684
Zn, ductile-brittle transition of high purity polycrysts. 4−37954
Zn, stability of deform. hardening of twin boundaries, pyramidal dislocation density effects *(Russian)* 4−37887
Zn alloy, antifriction props. 4−29112
Zn-Al superplastic eutectoid, stress/strain rate behaviour 4−21318
$ZnSiP_2$, TEM investigation of twinning, stacking faults and dislocations *(German)* 4−20313
$ZnSiP_2$ single crystals, TEM investigations of lattice defects *(German)* 4−36905
Zr, polycryst., flow stress thermal and athermal components 4−7141
α-Zr, yield behaviour, 375-625°C 4−13796
Zr-O alloy, strain ageing effects in fatigue deformation, 20-700°C 4−13743

plastic flow
see also ductility; rheology
activation analysis, pre-exponential term in rate eqn. 4−13799
activation energy and viscosity of superplastic flow, rheological eqns. 4−37947
activation parameters for stress and temperature dependent obstacle spacings 4−12981
alkali halide crystals, liquid He medium effect *(Russian)* 4−12974
alloy, instability of plastic flow, 4.2K 4−20361
alloy, serrated flow, exptl. data analysis 4−17366
alloy softening in b.c.c. metals *(German)* 4−21350
brass, biaxially stretched sheets, strain hardening and instability 4−13703
brass, flow stress/grain size relation, strain depend. 4−7055
α- brass, Portevin-Le Chatelier effect, internal friction during repeated discontinuous yielding 4−25366
brass, serrated flow, Sn alloying effect 4−17367
circular plates, limit loads under combined loading 4−30797
composite, symmetric laminates, post-yielding behaviour, inelastic macromechanics 4−1631
continuous and discontinuous yielding differentiation method 4−29136
cubic crystal, flow substruct., hydrodynamic analogies *(French)* 4−12978
differential eqn. soln. using homogeneous difference scheme *(Russian)* 4−18898
dislocation distrib. for work hardening and density of mobile and immobile dislocation 4−1499
dislocation dynamic bowing, computer modelling 4−13668
dislocation glide, thermally activated, statistics 4−13670
dislocation motion through random array of obstacles, computer simulation models 4−13667
ductile solids, unified plastic yield criterion 4−18892
flat bar, orthogonally anisotropic, uniaxial stress tests, slip plane 4−1545

plastic flow continued
  fluoropolymer latex film, struct. during deformation 4−41854
  granular bed under gravity flow, stress analysis 4−13956
  half-space of combined kinematic and isotropic hardening medium, plane simple waves 4−30824
  ice, polycryst., under low stresses *(French)* 4−20355
  Il'yushin isotropy postulate 4−11734
  isotropy postulate and slip principle deviations *(Russian)* 4−39553
  metal, annealed, metarecovery mechanism and temp. depend. plastic flow 4−13702
  metal, f.c.c., randomly oriented, yield locus according to Bishop-Hill theory 4−37929
  metal, instability of plastic flow, 4.2K 4−20361
  metal, neutron irradiation effects during plastic flow, phenomenological theory 4−25351
  metal, neutron irradiation effects during plastic flow, thermomechanical coupling 4−25352
  in metal cutting, stress and strain distribution 4−13676
  metallic friction phenomena investigation, high normal pressure 4−21349
  metallic glasses under compression 4−1593
  metallic plates under pure bending containing through crack, yield zones 4−37890
  metallic polycrystals, under uniaxial tension, transient viscoplstic phenomena *(French)* 4−37866
  metalworking at elevated temps., microstruct. changes 4−29078
  microplastic deformation, influence on macroplastic flow, near solid body surface, review *(Russian)* 4−21307
  Mises flow condition, new formulation *(German)* 4−39557
  oceanic ridges, plastic flow pattern and surface geometry 4−21718
  perfect nonviscous materials, theoretical models *(French)* 4−18900
  peridotite, experimentally deformed, 780 to 950°C, 3 Kb, creep micromechanisms 4−21810
  plastic, strain rate and temp. rise during deform. effect on stress-strain curve 4−29267
  polymer, amorphous glassy, yield and flow, mol. model, dislocation analogue 4−21460
  polymeric plates under pure bending containing through crack, yield zones 4−37890
  prestressing, effect on beginning of plastic flow 4−12982
  radially stressed annular plate, comparison of flow and deform. theories 4−30795
  recrystallisation in hot working and creep 4−41620
  rupture mechanisms, crack form. *(Russian)* 4−12983
  serrated yielding, strain depend. of vacancy creation and dislocation density 4−17323
  spreading plate boundaries, energy dissipation and geometric structure 4−29404
  steel, austenitic stainless Cr-Mn-N type, grain size effect on tensile props., 25-1000°C 4−17346
  steel, biaxially stretched sheets, strain hardening and instability 4−13703
  steel, ferritic stainless, ridging mechanism 4−17244
  steel, flow stress rate sensitivity 4−13797
  steel, high-strength, torsional flow and fracture characts. 4−10729
  steel, high-strength AISI 4340, plastic instability in pure shear 4−7147
  steel, low-C, ageing time for serrated yielding 4−1595
  steel, low-C, pressurized, grain size effect on onset of serrated yielding 4−17369
  steel, lower yield strength during discontinuous yielding, grain size and cross-head vel. effect 4−41710
  steel, maraging, 18Ni type, strength differential phenomenon 4−29171
  steel, maraging, substitutional, low temp. ageing rel. to serrated flow *(Japanese)* 4−41697
  steel, mild, stress and deform. during axisymmetric necking 4−33956
  steel, pearlitic and spheroidized, continuum mechanics approach to yield strength and microstruct. 4−33737
  steel, residual stress relaxation by thermal stress relief 4−33839
  steel, Si type, strain rate change tests, activation area struct. depend. 4−13777
  steel, stainless, Type 304, elevated temp. flow at high strain rates, math. description 4−17483
  steel, stainless, Type 316, deformed in slow tension, substruct. obs. 4−1506
  steel, strength and ductility, temp. and strain rate effect 4−21353
  steel, TRIP, strain rate effect on tension and compression stress/strain behaviour 4−21324
  steel cladding, type 316 stainless, deformation mechanism maps appl. to performance prediction 4−27454
  stress relaxation tests, machine stiffness effect 4−13971
  thin-walled work-hardening tube, plastic wave propagation, stress paths 4−18899
  transition metal, b.c.c., anisotropy of cleavage 4−1086
  two-layer sandwich structures, shell theory 4−30794
  uniaxial testing, misalignment effects on pre-macroyield region of stress/strain curves 4−17497
  upper mantle, rheology, review 4−1777
  work hardening materials, fatigue crack growth calc. 4−37889
  work hardening materials with limit surface 4−33817
  yield locus, model obs. of corners 4−11754
  yield point phenomenon, ideally viscoplastic analysis 4−1082
  Zircaloy-2, yield and flow, effect of temp. and strain-rate, 77 to 660 K 4−7217
  AgCl, anisotropy, temp., orientation depends, stress/strain meas. *(Russian)* 4−12976
  Al, cavitation induced deformation 4−29175
  Al, cyclic hardening kinetics of single crysts. 4−13784
  Al, erosion by high-speed drop impact, material removal mechanism 4−37916
  Al, polycryst., flow stress, effect of sub-struct. 4−33756
  Al, polycrystal., grain size and deform. substruct. effects 4−4075
  Al alloy 601, serrated flow obs. using photoelastic coatings 4−7148
  Al alloy extrusions visioplasticity anal. of flow patterns 4−25354
  Al alloys, dynamic strain ageing, flow stress athermal component 4−13690
  Al alloys, hot extrusion, dislocation kinetics role 4−29187

plastic flow continued
  Al alloys, Portevin-Le Chatelier effect, internal friction during repeated discontinuous yielding 4−25366
  Al alloys, yielding loads and minimum weights for panels under compression *(Italian)* 4−33931
  Al-Li single cryst. containing Al$_3$Li particles, ordered particle effects 4−29137
  Al-Mg (5 wt.%) alloy, tensile plastic behaviour and strain ageing effect, Ree-Eyring eqn. 4−37963
  Al-Mg alloy, pressurization effect on yielding 4−17368
  Al-Mg alloys, discontinuous flow in steady-state creep at high temps. 4−1605
  Al$_2$O$_3$, cutting tools, dislocation controlled crater wear, TEM obs. 4−29192
  Al$_2$O$_3$, sapphire filaments, strain rate depend. of room temp. fracture strength 4−4191
  Al$_2$O$_3$-Al(Cu)(Ta), kinetics and mechanism of cohesion *(German)* 4−7282
  Au, hot working props. in plane strain compression 4−25389
  Au-Cu alloys, onset of serrated yielding 4−33746
  Cr containing rare earth metals, annealing influence on struct. and plastic props. *(Russian)* 4−41563
  CsI, flow stress temp. depend. 1.6-300 K 4−36933
  Cu, cyclic hardening kinetics of single crysts. 4−13784
  Cu, flow stress components of single crysts. 4−29104
  Cu, polycryst., intermediate annealing effect on strengthening *(Russian)* 4−4121
  Cu, prior dynamic deform. influence on tensile props. *(German)* 4−33822
  α-Cu alloys, yield pt., temp. and strain rate depend. *(German)* 4−25376
  Cu bicrystal, pore form. in grain boundaries during intergranular flow, oxide form. effects *(French)* 4−25319
  Cu-Al γ-2 intermetallic, compressive deform. at high hydrostatic press. 4−33832
  Cu-Be (2.5%. wt), hardened, influence of electron irradiation on mechanical properties *(Russian)* 4−4124
  Cu-Be alloy, finite strain and 0.01% offset yield strength 4−10727
  Cu-Be alloy, onset of serrated flow 4−4152
  α-Cu-Sn alloys, prior dynamic deform. influence on tensile props. *(German)* 4−33822
  Cu-Zn alloys, serrated flow, exptl. data analysis 4−17366
  CuAl(Ga)(Ge) alloys, homogeneous, deform. temp. and strain rate influence on flow stress *(German)* 4−25374
  CuAs(In) alloys, homogeneous, deform. temp. and strain rate influence on flow stress *(German)* 4−25375
  Fe, Armco, strain rate change tests, activation area struct. depend. 4−13777
  Fe, cast, nodular graphite, plastic and fracture behaviour *(Korean)* 4−37906
  α-Fe, dynamical strain aging, effects of strain rate and nitrogen content in jerky-flow region 4−1551
  Fe, Ferrovac-E, flow stress at cryogenic temps. 4−1592
  Fe, lower yield strength during discontinuous yielding, grain size and cross-head vel. effect 4−41710
  Fe, yielding and intergranular cracking, grain boundary solutes and struct. effects 4−37847
  Fe-Co, effect of atomic order on slip, twinning and crack formation at 4.2K 4−1553
  Fe-V-C alloys, ferrite strengthening by vanadium carbide precip. 4−41720
  FeCo, slip deform. depend. on strain, temp. and atomic ordering 4−17337
  LiF single cryst., plastic deform. at high temp., dislocation patterns 4−32604
  Mg$_3$Cd, ordered and disordered, microplasticity obs. 4−33771
  MgO single crysts., dynamic strain ageing characts. 4−17409
  MgO single crysts., thermally activated flow parameters in compressive deform. 4−3514
  MgO single crysts., yielding and work hardening rates, temp. depend. 4−33863
  Mo, creep during hot pressing *(Russian)* 4−21415
  Mo, critical resolved shear stress, Schmid's law deviation 4−21325
  Mo, increase in plasticity following hydrostatic extrusion *(Russian)* 4−4127
  Mo$_2$C, creep during hot pressing *(Russian)* 4−21415
  MoSi$_2$, creep during hot pressing *(Russian)* 4−21415
  NaCl, single cryst., plastic deform. at high temp., dislocation patterns 4−32604
  Nb, superconducting and normal states, tensile tests 4−1554
  Nb-Mo (1.2-7.6 at.% Mo), superconducting and normal states, tensile tests 4−1554
  Ni, microstrain tests, grain size depend. of flow stress 4−7164
  Ni, single cryst., Bloch-wall motion effect on flow stress 4−37450
  Ni$_3$Al, Ni-rich, high temp. flow stress 4−17336
  Ni$_3$Ga single crysts., yield stress, temp. and orientation depend. 4−4115
  Ta-N alloys, yield stress and slip asymmetry 4−17333
  Ti, interstitial content and grain size effect, 4.2 to 650K 4−1558
  α-Ti, stress relax. tests of low temp. deform. kinetics 4−13795
  Ti, thermally activated deform. at low temp. 4−7212
  Ti alloy 6-6-2, high strain rate tests using unique rate testing machine 4−29272
  Ti alloys, hot extrusion, dislocation kinetics role 4−29187
  Ti alloys, strength differential effect 4−21338
  Ti billet, microstruct. developed under hydrostatic press. at room temp. 4−37843
  Ti-C alloys, thermally activated deform. below 0.4T$_m$ 4−41772
  Ti-N alloys, stress relax. tests at 300 and 400 K 4−29139
  Ti-O interstitial solid, soln., thermally activated deform. below 0.4T$_m$ 4−41770
  TiB$_2$, creep during hot pressing *(Russian)* 4−21415
  TiC, creep during hot pressing *(Russian)* 4−21415
  TiN, creep during hot pressing *(Russian)* 4−21415
  V, flow stress components of single crysts. 4−29104
  W wire, cold-drawn, strain rate sensitivity of flow stress 4−41765
  Zn, millimicroplastic burst phenomena in monocrystals 4−1556
  Zn, single crysts., activation vol., mech. and struct. examinations *(Polish)* 4−41636

plastic flow continued
Zn-Al (22 wt.%) alloy, transcryst. slip during superplastic deform., struct. influence *(Russian)* 4–21303
Zn-Al(40 and 50 wt.%) alloys, extruded, superplasticity correl. with microstruct. 4–41722
Zr, polycryst., deform. behaviour, flow stress thermal and athermal components 4–7141

plastic strain *see plastic deformation*

plastic theory *see plasticity*

plasticity
see also elastoplasticity; photoplasticity; superplasticity
alloy shells, cylindrical, heated, investigation of stressed state *(Russian)* 4–13963
anisotropic circular plate, load carrying capacity calc. *(German)* 4–8639
boundary layer, conducting viscoplastic, in transverse mag. field, soln. of eqns. *(Russian)* 4–20034
boundary layer viscoplastic flow, transverse magnetic field *(Russian)* 4–20038
columns thin-walled closed cross-section, optimum design in elastic and inelastic ranges 4–18865
crack extension, plastic energy dissipation 4–6434
cracked solid, stress intensity factors and plasticity correction factors 4–6440
cracking solid, plastic stress fields rel. to threshold stress intensity concept 4–7124
disclinations, straight, theory 4–36903
equilibrium limits determ. for materials with differing yield points in compression and extension *(Russian)* 4–15175
finite plasticity, acoustic tensor calc. *(French)* 4–11749
internal variable model of rate-independent plastic behaviour 4–23143
isotropic media, theory of invariant stress space 4–13929
Mises flow condition, new formulation *(German)* 4–39557
nonlinear continuum mechanics, geometry, kinematics and dynamics of dislocations 4–190
nonlinear laws development *(French)* 4–18859
optimal plastic design for alternative loads, superposition principle 4–2499
plastic strain problem, theory of disclinations 4–1060
plate, circular, comparison of optimal and stiffened plates for load carrying capacity 4–11748
polyethylene, rheo-optical obs. of α-mechanical loss mechanism 4–33910
porous metals, plasticity theory 4–33757
rheological aspects, improvement of equations 4–23147
shells of variable thickness, stability under arbitrary external load *(Russian)* 4–35690
slip concept, complete Bauschinger effect *(Russian)* 4–35689
structural systems with minimum critical sets having joint elements in pairs, ultimate bearing capacity 4–15166
surfaces, rough, in plastic contact, random process model 4–32795
twistless grids theorem for plastic design under continuous transverse loading 4–2498
viscoplastic fluid, EHD flow along flat channel with moving wall *(Russian)* 4–40556
viscoplastic medium, nonlinear, in circ. pipe, convective heat transfer 4–40408
viscoplastic medium, nonlinear, laminar axial flow in annular channel 4–32102
viscoplastic short cylindrical shells, radial impulse, buckling 4–189
viscoplasticity, derivatives of constitutive eqns. 4–15168
CsI, 1.6-300 K, flow stress, work hardening meas. 4–36933
Cu-Al-Co, dispersion hardening mechanism determ. *(Russian)* 4–41681
Ti-refractory elements, mech. props., struct., and phase composition 4–33794

plastics
see also plastics industry
acrylic composites, heat treatment 4–25426
acrylonitrile-butadiene-styrene, emulsion polymer, creep mechanisms 4–17440
Bakelite, temp. dependence of shear modulus and loss tangent 4–21479
cellulose acetate butyrate, strain rate and temp. rise during deform. effect on stress-strain curve 4–29267
cellulose acetate track detectors, complex alpha-ray pattern, etching props. calc. 4–30559
cellulose nitrate, photoemulsion for nuclear observations, interaction with relativistic protons and π-mesons *(Russian)* 4–35429
cellulose nitrate detector, Rn dosimetry, distinguishing of alpha particles from Ra-C and Ra-A *(French)* 4–31619
cellulose nitrate detectors, photodeposition of translucent coordinate grids for track location 4–30578
cellulose nitrate particle track detector, range and energy loss rate for heavy ions 4–26625
cellulose nitrate track detector, appl. to fast neutron dosimetry *(French)* 4–30575
cellulose nitrate track detector, confirmation of Ar nuclei acceleration to relativistic velocities 4–30567
cellulose triacetate track detector, calibration for low energy cosmic rays 4–30570
coating hardness tester 4–29294
cylindrical shells, combined metal/reinforced plastic, transition zone analysis 4–25424
Duran, adsorpt. of Xe, using ultrahigh vac. apparatus, isotherms obtained *(German)* 4–32802
dynamic testing, electrodynamic vibrator 4–29278
electrical breakdown analysis, statistical methods 4–41336
epoxy, C fibre reinforced, linear elastic fracture mechanics applic. 4–33874
epoxy resin composite, fibre reinforced, specimen geometry effects on strength 4–17421
fibre reinforced, fibre orientation and laminate geom. effect on dynamic props. 4–33873
fibre reinforced, photoelastic stress analysis 4–21437
fibre reinforced, structure property relations, review 4–7332
fibre reinforced composite, plastic matrix stability, fracture *(German)* 4–17411

plastics continued
flow, laminar steady-state, rheological parameters 4–17456
fluorinated networks, production 4–38078
foil track detectors, fast neutron irradiation, charged particle tracks 4–30574
gamma-irradiation 1 MeV, obs. of gas evolution 4–41884
glass fabric and fibre reinforced, mechanical strength and failure under dynamic loading 4–13875
glass fibre reinforced, tensile fatigue props. 4–41833
glass fibre reinforced ABS plastic, thermal depend. of compressive creep and creep recovery *(Japanese)* 4–33870
glass fibre reinforced plastics, fibre/matrix boundary problems 4–29208
glass reinforced, cylindrical shell, mechanical properties 4–13867
glass reinforced, instantaneous modulus of elasticity variation under long-time static loads 4–21463
glass reinforced, mechanical properties, statistical analysis 4–13866
glass reinforced, nonlinear creep 4–21429
glass reinforced, oriented, fracture mechanisms under uniaxial compression 4–13869
glass reinforced, oriented, shells, stress concentrations around openings 4–1638
glass reinforced, plane-stress creep 4–21430
glass reinforced, porosity prediction from thermal cond. 4–21433
glass reinforced, seismoacoustic prediction of fracture processes 4–21522
glass reinforced, sheet, strength and ageing props. under various climatic conditions 4–21434
glass reinforced, wound rings, residual stresses, Davidenkov method 4–1639
glass reinforced hollow fibre, temp. depend. of mech. props. under longtime and cyclic loading 4–13876
glass reinforced plastic shell, thermoelastic behaviour during non-uniform heating 4–13872
glass reinforced plate weakened by square opening, state of stress 4–25425
glass reinforced plate with low shear stiffness, state of stress 4–18869
glass-reinforced, containing stress concentrator, fatigue props. 4–1629
glassy, fracture toughness testing 4–29296
graphite thermoplastic, effect of thermal treatment on morphology 4–7336
graphitoplastic, moduli of elasticity, aging effect 4–1683
laminated C-fibre reinforced, mech. props. 4–7348
laminated cylindrical shell, material structure effect on stability 4–13868
loaded, characteristic angles, retardation trace length, local strains theory 4–13918
Makrofol, polycarbonate, speeds of development of traces due to heavy ions *(French)* 4–18671
Makrofol E track detector, energy threshold for neutron detection 4–30573
Makrofol particle track detector, range and energy loss rate for heavy ions 4–26625
makrofol track detector of sandwich construction, results for alpha particle and deuteron induced fission *(French)* 4–35428
metal-mesh reinforced carbon plastic, temp. depend. of mech. props. 4–13878
neutron sensitivities, relative, ionisation chamber liners 4–35391
nitrocellulose sheets for nuclear track visualisation, track discrimination of low-energy nuclei 4–35417
nitrocellulose track detector, study of electrodisintegration of C *(French)* 4–30583
nylon 66, indentation and scratch hardness 4–41931
nylon 6, glass fibres influence on cryst. struct. *(Japanese)* 4–25433
nylon 6 plastics, glass fibre reinforced, tensile creep props., effect of glass fibre content *(Japanese)* 4–10664
nylon 6-6, strain rate and temp. rise during deform. effect on stress-strain curve 4–29267
perspex, fast neutron transmission, energy spectra 4–12407
perspex sheet, impact damage, spalling *(Russian)* 4–41780
plastics, recorded impact-bending tests for quality control *(German)* 4–38116
plexiglas, fast surface flashover mechanism 4–36750
Plexiglas, Rayleigh wave effect on edge cracks, optical polarization obs. 4–13087
Plexiglas cylinder, compression by conical detonation wave 4–17449
Plexiglass, strength under impact load, time depend. 4–13941
plexiglass, u.v. transmitting, possible use in gamma dosimetry 4–36380
plexiglass thermoelectrets, electrode influence on surface charges *(French)* 4–28751
PMMA, deformed at high strain rates, fracture mechanics 4–33904
PMMA, strain rate and temp. rise during deform. effect on stress-strain curve 4–29267
polycarbonate detectors, photodeposition of translucent coordinate grids for track location 4–30578
polycarbonate resin track detector, calibration for low energy cosmic rays 4–30570
polycarbonate track detectors, complex alpha-ray pattern, etching props. calc. 4–30559
polyethylene, impurity-doped, in high temperature region, dielectric breakdown 4–13386
polyethylene activation studies with fast neutrons, O_2 content determ. 4–15044
polyformaldehyde, crystallized in film and in bulk, microstruct. changes on plastic deform. 4–29222
polypropylene, glass reinforced, tensile stiffness and anisotropy, time depend. 4–38034
polypropylene, strain rate and temp. rise during deform. effect on stress-strain curve 4–29267
powder mixtures with synthetic rubber soln., struct.-mech. props. 4–17469
PVC, irradiated, effects of added cross-linkable monomers 4–29229
PVC, irradiated, heat resisting, high tensile strength, wire insulation applic. 4–29230

plastics continued
reinforced, C fibre props. effect on modulus, damping, strength 4−13861
reinforced, C fibres, u.s. vel. meas., directional behaviour 4−10671
reinforced, evaluation of bending strength tests 4−13877
reinforced, polymer-glass fibre interface *(Polish)* 4−21427
rotor blade manufacture in FRP, automated tape laying machine 4−33916
rubber-plastic system, n.m.r. *(Russian)* 4−37512
sheet, meas. linear expansion *(German)* 4−35188
stack particle track detectors, appl. to cosmic ray meas. at supersonic transport altitudes 4−30569
strength deviations distrib. under multiple pulse loading 4−21523
strength-differential effect rel. to plasticity theory and vol. expansion 4−7159
strengthening influence of solvents, mechanism *(Russian)* 4−10681
structural, fluorinated network polymers, naval applications 4−38069
SVAM glass-reinforced plastics, effect of sign of shear on stress strength 4−13870
Teflon, mass removal on breaking up in high temp. gas flow, calc. method 4−41869
Teflon electret, surface charge density, effect of dielec. insert 4−41330
thermomechanical testing for environmental resist. 4−17481
thermoplastic, creep under uniaxial, shear, and hydrostatic stress conditions 4−41873
thermoplastic, cyclic stress fatigue and thermal softening 4−33901
thermoplastic, destruction by powerful heat fluxes 4−13921
thermoplastic, impact strength, mechanical losses, dynamic modulus 4−38075
thermoplastic beams, prediction of bending from deformational characteristics 4−10699
thermoplastic polymer melt, yield stress meas. by capillarity method 4−13889
thermoplastic structures, viscoelastic/plastic deform., time depend. constitutive eqn. 4−17454
thermosetting plastic, Ludwik's, wedge pressure, tensile strength testing method 4−13962
trace detector, heavy ions, effect of degree of crystallinity *(French)* 4−18672
track detectors, comparison with gaseous scintillation in fission studies *(French)* 4−35431
track detectors, complex alpha-ray pattern, etching props. calc. 4−30559
track detectors for cosmic ray study, comparison of various detectors and accuracy of method 4−35426
u.s. effects, strain field 4−24516
Van der Waals interactions between plastics in water, Lifshitz theory 4−1688
vinyl chloride-acetate copolymer, indentation and scratch hardness 4−41931
water retention of plastic surfaces rel. to superpressure meteorological balloon lifetimes *(French)* 4−29754
welding, ultrasonic 4−25431
xerographic thermoplastic holographic recording, electrophotographic response 4−2317
C fibre reinforced, quality control, ultrasonic velocity meas. 4−33885

plastics industry
adhesion polymer technology, application to PVC and acrylic materials *(German)* 4−36815
crosslinking of polymers by electron beam, discussion of industrial aspects 4−29224
holographic interferometry applications to materials testing *(German)* 4−11521

plated wire stores
Permalloy, magnetic parameters, effect of Cu substrate, electron microscope obs. *(German)* 4−33195

plates (anodes) *see anodes*

plating (electroplating) *see electroplating*

platinum
adsorption of CO, adsorpt. investig. using electrochem. methods, Langmuir isotherm., adsorpt. coeff. calc. *(German)* 4−37094
adsorption of ethylene, struct. and chem., CFSO-BEBO calcs., expt. 4−13098
adsorption of O_2 on (111) surface, kinetics in range 214 to 400C 4−1167
anode surfaces, Auger spectroscopy comp. determ. 4−25492
catalyst particles, finely dispersed, on Al_2O_3, Ostwald ripening 4−21282
chemisorption of H_2, sticking coeff. meas., H_2-D_2 equilibration 4−13102
chemisorption of hydrocarbons, LEED surface anal. 4−13100
crystallite size distrib. in supported catalysts. 4−32391
desorption of Cl^-, Br^-, K^+, Rb^+, charge retention, dispersion coeff. *(Russian)* 4−32814
diffusion of ^{193}Pt, Gruzin method *(Czech)* 4−6523
electrical resistivity, enthalpy depend., melting pt. behaviour *(Russian)* 4−28383
electrical transport properties at room temperature calc. 4−20580
electrode, coulometric detector for forced-flow liquid chromatography 4−2422
electronic density of states, X-ray isochromat spectrum 4−37142
energy losses of Pt(111), secondary electron energy distrib., Auger and LEED obs. 4−21117
film, energy straggling of ^4He, back-scatt. meas. below 2 MeV 4−16538
film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
film on Si, migration, PtSi form., etching effect 4−37115
film sputtered on sapphire or polycrystalline alumina, suitability as substrate for ferroelectric films 4−25237
freezing temperature, absolute radiometry by means of black body source 4−8303
gamma-ray attenuation coefficients, meas. using Ge(Li) detector 4−30545
heat capacity, 350-1200K 4−32718

platinum continued
ion irradiation damage, stage I recovery, field ion microscope obs. 4−3508
lattice dynamics, ang. force model 4−20381
Mossbauer effect of ^{57}Fe, vibr. freq. meas. using second-order Doppler shift 4−1359
n.m.r. of ^{45}Sc, impurity states obs. 4−16997
nucleation, monolayer growth on W (110), obs., mechanism 4−28314
oscillation spectrum determ. *(Russian)* 4−12993
quenched, dislocation loop obs. by transmission electron microscopy 4−6405
resistance thermometer, low-temp., calibration 4−5003
self-powered neutron detector response in nuclear reactor CANDU lattice 4−36271
self-powered neutron flux detector for use in boiling water reactor 4−36272
solid and porous electrode polarisation obs. 4−14620
specific heat, temp. modulation method, 1200-1900 K 4−28221
spectral emissivity, effects of heat treatment and ambience, 0.645 μm and 0.546 μm 4−24566
spectrographic analysis, fire assay beads 4−23046
structure, (100) (5 × 1), impurity causation and props. 4−37067
surface, (111) and (100), adsorption of substituted aromatic molecules, LEED and work function obs. 4−24646
surface structure, monoenergetic Ar beam scatt., out-of-plane time-of-flight meas. 4−10510
surface structure, monoenergetic Ar beam scatt., out-of-plane time-of-flight meas. 4−10511
surface structure from Fourier anal. of LEED intensities 4−3625
thermal expansion, rel to Cu 4−1129
thick target yields of M X-rays by fast heavy ion bombardments 4−5968
undercoating for vapour-deposited Au film electrodes 4−1714
valence band X-ray photoemission and soft X-ray emission spectra 4−33570
wire, catalytic reaction kinetics of air-ammonia flows 4−41986
wire, purity, annealing and refinement in gas atmospheres 4−29091
X-ray photoemission of 4f electrons, core line asymmetries 4−25209
X-ray-L_{III}-absorption spectrum *(German)* 4−17135
Au-Ta-Pt, thin film reliability 4−3667
$Eu_3Ga_5O_{12}$:Pt, antireson. in optical spectrum of Eu^{3+} 4−25144
n-GaAs-Pt Schottky diodes, Pt alloying effect on elec. characts. 4−28489
Pt complex, $K_2Pt(CN)_4Br_{0.30}.xH_2O$, condensation of giant Kohn anomaly, X-ray diffuse scatt. obs. 4−16574
Pt-Cu_2O-Pt struct., photoelec. effects in exciton absorpt. region 4−28451
Pt-Ni_3Mn thermocouple, thermo-e.m.f. depend. on alloy order *(French)* 4−28395
Pt-Pt/Rh thermocouple, catalytic effects, combustion systems involving H_2 as fuel 4−14823

platinum alloys
see also platinum compounds
Co-Pt, order hardening 4−1490
CoPt, equiatomic, periodic array of ordered nuclei *(French)* 4−1488
$CoPt_3$, partially ordered, field-ion microscopy and X-ray diffr. obs. 4−25313
$CoPt_3$, partially ordered, local atomic arrangements, diffuse X-ray scatt. 4−32474
$CoPt_3$, partially ordered, local atomic arrangements, field ion microscopy 4−32475
Cr-Pt system, constitution diagram 4−41535
Cu-Pt, nearest neighbour and long range interactions between atoms *(Russian)* 4−6358
Cu-Pt, Pt rich, atomic ordering obs. by X-ray diffraction 4−3467
Cu-Pt(65-78 at.%) alloys, ordered structs., electron diffr. and microscope obs. 4−16444
CuPt, equiatomic, order hardening phenomena 4−7021
CuPt, order-disorder transform., elec. resist. charges 4−33667
Fe-Pt, near Invar conc., mag. susceptibility meas., order, disorder 4−6718
Fe-Pt, tensiometric determ. of thermodynamic functions *(Czech)* 4−4068
Ir-Pt, electronic density of states, X-ray isochromat spectroscopy 4−37143
Mn_xPt_{1-x}, cluster components method, mag. moment 4−37406
NiPt, long- and short-range order 4−16446
NpPt, magnetic susceptibility meas. rel. to antiferromagnetic transition 4−1311
Pd-Ag-Pt, hydrogen permeability and stability *(Russian)* 4−10620
Pt-Au, electronic density of states, X-ray isochromat spectroscopy 4−37143
Pt-Ba emitter, Auger spectroscopy obs. *(Russian)* 4−21124
Pt-C, evaporated coating, for scanning electron microscopy 4−26676
Pt-Co, antiphase domain boundaries, electron diffr. contrast effects, calc. *(French)* 4−1528
Pt-Co, specific heat, Weiss molecular field model analysis 4−3838
Pt-Cr, mag. susceptibility, conc. depend. 4−24927
Pt-Cr dilute system, localised spin fluctuations 4−3826
Pt-Fe solid soln., ^{57}Fe vibr. freq. from second-order Mossbauer Doppler shift 4−1359
Pt-Hg system, intermetallic phase studies *(German)* 4−1478
Pt-Ir, thermoelec. power, phonon drag contrib. 4−24730
Pt-Mn, specific heat, Weiss molecular field model analysis 4−3838
Pt-Ni-P, glassy, thermal expansion and density, comp. depend. 4−24573
Pt-Pd-C, evaporated coating, for scanning electron microscopy 4−26676
Pt-Si(Ge)(Sn) intermetallics, n.m.r. and bulk susceptibility obs. 4−25009
Pt-Sn, study of surface composition by Auger spectroscopy 4−1697
Pt-Sn, surface enrichment, combined X-ray photoelectron and Auger spectroscopy 4−25213
Pt-Ti, field ion microscopy, bright images, 1000°C, high voltage on specimen 4−11621
Pt-Zr(Ti,Al), microalloyed, rel. to high temp. strength 4−13722
$Pt_{0.5}Ge_{0.5}$ film, supercond. crit. temp. 4−13245

platinum alloys continued
- PtMnSb, ferromag., effective fields on Sb nuclei *(Russian)* 4−37530
- PtMnSn fluorite-type intermetallics, cryst. struct. and mag. props. 4−28627
- PtSi-to-Si ohmic contacts, W-metallized, elec. and thermal stability 4−16819
- Ru-Pt superconducting transition temp. depression 4−37359
- ThPt, gaseous, mol. dissoc. energy, very high stability, mass spectra obs. 4−9587
- V-Pt A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
- V-Pt system constitution diagram 4−7015
- V_3Pt, optical reflectivity obs., density of states 4−25126
- Zr-Pt alloying behaviour 4−7042
- Zr_9Pt_{11}, X-ray diffr., cryst. struct. 4−24416

platinum compounds
- *see also platinum alloys*
- cyanides, valence band photoelectron spectra 4−4024
- K_2PtCl_6:Re^{4+}, vibronic selection rules, polarisation and Zeeman effects 4−3996
- Na_2O-PtO_2 system, equilib. phase relns., quenching technique in air 4−28186
- Pt (II) complexes, trans-influence, ^{129}I Mossbauer obs. 4−25032
- Pt complex, $(CH_3OCS_2)_2Pt$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105
- Pt complex, K_2 $Pt(CN)_4B_{0.3}.3H_2O$ one-dimensional crystal, anisotropy of conductivity, Kohn-Peierls instabilities *(German)* 4−24745
- Pt complex, $K_2Pt(CN_4)Br_{0.3}.3D_2O$, struct. transform., neutron scatt. obs. 4−37009
- Pt complex, $K_2Pt(CN)_4Br_{0.3}3H_2O$, proton n.m.r., temp. depend. rotns. of H_2O mols. 4−10335
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, hydrostatic press. effect on plasma reflection edge 4−10447
- Pt complex, $K_2Pt(CN)_4Br_{1/3}.3H_2$, e.p.r. evidence for metal-insulator transition 4−13145
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, phonon dispersion curve obs. by inelastic neutron scatt. 4−16575
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.x3H_2O$, phonon softening, tight-binding theory 4−16584
- Pt complex, $K_2Pt(CN)_4Br_{0.32}.2.3H_2O$, reflection spectra in plasma edge region 4−17091
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, optical excitation of plasma oscillations 4−24773
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, reflection meas. in far i.r. at 4.2 and 62 K *(German)* 4−25082
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, 1-D conductor, optical props., u.v.-i.r. 4−33432
- Pt complex, $K_2[Pt(CN)_4]Br_{0.30}.3H_2O$, one-dimens. conductor, elec. cond. anisotropy 4−24740
- Pt complex, mixed valence, $K_x[Pt(C_2O_4)_2].nH_2O$, distortions and transforms. *(French)* 4−32700
- $PtCl_4$ molecules, Treen's function formalism and molec. force field ellipses 4−27629
- PtD, UV delta band sub-system rot. anal. 4−16065
- Pt(II) complex, $\alpha,\beta,\gamma,\delta$-tetraphenylporphyrin, electrogenerated chemiluminescence 4−34046
- Pt(II) complex, β-mercaptoethylene, vibr. spectra 4−28835
- Pt(II) complex, i.r. obs. of Pt-H bond stretching vibr. 4−13426
- Pt(II) complex, luminesc. props., counter-ion and mol. geometry effects 4−1412
- Pt(II) complexes, quantitative characterization of chemical bond using extended Wolfsberg-Helmholtz method 4−36486
- Pt(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4−20997
- Pt(II) methylpyridine complex, i.r. spectrum, coordinate vibrations *(French)* 4−20996
- Pt(IV) complexes, optical absorpt. in Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glasses 4−21031
- PtP_2, crystal growth from Sn flux and characterisation 4−17168
- $PtSb_2$, Hall effect and magnetoresistance meas. in pulsed mag. fields 4−20636
- PtSi, form. by Si migration in Pt film, etching effect 4−37115
- PtSi thin film on Si substrates, crystallog. 4−32833
- Pt complex, isopropyl ammonium chloroplatinate, ferroelastic, cryst. data 4−32502

pleochroism
- *see also dichroism*
- Cu(II)-bis-(N-methylsalicylaldimine), i.r. spectra, vibr. assignments 4−10423

plexiglas *see plastics*

plotters
- computer processed seismic common depth point readings, description *(Russian)* 4−38527

plugs (electric) *see electric connectors*

Pluto
- long-term motion 4−29919
- occultation of 17th magnitude star, photoelectric obs. 4−11137
- UBV photometry and rotation axis determ. 4−22288

plutonium
- atom, L subshell fluoresc. yields and Coster-Kronig transition rates 4−36418
- chemical assay for safeguards 4−27501
- contract analyses and standards fabrication *(French)* 4−36343
- discharged, use and availability 4−19606
- enriched nuclear reactor fuel, storage capacity as function of facility size 4−31574
- fine-grained, tensile deform. behaviour, α-Pu specimens 4−33773
- fuel, Dresden 1 demonstration program, operational data 4−27458
- fuel, improved recycle capabilities in modified fuel economy 4−27420
- fuel, minimum critical concentration of ^{239}Pu in aqueous soln. 4−27492
- fuel, recycle in Westinghouse PWRs, management scheme 4−27423
- fuel, recycle modes rel. to large PWRs 4−27421
- fuel, utilization, in utility power system 4−27419
- fuel, utilization in HTGR 4−27424
- fuel in ZPPR, evaluation of control rod worths 4−36278

plutonium continued
- fuel processing facility, appl. of radiometric nondestructive assay 4−23939
- fuel recycle, BWR, interchangeable design basis 4−27422
- interstellar dust grains, existence in solar system, ^{244}Pu as possible indicator 4−34774
- isotopic abundance, minicomputer system for mass spectrometry *(Japanese)* 4−5221
- lung content, empirical formula for effective tissue thickness 4−35044
- nuclear fuel element, Pu content control, calorimetric methods *(French)* 4−9331
- nuclear reactor fuel, criticality of fissile metal and fissile soln. combinations 4−23846
- occupationally exposed humans, Pu and Am distrib., autopsy samples 4−4879
- physio-pathology of contamination *(Spanish)* 4−39082
- radiation dose rate, shielding calculational system 4−31612
- recycle considerations 4−19606
- recycle fuel, solid and annular pellet, irradiation performance in BWR 4−23788
- strength differential effect in monoclinic α-Pu 4−13705
- tensile deformation behaviour of fine-grained α-Pu 4−17342
- terrestrial ^{244}Pu, possible cosmic dust origin 4−34158
- vapour transport in irradiated oxide fuel elements, computer program 4−27447
- $CsCl$-$LaCl_3$:Pu^{3+}, absorpt. spectra spin-orbit and electrostatic interaction effects *(Russian)* 4−41406
- Pu/U clustered fuel elements, reactivity worths determ. by reactor oscillator method 4−5890
- ^{238}Pu commercial production 4−36344
- ^{239}Pu, ^{240}Pu determ. in reactor fuel, use of filtered neutron beams 4−19604
- ^{244}Pu in lunar rocks, Xe evidence, origin implications 4−4756

plutonium alloys
- Pu-Ga(1 wt.%), cold rolled, annealing kinetics and softening behaviour 4−13634
- $U_{1-x}Pu_xAl_2$, mag., transport and n.m.r. props. 4−41282

plutonium compounds
- *see also plutonium alloys*
- oxide fuel, irradiated, computer program for redistrib. of U, Pu and O by vapour transport and solid diffusion 4−27447
- oxide fuel elements, reaction with Na in LMFBR, meas. of oxygen threshold 4−27450
- oxide fuel pellets, reaction kinetics and swelling in sodium, out-of-pile investigation 4−40128
- shipping container, criticality safety 4−31553
- sintered ceramic fuel for fast reactor use, preferred values for thermal conductivity 4−19605
- $(Pu, U)C_xN_y$ specimens, composition determ. by lattice parameter meas. 4−12456
- $(Pu, U)O_2$ rods, LMFBR-type, effect of oxygen on swelling 4−27448
- $(Pu,U)O_2$ nuclear reactor fuel, development of elements for FBR's 4−23850
- $(Pu,U)O_2$ polystyrene neutron poisoning effect of Cu and Cu-Cd 4−31577
- $Pu(NO_3)_4$ solution, shipping container design 4−31578
- PuO, contract analyses and standards fabrication *(French)* 4−36343
- PuO_2, DOT-6M packages for shipment 4−27494
- PuO_2, lenticular pore props. 4−31541
- PuO_2 coated-particle fuel for water-cooled reactors, kernel agglomeration during irradiation 4−23906
- PuO_2 inhalation, dose determ. using consistent analytical models 4−31597
- PuO_2/Ir cermets, fabrication and characteriz. 4−3030
- PuO_2-Mo cermet, spherical fuel forms, hot pressing 4−15967
- PuO_2-Mo cermet fuel, helium release obs. 4−15957
- PuO_2-UO_2, fission gas behaviour in mild overpower transient in nuclear reactor 4−23786
- PuO_2-UO_2 nuclear reactor fuel, in-pile thermal conductivity meas. 4−36352
- PuO_2-UO_2 reactor fuel pins, irradiated, central void size determ. 4−23887
- PuO_2-UO_2 reactor fuel stack dimensional variations under irradiation 4−23885
- $Pu_{1/2x}U_{1/2x}O_{2\pm x}$, nuclear fuel, O_2 to metal ratio determ., review of anal. methods 4−35530
- $^{238}PuO_2$, room temp. mech. props. 4−25407
- $^{238}PuO_2$, self-radiation damage 4−23824
- $^{238}PuO_2$, self-radiation damage, lattice parameter obs. 4−28115
- $^{238}PuO_2$ fuel spheres, instability modes 4−23825
- $^{238}PuO_2$ radioisotopic fuels, fabrication parameters 4−23826
- $(U, Pu)O_2$, fuel pins, elimination of CO_2 and H_2O as oxygen transport species 4−40121
- $(U, Pu)O_2$, reactor fuel, obs. of O_2 interactions in Na coolant in LMFBR 4−31550
- $(U, Pu)O_2$ fuel, actinide redistrib. by vapour migration along pores 4−12447
- $(U, Pu)O_2$ fuel, molten, phys. props. characteriz. 4−3014
- (U,Pu) oxide, gas equilibration method, O/metal ratios 4−8583
- (U,Pu)C, evap. and self-diffusion processes 4−23843
- (U,Pu)C, LMFBR fuel prep. by carbothermic reduction 4−15956
- (U,Pu)N, synthesis and fabrication procedures 4−4173
- $(U,Pu)(NO_3)_4$ solution, criticality determ. 4−27486
- $(U,Pu)O_2$, analyt. expressions for enthalpy and ht. capacity 4−40119
- $(U,Pu)O_2$, evap. and self-diffusion processes 4−23843
- $(U,Pu)O_2$, fuel, compressive creep correl. with microstruct., influence on fuel element performance 4−3019
- $(U,Pu)O_2$, fuel, sintering role in modelling actinide redistrib. 4−3017
- $(U,Pu)O_2$, high temp. enthalpy 4−15964
- $(U,Pu)O_2$, lenticular pore props. 4−31541
- $(U,Pu)O_2$, stopping power of 1-9 MeV He^{2+} ions 4−24504
- $(U,Pu)O_2$ fuel, actinide redistrib. by vapour migration along cracks 4−12446
- $(U,Pu)O_2$ fuel, fabrication and irrad. effects on dissolution 4−15955
- $(U,Pu)O_2$ fuel, final-stage densification 4−15963
- $(U,Pu)O_2$ fuel, mech. blended, dissolution 4−15954

plutonium compounds continued
- $(U,Pu)O_2$ fuel elements, plutonium segregation and central-void form. 4−31536
- $(U,Pu)O_2$ fuel pins, distribution of ^{134}Cs and ^{137}Cs and precursors 4−27435
- $(U,Pu)O_2$ fuel pins, hypostoichiometric, oxygen distrib. calc. 4−23842
- $(U,Pu)O_2$ fuels, composite thermal cond. expression 4−3018
- $(U,Pu)O_2$ fuels, in-reactor behaviour study, applic. of deform. maps 4−12454
- $(U,Pu)O_2$ helical-spring specimens, extruded, effect of fabrication variables on props. 4−3028
- $(U,Pu)O_2$ nuclear reactor fuel, comparison of sphere-pac and pellet fuel pins 4−27441
- $(U,Pu)O_{2-x}$ fuel, room temp. oxidation obs. 4−15958
- U-Pu-W-C system, thermodynamic estimations, rel. to fuel-cladding compatibility 4−19583

PMDR *see magnetic double resonance*

p.m.r. *see proton magnetic resonance*

Pockels effect *see birefringence*

point contacts
- Nb, superconducting, conductivity phase depend. 4−20734
- Nb-Nb superconductor, temp. effect on elec. and microwave props. 4−13264
- Sb-Sb superconductor, temp. effect on elec. and microwave props. 4−13264
- Si-Si, ultrarapidly quenched granules, supercond. effect 4−37378
- W-Ge, Dember effect in case of cylindrical illumination 4−20645
- W-Si, Dember effect in case of cylindrical illumination 4−20645

point defects
- *see also colour centres; interstitials; vacancies (crystal)*
- alloy, irrad., stress-induced diffusion of point defects to voids, dislocation bias reduction 4−20319
- anisotropic cubic crystal, tetragonal distortion-⟨111⟩ screw dislocation interaction 4−4106
- b.c.c. metal, deformation-induced β internal friction peak, relax. mechanism 4−41768
- charged, effect on electronic props., model Hamiltonian *(Russian)* 4−32895
- hexagonal crystal, elastic interaction energy of small defects and defect clusters 4−28095
- ice-I, computer simulation of cryst. props. and defect struct. 4−32472
- II-VI compounds, photoplastic effects, model approach 4−32606
- insulators, hyperfine interaction, e.p.r., ENDOR methods 4−20299
- ionic crystal, localised modes, shell model 4−32635
- laser speckle method for cryst. length change meas. 4−18352
- magnetic material, hard, coercive field, point defect and domain wall interactions 4−6756
- metal, in thermal equilib., equilib. conc., review 4−16487
- metal film, vapour phase deposited, effect of ion beam parameters *(Russian)* 4−21133
- metals, h.v. electron microscopy, increasing specimen lifetime 4−9804
- oscillator strengths for optical absorption band 4−41407
- phonon scattering by point defects, low temp., exact soln. 4−16565
- semiconductor, charged, many valley struct., elec. cond. theory 4−37238
- softening and melting, role of interstitial-vacancy pairs 4−40828
- statistical mechanics of equilib. and transport phenomena in crystals, book 4−13012
- steel, low-C martensite, irrad. form., effect on low temp. tempering 4−33815
- steel, stainless, defect production by protons, neutrons and Ni ions, computer modelling 4−24494
- superconductor, interaction of point defects and flux lines pinning force 4−16881
- surface, Rayleigh wave scatt. model 4−37075
- AgCl, form. on quenching, effect on dislocation velocity stress exponent 4−36906
- Al, electron irrad., cold worked, internal friction Hasiguti peak 4−9930
- Al, fatigued, internal friction mechanism *(French)* 4−29101
- Al, point defect interaction potential 4−6402
- Bn, hexagonal, truncated cryst. approach 4−20536
- $CaWO_3$, e.s.r. of electron and hole centres due to WO_4^{2-} anion 4−33262
- CeO_2:Ca, mobile ionic, high temp. dielec. behaviour mechanism 4−25053
- Cu, pure cryst., plastically deformed, resist. due to point defects and dislocations 4−12948
- Cu, single cryst., γ-irrad., u.s. attenuation meas., dislocation damping 4−28154
- Cu, wire, study of fatigue by resistometric method *(Czech)* 4−13688
- Fe:C(1.5 to 10 ppm), temp. and quenching rate depend. of C and vacancy migration 4−1052
- Fe-Si, twin layer struct., electron microscopy 4−37859
- GaAs single crystal, annealing effects on lattice defects 4−6412
- GaP, tempering under P pressure, point defect meas. apparatus 4−22987
- K_2SO_4, X-ray scatt. and diffr., pretransition struct. changes 4−13040
- LiF, γ-irrad., point defect cluster arrangement 4−32577
- MgO single crysts., thermally activated flow parameters in compressive deform. 4−3514
- Mo, quenched vacancy behaviour in high purity Mo wire 4−1051
- Mo-Re dilute alloys effect on elastic constants, second nearest neighbour perturbation model 4−20354
- NaCl, unified model for all stages of F-colouring 4−1055
- Nb, α-irrad., atomic He charact. and behaviour 4−1077
- $Nb_{22}O_{54}$, nonstoichiometric, high-resolution electron microscopy obs. 4−24469
- Ni, reaction with dislocations and Bloch walls in electron irradiation at 2 MeV *(French)* 4−6421
- NiO, NiO:Li, reequilibration kinetics 4−6415
- n-,p-Si, radiation damage to surface layers, defect energy levels 4−24484
- β-SiC, neutron irrad., X-ray diffr. peak profile analysis 4−24496
- SiO_2, penetrating radiation form., effect on elec. props. 4−13385
- W, single crystal, 'radiation' quenching anal. of defects 4−1050

point defects continued
- Xe crystal, adsorption of inert gas atoms at point defects 4−6549
- ZnS:Mn^{2+}, e.p.r. line broadening by elec. fields of point defects *(Russian)* 4−28700

point groups *see crystal atomic structure*

Poiseuille flow *see laminar flow*

Poisson ratio *see elastic constants*

polar cap absorption *see ionospheric electromagnetic wave propagation*

polar cap flow *see airglow*

polar crystal lattice vibrations
- adsorbed polar molecules 4−40849
- alkali, halogenate, i.r. spectra, classical dispersion anal. 4−1385
- alkali halide:BO_2^-, i.r. spectra, anharmonic force field determ. 4−41403
- alkali halides, bonding energy, thermionic cond. mechanism *(Russian)* 4−6519
- alkali halogenates, coupled vibrations 4−9969
- aminobenzene sulphonic acid, Na salts and d-analogues, vibr. band assignments 4−25109
- apatite single crystal, vib. freq. assignment from Raman spectra 4−6883
- Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6464
- Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6465
- dipropionamide, lattice vibrs. and Raman band splitting 4−10427
- ionic crystal, computation of energy of lattice defect 4−40758
- optic modes, dispersion curves and frequency distrib. functions in dipole coupled crysts. 4−24535
- rock salt structure crystals, interionic potentials, force const. models 4−32620
- shell model, substitutional defects, local modes 4−32635
- triglycine fluoberyllate, ferroelec., acoustic mode investig. using Brillouin scatt. 4−20980
- AgBr, AgCl, anharmonicity in lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067
- AgI, energy band broadening, optical absorption edge shift 4−28782
- $Co(H_2O)_6(BrO_3)_2$, mag. circ. dichroism in i.r. region, vib. analysis 4−25101
- CsCl type cryst., neutron diffraction, mean square ionic displacements, force constants calc. 4−20386
- CsX, X=Cl, Br, I, dispersion curve and freq. spectra calc. using deform. dipole model 4−24531
- CsX:M, (X=Br, Cl, I, M=Li, Na, Rb, Tl) i.r. spectra calc. 4−21033
- α-HIO_3, fund. vibr. modes, polar Raman vibrs., dispersion by phonons 4−16567
- KCl, localised modes due to H^--H^- and D^--D^- impurity pairs 4−13004
- LiF, thermally induced absorpt. bands with vibr. struct., u.v. 4−28878
- NH_4Br, NH_4Cl, anharmonicity in lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067
- NH_4ClO_4, temperature effects on optical modes 4−10435
- NaF, r.m.s. vibr. displacements of Na and F ions determ. 4−24522
- PbFX (X=Cl, Br, I), powder samples, i.r. and Raman spectra *(French)* 4−13447
- $Pb_{1-x}Sn_xTe$, semicond. soft mode, Landau transition investig. using inelastic neutron scatt. 4−24542
- RbCl, F-centre induced Raman scatt. calc. 4−33403
- SiF_4, two-quantum region absorpt. spectrum calc., $2\times\nu_3$ transition 4−12992
- TlBr, TlCl, anharmonicity in lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067

polar plots (control systems) *see Nyquist diagrams*

polarimeters
- *see also polarimetry*
- automatic ellipsometer, grating goniometer 4−39246
- Compton, linear polarisation meas. of 245 keV gamma radiation from ^{111}Cd *(German)* 4−12258
- Compton, meas. of linear polarisation of low-energy bremsstrahlung 4−19390
- ellipsometer, automated, for f.e.t. gate insulator thickness meas. 4−35292
- ellipsometer, precision, new type, with one polarizer and no compensator 4−26523
- Lamb-shift, for spin polarisation meas. of H, ^2H, and ^3H ions at 0 to 500 KeV 4−14981
- laser system, induced anisotropy, Faraday rot. meas. 4−39247
- Mossbauer, for birefringence rotation meas. 4−18747
- photoelectric coude polarimeter construction and use for weak stellar magnetic fields 4−14523
- photographic polarimeter for Stokes parameter meas. in solar spectra 4−34978
- polarisation modulators, Faraday-effect, mathematical anal. for optimisation of modulation depth 4−14886
- recording spectro-polarimeter, for Cotton effect obs. in i.r. region *(German)* 4−26522
- spectropolarimeter, photoelectric, with two channel signal storage 4−39230
- u.v., and application to macromolecules 4−8548
- X-ray eruption radiation investigation, X-ray polarimeter, Interkosmos 7 *(German)* 4−38933
- He, liquid, neutron polarimeter to meas. scattering parameter in N-nucleus reactions at 1.4 MeV 4−18632
- Si, as second scatterer, inelastically scattered proton polarisation meas. 4−19442

polarimetry
- *see also ellipsometry; polarimeters*
- asteroid ground based observation techniques, review 4−34760
- B96 reflection nebula in Taurus, photographic obs. 4−4835
- cathodic polarisation curves, method of construction 4−2412
- Deimos, Mariner 9 polarimetry at 0.57 μ 4−22299
- elliptical polarisation, nomenclature, polarimetric terms 4−35290
- high resolution Zeeman polarimetry of weak stellar magnetic fields 4−14368
- liquid crystal, nematic, microscopic polarimetry *(French)* 4−32426
- Martian dust storm 1971, multicolour polarimetry 4−26022

polarimetry continued
  microwave, plasma diagnostics, $\lambda<2$ mm, duplexer/overdimensional waveguide systems *(French)* 4−5102
  Phobos, Mariner 9 polarimetry at 0.57 μ 4−22299
  remote water quality meas,, with lidar polarimeter 4−14724
polarisability
  see also atomic polarisability; molecular polarisability
  electrolytic ions, velocity-polarisability relation 4−21562
  fluid, l.f. depolarized light scatt., lineshapes 4−24161
  theoretical basis, bibliography for 1971, in book 4−6831
  CH_4, saturated and compressed fluid, permittivity meas. 4−13376
  ZnS, sphalerite lattices, nonlinearity rel. to Stark shift of transverse optic mode 4−13381
polarisation
  see also beta-ray polarisation; deuteron polarisation; dielectric polarisation; light polarisation; neutron polarisation; nuclear polarisation; photon polarisation; polarisation in nuclear reactions and scattering; proton polarisation
  3 cm wave depolarisation on near-normal reflection from terrestrial surfaces 4−19034
  18 cm turnstile junction as polarisation splitter for radiotelescope 4−38931
  36 cm wave depolarisation on near-normal reflection from terrestrial surfaces 4−19034
  atom-electron scattering polarized orbital methods, phase shift calc. for H, He 4−31716
  atomic beam sources of ions, review 4−11568
  atomic depolarisation cross section, approx. formula calc. for excited atom with $J=1$ *(Russian)* 4−12500
  background radiation, three-channel fixed frequency radiometer, 102 to 408 MHz *(Russian)* 4−22471
  bremsstrahlung from electron ion collisions in magnetically confined plasma 4−9699
  circular polarisation of radiation from cosmic objects, review 4−17897
  continuous media, variational anal. in special theory of elasticity *(Russian)* 4−23124
  corrosion rates from polariz. curve, graph. method 4−21556
  cosmic background radio waves, automatic data processing system *(Russian)* 4−22474
  Crab Nebula, internal structure rel. to radiowave polarization var. with wavelength 4−34953
  depolarisation factors, graphic representation *(German)* 4−23092
  depolarisation on centimetric and millimetric waves 4−42080
  dielectric, plane charged, electric fields and currents due to excess charges and dipoles 4−20927
  discrete sources, integral radiowaves, Faraday depolarisation *(Russian)* 4−18019
  domain, description of particle polarisation state by density matrices 4−2670
  electrochemical electrode, liquid porous, energy losses during operation, differentiation of different types 4−1720
  electron scattering cross-sections, long-range polarisation effect, alkaline earth atom *(Russian)* 4−19715
  electrons, longitudinal polarisation, colliding beam expts. obs. of parity violation effects 4−26579
  elementary particle target design, large, for 200 GeV/c muon interactions 4−22944
  elementary particle targets, conference, Abingdon, England (March 1973) 4−23533
  elementary particle targets, large, development 4−22943
  e.m. wave depolarisation in multilayer structures, full wave solns. for arbitrary source distribs. 4−11884
  e.m. wave depolarisation in multilayer structures, generalised field transform for arbitrary source distrib. 4−8750
  extended extragalactic radiosources, high resolution obs. of linearly polarized radiation 4−34871
  extragalactic radiosources, Faraday rotation of polarized radiowaves 4−30092
  extragalactic radiosources, rotation meas. and polarization generation 4−26139
  fluorescence, conc. depolarisation, dye conc. depend. *(Russian)* 4−41427
  gas-diffusion electrode, effect of barrier on polarisation characteristics 4−7447
  humid underground rock cleft, rel. to influence on electrical field of storm *(Slovene)* 4−7585
  IC443, supernova remnant, polarisation and brightness at 11 cm 4−7993
  improper ferroelecs., influence of external parameters on phase transition orders 4−13014
  inclusive reactions, conditions on exchange mechanisms, Mueller-Regge phenomenology 4−36094
  interfering heterogeneous plane waves, two, in isotropic transparent medium, trajectories and lines of energy flux *(Russian)* 4−19037
  ion source systems 4−8436
  Lamb shift sources of ions, review 4−11569
  linear, effect of anodic or cathodic control, corrosion potential 4−17509
  lunar thermal emission linear polarisation at 3.1 mm 4−7936
  magnetic surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
  molecule, two-photon excited fluorescent polariz. with arbitrary orientation of absorpt. and emission oscillators *(Russian)*. 4−19862
  nocturnal equatorial ionospheric scintillation at spring equinox, obs. 4−34463
  particle beams, transport, spin aberration calc. using transfer matrix method 4−18557
  planetary asteroids and satellites, surface double reflection 4−29915
  polyethylene, inverse piezoelec. effect under polarising field 4−17026
  polyvinyl alcohol: organic dye anisotropic film,, conc. depolarisation in fluoresc. and phosphoresc. *(Russian)* 4−41429
  quasars, circular and linear, observ. at 2.2 cm 4−8050
  radioastronomy, coverage function meas., Faraday rotation effects *(Russian)* 4−18072
  radiowave propagation, atmospheric crosspolarisation, cancellation techniques 4−10893
  rain, cross-polarisation at 4 GHz 4−34435
  rain, depolarisation meas. at 18 GHz 4−29567

polarisation continued
  rain depolarisation at 17.65 GHz 4−34434
  rain depolarisation at 20 GHz 4−34433
  Rayleigh atmosphere, scattering and transmission matrices of partially polarised radiation 4−29918
  semiconductor, effects in binding of exciton to donor acceptor pair in Coulomb interaction 4−1211
  solar active regions, polarization structure at 3.5 mm. wavelength 4−25991
  solar eclipse, 1973 January 4, polarisation obs. at 7 and 22.2 GHz 4−34645
  solar flare X-ray emission, polarisation meas. 4−29868
  solar microwave bursts, obs. at linear polarisation 4−7904
  solar radiation, multifrequency receiver of Siberian solar radiotelescope *(Russian)* 4−22473
  statistically inhomogeneous space plasma, polarization transport *(Russian)* 4−16286
  strong interactions, Regge region, information from polarisation data 4−23543
  Tafel slopes and corrosion rates from polariz. resist. meas. 4−38149
  target, lepton interactions, total cross sections 4−23508
  u.l.f. magnetic fields, description of states from spectral matrices of n-variate stochastic processes 4−25613
  Venus, radio scattering behaviour, reflectivity and polarization 4−29910
  Venus u.v. polarization of reflected sunlight at 0.365 μ 4−26035
  W44, supernova remnant, polarisation and brightness at 11 cm 4−7993
  X-ray fluorescence, background reduction using polarised radiation 4−26718
  $BaTiO_3$, improper ferroelecs., influence of external parameters on phase transition orders 4−13014
  Co surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
  $Cs^+ + Cs$ charge exchange collisions, optical pumping of Cs 4−729
  Fe surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
  He plasma, high density, polarisation shift of resonance spectra 4−20143
  ^3He gas, compression expts. rel. to polarised target production 4−18581
  ^3He gas optically pumped influence of pumping light absorption on polarisation 4−18583
  ^3He gas polarised target for nuclear reactions, determ. of polarisation using pulsed NMR technique 4−18582
  Ni surface, effect of adsorbates on spin polarization of emitted photoelectrons 4−33582
  $PbTiO_3$, improper ferroelecs., influence of external parameters on phase transition orders 4−13014

polarisation in nuclear reactions and scattering
  (p,p′) reactions, collective model anal. using potentials derived from nuclear matter distribs. 4−19448
  A(d,n)B polarisation transfer reactions, formalism 4−15861
  A(d,p)B polarisation transfer reactions, formalism 4−15861
  analysing power for polarised deuteron elastic scattering 4−19488
  angular correlation theory for reactions with polarised beams 4−15748
  conference, Madison, USA (Aug.-Sept. 1970) 4−12310
  deuteron optical potential with tensor term and breakup 4−9216
  deuteron-nucleus tensor interaction, evidence from elastic scatt. on ^{40}Ca, ^{56}Fe, ^{90}Zr, ^{208}Pb 4−31382
  few nucleon systems, review, calibration standards 4−19378
  five-nucleon system, incident beam polarisation calibration 4−12352
  inelastic scattering of 15 MeV tensor and vector polarised deuterons 4−2902
  light nuclei, compound level spectroscopy 4−12315
  neutron sources, review 4−11570
  optical model potential, nucleon-nucleus 4−12353
  parametrization, computer program 4−31336
  pion-nucleon system, coupling, Goldstone excitation, pion polarisation function 4−15914
  review 4−12312
  scattering amplitudes from polarisation measurements, complete determ. 4−12318
  spin 1/2 particles, angular and energy polarization relns. in diffraction theory *(Russian)* 4−19375
  spin-3/2 beams, formalism in terms of spherical and Cartesian tensors 4−15749
  spin-spin interactions in polarised proton scattering on ^9Be, ^{10}B, ^{27}Al and ^{28}Si 4−19447
  symmetry and polarisation properties 4−12311
  terminology description and suggestions for additional conventions 4−12313
  three-nucleon and four-nucleon system problems 4−12351
  transfer reaction experiments, review 4−15859
  transfer reactions theory, (d,p) process 4−12364
  transmission experiments with polarised neutrons on polarised targets 4−12317
  vector analysing power for deuteron elastic scattering, 9-13 MeV 4−19493
  vector polarisation of elastically scattered deuterons 4−19492
  $^{12}C(^7He,n)^{14}O$, at 2 to 5 MeV, n-polarisation meas. 4−19376
  (d,d) elastic and inelastic scattering, formalism for polarisation transfer 4−15863
  (d,d) scattering, optical potentials 4−12363
  (d,n) reactions on ^2H, ^9Be, ^{12}C, ^{14}N and ^{16}O at 2 to 5 MeV, n-polarisation meas. 4−19376
  (d,n) zero-degree polarisation transfer reactions, use as practical polarised neutron source 4−15862
  (d,p), on spherical nuclei, anal. of two-step effects in adiabatic approx. *(Russian)* 4−31390
  (d,p) reactions, 10 to 11 MeV, A=40 to 54, meas. of vector analysing power, determ. of states in odd-A nuclei 4−19508
  (d,p) reactions, 10 to 12 MeV for A=6 to 14, polarised d, vector analysing power meas. 4−19510
  (d,p) reactions, A=40 to 90, meas. of vector analyzing power for $l_n=4$ transitions 4−19509
  (d,p) reactions, deuteron D-state effect and j-dependence in vector polarisation 4−19500

polarisation in nuclear reactions and scattering continued

- (d,p) reactions, j-dependence of vector analysing power in DWBA anal. 4−15887
- (d,p) reactions, reln. between polarisation, analysing power and asymmetry 4−15860
- d disintegration in field of heavy nucleus, neutron polarisation anal. by panalyzation 4−27335
- (N,N) interaction, review 4−12314
- n elastic scattering, 1.36 MeV, angular distrib., depolarisation 4−19439
- n elastic scattering by medium to heavy nuclei, 4 MeV 4−19438
- n scattering, elastic, $\sim$1 MeV, A=48 to 238, rel. to optical model 4−19437
- (p,n) reaction on ^{3}H, ^{7}Li at 2 to 5 MeV, n-polarisation meas. 4−19376
- (p,n) reactions on light-nuclei, 100 MeV, differential cross section and polarisation predictions 4−40004
- (p,p), elastic scattering, p polarisation near isobaric analogue resonances 4−15844
- (p,p) and (p,p′) scattering expts., polarisation meas., isobaric analogue resons. 4−12355
- (p,p) elastic and inelastic scattering, formalism for polarisation transfer 4−15863
- (p,p′) scattering, review 4−12354
- p, elastic scattering, optical model with surface term, A=12 to 208 4−19441
- ^{27}Al, double elastic p scatt., optical model, diffr. theory *(Russian)* 4−31376
- ^{27}Al(d,α)^{25}Mg, 12 MeV, excitation function and vector analysing power meas. 4−31384
- ^{27}Al(p,p)^{27}Al, 6.2-6.8 MeV, excitation functions, cross-section, polarisation meas. *(Russian)* 4−23681
- ^{197}Au(p,p)^{197}Au, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4−19444
- ^{11}B(α,n)^{14}N low energies, calc. of n polarisation 4−19527
- ^{11}B(d,n$_{1,0}$) 7 to 12 MeV, cross-section and n polarisation meas. DWBA anal. 4−19499
- ^{11}B(d,n), 10 to 11.8 MeV, mea. and DWBA of vector analysing power, polarised d 4−19498
- ^{11}B(d,n)^{12}C, 3-5.5 MeV, neutron polarisation ang. distrib. 4−27334
- ^{11}B(p,p′), 30.3 MeV polarisation and asymmetry calc. using DWBA anal. 4−19449
- ^{11}B(p,p) elastic and inelastic, 3.5 to 10.5 MeV, polarised protons in giant resonance regions 4−19451
- ^{138}Ba(p,p′)^{13}8Ba(2^{+}), 10.0-11.69 MeV, determ. of analysing power and spin-flip probability and asymmetry 4−9200
- ^{9}Be(^{3}He,^{3}He), 18 to 20 MeV anal. of ^{3}He polarisation and cross-section ang. distrib. 4−19526
- ^{9}Be(d,n), 3.0 to 3.5 MeV n polarisation meas. 4−19497
- ^{9}Be(d,n)^{10}B, 3-5.5 MeV, neutron polarisation ang. distrib. 4−27334
- ^{9}Be(p,α)^{6}Li, 300 to 1250 keV, polarised p, differential analysing power and ang. distrib. anal. 4−19431
- ^{9}Be(p,d), 2.5 to 3.7 MeV, DWBA anal. deuteron D-state effect in tensor polarisation 4−15846
- ^{9}Be(p,d)^{8}Be, 300 to 1250 keV, polarised p, differential analysing power and ang. distrib. anal. 4−19431
- ^{9}Be(p,p)^{9}Be, 5-12 MeV elastic scatt., cross section and polarisation, optical model anal. *(Russian)* 4−23684
- ^{9}Be(p,p)^{9}Be, 6-7 MeV elastic scattering, differential cross section and polarisation is optical model *(Russian)* 4−15788
- ^{9}Be(p,p)^{9}Be depolarisation and spin-spin interaction, 25 MeV 4−2885
- ^{12}C(^{3}He,^{3}He), 18 to 20 MeV anal. of ^{3}He polarisation and cross-section ang. distrib. 4−19526
- ^{12}C(^{3}He,p)^{14}N, 2.4 to 3.6 MeV, p polarisation meas. R-matrix theory anal. 4−19528
- ^{12}C(d,d), 12.3 MeV, tensor analysis powers, incident polarised d 4−19504
- ^{12}C(d,d)^{12}C, 41-51 MeV, differential cross section fitting, vector polarisation 4−19489
- ^{12}C(d,p), 5-12 MeV, compound-nucleus and deuteron D-state effects in T$_{20}$ analyzing power 4−9208
- ^{12}C(d,p) 12.3 MeV, tensor analysing powers, incident polarised d 4−19504
- ^{12}C(d,p)^{13}C, 51 MeV, differential cross section and p polarisation meas. 4−19503
- ^{12}C(n,n), 3 to 7 MeV, n polarisation map determ. 4−19432
- ^{12}C(n,n) elastic and inelastic, 14 MeV polarised n, optical model anal. 4−19433
- ^{12}C(n,n) elastic and inelastic, 15 MeV, n polarisation meas. 4−19434
- ^{12}C(n,n)^{12}C, 2.63 MeV, neutron polarisation, phase shift meas. 4−15779
- ^{12}C(p,p′), 185 MeV, p polarisation in 3^{-} level excitation 4−15841
- ^{12}C(p,p’) 4.8 to 8 MeV, coupled-channel model anal. 4−19435
- ^{12}C(p,p’) at 185 MeV, DWBA, DWIA and strong absorption model anal. 4−12336
- ^{12}C(p,p), inelastic, 185 MeV, meas., DWIA calc. 4−23692
- ^{12}C(p,p)^{12}C, elastic scattering cross section and polarisation meas. by thick target method *(Russian)* 4−23683
- ^{12}C(p,p)^{12}C*, 50 MeV, polarisation-asymmetry inequality 4−2888
- ^{12}C(p,t), 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
- ^{13}C(α,n)^{16}O, determ. of J$^{\pi}$ of states in ^{17}O near 8 MeV 4−19529
- ^{13}C(α,n)^{16}O, determ. of absolute parities of ^{17}O states from S-matrix anal. 4−19530
- ^{13}C(p,p′), 30.3 MeV polarised p, coupled channel anal. 4−19450
- ^{40}Ca (p,p′), 24.5 MeV polarised p, asymmetry meas. 4−19453
- ^{40}Ca(d,p), 5-12 MeV, compound-nucleus and deuteron D-state effects in T$_{20}$ analyzing power 4−9208
- ^{40}Ca(p,p′), 185 MeV, p polarisation in 3^{-} level excitation 4−15841
- ^{48}Ca(p,d), 22.9 MeV polarised p, cross-section and asymmetry meas. 4−19456
- ^{48}Ca(p,p)^{48}Ca, 6-13 MeV, cross section, polarization energy depend. 4−19443
- ^{106}Cd(p,p$_{1}\gamma$), meas. of spin flip at 5/2^{+} isobaric analogue resonances, channel-channel correlations 4−9201
- ^{59}Co(n,n)^{59}Co, polarized target, deformation effect in total cross section 4−19440
- ^{52}Cr(d,d)^{52}Cr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466

polarisation in nuclear reactions and scattering continued

- ^{52}Cr(d,p)^{53}Cr, 8 MeV, DWBA calcs. including deuteron D-state 4−19501
- ^{52}Cr(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
- ^{63}Cu (p,p′), 15 MeV, polarised p asymmetry meas. 4−15843
- ^{63}Cu(p,p′), 15 MeV, polarised p asymmetry meas. 4−15843
- D(d,d)D, polarised deuterons, 3.0-11.5 MeV, vector and tensor analysing powers 4−19475
- D(d,p)T, polarised deuterons, 3.0-11.5 MeV, vector and tensor analysing powers 4−19475
- D(n,n)D, 2.6 MeV, polarised neutron, phase shift analysis, mixing parameters 4−2879
- D(t,α)n, triton polarisation meas. 4−19494
- ^{19}F(p,^{3}He)^{17}O, 42.4 and 49.5 MeV, analysing power differential cross section, spin depend., coherent summations 4−19405
- ^{54}Fe(p,p′), polarised p, nuclear structure effects on asymmetry 4−15840
- ^{1}H(d,d)^{1}H, 20.4, 25.2, 29.9 MeV, vector and tensor analysing power meas., three-body calcs. 4−19470
- ^{1}H(d,d)^{1}H, 6.0-11.5 MeV elastic scattering, phase shift analysis 4−15852
- ^{1}H(d,d)^{1}H elastic scattering, 6 and 10 MeV, tensor moments $\langle iT_{11}\rangle$, $\langle T_{20}\rangle$, $\langle T_{21}\rangle$, $\langle T_{22}\rangle$ 4−15864
- ^{1}H(d,n), 42.8 MeV, neutron polarisation 4−9157
- ^{1}H(d,n)pp, polarisation transfer at 0°, model 4−15870
- ^{1}H(n,γ)^{2}H, thermal neutrons, polarisation meas. for $^{3}S_{1}$-$^{3}S_{1}$ radiative transitions 4−15825
- ^{1}H(n,n), 16 to 21 MeV polarised n’s, p polarisation meas. 4−40003
- ^{1}H(n,n)^{1}H, 16.2 MeV, polarisation meas. using T(d,n)^{4}He neutron source 4−15821
- ^{1}H(n,n)^{1}H, 21.6 MeV, polarisation meas. using directional dependence of scintillation pulse shapes from anthracene crystal 4−15822
- ^{1}H(n,n)^{1}H 32 MeV, polarisation meas. by scattering asymmetry obs. for D-T reaction neutrons 4−15823
- ^{1}H(p,p)^{1}H, 30-50 MeV, polarisation angular distrib. 4−15824
- ^{2}H, polarised, induced reactions, rapid method of meas. of analyzing tensors 4−19512
- ^{2}H + ^{2}H reaction at low energies, DWBA analysis, polarisation effects 4−15865
- ^{2}H(N,N)^{2}H, perturbative calcs. of spin observables, comparison with exact calcs. 4−9160
- ^{2}H(d,n)^{3}He, 12 MeV, vector analysing power 4−15868
- ^{2}H(d,n)^{3}He, 25-40 MeV, neutron polarisation 4−15867
- ^{2}H(d,n)^{3}He, 6-14 MeV, differential cross sections, neutron polarisation 4−15866
- ^{2}H(d,n)^{3}He, polarisation transfer at 0°, model 4−15870
- ^{2}H(d,n)^{3}He, polarised incident beam, meas. of neutron polarisation, 7-16 MeV neutron energies 4−15869
- ^{2}H(d,n)^{3}He, polarised n beam production using associated particle method 4−19513
- ^{2}H(d,p)^{3}H, 150-340 keV polarised and unpolarised deuterons, proton angular distribs., analysing powers 4−15871
- ^{2}H(e,e)^{2}H elastic scattering, tensor polarisation, deuteron wave function at small distances 4−27309
- ^{2}H(γ,n)p, 5-40 MeV, 90° differential polarisation of photoneutrons 4−15764
- ^{2}H(n,n), 22.7 MeV, sensitivity of scattering states to NN interaction 4−31358
- ^{2}H(n,n), 2.2 to 7.8 MeV, 120° c.m. 4−36185
- ^{2}H(n,n) elastic and inelastic, 14 MeV polarised n, optical model anal. 4−19433
- ^{2}H(n,n)^{2}H, 2.45 MeV, doublet phases and depolarisation factor from phase shift anal. *(French)* 4−23678
- ^{2}H(n,n)^{2}H, 2.6 MeV elastic scattering, angular dependence of neutron polarisation 4−15826
- ^{2}H(n,n)^{2}H, 7.89 MeV polarised neutrons, ang. distrib. analysing power and phase-shift anal. 4−19427
- ^{2}H(n,n)^{2}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
- ^{2}H(p,n), 21.4 MeV, neutron polarisation 4−9157
- ^{2}H(p,p)^{2}H, 3.6-9.1 MeV elastic scattering, vector to tensor polarisation transfer 4−15793
- ^{2}H(p,p)^{2}H, elastic scattering at 50 MeV, triple scattering parameters 4−15827
- ^{2}H(p,p)^{2}H scattering at and below 800 MeV, cross sections and polarisations 4−19428
- ^{3}H(^{3}He,n)^{3}Li, 2.70 and 3.55 MeV, angular distribs. and neutron polarisation 4−15903
- ^{3}H(d,α)n, 51, 76 and 93 keV, analyzing power 4−15873
- ^{3}H(d,d) at 5 to 11.5 MeV, meas. of tensor analysing powers T$_{20}$, T$_{21}$ and T$_{22}$ 4−12358
- ^{3}H(d,d)^{3}H, 3.3-12.3 MeV vector polarised deuterons, angular distribs., analysing powers and cross sections 4−19477
- ^{3}H(d,d)^{3}H, 5-11.5 MeV polarised deuterons, tensor analysing power 4−19460
- ^{3}H(d,n), comparison of vector analysing power with mirror reaction ^{3}He(d,p) 4−15877
- ^{3}H(d,n) reaction as polarised 14 MeV n source 4−22940
- ^{3}H(d,n)^{4}He, 7.0 and 11.4 MeV polarised deuterons, neutron polarisation, spin-flip mechanism 4−15875
- ^{3}H(d,n)^{4}He, 7.0 to 11.4 MeV, neutron polarisation angular distribs., analysing powers 4−15872
- ^{3}H(d,n)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
- ^{3}H(d,n)^{4}He, polarised n beam production using associated particle method 4−19513
- ^{3}H(d,n)^{4}He below 1 MeV, analysing power of vector and tensor polarization 4−15874
- ^{3}H(d,n)^{4}He polarisation transfer reaction, quadratic relns. between observables 4−15876
- ^{3}H(n,n)^{3}H, 6-23 MeV, optical model fits to neutron polarisation and differential cross sections 4−15813
- ^{3}H(n,n)^{3}H, polarisation of 22 MeV elastically scattered neutrons 4−15828
- ^{3}H(p,γ)^{4}He polarised proton capture, angular distrib. asymmetry 4−19425
- ^{3}H(p,n)^{3}He, 1.3 to 2.9 MeV polarised protons, analyzing power meas. 4−36192
- ^{3}H(p,n)^{3}He, 1.5-4 MeV, difference between polarization and analyzing power 4−27323

polarisation in nuclear reactions and scattering continued
^{3}H(p,n)^{3}He, charge-independent phase shift analysis of neutron polarisation 4−15829
^{3}H(p,n)^{3}He, neutron polarisation, longit. polarisation transfer, 4-15 MeV 4−31362
^{3}H(p,n)^{3}He, polarisation transfer calc., 2 to 10 MeV 4−2884
^{3}H(p,p)^{3}H, 13.6 MeV polarised protons, asymmetries 4−15831
^{3}H(p,p)^{3}H, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}He(p,p,)^{3}He 4−19422
^{3}H(p,p)^{3}H, 4-12 MeV scattering of polarised protons, ang. distribs. and analysing powers 4−15830
^{3}H(p,p)^{3}H, 5.33-5.63 polarised and unpolarised beams, search for 23.9 MeV narrow state in ^{4}He 4−15833
^{3}H(p,p)^{3}H, excitation function of differential cross section and analysing power, 4-12 MeV 4−15632
H(d,d)H, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
H(d,d)H, 3.0 to 5.75 MeV, phase-shift analysis, cross-section, proton polarisation 4−2897
^{3}He, polarised target, summary of expts. at Rice University 4−18580
(^{3}He,t) reactions, DWBA anal. of quadratic spin orbit effects 4−19531
^{3}He polarised target, asymmetries in deuteron scattering, 9.9 and 11.9 MeV 4−15880
^{3}He(^{4}He,^{4}He), polarised target, analysing power meas. at low energies 4−19524
^{3}He(^{4}He,^{4}He)^{3}He at 28 to 44 MeV, meas. of diffential cross section and ^{3}He polarisation 4−12366
^{3}He(d,d)^{3}He, 10 and 13 MeV polarised deuterons, vector and tensor analysing power 4−15879
^{3}He(d,d)^{3}He, 10 MeV, spin-dependent interactions 4−23707
^{3}He(d,d)^{3}He, 4-10 MeV elastic scattering, tensor moments meas. 4−15881
^{3}He(d,d)^{3}He, reaction matrix analysis at 10 MeV 4−19429
^{3}He(d,p), comparison of vector analysing power with mirror reaction ^{3}H(d,n) 4−15877
^{3}He(d,p)^{4}He, 10 MeV polarised deuterons, vector and tensor analysing powers 4−19478
^{3}He(d,p)^{4}He, 2-13 MeV vector polarised deuterons, angular distrib. of vector analysing power 4−19480
^{3}He(d,p)^{4}He, 2.0-6.0 MeV, proton polarisation meas. 4−15850
^{3}He(d,p)^{4}He, 2.8-10 MeV, tensor moments, angular distribs. and ^{5}Li resonant states 4−15884
^{3}He(d,p)^{4}He, 366-1090 keV polarised deuterons, analysing powers 4−23706
^{3}He(d,p)^{4}He, 4-14 MeV, polarisation transfer coeffs. 4−9213
^{3}He(d,p)^{4}He, 430 keV, polarised target and deuterons, efficiencies, partial waves and analysing powers 4−19482
^{3}He(d,p)^{4}He, 6-10 MeV polarised deuterons, vector polarisation and proton asymmetries 4−19479
^{3}He(d,p)^{4}He, 6.6 to 15.8 MeV polarised d, tensor analysing power at $\theta=0$ 4−31383
^{3}He(d,p)^{4}He, polarisation expts., analysis below 1 MeV 4−15878
^{3}He(d,p)^{4}He, polarisation-asymmetry relns. in terms of reaction scattering matrices 4−15882
^{3}He(d,p)^{4}He, polarised target, analysing power below 2.5 MeV 4−15885
^{3}He(d,p)^{4}He, polarised target, proton angular asymmetries at 6 and 8 MeV 4−15886
^{3}He(d,p)^{4}He, polarised target, analysing power, 2.8-10 MeV 4−19481
^{3}He(d,p)^{4}He, vector analysing power near 430 keV resonance 4−15883
^{3}He(p,p)^{3}He, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}H(p,p)^{3}H 4−19422
^{3}He(p,p)^{3}He, asymmetry in elastic scattering of 42 MeV polarised protons 4−15832
^{3}He(p,p)^{3}He, elastic, calc. of cross section, polarisation values 4−15809
^{4}He + n, double scatt., 15 MeV, phase shift sets 4−27329
^{4}He(^{3}He,^{3}He)^{4}He, 8.3-13.0 MeV, absolute polarisation meas. 4−19495
^{4}He(d,^{3}He)^{3}H, 30 to 40 MeV, vector analysing power meas., deviation from isospin imposed symmetry 4−2916
^{4}He(d,d), 12 MeV polarised d, meas. of vector and tensor analysing power 4−19484
^{4}He(d,d), 3 to 11.5 MeV, meas. of tensor moments and ang. distribs. 4−19485
^{4}He(d,d), 3 to 11.5 MeV polarised beam, phase shift anal. 4−19486
^{4}He(d,d), determ. of ^{2}H tensor polarisation *(German)* 4−23698
^{4}He(d,d)^{4}He, 11.5 MeV, comparison of double scattering and polarised ion source meas. 4−19483
^{4}He(d,d)^{4}He, 12-17 MeV, analysing power, appl. on polarisation standard 4−9211
^{4}He(d,d)^{4}He, 20-30 MeV polarised deuterons, asymmetry measurements 4−19474
^{4}He(d,d)^{4}He, 4.8-9.0 MeV, polarization transfer coeffs. and analysing tensors 4−9214
^{4}He(d,d)^{4}He elastic scattering, polarization transfer meas. 4−15856
^{4}He(d,t)^{3}He, 30 to 40 MeV, vector analysing power meas., deviation from isospin imposed symmetry 4−2916
^{4}He(n,n)^{4}He, asymmetry and polarisation function at 27.3 and 30.3 MeV 4−15836
^{4}He(n,n)^{4}He, comparison of analysing power calculated from various phase shift sets 4−15834
^{4}He(n,n)^{4}He, elastic scattering near 20 MeV, differential cross section, phase shifts 4−15835
^{4}He(p,p)^{4}He, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
^{4}He(p,p)^{4}He, 20-40 MeV, polarisation and cross section meas. 4−15839
^{4}He(p,p)^{4}He, 3-18 MeV, polarisation ang. distribs., phase-shift representation 4−15838
^{4}He(p,p)^{4}He, reaction matrix analysis at 10 MeV 4−19429
^{4}He(t,t)^{4}He, 6.0-12.25 MeV, absolute polarisation meas. 4−19495
^{4}He(t,t)^{4}He, triton polarisation meas. 4−19494
H(t,t)H, triton polarisation meas. 4−19494
^{39}K(n,γ)^{40}K, circular polarisation and γ-γ ang. correlation meas. 4−40007
^{6}Li(^{3}He,p)^{8}Be, 1.4 to 2.0 MeV, p polarisation meas. 4−19525

polarisation in nuclear reactions and scattering continued
^{6}Li(d,α), meas. of polarisation of ^{6}Li ions and analysing power anal. 4−19532
^{6}Li(d,α)^{4}He, 0.4 to 1 MeV polarised d, analyzing power meas. 4−19487
^{6}Li(d,α)^{4}He, 3 to 11.5 MeV polarised deuterons, vector analysing power meas. *(German)* 4−23700
^{6}Li(d,n), below 3 MeV polarised ^{2}H beam, Q-value determ. of ^{7}Be energy levels *(German)* 4−23699
^{7}Li(p,n)^{7}Be, 2.05 to 3.00 MeV, proton analyzing power meas. 4−12337
^{7}Li(p,n)^{7}Be 3 to 4 MeV, meas. of n polarisation 4−19430
^{24}Mg(d,d)^{24}Mg, elastic and inelastic, vector analyzing power, DWBA and optical model 4−19490
^{24}Mg(d,p)^{25}Mg, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
^{24}Mg(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
^{25}Mg(d,α)^{23}Na, 12 MeV, excitation function and vector analysing power meas. 4−31384
Mg(d,d)Mg, 7.0 MeV, tensor polarisation, optical model 4−19491
^{92}Mo(p,d) at 24.5 MeV DWBA anal. of cross sections and asymmetries 4−15847
^{14}N(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
^{14}N(p,p′), 24 MeV, meas. and calc. of cross sections and asymmetries using DWBA anal. 4−15842
^{15}N(p,^{3h}e) polarised p at 43.8 MeV, determ. of vector analysing power 4−19458
^{15}N(p,t) polarised p at 43.8 MeV, determ. of vector analysing power 4−19458
^{20}Ne(p,p′), 24.5 MeV polarised p, hexadecapole deformation and asymmetry 4−19452
^{22}Ne(p,p′), 24.5 MeV polarised p, hexadecapole deformation and asymmetry 4−19452
^{58}Ni(p,p′), 60 MeV polarised protons, cross sections and analysing powers in giant resonance region 4−15816
^{60}Ni(d,d)^{60}Ni, 15 MeV, analysis of cross section and analysing powers 4−2898
^{62}Ni(p,p′) polarised p, nuclear structure effects on asymmetry 4−15840
^{358}Ni(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
^{237}Np(n,f), spin determ. of intermediate structure in subthreshold fission 4−23738
^{16}O(^{3}He,^{3}He), 18 to 20 MeV anal. of ^{3}He polarisation and cross-section ang. distrib. 4−19526
^{16}O(d,p)^{17}O, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
^{16}O(γ,n), differential polarisations of photoneutrons from giant dipole states 4−19386
^{16}O(n,n) at 1 to 4 MeV, high resolution study of n polarisation and phase-shift anal. 4−12341
^{16}O(n,n) elastic and inelastic, 14 MeV polarised n, optical model anal. 4−19433
^{16}O(p,^{3}He) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{16}O(p,^{3}He) polarised p at 43.8 MeV, determ. of vector analysing power 4−19458
^{16}O(p,d)^{15}O, 30 MeV effect of deuteron D-state on DWBA calcs. 4−19455
^{16}O(p,p′), 30.3 MeV polarised p, couled channel anal. 4−19450
^{16}O(p,p), 8 to 12 MeV p polarisation and ang. distrib. meas. 4−19436
^{16}O(p,t), polarised p at 43.8 MeV, determ. of vector analysing power 4−19458
^{16}O(p,t) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{18}O(d,p)^{19}O, 14.8 MeV polarised, bound and unbound states of ^{19}O 4−27333
^{18}O(p,d)^{17}O, 24.4 MeV polarised protons, differential cross sections and analysing powers, DWBA anal. 4−19413
^{18}O(p,t)^{16}O, 24.4 MeV polarised protons, differential cross sections and analysing powers, DWBA anal. 4−19413
^{208}Pb (d,p)^{209}Ph, meas. vector analysing power near Coulomb barrier 4−19511
^{208}Pb(d,p), 9 MeV, classical model of deuteron D-state effects 4−36212
^{208}Pb(d,p)^{209}Pb at 12.3 MeV, meas. of tensor analysing power 4−2912
^{208}Pb(p,p′), 155 MeV, polarisation and asymmetry calc. using DWBA anal. 4−19449
^{208}Pb(p,p′), 185 MeV, p polarisation in 3^{-} level excitation 4−15841
^{208}Pb(p,p') at 185 MeV, DWBA, DWIA and strong absorption model anal. 4−12336
^{208}Pb(p,t)^{206}Pb 40MeV polarised protons, analysing powers of L=0,2,4,6 transitions 4−5801
Pt(p,p)Pt, elastic, ∼5 MeV, search for Mott-Schwinger polarization 4−19445
Si, inelastic proton polarization meas., second scatterer in polarimeter 4−19442
^{28}Si(d,p), 5-12 MeV, compound-nucleus and deuteron D-state effects in T_{20} analyzing power 4−9208
^{28}Si(d,p)^{29}Si, 12.3 MeV polarised d, meas. p polarisation 4−19507
^{28}Si(d,p)^{29}Si(g.s.) 10 to 15 MeV, DWBA anal. of spin dependent distortion effects 4−19506
^{28}Si(p,t) 49.5 MeV polarised p, polarisation analysing power meas. 4−19459
^{118}Sn(p,d), polarised p, effect of spin orbit terms in p and d channels 4−15849
^{118}Sn(p,d) at 24.5 MeV using polarised protons, cross sections and asymmetry meas. 4−15848
^{119}Sn(p,d), polarised p effect of spin orbit terms in p and d channels 4−15849
^{119}Sn(p,d) at 24.5 MeV, j-mixing determ. from asymmetry and cross section meas. 4−19457
^{119}Sn(p,d) at 24.5 MeV using polarised protons, cross sections and asymmetry meas. 4−15848
^{122}Sn(d,d)^{122}Sn, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466

- **polarisation in nuclear reactions and scattering** continued
  - ^{128}Te(p,p), 9.8 to 10.5 MeV, p polarisation meas. rel. to isobaric analog resonance anal. 4−15845
  - ^{49}Ti(p,d), 20.9 MeV polarised p cross-section and asymmetry meas. 4−19456
  - ^{234}U(n,f), 0.1 to 15 eV, determ. of spins of low energy in resonances 4−15615
  - ^{235}U(n,γ), 0.1 to 15 eV, determ. of spins of low energy in resonances 4−15615
  - ^{89}Y(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
  - ^{90}Zr(d,d)^{90}Zr, 15 MeV, differential cross section, analysing powers, optical model anal. 4−19466
  - ^{90}Zr(p,d) at 22.9 MeV, DWBA anal. of cross section and asymmetries 4−15847
  - ^{90}Zr(p,p$_2\gamma$), meas. of spin flip at $3/2^+$ isobaric analogue resonances, channel-channel correlation 4−9201
  - ^{90}Zr(p,p′), 185 MeV, p polarisation in 3^- level excitation 4−15841
  - ^{90}Zr(p,p′), polarised p, nuclear structure effects on asymmetry 4−15840
  - ^{96}Zr(^{18}O, 4nγ)^{110}Cd, linear γ-ray polarisation meas. 4−31411
  - ^{96}Zr(p,p)^{96}Zr, 12 MeV, analyzing power of polarised protons, quasielastic (p,n) threshold 4−19446
- **polariscopes** *see polarimeters*
- **polaritons**
  - adamantane, cubic phase, Brillouin spectral investig. of phonon interactions, velocities, elastic consts. *(German)* 4−33393
  - anthracene, refl. spectra, transition at 4000 Å rel. to exciton, polariton band splitting 4−41411
  - biaxial crystals, semiinfinite, interface and surface polaritons 4−3768
  - crystal, non-normal incident light, dispersion, transverse and longitudinal polariton, exciton spectra 4−13467
  - dispersion, Brownian sublattice effects 4−36967
  - metal surface, dispersion relation for surface polaritons 4−6660
  - molecular crystal, cubic, total local elec. field strength, derivation of vectorial polariton eqn. *(German)* 4−13152
  - pulsed polariton decay, difference mixing generation 4−24718
  - Raman scattering, fluctuation theory 4−10416
  - Raman scattering, scatt. by polaritons in anisotropic cryst. investig. 4−17070
  - Raman scattering, stimulated, anal. using fluctuation dissipative approach *(Russian)* 4−35902
  - Raman scattering cross section due to spatial dispersion, theory 4−28830
  - semiconductor, light beam interaction theory, via polariton-polariton scatt. 4−31075
  - surface polariton theory, variant of Ewald-Oseen extinction theorem 4−37297
  - CdS, light beam interaction theory, via polariton-polariton scatt. 4−31075
  - CdS, uniaxial, dispersion of ordinary and extraordinary surface polaritons 4−1263
  - GaP, temp. depend. of polariton damping function 4−37197
  - α-HIO$_3$, fund. vibr. modes, polar Raman vibrs., dispersion by phonons 4−16567
  - He, superfluid, polarisation modes formed by light coupling with excitation pairs 4−24606
  - KH$_2$PO$_4$, cryst., electrooptical effect, forced combination light scatt. on polaritons *(Russian)* 4−28790
  - KTaO$_3$, surface polaritons, A.T.R. spectral investig. 4−24532
  - LiIO$_3$, monocrystals, spontaneous Raman spectrum, Fermi resonance of polaritons *(German)* 4−25081
  - LiIO$_3$, Raman scatt., polariton Fermi reson. obs. 4−10406
  - NaCl, Raman scattering cross section due to spatial dispersion, theory 4−28830
  - RbClO$_3$, Stokes and anti-Stokes Raman scattering 4−10432
  - SrTiO$_3$, surface polaritons, A.T.R. spectral investig. 4−24532
  - ZnSe crystal, electro-optical effect, forced combination light scatt. on polaritons *(Russian)* 4−28790
- **polarization** *see polarisation*
- **polarographs** *see polarography*
- **polarography**
  - a.c., harmonic multiplex mode, digital signal conditioning with Fast Fourier Transform 4−8562
  - amalgam, effect of temp. on reversible anodic peak 4−7450
  - blood O$_2$ content, polarographic apparatus 4−23052
  - controlled current density, instrumental design 4−30657
  - derivative polarograms in relative system of coords. 4−26724
  - extraluminal catheter tip O$_2$ partial pressure monitor for neonates 4−14626
  - Faradaic rectification polarography, exptl. study 4−5285
  - galavanostatic double-pulse method with polarographic generation of reactant 4−5286
  - h.f., phase sensitive, short controlled drop time, a.c. polarography, anal. appl. 4−23030
  - influence of electrolyte concentration on polarographic maxima of the first kind 4−39418
  - linear sweep voltammetry, bandpass limitations, maximum usable sweep rate in faradaic processes investig. 4−39420
  - linear sweep voltammetry, kinetic control by charge transfer and/or secondary chem. reactions 4−26715
  - linear sweep voltammetry, reduction mechanism, aromatic carbonyl compounds 4−26716
  - oscillographic polarograph, cyclic volt-ampere characteristics 4−21563
  - potential dependence of charge transfer coeff., feasibility of meas. by d.c. polarography 4−39395
  - processes characterisation, instrument 4−15040
  - pulse, d.c. effects at dropping Hg electrode, use of computer simulation 4−39417
  - semiintegral electroanalysis; use of neopolarograms 4−23031
  - simplification and speeding up of analyses, by avoiding removal of O$_2$, etc. 4−39434
  - suppressive effects of alkali metal cations on height of maxima 4−39419
  - twin electrode system, modification for anal. of metal ions in molten salts 4−39421
  - voltamperometric minima and electrochem. oscillations 4−17517
- **polarography** continued
  - wave processing 4−165
  - Hg drop electrode, in stripping voltammetry, modification with Teflon, use in glass-corrosive media 4−35516
  - LiCl-KCl molten eutectic, electronic conductivity 4−4257
  - O$_2$ consumption monitor application 4−18193
- **polarons**
  - anisotropic energy bands, intermediate coupling theory 4−32899
  - bound, ground state energy in Coulomb pot. 4−20562
  - cyclotron resonance, i.r. transitions, laser magnetoreflection spectroscopy 4−22865
  - dielectric model, surface polaron theory, slow electron interaction 4−33021
  - disordered system, Hall coeff. calc. 4−32979
  - ellipsoidal optical polaron, energy and effective mass for large electron-phonon interact. const. 4−41046
  - ferromagnetic semiconductor, temp. depend. of cond., Mott transition, carriers in spin-polaron states 4−16805
  - ground state theorem 4−28376
  - hydrated electron in ice, quantum electronic polaron model 4−1744
  - insulators, self-trapped carriers, cond. transition, temp. depend. 4−3765
  - magnetic insulator, magnetic polaron, ave. no. of magnons per cond. electron 4−41045
  - mobility, determ. by interaction with thermal optical phonons 4−10117
  - molecular crystal model, exciton polarons, dynamical CPA 4−32900
  - optical, weakly coupled, investigation using Green's function technique 4−10116
  - piezoelectric interaction, energy change, Coulomb potential, perturbation theory 4−20571
  - piezoelectric polaron, ground-state energy, theory 4−13155
  - statistical mechanics approach, book 4−11839
  - theory, book 4−13119
  - As-Te-I, As-Te-Ge, As-Te, chalcogenide glass, polaron hopping transport 4−36814
  - B, description of electrical conductivity dependence on temperature and electric field intensity 4−16765
  - B, polaron effect theory, quantum mech. energy calc. 4−20573
  - β-B, rhombohedral, hopping cond., Mott model rel. to small polarons 4−16757
  - CdO degenerate films, optical absorpt. by free polarons at 5 to 25 μm 4−3721
  - InSb, conduction band electron effective masses, as function of H, 48K, resonant phonon coupling 4−41047
  - La$_x$Eu$_{1-x}$B$_6$ solid solutions, Seebeck coeff. var. with comp. metallic-polaron type *(French)* 4−16706
  - MgO, V$^-$ type centre, bound small polaron optical absorp. 4−37642
  - PbO-SiO$_2$-Fe$_2$O$_3$ glass, dielec. relax. hopping mechanism 4−32901
  - Sb$_2$S$_3$ monocrystals, near i.r. optical props., electron-phonon interaction influence *(Russian)* 4−33412
  - Sb$_2$S$_3$ single crystals, effect of electron-phonon interaction on optical and elec. props. *(Russian)* 4−6588
  - TlBr, bare masses calc. for polaron with anisotropic mass 4−37200
  - TlCl, bare masses calc. for polaron with anisotropic mass 4−37200
- **poles and towers**
  - static voltage on guy insulators of broadcast antenna towers, approx. calc. method 4−23242
- **poles and zeros**
  - lens antennas, in index of refraction, refractive properties 4−35786
  - polynomials, multiple zeros calc. 4−5322
- **police**
  - cadaver and grave detector methods and equipment for cadaver and grave detection 4−8405
  - road safety, speed limit optimisation, automatic speed measurement 4−5099
- **polishing**
  - *see also electrolytic polishing*
  - anthracene, triplet exciton lifetime, mech. polishing effects 4−37662
  - corundum single crystal, mechanical finishing, optimum procedure calcs. 4−18436
  - diamond abrasives, cutting rate determ. rel. to polishing time *(German, English)* 4−21328
  - ion bombardment induced surface microroughening, mechanism 4−3650
  - lens polishing machine, polishing factors determination glass wearing control expt. *(Japanese)* 4−2276
  - by levitation of charged particles *(French)* 4−23426
  - of optical blanks, stabilisation 4−18443
  - optical components, ion beam machining 4−5045
  - optical plane surface precision technique *(Czech)* 4−2275
  - steel, cross-polished, vapour deposited metal carbides, microanal. investigations *(German)* 4−37839
  - steel, stainless 18-8, oxide films, effect of surface polishing in high temp. water *(Japanese)* 4−13686
  - BeO, flat damage-free surfaces, chem. and mech. prep. 4−32821
  - GaAs surface, in Gunn device manufacture 4−6981
  - MgO, single cryst. substrates for ferrite epitaxial growth, surface prep. 4−37114
  - Si, device characterisation, large area electron-transparent sample prep., for electron microscopy 4−41503
  - Si, surface contamination on polishing and cleaning, backscatt. obs. 4−1171
  - Si substrate, influence on characteristics *(Russian)* 4−41504
  - WC-Co cemented carbides, abrasive polishing influence on stress state and toughness props. 4−41758
  - Zr$_3$Al alloys, microstruct. revealing methods 4−33713
- **pollution**
  - *see also air pollution; pollution detection and control; water pollution; water treatment*
  - abatement strategies, economic effects, process-chain evaluation model 4−35092
  - control, effluent treatment plant, chemical neutralization of residues from metal finishing processes *(French)* 4−2200
  - electron microscopy, conf., New Orleans, USA (Aug. 1973) 4−141
  - environmental impact of energy systems, multistage input/output model 4−35091
  - environmental implications of economic growth, input-output analysis 4−35089

pollution continued
- environmental noise, classification instrument 4−11355
- environmental pollution-economic systems modelling interindustry approach 4−35088
- heavy metal deposition, Scandinavia 4−22628
- input-output models for pollution study 4−35087
- light pollution and city sky glow monitoring at Kitt Peak 4−14141
- light pollution at astronomical observatories, aerosol effects, model atmosphere 4−34360
- light pollution in California and Arizona 4−14142
- magnetic separation, high gradient, mineral processing and pollution appl. 4−5114
- monitoring electrode, ion selective glass membrane 4−2416
- noise, instrumentation, conference, New York, USA, 26-30 March (1973) 4−11352
- noise, microphone for monitoring system 4−11353
- noise, personal integrating meter system 4−11343
- nuclear energy laboratories 4−31620
- nuclear power station, site investigation, South Africa, ground waste sorption capacity 4−12461
- nuclear power stations, decontamination technique, radionuclide release, crud 4−9357
- pulp/paper industry, pollution control and chemical recovery, book 4−4894
- radiation dosage, environmental, calc. using models programmed in BASIC computer language 4−31595
- radioactive waste, post-impact anal. of space disposal containers rel. to abortive flight 4−31588
- radioactive waste canisters, improved heat transfer 4−31586
- radioactive waste high-level, retrievable surface storage 4−31585
- radioactive waste product form durability evaluation by leaching procedure 4−31587
- radioactive wastes, high-level, from fuel reprocessing, alternative means of management 4−31584
- radioactive wastes from fuel cycle, projections 4−31583
- radioactivity, environmental, research in Czechoslovakia *(French, English)* 4−27480
- radionuclides, environmental behaviour, conf., Aix-en-Provence, France (May 1973) 4−35095
- sewage treatment plant wastes, heavy metal determ. 4−22630
- ^{137}Cs, levels in humans, from reactor effluents, forecast 4−40136

pollution detection and control
- *heading is late addition, see also pollution; chemical variables control measurement*
- abatement strategies, economic effects, process-chain evaluation model 4−35092
- a.c. reflectometry, for smoke and H_2S meas. 4−35093
- aerosol particle size distribution, variable slit impactor 4−26661
- aerosol radiometer, RaA and ThB detection 4−11346
- aerosol size distrib. meas., ^{220}Rn labelling *(German)* 4−4892
- air, Coaltek charging process and Honeywell instrumentation, coke ovens 4−42633
- air, high resolution i.r. spectra using Fourier transform spectrometer 4−39099
- air, measuring emission from technical processes *(German)* 4−26288
- air, review of progress in Canada covering gases, heavy metals, particulates 4−18244
- air and noise, with mobile patrol vehicle 4−39169
- air and water, large scale techniques 4−18247
- air pollutants, laser induced i.r. fluoresc. and absorpt. 4−26723
- air pollution, ground based temp. inversion detection equipment 4−11354
- air pollution, laser molecular resonance absorption meas., sensitivity analysis 4−11345
- air pollution, laser-acoustic monitors, use 4−18251
- air pollution, quality standards rel. to concentration rates and contaminant discharge 4−18254
- air pollution control, in Al and Cu recycling processes 4−39101
- air pollution instrumentation, sophisticated techniques 4−18249
- air pollution monitoring, advanced spectroscopic techniques 4−11349
- air pollution monitoring 4−26291
- air pollution particulate sample anal., X-ray fluorescence 4−26283
- airborne carbinogenic polynuclear aromatic hydrocarbons, size distrib. using Andersen sampler 4−42632
- airborne particulate matter extraction, solvent selection 4−42631
- anaesthetics, in operating theatres 4−39097
- aquatic biota, potential radiological impact 4−35086
- atmosphere, obs. techniques, from space 4−8252
- atmospheric, C rod atomizer applic. 4−14722
- atmospheric, X-ray spectrometry 4−14721
- atmospheric fluoride monitors, comparison of samplers under field conditions 4−42629
- atmospheric metal detection at 10^{-12} g level by at. absorpt. spectroscopy 4−14718
- atmospheric metal determ. by flameless at. absorpt. spectroscopy 4−14720
- atmospheric molecular constituents, remote meas. by laser-Raman radar 4−38547
- atmospheric monitoring, resonant optoacoustic technique 4−11351
- atmospheric particulate mass monitoring with β radiation detector 4−42630
- atmospheric pollutant detection, acoustic amplifier design 4−17844
- atmospheric trace metal direct determ. by Ta ribbon flameless at. absorpt. spectroscopy 4−14719
- atomic absorption, flameless, preatomisation losses 4−15057
- automatic chemical analysis, industrial appl. 4−39422
- balloons, tethered, appl. to *(French)* 4−38544
- combustion gases, particles anal. from internal combustion engines by SEM 4−18259
- community noise survey, Medford, Massachusetts 4−22673
- corona discharge in air, introduction of N_2 to reduce ozone prod. *(French)* 4−40699
- diagnostics, velocity effects with tunable lasers for Doppler broadened lines 4−11347
- dust electroprecipitators, specific aspects rel. to garbage incineration 4−18255
- dust emission control, gravimetric measurement automation of dust in flowing gas *(German)* 4−14714

pollution detection and control continued
- environmental dosimetry, new method based on scintillation spectroscopy 4−31601
- environmental impact of energy systems, multistage input/output model 4−35091
- environmental implications of economic growth, input-output analysis 4−35089
- environmental monitoring, laser fluorosensor, development and field tests 4−30268
- environmental monitoring program of Los Alamos scientific laboratory 4−31600
- environmental noise classification, instrumentation 4−11355
- environmental pollution-economic systems modelling, interindustry approach 4−35088
- environmental protection instrumentation and techniques, paper industry 4−4896
- environmental radiation monitoring, low-level, automatic data handling system 4−31603
- exhaust gas, pollution control by ventilation 4−30273
- exhaust gas regulation, effect on air cleanliness, liquid gas operation in traffic 4−26295
- feedlot runoff, remote sensing by i.r. imaging and photography 4−35094
- flame emission, automated sequential analysis 4−15058
- from fuel combustion, OECD report 4−22632
- gamma-ray meas. in nuclear reactor environs using LiF thermoluminescence dosimeters 4−31596
- gas chromatography trace analysis, coupling of permeation and exponential dilution methods 4−2405
- ground disposal site, radioactive wastes, selection 4−26276
- heavy water production plant effluents, specific ion electrode for S monitoring 4−8253
- high volume air sampler, description 4−30270
- hydrocarbon effluent analysis by flame ionisation detection 4−18245
- hydrocyclone, solid-liquid separation device, applic. 4−18243
- immission meas. using analysing systems, air pollution *(German)* 4−26289
- incinerator, air controlled 4−39102
- industrial, control techniques, book 4−18258
- inert gas radionuclides, estimation of radiation exposure 4−31623
- input-output models for pollution study 4−35087
- i.r. satellite photography, air and water, remote sensing 4−2016
- laser application, up to 30 km cavity length 4−35872
- LIDAR technique, fluoresc. meas. of aerosols and NO_2 4−11350
- low odour recovery unit control, paper industry latest approaches 4−4899
- low-emission diesel engines for passenger cars, turbocharged direct injection engine, retarded injection, exhaust gas recirculation *(German)* 4−22626
- magnetic separation, high gradient, mineral processing and pollution appl. 4−5114
- magnetic separation in water pollution control 4−8250
- marine hydrocarbon seepage detection by subbottom profiling 4−11060
- marine oil accumulations, volume determination 4−30271
- measurement of oil at sea, simple ultrasonic technique 4−18260
- measurement techniques for air pollution *(German)* 4−26287
- microwave spectroscopic meas. of air pollution 4−35366
- monitoring electrode, ion selective glass membrane 4−2416
- noise, in control valves, technological advances 4−26312
- noise, microphone for outdoor monitoring system 4−11353
- noise, personal integrating sound level meter system 4−11343
- noise in towns, research 4−26290
- nuclear power reactor releases, assessment of radiological environmental doses 4−31593
- nuclear power reactors, environmental monitoring of radiation release 4−31594
- oceans, trace element comp. of low level marine atm. particulates 4−1815
- odour control performance of activated carbon and permanganated alumina 4−11344
- oil spill, arctic, survey of effect on ice, snow 4−7657
- oil spills, multisensor system for airborne surveillance 4−14725
- optical radar meas. methods and instruments *(German)* 4−14715
- Pacific Ocean, quantitative tar and plastic waste distrib. 4−10870
- periphyton algae, total dissolved electrolyte effects 4−18252
- photography, grey density interpretation in colour by TV scanner 4−42188
- polluted stream variables, optimal estimation 4−11356
- polyphase flow for environmental protection 4−32129
- portable instrumentation, pulsed d.c. motor speed control 4−26285
- power plant emissions 4−31637
- power station at Loire sur Rhone, pollution control procedures during construction and operation 4−18256
- pulp and paper industry, present situation and trends, report 4−39105
- pulp/paper industry, book 4−4894
- radiation dose estimation, regional nuclear power growth 4−35073
- radiation dose estimation 4−35074
- radiation dose pathway, from nuclear fuel reprocessing plant 4−35077
- radiation monitoring, at nuclear power stations *(French)* 4−31624
- radioactive, agricultural aspects 4−35069
- radioactive aerosols *(German)* 4−42625
- radioactive Co and Ag, environmental behaviour in aquatic media, review 4−31629
- radioactive contaminants, environmental capacity 4−35081
- radioactive isotopes, gaseous, from reprocessing plants 4−31622
- radioactive waste, in air and water, relative sensitivity of measures *(French)* 4−14712
- radioactive waste air cleaning, fuel element fabrication from enriched U *(Russian)* 4−31621
- radioactive waste disposal, into lakes dose commitments 4−35075
- radioactive waste disposal, liquid, environmental capacity 4−35085
- radiocontamination of fish, River Meuse *(French)* 4−31634
- radioelement, surface water purification, empirical equation *(French)* 4−31627
- radiological capacity concept, radiation protection *(French)* 4−35080

pollution detection and control continued
  radiological environmental capacity, future radiation protection *(French)* 4−35082
  radiological limit, environmental capacity 4−35079
  radionuclide, environmental monitoring, ecosystem approach 4−31639
  radionuclides, environmental behaviour, conf., Aix-en-Provence, France (May 1973) 4−35095
  radionuclides, from nuclear plants 4−31625
  radionuclides, in discharge from PWR nuclear power station 4−31628
  radionuclides, modelling of river basin transport 4−31635
  radionuclides, river transport to cultivated soils *(French)* 4−31631
  Raman laser application, spin-flip 4−23352
  Raman scattering cross sections for gaseous molecules, using pulsed N_2 gas laser *(Japanese)* 4−30662
  region input-output pollution abatement model 4−35090
  remote detection of CO by parametric tunable laser 4−42624
  remote detection techniques, review 4−18261
  remote sensing, symposium, Saskatoon, Canada, 5-7 Feb (1973) 4−29695
  remote water quality meas,, with lidar polarimeter 4−14724
  Rhone Basin, radioecological study *(French)* 4−31636
  rivers, long-term monitoring 4−14713
  sanitary landfill, i.r. spectra of gaseous decomposition products 4−18761
  sewage treatment plant wastes, heavy metal determ. 4−22630
  surface water, radioisotope health protection standards, Soviet Union *(Russian)* 4−35084
  surface water quality and pollution control in USSR 4−14716
  Tennessee Valley Region, potential radiological impact 4−35072
  terrestrial exposure rate to gamma-rays, aerial meas. 4−31599
  textile industry, conference, Charlotte, N.C., USA (1973) 4−8254
  for textile industry, continuous automated monitoring, Westinghouse ADVISER system 4−8255
  treatment plant, chemical neutralization of residues from metal finishing processes *(French)* 4−2200
  tritium, instrumentation for environmental and occupational monitoring, review 4−30255
  tunable diode laser for air pollutant monitoring 4−31054
  underground environment, behaviour of radioactive U and Th *(French)* 4−31632
  underground waste disposal and artificial recharge in Japan 4−30275
  underground waste management, symposium (New Orleans, September 1973) 4−30274
  undisturbed soil, transport of ^{131}I, ^{137}Cs, ^{106}Ru, ^{144}Ce and ^{54}Mn 4−31633
  waste treatment, biological 4−26284
  waste water disposal and rainfall runoff into deep saline aquifers in Florida 4−30276
  water, iron foundry effluents 4−18253
  water, metal analysis by at. spectroscopy 4−14723
  water, metal analysis via combustion of hydride in tube furnace 4−11697
  water, purification, biological, measurement of dissolved oxygen *(Spanish)* 4−26292
  water pollution, airborne spectroscopic measurement 4−29765
  water pollution, c.w. laser fluorometer for night-time surveillance, airborne trials 4−30269
  for water quality monitoring, automatic shipborne system 4−15092
  water trace metal analysis, flameless at absorpt. spectroscopy 4−11672
  water waste, and sewage disposal, electronic meas. 4−30654
  X-ray fluorescence anal., proton excited, on monitor 4−39445
  ^{41}Ar environmental releases at research reactors, reduction 4−19653
  Be particulates in air, furnace at. absorpt., using direct filtration through porous graphite 4−35554
  ^{137}Cs, flood plain transfer and accumulation 4−31630
  ^{137}Cs, migration from environment to human body *(Russian)* 4−35070
  ^{137}Cs, radiation exposure modelling 4−35078
  ^{3}H, accumulation in fish 4−35076
  ^{3}H, distrib. in ruminant organs *(French)* 4−35071
  Hg in air, C rod atomizer appl. 4−18763
  Hg in air, flameless at. absorpt. determ. 4−35551
  ^{129}I, levels in milk and water, near a nuclear fuel reprocessing plant 4−40134
  ^{131}I, deposition onto environmental material 4−31626
  ^{85}Kr, monitoring near Karlsruhe Reprocessing Plant 4−31638
  NO_2, atm. conc., differential absorpt. meas., tunable dye laser appl. 4−22163
  NO_2, lidar detection, fluorescence versus backscatt. differential absorpt. 4−17840
  NO_x meas. in motor vehicle exhaust 4−18248
  O_2, dissolved, potentiometric method in hydrology *(German)* 4−39100
  Pb, airborne particulates, direct determination by nonflame atomic absorption 4−2398
  ^{239}Pu, suspension, wind-driven redistrib., inhalation 4−35068
  S detection at 3939 Å using flame photometric detector 4−39098
  ^{90}Sr, environmental capacity of freshwaters 4−35083
  Xe Zeeman tuned laser appl. 4−26286

polonium
  No entries

polonium compounds
  No entries

polyelectrolytes *see electrolytes; polymers*

polymerisation
  1-phenyl-3,5,-dimethyl-pyrazole, n.m.r. solvent and steric effects 4−33276
  acrylonitrile-polyurethane, interstitial polymerisation, impact strength 4−13881
  animal organ, inoculum copolymerisation, effect of syntheric inhibitor of raical reactions 4−26205
  anthracene crystal, photodimerisation, SEM techniques 4−25510
  binary vinyl copolymer with asymmetric α-C atoms, general and Markov statistics 4−27775
  condensation and gelation: Stockmayer analogy 4−29309

polymerisation continued
  conference on macromolecules, Helsinki, Finland, (Jul. 1972) 4−29316
  copolymer, oxybenzoic acid phenylmethacryl ether + cetylmethacrylate, comp. depend. of optical props. *(Russian)* 4−36827
  diallyl phthalates, curing reaction, dynamic shear meas. 4−21481
  dioxacyclononadiene spiro derivatives, dimer formation, effect on electronic spectra 4−40254
  epoxide resins, amine curing, crosslinking reaction, u.s. meas. 4−21453
  epoxy anhydride, curing reaction, dynamic shear meas. 4−21481
  epoxy resins, dielec. props. variation during hardening *(French)* 4−4210
  formaldehyde, radiation induced polymerisation, quantum low-temp. limit 4−38133
  graft copolymers from phyllosilicate chrysotile and vermiculite derivs., composite mat. production 4−29221
  graft-copolymerisation, copolymer induction by ionising radiation in a monomer, particle track visualisation technique 4−100
  malenate polyester, styrol conc. influence on photopolymerisation rate and mech. props. *(Russian)* 4−10683
  methylmethacrylate-polymethane composite, role of graft copolymerisation 4−13880
  organo-tin polymeric films, formation in glow discharge and props. *(Russian)* 4−10702
  PMMA, laser induced refractive index increase, polymerisation mechanism 4−31065
  PMMA/polyurethane preparation and mechanical props. 4−21435
  polyethylene, in r.f. discharge, press. and substrate effect on morphology 4−20227
  polyethylene terephthalate, effects of high intensity u.s. field on crystalline phases *(Polish)* 4−9858
  polystyryl radical, various solvents, 60°C, mol. wt. distrib., solvent effects 4−19948
  replication of optical surfaces, use of polymerising cements 4−22831
  rubber vulcanisation system, curing reaction, dynamic shear meas. 4−21481
  stannanes, $(CH_3)_{4-n}Sn(OR)_n$, $R = CH_3$, C_2H_5, n.m.r. spectra, substitution effect, polymeric struct. 4−19872
  styrene-polyurethane, interstitial polymerisation, impact strength 4−13881
  trioxane, polyoxymethylene growth, α-particle irradiation effect on direction 4−20332
  vinyl pheny ether, cationic polymerisation, i.r. and p.m.r. study of chem. struct. *(Russian)* 4−9862
  vinylbenzoate, γ-radiation induced polymerisation, mol. wt. of polymers, varied dose, temp. 4−17535
  Se, during crystallisation from melt 4−20212

polymerization *see polymerisation*

polymers
  see also elastomers; plastics
  acetal copolymer, cyclic stress fatigue and thermal softening 4−33901
  acrylic coating of soda-lime glass, stress corrosion susceptibility 4−10686
  acrylonitrile-butadiene-styrene, emulsion polymer, creep mechanisms 4−17440
  adhesion to metals, influence on form. and gas permeability of metallized films *(Russian)* 4−41858
  adhesive, technology and application to PVC and acrylic materials *(German)* 4−36815
  adsorption from mixtures of styrene and butadiene polymers 4−28284
  ageing process, anal. of testing methods 4−13961
  with alicyclic ring struct., in-chain, conformational-induced relax. effects 4−19949
  alkoxybenzoic acid polyester molecules, electro-opt. props. and intramolec. liq. crystalline order *(Russian)* 4−17046
  amorphous, linear volume viscoelasticity, non-equilib. thermodynamics 4−17441
  amorphous high-polymer, volume deformation, rheological analysis 4−21454
  analogues in hypothetical ammonia biosystem 4−42530
  apparatus for obtaining specimens with different thermal and mech. histories 4−18705
  arenesulfonyl azide moieties, photoimaging system 4−61
  atactic hydrocarbon polymers, effect of side groups on unperturbed chain dimens. 4−3235
  atmospheric H_2O vapour dimers concentration near saturation point, effect of polymers *(Russian)* 4−25689
  atomic stress distribution, axially stressed polymer, i.r. spectrum 4−37605
  binary vinyl copolymer with asymmetric α-C atoms, general and Markov statistics 4−27775
  biopolymer, phase transitions and end effects, models 4−27772
  biopolymer mol. wt. determination by sedimentation equilibrium 4−38944
  block copolymer in solution, struct. determ. by X-ray, light and neutron joint scatt. 4−19936
  branched, molecular wt. distribs. 4−13905
  branching, long-chain, melt flow behaviour for extent determ. 4−17444
  brittle fracture simulation, network model in Monte Carlo method 4−17448
  butadiene nitrile rubber, contact with steel surface, friction force pressure depend. 4−13922
  butadiene-styrene copolymer system, decaline and decane solns., viscosity, normal stress difference 4−29227
  Caprolon, impact strength under various strain rates and planar stress, new device 4−11446
  carbon fibre/acrylic foam sandwich beam, deflection under bending loads 4−7333
  carboxy polymethylene soln., aqueous, CO_2 diffusivity meas. 4−6209
  cation exchange resin phase, KU-2-8, nuclear relax. of water mols. protons 4−16996
  cavitation and polyphase flow, conf., Atlanta, USA (Jun. 1973) 4−12725
  cellophane, membrane, permeability coeff. for polyethylene glycols 4−24585

polymers continued
cellophane, microbial degradation, pretreatment effect 4—21448
cellophane membrane, pore size estimation 4—41852
cellulose, macroporous structure, differential characteristic meas. 4—41911
cellulose, regenerated, preferential uniplanar orientation mech. 4—32450
cellulose, regenerated, stress relax. in fibres 4—1676
cellulose acetate, self-diffusion of acetone, n.m.r., rel. to membranes 4—20428
cellulose acetate, use in dosimetry of very large doses 4—2353
cellulose acetate membrane, pore size estimation 4—41852
cellulose acetate methanol dioxan dope for making reverse osmosis membranes 4—41988
cellulose acetate/polyvinylpyridine grafted copolymer, struct. *(Russian)* 4—9863
cellulose derivative, particle track formation and development 4—18645
cellulose esters, glass transition temp. *(Russian)* 4—17452
cellulose nitrate, densitometric characts. 4—18515
cellulose nitrate, in solid state track detectors, alpha-particle registration characts. 4—18637
cellulose nitrate, use in dosimetry of very large doses 4—2353
cellulose nitrate detector, mechanism of etching 4—18656
cellulose nitrate particle track detector, with high sensitivity, investigation 4—18636
cellulose polycarbonate, use in dosimetry of very large doses 4—2353
cellulose triacetate, crystallization from soln. at high temp. 4—21459
chain, wormlike, anal. by path integral and diagram methods 4—9636
chain folded crystal growth, kinetic theory, large undercoolings 4—21185
chain lattice model, Rouse coordinate relaxation, Monte Carlo studies 4—27781
chain molecule, excluded volume effect, theory based on random flights model 4—31979
chain theory, equiv. of Born-Green-Yvon and Reiss methods 4—27773
charge transport, d.c. cond. investig. rel. to electron energy levels, chem. struct. *(German)* 4—32959
chemical reactions, kinetics, cooperative effects in random sequential reactions, model 4—40358
chitin, regenerated films, mech. and chem. characts. 4—13902
coating, microhead layer plus overlayer coating for metals 4—13738
collagen film, effect of water on mechanical props. 4—10689
collagen film, gas permeation, effect of cross-linkage, moisture and plasticizer content 4—24579
combinatorial entropy of mixing for molecules differing in size and shape 4—7472
composite, isotropic, with elastic or viscoelastic phases, general bounds for moduli and special geom. solns. 4—41849
compressible viscoelastic sphere, thermomechanical coupling, temp. fields 4—1667
conformation, determ. in vitreous state by neutron diffr. *(German)* 4—32448
with conjugated bonds, long-wave absorpt. rel. to paramag. 4—9632
cooperative formation of injuries due to irradiation in biopolymer, e.g. DNA 4—38949
copolyamide fibre, degree of crystallinity, density and X-ray diffraction meas. 4—36819
copolymer, composition determ. by polarization diffusometer *(Russian)* 4—1686
copolymer, oxybenzoic acid phenylmethacryl ether + cetylmethacrylate, optical anisotropy, comp. and freq. depend. *(Russian)* 4—36827
copolymer composition, Raman spectroscopy determ. 4—19942
copolymer structure, phase change 4—12655
crack propagation anal. using propagation in elastic material *(Russian)* 4—35657
craze yielding, in N_2 and Ar, critical temp., stress/strain relations 4—38064
creep, long time strength, entropy principle 4—13920
cross-linked amorphous, number of intramolecular linkages, rel. to mol. size distrib. 4—40350
crosslinking of polymers by electron beam, discussion of industrial aspects 4—29224
crystal, linear, elastic modulus 4—7368
crystal lamellar growth rate, substrate length effect 4—21186
crystal thickening conditions, theory, obs. 4—20229
crystalline, morphology and mechanical props. *(German)* 4—4220
crystallisation, in presence of molecular orientation, kinetic model *(Russian)* 4—36830
cyanopolymer, effect of wall coating on 337 μ emission of HCN lasers *(German)* 4—23303
cyclic deformation and fracture 4—33902
density fluctuations in amorphous and semicryst. polymers, determ. of absolute values 4—36818
diacetylene polymer, cryst., fund. electronic and defect props. 4—28851
dielectric strength, relation with dispersion mechanism, eqn. *(German)* 4—28759
diffusion coefficient of substances, determ. method *(Russian)* 4—41861
diphenylacetatecellulose, soln., relaxation spectra analysis, birefringence in oscillating shear field *(Russian)* 4—37580
disordered fundamental frequencies and intensities 4—6471
disorientation of fibrillar elements, method of assessment *(Russian)* 4—9861
distribution functions with excluded volume, Kirkwood-Born-Green method 4—12654
drag reducing, effect on haemolysis rates during extracorporeal pumping 4—15029
dynamic characteristics in a.f. range, quarter wave vibrator method *(Russian)* 4—17492
dynamically loaded elements, meas. of six components of strain tensor 4—17477
dynamics, elastic constants, from gaussian chain model 4—12658
elastic deformation relaxation time, storage and loss moduli 4—38065
elasticity, demonstration for students using rubber 4—26368

polymers continued
electrical properties, bibliography for 1971, in book 4—6825
electron microscopy, conf., New Orleans, USA (Aug. 1973) 4—141
electron microscopy of polymer mixtures, etching by gas-discharge method *(Russian)* 4—36791
emulsion, nonaqueous, prep. and characteriz. *(Japanese)* 4—21494
endurance, structural factors influence *(Russian)* 4—38054
entropic repulsive, model 4—34081
epoxide resins, amine cured, crosslinking reaction, u.s. meas. 4—21453
epoxy, B reinforced, interfacial fracture energy and toughness 4—41838
epoxy, cross-linked, creep under compression in aggressive liq. media *(Russian)* 4—10676
epoxy, ductile, strain-rate-dependent behaviour 4—29217
epoxy, filled tubes, biaxial fracture stresses 4—29270
epoxy, glass fibre reinforced, response to high tensile loading rates 4—29268
epoxy coating of soda-lime glass, stress corrosion susceptibility 4—10686
epoxy composite, B reinforced, fatigue-related heat emission 4—38103
epoxy composites, particulate, mech. props. *(Japanese)* 4—1624
epoxy resin, B filament reinforced, with ordered filament packing geometry, tensile fracture 4—1655
epoxy resin, fibre reinforced, fracture strength and toughness 4—1650
epoxy resin, fracture stress values, Weibull's failure theory 4—41883
epoxy resin, fully-cured, crazing 4—1679
epoxy resin, glass fibre reinforced, fatigue failure, fibre orientation effects 4—1666
epoxy resin, granular, shearing *(Japanese)* 4—38096
epoxy resin, shear characteristics during amine curing depend. on shear deformation 4—13931
epoxy resin, steel wire reinforced, effect of interfacial and shear stress on fibre pull-out 4—1628
epoxy resins, dielec. props. rel. to hardening kinetics *(French)* 4—17023
epoxy resins, dielec. props. variation during hardening *(French)* 4—4210
epoxy resins, gas evolution, in vacuum technology, mass spectrometer meas. *(German)* 4—5021
epoxy-urethane/Al_2O_3 filled, mech. and thermal expansion props. 4—38037
ethene and olefin copolymers, spectral determination of $-CH_3$ group *(Russian)* 4—6138
ethylene acrylate copolymers, H^1 and C^{13} resonance investig. *(German)* 4—40356
ethylene vinyl acetate copolymers, H^1 and C^{13} resonance investigations *(German)* 4—40356
ethylene-methacrylic acid copolymer, dielectric studies 4—37544
ethylene-methacrylic acid copolymer and Na salt, dynamic light scatt. study, 25-65°C 4—6935
ethylene-vinyl acetate copolymer, mechanical loss properties, rel. to hydrostatic pressure and temp. 4—21477
ethylene-vinyl chloride copolymers, configurational characteristics 4—9631
ethylene/propylene copolymer, powder, fibre morphological struct. 4—10692
failure under nonrepeated loading, kinetics 4—13942
fibre filled silicone composite, fibre length effect on strength and fracture props. 4—21432
fibre suspensions, reduction of turbulent flow friction by chemical additives 4—936
filled epoxy resin, permeation of liq. water up to 130°C 4—24583
film, adsorbed onto polystyrene sphere in soln., spectroscopic characterisation 4—7376
film, amorphous, dielectric relaxation phenomena 4—13383
film, breakdown, thickness, temp. and delay time depend. for m-p-m structs. *(French)* 4—41333
film, cracking during sorption of solvent, role of diffusion *(Russian)* 4—10680
film, elec. charge distribution evaluation 4—13235
film, form. by ion beam bombard., luminesc. mechanism 4—41458
film, growth in glow discharge, computer simulation *(German)* 4—37133
film production, thermal evaporation, r.f. sputtering, pyrolysis 4—4224
flexible, soln., scattered light intensity autocorrel. function 4—16160
flexible chains, relaxation props. meas., structure influence *(German)* 4—4219
flocculation of lattices by low molecular wt. non-ionic polymer molecules 4—1690
fluorinated network polymers, synthesis, naval applications 4—38069
fluorinated networks, production 4—38078
fluorlon, failure under nonrepeated loading, kinetics 4—13942
fluoroplastic-4D, ultrasonic strengthening in kerosene 4—13934
fluoropolymer latex film, struct. during deformation 4—41854
fracture, obs. of mol. bond rupture, e.p.r. techniques, book 4—7370
fracture in uniaxial distention, semi-empirical eqn. determ. *(Russian)* 4—21491
fracture toughness as material criterion *(German)* 4—7193
frictional interaction, material transfer investigation 4—10707
gel, optical-polarization and rheological behaviour, variations 4—17457
glass transition temp. meas., cryoultramicrotomy 4—12881
glassy, sorption and diffusion, reversible immobilisation, anal. 4—33913
glassy, theory of low-temp. plastic deformation 4—7365
glycidyl methacrylate with methyl methacrylate or styrene, composition, Raman spectroscopy determ. 4—19942
graft copolymer polyisopropene on polystyrene, microphase separation, electron microscopy 4—36825
graft copolymers, form effect, conc. depend. rel. to macro- and micro-effects *(Russian)* 4—19938
Gruneisen coefficient spread, anharmonic well model 4—20378
H-film, dielectric losses, 260 to 320°C, 30 Hz to 0.3 MHz 4—37555

polymers continued
- hexafluoropropylene copolymers, cryst. thickening characts., theory, obs. 4−20229
- high polymer physics, conf., San Diego, USA (1973) 4−21446
- highly oriented, fracture surface energy 4−13896
- history of development of polymer science 4−26333
- 2-hydroxyethyl methacrylate, moduli in dry and swollen states rel. to filler content 4−13899
- hydroxyethylcellulose membrane, solvent resistant, osmometry evaluation 4−41877
- impact effect of liquid jets and drops 4−3344
- internal stress and elasticity, development of macromolecular mechanics 4−13925
- internal viscosity, molecular formation of atomic bond rotation and stress symmetry 4−9635
- ion path, spatial energy-density distribs. 4−18646
- ionic conduction, free-volume model 4−37247
- ionically crosslinked hyrophilic, membrane, permeability coeff. for polyethylene glycols 4−24585
- isotropic, theory of invariant stress space 4−13929
- kinetic theory of strength, lifetime of loaded polymers 4−13919
- labelled chains in bulk, neutron diffr. obs. 4−32403
- lamellar texture, homogeneous elasticity assumption 4−33905
- latex, turbidity meas., estimation of particle size and refractive index 4−13945
- latex acrylic copolymers, cross-linked films, struct. *(Russian)* 4−9859
- latex particles in disperse media, van der Waals attraction theory 4−13951
- latex sphere bouncing obs. 4−29247
- lattice models, statistical mechanics of melting transitions 4−27783
- lignin, i.r. spectra in valence and deformational vibr. freq. regions of hydroxyl group *(Russian)* 4−6137
- linear, polymer reactions, kinetics and statistics of occupation 4−9637
- linear chain, conformational changes, two classes 4−6351
- linear chain dynamics 4−27777
- linear chains, non-diffusional nature of local conform. changes, u.s. meas. 4−27778
- linear polyurethanes, recrystn. studies, spectral β and X-ray structural analysis *(Russian)* 4−32451
- liquid, mech. retardation and relax. 4−40523
- liquid drop shape, large elastic deformation theory 4−21482
- liquid systems, crit. regions of deform. 4−41878
- loaded, plane zigzag skeleton, main-chain vibr. freq. shifts 4−906
- low molecular admixtures, dielec. loss and permeability, temp. and freq. depend. *(Russian)* 4−20934
- Lupolen, wavelength-independent absolute intensity standard, calibration 4−32386
- malenate polyester, styrol conc. influence on photopolymerisation rate and mech. props. *(Russian)* 4−10683
- Martin equation, graph. soln. 4−7363
- mechanics, coupling problem, thermoviscoelasticity, thermoelasticity 4−13916
- melt, axisymmetric two-dimens. flow, vel. and press. distrib. in disc extruder gap 4−21467
- melt, Barus effect, capillary length depend. *(Japanese)* 4−1668
- melt, constitutive equation for entangled network, elongation and shear 4−21484
- melt, effect of pressure on shear viscosity 4−21483
- melt, flow mechanisms 4−20019
- melt, nonisothermal pipe flow, constant and varying heat fluxes, heat transfer friction 4−32137
- melt wetting of plane surfaces, dynamics 4−16652
- melts, stratified bicomponent flow, equilib. Newtonian tube flow 4−27893
- membrane, adsorptive fillers, diffusion time lag 4−24582
- methacrylate-styrene grafted copolymer, dynamic double refraction of solution *(Russian)* 4−1684
- methyl methacrylate-styrene copolymers, flow props., cone and plane viscometer 4−13892
- methylmethacrylate with styrole in dioxane, graft copolyer form effect, conc. depend. rel. to macro- and micro-effects *(Russian)* 4−19938
- α-methylstyrene/butadiene/styrene block copolymer, soln. cast film, phase structure 4−37063
- mixture, crack resistance increase and morphology changes *(Russian)* 4−41863
- mixture, mechanical props., effect of two-phase struct. on anisotropy 4−13894
- mixtures, morphology of polymer films, kinetics of phase stratification *(Russian)* 4−10706
- Moire patterns in electron image, soln. grown crysts. 4−36822
- molecular structure revealed by dichroism birefringence and light scatt., student paper 4−26366
- molecular weight distribs., information-theoretical approach to theory of polymolecularity 4−12651
- multicomponent polymer liquids, solubility *(German)* 4−4308
- multiple pulse line narrowing n.m.r. expts. 4−41278
- Mylar, film, dielec. const., loss meas., 9.375 GHz 4−28747
- 2-1-naphthyl-5-phenyloxazole, electronic excitation energy transfer to polystyrene in solid solution 4−3997
- networks, heterogeneity of chain number density by light scattering *(Russian)* 4−36828
- neutron small-angle scatt. obs. 4−36781
- nitrile, transport properties, permeation of O_2; N_2; CO_2 and water vapour 4−24576
- nitrocellulose particle detector, efficiency and other properties, study 4−18653
- non-isothermal flow in channels, stability 4−19979
- non-Newtonian flow, normal stress calc. 4−20018
- non-Newtonian media, helical flow problem 4−20017
- nylon, calc. of elastic modulus by energy balance method 4−25437
- nylon 66, elec. cond., temp. depend. 4−6633
- nylon 66, fibre and film dynamic mech props. 4−33908
- nylon crystalline conformational isomorphism *(German)* 4−3236
- nylon fibre bundle, colour prediction 4−39693
- nylon membrane, dye sorption, reverse osmosis, diffusion solubility model 4−24584
- nylon-nylon system, stratified flow, equilib. Newtonian tube flow 4−27893

polymers continued
- nylons, transition and relaxation processes 4−13936
- olefin and ethene copolymers, spectral determination of $-CH_3$ group *(Russian)* 4−6138
- oligobutadienyl tetrahydrofuran complexes, stoichiometry and electrochem. props. *(Russian)* 4−9639
- oligoester acrylate 3-dim. polymer, low temp. molecular motion processes, radiothermoluminescence study *(Russian)* 4−17134
- oligoester melts, filled polymers, viscosity, vitrification representation *(Russian)* 4−10704
- oligoesteracrylate esters, cross-linked, mol. motion at low temps. *(German)* 4−36595
- optical props. of polymeric solids, review 4−33375
- organic, single-strand regular, tentative nomenclature, IUPAC Macromolec. Div. 4−6134
- organo-tin polymeric films, formation in glow discharge and props. *(Russian)* 4−10702
- orientated crystalline, transverse heterogeneity, X-ray diffraction determ. *(Russian)* 4−36826
- oriented, anisotropic yield criterion 4−1673
- oriented, mechanochem. reactions 4−19950
- poly-L-ornithine, effect of organic solvents on structure *(Italian)* 4−6135
- osmiophilic, intracellular staining of neurons 4−38981
- oxidation of molecules, exact soln. of stochastic model 4−16151
- Parylenes, thin film prod. by pyrolysis 4−4224
- PEMA, δ-relaxation, dielectric and u.s. studies 4−10372
- perspex, shock compressed, meas. of temp. by thermal resist. determ. *(Russian)* 4−35213
- phenol-formaldehyde, Griffith fracture temp. depend. 4−33911
- phenylmethacrylic alkoxybenzoic acid polyesters, hydrodynamic and optical props. *(Russian)* 4−9641
- photopolymeric articles of oligoether acrylates, physico-mech. props. and photochem. conversion *(Russian)* 4−41862
- photoprotection by copolymerized triplet quenchers 4−19943
- photoresist, premature crosslinking, ozone effects 4−25282
- PMMA, acceleration wave propag. 4−33918
- PMMA, appl. of free-volume model for ionic cond. 4−37247
- PMMA, biaxial orientation, birefringence, orientation stress 4−13912
- PMMA, crack-velocity due to combined tensile and impact loading 4−17445
- PMMA, craze shape and fracture 4−7366
- PMMA, creep under uniaxial, shear and hydrostatic stress conditions 4−41873
- PMMA, deformed at high strain rates, fracture mechanics 4−33904
- PMMA, diffusion of liquid media to crack vertices *(Russian)* 4−38055
- PMMA, ductile, strain-rate-dependent behaviour 4−29217
- PMMA, edge crack orientation, effect on passage of surface waves *(Russian)* 4−29232
- PMMA, fractographic determ. of temp. time depend. of specular zone disappearance 4−13926
- PMMA, fracture process and mol. kinetics 4−13906
- PMMA, fracture surface energy using laser-induced cracks 4−1678
- PMMA, fracture toughness testing 4−29296
- PMMA, free volume estimation from degree of mol. mobility *(Russian)* 4−9860
- PMMA, glass-like, thermodynamic props., effect of fillers 4−41868
- PMMA, instantaneous modulus of elasticity variation under long-time static loads 4−21463
- PMMA, laser induced refractive index increase, polymerisation mechanism 4−31065
- PMMA, laser irradiation effect on mechanical strength 4−13928
- PMMA, laser-induced crack development 4−21472
- PMMA, mech. damage due to laser pulses 4−21464
- PMMA, mechanical glass transition, effect of state of stress 4−13923
- PMMA, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
- PMMA, mechanical props., effect of mol. mobility, state of stress, orientation, plasticization 4−13914
- PMMA, microstructure destruction by CO_2 laser beam 4−13921
- PMMA, nonlinear thermoviscoelastic response to steady shock wave propag. 4−10685
- PMMA, notch sensitivity 4−21475
- PMMA, plasticizing effect of high pressure sorption of CO_2 4−13927
- PMMA, Raman scattering, model for librating side group 4−6876
- PMMA, shock pulse attenuation 4−41864
- PMMA, solid solutions of polystyrene and NPO, excitation energy transfer 4−3997
- PMMA, steady shock wave evaluation, dynamic response obs. 4−21451
- PMMA, strain rate and temp. rise during deform. effect on stress-strain curve 4−29267
- PMMA, strength correl. with relax. props. under influence of irrad. and liq. media *(Russian)* 4−10675
- PMMA, stressed and unstressed, diffusion of alcohols and water, Fick's law behaviour *(Russian)* 4−10682
- PMMA, suspension in dibutyl phthalate, dilatant properties 4−41892
- PMMA, tree starting voltage and growth rate, temp. depend. obs. *(Japanese)* 4−41335
- PMMA, u.s. velocity, mol. motion *(Russian)* 4−40843
- PMMA, viscoeleastic props. determ. from relax. spectrum *(French)* 4−7364
- PMMA, vitreous, conformation in bulk, small-angle neutron scatt. 4−36782
- PMMA, yield stress meas. by capillarity method 4−13889
- PMMA electron-sensitive, for electron masking *(French)* 4−41881
- PMMA melt, heat capacity, interpretation 4−6505
- PMMA with low molecular admixtures, dielec. loss and permeability, temp. and freq. depend. *(Russian)* 4−20934
- PMMA-polymethane composite, low angle X-ray scattering and turbidity 4−13883
- PMMA/polyurethane, morphology and relaxation processes 4−21436
- PMMA/polyurethane preparation and mechanical props. 4−21435

polymers continued
polt(ethylene terephthalate), uniaxially oriented, morphology 4—20231
poly(2,6-dimethyl phenylene oxide) radicals, hindered rotation, e.s.r. studies 4—19944
poly(butyl acrylate-co-methyl methacrylate) in dil. soln., copolymeriz., viscometry, osmometry, and light scatt. 4—29216
poly(ethylene oxide) crystalline morphology as example for students 4—26367
poly(ethylene terephthalate), annealed, chain-folding meas. 4—20232
poly(ethylene terephthalate) film, diffusion and sorption of gases 4—20436
poly(N-vinyl carbazole): trinitrofluorenone charge transfer complex, electronic props. 4—37251
poly(N-vinylcarbazole), dye-deposited, sensitized photocurrent obs. *(Japanese)* 4—37268
poly(N-vinylcarbazole) film, electrical props., current-voltage characteristics 4—20599
poly(p-phenylene terephthalamide), molecular confirmation, crystal struct. 4—1016
poly 4-methyl pentene-1, Raman scattering, model for librating side group 4—6876
poly γ-benzyl-L-glutamate, n.m.r. spectra rel. to polydispersity helix to coil transition 4—9634
poly (1,2-butadiene), effect on impact strength of methylmethacrylate-polymethane composite 4—13880
poly n-butyl methacrylate, effects of concurrent sorption or desorption on tensile creep 4—10690
poly n-butyl methacrylate, Raman scattering, model for librating side group 4—6876
poly n-butylmethacrylate, effect of methanol and ethanol penetrants on tensile stress relaxation 4—10691
poly-1,3-dioxocane, crystal struct. and mol. conformation 4—32449
poly-1,3-dioxonane, crystal struct. and mol. conformation 4—32449
poly-3-ethyl-3-pentyl methacrylate, hydrodynamic props. in various solvents 4—21493
poly-4-methylpentene-1, powder, fibre morphological struct. 4—10692
poly-4-vinylmethylpyridinium electrolytes, crosslinked, ionic cond. 4—20437
poly-4-vinylpyridine, glass transitions in electrets 4—13380
poly-γ-benzyl-L-glutamate concentrated solutions, Weisenberg effect 4—21452
poly-γ-benzylglutamate liquid crystals, light scatt. in electric field, cluster form. 4—6333
poly-γ-methyl-L-glutamate fibre, conformational change and viscoelastic props. *(Japanese)* 4—1669
poly-ω-undecamide, spherulite deformation *(Russian)* 4—36816
poly-(L-ala-gly), crystalline conformational isomorphism *(German)* 4—3236
poly-L β-aspartate of benzyl in hexafluoroisopropanol soln., helix-chain transition obs. *(French)* 4—16158
poly-methyl-methacrylate, theory of low temp. plastic deformation 4—7365
poly-[1,2-bis-(p-tolylsulphonyloxymethylen)-1-buten-3-inylen] cryst. struct. 4—16478
polyacenaphthalene and dehydropolyacenaphthalene, struct., luminescent spectroscopy determ. *(Russian)* 4—19947
polyacetal film, prep. techniques, thermochromic props. 4—21113
polyacrylamide, weak solution, turbulent heat transfer 4—32136
polyacrylamide gel, viscoelastic, light scattering 4—25440
polyacrylonitrile, ^{13}C n.m.r., spin-lattice relaxation times 4—37519
polyacrylonitrile, thin film growth, thermal evaporation 4—4224
polyacrylonitrile fibre, struct. changes due to stretching and thermal treatment *(Polish)* 4—21461
polyacrylonitrile fibres, acoustic method determ. of hot-drawing conditions effect on orientation characts. 4—21473
polyamide, effect of methanesulfonic acid on circular dichroism spectra 4—36591
polyamide, piperidine diamides, conformational equilibria, dipole moment and conformational energy estimates 4—36590
polyamide, with unique orientation texture, orientation and thickness of lamellae *(French)* 4—36773
polyamide cord fabric, shear strength, rubber-fabric joint *(Polish)* 4—21521
polyamide films, partially cryst., struct. obs. by electron microscopy, cryst. speed effect 4—16437
polyamide/diphenyl oxide copolymers, struct. organisation of fibres *(Russian)* 4—10703
polyamides, glass reinforced, physicomech. props. 4—21431
polyamides, struct. organisation of fibres *(Russian)* 4—10703
polyamides derived from (+)-1,3-trans-cyclohexanedicarboxylic acid, circular dichroism, strong acid spectral effects 4—19945
cis-polybutadiene, crosslinked, dilation coeffs. in simple extension 4—10697
polybutadiene, cryst. and amorphous, sorption and diffusion of small molecules 4—24580
polybutadiene, crystalline conformational isomorphism *(German)* 4—3236
polybutadiene, decaline and decane solns., viscosity, normal stress difference 4—29227
1, 4-cis-polybutadiene, effect of specimen rot., internal motion dynamics *(French)* 4—1344
polybutadiene, spherical particle suspensions, light scatt. *(French)* 4—33922
polybutadiene soln. viscoelastic behaviour, relaxation processes *(German)* 4—4230
polybutadiene styrene acrylonitrile composite, relax. time shift on deform. 4—21447
polybutadiene/epoxy resin blends, liq., dynamic viscoelastic and mech. props. *(Japanese)* 4—13893
polybutadiene/polystyrene mixtures, adsorption 4—28284
polybutadienes, cis- and trans-, and related copolymers, cryogenic tensile stress-strain props. 4—7360
polybutadienes, monodisperse, cyclic deform. effects on viscoelastic props. 4—41871
polybutene-1, powder, fibre morphological struct. 4—10692
polycaproamide fibre, i.r. spectra of u.v. irradiated and cyanethylated structs. 4—37601

polymers continued
polycaprolactam, bond formation and destruction on adhesion to synthetic fibres 4—1682
polycaprolactam, fractographic determ. of temp. time depend. of specular zone disappearance 4—13926
polycaprolactam, mechanical props., rel. to macromolecular kinetic flexibility 4—13913
polycaprolactam loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polycarbonate, amorphous, SEM beam-induced damage 4—24492
polycarbonate, amorphous, small angle X-ray scatt., nodule struct. 4—20225
polycarbonate, ductile, strain-rate-dependent behaviour 4—29217
polycarbonate, fatigue fracture surface morphology, crazing effect 4—13943
polycarbonate, fracture surface, initiation and propag. 4—33914
polycarbonate, microstructure destruction by CO_2 laser beam 4—13921
polycarbonate, plane strain fractures, surface markings 4—41929
polycarbonate, quasi-static cracking obs. 4—7358
polycarbonate, relax. phenomena, strain and temp. depends. 4—21449
polycarbonate, speeds of development of traces due to heavy ions *(French)* 4—18671
polycarbonate, thermal heat capacity and thermal conductivity meas. at 0.4 to 4.2 K 4—12659
polycarbonate, tube, torsional deformation, shear bands 4—33915
polycarbonate, yield locus, plane stress section 4—13908
polycarbonate mouldings, glass fibre reinforced, stability under stress 4—10673
polycarbonate of bisphenol A, theory of low temp. plastic deformation 4—7365
polycarbonate plates under pure bending containing through crack, yield zones 4—37890
polychloromethylsilsesquioxane xerogel, porous struct., adsorption props. 4—41887
polychloroprene, capillary flow props., effect of weight average mol. wt. *(Japanese)* 4—10674
polychlorostyrene, thermal conductivity at high pressures *(German)* 4—3597
polychlorotrifluoroethylene, crystal struct. 4—9857
polydimethylsiloxane, excluded vol. effects upon dipole moment 4—9633
polydimethylsiloxane, steady shear viscosity, lower to upper Newtonian region 4—36664
polydimethylsiloxane rubber, Raman scattering, molecular isomerism 4—28805
polydispersivity measurement by velocity sedimentation *(Russian)* 4—907
polydivinylbenzene, film, elec. cond. meas., quantum mechanical tunnelling mechanism 4—28519
polyelectrolyte, capillary viscometer 4—26742
polyelectrolyte, theory of electrophoresis 4—21565
polyelectrolyte aqueous solutions, distrib. of potentials, presence of neutral salt *(French)* 4—13987
polyelectrolyte solutions, one-dimensional model of conductance 4—21564
polyelectrolytes, size effect of ions 4—4256
polyene, symmetric, effect of symmetry in SCF calcs. of band struct. 4—32865
polyene, third-order optical polarisability, π-electron contribs. 4—31825
polyester, linear, electron diffr., i.r. and Raman spectra anal. of conformation and crystal struct. 4—37599
polyester, stress field surrounding fatigue crack, photoelastic analysis 4—41856
polyester, unsaturated, appl. of free-volume model for ionic cond. 4—37247
polyester epoxide, rubber-modified epoxide, fracture surface energy 4—38073
polyester laminate, glass reinforced, mechanical characteristics *(Polish)* 4—21428
polyester-imides, elongated, heat treated, X-ray and u.v. spectra, crystal struct. *(Russian)* 4—36829
polyester-polyether block copolymer, crystallisation and orientation, wide-angle X-ray diffraction 4—16435
polyester-styrene copolymer, uniaxial and photomech. behaviour at large strains 4—41855
polyesters, ductile, strain-rate-dependent behaviour 4—29217
polyethylene, ‘memory’ effect detection by magnetic susceptibility 4—37396
polyethylene, abrasive wear resist. 4—21469
polyethylene, amorphous film, form. in plasma, morphology 4—20227
polyethylene, black, transmission meas., 400-40 cm^{-1} 4—30455
polyethylene, bond rupture, destruction, atomic mechanism 4—38079
polyethylene, branched, steady flow dynamic viscoelastic properties 4—38077
polyethylene, calc. of relax. spectra from dynamic test data 4—13935
polyethylene, chain folded crystal growth large undercooling 4—21185
polyethylene, cold-drawn high-density fibres, morphology 4—36824
polyethylene, creep buckling of cylindrical shells under long-time loading 4—13930
polyethylene, cryst., h.p. Raman spectrum 4—28804
polyethylene, crystallised by orientation and press., i.r. dichroism 4—33410
polyethylene, crystallised under compression, crystal plane orientation 4—12877
polyethylene, crystallization under elevated pressure, effect of solvent conc. 4—7362
polyethylene, deformation mechanism and structural interpretation of results 4—7351
polyethylene, dual-planar orientation by pressure deformation *(Japanese)* 4—17436
polyethylene, electron microscopy image intensification 4—12859
polyethylene, epitaxial crystallization on alkali halide substrate, molecular energetics 4—37123

polymers continued
polyethylene, ESCA comparison with cryst. orbital calcs. 4—13550
polyethylene, failure under nonrepeated loading, kinetics 4—13942
polyethylene, field assisted trapping, thermally stimulated current obs. 4—37248
polyethylene, filler effect on struct. and mech. props. *(Russian)* 4—41859
polyethylene, glass transition, vol. relax. mechanism 4—20224
polyethylene, heat capacities, 2-360K, standard samples of linear and branched whole polymer 4—29220
polyethylene, high density, macroscopic yield criterion 4—25434
polyethylene, high density transparent films, crystallisation during extrusion 4—13907
polyethylene, high-density, improved single cryst. texture 4—41867
polyethylene, intrinsic photocond. and photoemission, $7<E<14$ eV 4—1248
polyethylene, inverse piezoelec. effect under polarising field 4—17026
polyethylene, i.r. vibr. spectrum, high press. effects on band intensities 4—28846
polyethylene, linear, liquid cryst. model developed using X-ray diffr. techniques 4—32423
polyethylene, low density deformed, molecular indicators of crystallite orientation state 4—6350
polyethylene, low density extruded films, quantitative characterization of texture 4—41851
polyethylene, low-density, multiparameter prediction of creep 4—21462
polyethylene, mechanical loss props. rel. to hydrostatic pressure and temp. 4—21477
polyethylene, mechanical props., effect of mol. mobility, state of stress, orientation, plasticization 4—13914
polyethylene, n-hexane and isooctane solutions, thermodynamic props. 4—15032
polyethylene, n.m.r. study of pressure dependence of β and γ dispersion 4—10700
polyethylene, oriented chain-extended, form, characts. 4—4214
polyethylene, oriented chain-extended, fracture behaviour, Young's modulus 4—4215
polyethylene, oriented linear, elastic and thermal expansion anisotropy, model 4—33903
polyethylene, penetration curves by Vicat method, as function of temperature *(Polish)* 4—13960
polyethylene, phase transform., energetics 4—6496
polyethylene, photo-ageing effect on adhesion to steel *(Russian)* 4—38084
polyethylene, powder, fibre morphological struct. 4—10692
polyethylene, powder-filled, electrical conductivity increase *(Russian)* 4—37205
polyethylene, relation between pre exponential factor and activation energy 4—28439
polyethylene, rheo-optical obs. of α-mechanical loss mechanism 4—33910
polyethylene, simultaneous thermoluminesc., thermal current stimulation 4—28948
polyethylene, single crystal, lamellar thickening on annealing 4—10694
polyethylene, tension tests with discontinuous strain rates *(French)* 4—38051
polyethylene, thermal conductivity, effect of press. 4—40933
polyethylene, thin film growth, thermal evaporation 4—4224
polyethylene, thin-walled cylindrical specimen, single cryst. lamellar texture 4—41866
polyethylene, tree starting voltage and growth rate, temp. depend. obs. *(Japanese)* 4—41335
polyethylene, ultra-oriented high-strength filament prep. 4—41865
polyethylene, Van der Waals potential energy calc., and rotational freedom 4—19932
polyethylene coated steel, corrosion-fatigue strength *(Russian)* 4—10624
polyethylene drawn film, surface-controlled recrystallisation 4—16436
polyethylene film, γ-irradiated, structure formation in melt under uniaxial tension 4—12878
polyethylene film, between Au and Al electrodes, elec. switching behaviour 4—37338
polyethylene film, heat-sealed, failure characts. 4—21468
polyethylene film, mech. strength, elec. strength 4—28760
polyethylene films, environment influence on physico-mech. props. *(Russian)* 4—10678
polyethylene films, molten, determ. of molecular structure from elec. microscope obs. 4—3447
polyethylene in m.i.m. sandwiches, switching 4—13232
polyethylene in water, Van der Waals interactions, Lifshitz theory 4—1688
polyethylene i.r. absorption coefficients, thin layer, Au substrate, surface e.m. wave meas. technique 4—10400
polyethylene melt, heat capacity, interpretation 4—6505
polyethylene melt, steady flow viscosity, relaxation spectrum 4—27873
polyethylene melts, filled modified, viscoelastic characts. and modifier effects 4—21474
polyethylene molecule, elastic modulus, breaking strength and breaking strain 4—7361
polyethylene of various degrees of crystallisation, volume expansion −100 to 200°C *(Russian)* 4—37024
polyethylene oxide, aq. soln., local heat transfer coeff. 4—19970
polyethylene oxide, cavitation suppression by injection 4—12735
polyethylene oxide, cryst. structure, planar zigzag modification, X-ray diffraction analysis 4—36820
polyethylene oxide, densitometry, 10-50°C, up to 1 kbar 4—35195
polyethylene oxide, solution, jet cavitation 4—12734
polyethylene oxide, weak solution, turbulent heat transfer 4—32136
polyethylene oxide aqueous solution, heat transfer and drag reduction in pipeflow 4—40400
polyethylene oxide-polystyrene copolymer, anisotropic light scattering 4—37592
polyethylene oxide-water dil. solns., orifice flow 4—40518
polyethylene rod, quasistatic tension correspondence with longit. wave propag. 4—21476

polymers continued
polyethylene sheet/glass ribbon laminate, failure in tension under monotonic and cyclic stress 4—38035
polyethylene solution, refractive index rel. to density 4—6858
polyethylene sphere, transport anal. of meas. neutron leakage spectra 4—23754
polyethylene spherulite, truncated, light scattering, 2-dim. theory 4—21455
polyethylene terephtalate, use in dosimetry of very large doses 4—2353
polyethylene terephthalate, effects of high intensity u.s. field on crystalline phases *(Polish)* 4—9858
polyethylene terephthalate, mechanical loss props. rel. to hydrostatic pressure and temp. 4—21479
polyethylene terephthalate, mechanical props. rel. to macromolecular kinetic flexibility 4—13913
polyethylene terephthalate, semicrystalline, quantitative morphology 4—13937
polyethylene terephthalate film, mech. strength, elec. strength 4—28760
polyethylene terephthalate loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polyethylene-polyamine, n.m.r. and i.r. spectra, struct. depend. *(Russian)* 4—41285
polyethylene-terephthalate, theory of low temp. plastic deformation 4—7365
polyethyleneoxide, aq. soln., heat transfer from vertical surface 4—12675
polyethylenes, Graessley's theory anal. of flow behaviour 4—10688
polyethyleneterephthalate, crystallization ability, effect of polymolecularity *(Polish)* 4—41876
polyformaldehyde, inert liq. diffusion kinetics, stress state influence *(Russian)* 4—10677
polyformaldehyde, various block structures, mechanical properties *(Russian)* 4—38083
polyformaldehyde cryst., spherulitic structure, effect of filler, aging resulting 4—12879
polyhexamethylene adipamide, ionic thermal current study of α' process 4—10693
polyhexene-1, amorphous, heat capacity between 20 and 300K, intramolec. vibr. contrib. to C_v below glass transition 4—20417
polyimides, filled and unfilled, friction and wear 4—33919
polyisobutane, cetane soln., shear flow between rot. concentric cycl., material function 4—27874
polyisobutyl and aluminium naphthenate soln., in rotational devices with cone-disc gap, rheological props. *(Russian)* 4—17453
polyisobutylene, ^{13}C n.m.r., spin-lattice relaxation times 4—37519
polyisobutylene, flow in tubes of const. section, press. drop change 4—40521
polyisobutylene, mineral oil soln., stagnation flow, viscoelastic behaviour 4—27875
polyisobutylene, positron annihilation lifetime meas., struct. determ. 4—20228
polyisobutylene, Primol soln., parallel superposition of shear flow, small amplitude oscill. motion 4—27877
polyisobutylene, soln., relaxation spectra analysis, birefringence in oscillating shear field *(Russian)* 4—37580
polyisobutylene film on glass, molecular kinetic model of temp. depend. of adhesion strength *(Russian)* 4—38082
polyisobutylene soln., presteady-state stage of deform., normal, tangential stresses and reversible deform. 4—17439
polyisobutylene soln., viscoelastic behaviour, relaxation processes *(German)* 4—4230
polyisobutylene-polybutene solution, steady flow viscous and elastic props. 4—33912
polyisoprene, effect of specimen rot., internal motion dynamics *(French)* 4—1344
polyisoprenes, cis- and trans-, and related copolymers, cryogenic tensile stress-strain props. 4—7360
polyisoprenyllithium, u.v. spectra, dissoc. constants 4—19946
polymethacrylic acid, molecular rotation in soln., mol. wt. dependence determ. by polarised luminescence *(Russian)* 4—36596
polymethine dye soln., absorpt. spectrum, broadening of energy states 4—35852
polymethine laser dye in aqueous soln., improved temporal stability 4—298
polymethyl methacrylate, amorphous, SEM beam-induced damage 4—24492
polymethylacrylate, effect of water penetrant on tensile stress relaxation 4—10691
polymethylenes, Raman spectrum pressure dependences, lattice vibrations 4—6888
polymethylmethacrylate, vitreous, low temp. sp.ht. and thermal conductivity meas. 4—20418
polyolefin reaction with maleic anhydride i.r. spectroscopic obs. of processing of succinimide adduct *(Russian)* 4—25486
Polyox WSR.301, Pitot-tube meas. errors in dil. soln. 4—9683
polyoxyethylene dilute soln., flow in thin walled circular orifice *(French)* 4—36663
polyoxyethylene dilute solns., flow around cylinders, hot wire anemometry *(French)* 4—40515
polyoxyethylene dilute solns., response of total press. tubes *(French)* 4—40514
polyoxyethylene glycol, partition membrane, aqueous diffusion 4—24586
polyoxyethylene in aq. soln., 250 ppm., u.s effects on viscosity 4—37033
polyoxymethylene, bulk, α-relax. obs. 4—13900
polyoxymethylene, growth in irradiated trioxane cryst. direction effects 4—20332
polypeptide, synthetic monolayers, struct. and props. at air-water interface, book 4—19939
polyphenylacetylene, thermolysed, e.s.r. and spin-lattice relaxation *(Russian)* 4—37485
polyphenylalkylsiloxanes, ladder-type mols., hydrodynamic and conformational props. *(Russian)* 4—36597
polyphenylene oxide, particulate reinforced, yield behaviour 4—13898
polyphenyls, branched and cross-linked, thermal characts. *(Russian)* 4—17450

polymers continued
polyphenylsiloxane, benzene soln., mol. wt. determ., sedimentation analysis, light-compression effect *(Russian)* 4—36599
polyphenylsiloxane, cyclolinear, benzole solutions, mol. props. *(Russian)* 4—9638
polyphosphate, viscoelastic props. rel. to drag reducing ability 4—1677
polypropylene, bond formation and destruction on adhesion to synthetic fibres 4—1682
polypropylene, bond rupture, destruction, atomic mechanism 4—38079
polypropylene, creep under uniaxial, shear, and hydrostatic stress conditions 4—41873
polypropylene, effect of thermomechanical history on relaxation behaviour *(German)* 4—1680
polypropylene, glass reinforced, tensile stiffness and anisotropy, time depend. 4—38034
polypropylene, helical flow problem 4—20017
polypropylene, injection moulding struct. depend. rel. to physicomechanical props. 4—13924
polypropylene, isotactic, far i.r. spectrum 4—10420
polypropylene, isotactic, liq. medium influence on mech. props. *(Russian)* 4—41857
polypropylene, isotactic crystal, anal. of vibr. spectrum 4—13445
polypropylene, oriented, deform. mode at low temps. 4—33907
polypropylene, powder, fibre morphological struct. 4—10692
polypropylene, Raman spectra of highly and randomly orientated crystals, influence of chain interactions 4—10424
polypropylene, spherulite deformation *(Russian)* 4—36816
polypropylene, spherulite size effect on fracture morphology 4—38060
polypropylene, strain rate and temp. rise during deform. effect on stress-strain curve 4—29267
polypropylene, swelling in aqueous electrolyte solns. *(Russian)* 4—41860
polypropylene, tree starting voltage and growth rate, temp. depend. obs. *(Japanese)* 4—41335
polypropylene fibres, acoustic method determ. of hot-drawing conditions effect on orientation characts. 4—21473
polypropylene fibres, thermal shrinkage, recrystallisation 4—13890
polypropylene fibres, thermal shrinkage rel. to chain conformation change 4—13891
polypropylene film, conc. of degradation products on surface *(Russian)* 4—1685
polypropylene films, environment influence on physico-mech. props. *(Russian)* 4—10678
polypropylene in water, Van der Waals interactions, Lifshitz theory 4—1688
polypropylene isotactic fibres, deformation properties, texture 4—13911
polypropylene loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polypropylene mechanical loss props. rel. to hydrostatic pressure and temp. 4—21477
polypropylene melt, cyclic deformation effect on viscoelastic props. 4—17443
polypropylene melt, heat capacity, interpretation 4—6505
polypropylene/Al composite, mechanical and electrical props. of powder formed system 4—13873
polypropylenes, Graessley's theory anal. of flow behaviour 4—10688
polypyromellitimides, thermal emissivity meas. 4—37016
polysilicate, linear, band struct., one-dimens. LCAO tight-binding approx. 4—10096
polysilicic acid gels, formation in elec. field 4—17460
polysiloxane resin, electron-sensitive, for electron masking *(French)* 4—41881
polystrene latex particles, refractive index determ. from dispersed light characts. *(Russian)* 4—29253
polystyrene, amorphous, SEM beam-induced damage 4—24492
polystyrene, appl. of free-volume model for ionic cond. 4—37247
polystyrene, Aroclor sol., parallel superposition of shear flow, small amplitude oscill. motion 4—27877
polystyrene, atactic, bulk meas. of radius of gyration and persistence length by low-angle neutron scatt. 4—36785
polystyrene, atactic, mol. chain dimensions in bulk and solution 4—36783
polystyrene, atactic, strain props. and limiting mech. props., effect of secondary relax. processes *(Russian)* 4—17451
polystyrene, colloidal polymer phase formation 4—41894
polystyrene, crit. strain criterion for crazing 4—4216
polystyrene, decaline and decane solns., viscosity, normal stress difference 4—29227
polystyrene, dry and plasticised, solvent and dry crazing 4—33909
polystyrene, electronic excitation energy, transfer to αNPO in solid solution 4—3997
polystyrene, failure under nonrepeated loading, kinetics 4—13942
polystyrene, far i.r. spectra, rot. and translational band assignments 4—37600
polystyrene, fatigue fracture surface morphology, crazing effect 4—13943
polystyrene, fracture phenomena, crack and craze growth tests 4—7357
polystyrene, impact type, matrix mol. wt. effect on physicomech. props. 4—21470
polystyrene, interaction of two spheres in water, n-heptane, vac., van der Waals forces 4—13949
polystyrene, isotactic, chain folded crystal growth large undercooling 4—21185
polystyrene, lattice as model colloidal dispersions 4—13952
polystyrene, low polydispersity, in cyclohexane soln., cloud-point curves 4—38066
polystyrene, mech. damage due to laser pulses 4—21464
polystyrene, mechanical props., effect of mol. mobility, state of stress, orientation, plasticization 4—13914
polystyrene, mechanical strength and failure under dynamic loading 4—13875
polystyrene, microstructure destruction by CO_2 laser beam 4—13921
polystyrene, Raman scattering, model for librating side group 4—6876
polymers continued
polystyrene, scintillation light yield changes due to X-rays 4—21076
polystyrene, self-diffusion of methylene chloride, meas. by spin-echo n.m.r. 4—20867
polystyrene, solid, p.m.r. spectrum, n.m.r. multiple pulse methods 4—6798
polystyrene, solid spin-labelled, slow-motional effects, e.s.r. studies 4—6787
polystyrene, soln., relaxation spectra analysis birefringence in oscillating shear field *(Russian)* 4—37580
polystyrene, sorption of benzene, biaxially oriented, enthalpy and entropy calcs. 4—20478
polystyrene, theory of low-temp. plastic deformation 4—7365
polystyrene, thin elastic membrane, oscill. excitation by laser light momentum 4—15384
polystyrene, tree initiation and growth, electrothermal and electromech. breakdown *(Japanese)* 4—37563
polystyrene, viscoelasticity, extension of Rouse theory 4—39527
polystyrene, vitreous, low temp. sp.ht. and thermal conductivity meas. 4—20418
polystyrene and related polymers, specific heat, 1.6-4°K 4—6507
polystyrene crosslinked with divinylbenzene, torsional mode, low-lying, exptl. evidence 4—6469
polystyrene emulsion filled with glass fibres, thermal properties meas. 4—4206
polystyrene film, electrical props., current-voltage characteristics 4—20599
polystyrene films, elec. current meas., surface effect 4—10212
polystyrene in dilute soln., mol. wt. depend. of segmental rotational correl. times determ. by spin labelling 4—27782
polystyrene in water, Van der Waals interactions, Lifshitz theory 4—1688
polystyrene latex, light scatt., particle size meas. *(Russian)* 4—41897
polystyrene latex, turbidity meas., estimation of particle size and refractive index 4—13945
polystyrene latex spheres, intensity correlation spectra analysis by least squares 4—266
polystyrene latex spheres suspension, angular intensity distrib. meas. of light 4—30439
polystyrene melt, heat capacity, interpretation 4—6505
polystyrene melt wetting of plane surfaces, dynamics 4—16652
polystyrene mixture with polyvinylacetate and PMMA, structure determ. by electron microscopy *(Russian)* 4—36791
polystyrene single crystals, fold length, crystallisation theories at high supercoolings 4—20230
polystyrene soln. in benzene, light scatt. results eval. *(Polish)* 4—41875
polystyrene soln. viscoelastic behaviour, relaxation processes *(German)* 4—4230
polystyrene solution, refractive index rel. to density 4—6858
polystyrene solution in toluene, sedimentation constant conc. depend. *(Russian)* 4—27784
polystyrene solutions, low mol. wt., u.s. relax. *(French)* 4—40846
polystyrene solutions, non-diffusional nature of local conform. changes, u.s. meas. 4—27778
polystyrene-1,4 polybutadiene diblock copolymers, effect of terminal chains on mechanical props. 4—13897
polystyrene-diphenylmethane high viscosity isodielectric mixtures, electrolytic cond. of $(n\text{-}Bu)_4NSCN$ 4—21566
polystyrene-cyclohexane system, coexistence curve in critical region 4—38068
polystyrene-cyclopentane system, polymer chain dimensions, temp. dependence, limiting viscosity number 4—36593
polystyrene-methacrylate, methylmethacrylate, mol. motion of polar monomers *(Russian)* 4—9640
polystyrene-polybutadiene-polystyrene block copolymer in MEK, dil. soln., small-angle scatt. 4—36774
polystyrene-polyphenylene oxide glassy blend, transport of noble gases 4—24578
polystyrene/low density polyethylene blend, graft copolymer effect on microstructure, impact strength 4—38076
polystyrene/low density polythylene blends, mechanical props. 4—10698
polystyrene/polybutadiene mixtures, adsorption 4—28284
polystyrol fibres, selective strength testing *(Russian)* 4—38106
polystyrole with low molecular admixtures, dielec. loss and permeability, temp. and freq. depend. *(Russian)* 4—20934
polystyryl radical, polymerisation, mol. wt. distrib., solvent effects 4—19948
polytetrafluorethylene, deformation study of tubular specimens *(Russian)* 4—21492
polytetrafluorethylene, insulating film, amorphous, Poole-Frenkel conduction 4—32967
polytetrafluoroethylene, cryst., far i.r. spectrum 4—37611
polytetrafluoroethylene, thermal conductivity, effect of press. 4—40933
polythene, disorientation of fibrillar elements, method of assessment *(Russian)* 4—9861
polythene, high density, friction and wear, action of PbO and CuO fillers 4—33920
polythene, refractive index, 4-30 cm^{-1} waveband *(Russian)* 4—33365
polythene, target, proton scattering experiments, comparison with C target data precision subtraction method 4—83
polythene film, conc. of degradation products on surface *(Russian)* 4—1685
polythene film, conduction current dependence on specimen thickness 4—1238
polyurethane, isocyanurate-type crosslinked, props. 4—13904
polyurethane, porous, multiparameter prediction of creep 4—21462
polyurethane, use for spark chamber construction 4—14985
polyurethane coatings, physico-mech. props. under influence of external factors *(Russian)* 4—10679
polyurethane crystallites, melting curve struct., differential calorimeter method 4—28194
polyurethane foam, complementary strain-energy function determ. 4—29269
polyurethane foam, rigid, analysis as shock mitigator 4—38105
polyurethane foams, acoustic absorption characts. 4—39143

polymers continued
  polyurethane mixtures with PVC and polyacrylonitrile, structure determ. by electron microscopy *(Russian)* 4—36791
  polyurethanes, glass-forming temp. calcs. *(German)* 4—36823
  polyvinyl acetate, mechanical loss props. rel. to hydrostatic pressure and temp. 4—21479
  polyvinyl acetate, partially hydrolized, sorption of water vapour 4—24628
  polyvinyl acetate coating, props. and supermolec. struct., effect of struct. formation conditions 4—17437
  polyvinyl alcohol, ^{13}C n.m.r., spin-lattice relaxation times 4—37519
  polyvinyl alcohol, bond formation and destruction on adhesion to synthetic fibres 4—1682
  polyvinyl alcohol, i.r. spectra determ. of H-bond rupture influence on initial orientation 4—12880
  polyvinyl alcohol, mechanical props., effect of mol. mobility, state of stress, orientation, plasticization 4—13914
  polyvinyl alcohol, X-ray diffraction study of crystal structure of fibres 4—40796
  polyvinyl butyral film, soln.-grown, thermally stimulated discharge currents 4—28517
  polyvinyl chloride, high-molecular, film-forming, viscosity rel. to soln. struct. 4—17462
  polyvinyl chloride, tree initiation and growth, electrothermal and electromech. breakdown *(Japanese)* 4—37563
  polyvinyl cinnamate photoresist, suitability for graticule prod. 4—18509
  polyvinyl fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4—21478
  polyvinyl formal, i.r. absorption spectra and vibrational assignments 4—3963
  polyvinyldiene fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4—21478
  polyvinylethylal solution, to form thermochromic materials, variable light transmission 4—25069
  polyvinylidene fluoride, annealed, specific vol. meas., differential scanning calorimetry, electron microscopy 4—36821
  polyvinylidene fluoride, cryst., i.r. spectra, 13-373 K, low freq. intra and intermolecular vibr. 4—13425
  polyvinylidene fluoride, dielec. relaxation and mol. motion 4—10371
  polyvinylidene fluoride, effect of γ-radiation on phase transformations and m.p. of crystallites *(Russian)* 4—38081
  polyvinylidene fluoride, piezoelectric effect of h.f. 4—3939
  polyvinylidene fluoride film, pyroelec. and switching props. 4—10380
  polyvinylidenechloride, mechanical loss props. rel. to hydrostatic pressure and temp. 4—21478
  polyvinylidenechloride and copolymers, epitaxial textures *(Russian)* 4—37124
  polyvinylstearate, molecules in soln., hydrodynamic and optical props. *(Russian)* 4—36598
  polyvinyltoluene excimer, protection against fluorescence degradation by u.v. light 4—37664
  positron annihilation, lifetime rel. to average mol. wt. 4—28120
  potassium polystyrenesulphonate aq. soln., elec. birefringence, effect of mol. wt., conc., and field strength 4—6861
  propylene-vinyl chloride copolymers, random-coil dimensions and dipole moments 4—6136
  PTFE, bond formation and destruction on adhesion to synthetic fibres 4—1682
  PTFE, deform., 78-298K, environmental crazing effects 4—21450
  PTFE, film, bending piezoelectricity meas. 4—28763
  PTFE, film, dielec. const., loss meas., 9.375 GHz 4—28747
  PTFE, in water, Van der Waals interactions, Lifshitz theory 4—1688
  PTFE, ion beam etching, sputtering yields 4—21141
  PTFE, longit. acoustic phonons, dispersion reln. 4—6470
  PTFE, mol. motion under high pressure, n.m.r. study 4—6799
  PTFE, n.m.r. absorption under high pressures *(Japanese)* 4—13357
  PTFE, pressure dependence of thermal diffusivity 4—20454
  PTFE, thin film growth, thermal evaporation, r.f. sputtering 4—4224
  PTFE, Van der Waals potential energy calc., and rotational freedom 4—19932
  PTFE fibres, multi-pulse n.m.r. rotation obs. of ^{19}F chemical shift anisotropy 4—41287
  PTFE filled polyimides, friction and wear 4—33919
  PTFE metal contact, adhesion and friction investigation 4—29231
  PTFE/hexafluoropropylene copolymer, shear strength and friction under high press. 4—38058
  PTFE/polyethylene copolymer, shear strength and friction under high press. 4—38058
  PVC, ^{13}C n.mr., spin-lattice relaxation times 4—37519
  PVC, annealed, molecular reorientation, i.r. spectrum, dichroism of conformation sensitive bands *(Russian)* 4—36831
  PVC, calculated intermolecular interactions 4—24156
  PVC, creep under uniaxial, shear and hydrostatic stress conditions 4—41873
  PVC, fatigue crack advance, micromechanisms 4—1672
  PVC, fatigue fracture surface morphology, crazing effect 4—13943
  PVC, filled plasticised polymer, thermodynamic stability factors 4—7356
  PVC, filled plasticised polymer, thermophysical props. 4—7355
  PVC, growth on NaCl, surface elec. prop. copying by AgCl epitaxial growth 4—13111
  PVC, mechanical loss props. to hydrostatic pressure and temp. 4—21478
  PVC, n.m.r., effect of specimen rot., internal motion dynamics *(French)* 4—1344
  PVC, oriented sheet Young's modulus, correlation with yield stress, u.s. pulse meas. 4—38074
  PVC, rigid, viscoelastic/plastic deform., time depend. constitutive eqn. 4—17454
  PVC, thin films, growth kinetics, from soln. 4—4225
  PVC, u.s. meas. of elastic consts., drawing effect 4—13903
  PVC beams, prediction of bending from deformational characteristics 4—10699
  PVC fibres, acoustic method determ. of hot-drawing conditions effect on orientation characts. 4—21473

polymers continued
  PVC film, dielec. props. at very low frequencies *(Japanese)* 4—41331
  PVC solution growth pure and I doped thin films, depolarization, thermally stimulated discharge 4—3931
  PVC thermoelectrets, depolarization current analysis 4—41329
  PVC thermoelectrets, formation, polarising field, temp. effects 4—20926
  radiation sensitive, electron microscopy image intensification 4—12859
  random coil chain, intertwisting, statistics 4—12653
  random copolymers, crystallisation, theoretical model 4—1015
  random-coil chain, relax. of fluctuations anal. 4—12657
  Rayleigh scattering, randomly cross-linked chains, graph theory 4—10401
  reflectance spectra, 5-23.1 eV 4—10444
  regular helices, lattice Green function computation by integration 4—16559
  reinforced, polymer-glass fibre interface *(Polish)* 4—21427
  relaxation processes, double correl. diagrams *(German)* 4—4221
  resin, appl. to filament-wound pressure vessels, technology 4—29215
  resin, filled/reinforced, vapour sorption, thermodynamic analysis 4—38039
  resin coating, effect of solvent type on optical props. 4—41853
  resins, ion-exchange, ^{7}Li nuclear relaxation 4—22508
  reversible processes, constraints on relation between stresses and time derivatives of strains and temp. 4—249
  rheology, microstructure model, superposed oscill., shear flow 4—27876
  rigid, creep under torsion 4—17447
  rigid, fatigue properties, complex loading 4—1681
  rigid dumbbell steady rotation, hydrodynamic interaction for time-depend. motions 4—32103
  rubber-like, statistical derivation of viscoelasticity equations *(Russian)* 4—10705
  rubber-polypropylene mixture, effect of thermomechanical pretreatment on struct. and rheological props. *(German)* 4—4222
  SBR-wax matrix, resistivity and dielec. const. of carbon black 4—6650
  Schulz-Zimm function, fitting of polymer mol. wt. distrib. data 4—19931
  SEM, metallic replica technique 4—1675
  shear modulus, press. depend. 4—38059
  silicone coating of soda-lime glass, stress corrosion susceptibility 4—10686
  solid, bulk modulus meas. 4—39162
  solid, overmolecular struct. and molec. synthesis, effect on relax. props. *(German)* 4—38071
  solid and solution properties (conf. Helsinki, Finland, Jul. 1972) *(German)* 4—4217
  solution, concentrated, zero shear viscosity, corresponding states principles 4—41879
  solution, dielectric relaxation meas. *(German)* 4—4231
  solution, dil., laminar boundary layer flow, stability 4—40513
  solution, dilute, light scatt. results eval. *(Polish)* 4—41875
  insolution, dilute, turbulent boundary layers, radiated noise 4—12714
  solution, dilute, turbulent pipe flow, velocity measurement, optical technique and system, results 4—2435
  solution, elastic recoil as function of conc. 4—41870
  solution, flow mechanisms 4—20019
  solution, hydrodynamically suspended spheres, drag coeff., press. drop 4—27907
  solution, nonequilib. effects in seepage through porous medium *(Russian)* 4—27917
  solution, refractive index rel. to density 4—6858
  solution, small-angle neutron scatt. in intermediate momentum range 4—36784
  solution, solubility parameters and molar volume estimation 4—9991
  solution, stress relax. upon cessation of steady flow and overshoot effect 4—21457
  solution containing microgels, light scatt. studies, problems *(Polish)* 4—41874
  solutions, concentrated, in rotational devices with cone-disc gap, rheological props. *(Russian)* 4—17453
  solutions, concentrated, vapour-liquid equilibrium 4—7471
  spherulites, truncated, light scattering, 2-dim. theory 4—21455
  spin-lattice relaxation of low-mol. wt. cpd. in polymer medium 4—33291
  stabilisation of colloids by adsorption of polymer molecules 4—29249
  statistical mechanical model of multicomponent chain of interconverting links 4—19933
  strength macrocharacteristics determ. using dislocation theory of fracture 4—21471
  strengthening factors and mechanisms 4—13944
  strengthening influence of solvents, mechanism *(Russian)* 4—10681
  stress relaxation by cross-link reorganization 4—10696
  stress-optical coeffs., depend. on mech. and opt. props. 4—41356
  structure, educational article 4—4930
  structure, small-angle scatt. obs. 4—36772
  styrene acrylonitrile polybutadiene composite, relax. time shift on deform. 4—21447
  styrene ionomer, i.r. obs. of glass transition 4—33411
  styrene-butadiene copolymers, long-chain branching, melt flow behaviour for extent determ. 4—17444
  styrene-butadiene rubber/SiO$_2$ mixtures, dielec. const. and dielec. loss 60-10^8 Hz 4—1367
  styrene-butadiene-styrene block copolymer, u.s. absorpt., dielectric loss 4—37556
  styrene-telomer, mol. weight determ. by ebulliometry and vapour pressure osmometry *(Japanese)* 4—904
  STYROFLEX film, orientation stages *(German)* 4—1670
  surface, contact area of rigid spherical indenter 4—25436
  suspension, internal viscosity of macromols. influence on viscoelastic behaviour *(Russian)* 4—41898
  Teflon, i.r. absorption coefficients, thin layer, Au substrate, surface e.m. wave meas. technique 4—10400

UICC LIBRARY

polymers continued
Teflon, use in modification of hanging Hg drop electrode for stripping voltammetry 4−35516
temperature dependent processes, SEM dynamic expts. with a hot stage 4−8527
tetrafluoroethylene copolymers, cryst. thickening characts., theory, obs. 4−20229
tetrafluoroethylene-hexafluoropropylene copolymer, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
thermal conductivity, 0.1 to 10K, elastic scatt. due to struct. disorder 4−32756
thermal stability, related to damage track registration 4−18657
thermoplastic materials, metallic, ultrasonic assembly 4−4223
thermoplastic melt, yield stress meas. by capillarity method 4−13889
thermosetting plastic, Ludwik's, wedge pressure, tensile strength testing method 4−13962
thin films, dielectric properties meas. 4−64
time effects, nonlinear theory of heredity 4−13917
torsional mode, low-lying, exptl. evidence 4−6469
TPX, compression moulded, morphology and fracture 4−7367
transport phenomena through polymer films, 2nd Symposium, New York, USA (27 Aug to 1 Sep 1972) 4−24575
turbulent flow, hydrodynamics, heat transfer, polymeric additive effect 4−27887
u.s. attenuation factor, pulse method 4−2230
vinyl, excimer formation and energy migration temp effect on fluorescence 4−1419
vinyl alcohol copolymer, i.r. spectra determ. of H-bond rupture influence on initial orientation 4−12880
vinyl binary copolymer, asymmetric α-C atoms, configurational statistics 4−31988
vinyl chloride copolymers with maleic acid dialkyl esters, mechanic props. characterisation by n.m.r. and i.r. spectra *(German)* 4−4218
vinyl monomer-polymethane composite, variation of shear modulus with composition 4−13882
vinyl phenyl ether, i.r. and p.m.r. study of chem. struct. *(Russian)* 4−9862
vinyl urethane, fatigue crack propag. 4−1674
vinylbenzoate, radiation induced polymerisation, varied dose, temp., mol. wt. of polymers 4−17535
vinylchloride/vinyl acetate copolymers, mechanical loss props rel. to hydrostatic pressure and temp. 4−21479
viscoelastic fluid, stability of plane Poiseuille flow 4−20022
viscoelastic function determination, linear and non-linear 4−4211
viscoelastic materials, stress relax. and creep meas., initial transients influence 4−7402
viscoelastic melts, stress distribution in exit region, stress-birefringence 4−29228
viscoelastic plastic bodies, stability problems *(Russian)* 4−7369
viscoelastic properties of highpolymer systems *(Japanese)* 4−33917
viscoelastic rod of finite length, impact problem for rigid mass 4−21465
viscoelasticity, linear and branched polymers 4−41872
viscosity-temp. relation 4−40908
wear, rel. to fatigue resist., rubber mixtues 4−21490
wear by roll-form 4−10708
work function estimation, physical model 4−16810
X-ray diffraction technique, dynamic, rheo-optical properties of crystalline polymeric materials, measurement 4−28004
yield and flow in amorphous glassy polymers, mol. model, dislocation analogue 4−21460
yield criteria, press. depend. 4−13909
Al/epoxy resin, shock adiabat curves calc. *(Russian)* 4−7347
C black resins, dynamic characteristics in a.f. range, quarter wave vibrator method *(Russian)* 4−17492
C_3O_2 polymer in Martian atmosphere rel. to 1971 dust storm 4−22301
polyenes, excited electronic states calc. using Wannier function expansion 4−3719

polymorphism
see also crystal structure; isomorphism
AB compounds, relationship between structural types based on polymorphic transformations 4−32463
calcium formate, differential thermal analysis 4−32546
calcium formate, phase struct., X-ray diffr. 4−32547
2,2′,4,4′,6,6′-hexanitroazobenzene, forms I and II, cryst. struct. 4−24456
liquid crystals, classification system, textures 4−9830
liquid crystals, smectic phases 4−9824
metal, idealized close packed, faulting and phase stability 4−20317
OD structures of $M>1$ kinds of layers, notion of packets 4−12890
n-paraffin, $C_{36}H_{74}$ and C_{94}-H_{190}, polymorphism effect on Raman-active acoustical mode freqs. 4−28815
phase boundaries as zones of shear weakness, geophysical implications 4−21735
phenobarbitone, cryst. struct. of modification III 4−12933
pressure induced phase transition, hysteresis effect, kinetic model *(French)* 4−37002
stacking faults and polytypes, direct investigative methods 4−36910
strontium formate, differential thermal analysis 4−32546
strontium formate, phase struct., X-ray diffr. 4−32547
2,2,6,6-tetramethyl-4-piperidinone-1-oxyl *(French)* 4−32535
Ag-Al alloys, -μ transform. kinetics 4−37798
Ag_2Se, polymorphic transform., electron microscope investigation 4−13043
Al_2O_3, oxidation of Al film, plasma oscill. excitation 4−12965
Bi, liq., polymorphic transforms. of clusters *(Russian)* 4−3440
C, laser irrad., polymorph formation and fluid flow pattern obs. 4−31062
C, new forms, 1968-73, review 4−25439
CdI_2, 84 layered rhombohedral cryst., phase transformation mechanism 4−36863
CdI_2, polytypic, phase transformations 4−32703
CdI_2, polytypic crystals, kinetics of stacking faults role in struct. trans. and polytype form. 4−28210
CeS_2 polymorph, synthesis and characteriz. 4−1038
Co, allotropic transformation, thermomech. pretreatment effect 4−41539
Co, valence electron plasma oscills. at transition 4−37202

polymorphism continued
$CoMoO_4$, X-ray diffr. and i.r. absorpt. obs. 4−13035
$CsSnCl_3$ (Br_3, I_3, Br_2Cl, Br_2I, BrI_2), X-ray diffr., n.q.r. 4−32518
Eu_2O_3 polytypes, absorpt. spectra rel. to struct. 4−13034
Fe, liq., polymorphic transforms. of clusters *(Russian)* 4−3440
Fe-Ni alloys, kinetics of polymorphic (γ-α) transform. at high press. 4−17210
KCl-NaCl solid solutions, pressure induced 4−28206
KPF_6, vibr. spectra anal. of high pressure polymorphism 4−10425
Li_4GeO_4, crystal chemistry 4−24437
Li_4SiO_4, crystal chemistry 4−24437
Li_4TiO_4, crystal chemistry 4−24437
MoS_2, structural and textural evolution from MoS_3 4−20267
OsO_2F_y, X-ray obs., 20 to −100°C 4−16458
Rb halides, polymorphic transitions, retropressure effect theory *(French)* 4−13037
$RbCdCl_3$, anomalous polymorphism 4−13025
RbCl, high press. polymorphic transition, experimental parameters effect on hysteresis *(French)* 4−13036
RbCl-KCl solid solutions, pressure induced 4−28206
ReO_2 spiral growth phenomenon during monoclinic-orthorhombic transform. *(French)* 4−37004
SiC, 21T polytype structure 4−24449
α-SiC, electrical props. of different polytype 4−10154
SiC, etch. pit obs. on pure polytypes 4−24649
SiC, long period structures, TEM obs. 4−25421
SiC, polytype growth mechanism 4−24448
SiC, polytypic transform. mechanisms 4−24560
SiC, polytypism origin 4−24447
SiC polytypes, atlas of Laue patterns 4−24451
SnS_2, structural poltypism 4−28053
$Sr_3Fe_2O_{7-x}$, phase characterization 4−37003
$TaS_{2-x}Se_x$ system X-ray analysis, obs. of hexagonal layers 4−28188
1T-$TaSe_2$, prep., 473K intrapolytypic transform. and superlattice obs. 4−36873
$ThBr_4$, struct. determ., X-ray diffr. 4−32507
TiS systems, 800 and 900°C *(French)* 4−24547
V, allotropic transformation absence at high temps. 4−4070

polynomials
see also splines (mathematics)
Asano contracted rel. to analyticity and uniqueness of spin $^{1}.{}_{2}$ classical ferromagnetic lattice systems 4−11860
Chebyshev, numerical integration of Vlasov equations 4−36690
computer calculation of normal gravity forces *(Russian)* 4−38186
curve fitting, simultaneously uncertain variables, modified least squares approx. 4−18295
elastodynamics, linear, polynomial estimate of stress tensor 4−5338
generating function by iterative process, Kampe de Feriet function 4−35590
generating functions, two-variable polynomials 4−15119
geophysical data, spheric-harmonic analysis on spherical surface 4−38564
Hermite, generating function, integral representation 4−5318
hyperpolynomials approximating solns. to boundary-value problems 4−30722
Jacobi polynomials, integral derivation 4−18826
Lagrangean sampling functions, use in trigonometric interpolation *(German)* 4−35614
Legendre, expansion for Klein-Nishina formula for nonstationary Compton scattering electrons 4−35989
Legendre, extension of an integral to other orthogonal functions 4−18827
Legendre, of Ursell-Mayer functions, rel. to computation of fourth virial coefficients for interaction potentials 4−3550
Lippmann Schwinger eqn., soln. using optimized polynomial approx. 4−5377
Lippmann-Schwinger equation, optimized polynomial approx. soln. 4−2766
matrix cofactors, numerical computation method 4−172
multiple zeros calc. 4−5322
transcendental equation $\mu \tan \mu=b$, Chebyshev polynomial approx. 4−39482
transcendental equations containing Bessel functions, roots determ. 4−39483
ultraspherical, nonlinear nonconservative system 4−35706

polytypism *see polymorphism*

Pomeranchuk poles and trajectories
see also hadron scattering
absorptive Pomeranchukon and quantum-number exchange 4−23519
analyticity, unitarity and scattering amplitudes 4−2659
correlation chains and Pomeranchukon cuts in inclusive expts. 4−19229
coupling at $t=0$, effect on factorisation, multiple fireball prod. 4−8991
couplings in presence of reggeon loops 4−36032
double Pomeranchuckon exchange forward 3-3 M^2 absorptive part, multiperipheral model 4−8998
double pomeron exchange, phenomenological dual amplitude, transverse momentum distribution, $x=0$ 4−36015
e.m. shift at $t=0$ through virtual dissociation, effect on cross sections 4−12069
factorisation of total cross-sections at high energy, for Pomeron pole of intercept one 4−15522
field theory of Pomeron interaction 4−31175
helicity amplitudes, imaginary parts anal. for KN(πN) scattering 4−12086
inclusive reactions, triple-Pomeron coupling, influence of Pomeron structure 4−36091
inelastic processes, anal. of diffraction in multifireball model with bare Pomeron 4−36041
intercept, decomp. according to produced particles multiplicities comparison with pp data 4−8990
lepton-hadron deep inelastic scattering, pomeron in quark-parton model 4−27111
multiparticle processes in terms of weakly recurrent pomerons 4−27143
multiparticle reactions, triple Pomeron coupling, perturbative expansion 4−27142
multiplicity distributions, nearly-fixed-Pomeranchuk-pole asymptotics 4−23518

Pomeranchuk poles and trajectories continued
pomeron, perturbative approach via multifireball expansion, simple model 4—39872
pomeron, perturbative S-matrix description, multifireball expansion 4—39871
pomeron amplitudes, bounds on the zeros 4—5635
Pomeron bootstrap for Regge trajectories with square root branch points 4—27149
Pomeron exchange dual absorptive model for ρ^0 photoproduction on ^{12}C at 8.8 GeV 4—19381
Pomeron occurrence more than once in single process, pion-pole dominance 4—36031
Pomeron states, construction in zero-width approximation 4—8992
quark model for pomeron in hadron scattering 4—27144
renormalisation of Pomeranchukon, reln. to Finkelstein-Kajantie disease 4—15445
triple pomeron, rising cross sections, iterative scheme 4—2707
triple pomeron coupling, absorptive multiperipheral model with elastic rescattering corrections 4—39870
triple Pomeron coupling, increasing cross sections and diffractive excitation, ISR energies 4—9035
triple pomeron terms, rising total cross sections 4—27120
triple-Pomeron model for proton inclusive spectrum at ISR energies 4—5688
f meson width, crossing sum rules and Pomeron 4—36101
γN diffractive scattering, multichannel impact parameter formalism 4—358
γp Compton scattering, 2.2 to 7.0 GeV, O(3,1) symmetry model 4—12043
pp collisions, leading proton effect 4—9021
$pp \to p\pi^+\pi^-p$, double-pomeron-exchange contributions at 205 GeV/c 4—15571
$pp \to \pi +$ anything, scaling breaking with dipole pomeron and growth of total cross section 4—36079
pp scattering, cross-sections, trajectory curvature above 10 GeV *(Russian)* 4—23520
pp scattering, high energy bound on total cross sections 4—5681
pp scattering, phenomenological investigation of Pomeron 4—9032
π-Pomeranchon Regge cut study using Gribov's approach to Mandelstam diagram 4—19230
πN scattering data, low energy, Pomeranchuk theorem 4—31173

Pontryagin maximum principle *see maximum principle*

Poole-Frenkel effect
insulating film, amorphous with large impurity densities conduction process 4—32967
polytetrafluorethylene, insulating film, amorphous with large impurity densities, conduction process 4—32967
semiconductor film, amorphous temp. depend. of electrical conduction mechanism 4—41076
B, description of electrical conductivity dependence on temperature and electric field intensity 4—16765
GeSe film, I/V charact., adhesion spots effect *(German)* 4—24845
$Ge_{50}Se_{50}$ film, amorphous, Poole-Frenkel effect on centres with screened Coulomb potential 4—20620
MgF_2 thin films, prep. condition effect on cond. mechanism *(French)* 4—3745
Si film amorphous, cond. change from Poole-Frenkel to s.c.l. mechanism on annealing 4—24749
SiO, threshold and memory switching 4—20658
SiO_x, thin film capacitor, time constant of voltage response 4—16833
ZnS, switching mechanisms, metastable state obs. 4—10194

population inversion
see also laser theory
amplified spontaneous emission, inverted medium 4—15325
dibenzanthracene, fluorescence enhancement, triplet state depopulation by O_2 impurity absorpt. 4—28890
and i.r. signal amplification on excited mol. vib. levels rel. to unsteady induced Raman state 4—8851
molecular beam traversing inhomogeneous mag. field, adiabatic passage on dipole transitions *(French)* 4—2612
molecule, diatomic, bound-continuum transitions 4—3198
stationary plasma, inversion of H level populations 4—27929
superluminescence, excitation in three level systems *(Russian)* 4—8783
triatomic reaction, at. + diat. mol., criteria for inverted vibr. state occupation in products *(German)* 4—33978
vibrational levels, absorpt. saturation, rot.-vibr. lines 4—23319
X-ray laser, photoelec. pumping, inversion for 1 KeV radiative transitions 4—31016
Eu gas laser, temp. for onset 4—8798
GaAs, Gunn diode, current-voltage characts., stimulated emission 4—21024
H like ions, vac. u.v., X-ray transitions, quasi steady state theory 4—35832
HF chemical laser, $F + H_2 \to HF + H$ pumped, gain characteristics 4—23310
He, inversion in fission fragment excited gas 4—19084
NH_3, Stark effect laser freq. sweep optical pumping 4—36540
NH_3 i.r. double resonance using two-photon technique 4—6095
N_2O molecules, at high pressure and temp., gain for 00^01 to 10^00 transition 4—8800
O^{7+}, X-ray emission, optical pumping, 2s→1s transition 4—35831
Xe, possibility of inversion in partially ionised gas in a hypersonic nozzle 4—12760
Xe_2, diatomic bound-continuum transitions 4—3198

population inversion in lasers *see laser theory*

porosity
see also porous materials
alloy, SAS-1, micro- and macroheterogeneities 4—17376
bone, compact, elastic deform. and modulus, collagen/hydroxyapatite composite implications 4—2156
brass, dezincified, submicroscopic voids *(French)* 4—1507
cellophane membrane, pore size estimation 4—41852
cellulose acetate membrane, pore size estimation 4—41852
cement paste, high-strength, porosity-strength reln. 4—38025
ceramic, brittle, Griffith flaws and effect of porosity on tensile strength, correction 4—13842
ceramic, high temp., role in elastic and anelastic behaviour 4—7325

porosity continued
ceramic, polycrystalline, uniaxial strength-grain size-porosity functions, data fitting, low temp. 4—38024
ceramic, pore size distribs., firing temp. and composition depend. 4—33866
ceramic, sintering, effect of trapped gas 4—21405
ceramic porous microstructures characteriz., topology and geometry 4—4168
diamond, ballas synthesis, graphite struct. depend., photomicrography 4—13851
dielectric films, vac. deposited, water absorpt., rel. to optical filters 4—37710
ductile material, effect of gas on isolated pore closure *(Russian)* 4—21383
filter materials sintered from metal powders, gas permeability and interconnected porosity 4—7257
glass, sintered disc, dissolution by HF 4—17472
glass reinforced plastic, porosity prediction from thermal cond. 4—21433
granular material, flow patterns for unsteady-state flow 4—29261
hydrophobised electrode, capillary equilibrium 4—10752
kaolin, physico-chemical characteristics of activated sintering *(Russian)* 4—21414
liquid alloys, struct. calc., first coordination sphere *(Russian)* 4—20200
magnesite, mechanical props. rel. to texture *(Polish)* 4—1621
metal coating, porosity determ., electrochem. method 4—26659
packed beds of glass spheres, bed size influence on flow and porosity characts. 4—32148
periclase-spinel, physico-chemical characteristics of activated sintering *(Russian)* 4—21414
permeable plate, boundary layer with uniform gas injection 4—36644
petroleum reservoirs from resistivity logging data *(Russian)* 4—38533
polyacrylonitrile fibre, changes in pososity due to stretching and thermal treatment *(Polish)* 4—21461
porous medium, homogeneous, dissolution by acid 4—17472
powder compact, shrinkage of interconnected pore system 4—21373
powder compaction, vibration, into porous parts *(Russian)* 4—37989
rock microporosity, temp. and hydrostatic pressure effects 4—21731
rocks, leading to unreliable results for velocity pressure coefficients below 10 kbar 4—29453
sedimentary rocks of N.E. Russian platform *(Russian)* 4—38250
sintering, conf., Herceg-Nova, Yugoslavia (Sep. 1973) 4—21369
sintering, pore closure, transport mechanisms 4—21382
sintering, solid state, thermodynamic anal. 4—21408
steel, struct. formation during dynamic hot pressing *(Russian)* 4—21389
UO_2 effect of porosity and stoichiometry on thermal cond. 4—37051
xerogels, acidic, of polysilicic acid, formation in elec. field, struct. 4—17460
xerogels, porosity rel. to surface tension of intermicellar liq. 4—17461
Al_2O_3, alumina, induced porosity effect on thermal shock 4—25410
Al_2O_3, fracture surface energy 4—7298
Al_2O_3, initial sintering, shrinkage rel. to particle size and packing 4—21412
Al_2O_3, sintered, effect of Y_2O_3 on microstruct. 4—21406
Al_2O_3, variation of stress conc. depend. of bending fracture stress *(German)* 4—33849
Al_2O_3-glass ceramic, containing oxides, sintering *(Russian)* 4—21416
$Al(OH)_3$, xerogel, surface area and porous texture 4—17466
Au film, effect of deposition method 4—32836
B_4C, effect on thermal cond., 20-1400°C 4—15944
B_4C, pore morphology, struct. and irrad. effects 4—15942
B_4C pellets, effect on thermal cond., 20-1300°C 4—15943
Cu-Ni sintered materials, homogeneity investigation using microprobe 4—33843
Cu-Pb, powder, calcination rel. to liquid phase and infiltration *(French)* 4—4164
Fe, sintered powder compacts, effect of porous character on ultimate tensile strength *(Slovak)* 4—13809
Fe, struct. formation during dynamic hot pressing *(Russian)* 4—21389
Fe alloy, sintered, case hardening, effects of porosity and sintering method *(Russian)* 4—37992
Fe powder, sintered, porosity, depend. of tensile strengths elongation and hardness *(German)* 4—37987
MgO, hot pressed, fracture energy and strength, microstruct. parameters influence 4—17384
MgO, sintered, pore size distrib. by back diffusion method *(Japanese)* 4—13857
$NbC_{0.99}$, explosion effects *(Russian)* 4—33852
Ni powder, sintered precipitated, effect on fatigue behaviour 4—7246
Ni thin vacuum condensates on perforated steel strip, structure, porosity and microhardness *(Russian)* 4—1572
$(Pb,La)(Zr,Ti)O_3$, ceramic, effect on electrical and optical properties 4—10385
PuO_2, lenticular pore props. 4—31541
PuO_2-Mo cermet fuel, helium release obs. 4—15957
SiC, high-strength, characterization 4—25409
SiC, microstructural effects on physical props. 4—10659
Si_3N_4, high-strength, characterization 4—25409
$TiC_{0.98}$, explosion effects *(Russian)* 4—33852
$(U, Pu)O_2$ helical-spring specimens, extruded, effect of fabrication variables on props. 4—3028
$(U,Pu)O_2$, lenticular pore props. 4—31541
UO_2, calc. of kinetic constants and densification during sintering *(Russian)* 4—21417
UO_2, initial sintering, shrinkage rel. to particle size and packing 4—21412
UO_2, lenticular pore props. 4—31541
UO_2, sintered, tensile strength dependence on microstruct. 4—21407
UO_2 fuel pellets, thermal resinter characts. 4—15962
UO_2 helical-spring specimens, extruded, effect of fabrication variables on props. 4—3028
UO_2 powder compacts, sintering and morphology of interconnected porosity 4—13825
W, wire, effect of micropores on high temp. creep ductility 4—21374

porosity continued
W bars with oxide additive containing K, Si, Al 4—25402
$ZrC_{0.96}$, explosion effects *(Russian)* 4—33852
ZrO_2, Y_2O_3 stabilized, effect on high temp. creep 4—7274
porous materials
see also flow through porous media; mechanical permeability
acoustic, propagation constant and impedance meas. 4—26483
acoustical coating, sound absorption, air cushion coffering *(German)* 4—35102
bulk modulus first pressure derivative 4—21499
catalyst, internal pressure and forced flow 4—17501
cellophane membrane, pore size estimation 4—41852
cellulose acetate membrane, pore size estimation 4—41852
ceramic porous microstructures characteriz., topology and geometry 4—4168
coke, saccharose, adsorbing surface, chem. activation effect by mag. reson. methods *(French)* 4—16657
concrete, fine-grain, internal heat and mass transfer parameters in curing by thermohumidity treatment 4—41912
diffusion of gases through porous plug, mobile adsorbed phase interactions 4—14005
dissolution by acid, porosity and permeability, mathematical model 4—17472
drying, of capillary-porous colloidal materials, future developments 4—33923
drying mechanism, capillary porous bodies 4—17474
ductile, effect of gas on isolated pore closure *(Russian)* 4—21383
dynamic theory, representation theorem, body force equivalents to dislocations 4—29422
elastic-porous half space covered by thin plate, action of a moving load 4—5342
equilibrium filling of above-critical pores, with nonwetting liquid 4—7382
fan blade covering, for noise reduction 4—39128
filter materials sintered from metal powders, gas permeability and interconnected porosity 4—7257
glass, sintered disc, dissolution by HF, porosity and permeability 4—17472
graphite, thermal conductivity coefficient meas. 4—4185
graphitic carbons, thermal conductivity meas., varying porosity 4—33864
heat exchage on horizontal permeable surface in air flow, investig. 4—32036
hydrophobised electrode, capillary equilibrium 4—10752
ionogenic surface, cond. meas., form factor 4—13950
macroporous structure, differential characteristic meas. 4—41911
magnesite, mechanical props. rel. to texture *(Polish)* 4—1621
metal, plasticity theory 4—33757
metal-glass materials, sintering, densification kinetics 4—41796
microporous, desorption process, structure analysis 4—17475
microporous, monolayer capacity determ. method 4—24630
microseismograms, synthetic, acoustic permeability logging 4—38232
multilayer vacuum insulation, heat transfer calc. 4—2261
polyacrylonitrile fibre, changes in pososity due to stretching and thermal treatment *(Polish)* 4—21461
polychloromethylsilsesquioxane xerogel, porous struct., adsorption props. 4—41887
polyurethane, multiparameter prediction of creep 4—21462
polyurethane foams, acoustic absorption characts. 4—39143
pore geometry investigations by image analysis procedure using digital computer, sandstone example *(German)* 4—34221
pore structure analysis, O_2 adsorp., t-curves, techniques 4—10711
Portland cement, fracture surfaces, SEM obs. 4—41910
powder metallurgy plates, sintering control using elec. resistivity meas. 4—17374
shear modulus first pressure derivative 4—38098
solute absorption calc. *(French)* 4—7381
steady wave propagation, pore collapse, compaction pressure 4—21500
thermal conductivity, meas. and sampling problems, review *(French)* 4—13812
titania, adsorption isotherms for N_2, O_2, CO, pore size 4—37087
tuffs, shock wave response rel. to porosity and saturation 4—1769
viscoelastic half-space saturated with liquid, consolidation process 4—35638
Al, partial compaction, dynamic response during unloading 4—21366
Al_2O_3, adsorption isotherms for N_2, O_2, CO, pore size 4—37087
Al_2O_3, light scatt. by pores, effect on transmission props. 4—38017
Al_2O_3/Al, porous anodic film, electron microscopy, ultramicrotome sample prep. 4—9808
C, fine-pored, permeability to gases 4—17473
C blacks, adsorption isotherms of benzene, surface O complexes effects 4—16656
Cu, pulse heating, dynamic response, interferometric meas. 4—29097
Cu-Pb, powder, calcination rel. to liquid phase and infiltration *(French)* 4—4164
Fe, sintered powder compacts, effect of porous character on ultimate tensile strength *(Slovak)* 4—13809
MgO, sintered, pore size distrib. by back diffusion method *(Japanese)* 4—13857
Mo, Knudsen diffusivity of gas 4—938
NaCl, powder pressing, contact form. in porous disperse structs., surface-active mol. layer effects *(Russian)* 4—41907
NaCl, thermal diffusion of vacancies mechanism for pore vol. change 4—24592
Ni powder metallurgy plates, sintering control using elec. resistivity meas. 4—17374
SiC, infiltration with Si, metals and Si-alloys 4—10717
SiO_2, adsorption of water, n.m.r. intrapore freezing 4—37088
SiO_2, sintered for containers and formers in Stepanov's process *(Russian)* 4—13815
SiO_2 gels, struct. anal. by O_2 adsorpt. 4—13948
SiO_2 glass, adsorption of NaCl solutions, phase transitions 4—10713
(U, Pu)O_2 fuel, actinide redistrib. by vapour migration along pores 4—12447
UO_2 powder compacts, sintering and morphology of interconnected porosity 4—13825
porous media *see porous materials*
Portevin-Le Chatelier effect *see stress/strain relations*
positors
$BaTiO_3$:Sb_2O_3, ceramic semiconductor, effect of heat treatment on posistor effect 4—6619
position control
see also attitude control
atronomical telescopes, alignment control for large two-mirror systems 4—4838
Moire interferometer, with digital readout 4—8310
optical systems 4—14847
optical waveguide beam position control, subject to statistical variations 4—8860
piezoelectric device for submicron linear positioning 4—16
positioning device, binocular microscope, coincidence in transmitted light of two specimens *(German)* 4—2267
scanning electron microscope, raster and manual line set control system 4—8511
transparent objects, automatic positioning, opto-electronic device applic. 4—22868
vacuum coordinate setter 4—35234
X-ray small-angle goniometer, computerized, with one second of arc optical resolver control loop 4—32381
position finding *see navigation*
position measurement
acoustic tracking of movement of geophysical ice station 4—14246
centre of mass, using sensor array, effect of random image perturbations 4—26451
Doppler sonar navigation systems *(French)* 4—30409
foetal descent during labour, u.s. time-of-flight meas. 4—14618
interferometric x-y measuring system, computer-aided high speed, appl. to integrated circuit manufacture 4—45
Moire interferometer, with digital readout 4—8310
muscle, large length changes, instrument, static and dynamic measurement 4—39390
navigational precision for exploration vessels *(French)* 4—34560
Netherlands astronomical satellite, fine sun sensor, for attitude meas. 4—8105
photodetector and double microscope system, automatic positioning of transparent objects 4—22868
plane parallelism, components in optical contact 4—14888
point image location technique, under-sampled optical system, statistical estimation 4—23275
sea ice, integrated measuring system 4—14241
seismic waves transit time equations solution, for position determ. of cylinder or sphere *(German)* 4—38205
sonar, tracking of ground vehicles using engine noise, correlation method 4—8330
straightness, error free reference line 4—18328
surface contours, using holographically stored interference patterns *(German)* 4—35178
of underwater arrays 4—18263
x-y coordinates, computer controlled meas. for IC production 4—35174
positioning *see position control*
positive column
see also glow discharges
electron surface waves guided by plasma column, time-of-flight meas. 4—32328
glow discharge in ternary mixture, theoretical anal. *(Russian)* 4—32356
glow discharge optical props., theory 4—40673
instability due to negative impurity ions 4—12779
screw waves in an inert gas contracting positive column 4—3370
weakly ionised waves, kinetic theory *(Russian)* 4—24289
Ar, atomic temp., spectral line broadening calc. 4—9380
Ar discharge, transitory phase between discharge and afterglow at medium press. *(German)* 4—24329
Ar glow discharge, positive ion ratio meas. 4—36760
Ar pulsed discharge, u.v. radiation, integral density time development 4—6277
Cs-Ar. l.p. discharge, radial depletion, radiation trapping 4—36762
He, collisional radiative quasi stationary plasma model applic. 4—16278
He, hook spectra meas. of excited state population density 4—36739
He discharge, transitory phase between discharge and afterglow at medium press. *(German)* 4—24329
He-metal vapour, Boltzmann eqn. soln. for electron gas 4—31001
Hg, ion acoustic wave nonlinear decay obs., microwave scatt. 4—6238
Kr glow discharge, positive ion ratio meas. 4—36760
N discharge, pulse instability obs., microwave radiometric technique 4—16346
Ne, radial gas-temp. distrib. from differential interferometry 4—36742
Ne discharge, transitory phase between discharge and afterglow at medium press. *(German)* 4—24329
Xe glow discharge, positive ion ratio meas. 4—36760
positive feedback *see feedback*
positive ray sources *see ion sources*
positive rays *see ion beams*
positive temperature coefficient thermistors *see thermistors*
positons *see positrons*
positron annihilation
see also positron states
amino acid L and D isomers, lifetime spectra, triplet component intensities 4—20322
analytic representation, scaling region 4—8970
asymptotic scaling behaviour, dynamical criterion 4—39798
p-benzoquinone solutions, positronium quenching, diffusion 4—20196
Bethe-Goldstone equation, RPA potential for e^+ in electron gas 4—37136
Bethe-Goldstone equation, soln. for, e^+ in electron gas 4—37135
4-butyl-oxybenzol-4'-ethylaniline, liquid cryst., positron lifetime in five phases 4—20203
condensed matter, book 4—20328
deep inelastic, approach to Bjorken scaling in covariant parton model 4—2691

positron annihilation continued
deep inelastic processes, model describing scaling behaviour 4−23491
deformed quark currents and anomalous Ward identities 4−23461
dual light-cone model for structure functions 4−27117
in electron gas, free, in e.m. wave fields 4−8717
electron storage rings luminosity meas. by single and double bremsstrahlung 4−39302
exclusive, into two mesons, massive quark model 4−23493
gas, simple lifetime system, design, performance 4−35460
gauge theories, asymptotically free, $SU_3 \times SU_3$ with colour 4−27083
gauge theories, vector meson dominance 4−27053
hadron, pair annihilation and e.m. struct. of hadrons *(German)* 4−5606
hadron production, exptl. review 4−23478
hadron production, models for single photon contrib. to total cross sections 4−23485
hadron production by e^+e^- annihilation at 5 GeV centre-of-mass energy 4−27114
hadron production in e^+e^- 2-6 GeV annihilation, statistical and bootstrap descriptions 4−2688
hard photon emission, e^+e^- annihilation into hadrons at high energy 4−12045
heavy leptons, lower mass limit of 1.15 GeV 4−23496
high energy processes, quark-quark interactions 4−39863
inclusive, W^0 effects, general parton model 4−31153
inclusive antinucleon production at SPEAR 4−23484
inclusive deep-inelastic one-particle and two-particle annihilation, massive quark model 4−23493
inclusive reactions, quark-parton model predictions for hadronic charge ratios 4−23498
inclusive single particle spectra, energy dependence, statistical boostrap model 4−36006
independent emission model, multiplicities and form factors 4−31147
light-cone physics, rel. to e^+e^- annihilation cross section determ. 4−5588
liquid and mixtures, orthopositronium annihilation, correl. with surface tension 4−20324
metal, obs. of point defects in thermal equilib., equilib. conc., review 4−16487
multihadron production, scaling results, sum rules, structure functions for pions 4−15497
multiplicity, development of parton model 4−12048
nuclear spectrometry, in flight corrections 4−8446
organic compounds, positron reaction rates 4−29298
parton model, field-theory formulation 4−39860
photon beam production with ang. discrimination 4−35378
positronium annihilation in plasma *(Russian)* 4−9717
o-positronium atom, magnetic quenching, quantitative measure 4−3084
radionuclide emitters for condensed matter studies 4−39321
rare earth metals, atomic core electronic struct. influence 4−3683
reciprocity relations, Gribov-Lipatov, implications in inclusive processes 4−12046
review 4−24487
singlet state photon polarization correlation, exptl. test of EPR paradox 4−39590
$e^- + e^+ \to$ hadrons, extended vector dominance in scaling breakdown 4−27109
$e^+ + e^- \to$ hadrons, asymptotic limit of ratio of total cross-section to $\sigma(e^+ + e^- \to \mu^+ + \mu^-)$ 4−35994
$e^+ + e^- \to \mu^+ + \mu^-$, asymptotic limit of ratio of cross section to σ (total) for $e^+ + e^- \to$ hadrons 4−35994
$e^-e^+ \to pp$, polarisation and asymmetry of protons, differential and total sections calc. *(Russian)* 4−31143
e^+e^-, multi-pion production in cascade model 4−36005
e^+e^- colliding beams, cross sections for pion and muon pair production outside equivalent photon approach *(Russian)* 4−15502
e^+e^- collisions, up to 3 GeV total c.m energy, multihadron prod. 4−366
$e^+e^- \to e - \nu_e\pi^0\pi^+$, growth of weak interaction cross section with energy 4−15496
$e^+e^- \to e^-\nu_e\rho^+$, growth of weak interaction cross section with energy 4−15496
$e^+e^- \to e^+e^-\gamma$, exptl. evidence of virtual Compton scattering at 900 MeV with Orsay storage ring 4−2681
$e^+e^- \to \gamma^* \to$ hadrons, study of amplitudes 4−36003
$e^+e^- \to$ hadron + anything, duality aspects, finite mass sum rule 4−31155
$e^+e^- \to$ hadrons, 3 to 5 GeV, possible role of $\gamma\gamma$ interactions 4−39855
$e^+e^- \to$ hadrons, inclusive one-particle distrib. in hydrodynamical model 4−39859
$e^+e^- \to$ hadrons, Landau's hydrodynamical model for multiplicity and single particle distributions 4−36004
$e^+e^- \to$ hadrons, predictions of quark-parton model 4−8966
$e^+e^- \to$ hadrons, ratio to $\mu^+\mu^-$ prod. at asymptotic high energy 4−27110
$e^+e^- \to$ hadrons, string model 4−36019
e^+e^- inclusive annihilation, high energy radiative effects *(Russian)* 4−31158
$e^+e^- \to K_s^0K_l^0$ at φ energy, width and cross section meas. 4−23482
$e^+e^- \to K^0K^0$, determ. of $K_2 \to \pi\pi\pi$ amplitude 4−35975
$e^+e^- \to$ multihadrons, density matrix elements, information content of beam polarisation 4−39856
$e^+e^- \to \mu^+\mu^-$, 4 GeV, cross-section meas. 4−12041
$e^+e^- \to \mu^+\mu^-$, α^3-contribution to angular asymmetry 4−23479
$e^+e^- \to pp$, exptl. cross-section, comparison with inverse process and theory 4−23478
$e^+e^- \to \pi^+\pi^-$, model for existence of $\rho'(1250)$ 4−394
$e^+e^- \to \pi^+\pi^-\pi^0$ at φ energy, cross sections 4−23495
$e^+e^- \to \pi\pi\gamma$ at φ energy, cross-sections 4−23495
$e^\pm e^-$ colliding beams, two-photon spectrum calc. in Wiezzacker-Williams approx. 4−27108
π production, comparison with pp annihilation 4−15501
Ar, elec. field and temp. rate depend. 4−19709
Ar-CO, low density, lifetime meas. system 4−35460
Cu, divacancy effect on temp. depend. of γ-γ ang. correlation 4−16518

positron annihilation continued
Cu:M, M=Ge, Al, Zn, Ni and Cr, impurity and vacancy-impurity atom pairs obs. 4−16511
D_2, low density, lifetime meas. system 4−35460
A-Fermi surface, obs. 4−3692
$H + e^+$ scattering, annihilation rate and two γ-rays ang. correlation 4−27557
H_2, low density, lifetime meas. system 4−35460
He-positron bound state, variational calc. 4−3085
Hg, defect effect on positron lifetime in liquid 4−6422
I_2 solutions, positronium quenching, diffusion 4−20196
$xNa_2O.(1-x)B_2O_3(+m\ Al_2O_3)$ glass, lifetimes 4−20323

positron annihilation in solids
alkali halides, excited states of X^-e^+ system 4−32873
amino acid, lifetime meas., lattice positronium state trapping 4−28119
angular correlation of annihilation radiation, meas. using Ge(Li) detector 4−22946
DNS, band structure determ. and technique description *(Hungarian)* 4−35505
ice, polycryst., single cryst. and doped, positronium interaction with defects and impurities 4−36919
metal, partial annihilation rate, lattice effect on enhancement, numerical computation on nonspherical Fermi surface 4−10086
metals, gamma ray lineshape recording, electron characts. 4−20325
polyisobutylene, struct. determ., ordering, lifetime meas. 4−20228
polymer, lifetime rel. to average mol. wt. 4−28120
positronium behaviour in molecular substances 4−20320
proteins band structure determ. and technique description *(Hungarian)* 4−35505
reactor calandria sample, search for voids 4−31527
review, two photon theory, expt. obs. 4−6581
steel, fatigue cycling effect on positron lifetimes 4−13804
transition metal aluminides, conc. depend., mechanism *(Russian)* 4−32582
trapping model, perturbation theory, not diffusion limited 4−20321
Wigner crystal, effective electron-positron interaction 4−24486
Ag, annihilation with core electrons, angular correlation curves 4−32579
Ag, lattice thermal expansion effects in positron lifetimes 4−41040
Al, angular correlation meas., vacancy formation energy determ. from positron trapping model 4−41039
Al, fatigue cycling effect on positron lifetimes 4−13804
Al, lattice thermal expansion effects in positron lifetimes 4−41040
Al, positron trapping at crystal defects 4−16698
Al, vacancy formation energy determ. 4−36839
Al-Ag alloy, dilute, vacancy-solute binding energy from positron trapping obs. 4−41038
Al-Cu alloy, dilute, vacancy-solute binding energy from positron trapping obs. 4−41038
Al-Si alloy, vacancy-Si binding energy determ. by positron annihilation 4−36839
Al-Si(0.28 at.%) dilute alloy, angular correlation meas., vacancy-solute binding energy determ. 4−41039
Au, annihilation with core electrons, angular correlation curves 4−32579
Au, lattice thermal expansion effects in positron lifetimes 4−41040
CaH_2, ang. correlation meas. 4−24485
Co, powder, positron lifetime spectrum, diffusion 4−13131
Cu, angular correlation of radiation obs., comparison with theory 4−9929
Cu, anisotropic MAPW calc., ang. distrib. 4−37149
Cu, anisotropy of counting rate of collinear annihilation-photon pairs and Fermi surface topology, comparison 4−6582
Cu, annihilation with core electrons, angular correlation curves 4−32579
Cu, deformed by compression, trapping model description of lifetime spectrum 4−32578
Cu, effect of recoverable defects 4−28125
Cu, film, positron lifetime meas., defect study 4−40995
Cu, lattice thermal expansion effects in positron lifetimes 4−41040
α-Cu-Al alloy, Fermi surface obs. 4−16694
Fe, powder, positron lifetime spectrum, diffusion 4−13131
Fe-Al dilute alloy, plastic deform. effect, centre interactions 4−37184
Fe-Ni alloy, powder, positron lifetime spectrum, diffusion 4−13131
Fe-Si dilute alloy, plastic deform. effect, centre interactions 4−37184
Hg, defect effect on positron lifetime in liquid and solid 4−6422
KCl(Br) effect of electron beam irrad., influence of colour centres 4−28118
Mo, neutron irrad., annealing and void form., positron annihilation obs. 4−20296
NaCl, coloured, lifetime and ang. correlation obs. 4−16516
NaCl, X-irrad., positive ion vacancy dynamics 4−40816
NaCl effect of electron beam irrad., influence of colour centres 4−28118
Ni, Ni-Co, positron trapping at stacking faults in metals 4−16508
Ni, powder, positron lifetime spectrum, diffusion 4−13131
Pb, film, positron lifetime meas., defect study 4−40995
p-Si, neutron irradiation effects 4−20326
W, powder, positron lifetime spectrum, diffusion 4−13131

positron states
see also positron annihilation
amino acid, lifetime meas., lattice positronium state trapping 4−28119
metal, influence of escape from traps on parameters in positron trapping model 4−3713
metal, trapping at vacancies, voids and surfaces 4−41037
Al-Ag dilute alloys, vacancy-solute binding energy from positron trapping obs. 4−41038
Al-Cu dilute alloys, vacancy-solute binding energy from positron trapping obs. 4−41038
Li-Mg alloys, Knight shift calculations 4−41286

positronium
see also electron pairs
amino acid, lifetime meas. positronium atom trapping on molecules 4−28119
p-benzoquinone solutions, temp. effect on quenching rates, diffusion mechanism 4−20196

positronium continued
- Bethe-Salpeter equation, simplified 4−23437
- Bethe-Salpeter kernels, no-retardation limit, single photon exchange 4−8916
- diffusion and annihilation in polyatomic gas 4−736
- formation in $e^+ + H$ scattering, s-wave close coupling wave function anal. 4−24001
- formation threshold, S-wave positron scatt. by H atoms 4−9425
- ground state splitting, Coulomb distortions on vacuum polarisation 4−23441
- hydride, excited state calc. 4−737
- hydride, improved wave function 4−19733
- magnetic quenching of o-Ps, quantitative measure 4−3084
- molecular substances, liquids, solids, pick-off quenching 4−20320
- orthopositronium annihilation in liquids and liquid mixtures, correlation with surface tension 4−20324
- positron-He bound state, variational calc. 4−3085
- quenching, effect of Br_2 and O_2 adsorption on silica gel 4−28117
- reactions with diatomic organic molecules 4−29298
- Ar, form. threshold, mag. field effect, positron scatt. 4−36437
- Ar, quenching rate, rel. depend. 4−19709
- He, form. threshold, mag. field effect, positron scatt. 4−36437
- I_2, solutions, temp. effect on quenching rates, diffusion mechanism 4−20196
- Ne, form. threshold, mag. field effect, positron scatt. 4−36437

positrons
- *see also electron pairs; electrons*
- lifetime, spectrometer, digital stabilisation, description 4−2362
- spontaneous production in heavy nuclei collisions, cross section and energy spectrum *(Russian)* 4−15912
- Si crystals, effect of orientation on 40-160 MeV positron channnelling 4−20340

potassium
- achondrites, U and K abundances by homogenized fission track analysis 4−4767
- adsorption, single adatoms on W, field emission and field desorption obs. 4−32810
- adsorption on Ni(100), monolayer film, electronic excitations 4−13095
- adsorption on Ni(100), monolayer film, struct. and work function 4−10043
- atmospheric K density and distrib. from laser radar system 4−14179
- atom, 4047 Å line, perturbed by Kr, red satellite band, temp. depend. 4−19670
- atom, collisional excitation, radiative decay obs. 4−19705
- atom, collisions with rare gases, oscillations system 4−12499
- atom, electron scattering, total cross section meas. 4−9445
- atom, hyperfine struct., mag. dipole coupling const., cascade r.f. spectroscopy 4−31676
- atom, optical pumping of hyperfine sublevels of $4^2S_{1/2}$ state 4−12487
- atom, oscillator strengths, transition state calc., X_α local exchange approximation 4−23950
- atom, reaction cross section with Br_2 mols. 4−10763
- atom, reson. three-photon ionization with circularly and linearly polarized light 4−40181
- atom, Stark effect, perturbation calc. for ground state hyperfine struct. 4−31662
- atom, three-photon ionisation by single-mode ruby laser radiation 4−31690
- atom beam, collision with $HgCl_2$, $HgBr_2$, HgI_2, reactive scatt., ang. distrib. meas. 4−4249
- atomic spectrum, stimulated electron Raman scatt., polarization characts. 4−36413
- collisions with IBr and ICl, halogen negative ion production 4−893
- dimer, collision with CCl_4, C_6H_{12}, elastic scattering, rainbow struct. obs. 4−4250
- dimer, collision with $HgCl_2$, $HgBr_2$, HgI_2, reactive scatt., ang. distrib. meas. 4−4248
- electrical resistivity, at high temps., Ziman's model, corrections 4−20583
- e.p.r., cond. electrons, crit. angle anomalies 4−41256
- film, elec. cond. calc., Boltzmann eqn., thickness depend. 4−20702
- film, energy loss spectra, 50 keV electrons, plasmon dispersion curve, damping *(German)* 4−6599
- flame photometric determination, in silica sand and carbonate rocks 4−18780
- frog muscle fibre cytoplasm, effect on membrane potential rel. to adrenaline 4−38986
- geothermal system identification from concentration in water samples, Imperial Valley, California 4−21745
- hyperfine transition, freq. shifts produced by buffer gases 4−12515
- ions, effect on Limulus lateral eye retinular cells 4−14579
- $K+$ activity, and membrane potential, frog muscle fibre, simultaneous meas. 4−18103
- liquid, corrosion products of V, Nb and Ta 4−27465
- liquid, effective interionic pair pots. and props. 4−1003
- liquid, elec. resist. and thermopower, press. effects, up to 30 kbar 4−32919
- liquid, Na impurity diffusivities, 100-285°C 4−3583
- liquid, self-diffusion coeffs. 4−32729
- liquid, thermodynamic properties, pseudopotential theory 4−32676
- liquid metal, cold trapping of ^3H from Li in fusion reactor blanket 4−19598
- molecule, electron scatt. cross-section, 0.5-50 eV, struct. 4−19901
- paramagnetic resonance of conduction electrons, theory of anomalies near critical angle 4−41257
- photoelectron spectra, plasmon photoeffect mechanism *(Russian)* 4−6957
- plasma, laser produced, three-wavelength holographic method for electron and atomic density 4−32332
- plasma discharge, mass spectrometric study of ion composition 4−32331
- rat tissues, foetal, maternal, K concentration, neutron activation analysis 4−30166
- renormalised atom theory 4−13121
- Righi-Leduc and Hall coeff. meas., Weidemann-Franz law 4−41059
- silicate glasses, K content changes during electron microprobe anal. *(German)* 4−13895

potassium continued
- thermal magnetoresistance, low temp. obs. 4−10141
- two-photon optical pulses, coherent propag. effect *(Japanese)* 4−35891
- upper atmosphere, detection *(French)* 4−38559
- vapour, action on MeO_2 and M_2MeO_4 (M=Na, K; Me=Mo, W), 300-600°C, 0.01-0.1 Torr 4−4255
- volcanic arcs, K content of andesitic lavas and depth of seismic zone 4−10814
- X-ray $M_{2,3}$ emission spectrum, edge singularity 4−4016
- Ar:^{41}K, absorption 300-800 nm, annealing effect, temp. depend. 4−37641
- $CoK_2(PO_3)_4$, cryst. struct. refinement *(French)* 4−36856
- $CuK_2(PO_3)_4$, cryst. struct. refinement *(French)* 4−36856
- K-Ar dating, calibration of quantitative unspiked Ar runs 4−4615
- K-Ar dating, criticism of basic assumptions 4−34128
- K-Ar dating, orifice correction 4−4614
- K-Ar dating, silicic pyroelastic rocks of Peruvian Andes, tectonic and volcanic history in Cenozoic 4−25540
- K-Ar dating of rhyolites of Lord Howe Rise 4−25532
- K-Br cathode, in image convertor for u.v., performance in rocket camera 4−4844
- K-KI and K-KCl molten solutions, molar volumes by γ-ray absorption 4−6320
- K+ methyl iodide reaction, classical trajectory study, reaction cross section 4−34006
- $K+He^{2+}$, charge transfer and formation of metastable $He^+(2S)$ 4−31743
- K+K(Na), collision excitation, separated doublet line meas. 4−31699
- K+methyl iodide reaction, molecular kinetics inversion, effective optical potentials 4−33985
- K^-, electron negative ion detachment, Coulomb effects 4−9422
- K^-, photodetachment 4−705
- K^+, dipole polarisability calc. by variational method *(French)* 4−15992
- K^+, dispersion coeff. for Pt, Mo, charge retention *(Russian)* 4−32814
- K^+, ion mobility in He, Ne and Ar gases, ion atom interaction potentials 4−27795
- K^+, scattering by small molecules, 100-2350 eV 4−27559
- K^+ conductivity, of node of Ranvier membrane, effect of surface charge 4−22525
- K^+ ion, model potential calc. 4−32846
- K^+ ion effect on electrode behaviour of alkalisilicate glasses *(Russian)* 4−29338
- K^+ ion-selective electrode performance in body fluid and brain tissue 4−14624
- K^+ transfer, induced by 2,4-DNP in rat liver mitochondria 4−22509
- $K^+ + Ar$, elastic scatt. cross-section, pot-parameter determination 4−19723
- $K^+ + Ar$ collision, inversion of total cross section 4−27565
- $K^+ + H_2(D_2)$, elastic scatt. cross sections, repulsive potential determ. 4−31941
- $K_2 + (Br_2)$, (ICl), (IBr), (I_2) and (BrCN), reactive scattering cross sections, chemi-ionization 4−34022
- KBr, H_2O and D_2O solutions, O isotope fractionation *(German)* 4−41950
- KCl, H_2O and D_2O solutions, O isotope fractionation *(German)* 4−41950
- KI, H_2O and D_2O solutions, O isotope fractionation *(German)* 4−41950
- K^* ($4p^2P$) and ($5p^2P$) states, collisional quenching by H_2O, CF_4 and CH_4 4−698
- Li_2SO_4:K^+, f.c.c., electromigration obs. 4−3591

potassium alloys
- Cs-K, liq., elec. resist. and thermopower, press. effects up to 30 kbar 4−32919
- K-Cs, size factor rule justification by pseudo alloy atom model 4−33645
- K-Cs, solid soln., electron work function, photoemission investig. rel. to temp., conc. 4−41471
- K-Li, miscibility limits, 63-500°C, chemical anal. 4−29032
- K-Na, liq., enthalpy of mixing model based on at. distribs., partition function *(French)* 4−40735
- K-Rb, liquid, thermotransport correl. with electromigration 4−16608
- K-Rb, size factor rule justification by pseudo alloy atom model 4−33645
- K-Rb, solid soln., electron work function, photoemission investigs. rel. to temp., conc. 4−41471
- K-Rb-Cs, liq., Knight shift, expt. 4−37514
- Na-K, eutectic system, liquid curves under press. 4−33666
- Na-K, liq., electrotransport comp. depend. 4−40907
- Na-K, liq., excess volume of mixing 4−33657
- Na-K, liq., thermotransport, comp. depend. 4−32728
- Na-K, size factor rule justification by pseudo alloy atom model 4−33645

potassium compounds
- *see also potassium alloys; Rochelle salt*
- bis(dioxane) potassium bis(trimethylsilyl)amide, cryst. struct. 4−20281
- condensation from flue gases *(Russian)* 4−38136
- diffusion of ions through trivacancy and interstitial mechanisms 4−20443
- dodecyl sulphate, alkali metal counter ions effect on second critical micelle concentration 4−7373
- halide:BO_2^-, i.r. spectra, anharmonic force field determ. 4−41403
- halides:Sb, optical absorption, conductivity, dielectric loss and e.p.r. obs. 4−28877
- halides, phonon cond., polarisation branches role, 1-100 K 4−36960
- halides, refl. spectra, 260-140 nm, deformation effect 4−37632
- $KCuF_3$, mag. props. *(Japanese)* 4−28628
- potassium biphthalate, deformation and electric field distribs. in direct piezoeffect *(Russian)* 4−20937
- titanates, prep. and props. 4−33988
- AgI-KI, ice nucleating properties, cloud chamber tests 4−10928
- CsCl-KCl, pressure-induced phase transforms. 4−32701
- H_2O-choline chloride-KCl systems, isothermal diffusion meas., density data, refractive index derivatives determ. 4−29366

potassium compounds continued
(K^+,Ag^+‖NO_3^-,SO_4^{2-}) reciprocal system, thermodynamic props. calc. from phase diagram 4−29364
(K,Na)$AlSi_3O_8$, perthitic alkali feldspar foil, origin of phase distrib. 4−16596
K $AlO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Al_2O(OH)_6]^{2-}$ *(French)* 4−25090
K complex, $K_2(C_8H_8).(CH_3OCH_2CH_2)_2O$, cryst. struct. 4−32491
K complex, $K_3Co(CN)_6.nH_2O$, frozen soln., phosphorescence, Co^{3+} energy degradation 4−25159
K complex, $K_3Cr(NCS)_6.4H_2O$, in frozen soln., phosphorescence, Cr^{3+} energy degradation 4−25159
K $GaO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Ga_2O(OH)_6]^{2-}$ *(French)* 4−25090
K halides, exciton absorpt. spectra in vacuum u.v., ligand field theory 4−13468
K-KI and K-KCl molten solutions, molar volumes by γ-ray absorption 4−6320
K^+-activated enzyme system, transport of cations across cell membrane 4−22532
K^+-H_2O complex, HF calc. of heat of formation and correl. energy 4−29314
$KAlP_2O_7$, crystal structure 4−3482
$KAlSi_2O_6$ in tungsten bar preparation, spherical micropores formation 4−25402
KAr, mag. reson., spin-rot. coupling const. determ. 4−27723
$KAsF_6$, cryst. struct. 4−28038
$K^+B^{5+}B^{6+}O_6^{2+}$, where $B^{5+}=Nb^{5+}$, Ta^{5+}, and $B^{6+}=Mo^{6+}$, W^{6+}, dielec. const., loss tangent and room temp. resistivities 4−10368
KBO_2, gas-phase electron diffraction determ. of geometric parameters 4−751
KBr, conduction electrons at fields close to breakdown 4−20622
KBr, Debye temp., lattice anharmonicity effects due to thermal expsn. 4−20393
KBr, deformational changes in optical props. *(Russian)* 4−20955
KBr, diffusion and solubility of He 4−20442
KBr, diffusion of $^{22}Na^+$ and $^{24}Na^+$, isotope effect 4−24589
KBr, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
KBr, dispersion of C, 30-400°C, rel. to temp. effect on piezooptic dispersion 4−1379
KBr, divalent ion addition strengthening, hardness yield strength 4−7293
KBr, ENDOR of F-centres at 77 K and 300 K 4−17003
KBr, electrolytic coloration, cathodic processes, F-centre form. 4−36899
KBr, filament shaped crysts., internal friction meas., temp. depend. *(Russian)* 4−12990
KBr, for holographic storage *(Russian)* 4−39256
KBr, i.r. study of U-centres 4−10463
KBr, interionic potential, force const. models 4−32620
KBr, intrinsic tail spectra, Urbach rule 4−28168
KBr, laser action on first exciton peak, config. coord. model 4−15363
KBr, laser damage, effect of atm. pressure *(Russian)* 4−26996
KBr, liquid He medium effect on plastic flow stress *(Russian)* 4−12974
KBr, mol. beam, inelastic scatt. by non-polar mols., energy transfer 4−16143
KBr, mol. beam conditions, de-excited by polar mols., inelastic scatt., energy transfer cross-section 4−16142
KBr, movement of gas-filled cavities in elec. field and temp. gradient 4−24587
KBr, n-irradiated, optical absorption and luminescence spectra 4−3987
KBr, Na colour centres, thermo- and radiolum. meas. 4−37652
KBr, photocond. of K colloids 4−32999
KBr, polycryst., fabrication, microstruct., mech. and optical props. 4−25414
KBr, second order Raman scatt., temp. depend. 4−28832
KBr, shaped monocrystals, dislocation struct., diameter depend., Bridgeman's growth method *(Russian)* 4−12947
KBr, study of n.m.r. line broadening due to dislocations using Monte Carlo methods 4−3903
KBr, X-ray destruction of F-centres in whisker crystals *(Russian)* 4−1054
KBr crystals, thermolum., peak widths and activation energies 4−33511
KBr:Ag, phosphoresc. decay, scintillation and luminesc. extinction *(Russian)* 4−13494
KBr:Eu^{2+} impurities, e.s.r. spectrum, spin Hamiltonian formed 4−28699
KBr:Na, thermal annealing, freed halogen interstitials, recombination 4−21088
KBr:O_2^-, luminesc., 4.2-50K *(Russian)* 4−28919
KBr:Pb^{2+}, aggregate centres, model 4−33463
KBr:Pb^{2+} crystals, optical absorption spectrum 4−3989
KBr:Sb, optical absorption, conductivity, dielectric loss and e.p.r. obs. 4−28877
KBr:Sr, ^{60}Co γ-irradiation effect on impurity-vacancy dipoles 4−28116
KBr:Tl^+, electronic emission spectra, 2537Å excitation 4−41419
KBr-In phosphor, determination of kinetic parameters for luminescence by impulse method *(Russian)* 4−10485
$KBrO_3$, i.r. spectra, classical dispersion anal. 4−1385
KCN, etchant in production of crystal shapes bounded by {110} planes 4−16666
KCN, valence band, X-ray spectroscopy 4−6021
KCl, anharmonic thermal X-ray scatt. 4−1100
KCl, anomalous F-centre distrib., 1.5 MeV proton irrad. to high fluences 4−12946
KCl, aqueous soln. drops, pool contact processes, rel. to arc welding 4−25403
KCl, colour centre material, for thick phase holograms 4−22880
KCl, Compton profile, superposition of $K^+ + Cl^-$ free-atom momentum densities 4−17142
KCl, Compton profile normalization, intensity rel. to free-atom scatt. factor 4−17144
KCl, Debye temp., lattice anharmonicity effects due to thermal expsn. 4−20393

potassium compounds continued
KCl, deformational changes in optical props. *(Russian)* 4−20955
KCl, desorption of OH^- ions, in vacuum and Cl_2 atmosphere 4−6554
KCl, diffusion and solubility of He 4−20442
KCl, diffusion mass transfer through porous membranes, kinetics 4−17537
KCl, diffusion of $^{22}Na^+$ and $^{24}Na^+$, isotope effect 4−24589
KCl, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
KCl, dislocation pinning, decay consts., diffusion to dislocations 4−24588
KCl, dispersion of C, 30-400°C, rel. to temp. effect on piezo-optic dispersion 4−1379
KCl, divalent ion addition strengthening, hardness, yield strength 4−7293
KCl, ENDOR of F-centres at 77 K and 300 K 4−17003
KCl, energy of formation of Schottky defects calc. 4−28096
KCl, etched polycrystalline, Au decoration replica 4−1155
KCl, exchange effects in optical detection e.s.r. of F-centres 4−1342
KCl, F-centre form., electron irrad. along ⟨100⟩, dyeing depth *(Russian)* 4−32562
KCl, F-centre oscillator strengths for optical absorption band 4−41407
KCl, F-centre thermal coagulation to quasimetallic centres, e.s.r., optical rot. obs. 4−13483
KCl, F-electron interaction with impurity complexes 4−13482
KCl, filament shaped crysts., internal friction meas., temp. depend. *(Russian)* 4−12990
KCl, for holographic storage *(Russian)* 4−39256
KCl, H- and V_k-centres, appl. of method for determ. of elastic dipole tensor of defect 4−20298
KCl, hardening and softening effects on γ- and X-ray irrad. *(Russian)* 4−40812
KCl, internal stress distrib. after stick-slip deform. *(Russian)* 4−12975
KCl, intrinsic tail spectra, Urbach rule 4−28168
KCl, kinetics of motion of screw dislocations in crystal *(Russian)* 4−1059
KCl, laser damage, effect of atm. pressure *(Russian)* 4−26996
KCl, laser-induced damage, effects of lattice disorder 4−15381
KCl, lattice consts. and thermal expansion, appl. of cubic anvil X-ray diffr. press. 4−6308
KCl, lattice dynamics using deformable-shell model 4−20387
KCl, localised modes due to H^--H^- and D^--D^- impurity pairs 4−13004
KCl, M-centre singlet to triplet excitation 4−9917
KCl, migrating droplet stability 4−16624
KCl, model potential method for extra electron, conduction band 4−28347
KCl, multiphonon absorpt., i.r., temp. depend. theory 4−20982
KCl, on Mo (100) emitter, surface ionisation meas. *(Russian)* 4−33595
KCl, phonon effects on oscillator strengths and f-sum of defect centre 4−3539
KCl, polycryst., fabrication, microstruct., mech. and optical props. 4−25414
KCl, relaxed excited states of paired Ag^- centres 4−6911
KCl, SO_4^{2-} diffusion and solubility, temp. depend., new meas. method 4−1144
KCl, second order Raman scatt., temp. depend. 4−28832
KCl, shaped monocrystals, dislocation struct., diameter depend., Bridgeman's growth method *(Russian)* 4−12947
KCl, temp. gradient zone melting, interface stability 4−17174
KCl, thermal cond. meas., pressure depend. up to 19 kbar 4−32758
KCl, thermal conductivity, effect of press. 4−40933
KCl, with Au island condensates, spatial distrib., statistical study 4−20505
KCl, X-irrad., e.p.r. of hole centres *(Russian)* 4−20859
KCl, X-irradiated, thermoluminescence, isothermal annealing kinetics of F-centres 4−21085
KCl activity in NaCl-KCl-$PbCl_2$ melts at 600°C, Darken's method *(Russian)* 4−34092
KCl crystals, kinetics of ionic conduction *(Russian)* 4−1138
KCl crystals, stress relaxation anal. 4−40801
KCl molecule, surface ionisation on Rh 4−17538
KCl single crystals grown by Bridgman method, distrib. of Pb^{2+} ions determ. 4−3502
KCl single crysts., creep, 77 to 300K, dislocation intersection mechanism *(German)* 4−32607
KCl solution, crystal growth of ice, dielectric properties 4−6828
KCl:Ba^{2+}, Sr^{2+}, Ca^{2+}, high field transient currents, carrier mobility decrease 4−20614
KCl:CN^-(Li^+), tunnelling states of impurity ions, spin-phonon interaction obs., expt. 4−36983
KCl:CN^-(Li^+), tunnelling states of impurity ions, spin-phonon interaction obs., analysis 4−36984
KCl:Ca(Sr):OH, distrib. of OH^-, ionic thermocurrents study 4−32574
KCl:H^-, optical props. of U centres 4−37639
KCl:$KNO_2(KNO_3)(NO_2)$, e.p.r. spectra after X-ray irrad. 4−33244
KCl:KNO_3, X-irradiated, thermoluminescence, isothermal annealing kinetics of F-centres 4−21085
KCl:Li, F-centres, spin-lattice relaxation, spin Hamiltonian modulation by phonon interactions 4−33263
KCl:Li^+, far i.r. absorpt. multiplet struct., ⟨111⟩ off centred impurities 4−10454
KCl:Li^+, noncentral impurity positions, pseudo Jahn-Teller effect calc. 4−37191
KCl:$Li^+(OH^-)$, phonon generation from tunnelling defect impurities, pulsed elec. field technique 4−32621
KCl:Me^{2+}, cryst., surface distrib. of Au decorated grains near dislocations *(German)* 4−9920
KCl:Mn^{2+}, vacancy-impurity complex reorientation, thermocurrent, e.p.r *(French)* 4−32558
KCl:N_2^-, e.p.r. temp. and stress depend., obs. of mol. reorientation rate 4−1336
KCl:$NO_3^-(OH^-)(CO_3^{2-})$, optical and thermal bleaching characts. 4−3990

potassium compounds continued
KCl:OH, crystal thermostating below 1K, electrocaloric effect 4–18401
KCl:OH^-, ferroelec. ordering, quasichemical anal. 4–13402
KCl:OH^-, stress dependence of paraelectric susceptibility, 0.3-5 K 4–25046
KCl:Pb^{2+}, first order Raman spectrum, intense peak obs. *(French)* 4–33395
KCl:$SO_4{}^{2-}$, divalent anion impurity-anion vacancy pair assoc. 4–12955
KCl:Sb, optical absorption, conductivity, dielectric loss and e.p.r. obs. 4–28877
KCl:Sn^{2+}, luminesc. temp. depolarization 4–10480
KCl:Sr, Z_2 and Z_5 centres, optical absorpt. *(Russian)* 4–21038
KCl:Tl, deep impurity electron states, LCAO Green's function method *(Russian)* 4–28370
KCl:Tl, hole migration investigation by pulsed absorpt. spectroscopy *(Russian)* 4–41084
KCl:Tl, impurity level calcs., quasi-mol. model for Tl centre 4–41033
KCl:Tl, mag. circular dichroism meas. after X-irradiation at 77K 4–17052
KCl:Tl, optical absorpt., X-irrad., colour centre conversion 4–37648
KCl:Tl^+, luminescence spectra, synchrotron radiation excitation, photomultiplication 4–28915
KCl-H_2O system, interface stability in temp. gradient zone melting 4–1446
KCl-KBr, polycryst., fabrication, microstruct., mech. and optical props. 4–25414
KCl-KBr solid solns., influence of alpha irradiation on temp. coeff. of linear expansion *(Russian)* 4–1127
KCl-KBr system, thermal expansion and conductivity, γ- and X-ray irrad. influence *(Russian)* 4–6510
KCl-KI, $H(ICl_3{}^{3-})$ centre, absorption band anal., thermal props. 4–41398
KCl-NaCl mixed single crystals, creep behaviour on decomp. *(Russian)* 4–32608
KCl-NaCl solid soln., temp. depend. of elastic consts., thermal expansion *(Russian)* 4–6427
KCl-NaCl solid solution, max. spinodal temp. calc., decomp. 4–20415
KCl-NaCl solid solution single crysts., Debye temp. and elastic consts., temp. depend. *(Russian)* 4–13010
KCl-NaCl solid solutions, pressure induced polymorphism 4–28206
KCl-NaCl-LiCl system, melting investigation *(Russian)* 4–28196
KCl-$PbCl_2$-NaCl melts, component activities at 600°C, Darken's method *(Russian)* 4–34092
KCl-RbCl solid solutions, pressure induced polymorphism 4–28206
KCl-XCl_2-KOH, (X=Ca, Ni) ionic cond. reduction on X-irrad., optical bleaching, anion impurity effect 4–20444
KCl+NaCl, mixture, Monte Carlo calc. of thermodynamics props. 4–20419
KCl(:Li), X-irrad., thermoluminesc. *(Russian)* 4–21090
KCl(Br) effect of electron beam irrad., influence of colour centres 4–28118
KCl(Br):Eu^{2+}, emission sidebands, liq. He temp. 4–17105
KCl_xBr_{1-x}, additively coloured, F-aggregate bands 4–37637
KClO n.q.r. of ^{35}Cl in impurity doped chlorates 4–1355
$KClO_3$, ^{35}Cl n.q.r., impurity effects 4–10353
$KClO_3$, i.r. spectra, classical dispersion anal. 4–1385
$KClO_3$, irrad., e.s.r. obs. of ClO quadrupole coupling 4–10310
KCl(sat.)-acetamide molten solns. containing $ZnCl_2$, specific conductance variations, 85-135°C 4–4258
K_2CoF_4, spin correl. and sublattice magnetization, neutron scatt. obs. 4–20766
K_2CoF_4 neutron scatt. obs. of sublattice magnetisation and spin correlations 4–37426
$K_2Co(SO_4)_2$:Cu^{2+} e.s.r., spin Hamiltonian parameters and relax. time 4–33248
$K_2Co[B_6O_7(OH)_6]_2.4H_2O$, X-ray struct. anal. 4–12926
$K_3Cr(CN)_6$, valence band, X-ray spectroscopy 4–6021
$K_3Cr(CN)_6$, Zeeman effect, g-value of ^2E state, lower symmetry field 4–41386
K_2CrO_4, elec. conductivity and activation energies, 25-320°C 4–10151
$K_2Cr_2O_7$, γ-irrad., e.p.r. 4–33261
$K_2Cr_2O_7$, natural convection effect on dispersion in packed beds 4–12739
$K_2Cr_2O_7$, oxidising agents rel. to colour positive film bleaching process 4–10776
$K_2Cr_2O_7$ single crystals, Cr^{5+} ion paramag. reson. 4–13342
$KCr(SO_4)_2$, splitting of Cr^{3+} states by electron-phonon interaction 4–6467
K_2CsSb, effective photocathode band struct. calc. *(Russian)* 4–32866
$K_2CuCl_{4-x}Br_x$, x=0,1,2, cryst. struct. survey 4–40781
$K_2CuCl_4.2H_2O$, thermal cond., in Curie temp. region 4–37417
$K_2CuCl_4.2H_2O$, vib. spectra of H_2O mols. in planar chains 4–19846
$K_2CuCl_4.2H_2o$, thermal cond., field depend. near Curie temp. 4–10268
$KCuF_3$, crit. phenomena, n.m.r. obs. *(Japanese)* 4–28629
$KCuF_3$, n.m.r., mag. orientation, spin struct. and micromagnetic location *(Japanese)* 4–37510
K_2CuF_4, ferromagnetic, spin wave anal. *(Japanese)* 4–37433
K_2CuF_4, spin densities on antibonding orbitals, neutron diffuse scatt. obs. 4–10269
K_2CuF_4, two-dimens. Heisenberg system with small XY-like anisotropy, magnetization, n.m.r. obs. 4–33210
$K_2CuX_4.2H_2O$, (X=Cl, Br), quasi b.c.c. Heisenberg ferromag., further neighbour interactions 4–37397
KD_2AsO_4, elec. cond. meas. from room to ferroelec. transition temp. 4–32948
KD_2PO_4, deuterated, resonant interference in Raman spectra 4–41369
KD_2PO_4 sound waves, attenuation and dispersion, effect of domain walls 4–28464
$KD_3(SeO_3)_2$, microwave permittivity meas., temp. depend. 4–6834
KF, infrared absorption spectra, assignment of fundamental modes 4–3143

potassium compounds continued
$(KF)_2$, fundamental mode assignment from i.r. absorption spectra of KF 4–3143
$K_3Fe(CN)_6$, oxidising agents rel. to colour positive film bleaching process 4–10776
$K_3Fe(CN)_6$, valence band, X-ray spectroscopy 4–6021
$K_4Fe(CN)_6$, valence band, X-ray spetroscopy 4–6021
$K_4Fe(CN)_6.3H_2O$, and anhydrous salt, thermodynamic props. and ferroelectric phase transition 4–3943
$K_4Fe(CN)_6.3H_2O$, ferroelec. cryst., dynamics of H_2O mols. 4–10421
$K_4Fe(CN)_6.3H_2O$, $K_4Fe(CN)_6.3D_2O$, ferroelectric phase transition specific heat meas. 4–20951
$K_4Fe(CN)_6.3H_2O$, proton relax. obs., ferroelec. transition point 4–33294
$KFe(CrO_4)_2.2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4–3968
$KFeF_3$, Mossbauer obs. of mag. states, and appl. of model to $RbFeF_3$ 4–25039
K_2GeF_6:Mn(IV), D_{3d} symmetry, spectral analysis 4–25137
$K(H,D)_2PO_4$, cryst. growth and D content determ. 4–12887
KH_2AsO, ferroelec. single cryst., polarisation, switching, permeability meas. 4–10382
KH_2AsO_4, elec. cond. meas. from room to ferroelec. transition temp. 4–32948
$KHCO_3$, γ-irrad., e.s.r. of $CO_3{}^-$ radical ion 4–27716
$K(H_{1-x}D_x)_2PO_4$, ferroelec. transition, comp. depend., Ginzburg-Devonshire expansion 4–17030
KHF_2, Raman spectra, polarisability tensor depend. 4–28818
KH_2PO_4, ^{17}O n.q.r. spectrum temp. depend., ferroelectric transition 4–33299
KH_2PO_4, ^{17}O-proton reson. obs. of ^{17}O quadrupole coupling, ferroelec. transition, H bond pot. 4–17000
KH_2PO_4, chemical shift tensor meas., first moment method 4–41280
KH_2PO_4, crit. opalescence, negative result rel. to ferroelec. transition 4–3942
KH_2PO_4, cryst., electrooptical effect, forced combination light scatt. on polaritons *(Russian)* 4–28790
KH_2PO_4, deuteration effects on static ferroelec. props. 4–13392
KH_2PO_4, dispersion of dielec. const. and loss factor 4–17021
KH_2PO_4, elastic energy and orientation factor calc. for grown-in dislocations 4–24479
KH_2PO_4, ferroelec. and paraelec. regions, dielec. and piezoelec. nonlinearity 4–33359
KH_2PO_4, H-bonded ferroelectric, underdamped soft tunnelling modes below T_c 4–10387
KH_2PO_4, paraelectric, reconstruction of local atomic environments in disordered hydrogen-bonded struct. 4–9886
KH_2PO_4, press. effect on soft acoustic mode, u.s. meas. 4–13391
KH_2PO_4, specific heat meas. at ferroelec. transition, validity of self-consistent field theory 4–37575
KH_2PO_4, x-cut, anisotropy of nonlinear refractive index, linear electro-optic effect 4–35894
KH_2PO_4 electro-optical filter, appl. as tuning element in ruby laser *(Russian)* 4–35854
KH_2PO_4 sound waves, attenuation and dispersion, effect of domain walls 4–28464
KH_2PO_4-K_2SeO_4, e.s.r. of $SeO_4{}^{3-}$, $SeO_3{}^-$, proton hyperfine struct. 4–41237
KH_2PO_4-NaH_2PO_4 glass, internal friction, dielec. loss mechanisms 4–32614
KH_2PO_4-type ferroelectrics, role of long range forces in phase transitions *(Russian)* 4–28780
KH_2PO_4-type ferroelectrics, phase transition, interproton interaction peculiarities *(Russian)* 4–28781
$K_2H_2P_2O$-7.1/$2H_2O$, cryst. struct. *(French)* 4–9893
$KH_3(SeO_3)_2$, hydrostatic press. effect on phase transition temp. 4–20412
KI, anomalous F-centre distrib., 1.5 MeV proton irrad. to high fluences 4–12946
KI, deformational changes in optical props. *(Russian)* 4–20955
KI, diffusion and solubility of He and Ne 4–20442
KI, dislocation photoconduction spectrum, internal electric field magnitude 4–28446
KI, dispersion of C, 30-400°C, rel. to temp. effect on piezo-optic dispersion 4–1379
KI, divalent ion doped, elec. field effect on recomb. luminesc. *(French)* 4–21048
KI, in binary solvent, electronic, i.r. spectral band shifts 4–13450
KI, second order Raman scatt., temp. depend. 4–28832
KI, thermal expansion, temp. depend. of lattice vibr. freq. 4–28224
KI absorption spectra calc. one phonon and multiphonon absorption anal. 4–1092
KI phosphor:$Na^+(OH^-)(Cu^+)(Tl^+)$, X-ray irrad., thermolum. maxima 4–37696
KI single crystals, refl. spectra, oblique incidence of beam, 240-150 nm, axial compression effects *(Russian)* 4–21023
KI:$N_2{}^-$, e.p.r. temp. and stress depend. obs. of mol. reorientation rate 4–1336
KI:OH^-, low energy excited states in paraelec. reson. meas., ⟨110⟩ dipole model 4–13375
KI:Rb, induced far i.r. absorpt., phonon eigendata with localised impurity model 4–37646
KI:Rb^+, gap mode freq. determ. using far i.r. spectra 4–1095
KI:$S_2{}^-$, molecular ion reorientation *(Russian)* 4–41426
KI:Sb optical absorption, conductivity, dielectric loss and e.p.r. obs. 4–28877
KI:Tl, hole migration at high temp., V_k centres kinetics *(Russian)* 4–41086
KI:Tl, luminesc., A-absorption bands, mechanism *(Russian)* 4–37665
KI:Tl, mag. circular dichroism meas. after X-irradiation at 77K 4–17052
KI:Tl phosphor, pair centre luminesc. mechanism 4–6918
KI-KCl, $H(ICl_3{}^{3-})$ centre, absorption band anal., thermal props. 4–41398
KI-Tl phosphor, determination of kinetic parameters for luminescence by impulse method *(Russian)* 4–10485
$KIBr_2.H_2O$, X-ray struct. determ. 4–6363

potassium compounds continued
KIO_3, ferroelectric, non-reorientable and non 180° switchable components of spontaneous polarisation 4−6853
$KIO_3.HIO_3$, growth from aq. soln., optical props., dielec. const. 4−17169
$K_3Ir^{III}(CN)_6$-KCl, e.s.r., quadrupole effects on h.f.s. in $Ir^{II}(CN)_5$ species 4−20830
$K_{5.9}Li_{3.8}Nb_{10}O_{30}$, $K_{5.0}Li_{2.4}Nb_{10}O_{30}$ relationship between Raman, struct., dielec. meas. 4−33414
$KMeO_4$, (Me=Mo, W), action of Na and K vapours, 300-600°C, 0.01-0.1 Torr 4−4255
$KMgF_3$, F-centre, mag. circular dichroism and e.p.r. obs. 4−21028
$KMgF_3$, F-centre electronic struct. calcs. 4−10110
$KMgF_3$, n.m.r. spectra, magnetic screening of ^{19}F 4−1351
$KMgF_3:Fe^{2+}$, evidence of equal Jahn-Teller coupling to E_g T_{2g} modes from far i.r. studies 4−10461
$KMgF_3:Mn^+$, magnetic circular dichroism spectroscopy, $^6A_{1g} \rightarrow {}^4A_{1g}$, $^4E_g{}^a(^4G)$ no-phonon transition 4−33461
$K_2Mg(SO_4)_2.4H_2O$, complex isolated units in crystal structure 4−32520
$K_3Mn(CN)_6$, valence band, X-ray spectroscopy 4−6021
$KMnF_3$, antiferromag., crit. temp., calc., meas., Heisenberg model 4−24944
$KMnF_3$, cryst., crystallographic and mag. phase transitions 4−10265
$KMnF_3$, cryst., neutron scattering investigation, soft phonon modes and struct. phase transitions *(Japanese)* 4−32654
$KMnF_3$, structural phase transition, phonon-hydrodynamic description 4−20398
$KMnF_3$ second order structural transition, Landau and phenomenological phonon theories *(Hungarian)* 4−24543
K_2MnF_4, large cryst. growth, characterisation by X-ray and neutron diffraction 4−21191
K_2MnF_4, quasi-Heisenberg antiferromagnet, quadratic-layer, linear mag. birefringence 4−13416
$K_3Mo(CN)_8$, e.s.r. in solns., mag. field depend. of electron spin relaxation 4−28681
K_2MoO_4, $^{95}Mo/^{97}Mo$ nuclear g-factor ratio by Fourier transform n.m.r. spectroscopy 4−2756
KN_3, ion-dipole and Coulomb energies, van der Waals and hydrogen bonding 4−1024
KNO_3, molten, hypersonic velocities determ. by 4−36955
KNO_3, u.v. absorpt., temp. depend. 4−25120
KNO_3 molecule, surface ionisation on Rh 4−17538
KNO_3 supersaturated aq. solns., calculation of water activities 4−4303
KNO_3-$AgNO_3$ molten mixture, self diffusion of cations, various temperatures and concentrations 4−3582
$K_3(NSeO_2)_3$, cryst. struct. 4−12904
$KNb_x{}^{IV}Nb_{1-x}{}^VO_{3-x}F_x$ phases, cryst. struct. and ferroelec. props. *(French)* 4−24429
$KNbO_3$, nonlinear parameters, second harmonic generation method 4−5541
$KNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
$KNbO_3$, orthorhombic, abnormal Raman spectrum, rel. to cubic phase *(French)* 4−3959
$KNiF_3$, 3d energy band calcs. 4−28348
K_2NiF_4, antiferromagnetic properties 4−16939
K_2NiF_4, layered antiferromagnet, absorpt. spectra 40 to 40000 cm^{-1}, specific vibrs. 4−13433
K_2NiF_4, quadratic layer cpd., antiferromag. reson. freq., temp. variation 4−13348
K_2NiF_4, Raman scatt. from two-magnon modes 4−41379
KO_2, e.s.r. in inert gas isolation matrix, struct. and electronic props. 4−33246
K_2O-In_2O_3-GeO_2 system, glass forming regions, refractive index, density 4−7292
K_2O-Na_2O-SiO_2 glass, comparison of mechanical and elec. field relax. 4−1374
K_2O-Nb_2O_5-WO_3 system, subsolidus phase study, tungsten bronze phase type obs. 4−29195
K_2O-SiO_2, glass, densification, at 10 to 60 kbar pressure 4−10643
K_2O-SiO_2 glass, elastic moduli meas., press. depend. 4−32598
K_2O-SiO_2 glass, i.r. absort. spectra, comp. and press. effects, up to 40 kbar 4−37597
K_2O-SiO_2(25%) glass, annealing, relax. of elec. cond. and refractive index 4−32929
K_2O-silicate glass, dielec. relax. time distrib., current decay curves 4−28757
K_2O-SrO-SiO_2, glass system, expansion coeffs. and thermo-optical consts. 4−20958
$(K_2O\text{-}P_2O_5)_x\text{-}(WO_3)_{1-x}$, glass system, X-ray photoemission 4−21151
KOH soln., injection through permeable plate, crossed electric and magn. fields, heat transfer 4−32142
$(K_2O)_{0.2}(P_2O_5)_{0.8}$, phosphate glasses, paramag. centre form., by fracture and γ-irrad., e.s.r. 4−28703
$K_2O-Ta_2O_5-Nb_2O_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4−13856
KPF_6, vibr. spectra anal. of high pressure polymorphism 4−10425
$K_4P_2O_7.3H_2O$, cryst. struct. *(French)* 4−20252
$KPdCl_6$, unit-cell consts. determ. 4−20261
$K_2Pt(CN)_4$, mixed-valence triclinic product formed by partial bromination, identification 4−1119
$K_2Pt(CN_4)Br_{0.3}.3D_2O$, one-dimens. conductor, struct. transform., neutron scatt. obs. 4−37009
$K_2Pt(CN)_4Br_{0.3}.3H_2O$, 1-D conductor, optical props., u.v.-i.r. 4−33432
$K_2Pt(CN_4)Br_{0.3}.3H_2O$, dielec. function calc. using interrupted strand model 4−25049
$K_2Pt(CN)_4Br_{0.3}.3H_2O$, Peierls semicond., giant Kohn phonon anomaly 4−13000
$K_2Pt(CN)_4X_{0.3}.3H_2O$, X=Br, Cl, growth and purity obs. 4−41476
K_2PtCl_6, Raman spectroscopy and diamond fluorescence at high pressures, diamond anvil cell 4−2281
$K_2PtCl_6:Re^{4+}$, vibronic selection rules, polarisation and Zeeman effects 4−3996
K(Rb, Cs)SbS_2-based vitreous phases, physiochem. props. 4−32443
KSCN:(Pb^{2+}, S^{2-}), cond., ionic diffusion due to vacancy pair process 4−40912
K_2SO_4, Cd^{2+} and Zn^{2+} doped, X-irrad., absorpt., emission and circular dichroism 4−21026

potassium compounds continued
K_2SO_4, crystal growth rate determination, crystal shape importance 4−4030
K_2SO_4, microwave measurement of dielectric const. using Looyenga's formula, temp. depend. 4−3928
K_2SO_4, natural convection effect on dispersion in packed beds 4−12739
K_2SO_4, soln. in water, optical consts. in i.r., refl. meas. 4−41364
K_2SO_4, X-ray scatt. and diffr., pretransition struct. changes 4−13040
K_2SO_4 supersaturated aq. solns., calculation of water activities 4−4303
$K_2SO_4:Co^{2+}$, optical and elec. props., doping effects, cryst. field parameters 4−25121
$K_2SO_4:Mn^{6+}$ spin Hamiltonian for Mn, e.s.r. meas. and spin-lattice relax. time 4−28698
K_2SO_4-Cs_2SO_5 system, phase diagram 4−13832
K_3Sb, effective photocathode band struct. calc. *(Russian)* 4−32866
$KSbO_3$, cubic disordered phases, cryst. struct. and chem. 4−40776
$K_3Sb_5O_{14}$ and $K_2Sb_4O_{11}$, two-dimens. tunnel structs., X-ray obs. 4−40762
K_2SeO_4, superstructure obs. 4−40865
K_2SeO_4-KH_2PO_4, e.s.r. of $SeO_4{}^{3-}$, $SeO_3{}^-$, proton hyperfine struct. 4−41237
$K_2Si_2O_5$ glass, electrode behaviour, effect of Na^+ and K^+ ions *(Russian)* 4−29338
$KTa_xNb_{1-x}O_3$, cubic phase lattice dynamics, soft modes and struct. 4−20399
$KTaO_3$, Czochralski crystal growth, and applic. to photovoltaic u.v. detectors 4−33609
$KTaO_3$, ferroelectric, empirical reln. for optical absorption edges 4−10430
$KTaO_3$, stress induced ferroelectricity 4−13397
$KTaO_3$, surface polaritons, A.T.R. spectral investig. 4−24532
$KTaO_3$, susceptibility and spontaneous polarization, influence of impurities 4−28778
K_2TiF_6, thermal decomposition 4−24438
K_2TiO_3, unit cell parameters 4−24438
$K_2Ti_4O_9$, unit cell parameters 4−24438
$K_{1-x}Tl_xCl$, $K_{1-x}Tl_xBr$, long wavelength optical phonons, far i.r. reflectivity obs. 4−36964
$K_5(UO_2)_2F_9$, cryst. struct. *(French)* 4−32485
$K_3(UO_2)_2F_7.2H_2O$ and $K_5(UO_2)_2F_9$, cryst. struct., X-ray obs. 4−12912
$K_3W(CN)_8$, e.s.r. in solns., mag. field depend. of electron spin relaxation 4−28681
$KY(MoO_4)_2:Dy^{3+}$, e.s.r. of dipole coupled ion pairs, anisotropy effect 4−37492
$K_2Zn(CN)_4$, (Cd,Hg), i.r. and Raman spectra, lattice vibrs. and interatomic force consts. 4−25107
$KZnF_3$, n.m.r. spectra, magnetic screening of ^{19}F 4−1351
$KZnF_3$, perturbed [$F_2{}^-$] centres, optical absorpt., e.p.r. 4−25138
$KZnF_3$, X-irrad., ternary symmetry colour centre *(French)* 4−12945
$KZnF_3:Mn^{2+}$, magnetic circular dichroism spectroscopy, $^6A_{1g} \rightarrow {}^4A_{1g}$, $^4E_g{}^a$(4G) no-phonon transition 4−33461
$K[B_5O_6(OH)_4]$, partially deuterated, i.r. spectra and vibrational assignments *(German)* 4−3144
$K_2[B_6O_7(OH)_6]$, partially dueterated, i.r. spectra and vibrational assignments *(German)* 4−3144
$K_3[Mn(CN)_6]$, twinned, cryst. struct. 4−28046
$K_2[Pt(CN)_4]Br_{0.30}.3H_2O$, one-dimens. conductor, elec. cond. anisotropy 4−24740
Kbr, lattice dynamics using deformable-shell model 4−20387
Ki, intrinsic tail spectra, Urbach rule 4−28168
Ki, lattice dynamics using deformable-shell model 4−20387
$KtAO_3$, isomer shifts of γ-reson. of ^{181}Ta 4−25041
LiCl-KCl molten eutectic, electronic conductivity 4−4257
$LiKPO_3F.H_2O$, cryst. struct. *(French)* 4−28048
$LiPO_3$-KPO_3(1%) glass, internal friction, influence of dissolved water 4−24512
$(NH_4)_2HPO_4$-urea-KCl-H_2O, solubility 4−6500
$NH_4H_2PO_4:K_2SeO_4$ mixed crystals, X-irrad. damage centres, e.s.r. obs. 4−20856
NaCl-KCl-$RbCl_2$ melts, alkalisilicate glass electrode behaviour, Na^+ and K^+ ion effects *(Russian)* 4−29338
$NaK_3(PO_3F)_2$, cryst. struct. *(French)* 4−24428
$PbCl_2$-KCl system, fused state, Raman spectra 4−33399
Pt complex, K_2 $Pt(CN)_4B_{0.3}.3H_2O$ one-dimensional crystal, anisotropy of conductivity, Kohn-Peierls instabilities *(German)* 4−24745
Pt complex, $K_2Pt(CN)_4Br_{0.30}.xH_2O$, condensation of giant Kohn anomaly, X-ray diffuse scatt. obs. 4−16574
Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, phonon dispersion curve obs. by inelastic neutron scatt. 4−16575
Pt complex, $K_2Pt(CN)_4Br_{0.3}.x3H_2O$, phonon softening, tight-binding theory 4−16584
Pt complex, $K_2Pt(CN)_4Br_{0.32}.2.3H_2O$, reflection spectra in plasma edge region 4−17091
Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, optical excitation of plasma oscillations 4−24773
Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, reflection meas. in far i.r. at 4.2 and 62 K *(German)* 4−25082
X-ray destruction of F-centres in whisker crystals *(Russian)* 4−1054

potential energy of single molecules *see molecular internal mechanics*

potential scattering
see also particle scattering
amplitude, scaling parameter optimization, virial theorems 4−26799
classical two-body, with long range forces 4−18850
collisions integral and distrib. function determ. 4−2540
eikonal amplitudes, comparison 4−39877
eikonal approximation, limits of applicability for nonrelativistic scattering by real central potential 4−15207
electrons in e.m. field, Glauber approximation 4−26803
Fredholm determinants, L^2 basis, scatt. information, Chebyschev discretization 4−30862
Fredholm substituted determinants, complex basis function anal. 4−30861
Galilei amplitudes, rel. to potential amplitudes 4−26814
Galilei amplitudes for separable potentials 4−39597
Glauber expression for large-angle elastic scattering, intermediate energies 4−31319

potential scattering continued
Green's function approach to scattering amplitudes at high energies 4–9126
integral equations for one-particle scattering in potentials of finite range 4–26805
inverse scattering problem, class of algorithms *(French)* 4–18932
JWKB approximation, multichannel scattering 4–26802
K-matrix elements, on-shell and off-shell partial wave elements 4–30860
Levinson's theorem, review, many-channel and many-body systems 4–26815
local potential, numerical study of separable approx. 4–19366
long range potential, low energy, iterative soln. *(Russian)* 4–35721
non relativistic, numerical method for class of singular pots. 4–39598
nonlocal potentials, numerical soln. of scattering eqns. 4–23994
nonlocal separable functions, soln. of Lippmann-Schwinger eqn. 4–30859
phase difference evaluation by WKB method *(French)* 4–8661
quantum momentum method for exact solution of separable multiple well bound state 4–39582
repulsive singular pot., higher-order corrections of modified WKB approx. 4–35723
S-wave inverse problem and sum rules for potentials with simple pole at origin 4–11790
Schrodinger and Helmholtz eqns., solns, in irregular and composite region 4–11791
separable potentials and Coulomb interactions 4–15649
time dependent approach, scattering from crystal impurities 4–1209
transparent potentials, non-zero time delay, two-body effect 4–11806
two-particle scattering, Sasakawa approach 4–9125
H_2^+, generalised scattering model 4–19755
potentials (bioelectric) *see bioelectric potentials*
potentials (crystals) *see crystal internal fields*
potentials (electric) *see electric potential*
potentiometers
see also voltage measurement
sensor, determ. NH_3 in boiler feed-water and condensed steam 4–35534
powder diffraction cameras *see cameras; X-ray crystallography apparatus*
powder metallurgy
activated sintering, rel. to electron struct., for Mo, W, Mn, Al and Ni alloys *(Russian)* 4–21388
alloy, SAS-1, micro- and macroheterogeneities 4–17376
alloy formation in mixed powders during milling *(German)* 4–41789
atomization on interrupted action of liq. atomizing agent *(German)* 4–37991
bibliography 4–10632
carbide, cemented, carbide phase and WC powders, prep. and props. *(Russian)* 4–38002
chrome-carbide hard metals, prodn. parameters rel. to phys. props. *(Russian)* 4–37999
compact, shrinkage of interconnected pore system 4–21373
compacted blends, diffusional homogenization rate, degree of mixing effect 4–29191
compactibility of hard metal powders *(German)* 4–38001
compacting, vibration, into porous parts *(Russian)* 4–37989
compaction pressure rel. to density of metal powders 4–37975
conference, Eastbourne, England (Nov. 1973) 4–7236
densification rolling, mean contact stress 4–37973
diamond-metal system, densification during liquid phase sintering *(Russian)* 4–21386
diffusion alloyed powders, effect of particle size on spectral analysis 4–7256
dispersion strengthening of alloys by oxides, reduction furnace design, gel precipitation 4–4166
ductile material, effect of gas on isolated pore closure *(Russian)* 4–21383
dynamic hot pressing, high deformation speeds 4–7252
ferromagnetic, manufacture by electrolytic deposition, optimum conditions 4–7250
filter materials sintered from metal powders, gas permeability and interconnected porosity 4–7257
grain growth during hot pressing 4–21377
high temperature materials prod. by mech. alloying *(German)* 4–41782
hot pressing, dynamic, of metal powders *(Russian)* 4–37990
hot pressing, structural and mech. characts. of materials produced 4–41793
hot pressing process, apparatus for investig. 4–37978
isostatic pressing, advantages and applics. *(German)* 4–38004
magnetic alloy sintering technique, reduction sintering *(Japanese)* 4–37979
metal-glass materials, porous, sintering, densification kinetics 4–41796
metallo-ceramic electric discharge sintering *(Russian)* 4–21387
particle trajectories in h.f. plasma flow *(Russian)* 4–21367
particles, hollow spherical, and light sintered materials, prep. *(German)* 4–38005
plasma sprayed coating formation, substrate material effect 4–7255
plates, porous, sintering control using elec. resistivity meas. 4–17374
polypropylene/Al composite, mechanical and electrical props. of powder formed system 4–13873
porous metals, plasticity theory 4–33757
preform forging, integrated mechanics/metallurgy analysis 4–29188
pressed and sintered parts, stress-strain curves *(German)* 4–37986
refractory, densification by pre-sintering with explosive compaction 4–7259
rolling, densification region in deform. zone, upper boundary 4–37976
sintered and composite materials, props., prodn. and applics. 4–37980
sintered bodies, eqns. describing dimens. and density variations rel. to optimum prod. practice 4–7249
sintering, application of theory 4–21378
powder metallurgy continued
sintering, application of theory in practice 4–21379
sintering, conf., Herceg-Nova, Yugoslavia (Sep. 1973) 4–21369
sintering, grain size dispersion rel. to crystal growth and densification 4–21381
sintering, intermediate stage, densification depend. on grain growth 4–4170
sintering, pore closure, transport mechanisms 4–21382
sintering, primary recrystn. role 4–7253
sintering, role of surface geometry contact forming 4–21380
sintering, second-stage liquid-phase, with partially wetting liquid, model 4–1610
sintering process, thermodynamic anal. *(Russian)* 4–21384
sintering temperature and time effects on results of spectra analysis 4–41795
steel, high-speed, production from cold-pressing powder mixtures 4–37974
steel, high-speed tool type, fabrication by ultrafine powder metallurgy 4–7240
steel, high-strength sintered alloy prod. using transition metal carbides 4–7241
steel, sintered, based on sponge and atomized powders, P additions effect on mech. props. 4–7245
steel, stainless. sintered, sulphidizing 4–17377
steel, struct. formation during dynamic hot pressing *(Russian)* 4–21389
steel, water jet atomisation of molten steel 4–17371
structure characterisation, optical and electron microscopy 4–7349
Zircaloy-2 rod containing B_4C, hot swage fabrication and characteriz. 4–41800
Ag, cold pressing, green compacts 4–21370
Ag, sintering, nucleation of dislocations on neck surfaces 4–21371
Al, u.s. powdering 4–33844
Al alloy 7075, powder produced material characterization 4–29185
Al alloy 7075 powder, extrusion-consolidated rods characterization 4–29186
Al alloy-steel wire composite, phase boundary interaction during prodn. process *(Russian)* 4–38046
Al alloys, control of microstruct. and mech. props. 4–29184
Al cold-pressed powder compacts, interparticle contact area effect on strength 4–7237
Al compact with admixture, liq. phase sintering, shrinkage *(Russian)* 4–37985
Al micropowder, particle size meas. by microscopic and condumetric methods, accuracy 4–41798
Al powder, production, formation and growth mechanism of oxide phase *(Russian)* 4–37997
Al powder coating of steel strips, phys. metallurgy aspects 4–13766
Al-Ag powder, elec. conducting, prep. and chem. props. *(German)* 4–37994
$Al-Al_2O_3$, u.s. powdering 4–33844
Al-Fe alloys, powder extrusion as primary fabricating process 4–7248
Al-Pb, u.s. powdering 4–33844
Al-Sn, u.s. powdering 4–33844
Al-Sn alloy, prep. and mech. characteriz. 4–7244
Be/Ti composite prep. and mech. characteriz. 4–17424
CO-base alloy, prealloyed-powder, HS-31, mech. props., effect of autoclave heat treatments 4–10631
Co powders, pure and alloyed, prep. and applic. *(German)* 4–38000
Co-Ni, relationships governing two-component sintering *(Russian)* 4–21390
Co_5Ce, permanent magnet, X-ray strain meas. 4–33805
Cu, dispersion strengthened with Al_2O_3, prod. by electroless codeposition method 4–41794
Cu, sintering, influence of dislocations on initial stage *(German)* 4–7234
Cu, sintering behaviour, effects of particle size, shape and surface props. *(German)* 4–37983
Cu, spherical particles, sintering kinetics rel. to pressing 4–21372
Cu, surface tension and sintering force 4–37970
Cu strip, sintered, limiting deformation conditions from rolling experiments 4–7251
Cu-Al(7 wt.%) bronze, activated sintering, effect of B additions 4–21376
Cu-Ga alloy with 18-70 wt% Ga, prod. by powder metallurgy stable phases 4–17214
Cu-Ni, relationships governing two-component sintering *(Russian)* 4–21390
Cu-Ni sintered materials, homogeneity investigation using microprobe 4–33843
Cu-Pb, calcination rel. to liquid phase and infiltration *(French)* 4–4164
Cu-Ti alloy, heat-treatable, prep. and props. *(German)* 4–37996
Fe, abnormal grain growth at Curie pt. during hot pressing 4–7063
Fe, billets obtained by explosive pressing, physico-mech. props. *(Russian)* 4–33840
Fe, dispersion strengthening by gel precip. 4–7239
Fe, magnetic and elec. props., effect of P additions, in alt. field 4–16964
Fe, processing of sponge powder, effect of reduction annealing *(Czech)* 4–7230
Fe, sintered compacts, effect of porous character on ultimate tensile strength *(Slovak)* 4–13809
Fe, struct. formation during dynamic hot pressing *(Russian)* 4–21389
Fe, with 0.1-2.2% P, effect on magnetic properties 4–7254
Fe, with thoria dispersion, prep. and characteriz. 4–7238
Fe powder, sintered, porosity, depend. of tensile strengths elongation and hardness *(German)* 4–37987
Fe powder, sintering kinetics rel. to mech. activation *(German)* 4–37981
Fe wire, sintering in molten Cu 4–21375
Fe-Al, vol. growth during sintering *(Russian)* 4–21391
$Fe-Al_2O_3$, influence of production methods on sintering *(Russian)* 4–21393
Fe-Al-Si, vol. growth during sintering *(Russian)* 4–21391
Fe-CO, relationships governing two-component sintering *(Russian)* 4–21390

powder metallurgy continued
Fe-Cr, relationships governing two-component sintering *(Russian)* 4−21390
Fe-Cu powder mixtures, sintering of compacts and microstruct. characteriz. 4−7243
Fe-Cu pre-alloyed powders, atomized, mech. characts. 4−41801
Fe-Cu-Sn sintered compact prep. and mech. characteriz. 4−7242
Fe-Cu(Ni), ceramic, effect of heating rate on vol. change in sintering *(Russian)* 4−21385
Fe-$FeAl_2O_4$ powder-molecular dispersion catalyst, sintering mechanism 4−41792
Fe-graphite, sintering pressing rate rel. to mechanism of formation *(Russian)* 4−21392
Fe-NbC, influence of production methods on sintering *(Russian)* 4−21393
Fe-steel, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4−21394
$Fe(CO)_5$, X-ray tensiometry of stresses in stampings *(Czech)* 4−7299
Fe_3O_4, magnetite, sintering rel. to non-stoichiometry 4−17403
Mo, creep during hot pressing *(Russian)* 4−21415
Mo, densification by pre-sintering with explosive compaction 4−7259
$MoSi_2(Ge_2)$ alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4−13806
Nb_3Sn filament containing powder rolled composite tape, supercond. props. 4−41141
Ni, billets obtained by explosive pressing, physico-mech. props. *(Russian)* 4−33840
Ni, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4−21394
Ni, sintered precipitated, porosity effect on fatigue behaviour 4−7246
Ni 713LC alloy compacts, hot-isostatically pressed, tensile fracture, grain boundary struct. effect 4−7247
Ni alloy with HfO_2 dispersion, particle growth in hardening phases *(Russian)* 4−41786
Ni powder metallurgy plates, porous, sintering control using elec. resistivity meas. 4−17374
Ni wire, sintering in molten Cu 4−21375
Ni-Al, vol. growth during sintering *(Russian)* 4−21391
Ni-Al mixture, nature of kinetics and reaction diffusion *(Russian)* 4−13808
Ni-Al_2O_3 influence of production methods on sintering *(Russian)* 4−21393
Ni-ZrO_2, influence of production methods on sintering *(Russian)* 4−21393
NiCrW composite, kinetics of W fibre dissolution 4−7346
Pb, dispersion hardened, prep. and mech. props. *(German)* 4−37993
QC-Co alloys, sintering temp. and cooling conditions influence on microstruct. and residual stresses *(French)* 4−33845
$(Sm,Pr)Co_5$, mag. props. and cryst. struct. rel. to particle size *(Russian)* 4−20799
Sm-Co alloys, sintering mechanisms, isothermal shrinkage meas. *(German)* 4−7258
TaC-Co alloy, cobalt content effect on microstruct. during sintering 4−29198
Ti, billets obtained by explosive pressure, physico-mech. props. *(Russian)* 4−33840
Ti, process, resulting mechanical properties *(French)* 4−41784
TiB_2 alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4−13806
TiSiCW composite, stability investigation 4−7345
W, densification by pre-sintering with explosive compaction 4−7259
W, wire, effect of micropores on high temp. creep ductility 4−21374
W bar preparation with oxide additive containing K, Si, Al 4−25402
W wire, Fe content, thermoelectric power obs. 4−8568
W wire, sintering in molten Cu 4−21375
W-Mo powder pressings, solid soln. form. during sintering, temp. depend. *(Russian)* 4−41787
WC-Co, prep. and props. *(Russian)* 4−38002
WC-Co cemented carbides, composition and microstruct. of binder phases 4−7235
WC-Co hard metals, props. rel. to C content *(German)* 4−38003

powders
see also densification; granular structure; particle size; sintering
carbon black, particle size determ., photometric method 4−26453
carbonates, kinetics of sintering process *(Russian)* 4−21552
ceramic, particle size classification 4−4167
condensed phases, steady state combustion stability effect of reactions *(Russian)* 4−29320
crystallite size distrib. in supported catalysts. 4−32391
cubic, mono-atomic two-phonon scattering cross section 4−40857
dielectric, bulk permittivity correlation, test and use of Fricke and Pearce eqns. 4−20923
dielectric correlation with bulk material at microwave freqs. 4−37545
dispersed oxide composites, sintering for high temp. protective coatings applic. 4−41823
dispersion of inertia mixture in two-phase axisymmetrical stream 4−32139
dry solid random and non-random mixtures, variance-sample size relations, autocorrel. approach 4−29260
ethylene/propylene copolymer, fibre morphological struct. 4−10692
expansion, bubble-free, gas-fluidised beds 4−17468
ferrite, magnetic phase contents, mag. analysis determ. 4−16965
fluidised particle impacts investigation, piezoelec. transducer construction *(French)* 4−26657
glass, thermal cond. meas. 4−4234
glass and alumina, mixed, single sphere, sintering based on softening or melting of solid 4−17402
glass powder, path distribution of photons, inverse Laplace transformation 4−26926
grain compaction, general parameter evaluation 4−29255
hydrates, kinetics of sintering process *(Russian)* 4−21552
lactose, failure props., yield locus parameter depend. 4−29256
magnetic susceptibility apparatus, high vacuum *(Russian)* 4−26557

powders continued
oxide, prep. methods *(French)* 4−41806
packed beds, dispersion coeff., effective fluid velocity, heat transfer coeff. and thermal conductivity 4−16253
particle size measurement, turbulent flow technique 4−29258
plasma torch as high-temp. reactor 4−6274
plastic powder mixtures with synthetic rubber soln., struct.-mech. props. 4−17469
poly-4-methylpentene-1, fibre morphological struct. 4−10692
polybutene-1, fibre morphological struct. 4−10692
polyethylene, fibre morphological struct. 4−10692
polypropylene, fibre morphological struct. 4−10692
porcelain, technical, effect of humidity on thermal props. 4−33848
Raman spectra, comparison with single cryst. spectra *(German)* 4−6881
reflectance properties, of luminescent powders 4−37668
refractory materials, plasma spraying with immersion of torch in H_2O 4−17408
Rochelle salt, compressed, ferroelec. transitions, particle size effects 4−28774
ruby, absolute quantum yields of $Cr^{3+}\,{}^2E \rightarrow {}^4A_2$ emission 4−28899
segregation, vibr. granular system, size, shape density depend. 4−29257
single-particle crushing under various load velocities, probability of breakage *(German)* 4−29259
sintering in materials synthesis 4−21421
ultramarine, failure props., yield locus parameter depend. 4−29256
water-soluble, calorimetric method for low water content meas. 4−39177
Al_2O_3, alumina, three-dimens. characteriz. of powder particles by automated SEM 4−17380
Al_2O_3, anisotropic sintering investig., nucleation statistical model *(German)* 4−33928
Al_2O_3 alumina, reactive hot pressing behaviour 4−4193
Au, image intensity meas., phase contrast 4−10715
B_xN_y, particle size, electron microscope obs. 4−41819
BaO-Fe_2O_3, magnetic phase contents, mag. analysis determ. 4−16965
$BaTiO_3$, anomalous dielec. props. 4−13378
BeO, derived from hydroxide, surface structures *(Japanese)* 4−41827
BeO, heat of wetting rel. to sinterability *(Japanese)* 4−13855
BeO, heats of wetting in water *(Japanese)* 4−41829
BeO powders, obtained by calcination of sulphate, surface struct., comp. and sorption props. *(Japanese)* 4−25417
$CaCO_3$, failure props., yield locus parameter depend. 4−29256
CdSe, negative resistance threshold voltage reduction rel. to irradiation wavelength, obs. 4−10161
CrB_2, hot pressing, creep rel. to densification 4−17406
Fe, dynamic hot pressing, high deformation speeds 4−7252
Fe, specific surface evaluation by light reflection technique 4−7379
Fe contamination magnetometer, contamination measurement in powders, technique, apparatus 4−2336
Fe sand powder as black material for sub-mm wavelengths 4−18416
Fe-Cr alloys, prepared by amalgamation process, struct. props. by X-ray diffr. 4−41557
Fe-$FeAl_2O_4$ powder-molecular dispersion catalyst, sintering mechanism 4−41792
Fe-Ni alloys, prepared by amalgamation process, struct. props. by X-ray diffr. 4−41557
Fe_2O_3, effect of annealing on magnetic properties 4−7552
Fe_2O_3-MgO-Al_2O_3-MnO, magnetic phase contents, mag. analysis determ. 4−16965
GeTe, atmospheric oxidation, room temperature 4−7378
MGO, MgO:LiF, isothermal shrinkage obs. during initial sintering 4−10641
$MgAl_2O_4$ spinel, sintered microstruct. correl. with characts. of freeze-dried powder 4−17381
MgO, resistivity at high temps. 4−6621
$Mn_{0.5}V_{0.5}Te$, mag. props., neutron diffr. obs. *(German)* 4−6767
$MoSi_2$, hot pressing, creep rel. to densification 4−17406
$MoSi_2$, hot pressing with chem. activation *(German)* 4−4198
NaCl, pressing, contact form. in porous disperse structs., surface-active mol. layer effects *(Russian)* 4−41907
$NaMgAl(CrO_4)_3.9H_2O$ absolute quantum yields of $Cr^{3+}\,{}^2E \rightarrow {}^4A_2$ emission 4−28899
Na_2O-Li_2O-Fe_2O_3, magnetic phase contents, mag. analysis determ. 4−16965
Ni, specific surface evaluation by light reflection technique 4−7379
NiO, nonstoichiometric, sintering 4−33862
NiO compacts, initial sintering, shrinkage kinetics 4−41818
PbTe, atmospheric oxidation, room temperature 4−7378
$PbZrO_3$ powder and multidomain single cryst., laser-induced Raman spectra 4−13430
Pd, adsorption, tracer investig. method 4−6551
Si powder compacts, nitridation kinetics 4−13838
SiO_2, thermal cond. meas. 4−4234
SiO_2, ultrafine, prep. by evaporation using thermal plasma 4−7380
Sm_2O_3, plasma spraying 4−41822
SnTe, atmospheric oxidation, room temperature 4−7378
TiN, hot pressing, creep rel. to densification 4−17406
$TiN_{0.98}$, $TiN_{0.87}$, evaporation in homogeneity region 4−7287
$(U,Ce)O_2$ coarse powder, effect of growth, nucleation on kinetics of oxidation *(Czech)* 4−5917
$(U,Th)O_2$-UO_2, blending and homogenization 4−3029
UO_2 powder compacts, sintering and morphology of interconnected porosity 4−13825
W, photosedimentation analysis 4−17471
W, specific surface evaluation by light reflection technique 4−7379
ZnS, compaction kinetics during hot pressing 4−33860
ZrB_2, hot pressing, creep rel. to densification 4−17406

power apparatus
see also electric machines; switchgear
h.v. equipment, electrostatic field calc. 4−8742

power cables
see also gas pressure cables; power overhead lines; superconducting cables; underground cables
three phase, magnetic field in vicinity 4−35768

power control
HTGR, control rod drive system, design, development and operation 4−27398

power factor measurement
No entries

power factor meters *see power factor measurement*

power generation, electric *see electric power generation*

power generators, electric *see electric generators*

power lines *see power cables*

power measurement
see also wattmeters
electrometers, electrostatic, applic. 4−23238
laser energy density, ferromagnetic pick-up 4−18494
nonvacuum ponderomotive laser energy meters, thermal effects *(Russian)* 4−22897
pulsed laser emission meter with self-compensating electrostatic torsional microbalances *(Russian)* 4−22896

power overhead lines
see also overhead line conductors; power cables; power transmission
e.h.v., elec. field meas., soln. and obs. *(Polish)* 4−8737
UHV corona test, automatic data acquisition system 4−20181

power overhead transmission lines *see power overhead lines*

power packs *see power supplies to apparatus*

power station control
fusion, engineering problems 4−5928

power stations
see also energy resources; geothermal power stations; nuclear power stations; substations
feed water sodium content meas., high sensitivity flame spectrophotometer *(Russian)* 4−35277
Forecasting water use for electric power generation 4−4379
Loire sur Rhone, results of atmospheric pollution control and prevention 4−18256
oil-fired, electrostatic precipitators, state of art 4−30947

power supplies to apparatus
see also cells (electric); power supply circuits
current stabilizer for gas laser 4−39270
current supply with automatic demagnetisation program for magnetic spectrometers *(German)* 4−35447
d.c. power unit, implantable, for control of experimental tumour growth in hamsters 4−38977
electron microscopes, power supplies, improved stability 4−11625
h.f. power supply to heavy-ion linear accelerator *(Russian)* 4−35372
Nimrod synchrotrons, ripple elimination method 4−39296
wave generator energy supply for ocean buoys *(German)* 4−34555
Si vapour deposition plant, a.c. thyristor controllers 4−33626

power supply circuits
see also power supplies to apparatus
10 kV, made from old TV parts 4−22733
159.2 Hz ultrastable power supply for absolute volt determ. 4−35166
d.c. power supply using IC regulators 4−11429
ophthalmological instrument, flash lamp source cct. 4−26243

power supply systems *see power systems*

power system control
see also power station control
KS-150 reactor control and protection system supplemented with mobile neutron detector 4−23772
nuclear reactor, design objectives for control systems 4−12434
second stage motor in 3 stage launching rocket, radio guidance, feedback optimisation *(Japanese)* 4−25917

power system protection
see also lightning protection; overvoltage protection
KS-150 reactor control and protection system supplemented with mobile neutron detector 4−23772
textile industry, conference, Charlotte, N.C., USA (1973) 4−8254

power systems
see also power apparatus
emergency supply for circulating pump, in nuclear reactor operating under faulty conditions *(Russian)* 4−19564
environmental impact of energy systems, multistage input/output model 4−35091
measurement of l.f. variables in nonlinear power networks, equipment *(Russian)* 4−22913

power transformers
hospital safety, leakage current reduction by double-screened power transformer 4−18181

power transistors
current distribution in large area devices, infrared observation 4−18392
metallisation at high temps., Au-R, (R=refractory metal), thin-film reliability, SEM obs. 4−3667
microwave, emitter doping by arsenosilica film source 4−37779
microwave, metallisation, suitability of Au-W(Mo) film systems, annealing expts. 4−37128
microwave, sputtered Au-W and Au-Mo metallisation, characts. 4−24662

power transmission
three phase, magnetic field in vicinity 4−35768

power utilisation
see also domestic appliances; drives; metering; refrigeration; transportation
electrically augmented heat and mass transfer, industrial applicability 4−9687

praseodymium
atom, matrix elements of electrostatic interaction energies for one-spin-shell configs. 4−31653
electromigration of Ag, Zn tracers, steady-state meas., mechanism 4−32744
fluorides:Pr^{3+}, cascade fluoresc. decay, quantum yield above unity 4−33491
lattice parameters, small grained wires, sample prep. effect 4−24413
liquid, Hall coeff. and elec. resist. *(German)* 4−1222

praseodymium continued
thermal expansion coefficient, low temp. anomalies, mag. ordering lattice deform., 2-50K 4−16926
X-ray emission, reemission transitions, 4d subshell ionisation, $N_{4,5}$ band 4−25194
$CaF_2:Pr^{3+}$, high resolution absorption spectra, 4f→5d transitions 4−25145
$CaWO_4:Pr^{3+}$, scheelite type crysts., luminesc., excitation into charge transfer band 4−37671
$LaCl_3:Pr$, radiative and nonradiative transition, fluoresc. decay rates 4−25164
$LaCl_3:Pr^{3+}$, energy level identification 4−24711
$LaCl_3:Pr^{3+}$ energy levels identification, reply 4−24712
$LaF_3:Pr^{3+}$, u.v. fluoresc., interconfigurational transitions 4−41425
$NaYF_4:Pr^{3+}$, two photon luminesc. u.v. excitation 4−33490
Pr^{3+}, dual action on transmitter release at frog neuromuscular synapse 4−26215
Pr^{3+}, in yttrium ethyl sulphate, spin-lattice relax., multiphonon processes 4−33295
Pr^{3+}, paramagnetoelectric reson. absorption, electric dipole reson. and echoes 4−41246
$SrCl_2:Pr^{3+}$, hydrogenated, i.r. study 4−33415
$YF_3:Pr^{3+}$, two photon luminesc., u.v. excitation 4−33490

praseodymium alloys
Ag-Pr, phase equilibria, thermal, chemical, metallographic, X-ray anals. *(French)* 4−29030
Pr-Co system, phase diagram 4−41524
Pr-Co-Cu, Pr-Co-Cu-Fe and Pr-Co-Ni systems phase constitution and structure *(Russian)* 4−1463
Pr-Sn alloys, liquid, N_2-PrN equilibria 4−33991
$Pr(Co_{1-x}Cu_x)_5$, mag. easy direction, temp. depend. 4−6764
$Pr(Co_{1-x}Cu_x)_5$, strong temp. depend. of coercivity obs. 4−20805
Pr_3In, mag. props. 4−28616
PrMg, mag. props., 4.2-300K 4−1305
$(Sm,Pr)Co_5$ powders, mag. props. and cryst. struct. rel. to particle size *(Russian)* 4−20799

praseodymium compounds
see also praseodymium alloys
$PrAlO_3$, 151K phase transition, quadrupole exciton-phonon dynamics 4−9986
$PrAlO_3$, e.p.r., internal-displacement order parameter below 151 K Jahn-Teller phase transition 4−24992
$(PrBi)Bi_4Ti_3Fe_2O_{18}$, $Pr_2Bi_4Ti_3Fe_2O_{18}$, perovskite-like, layer-type ferroelectrics, Mossbauer spectra 4−20902
$PrCl_3$, amide soln. absorption spectrum 8000-42000 cm^{-1}, nephelouxetic effect 4−27643
$PrCl_3$, radiative and nonradiative transitions, fluoresc. decay rates 4−25164
$PrCo_5D_{3.6}$, $PrCo_5D_{2.9}$, cryst. struct. relations, neutron diffr. obs. 4−32508
PrF_3, Orbach relax. transition probability calc. for ^{141}Pr 4−24995
Pr_4MS_7 (M=Co, Ni), cryst. struct., space groups *(French)* 4−40777
$Pr(NO_3)_3$, dye laser intra-cavity enhanced absorpt. rel. to conc. investig. 4−39403
PrO_2, film, a.c. dielec. props. meas., temp., freq., thickness depends. 4−20925
$Pr_{2/3}TiO_3$, and its solid soln. with $BaTiO_3$, oscillatory spectra, 30-1500 cm^{-1} *(Russian)* 4−37620
$Pr_2(WO_4)_3$, cryst. growth and lattice parameters 4−1444

preamplifiers
ionisation detectors, scintillation counters, description *(Czech)* 4−26629
microwave spectroscopy, 5 MHz design *(French)* 4−22857
m.o.s.f.e.t., improved signal-to-noise, ratio in Varian n.m.r. spectrometer 4−35364

precipitation
see also crystal growth from solution; electrostatic precipitation; flocculation
alloy, f.c.c., strengthening due to coherent tetragonally distorted particles 4−1521
alloy, high-strength, precipitate growth kinetics 4−7099
alloy, irrad., solute segregation stresses around void surfaces 4−16514
alloy, multiphase, γ-irrad. induced precipitate morphology changes 4−13635
alloy, quenched, vacancy diffusion, differential eqn. derivation 4−1132
alloy, spinodal decomposition, strain energy contrib. 4−1485
alloy, ternary, dendritic solidification 4−17216
alloy, ternary, diffusion controlled precipitate growth 4−17247
alloys, electron-metallographic microstruct. investigation of phase interface dislocations 4−33736
amphibole, hornblende-grunerite system, phase distrib., precipitate formation 4−38241
anisotropic media with non-deformable particles or fibres, linear work hardening behaviour 4−1623
bulk crystallisation, cryst. size distribution in precip. rel. to batch and continuous tank crystallizers 4−20241
conduction electron scattering in atomic array during pre-precipitation, computer simulation 4−3725
convective diffusion under steady-state laminar flow conditions, Peclet number effect 4−40595
Crystal size distribution in precipitates 4−3457
cubic crystals, elastic interaction of coherent tetragonal precipitates 4−17282
dislocation rings, calc. for formation near precipitates or inclusions *(Russian)* 4−7096
elastic interaction of small coherency strain centres w.r.t. ordered arrays 4−17283
glass, spinodal temp. determ. by electron microscopy 4−20223
grain boundary mechanism for precipitate nucleation 4−4109
Hastelloy-X, boron distrib. and segregation obs. 4−23838
Heusler alloys, ordered, antiphase boundaries influence on low temp. precip. *(Russian)* 4−21247
hexagonal crystal, precipitate boundaries (trace) data in surface orientation evaluation 4−12837
interfacial rate controlling step duration in reactions involving diffusion 4−21280

precipitation continued
  intergrowths of non-cubic and partially coherent phases, electron diffr. 4−13625
  metal, neutron irrad., impurity effects on void nucleation 4−16523
  metal powders study from gel precipitation processes 4−4166
  repeated precipitation on climbing edge dislocation, mechanism 4−33688
  semiconductor, SEM cathodoluminescence obs. *(French)* 4−40805
  solid solution, multicomponent, decomp. parameters prediction from electronegativity *(Russian)* 4−17236
  solid solution, precip. kinetics investig. using resist. maximum *(German)* 4−25335
  spinodal decomposition, thermodynamics 4−7049
  spinodal decomposition without diffuse interface, theory 4−4077
  stability against precipitate coarsening, Aubauer's model 4−37853
  steel, aging, intergranular chromium carbide 4−1525
  steel, Al, carbide formation during breakdown of α-martensite obs. 4−17256
  steel, austenitic, carbide stabilizing elements effect on creep-rupture strength and microstruct. changes 4−37920
  steel, austenitic, Cu-containing, fine precipitate coherency loss mechanism *(French)* 4−7047
  steel, austenitic, recrystn. and precip. during hot working 4−41628
  steel, austenitic, V-containing, precip. after solns. treating and ageing, hardness 4−37829
  steel, austenitic stainless, Type 316, thermal-mech. treated, microstruct. stability 4−37845
  steel, austenitic stainless Cr-Mn-N, effect of grain size on creep and rupture, and mechanism 4−4153
  steel, carbide and coherent precipitate containing, fatigue behaviour 4−13782
  steel, carbide phases produced during tempering, nucl. gamma reson. obs. *(Russian)* 4−21252
  steel, cast rolled 20KhGNR, struct. and mech. characts. *(Russian)* 4−33725
  steel, construction, recrystallisation and precipitation induced by high temp. deformation *(French)* 4−7175
  steel, Cr-Ni and Cr-Ni-Mo type with boron additions, heat resistance 4−41747
  steel, creep resistant, microhomogeneity removal by electroslag remelting 4−1576
  steel, Fe-Cr-C type, high-strength, development 4−25394
  steel, flow stress rate sensitivity 4−13797
  steel, forged martensitic Mn-Ni-Cr, causes of easy etchability of grain boundaries *(Czech)* 4−41572
  steel, high temp. austenitic, effect of cold forming on creep *(German)* 4−25349
  steel, high-C, quenched, tempering, martensitic decomposition stages 4−1584
  steel, high-Ni, strengthening and substruct. characts. 4−29089
  steel, interstitial phase orientation relationships 4−1520
  steel, low-alloy, dark field image technique, small particles identification 4−9794
  steel, low-C, containing Nb(CN) dispersion, isothermal recrystn. kinetics 4−41619
  steel, low-C, controlled rolled, carbonitride particles effect on recovery and recrystn. 4−41629
  steel, low-C, cyclically strained, carbide particle precip. and growth 4−1495
  steel, low-C low-alloy, temper embrittlement phenomena 4−25393
  steel, low-C sheets, niobium effects on cold-rolling and recrystn. textures 4−41601
  steel, low-carbon, AlN precipitation, influence of hot deformation 4−7133
  steel, low-temp. ageing applied before high-temp. treatment effect *(Russian)* 4−10606
  steel, maraging, high-speed cutting Fe-Co-W type, struct. and comp. changes influence on hardening *(Russian)* 4−4119
  steel, maraging, improved fatigue resist. through thermomech. processing, rel. to struct. 4−13783
  steel, maraging, initial decomp. stages *(Russian)* 4−21250
  steel, maraging, structure development on cumulative thermal cycling *(French)* 4−41583
  steel, mild, microstruct. inhomogeneities effect on recrystn. 4−41630
  steel, mild, vanadium-bearing, planar band colonies form. 4−1498
  steel, Mo type, isothermal decomposition, transformation mechanism of Mo_2C fibres 4−7006
  steel, Nb-Ti, recrystn. in austenite range 4−13633
  steel, nitride case, alpha phase structure 4−41584
  steel, nitride oxide and sulphide content electron probe and X-ray diffr. microanal. 4−37840
  steel, parallel appl. of electron microanal. and X-ray anal. for determ. chem. and phase composition 4−4067
  steel, pearlite morphology, model approach 4−17270
  steel, pearlite reaction, interrupted quench effect 4−17220
  steel, precip.-hardened, high-temp. variable-stress creep and segregation behaviour *(German)* 4−7086
  steel, second phases, kinetics of soln., Kh18N12T 4−33731
  steel, secondary hardening at 550°C by bainitic quenching after recovery *(French)* 4−37865
  steel, segregation ratio determ. with electron beam microanal., conc. depend. *(German)* 4−37842
  steel, segregation ratio determination using an electron microprobe *(German)* 4−1519
  steel, stable nitride formation 4−25317
  steel, stainless, 26Cr:6Ni, σ-phase formation and effects 4−7054
  steel, stainless, semicoherent interface struct. between grain boundary nucleated carbide and austenite grain 4−33689
  steel, stainless, Type 304, radiation damage obs. by h.v. electron microscopy 4−24488
  steel, stainless Cr-Ni type, carbon and titanium effect on hot workability 4−7162
  steel, Widmannstatten structure formation 4−41545
  steel, Widmanstatten struct., changes in phase morphology *(Czech)* 4−13642
  steel C-Mn-Nb type, during hot rolling, 900-1100°C 4−7132
  swelling of metals and alloys, coherent precipitates and interstitial annihilation 4−27453
  thermal centrifugal mechanisms in sampling 4−4619

precipitation continued
  transition metal-hydrogen solid solns., thermal stability *(Russian)* 4−1513
  two-phase alloy, recrystn. involving second phase 4−41617
  Zircaloy-2, effect of stress on hydride precip. 4−5912
  Zircaloy-2, thermomech. effects on hydride precip. 4−41582
  AgBr, enthalpy of, and aqueous Ag^+ ion entropy 4−38124
  AgCl, enthalpy of, and aqueous Ag^+ ion entropy 4−38124
  AgCl-NaCl solid solution, particle distrib. effect on diffuse X-ray scatt. 4−13047
  AgI, enthalpy of, and aqueous Ag^+ ion entropy 4−38124
  Al, implanted Ar atoms precip. during sputtering *(French)* 4−33527
  Al, ion implantation effects on microstruct. *(Japanese)* 4−41695
  Al alloys, γ-irrad. effect 4−17281
  Al alloys, precip. hardening, research and development trends 4−17357
  Al and alloys, grain size control methods 4−41624
  γ'-Al-Ag precipitate plates, EMMA-4 analysis of comp. 4−17260
  Al-Ag-Zn alloy, Zn addition effects on ageing kinetics, diffuse X-ray scatt. obs. *(Russian)* 4−17228
  Al-At-Ag, effect of cellular precipitation on superconducting properties 4−10224
  Al-Au(0.2 wt.%) alloy, interface dislocations on platelike precipitates 4−17263
  Al-Au(0.2 wt.%) alloy, loss of coherency of platelike precipitates, mechanisms 4−17262
  Al-Cu (4 wt.%) alloy, precip. after reversion *(French)* 4−33727
  Al-Cu (4 wt.%) alloy, two-phase, cyclic stress/strain response w.r.t. particles penetrable by dislocations 4−13693
  Al-Cu (4 wt.%) alloy, two-phase, cyclic stress/strain response w.r.t. particles not penetrated by dislocations 4−13694
  Al-Cu alloy, thin film conductor, $CuAl_2$ form. effect on electromigration 4−28509
  Al-Cu alloy, θ' plate growth kinetics and interfacial structure, effect of trace additions, Cd, In, Sn 4−41577
  Al-Cu alloys, Ge addition effect, quenched in vacancies 4−4100
  Al-Cu alloys, preprecip. stage obs. by Portevin-Le Chatelier effect *(French)* 4−21283
  Al-Cu-Mg alloys, high-strength, struct. influence on strength and toughness 4−29161
  Al-Cu-Ni alloys, dendritic solidification 4−17216
  Al-Cu-Zr alloy, superplastic, grain size control 4−41627
  Al-Cu(0.14 and 00.18 wt%) single crystals, substruct. and Cu distrib., γ-irrad. effects *(Russian)* 4−21288
  Al-Cu(3.3wt.%) alloy, α-particle dechannelling by Guinier-Preston zones *(French)* 4−20341
  Al-Cu(4 wt.%) alloy, cyclic stress/strain response rel. to microstructs. containing particles penetrable by dislocations 4−25380
  Al-Cu(4 wt.%) alloy, cyclic stress/strain response rel. to microstructs. containing particles not penetrated by dislocations 4−25381
  Al-Cu(4 wt.%) alloy, metastable phase form., heating speed influence *(French)* 4−37785
  Al-Cu(4 wt.%) alloy, precip. after reverse transform., microcalorimetric obs. *(French)* 4−37813
  Al-Cu(4 wt.%) alloy, surface precip. morphology and growth kinetics 4−17265
  Al-Cu(4 wt.%) alloy, θ' phase heterogeneous precip. on prismatic dislocation loops *(French)* 4−33694
  Al-Cu(4 wt.%) interface dislocations on platelike precipitates 4−17263
  Al-Cu(4%), Al-Au(0.2%), interfacial structure of platelike precipitates, hot-stage electron microscope obs. 4−21276
  Al-Cu(6 wt.%) alloy, strengthening mechanisms combination by thermomech. processing 4−29151
  Al-Li single crysts. containing Al_3Li particles, ordered particle effects on plastic deform. 4−29137
  Al-Mg, precipitation behaviour, on lattice and boundary dislocations 4−29059
  Al-Mg (10%) alloy, X-ray and elec. microscope study of first stages *(French)* 4−10585
  Al-Mg_2Si(1.0 wt.%) pseudo binary alloy, Guinier-Preston zone formation and ageing precip., effect of adding Fe *(Korean)* 4−21268
  Al-Mg-Si alloys, preageing effects, precipitate dispersions 4−7156
  Al-Mg(7 wt.%), Al-Cu(4 wt.%), low temp. diffusion, grain boundary precipitation 4−17250
  Al-Mn alloy, particles influence on recrystn. behaviour 4−41625
  Al-Si and Al-Si-Mg alloys, precip. kinetics and morphology, cooling rate and addition effects *(Russian)* 4−4078
  Al-Ti(0.60 wt.%) alloy, decomp. reactions 4−21264
  Al-Zn alloy, influence of heat treatment on precip. *(French)* 4−29126
  Al-Zn alloys, ageing, spinodal decomposition and discontinuous precipitation, miscibility gap region 4−25318
  Al-Zn-Mg alloy, particles influence on recrystn. behaviour 4−41625
  Al-Zn-Mg alloy, precipitate-free zone width influence on tensile props. 4−37936
  Al-Zn-Mg alloy, Ti additions effect 4−17280
  Al-Zn-Mg alloy, titanium additions influence on ageing characts. 4−17246
  Al-Zn-Mg alloys, precipitate particle size and GP zones *(German)* 4−41604
  Al-Zn-Mg alloys, preprecip. effects on precip. behaviour 4−33722
  Al-Zn-Mg-Cu alloy, ageing kinetics 4−17358
  Al-Zn-Mg-Cu alloys, high-strength, struct. influence on strength and toughness 4−29161
  Al-Zn-Mg-Cu alloys, quench-sensitivity interpret. 4−7167
  Al-Zn-Mg(-Cu) alloys, high-strength, thermomech. treatments and mech. characteriz. 4−13704
  Al-Zn(10%), alloys, quenching defects study from microstructure obs. 4−4098
  Al-Zn(28 at.%) alloy, cellular precip. 4−1486
  Al-Zn(28 at.%) alloy, matrix precip. effects on cellular growth kinetics, miscibility gaps 4−37792
  Al-Zn(30 wt.%), transition rhombohedral phase decomposition 4−21219
  Al-Zr(0.22 wt.%) alloy, prolonged ageing, hardness and struct. changes *(Japanese)* 4−25364
  Al_2O_3, thin film substrates, spinel segregation, MgO struct. determ. 4−7261

precipitation continued
Au:He, samples quenched under high hydrostatic pressure, bubble precipitation *(French)* 4−4099
Au-Fe solid solns., discontinuous precip. variants *(German)* 4−21292
B_2O_3-PbO-Al_2O_3, glass, spinodal decomp. investig. using X-ray scatt. 4−32445
Co alloy, simple and complex, stability of γ'-Co_3Ti compound 4−10561
Co-Cr-C system, carbide precip. and carbide equilib. 4−13650
Co-Ni-Cr alloy, precipitates formed by internal oxidation, under reduced O_2 pressure *(French)* 4−37850
Co-Ni-Ti, alloy, dispersion hardening and dislocation struct. *(Russian)* 4−29095
$Co_{3.8}Cu_{0.9}Fe_{0.5}Ce$, permanent magnet, TEM obs. of age hardening precipitates 4−4084
Co_5Sm, phase transformations 4−7044
Cu, equil. intergranular segregation of S, radiotracer method *(French)* 4−37858
Cu, intergranular diffusion of sulphur, boundary segregation effects *(French)* 4−1497
Cu-Be alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Be alloys, structure formed during eutectoid decomp., β''-phase obs. during ordering *(Russian)* 4−17232
Cu-Be-Co alloy, deform. effect on precip. sequence 4−41567
Cu-Be-Co alloys, continuous precip. sequence, GP zones 4−41565
Cu-Be-Co alloys, discontinuous precip., nucleation at grain boundaries 4−41566
Cu-Be(1.97 wt.%) aged cryst., Guinier-Preston zones 4−1483
Cu-Co dil. alloys, chem. interdiffusion coeffs., conc. depend., precip. rates prediction 4−3586
Cu-Co(1 wt.%) alloy, precip., X-ray Huang scatt. and small angle neutron scatt. 4−37833
Cu-Cr, Cu-Zr and Cu-Zr-Cr alloys, precipitates effect on recrystn. temp. 4−41600
Cu-Cr alloy, ordering, small Zr additions effect on second phase precipitate struct. *(Russian)* 4−33699
Cu-Cr(0.3 wt.%) alloy, precipitation and reversion behaviour, step annealing method *(Japanese)* 4−25324
Cu-Mn-Al alloys, modulated, γ-phase precip. 4−17284
Cu-Mn-Al alloys, with deviations from stoichiometry, low temp. precipitates obs. *(Russian)* 4−10569
Cu-Ni alloys, meas. of microsegregation by electron probe microanal. 4−4085
Cu-Ni-Cr alloy, hardening by spinodal decomp. and mech. strengthening *(German)* 4−7211
Cu-Ni-Cr alloy, modulated and tweed structs. 4−17285
Cu-No-Fe alloys, spinodal decomp. and coarsening 4−17266
Cu-Sn(16.5 at.%) alloy, ω phase behaviour 4−41538
Cu-Ti, alloys, sideband type, electron microscope obs. 4−7072
Cu-Ti alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Ti alloys, age hardened, modulated structs. and strengthening 4−17286
Cu-Ti alloys, decomp. process 4−17287
Cu-Ti alloys, metastable precipitate cryst. struct. 4−29073
Cu-Ti alloys, metastable precipitate cryst. struct. 4−29074
Cu-Ti alloys, precipitate/matrix interfaces, TEM obs. 4−17264
Cu-Ti and Cu-Ni-Ti alloys, precip. of Ti, coarsening obs. 4−33684
Cu-Ti dil. solid solns., internal oxidation kinetics and structures 4−17259
α-Cu-Zn precipitate plates, EMMA-4 analysis of comp. 4−17260
α-Fe, AlN precipitate distrib. and morphology, prior tensile deform. effect 4−33717
Fe, cast, eutectoid transform. kinetics, effect of Cr 4−41546
Fe, cast, nucleation and growth phenomena of eutectic cells of grey and ductile irons 4−13620
Fe, cast, with spheroidal graphite, Si segregation, importance for heat treatment *(German)* 4−25329
Fe, dispersion strengthening by gel precip. 4−7239
Fe, of C, to grain boundaries, atom probe anal. 4−24614
Fe, with thoria dispersion, prep. and characteriz. 4−7238
Fe alloy, deform. induced substruct. changes and decomp. phenomena during double ageing *(Russian)* 4−1510
Fe-Au alloys, aged in liq. Pb, precip. reactions 4−41568
Fe-Be system, metastable phase diagram construction 4−33646
Fe-C alloys, Cu distrib. analysis *(German)* 4−7087
Fe-C alloys, ferrite and bainite sideplates, lengthening kinetics 4−41579
Fe-C alloys, Widmanstatten ferrite, C content and surface relief 4−17261
Fe-C-Si alloy, hypereutectoid, isothermal bainitic transform., second stage obs. *(French)* 4−41522
Fe-C-Si alloy, isothermal solidification, non-eutectic reactions *(Japanese)* 4−4063
Fe-Cr (10-16 at.%)-Si (5-6 at.%)-Ti (2 at.%) alloy, precip. and hardening mechanisms, hardness, yield strength, ageing *(French)* 4−33782
Fe-Cr alloys, SEM investigation of crack nucleation and fracture propag. *(German)* 4−37841
Fe-Cr-Al alloys, struct. *(Polish)* 4−41558
Fe-Cr-Ni-Be alloys, electron metallographic investigation 4−21270
Fe-Cu and Fe-Cu-Ti-C alloys, dispersion hardening, influence on slip and dislocation struct. *(Russian)* 4−4080
Fe-Cu(1.23 wt.%), cold-worked, annealing and precip., struct. changes 4−10629
Fe-Mo alloys, nitrided, electron and field ion metallography of homogeneous precip. 4−1504
Fe-Ni alloys, f.c.c., finely dispersed coherent precipitates of ordered phase 4−3883
Fe-Ni-C alloy, microcracking in martensitic structure *(Czech)* 4−41702
Fe-Ni-C martensites, tetragonality and clustering 4−17271
Fe-Ni-Cr, austenitic, effect of B on carbide precipitation *(French)* 4−7080
Fe-Ni-Mo alloy, martensite, effect of Co on ageing 4−7177
Fe-Ni-Mo and Fe-Ni-Co-Mo maraging alloys, Mossbauer obs. 4−29070
Fe-Ni-P ternary system, dissolution of phosphides 4−25342

precipitation continued
Fe-V alloy, low-C, precip. associated with a ⟨100⟩ dislocation climb 4−1531
Fe-V-C alloys, ferrite strengthening by vanadium carbide precip. 4−41720
Fe-Zn, electron microscopy of cellular precipitation in ferritic alloys 4−4092
Fe-Zn alloys, ferritic, electron microscope investigation of cellular precip. 4−33715
Fe-Zn alloys, ferritic supersaturated, vol. precip. kinetics *(German)* 4−7051
$Fe_{73}Cr_{27}$ alloy, precip. kinetics investig. using resist. maximum *(German)* 4−25335
ε-Fe_4N, thermal decomposition, Mossbauer and X-ray diffr. obs. *(Russian)* 4−37529
GaAs:CrAs, precipitates, X-ray diffr. contrast 4−28214
Hf-H system, precipitate habit planes, cooling rate effect 4−7075
K compounds in flue gases *(Russian)* 4−38136
KCl-NaCl mixed single crystals, creep behaviour on decomp. *(Russian)* 4−32608
$K_2O-Ta_2O_5-Nb_2O_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4−13856
$MgAl_2O_4$ spinel, reactive powder prep. 4−7321
MgO, hot pressed, fracture energy and strength, microstruct. parameters influence 4−17384
Mo bicrystals, along torsional boundary, cleaved surface struct. 4−17325
Mo bicrystals, carbide phase at torsional boundary, effect on rupture, bending tests 4−17325
Na, liquid, precipitation of Ba_2N, Ba_3N_2, ternary phase diagram 4−4311
NaCl, doped, elastic anisotropy and Cauchy relation 4−3511
NaCl:Pb^{2+}, precipitate size effects on Rayleigh scatt. and u.v. absorpt. 4−13441
NaCl-AgCl, solid soln., decomposition kinetics from specific cond. meas. *(Russian)* 4−1229
Nb, low temp. embrittlement by dissolved and precipitated hydrogen 4−41708
Nb alloy Cb-752, mech. props., effect of oxygen, nitrogen and hydrogen 4−25397
Nb and Nb-N alloys, low temp. hydrogen embrittlement phenomena 4−21357
Nb-C system, electron microscopy and resist. obs. 4−25341
Nb-H, morphology and transitions in hydride precipitates 4−13655
Nb-H and Nb-N-H systems, hydride precip. 4−25343
Nb-Zr alloys, above monoeutectoid temp. 4−33641
Nb-Zr alloys, below monoeutectoid temp. 4−33642
β-Nb_2N, twinning precipitate form., matrix orientation *(French)* 4−24663
Ni alloys, crystn., segregation of alloying elements *(Czech)* 4−13640
Ni alloys, heat resistant, negative magnetostriction assoc. with γ'-phase precip. *(Russian)* 4−10302
Ni alloys, morphology, distrib. and identification of microconstituents 4−7227
Ni base alloy, preferential electrolytic etching tech. to reveal γ' phase 4−4104
Ni carbide precip. and cold rolling effect 4−25336
Ni superalloy, γ' precipitates, morphology and growth, effects of ageing *(Korean)* 4−21267
Ni superalloy, Mar-M200, phase equil. and transform. kinetics 4−17215
Ni superalloy, S additions, dependence of intergranular cracking on boundary topography and cohesion 4−4114
Ni superalloys, cast hafnium-modified, partitioning of refractory metal elements 4−17245
Ni superalloys, precip. with γ' particles 4−7071
Ni superalloys, stress-induced diffusional instability of grain boundary precipitates and effects on creep 4−13662
Ni superalloys, sulpho-carbides origin, chem. and morphology 4−33721
Ni superalloys, thermal exposure effect 4−17332
Ni-Al alloys, second phase precipitate spatial distrib. effect on mech. props. *(Russian)* 4−10608
Ni-Be alloy, TEM obs. 4−17285
Ni-Cr, characterisation of coherent ordered precipitates 4−4112
Ni-Cr-Co-Nb alloy, cellular precip. kinetics *(French)* 4−37823
Ni-Cr-Mo alloy, anodic behaviour, effect of ageing 4−37867
Ni-Cr(20 wt.%) alloy, dispersion strengthened, rel. to forming and joining 4−13811
Ni-Nb(Ti) alloys, thermomech. treatment effects on mech. props., precip. kinetics 4−25387
Ni-Ni_3Ta directionally precip. hardened composites, thermal stability 4−17425
Ni-P, electroless, banded structure 4−37131
Ni-Sn solid solns., fine lamellar discontinuous precip. reaction thermodynamics *(German)* 4−41605
Ni-Ti, field ion microscope contrast of γ' precipitates, atomic arrangement 4−17253
NiAl-Ni_2AlTi, semi-coherent, creep strengthening effect of precip. stabilized dislocation networks 4−21336
Pb-Sn(3 wt.%) alloy, morphology of cellular precip. reaction 4−33739
PbO-TiO_2-Al_2O_3-SiO_2 glass, dielec. props. of precipitated fine-grained $PbTiO_3$ crystals 4−25047
PbSe, precipitation kinetics of excess Se obs. by electrical meas. *(French)* 4−24564
Pt-Sn alloy, surface enrichment, combined X-ray photoelectron and Auger spectroscopy 4−25213
Si, cryst. defects investigation, i.r. microscopy *(Roumanian)* 4−21211
Si, of B, annealing effect on conc. profiles 4−6975
Si, of Cu, TEM, dislocation struct., covalent bond form. 4−20306
Si:B, dislocation generating sources 4−9921
Si:B, kinetics of negative annealing, precip. of boron solid soln. 4−20333
Si:P precipitates, X-ray diffr. contrast 4−28214
Si-Cu (0.0002 at.%) alloy, in situ annealing of dendritic shaped Cu precipitation colonies 4−16513
Si-Ge:P, structural changes during P precipitation 4−3504

precipitation continued
  SiC layers, seeded soln. growth using Ti-Si flux 4−10539
  SiO, cathodic vac. sputtering, film prep. technique *(Russian)* 4−32830
  $SmCo_5$-$SmCu_5$ cast alloys, microstruct. rel. to mag. props. *(Korean)* 4−37837
  Ta:N, screw dislocation struct. and impurity segregation effects 4−13669
  Ta-D, of deuteride, vibr. freq., internal friction meas. 4−37821
  Ta-N system, nitride phase obs. 4−25309
  Ta-W-Hf alloy, internally oxidized, grain boundary fracture at low temp. 4−25345
  TaC-Co alloy, cobalt content effect on microstruct. during sintering 4−29198
  γ-Ta_2N, twinned precipitate form., matrix orientation *(French)* 4−24663
  Ti alloy, two-phase, void form., void growth and tensile fracture, rel. to microstruct. 4−7056
  Ti alloy RMI, ω and α phase form. 4−25340
  Ti-Al alloys, Al conc. and precip. effects on plastic behaviour 4−13692
  Ti-Al alloys, α-phase decomp., resist. and TEM obs. 4−37796
  Ti-Mo alloys, dil., $\beta \rightleftharpoons \alpha$ transform. 4−33655
  Ti-Mo-Al alloys, α-phase precip., Burgers relation 4−25339
  β-Ti-Mo-Al alloys, dispersion-hardened, mech. props. correl. woth microstruct. and role of slip mode 4−7163
  Ti-Mo-Zr-Sn alloy, beta III type, precipitate form. effect on damping capacity and modulus in a.f. range 4−17363
  B-Ti-Mo(V) alloys, metastable, relax. processes, internal friction peaks 4−1484
  Ti-Nb(30 wt.%)-Zr(30 wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4−25301
  Ti-Si alloys, creep rates, microstruct. and Si content depend. 4−33830
  TiNi alloy, near-equiatomic, transition phase behaviour 4−37794
  Ti_3Sn, ordering of hydrogen and absence of hydride precip. 4−7058
  U-Mo-Nb-Zr-Ti alloys, strengthening mechanism, Widmanstatten structure 4−29087
  U-Ti(2.5 at.%) alloy, isothermal precip. kinetics, resist. obs. *(French)* 4−25322
  ^{233}U, separation by double decomposition of ThO_2 with H_2SO_4 4−5910
  V, low temp. embrittlement by dissolved and precipitated hydrogen 4−41708
  V, yield stress of single crysts., hydrogen and discontinuous temp. depend. 4−17352
  V-H solid solns., solubility and trapping of vanadium 4−1505
  V-N, solid solubility limit, 500-1500°C, phase struct. 4−33653
  Va, solute redistribution in 3.25 MeV Ni^+ bombardment 4−23904
  Z-Nb alloys, supercond., flux pinning processes w.r.t. phase separation reaction 4−13266
  Zn, zone refining, impurity distrib. and segregation effects 4−17341
  Zn alloy, dispersion strengthened, superplasticity 4−13698
  Zn-Cu-Ti alloys, precip. reactions investigation by electron microscope-microanalyser 4−17291
  Zr and alloys, dilatational misfit of precipitated hydride 4−25320
  Zr and alloys, precipitated hydride, dislocation generation 4−25321
  Zr-Al(0.7 wt.%) solid solution, microscopy study of Al_3Zr--precipitates 4−17254
  Zr-H alloys, γ and δ hydride relationships 4−25297
  Zr-Nb alloys, non supercond. particle form., rigid vortex model *(Russian)* 4−28560
  Zr-Nb(25 wt.%) alloy, residual stress effect on hydride orientation 4−33712
  ZrO_2-CaO, precip. in grain boundaries, rel. to compressive creep 4−7309

precipitation (atmospheric) *see atmospheric precipitation*

precipitation (meteorology) *see atmospheric precipitation*

precipitation hardening *see dispersion hardening*

precipitators *see precipitation*

prediction theory *see filtering and prediction theory*

predictor-corrector methods
  see also Runge-Kutta methods
  aeronomical calculations, Chapman reactions 4−17850
  daily maximum temperature prediction and modelling 4−25696

prerotation *see rotation*

presentation, technical *see technical presentation*

presentation methods, radar *see radar displays*

presintering *see sintering*

pressure
  see also radiation pressure; vapour pressure
  fluid meter, critical static pressure ratio 4−18813
  gas flow in parallel-plate channels, Graetz problem, effects of pressure work and viscous dissipation 4−40455
  gasdynamics of condensing vapours, high and low pressure effects in nuclear power plant 4−23761
  hydraulic system with liq. capable of air absorpt., pressure transients, computer model 4−20045
  Ising model, two-body, analyticity properties of pressure 4−30901
  quartz-K feldspur-biotite-garnet-sillimanite assemblage as indicator of P_{h_2o}-T conditions 4−10801
  shells, imperfect cylindrical, lower critical hydrostatic pressure 4−11750
  teaching approach 4−2213
  tolerant, u.s., focused imaging system for depths down to 6 km. 4−14740

pressure control
  see also vacuum control
  in hardness testers, MEIT 7 and MEIT 7A 4−25454
  optical chamber, low temperature semiconductor laser investigations 4−4990
  tissue dynamic response meas., oscillating arterial O_2 partial pressure control system 4−14625
  H_2 generator, for gas-discharge devices 4−18702
  N_2, device for generation of pure pressurised gas *(Czech)* 4−11475

pressure measurement
  see also vapour pressure measurement
  acoustic convection velocities of pressure fields induced by turbulent boundary layer 4−30278
  aerodynamics, measuring angles of slip and attack, using pressure distribution models at a frontal spherical surface *(Russian)* 4−18809
  aerofoil, surface pressure meas. using miniature transducer *(Japanese)* 4−5304
  air content in transformer oil, soln. *(Russian)* 4−8344
  aorta parameter determ. and rel. to Welkowitz model 4−11703
  barometric, and dynamic pressure meas. in thunderstorms by dropsondes 4−1820
  blood, automatic arterial tonometer 4−22543
  blood gas partial pressure, clinical amperometric techniques 4−14628
  blood pressure meas., automatic, calibration and standardisation *(German)* 4−26240
  brain impedance as function of O_2 and CO_2 partial pressures 4−14641
  checking pressure gauges using pressure intensifying press *(Polish)* 4−26493
  electronic measuring, annual survey of measuring, control engineering and communication engineering *(German)* 4−30434
  extraluminal catheter tip O_2 partial pressure monitor for neonates 4−14626
  FBR nuclear plant, pressure detectors *(Japanese)* 4−18405
  gauge, glass piston, atmospheric to 600 kPa, description 4−2258
  high pressure calibration by obs. of polymorphism in KCl-NaCl and RbCl-KCl solid solutions 4−28206
  human relative venous return curve from transcutaneous Doppler u.s. blood flow and intrathoracic pressure meas. 4−14652
  hydrostatic, applying Au-Cr electroresistive convertor 4−5017
  infrasonic pressures and human response meas. 4−11453
  intracranial pressure transducer calibration 4−14663
  intraocular pressure measurement, fibre optic tonometer 4−26231
  manometers, indication problems *(German)* 4−22804
  membrane mass spectrometer, partial pressure meas., small dia. cannula for medical use 4−8499
  monitoring, physicochemical parameters of media 4−35227
  n.q.r. frequencies, temp. depend. appl. 4−5007
  nuclear power station, relief valve testing *(German)* 4−20413
  nuclear reactor, water-cooled, computer anal. of compartment pressure transients from pipe breaks outside containment 4−40106
  oesophagial peristalsis amplitude, improved methods 4−14666
  oncotic, microsample membrane osmometer 4−30638
  osmotic pressure measurement, magnetic suspension osmometer 4−39463
  perinatal intrauterine pressure and foetal e.c.g., dual channel telemetry system 4−14617
  piezoresistive transducer, Si measuring cell *(German)* 4−35231
  piston gauges, statoscope for hydrostatic comparison *(Slovak)* 4−18406
  piston manometer, up to 100 kbar 4−5018
  plasma, pressure profiles in hydromagnetic equilib. 4−12811
  proportional counter gas mixtures, meas. of constants 4−35399
  simultaneous local tissue O_2 partial pressure and extracellular single neuron action potential meas. microelectrode 4−14627
  supersonic flow, probes, distribution in boundary layers 4−30682
  tensometric pickup, meas. of small pressure differentials 4−39160
  thermal conductivity gauges, sensitivity extension towards atmospheric pressure 4−5024
  total body plethysmograph, heating and humidification model 4−14665
  universal gas constant, meas. from expansion of liquid CO_2, school expt. *(Hungarian)* 4−2209
  u.s. transducer, secondary standard 4−22805
  water entry cavity, projectiles in open ocean 4−12729
  Au-Cr (2.1%) alloy resistance transducer, meas. of rapidly varying pressures up to 500 atm. 4−5016
  He-Ne laser tube, sealed, spectroscopic gas press. measurement 4−11476
  O_2, blood, nonlinearity of in vitro measurements 4−35492

pressure sintering *see sintering*

pressure transducers
  automatic arterial tonometer, for blood pressure meas. 4−22543
  blood pressure gauge, electronic, for small laboratory animals *(Polish)* 4−15027
  dynamic calibration, at high sound pressure levels 4−30406
  for height measurement, prototype gauge for remote areas 4−14243
  hydrostatic, precision u.s. transducer 4−22805
  intracranial pressure transducer calibration 4−14663
  laboratory standard capacitor microphones, primary pressure calibration device *(French)* 4−35197
  miniature, for aerofoil surface pressure meas. *(Japanese)* 4−5304
  nuclear reactor (PWR), internal vibr. monitoring by pressure transducers 4−2995
  Piezoelectric sensor for high sound pressure levels 4−20
  tube, thin, in pressure transducers, radial expansion, approx. calc. 4−39194
  Au-Cr (2.1%) alloy resistance transducer, meas. of rapidly varying pressures up to 500 atm. 4−5016
  Au-Cr alloy, for hydrostatic pressure meas. 4−5017
  Si crystal piezo-resistive, construction, characteristics *(German)* 4−30432

pressure vessels
  heading is a late addition; see also nuclear reactors, high-pressure techniques
  acoustic emission testing 4−31509
  ATR, prototype, FUGEN, pressure vessel structure, design and development 4−23797
  automatic defect location by acoustic emission 4−31511
  brittle fracture safety, systems approach 4−33967
  computer-aided design, to ASME VIII recommendations 4−23807
  concrete, at Oldbury-on-Severn nuclear power station, five year service exam. 4−27433
  concrete, prestressed, for HTGR, design bases 4−27395
  concrete, prestressed, for nuclear power reactors 4−27431
  concrete, prestressed, for nuclear reactors, developments in France 4−27432

pressure vessels continued
concrete, prestressed shell of revolution, viscoelastic anal. 4−27471
concrete prestressed reactor vessels, assessment of bounds on stresses and strains 4−40123
conical shell, truncated, stress anal. 4−23136
crack initiation, arresting conditions w.r.t. energy 4−31522
cylinder-torisphere combinations, elastic stability 4−23800
cylindrical, thick-walled, stress concentrations at offset-oblique holes 4−23805
cylindrical shell, contact with rigid ring 4−23137
cylindrical shells loaded radially through rigid supports, plastic collapse loads 4−23816
cylindrical unstiffened, twin saddle supports 4−23135
design, for repeated press. applics. 4−31521
failure analysis for 90° bend with elliptical section, exptl. and computer analyses 4−27429
fatigue, low-cycle, notch effect, finite element analysis 4−33959
fatigue failure under multiaxial stress, general criterion 4−33960
fatigue strength, low-cycle tests 4−31517
fibre-reinforced composite spherical shells, anal. under deep submergence conditions 4−29212
fibrous composite, design and anal. 4−29213
filament wound composite, materials technology 4−29215
fracture analysis in high nominal strain areas 4−31523
Garigliano reactor, neutron embrittlement of vessel steel 4−32587
glass-fibre composite, structural aspects, design 4−29214
LWR, reliability, status and research planning 4−23798
metal shell intersections, dynamic plastic behaviour 4−33943
nozzle intersecting cylindrical shell, elastic stresses due to axial load 4−23803
nozzle-cylindrical vessel attachment, out-of-plane limit couples 4−23817
nozzle-on-sphere junctions, elastic-plastic behaviour and shakedown 4−23815
nozzle-to-cylinder intersections, stress anal. 4−23804
nuclear reactor, failure anal. of closure studs 4−27434
nuclear reactor, in-service inspection techniques 4−40090
nuclear reactor, surveillance specimen evaluation techniques 4−36362
PWR, u.s. in-service inspection 4−31512
reactor, automated stress anal. 4−23806
reactor, computer program for elevated temp. cyclic anal. 4−23811
reactor, prestressed-concrete, instrumentation R & D program 4−40057
reactor, quality assurance programmes 4−23799
rupture modes, stress intensity factors 4−33968
spherical, nonradially penetrated by cylindrical shell, stress anal. 4−23802
spherical shells with non radial nozzles, stress anal. 4−23801
steel, acoustic emission inspection 4−31510
steel, acoustic emission rel. to crack opening displacements meas. 4−29291
steel, acoustic emission testing 4−31508
steel, austenitic stainless, coldstretched, development 4−31524
steel, brittle fracture prevention criteria, wide plate test data use 4−33966
steel, COD as measure of fracture initiation 4−33963
steel, fracture arrest characteriz. 4−33964
steel, low-cycle fracture resist. 4−31516
steel, residual stress relaxation by thermal stress relief 4−33839
steel, stainless-type 304 welded, in LMFBR, strength and microstructure 4−23899
steel, thick-walled, for nuclear reactor, fracture behaviour 4−40089
steel, thick-walled, for water-cooled nuclear reactor, fracture tests 4−36311
steel, weld defect in 100 mm thick joint, fatigue crack propag. 4−33962
stress analysis, selection of near optimum finite element grids 4−23138
stress intensity factors and fatigue crack propag. of semi-elliptical part-through surface cracks 4−33961
stress measurement using u.s. techniques 4−26464
structural integrity assessments of models with notched nozzles under cyclic press. loading 4−31519
technology, conference, San Antonio, Texas, USA (October 1973) 4−23796
thin shells, design and reinforcements 4−23134
weld inspection by u.s. methods 4−31513
weld inspection by u.s. methods 4−31514
welded, flush and extruded nozzles, stress conc. factors and fatigue assessment 4−31520
primary cells
International Weston cell e.m.f. stability rel. to electrolyte pH 4−35157
voltage standard, saturated and unsaturated 4−35155
Ag-AgCl-Mg implanted biogalvanic cell, feasibility 4−26227
primary cosmic radiation *see primary cosmic rays*
primary cosmic rays
antinuclei content, upper limit estimation 4−22195
biological effects, long-term, Biostack, Apollo 16 4−22611
charge spectrum of ultra heavy primaries, airborne nuclear emulsion and plastic track detector obs. 4−22200
Cherenkov detector, fast-film images for $Z>60$ 4−18667
delayed fission, role in production of very heavy and superheavy elements 4−9326
electrons 10-200 GeV, energy spectra using thick detector 4−11091
energy spectrum from 10^{15}-10^{18} eV, cascade calculation 4−34569
galactic diffusion in energy range 10^{14} to 10^{17} eV 4−22189
heavy nuclei, dose meas. at supersonic transport altitude using plastic stacks 4−30569
heavy nuclei flux attenuation in upper atmosphere by fragmentation 4−42242
isotope identification using large area Si semiconductor detector telescopes 4−39338
low energy charge spectrum in $17\leqslant Z\leqslant 628$ region, photometric determ. 4−22196
multiple scattering of charged particles in irregular magnetic fields, single particle approach 4−22191
propagation in interplanetary space, direct and inverse problems 4−4648
primary cosmic rays continued
pulsar contribution to origin in energy single 10^{14} to 10^{16} eV 4−22190
review, energy spectrum of nuclei, protons, electrons, positrons, γ-rays 4−38567
solar modulation rel. to 5303 A coronal line intensity in solar cycle No.20 4−38578
urbaryons as exotic primary cosmic rays 4−34565
Fe nuclei, mass dependence of energy spectrum 4−11090
printed circuits
capacitance network model for field boundary problems, manufacture *(Russian)* 4−35781
capacitance network model for field boundary problems *(Russian)* 4−35782
printers
acoustic noise, control by design using computer 4−26316
c.r.t. display, electrophotography applic. *(Japanese)* 4−14912
printing
colour negative printing, filtration detn. method 4−2308
laser beam printing of part numbers 4−31085
prisms (optical) *see optical prisms*
probabilistic logic
degree of belief function, coherence and probability 4−35618
probability
see also game theory; queuing theory; random processes; statistics
adsorption, relaxation adsorption layer model *(Russian)* 4−16659
atmospheric visibilities, 2- and 4-hr. recurrence probabilities, stochastic modelling 4−34346
balance for time, space, energy dependent reactor, forward Kolmogorov equation 4−5897
Bertrand paradox, range of application of probability theory 4−15130
cell death, low LET radiation, models, interactions between hits 4−8241
compact topological semigroups, variance existence criterion 4−30685
continuous radiance functions estimation from discrete radiative transfer simulations 4−2572
earthquake magnitudes, Mexico City, nonrandomness 4−34114
earthquake occurrence, stochastic forecasting models Chinese examples *(Chinese)* 4−34110
electron beams diffraction, dense, in quantum mech., prob. eqn. and Schrodingers eqn. 4−327
Gauss principle of arithmetic mean, approach to statistical mechanics 4−15231
lightning mapping out in Azerbajdshan area *(Slovene)* 4−7681
linear operator, general form in space of all measurable functions 4−30686
optical communication, time of arrival of phtoevents, probability distrib. 4−19046
photoevents of low-level light, estimations based on instants of occurrence 4−39224
physics, probabilistic, combination of quantum and statistical theory 4−15129
precipitation forecasts over 36 hour period 4−34324
rainfall events, extreme, probability analysis 4−14115
semi linear Poisson equations, existence and uniqueness theorem 4−15131
temperature difference calculation, Monte Carlo method, appl. of probability table method 4−27383
testing facilities, manufacturing programme, cost minimisation *(German)* 4−5040
three dimensional Ising model, Gibbs state describing coexistence of phases *(Russian)* 4−11865
topological semigroups, compact, infinite products of random elements 4−8620
weather forecasting, limitations 4−34326
weather forecasts, problems in transformation to categorical forecasts 4−34325
probes
see also electron probes; plasma probes
acoustic surface wave device characterisation with laser heterodyne probe 4−5545
anemometric, for thermal wake obs. *(French)* 4−23067
biomolecular, fluorophore sempervirene, and its complexes with DNA 4−42527
boundary, for current density and elec. field strength meas. 4−30521
capacitive, basilar membrane, vibration meas. 4−8137
dipole antenna, for permittivity meas. of deep Antarctic ice 4−29535
e.m. catheter tip, flowmeter, anal. for steady flow in cylindrical vessel 4−30681
e.m. fields of moon 4−30943
e.m. waves inverse scattering and remote probing 4−8764
hollow-cathode discharge determ. of reaction kinetics, probe for meas. quantity of water vapour 4−35543
hot film, velocity wave forms in dog aorta obs. 4−18117
hot wire, device for in-water calibration 4−15099
hot-film, device for in-water calibration 4−15099
ion microanalyzer applic. to oxide scale conc. profiles determ. on alloys 4−7066
ion microprobe analyzer, appl. to obs. of Li^+ self-diffusion in LiF, 650-800°C 4−37042
ion probe mass analyzer applic. to characteriz. of ceramics *(Japanese)* 4−39435
ion probe mass spectrometry, technique, instrumentation 4−5295
isochronous cyclotrons, capacitive phase probes, signals interpretation 4−14943
laser emission microprobe anal. of Al_2O_3 substrates 4−5278
magnetic for three-dimensional magnetic field plotting 4−18527
measurements in marine environments *(French)* 4−29767
metalfilm, for small, fast flow temp. fluctuations meas. *(German)* 4−39188
molecular, gene expression study 4−39392
nozzle, transonic region, anal. of probe effects 4−20009
pressure and temperature, distribution in boundary layers, supersonic flow 4−30682
radioprobe, visualisation of the field in the interprobe space 4−33953

probes continued
rocket probing, combined expts., switching system for optimizing 4—29746
semiconductor resistance measurement, localisation of 4-probe method *(Russian)* 4—5104
single round conductor, intercepting current from moving electron beam 4—19167
subsonic internal flow measurement, cylindrical probe, inclination angles 4—35575
temperature measurement, body, telemetry, using an implanted cannula 4—35498
temperature probe method for liquid thermal activity meas. by compensation method 4—39185
thermophysical properties of biological masses, probe method applic. 4—39182
thin-film, for fluid vel. meas. 4—39465
underwater, optical radar applic. 4—29764
u.s., for finding hidden defects 4—25448
u.s., sound press. and nearfield length variation determ. using multiple-echo series *(German)* 4—17488
u.s. flaw detector, features 4—18371
vented aerodynamic probe collection efficiency 4—4628
Cu-phthalocyanine molecular probe adsorbate-substrate configuration anal. 4—6553

process control
see also control engineering applications of computers; online operation
coke ovens, Coaltek charging and Honeywell instrumentation 4—42633
dimensions of shaped workpieces, automatic inspection, laser beam scanning *(Russian)* 4—19150
electrophotographic sensitometry, interactive use of time shared process control computer 4—35328
hydrocyclone, solid-liquid separation device, applic. 4—18243
metal industry, surface treatment, plasma spraying *(German)* 4—32341
semiconductor impurity distribution, optimal control applic. 4—6977
standardisation of techniques, international trends *(German)* 4—22737
weighing systems and balances, automatic *(German)* 4—35466
welding, high vacuum, electron beam welding 4—37960
Al pot line dry scrubber system for exhaust gases, description 4—18246
O_2 analysers applic., instruments described 4—15034

processors (program) *see program processors*

Procopiu effect *see magnetoelectric effects; magnetomechanical effects*

product control *see quality control*

production
this heading is restricted to industrial production
see also integrated circuit production; manufacture; quality control; reliability
heavy water, using hydrogen-water exchange 4—31526
lines, automated horizontal forging presses *(German)* 4—25404
metal-working, lines, conditions *(German)* 4—37966
sheet metal working, lines, heavy duty *(German)* 4—37967

production control
see also process control; quality control
cutting instrument, automatic control device for NC machines and automatic production lines *(Russian)* 4—37913

production schedules *see production control*

production testing
control relays and contactors, life testing, high speed movies applic. 4—14918
crack fault detection using acoustic emission *(Czech)* 4—21507

program processors
crystallography, program conversion, X-ray 70 to DEC system 4—16395

programmed control
see also process control; production control
bending machine for tubes *(Russian)* 4—37912
biomedical equipment, for direct angiography 4—39058
flash unit, thyristor-controlled computer flash, review 4—35340
spectrometer, design and operation 4—11504

programmer training *see training*

programming, mathematical *see mathematical programming*

programming languages
N-body problem, numerical integration by Taylor series methods, programming language considerations 4—14289

programs (computer) *see computer software*

project engineering
see also design engineering; electromagnetic compatibility; quality control; reliability; systems engineering
Earth resources aircraft facility 4—34498
e.l.f. Sanguine project, biological effects 4—39088
e.m. wave propagation in atmosphere, research project, in Denmark 4—34430
Sanguine, transmitter antenna site selection by magnetotelluric method 4—34497
Sanguine antenna site selection, resistivity surveying 4—34496
Sanguine project, e.l.f., atmospheric noise level statistics 4—38356

projectiles
see also missiles; rockets; weapons
ceramic, strength degradation by projectile impacts 4—13829
demonstration apparatus to illustrate independence of vertical and horizontal velocities 4—30369
film image synchronized rotating slit shuttered drum field cameras for projectile in flight photography 4—11448
hypersonic wake velocity, temp., mass and charge density determ. 4—16221
student experiment projectile fired from moving car rejoins it 4—26350
supersonic, holographic flow visualisation of wake *(French)* 4—30676

projectors (optical) *see optical projectors*

promethium
stellar, surface nuclear reaction theories to explain Pm in HR 465 4—11171

promethium continued
Pm I, search for lines in Ap and S stars 4—14370
^{147}Pm, by-product recovery in irradiated nuclear fuel processing *(French)* 4—5905

promethium alloys
No entries

promethium compounds
see also promethium alloys
No entries

prominences (solar) *see solar prominences*

propagation, wave *see wave propagation*

propagators *see quantum field theory*

proportional control
laboratory furnace, programmable regulator *(German)* 4—4934

proportional counters
1 mm wire spacing, construction and operating characts. 4—8452
alpha activity measurement, smear and air samples 4—22949
avalanche, centre-of-gravity, high-accuracy meas. 4—8477
coincidence counting, accuracy, reproducibility techniques 4—5181
decision-making mode, event selection, using lookup tables 4—8454
diagnostic system of beam, in analogue mode 4—26581
digital dosimeter application, for mixed neutron-gamma fields 4—22956
elementary particle scattering expts., universal decision making device 4—18585
energy deposition spectra, calc. for very small energy losses and high energy delta rays 4—18622
field correction device 4—8456
gas flow, detection of Na $K\alpha$ X-radiation 4—30546
gas mixtures, measurement of constants 4—35399
high press., for internal conversion electron meas. 4—5168
ionisation chambers, multi-wire, microdosimetry applic. *(German)* 4—36371
low energy meas., pulse height distrib. 4—5166
low-pressure, containing H_2, absolute energy calibration 4—14968
mechanism, parameters, physical effects, review 4—5169
multi-wire chambers, serial readout system 4—26693
multiparticle spectrometer, chambers for 50000-wire detector 4—26638
multiple cathode wire, charact. with P10 gas 4—5158
multiwire, amplitude dependence of induction signal 4—14975
multiwire, anal. of three-body events in $\gamma + D \rightarrow \pi^- + p + p$ reaction 4—36179
multiwire, bone densitometry, photon imaging, high precision techniques 4—2191
multiwire, efficiency dependence on freon content 4—35408
multiwire, for soft X-ray astronomy, fast charge-sensitive preamplifier 4—8463
multiwire, high accuracy, two-dimens. read-out 4—8475
multiwire, high intensity operation 4—11598
multiwire, hybrid amplifier and memorisation circuits 4—35437
multiwire, mechanical resonance detector 4—8476
multiwire, modular data acquisition system 4—11590
multiwire, setting up and use 4—5195
multiwire counting rel. to low level gas counting, ring counter spectrometric props. 4—5186
multiwire system, charged particle beam profile and position monitoring 4—11600
position-sensitive, applics. to X-ray and neutron scatt. expts. 4—32402
position-sensitive, for small-angle X-ray scatt., biophysical applics. 4—32376
pressurized, for coincidence meas. 4—5167
proton recoil distribution analysis by spherical proportional counters 4—5212
reactor neutron spectrometry, appl. 4—18606
single electron detection 4—5165
spherical, monoenergetic neutron event distrib., $E=0.2$ to 15 MeV 4—8464
spherical ^{3}He(n,p) reaction products, interaction with wall 4—14969
spurious pulses, time distrib. 4—5164
with two dimensional readout 4—94
windowless gas-flow type, home-made for students 4—26436
wire, review 4—93
X-ray filter, definition of energy bands using gas K-edges 4—11584
X-ray source calibration using multiwire proportion technique 4—4955
X-ray SRPP circulation device for spectral analysis 4—39386
^{3}He, in polythene cube, for neutron detection in photoreaction studies 4—35401
^{3}He, response function to neutrons, 1 inch diameters by 6 inch long counter 4—26603
T, β-counting, pulse shape discrimination for reduction at background 4—11579

prospecting (geophysical) *see geophysical prospecting*

prosthetic power supplies
anatomical power extraction, experiments in dog 4—18131
nuclear, for circulatory support system, intracorporeal radiation effects 4—18234
nuclear power source, Betacel battery, implant evaluation 4—35042
Ag-AgCl-Mg implanted biogalvanic cell, feasibility 4—26227

prosthetics
see also artificial limbs; artificial organs; sensory aids
biomedical engineering, conference, Glasgow, Scotland, June (1973) 4—14597
control applic., multi-functional, e.m.g. signals, stochastic analysis 4—35011
gait improvement, by functional stimulation of the lateral poplitial nerve 4—35010
hip joint, CoCrMo alloy, SEM fatigue fracture investigation 4—10593
medical electronics monographs 4—34984
surface myopotentials, method for obtaining independent control signals 4—18199

protactinium
^{231}Pa, Uranium series dating of bone samples from Quaternary deposits from Medicine Hat, Alberta 4—4328

protactinium compounds
No entries
protection
see also corrosion protection; power system protection; protective coatings; radiation protection; safety
acoustic tracking of ground vehicles using engine noise, correlation method 4−8330
ear, various mechanical devices 4−26320
nuclear material cargo vehicle, design concepts study 4−27497
overload, heavy duty presses for sheet metal forming *(German)* 4−37967
plasma torch, mains frequency, automatic system for protection, start up and shut down 4−32338
steel for watchmaking, using cracked methanol 4−8575
protective coatings
see also corrosion protection
adhesion to substrate, estimation method *(Russian)* 4−10622
aluminide coatings on Nb alloys, form. and degradation 4−13761
antireflection, two-layer, for visible and near i.r. 4−18438
boride, on steel, effect on wear resist. *(Russian)* 4−10625
boride coatings on steel, redistrib. of C and alloying elements 4−13732
ceramic reusable surface insulation coatings radiant and convective heating environments influence 4−17382
chromised coatings, phys. metallurgy and rel. to applics. 4−13759
coated reactor fuel particles, UC_2:UC kernel, PyC and SiC layers, coating failure 4−31530
cyanide, on steel, change in struct. and props. under cyclic temp.-force influences 4−4143
diffusion coatings, nonequil. struct. 4−13755
dispersed oxide composites, sintering for high temp. protective coatings applic. 4−41823
ductility, bend test unit 4−29284
elastomeric, adhesion strength, effects of cavitation erosion 4−10701
enamel, characteriz. for high temp. damping applics. 4−4178
filled epoxy resin, permeation of liq. water up to 130°C 4−24583
fluorinated network polymers, naval applications 4−38069
furniture industry, electrostatic paint spray application 4−19023
galvanized, on steel, composition effects on formation and adherence 4−37896
glass container, anal. by Auger electron spectroscopy, comp., props. 4−7264
hardness tester 4−29294
IC, thickness meas., contactless optical pickup 4−22813
IONITRIDING$^{(r)}$ technique, physical and metallurgical aspects 4−13769
on metal, effect on mech. behaviour 4−7221
metallic, H_2 penetrance coeff. determ. 4−18701
metallic surfaces, zirconisation and titanisation *(Japanese)* 4−13739
Nichrome, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4−33762
nitriding of steel, mech. props. 4−13768
plasma sprayed ceramic coatings, coherence mechanisms 4−4175
plasma sprayed graded coatings, prep. and characteriz. 4−4176
polyethylene coated steel, corrosion-fatigue strength *(Russian)* 4−10624
polymer membrane with adsorptive fillers, diffusion time lag 4−24582
polymer on metal, Mossbauer spectroscopy, nondestructive corrosion monitoring 4−7125
polymer/metal coating, microhead layer plus overlayer coating for metals 4−13738
polymeric, fluorinated network type, synthesis and characteriz. 4−38078
polyurethane, physico-mech. props. under influence of external factors *(Russian)* 4−10679
polyvinyl acetate coating, props. and supermolec. struct., effect of struct. formation conditions 4−17437
resin, effect of solvent type on optical props. 4−41853
silicide coatings on Nb alloys, form. and degradation 4−13761
solid-liquid diffusion concept for layers prepared by immersion in liquid Sn 4−13763
steel, corrosion fatigue strength, galvanic Cr-Cd plating influence *(Russian)* 4−1569
on steel, Cr-type, coating comp. and nature 4−13762
steel, medium-C, mechanical props., effect of Cr-Ni diffusion coatings 4−29124
steel, surface investigation by secondary ion mass spectrometry 4−10599
steel saturation with Mo from vapour phase, KL18N10T 4−29109
surface coatings, physical metallurgy, conf., London, England (May 1973) 4−13754
thixotropic lacquers, rheological properties *(Polish)* 4−10714
turbine blade alloys, cyclic and long term strength rel. to ductile chromoalumized coating 4−1598
on Al, effect on mech. behaviour 4−7221
Al powder coating of steel strips, phys. metallurgy aspects 4−13766
Al_2O, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4−33762
Co-Cr alloys, interdiffusion rel. to Cr_2O_3 layer formation 4−13741
Cr coating, carbidized electrolytic, effect of quenching on props. 4−29110
Cr_2O_3, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4−33762
on Cu, prod. and effects on substrate characts. 4−1578
Fe alloy, boride coating, formation, effect of Si 4−29121
HfO_2, sputtered coatings, emissivity meas. 4−4187
HfO_2 thermal control coating, solar radiation effect on optical props. 4−7265
$MgCO_3$, crushed, coating for glass blanks, fine annealing 4−22836
Mo, effect of thermodiffusion coatings on mech. props. 4−7202
Ni, solid-phase, on W wires, effect on sintering kinetics 4−37977
Ni-al, alloy, diffusional growth of aluminide coatings 4−13756
NiAl alloy, anomalous thermomech. behaviour 4−13789
NiAl type on Ni-Co alloys, prep., degradation and oxidation mechanisms 4−13757
NiO, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4−33762
SiO_2 films, protective characts. by microhardness meas. 4−2229
Sn diffusion coatings on steel, prep. and characteriz. 4−13760
protective coatings continued
Ti diffusional coating on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4−15052
Ti-Al-B diffusional coating on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4−15052
TiC, reactively ion plated, comp. rel. to deposition parameters 4−13776
TiC, vapour phase deposition on hard metal substrates 4−13764
W, struct. correl. with deposition conditions 4−13765
Zn electrodeposits, plating variables influence on microstruct. 4−13661
ZrC layer form. on graphite, mechanism *(French)* 4−7283
ZrO_2, coatings applied by plasma sputtering 4−4183
ZrO_2, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4−33762
ZrO_2, sputtered coatings, emissivity meas. 4−4187
proteins
see also DNA; gelatin
actin molecules, in monolayer at air-liquid interface, physical constants 4−22518
albumin, serum bovine, pseudo-Raman spectrum, water film effects *(French)* 4−31991
albumin uptake by arterial wall, correlation with wall shear 4−22548
allosteric, cooperative ligand binding, statistical mechanics 4−40352
allosteric, soln., theorem and proposal to detect directly asymmetric conformation 4−40351
analogues in hypothetical ammonia biosystem 4−42530
animal organ, inoculum copolymerisation, effect of syntheric inhibitor of raical reactions 4−26205
carbonmonoxy myoglobin, photodissoc., 50-200K 4−30163
circular dichroism spectra, conformational analysis 4−16154
collagen fibres, effect of low freq. vibrations 4−4852
crystallography, heavy atom posns., improved difference Fourier synthesis incorp. anomalous scatt. data 4−28002
cytochrome c, resonant Raman scatt., freq. depend. of depolarization ratio 4−30161
cytochrome P-450, mol. structure and mechanism of functioning 4−18086
densities from X-ray crystallographic coordinates 4−38956
diffusion, conc. depend. of diffusion coeffs. 4−27779
2,4-DNP, induction of transfer of ions in rat liver mitochondria 4−22509
D.N.P., plant, γ-irradiated solns., u.h. freq. study of dielectric constants 4−22612
DNP systems, malignant cells, thermo-mechanical parameters 4−18095
enzymes, dry and in aqueous soln., mag. props. *(French)* 4−31977
film, adsorbed onto polystyrene sphere in soln., spectroscopic characterisation 4−7376
fluorescence, rel. to struct. and function determ. *(Hungarian)* 4−4004
frog retina fluorescence, light induced changes 4−18162
G-6-PDH in human blood, microwave radiation, effect on activity 4−26268
gene expression, mol. probe 4−39392
haemoglobin, oxygen binding, electronic state of haeme-iron 4−8123
human carbonic anhydrase, protein metal site struc. DPAC determ. 4−27776
lipoproteins from human plasma, small-angle X-ray scatt. 4−31983
lipoproteins from human serum, small-angle X-ray scatt. 4−31984
lipoproteins from porcine plasma, small-angle X-ray scatt. 4−36589
membrane, effect of u.v. radiation on oxidative phosphorylation, isolated mitochondria 4−26209
model building computer program 4−26203
model possibilities of cysteine hydrochloride monohydrate two component phase system 4−41299
molecular replacement method, use of noncrystallographic symmetry, book 4−20185
nucleoside-Pt complex, Raman spectra 4−16159
ovuline albumin, spectra, pseudo-Raman broad band 4−31992
poly-L-lysine, thermal transitions, circular dichroism obs. 4−16153
polynucleotides, conformation rel. to calculated circular dichroism 4−16156
polynucleotides, conformation rel. to calculated circular dichroism 4−16157
polypeptide, helical chains, atomic coordinates 4−12652
polypeptide conformation, circular dichroism obs. 4−16152
polypeptides, circular dichroism spectra, conformational analysis 4−16154
Raman spectra 4−16159
ribosomal, L_7 and L_{12}, conformational changes, circular dichroism obs. 4−16155
serum lipoproteins, small-angle X-ray scatt. obs. using position-sensitive proportional counters 4−32376
α-spiral, excited states, config. changes and optical props. *(Russian)* 4−19937
structural analysis, anomalous dispersion methods 4−32397
structure factor, high-resolution phasing, least squares refinement 4−24452
synthesis, microwave effects, possible metabolic control by directed in vivo motion 4−42532
thyroglobulin from native hog, small-angle X-ray scatt. 4−38953
X-ray diffuse scattering from solutions, solvent effcts 4−31986
Fe(III) heme protein, isotropic n.m.r. shifts, magnetic susceptibility anisotropics 4−37505
proton absorption
see also nuclear reactions and scattering due to protons
$^{208}Pb+p$, antiproton annihilation, neutron halo 4−31359
proton accelerators
see also cosmotrons
calibration, from $^{27}Al(p,\gamma)^{28}Si$ resonances, $E_p=0.7-2.1$ MeV 4−11549
electron proton injector, 2 to 50 μA, 2 to 30 keV, description 4−22929
electron ring, high current possible parameters 4−18551
MP tandem Van de Graaff, ^1H and ^2H polarised source characteristics 4−18567
synchrotron, lossless particle capture 4−39304
tandem Van de Graaff, prod. of ^{11}C, for medical uses 4−35379

proton accelerators continued
- Van de Graaff, pressurised, ^{1}H and ^{2}H polarised sources characteristics 4−18566

proton angular distribution
- *see also proton spectra*
- cross section for photo-proton emission from nuclei between Li and Au, 400 MeV bremsstrahlung 4−624
- emulsion nuclei, 200 GeV proton interactions, shower particle multiplicity, ang. distrib. 4−31364
- giant resonance excitation on spherical and deformed nuclei by inelastic 155 MeV proton scattering 4−15818
- (d,p) reactions on A=88 region nuclei 4−2765
- (d,p) stripping, solvable model, np many channel separable potential interaction with fixed core 4−2904
- (d,p) stripping reaction, DWBA calcs. for continuum model cross section 4−31332
- d inelastic interactions at 9.4 GeV/c in photoemulsion, isolation of proton stripping events, cross sections *(Russian)* 4−15572
- (γ,p;t,^{3}He,^{4}He), 450 MeV bremsstrahlung, energy spectra and ang. distribs. meas. for A=27 to 197 4−36177
- K^{+}p elastic scattering, 10 GeV/c, ang. distrib. 4−383
- (p,p′) reactions on A=88 region nuclei 4−2765
- pp→pX, 300 GeV diffraction dissociation, invariant cross section and recoil proton meas. 4−23582
- π^{+}p, Δ^{++} 2170 to 3490 MeV resons. in backward elastic scatt. 4−39892
- π^{+}p elastic scattering, 10 GeV/c, ang. distrib. 4−382
- ^{9}Be(d,p$_{1}$)^{10}Be, 0.9 to 3.1 MeV ang. distrib. meas. DWBA and Hauser Feshbach anal. 4−2909
- ^{9}Be(d,p), 0.6 to 2.7 MeV, DWBA calcs. 4−31392
- ^{12}C(d,p) at 12.35 MeV, polarisation meas. and DWBA anal. 4−19502
- ^{12}C(p,p′), 185 MeV, p polarisation in 3^{-} level excitation 4−15841
- ^{40}Ca(d,p)^{41}Ca, 11 MeV deuteron beam, angular distrib. 4−442
- ^{40}Ca(d,pγ)^{41}Ca, 11 MeV, gamma-ray spectra, excitation of 3.62 MeV doublet 4−19291
- ^{40}Ca(γ,p)^{39}K, photoproton spectra, angular distribs. and γ-ray deexcitation spectra, cross sections 4−15759
- ^{40}Ca(p,p′), 185 LeV, p polarisation in 3^{-} level excitation 4−15841
- ^{a}Cd(p,p), A=110, 112, 114, 116, differential cross-sections at 6.5, 7.0, 7.5 MeV, optical model *(Russian)* 4−627
- ^{252}Cf, spontaneous fission, polar light particle emission 4−27371
- ^{37}Cl(p,γ), 0.6-2.9 MeV, ^{38}Ar resonances yield curves excitation energies branching ratios 4−31286
- C(π^{+}, π^{+}p), 60 and 112 MeV, reactions at small momentum transfer, cross sections and ang. distrib. pole mechanism *(Russian)* 4−15922
- ^{162}Dy(d,p), DWBA anal. of proton ang. distrib. 4−40023
- ^{56}Fe(p,p′γ), 6 to 11 MeV, energy level anal. *(French)* 4−40006
- ^{1}H(p,p) scattering, 500-2000 keV, differential cross sections, phase shift anal. *(German)* 4−23677
- ^{1}H(p,p)^{1}H, 30-50 MeV, polarisation angular distrib. 4−15824
- ^{2}H proton induced breakup at 23 MeV, cross sections and ang. distrib., impulse approx. 4−15800
- ^{2}H(d,p)^{3}H, 150-340 keV polarised and unpolarised deuterons, analysing powers 4−15871
- ^{2}H(e,p)e′n, electrodisintegration cross section, sensitivity to nuclear model 4−39995
- ^{2}H(e,p)e’n, 30 to 107 MeV, differential cross section meas. 4−15768
- ^{2}H(n,p)2n, 24.0 and 27.2 MeV, proton angular distrib. and energy spectra 4−9155
- ^{2}H(p,2p)n, 39.5 MeV, Dalitz plots for cross sections, destructive interference effects 4−15802
- ^{2}H(p,2p)n, coplanar and noncoplanar proton correlations at 10.0 MeV 4−15799
- ^{3}H(d,n), vector analysing power, comparison with mirror reaction ^{3}He(d,p) 4−15877
- ^{3}H(p,p)^{3}H, 4-12 MeV scattering of polarised protons, ang. distribs. and analysing powers 4−15830
- ^{3}H(p,p)^{3}H, excitation function of differential cross section and analysing power, 4-12 MeV 4−15632
- ^{3}He(d,p), vector analysing power, comparison with mirror reaction ^{3}H(d,n) 4−15877
- ^{3}He(d,p)^{4}He, 2-13 MeV vector polarised deuterons, angular distrib. of vector analysing power 4−19480
- ^{3}He(d,p)^{4}He, 2.8-10 MeV, tensor moments, angular distribs. and ^{5}Li resonant states 4−15884
- ^{3}He(d,p)^{4}He, polarised target, proton angular asymmetries at 6 and 8 MeV 4−15886
- ^{4}He(p,p)^{4}He, 20-40 MeV, polarisation and cross section meas. 4−15839
- ^{4}He(p,p)^{4}He, 3-18 MeV, polarisation ang. distribs., phase-shift representation 4−15838
- ^{7}Li(^{3}He,p)^{9}Be reaction, 3.2, 4.5, 10 MeV, cluster-transfer analysis 4−655
- ^{7}Li(e,e′p)^{6}He, 1200 MeV, 1s, 1p shell parameters 4−39992
- ^{24}Mg(d,p), 13.6 MeV, anal. of j-dependence of p ang. distrib. 4−40026
- ^{24}Mg(d,pγ)^{25}Mg, 10 MeV, p-γ ang. correlations and differential cross-section meas. 4−31389
- ^{26}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
- ^{26}Mg(d,p)^{27}Mg, 3.1 MeV, DWBA anal. ^{27}Mg spin and parity assignments 4−19283
- ^{23}Na(d,p)^{24}Na, DWBA anal. of proton groups, 670 and 620 keV 4−12356
- ^{20}Ne(d,p)^{21}Ne, study of 5.69 MeV and 5.78 MeV states 4−31245
- ^{16}O(p,p), 8 to 12 MeV p polarisation and ang. distrib. meas. 4−19436
- ^{204}Pb(t,p)^{206}Pb, 20 MeV, level scheme, elementary modes of excitation 4−36211
- ^{208}Pb(d,p)^{209}Pb, 17 to 25 MeV, spectroscopic factor determ. from d and p optical parameter sets 4−2907
- ^{208}Pb(p,p′), 185 MeV, p polarisation in 3^{-} level excitation 4−15841
- ^{a}Pd(p,p), A=106, 108, 110, differential cross-sections at 6.5, 7.0, 7.5 MeV, optical model *(Russian)* 4−627
- ^{28}Si(^{3}He, p)^{30}P, 2.9 to 4.25 MeV, determ. of excitation functions for ^{30}P states 4−2920
- ^{a}Sn(p,p), A=118, 120, 122 124 differential cross-sections at 6.5, 7.0, 7.5 MeV, optical model *(Russian)* 4−627

proton angular distribution continued
- ^{46}Ti(^{3}He,p)^{48}V, 17 MeV, excitation of 1^{+} states 4−19292
- ^{50}Ti(p,p′γ)^{50}Ti, 3.5-4.8 MeV, isobaric analogue state obs. 4−23606
- ^{235}U(d,p), 12 to 16 MeV, obs. of two-neutron quasiparticle states 4−23702
- Zn, A=64, 66, 68 or 70, elastic and inelastic proton scatt., E$_{p}$=6 MeV *(Russian)* 4−19394
- ^{90}Zr(p,p′), 185 MeV, p polarisation in 3^{-} level excitation 4−15841
- Zr(d,p), A=90 to 94, 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026

proton beam effects *see proton effects*

proton belt *see radiation belts*

proton detection and measurement
- 50 MeV protons, balloon obs. 4−34368
- automatic beam scanning system, orientational effects measurement in ion impact on crystals 4−5223
- average energy measurement by Vavilov-Cherenkov radiation using double reflection method 4−35398
- emulsions, white star events as coherent N* prod. off heavy nuclei 4−9041
- magnetic spectrometer, simultaneous recording of mesons, protons up to 4 GeV/c 4−22975
- radiography sensitivities of photographic films and screens 4−26620
- scintillation counter response for liquid, and Fe-plastic materials 4−39357
- ^{24}Na activity, proton-induced, beam profiles, accelerator energies 4−8458
- Si-barrier detector, response 4−11591
- Si(Li) detectors of 20 MeV proton, rise time discrimination 4−35407
- ^{28}Si(^{3}He,3n), 29 to 80 Me, search for β-delayed protons 4−9236
- ^{28}Si(^{3}He,α,2n)^{25}Si, 52 and 80 MeV, search for β-delayed protons 4−9236

proton-deuteron scattering
- backward elastic, 3.43-6.6 GeV/c, differential cross section 4−12362
- elastic, 10-70 GeV, Pomeranchuk trajectory and d form factor *(Russian)* 4−23520
- elastic, differential cross-sections meas. for $80<s<600$ GeV^{2} at NAL 4−5657
- elastic, large-angle, energy depend. 4−15536
- quasielastic, angular distrib. study from ^{2}H(d,dp)n, 52.3 MeV 4−19473
- quasifree cross-section from ^{3}He(p,pd)p, 156 MeV 4−19424
- shadow corrections, high energy 4−12121
- pd, cross section and struct. below 1.1 GeV/c 4−19241
- pd→dp, 300-600 MeV and 1.0-1.5 GeV, model of N and n* exchanges, reln. to pp→dπ^{+} 4−15540
- pd→n(p,p), charge exchange anal. in Glauber theory 4−39901
- pd→ppn, 600 MeV, contribution from deuteron D-state 4−39881
- ^{197}Au(^{3}He,pd)^{197}Au, peripheral dissoc. of ^{3}He, correlated p-d pairs 4−27344

proton effects
- *see also nuclear reactions and scattering due to protons*
- animal neoplasia, irradiation, E=18.5 MeV radiation therapy 4−11311
- bone-soft tissue interfaces, freq. distrib. of energy deposition by 44 MeV beam 4−22620
- clinical beam dose fields anal. using radiation track delineating flaw detector 4−26271
- differentiated backscattering spectrometry for elemental analysis 4−17155
- dynamic load, prod. in solid by positron beam, energy depend. 4−12959
- high energy beam interactions with nuclei, Monte Carlo calcs. of hadron cascades at energies to 400 GeV 4−9153
- interplanetary spacecraft, probabilities for the peak flux and fluence of incident energetic solar protons 4−22192
- metal, b.c.c., fusion reactor neutron spectrum effects simulation by protons 4−1071
- metals, acoustic wave generation, ionising energy loss *(Russian)* 4−6461
- neutron spectroscopy based on proton beams from meson plant *(Russian)* 4−22938
- photographic film darkening density increase determ. 4−8404
- pulse radiolysis experiments on organic gases, methodological aspects of technique 4−7456
- radiation therapy, production and uses 4−30247
- Rochelle salt crystal, proton produced needle Vavilov Cherenkov radiation 4−41448
- steel, stainless, defect production rates, computer modelling 4−24494
- stopping power theory, generalised Bethe theory 4−40822
- stopping powers and ranges, computer programme 4−8448
- tissue dose estimation for complex geometries 4−31618
- Al, compound nuclear lifetime effect on min. yield of blocking phenomena 4−16524
- Au M X-ray excitation by 0.7-2.1 MeV protons, obs. 4−21105
- BaF$_{2}$, proton channelling, Rutherford backscatt. and γ-ray spectra obs. 4−16526
- BaTiO$_{3}$-BaZrO$_{3}$, solid soln., dielec. props. changes *(Russian)* 4−41325
- ^{13}C analysis, using low energy protons, ^{12}C(p,γ)^{13}N and ^{13}C(p,γ)^{14}N reactions 4−15047
- CaF$_{2}$, irrad. and thermally bleached, thermolum. and elec. cond. *(Russian)* 4−13176
- CaF$_{2}$, proton channelling, Rutherford backscatt. and γ-ray spectra obs. 4−16526
- Cu film, depth distrib. of implanted He, C and O, proton backscatt. obs. 4−16510
- Fe to As, X-ray anal., semicond. systems 4−10513
- Ga$_{1-x}$Al$_{x}$As epitaxial layers, irrad., formation of insulating walls 4−13174
- Ge, defect distrib. determ. by fast proton channelling 4−16527
- KCl(I), anomalous F-centre distrib., 1.5 MeV proton irrad. to high fluences 4−12946
- NaCl, 75 keV proton channelling, simulation, X-ray excitation, dechannelling, 80°C, 280°C 4−16530
- NaF, F-centre accumulation curves *(Russian)* 4−24473

proton effects continued
Nb, Rutherford back-scatt., stopping power meas. 4−16537
Nb K_α X-ray excitation by 0.7-2.1 MeV protons, obs. 4−21105
NbTi,(50 wt.%), supercond., crit. current density, 3.1 MeV proton irrad. 4−3800
p-$Pb_{1-x}Sn_xTe$, conversion to n-type and isochronal annealing effects 4−10559
Pd_2Si, channelling, polycrystalline layer characterisation 4−20345
Si, carrier recomb. centre form., lattice defect theory *(Russian)* 4−32588
Si, channelling, energy scale conversion to depth scale, stopping power 4−16536
Si, defect distrib. determ. by fast proton channelling 4−16527
n-Si, rel. to photocurrent decay kinetics, slow processes 4−37274
Si surface barrier detector, damage effects with 0.5-2 MeV protons 4−39333
SiO_2, resistivity, dielec. loss, defect generation 4−13385
Ta, Rutherford back-scatt., stopping power meas. 4−16537
Ta_2O_5, Rutherford back-scatt., stopping power meas. 4−16537
Ti K X-ray excitation by 0.7-2.1 MeV protons, obs. 4−21105
Va, double inner-shell ionization, vel. depend. 4−28974

proton interactions
see also nuclear reactions and scattering due to protons; pion-proton interactions; proton-proton interactions
atmospheric aerosols, proton induced X-ray elemental analysis 4−29758
coherent generation of particles on nuclei, 200 GeV/c 4−27328
coherent production of particles in nuclear emulsion, 200 GeV/c, dissociation model 4−19251
deuterated target, polarised, analysing power of interactions 4−23545
emulsions, white star events as coherent N* prod. off heavy nuclei 4−9041
frozen spin polarised target experiments with Omega spectrometer 4−22941
heavy particle production in 300 GeV/c proton/W collisions 4−27193
multiple production processes on nuclei, 200 GeV, cascade model 4−12106
multiplicities in proton-nucleus collisions at 67 and 200 GeV 4−5683
nuclear emulsion bombardment, 24 GeV, use of evaporation black prongs in locating star centre 4−30566
nuclear emulsion target, 200 GeV, particle multiplicity meas. 4−27311
proton-nuclear collisions, 200 and 300 GeV, search for fractionally charged quarks 4−36200
quark and heavy stable particle production, in 300 GeV, bombardment of tungsten 4−12098
$dp \to {}^3H + (mm)^+$, 2.8 to 3.8 GeV/c, spectra of mesonic missing mass, ABC, DEF effects 4−19252
$dp \to {}^3He + (mm)^0$, 2.8 to 3.8 GeV/c, spectra of mesonic missing mass, ABC, DEF effects 4−19252
$dp \to {}^3He + (mm)^0$, intermediate reaction model for ABC effect 4−15570
$\Delta p \to nn$, 10 MeV to 27 GeV, cross section determ. one pion exchange model 4−2711
$ep \to en\pi^+$, 0.4 $(GeV/c)^2$, π^+ angular distribution, resonant helicity-$^1{}_{\cdot 2}$ amplitudes in 2nd and 3rd resonance regions 4−39857
$ep \to ep\pi^0$, total cross-section meas. just above threshold 4−12047
$ep \to e\pi^+$ + anything, virtual photoproduction cross sections anal. rel. to scaling phenomena 4−8963
$e^-p \to e^-\Lambda(\Sigma^0)K^+$, near threshold gradient invariant Born approximation *(Russian)* 4−31156
$e^-p \to e^-hX$, deep inelastic, unified Mueller picture 4−23500
$e^-p \to e^-\pi$ + anything, gauge-invariant-pole-dominated model, obs. 4−23490
η-mesons, photoproduction on H, 1.5 to 2.2 GeV, differential cross section 4−12042
γp, 270-375 MeV, γ-ray and π^0 production, NaI(Tl) crystal detector 4−27301
γp, new sum rule, derivation and evaluation 4−31148
γp, pseudoscalar meson photoproduction, 16 GeV, natural and unnatural parity exchanges 4−27102
$\gamma p \to \eta^0 p$, 890 MeV, recoil proton polarization and differential cross section 4−12039
$\gamma p \to \eta p$, eikonal model incouding reggeon-reggeon cuts 4−27104
$\gamma p \to K^+\Lambda$, fixed-t dispersion relations, low energy and 5-16 GeV 4−15487
$\gamma p \to n\pi^+$, in $\Delta(1236)$ resonance region, dispersion reln. analysis, isotensor e.m. current *(Russian)* 4−15492
$\gamma p \to n\pi+$, polarised photons in 1-2 GeV range, asymmetry meas. 4−31149
$\gamma p \to p(m\pi^+)(m\pi^-)$, $m=1,2$, total and partial cross-sections, 7.5 GeV, isoscolar-isovector interference 4−27189
$\gamma p \to p\eta$, 2 to 2.8 GeV, differential cross sections 4−35993
$\gamma p \to p\pi^0$, 350-850 MeV, differential cross sections 4−35995
$\gamma p \to p\pi^0$, polarised photons in 1-2 GeV range, asymmetry meas. 4−31149
$\gamma p \to p\pi^+\pi^+\pi^-\pi^-$, positron annihilation radiation, cross sections and resonance production 4−5615
$\gamma p \to \varphi p$, 2 GeV, differential cross section, φ mass determ. 4−39852
$\gamma p \to \pi^-$ + anything, anal. in beam fragmentation region using Regge pole exchange model 4−9024
$\gamma p \to \pi^0 X$ at 6 GeV, cross-section determ. using photon-difference method 4−12049
$\gamma p \to \pi^0 p$, 0.55-2.2 GeV, differential cross section 4−35996
$\gamma p \to \pi^0 p$, eikonal model including reggeon-reggeon cuts 4−27104
$Kp \to \Delta$ + anything, high energy, pion exchange contribution 4−9038
$Kp \to Qp$, model assuming pomeron, ω, f exchange dominance, s-channel helicity conservation 4−36064
K^-p, 7.2 GeV/c, evidence for high mass K* states 4−23561
K^-p, charge exchange and distrib., 10 and 16 GeV/c 4−2721
K^-p, review of Y* expts. 4−23562
K^-p, total cross section differences 4−9022
K^-p, up to 16 GeV/c, true multiplicity distribs., two-component model 4−39898
$K^-p \to (K^\pi)^-p$, 25 and 40 GeV/c, prod. of $K^{*-}(890)$ and $K^{*-}(1420)$ 4−5668
$K^-p \to \Delta^{++}$ + anything, $K^-\pi^-$ inelastic and total cross sections up to 2.8 GeV by Chew-Low extrapolation 4−39914

proton interactions continued
K^-p interactions, 8.25 GeV/c, for $K^-\pi^-$ system elastic and total cross sections 4−5669
$K^-p \to K^-p\pi^+\pi^-$, 8.25 GeV/c, low mass part of $(K\pi\pi)$ system 4−31194
$K^-p \to K^-\pi^-p\pi^+$, 4.25 GeV/c, study of $I=3/2$ $K^-\pi^-$ elastic scattering 4−27175
$K^-p \to K^0 + X$, 8-16 GeV/c, transverse spectra, mass independence, thermodynamic models 4−39910
$K^-p \to K^0n$, amplitude, polarisation rel. to dispersion relations, dual absorptive model 4−12091
$K^-p \to K^0n$, polarisation at 8 GeV/c *(French)* 4−19247
$K^-p \to K^0n$ at 0.77 to 2.25 GeV, peripheral Regge pole model in direct channel 4−15521
$K^-p \to K^0n$ at 25 and 35 GeV.c, meas. charge exchange cross sections 4−2725
$K^-p \to K^*\pi^-p$, 14.3 GeV/c, diffraction dissociation model 4−27188
$K^-p \to \Lambda^0 +$ neutrals, $E=0.525$ to 0.820 GeV/c channel cross sections 4−5650
$K^-p \to \Lambda + X$, 14.3 GeV/c, Regge factorisation scheme 4−19265
$K^-p \to \Lambda + X$, 8-16 GeV/c, transverse spectra, mass independence, thermodynamic models 4−39910
$K^-p \to \Lambda\eta$, 690 to 934 MeV/c, neutral final state cross-section meas. 4−15547
$K^-p \to \Lambda\omega$ at 3.13, 3.3 GeV/c, complete amplitude analysis 4−12096
$K^-p \to \Lambda\pi^0$, 690 to 934 MeV/c, neutral final state cross-section meas. 4−15547
$K^-p \to \Lambda\pi^0\pi^0$, 690 to 934 MeV/c, neutral final state cross-section meas. 4−15547
$K^-p \to \Lambda\pi^+\pi^+\pi^-\pi^-$14.3 GeV/C transverse ang. momentum distrib. 4−27187
$K^-p \to \Lambda\pi^+\pi^+\pi^-\pi^-\pi^0$, 14.3 GeV/c, transverse ang. momentum distrib. 4−27187
$K^-p \to pX$, 14.3 GeV/c, differential cross section as a function of momentum transfer and missing mass squared 4−39916
$K^-p \to \pi^-Y^{*+}$, high energy quasi-two-body reaction, Regge model 4−15560
$K^-p \to \Sigma^0\eta$, 690 to 934 MeV/c, neutral final state cross-section meas. 4−15547
$K^-p \to \Sigma^0\pi^0$, 690 to 934 MeV/c, neutral final state cross-section meas. 4−15547
$K^-p \to X_k{}^-p$, 25 and 40 GeV/c, missing-mass spectra, cross sections rel. to s, t and $M^2(X^-{}_k)$ 4−5661
$K^0p \to K^-\pi^+p$, 0.8-3.0 GeV/c, cross-section, resonance prod. 4−15568
$K^0p \to K^+\pi^-p$, 0.8-3.0 GeV/c, cross-section, resonance prod. 4−15568
$K^0{}_lp$, review of Y* expts. 4−23562
K^+p, 12.7 GeV/c, study of exclusive Λ^0 and Λ^0 final states 4−23567
K^+p, increase of total cross-sections, slope of diffraction peak 4−19257
K^+p eight prong interactions, 12.7 GeV/c, effect of resonance production on angular correlation between pions 4−5674
K^+p interaction, simultaneous resonance prod. at 8.25 GeV/c, quasi-three-body reaction 4−5663
$K^+p \to K^0\Delta^{++}$, high energy quasi-two-body reaction, Regge model 4−15560
$K^+p \to K^0 + X$, anal. of inclusive spectra at conventional accelerators 4−12101
$K^+p \to K^0p\pi^+$, 1.2 to 1.7 GeV/c, study of prod. and decay of $\Delta(1236)$ and $K^*(892)$ 4−2728
$K^+p \to K^{+*} + X$, anal. of inclusive spectra at conventional accelerators 4−12101
$K^+p \to K + p\pi^+\pi^-$, 10 GeV/c, Regge recurrence of $\Delta(1236)$ resonance 4−36068
$K^+p \to K^+\pi^+\pi^-p$, 4.3 to 5.0 GeV/c simultaneous production of $K^{*0}(892)$ and $\Delta^{++}(1236)$ 4−36073
$K^+p \to K^{*0}\Delta^{++}$, 4.6-16 GeV/c, vector meson prod. mechanism, SU_3 sum rule 4−15562
$K^+p \to K^{*0}(890)\Delta^{++}$, $E=4.6$ to 16.0 GeV/c, cross section analysis 4−5670
$K^+p \to \pi^+pL$-0, 12 GeV/c, $K^0\pi^+$ mass spectrum anal., test of generalised Veneziano model 4−23570
$K^\pm p$, charged particle multiplicity distributions, 5 to 300 GeV/c, approximately normal distribution 4−36076
$K^\pm p$ total cross sections,-high-mass diffraction and Regge behaviour 4−36089
$K^\pm p$ total cross sections below 1 GeV/c, precise meas. 4−23541
$\mu^+\mu^-$ inclusive production in 22-29.5 GeV/c proton bombardment of uranium 4−5687
np charge exchange forward amplitudes, 600 MeV/c to 24 GeV/c 4−31190
np final interaction in Pd breakup at 585 MeV 4−5641
np final state interaction in deuteron break-up reaction 4−15797
$np \to pX$, 2-10 GeV, structure function dependences *(Russian)* 4−15586
$np \to pp\pi^-$, 1.0 to 8.0 GeV/c, one pion exchange model for physical distrib. 4−5664
$np \to \pi^\pm X$, 2-10 GeV, structure function dependences *(Russian)* 4−15586
$\nu p \to \mu^-hX$, deep inelastic, unified Mueller picture 4−23500
ωpp coupling constant, determ. using pp forward dispersion reln. 4−19242
$pA \to X$ + anything, A = nucleus, $X=\pi^\pm$, $K^\pm$, p, d, ^3H, ^3He, d, ^3He cascade model 4−27317
pd, existence of heavy non-strange mesons in R-S-T-U mass region 4−23552
pd, total cross section differences 4−9022
$pd \to {}^3He + (MM)$, 2.8 and 3.8 GeV/c, baryon exchange, η-X° mixing angle determ. 4−23557
Pd breakup, 585 MeV, neutron-proton final state interaction 4−5641
pd final state Coulomb interaction from $^2H(\alpha,dt)^1H$ at 70 MeV 4−23715
$pd \to nd\pi^-$ coherent reaction at 5.55 GeV/c, $n\pi^-$ enhancement and helicity conservation 4−23566
$pd \to p_s\varphi\pi^-$, study of φ-meson properties 4−36043
$pd \to pd\pi^+\pi^-$, coherent reaction study, 11.6 GeV/c 4−36066

proton interactions continued
pd total cross sections below 1 GeV/c, precise meas. 4−23541
pn, 200 and 300 GeV, cross sections for $\pi^\pm$, $K^\pm$, p, p production 4−9027
pn, inclusive π^+ single-particle and two-particle distrib., 3-5 GeV/c 4−5686
pN annihilation at rest in deuterium angular momentum states 4−36045
pn→Dγ, astrophysical, hypothesis for 1 MeV diffuse γ-ray excess 4−2130
pn→ppπ^-, isospin anal. of single pion prod., threshold to 2.90 GeV 4−27190
pn→$\pi^+\pi^-\pi^-$, grand angular momentum formalism 4−376
pZ→($e^\pm\mu^\pm$)+anything, high transverse momentum 4−23583
Kp→πY, spin rotation parameters meas. 4−23558
proton magnetic moment
anomalous, study by scattering of protons on ^{12}C 4−9205
measurements, in nuclear magnetons, by magnetic resonance mass spectroscopy, modulation correction 4−22922
omegatron meas. without diamagnetic shielding correction 4−11438
proton magnetic resonance
6-endo-bromo-1,5,5-trimethylnorbornane-2,3-dione, p.m.r. X-ray struct. anal. 4−40314
acetone, deuterated, obs. of CD_3 quadrupole coupling consts. in nematic soln. 4−6106
alklyl halides oriented in nematic crysts., H-C-H bond angles 4−6104
alkoxydiarylboranes, conformational anal., low temp., n.m.r. spectral investig. 4−27579
4-alkylnitrobenzenes, proton coupling constants 4−24115
amino-organic, chemical shift and NH_2 group struct. 4−36546
anilides, multiple internal rots., identification, kinetics *(German)* 4−31891
benzalmolonitriles, struct., dipole moments *(French)* 4−12613
benzenes, disubstituted, internal chemical shift correlations 4−6101
benzenoid hydrocarbon, proton shift ring-current contribs. 4−36550
biradicals, CIDNP mag. field depend. 4−21580
t-butyl chloride, solid, liq., relaxation times meas. 4−13361
butynedioic acid, proton chem. shift anisotropy in carboxyl groups 4−9576
cation exchange resin phase, KU-2-8, nuclear relax. of water mols. protons 4−16996
clathrate ices, n.m.r. properties 4−33275
cycloalkanones, medium and large ring, ^{13}C and ^{1}H n.m.r. evidence of conformations and energy barriers 4−40208
cyclobutanone, n.m.r. and ^{13}C satellite spectra, anal. by computer simulation 4−20885
diazines, lyotropic liq. crysts., orientation, struct. 4−9832
5H-dibenzo[a,d]cycloheptene carbanion, paramag. ring currents, proton chem. shifts 4−31894
5H-dibenz[b,f]azepine nitranion, paramag. ring currents, proton chem. shift 4−31894
β-dicarbonyl compounds, carbalkoxyl derivatives, study of intramolecular hydrogen bond 4−855
dichlorophenyl oxetanes, 60 MHz spectra, proton chemical shifts, proton-proton couplings 4−3205
dicyano benzenes, in nematic solvent, indirect couplings, and chem. shifts 4−852
2,6-dimethyl-1,4-dimethoxybenzene, mol., relaxation time meas. as function of temp. 4−3909
diphenyl sulphides, 60 MHz, spectral parameters 4−3203
dynamic polarisation of nuclei in chemical reactions 4−1712
EBBA, proton spin-lattice relax. times in solid, nematic and isotropic phases 4−25014
ethanes, partially halogenated 4−19874
ethanol, methyl, carbene and deuterated counterparts OH interaction 4−6105
ethyl α-cyanocinnamic esters struct., dipole moments *(French)* 4−12613
ethyl-[(methoxybenzylidene)-amino]cinnamate, liq. crystal, p.m.r. obs. of 'phase change' 4−33289
ethyl-[p-(p-methoxybenzylide)-amino]-cinnamate p.m.r. obs. of mol. motions and ordering 4−6802
ethylene acrylate copolymers, H^1 and C^{13} resonance investig. *(German)* 4−40356
ethylene vinyl acetate, copolymers, H^1 and C^{13} resonance investig. *(German)* 4−40356
ethyleneglycol:methanol, proton spin-lattice relax. and dynamic polarisation 4−20888
trans-1-fluoro-2-iodocyclohexane, conformational analysis 4−9573
glycerol:Cr(V) complex, dynamic polaris. and proton relax. 4−41262
p-n-heptyloxyazoxybenzene, liq. cryst., spin-spin relaxation 4−33290
hexamethylphosphoramide solutions, amides and ureas characterization 4−40311
hydrazyl radical, electronic struct. and hyperfine interactions 4−37480
hydroxyapatite, pure and fluorine-containing, MO-SCF study of hydroxyl binding and diffusion 4−28113
intramolecular nuclear Overhauser effect, measurement and interpretation 4−857
liquid crystal, nematic, proton spin echoes obs. 4−41266
liquid crystals, n.m.r. investigations of struct. 4−36797
macromolecule, internal rotation and methyl proton mag. relaxation 4−905
magnetic shielding anisotropies, gauge invariant molecular orbital approach 4−27709
malonic acid, cryst., shielding investig. by multiple pulse techniques 4−41261
MBBA, liq. cryst., spin-spin relaxation 4−33290
mercaptans, rel. to hydrogen bonding *(Russian)* 4−17508
methanol, H-C-H bond angle determ. 4−9582
methyl naphthalene, 77-4.2K, longitudinal relaxation time *(German)* 4−3911
4-methyl-2,6-ditertiarybutylphenol, proton spin symmetry conversion of tunnelling methyl groups 4−10333
2-methylbutane, conformational anal. 4−12528
methylchlorosilanes, solid, methyl group rot. barriers from T_1 meas. 4−3913
proton magnetic resonance continued
microtechnique suitable for routine analysis 4−26712
molecular motions and phase transitions in solids with tetrahedral groups 4−33284
multiple pulse technqiues, appl., nuclear mag. shielding anisotropies 4−41227
norbornane-2,3-diones, long-range spin-spin coupling 4−40314
organic compounds, line-shape and spin-lattice relaxation of methyl protons, C_3 and C_3' reorientations 4−41300
oxalic acid, anhydrous, solid, proton chemical shielding tensor determ. by multiple pulse n.m.r. 4−41289
1,3-oxathiolane, alkyl substituted, config. and conformational effects 4−36545
phenyl radical reaction kinetics, CIDNP obs. 4−33987
phenyltin(silyl)(IV) trichloride, coupling consts., chemical shift and paramagnetic shielding 4−41284
phosphonates, var. of vicinal $^{31}P-C-C-{}^{1}H$ couplings with dihedral angle, n.m.r. study 4−27577
γ-picoline, nearly zero methyl group rot. barrier obs. 4−37520
γ-picoline adduct with Ni(II), Co(II) complexes, isotropic proton shift 4−6100
piperidine, adduct with Ni(II), Co(II) complexes, isotropic proton shift 4−6100
polarised target n.m.r. system, computer control 4−26560
poly γ-benzyl-L-glutamate, n.m.r. spectra rel. to polydispersity helix to coil transition 4−9634
polystyrene, solid, p.m.r. spectrum, n.m.r. multiple pulse methods 4−6798
propanediol doped with Cr^v complexes, dynamic p polarisation below 0.5 K 4−28724
propene-2-C-13, oriented in a nematic phase, spectrum 4−853
propionaldehyde, evidence for solvent effect on primary photochemical steps 4−7459
pyridine adduct with Ni(II), Co(II) complexes, isotropic proton shift 4−6100
^{15}N-pyrrole, long-range C-H couplings determ. 4−19876
t-RNA, interaction of low mol. weight compounds 4−26200
Schiff's base of D-glucosamine with aromatic aldehyde, anomerism, conformation *(Russian)* 4−40214
smectic phase, ang. depend. of proton n.m.r. spectra 4−40748
squaric acid, proton chem. shift anisotropy in carboxyl groups 4−9576
stannanes, $(CH_3)_{4-n}Sn(OR)_n$, $R=CH_3$, C_2H_5, n.m.r. spectra, substitution effect, polymeric struct. 4−19872
target polarisation meas. by Q-meter, computer simulation 4−41263
TCNQ, ion radical salt, $(\varphi_3AsCH_3)^+(TCNQ)_2^-$, proton spin lattice relaxation, temp. depend. 4−33288
terephtal-bis-(p-n-butylaniline) and methylchloride deriv., smectic phase obs., p.m.r. 4−10332
tetramethyl ammonium compounds, linewidth, second moment, internal motions 4−33273
theory, chemical shift, self consistent gauge LCAO calc. 4−40318
thiobinupharidine, mol. structure determ. 4−5974
thiophen radicals, hyperfine coupling consts. calc. using INDO-MO method 4−31899
tissue water, proton exchange by spin relax. in rot. frame 4−2157
p-tolyltin(silyl)(IV) trichloride, coupling consts., chemical shift and paramagnetic shielding 4−41284
transition metal complex, chemical shift determ. of mol. struct. 4−36547
transition metal fluorosilicates, $MSiF_6.6H_2O$, M=Zn, Cu, Mn, Co and Ni, 90-425K 4−28708
triarylboranes, conformational anal., X-ray, n.m.r. investig. 4−27578
trimethylene oxide, in struct. 1 clathrate hydrate, guest-molecule dipole ordering obs. 4−41324
trimethylene oxide, in struct. 1 clathrate hydrate, rot. mobility investig. dipole ordering transition 4−41324
1,2,2-triphenylethyl chloride fluorinated, CIDNP of ^{19}F, determ. of hyperfine coupling consts. 4−10739
vinyl phenyl ether, i.r. and p.m.r. study of chem. struct. *(Russian)* 4−9862
Al, voluminous oxidation by continuous dissolution in wetting mercury film 4−38126
BF_3, mono- and dihydrates, n.m.r. study of structure *(French)* 4−10329
Co complex, cis- and trans-dichlorotetra-amminecobalt(III) chloride, molecular motion determ. 4−28723
Co^{2+} in dimethylsulphoxide, solvation by p.m.r., exchange rates, spin relax. *(French)* 4−17505
$CoBr_2.6[(1-x)H_2O.xD_2O]$, various values of x 4−3900
Co(II) pyrazolylborate, second coordination sphere, solvent effects 4−40313
$CuSiF_6.4H_2O$, $CuSiF_6.6H_2O$, 90-425K 4−28708
$FeSiF_66H_2O$, obs. of dynamic Jahn-Teller distortion 4−16991
$FeSiF_6.6H_2O$, ligand field symmetry, comparison with Mossbauer study 4−32885
$FeSiF_6.6H_2O$, proton T_1 meas., crystal field splitting 4−33293
HF→HI, third-order perturbation calc. heavy atom nuclear shielding depend., I. proton chemical shift 4−9580
KH_2PO_4, ^{17}O-proton reson. obs. of ^{17}O quadrupole coupling, ferroelec. transition, H bond pot. 4−17000
$MgSO_4.H_2O$, chemical shift anisotropy obs. using proton resonance WHH 4-pulse expt. 4−41288
NH_3 chemisorption on silica gel, wide-line n.m.r. obs. 4−1168
NH_4^- ion, p.m.r. spectra of rapid reorientations around C_2 and C_3 axes, semiclassical approx. 4−41269
$(NH_4)_2GeF_6$, spin-lattice relax., reorientation motion 4−28719
$(NH_4)_2PtCl_6$, $(NH_4)_2PtBr_6$, spin isomerism, proton line shape, spin-lattice relaxation 4−33285
$Na_2ZnCl_4.3H_2O$, hydrogen positions, hydrogen bonds 4−16992
Ni^{2+} in dimethylsulphoxide, solvation by p.m.r., exchange rates, spin relax. *(French)* 4−17505
PH_3, isotropic and nematic solvents, chemical shielding anisotropies, chemical shift 4−33282
PdH_n, α and β forms, spectra, proton Knight shifts calc. 4−33279
Pt complex, $K_2Pt(CN)_4Br_{0.3}3H_2O$, orientation of proton-proton vectors of H_2O mols. 4−10335
$Ru(NH_3)_6{}^{3+}$ ion, covalency parameter determ. 4−28715
Th_4H_{15}, T_1 meas., normal and supercond. states 4−20728

proton magnetic resonance continued
- 1,3,5-trineopentyl-benzenes, nuclear magn. double resonance, chemical exchange among three spin-coupled sites, barriers to internal rot. 4−34020
- U(IV) complex, glycinate, chemical shift 4−33280
- Y(OH)$_3$:Yb^{3+}, polarization and relax., spin refrigeration 4−41296

proton polarisation
- elastic, 6 GeV/c, pure initial spin state cross-section depend. 4−15558
- elastic scattering, optical model with surface term, A=12 to 208 4−19441
- energy range from 100 to 250 MeV, meas. using polyethylene spark chambers 4−14984
- five-nucleon system, incident beam polarisation calibration 4−12352
- frozen spin polarised target experiments with Omega spectrometer 4−22941
- frozen target development for nuclear scattering expts. 4−18578
- glycerol:Cr(V) complex, dynamic polaris. and proton relax. 4−41262
- ion source for vector polarised beams 4−39323
- Lamb shift type ion sources, energy dependence of charge exchange reactions 4−18572
- Lamb-shift polarimeter meas. of spin polarisation 4−14981
- lepton interactions with polarised targets, total cross sections 4−23508
- nuclear elastic scattering, angular and energy polarisation relns. in diffraction theory *(Russian)* 4−19375
- P(H) values for various substances, rel. to P(D) values 4−22942
- photoproduction of pions off ^{12}C, 0.8 and 0.9 GeV, recoil proton polarisation meas. 4−357
- polarimeter, for polarisation transfer expts. 4−18591
- polarised target n.m.r. system, computer control 4−26560
- pp-scattering, parity violation 4−377
- propanediol doped with Cr^{v} complexes, dynamic p polarisation below 0.5 K 4−28724
- Q-meter proton target polarisation meas., computer simulation 4−41263
- reaction chamber, for tandem polarised target expts. *(Roumanian)* 4−18623
- spin rotation parameters, meas. in proton interactions, scattering 4−23558
- spin-spin interactions, depolarisation parameter meas. in ^{9}Be, ^{10}B, ^{27}Al, ^{28}Si scattering 4−19447
- technical aspects of scattering experiments, N.A.L. 4−23544
- transfer reaction experiments, review 4−15859
- transfer reactions theory, (d,p) process 4−12364
- (d,p) reactions, reln. between polarisation, analysing power and asymmetry 4−15860
- $e^-e^+\rightarrow pp$, polarisation and asymmetry of protons, differential and total sections calc. *(Russian)* 4−31143
- e^-p scattering, inelastic, nucleon Δ resonance production 4−2684
- $\gamma p\rightarrow\eta^0 p$, 890 MeV, recoil proton polarization and differential cross section 4−12039
- $K^-p\rightarrow K^0n$, polarisation at 8 GeV/c *(French)* 4−19247
- $K^+p\rightarrow K^+p$, polarisation parameter meas. as function of centre of mass scattering angle 4−23546
- $\nu d\rightarrow\mu pp$, sensitivity of proton polarisation parameters to second class axial currents and form factors 4−35980
- (p,p), elastic scattering, p polarisation near isobaric analogue resonances 4−15844
- (p,p) elastic and inelastic scattering, formalism for polarisation transfer 4−15863
- pp interactions, polarization experiments, rel. to ISR total cross section results *(Russian)* 4−15590
- pp→nn, polarisation at 8 GeV/c *(French)* 4−19248
- pp scattering, high energy, resolution of rapid energy dependence of polarisation 4−12083
- pp scattering, parity violation 4−31185
- π^-p backward elastic scattering, 6 GeV/c, polarisation parameter 4−5654
- $\pi^-p\rightarrow K^0\Lambda^0$, 5 GeV/c, spin rotation parameters meas. 4−23559
- π^-p scattering, 40 GeV/c, polarisation parameter, recoil proton spin rotation parameter meas. 4−23551
- AlK alum., characteristics of proton polarisation by solid effect rel. to use as target material 4−18576
- Al(NH$_4$) alum characteristics of proton polarisation by solid effect rel. to use as target material 4−18576
- ^{27}Al, double elastic scatt. meas., optical model anal. *(Russian)* 4−31376
- ^{27}Al(p,p)^{27}Al, 6.2-6.8 MeV, excitation functions, cross-section, polarisation meas. *(Russian)* 4−23681
- ^{197}Au(p,p)^{197}Au, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4−19444
- ^{11}B(p,p′), 30.3 MeV, DWBA anal. 4−19449
- ^{138}Ba, polarised proton scattering near isobaric analogue resonances, core excitation 4−9202
- ^{9}Be(p,p)^{9}Be, 5-12 MeV elastic scatt., cross section and polarisation, optical model anal. *(Russian)* 4−23684
- ^{9}Be(p,p)^{9}Be, 6-7 MeV elastic scattering, differential cross section and polarisation is optical model *(Russian)* 4−15788
- ^{12}C, inelastic p scatt., 185 MeV, polarisation meas., DWIA calc. 4−23692
- ^{12}C(^{3}He,p)^{14}N, 2.4 to 3.6 MeV, p polarisation meas. R-matrix theory anal. 4−19528
- ^{12}C(d,p) at 12.35 MeV, polarisation meas. and DWBA anal. 4−19502
- ^{12}C(d,p)^{13}C, 51 MeV, differential cross section and p polarisation meas. 4−19503
- ^{12}C(p,p’) 4.8 to 8 MeV, coupled-channel model anal. 4−19435
- ^{12}C(p,p’) at 185 MeV, DWBA, DWIA and strong absorption model anal. 4−12336
- ^{12}C(p,p)^{12}C, elastic scattering cross section and polarisation meas. by thick target method *(Russian)* 4−23683
- ^{12}C(p,p)^{12}C*, 50 MeV, polarisation-asymmetry inequality 4−2888
- ^{48}Ca(p,p)^{48}Ca, 6-13 MeV, cross section, polarization energy depend. 4−19443
- ^{106}Cd(p,p$_1\gamma$), meas. of spin flip at isobaric analogue resonances, coupled-channel correlation 4−9201

proton polarisation continued
- ^{140}Ce, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
- ^{52}Cr(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
- ^{1}H production using Lamb-shift polarised ion source 4−18571
- ^{1}H(d,d)^{1}H elastic scattering, 6 and 10 MeV, tensor moments $\langle iT_{11}\rangle$, $\langle T_{20}\rangle$, $\langle T_{21}\rangle$, $\langle T_{22}\rangle$ 4−15864
- ^{1}H(n,n), 16 to 21 MeV polarised n's, p polarisation meas. 4−40003
- ^{1}H(n,n)^{1}H, 16.2 MeV, polarisation meas. using T(d,n)^{4}He neutron source 4−15821
- ^{1}H(n,n)^{1}H 32 MeV, polarisation meas. by scattering asymmetry obs. for D-T reaction neutrons 4−15823
- ^{1}H(p,p)^{1}H, 30-50 MeV, polarisation angular distrib. 4−15824
- ^{2}H(p,p)^{2}H, elastic scattering at 50 MeV, triple scattering parameters 4−15827
- ^{2}H(p,p)^{2}H scattering at and below 800 MeV, cross sections and polarisations 4−19428
- ^{3}H(d,n), vector analysing power, comparison with mirror reaction ^{3}He(d,p) 4−15877
- ^{3}H(p,γ)^{4}He, E1 cross section, phase shifts rel. to ^{3}H(p,p)^{3}H 4−19425
- ^{3}H(p,n)^{3}He, 1.5-4 MeV, difference between polarization and analyzing power 4−27323
- ^{3}H(p,p)^{3}H, 13.6 MeV polarised protons, asymmetries 4−15831
- ^{3}H(p,p)^{3}H, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}He(p,p)^{3}He 4−19422
- ^{3}H(p,p)^{3}H, 4-12 MeV scattering of polarised protons, ang. distribs. and analysing powers 4−15830
- H(d,d)H, 3.0 to 5.75 MeV, phase-shift analysis, cross-section, proton polarisation 4−2897
- ^{3}He(d,p), vector analysing power, comparison with mirror reaction ^{3}H(d,n) 4−15877
- ^{3}He(d,p)^{4}He, 10 MeV polarised deuterons, vector and tensor analysing powers 4−19478
- ^{3}He(d,p)^{4}He, 2.0-6.0 MeV, proton polarisation meas. 4−15850
- ^{3}He(d,p)^{4}He, 4-14 MeV, polarisation transfer coeffs. 4−9213
- ^{3}He(d,p)^{4}He, 6-10 MeV polarised deuterons, vector polarisation and proton asymmetries 4−19479
- ^{3}He(d,p)^{4}He, polarised target, proton angular asymmetries at 6 and 8 MeV 4−15886
- ^{3}He(p,p) at 600 MeV, anal. in Glauber model, sensitivity of polarisation to ^{3}He g.s. wave function *(Russian)* 4−15785
- ^{3}He(p,p)^{3}He, 19 and 30 MeV, differential cross section, analyzing power rel. to ^{3}H(p,p)^{3}H 4−19422
- ^{3}He(p,p)^{3}He, asymmetry in elastic scattering of 42 MeV polarised protons 4−15832
- ^{3}He(p,p)^{3}He, elastic, calc. of cross section, polarisation values 4−15809
- ^{4}He(p,p)^{4}He, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
- ^{4}He(p,p)^{4}He, 20-40 MeV, polarisation and cross section meas. 4−15839
- ^{4}He(p,p)^{4}He, 3-18 MeV, polarisation ang. distribs., phase-shift representation 4−15838
- ^{6}Li(^{3}He,p)^{8}Be, 1.4 to 2.0 MeV, p polarisation meas. 4−19525
- ^{7}Li(p,n)^{7}Be, 2.05 to 3.00 MeV, proton analyzing power meas. 4−12337
- ^{24}Mg(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
- ^{20}Ne, elastically scattered protons, obs. of spin and parity of 4.98 MeV state of ^{21}Na *(Russian)* 4−36116
- ^{58}Ni(p,p′), 4 to 7 MeV p polarisation and excitation function meas. 4−19454
- ^{58}Ni(p,p′), 60 MeV polarised protons, cross sections and analysing powers in giant resonance region 4−15816
- ^{208}Pb(p,p′), 155 MeV, DWBA anal. 4−19449
- ^{208}Pb(p,p′) at 185 MeV, DWBA, DWIA and strong absorption model anal. 4−12336
- Pt(p,p)Pt, elastic, ~5 MeV, search for Mott-Schwinger polarization 4−19445
- Si, inelastic proton polarization meas., second scatterer in polarimeter 4−19442
- ^{28}Si(d,p)^{29}Si, 12.3 MeV polarised d, meas. p polarisation 4−19507
- ^{144}Sm, polarised proton scattering near isobaric analogue resonance, core excitation 4−9202
- ^{128}Te(p,p), 9.8 to 10.5 MeV, p polarisation meas. rel. to isobaric analog resonance anal. 4−15845
- ^{90}Zr(p,p$_2\gamma$), meas. of spin flip at isobaric analogue resonances, coupled channel correlations 4−9201
- ^{96}Zr(p,p)^{96}Zr, 12 MeV, analyzing power of polarised protons, quasielastic (p,n) threshold 4−19446

proton production
- diffractive particle production and anisotropic fireball decay 4−36039
- electroproduction in forward direction from 2 to 3 GeV 4−12044
- high-energy cosmic ray nuclei collisions with light emulsion nuclei, production mechanism 4−5831
- inclusive spectra in np→pX, 2-10 GeV *(Russian)* 4−15586
- ion source for vector polarised beams 4−39323
- ISR data on total cross sections for p^+, k^+ and π^+ production 4−12100
- photoproduction on ^{6}Li, ^{7}Li, ^{9}Be at 400 MeV *(Russian)* 4−15758
- pp collisions, large-angle inclusive production at 30.6 and 52.8 GeV at ISR 4−5684
- triple Pomeron coupling, increasing cross sections and diffractive excitation, ISR energies 4−9035
- two component pionisation + diffraction model for distributions and multiplicities 4−36095
- $e^+e^-\rightarrow p$ + anything, 5.2 GeV, initial survey at SPEAR 4−31151
- p, p, in inclusive pp reactions at very high energies, transverse momentum dependence 4−36090
- p,p, in 300 GeV/c proton/W collisions 4−27193
- p inclusive production in e^+e^- colliding beams at SPEAR 4−23484
- $pp\rightarrow p\pi^+\pi^-p$, double-pomeron-exchange contributions at 205 GeV/c 4−15571
- $\pi^-\,^{12}C\rightarrow pp$ + anything, 4 and 7.5 GeV/c, proton pairing correlations 4−27364
- ^{12}C, photodisintegration, 250-1200 MeV, π absorpt. mechanism *(Russian)* 4−15755

proton-proton interactions
charged multiplicity distributions, mode and scaling 4−5693
charged particle multiplicity distributions, 5 to 300 GeV/c, approximately normal distribution 4−36076
charged prong distributions, 50-300 GeV/c using Gram-Charlier expansion 4−12111
cluster model for multiplicity distrib. 4−31177
correlation of particles at 200 GeV/c, emulsion expt. 4−9017
correlation parameters, missing-mass depend. at 28.5 GeV/c 4−31200
differential cross-section, shrinkage with increasing total cross-section 4−27210
emulsion nuclei, 200 GeV proton interactions, shower particle multiplicity, ang. distrib. 4−31364
fluid analogue for 50-303 GeV/c collisions 4−15577
hadron production, 200 and 300 GeV 4−9027
high energy, calibration, equivalent-photon approx. 4−8962
high energy, discussion of parameters in multiperipheral and fragmentation models 4−12095
high energy, in storage rings *(German)* 4−5699
high energy, interaction probability energy dependence 4−9007
high-energy, review of recent results including ISR data 4−15584
high-energy phenomenology, scaling, rising cross sections, rapidity, multiplicities 4−27202
inclusive, at ISR, search for large transverse momentum electron 4−27219
inclusive, at very high energies, transverse momentum dependence 4−36090
inclusive, rapidity charge densities and leading particle effect 4−5691
inclusive, scaling, multiplicity distrib. and isosopin conservation in uncorrelated jet model 4−12105
inclusive, scaling property of modified Bose distrib. 4−9039
inclusive γ, K^0, Λ, Λ prod., 10.5-205 GeV/c, cross sections, multiplicities 4−27201
inclusive charge longitudinal distributions, 12 and 24 GeV/c 4−15578
inclusive data, review of triple Regge fits 4−27207
inclusive deep inelastic, competing scaling laws 4−31213
inclusive experiments at ISR energies, scaling behaviour 4−27200
inclusive production of γ, Λ^0, $K_s{}^0$ and Λ^0 at 102 GeV/c 4−15582
inclusive production of protons, antiprotons and kaons at 30.6 and 52.8 GeV at ISR 4−5684
inclusive reactions at 50 to 300 GeV multiplicity distrib. chracteristics 4−12102
inclusive spectra, rise of total cross section with energy 4−31212
inclusive two-particle rapidity correlations meas. at ISR 4−31211
inelastic interactions, diffraction, multiplicities, prod. cross-sections, NAL expt. 4−27170
ISR data on total cross sections for p^+, k^+ and π^+ production 4−12100
ISR energy, wide angles, large transverse momentum secondaries, two-body correlations 4−12107
leading particle effects, estimate 4−36080
leading proton effect 4−9021
multiplicity distributions, analysis of $\langle n\rangle/D$ ratios, support for KNO scaling law 4−36081
multiplicity moments, 50-300 GeV/c, geometrical model 4−31199
multiplicity scaling for collisions between 5.5 and 300 GeV, Wroblewski-formula and leading particle effect 4−5682
opaqueness of collisions from 30-1500 GeV/c 4−5689
peripheral resonance production, influence on angular correlation between pions 4−5673
polarization experiments, rel. to ISR total cross section results *(Russian)* 4−15590
Pomeranchuk trajectories e.m. shift at $t=0$, effect on pp cross sections 4−12069
rising total cross sections, rel. to quark-quark amplitudes 4−31204
rising total cross sections, role of peripherality 4−27169
scaling in nondiffractive multiplicity distrib. 4−19260
semi-inclusive, 205 GeV/c, 303 GeV/c, clustering patterns of rapidity distrib. 4−31214
semi-inclusive cross sections, scaling between 13 and 205 GeV/c 4−9026
semiinclusive two-particle correlations at ISR energies, independent cluster emission model 4−39915
super-soft-core proton-proton potential with two-pion and ω-exchange contrib. 4−479
topological cross sections and correlation functions for energies >10 GeV/c, two-component model 4−9037
total cross section, ISR data, comparison with cosmic ray data 4−7870
total cross section, unitary field-theoretic model approach to high-energy asymptotic limit 4−23588
total cross sections, high energy, cosmic ray data 4−34573
total cross sections, high-mass diffraction and Regge behaviour 4−36089
total cross sections, increasing, effect on inelastic differential cross section 4−19263
total cross sections, increasing, rel. to elastic scattering structure at small momemtum transfer, ISR data 4−23585
total cross sections, rapidly rising, evidence from cosmic ray data 4−23589
total cross sections and charged particle multiplicities at 102 and 405 GeV/c 4−9030
total cross sections at ISR energies, Reggeon theory of diffraction scatt. 4−39911
total cross sections in ISR energy range 4−5656
total cross-section data from Pisa-Stony Brook ISR expt. 4−27204
total cross-sections, n particles, 4-303 GeV, reconstruction 4−27215
total cross-sections, rise with energy, ISR expts. 4−27203
total cross-sections extraction from cosmic ray absorption data, width-dependent effects 4−38589
total cross-sections investigation in energy range 10 to 70 GeV at Serpukhov 4−5679
two-particle rapidity correlations at ISR energies 4−36087
uncorrelated jet model, positive $\pi^- - \pi^0$ correlation 4−23522
universal length 10^{-16} cm, evidence from pp rising cross-sections 4−19259
γ emission as origin of rising total cross-sections 4−31202

proton-proton interactions continued
$K_{e3}{}^0$ production, 29 GeV/c charge asymmetry 4−8946
$p+p\rightarrow\gamma+$ anything, large-transverse momentum gamma rays from 50 to 400 GeV 4−15580
pp, 100 GeV/c tagged beam multiplicities 4−19253
pp, $\leqslant 7$ GeV/c, scaling in prong-number distrib. 4−392
pp, average multiplicity in interactions and annihilations, KNO scaling up to 7 GeV/c 4−36088
pp, existence of heavy non-strange mesons in R-S-T-U mass region 4−23552
pp, increase of total cross-sections, slope of diffraction peak 4−19257
pp, total cross section differences 4−9022
$pp\rightarrow \pi^0\pi^0\pi^0$ annihilations of antiprotons obs. at rest 4−5642
pp annihilation, 1.51 to 2.90 GeV/c study of salient features of pion production 4−9033
pp annihilation, pion production and distrib. anal. 4−15501
pp charge exchange forward amplitudes, 600 MeV/c to 24 GeV/c 4−31190
pp diffractive production, 102 and 405 GeV 4−19262
$pp\rightarrow d\pi^+$, 1.0-2.8 GeV, model of N and N* exchanges, reln. to $pd\rightarrow dp$ 4−15540
$pp\rightarrow\Delta^{++}p\pi^-$, 19 GeV/c, Regge pole fit to Deck-peak 4−9015
$pp\rightarrow\Delta+$ anything, high energy, pion exchange contribution 4−9038
$pp\rightarrow e^+e^-+$ anything, search at 52.7 GeV at ISR 4−27220
$pp\rightarrow\gamma+$ anything, 12.4 GeV/c, inclusive π^0 spectra and correlations, $\pi^0\rightarrow\gamma\gamma$ 4−31215
$pp\rightarrow\gamma+$ anything, 44.4 GeV, implications for π^0 prod., multiplicity, ISR meas. 4−9019
$pp\rightarrow K_s{}^0+n$ charged particles, topological cross sections in KNO semi-inclusive scaling prediction 4−15581
$pp\rightarrow K^-K^-K^+K^+$, 1.6-2.2 GeV/c, cross section, resonance production 4−19255
$pp\rightarrow K^-K^+$, 0.8 to 2.4 GeV/c, differential cross section meas. 4−15563
$pp\rightarrow K^-K^+$, 0.8-2.4 GeV/c, Legendre coeffs. from fits to differential cross sections 4−36047
$pp\rightarrow K^0{}_2+$ anything, particle multiplicities and correlations at NAL energies 4−27199
$pp\rightarrow K^0K^0$, at rest in hydrogen and deuterium comparison, test of S-state annihilation dominance 4−36046
$pp\rightarrow K^0K^0$, determ. of $K_s\rightarrow\pi\pi\pi$ amplitude 4−35975
$pp\rightarrow K^0K(m\pi)$ and charge conjugate reaction, $(m=0,1,2,..)$, 1.09 to 3.45 GeV/c, resonance prod. 4−9011
$pp\rightarrow K^+K^-K^+K^-\pi^0\pi^0/pp\rightarrow K^+K^-K^+K^-$, cross section ratio calc. by current algebra and PCAC 4−23573
$pp\rightarrow K^+K^-\pi^0\pi^0/pp\rightarrow K^+K^-$, cross section ratio calc. by current algebra and PCAC 4−23573
$pp\rightarrow K^{*\pm}+$ anything, 12 and 24 GeV/c, cross sections, rapidity, transverse momentum distrib., polarisation 4−23584
$pp\rightarrow l^+l^-+$ anything, radiative correction, appl. to electron-muon symmetry 4−5690
$pp\rightarrow l^+l^-+$ anything, systematic analysis, scaling of structure functions 4−23587
$pp\rightarrow\Lambda^0/\Sigma^0+$ anything, particle multiplicities and correlations at NAL energies 4−27199
$pp\rightarrow\Lambda^0+$ anything, polarised Λ production using polarised p beam 4−36097
$pp\rightarrow\Lambda\Lambda$, 3.6 GeV/c, total and differential cross-sections, hyperon polarisation, spin correlation matrix 4−36061
$pp\rightarrow\Lambda\Sigma^0$, 3.6 GeV/c, total and differential cross sections, hyperon polarisation 4−36061
$pp\rightarrow\Lambda+n$ charged particles, topological cross sections in KNO semi-inclusive scaling prediction 4−15581
$pp\rightarrow\mu^-\mu^++$ hadrons, single muon distrib. calc. by parton model 4−12116
$pp\rightarrow nX$ in Be target, $E<24$ GeV inclusive neutron spectra 4−9020
$pp\rightarrow nn$, 1.13 GeV/c, total and differential cross section, Bryan and Phillips model 4−39896
$pp\rightarrow nn$, high energy, absorption models 4−23523
$pp\rightarrow nn$, polarisation at 8 GeV/c *(French)* 4−19248
$pp\rightarrow np\pi^-$, isospin anal. of single pion prod., threshold to 2.90 GeV 4−27190
$pp\rightarrow\omega+$ charged particles, 12 and 24 GeV/c, cross sections, rapidity, transverse momentum distrib., polarisation 4−23584
$pp\rightarrow pN^*$, 24 GeV/c, production cross sections, triple-Pomeron model for p inclusive spectrum 4−5688
$pp\rightarrow pN^*$, diffractive dissociation model, helicity conservation, for resonances 4−2708
$pp\rightarrow pX$, 300 GeV diffraction dissociation, invariant cross section and recoil proton meas. 4−23582
$pp\rightarrow pX$, 405 GeV/c, scaling properties 4−27197
$pp\rightarrow pX$, 50 to 400 GeV, invariant cross section 4−9028
$pp\rightarrow pX$, 50-400 GeV, triple Regge couplings determ. 4−9029
$pp\rightarrow pX$, 50-400 GeV NAL expt., s,t,x dependence of invariant cross section 4−27198
$pp\rightarrow pX$, diffraction dissociation expts. at CERN ISR 4−23581
$pp\rightarrow pX$, diffractive cross section at 300 GeV/c 4−27217
$pp\rightarrow pX$, fragmentation region, parton model, single proton distrib., asymmetry 4−19264
$pp\rightarrow pX$, high-energy inclusive rapidity spectra, test of diffractive excitation model 4−39909
$pp\rightarrow pX$, prong cross-sections from realistic two-component model 4−5697
$pp\rightarrow pX$, triple-Regge region, scaling deviation and f/P universality 4−31206
$pp\rightarrow pX$ at small momentum transfers, triple Regge model 4−9034
$pp\rightarrow p+X$, 205 GeV, momentum transfer, multiplicity, triple Regge theory 4−31209
$pp\rightarrow p+$ missing mass, 28.5 GeV/c, obs. of increasing charge multiplicity on function of transverse momentum 4−12119
$pp\rightarrow p+$ missing mass, 28.5 GeV/c, multiplicity rel. to transverse momentum 4−27209
$pp\rightarrow pn\pi^+$, 12 GeV/c, study of dual diffractive models 4−23560
$pp\rightarrow pn\pi^+$, 12-24 GeV/c, absorptive one-pion exchange model 4−27185
$pp\rightarrow pn\pi^+$, multireggeon analysis with baryon exchange, 28-200 GeV/c *(Russian)* 4−36075
pp polarization experiments, rel. to ISR total cross section results *(Russian)* 4−15590

proton-proton interactions continued
- $pp \to ppe^+e^-$, high energy, calc. by QED only 4—2730
- $pp \to pp\eta(\rho^0, \omega, f)$, 12 and 24 GeV/c, cross section, rapidity distribs., momentum transfer, decay ang. distrib. 4—36070
- $pp \to pp\pi^0$, isospin anal. of single pion prod., threshold to 2.90 GeV 4—27190
- $pp \to pp\pi^+\pi^-$, high-energy diffraction dissociation, NAL expt. 4—23580
- $pp \to pp\pi^+\pi^-$, multireggeon analysis with baryon exchange, 28-200 GeV/c *(Russian)* 4—36075
- $pp \to p\pi^-\Delta^{++}$, LPS distributions, model analysis 4—9014
- $pp \to p\pi^+\pi^-p$, double-pomeron-exchange contributions at 205 GeV/c 4—15571
- $pp \to p\pi X$, high-energy inclusive rapidity spectra, test of diffractive excitation model 4—39909
- $pp \to \pi^- +$ anything, particle multiplicities and correlatons at NAL energies 4—27199
- $pp \to \pi^-\pi^-\pi^+\pi^+$, 1.6-2.2 GeV/c, cross section, resonance production 4—19255
- $pp \to \pi^-\pi^+$, 0.8 to 2.4 GeV differential cross sections, systematics of dip structures and s-dependence 4—15564
- $pp \to \pi^-\pi^+$, 0.8 to 2.4 GeV/c, differential cross section meas. 4—15563
- $pp \to \pi^-\pi^+K^-K^+$, 1.6-2.2 GeV/c, cross section, resonance production 4—19255
- $pp \to \pi^0 +$ anything, particle multiplicities and correlations at NAL energies 4—27199
- $pp \to \pi^0\pi^0\eta^0$ annihilations of antiprotons obs. at rest 4—5642
- $pp \to \pi^+d$, bootstrap model with Faddeev eqns. 4—23537
- $pp \to \pi^+\pi^+\pi^-\pi^-$, 1-7 GeV/c, multiperipheral model including resonances 4—15567
- $pp \to \pi^+\pi^+\pi^-\pi^-$, 3.6 and 5.7 GeV/c, transverse angular momentum distrib. 4—27187
- $pp \to \pi^+\pi^+\pi^-\pi^-(\pi^0)$ annihilation, 3.6 GeV/c, angular and momentum distrib. of single pions 4—2727
- $pp \to \pi^+\pi^+\pi^-\pi^-\pi^0$, 1-7 GeV/c, multiperipheral model including resonances 4—15567
- $pp \to \pi^+\pi^+\pi^-\pi^-\pi^0$, 3.6 and 5.7 GeV/c transverse ang. momentum distrib. 4—27187
- $pp \to \pi^+\pi^+\pi^+p^-\pi^-\pi^-$, 1-7 GeV/c, multiperipheral model including resonances 4—15567
- $pp \to \pi^+\pi^+\pi^+\pi^-\pi^-\pi^-$, transverse momentum-correlation features in multipion annihilations at 5.7 GeV/c 4—5672
- $pp \to \pi^+\pi^+\pi^+\pi^-\pi^-\pi^-\pi^0$, transverse momentum-correlation features in multipion annihilations at 5.7 GeV/c 4—5672
- $pp \to \pi^+\pi^+\pi^+\pi^+\pi^-\pi^-\pi^-\pi^-$, transverse momentum-correlation features in multipion annihilations at 5.7 GeV/c 4—5672
- $pp \to \pi^+\pi^+\pi^+\pi^+\pi^-\pi^-\pi^-\pi^-\pi^0$, transverse momentum-correlation features in multipion annihilations at 5.7 GeV/c 4—5672
- $pp \to \pi^\pm X$, limiting fragmentation, muon charge ratio, $E_\mu \geqslant 50$ GeV 4—2029
- $pp \to \pi +$ anything, scaling breaking with dipole pomeron and growth of total cross section 4—36079
- $pp \to \rho^0 +$ anything, 12 and 24 GeV/c, cross sections, rapidity, transverse momentum distrib., polarisation 4—23584
- $pp \to \Sigma^0\Lambda$, 3.6 GeV/c, total and differential cross sections, hyperon polarisation 4—36061
- $pp \to \Sigma^+\Sigma^+$, 3.6 GeV/c, total and differential cross sections, hyperon polarisation 4—36061
- pp total cross sections below 1 GeV/c, precise meas. 4—23541
- $pp \to x\pi$, $x \geqslant 5$, 2.32 GeV/c cross sections, meson resonance production 4—39899
- pp-pX, high-energy diffraction dissociation, NAL expt. 4—23580
- $p^-p \to K^-K^+$, 0.8-2.4 GeV/c, baryon exchange, dip structure in differential cross section 4—27172
- $p^-p \to \pi^-\pi^+$, 0.8-2.4 GeV/c, baryon exchange, dip structure in differential cross section 4—27172
- π inclusive production cross sections in pionization region, unified treatment of peripheral models 4—9036
- π multiple production in ISR and cosmic ray interactions, two cluster scaling model *(Russian)* 4—36098
- π production with large transversal momenta, multiperipheral and parton model calcs. 4—2736
- π^0 production, use of approximately normal distribution description, isospin conservation 4—36077

proton-proton scattering
- $^1D_2$ elastic and inelastic reactions, 600 MeV, three-channel N/D method 4—8999
- Coulomb modified dispersion formalism anal. for scattering below 30 MeV *(German)* 4—23535
- density correlations, early multiplicity scaling 4—36092
- derivative analyticity relations, real parts of scatt. amplitudes from cross section data 4—39829
- dibaryon resonance production 4—9009
- differential cross section, 500-2000 keV, phase shift anal. *(German)* 4—23677
- differential cross section, high energy, saturation of Froissart bound 4—27147
- differential cross section and spectra meas. 500-2000 keV, scattering chamber *(German)* 4—23676
- diffractive scattering, multiperipheral prod. of particles, pomeron model 4—27158
- diffractive structures, ISR, effect on inelastic differential cross section 4—19263
- dual amplitudes with logarithmic trajectories, absorptive part, double spectral functions 4—19226
- elastic, 6 GeV/c, pure initial spin state cross-section depend. 4—15558
- elastic, amplitude determ. from complete expts. and unitarity 4—23536
- elastic, at very large momentum transfer, vector-meson-gluon model 4—23549
- elastic, cross sections at 102 and 405 GeV/c 4—9030
- elastic, differential cross-sections meas. for $80 < s < 600$ GeV^2 at NAL 4—5657
- elastic, high energy, impact parameter study 4—36057
- elastic, high energy scatt. by Coulomb and strong interaction forces 4—5655
- elastic, high-energy, periphery of proton at large impact parameter 4—27157

proton-proton scattering continued
- elastic, in ISR energy range 4—5656
- elastic, model independent analysis of structure, exponential amplitudes 4—5660
- elastic, Pomeranchuk trajectory and deuteron form factor *(Russian)* 4—23520
- elastic, quark model description 4—36009
- elastic, Regge-pole, dual and scaling models, parametrisations of pomeron 4—5658
- elastic, small angle, investigation in energy range 10 to 70 GeV at Serpukhov 4—5679
- elastic, structure at small momentum transfer, rel. to increasing total cross sections, ISR data 4—23585
- elastic, unitarity equations, low energy 4—2712
- elastic amplitude, forward logarithmic slope, interference terms in multiperipheral overlap integral 4—8994
- elastic and multiple scattering, 53 GeV, quark model for dip-bump structure 4—19245
- elastic cross section, oscillation at ISR energies, fit to Chou-Yang model 4—2695
- elastic cross sections at ISR energies, Reggeon theory of diffraction scatt. 4—39911
- elastic cross-section, two-component pomeron model 4—12068
- elastic processes, large momentum transfer, parton model, form factor asymptotic behaviour 4—15507
- forward amplitudes at medium energy, research at LAMPF 4—23722
- forward dispersion relation, ωpp coupling const. determ. 4—19242
- forward elastic scattering amplitude, real part, 50-400 GeV 4—12088
- forward scattering amplitude, real part calc. assuming rising cross sections 4—12114
- gluon-exchange model, high transverse momentum hadron jet prod. 4—15561
- high energy, resolution of rapid energy dependence of polarisation 4—12083
- high energy bound on total cross sections, Pomeranchuk theorem 4—5681
- high energy elastic Chou-Yang model 4—2720
- high-energy, elastic, field theory model 4—15559
- inelastic, high energy, short range correlation models, analysis of multiplicity distributions 4—36084
- inelastic, multiplicity distribution, Wroblewski's law, diffractive dissoc. model 4—27163
- inelastic, review of results obtained with ISR and NAL 4—5680
- inelastic, small momentum transfer, diffractive, component meas. 4—27179
- ISR energies, Regge trajectory intercept decomp. according to prod. particles multiplicities 4—8990
- KNO scaling, conditions for early onset 4—390
- low-energy, charge-dependent effects, evaluation of $pp\pi^0$ coupling const. 4—378
- multiplicity distrib. and rising cross sections in ISR energy range 4—12108
- opaqueness of collisions from 30-1500 GeV/c 4—5689
- optical theorem violation, pp and p p data 4—5637
- parity violation, polarized scattering 4—377
- phenomenological investigation of Pomeron 4—9032
- pionisation, unitary model 4—27171
- polarized, parity violation, meson exchange reactions 4—31185
- quark model, calc. of elastic cross-sections, high energy 4—31188
- quasi pole model for high-energy scatt. amplitude 4—23517
- quasi-free, in He, impulse approx. anal. 4—23694
- quasifree cross-section from ^{3}He(p,pd)p, 156 MeV 4—19424
- Regge poles, complex, anal. of high energy scattering data 4—15523
- rising cross sections in elastic and inelastic data, role of peripherality 4—27169
- scaling law for elastic differential cross section from geometric scaling 4—39891
- spin-correlation parameters up to 50 MeV 4—19447
- T violation mechanisms, angular distrib. of observables, 425 MeV 4—19243
- total cross section, 200 and 300 GeV/c, meas. 4—27218
- total cross-section meas. at 291, 496, 1068, 1480 GeV/c 4—2733
- μ pair production, application of light cone physics 4—5588
- $p + p \to p +$ particle, rising multiplicity, quark multiple scattering model 4—9000
- pp, 2.33 GeV/c, differential cross sections, fitting procedure 4—23547
- pp, derivative analyticity relations, real parts of scatt. amplitudes from cross section data 4—39829
- pp, elastic, at very large momentum transfer, vector-meson-gluon model 4—23549
- pp, elastic, statistical approach to differential cross sections near 90° 4—23548
- pp, growing cross-sections, double pole and complex Regge pole models 4—19258
- pp charge exchange cross section, $\geqslant 5$ GeV, Veneziano model 4—12061
- pp elastic differential cross section, 2.85 GeV/c 4—5659
- pp elastic scattering, backward hemisphere, 686 to 1098 MeV/c, differential cross-sections 4—36044
- pp elastic scattering with elastic u-channel, parton-parton interaction and backward peak 4—27174
- $pp \to nn$, charge-exchange cross sections, 25 and 35 GeV/c *(Russian)* 4—15566
- pp π^0 coupling constant from pp forward dispersion relations 4—19244
- $\pi^\pm$ large-angle inclusive prod., transverse momentum, 0.15-1.0 GeV, CERN ISR 4—391
- pp, cross section and struct. below 1.1 GeV/c 4—19241

proton scattering
- *see also electron-proton scattering; neutron-proton scattering; nuclear reactions and scattering due to protons; pion-proton scattering; proton-deuteron scattering; proton-proton scattering*
- Compton-scattering, high-energy use of Gribov's Reggeon calculus 4—19213
- current-proton scattering, finite-energy sum rules, light-cone commutators 4—31124
- nuclear targets, backward scattering at 1.15-5.7 GeV, scaling invariance effects *(Russian)* 4—15573

proton scattering continued
- polarised, asymmetry at small angles, diffusion cloud chamber, use 4−11599
- polarised target, technical aspects, N.A.L. 4−23544
- sum rules for forward elastic scattering, from dispersion relns. 4−31148
- γp, derivative analyticity relations, real part of scatt. amplitude from cross section data 4−39829
- γp Compton scattering, 2.2 to 7.0 GeV, O(3,1) symmetry model 4−12043
- $\gamma p \to \pi^+ n$ very large momentum transfer, vector-meson-gluon model 4−23549
- K$^{\pm}$ p, optical theorem violation 4−5637
- Kp dispersion relations, extrapolation with Pade techniques 4−9003
- Kp elastic scattering anal. in parton and dual absorptive models 4−39890
- K$^-$p, elastic, statistical approach to differential cross sections near 90° 4−23548
- K$^-$p 10 GeV/c elastic scattering amplitude 4−5653
- K$^-$p elastic scattering with elastic u-channel, parton-parton interaction and backward peak 4−27174
- $K^- p \to K^0 n$, high energy, ω nonflip amplitude calc. 4−19249
- $K^- p \to K^0 n$ charge exchange and cross section energy depend. 3-6 GeV/c 4−39897
- $K^0_l p \to p K^0$, 1.0-7.5 GeV/c, baryon exchange processes 4−27172
- K$^+$p, 1.9 GeV/c elastic, meas. of A and R parameters, helicity flip amplitude 4−23550
- K$^+$p, elastic scattering, 432 to 939 MeV/c, phase shift analysis 4−5651
- K$^+$p, triple Pomeron coupling 4−9035
- K$^+$p backward elastic, >1.5 GeV/c parity doublets and Mandelstam-Sommerfeld-Watson transformation 4−36055
- K$^+$p elastic scattering, 10 GeV/c, ang. distrib. 4−383
- K$^+$p elastic scattering, 432-939 MeV/c, phase shift analysis 4−15546
- $K^+ p \to K^+ p$, appl. of duality to real part of scattering amplitude 4−23542
- $K^+ p \to K^+ p$, polarisation parameter meas. as function of centre of mass scattering angle 4−23546
- K$^{\pm}$p, analytic parametrization of high energy forward scattering amplitude 4−27212
- K$^{\pm}$p, elastic, very large momentum transfer, vector-meson-gluon model 4−23549
- K$^{\pm}$p derivative analyticity relations, real parts of scatt. amplitudes from cross section data 4−39829
- K$^{\pm}$p elastic scattering, quark model description 4−36009
- $K^{\pm} p \to K^{\pm} p$, high energy, ω nonflip amplitude calc. 4−19249
- Λ^0p scattering, e.m. effects in polarisation 4−27165
- μp, deep elastic scatt., 2.1 standard deviation difference from μ-e universality 4−27116
- μp, deep inelastic scatt., μ-e universality 4−27115
- $(\nu\bar{\nu})p \to \mu h x$, (h:pseudo-scalar, vector meson), bilocal current algebra, limiting fragmentation, pulverization 4−364
- $\nu p \to \mu +$ anything, 100 GeV, radiative corrections 4−8954
- ^{12}C, 40 MeV protons, small angle inelastic scattering 4−19240
- ^{40}Ca, 40 MeV protons, small angle inelastic scattering 4−19240
- Fe XIII, solar coronal lines, theoretical intensity ratios due to proton collisional excitation 4−2062
- Fe^{+12}, solar spectra, proton collisional excitation, rate const. calc. at coronal temp. 4−2061
- ^{56}Fe, 40 MeV protons, small angle inelastic scattering 4−19240
- ^{58}Ni, 40 MeV protons, small angle inelastic scattering 4−19240
- Si, analysing power, from 4 MeV to 16 MeV 4−14961

proton spectra
- ionosphere, energetic protons in keV range and associated keV electrons, densities, fluxes, energy spectra 4−22062
- polar cusp, data from ISIS-1 passes 4−38484
- pre-equilibrium formalism for comparison of (p,p′) and (p,n) energy spectra 4−9183
- ring current protons, quasi-steady state energy spectrum 4−22116
- transfer reactions theory, (d,p) process 4−12364
- triple-Pomeron model for proton inclusive spectrum at ISR energies 4−5688
- (α,p) 54.8 MeV, α=51.197 targets, proton spectra, precompound emission 4−23713
- (d,p), prediction of new type of threshold effect 4−2905
- (γ,p;t,^{3}He,^{4}He), 450 MeV bremsstrahlung, energy spectra and ang. distribs. meas. for A=27 to 197 4−36177
- (n,p) reactions at 14.1 MeV, anal. of level density of sd shell nuclei 4−40015
- (p,np$_1$), compound-nucleus mechanism near neutron threshold, isobaric analogue resonance decay 4−19406
- (p,xp), 10 to 50 MeV, pre-equilibrium processes 4−31378
- ^{12}C(γ,p), 250-1200 MeV, π absorpt. mechanism *(Russian)* 4−15755
- ^{40}Ca(γ,p), 340 MeV bremsstrahlung, p spectra meas. 4−39990
- ^{40}Ca(γ,p)^{39}K, photoproton spectra, angular distribs. and γ-ray de-excitation spectra, cross sections 4−15759
- ^{1}H(p,p) scattering, differential cross section and spectra meas. 500-2000 keV, scattering chamber *(German)* 4−23676
- ^{2}H proton induced break-up, Dalitz plots of cross sections 4−15801
- ^{2}H(d,p)^{3}H reaction for location of deuterium implanted in metals 4−28114
- ^{2}H(n,p)2n, 24.0 and 27.2 MeV, proton angular distrib. and energy spectra 4−9155
- ^{2}H(p,2p)n, 3.8-5.0 MeV, proton coincidence spectra, search for ^{3}He intermediate state resonance 4−15807
- ^{3}He(α,p), 63.7-81.4 MeV, backward proton spectra, sequential reactions 4−9230
- ^{4}Hr(e,e′p)^{3}H, 1187 MeV, p binding energy determ. 4−39994
- ^{26}Mg(γ, p)^{25}Na, photoproton energy distrib., decay characts. of giant reson. states 4−12321
- ^{96}Mo(p,np), 22-29 MeV, evidence for (2n,p) decay of high-spin states 4−9199
- Si, backscattering from aligned crystals, molecular ion effects 4−20342
- Sn(p,p′), 14 to 17.8 MeV on A=118 to 124 isotopes, isospin conservation and pre-equilibrium decay 4−40008
- ^{97}Tc highly excited T> levels, experimental evidence for decay mode 4−12243

proton spectra continued
- ^{90}Zr(e,e′p)^{89}Y, 21 MeV, photoproton spectra and core-excitation model 4−31339
- ^{90}Zr(γ,p)^{89}Y, 30 MeV, photoproton spectra and core-excitation model 4−31339
- ^{91}Zr(e,e′p)^{90}Y, 21 MeV, photoproton spectra and core-excitation model 4−31339
- ^{91}Zr(γ,p)^{90}G, 30 MeV, photoproton spectra and core-excitation model 4−31339
- ^{91}Zr(τ,t)^{91}Nb, 24.5 MeV, charge exchange reaction, decay p spectra meas. 4−27340

protonium *see protons*

protonosphere *see upper atmosphere*

protons
- *see also cosmic ray protons; delayed protons*
- antiproton, prod. by high energy laser field, in plasma 4−3399
- ejection during proton interactions on nuclei at 600 MeV *(French)* 4−9163
- e.m. form factor, data anal. and asymptotic behaviour, N/D method 4−23474
- energy loss on interaction with hard body, theory based on Sleiter atom model *(Russian)* 4−20336
- form factor, parton model, field-theory formulation 4−39860
- form factor from harmonic oscillator model, correction for quark structure 4−35983
- granular structure, brief review *(Czechoslovakian)* 4−5551
- interplanetary shock wave acceleration and trapping of <1 MeV protons 4−22228
- magnetic charge and string model for internal dynamical props. 4−12052
- magnetospheric low energy protons, alpha particles and Z⩾3 nuclei associated with 1970 March 8 event 4−25804
- neutron stars, superfluidity of protons 4−22209
- stopping power, in Al, Cu, Ag, Au, Pb, U, 5-18 MeV 4−24502
- structure functions, deep inelastic, parametrization 4−8970
- structure functions, O(4,2) model, infinite component wave eqn. 4−2686
- surface analysis, X-rays, proton back scatt., Auger electrons 4−6948
- p-n mass difference and breakdown of scaling 4−12035

pseudopotential methods
- alkali metal, subjected to complex stress systems, mech. props., model pseudopotential calc. *(Russian)* 4−36932
- alkali metal, vacancy formation energy and vol. derivation 4−36897
- alloys, dilute binary, of Mg, Al, Pb and In, residual resistivity 4−28387
- atoms and ions with s and p closed shells, pseudo potentials and their Fourier coefficients, evaluation using computer 4−19662
- band structure calculation for CdSb 4−10093
- covalent semiconductor, approx. exchange operator in pseudopotential model investigation 4−16703
- covalent semiconductor crystal energy, bond contrib. 4−40756
- diamond structure crystals, valence band electronic charge density distrib. 4−32874
- high energy electron states in solids 4−20517
- II-VI compounds, energy gap, temp. depend., Brooks-Yu theory 4−24693
- ionic crystal, model potential method for extra electron 4−28347
- liquid metals, theory of optical props. 4−37591
- liquid metals, thermodynamic properties 4−32676
- local model, optimisation, values of optimisation criteria calc. 4−1194
- local model pseudopotential, simple metal, binding energy, compressibility 4−32469
- many-body Green's function technique, ab initio effective pots. for atoms and mols. 4−683
- metal, density functional theory and statistical pseudopotentials 4−41011
- metal, Fermi surface, nonlocal exchange and correlation effects 4−28337
- metal, liquid and solid, resistivity, thermopower, Knight shift and Fermi energy evaluation 4−28389
- metal, optimised model potential parameters 4−16697
- metal, phase shifts from APW and KKRZ analyses of Fermi surface data 4−37137
- metal, polyvalent, atomic props. determ. 4−1091
- noble metal, Knight shift calc. using pseudopotential formalism and Ziman's eight-cone model 4−20884
- photocathode zone structure calculation *(Russian)* 4−32866
- resistivity of noble metals, local pseudopotential calc. 4−13168
- secular equation of electron band theory, inclusion of spin-orbit coupling 4−16685
- semiconductor, tetrahedrally bonded, perturbative approach to valence charge density 4−16691
- transition metals, electronic struct., quantum defects and model potential 4−28365
- two-phonon deformation potential, pseudopotential limitations 4−32848
- vacancy formation energy and volume, simple cubic metals 4−40800
- Ag-Al system, alloying behaviour, pseudopotential calc. 4−25296
- Ag-Mg system, alloying behaviour, pseudopotential calc. 4−25296
- Al, calcs. of γ-ray Compton profiles 4−21111
- Al, characteristic k-states on Fermi surface, pseudopotential charge distrib. 4−10090
- Al, phonon spectrum calc., lattice relaxations near vacancy or interstitial 4−32627
- Al, vacancy formation energy and vol. derivation 4−36897
- AlSb, band structure calc. 4−20533
- Au-Mg system, alloying behaviour, pseudopotential calc. 4−25296
- B atom external electron, wave functions and transitions oscillator strength calcs. *(Russian)* 4−19661
- Ba, liquid, electronic density of states calc. 4−28332
- Be, lattice dynamics, three-body forces 4−9960
- Bi, liq., optical props., elec. cond. in h.f. field *(Russian)* 4−24727
- Ca, liquid, electronic density of states calc. 4−28332
- CdSb(II), semiconductor, band struct., empirical pseudo pot. anal. *(Japanese)* 4−37171
- Cu alloys, dilute, pseudopotential calc. of temp. depend. resistivity 4−37207
- GaAs, band structure calc. 4−37158

- **pseudopotential methods** continued
  - GaP:N bound state energy calc. using secreened local pseudopotential 4−3714
  - Ge, band structure, E_2 reflectivity peak, nonlocal pseudopotential calc. 4−10088
  - Ge, electrical properties 4−41064
  - Ge, liq., elec. resist. and thermoelec. power, psuedopotential calc. 4−32941
  - HgTe, temp. depend. of band gap calc., Brooks-Yu theory 4−37166
  - KCl, model potential method for extra electron 4−28347
  - Mg, quantum states of electrons, effect of Zn or Cd alloying in dil. limit 4−24682
  - NaCl, model potential method for extra electron 4−28347
  - $NbSe_2$, band struct. calc. 4−37160
  - Se, band structure determ., electronic charge density 4−24691
  - Si, band gap, press. coeff., empirical pseudopotential calc. 4−24696
  - Si, electrical properties 4−41064
  - Si, liq., elec. resist. and thermoelec. power, pseudopotential calc. 4−32941
  - Si, stacking fault energy, pseudopotential calc. 4−20315
  - SiC polytypes, electronic energy band struct. calcs. 4−24698
  - SnS_2, $SnSe_2$, layer semiconds., electronic charge densities, pseudopotential band calcs. 4−20538
  - Sr, liquid, electronic density of states calc. 4−28332
  - Te, band structure determ., electronic charge density 4−24691
  - ZnSe, valence band density of states calc. 4−28343
- **PSK** *see phase shift keying*
- **psychological optics** *see vision*
- **psychology**
  - human circadian rhythms, mutual time relationship and synchronisation *(German)* 4−14537
  - pattern perception, roles of central and peripheral vision 4−14567
  - PSE extreme value testing using method of average error 4−42564
- **PTC thermistors** *see thermistors*
- **publishing**
  - *see also information science*
  - atomic spectra, computer-based data, NRL-NPGS compilation, publication problems 4−692
- **pulp industry** *see paper industry*
- **pulsars**
  - *see also neutron stars; radiofrequency cosmic radiation*
  - aligned magnetic rotators, acceleration, radiation and pair production 4−26146
  - in binary star systems, effect of supernova explosion 4−34856
  - cavity radiation from rotating magnetic neutron star 4−22423
  - Cepheids, physical props. rel. to regular intrinsic pulsars *(Spanish)* 4−30077
  - collapsed star magnetic fields by quasi-vacuum approx. 4−7981
  - cooling rates for hyperon and neutron star models 4−38840
  - cosmic γ-ray bursts from relativistic dust grains from pulsars 4−38860
  - cosmic ray generation superrelativistic plasma wave 4−14250
  - Crab, NP0532, light curve and energy density at 2.2 and 3.5 μ 4−22424
  - Crab Pulsar, NP 0531, toroidal magnetic field and relativistic particles 4−38851
  - detection, 10 to 30 MHz, methods and instrumentation *(Russian)* 4−22470
  - Earth crustal deformation caused by gravitational radiation from pulsars, laser interferometry 4−14022
  - flux density var. and spectra in 150 to 1612 MHz range 4−8054
  - gamma-ray astronomy 10^{12} eV, search using fast night-sky Cherenkov detector 4−34891
  - gravitational radiation search using seismometer and Earth as detector 4−42438
  - high energy X-ray flux from Uhuru sources and pulsars 4−22428
  - hot magnetospheres and equilibrium of co-rotating zone 4−30098
  - intensity variations, simultaneous obs. at Parkes and Ootacamund at 326.5 MHz 4−38852
  - interstellar scintillations, simultaneous obs. of PSR 1919+21, PSR 0834+06 and PSR 1133+16 4−14449
  - l.f. radiation, self-focusing 4−18026
  - magnetosphere, algorithm for nonlinear equation describing electrodynamics 4−18025
  - magnetosphere, differentially sheared media, transport of thin pencil of waves 4−42436
  - magnetosphere, non axisymmetric generalization 4−8053
  - magnetosphere, rotating differentially sheared medium, radiative transfer 4−42437
  - magnetosphere closed field lines, relativistic model 4−18024
  - nearby supernovae remnants with pulsar, intensity of cosmic rays from deep sea sediment records 4−10869
  - neutron star free precession, excitation and damping processes 4−42412
  - neutron star properties derived from pulsar observations 4−38841
  - neutron star structure from observations of glitch behaviour in pulsars 4−38839
  - neutron stars, internal temperature from pulsar glitches 4−22415
  - NP0532, X-ray spectral features in 15-300 keV range 4−11254
  - NP0532 in Crab Nebula review of present information 4−14512
  - NP 0532, distance from various methods 4−14518
  - NP 0532, occultation by Sun, electron density and radio scattering of corona 4−11115
  - NP 0532 rel. to rotating neutron star models 4−11185
  - primary cosmic ray origin in range 10^{14} to 10^{16} eV 4−22190
  - PSR 0329+54, search for OH absorption at 1.667 GHz 4−34889
  - PSR 0329+54, suspected periodicity in 405.5-408 MHz range 4−34890
  - pulse broadening due to multiple scattering in interstellar medium 4−34946
  - pulse emission mechanisms 4−11217
  - radio wave propagation and pulse broadening in weakly irregular media 4−22425
  - short-time-constant astrophysics, review 4−7873
  - slowing down by gravitational radiation 4−4789
  - spectra from pulse energy values and u.h.f. and s.h.f. obs. 4−2127
  - sporadic radio emission in plasmas with high density e.m. radiation 4−2123
- **pulsars** continued
  - supermassive oblique rotator, electrodynamics, evolution, observational tests 4−14346
  - supernova remnant evolution rel. to magnetic field, relativistic particles, luminosity and central pulsar 4−18000
  - superstrong magnetic fields, effect on atoms and atomic chains 4−38835
  - Vela, reln. of speed-up to corequakes and crustquakes 4−11193
  - Vela supernova remnant in Gum Nebula, u.v. photographs 4−38828
- **pulse amplifiers**
  - hybrid, and memorisation circuits for multiwire proportional counter 4−35437
  - linear, negative feedback, gain stability *(Korean)* 4−30590
  - nanosecond, experimental nuclear physics applications, design criteria and techniques 4−2342
  - radiation monitor, cct. analysis *(Korean)* 4−112
  - sub-nanosecond, low cost, for particle detectors 4−26630
- **pulse amplitude analysers** *see pulse height analysers*
- **pulse analysers**
  - *see also pulse height analysers*
  - information processing by neuron, theoretical analysis 4−35002
  - shape discrimination circuit, use with organic liquid scintillators 4−35438
  - shape-discrimination for wide dynamic range neutron scattering experiments 4−26618
- **pulse circuits**
  - *see also comparators (circuits); digital circuits; modulators; pulse generators; pulse shaping circuits*
  - binary-decimal pulse counter, description 4−22969
  - counting system, automatic step by step, for spectrophotometer control *(French)* 4−22843
  - c.r.o., pulse circuitry, oscilloscope display and analogue gating for time-of-flight mass spectrometers 4−2366
  - modulators, high repetition rate, 600 kW peak, linear accelerator applic. 4−30535
  - nonrecurring pulses, linear fast sampling system 4−18677
  - nuclear reactor protection with process computer *(German)* 4−8479
  - thyratron for calibrating scintillation gamma spectrometers *(Russian)* 4−30592
  - time-invariant pulses for large scintillation counters 4−39350
- **pulse-code modulation links**
  - ocean wave climate data acquisition and p.c.m. telemetering system 4−17864
  - GaAlAs laser p.c.m. communication experiment 4−19161
- **pulse control systems** *see sampled data systems*
- **pulse frequency modulation**
  - bioelectric signals, recording applic. 4−35005
  - n.q.r. spectrometer, time shared FM or Zeeman modulation 4−8423
- **pulse generators**
  - *see also multivibrators; square-wave generators; time bases*
  - biomedical electronics, brain stimulation, calibrated system 4−35495
  - capacitor, magnetically insulated and inductively charged, gigavolt potentials 4−32339
  - chronic nonunion tibial fracture osteogenesis induced by f.e.t. pulse generators 4−14654
  - dental analgesia effectiveness of electrical acupuncture stimulators 4−14655
  - electrochemistry, reaction rate const. meas., using double pulse coulostatics 4−25488
  - electron beams, picosec. pulses using microwave field gate 4−39779
  - electrostimulators, digital 4−35503
  - high current, long duration rectangular pulses, particle accelerator applic. 4−30534
  - h.v., development from series of ultra fast quenched spark gaps *(French)* 4−24332
  - h.v., for Kerr effect relax. time meas. *(French)* 4−30516
  - h.v., particle accelerator accessories, for kicker magnet excitation 4−30537
  - laser accessories 4−30507
  - laser input power, anal., meas. of highpower pulse generator output 4−18493
  - at low rates of magnetic intensity change in synchrotron electromagnet *(Russian)* 4−35370
  - streamer chamber and high-voltage pulsing system, design and development 4−35416
  - synchronous, biomedical end-tidal O_2 analysis applic. 4−39045
- **pulse height analysers**
  - analog-to-digital convertor, 12 bit, channel width averaging 4−11611
  - cable delays, accurate meas. using Kiesler and Righini technique 4−35441
  - centroid shifts, determ., effect of channel width 4−8481
  - dead-time, measurements 4−11606
  - differential discriminator, use of univibrator with clear 4−35442
  - digital dosimeter application, for mixed neutron-gamma fields 4−22956
  - dual constant fraction discriminator combination, rel. to subnanosecond tuning with coaxial Ge(Li) detectors 4−26604
  - gamma-ray spectrometers, calibration, with semicond. detectors, multichannel analyser appl. *(Roumanian)* 4−18689
  - multichannel storage capacitor system for processing of fast simultaneous signals 4−26631
  - nanosecond, cathode ray tube plus array of photo sensitive elements 4−5204
  - neutron spectra meas. with NE 213 liquid scintillator 4−30548
  - peak stretching, new method based on sample hold circuit 4−35436
  - peak voltmeter for >20 nsec. pulses 4−22970
  - single channel, design using integrated circuits 4−18679
  - time interval distributions, distortion in meas. 4−8482
- **pulse modulation**
  - *see also modulators; pulse frequency modulation*
  - mass spectrometer, beam-modulated, time-of-flight 4−39363
  - pulsed picosecond electron beam generation for electron microscopes 4−35469
- **pulse motors** *see stepping motors*
- **pulse oscillators** *see pulse generators*

pulse repetition rate modulation *see pulse frequency modulation*
pulse shaping circuits
artificial line low-pass filter, for electrooptic laser Q-switch 4−39267
bioelectric potentials, spike height follower, stimulator controlled arrangement 4−39003
filters for pulse area sensing systems in nuclear particle detectors 4−35440
for light emitting diode, photomultiplier testing applic. 4−39332
light modulator control voltage shaping cct. 4−39268
nanosecond pulses, using IC's for radiation counters 4−39349
nuclear relaxation times, pulse sequence method 4−39291
streamer chamber and high-voltage pulsing system, design and development 4−35416
time-amplitude convertor using cyclotron beam *(Russian)* 4−26561
pumping *see pumps*
pumping (optical) *see optical pumping*
pumping plants
nuclear applications, quality control 4−31457
vacuum, optimum system design and industrial applications review 4−5019
pumping stations *see pumping plants*
pumps
see also vacuum pumps
nuclear reactor circulating, emergency supply for, reactor operation under faulty conditions *(Russian)* 4−19564
pneumatic, spraying of high-viscosity liq., droplet size and distrib. 4−32100
steam turbine driven helium circulator for HTGR 4−27397
Toepler in gas circulation system for polarized ^{3}He target 4−39322
punched card equipment
noise response characteristics 4−11459
Purkinje effect *see vision*
push pull amplifiers *see differential amplifiers*
push pull microphones *see microphones*
pylons *see poles and towers*
pyroelectricity
bibliography, 1970-1972 4−10378
crystal thermostating, below 1K 4−18401
dynamic effect, time modulatedt thermal flux, theory 4−13389
electrocaloric effect, use in thermostating crystals at temps. <1K 4−17015
fluids, comment on paper by Wang and Herman (1973) 4−23384
many-body forces, favourable conditions 4−37568
polyvinylidene fluoride film, temp. depend., spontaneous polarization 4−10380
radiometer, chopper-stabilised, null, based on elec. calibrated pyroelec. detectors 4−4985
solid, piezoelec. and pyroelec. props. in elec. fields, thermodynamic variable definition 4−3576
thermodynamics, internal strain in perfect crystals 4−33350
triglycine sulphate, i.r. laser pulse response, time depend. 4−28768
upper bounds of coefficient for thermodynamic stability 4−16967
$Gd_2(MoO_4)_3$, single cryst., crystallographic domain assignment 4−24648
SbSI, rel. to diffuse phase transition mechanism *(Russian)* 4−20947
(Sr,Ba)NbO_3, i.r. laser pulse response, time depend. 4−28768
$Sr_{1-x}Ba_xNb_2O_6$, La modified, ferroelec. cryst., i.r. detector applic. 4−28769
$Sr_xBa_{1-x}Nb_2O_6$, ferroelectric Czochralski grown cryst., dielec. props. *(Japanese)* 4−1439
ZnO, rel. to sp. ht., rigid ion interpretation 4−37568
pyrolysis *see chemical reactions*
pyromagnetic effects *see magnetothermal effects*
pyrometers
see also temperature measurement
Angstrom pyrheliometer, circumsolar sky radiation effect on scale 4−4640
error distribution, random 4−30419
flame, employing TV monitor *(German)* 4−30422
industrial radiation meas. *(French)* 4−30411
micro, rel. to mass spectrometer apparatus for vaporisation meas. of non-volatile substances 4−5216
micropyrometers, absolute methods for small temp. differences *(German)* 4−14825
nonisothermal gas flow measurement applic., instantaneous velocity determ. 4−18811
optical micropyrometer, diffraction and aberration effects on temp. meas. 4−26489
photoelectric, multichannel, high-speed, operation and construction 4−5000
photographic, in aeroballistic range 4−11467
radiation, calibration at melting point of metals *(Japanese)* 4−22789
radiation, for glass surface temp. meas. by contactless method 4−30423
radiation pyrometer for bright metals, elimination of measuring circuit emission factor *(German)* 4−2250
in Raytheon emissitometer, theoretical basis and practical circuit 4−14827
reference standard, IPTS-68 range 273.15-2800K 4−22757
suction, Al_2O_3 hygrometer and vibration viscometer for industrial appls. *(French)* 4−35569
temperature measurement, metals, inertialess method 4−2245
total radiation, with compensated time const. *(German)* 4−11464
Q-factor measurement
Sn-Sn_xO_y-Sn, Josephson junction, self excited TEM modes, exptl detn. 4−6699
Q-meters
proton target polarisation meas. computer simulation 4−41263
Q-switching
see also lasers
critical length for laser self Q-switching, derived by analogy with neutron criticality 4−283
electro-optical, modulator cell, cylindrical ring electrode, KDP, new config. 4−8391
electrooptic shutter, pulse shaping artificial line 4−39267
junction laser, light pulse generation by external mag. field, repetitively Q-switching model 4−306
Q-switching continued
laser, principles *(Spanish)* 4−30994
long laser, up to 30 km 4−35872
plasma, laser induced, motion in gas-dynamic expansion regime 4−36720
ruby laser using ferroelectric PLZT electrooptic shutter 4−22890
semiconductor laser, and long delays, critical review 4−31046
stability of Q-switched laser pulse form 4−8791
CO_2, waveguide laser, self-pulsing, outputs under c.w. and Q-switched operation 4−15344
CO_2 gas-dynamic laser, self Q-switching phenomenon 4−39757
CO_2 laser, by plasma 4−26956
Ho^{3+}:YAG, appl. for high rate repetitive Q-switched performance 4−8827
Nd:glass laser, multimode pulse, multiphoton ionisation of Xe atoms 4−27543
Nd:glass laser, self switching, unstable resonator 4−23339
Nd:glass laser, single mode, diffr. limit operation 4−23337
Nd:glass lasers, passive Q-switch conditions *(German)* 4−23342
Nd:$POCl_3$-$SnCl_4$ liquid laser, passive Q-switch, self-oscillation mode operation 4−15360
Nd:YAG, c.w. laser, simultaneous Q-switching and mode-locking 4−5504
Nd:YAG laser, efficiency increase for acousto-optic Q-switch 4−8390
Nd:YAG laser, electrooptic versus passive dye Q-switches 4−8389
Nd^{3+}:glass laser, Q-switching and mode locking with Ni dithienes 4−23335

QC *see quality control*

quadrupole crystal field interactions *see crystal hyperfine field interactions*

quadrupole lenses *see electron lenses; electrostatic lenses; magnetic lenses*

quadrupole moments
see also atomic electric moment; molecular moments; nuclear electric moment; nuclear quadrupole resonance
Kramers-non Kramers ion cross relaxation, quadrupole elec. field interaction 4−33249
nonmagnetic crystal, effect of quadrupole electric coeffs. on optical props. 4−20967
Ω^-, anal. of hyperonic Pb atom hyperfine struct. 4−24019
CO-Ar, liq., i.r. spectra determ. of E2 and mol. torque 4−12571
CO-N_2, liq., i.r. spectra determ. of E2 and mol. torque 4−12571
$FeSiF_6.6H_2O$:^{57}Fe, Mossbauer study 4−32885
HBS, ground state props., ab initio wavefunctions 4−31789
HfO_2, meas. of elec. field gradient, differential angular correlation method 4−20907
γ-N_2, Raman spectra, lattice and stretching region obs. of quadrupole interaction 4−28817
Ne low lying configurations, CT interactions and hyperfine struct. *(French)* 4−5940
OCS, high resolution microwave obs. of mag. props. 4−826
^{181}Ta, in HF/HNO_3, n.m.r., nuclear moments, quadrupole broadening 4−19275
^{235}U, ground state h.f.s., dipole and quadrupole moments *(French)* 4−9390
^{67}Zn, temp. depend. of electric quadrupole interaction 4−12128
ZrO_2, meas. of elec. field gradient, differential angular correlation method 4−20907

quality control
see also reliability
carburised steel thermomechanical treatment in H_2-containing atmospheres 4−33812
colorimeter by tristimulus colorimeter *(Hungarian)* 4−18446
colorimetry of liquids and transparent gels *(Hungarian)* 4−18448
colorimetry of spice paprika grist *(Hungarian)* 4−18447
colorimetry of surfaces *(Hungarian)* 4−18449
composite, carbon fibre reinforced plastics, ultrasonic velocity meas. 4−33885
detergent industry, modelling thin film reactors, temperature control 4−33997
of discharge lamps with metal halide ingredients *(Hungarian)* 4−18450
geophysical data acquisition system, marine use, with quality control 4−7849
measurement results, accuracy and credibility indicators, standardisation 4−18330
metal castings, comparison of u.s. and radiographic techniques 4−21517
metrology, improvement of quality of linear and angular dimensions measurement instruments 4−35161
microelectronics industry, ultrapure water, and prep. 4−11694
nuclear and space radiation effects, conference, Logan, Utah (1973) 4−40139
nuclear engineering, development of quality assurance course as integral part of curriculum 4−23744
nuclear fuel development 4−5920
nuclear reactor pressure vessels, quality assurance programmes 4−23799
optical plane surface precision technique *(Czech)* 4−2275
photographic process, archival photography for ERTS satellite data 4−35330
photographic process for satellite surveying 4−35329
plastics, recorded impact-bending tests for quality control *(German)* 4−38116
pumps for nuclear applications 4−31457
refractories, conf., Bedford, USA (Oct. 1973) 4−21395
sintered bodies, eqns. describing dimens. and density variations rel. to optimum prod. practice 4−7249
thickness meas., wire and fibre diameter meas., laser diffraction principle, online operation 4−35909
water, potentiometric methods for measuring dissolved oxygen *(German)* 4−39100
water, ultrapure, for microcircuit technology, and prep. 4−11694
weighing, automatic, magnetostrictive and magnetoelastic convertors *(Spanish)* 4−35183
width measurement, small band shaped parts using laser beam 4−35176

quality control continued
  Si detector, thickness and uniformity study rel. to production quality control *(Russian)* 4−22959
  Ta thin films, resistivity and temperature coefficient of resistivity rel. to X-ray diffraction analysis microstruct. 4−16835

quanticule theory of chemical binding *see bonds (chemical)*

quantisation
  arbitrary central problem, *O*(4) treatment via quasiclassical quantisation 4−8664
  azimuthal of angular momentum 4−2536
  balls of dust, relativistic, canonical quantisation 4−26836
  Bohr-Sommerfeld, of time-asymmetric two-body problem in special relativity 4−15213
  Bose-like, constrained classical model, gauge variance of Dirac bracket 4−8672
  canonical, of gravity 4−39621
  canonical theory of neutral scalar fields in closed anisotropic universe, creation and annihilation operators 4−15424
  classical and quantum polynomial observables, comparison, Dirac quantisation 4−334
  dynamical system, general, covariant canonical and path integral quantisation 4−26806
  $E=h\nu$ relation, derivation in special relativity 4−35145
  Einstein-Maxwell field theory coupling, nonrenormalisability 4−18963
  electric charge, in gauge and path independent formulation of quantum electrodynamics 4−35944
  electron-positron fields, for strong external fields 4−15441
  Fermi-Dirac, relativistic electron field 4−233
  free fields, canonical quantisation on null plane 4−2653
  Gel'fand-Yaglom eqn. for free fields of arbitrary spin, quantisation 4−11994
  Gel'fand-Yaglom equations, graphical approach 4−35924
  generalised coordinates, source of error 4−15200
  Gowdry T^3 cosmology, quantisation by superspace method 4−26838
  Gowdy three-torus cosmology, graviton pair creation 4−39619
  Hamilton-Schwinger action principle 4−30852
  Kristensen Moller model, using Yang-Feldman method 4−15430
  Lagrangian formulation in generalised coords. 4−208
  magnetic charge, theorem 4−9046
  nonlinear fields, covariant derivatives 4−31110
  phase operator, self-adjoint, non-existence for condensed systems 4−2532
  Poisson brackets of physical quantities, classical field theory, differential geometry 4−2642
  and relativity, gravitational energy *(French)* 4−229
  Schwarzschild metric, Hamiltonian treatment, lack of linear constraints 4−26835
  semiconductor, nonparabolic energy band, magnetic quantisation 4−20535
  space-time, and Cherenkov emission at velocities $v>c$ 4−26816
  of spherical well $A/r^4-B/r^3$, Schrodinger eqn. exact soln. 4−11808
  spin-$^3{}_{\cdot 2}$ field, minimally coupled 4−19176
  spin-two fields, free, on light front 4−27048
  spinor electrodynamics, canonical quantization on null plane 4−2653
  Takahashi-Umezawa method, breakdown of Lorentz invariance 4−19173
  Yang-Mills fields, massless self-interacting, quantisation in null-plane frame gauge 4−15435
  H atom and automorphism groups, quantisable dynamical systems 4−8666

quantitative analysis *see chemical analysis*

quantum chemistry
  ab initio calcs., approx. for electron repulsion integrals 4−3104
  atomic vapour, kinetic theory of nonequilibrium alignment phenomena 4−3239
  charge on atom in molecule, shared electron density, electron density and projection operators 4−16045
  fluoroolefins, comparison of semiempirical MO methods for calc. electronic structure and reactivity 4−31800
  gas, polyatomic dilute, Waldmann-Snider eqn. 4−3240
  Lie algebra applic. 4−39584
  many-body Green's function technique, ab initio effective pots. for atoms and mols. 4−683
  matrix elements of one- and two-electron operators 4−19765
  modified Cartesian Gaussian functions, electron-electron repulsion integral 4−27518
  non-invariance group theory appl. 4−2445
  partitioning technique for wave operator derivation 4−11793
  relativistic changes accompanying molecular formation 4−36470
  repulsion integrals, correl. contrib., ab initio calcs. 4−24028
  review collection, book 4−758
  sandwich molecules, two-dimensional electron gas model and diamagnetic susceptibility 4−5999
  semi-empirical, molecular properties, true effective operators, ab initio evaluation 4−40217
  semiempirical, theoret. foundations 4−40219

quantum counters *see photon counting*

quantum electrodynamics
  see also electromagnetism; experimental tests of quantum electrodynamics
  charged particle acceleration using travelling wave in uniform mag. field 4−5570
  charged particle motion in radial magnetic fields 4−26793
  charged particle relativistic motion in magnetostatic and e.m. fields 4−2657
  Compton effect, Fermi particle in magnetic field, anomalous magnetic moment 4−23480
  Dirac equation, soln. for relativistic electron in field of two Coulomb centres 4−753
  dual charged particles, Mandelstam formulation, conversion to singular potentials 4−39809
  electron anomalous moment and spin-precession freq. shift, model 4−27065
  electron scattering, i.r. divergences, 'observational' approach 4−12038
  electron wave functions in over-critical electrostatic potentials 4−12015
  ether, unified approach 4−8911

quantum electrodynamics continued
  Fermi-particles, neutral moving in external e.m. field, anal. of induced radiation *(Russian)* 4−35749
  harmonic oscillator, stochastic treatment, mass renormalization, Lamb shift 4−31114
  i.r. problem in model of scalar electrons and massless scalar bosons 4−35922
  molecular QED, new gauge condition, multipole hamiltonian 4−27573
  molecule, in non-uniform electric and magn. fields, multipole hamiltonian 4−31761
  molecule, in uniform electric and magn. fields, transformed Hamiltonian 4−31760
  muonic atom, vacuum polarisation nuclear size depend. 4−27066
  muonic atom, vacuum polarisation nuclear size depend. ^{208}Pb 4−27067
  photon scattering by external current 4−39808
  positronium, ground state splitting, Coulomb distortions on vacuum polarisation 4−23441
  relativistic electrons in magnetic undulator, emitted radiation *(Russian)* 4−5617
  research in Austria 4−26902
  Sachs theory, atomic structure, Pauli principle violations 4−
  soft photons emitted from electron system, radiation and absorpt. in mag. field *(Russian)* 4−5618
  $e\gamma$ scattering, background potential, cross section expressions 4−343

quantum electronics *see quantum optics*

quantum field theory
  see also Bethe-Salpeter equation; Clebsch-Gordan coefficients; dispersion relations; meson field theory; quantum electrodynamics; quantum field theory of interactions; quantum field theory of scattering; relativistic quantum field theory; scaling phenomena
  φ^4 massless-particle theory, i.r. singularities, small distance behaviour anal. 4−5552
  φ^4 theory, anomalous dimensions of higher order operators 4−30900
  aesthetic approach, bounded particles in $\Gamma_{jk;l}{}^{i}=0$, $g_{ij;k}$ theory 4−11990
  aesthetic approach, field equations for bounded particle 4−11989
  anomalous Ward identities, dimensional regularization 4−15420
  asymptotically conformal invariant theories, canonical dimensions 4−35957
  axial vector current divergence, ν-dimens. anal 4−5582
  axiomatic, Wightman theorem, new proof *(Russian)* 4−35923
  boson, matrix moment methods 4−18928
  bosons, higher spin, covariant propagator calc. 4−31125
  C.C.R. algebra, non quasi-free classes of product states 4−11848
  chiral energy-momentum tensor for massless pseudoscalar mesons 4−8894
  chiral-gauge invariance spontaneous breakdown rel. to massless Goldstone bosons 4−8923
  chirally-invariant, Green function eqns. and perturbation rules 4−11995
  clustering states, anal. of local observables via asymptotic abelianness 4−2444
  commutativity and causal independence, Schlieder condition 4−15434
  complex dimensionality parameter operators, asymptotic logarithmic behaviour 4−39792
  conference, Berkley, California, USA (August 1973) 4−23427
  conference at Schladaming, Steiermark, Austria (5-17 Feb. 1973) 4−11979
  conformal invariance, Schwinger terms 4−31121
  conformal invariance and anomalous dimensions *(Russian)* 4−15437
  conformal invariance as asymptotic symmetry 4−5581
  construction as limit of approximate theories 4−8889
  continuous sample paths in R^{l+1} 4−19171
  critical behaviour in renormalized local field theory 4−11983
  decay law, unstable states, non-exponential decay analysis 4−31106
  dilatons, spontaneously massive in simple scalar model with unitarity corrections 4−39795
  Dirac monopoles rel. to general gauge theories 4−15412
  dissipative Lagrangians, path integral representation of particle propagator 4−11996
  equivalence theorem, functional techniques for perturbation expansion of Lagrangian 4−35929
  equivalence theorems for massive spin-one particles 4−39787
  Euclidean field theory with conformal invariance, review 4−11981
  fermions constructed from bosons, para-Fermi statistics 4−332
  field operators, algebra of test functions 4−11986
  finite energy momentum tensor construction, non-perturbative approach 4−35936
  Foldy-Wouthuysen transformation, inconsistencies for spin >1 4−35925
  free fields, canonical quantisation on null plane 4−2653
  frequency mixing, in Josephson junctions and electron beams traversing microwave cavities 4−6695
  functional integral formulation derivation of general conservation laws and Ward-Takahashi identities 4−35950
  $g\varphi^4$, short distance behaviour, conformal-invariant four-point functions 4−15428
  $g(\varphi^+\varphi)^2$, properties of scaling functions for small couplings 4−15431
  Galilean, embedding of unstable non-relativistic processes 4−23434
  gauge dependence of renormalization group parameters 4−39797
  gauge theories, gauge dependence of u.v. behaviour 4−19182
  gauge theories, spontaneously broken, renormalisation and gauge independence 4−5560
  gauge theories with Higgs-Kibble mechanism, spontaneous symmetry breaking 4−15458
  gauge theories with spontaneously broken discrete symmetries, renormalisability 4−39802
  Gel'fand-Yaglom equations, graphical approach and quantization 4−35924
  Goldstone particle, spin 1/2, Higgs effect 4−39786
  Hamiltonian, analyticity of eigenvalues rel. to coupling constant 4−19180
  Hamiltonian dynamical system, non-autonomous and Lorentz-invariant case 4−2644
  Hamiltonian operators, commutators and self-adjointness 4−15196

quantum field theory continued
Higgs phenomenon, Goldstone theorem and massive gauge vector field 4−15419
Jaffe class rel. to type S spaces, test functions with compact support 4−336
Lagrangian, application of Epstein-Glaser construction 4−2654
Lagrangian, conformal symmetry 4−8903
Lagrangian, nonlinear, derivation from local Euclidean frames 4−18940
Lagrangian model invariant under supergauge transformations 4−35938
Lagrangian perturbation theory, Zimmermann's formulation 4−35932
Lagrangian theory, scale and conformal symmetry 4−19179
Lagrangians, exponential, fourth order perturbation theory 4−27033
Lagrangians for description of Goldstone particles 4−8908
Lagrangians for massive arbitrary spin fields 4−23431
light cone singularities, Green's functions 4−337
local, formulation without introduction of regulator fields 4−8905
local commutativity of quantized scalar and vector fields 4−19170
local field theory, self-consistent formulation 4−12007
massive elementary spin one systems, Proça and Wigner realizations 4−19191
massive neutral vector fields, scale transformations, Lorentz covariance 4−27059
massless field eqns. rel. to arbitrary spin 4−11993
massless fields, propagation, discussion of inequality 4−8893
minimal coupling in spin-2 field 4−39793
multispin field equations from Clifford algebra 4−12000
neutral scalar field with fixed source, superoperator-transformation theory 4−27044
Noether's theorem, generalized, applic. to Dirac field, creation/annihilation currents, zilch 4−23428
Noether's theory, generalised, field variations rel. to conserved currents 4−23166
non-local, action principle derivation of conserved quantities 4−15430
non-polynomial Lagrangian, non-zero mass correction to superpropagator 4−35942
nonlinear, continuous analogue of Newton's method 4−8910
nonlinear σ model, one loop renormalization 4−2665
nonlinear chiral theories, invariant functional formulation 4−39826
nonlinear fields, quantization, covariant derivatives 4−31110
$P(\varphi)_2$ field theory, asymptotic perturbation expansion 4−27034
$P(\varphi)_2$ theories, euclidean version of Haag's theorem 4−39783
parafield, non-relativistic, order 3, irreducible representations rel. to SU_3 hadron symmetry 4−333
photodetection, model 4−39714
Poincare group, nonunitary representations 4−8920
Poisson brackets of physical quantities, classical field theory, differential geometry 4−2642
propagator products in arbitrary dimensions 4−15417
quantisation, Dirac, comparison of classical and quantum polynomial observables 4−334
quasi-unitarity in field theories with non-hermitian Hamiltonians 4−11984
Reggeon, spontaneous symmetry breaking 4−36033
renormalisation, use of oversubtractions 4−19175
renormalisation group, zero mass procedure 4−27052
renormalization, brief review *(Czechoslovakian)* 4−5551
renormalization group and composite field in Wilson's theory of critical phenomena 4−12001
renormalization of field products and Wilson-Zimmermann expansion in class of model field theories 4−15418
Schwinger term, ν-dimensional anal. 4−11997
solid, elastic, exact results for phonon spectra, band struct. and sine Gordon eqn. 4−24675
source theory, spectral forms for four-point functions 4−39804
source theory and unitarity, causal viewpoint 4−27050
spin density tensor, definiton for hadron dynamics 4−19177
spin-$^3{\cdot}_2$ field, numerically coupled, quantisation 4−19176
spin-one, nonuniqueness of energy momentum tensor 4−27047
spontaneous chiral symmetry breaking, renormalized Lagrangian field theory 4−35930
spontaneous symmetry breaking without scalar mesons 4−27082
spontaneously broken gauge symmetries, dynamical model 4−15425
spontaneously broken gauge symmetry used in massive gauge invariant spin 2 theory 4−35951
Summer School, les Houches, France (1971) 4−2640
symmetry breaking in field theory of currents, appl. to $SU(2)\times SU(2)$ 4−15452
tensor representation of massive spin-one particles, equivalence with $(^1{\cdot}_2,{}^1{\cdot}_2)$ Lorentz representation 4−2646
three-body wave functions of discrete spectrum, asymptotical form 4−27060
time evolution using a Dicke maser model Hamiltonian for n radiating atoms 4−11909
unstable particle theory, renormalization, second sheet poles 4−12005
unstable states decay law *(Polish)* 4−27045
u.v. asymptotics and scale invariance 4−2650
Van Vleck transform, projector formulation, degenerate case, product spaces 4−16049
vertex function, coordinate, momentum space 4−341
Ward-Takahashi-Slavnov identities for one-particle irreducible vertices 4−8898
Wightman continuation to Euclidean field region, positivity of Hamiltonian semigroup 4−23433
Wilson-Zimmerman expansion, direction depend. of field operators, Wightman functions 4−15416
$\lambda\varphi^3$ theory, multiparticle matrix elements of currents at large mass 4−27051
φ^4, rigorous bounds on coupling constants 4−5567

quantum field theory of interactions
see also elementary particle coupling constants; elementary particle interactions; Feynman diagrams; quantum field theory of strong interactions; quantum field theory of weak interactions
asymptotic series for scattering operator and asymptotic unitarity of space cut-off interactions 4−8899

quantum field theory of interactions continued
asymptotically free theories, non arbitrary nature of coupling consts. 4−35926
bound-state problem in model nonpolynomial-Lagrangian theory 4−5565
box diagram for pseudoscalar bosons and spin-1/2 fermion of arbitrary masses 4−15447
charge renormalisation, Kroll-Lee-Zumino model, hadronic contrib. 4−27055
conformal invariance of interacting fields rel to SU(2,2) 4−2663
conserved currents, commutation, symmetry structure of renormalizable theories of e.m. weak and strong interactions 4−15453
construction as limit of approximate theories 4−8889
Dirac Hamiltonian, spectral props., class of dilatation analytic interactions 4−27030
gauge model, spontaneously broken, pseudo-Goldstone boson masses in one-loop approx. 4−27043
gauge theories, spontaneously broken, bosonic processes and renormalisation 4−27076
gauge theories, spontaneously broken, u.v. behaviour 4−8925
gauge theories, vector meson dominance 4−27053
gauge-invariant theories, ambiguity of anomalous muon magnetic moment *(Russian)* 4−15483
Higgs theorem in Yang-Feldman formalism 4−8904
i.r. problem in model of scalar electrons and massless scalar bosons 4−35922
Lee model, V-Nθ sector, clothing transformation technique 4−338
massive Thirring model with U(n) symmetry, asymptotic scale invariance 4−39800
massless φ^4 theory, 4-ε dimens. 4−5558
Mellin poles and structure functions 4−39789
non renormalizable interactions, characterisation of pseudo-free theories 4−15423
non-Abelian theories, deep inelastic phenomena, strong interaction dynamical origin 4−23488
non-polynomial, scattering matrix, infinite volume limit 4−19188
non-polynomial, scattering matrix 4−19187
nonrenormalizable theories from singular interaction potentials 4−11982
$P(\varphi)_2$, proof of Lorentz covariance without using higher order estimater 4−11985
parastatistics and quark model 4−27037
PCAC, dimensional regularisation, sigma model 4−351
primitive divergent elimination by complex coupling consts. 4−27032
pseudoscalar Yukawa coupling model, anomalous dimension of tensor operator in 4-ε dimensions 4−35939
renormalization method, energy-momentum tensor in $g\varphi^4$ theory 4−8884
scalar meson theory, possibility of existence of finite charge *(Russian)* 4−15436
SL(6,C) symmetry, 2^+ nonet as gauge particles 4−15457
SO(3) gauge model, parity-violation effects in atoms 4−27075
soluble model, massive vector meson coupled to single component fermion 4−2641
stress tensor trace identity anomalies, normal product approach 4−39788
Thirring model with positive interaction, time correls. 4−35746
three-particle system, recouplings, partial groupoid, Racah coeffs. 4−27061
unified gauge theories, spontaneous breakdown formulation in path-integral method 4−27080
unified gauge theories, weak radiative corrections 4−27058
unified gauge theories for all particles with spin$\leqslant$1 4−23432
unified gauge theories of strong, weak and e.m. interactions, non-abelian gluons 4−39827
unified gauge theory, parity violation in M- and quark schemes, comparison 4−5577
unified space-time for interaction of elementary particles 4−330
universal gravitation, possible repulsive interaction 4−2550
universal length 10^{-16} cm, evidence from rising cross sections, CP-violating kaon decay 4−19259
Ur-Citon scheme, multi-local hadron fields, hadron systematics 4−15449
vector meson dominance in renormalized theory 4−27054
vector mesons, massive, restrictions on parity conserving interactions 4−12004
Weyl's gauge field, relationship with scale transformations 4−12008
Yang-Mills fields, massless self-interacting, quantisation in null-plane frame gauge 4−15435
Yang-Mills gauge model, advantages of colour octet gluon picture 4−12055
Yang-Mills massless e.m. field, in gauge $SU(3)\times SU(3)$ chiral group 4−35935
Yang-Mills theory, renormalisation 4−35928

quantum field theory of scattering
see also elementary particle scattering
analyticity, unitarity and scattering amplitudes 4−2659
bilocal field model of hadrons, symmetric vertex function 4−31168
Bjorken scaling, asymptopia in deep inelastic scattering and annihilation 4−2691
Bjorken scaling, renormalization-group approach 4−39799
canonical light-cone singularities of the vertex function 4−39791
causality conditions, generalization of Haag and Bogolyubov principles *(Russian)* 4−23444
cell model field theories, Hamiltonian approach 4−39790
cross sections, lower bounds without unknown constants and valid at all energies 4−23443
curent-hadron scattering amplitudes, power series and analyticity 4−5585
current-hadron scattering amplitude, real part, sum rule relation to light-cone commutators 4−27085
electron scattering, i.r. divergences, 'observational' approach 4−12038
fermion-fermion elastic scattering, high-energy, nonpolynomial Lagrangian, meson exchange 4−2648
five-particle amplitudes near physical region, analyticity properties 4−23564
Galilei amplitudes for separable potentials 4−39597

quantum field theory of scattering continued
Galilei group expansions for amplitudes, dynamical singularities 4—39596
gravitational potentials calc. for four-body system in quantum theory 4—39817
Hamiltonian dynamics, Dirac field quantised on light front, front form dynamics 4—27041
meson-boson interaction, field-theoretical model 4—31107
non-polynomial interactions, scattering matrix, infinite volume limit 4—19188
non-polynomial interactions, scattering matrix 4—19187
nonlinear spinor field functionals, scatt. state functionals, channel eqns. 4—39806
operator product expansion description of light-cone behaviour, Regge asymptotic behaviour 4—39796
photon scattering by external current 4—39808
from random rough surface, diagram methods for elastic media 4—8896
renormalized perturbative model for deep inelastic electron proton scattering, gluon ladder graph 4—8964
thermodynamic limits, S-matrix, series of perturbation theory 4—12019
unitary analytic scattering amplitude, spin 0-spin $^1/_2$ case 4—15443
vectorial particles with orientated spin, polarisation effect *(Russian)* 4—5555
$\pi\pi$ scattering, phase-shifts, invariant meson-baryon Lagrangian, one-loop approx. 4—2717
$\pi^0\pi^0$ low energy scattering, crossing symmetry, analyticity *(German)* 4—9004

quantum field theory of strong interactions
see also elementary particle strong interactions
Cheng-Wu model of high energy hadronic cross section, multiplicities 4—19237
chiral $SU_2 \times SU_2$ pion-nucleon Lagrangian, representation mixing 4—15413
composite field, self-interacting, asymptotic form factor 4—8974
diffractive dissociation model, helicity conservation, for baryon resonances 4—2708
few-body problem, equations of motion, nucleon-nucleon interactions 4—39949
gauge, theory, non-Abelian, with correct parity-strangeness violation 4—11998
gauge theories, unified renormalizable non-abelian gluons 4—39827
gauge theory, reln. to hadronic geometry of space time 4—15531
gauge theory, reln. to hadronic geometry of space-time 4—15532
generalised optical theorems and Steinmann relns. 4—15530
Goldstone bosons in chiral $SU(4) \times SU(4)$ 4—5632
inclusive reactions, φ^3 theory ladder model, limiting pionisation from Regge form 4—15579
Lagrangian, Pade approx. of two-point functions, resonances calc. 4—2651
Lippmann-Schwinger equation, optimized polynomial approx. soln. 4—2766
local spinor field, bound state description of hadrons 4—5622
meson resonance strong decays, dynamical quark model 4—36010
meson-boson interaction, field-theoretical model 4—31107
meson-nucleon dynamics, Zimmermann's normal product algorithm 4—35931
multiperipheral models based on Bethe-Salpeter equation, statistical processes and fireball formation 4—12073
non-local, with causal properties of dual theory 4—39794
Pade approximant model of nucleon propagator 4—39879
parton model, field-theory formulation 4—39860
Pomeron interaction, quantitative theory 4—31175
Pomeron propagator in position space in dual resonance model 4—15510
quark field theory, strong interactions due to quark imprisonment 4—31165
Reggeon field theory, structure of vacuum singularity 4—27148
renormalisable asymptotic behaviour of form factors and large angle scattering amplitudes 4—12054
scalar field in strong coupling, wave function renormalisation 4—27049
string model, vertex function from interactive bond 4—31171
unitary model approach to high-energy asymptotic limit of pp total cross sections 4—23588
Yukawa scalar coupling, 4-ε dimensions, scale invariance 4—339
K^+p, increase of total cross-sections, slope of diffraction peak 4—19257
pp, increase of total cross-sections, slope of diffraction peak 4—19257
π-nucleus Chew-Low equation for finite nuclei 4—27357
pp high-energy elastic scattering 4—15559

quantum field theory of weak interactions
see also elementary particle weak interactions
gauge fields as bound states 4—35927
gauge model, cancellation of divergences in fourth-order μ-μ elastic scattering 4—2674
gauge models, lepton charge and $\mu^{\pm} \rightarrow e^{\mp}$ transitions 4—27091
gauge theories, CP violation and electric dipole moments 4—23451
gauge theories, non-leptonic weak interactions, Han-Nambu quarks, $|\Delta I| = ^1/_2$ rule 4—23450
gauge theories 4—35941
gauge theories and 'elastic' weak neutral currents 4—31130
gauge theory, form factors, fourth order divergence cancellations 4—2675
gauge theory of weak interactions, effect of Higgs scalars 4—2673
gauge-invariant model of e.m. and weak lepton interactions 4—15469
hadron symmetry scheme from Lie algebra D_4, appl. to weak interactions 4—2705
Higgs particles, constraints in unified weak-e.m. gauge theories 4—19183
non-local theory, for muon decay and neutrino-neutrino interactions 4—15471
nonleptonic, in unified gauge theories 4—27089
quark triplets, self-interaction and light-cone struct. of current commutators 4—27088
renormalizable scalar-boson theory, finite one-loop graphs, octet enhancement of $\Delta Y = 1$ hadronic processes 4—39833

quantum field theory of weak interactions continued
Schwarz (0,1) model, equivalence with Gervais-Neveu $\alpha(0) = -1$ model 4—27138
self-interaction of γ field, consequent weak and e.m. forces 4—15426
Weinberg model, S-matrix derivation applying asymptotic softness requirement 4—39815
e-μ universality, renormalisable theory, var. in intermediate boson leptonic decay 4—27090

quantum fluids
see also boson systems; fermion systems; liquid helium
boson fluid, energy spectrum of elementary excitations 4—24602
charged integral eqn. determ. radial distrib. function 4—11855
neutral, integral eqn. determ. for radial distrib. function 4—11855

quantum generators (optical) *see lasers*

quantum mechanics *see quantum theory*

quantum numbers *see quantum theory*

quantum optics
see also photon counting
amplified spontaneous emission, inverted medium 4—15325
atom, two-level, Dicke Hamiltonian energy spectrum 4—15324
atom photon interaction, thermodynamic props. 4—23282
atomic coherent states, disentangling theorem, classical analogy 4—23286
atoms, two-level, Dicke maser model and Ising model equivalence at equilib. 4—39711
coherent and chaotic field superposition, correlation function *(German)* 4—30987
coherent states, three dimensional harmonic oscill. *(Russian)* 4—11907
collective radiation by harmonic oscillators, line shift and broadening 4—39712
Dicke infinite atom maser model, time evolution of quantum field 4—11909
Dicke model for superradiance, higher order corrections to phase transition 4—8785
electron potential scattering in e.m. field, Glauber approximation 4—26803
Feynman diagrams, generalisation of single-atom radiative decay theory 4—23281
Fresnel's evanescent wave, energy-momentum quanta 4—275
generalized Gaussian field, harmonic anal., P-representation 4—35772
kinetic theory of laser generation in spectrally heterogeneous media *(Russian)* 4—26945
laser light emission from interacting chaotic fields 4—277
many-level molecular system, semiclassical anal. 4—11906
many-photon processes, statistical phenomena 4—39713
multi-frequency laser radiation, statistical properties *(Russian)* 4—5482
multi-photon process, nth order correction to Reiss's transition amplitude 4—30990
multilevel-atomic system, single-quantised field mode interaction, exact soln. 4—26939
multiphonon transitions, bound system, intense radn. fields, Reiss's semiclassical method 4—23284
multiphoton process, momentum translation approximation 4—23285
oxide single crystal preparation, zone melting, appls. *(Russian)* 4—37757
parametric processes, dynamics using trilinear hamiltonian 4—31070
phase operators and phase relations for photon states 4—27063
phase relations, optical coherence, quantum theory *(Russian)* 4—5476
phase variables, theoretical investigation *(Russian)* 4—26941
photographic, detective quantum efficiency, influence of fog grains, model calculations 4—8788
photon correlations in parametric frequency light splitting 4—23283
photon noise, amplification due to photographic defects in photographic exposure 4—8787
photon statistics for coherence destruction by radiation scattering on atoms 4—19053
polarized radiation passage through resonant medium *(Russian)* 4—35817
pumped resonant media, time depend. e.m. properties 4—16004
QED, phase average anal. of intense photon beam interactions 4—31115
receivers, information props. anal. for coherent optical signals *(Russian)* 4—26928
resonant absorbing medium with overlapping Q(j) transitions, distortionless propag. 4—26943
resonant scattering in linear fluctuating medium, spectral densities 4—30988
scatter of point particles in a time dependent field 4—30855
scatter of point particles in time varying external field 4—30854
single atom-single field mode interactions, continued fraction expression for eigensolutions 4—5477
spontaneous emission, QED of dielectric perturbation of Lamb shift 4—35822
superluminescence, excitation in three level systems *(Russian)* 4—8783
superscattering, quantum theory *(Russian)* 4—8782
thermal detector, entropy efficiency concept 4—18387
three-level system in intense nonmonochromatic field, linear susceptibility 4—35821
two level system, in resonating field, variable amplitude *(Russian)* 4—8784
two-level atom, interaction with quantised radiation field 4—5478
two-level atom interaction with single-field mode, QED and semiclassical theories 4—2609
two-level atomic systems, emission and reson. trapping of photons 4—15323
two-level atoms, radiation emission from two atoms using Wigner-Weisskopf approx. 4—5475
two-level system, scattering of circular and linearly polarised light *(Russian)* 4—12473
two-level system, spontaneous emission multiple-time-scale anal. II 4—16000
two-level system, spontaneous emission multiple-time-scale-anal., isolated atom system 4—15999

quantum optics continued
two-level system, transitions at diffusion modulated isotropic interactions *(Russian)* 4−35818
He-Ne laser, changes in photostatistics by amplification processes *(German)* 4−23304

quantum statistical mechanics
see also many-body problems; quantum fluids
binary system, charged interacting particles, statistical operator representation *(Russian)* 4−32655
bootstrap equation, bosons, explicit soln. 4−2667
Bose condensate, impurities, effective mass and radius calc. 4−11852
Bose gas, charged, self-consistent random phase approx. for Bose-Einstein condensation 4−30893
Bose gase, one-dimensional, with repulsive point interaction, cluster coeffs. 4−39632
Bose-Einstein condensation, coherence theory 4−30890
clustering states, anal. of local observables via asymptotic abelianness 4−2444
coherent spin states, anal. of rotation operator 4−23209
colloid, charged dielectric half spaces in electrolyte, free energy of interaction 4−29241
colloid, free energy of dielec. and electrolytic systems 4−29240
correlated basis functions nonorthogonality corrections 4−2562
correlation functions, classical limit 4−26801
correlations in classical and quantum systems far from thermal equilib. 4−5406
critical dynamics, one particle excitation, 1/n expansion 4−35748
crystal monovacancy concentration, Fermi-Dirac type expression *(Japanese)* 4−24471
decaying non-relativistic systems, irreversible behaviour of unstable particles 4−8714
dosed system, additivity of entropy and definition of temperature 4−11847
dynamics, limit models, C-algebra formalism 4−232
electron gas, collective effects at high temp. in low- and high-magnetic field limits 4−15239
electron gas, collective effects in zero temp. limit, for low- and high-magnetic field limits 4−15238
electron gas, correlation energy, quantum strong-field limit 4−15242
electron gas model in layered stuctures, one-particle properties 4−2567
entropy over thermodynamical manifolds, relativistic and quantal structure 4−19009
equilibrium systems, projection techniques 4−231
ergodicity, dissipativity, return to equilibrium 4−234
estimation theory, Cramer Rao inequalities for operator valued measures 4−11849
exchange-correlation in self-consistent field 4−759
Fermi gas, degeneracy effect in near-classical limit 4−15241
Fermi-Dirac quantisation, relativistic electron field 4−233
fermion system, finite temp. excitation spectrum for repulsive δ-function interaction 4−26851
finite system ergodicity, observables and consts. of motion 4−30892
Frenkel excitons in two-level atom model, rigorous theory 4−13156
generator coordinates time evolution, applications to nuclear cranking model 4−12224
hard spheres, high temp. limit of cyclic exchange cluster integrals, application to ^{4}He-transitions 4−11856
harmonic oscillator, stochastic treatment mass renormalization, Lamb shift 4−31114
harmonic oscillator systems, asymptotic ergodicity 4−18990
harmonic oscillator systems, ergodic features 4−18989
Heisenberg chain, one-dimensional, of continuous spins in mag. field, thermodynamics 4−26850
Helmholtz free energy, partition function for anharmonic potential, path integral method 4−15263
homogeneous reaction kinetics, proton transfer 4−1711
hyperspherical and harmonic oscillator many-body matrix elements 4−30891
hypersurface families in Euclidean spaces, rel. to charged particle system 4−35582
ideal quantum gas, equations of state 4−39668
imperfect gas, collision operators, proper connected-diagram expansion 4−5414
information entropy, maximal quantum states 4−5415
interacting non-relativistic particles by relativistic statistics 4−11797
Jastrow correlations, cluster expansion for infinite systems 4−26848
Jastrow functions of WKB type, suitability for cluster calcs. of quantum cryst. ground state 4−2565
kinetic equation for nonequilibrium particle in a thermostat 4−15243
lattice systems, equivalence of KMS and Gibbs condition 4−11861
local observables in particle statistics 4−12021
many particle boson system, modified Euler equation for correlation function 4−36146
many-body problem, classification by internal symmetries, actual and reduced systems *(German)* 4−39635
many-electron system, pair correlation function 4−26850
many-particle part transformations 4−235
material system, projection operators and the transverse electrical conductivity tensor 4−5417
monatomic spin 1/2 gases, transport and relaxation phenomena 4−243
multiparticle systems, pair correls., time depend. *(German)* 4−20065
multiparticle systems, pair correls., time independ. *(German)* 4−20064
non-Hamiltonian, nonvanishing of uncertainty relations at infinite time. 4−2563
nonequilibrium, superoperator-transformation theory, neutral scalar field, fixed source 4−27044
nonlinear optics, master equation approach, two photon emission and absorpt. 4−31071
optical rotation, allene derivatives, quantum mechanical theory *(German)* 4−19806
optical rotation, methane derivative, quantum mechanical theory *(German)* 4−19805
parastatistics and quark model 4−27037

quantum statistical mechanics continued
partition function for anharmonic potential using Uhlenbeck-Ornstein integration measure 4−39634
path integral, linear, harmonic potential 4−5412
phase operator formalism for superfluid systems, a.c. Josephson effect 4−32762
phase transitions in quantum mechanical many-body systems far from thermal equilibrium 4−11868
photon counting, accuracy of digital autocorrelators, effect of channel correlation 4−2285
photon gas, electric field autocorrelation function, long time behaviour 4−18974
photostatistics in He-Ne laser, changes produced by amplification processes *(German)* 4−23304
quantised particle motion in randomly perturbed potential field kinetic eqns. 4−26866
random processes associated with quantum mech. variables *(French)* 4−11846
relativistic many-particle system with induced em field, functional random walk model 4−15240
renormalization group and composite field in Wilson's theory of critical phenomena 4−12001
reservoir coupling, solns. of master eqn. without thermal equilib. 4−18980
reservoir-driven open systems, phase transition, appl. to lasers and superconductors 4−23293
single particle time correlation function, perturbation theory projection operators removal 4−18979
spin $^1.{}_2$ system, general form of generator of dynamical semi-group 4−5410
symmetry and information rel. to classical pure states 4−15236
temperature Green's function expansions, classical limit 4−11845
thermodynamic ensemble, approach and return to equilibrium 4−11869
Thirring model with positive interaction, time correls. 4−35746
transition model, quasi first order, n-component field, 1-D 4−35747
transport coefficients of macroscopic observables, rel. to time correlations of random forces *(German)* 4−15235
type II factors rel. to self adjoint operators in separable Hilbert space 4−5413
ultra-dense matter, Zeldovich model, superluminal sound and ferromagnetic transition 4−35750
validity, definition and use of outcome sequences to determ. props. of probability meas. 4−8662
van Hove's universal receptacle, non discrete states non-equivalence to quasi-free states 4−2564
variational methods, review, in book 4−5408
velocity autocorrelation function of moderately dense gas, asymptotic time behaviour 4−18975
weakly inhomogeneous quantum mechanical dilute gas, Boltzmann eqn. derivation 4−2573
Wigner's quantum correction for thermodynamic equilibrium, derivation for students 4−35130
X-Y model, a-cyclic, time-correl. functions 4−33113

quantum statistics *see quantum statistical mechanics*

quantum statistics of many-particle systems *see quantum statistical mechanics*

quantum theories of fluid structure
critical point, order-parameter decay rates, freq. depend. 4−15266
extended rotational diffusion model, J-diffusion limit, reorientational correl. functions and memory functions 4−3436
liquid cell model without long-range order 4−3437
liquid metals on two-component systems 4−9810
multicomponent, 'ordinary mixture' tricritical point 4−16409
polar liquid model of dipolar hard spheres 4−3438
He, superfluid, polarisation modes formed by light coupling with excitation pairs 4−24606
Rb, liq., short wavelength collective excitations, coherent neutron scatt. 4−16411

quantum theory
see also complementarity; correspondence principle; harmonic oscillators; indeterminancy; perturbation theory; quantum chemistry; quantum field theory; quantum theories of fluid structure; quantum theory of gravitation; wave mechanics
Agranovitch-Marchenko transformation, existence of translation operators 4−11803
Aharanow-Bohm fields, e.m. potentials 4−15195
Aharonov-Bohm effect, classical e.m. deflections and lag effects associated with quantum interference pattern shifts 4−5375
anharmonic oscillator, theory and applics. 4−26808
applications in modern physics, review 4−5370
arbitrary central problem, $O(4)$ treatment via quasiclassical quantisation 4−8664
atom, circularly polarised light perturbation, time evaluation response, semiclassical soln. 4−30849
atom photon interaction, thermodynamic props. 4−23282
atomic electron scattering, use of matrix variational method 4−5964
atomic spectra, classical analogue to dipole moment, teaching paper 4−35139
atomic Z expansions and mol. electronic struct., one-centre scheme limitations 4−19778
Bargmann Hilbert space, canonical transformations, appl. to nuclear models 4−2537
Bell's theorem, its implications for the interpretation of quantum mechanics 4−11789
Bertrand theorem role in symmetry and degeneracy problems *(French)* 4−39581
Bloch-Siegert effect, non-perturbational calc. in semiclassical and quantum theories 4−15277
bound states and scattering states, characterization 4−23175
bounds to quantum mechanical properties 4−3102
channelling, rosette-motion by energetic electron beams 4−36927
charged particle, energy levels' shifts in presence of mag. field 4−23181
classical limit of quantum mechanics 4−11788
classical picture of quantum mechanics 4−15205
collapse smoothing in universalised theory 4−8674

quantum theory continued
collision duration and symmetrical time operator, non-relativistic quantum mechanics 4–11809
correlation functions, classical limit 4–26801
covalent systems, calculation of Greens function *(French)* 4–9874
degeneracies of quantum systems, energy eigenvalue determ. 4–11799
degenerate level splitting under symmetry-breaking Hamiltonian, group-theoretical approach 4–39587
demonstration for students using a laser and polarizing prism 4–35132
demonstration of wave-particle duality using electron beams 4–11406
development review *(Hungarian)* 4–18930
Dirac matrices, trace of product of arbitrary number of elements A'_r 4–8660
discrete inverse scattering problems with Schrodinger potential 4–5369
dynamical formalisms, non-singular generalised 4–8607
dynamical systems, connection between probabilistic and Hilbert-space description 4–209
education, energy density and energy current density continuity equation derivation 4–18293
education, simple algorithm for obtaining eigenvalues for quantum mechanical problems 4–18296
education, three-body problem for introductory students 4–18299
Einstein-Podolsky-Rosen paradox *(German)* 4–39595
elastic scattering, Stieltjes imaging of Fredholm determinants 4–30847
electron beams diffraction, dense, in quantum mech., prob. eqn. and Schrodingers eqn. 4–327
electron simultaneously in electric and magnetic fields, quantum and classical theories 4–26351
e.m. interaction of charged particle with constant current solenoid, reln. to Aharonov-Bohm theory 4–5374
energy conservation in barrier penetration explained by uncertainty principle, teaching paper 4–26355
entropy, quantum-mechanical, proof of strong subadditivity 4–26847
exclusive interaction, deduction of Pauli exclusion principle 4–11798
Feynman integral, generalised, derivation of generalised Schrodinger eqn., Coulomb energy spectrum 4–8669
finite-dimensional phase-space path-summation formulation 4–15206
formaldehyde, radiation induced polymerisation, quantum low-temp. limit 4–38133
found state Kepler problem, appl. of O(f,2) algebra and spherical harmonics in f dimensions 4–2445
Franck-Condon effect, re-examination for students 4–26359
Fredholm approximates, soln. to Lippmann Schwinger eqn. 4–30851
Galilei amplitudes, rel. to potential amplitudes 4–26814
Hamilton-Schwinger action principle 4–30852
Hamiltonians allowing wave eqns. correspondence determ. 4–15201
harmonic oscillator, bounded centrally located, energy eigenvalues 4–26804
harmonic oscillator, linear, in path-integral formalism, perturbation calc. rel. to energy states 4–18937
harmonic oscillator, polynomial treatment, rigour improved teaching paper 4–11410
Hartree-Fock expectation values of one-electron operators 4–2539
hermitian matrices, approx. block diagonalisation procedure 4–2535
human consciousness and primary reality 4–30843
hydrogenic Coulomb integrals, simple O(4,2) approx. 4–9366
hydrogenic r^k integral, off-diagonal soln. by ladder-operator method 4–23183
hydrogenic r^k integrals, bound-free matrix elements determ. by ladder-operator method 4–31651
hypervirial theorem, analytic expectation values for anharmonic oscillator 4–780
interacting non-relativistic particles by relativistic statistics 4–11797
inverse scattering problem at fixed energy 4–211
JWKB approximation, multichannel scattering 4–26802
Lagrangian, non-linear, q-number variational method 4–8684
Lagrangian, nonlinear, derivation from local Euclidean frames 4–18940
Lippmann Schwinger eqn., soln. using optimized polynomial approx. 4–5377
locality postulate, exposition 4–11795
logic, projection postulate 4–30845
logic axioms, proposition-state structure 4–8670
macroscopic bodies, quantum mechanics, gravitation *(Hungarian)* 4–23184
many-electron spin eigenstates built from orthonormal orbitals, matrix elements and density matrices 4–3101
Markovian processes, cloud formula for partial transmission amplitudes 4–204
massive Schrodinger particle, maximal kinematical group 4–18931
matter waves, de Broglie's contribution to modern quantum mechanics 4–35124
measure theory, generalised, logic of quantum mechanics 4–8297
measurement, irreversibility, infinite systems 4–2530
measurement theory, review 4–206
measurement theory, self-contradictory nature of mixed statistical operator 4–8673
measurements, random, effects on evolution of quantum systems 4–5371
mechanics, exptl. meaning of concept of identical particles 4–5373
molecular scattering, WKB soln. of classical trajectory eqn. 4–27761
molecule, diatomic, rot. emission in quantum and classical limits 4–27676
Mott scattering, equivalence to Stern-Gerlach effect 4–8685
neutron stars, quantum crustal structure using many-body techniques 4–38836
non-negative phase-space distribution function effects 4–11796
non-relativistic Hamiltonian, exact results on structure of matter 4–11786

quantum theory continued
nonlinear response of harmonic and anharmonic oscillator to X-rays 4–30856
nonlocal separable functions, soln. of Lippmann-Schwinger eqn. 4–30859
O(3,1) symmetry of H atom, transformation coeffs. connecting Stark and angular momentum states 4–39586
one-electron system, variational expectation values and perturbation theory corrections 4–30848
orthogonality postulate in axiomatic quantum mechanics 4–11800
particle scattering in thin single crysts., blocking effect, quantum mech. treatment 4–17152
path integral method, from stochastic variational principle in quantum mechanics 4–5372
perturbation theory for projected states, convergence criteria and soluble model 4–8683
phase integral approximations of arbitrary order, modifications 4–30857
phase space approach to quantum motion *(French)* 4–18933
phase-integral approximations, arbitrary order, modification method 4–30701
photon momentum in quantum mechanics 4–11787
point transformations in quantum mechanics 4–2538
Poisson equations of motion, solns. for phase operator calc. in quantum mechanics 4–18938
Poisson parenthetic expression and relation to Hamilton-Jacobi canonical equations via Hamiltonian mechanics *(Hungarian)* 4–35720
probabilistic physics combination of quantum and statistical theory 4–15129
projective representations, extension to unitary group representations 4–2441
quantum heats, generalised perturbation factor approach to interference effects in spectroscopy 4–18984
quantum logic, isomorphism with Hilbert space projection logic 4–8668
quantum momentum method for exact solution of separable multiple well bound state 4–39582
quartic anharmonic oscillator, new integral equation 4–35722
quasi-classical motion, particle in pot. field with singularities 4–8686
Rayleigh-Ritz method on H_2^+, choice of N-particle functions 4–11805
redox electrochemical reaction, electron transfer rate, Levich and Dogonadze theory 4–21561
relativistic, wave function, probabilistic interpret. *(French)* 4–39609
relativistic electron wave packets 4–212
relativistic quaternion generalisation, reiteration of Hamilton's number system 4–18294
Riemannian closed spaces, discrete quantum mechanics 4–2543
Robertson-Walker expanding universe, quantum theory of e.m. radiation 4–38619
rotational spectra of even-even nuclei, two mass-point model 4–15665
scatter of point particles in a time dependent field 4–30855
scattering, theory of scattering definition of antibound states and resonances 4–26347
scattering theory, generalised Wronskian theorem and integral representations for phase shift differences 4–8682
scattering theory in time-dependent external field 4–30854
Schrodinger operators, essentially self-adjoint, with singular potentials, extension of proof 4–30844
semiclassical rigid sphere scattering 4–8675
semiclassical theory from relativistic statistics, two-particle case 4–8671
semiconductor, permittivity of hot electrons 4–17020
sensitive observables of quantum mechanics 4–8663
simultaneous uncertainties in cosine and sine operators 4–15110
single-site electron theory of translationally disordered systems with short-range correlations 4–37144
SL (3,R), irreducible unitary representation anal. using O(3) shift operators 4–39585
space-time quanta, anal. of role in nucleon scattering 4–15202
special relativity interaction interpretation 4–8688
spectra, canonical operator alternative to Racah method for complex spectral anal. 4–31652
spin wave resonance in wide temp. range 4–20864
square well potential probability distribution of momenta 4–8290
state automorphism, axiomatic mechanics, new intrinsic metric 4–207
superposition principle, concept of maximal state of a logic 4–15197
symmetric Lie algebras of nonlinear transformations of conformal type 4–8665
symmetry group representation, Lie group *(Russian)* 4–39594
teaching, SCF problems introduced in one dimension 4–11408
teaching approaches for chemists *(German)* 4–30340
time asymmetry, restructuring of theory to describe past 4–15198
time evolution automorphisms of CCR algebra 4–18929
time operator in quantum mechanics, nonrelativistic 4–2545
transition from classical mechanics in generalised coordinates via covariant derivative 4–15203
transition probability demonstration for students by e.s.r. experiment 4–30338
transparent potentials, non-zero time delay, two-body effect 4–11806
transport processes, 'abstract' theory 4–30905
unbounded observables, expectation values and mean square deviation 4–8667
unitary symplectic group and parity 4–23180
validity, definition and use of outcome sequences to determ. props. of probability meas. 4–8662
virial theorem, generalisation 4–18298
Weinstein theory, generalization to calc. of bounds to energy levels and overlap integrals 4–30853
Weyl's problem, edge and curvature effects 4–30863
WKB approximation for collision integrals in monatomic spin 1/2 gases 4–243
WKB approximation modified, for repulsive singular pot. soln., higher-order corrections 4–35723
B, polaron effect theory, quantum mech. energy calc. 4–20573

- **quantum theory** continued
  - H atom in intense mag. field, problem and solution 4–26850
  - H_2, experimental tests 4–24066
- **quantum theory applications**
  - generalized eigenvalue eqn., appl. to calcs. for small atoms and molecules 4–2544
  - hypervirial calculations for harmonic oscillator 4–39588
  - n.q.r. spectra, electric field gradient tensor interpretation 4–6807
  - photographic process, latent image speck, properties 4–4281
  - photographic process, photoelectron capture, sensitivity centres 4–4280
- **quantum theory of gravitation**
  - canonical quantization 4–39621
  - Einstein's field equations, generalized principle of equivalence, quantal vacuum 4–23206
  - Einstein-Maxwell field theory coupling, nonrenormalisability 4–18963
  - field variable choice in e.m. self-energy problems 4–35738
  - four-body system, perturbation calcs. of gravitational potential 4–39817
  - Gowdry T^3 cosmology for gravitational waves 4–26838
  - Gowdy three-torus cosmology, quantisation leading to graviton pair creation 4–39619
  - spinor field equations, compatibility rel. to generalisation of Weyl's lemma 4–8696
  - Virasoro model, generalised, quantum gravity and zero-slope limit 4–8979
  - virtual quanta method, extension to gravitational radiation 4–18958
- **quantum theory of light** *see quantum optics*
- **quantum theory of many-body problems** *see many-body problems*
- **quark model** *see quarks*
- **quarks**
  - $(70,1^-)$ states, $SU_{6w} \times O_{2l(z)}$, symmetric quark model, masses, decay rates 4–19223
  - baryon mass spectrum in $(70,1^-)$ multiplet, mesonic decay, $SU(6)_w$ x $O(2)_{lz}$ symmetry, quark model 4–39836
  - baryon resonances, formation amplitude 4–2696
  - baryon spectroscopy, quark shell model with $SU(6)_\sigma \otimes O(3)$ symmetry 4–15506
  - bilocal field model of hadrons, symmetric vertex function 4–31168
  - bound states in coloured-quark model 4–36012
  - colour octet gluon and quark picture, advantages in Yang-Mills gauge model 4–12055
  - colour singlet states in neutrino production and electroproduction 4–35976
  - composite field, soft, unitarity corrections to form factor in quark, dual models 4–8974
  - cosmic ray, search at large zenith angles 4–34568
  - cross-section production limit in 300 GeV proton bombardment of tungsten 4–12098
  - current-hadron scattering amplitude, real part, sum rule relation to light-cone commutators 4–27085
  - De Sitter space, quantised, rel. to Pauli principle, relativistic quark theory 4–11992
  - deformed quark currents and anomalous Ward identities, rel. to $\eta\to3\pi$, $\pi^0\to2\gamma$ e^+e^- hadrons 4–23461
  - dimensional counting applied to minimum quark field components 4–12054
  - dissociated coloured in parton model of nucleon, rel. to inclusive scattering data 4–27126
  - dual resonance theory of quarks and gluons, incorporating dynamical colour 4–27137
  - eikonal model for diffractive dissociation on nuclei 4–23526
  - e.m. mass shift in light-cone algebra, mass renormalization 4–39848
  - e.m. structure correction to proton form factor 4–35983
  - field theory, quark imprisonment as origin of strong interactions 4–31165
  - free quark bilocal algebra, limiting fragmentation, pulverization 4–364
  - gauge theories, non-leptonic weak interactions, Han-Nambu quarks, $|\Delta I|={}^1/_2$ rule 4–23450
  - hadron matter, methodological and physical characterisation of concept of structure 4–8989
  - hadron spectroscopy, review 4–23532
  - hadronic photoabsorption total cross sections of nuclei for 1.7-4 GeV/c photons, quark and VMD models 4–23497
  - hadronic scattering amplitude as sum of quark diagrams, Regge behaviour and fixed-angle scattering 4–27145
  - harmonic oscillator quark model, baryon duality solutions and amplitude signs in $\pi N\to\pi\Delta$ 4–36020
  - inclusive lepton-induced reactions, quark-parton model for hadronic charge ratios 4–23498
  - inclusive reactions, review of theory 4–15591
  - Kuti-Weisskopf quark-parton model, modification 4–8977
  - large transverse momentum hadronic and e.m. interactions, dimens. counting, quark model 4–27122
  - lepton identification with quarks in Han-Nambu scheme 4–15468
  - lepton-hadron deep inelastic scattering, pomeron in quark-parton model 4–27111
  - massive quark model, for one and two-particle inclusive deep inelastic electron-positron annihilation 4–23493
  - massless, rel. to Bjorken scaling function in light cone algebra, exptl. consequences 4–31154
  - massless collinear quark model, conformal algebra non-relativistic structure 4–2662
  - meson composition, average transverse momentum constraints from K leptonic decay rates 4–19195
  - meson resonance strong decays, dynamical quark model 4–36010
  - meson-baryon scattering, energy dependence of backward peaks 4–9008
  - mesons, vector and pseudoscalar, radiative decay, $\eta\to\gamma\gamma$ partial width 4–19208
  - model, effects of multiple scattering for KN and KN elastic and charge exchange processes 4–12087
  - model, light cone algebra, e.m. mass shift 4–8959
  - model for two-body hadronic amplitudes, application to pp and $K^\pm p$ elastic scattering 4–36009
  - model predictions for production and decay in $K^+p\to K^{*0}(892)$ $\Delta^{++}(1236)$, 4.3 to 5.0 GeV/c 4–36073
- **quarks** continued
  - models, hadron spectrum, algebraic struct. and anal. 4–12056
  - nuclear high density matter, baryon solid phase 4–27260
  - null plane quark model of mesons, U(6) symmetry, quark mass 4–31166
  - number in a hadron, measured by e.m. form factors and elastic scattering, field theory examples 4–36011
  - octonion algebra, quark structure and SU(3) content in charge space 4–8919
  - parastatistics and quark model 4–27037
  - parity-violation in atoms, SO(3) gauge model 4–27075
  - parton chains in nucleon, fits to electroproduction and neutrino interaction data 4–23469
  - parton model, inclusive electroproduction 4–363
  - photoproduction amplitudes, quarks and helicity structure 4–23481
  - pomeron, quark model in hadron scattering 4–27144
  - proton-nuclear collisions, 200 and 300 GeV, search for fractionally charged quarks 4–36200
  - quantum numbers for neutral pions and fireballs 4–31181
  - quantum numbers in current fragmentation region 4–15509
  - quark model, e.m. form factors of nucleon 4–8956
  - quark-parton mode, neutral current calculations 4–31128
  - quark-parton model predictions for e^+e^- annihilation into hadrons 4–8966
  - quark-quark interactions and high energy processes 4–39863
  - radial excitations in symmetric quark model 4–27127
  - relativistic formalism, Melosh transformation application, relation between pion decay and γ-ρ coupling constants 4–35953
  - relativistic model for mass differences in SU(3) multiplets 4–15516
  - relativistic model of mesons, from numerical solns. of Bethe-Salpeter eqn. 4–23510
  - relativistic model of weak production of nucleon resonances 4–12032
  - relativistic theory, dynamical problems 4–12050
  - resonance decay models, comparison 4–23512
  - review, searches in cosmic radiation 4–38582
  - shadow, standing wave states, S-matrix elements, Bjorken limit 4–39816
  - shell model, baryon spectroscopy, numerical fitting to data prediction 4–39862
  - shell model, semiclassical, e.m. energy relationship with particle masses 4–8938
  - stellar, mass and radius, 10^{19}-10^{32} g cm^{-3} core density *(Russian)* 4–42297
  - strange particle interactions at high energies in quark model 4–19225
  - string model, vertex function from interactive bond 4–31171
  - strong binding in Bethe-Salpeter framework, baryon mass spectrum 4–35937
  - strong interaction vertices, quark-pair-creation model 4–8976
  - structure from SU(3) breakdown, $\Delta S=\Delta Q$ rule, semi-leptonic decays and $\Delta I={}^1.{}_2$ rule 4–12027
  - $SU(2)\times U(1)$ gauge model, radiative corrections to G_V/G_μ in simple extensions 4–39849
  - SU(9) degeneracy in gauge theories with coloured triplets 4–5631
  - symmetric model, $|\Delta I|=1/2$ rule, appl. to Ω^- decays 4–23452
  - symmetric model, transformation from constituent to current quarks 4–367
  - three quartet models rel. to deep inelastic scattering 4–8941
  - three-triplet models, constraint from local duality 4–2671
  - total cross section differences for π^-, K^-, p on p, d at up to 65 GeV/c 4–9022
  - triplets, field theory, self-interaction and light-cone struct. of current commutators 4–27088
  - U(6) symmetry of quark model rel. to $\pi^-p\to X^0n$ reaction cross section 4–31192
  - unified gauge theories for all particles with spin$\leqslant 1$ 4–23432
  - unified gauge theory, comparison of quark- and m-schemes, parity violation 4–5577
  - Ur-Citon scheme, multi-local hadron fields, hadron systematics 4–15449
  - vector-gluon fermion-quark model, light-cone commutators of currents, virtual Compton scattering 4–15464
  - Weinberg model, limitations on masses 4–8940
  - Weinberg neutral current in quark-parton models, neutrino and antineutrino cross sections 4–23453
  - Weinberg theory for neutral currents in inclusive neutrino reactions 4–12033
  - Yukawa wave function in symmetric quark model 4–27129
  - $K\to\pi\mu(e)\nu$, gluon quark model, chiral-symmetry breaking, equal-time commutators 4–19197
  - $K\to\pi\mu(e)\nu$ decay, quark model commutators 4–19196
  - $K^\pm\to\pi^\pm\pi^0\gamma$, decay rate in current-current quark model 4–23463
  - K_2^0-K_1^0 mass difference, baryon-antibaryon contribs. in current-current quark model 4–23476
  - N, consisting of diquark and valence quark, long range potential 4–27124
  - $NN\to{}^*(1236)N^*(1236)$, transition potentials for π and ρ exchange, quark model 4–31251
  - $NN\to N^*(1236)N^*(1236)$, transition potentials for π and ρ exchange, quark model 4–31251
  - ν inelastic interactions, neutral current ratios rel. to $SU_4\times SU_3$ gauge models 4–19204
  - $p+p\to p+$particle, rising multiplicity, quark multiple scattering model 4–9000
  - pp elastic and multiple scattering, 53 GeV, quark model for dip-bump structure 4–19245
  - pp elastic cross-section calc., high energy 4–31188
  - pp rising total cross sections, rel. to quark-quark amplitudes 4–31204
  - $\pi^\circ\to\gamma\gamma$, decay rate calc., vector-meson dominance, axial vector current, quark model 4–19236
  - $\pi N\to\pi\Delta$, resonance formation amplitudes, comparison with SU_3 theory 4–368
  - $\pi N\to\pi N^*$, differential cross section and N^* spin density matrix determ. 4–12078
  - $\pi N\to\rho N$, resonance formation amplitudes comparison with SU_3 theory 4–368
  - πN scattering in backward ehmisphere, model based on Regge poles plus quark rearrangment processes 4–15557
  - πp elastic cross-section calc., high energy 4–31188

quarks continued
- $\pi^- p \to X^0 n$, $X^0 \to 2\gamma$, up to 50 GeV/c, cross section meas., quark U(6) symmetry *(Russian)* 4—31197
- $\pi\pi$ elastic cross-section calc., high energy 4—31188
- ρ meson as quark-quark pair, angular momentum components 4—9042

quartz
- α-, i.r. absorpt. intensity calcs. to check vib. shapes 4—10411
- α-β inversion, press. response, pulse heated 4—28205
- acoustic surface waves, harmonic generation on α-quartz, thermoelasticity theory 4—24623
- acoustic surface waves, light deflection efficiency in α-quartz 4—25074
- adsorption, hydroxyl groups, effect of impurities i.r. spectroscopy 4—20485
- aqueous particulate suspension turbidity, extinction coeff. and particle size determ. 4—41903
- capillary, liquid-filled, filling rates, practical press. limit 4—37081
- cretaceous carbonate rocks, aspects of diagenetic and recryst. characts. 4—42038
- crystal, two beam holography, polarization contrast method *(Russian)* 4—11901
- crystal microbalance, Hg atomic beam detection, optical absorpt. studies 4—5225
- crystal resonator, thermometer, wide range, linearity, speed, very high resolution, advantages, applications 4—5004
- diffusion, of H, rel. to freq. recovery after pulse irradiation 4—20452
- drilling by laser beam, obs. of hole defects by photoelastic methods 4—35882
- e.p.r., multiple alkali compensated centres in quartz:Ge 4—37496
- fused, heat transfer, effective thermal conductivity 4—37050
- fused, i.r. absorpt. temp. depend., 1270-1870K 4—10414
- fused quartz gravimeter, temp. compensation *(Russian)* 4—8589
- glass, deviations from stoichiometry and interstitial paramag. O_2^- ions, e.p.r. and optical spectra obs. 4—13346
- glass, effect of heavy ion radiation 4—18649
- glass, electrically melted, thermal darkening 4—33451
- glass, Van der Waals forces between surfaces, influence of adsorbed water films *(German)* 4—24639
- glass at high temp., spectral radiation coefficient 4—3962
- interplanetary grains, equilibrium temps. and optical props. 4—29998
- ion implantation rel. to increase in surface acoustic wave velocity 4—6425
- ionic Raman scattering and ionic frequency mixing 4—28828
- ionisation detector, performance analysis using accel. heavy ions and fission fragments *(Russian)* 4—30584
- lamellae, SEM, cathodoluminesc. invest., single cryst., domains and inhomogeneities 4—9799
- laser induced damage rel. to water content of vitreous quartz 4—15385
- laser-induced damage, effects of lattice disorder 4—15381
- layer on antique vase, electron microprobe anal. 4—10055
- macroporous structure, differential characteristic meas. 4—41911
- microfabric changes in prograde regional metamorphic sequence 4—25596
- moisture-saturated, second-order phase transition 4—41896
- natural and synthetic, γ-ray irrad., colour centre formation, radio- and thermolumin. obs 4—21092
- optical blank, boring of deep holes 4—14860
- optical guided wave structure of quartz and glass film, second harmonic generation 4—19136
- particle tracks, heavily ionising obs., by electron microscopy 4—14987
- Peierls force interpretation, SiO_4 tetrahedron stability 4—1755
- phase transition optical obs. of α-β fluctuating transition in Al-doped quartz 4—21015
- phonon self-energy investigation 4—1097
- piezoelectric coupled vibrations 4—33348
- plates, approx. theory of vibration at high frequencies 4—15181
- pressure dependence of thermal diffusivity 4—20454
- pure- and quasi-plane elastic waves in cryst. plate *(Japanese)* 4—41338
- radiation decolorisation, γ-irradiation, colour intensity changes, no. of defect centres estimation *(Russian)* 4—32563
- refractive index, 4-30 cm^{-1} waveband *(Russian)* 4—33365
- refractive index meas. in α-β transition region 4—13038
- resonator surface characteristics, electron optical techniques 4—1157
- rocks, deformed, dislocation substructures 4—16492
- sand, flow division from vibratory feeder 4—30675
- shock-wave compression of x-cut quartz, Hugoniot elastic limit, elec. response meas. 4—33351
- silaned, low energy surface, adsorpt. of n-hexane to n-decane 4—10048
- single crystals, solvent nature and conc. effects on growth 4—41475
- synthetic, radiation damage obs. by h.v. electron microscopy 4—24488
- thermodynamic stability at α-β transform. 4—16592
- thermoluminescence, effect of crystallisation parameters on band maxima position *(Russian)* 4—25186
- transformation to stishovite, kinetics, wave propagation in mixed phase region 4—29447
- tube heater, for zone melting apparatus 4—29004
- X-irradiated, nuclear relaxation of ^{199}Hg, ^{201}Hg atoms 4—20894
- X-ray induced transient conductivity, charge carrier transport obs. 4—20653
- Al centres, in α-quartz, literature review 4—20305
- CdS-liquid-quartz layered structure, u.s. wave amplification 4—24786
- α-SiO_2, $(O_2)^-$ vacancy model for E'_1 centre 4—24476

quartz resonators *see crystal resonators*

quasars
- *see also cosmology; galaxies; radiofrequency cosmic radiation; stars*
- 1548 + 115, 4C11.50, double QSO, redshift and spectra 4—8052
- absorption line redshifts distrib., effect of search line availability 4—30097
- acceleration of QSO clouds by radiation pressure 4—30094
- angular diameter distribution, cosmological inferences 4—14442
- apparent distance association with bright galaxies 4—26143
- b 2 0912 + 29, BL Lacertae class object optical and radio properties 4—22422

quasars continued
- 4 C 11.50, double quasar, radio structure 4—30096
- 3C 273, radio outburst explanation from prolonged injection model for variable radiosources 4—14434
- 3C 273, upper limits on soft X-ray spectra 4—4819
- 3C 279, double source, redshift, peculiar velocity and change in angular separation 4—8048
- 4C 37.43 and associated galaxy, redshift interpretations 4—2134
- 3C 454.3 decimeter flux variations 4—22420
- 3C 455, quasar assoc. with galaxy NGC 7413, isophotal analysis 4—34926
- chain of QSRs near NGC 520, statistical analysis 4—42432
- circular and linear polarization, flux density, observ. at 2.2 cm 4—8050
- close pairs as random coincidences 4—14448
- close pairs of QSOs, statistical analysis 4—42433
- X Comae, optically variable Seyfert, possibility of quasar appearance in 1911 outburst 4—14480
- complete samples, analysis and selection effects, 3CR and 4C surveys 4—30095
- cosmological hypothesis, quantitative alternative, red shifts 4—8051
- cosmologically induced interactions resulting in depressed coupling consts., nuclear burning shell model 4—38614
- cosmologically significant density of condensed objects detection by gravitational image doubling of quasars 4—7882
- cutoff predictions for z near 3, D form. hypothesis for γ-ray excess 4—2130
- discrepant redshifts in clusters of galaxies and close pairs 4—4816
- distance component of redshift rel. to absolute magnitude 4—18022
- excitation by free electrons of $2s^2 2p^q$-$2s2p^{q+1}$ type transitions for N^+, N^{2+} and O^{2+} 4—2126
- flux density-spectral index relation 4—14433
- Hubble diagram interpretation rel. to radio spectra 4—4817
- Hubble plot of quasars rel. to cosmologies 4—34888
- intrinsic redshifts rel. to Hubble diagram 4—34884
- inverse Compton X-ray generation in QSS and redshift problem 4—14447
- ionizing radiation pressure, effects in quasars and X-ray sources 4—14443
- Markarian 205, quasar assoc. with galaxy NGC 4319, isophotal analysis 4—34926
- multicolour polarimetry of quasars and galactic nuclei *(Russian)* 4—14445
- ON 231 (W Comae Berenices) optical variability and radio spectrum 4—22404
- optical positions of 47 objects 4—2125
- optical variability, test 4—11216
- optical variations, photographic obs. 4—34885
- PHL 1226, quasar assoc. with galaxy IC 1746, isophotal analysis 4—34926
- PHL 957, absorption-line spectra of QSO rel. to redshift systems 4—34886
- PHL 957, similarity of absorption line spectrum to τ Scorpii 4—42435
- PKS 0537-441, photoelectric UBV of large light pulse 4—18023
- position coincidences with bright galaxies, probability 4—8049
- QSO's, optical positions of 39 objects 4—18017
- QSO envelopes, photoionization models rel. to spectrum and abundances 4—34887
- QSOs and peculiar galaxies, review of redshift problem 4—2133
- radiative acceleration of material and ejection 4—14444
- radio spectra of three objects in 80-1400 MHz range 4—26145
- radio spectral index, test 4—11216
- radio structure at 3.7 and 11.1 cm for 39 objects 4—26144
- red shift, connection hypothesis from generalised gravitational potential theory 4—11102
- redshift magnitude bands, statistical weight of Tifft (1973b) analysis 4—22421
- redshift of emitted radiation, screened atom mechanism 4—42434
- redshift-magnitude relations, two cosmological models 4—34883
- scintillation at 327 MHz, struct. of 194 southern declination radiosources 4—34864
- semi-forbidden emission lines, excitation in various models 4—14446
- spectroscopic survey of 92 QSO candidates 4—11215
- stability, hypothesis based on short-range repulsive forces *(Russian)* 4—38850
- supermassive oblique rotator, electrodynamics, evolution, observational tests 4—14346
- variable potential quasars, search for radio emission at 2695 and 8085 MHz 4—42424
- white holes, quasar counts and lagging core model 4—38624

quasi-particles
- *see also excitons; helicons; magnons; phonons; plasmons; polaritons; polarons; quantum fluids*
- Bogoliubov-de Gennes equations of space-depend. supercond., solvable pair potential 4—24853
- Bose gas, charged, critical point quasiparticle energy 4—30893
- cooperative phenomena, book 4—23216
- excited nuclei, simple model for nucleon-pair correlations and associated quasiparticle states *(Russian)* 4—519
- interacting Bose gas, eqns. for matrix Green's function, elementary-excitation spectrum in long-wave limit 4—1148
- nuclear model, fragmentation as basis for understanding structure of highly excited states 4—472
- nuclei, normal and superfluid, self-consistent quasiparticle-phonon coupling 4—434
- roton, ^{4}He liq./solid interface, phonon-roton coupling, microscopic theory of Kapitza resistance 4—32770
- roton, He, superfluid, polarisation modes formed by light coupling with excitation pairs 4—24606
- semiconductor, antiferromag., stability of self localised state of carriers, mag. field appl. 4—28579
- stationary BCS functions for small numbers of nucleons and associated quasiparticle states *(Russian)* 4—518
- superconductor, BCS theory, lifetime of quasi-particles *(Russian)* 4—16840
- superconductor, explanation DC supercurrent 4—28563
- superconductor, phonon relax. mechanism 4—13263
- three-nucleon system calculation, two-body potentials 4—500
- unified model for ^{93,95,97,99}Mo low energy structure 4—12195

quasi-particles continued
- Al-Al_2O_3-Pb, Josephson junction, anomalous pair current mechanism 4−33101
- He, solid, vacancion behaviour, theory 4−13076
- ^{3}He, liq., thermal conc., Fermi velocity, lifetime, 200-16 mK 4−24608
- ^{3}He-^{4}He liquid mixture, ^{3}He quasiparticle and roton scattering, cross section calcs. 4−16642
- Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4−33105
- Te, even-mass, 5^- and 7^- quasiparticle states from (p,t) reactions, 51.9 MeV 4−12170

quasi-stellar objects *see quasars*

quasi-stellar sources *see quasars*

quenching (optical) *see radiation quenching*

quenching (thermal)
- annealing expts. in quenched in vacancies, determ. of recovery stage activation energy 4−7194
- binary alloys, phase separation on quenching, Ising model 4−41553
- cyclohexa-1,3-diene, cis- and trans-, 265.4 and 280.4 nm photolysis 4−25508
- hexa-1,3,5-triene, cis- and trans-, 228.8 and 253.7 nm, photolysis 4−25508
- martensite form. kinetics, internal struct. and surface relief *(Russian)* 4−17194
- metallic specimen, concealing boiling phenomenon *(French)* 4−4118
- molten-metal/water interactions, heat transfer and fragmentation 4−41518
- polyethylene, glass transition, vol. relax. mechanism 4−20224
- steel, effect on austenite form. below 723°C, acclerated heating 4−13615
- steel, Fe-Cr-C type, high-strength, development 4−25394
- steel, low-C, resist. to small plastic deform., elastic range loading *(Russian)* 4−37875
- steel, pearlite reaction, interrupted quench effect 4−17220
- steel, physical props. variation with deoxidation procedure 4−41736
- steel, quenched, low-tempered, Bauschinger effect 4−37897
- steel, rotor type, cold brittleness, grain size and cooling rate effect 4−41754
- steel, secondary hardening at 550°C by bainitic quenching after recovery *(French)* 4−37865
- steel, structural, inheritance of subboundaries in austenite by martensite *(Russian)* 4−33700
- steel, W-Mo, ductility and welding of R6M5 and R18 tool steels 4−33776
- steel, wear resistance, heat treatments rel. to increasing wear resist., 110G13L 4−29122
- Ti-Al-V alloy, forging process and microstruct. effect on fracture toughness 4−29158
- Vicalloy, mag. hardening and anomalous behaviour 4−37448
- welded parts, change in props. with thermal correction by local heating 4−41728
- X-ray diffraction camera, elec. resistivity meas. 4−28003
- Zircaloy-2 with varying O content, cold-worked and quenched, recovery 4−41689
- Ag-Al(24 at.%) alloy, $\beta \rightarrow \mu$ transform. 4−37799
- AgCl, point defect form., effect on dislocation velocity stress exponent 4−36906
- AgSi system, liquisol quenching, metastable phase prod. 4−32713
- Al, expt. anal. of multi vacancy behaviour *(French)* 4−4096
- Al, molten-metal/water interactions, heat transfer and fragmentation 4−41518
- Al, Monte Carlo simulation of evolution of vacancy population *(French)* 4−4097
- Al alloy 7075 sheet and plate, ingot thermomech. processing treatment effects on props. 4−29148
- Al alloys, high-strength, improved props. through thermomech. treatment 4−29147
- Al-Cu alloys, Ge effect on precip., zone form, vacancy interactions 4−4100
- Al-Cu alloys, preprecip. stage obs. by Portevin-Le Chatelier effect *(French)* 4−21283
- Al-Ge system, metastable phase obs. 4−7043
- Al-Mg(0.13 wt.%) alloy, dislocation loops on cube planes 4−1492
- Al-Si and Al-Si-Mg alloys, effect on precip. kinetics and morphology *(Russian)* 4−4078
- Al-Zn-Mg alloy, titanium additions influence on ageing characts. 4−17246
- Al-Zn-Mg-Cu alloys, quench-sensitivity interpret. 4−7167
- Al-Zn(10 at.%) alloy, helical dislocation form. 4−21295
- Al-Zn(10%), thin foils, microstructure obs. 4−4098
- Al_2O_3, alumina, effect on elevated temp. flexural strength and impact resist. 4−4196
- Ba-mica/Al_2O_3 composites, thermal shock characts. 4−17412
- BeO spheres, thermal stress to crack obs. 4−15974
- Bi, molten-metal/water interactions, heat transfer and fragmentation 4−41518
- CdSe, photocond., transverse temp.-elec. inhomogeneity, effect on l.f. current oscills. 4−24756
- Cr coating, carbidized electrolytic, effect of quenching on props. 4−29110
- Cu microwire, melt spun by Taylor method, processing parameters 4−33842
- α-Cu-Al solid solns., solute atoms influence on stacking fault energy 4−41602
- Cu-Al-Ni alloy, exoelectron emission during thermoelastic martensitic transformations *(Russian)* 4−17195
- β-Cu-Be alloy, hypereutectic, electron metallography of decomp. processes 4−29045
- Cu-Sn(16.5 at.%) alloy, ω phase behaviour 4−41538
- Fe, cast, with spheroidal graphite, Sn alloying effect on hardenability 4−41755
- Fe alloys, austenitic, effects on Snoek-like internal friction peaks 4−4140
- Fe:C(1.5-10 ppm), temp. and rate depend. of C and vacancy migration 4−1052
- Fe-Ni-C alloy, microcracking in martensitic structure *(Czech)* 4−41702

quenching (thermal) continued
- Gd, elec. resistance, influence of quenching and annealing in H_2 4−28391
- Hg, molten-metal/water interactions, heat transfer and fragmentation 4−41518
- In_3Sn, phase transition and its influence on supercond. transition temp. 4−20717
- Mg ferrite, rel. to cation redistrib. process 4−41185
- Mg_3In alloy, press. effect on long period stacking sequence form. 4−6357
- Mo, quenched vacancy behaviour 4−1051
- Mo, quenched-in resistivity, purity depend. 4−37951
- Mo wire, in liq. He, quenched-in defects, resist. obs. *(Russian)* 4−17297
- Na_2O-IrO_2 system, equilib. phase rel., quenching technique in air 4−28186
- Na_2O-PtO_2 system, equilib. phase rel., quenching technique in air 4−28186
- Pb, molten-metal/water interactions, heat transfer and fragmentation 4−41518
- Pd-Fe alloys, resist. meas., 77-400K, Curie temp., short-range order, quenched and aged samples 4−41194
- Si p^+-n junction, deep donor level formation 4−24820
- SiC, thermal shock testing 4−7385
- Si_3N_4, thermal shock testing 4−7385
- $SmCo_5$, fluid-quenched, mag. props. effect of quenching rate 4−3861
- Sn, molten-metal/water interactions, heat transfer and fragmentation 4−41518
- Ti, Ti-O alloys, β-α transform., cooling rate depend. 4−25291
- Ti alloy, quenching and aged, resistance to repeated static loads, effect of surface layer depth and hardness 4−33796
- β-Ti alloy RMI (38-6-44), omega phase form. 4−41686
- Ti alloys, structural changes during high-temp. thermomech. treatments *(Russian)* 4−21304
- Ti-Ni alloys, phase transitions, elec., elastic props. var. 4−13614
- TiN_x, real structure in homogeneity range 4−41821
- $Ti_3Se_{4-x}Te_x$, effect on struct., twinning 4−16462
- W, quenched, vacancy defects, combined elec. resist. and field ion microscopy obs. 4−1050
- W, quenched-in resistivity, purity depend. 4−37951
- Zn, molten-metal/water interactions, heat transfer and fragmentation 4−41518
- Zn-Mg-Al, microzinc, quenching and hardening 4−29113
- ZnS, self activated centre thermoluminesc. characts., epitaxial cubic 4−21086
- Zr-Nb(2.5 wt.%) weldments, struct. and phase comp. 4−41730

queueing theory *see queuing theory*

queuing theory
- No entries

R and D management *see research and development management*

R waves *see Rayleigh waves*

Racah coefficients *see angular momentum theory*

radar
- *see also Doppler effect; optical radar*
- antennas and propagation conference, Boulder, Colo. (1973) 4−26888
- history of microwave technology from 1888 onwards 4−5450
- ionosphere nonlinear wave interaction, ionosonde obs. 4−4551
- ionospheric scattering meas., aspect senstivity limitations 4−25766
- nuclear effects at high-altitudes 4−36686
- pulse incoherent scattering from extended volume region 4−35795
- simulation, underwater u.s. 4−26308
- solar radio echoes, plasma theory rel. to solar wind 4−29870

radar altimeters *see radioaltimeters*

radar antennas
- limitations rel. to ionospheric scattering measurements 4−34553
- partial reflection installation, redesign including antenna and data processing systems 4−17857

radar applications
- atmospheric molecular constituents, remote meas. by laser-Raman radar 4−38547
- atmospheric polluted urban environment, analysis using lidar and acoustic radar 4−25872
- atmospheric stability monitoring, comparison of low level radiosonde and acoustic echo sound meas. 4−22171
- atmospheric unstable boundary layer, study with Doppler radar and acoustic sounder 4−25675
- aurora examination, crossed beam radar obs. of horizontal electron irregularity drift 4−22022
- auroral partial reflection radar expt. 4−17857
- automobile safety system *(French)* 4−5543
- bistatic scatter from rain at 4.5 to 7.7 GHz 4−34432
- cloud height, comparison with reflected solar radiance measurements by ATS-3 4−7839
- diffuse radar aurora Doppler spectra from VHF backscatter obs. 4−22023
- digital radar analysis of tornado-producing thunderstorms 4−1829
- Doppler radar, obs. of wind field and turbulence in thunderstorm 4−1828
- Doppler radar evidence for anticyclonic circulation in a severe convective storm 4−1827
- dual wavelength radar detection of hail 4−2001
- dual-wavelength radar hail detector 4−2012
- geophysical remote sensing, ONR programme 4−34558
- hail detection by dual wavelength radar 4−11036
- HF radar signatures from Gaussian plasma clouds, ray tracing synthesis 4−17797
- imagery, pseudostereoscopy 4−29733
- ionospheric plasma drift meas. by incoherent radar scatter 4−10981
- landform analysis, shadow freq. method 4−7803
- lunar mapping, sampling phase rotator for removal of Doppler shift 4−11259
- lunar surface properties, bistatic radar obs. 4−38716
- lunar surface roughness, monostatic radar studies, effect of subradar point variation 4−22322
- meteor trail drift, radar obs. and determ. of wind components 4−4623

radar applications continued
- meteorology, study of Kelvin-Helmholtz billows by simultaneous radar and aircraft measurements 4—14146
- mid-ocean surface conditions, over-the-horizon radar 4—34559
- oil slick detection by synthetic aperture radar 4—11051
- Omega windfinding system design for use in GARP Atlantic Tropical Experiment 4—11037
- optical, Doppler, mechanical variables meas. *(German)* 4—39219
- precipitation zone diagnosis and forecasting from satellite radar obs. *(Russian)* 4—4624
- rain, dynamic processes and microstructure determ. by vertical radar sounding *(Russian)* 4—42222
- rain attenuation meas. 4—34551
- remote sensing applic. of real-time data processing 4—34527
- remote sensing system (RASS) for low level atmospheric temp. profiles 4—11035
- resource teledetection from balloons and satellites, image processing and photointerpretation *(French)* 4—7808
- satellite precision altimeter, ocean wave height estimation 4—29778
- sea ice classification, prototype radar signal processing system 4—14242
- sea state determ. from second-order h.f. radar echo Doppler spectrum 4—14236
- severe thunderstorm isolation, tracking and prediction, radar and sferics obs. 4—38542
- severe weather and thunderstorm forecast evaluation using radar data 4—34355
- snow movement in three-dimensional wind field, meas. by dual Doppler radar system 4—25677
- thermosphere measurements using meteoric radar and incoherent scatter, comparison 4—38423
- thermospheric midlatitude winds from incoherent scatter radar and theory 4—38424
- topographic images, viewing angle effects 4—39236
- tornado, Doppler radar meas. of radial rel. patterns 4—4411
- weather, signal autocorrelation functions 4—7838
- weather forecasting, reflectivity comparison with precipitation rates and visibility 4—38334
- wind speed profiles using forward-scatter c.w. radar 4—7835

radar clutter
- sea scatter, model of wind dependence 4—23253
- signal processing, normalisation techniques and optimal processors, comparison 4—11399
- target detectability against white noise effect of increasing resolution 4—11382

radar cross-sections
- atmospheric molecular constituents, remote meas. by laser-Raman radar 4—38547
- backscatter, spectral response, over octave bandwidth 4—29732
- backscatter, thin wire chaff elements 4—23251
- inverse scattering method experimental setup 4—26900
- Moon, radio-wave scatt. charact. during soft landing of Luna 16 and 17 4—2090
- perfectly conducting rectangular box, radar cross-section 4—26910
- sea scatter, model of wind dependence 4—23253
- target detectability against white noise effect of increasing resolution 4—11382

radar displays
- *see also cathode ray tube displays; fluorescent screens*
- pseudostereoscopy of radar images 4—29733

radar echo areas *see radar cross-sections*

radar equipment
- meteorological data, computer generated four-dimens. graphic display 4—42220

radar measurement
- automatic, road traffic automatic speed measurements 4—5099
- glaciers and Moon, permittivity at 1 to 32 MHz 4—34273
- inverse scattering method experimental setup 4—26900
- ionospheric scattering aspect sensitivity 4—34553
- meteorological Doppler radar, rel. to kinematics of convective storms 4—10931
- optical, pollution monitoring and meteorological meas. methods and instruments *(German)* 4—14715
- radiobursts at 100 to 1000 MHz 4—30160
- sea state determ. from second-order h.f. radar echo Doppler spectrum 4—14236
- soil moisture meas. 4—34274
- turbulent target medium, estimation of spectral moments of pulse train returns 4—9663

radar receivers
- heterodyne monopulse receiver, 10.6 μm, Doppler tracking capability 4—19152
- laser receiver, rapd scanning, atmospheric optics appl. 4—15404
- lunar mapping, sampling phase rotator for removal of Doppler shift 4—11259

radar systems
- continuous wave, with acoustic systems echo-sounders, comparison of sensitivities with acoustic systems 4—7841
- French quadristatic incoherent scatter radar facility 4—38552
- holographic surveying, for ice thickness meas. 4—38502
- hybrid radar/laser satellite ranging system 4—14212
- incoherent scatter radar system, for Upper Atmosphere Observatory, design 4—38558
- incoherent scatter radar system in UK 4—38553
- microwave echo-sounders, comparison of sensitivities with acoustic systems 4—7841
- partial reflection installation, redesign including antenna and data processing systems 4—17857
- pulse compression systems for meteorological radars 4—34548
- remote moving objects holographic imaging 4—35308
- sea ice classification, prototype radar signal processing system 4—14242
- shipboard wave height radar system 4—14235
- ships, e.m.c. problems *(Polish)* 4—39091
- thickness measurement of snow and ice, by high range resolution radar 4—29697
- tracking accuracy and radar refraction corrections by digital ionosonde 4—17858

radar systems continued
- wideband correlation sweep interferometer for radiobursts meas. at 100 to 1000 MHz 4—30160

radar telescopes *see radiotelescopes*

radar theory
- inverse scattering method experimental setup 4—26900
- screen brightness rel. to overshoots of sea surface radar image 4—21942
- sgnal autocorrelation functions, weather radar 4—7838
- target detectability against white noise effect of increasing resolution 4—11382

radarscopes *see radar displays*

radiance *see brightness*

radiation
- *see also airglow; atmospheric radiation; beta-rays; cathode rays; electromagnetic waves; heat radiation; radiation effects; radiative transfer; stellar radiation*
- environmental, estimation, present and future 4—8235
- high energy ionisation, use in particulate matter removal from air stream 4—19032
- neutron fields, produced by compact cyclotron, quality 4—8248
- sky background, X and gamma ray, power law *(French)* 4—38863

radiation belts
- *see also atmospheric electron precipitation; atmospheric proton precipitation*
- artificial electron belt enhancement through interactions with ion cyclotron waves 4—10949
- auroral electron angular distributions and energy spectra, 570 km, inverted 'V' events 4—38389
- bremsstrahlung from widespread energetic electron precipitation events 4—34477
- charged particle spatial distribution up to shell $L=3$ 4—7862
- dayside relativistic electron precipitation events 4—34480
- electrons in magnetosphere, review of theoretical understanding 4—22135
- equatorial inner belt protons from 2 to 200 MeV 4—42165
- geomagnetically trapped α particles, quiet time distrib. following magnetic storm 4—11001
- high-energy electron fluxes in inner zone 4—22113
- hydromagnetic pulses, super-Alfven displacement and pearls 4—1976
- inner regions, differential energy spectrum of low-energy protons 4—34468
- inner-zone equatorially mirroring protons in 50-600 MeV range 4—22108
- loss cone of 100-350 keV protons, pitch-angle distribution 4—1994
- low altitude outer zone α-particle/proton comparisons 4—34472
- magnetic storm, electron flux compared to whistler self-excitation limit 4—42161
- magnetic storm 1970 July 10 electron detection at 25 keV 4—25740
- outer electron belt, effects on Skylab, radiation doses, fogging, actual and calcs. 4—31617
- partial ring-current models 4—14205
- particle saturation of outer zone, nonlinear model 4—22115
- pitch angle diffusion, comments 4—1992
- precipitating protons with storm-time ring current energies 4—34479
- proton exponential distribution of outer radiation belt over adiabatic invariants 4—1982
- protonosphere, modified thermal cond. effect on temp. distrib. 4—4598
- protonospheric columnar electron content obs. 4—17816
- protonospheric-ionospheric plasma flow, effect on nighttime F-region 4—1959
- radiation dose distribution, max. solar activity 4—4604
- ring current precipitation model and magnetic storms 4—14204
- ring current protons, generation of coherent ion cyclotron waves 4—22128
- ring current protons, quasi-steady state energy spectrum 4—22116
- suprathermal electrons, 6.5 to 23 keV, trapped and precipitating components 4—22134
- suprathermal electrons near lower edge, angular distribution, altitude dependence 4—22133
- trapped proton diffusion interaction with proton whistlers, finite temp. effects 4—22129
- trapped proton radiation belt, new model 4—22110
- Van Allen, formation rel. to theory of Birkeland rings *(Italian)* 4—42162
- α-particles near equator in outer zone 4—22112

radiation biology *see biological effects of radiation*

radiation chemistry
- *see also chemical effects of nuclear reactions and scattering; photolysis; radiochemistry; radiolysis*
- acetylene, radiation-induced reactions rel. to complex molecule formation in interstellar space 4—34945
- aliphatic amine glasses, γ-irradiated, effect of dose on yield of trapped electrons 4—4267
- alkali metal acetate, methyl radical production 4—34064
- cyclohexane in adamantane matrix, γ-irrad., cyclohexyl radical form., e.s.r. obs. 4—21572
- dimethyl phosphite, γ-irradiated, H and electron addition to P 4—34065
- dosimeter for monitoring high-energy radiation processing, fluorescence o/p 4—38156
- formaldehyde, radiation induced polymerisation, quantum low-temp. limit 4—38133
- glycine hydrochloride, e.s.r. obs. of electron preferential gransfer in partially deuterated crystal 4—6780
- glycolic acid, γ-irrad. crysts., spin-lattice relax. on main and satellite lines of oriented free radical 4—10311
- ice, γ irrad., stimulated luminesc. obs. *(French)* 4—4268
- imidazole, γ-produced radical, ENDOR and ESR obs. anal. giving proton hyperfine tensors 4—10757
- ketyl radical intermediates in solvated electron reactions with uracil and cytosine, SCF-MO calc. 4—27604
- magnesium diethyl phosphate, γ-irradiated, e.s.r. 4—13992
- malonamide, irrad., imino rational formation 4—29344
- methyl malonic acid crysts., γ-irrad., methyl group tunnelling rot. freq., temp. depend. 4—20235
- production rate calc. for radiation chemical reactor 4—29345

radiation chemistry continued
radial interactions with mol. environment in disordered matrices, matrix ENDOR linewidths 4−1723
sodalites containing sulphate, optically erasable cathodochromic coloration 4−1728
tetramethylstannane, γ-irrad., Me_4Sn^- radical obs. 4−17534
tetraphenylarsonium salts, γ-irrad., Ph_4As radical obs. 4−17534
trapped electrons in glassy medium, electron spin echo envelope modulation 4−1724
trapped electrons in glassy medium, forbidden matrix proton spin flip satellites in e.p.r. 4−1725
trioxane, polyoxymethylene growth, α-particle irradiation effect on direction 4−20332
CdS, single cryst. prep. with radiation-stability to ionizing radiation 4−33615
H_2, molecular, ave. energy/ion pair and no. of single and triplex excitations/ion pair 4−29343
radiation counters *see counters*
radiation damage *see radiation effects*
radiation detectors
see also dosimeters; infrared detectors; ionisation chambers; photodetectors; ultraviolet detectors
8850 RCA photomultiplier, subnanosecond light pulse shape, influence of photoelectrons time-of-flight spread on meas. 4−18611
absorber electron energy loss, determ. using ^{137}Cs spectrum 4−18586
broad peak detection, simple algorithm 4−11574
corona counter, high-pressure, containing ^3He, pulse amplitude 4−14970
cosmic ray, Utah, large array of cylindrical spark counters, techniques, operating experience 4−95
electron multiplier, parallel plate channel, effect of lateral displacement of the front edges 4−18607
filters for pulse area sensing systems in nuclear particle detectors 4−35440
fission fragment, calibration, effect of thin absorber 4−18587
flash tubes, recovery times, effect of impurities and electric fields 4−89
gamma-ray spectrometers, calibration, with semicond. detectors *(Roumanian)* 4−18689
halide counters, low-voltage, current circuit configuration 4−14971
heavy-ion Si, pulse height defect, causes and mass dependence 4−11587
hodoscope, Gray code, and fast buffer for beam particle tagging 4−26607
hodoscope, medium-energy light particle detection *(French)* 4−8453
hodoscope chamber technique, review 4−5192
hodoscope scintillation, for magnetic particle spectrometer, 0.8-4.0 GeV/c 4−22977
hodoscopic installation, high-energy particle elastic scattering, investigation 4−14965
low background beta counter, liq. scintillation detector 4−26595
m.o.s.f.e.t. discriminator, for recycling ion chamber discharge system 4−26609
one hit, heavy ion interaction cross section, rel. to point target results 4−8242
parallel plate channel, free from ion feedback, pulse shape 4−18610
photochromic materials, mechanisms for colour changes 4−8462
photon response, using X-ray fluorescence for calibration 4−26597
photonuclear measurement data error detection and correction *(Russian)* 4−2355
PLUTO, a 4π-detector for DORIS 4−98
quantameter, high-precision, for NAL 4−18616
radiochromatography, summary of state of the art, radiation detect. techniques, commercial details 4−35510
radioisotopic instruments, optimum relationships for error calculations 4−35396
scintillator light yield meas. and photocathode sensitivity, ang. dependence *(Russian)* 4−5194
semiconductor, charge collection, strongly ionizing particles 4−11592
semiconductor, efficiency calbibration in X-ray region 4−5183
semiconductor, in beta spectrometer, electron collecting and recording, efficiency 4−14963
semiconductor, including hyperpure Ge, compound, Si(Li) and Ge(Li), current development 4−5182
semiconductor, noise measurement 4−22952
semiconductor, p-n junction, induced charge pulse in presence of fixed charges 4−2351
semiconductor, use in nuclear medicine 4−39047
thermoluminescent detectors, high-dose applications 4−4885
thin film detector meas. of specific luminescence of heavy ions 4−5198
time-invariant linear technique, prod. of signals with fast recovery time 4−11589
whole-body counting, discussion 4−39073
CdS, single cryst. prep. with radiation-stability to ionizing radiation 4−33615
CdS semiconductor, electron-phonon detector 4−39327
Cu_2Se-CdSe heterojunction radiation detector, sensitivity and response, temp. range 120-340K *(Russian)* 4−18619
Ge, energy loss theory, ionisation cascade, hot carriers 4−18596
Ge, intrinsic, for X-rays and γ-rays *(Italian)* 4−39330
Ge, ionisation energy, Fana factor, cascade process, hot carriers 4−18595
Ge, nuclear radiation detector 4−39341
Ge, nuclear radiation spectrometer, barrier method 4−14980
Ge, resolving ability, effect of holes lifetime and electric field *(Russian)* 4−18597
Ge(Li) detector, calibration standard, ^{75}Se decay 4−2354
Ge(Li) detector, efficiency determ., 0.04 to 11 MeV, addendum 4−18602
Ge(Li) detector, high-efficiency, background reduction 4−11586
Ge(Li) detectors, solid angle correction factors 4−18598
Ge(Li) γ-ray detector, for γ-ray attenuation coeff. determ. for five elements 4−30545
2 Ge(Li)-6NaI(Tl) detector system, γ-γ angular correlation studies 4−18592

radiation detectors continued
He/Ne flash tubes, decrease in recovery time by addition of O_2 4−2357
^{56}Mn, $T_{1/2}$ meas. rel. to measuring equipment checking 4−5190
Ne flash tubes, digitization technique 4−92
Ne flash tubes, effect of glass resistance on internal clearing fields 4−91
Ne flash tubes, sensitive time control by alternating electric fields 4−90
Si, energy loss theory, ionisation cascade, hot carriers 4−18596
Si, ionisation energy, Fana factor, cascade process, hot carriers 4−18595
Si, nuclear radiation spectrometer, barrier method 4−14980
Si p-n junction surface barrier device, temp. response and compensation 4−18240
Si semiconductor, fabrication, thermal diffusion of Li with Si single crystals 4−18628
Si surface barrier detector, damage effects with 0.5-2 MeV protons 4−39333
Si surface barrier diode, minority carrier injection and resistance modulation 4−18608
Si surface-barrier, working area of 5.0 to 8.5 cm^2, for heavy charged particle spectrometry 4−14972
Si surface-barrier diode, high resistivity, voltage-dependent reverse current 4−18609
p-Si-SiO_2 system, activation of SiO_2 film for improved sensitivity *(Russian)* 4−18621
p-Si-SiO_2 system, design, construction and operation *(Russian)* 4−18620
Si(Li), surface-barrier, use for electron spectrometry 4−14973
Si(Li) planar detectors, escape peak, investigation 4−18603
X-ray fluorescence analysis, nanogram region, quantitative method 4−18785

radiation dosimetry *see dosimetry*

radiation effects
see also acoustic wave effects; alpha-particle effects; beta-ray effects; biological effects of radiation; deuteron effects; electron beam effects; gamma-ray effects; hyperon effects; ion beam effects; laser beam effects; meson effects; neutron effects; proton effects; radiation chemistry; radiation hardening; voids (solid); x-ray effects
alloy, irrad., solute segregation stresses around void surfaces 4−16514
alloy, irrad., stress-induced diffusion of point defects to voids, dislocation bias reduction 4−20319
cable insulation, synthetic, rel. to particle accelerator applic. *(French And English)* 4−5138
channelling, theory, observations and applications, book 4−20347
coaxial and strip lines, multiple dielec. relaxation time theory 4−40142
creep, irrad.-induced, in cryst. solids, theory 4−36915
crystalline solids, particle interactions, theory, book 4−13118
cylindrical cavity, gas pressure and composition effects on current transmission, obs. 4−40698
dielectric-filled cylindrical cavity, internal e.m. pulse response 4−39676
dielectrics, induced elec. conductivity, dose and dose rate dependence 4−41090
diode cavity, gas pressure effects on current transmission, model 4−40697
dislocation creep, material irradiated by energetic particles, theory 4−3519
dislocation interaction with colour centres, optical meas. 4−6403
dosimeter, organic photodimer in polymer film, for industrial use 4−38156
elastic and inelastic props. meas. and recording apparatus *(German)* 4−13957
electron microscope specimen contamination effect, u.v. irrad., image brightness and contrast var. 4−8518
e.m. fields due to photon pulse impact on cavity, three-dimensional calc. 4−39674
glass, oxide, radiation damage and struct., e.p.r. obs., review 4−25000
glasses, organic, trapped electron formation by radiolysis 4−32842
heat in gas, meas. error due to radiation *(Japanese)* 4−22788
heavy ion, irradiation of quartz glass 4−18649
internal e.m. pulse coupling to cables in small cavities, expt. 4−39675
invariant imbedding and radiation dosimetry two component radiation approx., finite order scattering, transmission functions 4−26270
metal, defect accumulation kinetics during stage II recovery *(Russian)* 4−36914
metal, f.c.c., stage-II temp. irrad., one-dimens. interstitial migration, unsaturable trap model 4−16488
metal, void coalescence and growth anal. 4−1044
metal irradiated, effect on void nucleation of impurity atoms 4−1046
meteorites, gas-rich, formation, evidence of solar irrad. 4−42358
meteoritic matter, evidence for early irradiation in solar system 4−25940
monolithic IC, junction-isolated, failure susceptibility levels under ionising radiation, obs. 4−40140
Naval Research Laboratory, Washington, D.C., review 4−5701
nuclear and space radiation effects, conference, Logan, Utah (1973) 4−40139
nuclear reactor LMFBR fuel rod design, cladding integrity assessment by damage fraction rules 4−36308
phosphor, thermolumin. and thermally stimulated exoelectron emission, microwave effect 4−17133
phosphorothioate protective agents, decomposition 4−22617
PMMA, strength correl. with relax. props. under influence of irrad. and liq. media *(Russian)* 4−10675
polymer, e.m. irrad. effects on elec. props., bibliography for 1971, in book 4−6825
power transistors, large area, current distrib., infrared observation 4−18392
pulsed-radiation-induced stress pulse meas., $LiNbO_3$ gauge appl. 4−14797
PVC, for wire insulation, effects of added cross-linkable monomers 4−29229
PVC, wire insulation, heat resisting, high tensile strength 4−29230

radiation effects continued
quartz, pulse irradiation, freq. recovery due to diffusion of H 4−20452
quartz glass, ionizing radiation irrad., e.p.r. and optical spectra study 4−13346
SEM, cathodoluminesc. investigation, single cryst., domains and inhomogeneities 4−9799
semiconductor junctions, photocurrents induced by radiation pulse, transitory effects *(French)* 4−3776
silicate glass, rel. to u.v. spectra 4−33434
single event spectra, energy straggling parameters 4−5152
steel, stainless, 304, photodesorption 4−10050
stellar wind radiation damage to cosmic dust grains rel. to solar nebula 4−26178
subminiature coaxial cables, photon pulse induced currents, obs. 4−40141
thermal spike model with temp. depend. sp. ht. 4−40810
transmission line models for use with SCEPTRE program in nuclear environment 4−40143
u.v. water purification 4−39103
Viking Mars soft lander, radiation effects study 4−19652
Zircaloy 2 in reactors, effects of irradiation 4−40130
B_4C, development for FFTF control elements 4−15941
CdS, single cryst. prep. with radiation-stability to ionizing radiations 4−33615
GeO_2, radiation damage, oxidation and reduction depend. 4−32576
LiF crystal, irradiated, radioluminescence *(Russian)* 4−21091
MgO, additively coloured, thermal cond., F-centres, u.v. bleaching effects 4−24598
Mo:U reactor fuel, gamma-phase reversion 4−23874
Ni, energetic particle irradiation, effects of insoluble gases on void nucleation 4−1045
$^{238}PuO_2$, self-radiation damage, lattice parameter obs. 4−28115
SiO_2, radiation damage depend. on oxidation and reduction 4−32576
TiO_2, powdered, work function investig. rel. to u.v. irrad. sample, experimental set-up *(French)* 4−33018
TiO_2, powdered, work function variation investig. rel. to u.v. irrad., O_2 photodesorpt. *(French)* 4−33019
UO_2, thermal cond. before and during irradiation *(Rumanian)* 4−36357
UO_2-PuO_2 reactor fuel stack dimensional variations under irradiation 4−23885
V, fusion reactor blankets, neutronic anal. and comparison with No 4−31563
W compounds, recoil damage, Mossbauer effect obs. 4−41317
YAlG:Nd laser, u.v. effect rel. to induced transient absorption 4−19114
Zr-Cr(1.14%)-Fe(0.1%), effect of metallurgical condition and irrad. on strength and ductility 4−41691
ZrO_2 amorphous film, fission fragment irrad. effects 4−32440

radiation hardening
acoustic emission from solids under applied stress, review 4−36958
alkali halides, hardening and softening effects on γ- and X-ray irrad. *(Russian)* 4−40812
dislocation interaction with colour centres, optical meas. 4−6403
metal, neutron irradiation effects during plastic flow, thermomechanical coupling 4−25352
steel, Fe-Mo-C, neutron irrad., effect of addition of Mo, Snoek peak, recovery 4−37895
steel forgings, radiation embrittlement sensitivity, contrib. of residual elements 4−10626
Viking Mars soft lander, radiation effects study 4−19652
Zircaloy-2, fast neutron irrad. and annealed 4−29130
Al, radiation-induced strengthening and embrittlement 4−37934
As_2S_3, vitreous, laser irradiation damage, increased microhardness *(Russian)* 4−3628
Cu single crystals, irrad. hardening and activation vol., electron dose depend. 4−16515
Cu-Be (2.5%. wt), hardened, influence of electron irradiation on mechanical properties *(Russian)* 4−4124
Fe-Si single crysts., strengthening zone induced by laser beam, struct. obs. *(Russian)* 4−33702
Mo, radiation anneal hardening 4−25391
Mo, radiation anneal hardening, yield stress meas. 4−33806
Te, single crysts., indentation microhardness, no change after light irrad. 4−32609
V, neutron irrad., oxygen Snoek damping correl. with TEM obs. 4−25362

radiation injuries *see biological effects of radiation*

radiation monitoring
see also dosimetry
alpha-emitting radioisotopes in fuel reprocessing plant, optimisation of on-line monitor 4−31582
ecosystem approach, empirical benefits 4−31639
environmental, at nuclear power stations *(French)* 4−31624
Explorer-50 interplanetary monitoring platform, construction, equipment and objectives 4−14534
exposure measurements in beam of ^{60}Co teletherapy units, absorbed dose meas. 4−30257
gamma and beta radiation monitor, circuit analysis *(Korean)* 4−112
gamma-ray aerial survey of Eniwetok Atoll after nuclear tests 4−31598
industrial pyrometry, radiation meas. *(French)* 4−30411
inert gas radionuclides, estimation of radiation exposure 4−31623
low-level environmental, automatic data handling system 4−31603
missile vulnerability to explosions, neutron transport calc. 4−31570
MORSE-II, radiation transport calc. code., delayed radiation 4−31614
nuclear accident dosimetry dose assessment procedure 4−23946
nuclear power plant, initial operation 4−5930
nuclear power station, safety meas., rules *(Czech)* 4−5931
nuclear power stations, decontamination technique, radionuclide release, crud 4−9357
photon dose rates, point source calc., ray effect 4−31613
power plant emissions 4−31637
power reactors, large, neutron and γ distrib. calc., normal operation 4−31607
pulsed electron source, high intensity, and beam characterisation 4−22623
pulsed electron source, high intensity, beam characts. 4−8183

radiation monitoring continued
radioactive Co and Ag, environmental behaviour in aquatic media, review 4−31629
radioactive waste high-level, retrievable surface storage 4−31585
radiocontamination of fish, River Meuse *(French)* 4−31634
radionuclides, from nuclear plants 4−31625
radionuclides, modelling of river basin transport 4−31635
radionuclides, river transport to cultivated soils *(French)* 4−31631
real time, three dimensional display of field intensity 4−39344
Rhone Basin, radioecological study *(French)* 4−31636
river pollution, discharge from PWR nuclear power station 4−31628
Skylab, dose rate meas. by tissue equiv. ionization chamber, effect of shielding 4−19651
space damage measurements in Earth synchronous orbit 4−34436
surface water purification, empirical equation *(French)* 4−31627
thermoluminescence dosimeters, doses in transit 4−40138
transuranic waste assay at 10 nCi/g level 4−40150
tritium instrumentation for environmental and occupational monitoring, review 4−30255
underground environment, behaviour of radioactive U and Th *(French)* 4−31632
undisturbed soil, transport of ^{131}I, ^{137}Cs, ^{106}Ru, ^{144}Ce and ^{54}Mn 4−31633
X-ray diffraction laboratory, area monitor and interlock system 4−4882
Cs counter, direct field monitor, deer carcasses 4−4881
^{137}Cs, flood plain transfer and accumulation 4−31630
^{137}Cs turnover rates, human subjects of different ages 4−4868
I, radioactive, extremely low-level meas. in air 4−23935
^{131}I, deposition onto environmental material 4−31626
^{85}Kr, monitoring near Karlsruhe Reprocessing Plant 4−31638
Rn progeny concentrations meas. in air using spectrometry technique 4−31602
^{222}Rn, and daughters, instrumentation for occupational and environmental monitoring 4−30254
β-SiC, post neutron irrad. annealing props., use as irrad. temp. monitor 4−9356

radiation monitors *see radiation monitoring*

radiation patterns, antenna *see antenna radiation patterns*

radiation pressure
see also acoustic streaming; solar corpuscular radiation
effects in quasars and X-ray sources 4−14443
general relativistic calc. of reaction force on charged particle, linearised Kerr background 4−11810
panel, radiation resist. derived from Rayleigh's formula 4−35098
Poynting-Robertson effect and Eddington limit for electrons scattering with hard photons 4−38606
QSO clouds, acceleration by radiation pressure 4−30094
quasars, radiative acceleration of material and ejection 4−14444
solar radiation pressure effect on synchronous near equatorial satellite 4−25914

radiation protection
see also radiation monitoring
air-scatter exposure rates, evaluation, outside gamma garden boundary 4−30256
albedo, calc. for Pb, Al shields, including secondary radiation 4−31615
alpha particle beam, space charge distrib. *(French)* 4−35915
basement shelters, effect of mutual shielding by occupants 4−31611
Brunswick nuclear reactor, experience in 1972 *(German)* 4−40112
buildup factors for ^{137}Cs and ^{60}Co radiation for Pb, Fe and water 4−42610
charcoal delay bed, activated, for reactor off-gases, transient response anal. *(Japanese)* 4−31469
chemical, mammalian oral mucosa, by β-mercaptoethylamine-HCl 4−8234
civilian vehicle, protection factors for environmental and fallout γ radiation 4−26272
dentistry, use of radiography equipment 4−14702
education, comment and reply on safety procedures 4−18315
educational x-radiation sources, hazard and protection evaluation 4−39150
electron microscopists, X-ray leakage significance and safety standards 4−42609
environmental capacity *(French)* 4−35082
environmental monitoring, at nuclear power stations *(French)* 4−31624
fissile materials handling, neutron poisoning effects of Cu and Cu-Cd 4−31577
FTR radial cavity shield, penetration calc. 4−31608
gamma-ray attenuation, sample thickness and expt. geometry 4−30543
gamma-ray attenuation coefficients, determ. using Ge(Li) detector, for five elements 4−30545
gaseous emissions, from reprocessing plants 4−31622
industrial facilities, personnel safety feature standards 4−4880
integral absorbed dose, calc. *(French)* 4−14709
legislation for operation of X-ray units and electron accelerators in W.Germany 4−30258
LMFBR shielding calcs. comparison of transport and diffusion theory 4−12419
medical betatron, shielding investig., spectra of X-rays transmitted through various materials *(Japanese)* 4−39094
medical personnel protection, during cardiac catheterisation, hazard comparison for undercouch and overcouch X-ray tube mountings 4−35036
metal shield for superficial radiotherapy, effect of backscattered electrons 4−42592
microwave radiation biological hazards 4−8191
microwave warning sign, proposal 4−42607
neutron dosimetry, biology and medicine, practical aspects 4−14708
nuclear burnup measurements, fuel management and power distrib. *(German)* 4−31460
nuclear fuel problems in fast reactor safety analysis 4−3050
nuclear power plant, design considerations for reduction of in-plant doses 4−40153
nuclear power plant, initial operation 4−5930
nuclear power reactor releases, assessment of radiological environmental doses 4−31593

radiation protection continued
- nuclear power station, safety meas., rules *(Czech)* 4−5931
- nuclear reactor burnt-up fuel, transport containers *(Czech)* 4−36378
- nuclear reactor fuel, safeguards technology for plants and transportation 4−27496
- nuclear reactor graphite matrix fuels, irradiated engineered dry storage facility 4−36395
- particle accelerators, radiation environment, review paper 4−35374
- phosphorothioate agents, radiation decomposition 4−22617
- power reactor, dose distrib. calc. after shutdown 4−36402
- power reactors, large, neutron and γ distrib. calc., normal operation 4−31607
- pressurized water reactors, radiation level calc., shielding 4−31604
- pulsed fast-neutron-to-gamma-ray convertor 4−36401
- PWR shield heating analysis 4−31609
- radiation risk assessment, biological experiments applic. 4−39093
- radioactive matter dispersal by evaporation 4−4884
- radioactive static eliminators, industrial use, hazards 4−36375
- radioactive waste site, study of ground conditions 4−40154
- radioactive waste storage in concrete-polymer composites 4−40152
- radiography, spot-film, patient surface exposure 4−4871
- radiological capacity concept *(French)* 4−35080
- radionuclides, environmental behaviour, conf., Aix-en-Provence, France (May 1973) 4−35095
- rats, dietary protection against radiation 4−22618
- reactor γ-ray shielding wall, line-of-sight method for double-bent duct 4−19638
- reactor off-gas effluents, removal of low-level radioiodines 4−23933
- risk-theory, systematic outline 4−39092
- scanning electron microscope, shielding 4−26672
- secondary electron detector shielded, for scanning electron microscope 4−26673
- SEM, shielded, performance and features 4−26671
- shield for power system, minimum weight design, space appl. 4−31605
- shielding, absorbing rod efficiency 4−40065
- shielding behind bores in shielding walls, ray analysis calc. of width 4−19639
- ship, nuclear-powered, dose rate calc. outside shield 4−31610
- Skylab, dose rate meas. by tissue equiv. ionization chamber, effect of shielding 4−19651
- statistical analysis, rationale 4−42606
- surface water, health protection standards, Soviet Union *(Russian)* 4−35084
- transport in air, coherence and polarisation effects 4−31616
- transuranic contaminated solid waste treatment development facility 4−40151
- waste air cleaning, fuel ement fabrication *(Russian)* 4−31621
- waste disposal, ground site selection, by sensitivity analysis 4−36376
- waste disposal, rock-melting capsule concept 4−23929
- X-ray diagnostics, methods of lessening exposure effect on gonads 4−22596
- X-ray diffraction laboratory, area monitor and interlock system 4−4882
- X-ray fluorescent excitation analysis, patient exposure reduction 4−30244
- X-ray installation, panoramic dental, structural shielding 4−4883
- X-ray omnicon, exposure reduction technique 4−2172
- X-ray warning device 4−15023
- γ-ray sources in PWR primary shield, discrete ordinates analysis 4−31606
- γ-ray transport theory, effect of bremsstrahlung 4−36403
- Cs counter, direct field monitor, deer carcasses 4−4881
- ^{137}Cs, levels in humans, from reactor effluents, forecast 4−40136
- ^{129}I, levels in milk and water, near a nuclear fuel reprocessing plant 4−40134
- LiH shield, fast neutron penetration 4−40056
- Pu, dose rate, shielding calculational system 4−31612
- Pu contamination, physio-pathology, poisoning and elimination therapy *(Spanish)* 4−39082
- V, fusion reactor blankets, neutronic anal. and comparison with No 4−31563

radiation quenching
- alkali halide:Sn^{2+}, B-band quintuplet struct. in quenched crysts. 4−21029
- 4- amino-N-methylphthalimide, glycerin soln., fluoresc. shift in nonreson. laser field 4−41422
- m-aminobenzoic acid, fluoresc. quenching, influence of saturated aliphatic acids in solvents *(Russian)* 4−12601
- 1-anilinonaphthalene-8-sulphonate in ethanol soln., subnanosecond solvent relax. obs. by oxygen quenching of fluoresc. 4−4272
- anthracene, delayed electroluminesc., flakes 4−25177
- anthracene, fluoresc. in CCl_4 and n-hexane solns. 4−10478
- anthracene derivatives, toluene soln., stimulated lasing, quenching consts. *(Russian)* 4−13473
- anthracenes, substituted, second triplet states 4−21588
- aromatic hydrocarbon, phosphorexcitation, O_2 quenching of excited triplet states 4−19860
- aromatic hydrocarbon-nitrogen heterocyclic salt, fluoresc. meas., donor acceptor pairs 4−25158
- aromatic hydrocarbons, polynuclear, quenched by alkyl halides fluorescence *(German)* 4−10484
- benzophenone-N,N-diethylaniline system, laser photolysis study 4−7458
- 3,4-benzpyrene, delayed fluorescence, quenching by azulene, triplet energy localisation *(German)* 4−37684
- biacetyl, phosphoresc., hydroxy- and amino-benzophenone as sensitizers and quenchers 4−17102
- bimolecular reaction in soln., diffusion-controlled fluoresc. quenching, transient effects 4−21577
- biphenyl crystals, emission intensity changes due to light excitation, mechanisms 4−6915
- borate glass:Gd^{3+}, Sm^{3+}, energy transfer 4−33492
- carbazole-pyridine in solid toluene solns., luminesc. quenching const., temp. effect 4−13508
- chrysene, fluoresc. in CCl_4 and n-hexane solns. 4−10478
- complex molecule, luminesc. polarisation due to light quenching *(Russian)* 4−13512

radiation quenching continued
- 1-cyanonaphthalene, triplet extinctions and fluorescence intensities rel. to fluorescence quenchers *(German)* 4−13993
- by dye laser, intracavity enhancement of trace absorpt. 4−22847
- dye solutions, e.s.r. investig. of photoinduced triplet states 4−37479
- dye solutions, polar, quencher effects on fluoresc. spectra 4−10767
- electron transfer reactions and triplet state form. inhibition in mixed fluoresc. quencher expts. 4−1729
- ethylene, quenching of laser induced fluorescence 4−897
- fluorescence depolarization due to collisions in presence of hyperfine struct. 4−5952
- formaldehyde, gaseous, single vibronic state, laser excitation, obs. 4−24112
- hydrogen-bonded complexes, luminesc. quenching const., temp. effect 4−13508
- indole in ethanol soln., subnanosecond solvent relax. obs. by oxygen quenching of fluoresc. 4−4272
- Lamb shift, gauge invariance breakdown effect of radiation damping on matrix elements 4−31655
- laser fluoresc. intra-cavity quenching, use in at. and mol. absorpt. meas. 4−35514
- luminescence, theory of thermal quenching 4−28892
- RR Lyrae type stars, nodal quenching and convective quenching 4−14377
- malachite green, glycerin soln., photolum. depolarisation by powerful excitation, light quenching 4−13511
- 1-methoxynaphthalene, triplet extinctions and fluorescence intensities rel. to fluorescence quenchers *(German)* 4−13993
- 1-methylnaphthalene, fluorescence, electron excitation energy migration coeff. determ. *(Russian)* 4−12602
- micelles of biological interest, photochem. reactions 4−21582
- naphthalene, fluoresc. in CCl_4 and n-hexane solns. 4−10478
- naphthalene, methyl substituted, fluorescence quenching determ. of rate consts. 4−9566
- naphthalene, perdeuterated, phosphorescence quenching, by transition metal ions 4−4001
- naphthalene, triplet extinctions and fluorescence intensities rel. to fluorescence quenchers *(German)* 4−13993
- 2-naphthol, aliphatic amine effects on fluoresc. quenching 4−10479
- 2-naphthol-pyridine in solid toluene solns., luminesc. quenching const., temp. effect 4−13508
- perylene, delayed fluorescence, quenching by azulene, triplet energy localisation *(German)* 4−37684
- phosphor with charge-compensated activators, thermal quenching of charact. luminesc. 4−28901
- solar atmosphere, radiative damping of trapped gravity waves 4−2056
- stellar atmosphere convective instability, compressible atm. with radiative damping non-Boussinesq anal. 4−2107
- tetrabenzoporphin, heavy atom fluoresc. quenching blue transition mechanism 4−16110
- tetracene, film on anthracene, mag. sensitive fluoresc. *(Russian)* 4−17118
- triphenylene, phosphorescence quenching by transition metal ions 4−4001
- β-emitting nuclide assay using liquid scintillation spectrometers 4−2816
- Al_2O_3, photoluminesc. extinction temp. *(Russian)* 4−41413
- Ar, metastable, quenching cross sections for electronic energy transfer collisions 4−9413
- CO, fluorescence quenching by ortho and para H_2, vibr.-rot. energy transfer 4−27704
- CS_2 vapour, fluorescence quenching 4−3221
- $CaWO_4$:U, scheelite-type single crysts., U luminesc., temp. quenching 4−41424
- $CdBr_2$:Pb^{2+}, photoluminesc. mechanism *(Russian)* 4−33497
- Cr(ethylenediamine)$_3^{3+}$, in aq. soln., phosphoresc., by Fe_{aq}^{2+} and Co_{aq}^{2+} 4−37663
- GaAs, m.i.s. and p-n junctions 4−20671
- GaAs:Ge, photoluminesc., high energy band development 4−28887
- H, electron impact excitation cross section, resonance struct. in 2s state 4−9444
- He, quenching collisions during decay of n^1S_0 and n^3S_1 states *(Russian)* 4−12501
- Hg 6^3P_0 metastable state, laser induced two photon decay 4−36422
- Hg_2* excimer, collisional quenching, radiative decay 4−6128
- Hg(6^3P_1), quenching by CO and NO, impulsive half-collision model 4−3229
- I_2 fluorescence, laser excited and quenching, a student experiment 4−26374
- K* ($4p^2P$) and ($5p^2P$) states, collisional quenching by H_2O, CF_4 and CH_4 4−698
- LiF (TLD100), restored and quenched thermoluminescence by u.v. light 4−1422
- $LiNb_3O_8$, luminescence properties quenching temperature 4−17112
- N_2 vibrational excitation by NO and H_2O, quenching at high temps. 4−19910
- $N_2(A^3\Sigma_u^+)$ quenching route in aurorae 4−29656
- OD, radical, fluorescence decay, collisional quenching rate constant 4−40307
- $O_2(^1\Delta_g)$ collisional quenching by NO 4−3225
- OH radical, fluorescence decay, collisional quenching rate constant 4−40307
- $PbMoO_4$, luminesc. decay, temp. depend., mechanism 4−28903
- $PbWO_4$, luminesc. decay, temp. depend., mechanism 4−28903
- Ru complex, tris(2,2′-dipyridyl)ruthenium(II) phosphorescence quenching by Cr(III) complexes 4−38160
- SO_2, photolytic excitation, chem., phys. quenching investig., SO, vibr. excited SO_2 form. 4−41975
- ZnSe:Cu, Ga, film, i.r. effect on moving high field domains 4−20627

radiative shifts *see relativistic corrections*

radiative transfer
- absorbing, scatt. emitting medium, conduction and radiative transfer, transient 4−19006
- absorbing emitting medium, steady one-dimens. transfer with emission, refl. and external radiation, theory 4−30916
- air, shockwave, struct. and luminosity 4−16219
- air, thermal props. of shock layer produced by hypersonic blunt cone *(Russian)* 4−36647

radiative transfer continued
anisotropic scattering, invariant imbedding transport eqn. formulation 4−35752
arc plasma, radiative flux meas. for various spectral regions 4−20139
atmospheric, aerosol influence on cooling, long wave flux divergence 4−4522
atmospheric radiance-height profile characteristics of i.r. horizon, 1.5-15.0 μm 4−4448
Biberman-Holstein factor for nonthermal plasma slab, radiation transport theory 4−6222
boundary layer flow past flat plate, radiative-convective heat transfer 4−32023
boundary layer heat transfer, radiation at surface 4−6152
cascade arc, radiation spectral distribution 4−9784
Chandrasekhar's method applied to i.r. radiation through cloudy or hazy atmospheres 4−21960
circumstellar dust cloud, optical transmission from radiative transfer eqns. 4−38763
circumstellar dust clouds, applicability of techniques relating colour excess and optical depth 4−42509
continuous radiance functions estimation from discrete radiative transfer simulations 4−2572
cooling of cylindrical body, heat loss, design of radial cones 4−30919
differential vs. integral eqns. 4−38760
diffuse view factors between integrally spaced equal height annular rings 4−18996
disperse medium, evaporation fronts theory, drop distrib. depend. 4−23272
Earth's spatially varying thermal radiance meas., reln. to reflected intensity of exo-atmospheric spheres 4−4449
earth-atmosphere heating, effect of aerosols 4−42123
evaporation of liquid drop in dissociating gas, formation of gas dynamics transfer eqns. 4−6490
fibrous thin layers, cond. model 4−19001
finite order X and Y functions, numerical results 4−8730
finned tubes, reradiation influence on metal temp. 4−39652
Fredholm integral eqn. resolvent, variable parameters invariant imbedding 4−39480
frequency-quadrature perturbations, numerical method for radiative transfer eqn. soln. 4−7973
gas flow, radiating, of large optical thickness along semi-infinite circular pipe, theory 4−9660
gaseous medium, two-dimensional implicit, soln. of eqns. by statistical methods 4−6206
geometric band absorptance, nongrey gas, arbitrary configuration 4−26877
glass, loose fibre and powder 4−4234
heat, between shell and dispersed coolant 4−32044
homogeneous isotropic world models, interacting matter and radiation 4−25926
hydrodynamics, equations of transfer, book 4−20063
hypersonic flow, radiating merged shock layer 4−27864
integral equations, complete linearization 4−35755
Knudsen radiative layer *(Russian)* 4−3312
Line formation in multidimensional atmospheres with rapid depth variation of absorption coefficient 4−25962
line opacities, comparison of straight-mean, harmonic-mean and multiple-picket approximations 4−30003
Martian atmosphere, Lyman-α airglow model 4−17949
medium bounded by perfect specular reflector, soln. rel. to perfect absorber 4−23218
Milne integral eqn. for spherical isotropically scattering medium, resolvent kernel 4−38758
model for atmospheric pollutant dispersion 4−7707
molecular clouds, radiative transfer, excitation, cooling of CO and CS emission lines 4−42470
Monte Carlo methods for solution of optical transfer problems *(Russian)* 4−7699
moving atmosphere, quantum exit, principle applied to line transfer 4−26868
moving media, approximation of K(τ,ν), L(τ, ν) *(Russian)* 4−30912
non-coherent scattering in moving spherical shell media 4−14348
non-grey model 4−38759
nonisothermal voluminous radiation calculation *(Russian)* 4−5427
nonlinear eqn. numerical solns. using iterative algorithms with inadequate data 4−7700
nuclear reactor, water-cooled, radiation heat transfer following loss-of-coolant accident 4−40105
numerical solution of complete equation, influence of aerosols in visible spectrum 4−29574
photon diffusion, Monte Carlo simulation of Voigt distrib. 4−30006
photon diffusion model, comparison with radiative transport soln. 4−35816
photosphere perturbative soln. for Stokes parameters in magnetic field 4−22242
pipe with radiative heat removal, heat transfer during laminar flow 4−40421
planetary atmosphere, multilayered 4−4732
planetary atmospheres, nonhomogeneous isotropically-scattering band absorption calc. 4−11134
planetary atmospheres Eddington-Sobolev approx. 4−4730
plasma, optical escape factor, const. source function 4−24259
polarisation by rotationally distorted electron scattering atmospheres 4−38752
polarised radiation in isotropic medium with arbitrary scattering law, Milne's problem *(German)* 4−38348
polluted atmosphere, prediction for solar radiant flux and heating rates 4−14170
power statistics for one-dimensional wave prop., reln. to radiative transport 4−26855
pulsar magnetosphere, differentially sheared media, transport of thin pencil of waves 4−42436
pulsar magnetosphere rotating differentially sheared medium, radiative transfer 4−42437
quartz glass at high temp., spectral radiation coefficient 4−3962
reflection function for isotropically scattering finite medium 4−18997

radiative transfer continued
resonance line formation in multidimensional media, interpolation functions 4−11167
resonance line formation in multidimensional media, radiation operator representation 4−4778
review of research on radiative behaviour of solids 4−32714
scattering medium solution methods comparison *(French)* 4−8732
Schwarzschild's equation, analysis of numerical solutions 4−21970
semi-infinite medium subjected to cosine varying radiation, radiative equilibrium 4−8731
sensible heat in precipitating cumuli, technique for computation 4−10911
solar chromosphere Lα, resonance line transfer with partial redistribution 4−7889
solid suspension, turbulent flow, radiating fluid in circular tube, constant wall temp. 4−674
source function, velocity dependent, line radiation transfer 4−23217
spectral line formation in non-LTE expanding atmospheres 4−22390
spectral lines in magnetic field, transfer equations 4−42380
specularly reflecting boundary, Chandrasekhar's planetary problem reduction to standard problem 4−11133
spherical radiation hydrodynamics, finite difference scheme 4−30906
spherically symmetric stellar atmospheres, line formation problems 4−17992
spherically symmetric stellar atmospheres, line transfer problem with radial velocity fields 4−17993
stagnation flow, nonsteady three-dimens. 4−19969
stagnation point flow of radiating gas of large optical thickness 4−16183
stellar atmospheres, circularly polarized radiation transfer 4−30007
stellar spectral line formation, blending effects, radiative transfer equations 4−26107
in system of diathermic bodies separated by an absorbing and dissipating medium 4−5430
temperature fluctuation smoothing by radiation and conduction 4−4783
terrestrial atmosphere, visible region taking account of turbidity and particle absorption *(French)* 4−29557
thermalization lengths in multilevel radiation transfer 4−30015
turbulent flame front, radiative cooling 4−40437
two-dimensional radiative equilib., semi-infinite strip subjected to finite strip of radiation 4−30917
two-phase medium, particle interactions, particle size effect, boundary layer blackening *(Russian)* 4−35754
unsteady transfer with nonlinear boundary conditions, integral method 4−2575
urban atmosphere, mathematical model, pollutant effect on temperature distribution 4−7706
vacuum chamber, cylindrical, absorptivity of inside surfaces, determ. method 4−39205
W Virginis type pulsating stars, relativistic terms of radiation transfer hydrodynamics in nonlinear pulsation theory 4−30036
white dwarfs, effect of 10^4-10^8 G fields on continuum emission 4−38843
H_2, pressure induced, far i.r. spectrum, high temp. 4−27792
HF (DF), hot source, i.r. spectral radiance in $\Delta v=1$ band region in given atmos. path 4−38358
Kr, laminar arc plasma, wall heat flux calc. 4−27940
SiO_2, loose fibre and powder 4−4234
Xe, laminar arc plasma, wall heat flux calc. 4−27940
Xe, shockwave struct. 4−16351

radicals, free *see free radicals*

radio applications
see also radio direction-finding; radioastronomy; radiocommunication; radionavigation
feedback optimisation technique for satellite orbit accuracy *(Japanese)* 4−25917
ocean surface current meas. by h.f. radio wave backscatter 4−11076

radio broadcasting
frequency dissemination via 19 kHz pilot tone from f.m. stereo transmitters 4−18332
m.f., coverage rel. to ground conductivity *(German)* 4−17619

radio direction finders *see radio direction-finding*

radio direction-finding
lightning impulse direction finding system using fast logic techniques 4−17846
selenodesy, precision, differential interferometry, new receiver type 4−2154
thunderstorms, high resolution hybrid digital radar for echo resolution 4−17848

radio links
see also microwave links; radiocommunication
extraterrestrial radio beacons, search strategy 4−2030
frequency standard comparison *(German)* 4−22745
phase correction technique for radio link interferometry 4−14527

radio receivers
see also superheterodyne receivers
Fleurs Synthesis Telescope receiver system 4−22491
standard 151 kHz frequency receiver for counter calibration *(German)* 4−35162
Westerbork Synthesis Radio Telescope, 21 cm. continuum receiver system 4−38921

radio systems
see also mobile radio systems
Communication with Extra Terrestrial Intelligences, application of pulses with compensating delays as call signals *(Russian)* 4−2148
radioastronomical search for highly organised systems in the universe, traces of life, cybernetic methods *(Russian)* 4−2149

radio transmitters
see also radiosondes
Mayak two-frequency coherent radio transmitter, ionospheric studies, Intercosmos 2 satellite 4−4621
oceanographic telemetering systems, transistor u.h.f. transmitters description *(Russian)* 4−29775
satellite, for ionosphere properties 4−17803

radioactive age determination *see radioactive dating*

radioactive chemical analysis
- *see also radiochemistry*
- air, benzene and CCL$_4$ context using ^{83}Kr, kryptonated silica gel 4–25495
- binary system, radiometric absorption anal. using bremsstrahlung and line sources *(Czech)* 4–30656
- chemical reactions, complex, energy absorbtion by gases 4–29307
- corrosion rate determ. using radioactive tracer and electrochem. method 4–8571
- gamma-ray spectroscopy, fission-product mixtures, determ. of independent yields using Ge(Li) detector 4–26622
- impurity conc. profiles meas., automated radiochemical technique 4–8576
- isotopic exchange, rapid separation of radioactive species, using ion exchange column *(French)* 4–39429
- lunar samples, radionuclides determ. using gamma-ray spectrometry 4–5211
- photon activation anal. using 110 MeV electron bremsstrahlung on thick-targets 4–26719
- radioactivation, neutron and gamma-ray, light elements, Z less than 10, concentration measurement *(French, English)* 4–26709
- radiochromatography, photographic detect. of radionuclides 4–23033
- radiochromatography, summary of state of the art, radiation detect. techniques, commercial details 4–35510
- rock, determ. of Cu by neutron activation anal. 4–26706
- of seawater, feasibility of automatic system 4–22187
- simultaneous determination of three elements, ^{182}Ta, ^{95}Nb, ^{44}Ti, ^{59}Fe 4–26705
- transplutonium nuclei in JPDR-I spent fuel, correlation of amounts with burnup 4–5913
- ^{14}C in blood, continuous monitoring using flow-cell device mounted in eiq. scintillation counter 4–35497
- ^{249}Cf, absolute specific activity and T(1/2) determ. 4–4296
- ^{64}Cu, half-life determ. 4–27282
- ^{3}H activities, very low, meas. by liquid scintillation technique, electrolytic concentration effect *(Czech)* 4–15039
- He jet transport, of recoil atoms into liquid phase 4–11558
- ^{131}I, in reactor dust particles, collected on Ag filters, separation, determ. 4–35547
- Pd powder, adsorption, tracer investig. method 4–6551
- Pu processing facility, appl. of radiometric nondestructive assay 4–23939
- ^{236}Pu, lower limits of detect. in multicomponent samples determ., least squares anal. 4–35546
- ^{238}Pu, lower limits of detect. in multicomponent samples determ., least squares anal. 4–35546
- ^{239}Pu, lower limits of detect. in multicomponent samples determ., least squares anal. 4–35546
- ^{222}Rn, ionization chamber determ. 4–15048
- SO$_2$ in atmosphere, determ. using radioactive iodine kryptonate *(Slovak)* 4–4627
- Sn, K_α/K_β ratio, thickness effect 4–15050
- Sr, fission prod., diffusion through graphite matrix using ^{85}Sr tracer *(German)* 4–36367
- ^{90}Sr determ. in seawater by ^{90}Y separation, method 4–39414
- ^{99m}Tc, sublimed from ^{99}Mo fission, purity determ. by γ-ray spectrometric anal. 4–30652
- Th, chem. extraction from calcite, anal. of products 4–36356
- U, chem. extraction from calcite, anal. of products 4–36356
- U spatial distrib., content determ., in geological materials, spark counter method 4–35527
- Zr, in geological, lunar samples, determ. using stable isotope dil., mass spectrometry 4–39399

radioactive dating
- *see also earth age*
- archaeological, nuclear methods for origins of artifacts 4–30318
- basaltic lavas, N. America, magnetostratigraphy and oroclinal folding 4–34236
- carbonaceous chondrites, I-Xe dating of magnetic fractions 4–22362
- chondrites, initial ^{87}Sr/^{86}Sr ratios rel. to early history of solar system 4–11157
- dendrochronological calibration of radiocarbon time scale, tree-ring dating accuracy 4–29719
- detrital zircon, U and Pb gain, isotopic analysis and fission tracks 4–38218
- fault movements in Tanzanian Sector of East African Rift System, K-Ar ages 4–25580
- fission track method, effect of shock, apatite and sphene examples 4–29448
- galena, Pb isotope growth and calculations 4–34159
- glacier termini, Holocene climate variations, pattern and cause 4–14164
- interstadial site, Island of Lewis, British glacial chronology 4–10854
- Kodiak Seamount, Giacomini Guyot, implications for circum-Pacific tectonics 4–34173
- Mesozoic granite batholiths, Chinmen and Matsu Islands, Rb-Sr ages 4–21787
- meteorite origin from dead cometary nuclei from radiation ages 4–14328
- meteorites, age differences by different methods, isotopic abundance variations in solar nebula 4–2103
- Muntsche Tundra mafic pluton, ^{87}Rb-^{86}Sr ages 4–10810
- oceanic growth models, δ_0 calc. 4–34303
- phosphorites, marine, continental margin of Peru, uranium-series dated, results and conclusions 4–1778
- Picture Gorge basalts, isotopic fractionation of loosely held atmospheric Ar 4–38222
- plagioclase clasts in lunar highland breccia, 4.5 aeon age 4–34705
- Pleistocene chronology, radiometric and palaeomagnetic polarity dating 4–14061
- Precambrian Avanavero Dolerite in western Suriname excess radiogenic Ar 4–10804
- Precambrian lavas of Seton Formation, East Arm of Great Slave Lake, Rb-Sr ages 4–10802
- Precambrian rocks of Sierra Madre Mts., Wyoming Rb-Sr ages 4–21788
- quartz dioritic stock at Capo Vaticano, Calabria, discordant K-Ar age pattern 4–4333
- radiocarbon calendar calibration, review 4–38534

radioactive dating continued
- Sarwin Crater, Tasmania, K-Ar and fission track dating of impact glasses 4–14025
- thermoluminescence, bronze horse statue, New York museum 4–35461
- thermoluminescence, T'ang dynasty ceramics 4–35462
- thermoluminescence measurement by double beam detection technique 4–22153
- tonalite-grandiorite gneisses western Saudi Arabia K-Ar dating 4–21789
- tree ring analysis, short term variations in ^{14}C, correlation with solar activity 4–29698
- tree ring dating, non-confirmation of 11-yr cycle in ^{14}C activity of atmospheric CO$_2$ 4–29577
- tree rings, effect of globally stored organic carbon on radiocarbon dates 4–17884
- universe and elements age, general discussion 4–38621
- West Greenland Amitsoq and Isua gneisses, age patterns 4–14023
- X-ray fluorescence analysis of early Etruscan gold objects 4–35533
- Yatsushiro granite and gneiss, Rb-Sr dating 4–4336
- ^{40}Ar/^{39}Ar, gabbros and anorthosites, Central Indian Ridge 4–21769
- ^{40}Ar/^{39}Ar ages of Apollo 15 lunar samples 4–42351
- ^{40}Ar/^{39}Ar ages of lunar samples rel. to lunar chronology 4–42352
- ^{40}Ar/^{39}Ar dating of basalts, effects of pressure shocks 4–21778
- ^{40}Ar/^{39}Ar method rel. to lunar rock dating *(German)* 4–26058
- ^{40}Ar-^{39}Ar stepwise degassing experiments on submarine rocks 4–4332
- ^{14}C age determ. extension of accuracy by isotope enrichment *(German)* 4–40145
- ^{14}C measurements, computer program, data processing 4–21636
- Io/Th dating of marine sediments 4–29411
- K-Ar, criticism of basic assumptions 4–34128
- K-Ar, loading techniques in Ar extraction work 4–17821
- K-Ar, silicic pyroelastic rocks of Peruvian Andes, tectonic and volcanic history in Cenozoic 4–25540
- K-Ar dating, calibration of quantitative unspiked Ar runs 4–4615
- K-Ar dating, orifice correction 4–4614
- K-Ar dating of rhyolites of Lord Howe Rise 4–25532
- Mn nodules using ^{230}Th, accumulation rate *(German)* 4–7816
- Pb, radiogenic halo, precambrian U deposit 4–42032
- Pb isotope composition of 17 meteorites, dating 4–42364
- Pb isotopic evolution for Canadian Shield samples, nature of tectonic events 4–17554
- Rb-Sr whole rock method, evidence for thermal episode 500 my ago in S.W. Africa 4–25535
- Rb-Sr whole-rock ages, Precambrian metamorphic in Kamiaso conglomerate 4–29409
- U series, bone sample from Quaternary deposits of Medicine Hat, Alberta 4–4328
- U/Th, large ionization chamber as α-spectrometer 4–17829

radioactive decay periods
- ^{18}F, populated in ^{19}F(π^+, πN), half-life 4–9308
- beta decay, half lives from gross theory 4–31306
- exponential function, fit to experimental data using FFT 4–19330
- heavy ions, lifetime meas., on-line 4–14936
- Poisson, and non-Poisson behaviour of radioactive systems 4–18589
- school experiment, half-life meas., allowing for electroscope leakage 4–26400
- scintillation counter meas. using programmable desk computer 4–14974
- ^{217}Ac, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4–15730
- ^{26}Al^m superallowed Fermi β-decay, half-life 4–15715
- ^{81}As→^{81}Se, beta-decay, half-life and gamma-ray spectra 4–27283
- ^{7}Be decay constant rel. to pressure 4–5763
- ^{11}C, populated in ^{12}C(π^+, πN), half-life 4–9308
- ^{249}Cf, absolute specific activity and T(1/2) determ. 4–4296
- ^{34}Cl superallowed Fermi β-decay, half-life 4–15715
- ^{137}Cs, transmutation in quantity in controlled thermonuclear reactor, half-life reduction 4–23932
- ^{137}Cs loadings in CTR blanket, reduction of transmutation, half-life 4–23910
- ^{64}Cu, half-life determ. 4–27282
- ^{243}Es, new isotope produced in ^{233}U + ^{15}N reaction, half-life and α-particle energies 4–12295
- ^{244}Es, new isotope produced in ^{233}U + ^{15}N reaction, half-life and α-particle energies 4–12295
- Eu, new neutron deficient isotopes, half lives and gamma-rays 4–15723
- ^{160}Eu, produced in neutron irradiated enriched ^{160}Gd, half-life and decay scheme 4–23646
- ^{22}F, beta decay following ^{18}O(^{6}Li,2p) reaction, $T_{1/2}$ determ. 4–31311
- ^{215}Fr, half-life decay energy and reduced width meas. 4–15731
- ^{215}Fr, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4–15730
- ^{129}I, absolute activity, half-life meas. *(French)* 4–5762
- ^{108}In, radioactive decay scheme and half-life 4–602
- ^{111}In, direct timing method, meas. 4–8481
- ^{113}In, direct timing method, meas. 4–8481
- ^{108m}In, radioactive decay scheme and half-life 4–602
- ^{72}Kr proton-rich nuclide, delayed gamma-ray obs., half life 4–15716
- ^{73}Kr proton-rich nuclide, delayed gamma-ray obs., half-life 4–15716
- ^{56}Mn, $T_{1/2}$ meas. rel. to measuring equipment checking 4–5190
- ^{86}Nb, new isotope, obs. of γ-transitions and half-life *(Russian)* 4–23645
- ^{259}No produced in ^{248}Cm(^{18}O,α3n) at 95 to 110 MeV, $T_{1/2}$ determ. for α and β decay 4–12293
- ^{14}O superallowed Fermi β-decay, half-life 4–15715
- ^{14}O→^{14}N superallowed Fermi decay, half-life and ft value 4–9119
- ^{34}P, from multiscaling γ-ray yields 4–9121
- Pa, meas. of half-life, student experiment 4–30352
- ^{237}Pa, $T_{1/2}$, determ. gamma spectra obs. rel. to ^{237}U level scheme determ. 4–12287
- Pm, new neutron deficient isotopes, half lives and gamma-rays 4–15723
- ^{241}Pu, half-life determ. by mass spectrometric analysis 4–2815
- ^{216}Ra, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4–15730
- ^{85}Se, γ-ray energy and half life meas. 4–5756

- **radioactive decay periods** continued
  - ^{86}Se, γ-ray energy and halflife meas. 4–5756
  - ^{32}Si, from multiscaling γ-ray yields 4–9121
  - Sm, new neutron deficient isotopes, half lives and gamma-rays 4–15723
  - $^{95}\mathrm{Sr}\rightarrow{}^{95}\mathrm{Y}$, γ-ray spectrometry, decay props. *(German)* 4–27284
  - ^{91}Tc, ^{90}Tc, β- and γ-ray spectroscopy, half-lives and spin parity assignments 4–19350
  - ^{a}Th, A=217-220, half-life decay energy and reduced width meas. 4–15731
  - ^{218}Th, in-beam alpha spectroscopy, lifetime and alpha-transition energy 4–15730
  - ^{226}U from $^{232}\mathrm{Th}(\alpha,10\mathrm{n})^{226}\mathrm{U}$, 140 MeV, half-life, E_α meas. 4–15728
  - ^{235}U, spontaneous fission, half-life meas. using rotation chamber *(German)* 4–23729
  - Xe, singly ionized, meas. for 5p^{4} 6p levels 4–15348
  - $^{94}\mathrm{Y}\rightarrow{}^{94}\mathrm{Zr}$ half-life, β- and γ-ray spectra 4–23649
  - ^{88}Zr, half life meas., γ-ray activity decay, 0.394 MeV 4–5761
- **radioactive decay schemes**
  - correlation effects, triple, in $\beta\gamma\gamma$ and $\beta\gamma e$ type processes 4–12286
  - nuclear decay modes, atomic effects 4–5160
  - nuclear reactor materials, evaluation of decay scheme data 4–36363
  - n oscillator theory, yeti genesis 4–35971
  - Ac, A=229 to 232, prod. from ^{232}Th, beta decay, half life determ., gamma spectra meas. 4–2814
  - $^{220}\mathrm{Ac}\rightarrow{}^{228}\mathrm{Th}$ β decay scheme *(French)* 4–31308
  - $^{81}\mathrm{As}\rightarrow{}^{81}\mathrm{Se}$, beta-decay, half-life and gamma-ray spectra 4–27283
  - ^{189}Au, conversion electron and γ-ray spectra of decay, new transitions *(French)* 4–12246
  - ^{120}Cd, beta decay, half-life determ. and ^{120}In production and decay 4–2813
  - ^{122}Cd, beta decay, half-life determ. and ^{122}In production and decay 4–2813
  - ^{115g}Cd, ^{115m}Cd, decay scheme spectroscopy, study of ^{115}In excitations 4–436
  - $^{138}\mathrm{Cs}\rightarrow{}^{138}\mathrm{Ba}$, beta and subsequent gamma decay, Q-value 4–19358
  - ^{61}Cu pop. in $^{60}\mathrm{Ni}(\mathrm{p},\gamma)^{61}\mathrm{Cu}$ at 1.8 to 2.3 MeV, gamma decay of ^{61}Cu analogue states 4–12259
  - ^{160}Eu, produced in neutron irradiated enriched ^{160}Gd, half-life and decay scheme 4–23646
  - $^{59}\mathrm{Fe}\rightarrow{}^{59}\mathrm{Co}$, gamma-ray meas., ^{59}Co level structure 4–19346
  - $^{146}\mathrm{Gd}\rightarrow{}^{146}\mathrm{Eu}$ β^{+} decay, level-scheme determ. from internal conversion electron spectra *(Russian)* 4–577
  - ^{189}Hg, conversion electron and γ-ray spectra of decay, new transitions *(French)* 4–12246
  - ^{108}In, radioactive decay scheme and half-life 4–602
  - ^{120}In produced in ^{120}Cd beta-decay, meas. gamma ray spectra and half life 4–2813
  - ^{122}In produced in ^{122}Cd beta-decay, meas. half-life and gamma ray spectra 4–2813
  - ^{108m}In, radioactive decay scheme and half-life 4–602
  - ^{75}Kr, decay scheme and total decay energy determ. for β^{+} emission 4–12290
  - $^{79}\mathrm{Kr}\rightarrow{}^{79}\mathrm{Br}$, directional correlations of γ-rays, log ft values and conversion coeffs. 4–5750
  - $^{88}\mathrm{Kr}\rightarrow{}^{88}\mathrm{Rb}$ β-decay, γ-ray singles and coincidence meas., level scheme construction 4–23652
  - ^{9}Li, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - ^{11}Li, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - $^{51}\mathrm{Mn}\rightarrow{}^{51}\mathrm{Cr}$, gamma-ray meas., log ft values, ^{51}Cr level scheme 4–23650
  - $^{56}\mathrm{Mn}\rightarrow{}^{56}\mathrm{Fe}$, and ^{56}Fe level scheme *(French)* 4–2820
  - ^{93}Mo, delayed coincidence meas., transition multipolarities, excited states determ. *(French)* 4–36158
  - ^{27}Na, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - ^{28}Na, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - ^{29}Na, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - ^{30}Na, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - ^{31}Na, decay props., mass spectroscopic study, delayed neutron emission 4–2801
  - ^{87}Nb, gamma-ray spectrum energies and intensities *(Russian)* 4–23645
  - $^{138}\mathrm{Nd}\rightarrow{}^{138}\mathrm{Pr}\rightarrow{}^{138}\mathrm{Ce}$, energy level structure obs. *(Russian)* 4–27267
  - $^{239}\mathrm{Np}\rightarrow{}^{239}\mathrm{Pu}$, study of 285.5 keV level in ^{239}Pu 4–12146
  - ^{231}Pa from α-decay of ^{235}U, $\gamma\gamma$ coincidence work 4–39974
  - ^{237}Pa, beta-decay gamma spectra obs. rel. to ^{231}U level scheme determ. 4–12287
  - $^{88}\mathrm{Rb}\rightarrow{}^{88}\mathrm{Sr}$ β-decay, γ-ray singles and coincidence meas., level scheme construction 4–23652
  - ^{78g}Rb radioactive decay and gamma transitions 4–600
  - ^{78m}Rb radioactive decay and gamma transitions 4–600
  - $^{185}\mathrm{Re}(\mathrm{d},4\mathrm{n})^{183}\mathrm{Os}$, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4–31391
  - $^{187}\mathrm{Re}(\mathrm{d},6\mathrm{n})^{183}\mathrm{Os}$, 2s activity on 45-80 MeV deuteron irrad., 184 keV γ-line 4–31391
  - ^{184g}Re, ^{184m}Re, obs. of γ radiation and internal conversion electron, study of band mixing in ^{184}W 4–19324
  - $^{97}\mathrm{Ru}\rightarrow{}^{97}\mathrm{Tc}$, γ-ray meas., level scheme determ. 4–36164
  - ^{93m}Ru, decay scheme of short-lived isotope 4–601
  - $^{124}\mathrm{Sb}\rightarrow{}^{124}\mathrm{Te}$, beta decay, transition energies and intensities, decay scheme 4–31307
  - $^{124}\mathrm{Sb}\rightarrow{}^{124}\mathrm{Te}$, $\beta\rightarrow\gamma\rightarrow\gamma$ ang. correlation studies of decay radiations 4–599
  - $^{123}\mathrm{Sn}^{g}\rightarrow{}^{123}\mathrm{Sb}$, obs. of weak gamma transitions level scheme determ. 4–31302
  - $^{95}\mathrm{Sr}\rightarrow{}^{95}\mathrm{Y}$, γ-ray spectrometry, decay props. *(German)* 4–27284
  - ^{91}Tc, decay scheme of short-lived isotope 4–601
  - ^{93}Tc, delayed coincidence meas., transition multipolarities, excited states determ. *(French)* 4–36158
  - $^{95}\mathrm{Tc}^{*}\rightarrow{}^{95}\mathrm{Mo}$, γ-ray and $\gamma\gamma$ coincidence spectra, conversion electron spectra and β^{+} spectra *(Russian)* 4–23644
  - ^{95}Te, level scheme from observation of ^{95}Ru decay 4–36165
  - ^{228}Th + derivatives, γ radiation obs. w.r.t. ^{208}Tl and ^{208}Pb *(French)* 4–2822
- **radioactive decay schemes** continued
  - ^{234}Th beta-decay, ^{234}Pa deduced levels and parity configurations *(French)* 4–15621
  - ^{236}Th produced in $^{238}\mathrm{U}(\mathrm{p},3\mathrm{p})$ at 100 MeV, decay scheme determ. for identification 4–23648
  - ^{195}Tl, γ-decay scheme from energy spectra, angular correlation and internal conversion electrons, comparison with ^{197}Tl *(Russian)* 4–572
  - ^{197}Tl, γ-decay scheme from energy spectra, angular correlation and internal conversion electron meas. *(Russian)* 4–571
  - $^{138}\mathrm{Xe}\rightarrow{}^{138}\mathrm{Cs}$, beta and subsequent gamma decay, Q-value 4–19358
  - $^{93}\mathrm{Y}\rightarrow{}^{93}\mathrm{Zr}$, mass separated, obs. of coincidence and singles γ-ray spectra 4–12284
  - $^{94}\mathrm{Y}\rightarrow{}^{94}\mathrm{Zr}$ half-life, β- and γ-ray spectra 4–23649
  - ^{94}Zr, thermal neutron activation cross sections, resonance integral 4–15773
  - ^{96}Zr, thermal neutron activation cross sections, resonance integral 4–15773
- **radioactive lifetimes** *see radioactive decay periods*
- **radioactive sources**
  - *see also radioisotopes*
  - beta emitters, pure, tracer measurement method, review 4–5176
  - corrected geometry factor, calc. in coincidence meas. of β^{+}-annihilation γ-rays 4–18562
  - efficiency-tracer measurements, use of sources on electrosprayed pads of ion exchange resins 4–5180
  - monomolecular, preparation and characteristics of ^{51}Cr and ^{55}Fe radionuclides 4–5148
  - photon, for radiation detector calibration 4–26597
  - photons, polarised, source quality 4–11564
  - power manipulator, light-duty 4–36379
  - preparation, quantitative, rel. to. pycnometer method 4–5145
  - preparation of thin sources, review 4–5146
  - preparation of thin sources by special methods 4–5147
  - pulsed electron, high intensity, monitoring and beam characterisation 4–22623
  - storage of solns. with standardised disintegration rates 4–5149
  - transporting device, for operating theatres 4–26255
  - vaginal applicator with radioactive source parallel or perpendicular to uterine applicator, comparison 4–42593
  - ^{241}Am, sputtering to produce thin film α source 4–26590
  - ^{241}Am electrodeposition on stainless-steel backing 4–26585
  - ^{252}Cf, medical neutron sources, review of dosimetry 4–11337
  - ^{60}Co, buildup factors for radiations for Pb, Fe and water 4–42610
  - ^{60}Co radiation, graphite cavity chamber for absolute exposure measurement 4–26281
  - ^{60}Co whole-body irradiator 4–22604
  - ^{137}Cs, buildup factors for radiations for Pb, Fe and water 4–42610
  - ^{67}Ga standardisation, problems using liquid scintillation counting 4–5174
  - ^{68}Ge/^{68}Ga source for positron annihilation studies of condensed matter 4–39321
  - ^{192}Ir, γ-ray source, chromosome aberration after accidental exposure 4–8199
  - ^{192}Ir, γ-ray source, hormone serum levels after accidental exposure 4–8197
  - ^{192}Ir, γ-ray sources, biochem. anal. of urine and blood metabolites after accidental exposure 4–8198
  - ^{192}Ir gamma ray source, accidental exposure, haematological effects 4–8196
  - ^{192}Ir gamma rays, accidental exposure, dose estimation 4–8239
  - Ra, linear, approx. method for surrounding dose calcs. 4–42623
  - ^{90}Sr, $\mathrm{SrTiO_3}$ synthesis, method applicable to disposal of ^{90}Sr in nuclear fission prods. 4–38164
  - ^{90}Sr-^{90}Y applicator, for extracorporeal blood irradiation 4–18206
  - ^{44}Ti/^{44}Sc, source, for positron annihilation studies of condensed matter 4–39321
  - ^{233}U, production by electrodeposition on stainless-steel backing 4–26585
  - ^{87}Y standardisation, problems using liquid scintillation counting 4–5174
- **radioactive tracers**
  - bone scan image, computer aided evaluation 4–18212
  - cable leak detection methods and instruments *(Russian)* 4–30431
  - corrosion rate determ. using radioactive tracer and electrochem. method 4–8571
  - diffusion coeffs. meas. in aq. solns., Na in NaCl solns. 4–21495
  - human serum albumin, monodisperse microspheres prod. by spinning disc technique for radioisotope labelling 4–35496
  - image processing, quantitative effects 4–35047
  - methyl-^{203}Hg, distrib. in pregnant rats, foetuses 4–30241
  - nitroxide radicals, rapid rot. diffusion in viscous media investig., using ^{14}N and ^{15}N isotopes, e.s.r. 4–41235
  - scinticisternography, subcutaneous extravasation of CSF 4–35050
  - soft β labels, current liquid scintillation counter 4–5157
  - soil, determ. of constants of tracer migration 4–3342
  - tritium, history *(German)* 4–35123
  - underground water circulation in karst areas, methods and experiments 4–7857
  - $\mathrm{As_2S_3}$, colloid, radiometric study of counterion sorption 4–41891
  - ^{82}Br application in rotating drums and centrifuges *(Dutch)* 4–37025
  - ^{18}F scintigraphy, femoral head circulation 4–35048
  - ^{59}Fe labelling in bone 4–35046
  - ^{3}H progesterone, in neurons of hypothalamic region 4–38958
  - ^{3}H uptake by soil water and groundwater as molecular hydrogen 4–4391
  - ^{203}Hg, Phaeodactylum tricornutum pigments 4–30252
  - ^{131}I, in I^{131}I, eval. of kinetics of photochem. induced reactions 4–38163
  - ^{42}K application in rotating drums and centrifuges *(Dutch)* 4–37025
  - ^{24}Na application in rotating drums and centrifuges *(Dutch)* 4–37025
  - Pd powder, adsorption, tracer investig. method 4–6551
  - ^{220}Rn, aerosol particle size distrib. meas. *(German)* 4–4892
  - ^{35}S, determination of $\mathrm{SO_2}$ deposition rates on land and water 4–30264
  - $\mathrm{Sb_2S_3}$, colloid, radiometric study of counterion sorption 4–41891
  - ^{99}Tc^{m} labelled pyrophosphate, bone scanning applic. 4–22599
  - ^{99m}Tc-Sn-MAA kit, for nuclear medicine 4–35049
  - ^{99m}Tc-pertechnetate scanning, cerebral ventricle visualisation 4–35051

radioactive tracers continued
^{169}Yb-citrate, tumour scanning 4−35052
radioactivity
see also alpha decay; atmospheric radioactivity; beta-decay; beta-rays; muon capture; nuclear decay theory; radioactive decay periods; radioactive decay schemes; radioactivity measurement
BLWR feedtrain, radioactivity transport, crud development and control 4−31505
Centre de Faibles Radioactivites in Gif-sur-Yvette, investigation methods *(French)* 4−35367
gas recoil transport system, evidence for ethylene molecule clusters 4−18618
geothermal hot spring systems, northern Nevada 4−21753
halos in minerals, review 4−38248
high-level wastes, transmutation using controlled thermonuclear reactor 4−23931
lunar, natural radioactivity of highland and mare regions 4−38714
lunar material, solar flare proton flux over last 1000 yrs from Ar activity 4−17929
lunar sample ^{26}Al saturation activity as function of chemical composition 4−22323
materials handling by power manipulator, light-duty 4−36379
nuclear explosions effects, crater form., shock wave propag., and radioactive waste storage *(French)* 4−38204
nuclear reactor corrosion control and fitting and fuel channel design 4−31507
nuclear reactors, water-cooled, movement of activated corrosion products 4−31500
packaged radioactive waste, disposed in deep Atlantic Ocean 4−4895
pollution, environmental, research in Czechoslovakia *(French, English)* 4−27480
radionuclide cross sections in natural Si, Ca, Ti and Fe targets bombarded with 14 to 45 MeV protons 4−630
SNR-300 primary system components, radiation levels induced by active corrosion product deposition 4−27428
waste disposal, rock-melting capsule concept 4−23929
CsI scintillator crystals, spectra of induced radioactivity by 155 MeV protons 4−8101
Li coolant, induced radioactivity in reference theta pinch reactor 4−19613
^{239}Pu, fission product γ-activity rel. to ^{235}U 4−19567
^{234}Th/^{238}U activity ratios in Pacific Ocean near bottom waters 4−38291
^{235}U, fission product γ-activity rel. to ^{239}Pu 4−19567
^{129}Xe isotopic anomaly rel. to extinct radioactivities in Earth 4−25598
radioactivity measurement
see also radioactivity measuring apparatus
aerosols control systems *(German)* 4−42625
alpha-particle assay by liquid scintillation technique using pulse-shape discrimination 4−23944
atmospheric Th, and Rn decay product meas. using double filter setup *(German)* 4−42121
benthic organisms, occurrence, radioactivity and diversity, vicinity of nuclear power station 4−12460
bone scan image, computer aided evaluation 4−18212
calorimetric, applications and classification of calorimeters 4−5184
calorimetry rel. to standardisation of ^{63}Ni 4−5185
carrier-loaded helium-jet transport method 4−26562
correlation techniques rel. to anal. of events from single and twin detectors 4−5187
dead-time corrections 4−5161
decay line parameter determination, errors, meas. condition dependence *(Russian)* 4−26623
density measurement, of liquid Fe, by penetrating radiation 4−26739
efficiency-tracer measurements, use of sources on electrosprayed pads of ion exchange resins 4−5180
geological samples, high-speed radioluxograph with single scintillation sensitivy for autoradiography 4−34526
Great Lakes, radioactivity concentrations due to nuclear generating units 4−23934
internal gas counting, gaseous standards at NBS 4−5162
low activity absolute and relative meas. random errors 4−4946
low-level, α, β, and γ ray counting and detector systems comparison 4−5189
lunar natural radioactivity, Apollo 15 and 16 gamma-ray obs. 4−38714
nuclear decay modes, atomic effects 4−5160
nuclide activity unit, Russian primary standard 4−22750
radionuclide metrology, nuclear data 4−5135
rock formations, Greenland, thermoluminescence dosimetry 4−21819
standards, consistent system for different fields 4−4953
standards, radionuclide meas., BIPM committee 4−4954
statistical nature 4−5159
sum-peak coincidence counting, two NaI(Tl) crystals, technique 4−5179
tritiated water, specific radioactivity meas. by internal gas counting 4−5163
β-ray emitters followed by γ-rays, liquid scintillation measurement 4−11582
^{60}Co internal contamination, personnel monitoring system 4−27481
^{137}Cs, concentration in Colorado mountain watershed 4−18257
$Cu_3(PO_4)_2.H_2O$, radioactive, physical props. *(Portuguese)* 4−7507
I radioisotopes, extremely low-level meas. in air 4−23935
^{85}Kr, meas. of atmospheric activity at Debrecen, Hungary 4−14111
^{220}Rn, aerosol particle size distrib. meas. *(German)* 4−4892
^{234}U/^{238}U, earthquake effect on ratio in subterranean water 4−7536
^{95}Zr/^{95}Nb pair, absolute standardisation procedure 4−26598
radioactivity measuring apparatus
calorimeters, determ. of radiation parameters 4−5184
ethylene gas jet radioactivity transport system for neutron-induced reactions 4−5197
gas jet radioactivity transport system, role of ethylene mol. clusters 4−5155
neutron flux measurement, wide dynamic range instrument *(French)* 4−26599
Nuffield school α-particle detector, modification to measure half-life of Emanation 220 4−26445
radioactivity measuring apparatus continued
radioisotope scanning techniques (1947-73) 4−14688
scintillation camera, effect of collimator motion on image formation 4−18215
statistical method for meas. of equipment instability 4−23013
^{14}C in blood, continuous monitoring using flow-cell device mounted in eiq. scintillation counter 4−35497
^{60}Co outdoor-indoor irradiator at Univ. California (Davis), dosimetry and facilities 4−42616
U mines, Rn daughter equilibrium ratios and fractions of unattached atoms, wire screen prefilter meas. 4−42608
radioactivity protection *see radiation protection*
radioaltimeters
see also aircraft instrumentation; radionavigation
precision radar altimetry, ocean wave height estimation 4−29778
spacecraft, radio-wave scatt. charact. of Moon during soft landing 4−2090
radioastronomical observations
see also radiosources (astronomical)
408 MHz test obs. using phase correction technique for radio link interferometry 4−14527
1107+036, identification with neutral stellar object near unusual blue galaxy 4−42426
Andromeda Nebula, 21 cm studies of HI distrib. 4−8070
S Andromedae, search for radio emission from supernova remnant 4−8004
angular structure, Parkes catalogue sources, Jodrell Bank Mk III telescope, 408 MHz, double sources 4−42429
R Aquarii, Mira type variable, radio emission 4−30070
R Aquilae, radio flare observed at 2.8 cm 4−14407
atmospheric absorption of water vapour 4−17760
b 2 0912+29, BL Lacertae class object optical and radio properties 4−22422
background meas. at 1300 MHz as antenna test for Cracow 15 m radiotelescope 4−34959
Be- and Ae-type stars, CO radio emission from associated nebulosity 4−8003
blue compact galaxies, optical and 21-cm. line obs. 4−22446
bright spiral galaxies, further 1415 MHz high-resolution continuum obs. 4−14478
bright spiral galaxies, general discussion of 1415 MHz high-resolution continuum obs. 4−14479
bright spiral galaxies in optically complete sample, 1415 MHz high-resolution continuum obs. 4−14477
brightness temperature, ratio of Mars and Jupiter, 2.35 and 8.15 mm *(Russian)* 4−34676
3C147, supersynthesis radiotelescope observ. near 1420 MHz 4−8040
4C55.22, supersynthesis radiotelescope observ. near 1420 MHz 4−8040
3C66, supersynthesis radiotelescope observ. near 1420 MHz 4−8040
3 C 10 (Tycho's supernova), distance from 21 cm. absorption meas. 4−2116
3 C 10 and 58, 21 cm. absorption spectra and distance 4−2117
4 C 11.50, double quasar, radio structure 4−30096
3C 120, Seyfert and radio galaxy, very long baseline interferometry 4−14441
3 C 58, nature and high resolution map from 21 cm. absorption meas. 4−2116
3C 66, radiogalaxy, maps at 1.4, 2.7 and 5 GHz 4−14440
3C III, flux density variations in central component 4−18021
3C radio galaxies, obs. of 11 objects at 1415 MHz 4−8038
4C sources, lunar occultation studies at 327 MHz 4−11210
Carina Nebula, OH 1667 MHz absorption map rel. to obscuring dust 4−34951
Cassiopeia A, evolution of radio spectrum from 8 GHz obs. 4−38847
Cassiopeia A, secular decrease in flux densities 31.5 cm obs. 4−42418
Centaurus A (NGC 5128), interferometer study of HI absorption 4−38846
central radiosources in clusters of galaxies 1415 MHz, 5 GHz maps 4−34868
clusters of galaxies, radio power with dominant cD galaxies 4−42449
Coma cluster, microwave evidence that cluster is not bound by ionized intracluster gas 4−22448
Comet Kohoutek (1973f), detection of methyl cyanide at 2.7 mm 4−34756
confusing radiosource near planetary nebula IC2149 4−30089
Coronal densities determined from hectometric radio observations of solar storm activity 4−2041
coronal magnetic sheet association with prominences from type III radioburst obs. 4−34648
corrugation of galactic layer, 21 cm line obs. 4−42447
cosmic microwave background at 3.3. mm, airborne obs. 4−30109
Crab Nebula, interplanetary scintillation obs. at 73.8 MHz 4−22460
NML Cygni, detection at 2.8 cm 4−26141
V1057 Cygni, OH 1720 MHz anomalous emission 4−8039
Cygnus A, detection of faint radio galaxy at 1660 MHz 4−8046
Cygnus A, obs. at 5 and 15 GHz 4−30085
Cygnus Loop, supernova remnant, obs. at 2.7 and 10.7 GHz 4−2115
Cygnus X region, continuum sources and H 109α line obs. 4−14437
Cygnus X-3, P Cygni stars, radio emitter classification 4−8044
Cygnus X-3, radio outbursts at 2.8 and 4.5 cm 4−8043
Cygnus X-3, radiofrequency spectra 408-15500 MHz 4−34899
Cygnus X-3, sixth radio outburst obs. at 10.6 GHz 4−34882
de Vaucouleurs groups 6, 12 and 51, virial mass discrepancy, 21 cm obs., cluster models 4−22433
distant spiral arms, 21-cm. line obs. and cloud structure 4−14468
emission-line, early type stars, IR excess, 2.8 cm obs. 4−8014
extended extragalactic radiosources, high resolution obs. of linearly polarized radiation 4−34871
extragalactic double radiosources, evidence of non-alignment in components 4−30087
extragalactic radiosource accurate position meas. by VLBI at 3.8 cm 4−22417
extragalactic radiosources with steep low freq. spectra, relation with X-ray emission 4−8045
extragalactic radiosources with very step spectra 1421 MHz mapping 4−18020

radioastronomical observations continued
extremely short lasting decimetric solar bursts, 500-550 MHz, solar magnetic trap processes 4−22269
faint radio meteors, physical parameters of 5759 objects 4−26081
flux density and spectra of 500 discrete sources at 10.7 GHz 4−14435
flux density meas. at 2.1 mm wavelength 4−34876
formaldehyde, anomalous emission and absorption, review 4−38902
Galactic centre, 166α radio recombination line emission 4−8075
Galactic Centre, correlation search for dispersed radio emission 4−26164
Galactic Centre, gas kinematics from CO obs. 4−34921
galactic centre region, high resolution map at 15.5 GHz 4−38873
galactic centre region, search for OD at 310.2 MHz 4−38897
Galactic continuum radiation from 408 MHz fan-beam survey at low latitudes 4−4827
Galactic dust clouds, OH and H_2CO radio line obs. 4−11255
Galactic non-thermal radio background at 151.5 and 408 MHz 4−30106
Galactic non-thermal radio background at 408, 610 and 1407 MHz 4−30107
Galactic plane, 166α radio recombination line emission 4−8074
galactic supernova remnants, identification of radiosources for spiral structure evidence 4−2124
galaxies, HI 21-cm. line meas., statistical study of integral properties 4−4828
galaxies, radio obs. of Coma and Hercules clusters 4−30118
Galaxy, radio recombination lines from inner regions, older H II regions 4−11251
galaxy elliptical galaxy rotation obs. rel. to double radiosource origin 4−14438
Giacobinids 1972, radio meteor obs. 4−34731
globular clusters, H I profiles, 21 cm obs. 4−22435
H I line obs. at 21 cms in southern hemisphere 4−8093
H II region structure from 11 cm obs. 4−38910
H II regions, He abundance, radio recomb. line obs. 4−30142
H II regions, temperature gradient *(Russian)* 4−18054
hard solar X-ray burst, 1972 May 18, radio and X-ray data 4−17935
Haro galaxies, H I 21-cm. line study 4−14476
HB 21, supernova remnant, 21-cm. line obs. of expanding HI shell 4−14381
high velocity cloud, 21 cm. obs. rel. to density and mass 4−38904
IC443, supernova remnant, polarisation and brightness at 11 cm 4−7993
IC 10, aperture synthesis study of H I distribution in irregular galaxy 4−34915
IC 443, distance to supernova remnant from 21-cm. line absorption meas. 4−18007
interacting galaxies, radio emission at 1415 MHz 4−8068
interplanetary magnetic field orientation from type III burst analysis RAE-I obs. 4−22377
interplanetary scintillation at 327 MHz, struct. of 194 southern declination radiosources 4−34864
interplanetary scintillation at 327 MHz, struct. of 9 radiosources, Ooty telescope obs. 4−34770
interplanetary scintillation rel. to solar wind disturbance structure 4−25986
interstellar CH, microwave detection in Cassiopeia A direction at 3349.185 MHz 4−42468
interstellar CH, radio detection at 9 cm 4−11240
interstellar CO, 2.6 mm line obs. in galactic nucleus 4−42469
interstellar CO, $J=2$-1 transition at 1.3 mm obs. 4−18048
interstellar CO, velocity and spatial distrib. 2.6 mm obs. 4−14501
interstellar CS, obs. of new transitions, isotopic species, and excitation 4−18044
interstellar dust, mol. states, nonequilib. distrib., masers 4−26167
interstellar medium, radio obs. and radiation mechanism 4−42477
interstellar molecular clouds, $^{12}C^{17}O$ radioemission line at 112 GHz 4−18053
interstellar NH_3, relative antenna temps. for sources in galactic nuclei and nebulae 4−14500
isolated radiofrequency pulses, simultaneous obs. at widely separated stations 4−42443
Jupiter, atmosphere, NH_3 abundance inferred from microwave radiometry data 4−26050
Jupiter, decametric radio emission, periodicities of 17 year period 4−25998
Jupiter, decametric radiosources, flux density maps 4−17944
Jupiter, NH_3 narrow-band lines in microwave spectra 4−25999
Jupiter, radiospectrum from 2o to 24 GHz, broad-band meas. of brightness temp. 4−26000
Jupiter system, gravitational parameters, Pioneer 10 4−42332
L1630, diffuse dark nebula, CO emission at 2.6 mm 4−18058
EV Lacertae, red dwarf flare star, simultaneous optical and radio obs. 4−38822
leonid meteor shower 1965, head echo rates 4−17977
lunar gravity mapping from dense Doppler tracking of Apollo 15 and 16 subsatellites 4−38702
lunar surface properties, bistatic radar obs. 4−38716
lunar surface roughness, monostatic radar studies, effect of subradar point variation 4−22322
lunar thermal emission linear polarisation at 3.1 mm 4−7936
M81, high resolution map of H I distrib. 4−34918
M 101 (NGC 5457), high resolution map of H I in giant spiral galaxy 4−22442
M 31, H I distrib., spiral structure, density waves 4−30127
M 31, rotation curve and mass distrib. from H I 21-cm line obs. 4−14485
M 32 (NGC 221), dwarf elliptical companion of M 31, H I mass limits and 1420 MHz continuum emission 4−22440
M 83 (NGC 5236), H I 21-cm. line study of Sc galaxy 4−22441
Mare Serenitatis, definition of surface units by remote obs. 4−38700
Mars, integral radio emission, between oppositions (1971 to 1973) *(Russian)* 4−17950
Mars, Mariner S-band transmission, Doppler-tracking data 4−7925
Martian atmosphere, Mars-2 craft obs. 4−17962
martian gravity field, Mariner 9 radio-tracking data anal. 4−38678
Mercury, surface features from 2.388 GHz radar obs. 4−42322

radioastronomical observations continued
Mercury, topographic profiles from high resolution radar obs. 4−29909
meteors, small cluster radar studies 4−7964
^{13}C methanol, interstellar microwave spectrum 4−30138
methanol interstellar source in Orion at 25 GHz 4−30139
Moon, Mare Serenitatis, surface types by radar maps and colour difference photographs 4−29945
Moon, radio emission, second harmonic phase dependence, radio temperature distribution, new data *(Russian)* 4−2092
moving solar plasma clouds at $10R_\odot$, Pioneer 6 radio signal Faraday rotation 4−17919
MSH 11-61 A, distance to supernova remnant from 21-cm. line absorption meas. 4−18007
NGC 205, dwarf elliptical companion of M 31, H I mass limits and 1420 MHz continuum emission 4−22440
NGC 2175, 2264, 2353 and 2362, H content determ. 4−34910
NGC 2438, search for weak continuum microwave emission from planetary nebula 4−26140
NGC 253, H_2CO absorption detection at 4829.660 MHz 4−30131
NGC 3293, 6167, 6193, 6200 and 6204, H content determ. 4−30122
NGC 4321, rotation curve, comparison of compression strength with M51 4−22434
NGC 4945, H_2Co absorption detection at 4829.660 MHz 4−30131
NGC 6231, 6383, 6514 and 6531, H content determ. 4−34911
NGC 6523 diffuse nebula gas to dust ratio from electron density radio obs. 4−8095
NGC 6604, 6611 and 6823, H content determ. 4−30123
NGC 7319 and 7320 in Stephan's Quintet, distance from H I 21-cm line emission 4−30119
NGC 7331 area north of Stephan's Quintet excess of radiosources found at 1421 MHz 4−30088
non radio emitting Sharpless H II regions, nebular structure 4−26171
nonthermal radiosources, flux densities and continuum spectra in 10-2000 MHz range 4−26138
normal spiral galaxies, radio emission at 430 MHz 4−18040
North America Nebula, H 166α studies 4−14508
northern sky survey, $12h < \mathrm{R.A.} < 04h$, $-8^\circ < \mathrm{Dec.} < +48^\circ$, at 408 MHz 4−38848
NRAO 530 radio source, high freq. observ. up to 22.3 GHz 4−8047
OH 0739-14, search for weak continuum microwave emission 4−26140
OH 26.5+0.6, Type II OH/IR star at 1612 MHz 4−30100
OH objects, 5 GHz obs. 4−30090
OH sources associated with H II regions and i.r. objects, interferometry 4−42439
Ohio radiosources, interferometric obs. at 365 MHz 4−34874
Ohio radiosources, spectra of 37 objects from 612 MHz to 10.7 GHz 4−4814
OJ 287, simultaneous 7.2 radio and UBV obs. 4−30093
ON 231 (W Comae Berenices) optical variability and radio spectrum 4−22404
Ooty Lunar Occultation Survey, occultations of 50 sources at 327 MHz, Ooty Survey 4−26137
Orion A molecular cloud, CN radical microwave spectra 4−36532
Orion Nebula, H 42α obs. at 85.6884 GHz 4−14514
Orion Nebula, isotopic abundances in molecular cloud 4−8096
Orion Nebula, microwave spectroscopic mapping of H, He, and C 4−14510
Orion Nebula structure, C 85α recombination line obs. 4−38908
OTL sources, lunar occultation studies at 327 MHz 4−11210
outer galactic structure, H I 21 cm line obs. 4−14471
Parkes 2700 MHz survey, catalogue for declination zone −35° to −45° 4−22418
Perseus A (NGC 1275), high-velocity component, detection of HI 21-cm. absorption 4−11208
pioneer to 2292 MHz line anomalous redshift close to solar limb 4−22213
PKS 2152-69, synthesis observations with modified Parkes interferometer, 1410 MHz 4−2142
PKS 2356-61, synthesis observations with modified Parkes interferometer, 1410 MHz 4−2142
planetary nebulae, extinction of radio and $H\beta$ fluxes for line-of-sight to six objects 4−42498
planetary nebulae, obs. at 430 MHz and nature of emission 4−14519
positions and flux densities of 1583 sources at 265 MHz 4−14436
proton flares (2 Nov. 1969), limb events, impulsive radio emission heights 4−11118
PSR 0329+54, search for OH absorption at 1.667 GHz 4−34889
PSR 0329+54, suspected periodicity in 405.5-408 MHz range 4−34890
pulsar intensity variations, simultaneous obs. at Parkes and Ootacamund at 326.5 MHz 4−38852
pulsar spectra from pulse energy values and u.h.f. and s.h.f. obs. 4−2127
pulsars, flux density var. and spectra in 150 to 1612 MHz range 4−8054
pulsars PSR 1119+21, PSR 0834+06, and PSR 1113+16, at frequency 318 MHz 4−14449
quasar candidates, search for radio emission at 2695 and 8085 MHz from faint variable star-like objects 4−42424
quasars, circular and linear, observ. at 2.2 cm 4−8050
quasars, radio spectra of three objects in 80-1400 MHz range 4−26145
quasars, radio structure at 3.7 and 11.1 cm for 39 objects 4−26144
radiosource 86 MHz counts, reduction procedure for E-W array of DKR-1000 telescope 4−42428
radiosource angular structure, intense sources from 3CR catalogue, 408 and 1423 MHz obs., model-fitting anal. 4−42431
radiosource angular structure, meas. and anal. 4−42430
radiosource spectra from 10-1000 MHz for 373 sources 4−30081
radiosource structural obs. at 365 MHz at UTRAO 4−34872
radiosources, extragalactic, large scale structs., 5000 MHz 4−30080
radiosources, optical identifications for 45 sources based on accurate radio positions 4−30082
radiosources, Parkes 2700 MHz survey, optical identifications, 03^h, 19^h and 23^h zones 4−38845
radiosources at 81.5 MHz, survey of objects showing interplanetary scintillations 4−34879
Rosette Nebula, H 166 α studies 4−14508

radioastronomical observations continued
Sagittarius A, high resolution obs. down to 160 MHz 4−30091
Sagittarius A direction, obs. of radio recombination-line region 4−11209
Sagittarius B2, mm emission lines of polyatomic molecules 4−8087
Sagittarius B2 molecular cloud, microwave spectroscopy of H92 α radio recombination line 4−14511
Saturn, 21.1 cm. wavelength high angular resolution obs. 4−11130
Saturn's rings, radar cross section and transparent particle scattering 4−34684
Saturn's rings, radar obs. at 12.6 cm 4−22286
Saturn's rings, radar observations at 12.6 cm, particle characteristics 4−29884
Saturn's rings, rock fragment clusters, radar contact *(German)* 4−38683
scintillations, Fourier and Bessel spectra for ionospheric irregularities 4−7770
Seyfert galaxy, 3C84, millisecond of arc interferometry 4−8042
Simeiz 59 (Sharpless 104), velocity meas. rel. to supernova remnant 4−42490
sky brightness at 4 cm., flux density and discrete sources 4−42427
slowly varying component at 10.7 cm, evidence for 10.5 yr period 4−38631
SN 1572, secular decrease in flux densities 31.5 cm obs. 4−42418
solar, radioemission from coronal active regions, anal. of agreement with Sengupta's model 4−2064
solar 9.1 cm emission, dependence of height on solar cycle 4−34646
solar active regions, polarization structure at 3.5 mm. wavelength 4−25991
solar centre to limb brightness distrib., radio obs. during 1966, November 12 eclipse 4−38633
solar corona electron density and radio scattering of corona during pulsar NP 0532 occultation 4−11115
solar corona magnetic field structure from 4170 MHz radio wave rotation 4−11125
solar eclipse, 1973 January 4, polarisation obs. at 7 and 22.2 GHz 4−34645
solar emission, l.f., simultaneous observations with energetic solar electrons at 1 A.U., type III bursts, analysis 4−25971
solar emissions, type II, large solar flares, shock front excitation, v.l.f., observations 4−25974
solar event, 1971, January 14, high resolution temporal, positional and intensity study 4−7903
solar flare associated thermal burst at 73 GHz 4−38659
solar flare mass motions and heating by optical X-ray and microwave obs. 4−34620
solar flare radio flux meas. at 2830 and 9285 MHz 4−38634
solar flares, 1971-1972, Ondrejov Observatory obs. with associated radio and SEA records 4−17920
solar fork-type bursts, dynamic spectra *(Russian)* 4−25983
solar gravitational microwave deflection of radiosource position during occultation 4−25954
solar local radiosource coincidence with sunspots during 1970 March 7 eclipse *(Russian)* 4−14306
solar microwave burst, obs. of linear polarisation 4−7904
solar radio burst activity of McMath region 10789, 1970 June 13 4−17938
solar radio burst at 8.6 mm. rel. to polarized hard X-ray event, interferometer obs. 4−22254
solar radio bursts in 100-200 MHz range, obs. with electro-optical radio spectrograph 4−17914
solar radio decrease in 2800 MHz emission before flare of 1969 May 19 4−38660
solar radio radius from 3mm-31 cm obs. during 1970 March 7 and 1972 July 10 eclipses 4−25993
solar radiobrightness near limb during eclipses of 1968 September 22, 1970 March 7 *(Russian)* 4−14305
solar slowly varying decimetric component in different activity cycle phases *(Polish)* 4−29852
solar type III bursts, longitude dependence 4−29842
solar type III bursts at km. wavelength, heliographic distrib. of assoc. flares 4−25992
solar type III exciters, characteristics from 67 kHz-2.8 MHz obs. 4−22256
solar Type III radio bursts, total Faraday rotation at 35 MHz meas. at Earth 4−25953
solar type IV bursts, double peak of energetic events at solar maxima 4−17931
solar type IV bursts, peculiar finestructures 4−17937
solar type IV moving radio sources, Culgoora radioheliograph observations 4−11117
solar U-bursts, parameters in 190-220 MHz range 4−42316
Southern Coalsack dust cloud, search for H I atoms 4−42487
spectra for 107 sources selected at 408 MHz 4−34863
sporadic meteors, radar data rel. to visual flux 4−29981
stars of late type, microwave H_2O maser emission and i.r. continuum 4−38770
submillimeter solar radiation, Fourier spectrometry at sea level 4−42314
Sun, brightness distrib. at 2.8 cm. wavelength 4−29866
Sun, metre wavelength obs. of damped train of regular pulses 4−34637
Sun, quiet spectrum, relation to solar activity, measurements, analysis *(Russian)* 4−2046
sunspot numbers for 1973 August 6-September 8 4−38637
sunspots, interferometry at 8085 MHz 4−25967
supernova remnants, 2695 MHz polarimetric aperture synthesis obs. 4−14380
type II solar radioburst, observed by IMP-6 up to 37 solar radii 4−7890
type III solar radio bursts, association with Hα activity 4−38662
Venus, radar imaging interferometry at 70 cm 4−29911
Venus, radio interferometry at 1.35 cm, implications for middle atmosphere models 4−29912
Venus, radio scattering behaviour, reflectivity and polarization 4−29910
Venus, topographic profiles from high resolution radar obs. 4−29909
α Virginis (Spica) area, 21-cm. line obs. of H I distrib. 4−42483
Virgo A, flux density variations in central component 4−18021

radioastronomical observations continued
Virgo cluster galaxies, H I 21-cm. wavelength obs. 4−8077
VRO 42.22.01 (BL Lacertae) long baseline interferometry and total flux density obs. 4−18018
W31, OH and H_2CO absorption line meas. 4−34867
W3, H I and H 166α line and continuum synthesis of H II region 4−22419
W44, supernova remnant, H 166α radio recombination line 4−22397
W44, supernova remnant, polarisation and brightness at 11 cm 4−7993
CH interstellar absorption and emission at 9 cm. in southern galactic sources 4−26166
H clouds, C radiofrequency recombination lines 4−30134
H I distribution, photographic display of 21 cm obs. of Northern sky 4−22456
H I regions in 29 galaxies of various types, 21-cm. line obs. 4−8076
H II compact regions near class I OH maser source OH 75.8+0.3 (ON-2) 4−14506
H II regions, compact, direct maps from radio observations 4−11249
HDO search in Orion Nebula direction, H_2O/H_2CO ratio 4−14503
HI region high velocity clouds, high resolution studies at 21 cm. 4−8091
HI regions near Galactic plane, 21 cm line profile mapping 4−8090
H_2O, molecules, anomalous emission, review 4−38902
H_2O sources in W49N, W3(OH), Orion A VY Canis Majoris, very long baseline interferometry 4−8083
NH_3 in dark interstellar clouds 4−18052
OH, nonthermal emission in interstellar dust clouds 4−18046
OH 1612 MHz emission sources, detailed structure of four objects 4−34881
OH distrib. in Cygnus X region, 1667 MHz survey 4−42471
OH in interstellar dust clouds, 1667 MHz line obs. 4−11239
OH molecules, anomalous emission, review 4−38902
OH sources, accurate positions at 1665, 1667 and 1720 MHz 4−30079

radioastronomical techniques
absolute declination determ. of equatorial stars from micrometric obs. 4−42519
antenna arrays, optimum spacing for cost effectiveness 4−26190
artificial satellite obs. by radioelectric, laser and VLBI methods *(French)* 4−14524
background radiation, polarisation, three-channel fixed frequency radiometer, 102 to 408 MHz *(Russian)* 4−22471
Communication with Extra Terrestrial Intelligences, application of pulses with compensating delays as call signals *(Russian)* 4−2148
cosmic background radio waves, automatic data processing system *(Russian)* 4−22474
damping measurement, low loss system, radiometric method *(Russian)* 4−22472
digital-correlation techniques 4−4848
Fleurs Synthesis Telescope phase and gain calibration techniques 4−22499
fringe visibilities from radio obs., interpolation and Fourier transformation 4−42511
intensity calibration of interstellar CO line at 2.6 mm 4−14522
interferometry, noise radio source position meas. theory *(Russian)* 4−22469
intergalactic gas density, possible determ. by radio obs. of flares of remote sources 4−11235
local radiosources, radio brightness distrib. parameters determ. *(Russian)* 4−2045
long baseline interferometry, radiosource celestial coordinate determ. 4−42518
lunar librations and baseline from differential VLBI and ALSEP 4−22345
model-fitting analysis of observations, radiosource ang. struct., 408 and 1423 MHz obs. 4−42431
NRAO H I 21 cm. line aperture synthesis, techniques and data reduction 4−4847
phase correction technique for radio link interferometry 4−14527
phase methods, frequency standards three signal method 4−11257
pulsar detection, 10 to 30 MHz, instrumentation *(Russian)* 4−22470
radiobursts meas. at 100 to 1000 MHz using wideband correlation sweep interferometer 4−30160
radiointerferometers, phase stability meas. of independent heterodynes *(Russian)* 4−18467
radiometers, optimum signal processing for radiosource temp. determ. 4−18079
radiosource angular structure, meas. and anal. 4−42430
radiosources with known redshift, complete sample construction 4−34866
reduction procedure for E-W array of DKR-1000 telescope at 86 MHz 4−42428
search for highly organised systems in the universe, traces of life, cybernetic methods *(Russian)* 4−2149
search strategy for finding extraterrestrial radio beacons 4−2030
stellar cluster, O-type, H content determ., obs. and data reduction methods 4−30121
utilisation efficiency, cost effectiveness *(Russian)* 4−22476
HI regions, high resolution 21 cm obs. data taking and presentation 4−8104

radioastronomy
see also pulsars; quasars; radiofrequency cosmic radiation; radiotelescopes; solar radiofrequency radiation
Australia, prospects for research in radio, solar and optical astronomy 4−4660
communication with extra-terrestrial intelligence, CETI 4−38929
communication with extraterrestrial intelligence, review meeting (Vienna, 8-15 Oct. 1972) 4−38594
communication with extraterrestrial intelligences, survey of activities 4−38595
coverage function meas., Faraday rotation effects *(Russian)* 4−18072
detection of intelligent extraterrestrial signals, state of the art 4−38916
extraterrestrial intelligences, message deciphering methods 4−38917
interstellar communication with extraterrestrial intelligences 4−38596
interstellar radio communication, feasibility 4−34976

radioastronomy continued
long baseline interferometers, radiowave diffraction by inhomogeneities in interplanetary and interstellar plasma *(Russian)* 4−18071
parametric amplifier, at 70 GHz, appl. 4−22501
radiation distrib. inhomogeneity, limiting sensitivity *(Russian)* 4−18073
selenodesy, precision, differential interferometry, new receiver type 4−2154
solar radio echoes, plasma theory rel. to solar wind 4−29870
space instrumentation, outgassing and choice of materials 4−14839
submillimetre wavelengths, review of recent advances 4−8112
Venus, temperature profile from thermal radio emission 4−2077
radiocarbon dating *see radioactive dating*
radiochemistry
see also radioactive chemical analysis; radioactive tracers
diffusion, self, of radionuclides in colloidal or sol form, γ-irradiation effect 4−29355
hot atom reaction, integral reaction probability eqn., quantum mechanical nonreactive scatt. 4−21600
isotope separation, on-line, He jet recoil transport system 4−26563
isotopic exchange, rapid separation of radioactive species, using ion exchange column *(French)* 4−39429
methyl bromide, $C_2H_5{}^{80m}Br$, charge spectrometry in β-decay 4−7467
methyl iodide, charge spectrometry in β-decay, $CH_3{}^{131}I$ and $CH_3{}^{126}I$ 4−7467
methyl iodide, tritiated, charge distrib. following β-decay 4−4297
photochemically induced isotopic exchange, kinetic treatment of time depend. of exchanged fraction 4−38163
pigments, luminescent, tritiated activity *(German)* 4−41985
tritiated water, applic. of metallic U as reducing agent 4−7468
Am, sorption on ion-exchange resins in mixed aqueous solns. 4−21599
^{241}Am, bomb reduction prep. technique, physical props. 4−25513
^{249}Cf, absolute specific activity and T(1/2) determ. 4−4296
Cm, sorption on ion-exchange resins in mixed aqueous solns. 4−21599
$H^* + SF_6$ reaction, chemical laser study 4−7466
Pu, sorption on ion-exchange resins in mixed aqueous solns. 4−21599
^{119}Sb, preparative method, for use in Mossbauer spectroscopy of ^{119}Sn 4−33326
radiocommunication
see also mobile radio systems
frequency and time standard at Dr. Neher Laboratory *(Dutch)* 4−18331
interstellar radio communication, feasibility 4−34976
radiocrystallography *see crystallography; radiography*
radiofrequency amplifiers
see also preamplifiers
high-pass filter amplifier, for n.m.r. and n.q.r. line recorders *(French)* 4−30530
radiofrequency cosmic radiation
see also pulsars; quasars; radioastronomy
background, linear polarisation meas., automatic data processing system *(Russian)* 4−22474
background, polarisation, three-channel fixed frequency radiometer, 102 to 408 MHz *(Russian)* 4−22471
circular polarisation of radiation from cosmic objects, review 4−17897
cosmology, recent developments 4−14297
discrete sources, integral radiowaves, Faraday depolarisation *(Russian)* 4−18019
electron magnetic bremsstrahlung radio emission spectra, calcs., in Galaxy 4−4647
pulse broadening due to multiple scattering in interstellar medium 4−34946
radiofrequency heaters *see radiofrequency heating*
radiofrequency heating
air, l.p., transient microwave effect, ionisation 4−24335
biological microwave absorption, laboratory specimen time-temp. profile determ. 4−42614
dielectric, microwave heating in solid with temp. depend. damping 4−13533
frozen canine kidneys, at 2450 MHz 4−11642
microwave therapy, temp. distrib. for two layer system of fat and muscle 4−11303
therapeutic applications, employing frequency of 915 MHz 4−14698
water, sterilisation by microwave irradiation 4−18233
radiofrequency interference
h.v. insulators, semiconducting glazed soln. 4−38007
radiowave propagation at 15.7 GHz over long transhorizon path 4−7747
radiofrequency spectra of diatomic inorganic molecules
see also nuclear magnetic resonance; paramagnetic resonance
AlF, Zeeman effect meas. in microwave rot. spectrum *(German)* 4−31867
CH interstellar absorption and emission at 9 cm. in southern galactic sources 4−26166
CN free radical, astronomical microwave obs., hyperfine, ρ-doubling and rot. constants. 4−36532
CO radio emission from nebulosity associated with Be- and Ae-type stars 4−8003
CS radicals produced by photolysis, microwave spectra *(French)* 4−4270
CsF vibrational states, electrical dipole moments and quadrupole coupling constants, beam resonance expt. *(German)* 4−16099
H_2 Fermi-contact hyperfine interaction, g_s-factor, MOMRIE obs. 4−27711
$H^{79}Br$, $H^{81}Br$, Stark−Zeeman h.f.s., mol. beam elec. reson. spectroscopy 4−27694
HCl, molecular beam electric resonance spectrosc., magn. props., mol. quadrupole moment 4−24099
HF, molecular beam electric resonance spectrosc., magn. props., mol. quadrupole moment 4−24099
I_2, laser-mol. beam meas. of h.f.s. 4−6079
IF, detection and assignment 4−27695
IO radical, microwave spectrum, rot. consts., centrifugal distortion, nuclear quadrupole coupling const. 4−24101
NO, radiospectroscope for absorption lines at 150 GHz 4−22845
radiofrequency spectra of diatomic inorganic molecules continued
O_2, fine struct. and centrifugal distortion in electronic and microwave spectra 4−19855
O_2, microwave, pressure broadening of line widths 4−6078
O_2 atmospheric absorption at cm. wavelengths, simple formulation 4−34380
OD, elec. dipole moment determ. by mol. beam elec. reson. 4−3129
OH, elec. dipole moment determ. by mol. beam elec. reson. 4−3129
OH, interstellar, observational data on anomalous emission review 4−38902
OH 1720 MHz anomalous emission from star V1057 Cygni 4−8039
^{16}OD, transition frequencies and probs. for hyperfine sublevels near 310 MHz 4−40300
^{16}OH radical, microwave spectrum analysis *(French)* 4−31861
$^{18}O_2$, rot. microwave spectra 4−16101
SH hyperfine Λ-doubling spectrum in $^2\Pi_{3/2}$ state 4−27692
SO, fine struct. and centrifugal distortion in electronic and microwave spectra 4−19855
SO radicals produced by photolysis, microwave spectra *(French)* 4−4270
radiofrequency spectra of inorganic solids
see also nuclear magnetic resonance; paramagnetic resonance
No entries
radiofrequency spectra of organic molecules and substances
see also nuclear magnetic resonance; paramagnetic resonance
δ_{ab}:benzo[b]fluoroanthene, n.m.r., inter-ring coupling const. and indeterminateness 4−24117
allene-1, 1-d_2, microwave spectrum 4−12591
benzvalene, microwave structural obs. 4−3179
bromocyanoacetylene, isotopic, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
γ-butyrolactone, microwave spectrum analysis 4−832
1-chloro-1-fluoroethane, microwave spectrum analysis 4−3186
chlorobenzene, partial r_0 and r_s structures, microwave spectra *(French)* 4−31858
chlorocyanoacetylene, isotopic, microwave spectra, linear molecular struct., vibr.-rot. consts. 4−19851
chloromethyl ether, microwave spectrum analysis 4−3185
chromosphere, alcohol soln., 77K, vibronic coupling of intramolecular dimers 4−21063
cyanoallene, microwave spectrum 8-40 GHz 4−830
cyclobutanone, n.m.r. and ^{13}C satellite spectra, anal. by computer simulation 4−20885
cyclopropyl cyanide, rotational assignments 4−9547
cyclopropyl methyl ether, microwave spectrum, ground state transition 4−19849
Dewar benzene, microwave spectra and Stark effect, rot. consts. and dipole moments 4−31862
dibenzothiophen, n.m.r., inter-ring coupling const. and indeterminateness 4−24117
1,2-dibromopropane, liq., microwave dielectric absorption spectrum, electrostatic pot. energy diff. of trans and gauche isomers 4−21108
1,1-difluorocyclohexane, microwave spectra, dipole moment and struct. 4−27693
1,1-difluorocyclopropane, 18-40 GHz 4−9548
3,6 dihydro-2H pyran and 2,3 dihydro-p-dioxin, microwave spectra and conform. 4−3181
dimenthylketene, microwave spectrum, barrier to internal rot., dipole moment, partial structure 4−24102
N,N- dimethylformamide 4−9556
1,3-dioxolane, microwave spectrum, ring puckering, dipole moment, barrier to pseudorotation 4−27697
diphenylbutadiene, location of ^1A_g excited state, two-photon absorpt. obs. 4−27705
ethoxy ethyne, microwave spectrum, 12.4-32.0 GHz, rot. isomerism 4−19850
ethoxyethyne, microwave spectrum, rot. isomer identification 4−3184
ethyl cyanide, and partially deuterated forms, microwave spectrum 4−27700
ethylene ^{18}O ozonide, rel. to ^{18}O aldehyde insertion of ozonolysis reaction 4−9550
ethylene sulphide, r_s-structure, microwave spectroscopic obs. 4−19847
fluoroacetyl chloride, microwave spectrum analysis 4−3188
m-fluorochlorobenzene, quadrupole coupling constant determ. from microwave spectra 4−3171
2-fluoropropane, rotational and vibrational spectra 4−6054
formaldehyde, Coriolis interactions in microwave spectra of vibrationally excited states 4−9553
formaldehyde, deuterated, deuteron quadrupole coupling, hyperfine structure of rot. transition 4−24100
formaldehyde, h.f.s. of l.f. transitions, 100 kHz to 300 MHz *(French)* 4−9543
formaldehyde, interstellar, observational data on anomalous emission and absorption, review 4−38902
formaldehyde, l.f. spectrum, h.f.s. of K-splitting transitions, ^{13}C coupling consts. *(French)* 4−36530
formaldehyde, mol. beam, K splitting of $H_2{}^{13}CO$ and $H_2C^{18}O$ *(French)* 4−31856
formaldehyde and d_2, $\Delta K=2$ transitions, mm wave double resonance, direct absorption 4−16100
formamide, microwave spectrum, molecular structure, internal motion 4−31865
formic acid, 861-874 GHz 4−11501
formic acid, Coriolis interactions in microwave spectra of vibrationally excited states 4−9553
fulminic acid, deuterated, mm wave spectrum, 60 to 350 GHz, computer-aided analysis 4−40301
hexafluoropropene, microwave spectrum, ground state rot. consts., CF_3 group barrier to internal rot. 4−27696
iodocyanoacetylene, microwave spectra, linear mol. struct., vibr.-rot. consts. 4−19851
isocyanic acid, dipole moment rel. to microwave emission in Sagittarius B2 direction 4−40295
isopropylacetylene, molecule, rotational spectrum, structure, dipole moment 4−3175
liquid crystal, e.p.r. obs. of magnetic field alignment of smectic-A phase systems 4−10319
malonaldehyde, 26.5-40.0 GHz 4−12595

radiofrequency spectra of organic molecules and substances continued
methane, microwave-i.r. double resonance using 3.39 μ He-Ne laser line 4—9546
methane, pure rotational Q-branch transitions obs. 4—3148
methane, relative tetrahedral struct. consts. of fund. vibronic state *(French)* 4—31859
methanesulphenyl chloride, struct. and direction of dipole moment and quadrupole coupling tensor 4—9545
methanol, 500 MHz to 200 GHz mol. constants determ. 4—24104
methanol, deuterated, CH_3OD, deuterium quadrupole coupling 4—827
methanol, microwave double resonance spectra, interstellar implications 4—12597
methoxyacetic acid, microwave spectrum, hydrogen bonded rotamer 4—831
methoxyacetonitrile, microwave spectrum analysis 4—3190
methyl fluoride (^{13}C), i.r.-r.f. two-photon Lamb dip spectra 4—16103
methyl iodide, microwave and i.r. spectra, rot. and doubling consts. of vibr. states 4—19853
methyl isocyanide, rot. spectrum in fund. vibr. state *(French)* 4—31857
N-methyl morpholine, microwave spectrum assignments 4—3180
N-methylformamide 4—9555
2-methylfuran, microwave spectrum, rot. Zeeman effect 4—16102
3-methylthiophene, microwave spectrum, internal rot., dipole moment 4—9544
microwave spectroscopy, absolute intensity of rotational spectral lines 4—12590
monobromoacetonitrile, microwave spectrum and quadrupole coupling 4—3183
nitroethane, microwave spectrum and internal rot. 4—828
nitroethane, microwave Stark and microwave-microwave double resonance spectra 4—9552
trans 1-nitropropene, microwave spectrum, rot. transitions, nitro torsional vibr. 4—27698
3-oxabicyclo (3.1.0.) hexane, microwave spectrum, conformation, rotational consts. 4—6083
phenyl isocyanate, microwave spectrum and geom. struct. *(French)* 4—12589
1-phenyl-3,5-dimethyl-pyrazole, n.m.r., solvent and steric effects 4—33276
phosphorus(III) compounds, P-N bond stretching freq. *(French)* 4—24106
polycyclic hydrocarbons, microwave structural obs. 4—3179
propargyl mercaptan, internal rotation of SH group, microwave investigation 4—3178
propylene ^{18}O ozonide, rel. to ^{18}O aldehyde insertion of ozonolysis reaction 4—9550
c- propylene imine, ^{14}N quadrupole coupling consts. from microwave spectrum 4—12592
propylene ozonide 4—9549
pyrazole, isotope substituted, microwave spectrum, rot. and quadrupole interaction consts. 4—12593
pyridine, ^{15}N-, ^{13}C-ring-substituted, microwave spectra, coupling consts., substitution struct. 4—19852
pyruvic acid, microwave spectrum, 8-40 GHz 4—6080
pyruvic acid and deuterated analogue, microwave spectra, conformation, barrier to internal rot., dipole moment 4—19854
rotational relaxation time measurement by i.r.-microwave double resonance 4—834
Sagittarius B2, mm emission lines of polyatomic molecules 4—8087
tetrazole, microwave spectrum, dipole moment meas. 4—40299
thioformamide, microwave spectrum, structure, dipole moment, quadrupole coupling const., internal motion 4—31864
toluene, molecular isotopes, microwave rotational spectra obs. 4—3173
trifluoroacetonitrile, microwave spectrum, l-type resonance, energy matrix diagonalization 4—27699
trimethylarsineborane, microwave spectra analysis 4—3187
trimethylene oxide, microwave spectra, vibrational depend. of centrifugal distortion consts. 4—6082
vinyl cyanide, molecule, rotational spectrum of ground state, centrifugal distortion constants calc. 4—3172
vinyl phenyl ether, i.r. and p.m.r. study of chem. struct. *(Russian)* 4—9862
vinylcyclopropane, microwave spectrum, rot. transitions for ground and torsionally excited states 4—31863
CH interstellar absorption and emission at 9 cm. in southern galactic sources 4—26166
DCO radical, microwave spectra, Zeeman effect 4—6081

radiofrequency spectra of polyatomic inorganic molecules
see also nuclear magnetic resonance; paramagnetic resonance
Sagittarius B2, mm emission lines of polyatomic molecules 4—8087
BF_2NH_2, microwave spectrum 4—829
BrCN, microwave Zeeman spectra determ. of elec. and mag. props. 4—9542
ClO_2F, microwave spectrum, structure and molec. consts. 4—9554
D_2CO, observation of $\Delta K=2$ transitions by microwave double resonance method 4—9557
$FClO_2$, microwave spectrum, rot. and centrifugal distortion constants, nuclear quadrupole coupling 4—40298
H_2O, interstellar, observational data on anomalous emission review 4—38902
HOF, Zeeman and Stark effects, mag. susceptibility, electronic struct. 4—19848
NH_3, i.r.-microwave double resonance spectra, collisional electron rules 4—9620
NH_3, i.r.-microwave-microwave triple resonance spectra 4—6131
NH_3, relaxational cross section, mol. beam maser spectroscopy 4—27754
N_2O, microwave submillimetre spectra of high sensitivity 4—12594
NT_3, microwave rotation-inversion spectrum 4—12596
$^{14}NH_3$, $^{15}NH_3$, molecule, millimetrewave rotation-inversion transition in ν_2-state 4—3177
OCS, high resolution microwave obs. of mag. props. 4—826
OCS, relaxational cross section, mol. beam maser spectroscopy 4—27754
OCS, rot. mag. moment for $J=1$ to 5 states 4—27637

radiofrequency spectra of polyatomic inorganic molecules continued
OCS, rot. transitions in ν_3 state vibr. energy transfer from active N_2 4—27751
OCS, time depend. microwave spectroscopy 4—3182
OCS isotopes, (01^10) vibr. state mol. consts., mol. beam elec. reson. spectroscopy obs. 4—27638
PH_3, i.r.-r.f. two-photon Lamb dip spectra 4—16103
PH_3, microwave spectrum, $\Delta k = \pm 3$ rotational transitions 4—24103
SF_2, microwave spectrum, centrifugal distortion effects, force field and i.r. spectrum calc. 4—3176
SO_2, 861-874 GHz 4—11501
SO_2, microwave pure rotation spectrum, vibrational excited states 4—833
SO_2BrF, microwave spectra analysis 4—3189
SO_2BrF, rotational spectra obs. between 18 and 40 GHz 4—3174
$SO_2{}^{35}Cl^{37}Cl$, rot. spectrum, 8000-80000 MHz, mol. consts. determ. *(French)* 4—31860
T_2O, rot. spectrum, assignments and mol. struct. 4—31866
T_2O and HTO, mm and sub mm spectra 4—9551

radiofrequency spectrometers
data recording apparatus, for n.m.r. relax. time meas. *(Japanese)* 4—30528
e.p.r. transistorised X-band spectrometer *(Roumanian)* 4—22923
e.s.r. digital storage device rel. to periodic elec. signal extraction from background 4—5128
high-pass filter amplifier, for n.m.r. and n.q.r. line recorders *(French)* 4—30530
IC electronic system for inexpensive spectrometer 4—39294
n.m.r., for student laboratory construction for under $200 4—11423
n.m.r. high-resolution, rel. to spectra obs. of protons in liquids 4—5126
n.m.r. spectrometer with high resolving power, rel. to H, ^{19}F, and ^{31}P spectra meas. 4—5125
n.q.r., time shared FM or Zeeman modulation 4—8423
n.q.r. system, 10 to 60 MHz, low temp. studies 4—8422
nuclear quadrupole, pulsed broadband radiospectrometer-relaxometer 4—5127
R24A spectrometer, 60 MHz operating freq. 4—35363
Westerbork Synthesis Radio Telescope, 80-channel filter spectrometer 4—34960
H, fast atomic beam-r.f. field interaction, optical elec. reson. obs., expt. procedure 4—40175

radiofrequency spectroscopy
see also nuclear magnetic resonance; paramagnetic resonance; radiofrequency spectrometers
absorption lines of mm. range gas-phase molecules, radiospectroscope 4—22845
atom, frequency shift of parametric resonance 4—9359
cancer detection by n.m.r. spectrometry 4—26245
chemical exchange rate meas. from n.m.r. lineshapes 4—7433
dielectric time-domain, high-freq., review 4—39280
e.p.r. spectra, electric field effects *(Rumanian)* 4—37490
Fourier transform n.m.r. spectrum *(Russian)* 4—10337
Fourier transforms for spatial frequency analysis of radar topographic images and simulations, viewing angle effects 4—39236
INDOR spectroscopy, monitoring overlapping lines 4—5133
using Josephson junction, coated with sample observing IV curve structure 4—5071
metal particles, free induction line form and echo signal on cond. electrons *(Russian)* 4—1326
microwave, digital signal averager, for improving S/N ratio 4—8371
microwave, using 5 MHz preamplifier *(French)* 4—22857
microwave gas spectroscopy, 200-870 GHz 4—11501
molecular microwave lines at low pressure, width and shift 4—31869
n.m.r., spin-decoupling, practical aspects 4—5131
phonon spectroscopy, freq. above 100 GHz, state-of-the-art *(German)* 4—8329
p.m.r., microtechnique suitable for routine analysis 4—26712
relaxometer, electron paramag. relax. time meas. 4—39290
sensitivity and appl. to air pollution detection 4—35366

radiogalaxies *see galaxies; radiosources (astronomical)*

radiogoniometers *see goniometers*

radiographs (x-ray photography) *see radiography*

radiography
see also neutron radiography; nondestructive testing
angiocardiography, left ventricular volume measurement, motion extraction 4—35040
angiocardiography, radionuclides image quantification 4—39071
angiocardiography, serial, optimum image quality conditions 4—30224
angiography, cerebral, diagnostic value of electronic subtraction 4—30233
angiography, direct, programmed control 4—39058
angiography, hepatic, false positive liver scan caused by dilated splenic vein 4—39067
auto, electron microscopy of cells and blood *(Russian)* 4—18516
autoradiography, use of microchannel plate 4—2174
biological tissue autoradiography in the scanning electron microscope 4—23025
biomedical measured data, Sinuc system for collection, storage and evaluation 4—39059
black lung disease profusion classification from chest X-rays, image processing and pattern recognition techniques 4—26266
blood flow measurement, dual hepatic, in awake patients 4—34998
brain imaging rel. to cerebral flow studies 4—30239
cardiology, ventricular size and shape determ., brief review 4—39052
chest, automated detection of pneumoconiosis 4—18222
cholangiography, operative, results 4—39055
cinefluorography, up to 200 frames a second, and cardiac catheterisation, patient exposure 4—39049
clocks, old, investigation 4—18743
collimators, pinhole, practical considerations 4—39068
computer controlled, for observation of movements of human organs 4—15019
computer-aided analysis of images 4—2179
congenital heart disease diagnosis, computer-aided chest radiograph analysis 4—18210
continuous zoom X-ray image intensifiers 4—2173

radiography continued
converging beam method, simultaneous characteristic radiations 4−35484
crack detection, parameter variation effect 4−7398
cranium transverse axial scanning, computerised, clinical applic. 4−30221
cranium transverse axial scanning, computerised, isodose curves 4−30222
cranium transverse axial scanning, computerized system, description 4−30220
densitometric measurement, radiation hardness characterisation of soft X-rays by effective wavelengths *(German)* 4−26252
dental, system for film processing 4−8407
diagnostic instrumentation trends 4−14687
digitized fluoroscopic images, differential absorption detection capability 4−18223
dosage calculations for gynaecological insertions simplified 4−11301
echographic visualizability of tissue 4−11306
electrophotographic methods, including xeroradiography 4−30232
EM autoradiography, resolution using biological line source 4−4874
enlargement, rotating anode X-ray tube with ultrafine focus, clinical appls. *(Japanese)* 4−35490
film density and contrast, discussion 4−35321
films, Kodak PE 4006, 3M type S, suitability for fast developing chest radiography *(French)* 4−8177
filter, compensating, Al, for large format films *(French)* 4−8178
fluorescent screens, contrast-enhancement, properties, dependence of image quality 4−30632
fluorography, bi-plane with 70 mm intensifier, angiocardiographic examination of congenital heart diseases 4−26264
fluoroscopic spotfilms, instant TV replay, the Memospot, in internal medicine and paediatrics 4−39057
fluoroscopy, CCTV systems, optimal operating parameters 4−2184
gamma-ray scintillation camera, Scinticon 4−39062
geological samples, high-speed radioluxograph with single scintillation sensitivity for autoradiography 4−34526
heavy-particle, soft-tissue abnormality diagnosis 4−14699
high resolution, and ^{14}C charging of Fe-Cr alloys 4−29275
historadiography, film limitations 4−35335
image analysis and enhancement, digital system 4−2175
image intensifiers, clinical evaluation of new equipment 4−26262
image intensifiers, magnetic shielding with compensating coils 4−39069
image quality, review 4−2177
imaging, X-ray and gamma ray, Fresnel zone plate, technique 4−2189
information content increase, photographic methods *(German)* 4−18751
laser-produced source, for X-ray point source projection photography 4−26686
left ventricle, biplane roentgenographic video system 4−2180
leopard frog, ^{65}Zn activity and pigmentation, autoradiographic replication 4−8223
liquid scintillation counting in nuclear medicine 4−39048
liver scintigram, electronic device corrects for motion 4−30240
low kV radiation, examination of extremities, diagnositc possibilities using mammographic equipment 4−30230
medical, computer aided analysis of images 4−18208
medical negatoscope, functional parameter measurement 4−26253
mesons, negative pi, tumour therapy, visualisation of stopping region 4−2190
metal castings, comparison of u.s. and radiographic techniques 4−21517
methyl-^{203}Hg, distrib. in pregnant rats, foetuses, tracer study 4−30241
mice, whole-body, ^{14}C-amino acid distrib. 4−30235
microtron X-ray generator for high voltage radiography 4−18741
mouse eggs, autoradiographic visualisation of paternal chromosomes 4−18096
neuroradiology, Roentgen magnified image intensified 70 mm filming, evaluation 4−2183
non-screen X-ray film, sensitometric props. detn. 4−22598
nuclear components in High Flux Isotope Reactor program 4−31546
nuclear medicine signal processing 4−18205
oral health data acquisition by electromechanical scanner and computer 4−14631
paediatric examination system 4−26263
paper radiographs interpret. w.r.t. reflected density 4−21512
patient diagnosis using axial transverse tomographic devices 4−8187
pediatric bone lesions 4−4873
photograph quality improvement, gamma and X-ray, matched filter restoration of coded imagery, techniques 4−2188
pneumoconiosis, X-ray automatic texture evaluation 4−14630
processing device, for X-ray sheet film 4−26254
product inspection 4−35483
proton, sensitivities of photographic films and screens 4−26620
proton beam dose fields, anal. using radiation track delineating flaw detector 4−26271
quantitative videoangiocardiography of left ventricular volume 4−26256
radioisotope images, quantum fluctuation elimination employing computer 4−8189
radioisotope imaging, gamma-ray, incoherent holography, zone plate technique 4−2185
radioisotope scanning, binding of Ga to transferrin 4−39065
radionuclide images, nonlinear freq. domain techniques 4−2176
reactor fuel, irrad., melting behaviour obs. 4−15952
renal calculi establishment, during surgery, Renodor X-ray unit 4−30228
scintigrams, electronic image storage 4−30226
scintigraphic abnormality, factors affecting recognition 4−39072
scintigraphy, brain, bullet track demonstration 4−39066
scintigraphy, pancreatic, simultaneous double nuclide subtraction, using two-channel scanners and tape recorder 4−39054
scintigraphy of rat liver to assess regeneration 4−30238
shape analysis, application to diagnosis 4−2178
SI units, for radiation measurement and radiology 4−18239
small mass difference determination, using dental X-ray apparatus 4−18207

radiography continued
sonar, synthetic aperture, 2 MHz, for medical use 4−18204
space vehicle testing, advanced imaging techniques 4−4240
spot-film, patient surface exposure 4−4871
steel, fatigue fracture initiation during rolling, austenite struct. influence *(French)* 4−17227
steel, localisation of B-containing constituents by neutron and autoradiography (n,α) with aid of solid-state detectors *(French)* 4−30660
steel, Ni-Cr-Mo, diffusion of C, autoradiography study *(Korean)* 4−17242
stereo microradiographic determ. of grain orientations in polycrysts. *(German, English)* 4−41587
stomach examination, with remote controlled Orbiskop, image intensifier photography with 100 mm camera 4−30225
thermoluminescent dosimetry, systems compared 4−11336
three-dimensional radioisotope images meas. employing transverse section tomographic system 4−8188
tomograms, computer controlled synthesis, TV storage tube applic. 4−35043
tomographic attachment, for producing layered X-ray images 4−11302
tomography, time-resolved acquisition and storage system 4−2187
tomography, transverse, spatial filtering 4−35041
TV fluoroscopy enhancement technique of small periodic contrast charges 4−35507
ventricular boundary evaluation, real-time scanning method 4−18209
ventricular volume meas. by X-ray videometric methods *(German)* 4−8174
video techniques in diagnostic radiology, electronic recording 4−2182
whole-body counting, discussion 4−39073
X-radiography, image reconstruction methods 4−18224
X-ray, blood vessel phantom, imaging dependence on input spectrum and screen-film optics 4−11310
X-ray, low energy, calibration using inverse square calcs. 4−11308
X-ray cinedensitometry, deviations, model circulatory system expts. *(German)* 4−8175
X-ray departments, influence of new diagnostic units 4−39056
X-ray diagnosis, urological, image intensifier photography 4−30229
X-ray difference images, digital processing 4−26260
X-ray exposure conditions direct calc. 4−30628
X-ray fluorescence, in vivo regional cerebral blood volume, method validation 4−34997
X-ray fluorescent thyroid scanning, neutron and photon flux 4−42612
X-ray low-temp. radiography of plates and powders using reflection method 4−5265
X-ray microradiography, metallographic working method *(German, English)* 4−7093
X-ray multiorbital tomography equipment model LGM-1 4−8185
X-ray omnicon, exposure reduction technique 4−2172
X-ray picture pattern recognition, chest X-rays 4−26261
X-ray quality measurement, thermoluminescence dosimetry 4−42613
X-ray stereocomparator, Zeiss StR 1-3, stereoplotting system, design, characteristics 4−2192
X-ray study of paintings in Prado museum 4−23016
X-ray tubes, rotating anodes, increased output 4−39060
Al alloy sheet, fatigue cracks and crack growth detection and characteriz. 4−21514
Al alloys, microradiography investigation of transport processes 4−32398
B/Al composite, unidirectional, tensile fracture obs. 4−1662
Cu alloys, microradiography investigation of transport processes 4−32398
Fe-C alloys, Cu distrib. analysis *(German)* 4−7087
^{59}Fe labelling in bone 4−35046
Pu in lung, empirical formula for effective tissue thickness 4−35044
π^- beam effects, calc. of dose induced in biological tissue 4−11339
π^- capture in biological tissue, dose distrib. of resulting n's and photons 4−11338
r.f., 0.4 to 1 MHz, detection of magnetite in scarnal zones *(Russian)* 4−38521
^{133}Xe, lung expansion measurement, regional 4−35045
radioisotope separation *see isotope separation*
radioisotopes
aquatic biota, potential radiological impact 4−35086
atmospheric isotope production by cosmic rays, calc. 4−38379
dose pathway, from nuclear fuel reprocessing plant 4−35077
environmental behaviour, conf., Aix-en-Provence, France (May 1973) 4−35095
environmental capacity, future radiation protection *(French)* 4−35082
environmental capacity, low-level liquid radioactive waste 4−35085
environmental capacity 4−35081
environmental monitoring, ecosystem approach 4−31639
gamma-active, production by neutron irradiation of soil at 1 GeV 4−23930
image processing, quantitative effects 4−35047
inert gas, estimation of radiation exposure 4−31623
monitoring, from nuclear plants 4−31625
on-line monitor for alpha-emitting radioisotopes in fuel reprocessing plant, optimisation 4−31582
radiological capacity concept, radiation protection *(French)* 4−35080
radiological limit, environmental capacity 4−35079
Rhone Basin, radioecological study *(French)* 4−31636
river basin transport, modelling 4−31635
river pollution, discharge from PWR nuclear power station 4−31628
river transport to cultivated soils *(French)* 4−31631
scanning techniques (1947-73) 4−14688
semiconductor surface cleaning unit, radioisotope technique efficiency test *(Russian)* 4−21207
simultaneous determination of three elements, ^{182}Ta, ^{95}Nb, ^{44}Ti, ^{59}Fe 4−26705
surface water, health protection standards, Soviet Union *(Russian)* 4−35084
AgI, effect on ice nucleation properties 4−34392

radioisotopes continued
  - Ar, adsorption on charcoal in FFTF fission gas delay bed 4−27404
  - ^{133}Ba aerosol inhalation exposure and tissue retention model 4−42615
  - ^{11}C, prod. by tandem Van de Graaff accelerator, for medical uses 4−35379
  - ^{252}Cf fission product transport in He-jet system for inaccessible sources 4−30531
  - ^{60}Co source, absolute meas. of radiation dose by ionometric method *(Rumanian)* 4−39095
  - Cs, transport, deposition in Na-stainless steel reactor coolant system 4−19565
  - ^{137}Cs, concentration in Colorado mountain watershed 4−18257
  - ^{137}Cs brachytherapy tubes, surrounding water dose distribution obs. 4−30223
  - ^{137}Cs source, absolute meas. of radiation dose by ionometric method *(Rumanian)* 4−39095
  - ^{64}Cu, half-life determ. 4−27282
  - ^{18}F, Van de Graaff prod., clinical use 4−8181
  - ^{67}Ga, carrier-free, production, ^{68}Zn cyclotron target 4−11560
  - ^{197m}Hg, cyclotron production, lung tunour imaging 4−14689
  - I, extremely low-level meas. in air 4−23935
  - I, removal from reactor off-gas effluents 4−23933
  - ^{131}I, in I^{131}I, photochem. reaction with iodobenzene, isotope exchange, kinetics 4−38163
  - ^{43}K, electron linear accelerator production, radiobiological uses 4−14695
  - ^{43}K and scintillation camera for total myocardial blood flow meas. 4−11305
  - Kr, adsorption on charcoal in FFTF fission gas delay bed 4−27404
  - ^{85}Kr, atmospheric, calc. of human exposure up to 2000 AD *(Czech)* 4−30260
  - Mn, transport, deposition in Na-stainless steel reactor coolant system 4−19565
  - Pb, evolution for Canadian Shield sample, nature of tectonic events 4−17554
  - ^{203}Pb, cyclotron prod., for radiopharmaceutical appl. 4−30234
  - ^{193}Pt, diffusion in Pt, γ-Fe, Co, and Ni *(Czech)* 4−6523
  - Sb, transport, deposition in Na-stainless steel reactor coolant system 4−19565
  - ^{90}Sr, SrTiO$_3$ synthesis, method applicable to disposal of ^{90}Sr in nuclear fission prods. 4−38164
  - ^{90}Sr determ. in seawater by ^{90}Y separation, method 4−39414
  - ^{90}Sr distribution in Mediterranean Sea *(Russian)* 4−38303
  - ^{90}Sr-^{90}Y, portable blood irradiator, design improvements 4−18213
  - ^{99m}Tc, sublimed from ^{99}Mo fission, purity determ. by γ-ray spectrometric anal. 4−30652
  - Th, behaviour in underground environments *(French)* 4−31632
  - ^{228}Th decay product transport in He-jet system for inaccessible sources 4−30531
  - U, behaviour in underground environments *(French)* 4−31632
  - Xe, adsorption on charcoal in FFTF fission gas delay bed 4−27404
  - Zn, transport, deposition in Na-stainless steel reactor coolant system 4−19565

radiolysis
  - adamantane and derivatives, 1-adamantyl radical form. following γ-radiolysis 4−29340
  - benzyl radical formation and interaction with chloride ion in rigid matrices 4−34070
  - n-butane, proton pulse radiolysis, methodological aspects of technique 4−7456
  - cyclohexane, positive ion scavenger effect on ion recomb. times, high mobility hole existence 4−21571
  - cyclohexane and methylcyclohexane, irrad., solvent positive ions-solute reaction rate consts. 4−10756
  - diboranyl radicals, e.s.r. obs. in γ-irrad. diborane 4−21574
  - ethane, proton pulse radiolysis, methodological aspects of technique 4−7456
  - ethanol, electronic spectra of trapped electrons, photobleaching obs., 4K 4−10760
  - hexamethylphosphortriamide, irrad., props. and spectrum of solvated electrons, effect of temp. and electrolyte ions 4−34067
  - methane, proton pulse radiolysis, methodological aspects of technique 4−7456
  - methanol, liq., spin trapping of primary radicals formed 4−21573
  - methanol neutral radical, γ formation, e.p.r. of relative radical distrib. 4−29342
  - neopentane, proton pulse radiolysis, methodological aspects of technique 4−7456
  - propane, proton pulse radiolysis, methodological aspects of technique 4−7456
  - pulse, automatic calculation and recording of spectra 4−43
  - tetrahydrofuran, pulse radiolysis, prod. of solvated electrons, ion-pairs and alkali metal anions 4−29341
  - tetramethyl-p-phenylenediamine, trapped electron prod. and absorpt. spectrum 4−21584
  - trapped electrons in glassy medium, electron spin echo envelope modulation 4−1724
  - trapped electrons in glassy medium, forbidden matrix proton spin flip satellites in e.p.r. 4−1725
  - vinylbenzoate, radiation induced polymerisation, chain transfers to impurities 4−17535
  - AgBF$_4$, in frozen organic soln., γ-irrad., e.s.r. obs. of paramag. Ag atom clusters 4−25494
  - AgClO$_4$, in frozen benzene soln., γ-irrad., e.s.r. obs. of paramag. Ag atom clusters 4−25494
  - CoCl$_2$.2H$_2$O and CoCl$_2$.6H$_2$O, electron capture effect on Mossbauer spectrum, self-radiolysis 4−10362
  - HClO$_4$ 0.1M solns., H atom reactions at high pressure, pulse radiolysis 4−1727
  - (NH$_4$)$_2$Fe(SO$_4$)$_2$.6H$_2$O, in alkali nitrate and alkali halide matrices 4−34066
  - N$_2$O, sensitization by Ne, He, effect on prod. yield mechanism 4−41984
  - NaOH aqueous glasses, fast electron transfer reactions, quantum mech. tunnelling 4−1726

radiometers
  - 11 GHz radiometer for rain attenuation meas. 4−4986
  - aerial-noise temperature observations, attenuation meas., rain scattering effect, millimetre waveband 4−39175

radiometers continued
  - chopper-stabilised, null, based on elec. calibrated pyroelec. detectors 4−4985
  - digital total power, performance investigation, comparison with analogue 4−30413
  - field spectroradiometer, wavelength and spectral radiance calibration 4−35208
  - i.r., heterodyne, for high-resolution meas. of solar radiation 4−11266
  - laser power and total irradiance scales, NBS, calorimeter versus radiometer meas. 4−4995
  - light coherence rel. to radiometry, eqns. 4−23260
  - meteorological satellite scanning radiometer picture contrast expansion processor 4−14229
  - microwave, for meas. dielectric properties and noise temp. of sea ice 4−7854
  - microwave, for remote sensing of soil moisture 4−29720
  - multifrequency microwave scanning antenna 4−30416
  - NDT, military applic. 4−14814
  - normalization in radiometry, appl. to spectral quantities 4−14812
  - optimum signal processing for radiosource temp. determ. 4−18079
  - radiometry, absolute, by means of black body source 4−8303
  - rain attenuation measurement 4−34552
  - S-band, for sea surface temp. meas. 4−30412
  - salinity, remote meas, in microwave region, in estuarine environment 4−7846
  - satellite sensing technique, ocean current monitoring 4−11535
  - soil moisture meas., dependence of microwave emission 4−34564
  - spectroradiometer, for submillimetre range, modified Michelson interferometer with spherical mirrors and n-InSb detector 4−42516
  - submillimeter with Fabry-Perot interferometer input, sensitivity *(Russian)* 4−22792
  - target parameters retrieval by microwave radiometry 4−35205
  - three-channel, fixed frequency, 102 and 408 MHz *(Russian)* 4−22471
  - u.h.f., remote sensing of ships, sea ice, icebergs and the northern environment 4−29766

radionavigation
  - *see also radio direction-finding*
  - position fix system for ocean automatic data buoys 4−17872
  - review of radio positioning systems 4−11053
  - satellite system for geophysical exploration 4−11031
  - spacecraft, radioguidance, control of landing in the earth's atmosphere, control algorithms 4−4689
  - TIMATION III satellite frequency standard with digital control 4−30389
  - US Navy Navigation Satellite, time transfer and geodetic expts. 4−29741
  - Rb, frequency standard performance evaluations for satellite navigation 4−30388

radios *see radio receivers*

radiosondes
  - ionospheric drift obs. by ionosondes at Magadan 4−4559
  - radar ionospheric refraction corrections by digital ionosonde 4−17858
  - random sensing errors during aircraft flights 4−7823

radiosources (astronomical)
  - *see also pulsars; quasars*
  - 86 MHz counts, reduction procedure for E-W array of DKR-1000 telescope 4−42428
  - 1107 + 036, identification with neutral stellar object near unusual blue galaxy 4−42426
  - 4170 MHz radio waves for Taurus A, solar corona magnetic structure 4−11125
  - angular size measurement, interferometer, v.h.f.-u.h.f., Jodrell Bank Mk III 4−42521
  - angular structure, intense sources from 3CR catalogue, 408 and 1423 MHz obs., model-fitting anal. 4−42431
  - angular structure, Parkes catalogue sources, Jodrell Bank Mk III telescope, 408 MHz, double sources 4−42429
  - angular structure, revised 3C catalogue, 151 and 408 MHz obs. 4−42430
  - R Aquarii, Mira type variable, radio emission 4−30070
  - Aquila ring, UV excess stars and radiosources, UBV photometry 4−34916
  - R Aquilae, radio flare observed at 2.8 cm 4−14407
  - B2 1101 + 38, low dispersion spectra of optical counterpart 4−8036
  - background meas. at 1300 MHz as antenna test for Cracow 15 m radiotelescope 4−34959
  - bright spiral galaxies, further 1415 MHz high-resolution continuum obs. 4−14478
  - bright spiral galaxies, general discussion of 1415 MHz high-resolution continuum obs. 4−14479
  - bright spiral galaxies in optically complete sample, 1415 MHz high-resolution continuum obs. 4−14477
  - 3C147, supersynthesis radiotelescope observ. near 1420 MHz 4−8040
  - 4C55.22, supersynthesis radiotelescope observ. near 1420 MHz 4−8040
  - 3C66, supersynthesis radiotelescope observ. near 1420 MHz 4−8040
  - 3 C 10 (Tycho's supernova), 21 cm. absorption spectra and distance 4−2117
  - 3 C 10 (Tycho's supernova), distance from 21 cm. absorption meas. 4−2116
  - 3C 120, Seyfert and radio galaxy, very long baseline interferometry 4−14441
  - 4C 17.66 in Hercules Cluster, 1415 MHz, 5 GHz maps 4−34868
  - 3C 273, upper limits on soft X-ray spectra 4−4819
  - 3C 273 and 279, solar gravitational microwave deflection of radio-source position during occultation 4−25954
  - 3C 338 in Abel 2199, 1415 MHz, 5 GHz maps 4−34868
  - 5C 4.81 in Coma Cluster, 1415 MHz, 5GHz maps 4−34868
  - 5C 4.85 in Coma Cluster, 1415 MHz, 5 GHz maps 4−34868
  - 3 C 58, 21 cm. absorption spectra and distance 4−2117
  - 3 C 58, nature and high resolution map from 21 cm. absorption meas. 4−2116
  - 3C 66, radiogalaxy, maps at 1.4, 2.7 and 5 GHz 4−14440
  - 3C III, flux density variations in central component 4−18021
  - 3C radio galaxies, obs. of 11 objects at 1415 MHz 4−8038

radiosources (astronomical) continued
4C sources, lunar occultation studies at 327 MHz 4−11210
Cassiopeia A, evolution of radio spectrum from 8 GHz obs. 4−38847
celestial coordinate determ. long baseline radio interferometry 4−42518
Centaurus A (NGC 5128), interferometer study of HI absorption 4−38846
chain of QSRs near NGC 520, statistical analysis 4−42432
complete sample construction for radiosources with known redshift 4−34866
confusing radiosource near planetary nebula IC2149 4−30089
counts, role of luminosity function rel. to cosmological models 4−17903
3CR and 4C surveys, var. of source counts with direction 4−30083
Crab Nebula, interplanetary scintillation obs. at 73.8 MHz 4−22460
NML Cygni, detection at 2.8 cm 4−26141
V1057 Cygni, OH 1720 MHz anomalous emission 4−8039
P Cygni, radio emitter classification 4−8044
Cygnus A, detection of faint radio galaxy at 1660 MHz 4−8046
Cygnus A, obs. at 5 and 15 GHz 4−30085
Cygnus X region, continuum sources and H 109α line obs. 4−14437
Cygnus X-3, early history 4−26149
Cygnus X-3, radio outbursts, (Sept. 2-8, 20, 1972) 4−8044
Cygnus X-3, radio outbursts at 2.8 and 4.5 cm 4−8043
Cygnus X-3, radiofrequency spectra 408-15500 MHz 4−34899
Cygnus X-3, sixth radio outburst obs. at 10.6 GHz 4−34882
discrete sources, integral radiowaves, Faraday depolarisation *(Russian)* 4−18019
double, alignment rel. to light distrib. of associated elliptic galaxies 4−8041
double radiosource origin, elliptical galaxy rotation obs. 4−14438
Dr 21, i.r. obs. at 2.2 microns 4−26142
dwarf galaxy formation near active radiosources in clusters of galaxies 4−14497
dynamics of models with continuous energy supply from central object 4−34880
emission-line, early type stars, IR excess, 2.8 cm obs. 4−8014
extended extragalactic sources, high resolution obs. of linearly polarized radiation 4−34871
extended southern radiosource optical identification 4−11212
extragalactic, accurate position meas. by VLBI at 3.8 cm 4−22417
extragalactic, large scale structs., 5000 MHz 4−30080
extragalactic double radiosources, evidence of non-alignment in components 4−30087
extragalactic radiosources with very step spectra 1421 MHz mapping 4−18020
extragalactic sources, bootstrapped electron pair production 4−17902
extragalactic sources decimeter flux variations 4−22420
extragalactic with steep low freq. spectra, relation with X-ray emission 4−8045
Faraday rotation of polarized radiowaves from extragalactic sources 4−30092
fine structure of sources at 81.5 MHz, survey 4−34879
flux density and spectra of 500 discrete sources at 10.7 GHz 4−14435
flux density meas. at 2.1 mm wavelength 4−34876
flux density-spectral index relation 4−14433
G334.9-0.3, identification with X-ray source 3U1624-49 4−42425
G336.6-0.2, Ne II 12.8 μ line in compact HII region 4−42484
G339.6-0.1, identification with X-ray source 3U1642-45 4−42425
G348.2-1.0, identification with X-ray source 3U1714-39 4−42425
Galactic Centre, correlation search for dispersed radio emission 4−26164
Galactic Centre, nonthermal radio emission and nature of Sagittarius A 4−22444
galactic centre region, high resolution map at 15.5 GHz 4−38873
Galactic dust clouds, OH and H_2CO radio line obs. 4−11255
Galactic non-thermal radio background at 151.5 and 408 MHz 4−30106
Galactic non-thermal radio background at 408, 610 and 1407 MHz 4−30107
galactic supernova remnants, identification of radiosources for spiral structure evidence 4−2124
GB sources, observed anisotropic distribution 4−2122
H I region radio recombination lines, level populations of hydrogenic ions 4−8089
Haro galaxies, H I 21-cm. line study 4−14476
HB 21, supernova remnant, 21-cm. line obs. of expanding HI shell 4−14381
high energy photons during early phases of radio outburst 4−34869
interacting galaxies, radio emission at 1415 MHz 4−8068
interplanetary scintillation at 327 MHz, struct. of 194 southern declination radiosources 4−34864
interplanetary scintillation at 327 MHz, struct. of 9 radiosources, Ooty telescope obs. 4−34770
isolated radiofrequency pulses, simultaneous obs. at widely separated stations 4−42443
local, brightness distrib. parameters *(Russian)* 4−2045
Moon, radio emission, second harmonic phase dependence, radio temperature distribution, new data *(Russian)* 4−2092
MSH 11-61 A, distance to supernova remnant from 21-cm. line absorption meas. 4−18007
NGC 7331 area north of Stephan's Quintet excess of radiosources found at 1421 MHz 4−30088
noise sources, position meas., interferometry, theory *(Russian)* 4−22469
nonthermal sources, flux densities and continuum spectra in 10-2000 MHz range 4−26138
nonthermal sources, h.f. cutoffs in radio spectra 4−34870
normal spiral galaxies, radio emission at 430 MHz 4−18040
northern sky survey, $12h<R.A.<04h$, $-8°<Dec.<+48°$, at 408 MHz 4−38848
NRAO 530, high freq. observ. up to 22.3 GHz 4−8047
occultations of 50 sources at 327 MHz, Ooty Survey 4−26137
OH 0739-14, search for weak continuum microwave emission 4−26140
OH objects, 5 GHz obs. 4−30090
Ohio radiosources, spectra of 37 objects from 612 MHz to 10.7 GHz 4−4814

radiosources (astronomical) continued
Ohio sources, interferometric obs. at 365 MHz 4−34874
OJ 287, absolute-energy-distrib. in 3300-10000 Å region 4−4815
OJ 287, period from UBV photometric and photographic obs. 4−34878
OJ 287, probability of peaks in power spectra and pulsed polarization in visible light 4−34877
OJ 287, simultaneous 7.2 radio and UBV obs. 4−30093
optical identifications for 45 sources based on accurate radio positions 4−30082
optical identifications using accurate radio and optical positions 4−34873
optical positions by photographic meas. comparison with 2695 MHz positions 4−8037
optical positions of 39 Q50's and four radiogalaxies 4−18017
OTL sources, lunar occultation studies at 327 MHz 4−11210
Parkes 2700 MHz survey, catalogue for declination zone −35° to −45° 4−22418
Parkes 2700 MHz survey, optical identifications, 03^h, 19^h and 23^h zones 4−38845
Perseus A (NGC 1275), high-velocity component, detection of HI 21-cm. absorption 4−11208
PKS 2152-69, synthesis observations with modified Parkes interferometer, 1410 MHz 4−2142
PKS 2356-61, synthesis observations with modified Parkes interferometer, 1410 MHz 4−2142
populations from number-flux density curves, isotropic distrib. 4−30086
positions and flux densities of 1583 sources at 265 MHz 4−14436
prolonged injection model for variable radiosources explanation of radio outburst in 3C 273 4−14434
pulsars, sporadic radio emission in plasmas with high density e.m. radiation 4−2123
radio spectra from 10-1000 MHz for 373 sources 4−30081
radiogalaxies, redshift distrib. rel. to optical spectra 4−18041
remote sources, possible use of radio obs. of flares to determ. intergalactic gas density 4−11235
rotation meas. of extragalactic sources, polarization generation 4−26139
Sagittarius A, high resolution obs. down to 160 MHz 4−30091
Sagittarius A direction, obs. of radio recombination-line region 4−11209
Sagittarius B2, mm emission lines of polyatomic molecules 4−8087
Seyfert galaxy, 3C84, millisecond of arc interferometry 4−8042
sky brightness at 4 cm., flux density and discrete sources 4−42427
solar type IV moving radio sources, Culgoora radioheliograph observations 4−11117
source structure, clusters of galaxies and complex sources 4−30084
southern, optical identification with faint galaxies and compact objects 4−34865
southern Parkes radiosources optical identification 4−11213
spectra for 107 sources selected at 408 MHz 4−34863
stars of late type, microwave H_2O maser emission and i.r. continuum 4−38770
statistical properties of extragalactic 4−14439
structural obs. at 365 MHz at UTRAO 4−34872
super-relativistic phase velocities of source components 4−38849
supernova remnants, 2695 MHz polarimetric aperture synthesis obs. 4−14380
Taurus A, obs. *(German)* 4−8035
Texas radiosource positions, optical spectra of stellar objects 4−34875
UBV sequences in star fields of five radiosources 4−11211
variable potential quasars, search for radio emission at 2695 and 8085 MHz 4−42424
variable source 0048-097, optical spectra 4−11214
Virgo A, flux density variations in central component 4−18021
VRO 42.22.01 (BL Lacertae) long baseline interferometry and total flux density obs. 4−18018
W31, OH and H_2CO absorption line meas. 4−34867
W3, H I and H 166α line and continuum synthesis of H II region 4−22419
W3(OH) accurate relative positions of H_2O i.r. emission features 4−14450
CH interstellar absorption and emission at 9 cm. in southern galactic sources 4−26166
H II compact regions near class I OH maser source OH 75.8+0.3 (ON-2) 4−14506
H_2O sources in W49N, W3(OH), Orion A VY Canis Majoris, very long baseline interferometry 4−8083
OH 1612 MHz emission sources, detailed structure of four objects 4−34881
OH sources, accurate positions at 1665, 1667 and 1720 MHz 4−30079
OH sources, i.r. studies of seven sources in 1.65-20 μ range 4−38906
OH sources at 1612 MHz, nature rel. to M-type supergiants 4−18016

radiostars *see radiosources (astronomical)*

radiotelescopes
see also radioastronomy
18 cm turnstile junction as polarisation splitter 4−38931
angular size of 106 sources, using Jodrell Bank Mk III telescopes, 408 MHz 4−42429
Clark Lake Radio Observatory, log-periodic array 4−22500
Cracow 15 m radiotelescope, antenna tests for background meas. at 1300 MHz 4−34959
DKR-1000 telescope reduction procedure for E-W array at 86 MHz 4−42428
efficiency improvement, 64 to 128 m dia. *(Russian)* 4−22475
Fleurs Synthesis Telescope 128-channel data logger 4−22496
Fleurs Synthesis Telescope antenna system design and layout 4−22492
Fleurs Synthesis Telescope data reduction and mapping programs 4−22498
Fleurs Synthesis Telescope design and development 4−22490
Fleurs Synthesis Telescope ladder delay system 4−22495
Fleurs Synthesis Telescope phase and gain calibration techniques 4−22499
Fleurs Synthesis Telescope phase tracking system 4−22493
Fleurs Synthesis Telescope receiver system 4−22491

radiotelescopes continued
- Fleurs Synthesis Telescope remote online control and data processing facility 4−22497
- fringe visibilities from radio obs., interpolation and Fourier transformation 4−42511
- interferometer, meas. of ang. size of radiosources, u.h.f.-v.h.f., Jodrell Bank Mk III 4−42521
- mirror system, RT-70, parabolic aerial system *(Russian)* 4−22479
- NRAO H I 21 cm. line aperture synthesis, techniques and data reduction 4−4847
- Parkes interferometer, modifications for synthesis observations of radiosources 4−2142
- phase-locking correlator 4−22494
- pilot installation with Cassegrain antenna, rel. to X-band signals *(Spanish)* 4−11258
- Pulkovo USSR, 2 c.m. and 4 c.m., calibration using Sun as source, error compensation *(Russian)* 4−2146
- radiointerferometers, phase stability meas. of independent heterodynes *(Russian)* 4−18467
- receivers employing p-i-n diode stripline switches at L-band 4−11263
- RT 25 × 2 m Gorky USSR, electrical parameters, alignment system, description, operation *(Russian)* 4−2144
- RT 25 × 2 mm Gorky USSR, directional characteristics *(Russian)* 4−2145
- school, construction details 4−22719
- solar, multifrequency receiver *(Russian)* 4−22473
- solar, multirange aerials *(Russian)* 4−22477
- solid aperture, pulsars, discrete radio source observations *(Russian)* 4−22478
- supersynthesis, radio source observ. near 142o MHz, instr. performance 4−8040
- supersynthesis interferometer for Galactic radio waves 4−38935
- telemetry from deep space, Effelsberg radiotelescope dual mode horn feed 4−11267
- utilisation efficiency, cost effectiveness *(Russian)* 4−22476
- UTR-Z radiotelescope USSR, wideband, ionospheric effects on radiation measurements, examples *(Russian)* 4−2147
- Westerbork Synthesis Radio Telescope, 21 cm. continuum receiver system 4−38921
- Westerbork Synthesis Radio Telescope, 80-channel filter spectrometer 4−34960
- Westerbork Synthesis Radio Telescope, general lay-out and design 4−38920

radiowave propagation
- *see also electromagnetic wave propagation*
- 11 GHz radiometer for rain attenuation meas. 4−4986
- abnormal radiowave absorption, sudden ionospheric disturbances *(Russian)* 4−1950
- absorption events in auroral ionosphere rel. to electron content 4−17799
- aircraft wake scattering in active elevated anomalous refractivity region 4−26905
- amplitude fluctuations, effect of O_2 absorpt. band *(Russian)* 4−7688
- antennas and propagation conference, Boulder, Colo. (1973) 4−26888
- atmosphere, electron density variation during anomalous winter radiowave absorption rel. to aerosol concentration 4−1866
- atmosphere, research in New Zealand 4−34429
- atmosphere, research project, in Denmark 4−34430
- atmospheric, vertical absorption meas. *(Russian)* 4−17744
- atmospheric attenuation for satellite to Earth links 4−29581
- atmospheric attenuation in range 80 to 130 GHz, nomograms 4−17703
- atmospheric crosspolarisation, cancellation techniques 4−10893
- atmospheric ducts role in long distance jamming *(French)* 4−7740
- atmospheric v.l.f. propagation var. rel. to planetary scale waves 4−34383
- atmospherics, reduction in distortions against noise background 4−29747
- attenuation meas. at 15, 19, 34 GHz 4−7751
- auroral ionization measurement, rocket borne transmitters 4−25753
- auroral radiowave absorption compared with rocket measured electron spectra 4−22035
- conjugate echoes on topside sounder ionograms, lunar semimonthly oscillation 4−25763
- Crab Nebula, internal structure rel. to radiowave polarization var. with wavelength 4−34953
- critical frequency f_0E prediction, solar zenith angles 0-78°, analytical expression 4−42160
- D-region, inhomogeneous anisotropic model with constant collision frequency 4−29681
- D-region, partial refl. method for investigation *(Russian)* 4−7828
- D-region, r.f. abnormal absorption, freq. depend., during SID *(Russian)* 4−7762
- D-region absorption effect on radio meteor amplitude distribution index 4−4591
- D-region radiowave absorption in winter, comparison with planetary wave motion 4−22086
- differential-absorption partial reflection experiment effect of limited height resolution 4−25734
- diffraction at random phase screen in magnetoactive plasma *(Russian)* 4−24258
- E-region, radiowave reflection, nonlinear effects *(Russian)* 4−1969
- E-region nighttime electron density profiles, 250-1000 kHz absorption meas. 4−34453
- Earth-ionosphere resonator, Schumann resonances first mode splitting 4−1867
- effect of ionospheric gradients induced by powerful radiowave 4−29672
- effect on frequency sharing, conference, Rome (1973) 4−7739
- elevated layers, ducting properties at v.h.f. and u.h.f. 4−7745
- e.l.f., along 4900 kilometre path 4−34373
- e.l.f., atmospheric noise level statistics for project Sanguine 4−38356
- e.l.f., attenuation meas. at 40 to 50 Hz and 70 to 80 Hz 4−38353
- e.l.f., ionosphere as secondary conductor of transformer 4−4580
- e.l.f., ionospheric characteristics 4−38442

radiowave propagation continued
- e.l.f., meas. during 1970 to 1972, average attenuation factor 4−38354
- e.l.f., nighttime variations 4−38355
- e.l.f., over Earth's surface, using natural sources 4−38441
- e.l.f., relationship between propagation parameters and physical constants of ionosphere 4−34450
- e.l.f., simulated Earth-ionosphere model 4−38443
- e.l.f. chorus and electron precipitation, Ogo 6 obs. rel. to plasmapause boundary 4−42170
- e.l.f. in Earth-ionosphere waveguide 4−34449
- F_2-layer critical frequency and maximum height 4−10996
- F-region, group delay meas., electron content determ. 4−17814
- F-region, satellite scintillation obs. over northern high latitude regions 4−7777
- F-region absorption during vertical sounding of ionosphere 4−25780
- F-region drift data dispersion analysis 4−29680
- F-region plasma instability caused by high power radio waves 4−10995
- focusing by large scale ionospheric irregularities, three dimensional theory 4−25770
- foF_1 prediction using Zurich smoothed sunspot number 4−22093
- full-wave scattering theory and mass distrib. of radio meteors 4−34754
- h.f. impulsive atmospheric noise, model 4−38352
- HF radar signatures from Gaussian plasma clouds, ray tracing synthesis 4−17797
- h.f. scattering by elliptical electron-density distribution 4−4579
- incoherent scatter, conference (Tromso, Norway 12-16 June 1973) 4−38444
- interference meas. at 15.7 GHz over long transhorizon path 4−7747
- ion resonance excitation by Isis 2 h.f. transmitter 4−25762
- ionization trough effects on radiowaves, ray-tracing simulation 4−17800
- ionosphere, 6 to 30 kHz, approximation of profiles with impedance model 4−25755
- ionosphere, electron density profiles from long path VLF wave propagation 4−17796
- ionosphere, foF2 variation rel. to plasma drift vel. at low latitudes 4−7775
- ionosphere, HF oblique ray paths, phase path characteristics 4−7766
- ionosphere, incoherent scatter and vertical incidence obs. 4−10987
- ionosphere, parametric excitation of plasma oscillations near reflection level by radiowaves 4−17788
- ionosphere, polarisation angle measurement, periodic var., continuous satellite obs. 4−4546
- ionosphere, radiowave excitation of Langmuir waves 4−4567
- ionosphere, scattering aspect sensitivity 4−34553
- ionosphere, short radiowave ultralong propagation in adiabatic approx. 4−4554
- ionosphere, total electron content from Faraday rotation meas. and simultaneous incoherent scatter profiles 4−7769
- ionosphere, winter anomaly in radiowave absorption, rocket obs. of electron density profile 4−22060
- ionosphere N(z) profiles using radiowave absorption data 4−1946
- ionosphere properties employing satellite transmitter TESLA M4K 4−17803
- ionosphere radiowave heating of D and E region 4−25767
- ionosphere reflecting layer, freq. dependence of radiowave absorption 4−1947
- ionospheric, Booker quartic equation, coupling points 4−34459
- ionospheric, side waves, radial bipole aerial field, mathematical analysis *(Russian)* 4−7765
- ionospheric, signals from satellites, errors associated with approximations of geometrical optics 4−25754
- ionospheric 32 MHz absorption during 1970 March 8-10 magnetic storm 4−1940
- ionospheric absorption, low latitude seasonal anomalies 4−25774
- ionospheric absorption, rel. to atm. O_3 content 4−4595
- ionospheric absorption, winter anomaly rel. to sunspot cycle 4−22073
- ionospheric absorption enhancements near 2 MHz after geomagnetic activity 4−34247
- ionospheric absorption measurement using meteor relfections 4−29745
- ionospheric duct bottom, ULF attenuation due to mode conversion 4−22070
- ionospheric electron density and collision frequencies 4−34457
- ionospheric e.l.f. emission, nocturnal, theory 4−17793
- ionospheric h.f. signal refraction and Faraday rotation for mean height determ. 4−34456
- ionospheric h.f. wave phase fronts, mode-resolved measurements over 1.2 km aperture 4−42158
- ionospheric high latitude scintillations, zenith angle and azimuth dependence 4−4571
- ionospheric low-frequency waves, reflection theory, polarisation, whistlers 4−10978
- ionospheric radio drift meas., group path vector in digitized ionospheric soundings 4−17783
- ionospheric radio waves, phase integrals and coupling 4−4575
- ionospheric reflection, signal/noise parameter by coherent reception method 4−1948
- ionospheric resonance phenomenon observed by rocket-borne swept frequency experiment 4−34454
- ionospheric r.f. refraction effects in Minitrack tracking data for satellites 4−14181
- ionospheric v.h.f. backscatter meas. of auroral currents, irregularities and luminosity 4−25732
- ionospheric wave velocity meas., ray theory rel. to diffraction theory 4−4569
- ISIS satellite beacon transmissions at 136 MHz, spatial occurrence of angular scintillations 4−34461
- large signal scintillation after passing through ionosphere *(Czech)* 4−7773
- l.f. radio noise from magnetosphere 4−14203
- long baseline interferometers, radiowave diffraction by inhomogeneities in interplanetary and interstellar plasma *(Russian)* 4−18071
- lower ionosphere, scattered radio waves, data interpretation 4−29667

radiowave propagation continued
magnetic storm 1971, December 17, spectral power variations of ULF disturbances 4—22126
magnetoplasma, negative ion effect 4—10976
magnetosphere, cyclotron resonance nonlinear particle trajectories rel. to ULF and VLF propagation 4—22125
magnetosphere, nonlinear canalisation of whistler-type waves, VLF *(Russian)* 4—42163
magnetosphere, temperature and ion effect in magneto-ionic theory 4—11007
magnetosphere, trapped v.l.f. radiation above plasma frequency 4—25801
magnetosphere nonlinear wave-particle interaction for CW whistler mode signals 4—22124
magnetospheric quasi-periodic v.l.f. emissions and interaction with whistlers 4—14189
magnetospheric VLF wave intensity amplification by nonlinear phenomena using injected electron beam 4—25805
maritime evaporation duct influence 4—38349
Mars ionosphere parameters change in relation to seasonal radio wave propagation, solar activity phase, and planet distance from the Sun *(Russian)* 4—2078
Martian atmosphere obs. employing Mars-2 craft 4—17962
midlatitude ionosphere, anomalous winter absorption of radiowaves 4—4557
millimetre wave, rain attenuation 4—17702
mirror reflection, sea surface scattering, polarisation and characts. *(Russian)* 4—7624
mm wave, scattering by rain, effect on radiometer meas. 4—39175
Monte Magnola experiment at 11.6 GHz *(Italian)* 4—42101
mountain ridge, tropospheric influence at 3 GHz 4—7742
nonspherical scatterers dispersion, identification of physical properties 4—42080
oblique and oblique-scatter sounding, signal fluctuation characteristics 4—4556
ocean-atmosphere system, angular structure of field of brightness, short wave intensity *(Russian)* 4—29540
oceanwave directional spectra, h.f. meas. 4—7663
phase and amplitude dispersion characteristics over 20 MHz to 6 GHz 4—17700
plasma ellipsoid with variable plasma concentration 4—20079
polar ionospheric h.f. radio spectrum meas. of irregularity motions 4—4578
pulsar, diffraction theory of propagation and pulse broadening in weakly irregular media 4—22425
radar backscatter from irrigated and dry fields at 400 MHz and 13.3 GHz 4—25890
radar ionospheric refraction corrections by digital ionosonde 4—17858
radar sea return, wind dependence 4—17693
radioastronomy, coverage function meas., Faraday rotation effects *(Russian)* 4—18072
radiotranslucence, in a homogeneous anisotropic medium, wave field calculation *(Russian)* 4—42202
rain, attenuation at 7.9 and 33.9 GHz 4—38351
rain, bistatic scatter at 4.5 and 7.7 GHz 4—38350
rain, bistatic scatter at 4.5 to 7.7 GHz 4—34432
rain, cross-polarisation at 4 GHz 4—34435
rain, depolarisation meas. at 18 GHz 4—29567
rain, effective cell diameter determ. 4—34550
rain, interrelation with space communication link design 4—7752
rain, reflectivity at 9.6 GHz 4—7682
rain attenuation, radiometer experiments 4—34552
rain attenuation at 11 GHz, in Portugal 4—7750
rain attenuation at 20 GHz 4—34433
rain attenuation at 4 GHz over 42 km path 4—42111
rain attenuation effect 4—29644
rain attenuation meas. 4—34551
rain depolarisation at 17.65 GHz 4—34434
rain drop-size distributions 4—34431
rain induced differential attenuation and phase shift at microwave frequencies 4—17701
reflection from water surface and energy spectrum of ocean waves *(Russian)* 4—14233
refractivity of air over Gauhati 4—17743
Rician fading rel. to scintillation index 4—42153
Saturn's rings, radar cross section and transparent particle scattering 4—34684
sea path, in range 60 to 5000 MHz 4—7746
selective fading and propagation in ionosphere 4—17798
short wave, distribution of signal amplitudes passing through zone of increased absorption at high latitude 4—25756
signal amplitude, phase and phase difference variations rel. to ionos. irregularities *(Russian)* 4—25761
soil conductivity mapping methods *(Spanish)* 4—34505
soil moisture meas. by v.h.f. radio wave attenuation 4—14215
solar flare influences, interrelationship between phase velocity of VLF and earth's angular velocity of rotation 4—25564
sporadic E-layer, temporal variations as random process 4—1964
sporadic E-layer pulsed VHF sounding on 1620 km link 4—1965
spread-F occurrence rates, variation, near-equatorial stations in Australasian zone 4—42159
statistically inhomogeneous space plasma, polarization transport *(Russian)* 4—16286
storm cells, precipitation distribution 4—7743
s.w., field strength calc. of ionospheric sky waves *(German)* 4—17804
transequatorial v.h.f. transmissions and solar-related phenomena 4—29665
transient reflection, from stratified conducting medium 4—4560
triggered v.l.f. emissions from morse pulses in magnetospheric whistler mode 4—29689
troposcatter link in equatorial climate 4—7748
troposcatter link in Southeast Asia equatorial region 4—42110
troposcatter path, statistics of high-level beyond horizon signals at 2.2 GHz and 2.6 GHz 4—7749
troposphere, radiowave refractive bending from atmospheric emission obs. 4—17759
troposphere, using high resolution KU-band scatter system 4—34549

radiowave propagation continued
tropospheric radio wave ducting over Timor Sea, importance of tilted layers 4—1914
two electron-stream system, h.f. e.m. wave instability *(Russian)* 4—39777
u.h.f., relationship between refractivity and field intensity *(German)* 4—17763
u.l.f., wave source near 1 Hz band 4—35791
u.l.f. and v.l.f. propagation, magnetospheric applications 4—38497
Venus atmosphere, turbulence effects 4—34697
virtual pulse effect in incoherent scattering 4—35795
v.l.f., reflection coefficient of D-region during sunrise 4—25790
v.l.f. emission growth rates, controlled experiments rel. to theory 4—22067
v.l.f. emissions in magnetosphere, computer simulation 4—38500
v.l.f. hiss and other emissions, incoherent Cherenkov radiation explanation 4—25810
VLF noise propagation in slightly inhomogeneous plasma 4—22069
VLF radiowaves in ionospheric research 4—10988
v.l.f. radiowaves propagating below nighttime ionosphere, modal parameters 4—4568
v.l.f. signals on low latitude transequatorial path, Doppler shifts 4—22072
v.l.f. signals on polar paths, diurnal changes associated with auroral oval influence 4—25757
v.l.f. transmissions from Siple, Antarctica, obs. with S^3-A and IMP-6 satellites 4—22066
v.l.f. wave injection experiments in magnetosphere 4—22122
v.l.f. wave trajectories in latitude-dependent magnetosphere model 4—34483
v.l.f. whistler mode propagation through weakly ionized magnetoplasma 4—25823
water vapour absorption 4—17760

radium
atom, L subshell fluoresc. yields and Coster-Kronig transition rates 4—36418
dosimetry, alpha particle detection using cellulose nitrate film *(French)* 4—31619
extraction from natural waters using Mn-impregnated acrylic fibres 4—29768
linear source, approx. method for surrounding dose calcs. 4—42623
patient treatment, intracavitary treatment of carcinoma of the uterine cervix, dosimetric problems 4—4870
X-ray spectra and E2 internal conversion coeffs. following ^{230}Th decay 4—2805
RaA, aerosol detection, radiometer 4—11346

radium compounds
No entries

radium emanation *see radon*

radius of curvature measurement *see curvature measurement*

radon
atmosphere, ^{212}Pb vertical mixing, diffusion model 4—4521
atmospheric concentration of Rn progeny meas. using spectrometry technique 4—31602
dosimetry, using cellulose nitrate film detector *(French)* 4—31619
excess profiles in Pacific bottom water 4—29539
lunar ^{222}Rn emission, orbiting Apollo Alpha Particle Spectrometer obs. 4—38703
X-ray spectra and E2 internal conversion coeffs. following ^{226}Ra decay 4—2805

radon compounds
No entries

rail traffic
see also railways; traffic control
level crossing road-clear signalling and barrier telecontrol with laser beam *(German)* 4—23411

railroads *see railways*

railways
see also signalling; traction
demonstration of levitation, 4.2K superconducting magnet simulation of magnetically supported trains 4—11427
electric railway cables, variations in geomagnetic field Z component 4—14064
noise profile prediction 4—39126

rain
aerosol scavenging, falling droplets, particle size effect 4—29610
areal precipitation on E. slopes of Rocky Mountains 4—42103
areal rainfall calc. objective computer based method 4—4457
arid zones of Rajasthan, mathematical distrib. of rainfall after monsoon onset 4—1869
South Asian summer monsoon, satellite obs. 4—42126
atmospheric tides, solar and lunar, in rainfall, Poona 4—17742
attenuation at 4 GHz over 42 km path 4—42111
attenuation at 7.9 and 33.9 GHz 4—38351
attenuation effect on satellite communication 4—29644
attenuation of millimetre wave signals from ATS-F COMSAT 4—17702
Black Hills flood, 1972, precipitation mechanisms 4—1832
cell diameter determ., rel. to radiowave attenuation 4—34550
cloud seeding with ice crystals, numerical study 4—4433
convective rainfall meas., optimization 4—25869
cumulus precipitation history, mathematical-physical model 4—29592
cyclones and depressions, Bay of Bengal, Arabian Sea, 1971, associated rainfall 4—17739
daily areal rainfall over England and Wales rel. to synoptic patterns 4—29620
daily rainfall process, stochastic modelling 4—25666
deep moist convection, humidity-wind shear comparison 4—4434
depolarisation at 17.65 GHz 4—34434
diurnal characteristics in central USA, preparation for forecast study 4—34337
drop erosion in supersonic flight *(German)* 4—20047
drop size distribution from break up of large drops under turbulence 4—29611
drop-size distribution effect on radiowave propagation 4—34431
droplet spectra, scavenging, numerical model of warm cumulus convection 4—4435

rain continued
dynamic processes and microstructure determ. by vertical radar sounding *(Russian)* 4−42222
electric charge in raindrops from warm clouds, numerical simulation 4−17725
electric charge on cloud droplets, drizzle and raindrops 4−42118
electrical conditions of precipitation near thundercloud bases 4−17726
electromagnetic wave scattering, attenuation meas., aerial-noise temp. observations, radiometer, millimetre waveband 4−39175
e.m. attenuation, depolarisation meas. at 18 GHz 4−29567
e.m. wave attenuation, radiometer experiments 4−34552
e.m. wave attenuation at 11 GHz in Portugal 4−7750
evaporation of water rel. to water balance in two French watersheds 4−25671
extreme rainfall events, probability analysis 4−14115
fading, reflectivity at 9.6 GHz 4−7682
fading and cross-polarisation at 4 GHz 4−34435
fluctuations associated with monsoon conditions, India 4−17757
hailstorm associated, analysis and correlation with storm track 4−34394
heat wave India 1966, rainfall distribution and wind circulation 4−1871
horizontal extent of rainfall, stochastic modelling 4−25667
hourly precipitation maps, N.Y. vicinity, 20-21 June 1972, growth of heavy rainfall 4−34333
Hurricane Agnes, 1972, June 18-26, associated rainfall 4−25664
hydrologic series extrapolation using data generation rainfall meas. *(Italian)* 4−34423
in-cloud scavenging of airborne pollutants 4−34391
Indian frequency distribution, annual and monsoon, statistical analysis 4−14119
Lake Kariba Region, increase after formation in 1959/60 4−21997
large water drop behaviour in wind shear 4−1896
mesoscale convective rainband prediction in extratropical cyclone 4−38316
mesoscale forecast of rainfall assoc. with Hurricane Agnes 4−38317
microwave propagation at 4.5 and 7.7 GHz 4−38350
monsoon, synoptic situations of weak and strong activity in India 4−1876
monsoon depressions, cloud distribution from satellite photographs 4−1870
multispectral view of Gulf of Mexico from Nimbus 5 4−10889
North Pacific Ocean weather stations, rainfall amounts and isohyetal patterns 4−10921
nucleation in maritime warm cumulus, numerical simulation with one dimensional cylindrical cloud model 4−1893
Palmer index values, drought incidence, Andhra Pradesh, Tamil Nadu, Mysore 4−14120
Philippine floods (July 1972) 4−4523
production rates, increase in electrified clouds 4−14163
pulses in warm sector, divergence of isallobaric wind 4−38380
quantitative analysis of rainfall characteristics 4−25670
radiowave attenuation, scintillation and scattering at 15 GHz 4−7744
radiowave attenuation at 20 GHz 4−34433
radiowave attenuation meas. 4−34551
radiowave differential attenuation and phase shift at microwave frequencies 4−17701
radiowave propagation, atmospheric crosspolarisation, cancellation techniques 4−10893
radiowave propagation effects, interrelation with space commumication link design 4−7752
radiowave scattering at 4.5 to 7.7 GHz 4−34432
raindrop spectra measurement, use of Al foil impactor 4−7833
rainfall estimation methods, satellite visible, i.r. images 4−7821
rainfall measurement, instruments *(French)* 4−17852
rainfall pattern orientation for large storms in eastern US, climatology 4−25662
rainfall statistics, Oklahoma, neighbourhood gradient analysis examination of variance 4−34387
rainshaft, influence of evaporation and drop interaction 4−14155
river flood prediction in hydrological forecasting 4−4458
satellite observation estimation, cloud height/brightness correlation 4−7715
severe rainstorm, model for low-level jet form. 4−4419
severe weather enhancement by St. Louis urban-industrial complex 4−1841
size distribution of drops, measurements at Hohenpeissenberg *(German)* 4−14136
slope aspect influence on precipitation receipt in Caydell, N.Yorks 4−21996
solar activity areas index for finding correlation between activity and annual precipitation 4−17764
statistical analysis of storm rainfall structure using raingauge network 4−25659
storm, Kufra, Libyan desert, August 1952 meteorological situation 4−38383
storm rainfall, statistical characteristics of var. 4−25658
storm rainfall events, simulation on stochastic model 4−25669
storm rainfall patterns in Detroit rel. to urban water resources 4−25660
storm rainfall patterns in S. Great Plains 4−25663
storm rainfall patterns rel. to operational hydrologic forecasting 4−25657
surface run-off of rainfall, hydrological aspect 4−4517
thunderstorm, continuity eqn., radar estimate of latent heat release time var. 4−1831
thunderstorm moisture budget and wind fields over urban area of Midwest 4−1842
thunderstorm precipitation obs., mass budget anal. 4−1830
thunderstorm rainfall model for Southwest of USA 4−25668
thunderstorms, dynamics and precipitation, inflow-updraught structure 4−4414
time-space patterns of rainfall in convective storms 4−25661
tropical mesoscale rain area structure, characteristics during Venezuela rainy season 4−14157
two-hour falls in British Isles, facts and figures about 50 largest this century 4−38384
unsaturated downdraught, thermodynamic eqn. modification for varying raindrop sizes 4−1877

rain continued
washing-out of atmospheric fine aerosol particles *(Russian)* 4−21952
western North America, statistical anal. on historical data of hot rainy season 4−1917
PbI_2 seeding, artificial rainmaking *(German)* 4−10892

rainfall *see rain*

Raman lasers
electronic spin-flip laser, power outputs 4−23346
naphthalene, second harmonic generation 4−15366
spin-flip, new developments, appls. 4−23352
transverse pumping, constraints on geometry 4−23348
tunable light generation, state-of-the-art 4−315
InSb, c.w., spin-flip, operation with pump-depletion and spin-saturation 4−26990
InSb, permanent-magnet, spin-flip, field gradient for freq. tuning 4−307
InSb, spin-flip, optical mixing and stimulated Raman scatt. 4−23344
InSb spin-flip Raman laser, mag. field behaviour interpretation from magnetoabsorpt. expts. 4−25110

Raman spectra
see also molecular rotation; molecular vibration; Raman spectra of inorganic substances; Raman spectra of organic substances
absorbing media, induced scatt., fluctuation theory, cryst. and liq. 4−10416
antiferromagnetic magnon pairs, divergence of Raman light scatt. tensor, s-d model 4−33390
atmospheric molecular constituents, remote meas. by laser-Raman radar 4−38547
atom, two-level, scattering of circular and linearly polarised light *(Russian)* 4−12473
automatic system for complex data treatment *(Russian)* 4−19802
Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6464
Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6465
charged particle moving in weak scatt. medium, energy loss by Raman scatt. 4−40343
clathrates, book 4−6887
coherent Raman propag. effect, theoretical anal. 4−31073
concave holographic grating applic. *(French)* 4−47
cross section correction of samples, laboratory to remote spectrometer geometries 4−2282
crystalline powders, comparison with single cryst. spectra *(German)* 4−6881
cubic crystal, T_d and O_h classes, localized centres, symmetry of Raman scatt. 4−20991
data aquisition, fluoresc. background interf. minimisation using dye laser 4−23028
Davydov splitting, hyper-Raman scatt. for obs. 4−10417
depolarization ratio, automatic scanning system 4−18452
electronic level spectra of atoms, molecules, crystals, quantum treatment review 4−33425
gases, recording apparatus, in laser resonator 4−8365
high-speed recording system for gases and liquids 4−5062
intensity, generalisation to resonance, harmonic oscill. approx. 4−27665
intracavity molecular scattering technique, laser modification 4−11498
ionic and covalent crystals, i.r. and Raman studies in vibr. spectra of impurities, book 4−3994
i.r. permittivity derivation, TO, LO phonons 4−13459
jets, turbulent mixing, Raman spectroscopy meas. 4−3303
laser application, gases, liquids, solids, plasmas 4−22863
laser excited resonance, small mols. and ions in gas, liq. or solid 4−40263
laser spectroscopy, spontaneous Raman scattering, review 4−16086
liquid, symmetric top mol., angular velocity autocorrelation function, molecular dynamics 4−20197
liquid crystals, obs. of nematic ordering 4−24395
liquids, low temp. cell design, operation 4−39228
lower symmetry phase of crystals, Raman activity of soft modes 4−20400
master equation approach, two photon emission and absorpt. 4−31071
matrix isolated molecules in static crystal fields 4−20234
matrix isolation laser Raman spectroscopy 4−2289
molecular density monitoring, engineering test appl. 4−11463
molecular trapped species, vibr. spectra 4−3156
molecule, inverse Raman absorption spectrum, prod. using colinear lasers 4−3162
molecule, Raman overtone band, polarizability tensor calc. 4−36529
molecules in solution, mol. dynamics, intermol. forces, band shapes, review 4−37594
multiple-pass focused cell, with ellipsoidal mirror, for Raman scattering 4−30440
non-monochromatic field, saturation effects, resonant absorption 4−39769
order-disorder transitions, lattice dynamics model 4−24545
parametric instability, to explain stimulated Raman and Brillouin scatt. anomalies 4−27013
picosecond pulse application, transient scatt. 4−23397
plasma, anti-Stokes scatt., X-ray emission spectrum effect 4−27986
plasma, density gradient effect, rel. to heating 4−40652
plasma, laser phase modulation effect, harmonics, model 4−27930
polar optical phonons, Raman scatt. in anisotropic cryst. investig. 4−17070
polarised scattering from gases, liquids and solids, general notation 4−6872
polaritons, Raman scatt. anisotropic cryst. investig. 4−17070
polyatomic molecule, analytical expression for scatt. tensor *(French)* 4−16069
population inversion and i.r. signal amplification on excited mol. vib. levels rel. to unsteady induced Raman state 4−8851
remote detection techniques, review 4−18261
resonance effect, theory 4−16097
resonance spectroscopy, circulating sample cell for temp. control 4−18455
resonance spectroscopy 4−17082

Raman spectra continued
- resonance spontaneous spectra, correction factor for effective and average radiation fields 4–13435
- resonant, correl. of excitation-light freq. with excited electronic level and vibr. components *(Russian)* 4–12574
- resonant spontaneous Raman scatt., selection rules for line intensity and polarisation 4–10407
- semiconductor, crossed elec. and mag. fields, ionic Landau levels, calc. 4–33422
- semiconductors, ellipsoidal electron energy surface 4–13457
- semimicro rotating sampling technique 4–18454
- solid, scattering from electronic excitations 4–3961
- solids, new techniques, apparatus, appls. 4–22864
- spectrometer, laser, polarisation Raman scattering spectra, construction 4–5054
- spectrometers, low noise instrumentation, ruby and Ar laser excitation 4–5059
- Stark modulation effect, spectra prediction 4–27019
- stimulated polariton scattering anal. using fluctuation dissipative approach *(Russian)* 4–35902
- stratospheric N, performance of Mark II laser radar system 4–34546
- surface scanning technique for resonance Raman spectroscopy of single crystals 4–17084
- temperature influence on reson. Raman scatt. intensities *(French)* 4–16084
- temperature sensing, engineering test appl. 4–11463
- Uranus, u.v spectrum, detection of Raman effect 4–2076
- vibrational structure, resonance Raman spectra 4–3138
- I_2 molecules dissolved in chloroform, Raman intensity dispersion, visible absorpt. 4–28826
- Nd^{3+}:$POCl_3$, liquid laser, nonlinear effects 4–15399

Raman spectra of inorganic substances
- acid salts, cryst. phase, temp. depend. of stimulated Raman scatt. thresholds 4–23380
- actinide metal-biscyclooctatetraenyl complex, vibr. assignments 4–40278
- alkali metal-NH_3 solns. 4–10403
- alkali-silicate glasses, theory of vibr. spectra 4–33389
- apatite single crystal, vib. freq. assignment 4–6883
- β-B, investigation of phonon spectrum in beta rhombohedral crystals 4–1389
- benzene-toluene mixtures, effect of self-focusing on inverse Raman scattering *(German)* 4–39767
- electrolyte solutions, vibr. spectra, elec. and mag. field effects 4–21555
- gaseous molecules, using pulsed N_2 gas laser *(Japanese)* 4–30662
- glass, alkali silicate, lattice vibr., order determ. 4–6875
- glass fibres, study of molecular orientation 4–9854
- ice-Ih, laser Raman spectrum of translational lattice vibrs. 4–33428
- molecular vibrational frequencies 4–24086
- olivine, vibr. spectra, ortho-phosphates, arsenates and vanadates 4–28843
- paramagnetic phase of Heisenberg antiferromag., spin pair Raman scatt., Green function anal. 4–13454
- quartz, ionic Raman scattering and ionic frequency mixing 4–28828
- scattering by polaritons due to spatial dispersion, theory 4–28830
- seawater, remote temp. mapping, laboratory expt. 4–11052
- tetrahedral molecules, $\nu_2(E)$ and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4–24077
- transition metal(III)acidopentammine, vibr. spectra anal. of metal-ligand bond 4–13446
- transition metal-biscyclooctatetraenyl complex vibr. assignments 4–40278
- transuranium ions, polarised vibr. obs., force consts., struct. 4–40264
- uranyl ions, polarised vibr. obs., force consts., struct. 4–40264
- water in dimethyl sulphoxide, rel. to structure of liquid water 4–6322
- water-dimethyl sulfoxide mixture, Raman spectra and hydrogen bonding 4–6890
- $[Ni(NH_3)_6]^{2+}$, isotopic substitution, pseudo-exact force consts. 4–27682
- $[Zn(CN)_4]^{2-}$, isotopic substitution, pseudo-exact force consts. 4–27682
- $[Zn(NH_3)_4]^{2+}$, isotopic substitution, pseudo-exact force consts. 4–27682
- Ag_3AsS_3, Raman and far i.r. spectral investig. rel. to cryst. struct. 4–20979
- Ag_3SbS_3, Raman and far i.r. spectral investig. rel. to cryst. struct. 4–20979
- AlH_4^-, salts in solid state and ether solutions 4–12569
- α-Al_2O_3:$Ti^{3+}(V^{4+})$, highly diluted, electronic Raman transitions obs. 4–25111
- As, resonance scattering meas. determ. of electron-phonon interaction constants 4–1388
- Au(I)halide complex with tris(p-fluorophenyl) phosphine, vibr. spectra assignments 4–40284
- Au(1) complex, triphenylphosphine (arsine) vibr. spectra 4–28836
- BH_4^-, solvent and cation dependence 4–12568
- B_2H_6 and B_2D_6, ring puckering obs. 4–24076
- $B(SH_3)$, struct., valence force field determ. *(French)* 4–31846
- $BX(SH_2)$, X=Br, I, struct., valence force field determ. *(French)* 4–31846
- $BaBr_2$, grown from melt, struct. characterisation 4–37753
- $BaMnF_4$, soft-zone boundary phonons and antiferrodistortive phase transition 4–17073
- $BaNaPO_4.9H_2O$, crystal and spectroscopic data 4–32501
- BaO, with NaCl struct., second-order Raman spectra, comparison with CaO, SrO 4–37609
- $BaS_2O_3.H_2O$, i.r. and Raman spectra, effect of water of crystallization, and other thiosulphates *(French)* 4–28799
- $BaZnF_4$, ferroelec. single cryst., active optical phonon obs. 4–37607
- Bi, investigation of k-0 phonons by Raman scattering 4–3967
- Bi, resonance scattering meas. determ. of electron-phonon interaction constants 4–1388
- $BiBr_3$, gaseous, pyramidal struct., fluoresc. suppression 4–12562
- BiI_3 resonant Raman scatt. meas. at low temp. 4–28858
- BiOCl, single cryst., vibr. mode analysis 4–13452
- BiS(Se)I normal mode functions, interpretation of Raman spectra 4–33417

Raman spectra of inorganic substances continued
- $(CH_3)_3PBH_3$ and $(CH_3)_3PBD_3$, solid addition compounds 4–3141
- CO collisional excitation by H_2 from pressure-broadened CO rotational Raman lines 4–6122
- CO_2, stimulated Raman spectrum, by excitation in resonator using ruby laser *(Russian)* 4–27706
- CO_2 gas, vibr. Raman scatt. temp. meas. 4–3150
- CS_2, gaseous and liquid, rotational wings of Raman bands 4–24079
- CaO, second order Raman scatt., shell model 4–20986
- CaO, with NaCl struct., second-order Raman spectra, comparison with SrO, BaO 4–37609
- CaO:Cu^{2+}, Raman spectra, Jahn-Teller effect on vibr. levels 4–41368
- Cd, investigation of k=0 phonons by Raman scattering 4–3967
- CdF_2, and optical constants 4–17071
- CdP_2, 30-500 cm^{-1}, room temp., band assignment 4–37618
- CdS, excitonic scatt. cross section calc., scatt. efficiency estimation 4–17069
- $CdS_{1-x}Se_x$, wavelength and conc. depend. 4–10429
- CeO_2-ThO_2, Raman linewidths, entropy of mixing anal. 4–33398
- Cl_2O, ClClO and ClO free radical in Ar matrices 4–16093
- $Cl_3SiOSiF_3$, Si-O-Si stretching modes 4–40275
- cO_2, density depend. of Fermi reson. 4–12567
- CoO, low-lying mag. excitations, Raman meas. of temp. depend. 4–13319
- CoO, mag. excitations, temp. depend. meas. 4–20793
- $CoSe_2$, optical phonon spectrum, Raman scatt. obs. 4–1395
- CrO_4^{2-}, isotopic substitution, ionic force consts. *(German)* 4–27681
- CsF, phonon dispersion relns. and two-phonon Raman spectra calc. 4–28829
- Cs_2MoO_4-MoO_3, phase diagram, thermal, spectral and X-ray diffraction obs. 4–28185
- $CsNO_3$, crystal struct. determ. 4–28814
- $CuAlS_2$, optical phonons investigation at 300 K 4–13453
- CuBr, first and second order Raman scatt. obs. 4–28831
- CuCl(Br)(I), reson. Raman spectra 4–17061
- CuI, first and second order Raman scatt. obs. 4–28831
- CuI, Raman linewidth and shift meas., three-phonon interaction calcs., temp. depend. 4–25103
- Cu_2O, multiple resonance at yellow exciton peaks 4–28827
- Cu_2O, multipole-dipole resonance scattering by phonons 4–1394
- Cu_2O, optical and dielec. props., lattice vibr., nonstoichiometry 4–25096
- Cu_2O, reson. Raman enhancement of forbidden phonon, theory 4–37612
- Cu_2O, yellow exciton series, excitonic scatt. cross section calc., scatt. efficiency estimation 4–17069
- $CuSe_3$, optical phonon spectrum, Raman scatt. obs. 4–1395
- D_2 dissolved in inert liq., Raman bandshapes 4–25080
- D_2O_2, cryst., i.r. and Raman spectra, O-H stretching band 4–28845
- EuO magnetic semiconductor, line intensity meas. at 300 K *(German)* 4–25083
- EuO:Gd magnetic semiconductor, line intensity meas. at 300 K *(German)* 4–25083
- EuS, ferromag., first order Raman effect due to local defect modes 4–13456
- EuS magnetic semiconductor, line intensity meas. at 300 K *(German)* 4–25083
- EuSe magnetic semiconductor, line intensity meas. at 300 K *(German)* 4–25083
- F_2, rotational and rotation-vibrational spectra, molecular constants *(German)* 4–3155
- F_2, vibr. spectra 4–28813
- α-F_2 cryst. struct. *(French)* 4–40767
- F_3PBH_3, solid, vib. spectra 4–28824
- $Fe(ClO_4)_3.9H_2O$, presence of $Fe(H_2O)_6^{3+}$ ions, bonds 4–25091
- $Fe(NO_3)_3.9H_2O$, presence of $Fe(H_2O)_6^{3+}$ ions, bonds 4–25091
- GaAs, electron conc. determ. 4–22864
- GaAs, reson. scatt., cross-sections, correlation between cross section struct. and Van Hove critical points 4–13444
- $Ga_2Cl_nBr_{6-n}^{2-}$, $Ga_2Cl_nI_{6-n}^{2-}$, $Ga_2Br_nI_{6-n}^{2-}$ (n=1–5), i.r. and Raman spectra, vibr. assignment 4–40271
- GaH_4^-, salts in solid state and ether solutions 4–12569
- n-GaP, one-phonon spectra, effect of uniaxial stress and doping 4–17068
- GaP, reson. Raman scatt. at spin-orbit split $E_0+\Delta_0$ gap 4–13455
- GaP, resonant first and second-order Raman scatt. obs. 4–20993
- GaS, layer compound, splitting and coupling of lattice modes obs. 4–28833
- GaS, vibration frequencies of optic phonons 4–41382
- GaS(Se), long-wavelength lattice vibrations 4–3972
- GaS_xSe_{1-x}, vibr. modes obs. 4–41380
- GaSb, resonant scattering at E_1-$E_1+\Delta_1$ region, orientation dependence 4–1387
- GaSe, layer compound, splitting and coupling of lattice modes obs. 4–28833
- GaSe, vibration frequencies of optic phonons 4–41382
- $GaSe_xS_{1-x}$, layer compound, splitting and coupling of lattice modes obs. 4–28833
- $GdCl_3$, optical props., cryst. struct., lattice dynamics 4–25095
- $Gd_2(MoO_4)_3$, ferroelec. transition, lattice dynamics of rigid-ion model 4–24544
- $Gd_2(MoO_4)_3$, phonon softening in ferroelectric transition 4–20994
- Ge, amorphous, comparison with low-temp. heat capacity meas. 4–28220
- Ge-S(Se) glasses, struct. interpret. 4–17056
- H_2, ground state, vibr., rot. levels, expt. test of quantum theory 4–24066
- H_2, high resolution, $Q_{01}(1)$ vibr.-rot. reson., stimulated scatt. 4–24097
- H_2 dissolved in inert liq., Raman bandshapes 4–25080
- H_2^+, nonresonant Raman effect, vibrational corrections, polarisability tensor matrix elements calc. 4–6070
- HCl, mol. motion in liq. and solid, detailed Raman lineshape calcs. 4–25100
- HCl-H_2O system, effect of H_3O^+ ions on spectra 4–38171
- HDO_2, cryst., i.r. and Raman spectra, O-H stretching band 4–28845
- HF dissolved in inert liq., Raman bandshapes 4–25080
- H_2O_2, cryst., i.r. and Raman spectra, O-H stretching band 4–28845

Raman spectra of inorganic substances continued
H_2O_2, D_2O_2, vapour state obs. 4−16096
$H_2O_2.2H_2O$, and deuterated analogue, vibr. spectra and cryst. struct. 4−33427
$H_2PO_4^-$, $D_2PO_4^-$ ions in aqueous soln., influence of proton dynamics 4−17076
HSO_4^-, dissociation in aq. media, high pressure Raman spectra 4−40272
^4He liquid, roton pairs, depolarisation ratios, intensity meas. 4−3602
Hg 6^3P_0 metastable state, stimulated Raman scattering with anti-Stokes emission 4−36422
$HgBr_2$, vapour phase, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4−19837
$HgBr_2$-HgI_2 mixed crystals, long wavelength optical phonon behaviour 4−33404
$HgCl_2$, vapour phase, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4−19837
HgI_2, vapour phase, $\nu_1(\Sigma_g{}^+)$ band contours and Hg-halogen bond polarisability derivatives 4−19837
I_2, depolarization factor of fundamental band during cont. transition of resonance fluorescence to reson. Raman effect *(French)* 4−27666
I_2, depolarization molecule, vapour, resonant light scattering, depolarization ratios 4−6052
I_2, resonance fluorescence, scatt. lifetime 4−19840
I_2, resonance Raman scatt. below dissociation limit, comment 4−31853
InAs, reson. Raman scatt. near E_1-gap, 2.40 to 2.73 eV 4−10433
InAs, reson. scatt., cross-sections, correlation between cross-section struct. and Van Hove critical points 4−13444
InSb, reson. scatt., cross-setions, correlation between cross section struct. and Van Hove critical points 4−13444
InSb, resonant scattering at E_1-$E_1+\Delta_1$ region, orientation dependence 4−1387
K $AlO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Al_2O(OH)_6]^{2-}$ *(French)* 4−25090
K $GaO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Ga_2O(OH)_6]^{2-}$ *(French)* 4−25090
KBr, second order two-phonon scatt., temp. depend. 4−28832
KCl, second order two-phonon scatt., temp. depend. 4−28832
$KCl:Pb^{2+}$, first order Raman spectrum, intense peak obs. *(French)* 4−33395
KD_2PO_4, deuterated, resonant interference obs. 4−41369
$K_4Fe(CN)_6.3H_2O$, ferroelec. cryst., dynamics of H_2O mols. 4−10421
KHF_2, polarisability tensor depend. 4−28818
KI, second order two-phonon scatt., temp. depend. 4−28832
$K_{5.9}Li_{3.8}Nb_{10}O_{30}$, relationship between Raman, struct., dielec. meas. 4−33414
$KNbO_3$, orthorhombic, abnormal spectrum, rel. to cubic phase *(French)* 4−3959
K_2NiF_4, Raman scatt. from two-magnon modes 4−41379
KPF_6, vibr. spectra anal. of high pressure polymorphism 4−10425
$K_2Zn(CN)_4$, (Cd, Hg), lattice vibrs. and interatomic force consts. 4−25107
Kh_2PO_4, polarised radiation obs. 4−13461
LiCl, two phonon interpretation, critical point analysis 4−6882
LiH(D), two-phonon Raman spectra, expt. and calc. 4−33406
$LiIO_3$, monocrystals, spontaneous Raman spectrum, Fermi resonance of polaritons *(German)* 4−25081
$LiIO_3$, polariton Fermi reson. obs. 4−10406
$LiMgVO_4$, non-olivine struct., X-ray diffr. and vibr. spectra obs. 4−24427
$Li_2SO_4.H_2O$, l.f. acoustic vibrs. of H_2O mols. 4−3531
Mg, investigation of $k=0$ phonons by Raman scattering 4−3967
MoO_4^{2-}, isotopic substitution, ionic force consts. *(German)* 4−27681
MoS_4^{2-} in aqueous soln., reson. Raman spectra and quantum yields 4−3137
N_2, gas, rot. spectrum 4−8365
α- and γ-N_2, solid, high pressure effects 4−20984
γ-N_2, solid, lattice and stretching region obs. 4−28817
N_2 dissolved in inert liq., Raman bandshapes 4−25080
N_2 gas, Raman cross-sections for 1→3 rot. and Q-branch vibr. transitions 4−24078
N_2 in flame, vibr. Raman scatt. temp. meas. 4−3150
NH_3, liq., Fermi resonance, hydrogen bonding, mol. reorientation 4−25087
NH_3, liquid and solutions, study of liquid structure 4−20985
$NH_4Br(I)$, disordered mol. cryst., mode Gruneisen parameters, Raman spectra under hydrostatic pressure 4−36988
NH_4Cl small crystals, temp. dependence of i.r. absorption and Raman scattering 4−1391
NH_4ClO_4, single crystal polarised spectra 4−10435
$NH_4H_2PO_4$, polarised radiation obs. 4−13461
$N_2H_4.2BH_3$, vibrational spectra and struct. 4−6065
NO_2, vibr. spectra in Ar isolation matrix, reson. Raman and N_2O_4 dimer effects 4−40281
$NOGaCl_4$, crystal struct., 500 to 80 K obs. *(French)* 4−32496
$NaBrO_3$, internal vibrs., i.r. permittivity derivation 4−13459
NaCl, scattering by polaritons due to spatial dispersion, theory 4−28830
$NaGa(NH_2)_4$, single cryst., 4000-150 cm^{-1}, cryst. struct. *(French)* 4−20989
$Na(H_{1-x}D_x)_3(SeO_3)_s$, solid phase transitions, order-disorder 4−13421
$NaHF_2$, polarisability tensor depend. 4−28818
$NaNO_2$, order-disorder transform., lattice dynamics model 4−24545
NaO_2, single crystal, mol. and lattice modes *(German)* 4−1393
Na_2O-Al_2O_3-SiO_2 glass, vibr. spectra, comp. depend. 4−6874
NaOBr dismutation species obs. *(French)* 4−17500
$Na_2O.xB_2O_3$ glasses, obs. of phase transformations 4−17057
Ni complex, $(CH_3OCS_2)_2Ni$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105
Ni complexes, $Ni(N_2)m(CO)_{4-m}$, where $m=1$-3, formed in co-condensation at 4.2-10°K 4−3136
Ni(II) complex, β-mercaptoethylene, vibr. spectra 4−28835
Ni(0) complex, triphenylphosphine (arsine) vibr. spectra 4−28836
O_2, vibration-rotation Raman spectrum, 4880 Å laser excited 4−3163
Os(II) complex, pentammine carbonyls (nitrogenyls), vibr. spectra 4−28838

Raman spectra of inorganic substances continued
PBr_3, 77-400K, modification I and II obs. 4−10415
PF_5, gas phase, Raman band contour of $\nu_7(E')$ fundamental 4−803
PH_3, liq., mol. motion 4−33397
$PbCl_2$, gaseous, bent struct., fluoresc. suppression 4−12562
$PbCl_2$-KCl system, fused state 4−33399
PbFX(X=Cl, Br, I) powder samples *(French)* 4−13447
$PbZrO_3$ powder and multidomain single cryst., laser-induced Raman spectra 4−13430
Pd complex, $(CH_3OCS_2)_2Pd$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105
Pd(II) complex, β-mercaptoethylene, vibr. spectra 4−28835
Pd(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4−20997
Pt complex, $(CH_3OCS_2)_2Pt$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4−25105
Pt(II) complex, β-mercaptoethylene, vibr. spectra 4−28835
Pt(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4−20997
RbBr, second order two-phonon scatt., temp. depend. 4−28832
RbCl, F-centre induced mechanism, meas., calc. 4−33403
$RbClO_3$, Stokes scattering from tuneable hot phonons and polaritons 4−10432
$Rb(D_xH_{1-x})_2PO_4$ crystals, influence of proton dynamics 4−17076
$RbFeF_3$, electronic Raman spectrum 4−6879
RbH_2PO_4, temp. and press. effects, rel. to ferroelec. transition 4−25066
RbI, second order two-phonon scatt., temp. depend. 4−28832
$RbMnF_3$, antiferromag., spin pair Raman scatt. in paramag. phase, Green's function anal. 4−13454
$RbNO_3$, crystal struct. determ. 4−28814
RbU, second order two-phonon scatt., temp. depend. 4−28832
$Re^{18}O_4^{2-}$, ionic force consts. *(German)* 4−27681
Ru(II) complex, pentammine carbonyls (nitrogenyls), vibr. spectra 4−28838
S, rhombic, dissolved in primary amines 4−3964
SF_4, force field, vibrational amplitude calcs., i.r. and Raman spectra vibr. assignment 4−36494
SF_6, forbidden Raman bands, collision induced Raman scatt. 4−31840
SF_6, gas and liq., depolarisation ratio of ν_1 vibr. band 4−24089
SF_6 mixtures with O_2 and N_2, absorpt. intensity of simulteneous vibr. transitions 4−24071
SI, two-phonon overtone states, crit. point anal. 4−33402
SO_2F_2, crystalline symmetry obs. 4−10436
Sb, resonance scattering meas. determ. of electron-phonon interaction constants 4−1388
$SbCl_3$ complex, aqueous, conc. and depolarisation effects *(Russian)* 4−40290
SbSBr, SbSI and solid solutions, phonons and ferroelectric phase transitions 4−25104
SbSI(Br) normal mode functions, interpretation of Raman spectra 4−33417
SbSeI, optical phonon anal. 4−33417
Si, wurtzite, polycryst., relevance for diamond cubic and amorphous microcryst. models 4−33418
Si-Ge alloys, disordered, optical phonons, spectral density function 4−36987
$SiCl_4$, liquid, gas phase, isotope structure, intermolecular interaction 4−12582
Si_2Cl_6O, vibr. assignments and mol. struct. 4−40280
$(SiH_3)_2NH$, Raman and i.r. spectra, vibrational assignments, mol. struct. 4−6062
$^{28}SiD_4$, i.r. and laser Raman spectra, rovibrational constants 4−27672
$^{28}SiH_4$, i.r. and laser Raman spectra, rovibrational constants 4−27672
$Sn(NO_3)_4$, $SiCl_4$ soln., new bands, force constant calc. 4−25106
$Sr_xBa_{1-x}Nb_2O_6$, temp. depend., polarized, 5-850 cm^{-1} 4−28810
$SrNaPO_4.9H_2O$, crystal and spectroscopic data 4−32501
SrO, with NaCl struct., second-order Raman spectra, comparison with CaO, BaO 4−37609
$Tb_xGd_{1-x}VO_4$, cooperative Jahn-Teller struct. transform., Raman and birefr. meas. 4−37010
Th(IV) complex, phosphine oxide perchlorate, vibr. anal. 4−33401
$Ti(No_3)_4$, $SiCl_4$ soln., new bands, force constant calc. 4−25106
$TlCoF_3$, antiferromag., temp. depend. light scatt. from mag. excitons 4−10428
UF_6, vibrational spectra, force fields determ. 4−6073
U(IV) complex, dioxouranium phosphine oxide perchlorate, vibr. anal. 4−33401
U(IV) complex, phosphine oxide perchlorate, vibr. anal. 4−33401
$V_{1-x}Ti_xO_2$, Raman scatt. and cond. props., rel. to metal-insulator transition 4−20656
WF_6, vibrational spectra, force fields determ. 4−6073
$WOCl_4$, solid, melt, gas and $SOCl_2$ solution, mol. existence *(German)* 4−28837
$YAlO_3:Nd^{3+}$, Stokes and anti-Stokes ranges, phonon scatt. processes 4−37610
Zn, investigation of $k=0$ phonons by Raman scattering 4−3967
ZnO, needles grown from KOH melt, ZnO_2^{2-} ions 4−21201
ZnP_2, 30-500 cm^{-1}, room temp., band assignment 4−37618
α-$Zr(HPO_4)_2$, i.r. and Raman spectra, lattice water interaction 4−21002
ZrO_2, struct. anal. 4−21003

Raman spectra of organic substances
acenaphthylene, and i.r. and electronic spectra 4−797
acenaphthylene, u.v. absorpt., and Raman, i.r. and electronic spectra 4−797
acetaldehyde and acetaldehyde-d_4, far i.r. and Raman spectra 4−10408
acetone, 1720 cm^{-1} Raman line, solvent effects *(German)* 4−27662
acetyl cyanide, force consts. determ. 4−27584
albumin, serum bovine, pseudo-Raman spectrum, water film effects *(French)* 4−31991
n-alkane, crystal struct., energy and vibr. anal. 4−41375
n-alkanes, cryst., h.p. Raman spectrum, Fermi reson. between CH_2 deform. and bending modes 4−28804
alkoxyazoxybenzenes, liquid crysts., struct., stability 4−6336

Raman spectra of organic substances continued
- allyl isocyanate, allyl isothiocyanate, liqs., solids, conformations, vibr. spectra 4−19835
- π-allylic palladium chloride (bromide) and deuterated chloride, and i.r. spectra, isotope effects *(French)* 4−10399
- amine solutions of rhombic S 4−3964
- amino acids, C−H/C−D and N−H/N−D stretching vibrations 4−12578
- amino acids, Raman and i.r. spectra 4−40274
- 1,5-anhydropentitols, vibrational spectra, normal coordinate analysis 4−6076
- anthracene, pressure dependence of lattice frequencies 4−6466
- anthracene, Raman intensity ratios of librational lattice modes, temp. and press. depend. 4−28803
- anthracene, resonance spectra of CCl_4- and CS_2 solutions 4−16098
- anthracene negative ions in tetrahydrofuran soln., freq. shifts, reson. Raman effect, ring vibrs. 4−799
- aromatic molecular ion, resonance spontaneous spectra, anal. of electronic struct. *(Russian)* 4−12575
- arsenic acid, alkyl derivatives, Raman and i.r. spectra, AsO bond force constants, vibr. energy distrib. 4−36524
- azobenzene, vibrational spectra, force constants of planar and non-planar coordinates 4−811
- p-azoxyanisole, solid and nematic phases, Raman spectra, vibr. analyses *(French)* 4−37604
- benzene, collinear emission of second order Stokes radiation *(German)* 4−2635
- benzoic acid and derivatives, polycrst., l.f. Raman spectra, interpret. *(Russian)* 4−17080
- benzyl mercaptan, Raman and i.r. spectra, Raman line polarization, vibr. modes 4−40267
- biphenyl crystals, low temp. struct. changes 4−3979
- biphenyl neg. ion in THF soln., freq. shift, intensity enhancement 4−31839
- biphenyl-h_{10}(-d_{10}), low temp. solid, spectroscopic obs. of continuous change in mol. and cryst. struct. 4−20976
- biscyclopropylidene, vibr. spectra, anal. of C=C weak Raman intensity 4−40279
- bovine serum albumin powder, pseudo-Raman behaviour 4−40355
- N-bromoaziridene vibrational spectra, normal vibrations and force constants 4−813
- β-bromonaphthalene, i.r. and Raman spectra, vibr. analysis 4−40269
- cis-2-butene, polycryst., vibr. analysis, potential energy distribution 4−28820
- trans-2-butene-d_0(-d_8), vibr. spectrum, normal coordinate analysis 4−12570
- n-butyl benzoates, i.r. and Raman spectra, vibr. freq. assignment 4−40270
- t-butyl bromide-h_9 and -d_9, vibrational assignment 4−27663
- γ-butyrolactone, ring puckering and twisting modes 4−832
- carbon tetrachloride, molecular reorientation in liq. and plastic phases 4−28806
- carbon tetrachloride, resonance spontaneous spectra, correction factor for effective and average radiation fields 4−13435
- carbon tetrafluoride, depolarisation ratio of ν_1 vibr. band 4−24089
- carbon tetrafluoride, vibr.-rot. band shapes, molecular reorientation 4−19869
- o-carborane, solid, temp. effects of laser Raman spectrum 4−17075
- carotene, structure of excited electronic state 4−6050
- chloranil, single cryst., polarized spectrum 4−13451
- α- chloroacetic acid, vib. spectra and structure 4−28822
- N-chloroaziridene vibrational spectra, normal vibrations and force constants 4−813
- 3-chlorothiotane, liq., vibrations and conformational analysis *(Russian)* 4−16089
- cis-dichloro-cis-bis (dimethyl-sulfoxide)-trans-dimethyltin (IV), single cryst., soln., Sn-C bond polarizabilities 4−13448
- copolymer composition, Raman spectroscopy determ. 4−19942
- copper formate tetrahydrates, hydrogenated and deuterated, l.f. spectra, phase transition effects *(French)* 4−33396
- cyanocobalamin (vitamin B_{12}), dicyanocobalamin and cyanoaquocobinamide, resonance Raman spectra 4−6873
- cyclohexane, pure rotational Raman spectrum, determ. of molecular consts. and structure 4−3164
- cyclopentanone, anharmonic vibr. resonance in C-O stretch band 4−27661
- 2-cyclopenten-1-one, -5 and -5-d_2, i.r. and Raman spectra, vibr. fundamentals, ring-puckering 4−16078
- cyclopropane gas, ν_{11} band contour, spectra recording 4−8365
- cyclopropylcarbinol, 1-cyclopropylethanol, liq., cryst., conformational behaviour, vibr. spectra 4−19832
- cytochrome c, resonant Raman scatt., freq. depend. of depolarization ratio 4−30161
- cytochrome-c, effect of excitation-light freq. on resonance spectra *(Russian)* 4−12574
- 1,4-diazabicyclo[2.2.2]octane-boron(trihalide) complex, vibr. spectral assignments 4−40285
- dibenzofuran, vibrational spectra obs. 4−3966
- 2,3-dibromo-1-propene, liq., conformations, vibr. spectra 4−19836
- 1,4-dibromobutene-2, cis conformer, vibr. conformational analysis, rot. isomers 4−16083
- 1,2-dibromopropane, liq., solid, vibr. freq. assignment 4−19828
- cis-3,4-dichlorocyclobutene, struct. determ. 4−9533
- 2,3-dichloropropene, liq., conformations, vibr. spectra 4−19836
- dihalogenated benzenes, in-plane vibrations normal coord. analysis 4−16072
- dihalogenated benzenes, out-of-plane vibrs., normal coord. analysis 4−16073
- cis- and trans-1,2-dimethoxyethylene 4−27689
- dimethyl sulphoxide-$SbCl_5$ complex, vibr. spectra, normal coord. anal. *(French)* 4−19834
- N,N-dimethylaniline hydrochloride, i.r., Raman spectra, band assignment, mol. symmetry, protonation of free base effect *(French)* 4−41366
- dimethylarsenic acid, i.r. and Raman spectra, anal. of vibr. assignments 4−9535
- dimethylnitramine, perdeuterated derivative, i.r. and Raman spectra, valence force field, normal vibr. modes *(French)* 4−27686

Raman spectra of organic substances continued
- α,ω-diphenylperfluoropolyenes, vibrational spectra, determ. of configurations and frequencies 4−812
- trans-trans dipropionamide, C_α and N-deuterated, vibr. assignments 4−12580
- dipropionamide, lattice vibrs. and Raman band splitting 4−10427
- dye solution, line intensity meas., effect of absorpt. of matter 4−10413
- electrolyte solutions, vibr. spectra, elec. and mag. field effects 4−21555
- 1,2-ethanedithiol, liq., solid, vibr. of rot. isomers 4−19829
- ethyl halides, methyl torsional overtones, internal rot. barriers 4−40273
- ethylene-glycol, polycryst., l.f. vibrs. assignments and structure considerations *(French)* 4−17059
- ethylenediammonium chloride and chloride-d_6 isotope shift vibr. assignments and lattice vibr. 4−41377
- ethynyldichloroborane, i.r. and Raman spectra 4−6067
- ethynyldichloroborane, vibr. spectra assignments 4−40283
- ethynyldifluoroborane, i.r. and Raman spectra 4−6067
- ethynyldifluoroborane, vibr. spectra assignments 4−40283
- ferrocene, vibr. spectra, factor group anal. assignments 4−37602
- fluoroform, gaseous and liquid, Coriolis interaction 4−800
- formaldehyde, solid i.r. and Raman spectra, crystal struct. 4−41373
- glycidyl methacrylate with methyl methacrylate or styrene, composition, Raman spectroscopy determ. 4−19942
- glyoxal, liquid, freq., intensity and depolarisation degree 4−41367
- m-halostyrenes, molecules, torsional oscillations and thermodynamic functions 4−3140
- hexafluorocyclopropane, force consts., vibr. spectra, Coriolis coupling consts. 4−19787
- hexamethylbenzene, cryst., mol., lattice vibr. freqs. calc. from spectra *(German)* 4−33394
- hexamethylenetetramine and hydrate, vib. assignment 4−17083
- hexanitroethane, i.r. and Raman spectra, vibrational fundamental assignment 4−19841
- iodine complexes in alcohols and ethers *(French)* 4−3151
- iodobenzaldehydes, i.r. and laser Raman spectra, vibr. analysis 4−40268
- isobutyronitrile, calc. of Raman and i.r. spectra 4−19839
- liquid, binary, vibr. energy transfer near reson. 4−1386
- liquid crystals, second order transition 4−17078
- low-symmetry molecules, self-absorpt. in stimulated scatt. 4−11960
- maleic anhydride and deuterated cpds., vib. spectra 4−27677
- malformin A, disulphide bond dihedral angles 4−11271
- MBBA, liq. cryst., Raman spectra anal. of statistical theories of nematic ordering 4−10419
- metalloporphyrins, vibrational frequencies 4−16085
- methane and methane-d, crystalline phases 4−10437
- methane mixtures with O_2 and N_2, absorpt. intensity of simulteneous vibr. transitions 4−24071
- methanol, Raman spectrum, C-O stretching band, effect of environment and association 4−6075
- methyl chloroformate and -d_3, liq. and solid i.r. and Raman spectra, vibr. analysis 4−28816
- methyl iodide, liq., ν_4 band, reorientation spreading *(German)* 4−12564
- methyl selenocyanate, i.r. and Raman spectra, vibr. analysis, rot. isomerism about C-Se bond 4−19842
- methylacetate (deuterates), vibr. spectra, mol. conformation and assignments, gas, liq. solid 4−40286
- N- methyldiphenylamine hydrochloride, i.r., Raman spectra, band assignment, mol. symmetry, protonation of free base effect *(French)* 4−41366
- methylpropargyl ether, vapour, liquid, in soln., vibrational assignment 4−12583
- methylsiloxanes, cyclic, vibr. spectra, mol. conformation 4−27680
- methylsulphonyl chloride, vibration amplitudes from i.r. and Raman spectra 4−805
- methylsulphonyl fluoride, vibration frequencies and amplitudes from i.r. and Raman spectra 4−805
- molecular vibrational frequencies 4−24086
- monothio-oxamide, NN′ monosubstituted, i.r. and Raman spectra, vibr. anal. 4−25108
- naphthalene, pressure dependence of lattice frequencies 4−6466
- naphthalene, pure and mixed crystals, from study of phonons in virtual crystal model 4−6468
- naphthalene, Raman intensity ratios of librational lattice modes, temp. and press. depend. 4−28803
- nickelocene, vibr. spectra, factor group anal. assignments 4−37602
- p-nitroaniline, single cryst., l.f. spectra, vibrs. assignment *(French)* 4−3957
- n-nitrodimethylamine, vibrational spectrum 4−6064
- nitromethane, i.r. and Raman spectra, valence force field, normal vibr. modes *(French)* 4−27686
- nucleoside-Pt complexes 4−16159
- osmocene, vibr. spectra, factor group anal. assignments 4−37602
- ovuline albumin, pseudo-Raman broad band spectra 4−31992
- oxalic acid, gaseous, observed and calculated in-plane frequencies 4−809
- PAA, liquid crystal, temp. depend. 4−28821
- PABHA, liquid crystal, temp. depend. 4−28821
- n-paraffin, $C_{36}H_{74}$ and C_{94}-H_{190}, polymorphism effect on Raman-active acoustical mode freqs. 4−28815
- pentadiyne-1,3, i.r. and Raman spectra *(French)* 4−9525
- pentaphenylarsenic (antimony), vibr. spectra struct. anal. 4−41376
- phenanthroline, depolarisation ratios, vibr. assignments *(German)* 4−28839
- phosphapyrimidines, substituted, and their N-15 labelled analogues, i.r. and Raman spectra and in-plane vibrational assignment 4−3154
- piperidine, liquid, adsorption on SiO_2 effect 4−13092
- PMMA, librating side group, model 4−6876
- poly 4-methyl pentene-1, librating side group, model 4−6876
- poly n-butyl methacrylate, librating side group, model 4−6876
- polydimethylsiloxane rubber, molecular isomerism 4−28805
- polyester, linear, anal. of conformation and crystal struct. 4−37599
- polyethylene, cryst., h.p. Raman spectrum 4−28804
- polymer solids, Raman and fluorescence polarisations, review 4−33375

Raman spectra of organic substances continued
- polymethylenes, Raman spectrum pressure dependences, lattice vibrations 4−6888
- polypropylene, spectra of highly and randomly orientated crystals, influence of chain interactions 4−10424
- polystyrene, librating side group, model 4−6876
- propargyl amine, rotational isomerism determ. 4−27678
- propiolyl chloride, i.r. and Raman spectra, gas and liq. phases, vibr. analysis 4−19843
- n-propyl benzoates, i.r. and Raman spectra, vibr. freq. assignment 4−40270
- proteins and Pt-nucleoside complexes 4−16159
- pyridine on SiO_2-Al_2O_3, Raman scattering obs. 4−16661
- pyrimidines, d-substituted 4−27691
- L-pyroglutamic acid, vibration spectra *(French)* 4−12572
- quinuclidine-boron(trihalide) complex, vibr. spectral assignments 4−40285
- ruthenocene, vibr. spectra, factor group anal. assignments 4−37602
- sodium dodecylsulphate, vibr. anal. of crystal struct. 4−10426
- TCNE, liq. mix. with aromatic electron donors, freq. shifts, intensity changes 4−3960
- TCNQ salt, $Cs_2(TCNQ)_3$, cryst., i.r., Raman spectra of TCNQ sites, ground state charge densities 4−41363
- 1,2,4,5-tetrachlorobenzene, calculation of lattice vibrations 4−6878
- 1,1,2,2,-tetrachlorotetrafluorocyclobutane, vapour and crystalline, vibrational assignments 4−807
- tetracyanoethylene radical anion, vibronic interactions 4−9537
- 1-chloro-2,2,3,3-tetrafluorocyclobutane, vapour and crystalline, vibrational assignments 4−807
- tetraiodoethylene, single cryst., vibr. spectra, mol. orientation 4−20988
- tetramethylammonium metal chlorides, metal = Mn, Ni, Cd, order-disorder transition investigation 4−32650
- 1,1,14,14tetraphenyltetradecaheptaene in dil. benzene soln., quantum yields of reson. Raman scatt. 4−801
- tetrolyl chloride, i.r. and Raman spectra, gas and liq. phases, vibr. analysis 4−19843
- β-thionaphtol, mol. reorientation *(French)* 4−13428
- toluene, rot.-vibr. transitions anal., struct. data confirmation *(French)* 4−41372
- trichloromethoxysilane, vibr. freqs., force field 4−9531
- trifluoroacetates, vibrational spectra as compound and free ion 4−3152
- trifluorothiolacetic acid, vibr., H-bonding, conformational effects 4−12563
- triglycine sulphate, ferroelectric, laser Raman spectrum 4−3974
- trimethylarsine sulphide, trimethylarsine selenide, normal coordinate analysis 4−808
- 1,3,5-triphenylbenzene, single cryst., Raman active lattice spectra 4−33407
- trivinylborane and related mols., gas liquid and solid states, vibrational spectra and struct. 4−6063
- xylenes, rot.-vibr. transitions anal., struct. data confirmation *(French)* 4−41372
- C_2N_2, isotope shifts, quadratic force field 4−27673
- n-paraffins, l.f. Raman active lattice vibrations 4−6889

Ramsauer effect *see electron absorption; electron scattering*

random-access storage
- digital recording of biological data for freerunning animals *(German)* 4−8555

random functions
- *see also random processes*
- random walk, self avoiding, singular matrix group, circle and star graphs 4−26853

random noise
- *see also thermal noise*
- atmospherics, h.f. impulsive intropics, modelling 4−38352
- communications systems, laser binary, effect of spectral shape on error 4−31063
- microwave resistive SQUID, thermometry applic. 4−5006
- scanning electron microscope, noise compensator 4−8517
- vibration, nonlinear damping, linearly elastic lumped mass system 4−23149
- Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4−23419

random number generation
- electroanalytical chemistry appls. 4−39416
- Monte Carlo methods, application *(Turkish)* 4−35756

random-phase approximation, nuclear *see nuclear models; nuclear theory*

random processes
- *see also Brownian motion; fluctuations; Markov processes; probability; queuing theory; stochastic processes*
- condensation, dropwise, drop growth by coalescence investigation 4−32679
- diffusion simulation, floating random wave technique 4−28233
- disorder effects, electronic states in, some model systems, Green's function method 4−20519
- disordered solid, a.c. cond. of hopping system 4−20602
- disperse systems, conc. fluctuations, correl. theory 4−41900
- effusive flow patterns in semi-infinite slit chambers 4−32109
- electron avalanche formation, random walk theory appl. 4−28000
- e.m. waves in random media, numerical investigation 4−15281
- fields properties *(Russian)* 4−5327
- Fokker-Planck eqn. for particle scatt. by random pot. *(French)* 4−2570
- light scattering, statistical theory *(Russian)* 4−19044
- liquid crystals, real time statistical anal. *(French)* 4−15309
- Lorentz gas, high density phenomenon models 4−35753
- Lorentzian random variables, complex representation, appl. to theory of disordered materials 4−39637
- macro- and microphysic, interrelationship 4−35742
- nonlinear transformation *(Russian)* 4−23210
- overshoots of sea surface radar image 4−21942
- pulse trains, meas. and statistical properties, book 4−8622
- quantum system variables relationship *(French)* 4−11846
- random function theory, validity of first order smoothing theory 4−26857

random processes continued
- relativistic many-particle system with induced em field, functional random walk model 4−15240
- scattering, hard rod dynamics, non-Fickian single file pore behaviour 4−30895
- surfaces, rough, in plastic contact, random process model 4−32795

range finding *see distance measurement*

range of particles *see energy loss of particles*

ranging (sonar) *see sonar*

rare earth alloys
- *see also cerium alloys; dysprosium alloys; erbium alloys; gadolinium alloys; holmium alloys; lanthanum alloys; lutetium alloys; neodymium alloys; praseodymium alloys; promethium alloys; rare earth compounds; samarium alloys; terbium alloys; thulium alloys*
- cobalt intermetallics, high anisotropy materials, magnetization discontinuities, model 4−3859
- cobalt intermetallics, Ln_2Co_7, mag. anisotropy 4−1321
- cobalt intermetallics, magnetic domain obs. by magneto-optical Kerr effect *(German, English)* 4−3877
- cobalt intermetallics, struct. near RCo_5 comp. *(Russian)* 4−29054
- cobaltides, press. depend. of Curie temp. up to 40 kbar 4−16921
- cobaltites, R_2Co_{17} high temp. disordered phase struct. 4−6356
- dielectric, superexchange interaction, secondary quantization *(Russian)* 4−20768
- dilute Van Vleck paramagnet, substituted alloys, coherent pot. model 4−41182
- exchange interaction in ferromag. rare earth-Zn, n.m.r. anal. 4−6723
- in heat exchangers, corrosion resistance 4−36347
- iron intermetallics, paraprocess near Curie temp., mag. compensation temp. existence criterion *(Russian)* 4−28611
- iron intermetallics, RFe_2 type, mag. and hysteresis props. *(Russian)* 4−16950
- light-heavy, resistivity obs. 4−3728
- localized moment formation, exptl. bulk properties, review 4−24704
- magnesium intermetallics, LnMg, mag. props., 4.2-300K 4−1305
- magnet, second generation, using $R_2(Co,Fe)_{17}$, high energy products *(German)* 4−6761
- magnetic cobaltides properties rel. to atomic structure *(German)* 4−24932
- magnetism, models using 5d, 6s electrons, rare earth Fe_2 4−1298
- permanent magnet new materials, RCo_5, review *(German)* 4−6761
- rare earth Co_5 permanent magnets, variation of lattice parameters with composition 4−20249
- rare earth-nickel-indium intermetallics, equiatomic ternary phase characterization 4−25306
- rare earth-palladium-indium intermetallics, equiatomic ternary phase characterization 4−25306
- rare earth-Pd, R_3Pd_4, cryst. struct. and lattice constants 4−16449
- rare earth-thallium-palladium intermetallics, Fe_2P-type phase characterization 4−25307
- rare earth-transition metal-aluminium ternary systems, Laue phase obs. *(Russian)* 4−7032
- silicides, RFe_2Si_2 type, elec. resist., 100-300K 4−13169
- transition metal intermetallics, Laue phase studies *(Russian)* 4−7033
- transition metal pseudobinary compounds, mag. interactions 4−3831
- zinc intermetallics, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4−3884
- Fe-rare earth Laves compounds, sp. ht. anomalies at mag. ordering temp. 4−24945
- R-Zn dilute, mag. susceptibility and resistivity obs. 4−37401
- RAl_2 Laves phase compound crystal electric field parameters for rare earths 4−28580
- R_2Al, mag. props. *(French)* 4−41186
- RCo_5, foil, defects, mag. domain struct., TEM obs. 4−33211
- RCo_5, particles, magnetisation reversal, O_2 diffusion effect 4−37458
- RCo_2Ge_2 alloys, mag. props. meas. 4−20772
- RFe_2 Laves compound, bulk mag. anisotropy consts., one-ion model calc. 4−28642
- RZn_5, lattice parameters calc., expt. comparison 4−32477
- Y-rare earth, crystal growth, solid phase electrotransport apparatus *(French)* 4−33601

rare earth compounds
- *see also under the individual compounds e.g. cerium compounds*
- *see also rare earth alloys*
- catalyst materials, $REMnO_3$ type, comp. and cell parameters 4−12919
- chlorocarbonates, hydrothermal growth and synthesis *(French)* 4−25234
- cobaltide-hydride, RCo_5-H system thermodynamic, crystallographic, magnetic props. 4−9978
- complex, n.m.r. pseudocontact chemical shifts 4−6801
- crystallographic domains in rare earth vanadates, arsenates, temp. and external mag. field influence 4−6501
- dicarbide and tetracarbide, surface ionisation and Langmuir vaporisation 4−33861
- ethyl sulphates, nondipolar interactions, origin 4−6592
- gallium iron garnets, Bi-subsituted, magnetooptic figure of merit 4−6866
- garnet, chem. vapour deposition, review 4−21216
- garnet films, high mobility bubble domain, with improved temp. stability, growth and characteriz. 4−1443
- garnets, effect of Ga substitution on magnetostriction 4−33228
- garnets, Faraday rot. meas., and transient mag. field prod. *(French)* 4−35355
- halides, anhydrous, LnX_3, single cryst. growth, Bridgman-Stockbarger method 4−4040
- hydroxides, cryst. field parameters, one-electron orbital energies, correl. with ionicity and nephelauxetic effect 4−16893
- hydroxycarbonates, hydrothermal growth and synthesis *(French)* 4−25234
- hydroxymolybdates, $LnMoO_4OH$, hydrothermal synthesis and cryst. struct. 4−12913
- ionisation of f shell, explanation of photoelectron spectra by coefficients of fractional parentage 4−5956
- magnetic phase transitions, ferromag. and paramag. props., rare earth chromates 4−6724

rare earth compounds continued
  magnetisation, with cryst. field splittings, exchange and polarisation effects 4−33189
  metamict AB_2O_6 type oxides, $B=Nb$, Ta, Ti, VHN_{50} values, reflectance determ. 4−4319
  molybdates, extrinsic ferroelec. of displacive type, phonon spectrum and kinetic phenomena 4−17029
  natural radioactivity meas., for high Z scintillators and phosphors 4−11580
  nickelide-hydride, RNi_5-H system, thermodynamic, crystallographic, magnetic props. 4−9978
  nonradiative energy transfer from rare earth ions to organic radicals 4−13510
  orthochromite, temp. induced spin reorientation, theory 4−33156
  orthoferrite, temp. induced spin reorientation, theory 4−33156
  orthoferrites, magnetocrystalline anisotropy of Co^{2+}, mechanism 4−33188
  orthoferrites, spin reorientation phenomena *(Russian)* 4−3833
  oxides, matrix-isolated mid-i.r. spectra and structure 4−27690
  oxides, phase equilib. diagrams and crystallographic data 4−40875
  oxysulphide luminescent films, r.f. sputtering and postdeposition technique for max. brightness 4−25236
  paramagnetic linear chain, Frenkel mag. excitons 4−24923
  pnictides, cryst. field obs., effective-point-charge model 4−41030
  pyrohafnates, prep. and characteriz. for power reactor control rods 4−12444
  rare earth (III) complexes, di-n-butoxythiophosphato polynuclear, prep., i.r. spectra, struct. 4−7475
  rare earth cobalt (III) oxides, prep., struct., spin state *(French)* 4−32510
  strontium cobalt oxides, perovskite struct., elec. resist. 4−32509
  ten-coordination polyhedron, importance in crystal chemistry 4−32519
  trifluoride, hexagonal struct., high temp. modification, X-ray diffr. 4−16468
  trihydroxides, $Ln(OH)_3$, lattice consts. 4−6389
  tungstate chlorides, cryst. chem. 4−16463
  tungstates, $Ln_2(WO_4)_3$ type, cryst. growth and lattice parameters 4−1444
  vanadates, RVO_4, flux growth, Jahn-Teller distortion, antiferromag. transition 4−21188
  CaF_2-RF_3 (R=Y, Ho-Lu), phases of composition $Ca_8R_5F_{31}$, structs., degree of ordering 4−40779
  Li ferrite, effect of small rare-earth metal oxide additions on shrinkage and grain size 4−17407
  $RCoO_3$ type, cryst. struct. and mag. props. *(French)* 4−24430
  RPO_4, phosphates flux growth, Jahn-Teller distortion, antiferromag. transition 4−21188
rare earth elements *see rare earth metals*
rare earth metals
  see also the individual metals e.g. cerium
  antiferromagnetism, spin correlation near Neel temp. 4−13303
  Apollo 15 soils, petrological-geochemical studies of lithic fragments 4−29951
  appearance potential spectroscopy 4−15072
  atom, effective potential barrier *(Russian)* 4−686
  atom, relativistic Hartree-Fock calcs. 4−687
  atom, X-ray spectra, proton excitation 4−17138
  atomic spectra, virtual 4d-shell excitations effect 4−12469
  β Coronae Borealis, Ap star, lanthanide identification from visible and u.v spectrograms 4−14378
  crystal growth, solid phase electrotransport apparatus *(French)* 4−33601
  crystal growth techniques 4−6972
  electric field gradient in heavy rare earths, separation of 5d, 4f contribs. 4−3706
  electrical resistance, Fermi surface anisotropy, paramag. state 4−24687
  electronic interactions at high press., Hugoniot parameters determ. from shock wave expts. 4−28184
  ferromagnetic film, standing magnetoelastic waves, r.f. excitation 4−37472
  ferromagnetism, excitation spectra with cryst. fields, phase transitions 4−1290
  ferromagnetism of collectivised electrons, two-zone model *(Russian)* 4−20754
  film, emission-adsorption characteristics, sputtered on W *(Russian)* 4−32803
  films, oxidation, X-ray and electron diffraction obs. 4−16672
  fractionation patterns in lunar monazite from Apollo 11 coarse-grained basalt sample 4−26057
  heavy, anisotropic ferromagnets, magnon energies renormalisation 4−16937
  heavy, Hall effect of single crysts., field and temp. depend. *(Russian)* 4−10134
  impurities in Cr, effects on thermal resist. *(Russian)* 4−6607
  impurities in La_2O_3, fluorescence, effect of sample preparation temperature 4−17111
  ion, energy transfer from $VO_4{}^{3-}$ in $CaSO_4$ 4−28905
  ion activated alkaline earth oxide film, r.f. sputtered, luminesc. 4−28943
  ion-covalent lattice, orbit-lattice interaction 4−12994
  ion-lattice interaction, multiphonon processes 4−12995
  ionisation of f shell, explanation of photoelectron spectra by coefficients of fractional parentage 4−5956
  ions in crystals, parameter magnitude variation w.r.t. covalency effects 4−10103
  ions in diamagnetic host, zero-field paramagnetic resonance spectra 4−3899
  ions in solution, electron excitation energy degradation mechanism 4−13492
  lanthanum group, X-ray emission spectra 4−28956
  luminescence spectra of metal impurity ions, effects of electron phonon interaction 4−13507
  lunar lithic fragments from Apollo 16, REE concentrations 4−22325
  lunar soils, rare-Earth elements meas. with high accuracy 4−42353
  magnetic structure, low-angle electron diffraction study 4−6737
  magnetisation and mag. struct. 4−16954
  magnetism models using 5d, 6s electrons 4−1298
rare earth metals continued
  meteorites, Ca-poor achondrites, Eu anomaly and rare-Earth and other abundances 4−42367
  neutron activation analysis in Luna-16 sample 4−22353
  neutron strength functions calc. from (d,p) reactions 4−40025
  nuclear magnetic moment interactions, enhancement through magnetic hyperfine structure 4−3902
  positron annihilation, atomic core electronic struct. influence 4−3683
  in steel, heat resistant, grain growth, effect of rare earth metals during recryst. 4−7085
  thermal and electrical conductivities, Lorentz functions, 90-300 K 4−24721
  X-ray absorption coefficient, 70 to 500 eV 4−13529
  X-ray photoemission, valence band obs. *(French)* 4−21152
  $BaSO_4$:R, thermoluminesc., X-ray effect 4−41442
  CaF_2, rare earth activated, 1.2 MeV electron irrad., density change *(Russian)* 4−12958
  CaO:rare earth ions, film, optical fluorescence spectra obs. during sputtering 4−21070
  $CdSO_4$:R, thermoluminesc., X-ray effect 4−41442
  in Cr, influence on crystn. *(Russian)* 4−41563
  MgO:rare earth ions, film, optical fluorescence spectra obs. during sputtering 4−21070
  $SrAlF_5$:R^{2+}, prep., absorpt., emission and excitation spectra 4−41421
  $SrSO_4$:R, thermoluminesc., X-ray effect 4−41442
  ZnS:Ln^{3+} film, in m.i.s.m. struct., electrolum., voltage depend. of brightness 4−28936
rare gases *see inert gases*
rarefied fluid dynamics
  see also atomic beams; molecular beams
  aerodynamic drag, conf., Izmir, Turkey (Apr. 1973) 4−27854
  Boltzmann equation for aerodynamics of plane gas flow past plate, numerical evaluation 4−12717
  boundary layer close to cylinder crit. pt., joint effect of slip and permeability 4−40528
  boundary layer over convex solid boundary 4−12716
  Burnett theory, planar thermal force with surface accommodation 4−9642
  cylinder, elliptic, Krook kinetic eqn. numerical soln. 4−16236
  explosion, shock wave intensity and excitation criteria *(Russian)* 4−27867
  free molecule flow, impulsive tridimensional interaction model 4−33530
  gas, equations of motion, Enskog-Chapman distrib. function *(Russian)* 4−16238
  gas, permeability minimum and viscosity at low pressure 4−24227
  gas-surface interaction, similarity macroparameters *(Russian)* 4−16237
  heat and mass transport in gases and mixtures, review 4−40364
  hypersonic rarefied flow, drag force 4−27880
  laws of similarity, generalised for flow round bodies under conditions of laws of locality *(Russian)* 4−24210
  magnetic low-speed slip flow in boundary layer of electrically conducting gas 4−20029
  molecular beam, gas scatt. effusive flow patterns in semi-infinite slit chambers 4−32109
  molecular beam interactions with solid surfaces 4−33529
  plasma, weakly ionised, supersonic, flow past flat plate with sharp leading edge 4−40632
  plasma, weakly ionized, supersonic, flow field struct., viscous correction to impact probe 4−36701
  polyatomic gas, non-equilib., wall temp. jumps, kinetic models *(French)* 4−16235
  Rayleigh problem for moderately and highly rarefied gases, gas kinetic treatment *(German)* 4−36665
  relaxing gas flow near solid surface *(Russian)* 4−6184
  sphere drag in continuum to free molecular flow transition 4−20025
  sphere drag in low density supersonic flow, meas. using mag. suspension system 4−18816
  supersonic sphere drag, continuum to free mol. flow 4−27861
  temperature jump over a permeable surface 4−3313
  total head tube, mass-flow head, density and vel. determ. 4−40526
  transition from continuous to rarefied flow, using mean free path length anisotropy 4−32108
  vapour/gas mixture, convective diffusion accompanying evap. in macrocapillary 4−40527
  He-Ar(CO_2) gaseous mixture, flow through orifice 4−32107
rarefied gas dynamics *see rarefied fluid dynamics*
rarefied gas flow *see rarefied fluid dynamics*
Rayleigh law *see Rayleigh scattering*
Rayleigh limit *see Rayleigh scattering*
Rayleigh scattering
  aerosol fluorescence, particle absorption for Rayleigh scatterers 4−13489
  alcohols, low temp. intensity variation meas., freezing phenomena *(French)* 4−3958
  anisaldehyde, generalised hydrodynamics and depolarized Rayleigh doublet 4−28811
  atmospheric radiance-height profile characteristics of i.r. horizon, 1.5-15.0 μm 4−4448
  atmospheric u.v., Nimbus 4 BUV expt., O_3 stratospheric field var. 4−4498
  atom, two-level, scattering of circular and linearly polarised light *(Russian)* 4−12473
  benzene, i.r. spectrum, orientational motion in liquid 4−20983
  carbon tetrafluoride, depolarisation ratio of ν_1 vibr. band 4−24089
  carboxylic circuits in soln., reorientational relax., depolarised Rayleigh scatt., bonding effects 4−25088
  chloroform in soln., reorientational relax. from depolarised Rayleigh state and n.m.r. 4−28812
  colloidal and macromolecular solns., depolarised scatt., diffusional broadening anisotropy 4−26925
  diatomic molecule, rot. Brownian motion, calc. of orientation probability distrib. *(Russian)* 4−12577
  double-flow approximation applic. range for absorpt. of scatt. objects 4−8768

Rayleigh scattering continued
fine structure components near critical point, grav. field effect 4−10412
fluid, l.f. depolarized light scatt., lineshapes 4−24161
gas, cross section meas., low power He-Ne laser *(French)* 4−27679
glass, K_2O-SiO_2, Rayleigh and Brillouin scatt., rel. to acoustic wave vel., photoelastic consts. and comp. 4−37598
inert gas, compressed, depolarization rate of scattered Rayleigh radiation, density and temp. effects *(French)* 4−909
liquid crystal, smectic-A, quasielastic Rayleigh scatt. from de Gennes undulations 4−17066
liquid crystals, second order transition 4−17078
liquids, binary collision model 4−41383
Martian atmospheric model for u.v. scattering properties 4−22278
molecular gases, Rayleigh-Brillouin scattering, kinetic model 4−32007
nitrobenzene, forms of line contours for Rayleigh dispersion *(Russian)* 4−24092
nitrobenzene in soln., reorientational relax. from depolarized Rayleigh state and n.m.r. 4−28812
PAA, liquid crystal, temp. depend. 4−28821
PABHA, liquid crystal, temp. depend. 4−28821
periodic surfaces and other scatterers, Rayleigh hypothesis and least-squares solution 4−2592
pivalic acid, mol. reorientation relax. time, liq. and plastic phases 4−41371
planetary atmospheres, mixed Rayleigh-isotropic scatt., polarization, coupled linear integral eqns. 4−34385
plasma, c.w. laser beam, electron temp., density meas. 4−20146
polymer chains, randomly cross-linked, graph theory 4−10401
quinoline, forms of line contours for Rayleigh dispersion *(Russian)* 4−24092
solutions, molecular optical anisotropy measurement 4−13429
statistical properties, coherent, identical independent particles 4−23270
supercooled liquids, light scattering at triple point, clustering phenomena investig. *(German)* 4−33391
Z-dependence of γ-ray elastic scattering including Rayleigh scattering, $Z<82$, 662, 279 keV 4−621
He, p-H_2 mixture, transport coeffs. calc. spectra, dispersion of modes for thermal relax. 4−40729
^{3}He, near gas liquid crit. point, spectra anal. 4−16639
^{3}He, near gas-liquid crit. point, intensity meas. 4−16638
^{4}He, Rayleigh linewidth meas. near gas-liquid critical point 4−40937
Kr, compressed, depolarization rate of scattered Rayleigh radiation, density and temp. effects *(French)* 4−909
NaCl:Pb^{2+}, size of precipitates, scatt., ultraviolet absorpt., wavelength 220-400 nm 4−13441
SF_6, critical liquid-vapour interface, surface tension, viscosity determ. 4−16590
SF_6, gas and liq., depolarisation ratio of ν_1 vibr. band 4−24089
Xe, compressed, depolarization rate of scattered Rayleigh radiation, density and temp. effects *(French)* 4−909

Rayleigh waves
acoustic surface wave, transmission and reflection at corners 4−26299
alkali alumino silicate glass, ion exchanged surfaces, stress relax. 4−28272
amplitudes associated with earthquake Bengough, Saskatchewan, 26 July 1972 4−29396
anelastic attenuation from surface wave study of Illinois earthquake (Nov. 9, 1968) 4−38197
anisotropic media, fast moving dislocations analogy with surface waves 4−16503
attenuation, reflection, refraction and mode conversion in earth 4−21650
Canadian shield crust and mantle, S velocity distrib. 4−7568
crack, half-plane, stress intensity factor due to impact loading on crack face 4−23113
crack effect on propagation, optical polarization obs. 4−13087
crystal, hexagonal and tetragonal, quasivolume and Rayleigh elastic surface waves 4−16648
dispersion, study of shallow structure of Poona Karad profile 4−38203
dispersion of phase and group velocities giving structure of upper crust, Middle Asia 4−29473
earthquake source parameters from freq. dependent Rayleigh and Love wave radiation patterns 4−17562
earthquakes, shallow Aleutian, surface-wave spectra 4−7517
elastic half-space, response to nonuniformly moving surface loads 4−30828
glass, brittle fracture, rapid growth, stress pulse obs. 4−7353
group velocity variation with period, Indian Peninsula, crust-mantle structure 4−38236
light reflective diffraction, effect of refractive index *(French)* 4−30968
low-viscosity organic liquids, flow birefringence meas. using boundary layer shear waves, orientational relax. *(German)* 4−33372
metal, absorpt. by cond. electron interaction, mag. field effect *(Russian)* 4−20372
mode data, fundamental and first higher from surface wave study of Illinois earthquake (Nov. 9, 1968) 4−38197
near surface wave propagation in homogeneous medium with arbitrary smooth boundary 4−29438
New York City, short period waves, local geological effects 4−4324
nuclear explosion source, used in determining specific attenuation factor 4−34143
OSCURO underground nuclear explosion, interpretation of body and Rayleigh waves 4−21698
phase velocities in Atlantic Ocean using single station technique 4−34142
phase-velocity in S. California, temporal changes 4−21675
propagation under initial tension or compression in half-space 4−34112
Q-factor estimate using seismic Rayleigh waves from nuclear explosions 4−4354
response spectra of multilayered elastic half-space to dispersion equations using Haskell matrix method *(Chinese)* 4−38194
response to dip-slip motion along vertical fault plane 4−29420
scattering at a rough free surface, test of perturbation theory 4−2511

Rayleigh waves continued
semispace, propagation along surface of nonuniform elastic layer *(Russian)* 4−23156
shock waves, struct. in solids *(Japanese)* 4−12989
solid elastic body, tensor wave theory 4−11780
solid/liquid interface, u.s. refl. at Rayleigh angle incidence, phase 4−11449
Somigliana wave formation for complex conjugate roots of Rayleigh eqn. *(Italian)* 4−21637
surface, circular, in inhomogeneous elastic body, soln. of dynamic axisymmetric problem *(Russian)* 4−11770
surface, on linear viscoelastic half-space 4−39564
surface defect scattering model, freq. depend. 4−37075
surface instabilities due to initial compressive stress, possible earthquake initiation mechanisms 4−34111
surface scattering, irregularity size depend., freq. range *(Russian)* 4−20369
surface waves and isotropic solid bodies nonresonant parametric interactions *(Russian)* 4−6541
surface waves on linear viscoelastic half space 4−42645
theoretical seismograms for atmospheric point sources, effect of yield and burst height 4−34144
underground nuclear explosion, CANNIKIN, surface-wave spectra 4−7517
viscoelastic media, eqns. of motion represent. *(Russian)* 4−39531
GaAs, with monolithic struct., amplification and attenuation 4−6539
^{3}He, liq., nuclear acoustic resonance in contact metal surface 4−16640
^{4}He-solid boundary, Kapitza resist., mechanism 4−20466

reactance
see also capacitance; inductance
GaAs:Cu, non-linear characts., negative capacitance 4−20625

reactance measurement
see also inductance measurement
No entries

reaction kinetics
see also catalysis; chemical exchanges; chemical reactions; explosions
aliphatic amines, protonated, gas phase solvation, equil. const. K determ. 4−41935
alkanes, high-temp. pyrolysis, general mechanism 4−21550
alkoxydiarylboranes, conformational anal., low temp., n.m.r. spectral investig. 4−27579
alkyl acid ions, collision with NH_3, CH_3NH_2, $(CH_3)_2NH$ mols., proton transfer rate constants 4−7425
alkyl groups, electronic effects, hyperconjugation hypothesis 4−24044
allylcarbinyl radicals, e.s.r. investig. of conformations and rot. barriers 4−27710
anthracene + N,N'-diethylaniline, electron-transfer reaction kinetics, using picosecond laser pulses 4−29353
atom + diatomic molecule, criteria for inverted vibr. state occupation in products *(German)* 4−33978
atom-diatomic molecule collision, reaction probability deriv., semi-classical approach, depend. on vibr. state of reactants 4−41937
binary system, distribution functions and equilibrium consts., classical 4−10744
bond dissociation, in triat. mols. alkanes, rate const. calc. using spectroscopic data *(German)* 4−33979
bromotrichloromethane, kinetics and mech. of reactions of atomic F, mol. beam analysis 4−10742
t-butylchloride, solvolysis, obs. using stabilized direct reading conductance apparatus 4−2215
carbonates, sintering, deformation and decomposition *(Russian)* 4−21552
cephalopod rhodopsin flash photolysis *(Japanese)* 4−34077
chemical mixing and kinetics, turbulent motion, review 4−3347
chemical reactor theory, model equation 4−41934
composite, metal matrix type, solid state displacement reactions 4−29211
computer plotting of energy surfaces trajectories and reaction coordinates for students 4−30361
computer programs for, a bibliography from chemical abstracts 4−34015
computer-aided kinetics student expt., mini-computer generated 4−4936
conduction calorimetry, semiautomatic evaluation of areas under time-temperature curve, rate const. calc. 4−38120
coupled reaction systems, error sensitivity, chem. reaction rates, Fourier transform 4−21542
coupled reaction systems, nonlinear rate eqns., sensitivity to errors in rate coeffs., Fourier transform 4−21541
cyclohexane and methylcyclohexane, irrad., solvent positive ions-solute reaction rate consts. 4−10756
diallyl phthalates, curing reaction, dynamic shear meas. 4−21481
Diels-Alder reaction, isoprene and maleic anhydride 4−17499
1,1-dinitroethane, rates and H isotope effects in ionisation 4−29369
dissociation of molecules in molecular gas 4−24127
electrochemical electrode, surface activity evaluation, adsorption 4−17524
electrochemical electrode process, characterisation rel. to kinetics of chem. reaction 4−7454
electrochemical rate constant meas., using double pulse coulostatics 4−25488
electrochemical reactions, graphic anal. of electrode cond. 4−7446
electrodeposition of previous metals, electrochem., literature survey 4−21559
electrolyte, fast processes, chem. relaxation techniques, review 4−17532
electron-transfer reaction kinetics, using picosecond laser pulses 4−29353
endothermic rate constants, microscopic reversibility determ. 4−29303
epoxy anhydride, curing reaction, dynamic shear meas. 4−21481
F^-, electron detachment by F, O_2 and O reaction rates 4−9449
fluoroolefins, comparison of semiempirical MO methods for calc. electronic structure and reactivity 4−31800
formyl radical oxidation, rate consts. with O,O_2 additions 4−34025
frontier controlled organic reactions, MO calculations 4−36469

reaction kinetics continued
- gas phase, review 4—34027
- gas phase reactions, atmosphere chemistry, photochemical and rate data 4—25503
- gas-solid reaction, rate of reaction, non-equimolar fluxes, viscous flow term 4—29305
- haemoglobin, scatt. light intensity fluctuations, assoc.-dissoc. reaction 4—17506
- hexoses, 2-substituted, catalysis in mutarotation 4—21551
- hollow-cathode discharge determ. of reaction kinetics, probe for meas. quantity of water vapour 4—35543
- homogeneous reactions, proton transfer, quantum statistical theory 4—1711
- hydrates, sintering, deformation and decomposition *(Russian)* 4—21552
- hydrocarbons, liq., excess electron reaction rates, temp. effects 4—41939
- iodotrifluoromethane, kinetics and mech. of reactions of atomic F, mol. beam analysis 4—10742
- ion cyclotron resonance single and double resonance signals for complex reaction scheme 4—33999
- ion-molecule, rate const. of aeronomically important reactions 4—33975
- ion-molecule reaction, rate const. meas., flow-drift technique 4—30610
- ion-molecule reaction, rate constant meas., flow-drift technique 4—30611
- ion-molecule reactions, classical and quantal contributions 4—27764
- kinetic isotope effect calc., anharmonicity correction 4—1701
- laser excited chemiluminescence, state selection 4—41979
- laser stimulated reaction in gas, phase coherence in N-level model 4—10762
- law of mass action, adaptation of formulae for computations, comments on previous work *(German)* 4—38144
- linear sweep voltammetry, kinetic control by charge transfer and/or secondary chem. reactions 4—26715
- linear sweep voltammetry, reduction mechanism, aromatic carbonyl compounds 4—26716
- linear thermodynamic relationship, between rate and chem. pot. gradient gas, liquid phase reactions *(French)* 4—34014
- magnetite, photostimulated oxidation, kinetics and alteration phase identification 4—25501
- magnetite, photostimulated oxidation, reaction mechanism 4—25502
- Menschutkin reaction, ethyl iodide and triethylamine 4—17499
- methane, ion-molecule reaction, product distribs. and rate constants 4—21549
- methyl cyanide, isomerization, rate constant calc. using Monte Carlo methods 4—25473
- methyl iodide + N_2F_4 chemical laser, rot. nonequilib. obs. 4—23302
- methyl radical + $N_2F_4(NF_2 + M)$, photolysis, rate consts. 4—21547
- methyl radical reactions with atomic oxygen, absolute rate const. 4—10734
- microscopic reversibility violation and reverse quasi-classical calcs. use in cross sections calc. 4—29302
- Monte Carlo computer simulation for students 4—26420
- multiple step chemical reactions, rates of reaction, kinetic model 4—29304
- Navier-Stokes eqns., unsteady, including multicomponent finite rate chem., soln. using finite difference technique 4—27799
- nitriding kinetics of Fe alloys 4—13767
- n.m.r., high resolution, applics. *(French)* 4—19865
- nonequilibrium gas, nonvanishing effect of vanishing products 4—29310
- nucleation, supersaturated system *(Russian)* 4—6502
- open ensemble, power spectrum, kinetic eqn. rate const. calc. 4—26854
- organic crystals, electron transfer to redox ions in soln., rate const. determ. 4—34037
- oxide fuel-sodium reactions, out-of-pile investigations 4—40128
- perdeuteriomethane, ion-molecule reactions 4—21544
- phenyl radicals, CIDNP obs. 4—33987
- photochemical first order consecutive reactions, internal filter effect, rate expression *(German)* 4—41983
- photochemically induced isotopic exchange, kinetic treatment of time depend. of exchanged fraction 4—38163
- photographic development kinetics monitoring using e.p.r. spectroscopy 4—2316
- polymer, linear arrays, kinetics and statistics of occupation 4—9637
- polymers, cooperative effects in random sequential reactions, model 4—40358
- polymers, morphology of polymer films, kinetics of phase stratification *(Russian)* 4—10706
- porous medium, homogeneous, dissolution by acid, mathematical model 4—17472
- potential-step chronoabsorptometry, reversible chem. reacts. at electrode, kinetics, spectral characts. of intermediates 4—35512
- relaxation processes, matrix methods and normalisation procedures 4—21540
- resistance and induction-like effects, influence of time delays 4—21539
- rubber vulcanisation system, curing reaction, dynamic shear meas. 4—21481
- solid state displacement reactions 4—38130
- spectroelectrochemical system, computer controlled 4—23029
- steady corrugated flame front 4—24255
- steel, stainless, low-C, nitride case formation 4—29107
- steel, Ti-containing, nitriding kinetics from high-temp. etching in NH_3 4—29106
- stoichiometric number, determ. from kinetic isotope effects 4—21537
- student paper, APL program on gas-phase kinetic reactions 4—30363
- ternary atomic recombination equilibrium rate constant calc. 4—38137
- tetramethylsilane, gaseous ionic reactions 4—34000
- thermal decomposition of diatomic molcules 4—25485
- triarylboranes, conformational anal., X-ray, n.m.r. investig. 4—27578
- turbulent media *(French)* 4—29306
- Turing's morphogenetic eqns., symmetry properties 4—2158
- Ag film, reaction with I_2 vapour in α-AgI phase region 4—6476

reaction kinetics continued
- Al_2O_3:Cr, formation and destruction of dye centres after thermal treatment 4—3496
- Ar, quenching cross-sections for electronic energy transfer collisions 4—9413
- C, glassy, reactivity to flowing O_2 and HNO_3-H_2SO_4 mixtures 4—17430
- C oxidation in graphitic oxides *(French)* 4—16667
- C/C composites, felt-type, graphitization kinetics 4—21424
- CO_2, laminar diffuson boundary layer, first order reaction at wall *(French)* 4—12692
- $CO(^1\Sigma^+) + O(^3P) + CO_2 \rightarrow 2CO_2$, rate const. determ., chemiluminesc. obs. 4—25500
- $CS_2 + O_2$, reaction kinetics of flame 4—7427
- $D + H_2$, 'ab initio' surface transition state theory rate consts. 4—10738
- $D^+ + 2D_2 \rightarrow D_3^+ + D_2$, rate coeff. meas. in drift tube mass spectrometer 4—25474
- $F + CF_3Br$, 188-373 K, mol. beam analysis, pseudotrihalogen radical intermediate 4—13984
- $F + D_2$, $F + H_2$ reactions, kinetic isotope effect, direct competitive method 4—13983
- $F + HD \rightarrow HF + D$, $F + DH \rightarrow DF + H$, intramolecular isotope effects 4—29311
- F^-, termolecular association kinetics, in He afterglow system 4—21546
- $F(^2P) + CHF_3$, $F(^2P) + Cl_2$, F atom conc. and rate determ. by mass spectrometry 4—29299
- $Fe + Cu_2O$ displacement reaction kinetics 4—38131
- FeO, wustite, epitaxial growth by chem. vapour deposition, kinetic treatment, impurity investig. 4—21178
- Fl atoms, homogeneous recombination rate in flow reactor 4—33983
- β-Ga_2O_3-NiO, cation counterdiffusion, spinel form. kinetics *(German)* 4—17504
- H or D + benzene and benzene-d_6, kinetics and mechanism 4—25472
- H + CO, gas phase reaction, activation energy 4—25477
- $H + D_2$, 'ab initio' surface transition state theory rate consts. 4—10738
- H + HCl, vibr, excited, rate consts. 4—25468
- H + propene (butene-2) (trimethylethylene) (ethylene) reactions, inflow apparatus, rate constants *(German)* 4—41954
- $H + SiH_4(D_4)$, Arrhenius parameters, kinetic isotope effects *(German)* 4—38141
- $H^+ + 2H_2 \rightarrow H_3^+ + H_2$, rate coeff. meas. in drift tube mass spectrometer 4—25474
- H_2 and D_2, rate consts. for dissociation, rotation causing low Arrhenius temp. coeffs. 4—7418
- $H_3^+ + 2H_2 \rightarrow H_5^+ + H_2$ assoc. reaction kinetics at low temps. 4—17502
- $H_3^+ + CH_3NH_2(CH_3OH)(CH_3SH)$, proton transfer and methyl cation condensation reactions 4—4247
- HCl, laser-excited fluorescence, state-selected kinetics 4—31969
- $HCl + Br \rightarrow Cl + HBr$, rate const., reagent vibr. excitation effect, i.r. chemiluminescence depletion 4—34012
- H_2O, ion-molecule reaction, product distribs. and rate constants 4—21549
- H_2S, ion-molecule reaction, product distribs. and rate constants 4—21549
- $He + H_2^+ \rightarrow H + HeH^+$ proton transfer reaction, collinear quantum mech. calcs. 4—21535
- I_2 atom recombination, in various carrier gases by photolysis, press. depend., rate, mechanism *(German)* 4—34068
- $K + HgCl_2(HgBr_2)(HgI_2)$, reactive scatt. of supersonic K beam, ang. distrib. meas. 4—4249
- K + methyl iodide, molecular kinetics inversion, effective optical potentials 4—33985
- $K_2 + CCl_4(C_6H_{12})$, elastic scattering, rainbow struct. obs. 4—4250
- $K_2 + HgCl_2(HgBr_2)(HgI_2)$, reactive scatt., ang. distrib. meas. 4—4248
- Li^+, termolecular association kinetics, in He afterglow system 4—21546
- Mo, nitriding kinetics from high-temp. etching in NH_3 4—29106
- NH_3, ion-molecule reaction, product distribs. and rate constants 4—21549
- $NH_3 + H^+(H_2O)$ reaction, rate constant determ. in flowing afterglow system 4—34004
- $N_2H^+ + H_2O \rightarrow H_3O^+ + N_2$, rate constant, flowing afterglow 4—10731
- $NO + O_3 \rightarrow NO_2 + O_2$ reaction, chemilum. obs. 4—4246
- NO_3Cl, enthalpy of formation, thermal decomposition kinetics in soln. and gas phase *(German)* 4—34024
- Na, liquid, precipitation of Ba_2N, Ba_3N_2, ternary phase diagram 4—4311
- Na heated steam generator, leaks, Na/H_2O reactions 4—3011
- Na metasilicate + sand, reaction kinetics 4—33973
- Na/H_2O reactions in heat exchangers, mathematical modelling techniques 4—3012
- NaOH aqueous glasses, fast electron transfer reactions, quantum mech. tunnelling 4—1726
- Nb, nitriding kinetics from high-temp. etching NH_3 4—29106
- Nb + acetylene, C absorpt. rate 4—28287
- Nb + methane, C absorpt. rate 4—28287
- $Ne^+ + 2Ne \rightarrow Ne_2^+ + Ne$ termol. reaction rate coeff. 4—16167
- Ni-Cr alloy, oxidation kinetics, Cr_2O_3 volatilization effect 4—17322
- $Ni + O_2$, $+ H_2$, kinetic and microstructural aspects of interaction 4—1170
- O + HCl, vibr. excited, rate consts. 4—25468
- $O^+ + N_2$, mass spectrometer determ. of reaction rates from 300 K to 2 eV 4—10740
- $O^+ + O_2$, mass spectrometer determ. of reaction rates from 300 K to 2 eV 4—10740
- $O_2 + 2O_2 \rightarrow O_4^+ + O_2$, $O_4^+ + 2O_2 \rightarrow O_6^+ + O_2$, temp. depend. of rate consts. 4—29312
- $O_2 + N(H)$ reaction rate consts. 4—13979
- O_2^+ gas-phase reactions with neutral molecules, classical and quantal contribuions 4—27764
- $O_3 + O(^3P)$ reaction, flash photolysis-reson. fluoresc. kinetic study 4—1737
- O_x^-, $(x = 1 \rightarrow 4)$, electron avalanche continuity eqns., effective reaction rates 4—9619

- **reaction kinetics** continued
  - OH radical, flow tube expt., decay kinetics, e.s.r. spectrometry 4−10736
  - $OH + H_2S \rightarrow SH + H_2O$, Arrhenius plot, 298-855K, reaction rate 4−34013
  - $OH + NH_3 \rightarrow H_2O + NH_2$, 298 K, rate consts., perturbed stratosphere dynamics, reson. fluoresc. obs. 4−21575
  - $OH + O_3 \rightarrow HO_2 + O_2$, 298 K, rate constants., perturbed stratosphere dynamics, reson. fluoresc. obs. 4−21575
  - $O_2H^+ + H_2$, equilib. consts. and proton affinity 4−34009
  - O^3S_1-$^3P_{2,1,0}$ resonance absorption and fluorescence, appl. to rate consts. determ. for rapid bimolec. reactions 4−29317
  - $PbSO_4$, cryst. growth from supersaturated solns., investig. by cond. meas. rate *(German)* 4−37744
  - $2S_2O_3^{2-} + I_3^- \rightarrow S_4O_6^{2-} + 3I$, in aq. soln. 4−29319
  - Si, thermal growth of HCl-O_2 oxides 4−6562
  - Si powder compacts, nitridation kinetics 4−13838
  - SiC, oxidation by O_2, CO_2 and CO, 1000-1600°C 4−10059
  - Si_3N_4, thermal decomposition kinetics, 1490°-1750°C 4−7429
  - Ta + acetylene, C absorpt. rate 4−28287
  - Ta + methane, C absorpt. rate 4−28287
  - Ti, kinetic study on reaction with hydrogen, reln. to phase transformation 4−15973
  - TiH_2 thermal decomposition kinetics 4−25481
  - Ti(III) oxidation by hydrogen atoms, rate const. 4−1704
  - $(U,Ce)O_2$ coarse powder, effect of growth, nucleation on kinetics of oxidation *(Czech)* 4−5917
  - $W + 2Si \rightarrow WSi_2$, film deposition process, X-ray diffr. 4−21200
  - $WO_3 + SrCO_3 \rightarrow SrWO_4 + CO_2$, solid state reaction kinetics and mechanism 4−38142
  - $Xe^+ + 2Xe$, association reaction rate const. 4−16353
  - YH_x, hydrogen release kinetics in vacuum between 550 and 950°C *(German)* 4−23841
- **reaction rates** *see reaction kinetics*
- **reactions (chemical)** *see chemical reactions*
- **reactions (nuclear)** *see nuclear reactions and scattering*
- **reactors (nuclear)** *see nuclear reactors*
- **readout, digital** *see digital readout*
- **readout, nondestructive** *see nondestructive readout*
- **real time computer systems** *see real-time systems*
- **real-time systems**
  - *see also online operation*
  - acoustic emission flow monitor, computer-controlled, real-time software operating system 4−4238
  - acoustic holography imaging techniques 4−25452
  - Fourier spectroscopy, critical review 4−35276
  - holography, vibratory pattern exam. 4−39166
  - neutron beam expts. multiuser real time system CARINE 4−24356
  - remote sensing applic. of real-time data processing 4−34527
  - sea ice classification, prototype radar signal processing system 4−14242
  - signal progessing, sonar, reverberation, removal of time varying character 4−11397
  - X-ray inspection system for nucl. fuel pins 4−27388
- **reboilers** *see boilers*
- **receivers**
  - *see also acoustic receivers; radar receivers; radio receivers; telephone receivers*
  - photon annihilation operator, optional measurement 4−2608
  - power reactors, role of reactor physics in design and operation 4−12430
  - quantum receivers, information props. anal. for coherent optical signals *(Russian)* 4−26928
  - radioastronomy, employing p-i-n diode stripline switches at L-band 4−11263
- **receiving antennas**
  - bird feather, microwave dielectric receptor 4−18235
  - bird feathers, as dielectric receptors of r.f. fields 4−11329
  - communication with extra-terrestrial intelligence, CETI 4−38929
  - monopole antennas reception characteristics for electron plasma waves 4−3357
  - radiotelescope, RT-70, mirror system, parabolic aerial system *(Russian)* 4−22479
  - solar radiotelescope, multirange aerials *(Russian)* 4−22477
- **recombination, electron-hole** *see electron-hole recombination*
- **recombination, ion** *see ion recombination*
- **reconnaissance satellites** *see artificial satellites*
- **record players** *see gramophones*
- **recorders**
  - *see also recording; tape recorders*
  - automatic recording sedimentation balance, description and computer program *(Polish)* 4−8315
  - biomedical direct gradient calorimeter for continuous heat loss recording 4−18183
  - bolus transit video crosscorrelation meas., dual channel transient recorder 4−18201
  - Detector of Ventricular Ectopics, trend recorder 4−14661
  - Earth's telluric field, analogue/numerical recording system 4−38517
  - electrochemical analysis, polarisation curves recorded in analogue and digital forms, computer applic. 4−39433
  - expiratory air flow-volume curve display and recorder 4−18182
  - eye bank cornea freezing recorder 4−42581
  - laser, optical coatings position scans 4−59
  - laser rel. to imagery transmission 4−324
  - logging apparatus, reliability requirements *(Russian)* 4−11027
  - mechanical, friction exerting energy detracting effect *(Hungarian)* 4−4974
  - neutron logging pulse recorder, and of pulse delay discriminator circuit *(Russian)* 4−8465
  - ophthalmetron for automatic measurement of eye refractive props. 4−26236
  - pen adaptor for spectrometer 4−11500
  - photon emission from high pressure discharges, use in vacuum u.v. *(Russian)* 4−14883
  - seismic event detecting fast-playback recording system 4−22138
  - spectro-polarimeter, for Cotton effect obs. in i.r. region *(German)* 4−26522
- **recorders** continued
  - steel magnetisation curve and hysteresis loop recorder with electronic control 4−22919
- **recording**
  - *see also audio recording; magnetic recording; traffic recording; video recording*
  - antenna array patterns by holography 4−18479
  - attitude, for aerial photography 4−26544
  - automatic recording pole figure goniometer, description 4−22830
  - bioelectric potentials, bioelectrodes 4−38994
  - colour encoded image recording on monochrome film 4−26549
  - digital, of biological data for freerunning animals *(German)* 4−8555
  - e.c.g. from specialised conduction system of heart, noninvasive technique 4−14660
  - elastoplastic stress waves in solids, recording using dielectric pickup 4−1696
  - electrostatic image transfer thermoplastic recording *(Japanese)* 4−18502
  - geophysical data employing Hydroproducts model 621 wave and tide analyser 4−11048
  - holographic matrices *(Russian)* 4−11514
  - laser, using nonsilver films 4−30509
  - nerve terminal activity in frog, recording method 4−26226
  - neurophysiological, signal distortion by a.c. electrode polarisation 4−14619
  - photoemission electron energy distribution, analogue differentiator 4−22971
  - sea bed, automatic buoys for NORPAX 4−22181
  - thermal i.r. image recording and processing 4−17830
  - tunnel spectra, meas. method at 4.2 K 4−8412
  - two-channel system, for investigation of bottle-nosed dolphin location signals 4−22656
  - upper atmosphere, acoustic or gravity wave recording 4−22170
  - weld flaw location employing projection scan technique using u.s. 4−7407
- **recording instruments** *see recorders*
- **recovering** *see recovery*
- **recovery**
  - creep predicted behaviour correl. with in situ expts. in HVEM 4−21285
  - diffusion process, two dimensional, correlated vacancy-interstitial pairs 4−28238
  - glass fibre reinforced ABS plastic, thermal depend. of compressive creep and creep recovery *(Japanese)* 4−33870
  - glass reinforced plastic, nonlinear creep 4−21429
  - glass reinforced plastic, plane-stress creep 4−21430
  - metal, anal. of high temp. steady state creep, and dislocation annihilation 4−7088
  - metal, annealed, metarecovery mechanism and temp. depend. plastic flow 4−13702
  - metal, fast neutron irrad., isochronal recovery 4−19584
  - metal, radiation defect accumulation kinetics during stage II recovery *(Russian)* 4−36914
  - metal, structural changes during hot deform. 4−7218
  - metalworking at elevated temps., microstruct. changes 4−29078
  - Nimonic 105, mech. props. recovery by annealing after high temp. creep 4−7126
  - steel, Fe-Mo-C, neutron irrad., effect on Snoek peak, recovery 4−37895
  - steel, low-C, controlled rolled, carbonitride particles effect on recovery and recrystn. 4−41629
  - steel, recovery and recrystn., contactless meas. 4−7144
  - steel, stainless, Type 316, deformed in slow tension, substruct. obs. 4−1506
  - underwater, small remote controlled tethered vehicles 4−14237
  - Zircaloy-2 with varying O content, cold-worked and quenched, recovery 4−41689
  - Al, behaviour of multi vacancies during quenching to 4.2 K *(French)* 4−4096
  - Al, electron irrad., free migration of interstitial atoms 4−40814
  - Al, internal friction, recovery after mech. deform. *(Rumanian)* 4−37955
  - Al, Monte Carlo simulation of evolution of vacancy population during quenching and recovery *(French)* 4−4097
  - Al, recrystallised structure, effect of prior recovery *(Czech)* 4−41574
  - Al, u.s. attenuation obs. of internal friction during annealing, dislocation lattice recovery *(French)* 4−21256
  - Al sheet, rolling textures 4−33738
  - Al-Cu alloys, preprecip. stage obs. by Portevin-Le Chatelier effect *(French)* 4−21283
  - Al-Mg and Al-Mg-Mn alloys, nonheat-treatable, metallurgical advances 4−17360
  - Al-Mg(5 wt.%) solid soln., transitional creep mechanisms at high stresses 4−1591
  - Al-Zn alloys, structural features in aging *(Russian)* 4−1514
  - Au, electron irrad., free migration of interstitial atoms 4−40814
  - Au wire, recovery and recrystallisation, change in thermoelec. power *(Japanese)* 4−17239
  - Cd, hexagonal single crysts., electron beam damage prod. and recovery 4−40817
  - Co, hexagonal single crysts., electron beam damage prod. and recovery 4−40817
  - Cu, dislocation recovery on annealing, kinetics 4−33734
  - Cu-Au(25 at.%), cold worked, annealing behaviour of ordered and disordered phases 4−33686
  - Cu-Be-Co alloy, precip. hardening, prior deform. effect on ageing sequence 4−41567
  - α-Cu-Ge alloys, annealing behaviour of stacking faults, comp. and deform. temp. depend. 4−17248
  - Fe, electron irrad., free migration of interstitial atoms 4−40814
  - Fe, electron irradiated, electrical resistivity meas. 4−33808
  - α-Fe, high temp. deform., recovery and recrystn. 4−7161
  - Fe alloy, deform. induced substruct. changes and decomp. phenomena during double ageing *(Russian)* 4−1510
  - Fe-C alloys, electron irradiated, electrical resistivity meas. 4−33808
  - Fe-C-Si(3.9 w.%) hypereutectoid alloys, bainitic transform. influence on graphitization by recovery *(French)* 4−41521
  - Fe-$Cr_{1.45}$-C, work hardened and neutron irrad. 4−37894

recovery continued
Fe-Mn, b.c.c., recovery of flow stress and elec. resist. after shock deform. 4−17316
Fe-Mn alloy, Sb additions, recovered and recrystallised struct., temper brittleness *(French)* 4−37940
Fe-Ni alloys, recovery-recrystn. and transform. on heating of alloys cooled from γ region *(French)* 4−41543
Gd, isochronal annealing effect, mag. hysteresis meas. 4−28646
Mo annealing expts. on quenched in vacancies determ. of recovery stage activation energy 4−7194
NaCl, single- and polycrystalline, activation anal. of steady state deformation 4−3515
NaCl polycrystals, hydrostatic pressure influence on mechanical props. 4−3516
Nb, effect of interstitials on defect production and recovery during neutron irradiation, 4.6 K 4−16522
Ni-Ti alloy, memory effect rel. to shape and martensitic transform. 4−13709
Pt, ion irrad., self-interstitial atom migration, field ion microscope obs., stage I recovery 4−3508
Pu-Ga(1 wt.%) alloy, cold rolled, annealing kinetics and softening behaviour 4−13634
$^{238}PuO_2$, self-radiation damage 4−23824
β-SiC, neutron irrad., post-irrad. annealing behaviour 4−23831
SiO_2 film, electron irrad., activation energy for recovery 4−12957
Sn-Bi(In) alloys, superconducting, alloy, effect of compressional plastic deformation on T_c 4−3792
Ti, work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944
UO_2, radiation-induced primary creep at low temps. 4−23823
UO_2, thermally shocked, crack healing and crack growth 4−3020
V, isochronal recovery curves of thermal and fission neutron damage 4−20329
V, neutron irrad., oxygen Snoek damping correl. with TEM obs. 4−25362
Zn, hexagonal single crysts., electron beam damage prod. and recovery 4−40817
Zr, work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944

recrystallisation
activated, rel. to electron struct., for Mo, W, Mn, Al and Ni alloys *(Russian)* 4−21388
alkali halides, polycryst., fabrication and characteriz. for i.r. transmitting windows 4−25414
alloy, f.c.c., grain form. during heavy deform. 4−41613
alloy, homogeneous, recrystn. processes, electron-metallography analysis of microstructure *(German, English)* 4−7095
alloy, solute limited grain boundary migration, grain growth rationalisation 4−1481
bronze, Cr, diags., rel. to heat treatment before deform. 4−29062
bronze, heavily-deformed, annealing textures evolution 4−7073
coherent interface propagation between two nonhydrostatically stressed rock crystals 4−17577
cold worked state, recrystn. nucleation 4−41611
cretaceous carbonate rocks, aspects of diagenetic and recryst. characts. 4−42038
dynamic, in hot working and creep 4−41620
electron metallography effect of particles and bubbles, systematic microstruct. analysis *(German, English)* 4−21279
geology, crystallographic preferred orientation, nonhydrostatic thermodynamics, review 4−1750
grain boundary displacement rate determ. during collective recrystn. *(Russian)* 4−21254
grain boundary migration and grain growth 4−41614
ice-Ih, friction, deformation and recrystallisation of single crysts. under stress 4−36936
linear polyurethanes, recrystn. studies, spectral β and X-ray structural analysis *(Russian)* 4−32451
mean reaction rate when temp. varies with time *(German)* 4−24593
metal, f.c.c., grain form. during heavy deform. 4−41613
metal, structural changes during hot deform. 4−7218
metal powders, role during sintering 4−7253
metalworking at elevated temps., microstruct. changes 4−29078
in microstructure control, conf., London, England (Nov. 1973) 4−41610
Moldanubian garnet pyroxenites and associated pyriclasites, effect of composition on recrystallization 4−29403
polyethylene, single crystal, lamellar thickening on annealing 4−10694
polyethylene drawn film, surface-controlled recrystallisation 4−16436
polypropylene fibres, thermal shrinkage 4−13890
rare earth metals, crystal growth obs. 4−6972
refractory, densification by pre-sintering with explosive compaction 4−7259
steel, 08kp, rel. to grain structure formation 4−13649
steel, austenite structural state during continuous hot strip mill rolling 4−41635
steel, austenitic, dynamic recrystn. characts. 4−41622
steel, austenitic, recrystn. and precip. during hot working 4−41628
steel, austenitic stainless, fine grain structure by rolling and annealing control 4−41631
steel, austenitic stainless, Type 316, thermal-mech. treated, microstruct. stability 4−37845
steel, C-Mn-Nb type, structure and strength during hot rolling, 900-1100°C 4−7132
steel, cold rolled sheet annealed in humid hydrogen, mech. props. and ageing tendency 4−41727
steel, construction, recrystallisation and precipitation induced by high temp. deformation *(French)* 4−7175
steel, extra-mild, Al-killed, preparation for deep drawing, recrystallisation *(French)* 4−7231
steel, grain size control methods 4−41623
steel, heat resistant, grain growth, effect of rare earth metals during recryst. 4−7085
steel, high-C, recrystn. between intervals of high temp. deform. 4−7154
steel, high-Mn, three-dimens. recrystn. diagram 4−41585
steel, low-C, containing Nb, structures and textures 4−41633

recrystallisation continued
steel, low-C, containing Nb(CN) dispersion, isothermal recrystn. kinetics 4−41619
steel, low-C, controlled rolled, carbonitride particles effect on recovery and recrystn. 4−41629
steel, low-C, influence of Nb level on recrystallisation of austenite during hot-rolling 4−41609
steel, low-C sheet, hot band struct. influence on texture development 4−41634
steel, low-C sheets, niobium effects on cold-rolling and recrystn. textures 4−41601
steel, mild, microstruct. inhomogeneities effect on recrystn. 4−41630
steel, Nb-Ti, in austenite range 4−13633
steel, quenched and tempered, austenitic struct. form. in crit. temp. range during slow heating *(Russian)* 4−17193
steel, recovery and recrystn., contactless meas. 4−7144
steel, stainless, austenitic, sigma phase form., deform. and recrystn. effect 4−7219
steel, stainless, Cr-Ni-Nb type, recrystn. processes 4−41616
texture development and nucleation sites 4−41632
two-phase alloy, recrystn. involving second phase 4−41617
wire, during heating, X-ray camera 4−26687
Ag, hardened, recrystn. obs. by SEM *(French)* 4−21257
Al, polycryst., Young's modulus change during recrystallisation, texture effects 4−33807
Al, recrystallised structure, effect of prior recovery *(Czech)* 4−41574
Al alloy 7075, powder produced material characterization 4−29185
Al alloy 7075 sheet and plate, ingot thermomech. processing treatment effects on props. 4−29148
Al alloys, high-strength, improved props. through thermomech. treatment 4−29147
Al alloys, recrystn. during hot working 4−29149
Al and alloys, grain size control methods 4−41624
Al rolled sheet, casting texture influence on texture *(German)* 4−1537
Al sheet, rolling textures 4−33738
Al-Cu-Zr alloy, superplastic, grain size control 4−41627
Al-Mn alloy, particles influence on recrystn. behaviour 4−41625
Al-Zn-Mg alloy, particles influence on recrystn. behaviour 4−41625
Al-Zn-Mg-Cu alloys, thermomech. procedure for ductility and toughness improvement in transverse directions 4−29103
Al-Zn-Zr alloy, superplastic, dynamic recrystn. 4−41626
Al-Zr alloys, isothermal recrystn. kinetics, particle size and interparticle spacing effects 4−41618
Au, hardened, grain growth during recrystn., photoemission electron microscopy and Bordoni peak obs. *(French)* 4−21258
Au, hot working props. in plane strain compression 4−25389
Au wire, recovery and recrystallisation, change in thermoelec. power *(Japanese)* 4−17239
BaO single crystal film, on (0001) face to Re, rel. to thermal stability *(Russian)* 4−20500
CdTe thin films, recrystallisation limited by stimulator diffusion *(Russian)* 4−6997
Co, prestrained, interaction between recrystallization and allotropic transform., rel. to internal friction *(French)* 4−33783
Cr, influence of rare earth metals *(Russian)* 4−41563
Cr-Ni alloy, heat resistant recrystallized, microstructure, Kh20N80 4−13651
Cu, creep after low-temp. rolling *(Russian)* 4−37879
Cu, deformed, annealing influence on internal friction *(Russian)* 4−37874
Cu, deformed, feasibility of in-situ elec. microscope studies 4−7090
Cu, recrystn. nucleation, h.v. electron microscope obs. 4−41612
Cu single crysts., tensile deformed at 20°C, stored energy meas. 4−1549
Cu-Ag-Al alloys, internally oxidized, isothermal recrystn. kinetics 4−37835
Cu-Au(25 at.%), cold worked, annealing behaviour of ordered and disordered phases 4−33686
Cu-Be-Co alloy, precip. hardening, prior deform. effect on ageing sequence 4−41567
Cu-Cd alloys, grain boundary migration rate during recrystn. and grain growth 4−41615
Cu-Cr, Cu-Zr and Cu-Zr-Cr alloys, precipitates effect on recrystn. temp. 4−41600
Cu-Ga(Ge)(0.3 at.%) alloys, softening phenomena during annealing *(Russian)* 4−37877
Fe, austenitic, tensile failure at intermediate strain rates 4−29176
α-Fe, dislocation substructure form. rel. to work hardening and recrystn. 4−25338
α-Fe, high temp. deform., recovery and recrystn. 4−7161
Fe, origin of recryst. texture 4−7101
Fe, with thoria dispersion, prep. and characteriz. 4−7238
Fe alloys, carbonyl iron based, isothermal recrystn. kinetics, particle size and interparticle spacing effects 4−41618
Fe-C(0.25 wt.% and 0.57 wt.%) alloy, compression deformed and annealed, recrystn. of ferrite and spherodization of cementite *(French)* 4−37849
Fe-Cu(1.23 wt.%), cold-worked, annealing and precip., struct. changes 4−10629
Fe-Mn alloy, Sb additions, recovered and recrystallised struct., temper brittleness *(French)* 4−37940
Fe-Ni alloys, recovery-recrystn. and transform. on heating of alloys cooled from γ region *(French)* 4−41543
Fe-Ni-Co alloy, cyclic martensite $\rightleftarrows$ austenite transforms., coercive force correl. with microstruct. 4−7019
Fe-Ni-Co alloys, tempering, annealability and growth characts. 4−4132
Fe-Si, lightly deformed single crysts., recrystallized grain growth rate anisotropy *(Russian)* 4−37827
Fe-Si(3 wt.%) sheet, primary grain boundary inhibition breakdown 4−7077
Fe-Si(3 wt.%) single crysts., primary recrystn. textures form. mechanism *(Russian)* 4−10575
Gd, isochronal annealing effect, plastic deform., mag. hysteresis meas. 4−28646
Mo, brittleness and ductility *(Russian)* 4−1562

recrystallisation continued
- Mo, grain boundary displacement rate determ. during collective recrystn. *(Russian)* 4−21254
- NaCl, locally deformed crystal, grain boundary migration investigation 4−16547
- Ni, dynamic recrystn., grain size effects 4−41621
- Ni and alloys, work hardening, thermal and mech. stability, struct. state influence *(Russian)* 4−37873
- Ni cold rolled sheet, cube texture developed by secondary recrystallisation *(Japanese)* 4−25327
- Ni foil, cold rolling, texture, X-ray obs. *(Japanese)* 4−4089
- Ni foil, texture, X-ray pole figure *(Japanese)* 4−4088
- Ni-Cr(20 wt.%) alloy, dispersion strengthened, rel. to forming and joining 4−13811
- Ni-Fe alloy, foil, texture, X-ray pole figure *(Japanese)* 4−4088
- Ni-Fe alloy foil, cold rolling, texture, X-ray obs. *(Japanese)* 4−4089
- Pb, grain boundary migration, group mechanism *(Russian)* 4−33697
- Pb-Bi eutectic, dynamic recrystn. during tensile deform. in superplastic mode *(Russian)* 4−21306
- Pu-Ga(1 wt.%) alloy, cold rolled, annealing kinetics and softening behaviour 4−13634
- Sb thin films, recrystn. investig. rel. to film thickness, using electron diffraction *(German)* 4−24669
- Sn, grain boundary migration, group mechanism *(Russian)* 4−33697
- Ti, work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944
- Ti wire, swaged and recrystallized, effects of interstitial content 4−1515
- Ti-Al alloy TiAl6V4, recrystn. process *(German)* 4−37860
- $Tl_2Se_xTe_{1-x}$, amorphous film, temp. depend. 4−41131
- W, wire, effect of micropores on high temp. creep ductility 4−21374
- W bars with oxide additive containing K, Si, Al 4−25402
- W wire, annealed doped, recrystn. inhibition by bubbles 4−29083
- W wire, annealed doped, second phases identification 4−29084
- W wire, mosaic block misalignment during secondary recrystn. *(Russian)* 4−1512
- W wire, wrought thoriated, density changes assoc. with annealing 4−29085
- Zn, grain boundary migration, group mechanism *(Russian)* 4−33697
- Zn, kinetics, nucleation rate time depend. *(Russian)* 4−10572
- Zr, work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944
- ZrO_2, form. in Mo alloy, sub-grain struct. *(Russian)* 4−21259

rectangular waveguides
- coupling via apertures, numerical soln. *(Russian)* 4−8653
- permittivity measurement, microwave frequencies 4−26550
- plane parallel waveguide with locally laminar gyrotropic filling, propagation theory *(Russian)* 4−8658

rectification
- aerial and satellite photographs for topographic mapping 4−17828
- Faradaic rectification polarography, exptl. study 4−5285
- i.r. image distortion, rectification method 4−17831
- Limulus lateral eye 4−35026
- Si amorphous-crystalline junctions, rectification, characteristics, photovoltage production 4−16815
- $Ta-Ta_2O_5$ thin film, forward and reverse cond. mechanisms 4−13236

rectifier tubes
- No entries

rectifier valves *see rectifier tubes*

red giants *see stars*

red shift
- *see also cosmology; Doppler effect; gravitational red shift*
- 1548+115, 4C11.50, double QSO, redshift and spectra 4−8052
- 3C 279, double source, redshift, peculiar velocity and change in angular separation 4−8048
- Cancer cluster of galaxies, redshifts for nine objects 4−4823
- 1,2dimethylindole in solvent mixtures, fluorescence red shift, solvent dielectric const. 4−3998
- galactic recession, asymptotics of relativistic Markov processes 4−38611
- galaxies in clusters, compactness and redshifts of companion galaxies 4−26161
- galaxy associated with QSO 4C 37.43, redshift interpretations 4−2134
- general relativistic electrostatic redshift prediction derivation 4−4696
- Hubble plot of quasars rel. to cosmologies 4−34888
- 3-methylpentane, glassy, absorpt. spectrum of trapped electrons, spectral shifts 4−21584
- PHL 957, absorption-line spectra of QSO rel. to redshift systems 4−34886
- pioneer to 2292 MHz line anomalous redshift close to solar limb 4−22213
- QSOs and peculiar galaxies, review of redshift problem 4−2133
- quasar absorption line redshifts distrib., effect of search line availability 4−30097
- quasar angular diameter distribution, cosmological inferences 4−14442
- quasar discrepant redshifts in clusters of galaxies and close pairs 4−4816
- quasar distance component of redshift rel. to absolute magnitude 4−18022
- quasar intrinsic redshifts rel. to Hubble diagram 4−34884
- quasar redshift magnitude bands, statistical weight of Tifft (1973b) analysis 4−22421
- quasar redshift-magnitude relations, two cosmological models 4−34883
- quasars, cosmological hypothesis, quantitative alternative 4−8051
- quasars, emission and absorption of light, screened atom mechanism 4−42434
- quasars, Hubble diagram interpretation rel. to radio spectra 4−4817
- quasars, inverse Compton X-ray generation and redshift problem 4−14447
- quinine and related cpds., shift of emission band on excitation at long wavelength absorpt. edge 4−3194

red shift continued
- radiogalaxies, redshift distrib. rel. to optical spectra 4−18041
- radiosources with known redshift, complete sample construction 4−34866
- Roberts' redshift effect for galaxies seen in blue light 4−38890
- supergiant (cD) and dumbbell (db) galaxies, statistical mass from image tube spectra 4−14492
- TCNE, liq. mix. with aromatic electron donors, Raman spectra 4−3960

reduction (chemical) *see oxidation*

reed relays
- electrical contact materials, conference, Chicago (1973) 4−16379
- NIBCOLLOY, semihard mag. alloy, applic. 4−10286
- photodetector signal backing-off circuit for kinetic spectrophotometry 4−26516
- Remendur, metallurgical effects of processing time and temp. variations 4−4117
- substrate, Ni-Fe alloy, surface segregation mechanism 4−1516

reeling *see winding (process)*

references (standards) *see standards*

refining, oil *see oil refining*

reflectance *see reflectivity*

reflection
- *see also acoustic wave reflection; electromagnetic wave reflection; neutron reflection; reflectivity*
- air molecule reflection by Proton satellites rel. to motion about centre of mass 4−29798
- plane waves from free plane boundary, elastic medium with microstructure 4−21638
- planetary atmospheres, path length distributions for diffusely reflected photons 4−29916
- Rayleigh waves in earth, effect of lateral inhomogeneities 4−21650
- school experiments to demonstrate imaging, reflection and refraction of heat 4−26405
- wave on shearing current, asymptotic solution 4−40535

reflection nebulae *see nebulae*

reflectivity
- *see also electroreflectance; magnetoreflectance; piezoreflectance; thermoreflectance*
- (TTF)(TCNQ) polarised reflectance spectra 4−10448
- (TTF)(TCNQ) polarised reflectivity spectra meas. 4−17089
- A15 compounds absorption from 0.09 to 3 eV obs., density of states 4−25126
- a.c. reflectometry, for smoke and H_2S meas. 4−35093
- anisotropic polyvalent metals, polarisation dependent reflectivities 4−21018
- antireflection coating, double-layer, theory 4−37711
- asteroid (43) Ariadne, evidence for chondritic composition 4−34722
- asteroid surface composition from i.r. spectral reflectivity comparison with meteoritic material 4−17982
- asteroids, spectral reflectivities in visible and near i.r. for 36 objects 4−22358
- atmosphere, lower boundary, Nimbus 4 BUV atm. O_3 expt. 4−4497
- Ceres, identification of type I carbonaceous chondrite composition from i.r. photometry 4−22360
- crystals, effect of molecular volume, lattice energy on light reflectivity *(Hungarian)* 4−3948
- Earth reflectivity function, deconvolution of reflection seismogram using Kalman filter 4−38506
- electrochemistry, elucidation of electrochemically induced phenomena, review 4−34032
- electrode, reflectivity changes, by means of adsorption processes *(German)* 4−34033
- film, binary anti-reflective, thickness change observation *(Czech)* 4−21112
- gypsum sand and basalt lava flow contrast, diffuse spectra, 0.4-2.5 microns 4−7510
- hemispheric reflectance of sea for atmosphere radiation 4−21932
- ices, 0.3-1.03 microns, solar system satellite constituents simulation 4−34962
- insulator Kramers-Kronig dispersion relation analysis of reflectance spectra 4−25070
- integrating sphere, sphere coating reflectance, performance depend. 4−22837
- i.r., double beam spectrophotometer, for determ. reflectivity of pinewood samples 4−30467
- i.r. twin-wave spectrometer, attachment for obs. reflection coeff. meas. 4−5056
- Jupiter's Galilean satellites, water frost i.r. absorpt. 4−34666
- lunar dust samples, far u.v. 4−22313
- MBBA, nematic-isotropic interface, molecular order and surface tension obs. 4−10034
- metal surface, meas. instrument 4−26507
- metallic thin film, thickness effect on i.r. reflectance 4−41453
- metamict AB_2O_6 rare earth oxides, B=Nb, Ta, Ti, in air 4−4319
- meteorite classes, standard spectral characterisation 4−34720
- meteorite-asteroid spectral comparison, classification 4−34721
- microscopic images, reflectance meas. 4−35247
- mirror, dielectric, meas. using reflectometer 4−35252
- nylon fibre bundle, colour prediction 4−39693
- planetary frosts, simulated lab. conditions, 0.8-6.5 microns 4−34673
- polymer, reflectance spectra, 5-23.1 eV 4−10444
- resin coating, effect of solvent type 4−41853
- semiconductor Kramers-Kronig dispersion relation analysis of reflectance spectra 4−25070
- stabilization cct. for optical detector 4−35283
- tetrathiofulvalinium tetracyanoquinodimethane, polarized reflectance temp. dependence 4−10418
- Titan, u.v. reflectivity and geometrical albedo 4−22295
- Titan atmosphere, u.v., photoelec. spectral scans, particle effect 4−34664
- triglycine sulphate, u.v. reflectance spectra, temp. depend. and para-ferroelectric transition *(Russian)* 4−13466
- Venus, radio scattering behaviour, reflectivity and polarization 4−29910
- Ag film, thickness effect on i.r. reflectance 4−41453
- Ag_2Se, i.r. spectra, temp. depend. of effective electron mass 4−25113

reflectivity continued
Al-Ag films on SiO_2-Si, interdiffusion effects, $^4He^+$ back-scatt. 4−20447
As, optical and dielectric constants determ. *(French)* 4−41392
Au electrodes, vapour-deposited, undercoating effects 4−1714
Au film, thickness effect on i.r. reflectance 4−41453
Au-Ni, ohmic contacts on n-GaP 4−6676
Bi_2S_3, far i.r. dielec. dispersion meas., group anal. 4−13422
Bi_2Se_3, optically active lattice vibrs. investigation 4−28162
Bi_2Se_3:I(Br), free carrier conc. determ. 4−33467
$CdGa_2S(Se)_4$, optical props., band struct., 200-600 nm 4−25131
$CdIn_2S_4$, i.r. spectra, lattice vibrs. 4−6880
Co-I boracite, far i.r. relfectivity obs. 4−13420
CsI, optical props., far infrared, 12-300K, rel. to anharmonicity 4−17058
Cu-Al, α-phase alloys, modulated reflectivity meas. 4−21019
Cu-Ga, α-phase alloys, modulated reflectivity meas. 4−21019
Cu-Ge, α-phase alloys, modulated reflectivity meas. 4−21019
Cu-Zn, α-phase alloys, modulated reflectivity meas. 4−21019
$CuPbSbS_3$, grown by modified zone-melting method, characterization 4−4044
n-GaAs, epitaxial, magneto-optical obs. of free exciton reflectance 4−37627
n-GaAs far i.r. reflectivity characterization 4−20981
GaSe, Kramers Kronig analysis of reflectivity data, 2 to 80 eV 4−33437
GaTe, layer compound, near normal incidence spectrum, 1-6 eV 4−17036
Hg, polarisation dependent reflectivities 4−21018
HgS_xSe_{1-x}, band struct. obs., 2.4-3.6 eV *(Russian)* 4−28866
HgTe-βHgS, thin films, energies 1.60-5.35 eV at 300K *(Russian)* 4−21022
In, optical constants determ. in range 0.5-16.5 eV 4−20957
InSb, p-type, valence band struct. meas. from reflectivity spectra 4−41025
$KNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
LaB_6 film prep. and characteriz. 4−29001
$LiNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
$MgO:Al_2O_3$ Verneuil-grown spinel, optical properties in i.r. region 4−37595
NaF-LiF lamellar eutectic, i.r. quasinormal reflectivity rel. to interface phonons 4−24621
$Na_xK_yWO_3$, quadratic tungsten bronze structure, spectrophotometric study *(French)* 4−3950
Ni, passive, metal mirror electrode, changes of reflectivity rel. to electrode pot. investig. *(German)* 4−34034
Ni-I boracite, far i.r. reflectivity obs. 4−13420
$RbD_3(SeO_3)_2$, i.r. spectrum, para- and ferroelec. phases 4−13460
$RbH_3(SeO_3)_2$, i.r. spectrum, para- and ferroelec. phases 4−13460
Rh film, reflectance, photon energies 0.5-11.7 eV, volume and surface losses 4−13536
SF_6, critical liquid-vapour interface, diffuse transition layer thickness 4−16589
SbSI, wavelength modulation spectra and electronic band struct. 4−41391
$Sb_2S_3(Se_3)$, far i.r. dielec. dispersion meas., group anal. 4−13422
Sb_2Te_3:Ge, plasma resonance frequency region 4−16775
SiC polytypes, rel. to energy band struct. 4−24698
Si_3N_4, reaction-bonded, reflected light microscopy and microhardness 4−29203
Si_2N_2O, reflected light microscopy and microhardness 4−29203
SnS, from absorpt., 100-300K, 2.2-0.8 μ 4−33405
$V_{1-x}Cr_xO_2$, $0 \leqslant x \leqslant 0.05$, 6328A, hysteresis effects 4−41102
W(100), optical reflectance spectroscopy of surface states in H_2 chemisorption 4−41389
Zn, electrolytic deposition onto ZnO, mechanism investig. by differential refl. spectroscopy *(German)* 4−34035
Zn, polarisation dependent reflectivities 4−21018
ZnTe:Al(I), defect complex role 4−17115
ZrB_2, film, 4.1-11.3 eV, interband transitions, plasma freq. 4−21114

reflector antennas
Cassegrain rel. to pilot radioastronomy station *(Spanish)* 4−11258
Cracow 15 m radiotelescope, antenna tests for background meas. at 1300 MHz 4−34959
radiometer, development and testing 4−30416
radiotelescope, RT-70, mirror system, parabolic aerial system *(Russian)* 4−22479
steerable, charact. using microwave holography 4−30495

reflex klystrons
No entries

refraction
see also acoustic wave refraction; electromagnetic wave refraction; refractive index
atmospheric gravity waves on tangential discontinuity *(Russian)* 4−7695
geodesy, influence on vertical angles *(German)* 4−21629
orthorhombic crystal, internal conical refraction of elastic waves 4−1087
Rayleigh waves in earth, effect of lateral inhomogeneities 4−21650
school experiments to demonstrate imaging, reflection and refraction of heat 4−26405
seismic waves, concave boundary, quasisliding longitudinal waves 4−7548
wind wave refraction, theory of spectrum transformation *(Russian)* 4−21918

refractive index
see also refractometers
acentric crystal, anisotropy of nonlinear refractive index, linear electro-optic effect 4−35894
acetone, 1720 cm^{-1} Raman line, solvent effects *(German)* 4−27662
alkali germanate glasses, M_2O-In_2O_3-GeO_2 system, (M=Li, Na, K), struct. and prop. characteriz. 4−7292
alkali halides, deformational changes *(Russian)* 4−20955
ammonium tartrate, second harmonic generation at 1.153 micron 4−5539
anilines, substituted, benzene soln., dipole moment determ. 4−20920
anisotropic warm magnetoplasma 4−32175

refractive index continued
antireflection coating, double-layer, theory 4−37711
atmosphere, turbulent, anal. of phase fluctuations in e.m. wave propagation 4−10899
atmosphere, turbulent, effect on optical beam field amplitude fluctuations *(Russian)* 4−25690
of atmospheric aerosol, bistatic laser scatt. and solar aureole meas. 4−11034
atmospheric aerosol minerals, complex refractive index *(Russian)* 4−4426
atmospheric aerosol particles, complex, influence on radiative cooling 4−4522
atmospheric refractive index structure function coeff. diurnal cycles 4−1892
benzene, optical consts. calc., in 1035 cm^{-1} band region, by Kramers-Kronig method *(Russian)* 4−33371
benzophenone, benzene soln., dipole moment determ. 4−20920
bleachable substances light induced phase gratings, self diffusion efficiency calc. 4−23277
closed homogeneous lens, focal position *(Russian)* 4−39218
copolymer, composition determ. by polarization diffusometer *(Russian)* 4−1686
dibutyl ether, benzene soln., dipole moment determ. 4−20920
dielectrics, 4-30 cm^{-1} waveband *(Russian)* 4−33365
diphenyl ether, benzene soln., dipole moment determ. 4−20920
fibres, gradient-index, refractive index radial distrib. meas. in interference microscope *(German)* 4−11507
film, binary anti-reflective, thickness change observation *(Czech)* 4−21112
films, non-absorbing, multilayer synthesis *(Russian)* 4−25224
fluctuations, in turbulent atmosphere, wave propagation *(Russian)* 4−34371
fluorite crystals, vapour growth from fluorspar 4−17172
formate family, new phase-matchable nonlinear props. 4−19137
Fourier transform interferometry determination, characteristics features of interferogram 4−46
freon 113, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
garnet film, thickness from refractive index meas. 4−28959
garnet thin film optical waveguides 4−17146
glass, computer catalogue, automated design of optical systems 4−18439
glass, nonlinear index, third-order electronic susceptibility theory 4−31068
glass, partial dispersion, refractive index, wavelength depend. 4−17035
glass, refractive index depend. on ion depletion at blocking anode, obs. 4−32958
holographic interferometric optical path length data, refractive index reconstruction 4−5076
i.r. transmitting materials, laser beam effects 4−57
Kramers-Kronig-Heisenberg dispersion relations, Stieltjes inversion 4−3053
light diffraction u.s. rel. to holographic grating 4−30980
light reflective diffraction, by Rayleigh wave *(French)* 4−30968
liquid crystal, cholesteric, propag. vibr. obs. in inversion band region *(French)* 4−33363
liquid crystal, nematic, refr. index and alignment, state-of-the-art 4−1007
liquid crystal, nematic, rel. to order parameter *(French)* 4−9818
lithium-sodium formate, 0.35-1.5 μm, dispersion relation consts. 4−3951
nolinear, transport homogeneous media, anisotropic and gyrotropic, refraction vectors 4−13405
nonlinear, Kerr type, laser beam self-focusing 4−23398
nonpolar liquids, Lorentz-Lorentz relation, temp. depend. 4−24379
nylon fibre bundle, colour prediction 4−39693
oceanic optical props. review 4−4404
optical inversion of refraction profiles, general soln. 4−2593
oxides, stable, of elements N to Ru, atomic density and mass factor applic. to props. correl. 4−4177
oxides of elements N to Ru, properly value relationships 4−17383
plant cell wall, 1.425 average meas. 4−34985
plasma, laser heating, X-ray conversion, theoretical model 4−24303
PMMA, laser induced refractive index increase, polymerisation mechanism 4−31065
PMMA-polymethane composite, low angle scattering and turbidity 4−13883
polyatomic gases, Kramers-Kronig dispersion eqn. statistical model, temp. depend. *(Russian)* 4−40373
polyethylene solution, rel. to density 4−6858
polymers solution, rel. to density 4−6858
polymethylsiloxane, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
polystrene latex particles, refractive index determ. from dispersed light characts. *(Russian)* 4−29253
polystyrene solution, rel. to density 4−6858
propoxy-4 heptyl-4′ tolane, nematic *(French)* 4−33364
quartz, meas. in α-β transition region 4−13038
random media, stochastic resonances at wave reflection from random refractive index media 4−8720
ratio reflectance spectra, Kramers-Kronig anal., oblique incidence 4−2594
reflectance measurement, microscopic images 4−35247
ruby, change in electron component during pumping *(Russian)* 4−26982
semiconductor, depend. on freq. and elec. field, permittivity of hot electrons 4−17020
semiconductor, drift carrier effect in strong mag. field *(Russian)* 4−33370
semiconductor related film, dispersion, laser interferometer obs. 4−25195
sodium formate, 0.35-1.5 μm, dispersion relation consts. 4−3951
solids, refractive index change due to vibr. excitation by powerful light *(Russian)* 4−23390
telescopic, daily fluctuations of refraction constant and tube flexure *(German)* 4−38934
thermoplastic cement, 20 μ thick, transmission in i.r. 4−25197
transparent crystal, temp. derivative, electronic and lattice contrib. calc. 4−28784

refractive index continued
  transparent materials, laser-induced interference and thermal lensing 4−23396
  water, distilled, anomalies above 35°C rel. to density inhomogeneities 4−41350
  water, distilled, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
  whistler mode propagation through magnetosphere 4−11007
  Ag thin film, light reflectance and transmittance meas. and photoelectric props. at plasma frequency 4−1430
  $Ag_2Fe_6(OH)_{12}(SO_4)_4$, argentojarosite, synthesis, physical props., thermal behaviour 4−4318
  AgI, hexagonal single cryst., absorpt. tail, freq. depend. 4−28782
  $Al_xGa_{1-x}As$, 1.2-1.8 eV, $0<x<0.38$, rel. to lasing 4−37577
  AsSI, i.r. dispersion meas., surface impurity vibrs. effect *(Russian)* 4−33369
  AsSeI, i.r. dispersion meas., surface impurity vibrs. effect *(Russian)* 4−33369
  BaF_2, large single cryst., temp., growth conditions depend. 4−33368
  Bi, thin films, thickness depend., deposition conditions var. 4−10500
  Bi_2O_3-GeO_2 glass, struct. and props. 4−20219
  $Bi_2O_3.3MoO_3$ and $3Bi_2O_3.2MoO_3$ single crysts. 4−25252
  CO_2, interferometric determ., 1807 to 2537A 4−16063
  CS_2, liquid, nonlinear refractive index and d.c. Kerr const. at 10.6 μ 4−31069
  CaF_2, large single cryst., temp., growth conditions depend. 4−33368
  CdS, film, exciton dispersion, interference states obs. 4−41451
  CdSe, film, exciton dispersion, interference states obs. 4−41451
  $Cu_3(PO_4)_2.H_2O$, radioactive, physical props. *(Portuguese)* 4−7507
  $CuPbSbS_3$, grown by modified zone-melting method, characterization 4−4044
  Fe, room temp., incidence angles of 70 and 75° 4−28783
  Fe-Ni alloys, dispersion, 0.3-17 μm, band model interpret., conc. depend. *(Russian)* 4−28808
  $FeBO_3$, magneto-optic determ. 4−13404
  GaAs, i.r., effect of strong elec. field *(Russian)* 4−25075
  $GaAs_{1-x}P_x$, oxide surface film, distrib., device appl. 4−25267
  GaAsSe chalcogenide, semicond. glass, meas., 1.1-1.6 μm 4−37579
  GaTe, layer compound, 1-6 eV, from reflectivity spectrum 4−17036
  $Gd_2(MoO_4)_3$, single crystals, anisotropy of nonlinear refractive index 4−28785
  Ge, amorphous film, substrate temp. depend. 4−33524
  $GeSb_2Se_4$, vitreous, reflectivity curve estimation 4−10404
  H_2O-choline chloride-KCl systems, isothermal diffusion meas., density data, refractive index derivatives determ. 4−29366
  H_2SO_4, soln. in water, optical consts. in i.r., refl. meas. 4−41364
  InBr single crysts., two principal indices, interference meas. 4−33366
  K_2O-SiO_2(25%) glass, annealing, relax. of elec. cond. and refractive index 4−32929
  K_2SO_4, soln. in water, optical consts. in i.r., refl. meas. 4−41364
  LiF, large single cryst., temp., growth conditions depend. 4−33368
  $LiIO_3$, fundamental and second harmonic waves, intensity depend. refractive index 4−23379
  $LiNbO_3$:$Fe^{2+,3+}$, laser induced refractive index damage 4−33457
  $LiTaO_3$, optical damage investigation 4−15389
  MoO_3 layers, spectral variations 4−21035
  NH_3, solid, from Lambert i.r. absorpt. coeffs. 4−6859
  $NH_4H_2PO_4$, soln. in water, optical consts. in i.r., refl. meas. 4−41364
  $Na_xK_yWO_3$, quadratic tungsten bronze structure, spectrophotometric study *(French)* 4−3950
  Nd:glass laser rod, change for self Q-switching 4−23339
  Ni, room temp., incidence angles of 70 and 75° 4−28783
  Ni-Cr, 250 to 1100 nm spectral range 4−37625
  Ni-Fe alloy, room temp., incidence angles of 70 and 75° 4−28783
  NiO, film form. on Ni alloys, oxidation characts. 4−24650
  PbO, film, formed by r.f. sputter etching 4−37720
  PbO, growth of ultrathin layer on Pb 4−1174
  $PbO.2Nb_2O_5$, ferroelec., dispersion, birefringence, wavelength depend. 4−6862
  $RbAg_4I_5$, disordered solid electrolyte, far i.r. spectra, lattice vibrs., optical, dielec. props. *(German)* 4−36986
  SF_6, density depend. of Lorentz-Lorentz coeff. 4−40374
  Sb, film, i.r. transmittance, absorption index, refractive index 4−17079
  Sb_2O_3, film, from transmittance curve 4−28962
  n-Si, anisotropy in strong elec. fields 4−28791
  Si_3N_4, i.r. transmission and reflection spectra *(Russian)* 4−6886
  SiO_2 film, on Si substrate, ellipsometric obs. *(French)* 4−13534
  SiO_2-B_2O_3 glass, refr. index and energy gap 4−37578
  SiO_x, anodic film product of Si_3N_4 anodization 4−1715
  SnS, from absorpt., 100-300K, 2.2-0.8 μ 4−33405
  Ta_2O_5, 2.21 ellipsometric meas., single-layer oxide model for Ta plasma oxidation 4−28307
  $Tb_2(MoO_4)_3$, single crystals, anisotropy of nonlinear refractive index 4−28785
  TeO_2, nonlinearity, mixed wave intensity calc. 4−11967
  TiO_x film, on Ti complex refractive index 4−6857
  Tl_3PSe_4, single cryst., optoacoustic figure of merit 4−41354
  Tl_3PSe_4. acousto-optical effects 4−3952
  $YAl_3(BO_3)_4$ structure isomorphic crystals, nonlinear opt. props. 4−11957
  ZnS-MgF_2-SiO, -Na_3AlF_6, -Ge, multilayer films, equivalent value 4−28960

refractive index measurement
  see also refractometers
  of dielectric planar film, with prism coupler 4−14842
  film thickness effect, Abeles type index meas. 4−39213
  Fourier spectroscopy, critical review 4−35276
  frequency mixing, third-order, feasibility for nonlinear refractive index meas. 4−14845
  gas, temp. dependence of specific refractivity 4−36608
  grains and small quantities of liquid, interference microscope determ. 4−2290
  interference pattern obs., refractive index and thickness of transparent film 4−30476

refractive index measurement continued
  latex, turbidity meas., estimation of particle size and refractive index 4−13945
  liquid, immersion refractometer, with flexible light guide 4−26499
  moire technique, direct measurement, description 4−2292
  of particles suspended in ocean 4−25887
  perylene films, optical props. in the visible and near u.v. 4−17145
  photoelastic immersion fluid 4−35259
  polystyrene latex, turbidity meas., estimation of particle size and refractive index 4−13945
  and prism angle, simultaneous determ. 4−30438
  refractometer, meas. in 0.7 to 50 μ range 4−18432
  semiconductor glasses, using backward wave tube, 1.1-1.6 μm 4−37579
  submillimetre wavelengths, simple method 4−2329
  troposphere, use of open spherical resonator as sampling cavity in microwave radio refractometer 4−14859
  u.h.f. propagation through atmosphere *(German)* 4−17763
  H_2, temp. dependence of specific refractivity 4−36608
  N_2, temp. dependence of specific refractivity 4−36608

refractivity *see refractive index*

refractometers
  autocollimation principle with prism rotation, 0.7 to 50 μ range 4−18432
  continuous flow, errors due to physical and constructional factors *(Polish)* 4−26500
  immersion, with flexible light guide 4−26499
  interference refractometer, application of method of coincidences 4−4931
  microwave radio, sampling cavity, use of open spherical resonator 4−14859
  neutron, for precise meas. of neutron scatt. amplitude 4−35449

refractometry *see refractive index measurement*

refractories
  see also ceramics; cermets; clay
  alloy, high temp. characteriz. and strengthening mechanism 4−7311
  basic, anal. by X-ray fluorescence of glass pellets 4−21398
  borides, lightweight, synthesis and characteriz. 4−7266
  borides, metal-like, wetting by liq. nontransition metals 4−38029
  carbide, time-dependent diffusion in temp. gradient 4−31552
  carbide characterization for electron probe reference standards 4−39411
  carbides, explosion effects on struct. and props. *(Russian)* 4−33852
  conference, Bedford, USA (Oct. 1973) 4−21395
  densification by pre-sintering with explosive compaction 4−7259
  γ-dicalcium silicate-quartz mixtures, new calcium silicate phase 4−41816
  dispersed oxide composites, sintering for high temp. protective coatings applic. 4−41823
  glass contact, heat energy conservation 4−21400
  glass house, heat energy conservation 4−25408
  graphitic carbons, thermal conductivity meas., varying porosity 4−33864
  high temperature materials symposium, Hyderabad, India (Feb. 1972) 4−7310
  interaction with molten glass, rel. to bubble liberation 4−33854
  metal, asymmetric change of thermo-emission current and cryst. surface. struct., directional transfer *(Russian)* 4−21146
  metal, b.c.c., hydrogen diffusion, surface and trapping effects 4−1142
  metal polycrysts. with intergranular phase layers, diffusional creep *(Russian)* 4−17294
  metallisation of PtSi-to-Si ohmic contacts, silicide formation 4−16820
  metals, electrical resistance and emissivity simultaneous meas. method 4−2253
  metals and alloys, stacking fault phenomena, block size *(Russian)* 4−29056
  microsphere preparation by irradiation with CO_2 laser *(French)* 4−4199
  multicomponent particle-size system, particle-size distrib. and packing vol. calc., model *(Japanese)* 4−25418
  nitride materials, synthesis and fabrication procedures 4−4173
  oxide, high temp., microstruct. rel. to manuf. variables 4−7316
  oxide absorber materials, review of characteristics 4−15948
  oxide bicrystal growth by floating zone method *(French)* 4−25260
  powder, plasma spraying with immersion of torch in H_2O 4−17408
  rare earth dicarbides, surface ionisation and Langmuir vaporisation 4−33861
  refractory gate m.o.s. technology *(French)* 4−25277
  review 4−21420
  SiC, subcritical crack growth and fatigue at high temps. 4−7269
  sintering, application of theory in practice 4−21379
  state of reduction, glass blister testing 4−21399
  thermal conductivity, meas. and sampling problems, review *(French)* 4−13812
  thermal diffusion meas. in nuclear technology *(Spanish)* 4−35203
  transition metal carbides, mech. characteriz. w.r.t. bond strenth 4−7312
  transition metal compounds, X-ray emission spectra 4−37703
  transition metal diborides, contact reaction with liq. metals 4−41820
  AlN, whiskers, Young's modulus, tensile strength meas., size depend. 4−25416
  AlN powders, thermal conductivity at high temp., effect of O_2 impurity 4−25419
  Al_2O_3, alumina, high density, hot pressing 4−7319
  Al_2O_3, alumina, super-refractory, characterization 4−7318
  Al_2O_3, strengthened Fe and Ni, influence of production methods on sintering *(Russian)* 4−21393
  Al_2O_3-AlN-Mo(W, Ni) system, wetting by Fe-group metals, Cu, Al, steel, and cast iron 4−38030
  B_4C, EBR-II irrad., tritium retention 4−15945
  B_4C, fast-reactor irradiated, crystallographic changes 4−23892
  B_4C, irrad. behaviour under PWR conditions 4−15946
  B_4C, neutron irrad., defect struct. 4−19582
  B_4C, neutron irrad. damage, small-angle scatt. obs. 4−31532
  B_4C, pore morphology, struct. and irrad. effects 4−15942
  B_4C, thermal cond., 20-1400°C 4−15944
  B_4C, thermal props., room temp. to 1500°C 4−15947

refractories continued
B_4C pellets, thermal cond., 20-1300°C 4−15943
B_xC_y LMFBR absorber material, YY02 instrumented irradiation 4−23893
β-BN, sp. ht., 298-1000K 4−13822
CrB_2 powder, hot pressing, creep rel. to densification 4−17406
EuO LMFBR absorber material, YY02 instrumented irradiation 4−23893
Eu_2O_3, thermal props., room temp. to 1500°C 4−15947
Eu_2O_3 absorber material fabrication 4−15949
Hf-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
Hf-Mo system, Laue phase studies *(Russian)* 4−7029
HfB_2, high temp. hardness meas. 4−25412
HfB_2, processing and prop. characteriz. 4−4182
$HfMo_2$, Laue phase heat resist. *(Russian)* 4−7300
HfO_2 thermal control coating, solar radiation effect on optical props. 4−7265
HfW_2, Laue phase heat resist. *(Russian)* 4−7300
$MgAl_2O_4$ spinel, reactive powder prep. 4−7321
MgO, basic, phase equilibria and microstructure 4−33865
MgO, particle size distribution effects *(Japanese)* 4−13854
MgO, reactions with aluminium-containing components 4−13819
MgO, sintered, pore size distrib. by back diffusion method *(Japanese)* 4−13857
MgO-Al_2O_3 based refractory, microfractography and phase identification *(French)* 4−41808
MgO-Si_3N_4 system mats., mech. props. 4−33859
Mo, creep during hot pressing *(Russian)* 4−21415
Mo, densification by pre-sintering with explosive composition 4−7259
Mo, dispersion hardening and eval. by hot hardness test 4−7327
Mo, effect of thermodiffusion coatings on mech. props. 4−7202
Mo, integral hemispherical emissivity meas. 4−4188
Mo, liq., solubility of N_2 4−41598
Mo, neutron irrad., fluence and temp. depend. of swelling 4−23836
Mo, quenched-in resistivity, purity depend. 4−37951
Mo alloy, deform. and failure during programmed temp. change 4−13853
Mo TZM materials, helium-implanted, fatigue crack growth 4−12457
Mo-Re (47 wt.%) refractory alloy, integral hemispherical emissivity meas. 4−4188
Mo-Re alloys, deformed, X-ray diffr. obs., search for stacking faults 4−7098
Mo-V-Zr system, solid soln. phase studies *(Russian)* 4−7031
Mo-W alloys, strength, 20-1800°C 4−41729
Mo-W-C, phase equilibria at 1000°C 4−7306
Mo-Zr-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
Mo_2C, creep during hot pressing *(Russian)* 4−21415
$MoSi_2$, creep during hot pressing *(Russian)* 4−21415
$MoSi_2$, Mo_3Si, Mo_5Si_3, enthalpy at 1200 to 2200K 4−7288
$MoSi_2$, powder, hot pressing with chem. activation *(German)* 4−4198
$MoSi_2$ powder, hot pressing, creep rel. to densification 4−17406
$MoSi_2(Ge_2)$ alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4−13806
Nb alloy, deform. and failure during programmed temp. change 4−13853
Nb alloy sheet SU31, mech. characteriz. 4−7165
Nb-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
Nb-Mo system, high temp. thermodynamic props., 1050-1300K 4−13848
Nb-Zr(1 wt.%) alloy, helium-implanted, fatigue crack growth 4−12457
NbC, enthalpy, specific heat homogeneity region, 1300 to 2500K 4−33858
NbC, self-diffusion of C, 1800-2200°C *(Japanese)* 4−24590
NbC, strengthened Fe, influence of production methods on sintering *(Russian)* 4−21393
NbC, sub-stoichiometric, thermal conductivity at 300K 4−32755
NbC-$WC_{(1-x)}$ solid soln. composites characteriz. for high temp. applics. 4−7329
$NbC_{0.99}$, explosion effects on struct. and props. *(Russian)* 4−33852
NbC_x, electron probe reference standards, characteriz. 4−39411
Ni alloy, EI826, creep and rel. microprocesses, elec. resistivity obs. 4−1601
Ni-Cr, Ni-Cr-Co and Ni-Cr-Fe alloys with refractory additions, heat-resistant materials developments 4−7222
Re, integral hemispherical emissivity meas. 4−4188
ScC_2 surface ionisation and Langmuir vaporisation 4−33861
SiC, characterisation for high temp. use 4−10653
SiC, characterization and applications 4−10648
SiC, chemical vapour deposition w.r.t. high temp. struct. applics. 4−10532
SiC, comparison with related diamond-like crystals 4−10661
SiC, conf., Miami Beach, USA (Sep. 1973) 4−10647
SiC, cubic, theoretical investigation of solid solubility of cubic BN 4−10658
SiC, fracture of commercial samples 4−10660
SiC, high strength, characterisation rel. to severe environment use 4−10651
SiC, hot pressed, effect of C additions on grain growth and strength 4−10649
SiC, infiltration with Si, metals and Si-alloys 4−10717
SiC, influence of impurity levels on cohesive energy density, i.r. obs. 4−10657
SiC, liquid-phase reactive sintering, kinetics 4−38028
SiC, microstructural effects on physical props. 4−10659
SiC, polycryst., abnormal grain growth 4−10654
SiC, pyrolytic, integral hemispherical radiation 4−7285
β-SiC, pyrolytic, striated structures 4−10655
SiC, self-bonded, REFEL, engineering applics. 4−10650
SiC coated nuclear fuel granules, systematic X-ray diff. examination 4−10656
SiC filaments, chemical vapour deposition, heat treatment, rupture strength 4−10652
Si_3N_4, high temp. characterization 4−7313

refractories continued
Si_3N_4, high-strength, hot pressing phenomena 4−4174
Si_3N_4, hot-pressed, high temp. strength, impurity effects 4−7280
Si_3N_4, reaction sintering and microstruct. 4−7315
Si_3N_4, subcritical crack growth and fatigue at high temps. 4−7269
Si_3N_4, thermal decomposition kinetics, 1490°-1750°C 4−7429
Sm_2O_3, plasma spraying 4−41822
Ta alloy, deform. and failure during programmed temp. change 4−13853
Ta-W alloys, high temp. thermodynamic props. 4−13846
Ta_2C, high temp. thermodynamic stability, 1740-1900K 4−13847
$TaCr_2$, Laue phase heat resist. *(Russian)* 4−7300
Th compounds, magnetic susceptibility meas. 4−13296
Ti-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
Ti-Mo(21 wt.%) alloy, thermotransport of oxygen 4−7326
Ti-refractory elements, mech. props., struct., and phase composition 4−33794
TiB_2, creep during hot pressing *(Russian)* 4−21415
TiB_2, prep. and applics., review 4−7317
TiB_2 alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4−13806
TiC, creep during hot pressing *(Russian)* 4−21415
TiC, enthalpy, specific heat homogeneity region, 1300 to 2500K 4−33858
$TiC_{0.98}$, explosion effects on struct. and props. *(Russian)* 4−33852
TiC_x, nonstoichiometric, electronic struct., X-ray spectra obs. 4−41447
TiN, creep during hot pressing *(Russian)* 4−21415
TiN powder, hot pressing, creep rel. to densification 4−17406
$TiN_{0.98}$, $TiN_{0.87}$, powder, evaporation in homogeneity region 4−7287
TiN_x, real structure in homogeneity range 4−41821
TiN_x, $x=0.95$, 0.92, 0.88 and 0.86, activated sintering *(Russian)* 4−21413
UC_2 coated fuel particles, high temp. coating failure obs. 4−31530
UO_2, high temp., microstruct. rel. to manuf. variables 4−7316
U_3O_8, nonstoichiometry at 675-1125 K 4−32708
UZrC-UC_2-C ternary system, thermodynamic and phase relns. 4−33857
W, densification by pre-sintering with explosive compaction 4−7259
W, quenched-in resistivity, purity depend. 4−37951
W, spectral radioactivity, photoelec. determ. 4−7284
W coatings, struct. correl. with deposition conditions 4−13765
W-Cr-Zr system, phase equil., 1200 and 1500°C *(Russian)* 4−7030
W-Cu pseudo alloys, hot pressed, phys. props., 300-2200K 4−41815
W-Cu pseudoalloys, hot extruded, thermal and electrical conductivity, thermal expansion meas. 4−4186
W-Ta alloys, oxidation props. 4−41826
WC-Co alloys, sintering temp. and cooling conditions influence on microstruct. and residual stresses *(French)* 4−33845
WC-Co hard alloy, stress-strain curve, strength, as dispersion-strengthened materials 4−17328
WSi_2, W_5Si_3, enthalpy at 1200 to 2200K 4−7288
YC_2 surface ionisation and Langmuir vaporisation 4−33861
Y_2O_3, thermal cond. meas., 600 to 2100K 4−7286
Zr, oxidation, 1000-1400K, O_2 press. 20-700 Torr 4−4197
Zr, polycryst., deform. behaviour, flow stress thermal and athermal components 4−7141
Zr-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
Zr-Nb(2.5 wt.%) weldments, struct. and phase comp. 4−41730
ZrB_2, high temp. hardness meas. 4−25412
ZrB_2, processing and prop. characteriz. 4−4182
ZrB_2 powder, hot pressing, creep rel. to densification 4−17406
ZrC, chem. vap. deposition on pyrocarbon-coated fuel particles 4−40120
ZrC, enthalpy, specific heat homogeneity region, 1300 to 2500 K 4−33858
ZrC, pyrolytic, integral hemispherical radiation 4−7285
ZrC, sub-stoichiometric, thermal conductivity at 300K 4−32755
ZrC layer form. on graphite, mechanism *(French)* 4−7283
ZrC thermodynamic functions, 0-3000K 4−7305
$ZrC_{0.96}$, explosion effects on struct. and props. *(Russian)* 4−33852
ZrC_x, electron probe reference standards, characteriz. 4−39411
ZrC_x homogeneity range, investigation of diffusion controlled processes 4−7304
$ZrMo_2$, Laue phase heat resist. *(Russian)* 4−7300
ZrO_2, monoclinic-tetragonal transform. kinetics, heat treatment effect 4−7322
ZrO_2, p-type and n-type semicond. characts. 4−7323
ZrO_2, strenthened Ni, influence of production methods on sintering *(Russian)* 4−21393
ZrO_2, Y_2O_3 stabilized, high temp. creep 4−7274
$ZrSiO_4$, carbonisation in plasma arcs 4−33989

refractory materials *see refractories*

refrigeration
see also cryogenics; freezing
F-22 + DBPL soln., absorption refrigerator, circulation rate 4−8341
temperature control, by computer using radial heat exchanger 4−39192
thermoelectric refrigeration, thermoelec. materials selection *(Roumanian)* 4−18403

refrigerators
student construction in laboratory 4−30350
^3He-^4He, with circulating ^4He, improved version 4−14832

regenerative receivers *see radio receivers*

Regge poles and trajectories
see also hadron scattering
absorptive effects in inclusive reactions, model generalisation from quasi two body reactions 4−36086
bare Pomeron Regge pole domination of non-diffractive component in two-component model 4−23531
bilocal form factors for Regge couplings 4−12070
bootstrap scheme, odd-daughter-eliminating dual amplitude, unitarity constraints 4−27134
Born amplitudes for pions, derivation 4−371

Regge poles and trajectories continued
bounds, high energy parameter determ. from low energy data 4−36028
colliding pole models for asymptotically growing cross sections and inclusive reactions 4−36029
complex helicity plane, pole positions res. to Regge poles, asymptotic behaviour 4−15454
couplings in exclusive and inclusive reactions, comparison 4−15519
cut branch point behaviour in absorption model 4−36034
De-Sitter inhomogeneous group, scatt. amplitude decomposition by irreducible unitary representations *(Russian)* 4−31117
diffraction scattering, reggeon calculus approach 4−27141
diffractive overlap integral model, using triple Regge diagrams, peripherality 4−31178
dual analogue model for πN and NN elastic scattering 4−8981
dual resonance model, Regge-slope expansion 4−5626
dynamical model of trajectories threshold behaviour and linearity 4−5636
eikonal model including reggeon-reggeon cuts for neutral pion photoproduction 4−27104
electroproduction of pions, polarised beams and targets, model 4−2690
elementary particle inclusive reactions, duality and the Regge approach 4−5698
factorisation of Regge poles, in two-body inelastic processes 4−23553
factorisation scheme, $K^-p \to \Lambda + X$, 14.3 GeV/c, and $\pi^\pm p \to \Lambda + X$, 18.5 GeV/c 4−19265
five-point function, multi-Regge theory, signature, factorization, unitarity 4−15520
Glauber approximation, comparison with Pomeron factorisation in nucleon-α and $\alpha\alpha$ collisions 4−40010
Gribov's Reggeon calculus, rel. to high-energy Compton scattering of protons 4−19213
hadron electroproduction in virtual photon fragmentation region, factorisation laws 4−2692
hadron exponential interactions, high energy 4−370
hadron-hadron scattering, inelastic vertex, 25 GeV/c 4−2735
hadronic scattering amplitude as sum of quark diagrams, Regge behaviour and fixed-angle scattering 4−27145
heavy ion physics, peripheral resonance description 4−12372
heavy ion reactions, quasimol. states and Regge poles 4−2970
heavy-ion transfer reactions, Regge poles and forward-angle anomalies 4−36222
helicity amplitudes, imaginary parts anal. for KN(πN) scattering 4−12086
inclusive reactions, anal. of spectra in fragmentation and central regions 4−23576
inclusive reactions, criterion for early scaling in Regge limit 4−12110
inclusive reactions, difference in Regge- and helicity-pole limits for couplings 4−12115
inclusive reactions, leading particles, energy momentum conservation and scaling 4−31216
inclusive reactions, multiperiphism and Regge-exchange models 4−5696
inclusive reactions, review of theory 4−15591
inclusive reactions, triple Regge anal. and finite mass sum rules 4−23577
inclusive reactions in pionization region, Regge pole exchange, symmetry constraints 4−27196
inelastic electron scattering, spin depend. high freq., helicity flip couplings 4−8968
intercept, decomp. according to produced particles multiplicities comparison with pp data 4−8990
lepton-hadron deep inelastic scattering, Regge-Mueller vs parton model analysis 4−36083
linear trajectories, covariant harmonic oscillator approx. in relativistic strong binding of quarks in Bethe-Salpeter framework 4−35937
linear trajectories, resonance widths and unitarity 4−372
lower-lying cuts in reggeised absorption model, satisfying duality, description of meson-baryon scattering 4−36038
meson resonance photoproduction, appl. of Regge Compton scattering theory 4−2689
meson-baryon scattering, dual model, no parity degeneracy *(Russian)* 4−15514
mixed Regge-pole-helicity-pole limit, scattering amplitudes in five dimensions 4−15524
model predictions for production and decay in), 4.3 to 5.0 GeV/c 4−36073
Mueller multi-Regge expansion rel. to interpolation formula for two-particle distrib. functions 4−12117
Mueller Regge model equivalence with multiperipheral model 4−15527
multi-Regge amplitude discontinuity factorisation, dual resonance model 4−36022
multiperipheral dynamics, successive asymptotic expansions 4−31180
multiperipheral model, input Regge singularity, self-consistency 4−15525
multiperipheral model, self consistent solution, including normal Regge region 4−39875
multiperipheral model in nonforward M^2 absorptive part in double-Regge model 4−8998
non-negligible Regge-Regge cut in dual absorptive model for πN scattering at intermediate energies, non-negligible Regge-Regge cut 4−39884
operator product expansions, Regge asymptotic behaviour 4−39796
phenomenology of scattering and production processes at high energy 4−2702
pion spectra, central region, analysis 4−389
pionisation cross sections, symmetry relations, Mueller's Regge anal. 4−23586
pomeron model, diffr. scatt., multiperipheral prod. of particles 4−27158
pomeron poles, coupling at t=0, effect on factorisation, multiple fireball prod. 4−8991
pseudoscalar meson photo- and electroproduction, dual Regge model, energy depend. 4−19210

Regge poles and trajectories continued
quantum number carrying Regge poles, absorptive Pomeranchukon 4−23519
quasi pole model for high-energy scatt. amplitude 4−23517
quasi-two-body reactions $0^-1/2^+ \to 0^-3/2^+$ at high energy, Regge model 4−15560
quasi-twobody reactions with large helicity flip on tests for cuts generation 4−5634
Regge Δ exchange parametrisation for backward πN scattering 4−39895
Regge-Mueller phenomenology with new duality constraints for inclusive spectra 4−36096
Reggeon field theory, structure of vacuum singularity 4−27148
reggeon graph technique for topological cross sections 4−27152
reggeon loop corrections, pomeron couplings 4−36032
reggeon theory of diffraction scatt., rel. to pp cross sections at ISR energies 4−39911
reggeon-reggeon-pomeron coupling, disappearance at t=0 4−27151
renormalizable gauge theories of vectors and spinors, Reggeization 4−39803
s-channel unitarity, prod. amplitudes, Mandelstam cuts 4−27150
scattering amplitude involving multi-pomeron cuts 4−27146
scattering amplitude structure for trajectories with square root branch points 4−27149
single-particle inclusive cross-section, Regge asymptotic region, asymptotic oscills. 4−31205
singular potentials for rising trajectories finite energy sum rule saturation 4−15518
spherical nuclei, residual interaction struct., instability *(Russian)* 4−15664
strangeness annihilation processes, dual properties 4−36023
symmetry breaking, spontaneous, in Reggeon field theory 4−36033
three-reggeon scheme, hadron multiplicity in diffraction dissociation, three-pomeron vertex contrib. 4−15517
total cross section differences for π^-, K^-, p on p, d at up to 65 GeV/c 4−9022
total cross sections, high-mass diffraction and Regge behaviour 4−36089
triple Regge limit test in inclusive Δ^{++} production in π^+p reaction at 6, 18, 23 GeV/c 4−27211
two-Reggeon cut, consistency requirements from unitary sum rules, appl. to multiparticle processes 4−36030
two-Reggeon cut, isolation, S-matrix approach 4−15445
two-to-two processes, review paper 4−36042
very high energy hadron interactions, book 4−12084
Virasoro model, generalised, quantum gravity and zero-slope limit 4−8979
virtual Compton amplitude, J=0 fixed pole 4−5610
B trajectory, effective, determ. in $\pi^+p \to \omega\Delta^{++}$ 4−27181
B-meson prod., dip structure, crossing matrix zero 4−31174
eN→pions, inclusive, in photon fragmentation region 4−39861
$\gamma p \to \Delta^{++}\rho^0\pi^-$, double Regge model analysis 4−5615
$K^-p \to K^0N$ at 0.77 to 2.25 GeV, peripheral Regge pole model in direct channel 4−15521
K^+p backward elastic scattering, >1.5 GeV/c reggeization of amplitudes using Mandelstam-Sommerfeld-Watson transformation 4−36055
$K^+p \to K^+p\pi^+\pi^-$, 10 GeV/c, Regge recurrence of $\Delta(1236)$ resonance 4−36068
$\lambda\varphi^3$ theory, multiparticle matrix elements of currents at large mass 4−27051
$pd \to pd\pi^+\pi^-$, coherent reaction study, 11.6 GeV/c 4−36066
pp collisions, leading proton effect 4−9021
$pp \to \Delta^{++}p\pi^-$, 19 GeV/c, Regge pole fit to Deck-peak 4−9015
pp elastic cross-section, two-component pomeron model 4−12068
pp elastic scattering survey of theoretical models 4−5658
pp high-energy scattering, total cross section anal. using complex Regge poles 4−15523
pp inclusive data, review of triple Regge fits 4−27207
pp→nX in Be target, E<24 GeV inclusive neutron spectra 4−9020
pp→pX, 50-400 GeV, triple Regge couplings determ. 4−9029
pp→pX, triple-Regge region, scaling deviation and f/P universality 4−31206
pp→pX at small momentum transfers, triple Regge model 4−9034
pp→p+X, 205 GeV, momentum transfer, multiplicity, triple Regge theory 4−31209
$pp \to pn\pi^+$, multireggeon analysis with baryon exchange, 28-200 GeV/c *(Russian)* 4−36075
$pp \to pp\pi^+\pi^-$, multireggeon analysis with baryon exchange, 28-200 GeV/c *(Russian)* 4−36075
pp rising total cross sections, rel. to quark-quark amplitudes 4−31204
pp scattering, growing cross-sections, double pole and complex Regge pole models 4−19258
pp scattering, high energy, resolution of rapid energy dependence of polarisation 4−12083
pp scattering, model indep. analysis 4−5660
π photoproduction and electroproduction, photon fragmentation region 4−36001
π-Pomeranchon Regge cut study using Gribov's approach to Mandelstam diagram 4−19230
π^- exchange mechanism in $\gamma p \to \pi^-$ + anything inclusive reaction 4−9024
π^+ electroproduction in vector-meson dominance model, longitudinal cross-section determ. 4−8961
$\pi^\pm$ inclusive reactions, Regge-Mueller anal., sub-asymptotic terms in pionization region 4−31208
$\pi\Delta$ photoproduction, model 4−39854
πN, $I=J={}^1{}_{\cdot 2}$ state, CDD-pole parameters, Regge asymptotic behaviour of partial wave amplitudes 4−2706
πN(CEX) scattering amplitudes, Regge residue determ. from sum rules 4−15545
πN charge exchange scattering, Regge pole model without parity doublets in S-channel 4−12072
πN charge exchange scattering, Regge-Regge cut model 4−23556
πN photoproduction, model 4−39854
$\pi N \to \pi\pi N$, prod. of Regge recurrences, ρ, f_o and g mesons 4−23513
πN scattering in backward ehmisphere, model based on Regge poles plus quark rearrangment processes 4−15557

Regge poles and trajectories continued
$\pi p \to Bp$, application of semilocal duality to Reggeon-particle scattering 4−36049
$\pi^- p \to p + X$, 205 GeV, momentum transfer, multiplicity, triple Regge theory 4−31209
$\pi^- p \to p\omega\pi^-$, 9.1 GeV/c, quasi-three-body channel, by one-pion-exchange model 4−2726
$\pi^- p \to p\rho' \to p\pi^+\pi^-\pi^-\pi^0$, 4.5 GeV/c, anal. of ρ' meson formation 4−39903
$\pi^- p \to \pi^- X^+$, cross section meas. at 42 and 51 GeV/c in beam fragmentation region, Regge pole model 4−12120
$\pi^- p \to \pi^+\pi^- n$, in resonant $\pi\pi$ region, Veneziano model 4−12092
$\pi^- p \to \rho^0 n$, amplitude anal. in vector-meson dominance model 4−27177
$\pi^\mp p$ total cross section, difference from charge exchange cross section, Regge-pole model 4−27221
$\pi\pi$ scattering, connection between high-and low-energy amplitudes 4−15551
ρ trajectory, effective, determ. in $\pi^+ p \to \omega\Delta^{++}$ 4−27181
$\rho\rho$ reaction, bootstrap idea in sense of finite energy sum rules, resonance saturation 4−2701
KN elastic and charge exchange processes, multipole scattering effects on composite model 4−12087
^{20}Ne, Regge poles and high spin states, obs. with $^{16}O(\alpha, \alpha)^{16}O$ reaction 4−15635
$^{16}O + ^{12}C$ scattering, S-matrix and Regge poles 4−27356
$^{16}O(\alpha,\alpha)^{16}O$, Regge pole analysis, rot. bands of ^{20}Ne *(French)* 4−5825
region of escape *see exosphere*
regulators *see controllers*
Rehbinder effect *see mechanical properties of substances; surface phenomena*
relative density *see density*
relative humidity *see humidity*
relativistic corrections
heading is late addition, see also atomic spectra; atomic structure
alkaline earth metal, resonance transition generalised oscillator strengths 4−15982
atomic hyperfine structure, core polarization, relativistic effects 4−9370
Bloch-Siegert shift, derivation 4−27531
Bloch-Siegert shift, power series expansion anal. for entire energy range 4−31672
Dirac equation soln. for relativistic electron in field of two Coulomb centres 4−753
Dirac-Breit-Pauli Hamiltonian, nuclear mass dependence 4−36409
doublet excited state, Bloch-Siegert shifts of Haroche's resonances 4−700
harmonic oscillator, stochastic treatment, mass renormalization, Lamb shift 4−31114
hydrogenic ions, electron impact excitation 4−12506
Lamb shift, gauge invariance breakdown effect of radiation damping on matrix elements 4−31655
Lamb shift, QED of spontaneous emission of atom in presence of a dielectric 4−35822
Lamb shift, two electron ions, boundstates 4−9371
Lamb shift and proton structure in H-like atoms 4−40161
Lamb shift from hadron vacuum polarisation, Veneziano-like model 4−19665
Lamb shift problem, formal aspects 4−9369
Lamb shift sources of ions, review 4−11569
many electron atom, radiative corrections in external mag. field, Hegstrom-Breit Hamiltonian 4−31654
mirror β-decays, relativistic corrections to nuclear matrix elements 4−12283
multiply charged ion spectra 4−5941
muonic atoms, recoil corrections to energy levels 4−9473
one-electron atom, elastic electron scatt., spin polarization 4−19712
pionic atom, Lorentz-Lorenz effect in pion-nucleus interactions 4−12388
positronium, ground state splitting, Coulomb distortions on vacuum polarisation 4−23441
rare earth atoms, ions, Hartree-Fock calcs. 4−687
spectral line profile, relativistic Doppler broadening and Voigt profile calc. 4−38609
two-electron ions, ground, $n^{1,3}S$ and $n^{1,3}P$ states 4−19693
W Virginis type pulsating stars, relativistic terms of radiation transfer hydrodynamics in nonlinear pulsation theory 4−30036
weak neutral currents, P-violation in heavy atoms 4−19185
Ar isotopes, electric charge radii meas. with muonic X-rays 4−2749
Ba, $4d^{10}$, $5p^6$ shells, photoabsorption, giant dipole reson calc. 4−15993
Ba, relax. shift of 4d hole, calc. 4−16012
^{133}Cs, hyperfine struct. of $8^2P_{1/2}$ state 4−15997
H_2 spectrum, Lamb shift, u.v., quantum theory verification 4−24066
He, 2^3S_1 state, g-factor calc., radiative corrections 4−9392
He, excited states, relativistic Z-expansions 4−23954
He, g-factor, relativistic contrib. 4−31656
He, P state mixing and fine struc. splitting 4−23955
$^3He^-$, $^4He^-$, high precision radio-frequency spectrum 4−19697
^4He, $\alpha^6 mc^2$ QED corrections to fine structure 4−23953
^{199}Hg vapour, optically oriented, Bloch-Siegert shift 4−699
Li, excited states, relativistic Z-expansions 4−23954
Li isoelectronic sequence wavelength and oscillator strength calcs. 4−36411
Li isoelectronic series, Hartree-Fock energy calcs. with relativistic corrections 4−31644
$^6Li^{2+}$, Lamb shift, precision microwave-optical pulsing and trapping meas. 4−36410
Nd II, optical isotope shifts, specific mass shift, nuclear charge distribution change 4−5948
relativistic fluid dynamics
gas jet under free expansion, relativistic behaviour *(Italian)* 4−40615
MHD, momentum conservation equation 4−27925
particle production, hydrodynamical model, viscosity effect 4−2709
rigidly rotating fluid problem, 3-D theory. spin coeffs., stars 4−11105
relativistic fluid dynamics continued
shear-free motion, integrability, conditions, applications to perfect fluids 4−23196
spheres of uniform density, adiabatic collapse, field eqn. study 4−5393
relativistic mechanics
see also relativistic fluid dynamics
canonical formalism for relativistic mechanics of many particles 4−5554
central body rotation effect on orbit of particle 4−11819
central potentials solved by elliptical functions *(French)* 4−30867
charged particle motion in radial magnetic fields 4−26793
deformation of structures, partial differential eqns. for formally integrable involutive system *(French)* 4−15136
elastic media, Einstein's interior field eqns. 4−2555
e.m. anisotropy 4−26818
gauge invariant canonical mechanics for charged particles 4−27086
invariant, generalised impulse energy vector *(French)* 4−23189
Kepler problem, $SL_{2,c}$-covariant formalism of Kustaanheimo's spinor linearisation 4−34593
kinematics, special relativity, application of Smith diagram for graphical solutions *(Spanish)* 4−5381
particle dynamics, e.m. plane-wave approach 4−30838
predictive, approximate solns. for e.m. interactions 4−36008
predictive, integration of differential systems *(French)* 4−23185
predictive, partial differential eqn. system *(French)* 4−39600
statics in special relativity asynchronous formulation, pivot events 4−30871
tachyons, spinless, Klein-Gordon eqn. rel. to wave mechanics 4−11812
velocity and acceleration, definitions *(Russian)* 4−11814
relativistic plasmas
anisotropic, particle distribution function 4−3398
cold electron density fluctuations induced by relativistic electron gas 4−8085
diffuse pinch, current distribution control by relativistic electron components 4−6275
e.m. susceptibility, derivation of covariant constitutive relations 4−27993
e.m. wave interaction, uniaxial slab, crit. vel. for refl. 4−20159
hydrodynamic instability at gyrofrequency harmonics in two-component plasmas 4−9719
magnetic field interface, instabilities at nonequilib. 4−40693
mass density of wave packet, equivalence of energy-mass relation and dispersion equation 4−3397
pair production by high energy laser, efficiency 4−3399
particle motion, nonuniform e.m. waves 4−9715
photon mass, upper limit from plasma dynamics 4−7880
synchrotron radiation, weakly relativistic electron plasma 4−24325
temperature determination from scattered light indicatrix 4−9775
ultrarelativistic plasma, e.m. wave propag. *(Russian)* 4−32349
waves, nonlinear, stability, Cauchy problem 4−16296
Weibel instability, filamentation and focusing of relativistic electron beam 4−9739
relativistic quantum field theory
anomaly structure in Ward identities, internal symmetry and space-time config. 4−27079
arbitrary spin wave equations, extreme relativistic limit 4−8887
base field, self coupled, model calc. of vacuum energy density of $(0^2)_{s\|1}$ theories 4−11980
Boson fields, support properties of the free measure 4−39630
boson-fermion models, Euclidean Fermi fields and Feynman Kac formula 4−5553
canonical, scale invariance and physics of light cone 4−2656
canonical formalism for relativistic mechanics of many particles 4−5554
canonical theory of neutral scalar fields in closed anisotropic universe, creation and annihilation operators 4−15424
causality of field propagation, method of characteristics 4−5566
configuration space, non-existence of configuration space field creation operator 4−8890
conformal covariant Green's functions, analyticity properties and asymptotic expansions 4−27039
conformal invariant Green function without u.v. divergences 4−5562
conformally invariant massive and massless spinor eqns., solutions 4−12003
conformally invariant massive spinor equations in six-dimensional space 4−12002
conserved current for hypermass generalisation of Dirac eqn. 4−8886
covariance properties, fields under inversion, finite conformal transformations 4−19178
covariant, graviton self-energy calc. using dimensional regularisation 4−39620
De Sitter space, quantised, rel. to Pauli principle, relativistic quark theory 4−11992
De Sitter space, quantized, non-local theory, Pauli principle 4−8888
decay processes, corrections to Weisskopf-Wigner approx. 4−35933
Dirac's positive-energy wave eqn., generalisation to arbitrary spin, interpretation 4−5559
Einstein's gravitational field eqns., generalized principle of equivalence 4−23206
Einstein's relativistic field theory, motion of particles, displacement and fundamental fields, geodesics 4−5392
electron moving in periodic e.m. field, radiation props. *(Russian)* 4−23442
Foldy-Wouthuysen operator, unitary, for arbitrary spin particles 4−31108
free spin 3/2 and spin 1/2 particles, series development of field eqns. solns. in de Sitter space *(French)* 4−2643
gauge invariant canonical mechanics for charged particles 4−27086
gauge theory of strong interactions, reln. to hadronic geometry of space time 4−15531
gauge theory of strong interactions, reln. to hadronic geometry of space-time 4−15532
Gel'fand-Yaglom eqn. for free fields of arbitrary spin, quantisation 4−11994
gravitational red shift calc. in curved space 4−5394
hadron classification scheme, relativistic ladder, complete sets *(Russian)* 4−369

relativistic quantum field theory continued
Hamiltonian dynamics, Dirac field quantised on light front, front form dynamics 4−27041
invariant systems of equal-time commutators, general soln. 4−8909
Jost-Lehmann spectral function asymptotic behaviour, equivalence with scaling and light-cone singularities 4−39784
Lagrangian, effective, from generalised scalar curvature 4−23429
lepton, massive, two-component Poincare invariant wave eqns. 4−31111
local observables in particle statistics 4−12021
localizability of massless particles 4−31112
Lorentz group $P(\varphi)_2$ theory, self-adjointness of local densities 4−15415
Lorentz invariance, rel. to causality, in classical relativistic field theory, massive spin-1 field 4−5556
many body, equation of state for nuclear matter exhibiting nuclear saturation 4−39782
many-particle system with induced em field, functional random walk model 4−15240
Markoff and reflection properties of relativistic fields constructed from Euclidean fields 4−15411
massive elementary system of arbitrary spin, position and spin operator definition 4−35964
massive scalar fields, class restrictions 4−27035
Maxwell and spin 2 massless fields, observables in radiation gauge 4−5569
neutral scalar meson field, geometrical Lagrangian 4−19172
non-local field theory reconstruction, causal description 4−8907
nonlinear gauge field, rel. to S-matrix for gravitational field 4−35730
O(4,2) group, generalised Dirac current in Lagrangian field theory 4−27042
parafermi model, μ-e universality from relativistic field theory 4−8906
particles with spin, irreducible representations of Poincare group and local free fields 4−2655
photoproduction of single charged pion, high energies, eikonal approximation 4−15499
point-like particle mass var., in terms of vel. *(Rumanian)* 4−35948
QED, bilocal theory, gauge invariant 4−15439
quark model, dynamical problems 4−12050
quark model of mesons, from numerical soln. of Bethe-Salpeter eqn. 4−23510
renormalization and Ward identities using complex space-time dimension 4−39785
renormalization of arbitrary graphs by analytic interpolation in space-time dimension 4−27038
self-interacting field theory, Borel summability of partial propagator 4−19174
self-interaction of γ field, consequent weak and e.m. forces 4−15426
singularity-free, space-time microstructure, Minkowskian metric 4−335
Snyder spaces, class of fields 4−5563
spin one, and spin 0 particles, two mass assignment 4−8902
spin-two fields, free, quantisation on light front 4−27048
spinor field equations, compatibility rel. to generalisation of Weyl's lemma 4−8696
string model, for hadrons, foundations 4−31109
Stuckelberg formalism, breakdown of Lorentz invariance in Takahashi-Umezawa quantisation method 4−19173
SU(N)-singlet gluon model in less-than-four dimensions, renormalisation and coupling consts. 4−15429
supergauge transformations in four space-time dimensions 4−35934
tachyon field model, soluble, and equivalence theorem 4−5561
universal gravitation, possible repulsive interaction 4−2550
wave eqn. determ. in quantum mechanics one body problem *(Hungarian)* 4−2647
wave equations, multiplet structure, models 4−5557
Yang-Mills field eqns. approx. radiative solns. 4−8891
ν field equations in Kerr background, separability 4−12009

relativistic scattering theory
see also elementary particle scattering; quantum field theory of scattering
Bethe-Salpeter equation, composite particle scattering, bound states at infinite momentum 4−11999
Bethe-Salpeter equation, three dimens. approx. 4−8901
comment on paper by Amrein, Martin and Misra 4−5589
diffractive excitation, Lorentz contraction in light-plane 4−15466
dimensional regularisation, new PCAC law, abnormal amplitudes, anomalies 4−5590
dyons, classical relativistic scattering, singularities in differential cross section 4−15465
gauge invariant canonical mechanics for charged particles 4−27086
hadron models, bound state wave functions, plane-wave approx. in S-matrix 4−27123
high-energy expansions of scattering amplitudes 4−5591
impact-parameter functions structure, scattering amplitudes satisfying Mandelstam analyticity and polynomial bounds 4−35963
inclusive reactions, harmonic analysis of timelike and spacelike hyperboloids 4−2669
infinite momentum kinematics, connected Lie algebras 4−8935
kinematics, convergence and hypothesis rejection, new approaches 4−8937
kinematics of elementary particle reactions, book 4−12024
local observables in particle statistics 4−12021
massive elementary system of arbitrary spin, position and spin operator definition 4−35964
multiparticle phase space in invariant variables 4−2668
non-relativistic limit, two-variable Galilei-group expansions of scattering amplitudes 4−15456
nucleon-nucleon scattering, low energy, quasipotential approach for relativistic corrections 4−2713
O(2, 1) expansion for space-space region 4−31127
particle production, hydrodynamical model, viscosity effect 4−2709
particle rearrangement, partial and total scattering amplitudes, phase functions method *(Russian)* 4−23449
shadow corrections for πd and pd collisions 4−12121
SL(2,C) in horospheric basis, unitary representations 4−8918
threshold behaviour of partial-wave amplitudes 4−35965

relativistic scattering theory continued
two-particle reducible part of elastic scatt. amplitude, B-S eqn. and conditions for bound 4−39801
e scattering by ^{2}H, ^{3}He, ^{4}He, relativistic corrections 4−2857
NN, lowest approx. in functional quantum theory 4−27087
NN scattering, relativistic theory, kinematical 4−31184
$\nu_\mu d \to pp\mu^-$, calc. with relativistic corrections, second-class axial currents, impulse approximation 4−15480
^{2}H, ^{3}H relativistic nuclei, inelastic collision with photoemulsion, intranuclear cascade model *(Russian)* 4−645
Nd elastic scattering, intermediate energy, relativistic multiple scattering approach 4−23534

relativity
see also general relativity; light cones; relativistic quantum field theory; special relativity
kinematics, Minkowski space visualisation, comparison between geometric methods 4−18944
simultaneity concept based on causality principle 4−15214
space-time quantisation and Cherenkov emission at velocities $v>c$ 4−26816

relaxation
see also anelasticity; dielectric relaxation; elastic relaxation; magnetic relaxation; molecular relaxation; viscoelasticity
adsorption layer model, adsorption probability calc. *(Russian)* 4−16659
chemical, matrix methods and normalisation procedures 4−21540
ionised air, continuous altitude profiles, elec. cond. and relaxation time meas. 4−4424
liquid, solid damage by free jet impact and cavitation 4−12732
transition metal surface, interplanar spacing, theory 4−3771
transition metal surface, relaxations, amplitudes and energies, model 4−37071

relaxation oscillators
internal friction, attachment for automatic recording 4−26475
CO_2 waveguide laser excitation cct., self-pulsing 4−15344

relaxation time, carrier *see carrier relaxation time*

relay systems (satellite) *see satellite relay systems*

relays
see also reed relays; switches
air, monitoring of aerostatic and hydrostatic bearings 4−35230
arcs, ion emission 4−16383
arcs, with Pd-Au contacts, particle emission at atmospheric pressure 4−16382
control, life testing, high speed movies applic. 4−14918
miniature latching relay system, Cr-Co steel semihard mag. core applic. 4−37948
steel strip, low-carbon, coercive force rel. to temper roll reduction levels 4−20813

reliability
see also circuit reliability; quality control; standards; testing
of aerostatic and hydrostatic bearings 4−35230
barometer heights 4−30433
desalination plant, choice of materials with particular reference to heat exchangers *(German)* 4−21314
of dosimeters, acoustic *(Swedish)* 4−30307
drug effects on rats' brain by telemetric methods 4−11283
electrical measurement accuracy specification, error sources 4−35156
glass fibre reinforced polycarbonate mouldings 4−10673
IC, Au metallisation porosity, effect of deposition method 4−32836
lasers, GaAs injection, reliability 4−19120
lightning warning equipment performance 4−7689
liquid crystal display elements *(German)* 4−9845
logging apparatus, reliability requirements *(Russian)* 4−11027
measurement, estimation of external effects on errors in electrical measuring devices 4−30378
metallisation at high temps., Au-R, (R=refractory metal), thin-film reliability, SEM obs. 4−3667
metrology, improvement of quality of linear and angular dimensions measurement instruments 4−35161
nuclear power reactors, CANDU, corrosion prevention, design aspects 4−31499
nuclear reactor, construction *(German)* 4−5875
polarised ion source system 4−8436
of seals, valves and bearings using ferrofluids 4−37459
semiconductor devices, scanning electron microscope failure anal. 4−8529
under sea, bottom mounted winch controlled instrumentation, design 4−17873
Cd-Xe arc lamp performance in deep ocean waters 4−11067
Si surface layers, electron mirror microscopy 4−10205
Zn-Xe arc lamp performance in deep ocean waters 4−11067

reliability theory
geophysical equipment, optimal load determ., for geophysical parties *(Russian)* 4−42200
hydrologic series extrapolation using data generation rainfall meas. *(Italian)* 4−34423

remanence
see also coercive force
basaltic rocks, relationship between n.m.r. and origin of magnetic minerals 4−17596
corrections for magnetic interpretation work, infinitely deep plate model 4−17616
c.r.m. development during early stages of red-bed formation in Late Tertiary sediments 4−14066
high stability, gabbro specimen Giles Complex, Central Australia 4−17603
isothermal remanent magnetisation anisotropy measurements compared with susceptibility anisotropy measurements *(French)* 4−29482
lunar rocks, piezoremanent magnetisation 4−14325
magnetites, a.r.m. and t.r.m. 4−14027
massive sulphide ore bodies, Canada 4−29483
multidomain particles, thermoremanent magnetiz. intensity depend. on cooling rate *(French)* 4−28666
NIBCOLLOY, semihard mag. alloy for reed switch applic., stability against heating 4−10286
palaeomagnetic investigations, Jurassic sediments, Mangyshlak peninsula 4−7598

remanence continued
palaeomagnetic study, England, Lake District, fold test 4−7590
palaeomagnetic study, Scotland, Aberdeenshire, Younger Gabbros 4−7589
palaeomagnetic study, Scotland, Strathmore region, Lower Devonian lavas 4−7591
palaeomagnetic study, Wales, Radnorshire, igneous rocks of Ordovician inlier 4−7588
palaeomagnetic study of British Caledonides, variety of rocks from several locations 4−7592
palaeomagnetic study of Lower Devonian rocks of Cheviot Hills, England 4−38272
palaeomagnetic study of West African Precambrian rocks 4−25615
palaeomagnetism of basic dykes cutting Loch Ba felsite ring dyke, Scotland 4−38267
post depositional in a re-deposited deep sea sediment 4−29487
reversal mechanism, order-order transitions during cooling 4−29500
rocks and iron ores of Central Iran, evidence for area as part of Gondwanaland 4−34259
thermoremanent magnetisation origin, contribution of pseudo single domain magnetic moments 4−29486
Ticonal alloy, mag. props., extremal change with isothermal thermomagnetic treatment 4−13327
titanomagnetite intergrowth effect, palaeomagnetic significance 4−34240
titanomagnetites, synthetic, study of self reversal 4−34260
viscous, pressure effects 4−10839
$BaO.6Fe_2O_3$, compressive deform., texture and grain morphology rel. to mag. props. 4−38020
Fe-Co alloy, metastable disordered α-phase irreversible transform. influence *(Russian)* 4−10284
Fe-Ni, influence of tension on remanence in elastic deformation region 4−41216
Fe-Si(3 wt.%) alloys, galvanic Cr films effect *(Russian)* 4−33212
FeOOH, during temperature transformations into hematite 4−7596
Ni single-domain particle aggregates, magnetostatic interaction phenomena *(Russian)* 4−3880
remanent magnetism *see remanence*
remote consoles
Fleurs Synthesis Telescope remote online control and data processing facility 4−22497
remote control equipment *see telecontrol equipment*
remote metering *see telemetering*
replica techniques
complementary double replica technique for biological materials 4−18755
double replica device 4−18732
double replica method, compact type freeze etching 4−18720
electron microscope anal. of metal foils, replicas, biological sections 4−8535
electron microscopy, mag. tape and video record disc appls. 4−8540
freeze-etching, multiple specimen table 4−147
indirect and direct replicas prod. for electron microscope exam. of mag. thin films *(German, English)* 4−41590
metal surface, elec. microfield obs. using polymer film obtained by photolysis *(Russian)* 4−20667
optical surface replicas, use of polymerising cements 4−22831
quartz glass, heavily ionising particle tracks obs. by electron microscopy using C replicas 4−14987
SEM of polymers, metallic replica technique 4−1675
steel, stainless, liq. Na exposed, corrosion products identification 4−10597
steel, with single-phase structure, small inclusions investigation method *(Czech)* 4−41573
two-stage replica technique for transmission electron microscopy *(German, English)* 4−41589
Al alloy sheet fatigue cracks and crack growth detection and characteriz. 4−21514
Au decoration replica of polycrystalline KCl 4−1155
Au film, deposition on Mo, electron microscope obs. 4−1186
Mo, epitaxial film characterisation by electron diffraction replication 4−1177
Si:N, thin foil, ion implanted, preparation techniques for transmission electron microscopy 4−40725
replicas *see replica techniques*
reproduction (copying)
see also photocopying; printing
facsimile camera, line scan sampling process, potential as planetary lander imaging system 4−2312
holographic image systems, definition and image field, contactless copies *(German)* 4−2301
laser recording, multispectral or colour on black and white film 4−2307
light microscopy, realistic description of biological objects *(German)* 4−2394
microfilming, reprographic 4−35323
photographic specifications for, ERTS satellite system 4−35329
research and development management
atmosphere, using e.m. probes 4−34429
creativity and research organization *(German)* 4−14771
e.m. research project, in Denmark 4−34430
NDT of materials, future direction 4−21513
nuclear research centres, role in project feasibility study *(German)* 4−5877
US National Marine Fisheries Service, underwater acoustics R&D 4−11387
residual stresses *see internal stresses*
resins *see polymers*
resistance (electric)
see also contact resistance; electrical conductivity; negative resistance; piezoresistance; skin effect
bilayer membranes, time-varying conductance after alamethicin treatment, obs. 4−14551
binary electrolytes, equivalent circuits in the Warburg region 4−17519
electrolyte, pulse method meas. 4−66
isobutyric acid-water system, electrical resistance near critical pt. 4−28440
resistance (electric) continued
transition metals, high m.p., monocrystalline, thermometer applic. 4−22795
transthoracic ventricular LC defibrillator effectiveness with additional series resistance 4−14657
Cu-Gd liquid alloy, concentration depend. *(German)* 4−24726
Cu-La liquid alloy, concentration depend. *(German)* 4−24726
Cu-Nd liquid alloy, concentration depend. *(German)* 4−24726
Pt, thin wires, refining techniques, residual resist. ratio 4−29091
resistance coupled amplifiers *see d.c. amplifiers*
resistance measurement
see also ohmmeters
4-probe method for inhomogeneous semiconductors, localization *(Russian)* 4−5104
digital teraohmmeter-electrometer, 10^5 to $10^{16}\ \Omega$ 4−18518
electrical, compensation current method, modification 4−5108
electrochemical, controllable, instrument for parameter determ. 4−26658
electrolytic solution, level indicator *(Russian)* 4−39277
low temperature meas. of resistance ratios with superconducting d.c. transformer 4−39281
semiconductors, four point probe method 4−6998
surface, thickness measurement of metallic thin films *(Czech)* 4−10070
thick and thin films circuits production employing automated laser apparatus *(German)* 4−39771
thin-film contacts, using a four-terminal four-arm bridge 4−18522
resistance noise *see thermal noise*
resistance thermometers
air temperature measurement, in flight *(Russian)* 4−42231
air temperature measurement *(Japanese)* 4−17859
bridge circuit, AC for reducing noise 4−35217
cryogenic, comparison with diode thermometers 4−35222
four-pole network simulation, operating transfer function determ. 4−18395
gas, measurement of temperature distribution *(Japanese)* 4−22788
International Practical Temperature Scale, 1968, T_{68} and t_{68} approx. calc. *(German)* 4−18334
metal film, fast, fluctuation meas. in turbulent air flows 4−35580
NBS platinum, for maintaining International Practical Temperature Scale, 13.81 to 90.188 K 4−8
probe, metalfilm, for small, fast flow temp. fluctuations meas. *(German)* 4−39188
reference standard, IPTS-68 range 273.15-2800K 4−22757
sensor, LNG applications 4−35210
superconducting alloy, low temp. meas., range, accuracy, sensitivity 4−14826
thermistor bridge thermometers, nonlinearity, approximations, calibration, analysis 4−2247
transition metals, high m.p. monocrystals, precision temperature measurement applic. 4−22795
C, below 2K, calibration technique 4−14815
C, low temp. calibration eqn., high magnetic fields 4−14822
C, low temp. meas., range, accuracy, sensitivity 4−14826
Ge, 4.2 to 13.81 deg K range 4−30386
Ge, calibration, numerical check 4−4998
Ge, low temp. meas., range, accuracy, sensitivity 4−14826
Pt, calibration and measurement errors 4−8338
Pt, IPTS-68 reference, calibration 13.81-273.15 K range 4−22756
Pt, low temp. meas., range, accuracy, sensitivity 4−14826
resistance welding
NDT, u.s., boiler tube weld, defect detectability 4−25455
Al-Cu, microbonding of foil and thin wires, use of SnPb intermediate layer, evaluation *(Hungarian)* 4−35244
resistivity *see electrical conductivity*
resistors
see also photoresistors; posistors; thermistors; thick film resistors; thin film resistors; varistors
electronic charge meas. by meas. shot and thermal noise across resistor, teaching paper 4−8286
metallised film, laser machining for rolled metallised film RC network fabrication 4−35913
temperature rise signalling device *(Polish)* 4−4994
Si-Cu for resistance meas. at liquid He temp. using superconducting d.c. transformer 4−39281
resolving power (optical) *see optical resolving power*
resonance
see also circuit resonance; magnetic resonance; oscillations; vibrations
aerodynamics noise near cascade resonance in subsonic turbomachines 4−42671
annular plate, flexural vibr., natural freq. 4−35710
columns under periodic axial loads 4−39566
e.m. wave scattering from conducting cylinder clad with anisotropic plasma 4−946
gyro-frame, biaxial, stability under angular vibration action in resonance conditions *(Russian)* 4−2518
gyroscope, mounted on oscillating housing, spin axis behaviour 4−4970
Hamiltonian system of two harmonic oscillators, periodic orbits near resonant equilib. 4−35626
inhomogeneous acoustic waveguide 4−22641
rhombic plates and membranes, natural frequencies and nodal lines 4−26787
satellites, orbital and rotational resonances, spin-orbit coupling 4−38604
spherical gas bubble, nonlinear acoustic response 4−6207
steel plate, effect of distortion on lowest natural frequency 4−35713
superharmonic in piecewise linear systems, Fourier anal. 4−195
vibration mode reconciliation of branch model calc. and resonance testing methods 4−2507
vibrator, nonlinear under e.m. force, parametric resonance 4−5361
resonance reactions and scattering, nuclear *see nuclear resonance reactions and scattering*
resonances, baryon *see baryon resonances*
resonant absorption of gamma-rays *see Mossbauer effect*
resonant cavities *see cavity resonators*
resonant gamma-ray interactions in crystals *see Mossbauer effect*

resonators
see also acoustic resonators; cavity resonators; crystal resonators; resonance
dielectric sphere excited by delta-function elec. and mag. sources e.m. boundary value problem 4—35771
optical, losses calc. using successive iteration with variational technique 4—11485
superconducting, parameters, method for study 4—14937
GaAs, birefringence during piezoresonance 4—3953
revaporisation *see vaporisation*
reverberation
see also anechoic chambers; architectural acoustics; echo
acoustic power radiated from transversely vibrating slender bar 4—30285
architectural acoustics, correlation with standing wave *(Korean)* 4—35104
city street, effect of ivy leaves 4—42669
electronically controlled high intensity reverberation chamber 4—11451
glass wool, acoustic absorpt. from reverberation obs., edge effect 4—39110
interrelated fibres, Noble equation 4—38998
Kramforac, acoustic absorpt. from reverberation measurements, edge effects 4—39110
noise measurement in reverberant rooms 4—22652
ocean biological volume scatt. strength prediction 4—11081
pitch change, during reverberant decay 4—35103
radiated sound power and absorption cross-section, simultaneous meas. by a.m. reverberation 4—39170
sonar, idealised signal processing 4—11398
sonar, removal of time varying character 4—11397
sonar, target detectability, effect of increasing resolution 4—11382
sonar problems in shallow water, signal processing 4—11379
sound source power determ. in reverberation room 4—18379
sound-power injection, from low-freq. finite-size sources, investigation of statistics 4—18380
stationarity, statistical props. 4—8267
underwater acoustic volume reverberation at MHz frequencies 4—11378
underwater reverberation, point scatt. model and statistical props. 4—35108
vibrating wall, calc. of radiated field 4—30290
reviews
acoustic emission from solids under applied stress 4—36958
acoustic noise dosimeters *(Swedish)* 4—30307
acoustic superradiation *(Russian)* 4—8257
acoustics, nonlinear underwater interactions, parametric transmission 4—11381
acousto-optics, rel. to devices and applications 4—17039
aerodynamic drag and separation *(French)* 4—27860
alkali halide, thermal expansion and equation of state 4—3578
amorphous semiconductor film, threshold switching 4—24790
amorphous semiconductors, high-field elec. cond., review *(Czech)* 4—16758
annual review of nuclear physics, Vol.23, 1973 4—36102
Apollo project, review of the results of study of the moon 4—30157
asteroids, observations and ephemeride-work for 1970 period *(Russian)* 4—4761
asteroids and meteorites, spectral reflectivity data of evolution 4—38732
astronaut's contribution to space science 4—26381
atmospheric turbulence, review appl. to SST's 4—42137
atomic absorption spectroscopy 4—39235
atomic industry yearbook 1974 4—36244
auroral morphology, dynamics and obs. techniques, review 4—38426
beam-foil spectroscopy, with low-energy accelerators 4—14878
benzene, π-electronic transitions assignment 4—31796
binary alloys, critical points, higher order transitions 4—37816
biological transport, effects of substrate struct. 4—22533
biomedical chemical analysis, automatic, review 4—35541
boundary layer theory, development in USSR 4—16205
Brillouin and Raman spectroscopy with lasers 4—22863
by-product recovery in irradiated nuclear fuel processing *(French)* 4—5905
candoluminescence, radical excited luminescence 4—33471
cardiology, ventricular size and shape determ. 4—39052
cement paste, structure and phys. props., review 4—21441
chalcogenide glass, semiconductor switching *(Czech)* 4—10196
charge injection phenomena 4—20628
chemical mixing and kinetics, turbulent motion 4—3347
chemical reactions at high kinetic energy 4—34028
chemical spectroscopy, vacuum u.v. 4—31833
chemical vapour deposition of electronic materials 4—21216
Cherenkov counters, problems associated with, threshold and differential 4—35413
chomatography, high speed liquid 4—30668
circular polarisation of radiation from cosmic objects 4—17897
cloud physics present and future 4—17727
coincidence circuits, nanosecond measurements, designs, performances, review 4—2361
collation methods in physical geodesy and meteorology 4—14211
communication with extraterrestrial intelligences, survey of activities 4—38595
complex-nuclei, A=40 to 200, structure of highly excited states *(Russian)* 4—15630
computer simulation statistical thermodynamics problems and light scattering 4—30933
concrete, structure and phys. props., review 4—21441
conduction and breakdown in high vacuum, brief review and bibliography for 1971, in book 4—6292
corrosion failure, fracture mechanics *(Russian)* 4—41661
cosmic MHD 4—14296
cosmic ray EAS below 10^{17} eV 4—38586
cosmic ray electron neutrinos and the solar neutrino experiment 4—38593
cosmic ray extensive air showers above 10^{17} eV 4—38587
cosmic ray muon neutrinos, production processes, possible sources and expts. for detection 4—38592
cosmic ray muons of sea-level 4—38591
cosmic ray protons and pions 4—38580
reviews continued
cosmic rays, primary, spectra and origin 4—38567
cosmic rays at ground level, collection of papers in book form 4—38566
cosmology, microwave background radiation 4—14297
Crab Nebula and pulsar 4—14512
creep mechanisms of ice 4—36938
creep of ice 4—36937
critical phenomena 4—20402
critical velocity of neutral gas-plasma interaction, experimental obs. 4—6248
critical velocity of neutral gas-plasma interaction, theories 4—6249
cryogenics, developments and applications 4—35228
crystal extended defects, structural chemistry 4—32554
crystallisation 4—20242
crystallography, combined X-ray and neutron diffraction studies 4—24354
crystallography, reliability of struct. information 4—24345
D-region electron density meas., comparison of techniques 4—38556
d-region ionization processes and ion chemistry 4—38455
data collections of physical chemistry 4—33972
detection of intelligent extraterrestrial signals, state of the art 4—38916
dielectric materials, cond. phenomena, brief survey and bibliography for 1971, in book 4—6617
dielectric phenomena, brief survey and bibliography for 1971, in book 4—6831
dielectric spectroscopy, time-domain, high-freq. 4—39280
dielectrics, instrumentation and meas., brief survey and bibliography for 1971, in book 4—6830
diffractive processes, review of NAL and CERN results 4—23524
diffusion in electrolytes 4—17529
diffusion in metals and metal oxides 4—20450
disorder in solids, review 4—20213
dual resonance theory 4—23516
dye laser, classified bibliography, (1966 to 1972) 4—31024
dye laser applications 4—31033
dye lasers, collection of review papers suitable for postgraduate students 4—31028
dye lasers, c.w., factors affecting efficiency 4—31030
dye lasers, mode locking and the generation of picosecond pulses 4—31031
dye lasers, properties of relevant organics, light absorption and deactivation 4—31029
E-region physics and chemistry 4—38457
Earth's mantle, convection, numerical simulation 4—25576
Earth's rotation, recent developments 4—7485
Earth and planetary sciences, book 4—21630
eighteenth century Scottish science, vocational provision 4—1
electric breakdown in solids, bibliography for 1971, in book 4—6844
electrodeless discharge lamps, for spectrochem. anal., prep., operation comparison with other sources 4—39431
electrodeposition of precious metals, electrochem., literature survey 4—21559
electroluminescent material, single cryst. growth *(Czech)* 4—21209
electrolyte, dielec. permittivity and loss meas. 4—17531
electrolyte, fast processes, chem. relaxation techniques 4—17532
electrolyte, solution and molten salt, u.s. velocity meas. rel. to compressibility 4—17533
electrolyte, X-ray diffraction, neutron inelastic scattering 4—17530
electrolytic conductance, meas. and interpretation 4—17527
electron beam materials testing *(Hungarian)* 4—35470
electron diffraction, introduction 4—24362
electron micrograph optical diffraction, image reconstruction 4—24363
electron microscopy, holographic reconstruction of images *(German)* 4—2380
electron-phonon scattering in metals, low temp. obs. methods 4—36974
electronics in chemical industry *(German)* 4—35525
elementary particle multi-body phenomena, CERN Intersecting Storage 4—15534
e.m. probes for atmosphere, in New Zealand 4—34429
e.m. research in Canada 4—30959
e.m. research in Japan 4—26901
e.m. wave propagation in atmosphere, research project, in Denmark 4—34430
Euclidean field theory with conformal invariance 4—11981
extraterrestrial u.v. and e.u.v. background radiation, surrounding interstellar matter 4—38866
F-region theory, outline of problems 4—38460
fatigue fracture microfractography *(Russian)* 4—21272
ferroelectric, piezoelec., and electrooptic materials, brief survey and bibliography for 1971, in book 4—6856
ferroelectrics, bibliography of ferroelec. and related materials, January to March 1973 4—20945
ferromagnet, magnetisation processes *(German)* 4—13329
fibre reinforced plastic, struct. property relations 4—7332
field ionisation mass spectrometry 4—39362
film, size effect, expts. 4—24666
finite element method in soil and rock mechanics *(Polish)* 4—17587
flare stars, properties and models, review 4—34839
flash tube hodoscope chambers 4—35424
fluid system, inelastic light scatt., in book 4—5469
forest fire danger rating system, automation 4—42089
Fourier spectroscopy 4—35276
fracture crack as imperfection in nearly perfect solid 4—20366
Franck-Condon factor calc., methods for diatomic mol. and radical systems 4—36537
fusion reactors, present state and future development *(German)* 4—5927
fusion-fission hybrid concepts 4—31565
gas breakdown, discharge parameters *(French, English)* 4—36752
gas phase reaction kinetics 4—34027
gas-solid interactions rel. to surface structure 4—33544
gases, elec. breakdown, brief survey and bibliography for 1971, in book 4—6291
general relativity theory 4—39616
geometrodynamics and geochronometry, review of space-time theories *(German)* 4—35733

reviews continued
glass, heterogeneities, small-angle scatt. obs. 4—36812
glass, non-elasticity *(Japanese)* 4—38070
glass, oxide, radiation damage and struct., e.p.r. obs. 4—25000
glass, relaxation processes, atomistic theory 4—28027
gravitational collapse, black holes 4—14430
gravitational radiation, general relativity 4—11834
hadron multiparticle dynamics, critical review 4—12076
hadron spectroscopy 4—23532
hadron two-to-two elastic and inelastic scattering processes 4—36042
heat and mass transfer, aerospace and chemical engineering 4—2571
heat and mass transfer from cylinders, turbulent fluid stream 4—40384
heat and mass transport in gases and mixtures 4—40364
heat tranfer bibliography, 1972-73 4—26875
heat transfer, modern analytical methods 4—19003
heat transfer bibliography 4—40403
high energy astronomy *(French)* 4—22203
high field superconductivity in thin films 4—33078
high resolution infrared spectroscopy, recent techniques, appls. 4—35274
high temperature sensors and applications 4—11468
high-energy physics 25 years after pion discovery *(Polish)* 4—27029
holographic microscopy, principles and applic. *(Dutch)* 4—39265
hot-pressed materials, for optical device applic. 4—17410
Hubbard and extended Hubbard model, connection between mag. and elec. props. 4—28601
hypernuclear physics, few particle problems 4—565
ice in atmosphere 4—38387
III-V semiconductors applications *(German)* 4—37764
Il'yushin's laws and methods, mechanics of deformable bodies and media 4—11734
inclusive reactions at conventional accelerators 4—12101
independent learning for 11-14 yr olds, review particularly of ISCS project 4—30322
instrumentations, high-energy physics, applications of IC's, requirements, recent progress, review 4—74
insulating film, brief survey and bibliography for 1971, in book 4—6970
insulating liquids, dielec. props., brief survey and bibliography for 1971, in book 4—6845
interstellar dust, present knowledge 4—38915
interstellar medium, history 4—42476
ion beams, applic. in thin film technology *(German)* 4—10521
ionic solvation, kinetics, thermodynamics *(German)* 4—34086
ionisation of atoms and gases, surface ionisation *(French)* 4—23983
i.r. detectors, recent progress 4—8337
i.r. spectroscopy, liquid gas mixtures 4—33409
i.r. spectroscopy, oxygen bond systems 4—31851
irradiated metal, voids 4—19593
isotope effects, equilibrium, chemical exchange equilibria and partition function ratios 4—34029
ISR data on total cross sections for p^+, k^+ and π^+ production 4—12100
Jupiter, main characteristics, comparison with Saturn 4—17957
Jupiter and Saturn, interior structure 4—22312
kinetic models, solar wind rel. to polar wind 4—2051
kinetic theory of dense fluids and liquids, in book 4—5409
laminar cascade arc, behaviour, modelling procedures 4—3406
laser applic., industrial and engineering 4—2636
laser beam applic. in industry *(Spanish)* 4—8859
laser communications, fundamentals and classification 4—15405
laser induced chemical reactions 4—38157
laser organic dye, optical props. and molec. structure 4—31032
laser saturation spectroscopy in coupled Doppler broadened systems 4—22861
laser technology, developments *(Italian)* 4—23292
laser unstable resonators 4—35870
lasers, tunable 4—281
lasers for nuclear fusion *(German)* 4—36369
lattice dynamics of ice 4—32631
lepton puzzles 4—5594
Levinson's theorem, potential scattering 4—26815
light echo, applications in science and technology *(Russian)* 4—5516
light emitting diode technology 4—25280
light emitting diodes, III-V semicond. epitaxial growth 4—25266
light generation, tunable, state-of-the-art 4—315
light-nuclei with large neutron excesses 4—31255
lipid bilayer membrane, passive ionic translocation, action of macrocyclic carriers 4—26212
liquid crystal, chemical characteristics and applications *(Korean)* 4—6328
liquid crystal, nematic, refr. index and alignment 4—1007
liquid crystal devices, electro-optic transfer characts. 4—1381
liquid crystal props. particularly thermal fluctuation, light scatt. and hydrodynamic instability 4—32436
liquid crystals, (1968-73) 4—20211
liquid crystals, electro-optical and thermo-optical effects 4—1380
liquid crystals, optical modulation, phase modulation effect 4—17047
liquid mixtures, perturbation methods for calculating props. 4—4302
liquid structure, role of triplet functions 4—32414
liquid theory, recent advances *(Japanese)* 4—32409
liquids, polar, review of statistical mechanics 4—32415
lower ionosphere, turbulent effects *(Russian)* 4—42152
lower stratosphere, tropical, zonally symmetric flow, variability, wave disturbances 4—1915
magnetic bubble-domain detection 4—30524
magnetic oxides, single crystal growth, state of the art 4—25220
magneto-electric susceptibility measurement 4—26551
magneto-optic principles, materials and applications 4—17055
magnetophonon resonance *(Japanese)* 4—33235
magnetosphere, known config. and current research 4—42176
magnetosphere and energetic solar particles, review 4—29694
magnetospheric and ionospheric conjugate point phenomena 4—38447
magnetospheric current sheets 4—14201
magnetospheric electrons, theoretical understanding 4—22135
magnetospheric processes, energy and momentum theorems, nonlinear self-consistent models 4—1997
magnetotail and substorms 4—29693

reviews continued
Mars and Venus, inc. interior, meteorology and interaction with solar wind 4—17956
mass spectrometers, general description of different types of discriminator systems *(French)* 4—22984
materials science 4—21172
measurement science 4—22738
medical physics 4—18283
medical ultrasonics 4—18203
mesic interactions in very light nuclei 4—23723
meson capture processes, molecular structure effects 4—36458
meson-meson interactions, theoretical, phenomenological approach 4—2716
mesoscale cellular convection 4—14114
metal, point defects in thermal equilib., equilib. conc., review 4—16487
metal matrix composites, interface struct. 4—13864
metal oxide nuclear fuels, O_2 to metal ratio determ., review of anal. methods 4—35530
metal physics problem on machine reliability and durability *(Russian)* 4—33634
meteorites, review of history and development of research *(German)* 4—29994
MHD, early work of Hartmann and Lazarus *(Danish)* 4—14766
microcontinuum fluid mechanics, appl. to flow problems 4—32009
microparticle analysis, modern instrumental methods *(German)* 4—30659
microscopical communication 4—35122
microwave circuits 4—35785
microwave ferrites, physico-chem. problems 4—7290
microwave spectroscopic techniques, transient species detection, reaction mechanism study 4—34016
mineral deposits, formation 4—21851
modular image interpretation system 4—11493
molecular bonds, participation of outer 3d orbitals 4—5988
molecular collisions, quantum dynamical theory, review 4—31971
molecular collisions, rot. transitions 4—9608
molecular energy transfer, vibrational and rotational 4—31972
molecular motion and band shapes in liquids, spectroscopic study of solns. 4—37594
multicoating, camera lenses, theory and effectiveness 4—35339
NDT of nuclear fuel 4—31548
neutron small-angle scatt., techniques and applics. 4—36781
neutron stars 4—14431
nondestructive testing neutron radiography in India 4—41933
nonelectrolytes, diffusion 4—6513
nonhydrostatic thermodynamics, geologic applications, effects of constraints 4—1750
nuclear charge and magnetism distribs. 4—31225
nuclear charge distrib. analytic methods 4—15605
nuclear cluster model, four-body correlations and mol. aspects, consolidation of viewpoint 4—5736
nuclear energy levels of $A=21$ to 44 nuclei, experimentally determ. props. 4—9062
nuclear explosion engineering, 1973, educational aspects 4—23924
nuclear fission, double-humped fission barrier, exptl. consequences 4—31431
nuclear forces, charge independence and charge symmetry *(Russian)* 4—23615
nuclear fuel evolution rel. to reactor design 4—9354
nuclear fuel industry 4—40114
nuclear fusion reactor technology *(Japanese)* 4—40131
nuclear fusion with lasers *(German)* 4—36369
nuclear high-spin rotational states and structure 4—31236
nuclear materials, fuel reprocessing, report from Eurochemic organisation *(Dutch)* 4—40052
nuclear orientation obs. in dil. alloys *(French)* 4—10355
nuclear physics, challenge of precision 4—31217
nuclear reactions, intermediate structure 4—36170
nuclear reactor site criteria, various countries *(Japanese)* 4—2997
nuclear resonance in metals, n.m.r. and Mossbauer effect 4—28680
nuclear shell model symmetries 4—36135
nuclear sizes, optical model anal. 4—15606
nuclear structure, various aspects 4—36103
Of-type stars, physical mechanisms producing N III emission lines 4—14415
oxidation of metals, governing principles 4—24655
parametrically associated waves, interactions in nonequilibrium media *(Russian)* 4—257
particle acceleration, by electron beams 4—18540
particle accelerator radiation hazards 4—35374
particle spectrometers, present situation, future problems 4—121
pattern recognition techniques, medical applic., new developments 4—14672
phase diagram computation methods 4—20408
phase transformations in metals and alloys 4—21240
physical chemistry annual review, for 1973 4—33971
piezoelectric materials, sintered, development since 1955 *(German)* 4—33346
planetary satellites, physical properties 4—42333
planets, their composition 4—34696
planets and their satellites, dynamics 4—17958
plasma heating by ion beam instabilities 4—980
plasma maintenance and discharge propagation by e.m. fields 4—16343
Poisson's ratio, methods of determination, new method *(Polish)* 4—26480
polymeric solids, optical props. 4—33375
polymers, elec. props., brief survey and bibliography for 1971, in book 4—6825
precision comparators, for single-coordinate measurements 4—18355
pressure measurement, electronic, annual survey of measuring, control engineering and communication engineering *(German)* 4—30434
proportional counters, mechanism, parameters, physical effects 4—5169
proportional counters, spurious pulses 4—5164
proton-coupled solute porter system, performance and conservation of osmotic work 4—22534
pulp/paper industry, pollution control and chemical recovery, book 4—4894

reviews continued
pulse-phase integral decade counters *(Russian)* 4−2360
pulsed source atomic fluorescence spectrometry, principles, apparatus, results, future appl. 4−35519
quantum mechanics, measurement theory 4−206
quantum theory development *(Hungarian)* 4−18930
quantum theory of hydrogen, experimental tests 4−24066
quark models, hadron spectrum, algebraic struct. and anal. 4−12056
quarks, tachyons and magnetic monopoles 4−38582
α-quartz, Al centres, literature review 4−20305
quasideuteron model of photonuclear reactions *(Russian)* 4−15757
radiation biophysics, current problems and link with radiation biochemistry 4−18083
radiation source, h.f. discharge, for spectrochemical analysis 4−18773
radiative parameters of solids 4−32714
radioactive Co and Ag, environmental behaviour in aquatic media 4−31629
radioactive halos in minerals 4−38248
radioactive sources, thin, preparation 4−5146
radiocarbon calendar calibration 4−38534
radiochromatography, summary of state of the art, radiation detect. techniques, commercial details 4−35510
radiographic image quality 4−2177
radiotherapy, fast-electron 4−39061
Raman electronic level spectra of atoms, molecules, crystals, quantum treatment 4−33425
Raman lasers, spin-flip, developments, appls. 4−23352
Raman spectra, laser excited resonance 4−40263
Raman spectra, use of lasers 4−16086
reactor burnup physics, current capability 4−12432
red beds, origin 4−21849
redshift problem of QSOs and peculiar galaxies 4−2133
refractories, occurrence, bonding, struct. and thermophysical props. 4−21420
refractory TiB$_2$ prep. and applics. 4−7317
remote detection techniques 4−18261
remote sensing of earth by microwaves 4−14217
remote sensing research on Earth resources 4−29728
r.f.waves, anomalous nonlinear dissipation in plasma 4−16289
rock fracture, fundamental problems 4−21850
rotary viscometers, rheological props. of disperse systems 4−39454
rubber elasticity theory 4−21485
Saturn, main characteristics, comparison with Jupiter 4−17957
scientific metaphysics, Leibnizian-Newtonian debates, review 4−18278
scintillation counters, liquid, precision, general aspects, applications, techniques 4−5170
semiconducting thin films, growth and structure 4−37778
semiconductor, disordered, charge carrier behaviour in random force field and electronic theory 4−32989
semiconductor, organic, elec. and mag. props. *(Hungarian)* 4−37228
semiconductor device technology, ion implementation applic. 4−29024
semiconductor growth, trends 4−33625
semiconductor laser, Q-switching and long delays 4−31046
semiconductor wafer preparation, bibliography 4−21210
shell model, linear spectroscopic relations for nuclear spectra associated with simple configurations 4−36136
silicate glass, u.v. spectra, expt. evidence 4−33434
single-nucleon transfer reactions on deformed nuclei 4−15745
sintering in materials synthesis 4−21421
slow neutron detectors sensitive to spot of particle passage 4−22950
solar activity, role of mag. fields, changes in sun's surface and atmosphere 4−2052
solar neutrinos, discrepancy between calc. and obs. 4−34576
solar system, concepts and theories of origin 4−25929
solar system, theories of origin 4−29822
solid state mechanics, new research directions *(German)* 4−23100
solid state track detectors, appl. to nuclear fission studies 4−30560
solid/liquid interfacial free energies 4−32798
solion device, operation and utility 4−8413
sound and pseudosound *(German)* 4−26297
sound waves, optical excitation, theoretical mechanisms 4−19151
space programs, 1958-73, by USA and USSR 4−26196
spacial filtering, a selected bibliography 4−36
spark and streamer chambers 4−30557
spark channel, high current, temperature detn. 4−6283
spectral sensitisation, modifications by alterations in environment 4−25512
spectroelectrochemistry, optical methods of elucidation of electrochemically induced phenomena 4−34032
spectroscopy, modern developments in precision work with lasers 4−22860
spectroscopy, picosecond with lasers 4−30473
spectroscopy in late 19th century, Sir William Crookes 4−18279
spectroscopy with tunable lasers in the visible region 4−22866
star formation, mechanisms 4−14358
statistical mechanics, variational methods, in book 4−5408
statistical theory of nuclear level density 4−15747
strong interaction models, dual string, gauge, eikonal, triple pomeron 4−27120
strong interactions, high-energy, review of theoretical advances 4−27167
subsurface water composition, chemistry 4−21909
superconducting cavities, manufacture and applic. *(German)* 4−39303
superconductivity, appls. *(Polish)* 4−6700
superconductivity, theory phenomena and materials, review 4−37342
superconductivity applications *(Czech)* 4−13237
superfluidity in ^{3}He 4−37060
supersonic sphere drag, continuum to free mol. flow 4−27861
surface elastic waves, nonlinear phenomena *(Japanese)* 4−37078
thin film deposition, vacuum equipment, review 4−21181
time interval measurement, subnanosecond, methods, calibrations, stabilisation, corrections 4−2223
transference number measurement 4−17528

reviews continued
transition from analytic dynamics to statistical mechanics, in book 4−5407
transition metal dichalcogenides, layer-type, band struct. and rel. props. 4−20545
tritium instrumentation for environmental and occupational monitoring, review 4−30255
tunable coherent light sources 4−35825
tunable lasers, principles and applications 4−15329
turbulent flow, computer as an aid to calculation 4−40458
ultrasonic experiments on structural phase transitions 4−32699
ultrasound, clinical and diagnostic measurement 4−14599
ultrastructure research in biology, before the electron microscope 4−35501
ultraviolet photoelectron spectra, review of band assignment methods 4−36565
unit of voltage, role of a.c. Josephson effect *(German)* 4−8300
units, internationally accepted, SI 4−30381
upper atmospheric aerosols chemistry and nucleation 4−42124
upper mantle, rheology 4−1777
u.s. applications in seawater *(Japanese)* 4−42662
u.s. velocity and attenuation, meas. of small changes 4−2237
u.v. lasers, survey of commercially available lasers, applications and current developments 4−26944
vacuum u.v. detectors and sources 4−26497
valence states of atoms 4−36405
vibration measurement, optical noncontacting Doppler methods 4−18369
vibrational relaxation in gases and mol. lasers 4−16145
weather modification, USSR (1973) 4−14116
whole body counting, advances 4−42588
wind, surface obstruction wind profiles 4−42139
wire systems, proportional counters and spark chambers 4−93
X-ray astronomical observations, binary systems 4−38858
X-ray fluorescence analysis of trace elements 4−35560
Zircaloy 2 in reactors, effects of irradiation 4−40130
d targets, polarised, analysing power of interactions 4−23545
e^+e^- collision, hadron production, expts. 4−23478
K^0 decays, recent exptl. results, CP violation 4−23454
KN scattering, phenomenological dispersion theory 4−31186
ν experiments, high energy, results from Argonne, CERN and NAL 4−23464
pp inclusive data, review of triple Regge fits 4−27207
Y* experiments, KN and KN interactions 4−23562
AgCl crystal, as visual detectors of nuclear particles 4−18663
Al alloys, stress corrosion cracking 4−25382
C and graphite 4−25439
^{252}Cf medical neutron sources, dosimetry 4−11337
Cu, annealing in oxygen, review 4−41703
H II regions, observational history 4−42486
H^- sources including, Penning, duoplasmatron and magnetron reviewed 4−35386
He gas-liquid flow, review 4−5010
He-Ne flash tube particle detector for cosmic rays 4−35423
^{3}He, solid, exchange behaviour, review 4−13073
Li ion induced transfer reactions on nuclei 4−15910
Na technology, rel. to nuclear reactor cooling *(Japanese)* 4−31531
^{222}Rn, and daughters, instrumentation for occupational and environmental monitoring 4−30254
Si crystals, growing processes 4−33624
Si device processing, ion implantation technology 4−6999

revolution *see rotation*

revolving *see rotation*

rewinding *see winding (process)*

Reynolds number *see flow*

r.f. amplifiers *see radiofrequency amplifiers*

r.f. heating *see radiofrequency heating*

r.f.i. *see radiofrequency interference*

rhenium
adatoms on W surface indirect adatom interaction, field ion microscopy 4−13094
adsorption of BaO films on Re (0001) face, structure and work function 4−10068
atom, L_1 subshell yield 4−23966
desorption from W, Ir, field ion microscopy, binding energy *(French)* 4−24645
filament, LaB$_6$ coating, SEM obs., low work function mechanism 4−21167
optical properties and electron struct. *(Russian)* 4−20978
refractory integral hemispherical emissivity meas. 4−4188
resistivity determination, eddy current meas., 4.2K 4−28385
superconducting, multiply connected network in alumina, a.c. susceptibility study 4−24862
surface self-diffusion parameters 4−40969
thermal diffusivity, high temp. meas., conductivity calc. 4−24724
work function, thermionic and mass spectrometric determ. 4−13546
Ba-O-Re (0001) double system, structure and work function 4−10069
K_2PtCl_6:Re^{4+}, vibronic selection rules, polarisation and Zeeman effects 4−3996
Rh IX, u.v. spectra, classification 4−31660
Sn complexes, ethylammonium hexahalogenostannates:ReIV, polarised absorption spectra *(German)* 4−3993
ZrC-Re system, thermal emission properties, work function, 1200-2560K 4−33554

rhenium alloys
Co-Re, $\varepsilon \rightleftarrows \alpha$ transform. obs. *(Russian)* 4−33650
Mo-Re, deformed, X-ray diffr. obs., search for stacking faults 4−7098
Mo-Re, dilute, elastic constants, second nearest neighbour perturbation model 4−20354
Mo-Re (47 wt.%) refractory alloy, integral hemispherical emissivity meas. 4−4188
Mo-Re single cryst., plastic deform. 100-425K, 10^{-4}-10^{+2} sec^{-1} strain rates 4−1574
Re-Hg system, intermetallic phase studies *(German)* 4−1478
Re-ZrC, thermo-emission props. *(Russian)* 4−21145
Rh-Re(18 wt.%) alloy, hardness and creep, temp. depend. 4−13711

rhenium alloys continued
- Ta-Re-N(O) solid solns., substitutional-interstitial solute interactions 4−33740
- $UReC_{2-x}$ ternary cpd., unit cell size 4−25300
- W-Re, vapour deposited, superconducting transition temp. meas. 4−16865
- W-Re, work function, thermionic and mass spectrometric determ. 4−13546
- W-Re dil. solid solns., defects in electronic struct. *(Russian)* 4−20908
- W-Re solid solns., Mossbauer effect of ^{57}Fe, bonding obs. *(Russian)* 4−33308

rhenium compounds
- *see also rhenium alloys*
- bond length determination from X-ray L_{III} absorption discontinuity 4−3091
- $ReBr_3$, vaporization characts. 4−32686
- ReO_2, monoclinic, ordered fault obs. rel. to $Re_2O_5 \rightarrow ReO_2$ transform. *(French)* 4−1065
- ReO_2 spiral growth phenomenon during monoclinic-orthorhombic transform. *(French)* 4−37004
- ReO_3, defect structure *(French)* 4−40808
- ReO_3, single cryst. growth by chem. vapour trnsport 4−1437
- ReO_4^-, vib. spectra, $\nu_2(E)$ and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4−24077
- $Re^{18}O_4^-$, vibr. spectra, ionic force consts. *(German)* 4−27681
- $ReO_2.2H_2O$, oxidation, electron microscope obs. *(French)* 4−41945

rheology
- *see also plasticity; viscoelasticity*
- bingham fluid, rise rate, yield stress determ. 4−13889
- conference, Lyon, France (Sept. 1972) 4−15138
- crystal, microrheological stochastic model 4−16545
- diallyl phthalates, curing reaction, dynamic shear meas. 4−21481
- dispersion kinetics, oscillatory behaviour of particles in shear flow 4−16265
- dispersion kinetics, transient orientation and rheology of particles in shear flow 4−16264
- earth mantle, review 4−1777
- emulsion stability rel. to interface rheology 4−17465
- epoxy anhydride, curing reaction, dynamic shear meas. 4−21481
- fibre system, microrheology and bonding, mathematical model 4−17446
- liquid, mech. retardation and relax. 4−40523
- liquid, structurized, laminar steady-state flow, rheological parameters 4−17456
- memory and ageing type materials, math. models 4−39506
- microfluid, second-order, with microstruct. thermal effects, theory 4−39505
- nonlinear laws development *(French)* 4−18859
- plastic, laminar steady-state flow, rheological parameters 4−17456
- plasticity theory, improvement of equations 4−23147
- polytetrafluorethylene, deformation study of tubular specimens *(Russian)* 4−21492
- Reiner's Deborah Number 4−23099
- rigid particle suspension, Brownian coupled effect on rheological props. 4−17467
- rocks, igneous, experiments up to 1120°C 4−17572
- rotary viscometers, rheological props. of disperse systems, review 4−39454
- rubber vulcanisation system, curing reaction, dynamic shear meas. 4−21481
- suspension, monodispersive, measured concentration, rheological state eqns. *(Russian)* 4−24252
- teardrop shapes for drops and bubbles in Newtonian liquids 4−32131
- thixotropic lacquers *(Polish)* 4−10714
- time influence in static solutions *(French)* 4−18857
- two-dimensional models, plane stress and deform. states *(French)* 4−18858
- viscoelastic behaviour, non-linear BKZ elastic fluid theory 4−23098
- viscoelastic layer, dynamic punch indentation governing eqns. 4−15162
- SiO_2, silica suspension, aqueous, rheological props. 4−17458

rho mesons
- ρN total cross section from $^{12}C(\pi^-, \rho^0)^{12}C$, 3.72 GeV/c *(Russian)* 4−36234
- absorption models comparison for ρ exchange amplitudes for πN scattering 4−5638
- angular momentum components investigation 4−9042
- coupling constants in Veneziano model for low energy phase shifts and high-energy charge exchange 4−12061
- dominance rel. to pion, kaon and nucleon form factor behaviour 4−12075
- p-wave $\pi\pi$ interaction effects on intermediate range N-N interaction and ρ resonance 4−15539
- photoproduction from complex nuclei, e.m. and nuclear ρ-ω mixing, optical model 4−36176
- production in $\pi N \rightarrow \pi\pi N$, Regge recurrences 4−23513
- production in inclusive pp reactions at 12 and 24 GeV/c, polarisation 4−23584
- trajectory, effective, determ. in $\pi^+ p \rightarrow \omega\Delta^{++}$ 4−27181
- $\Delta^{++}\rho^0$ quasi-two-body final state in 5 GeV/c $\pi^+\rho$ interaction 4−27180
- $\gamma p \rightarrow \Delta^{++}\rho^0\pi^-$, double Regge model analysis 4−5615
- π form factor, rho-omega interference 4−2679
- $\pi N \rightarrow \rho^0 N$, vector meson dominance model, Ball invariant amplitude 4−36060
- $\pi N \rightarrow \rho\Delta$, with large helicity flip as tests for cuts generation 4−5634
- $\pi^- p \rightarrow \rho^0 n$, amplitude anal. in vector-meson dominance model 4−27177
- $\rho \rightarrow \pi\pi$ decay widths, nonlinear eqn. for coupling consts. 4−5627
- $\rho \rightarrow \pi\pi^0\gamma$, large branching ratio from gluon, mass 500 MeV 4−19266
- ρ-ω interference, mixing parameter, 2π and 3π final states 4−386
- ρ-ω interference in kaonic reactions 4−5671
- ρ-ω mixing effect in nuclear interactions 4−478
- ρ^-, prod. cross sections, momentum depend. from $\pi^- p \rightarrow \pi^-\pi^0 p$, 25 and 40 GeV/c 4−5667
- ρ^- from $\pi^- p \rightarrow \rho^- p$, parametrisation of Regge residue function for Δ exchange 4−39895

rho mesons continued
- ρ^0, elastic photoproduction on ^{12}C at 8.8 GeV, Pomeron exchange dual absorptive model 4−19381
- ρ^0, from $\pi^+ d \rightarrow p_s p \pi^+\pi^-$ at 4 GeV/c 4−12097
- ρ^0, produced in $\pi^\pm p$ inclusive reactions, pion exchange 4−9038
- ρ^0, production in $pp \rightarrow pp +$ meson resonance reaction, 12 and 24 GeV/c 4−36070
- ρ^0, ρ^-, $\rho(1710)$, production in $\pi^- p \rightarrow p\pi^+\pi^-\pi^-\pi^0$ at 18.5 GeV/c 4−9012
- ρ^0 photoproduction, suitable experiments for natural and unnatural parity exchange 4−39853
- ρ^0 production in $\pi^+ d$ interaction at 4 GeV/c, mechanism and spin structure 4−5675
- ρ^0 production in πN interactions, prediction for K^{*0} and K^{*0} production 4−27178
- ρ^0-N total cross section at 3.5 GeV/c in π^+Ne interaction 4−27186
- ρ', contrib. to various spectral function sum rules 4−12023
- $\rho'(1710)$, in $\pi^- p \rightarrow p\pi^+\pi^-\pi^-\pi^0$ reaction at 4.5 GeV/e 4−39903
- ρ' decay modes, contribution to e.m. form factors 4−393
- $\rho'(1250)$, model for existence from $e^+e^- \rightarrow \pi^+\pi^-$ cross-sections 4−394
- $\rho\rho$ reaction, bootstrap idea in sense of finite energy sum rules, resonance saturation 4−2701

rhodium
- catalyst, surface ionis. of CsCl mols. on Rh-C emitter with C diffusion across interface 4−17538
- electrical resistivity, enthalpy depend., melting pt. behaviour *(Russian)* 4−28383
- film, optical conductivity, reflectance, energy losses, band structure 4−13536
- film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
- powder, chemisorpt. of H_2 and O_2, rate determ. rel. to work function 4−32820
- X-ray photoemission of 3d electrons, core line asymmetries 4−25209
- Pt-Pt/Rh thermocouple, catalytic effects, combustion systems involving H_2 as fuel 4−14823
- Rh:C system, change in emissivity for bulk phase transition 4−17539
- Zn:^{100}Pd, ^{100}Rh quadrupole interaction, temp. depend. 4−20917

rhodium alloys
- *see also rhodium compounds*
- Er-Rh system, phase equil. and phase structs. 4−7018
- Fe-Rh, hyperfine fields and mol. fields, temp. depend. 4−41321
- FeRh, high field magnetostriction 4−24977
- FeRh, sp.ht. meas., entropy change, antiferromag-ferromag. transition 4−28619
- HoRh, crystal electric field levels determ. by inelastic neutron scatt. 4−3846
- Mn-Rh-Bi, preparation and characterisation, cryst. struct. 4−16451
- Ni-Rh, dilute, near Curie point, Ni spin correlation time determ. 4−13312
- Pd-5% Rh alloy, high field, low temperature measurements of magnetisation and magnetoresistance 4−41062
- Pd-Rh, thermoelec. power, phonon drag contrib. 4−24730
- Rh-Mo (35 at.%), single crystal C-phase, obs. of thermionic emission parameters 4−13547
- Rh-Pd system, diffusion consts. determ. for interstitial H_2 rel. to composition 4−40911
- Rh-Re(18 wt.%) alloy, hardness and creep, temp. depend. 4−13711
- $Rh_{0.5}Ge_{0.5}$ film, absence of superconductivity down to 1.1K 4−13245
- Ru-Rh, superconducting transition temp. depression 4−37359
- V-Rh A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
- Zr-Rh, supercond., upper crit. field and crit. current 4−1283

rhodium compounds
- *see also rhodium alloys*
- silicides-Si diode fabrication, barrier heights to Si 4−17183
- Fe_2RhS_4, mag. and elec. props. 4−28052
- Rh complex in molten thiocyanates, elec. spectra obs. 4−3981
- Rh(I) complex, 1,3-diphenyl-1,3-propanedione-(1,6-dichloro-1,5-cyclooctadiene) rhodium(I), cryst. and mol. struct. 4−40766
- Rh(I) complex, $Rh[P(OCH_3)_3]_2B(C_6H_5)_4$, cryst. struct. 4−32481
- Rh(III) complexes, luminesc. spectra, interpretation, semi-emirical model spectrochem. series 4−33474
- Rh(III) complexes of 2,2'-dipyridyl 1,10-phenanthroline, phosphoresc. decay, low temps. 4−21586
- Rh(III)acidopentammine, vibr. spectra anal. of metal-ligand bond 4−13446
- U-Rh-C system, phase and thermodynamic behaviour 4−31540

Richardson effect *see Einstein-de Haas effect*

ridge waveguides *see rectangular waveguides*

Riemann-Cristoffel tensors *see general relativity; tensors*

Righi-Leduc effect *see magnetothermal effects*

ring lasers
- due, single-mode operation, output coupler using frustrated total internal reflection 4−35877
- Faraday cell in ring laser, effect on refractive index *(Russian)* 4−33370
- gas, theory of locking phenomenon 4−39758
- laser theory, multimode operation, Lamb semiclassical theory extension 4−31058
- metals processing, possible improvements *(Russian)* 4−21363
- mode-locked, ring amplifier characts., operating conditions 4−309
- neodymium solid-state, influence of diffraction elements on free pulse generation *(Russian)* 4−35876
- output signal analysis, stop diameter effects 4−23360
- ruby, solid-state, influence of diffraction elements on free pulse generation *(Russian)* 4−35876
- self-pulsing, Risken-Nummedal model, modifications 4−35873
- single-frequency spontaneous operation, three-mirror resonator with Nd^{3+}:YAG crysts. 4−8838
- theory, e.m. field equations, Fox-Li modes 4−15376
- thin film waveguide type, dyed gelatin on glass, pumping, operation 4−23361
- travelling wave, multimode fluctuations, combination coupling effects *(Russian)* 4−15378
- unstable ring resonator, quasi-travelling wave operation 4−310

- **ring lasers** continued
  - CO_2, asymmetric unstable travelling-wave resonator 4−23354
  - He-Ne, Faraday effect on beat freq. 4−15379
  - He-Ne, longitudinal mode selection, frequency stabilization 4−11944
  - He-Ne, methane absorption cell, freq. reproducibility 4−11942
  - He-Ne, mode locked by internal modulation, high peak power and short pulses 4−23356
  - He-Ne system, optical freq. standard, operation 4−23362
  - Nd:YAG, c.w. solid ring laser, characts. 4−39759
- **ringers** *see bells*
- **riometers** *see ionospheric measuring apparatus*
- **rivers and lakes**
  - *see also water pollution*
  - aquatic biota, potential radiological impact 4−35086
  - aquifer, distributed parameter groundwork flow model as multiobjective decision process under uncertainty 4−4388
  - aquifer, salt dispersion effect on thermal convection in a porous medium layer 4−4384
  - aquifer models with moving bottoms 4−14086
  - Argentine rivers, mineralogy of clay size sediments 4−21822
  - Baikal, hydromagnetic survey and deep structure 4−4374
  - barotropic movements in long lakes, wind-induced 4−17629
  - canal, frequency depend. props. of standing waves, nonlinear mixing 4−42059
  - channel network model, computer simulation of excess runoff 4−25672
  - Choptank River estuary, intermittent momentum transport in boundary layer 4−38306
  - circulation of homogeneous lakes, higher-order finite element analysis 4−29524
  - climatic influence of river diversion *(Russian)* 4−38363
  - coastal currents in lakes, Ekman model 4−21924
  - Columbia River, Oregon, large scale natural sound waves, eddy viscosity and stress fields 4−17626
  - Connecticut River outflow during high discharge 4−34265
  - Cuyahoga River entering Lake Erie, numerical jet model 4−25629
  - Danube, Bulgarian section, water quantity determination, surface velocity method *(Bulgarian)* 4−17630
  - Dead Sea, water levels, influxes, effects of modern irrigation systems *(German)* 4−14090
  - deep reservoir, thermal stratification due to solar radiation 4−34272
  - deep saline aquifers in Florida, waste water disposal and rainfall runoff 4−30276
  - Delaware River, dam and estuary, mathematical model for water resources 4−25630
  - Dnieper basin, areal interpolation of annual river flow 4−14095
  - Duero river, geochemical study of water samples *(Spanish)* 4−29530
  - electrical sounding on lake bottom, apparent resist. of basin material *(Italian)* 4−42043
  - estuaries, data anal. of river flow interaction with sea waves 4−4376
  - estuarine circulation dynamics, remote sensing, aerial photography and i.r. imaging 4−34561
  - estuary water quality model, storm-sewage overflow 4−34306
  - evaporation and cooling of lakes, unstable atmospheric conditions 4−21901
  - evaporation retardation by monomolecular layers, analytical theory 4−21902
  - floods, sample error of T-year events computed with Pearson type 3 distribution 4−21903
  - flow data reliability, river Nemunas at Smalininkai *(Russian)* 4−21898
  - flow of rivers, daily, in arid region, stochastic model 4−21904
  - Forecasting water use for electric power generation 4−4379
  - freezing processes, location of ice jams *(Russian)* 4−34269
  - Ganges Cone in Bay of Bengal, seismic study of fluvial sediments 4−25648
  - Generator Lake, Baffin IS. sublacustrine moraines, origin, morphology, chronology 4−42055
  - geoelectric-seismic refraction, groundwater exploration in Lusaka District 4−42182
  - global water circulation, new computation *(German)* 4−1816
  - Great Lakes, coastal upwelling thermal scanner imagery 4−17624
  - Great Lakes, radioactivity concentrations due to nuclear generating units 4−23934
  - ground water, fluid displacement in aquifer, viscous finger wavelength degeneration in Hele-Shaw model 4−1797
  - ground water flow to single completely penetrating water-table well *(Polish And English)* 4−25641
  - groundwater, clogging in simulated glacial aquifer, due to artificial recharge 4−4390
  - groundwater, spatially discretized groundwater flow equations, anal. of 4−1799
  - groundwater, vertical flow, one dimensional eqn. for ground water in soil 4−4389
  - groundwater, water flow in soil simultaneity procedure anal. appl. of Monte Carlo methods 4−1796
  - groundwater dynamics in soil, effect of accretion 4−1798
  - groundwater equation of motion in deforming coordinates, general tensor treatment 4−25627
  - groundwater flow at Smiths Cove, Nova Scotia, effect of intrusive rocks 4−14084
  - groundwater flow systems, thermodynamic coupling of chemical and physical processes 4−17621
  - groundwater movement in California, new T data for well waters 4−14085
  - Huron, thermal structure near lake shore, oscills. 4−4378
  - hydraulic geometry and channel roughness 4−7607
  - hydrological forecasting and water management in USSR 4−14139
  - hydrology, user requirements and use of satellites 4−17827
  - hydrophobic soil, hydraulic charge influence on horizontal flow *(French)* 4−34262
  - ice condition mapping of large lakes by satellite TV images *(Russian)* 4−7610
  - inactive alluvial fans, Bow River Valley, Alberta 4−29522
  - internal seiche generation by wind stress in large oblong lakes 4−21897
  - internal waves in Lake Bala, Wales 4−34270
- **rivers and lakes** continued
  - irrigation and streamflow control effects on surface water resources 4−14091
  - Kariba Lake region, rainfall increase after formation in 1959/60 4−21997
  - Koyna Dam, earthquake risk and seismic activity rel. to reservoir level 4−34162
  - La Cygne Lake wind generated wave heights, periods and amplitude spectra 4−17627
  - lake evaporation calculation, temp. profile network density effect on accuracy 4−4382
  - Lake Mead, microseismicity rel. to lake level 4−21682
  - Lake Michigan, primary production and nutrients, seasonal and spatial changes 4−21900
  - Lake Michigan, water pollution, from pollution aerosol fallout 4−22627
  - Lake Ontario, airborne meas. of evaporation and heat flux 4−25631
  - Lake Sevan, bottom gravimetric studies, apparatus and methods *(Russian)* 4−34271
  - Lake Sevan, USSR, secular water storage for power generation and irrigation purposes 4−14094
  - London basin, artificial recharge of underground water and rivers 4−29533
  - Mackenzie River valley, landscape zonation based on terrain permafrost characteristics 4−29523
  - meander growth in natural river channels 4−38282
  - meander path model, anal. of existing models 4−4392
  - mineral content−water discharge relationships 4−4375
  - Mississippi, application of ERTS-1 obs. to flood management 4−17623
  - Mississippi delta, clayey soil instability during hurricane Camille 4−10877
  - modelling hydrological behaviour of ungauged watersheds, parameters by remote sensing 4−22909
  - Moselle basin river hydrology and dynamics in temperate oceanic environment *(French)* 4−17628
  - multi-year river flow variations, prediction and description 4−14092
  - natural aquifers, hydrodynamics of fresh-salt water interface 4−25628
  - natural gas nuclear stimulation, Rio Blanco project, hydrological changes 4−19625
  - nearshore lake sediments, use of regression analysis for composition distrib. 4−38287
  - Nile flood cessation, effect of Aswan High Dam on Suez Canal current regime 4−34300
  - overland water flow, one-dimensional hydrodynamic models *(Russian)* 4−25637
  - playa lakes in SW Australia, development and morphology rel. to wind 4−25638
  - pollution flow studies, conf., Atlanta, USA (Jun. 1973) 4−29387
  - pond model, simple hydrological, for rainfall-runoff relations of the Dalton watershed 4−4383
  - Potomac, computer simulation cost benefit anal. year 2010 projection 4−4381
  - Powell Lake, temp. microstructure 4−7609
  - Quaternary lake sediments from western US and Mexico, palaeomagnetism 4−17609
  - radioactive Co and Ag, environmental behaviour, review 4−31629
  - radioactive waste disposal, environmental capacity 4−35085
  - radioactive waste disposal, into lakes dose commitments 4−35075
  - radiocontamination of fish, River Meuse *(French)* 4−31634
  - radiological capacity concept, radiation protection *(French)* 4−35080
  - radionuclide, environmental monitoring, ecosystem approach 4−31639
  - radionuclides, environmental behaviour, conf., Aix-en-Provence, France (May 1973) 4−35095
  - radionuclides, in discharge from PWR nuclear power station 4−31628
  - radionuclides, modelling of river basin transport 4−31635
  - radionuclides, river transport to cultivated soils *(French)* 4−31631
  - rainfall produced river flood prediction in hydrological forecasting 4−4458
  - rainfall surface run-off, hydrological aspect 4−4517
  - reservoir bottom load forces, simultaneous increase measurement, using gravimeters *(Russian)* 4−42204
  - reservoirs, polyphase flow for environmental protection 4−32129
  - resources and management, as a case study in interactive multiobjective programming 4−4380
  - Rhone Basin, radioecological study *(French)* 4−31636
  - river flow, effect on bed processes, Coriolis coefficient, Boussinesq coefficient *(Bulgarian)* 4−17632
  - river forecasting rel. to storm rainfall patterns 4−25657
  - river pollution, long-term monitoring 4−14713
  - Saint Lawrence estuary, distrib., transport and comp. of suspended particles 4−4372
  - salinity meas. remote, in estuarine environment 4−7846
  - Salmon River, Idaho, hydrologic environment of upper areas 4−42057
  - salt balance dynamics of Lake Balkhash, model simulation *(Russian)* 4−34268
  - satellite TV picture use in hydrology 4−14093
  - sediment production Eaton River Basin during spring run off, 1970-72 4−29521
  - silting of aquatories split from river, water and silt peak coincidence 4−1794
  - soil water and groundwater ^3H uptake 4−4391
  - Southern Lake Superior, airborne PRT temps. growth of strong longshore current 4−17625
  - St. Lawrence Estuary, mud cracks and polygons on ice push ridges in tidal flats 4−42056
  - St. Lawrence upper estuary, subbottom acoustic reflector and sediment thickness 4−38286
  - stream length, controlling factors, study in clay basin S.E. England 4−17638
  - streamflow series, mathematical models of hydrological processes *(German)* 4−14087
  - subarctic stream, groundwater behaviour rel. to permafrost 4−25635
  - subsurface water composition, review of chemistry 4−21909

rivers and lakes continued
  surface water, radioisotope health protection standards, Soviet Union *(Russian)* 4 − 35084
  surface water quality and pollution control in USSR 4 − 14716
  surface water radioelement purification, empirical equation *(French)* 4 − 31627
  suspension fingers, descent rates for inshore deposits in lakes and oceans 4 − 4373
  Tennessee River Drainage rel. to rainfall pattern orientation for large storms 4 − 25662
  Tennessee River Valley watershed, streamflow forecasting project 4 − 42238
  time-series analysis of groundwater hydrographs rel. to climatological records 4 − 34264
  tracer dispersion in flows of natural water *(Polish And English)* 4 − 25653
  transport properties, stochastic modelling 4 − 29532
  Trinity aquifer, Texas, extreme ^{234}U/^{238}U fractionation, ^{234}Th α-recoil as significant factor 4 − 29526
  tsunami type waves, deformation in estuary of variable cross section *(Russian)* 4 − 34267
  underground water circulation in karst areas, methods and experiments 4 − 7857
  underwater sound, stationarity, statistical props. 4 − 8267
  Van Norman Lake, California, sediments, earthquake-induced structures 4 − 17600
  variable-density aquifers, flow patterns from pressure and water-level obs. 4 − 29534
  water economic investigations, probabilistic hydrological process simulation *(Bulgarian)* 4 − 17631
  water flow in unsaturated sandy ground *(Polish And English)* 4 − 25642
  water pollution, airborne spectroscopic measurement 4 − 29765
  water quality, assessment from benthic organisms, vicinity of nuclear research establishment 4 − 12460
  water quality estimation, hydrochemistry and hydrodynamics 4 − 14717
  water quality in rivers, annual cycle, river Stour, England 4 − 21905
  water quality monitoring, automatic shipborne system 4 − 15092
  water shed purification, water and N$_2$ balances in precipitation and Lake Tahoe 4 − 42054
  water table, control during irrigation, model *(Russian)* 4 − 29531
  waterfall negative space charge plumes 4 − 17622
  watersheds in S. Idaho, physiography, soils, bedrock and water chemistry 4 − 42058
  ^{241}Am suspended sediment concentration gauge 4 − 4641
  ^{137}Cs, flood plain transfer and accumulation 4 − 31630
  ^{90}Sr, environmental capacity of freshwaters 4 − 35083
  ^{90}Sr radioecological study, Osaka, Japan 4 − 7608
road traffic
  accident prevention safety system, sonar, lasers, radar and automatic control applics. *(French)* 4 − 5543
  acoustic power, flow of random point sources *(Japanese)* 4 − 35115
  energy equivalent continuous sound level *(German)* 4 − 35112
  highway noise abatement techniques 4 − 26326
  highway noise analysis 4 − 26325
  noise, data logging for 24 hour survey 4 − 11452
  noise, in urban situation 4 − 14741
  noise, pollution in towns, research 4 − 26290
  noise field, stochastic model of acoustic emission for steady flow 4 − 39129
  noise pollution, conf., California, USA (Apr. 1973) 4 − 26318
  noise propagation excess attenuation for individual vehicles 4 − 4902
  safety, speed limit optimisation, automatic speed measurements 4 − 5099
  single vehicles in heavy traffic, noise emission patterns 4 − 14747
  sound pressure distribution 4 − 42675
  urban traffic noise control 4 − 2202
road vehicles
  friction forces, elastohydrodynamics, meas., lubricant film between rubber pad and flat surface 4 − 36949
  highway noise abatement techniques 4 − 26326
  highway noise analysis 4 − 26325
  noise measurement when moving, magnitude and directivity 4 − 14811
  noise pollution, conf., California, USA (Apr. 1973) 4 − 26318
  single vehicles in heavy traffic, noise emission patterns 4 − 14747
  NO$_x$ meas. in motor vehicle exhaust 4 − 18248
robots
  see also artificial intelligence
  underwater vehicles for ocean parameter measurement 4 − 14238
Rochelle salt
  bibliography for 1971, in book 4 − 6856
  Cherenkov radiation, needle Vavilov, proton prod. 4 − 41448
  ferroelectric transitions in compressed powders, dielec. const. obs. 4 − 28774
  nonferroelectric phases, γ-irrad. effects, n.m.r. obs. 4 − 20928
  switching transients, pulse method obs. 4 − 10384
  ultrasonic wave absorption meas. in normal and deuterated crystals *(Russian)* 4 − 39117
rock magnetism
  see also palaeomagnetism
  alternating field demagnetiser, solenoid design and associated circuit 4 − 29734
  basaltic, relationship between n.m.r. and origin of magnetic minerals 4 − 17596
  basalts, magnetic hysteresis 4 − 4331
  Brunhes epoch from lavas and ignimbrites on Terceira Island, Azores 4 − 25622
  c.r.m. development during early stages of red-bed formation in Late Tertiary sediments 4 − 14066
  Curie temperature connection with hemo-ilmenite presence 4 − 38273
  disseminated titomagnetite ores, geomagnetic anomaly interpretation 4 − 29505
  felsite and basic intrusions from Virginia 4 − 29449
  Ferromagnetic behaviour of interacting superparamagnetic particle aggregates in basaltic rocks 4 − 1793
  gabbro, Giles Complex, Central Australia, high stability remanence 4 − 17603
rock magnetism continued
  gabbro in Jimberlana Norite, W. Australia, single-domain magnetite 4 − 38216
  Grenville Province, tectonics rel. to magnetic records of intrusive rocks 4 − 1789
  igneous strata, propagation, in the Donbass *(Russian)* 4 − 42041
  intrusive igneous formations, classification of mineral type with magnetic properties *(Russian)* 4 − 38255
  isothermal remanent magnetisation anisotropy measurements compared with susceptibility anisotropy measurements *(French)* 4 − 29482
  lavas from Reunion Island, palaeomagnetism rel. to Brunhes epoch secular var. 4 − 17614
  Lower Carboniferous St. Joe limestone of Arkansas 4 − 17610
  lunar, piezoremanent magnetisation 4 − 14325
  magnetite, change in magnetic props. for abyssal thermodynamic conditions *(Russian)* 4 − 29434
  massive sulphide ore bodies, Canada, anomalies 4 − 29483
  Nipissing diabase, Lake Matinenda area, Ontario, magnetic and palaeomagnetic studies 4 − 42047
  post depositional remanence in a re-deposited deep sea sediment 4 − 29487
  pressure effects on viscous magnetisation 4 − 10839
  pyrrhotites, relationship between magnetic properties and composition 4 − 7551
  Quaternary lake sediments from western US and Mexico, palaeomagnetism 4 − 17609
  remanence during temperature transformations of iron hydroxides 4 − 7596
  sedimentary rocks of N.E. Russian platform *(Russian)* 4 − 38250
  serpentinite near Erbendorf (Oberpfalz), natural induced and remanent magnetization *(German)* 4 − 42051
  shape anisotropy effects on palaeointensity determ. 4 − 17605
  solenoid a.c. demagnetizer for rock study 4 − 7805
  Sulitjelma Gabbro, N. Norway, Ordovician palaeomagnetism 4 − 38217
  susceptibility anisotropy measurements, dolerite intrusions Spitzbergen, mode of emplacement 4 − 25599
  susceptibility under uniaxial compression 4 − 29518
  theory and nature, introduction 4 − 21894
  thermomagnetic analysis, improved instrumentation 4 − 17823
  thermoremanent magnetisation origin, contribution of pseudo single domain magnetic moments 4 − 29486
  thermoremanent magnetisation reversal mechanism, order-order transitions during cooling 4 − 29500
  titanomagnetite ultrafine intergrowths, effect on remanence, palaeomagnetic significance 4 − 34240
  titanomagnetites, synthetic, study of self reversal of remanent magnetisation 4 − 34260
  viscosity, thermally activated 4 − 7595
rocket vehicles *see rockets*
rockets
  see also missiles; space vehicles; weapons
  coronagraphs, solar corona, 1970 March 7, photometry of 4 − 11124
  Cosmos 359 rocket 1970-65D, orbit analysis rel. to upper atmosphere 4 − 29806
  Cosmos 359 rocket 1970-65D, upper atmosphere air density from orbit 4 − 29657
  Earth resources remote sensing 4 − 29723
  earth-moon flight, computer determined trajectory, student experiment 4 − 30366
  exhaust plume effects on thermospheric state 4 − 22015
  experimental apparatus, sorption sensor for measuring small admixture in atmosphere, mass exchange aspects *(Russian)* 4 − 7831
  optimum orbital altitudes for deboost with specified retrorocket impulse 4 − 25920
  probing, combined expts., switching system for optimization 4 − 29746
  Skylark, for Earth resources 4 − 29725
  Skylark for Earth survey 4 − 29724
  Skylark rocket imagery, digitised analysis 4 − 29726
  sunlight scattering measurements as function of height *(German)* 4 − 34443
rocks
  see also geology; minerals; rock magnetism
  acidic, igneous, reflection spectra 0.325 to 2.5 μ 4 − 21823
  adiabatic compressibility, theoretical bounds 4 − 17575
  Alpine gneisses with oriented microcracks, sound velocity ratios 4 − 42020
  amphibolite in ophiolite, San Luis Obispo, California 4 − 21771
  amphibolite to granulite facies metamorphism, immiscible fluid phases 4 − 21784
  anisotropic, tensile strength, indirect method of testing 4 − 34168
  aquifer, clogging in simulated glacial aquifer, due to artificial recharge 4 − 4390
  aquifer, fluid displacement viscous finger wavelength degeneration in Hele-Shaw model 4 − 1797
  aquifer, groundwater dynamics in soil, effect of accretion 4 − 1798
  aquifer, spatially discretized groundwater flow equations, anal. of 4 − 1799
  aquifer, vertical flow, one dimensional eqn. for ground water in soil 4 − 4389
  autoradiography, high-speed radioluxograph with single-scintillation sensitivity 4 − 34526
  basalt lava flow, reflectivity spectrum, gypsum sand contrast 4 − 7510
  basalt members of Columbia River group interfingering 4 − 21762
  basaltic, relationship between n.m.r. and origin of magnetic minerals 4 − 17596
  basaltic lavas, magmatic gases compatible with magnetite-pyrrhotite assemblages 4 − 21764
  basaltic lavas, N. America, magnetostratigraphy and oroclinal folding 4 − 34236
  basalts, ^{40}Ar/^{39}Ar dating effects of pressure shocks 4 − 21778
  basalts from Iceland and Reykjanes Ridge, Sr isotope geochemistry 4 − 14040
  basalts from southern Argentina, geochronology and palaeomagnetism, glacial history study of Patagonia 4 − 21875
  Berea Sandstone, confining pressure and pore pressure effects 4 − 25542

rocks continued
Berea sandstone, microstructure effect on fracture resistance 4—4349
biotite gneiss, in Blue Ridge belt, USA, late Precambrian Ocoee equivalent 4—1758
Blue Dragon basalt, origin of colour 4—7509
brittle fracture process under uniaxial compression, photoelastic models 4—21831
bronziite, pressure coefficient of compressional wave velocity rel. to Earth interior 4—34152
buckling stability of viscous single layer system oblique to principal compression 4—21842
carbonate, determ. of Na and K by flame photometry 4—18780
carbonate, various porosity, resistivity when saturated with aqueous solutions *(Russian)* 4—38256
Carlsberg Ridge rift zone, petrography of metamorphic rocks 4—21825
chip formation on penetration of rigid wedge 4—32610
clay shale from Carpathian Flysh, characteristic properties *(Polish And English)* 4—25592
coherent interface propagation between two nonhydrostatically stressed rock crystals 4—17577
concentration and extraction of Li, Rb and Cs 4—7528
constant temp. diff. divided bar apparatus for thermal conductivity meas. *(Rumanian)* 4—29737
continuum model of mechanical properties 4—29450
Cretaceous carbonate, some aspects of diagenetic and recryst. characts. 4—42038
crystalline magmatic and metamorphic rocks high temp. effects on elastic wave propagation *(Russian)* 4—29435
cylindrical specimens under uniaxial compression, relationship between size, deformation, strength 4—21811
Dalradian Dolomitic formation, Islay, Argyll, finite strain estimates 4—21832
deep sea sediments, post depositional remanent magnetisation 4—1788
deep-sea basalts, noble gas abundance patterns rel. to primordial mantle gases 4—4335
deep-sea core from Juan de Fuca rift valley, water permeability meas. 4—17586
Deep-Sea Drilling Project basalts from North Pacific, magnetic properties 4—21878
deformation dependent properties, influence of pressures up to 10 kbar 4—7555
deformation under uniaxial tension 4—21808
diamond-bearing kimberlites, plate tectonic origin 4—38214
dielectric props., dependence on volume weight 4—7566
dilatant rock model with pore fluid diffusion 4—21713
dolerite, variables controlling compression of crushed aggregate 4—34170
dunite, compressional wave velocities to 30 kbar 4—29453
Earth interior, depth-caused regularities in rock state *(German)* 4—14032
East Carpathian magmas, Ni, Co, V contents 4—21843
Easter Island, palaeosecular var. from lava examinations 4—14072
eclogites, compressional wave velocities to 30 kbar 4—29453
elastic wave propagation, various pressures, comparison with lunar rocks *(German)* 4—34703
electrical conductivity, effect of composition, 200 to 650°C, 1 to 20 kbar 4—7558
electrical properties, 0.01 to 3100 Hz 4—25602
e.m. diffusion resulting waveforms analysis of electric and magnetic fields 4—23249
explosion breccia, peimontite bearing, in Archean rocks, Labrador, Newfoundland 4—4326
explosive breakage, application of size distrib. equations 4—17598
ferromagnetic mineral fabric in rocks rel. to magnetic susceptibility anisotropy meas. 4—14031
flow and fracture of rocks, book 4—10828
flysch-ophiolite successions as polarity indicators in arc and collision-type orogens 4—42026
folding and flexure of compressible elastic multilayers 4—42035
folding of anisotropic rocks with linear/planar fabrics 4—21730
foliated, relationship between principal stress directions and kink geometry 4—34218
fracture, review of fundamental problems 4—21850
Franciscan blueschist facies metaconglomerates, petrographic and X-ray studies 4—21779
gabbro, electrical resistivity of partially saturated samples at high stress 4—21733
gabbro in Jimberlana Norite, W. Australia, single-domain magnetite 4—38216
gabbros and anorthosites, Central Indian Ridge, ^{40}Ar/^{39}Ar dating 4—21769
Generator Lake, Baffin IS. sublacustrine moraines, origin, morphology, chronology 4—42055
Georgia, USA, Blue Ridge, stratigraphic belts correlations 4—1759
Georgia Piedmont, USA, fault zones, lithologic sequences, folding 4—1761
geothermal energy supply, first experimental assessments of hydraulic fracturing technique 4—22147
granite, electrical resistivity of partially saturated samples at high stress 4—21733
granite, sliding on saw cuts, stability 4—21736
granite magma, thermal models for origin 4—21773
granites, West Indonesian, implications of radiometric dating on plate tectonics 4—21840
granular materials, compressional and shear wave velocities to 2.5 kb 4—10815
graphite, electric double layer specific capacitance and surface resistivity 4—7797
gravel extraction, effect on seabed topography 4—4403
Grenville Province, eastern Ontario, basement/cover relationships 4—42005
Hawaiian basalts, thermoluminescent dating 4—7560
heat conduction under extremal conditions *(Russian)* 4—29432
holocrystalline pantellerite from Mt. Ngun-Ngun, petrographic study 4—7515
Icelandic volcanic rocks, secular var. of ^{87}Sr/^{86}Sr ratio 4—17556
igneous, rheological experiments up to 1120°C 4—17572

rocks continued
igneous activity and associated crustal downfolding, S. Greenland 4—34211
igneous rock distrib. in S.W. United States rel. to asthenospheric flow irregularities 4—21617
igneous strata, propagation, in the Donbass *(Russian)* 4—42041
Ilse fault, Wet Mts., Colorado, Precambrian metamorphic rocks, mineralogy and petrology 4—21782
Indian Ocean ridge serpentinized rocks, electrical conductivity to 6 kb 4—17613
Indiana limestone under axial loading, P and S velocities 4—7567
intrustive, in the Voronezh crystalline massif, petrological borehole investigations *(Russian)* 4—42213
island arcs and active continental margins, petrology of volcanic rocks 4—38190
Jemez Plateau, New Mexico, hydrologic characteristics 4—21750
Jurassic oceanic crust, sequence at Point Sal, California 4—21767
Keechelus andesitic series, Washington, contact metamorphism 4—38228
kimberlite diatremes, Green Mt. Colorado, mineralogy and petrology 4—21781
kinematics of refracted waves in media containing steeply inclined interfaces *(Russian)* 4—29436
Kobau Group metamorphic rocks, age and correlative succession 4—10799
laccolithic intrusions, Henry Mts., Utah, bending and failure of overburden, sill formation 4—21834
laccolithic intrusions, Henry Mts., Utah, field obs., Gilbert's model 4—21833
landslides, prediction of reach and velocity 4—34563
Laramie anorthosite complex, seismic refraction and reflection studies 4—21702
Late Precambrian mixtites in Angola, evidence of glaciogenic origin 4—14041
Late Precambrian Shales, S.W. Africa, evidence for thermal episode 500 my ago 4—25535
Late Tertiary sediments, c.r.m. development during early stages of red-bed formation 4—14066
lava, dynamic mixing with water, explosions 4—21757
limestone, variables controlling compression of crushed aggregate 4—34170
limestone resources in Alberta 4—38213
Long Valley caldera, California, chronology of volcanic eruptions 4—21738
low porosity, acoustic double refraction, interpretation of anisotropy in crust and mantle 4—34121
Mackenzie swarm diabase dikes, residence contamination of K, Rb, Li, Tl 4—42006
magma intrusion in eastern Koae fault system, Kilauea volcano, Hawaii, seismic evidence 4—21756
magmatic, physical and magnetic properties based on mineral composition and structural factors *(Russian)* 4—38255
major Precambrian shield units, Western Australia interpretation of geochemical and isotopic age data 4—29402
margarite-bearing rocks, compositional var. of plagioclase 4—29389
mass absorption coefficient measurement, Compton scattered W X-rays 4—7787
massif anorthosite, Baker Mt., New York, intrusion of charnockite 4—21783
massive sulphide bodies, York Harbour, Newfoundland, geological relationship with ophiolitic volcanic rocks 4—34130
McKinney basalt study, Snake River Plain, Idaho 4—21761
mechanics, appl. of finite element method, review *(Polish)* 4—17587
mesozoic deposits, Caspian Sea, physical properties and industrial-geophysical characteristics *(Russian)* 4—34224
Mesozoic granite batholiths, Chinmen and Matsu Islands, Rb-Sr ages 4—21787
metamorphic processes, diffusion controlled, nonequilibrium thermodynamic model 4—7513
microporosity, temp. and hydrostatic pressure effects 4—21731
microspherules, new type similar to dissolution-precipitation kind 4—29455
Moelv Tillite of Late Precambrian southern Norway, glacial striations 4—38283
Muntsche Tundra mafic pluton, ^{87}Rb-^{86}Sr ages 4—10810
Murphy Marble belt, USA, stratigraphy, paleogeography 4—1760
natural carbonates Ca isotope ratios 4—29398
naturally deformed sedimentary rocks, numerical dynamic analysis for calcite and dolomite 4—38226
nephelinite, liquation, 7.5—18 kbar, T>950°C 4—7534
Nerus Deep, Red Sea, sediment cores, metalliferous layers 4—34157
eastern Newfoundland continental shelf sediments, grain-size distrib. $CaCO_3$ content 4—42061
nuclear explosions effects, crater form., shock wave propag., and radioactive waste storage *(French)* 4—38204
obsidian, Western Mediterranean, pre-Chalcolithic, neutron activation analysis 4—7583
ocean sediments, effect of compaction and interstitial water expulsion on temperature distribution 4—29460
oceanic basalt, outer core as source, hypothesis 4—21766
oceanic basalts, stable single domain to superparamagnetic transition during low temp. oxidation 4—7561
oceanic ultramafic rocks, U and B distrib. 4—21661
ophiolites, Canyon Mountain and Red Mountain, ^{87}Sr/^{86}Sr abundances 4—21768
ophiolites of Bay of Islands, associated off-axis volcanic suite 4—29410
orthogneiss, in Blue Ridge belt, USA, late Precambrian Ocoee equivalent 4—1758
peridotite, experimentally deformed, 780 to 950°C, 3 Kb, microfracturing processes 4—21810
peridotite inclusions of probable mantle origin, Pb concentrations and isotope composition 4—4330
peridotite inclusions of probable mantle origin, U concentrations and distrib. 4—4329
permittivity measurement and analysis 4—29703
petrographic analysis, sonic method for crystallographic orientation determ. 4—25858

rocks continued
petrology of silicified cap rocks, Dunes geothermal anomaly, California 4-21748
Philipsburg batholith, Montana, structure and composition 4-38229
Picture Gorge basalts, isotopic fractionation of loosely held atmospheric Ar 4-38222
pisolitic bauxite, Southern Italy, electric and gravimetric study, interpretation of local gravity anomalies 4-25525
Pliocene-Quaternary terrace deposits, Southern Dniester area *(Russian)* 4-29502
porous, shear modulus first pressure derivative 4-38098
porphyroblasts, interpretation of inclusion trails 4-21729
post-Cretaceous faulting in Sudan rel. to East African Rift system 4-34160
Precambrian, stratigraphy, Blue Ridge belt, Georgia, USA 4-1757
Precambrian granite, hydraulic fracturing experiment in wellbore 4-21734
Precambrian lavas of Seton Formation, East Arm of Great Slave Lake, Rb-Sr ages 4-10802
Precambrian metamorphic in Kamiaso conglomerate, Rb-Sr whole-rock ages 4-29409
Precambrian of Sierra Madre Mts., Wyoming Rb-Sr ages 4-21788
pressure dependence of strength, Coulomb fracture criterion 4-34217
pyroxenites, compressional wave velocities to 30 kbar 4-29453
Q-factor calculation, thermal relaxation mechanism 4-7556
Q-values rel. to continental crust depth structure interpretation 4-21706
quartz dioritic stock at Capo Vaticano, Calabria, discordant K-Ar age pattern 4-4333
quartz monzonite magma, synthetic modelling of hydrous vapour phase generation 4-21775
quartz rocks, deformed, dislocation substructures 4-16492
quartz to stishovite transformation kinetics, wave propagation in mixed phase region 4-29447
quartzite, triaxial compression tests, microscopic and mechanical behaviour 4-21812
radiation levels, Greenland, thermoluminescence dosimetry 4-21819
rapakiwi massif formations, gravimetric studies *(Russian)* 4-34102
reactions defining geotherm San Quintin, California, evidence for lithosphere coding 4-21758
Recent sediments in W. Mediterranean basin, pore water chemistry 4-34153
red beds, review of theories of origin 4-21849
reduced rock weathering causing atmospheric O sink 4-34309
regularly jointed mass, continuum theory 4-29451
resistivity meas. by DDR method, interpretation of logs *(Rumanian)* 4-29477
resonance danger map of alluvial layer of shingles *(Russian)* 4-29437
rhyolites of Lord Howe Rise, dating by K-Ar methods 4-25532
Rockall Bank, rock of Grenville age 4-7577
Roter Kamm crater, evidence of impact origin 4-29458
Salem limestone, microstructure effect on fracture resistance 4-4349
San Luis Obispo County, California, felsic volcanism 4-21760
sandstone, Late Precambrian, Newfoundland, significance of detail garnet and muscovite 4-17555
sandstone, negative Poisson ratio, correlation with previous stress history 4-34171
sandstone, temperature changes during uniaxial compression 4-21813
sandstone, variables controlling compression of crushed aggregate 4-34170
sandstone microfracture, stress concentrations at grain contacts 4-34215
Saturn's rings, rock fragment clusters, radar contact *(German)* 4-38683
sediment thickness, southern Indian Ocean, seismic refraction study 4-34117
sedimentary, Baltic Sea, continuous seismic profiling 4-21826
sedimentary, N.E. Russian platform, physical and magnetic properties *(Russian)* 4-38250
sedimentary, pore geometry investigations by image analysis procedure using digital computer *(German)* 4-34221
sedimentary, silica diagenesis, devitrification and replacement phenomena 4-10831
sedimentary, system of geological investigation of U deposits *(Spanish)* 4-22137
sedimentary basins of India, correlation analysis of geothermal data 4-25534
sedimentation in Sea of the Hebrides, glacial and postglacial 4-42028
sediments, carbonate-rich, Grand Bank, Newfoundland 4-29391
sediments, dating by Io/Th chronology method 4-29411
sediments, Lower Oxfordian, Harrison Lake area, Canada, new ammonite finds 4-17553
sediments, Van Norman Lake, California, earthquake-induced structures 4-17600
sediments of Chesapeake Bay, interstitial gas bubbles as cause of acoustic impenetrability 4-29461
seismic energy, sample crushing under constant load application 4-7546
seismic wave velocities, boundary and stratum, correlational dependence, in sedimentary deposits *(Russian)* 4-42195
shale samples, deformation response of different sizes and shapes 4-42011
sheet jointing, origin rel. to land surface shape 4-17599
sheeted dike layer of Betts Cove ophiolite complex, absence of spreading 4-34135
silicate, anal. by direct-reading spectrometer using graphite pellet technique 4-23064
silicate melts, thermodynamic basis for water solubility rel. to mantle 4-21776
Skaergaard initial magma, chilled marginal gabbros, heterogeneity 4-21786
sound attenuation mechanism 4-22635
strain energy due to internal stress, theoretical bounds for thermal expansion and specific heat 4-17576

rocks continued
strain measurement, in situ technique using bridged photoelastic bar gauges 4-25864
stress analysis in elastic media, new digital technique 4-34169
stress determination from ultrasonic pulse velocity measurements 4-34509
Sulitjelma Gabbro, N. Norway, Ordovician palaeomagnetism 4-38217
sulphides, electric double layer specific capacitance and surface resistivity 4-7797
sulphurization of basalt under thermal metamorphic conditions to produce cordierite bearing rocks 4-38208
surface, densities, Parasnis method extended for linear regional variation in relative gravity 4-14220
Talladega Metamorphic Belt, Alabama, USA, faulting, lithology 4-1762
temperature field calc. taking into account interaction of boreholes 4-41994
thermal neutron lifetime measurements using pulsed neutron logging 4-34484
thickness of arbitrarily dipping subsurface layers from surface travel time measurement, new technique 4-34504
tholeiites, submarine basalts at Kilauea rift Hawaii, trace element composition rel. to extrusion depth 4-14024
tin bearing, alkaline granitic complexes above mantle hot spots 4-42016
tonalite-grandiorite gneisses western Saudi Arabia K-Ar dating 4-21789
tuffs, shock wave response rel. to porosity and saturation 4-1769
turbidite succession, Cloridorme Formation, Gaspe, Quebec, Markov chain and substitutability analysis 4-42007
ultramafic, ultrasonic wave velocities, elastic properties *(Russian)* 4-29433
ultramafic xenoliths from western US petrographic studies 4-21780
ultrasonic shear wave birefringence as test of homogeneous elastic anisotropy 4-21814
unconsolidated sediments, use of interstitial water sampler 4-34490
underground cleft, rel. to influence on electrical field of storms *(Slovene)* 4-7585
undrained shear testing of jointed rock 4-17836
uniaxial stress-strain behaviour of brittle rock, experimental determ. 4-4350
Vancouver Is. Upper Triassic submarine basalt assemblages 4-38209
volatilized Pb removal rel. to U/Pb systematics 4-21790
volcanic, ancient and modern, textural and chemical comparisons 4-21770
volcanic, guide to geothermal exploration and evaluation using volcanic rock data as guide 4-21743
volcanic, Mariana Island arc, trace element abundances 4-21763
volcanic, Philippine, mineralogy and chemical composition 4-21759
volcanic, silica diagenesis, devitrification and replacement phenomena 4-10831
Walvis Ridge sedimentary rocks, age and depositional conditions 4-42014
water saturation effects on compressional wave velocity, elastic property anisotropy, microcracks 4-21809
water undersaturated granitic liquids, stability of biotite 4-21777
watersheds in S. Idaho, physiography, soils, bedrock and water chemistry 4-42058
Westerly granite, P-wave velocity of water-saurated samples at high temp. and pressure 4-21732
Yatsushiro granite and gneiss, Rb-Sr dating 4-4336
Yule marble, macroscopic static and dynamic mech. props. 4-29413
^{26}Al content of rocks and soil near Tunguska event rel. to antimatter theories 4-38734
^{40}Ar-^{39}Ar stepwise degassing experiments on submarine rocks 4-4332
Ca/Y ratios in rocks and minerals as petrogenetic indicators 4-21785
CaMgSi$_2$O$_6$-CaAl$_2$SiO$_6$ kinetics of linear crystal growth 4-32455
CaO-MgO-SiO$_2$-H$_2$O system liquidus relations at 10 kb 4-7514
Cu, determ. by neutron activation anal. 4-26706
K-Ar dating, silicic pyroelastic rocks of Peruvian Andes, tectonic and volcanic history in Cenozoic 4-25540
^{87}Sr/^{86}Sr ratio from island basalts in Indian Ocean 4-17558
^{232}Th, determ. in geological materials by neutron activation and X-ray spectrometry 4-35513
U spatial distrib., content determ., in geological materials, spark counter method 4-35527
^{238}U, determ. in geological materials by neutron activation and X-ray spectrometry 4-35513
Zr, in geological, lunar samples, determ. using stable isotope dil., mass spectrometry 4-39399

Roentgen ray *see X-rays*

rolling
alloy, f.c.c., grain form. during heavy deform. 4-41613
lubricant elastohydrodynamic films, rolling-contact expt., viscoelastic behaviour obs. 4-20367
metal, f.c.c., grain form. during heavy deform. 4-41613
metal sheet, heat cond. problem 4-41692
permalloy, mag. anisotropy induced by plastic deform., induced defect interactions *(Russian)* 4-37434
Permalloy, quenched single crysts., rolling induced, mag. anisotropy *(Russian)* 4-28641
powder metallurgy materials, densification rolling, mean contact stress 4-37973
powder rolling, densification region in deform. zone, upper boundary 4-37976
steel, annealing texture control by deform. before completion of recrystn. *(Russian)* 4-33696
steel, austenite structural state during continuous hot strip mill rolling 4-41635
steel, austenitic stainless, fine grain structure by rolling and annealing control 4-41631
steel, C-Mn-Nb type, structure and strength during hot rolling, 900-1100°C 4-7132
steel, cold rolling influence on hydrogen permeability *(Russian)* 4-37883

rolling continued
- steel, continuous process, strength rel. to heat treatment 4−1582
- steel, directionally solidified, thermomech. processing effect on sulphide inclusions 4−17272
- steel, extra-mild, Al-killed, preparation for deep drawing, recrystallisation *(French)* 4−7231
- steel, ferritic stainless, ridging mechanism 4−17244
- steel, fracture criterion for cold forming 4−41777
- steel, low-C, containing Nb, structures and textures 4−41633
- steel, low-C sheet, hot band struct. influence on texture development 4−41634
- steel, low-C sheets, niobium effects on cold-rolling and recrystn. textures 4−41601
- steel, low-carbon, influence on AlN precipitation 4−7133
- steel, stainless, austenitic, sigma phase form., deform. and recrystn. effect 4−7219
- steel, stainless, Cr-Ni-Nb type, recrystn. processes 4−41616
- steel, structural, inheritance of subboundaries in austenite by martensite *(Russian)* 4−33700
- steel strip, Al-killed, plane-strain deform. and recrystn. texture 4−7068
- strip, cold-rolled, texture determ., automatic plotting of pole figs. in refl. and transmission *(French)* 4−37848
- variational techniques applic. to deform. problems 4−29153
- Al alloys, strain ratio determ. method 4−37932
- Al powder coating of steel strips, phys. metallurgy aspects 4−13766
- Al sheet, rolling textures 4−33738
- Al_2O_3 substrates, prep. for thin film integrated circuitry, firing, SEM obs. 4−7260
- Cu, creep after low-temp. rolling *(Russian)* 4−37879
- Cu bicrystal, rolling deform., finite deform. analysis *(Japanese)* 4−25363
- Cu strip, sintered, limiting conditions from rolling experiments 4−7251
- Cu-Be alloys, age hardening, plastic deform. effects *(Japanese)* 4−41694
- Cu-Ni-Cr alloy, hardening by spinodal decomp. and mech. strengthening *(German)* 4−7211
- Cu-Sn alloys, rolling texture, penultimate grain size effect 4−37844
- Fe, cast, cyclic microfriction, mech.-chem. wear *(Russian)* 4−10619
- Fe-Ni-Cr alloys, effect of rolling texture on magnetoelastic props. 4−10303
- Fe-Si(3.75 wt.%), shock loading and cold rolling effects on substruct. and high temp. creep 4−41711
- Mo, deformed, mech. props. anisotropy *(Russian)* 4−21305
- Mo, substruct. form. due to deform. and annealing of (112) plane rolled monocrysts. *(Russian)* 4−33723
- Ni carbide precip. and cold rolling effect 4−25336
- Ni cold rolled sheet, cube texture developed by secondary recrystallisation *(Japanese)* 4−25327
- Ni-Co (20% wt), dislocation structure changes during rolling in region of large reductions *(Russian)* 4−4128
- Pu-Ga(1 wt.%) alloy, cold rolled, annealing kinetics and softening behaviour 4−13634
- Ti composite, production by hot rolling in vacuum 4−17423
- Ti-Al-V alloy, thermomech. processing effect on fracture toughness 4−29157

roots of polynomials *see polynomials*

rotating bodies
- *see also angular velocity measurement; centrifuges; gyroscopes*
- artificial satellites, effect of gravity gradient torque and orbital evolution on rotational motion 4−42285
- asteroid nutation angles 4−14334
- axial alignment time for spinning bodies 4−29805
- barred rotating stellar systems, structure from self-consistent stellar dynamic models 4−34936
- black hole, dynamical stability of Kerr metric 4−7990
- black holes, fundamental eqns. of gravitational, electromagnetic and neutrino-field perturbations 4−7989
- braking torque on rotating sheet in stationary mag. field 4−23240
- celestial bodies, rotational dynamics, tidal deformations 4−29813
- celestial bodies, tidal friction and axial rotation 4−29814
- central body rotation effect on orbit of particle 4−11819
- conducting, e.m. wave scattering formulation as initial value problem 4−15294
- convective instability of rapidly rotating compressible fluid 4−25949
- degenerate stars, development of angular velocity distrib. 4−38766
- diameter measurement, 3 accessible points at 120 degrees, determination method, apparatus *(German)* 4−8313
- differentially rotating configurations, Newtonian theory 4−2461
- differentially rotating star with radiative dissipation, formulation 4−30009
- disc, anisotropic, annular, elastic stresses in rotation 4−35649
- disc, determ. of stress and deformation eqns. using potential functions *(Rumanian)* 4−11726
- disc in viscoelastic fluid, mass transport, rel. to diffusivity 4−27846
- elastic appendage, geometric stiffness characteristics 4−15145
- equilibrium configurations of rotating charged or gravitating liquid masses with surface tension 4−23622
- fluid with solid body rotation, free motion of sphere 4−19989
- galaxies, rotation rel. to origin of double radio sources 4−8041
- Galaxy, AR_0 and other parameters *(German)* 4−34913
- general relativistic universe, failure of viscous damping of waves to explain singularities 4−11110
- gravitational field, test particle motion anal. *(Russian)* 4−42249
- gravitational radiation damping of spinning rod for arbitrary rotational speed 4−11833
- gravitational slowing down of solid spinning bodies 4−4789
- gyros, heavy, unsymmetric, oscillation behaviour near internal resonance *(German)* 4−18849
- gyroscope, generalized, mounted in gimbals and with motor, eqn. of motion *(Russian)* 4−2465
- gyroscope, mounted on oscillating housing, spin axis behaviour 4−4970
- gyroscope, of Kovalevskaya, geometric interpretation of motion *(Russian)* 4−5331
- gyrostabiliser dynamics with motor control *(Russian)* 4−23094

rotating bodies continued
- gyrostabilizer, triaxial, for uniform rotation of base *(Russian)* 4−39492
- gyrostat, approaches to basic dynamics *(Russian)* 4−2463
- heavy body satisfying Hesse conditions, soln. of Euler-Poisson eqns. *(Russian)* 4−5330
- heavy rigid body motion about fixed point, error in Gulyaev's partial soln. *(Russian)* 4−5332
- ideal rotating liquid, equilibrium figures in post-Newtonian approx. 4−42295
- ideal rotating liquid, Maclaurin's P-ellipsoid, post-Newtonian approx. 4−42296
- interconnected rigid bodies, equil. conditions 4−39491
- Jupiter, variation in rotational period with equatorial diameter 4−7931
- Kerr black holes, axisymmetric mode stability, establishing proof 4−22416
- Lagrangian gyroscopes, partial soln. of eqns. of motion *(Russian)* 4−5333
- M 31, Andromeda galaxy, rotation curve and mass distrib. from H I 21-cm line obs. 4−14485
- Mach's principle, interpretation for rotation 4−34602
- machinery noise meas., narrowband analysis improvements by ensemble averaging, l.f. translation and signature ratio 4−39141
- Maclaurin spheroids, adiabatic pulsations and convective instability 4−30008
- Moon, differential eqns. of rotation, soln. to determ. orientation 4−22349
- moon, elasticity effects 4−22347
- neutron star free precession, excitation and damping processes 4−42412
- neutron star models and pulsars 4−11185
- neutron stars, Einstein-Cartan theory of gravity, effect of inritrinsic spin 4−7988
- neutron stars, rotation and superfluid effects 4−38837
- Newtonian universes expanding and contracting with shear and rotation 4−11107
- NGC 1313, structure and rotation of late-type spiral galaxy 4−38889
- non uniformly rotating self gravitating compressible masses, internal meridian circulation 4−42294
- planets, periodic solns. by Poincare method *(French)* 4−14290
- Pluto, UBV photometry and rotation axis determ. 4−22288
- pulsar magnetosphere closed field lines, relativistic model 4−18024
- relativistic, axially symmetric, in non-stationary state, integration of Einstein eqns. 4−39615
- rigid body, free rot., eqns. of motion 4−38599
- rigid body, rotation about non principal inertial axes, using Beletskii's oscillating elements method *(Russian)* 4−15134
- rigid body with dynamical symmetry, Euler parameters 4−42286
- rigid body with elastic rods, relative equilibrium stability in circular orbit 4−35699
- rigid body with fixed point, exact solns. for motion in potential force field *(Russian)* 4−2464
- rigid fluid, 3-D relativity theory, spin coeffs. 4−11105
- rigid rotor kinematics, experiment with spinning disc 4−35727
- satellites, periodic solns. by Poincare method *(French)* 4−14290
- self-gravitating rotating magnetized mass, tensor virial equation for possible figures *(Russian)* 4−11101
- slowly rotating homogeneous masses, structure for const. energy density using general relativity 4−38610
- solar rotation, interaction with convection 4−38636
- solar system, solid bodies, effects of elastic distortion, precession and internal dissipation 4−42250
- solid friction, oscillations generated in a rotational system 4−7112
- sphere, spinning, anal. of creeping flow including couple stresses 4−19986
- spinning membrane disc, stability of transverse waves 4−30815
- spiral galaxies, microphotometric meas. of apparent flattening 4−42454
- spiral galaxies, orientation in Virgo cluster 4−14488
- square cylinder, circulatory streaming of fluid flow 4−40473
- stars, dynamical instability onset by nonaxisymmetric mode of oscillation 4−29808
- stars, gravity-darkening for general rotation laws 4−42378
- stars, linear pulsations and stability *(Polish)* 4−30017
- stars, moments of inertia of rotationally distorted objects 4−7982
- stars with convection 4−14354
- Sun, differential rotation rate in chromosphere and corona, EUV obs. 4−38658
- Sun, differential rotation rel. to polar spin-down and angular momentum transfer 4−29856
- supermassive stars, metastability using post-Newtonian approx. of general relativity 4−38607
- symmetric body, rapidly rotating, screw motion in air 4−5335
- 41 Tauri, spectroscopic binary ubvy photometry rotational synchronism, magnetic field 4−26109
- temperature measurement, contactless *(Russian)* 4−35219
- thin walled cones rotating about axes of symmetry, elastic deflections 4−15165
- triaxial ellipsoid, stability of libration points in degenerate case 4−4671
- turbulent boundary layers, multiparameter computing process *(German)* 4−16210
- ultrarelativistic particle motion as source of gravitational radiation, role of constraining forces 4−5396
- uniformly rotating configurations, relativistic theory 4−2549
- Venus, dynamical problem of rotation 4−29872
- Vesta, light curve and 10 hr. direct rotation period 4−26064

rotation
- *see also angular velocity measurement; earth rotation; molecular rotation; optical rotation; rotating bodies; rotational flow*
- angle, proposed unit plenus angulus, 1 pla $=2\pi$ rad *(German)* 4−2221
- coordinates determ. of object in motion on Earth's surface *(Russian)* 4−39504
- disc, max. rot. speed and plastic state, from hardness meas. 4−7409
- electrodynamics of rotating systems, phenomenological and classical electron theory 4−5367

rotation by magnetisation *see Einstein-de Haas effect*

rotational flow
- *see also vortices*
- axisymmetric eddies in rot. stream, initiation and struct., numerical analysis 4−27839
- boundary effects, 2-D obstacles, streamline displacement calc. 4−24195
- circular cylinders normal to free stream, interaction phenomena 4−6167
- convective instability of rapidly rotating compressible fluid 4−25949
- Couette flow, hydrodynamic stability, two-dimens. soln. 4−27840
- countercurrent gas centrifuge, purely axial flow anal. *(German)* 4−12683
- creeping flow induced by spinning sphere including couple stresses 4−19986
- creeping flow through helical duct of screw agitator 4−19985
- eddy-viscosity distribution in thick axisymmetric turbulent boundary layers 4−3267
- eddying flow in rough pipes 4−3266
- Ekman layer calc. for compressible fluid in rotating cylinder *(German)* 4−12684
- free motion of sphere 4−19989
- free surface of rotating fluid between two concentric cylinders under influence of surface tension 4−3272
- free swirling flow in a pipe, heat transfer obs. 4−3268
- hydrodynamics of flow along rotating cup wall, inertial and coriolis forces effects 4−32055
- incompressible fluid, nonstationary motion in presence of moving profile *(French)* 4−24194
- interior layers, linear theory 4−19988
- jets, turbulent, counter rotating pair, swirling flow studies 4−3298
- liquid crystals, nematic, mol. axis rot., backflow effects 4−6334
- mass transfer to a plane below a rotating disc at high Schmidt numbers 4−6166
- MHD and hydrodynamic boundary layers, rotating fluid 4−24237
- micropolar fluid, kinetic props. of potential flow and slow motions 4−19990
- non geostrophic stirring of a rotating fluid and potential vorticity 4−29637
- oblique gas stream, laminar boundary layer on rotating body *(Russian)* 4−3274
- Oseen hydrodynamical fields around sphere, numerical calcs. for Re=40 and 50 *(French)* 4−40461
- perfect rotating fluid, free oscillations, boundary value problem *(Russian)* 4−3316
- Poincare problem, compressible medium 4−32059
- porous plate boundaries, investigation of unsteady flow field and boundary layers, with suction 4−12695
- recirculating, contrived transient-explicit method 4−27802
- rotating self gravitating fluid spheroid with magnetic field, equilibrium 4−25921
- rotating sphere in air stream, mass transfer, stream functions 4−27908
- second order fluid, liquid surface shape, between rotating concentric cylinders 4−20020
- second-order fluid, rotationally symmetric flow 4−32106
- separated flow around sphere, transient state analysis 4−27838
- shear layer turbulence suppression in rotating systems 4−3265
- singularity method with discretized distributions applic. *(French)* 4−914
- source-sink flow 4−40467
- stability of flow inside three-axis ellipsoidal cavity *(Russian)* 4−32056
- stratified, low Rossby number flow, ageostrophic effects 4−24192
- stratified fluid, rapidly rotating, hydromag. wavelike instabilities 4−6197
- tank, rotating, flow circulation from angular momentum change 4−19987
- thermal convection, centrifugally driven 4−32034
- transport properties, transient, of a rot. disc *(French)* 4−40401
- turbulent, annular, energy balance of averaged and pulsating motion 4−27827
- turbulent boundary layers, at rotating bodies, multiparameter computing process *(German)* 4−16210
- turbulent swirled flow in pipe, kinematic similarity 4−40466
- turbulent swirled gas flows in short tubes 4−9664
- unsteady flow between coaxial discs, numerical solns. *(French)* 4−40463
- viscous fluid, Oseen solution for swirling flow past sphere 4−16194
- viscous fluid, slow rotation of two touching spheres 4−32057
- wave propagation, nonlinear 4−16242
- Wedemeyer solution, verification 4−9666

rotator phase in solids *see nuclear magnetic resonance; plastic crystals*

rotatory dispersion power *see optical rotation*

rotors
- 300 MW turbogenerator, under various operating conditions, rotor-tooth mag. force, airgap harmonic effects, obs. *(Russian)* 4−8740
- axially slotted solid-rotor induction machines, tooth impedance calc. *(German)* 4−15270
- ducted centrifugal, acoustic characteristics 4−39127
- ducted centrifugal rotor, acoustic behaviour using lumped impedance model 4−39111
- helicopter rotor blade manufacture, automated tape laying machine 4−33916

RS coupling *see Russell-Saunders coupling*

rubber
- *see also rubber industry*
- butadiene nitrile, contact with steel surface, friction force pressure depend. 4−13922
- butadienenitrile, heterogeneity of chain number density determ. by light scattering *(Russian)* 4−36828
- butadienestyrene, heterogeneity of chain number density determ. by light scattering *(Russian)* 4−36828
- butyl rubber swollen membrane, pressure induced organic liquid diffusion 4−24581
- chloroprene, crystallization and melting *(Russian)* 4−36817
- composite elastomeric system, elastic props. and struct. 4−7344
- crystalline conformational isomorphism *(German)* 4−3236

rubber continued
- dynamic testing, deformation-mechanical behaviour *(German)* 4−1694
- elasticity, demonstration for students 4−26368
- elasticity theory, effect of addition and scission of cross-links under strain 4−10695
- elasticity theory, review 4−21485
- failure modes 4−7354
- ferrite-dispersed, mag. permeability, freq. depend. 4−13325
- film, shape of peeling film 4−4213
- friction forces, elastohydrodynamics, meas., lubricant film between rubber pad and flat surface 4−36949
- latex aerosol, light scattering diagrams and particle size determ. 4−2224
- latex aerosol, monodispersity and use for calibration of aerosol instruments 4−4229
- magnetic rubber inspection, NDT technique 4−21511
- mechanical loss properties, rel. to hydrostatic pressure and temp. 4−21477
- membrane, rheological aspects of stretching *(French)* 4−38052
- natural, hysteresis rel. to dynamic crack growth resist. 4−38057
- plastic powder mixtures with synthetic rubber soln., struct.-mech. props. 4−17469
- polybutadiene, filled, Young's modulus variation during mild ageing conds. 4−29226
- polydimethylsiloxane rubber, Raman scattering, molecular isomerism 4−28805
- relaxation behaviour, influence of thermomechanical history *(German)* 4−1680
- rubber-plastic system, n.m.r. *(Russian)* 4−37512
- rubber-polypropylene mixture, effect of thermomechanical pretreatment on struct. and rheological props. *(German)* 4−4222
- scintillator, industrial solvents, pulse height characts. 4−26602
- shear strength, rubber-fabric joint *(Polish)* 4−21521
- shock wave, unloading, closed form propagation solns. in bilinear elastic body 4−5360
- silicone rubber membrane, transport of dissolved CO_2 4−24577
- stationary flow, dynamics deform. 4−21466
- styrene-butadiene rubber/SiO_2 mixtures, dielec. const. and dielec. loss $60\text{-}10^8$ Hz 4−1367
- synthetic, characterization by phys. and mech. props., possibilities and limits *(German)* 4−38072
- viscoelastic adhesion friction theories for slipping against rigid substratum *(French)* 4−38053
- vulcanisation system, curing reaction, dynamic shear meas. 4−21481
- vulcanized, strength props. and capacity for thixotropic softening 4−17438
- vulcanized natural rubber, melting behaviour under stress 4−38067
- wear, rel. to fatigue resist., polymer mixtures 4−21490

rubber industry
- holographic interferometry applications to materials testing *(German)* 4−11521

rubbing (abrasion) *see abrasion*

rubidium
- atom, hyperfine struct., mag. dipole coupling const., cascade r.f. spectroscopy 4−31676
- atom, reaction cross section with Br_2 mols. 4−10763
- atom, Stark const. of $6^2P_{3/2}$ state 4−12488
- atom, X-ray spectra, proton excitation 4−17138
- atomic spectrum, experiment for students 4−35131
- crystals, anharmonic calc. of phonon self-energy, heat capacity 4−16558
- film, photoelectric determ. of work function 4−21165
- frequency standard, reference for v.l.f. phase meas. *(Russian)* 4−30993
- frequency standard performance evaluation for satellite navigation 4−30388
- gas cell frequency standard, miniaturisation 4−18346
- hyperfine structure, 9 $^2P_{3/2}$ level, optical double reson. 4−31674
- lattice dynamics, ang. force model 4−20381
- liq., short wavelength collective excitations, coherent neutron scatt. 4−16411
- liquid, elec. resist. and thermopower, press. effects, up to 30 kbar 4−32919
- liquid, mol. dynamics computer simulation of density fluctuations 4−16412
- liquid, self-diffusion coeffs. 4−32729
- minerals, concentration in rocks and extraction 4−7528
- molecule, absorption spectrum, 690-700 nm, ruby laser irrad., valley widening *(Russian)* 4−6038
- molecule, fluorescence, excitation kinetics, intense optical radn. *(Russian)* 4−6091
- molecule, optical pumping, n.m.r., nuclear relaxation time 4−36555
- molecule, superradiation, laser pulse transmission *(Russian)* 4−5522
- photoelectron spectra, plasmon photoeffect mechanism *(Russian)* 4−6957
- vapour, stimulated emission spiked struct. 4−23974
- vapour frequency standard, anal. of servo system 4−8304
- vapour press. meas. by atomic absorption *(Russian)* 4−8345
- KI:Rb, induced far i.r. absorpt., phonon eigendata with localised impurity model 4−37646
- KI:Rb^+, gap mode freq. determ. using far i.r. spectra 4−1095
- $Kr4p^6 \rightarrow Rb^+4p^55p$ excitation probability, correlation effect, Hartree-Fock approx. 4−19702
- Rb-rare gas system, spectral line broadening cross-section, Hanle effect, atomic interactions 4−40189
- Rb-Sr whole rock dating, evidence for thermal episode 500 my ago in S.W. Africa 4−25535
- Rb-Sr whole-rock ages, Precambrian metamorphic in Kamiaso conglomerate 4−29409
- Rb-Te cathode, in image convertor for u.v., performance in rocket camera 4−4844
- $Rb + Mg^+$ collision, inelastic, interf. effects, oscill. modes 4−19721
- Rb^+, dispersion coeff. for Pt, Mo, charge retention *(Russian)* 4−32814
- Rb_2, mol. absorption, bright band, gigantic pulsed laser radn. *(Russian)* 4−6037

rubidium continued
Rb_2 vapour, electric dipole phase memory, laser pulse acceleration 4−27001
^{85}Rb, $6^2P_{3/2}$ state atomic constants, level crossing obs. *(Russian)* 4−27535
^{87}Rb, ^{85}Rb, cell-filter for ^{85}Rb vapour, for elimination of spectral fine struct. *(Russian)* 4−26734
^{87}Rb maser, cavity tuning and light-shift 4−19058
^{87}Rb maser, cavity tuning method for light independent freq. setting 4−2611
^{87}Rb maser, design and measurements of prototype frequency standard 4−19059
^{87}Rb vapour, theory of self-induced transparency 4−19139
rubidium alloys
K-Rb, liquid, thermotransport correl. with electromigration 4−16608
K-Rb, size factor rule justification by pseudo alloy atom model 4−33645
K-Rb-Cs, liq., Knight shift, expt. 4−37514
Na-Rb, liq., Knight shift, expt. 4−37514
Na-Rb, liquid, thermotransport correl. with electromigration 4−16608
Na-Rb, size factor rule justification by pseudo alloy atom model 4−33645
Na-Rb-Cs, liq., Knight shift, expt. 4−37514
Rb-Cs, size factor rule justification by pseudo alloy atom model 4−33645
Rb-K, solid soln., electron work function, photoemission investig., rel. to temp., conc. 4−41471
Rb-Na, eutectic, electron work function, photoemission investig., rel. to temp. conc. 4−41471
RbAu, transition from semicond. to metallic charact., band struct. calc. 4−20531
Sb-Rb-Cs, photoemission kinetics, below Debye temp. *(Russian)* 4−33561
rubidium compounds
halide:BO_2^-, i.r. spectra, anharmonic force field determ. 4−41403
halide, dispersion relations of mode Gruneisen parameters 4−36965
halides, F-band, phase transition under hydrostatic pressure 4−6900
halides, press. induced polymorphic transitions, retropressure effect theory *(French)* 4−13037
NaCl-KCl-$RbCl_2$ melts, alkalisilicate glass electrode behaviour, Na^+ and K^+ ion effects *(Russian)* 4−29338
$NaRb_3(PO_3F)_2$, cryst. struct. *(French)* 4−24428
Rb-noble gas diatomic molecules, regular undulation in continuum spectra 4−6035
$RbAg_4I_5$, disordered solid electrolyte, far i.r. spectra, lattice vibrs., optical, dielec. props. *(German)* 4−36986
$RbBO_2$, gas-phase electron diffraction determ. of geometric parameters 4−751
RbBr, Debye temp. determ. by X-ray diffraction 4−24536
RbBr, molten, molar volumes meas. 4−4310
RbBr, second order Raman scatt., temp. depend. 4−28832
RbBr: chalkogen hydrides, u.v. and visible fluorescence, vibr. spectra 4−10483
RbBr-TlBr, molten, molar volumes meas. 4−4310
RbCl, absorpt., emission and excitation spectra of Ag^- centres 4−10467
RbCl, F-centre induced Raman scatt., meas., calc. 4−33403
RbCl, high press. polymorphic transition, experimental parameters effect on hysteresis *(French)* 4−13036
RbCl, pressure induced phase transition, hysteresis effect, kinetic model *(French)* 4−37002
RbCl, second order Raman scatt., temp. depend. 4−28832
RbCl:Pb^{2+}, ionic cond. and dielec. loss 4−16762
RbCl-$CdCl_2$ system, phase diagram 4−13025
RbCl-KCl solid solutions, pressure induced polymorphism 4−28206
RbCl-NaCl, pressure-induced phase transform. 4−32701
RbCl + $AlCl_3$ melt, complexes determ. from activity measurements 4−4264
RbCl(Br)(I), refl., 15-19 eV, optical excitation of Rb^+ 4p-level, 8K 4−21016
$RbClO_3$, Raman scattering from tuneable hot phonons and polaritons 4−10432
$RbCrCl_3$, $RbVCl_3$; Rb_2VCl_4, formation enthalpy *(Russian)* 4−40898
$RbCr(SO_4)_2$, splitting of Cr^{3+} states by electron-phonon interaction 4−6467
Rb_2CuCl_4, polycryst., magnetic meas., antiferromagnetic transition temp. 4−28618
$Rb_2CuCl_2Br_2$, polycryst., magnetic meas., antiferromagnetic transition temp. 4−28618
Rb_2CuCl_3Br, polycryst., magnetic meas., antiferromagnetic transition temp. 4−28618
$Rb_2CuCl_{4-x}Br_x$, $x=0,1,2$, cryst. struct. survey rel. to ordered distrib. of anions 4−40781
$Rb_2CuCl_4.2H_2O$, thermal cond., in Curie temp. region 4−37417
$Rb_2CuX_4.2H_2O$ ($X=Cl$, Br), quasi b.c.c. Heisenberg ferromag., further neighbour interactions 4−37397
$Rb(D_xH_{1-x})_2PO_4$, meas. of heat capacity, permittivity, spontaneous polarization, comparison with KDP 4−28776
$Rb(D_xH_{1-x})_2PO_4$ crystals, Raman spectra, influence of proton dynamics 4−17076
$RbDSO_4$, temp. depend. of ^{87}Rb elec. field gradients, 18°C to −100°C, n.m.r. 4−33298
$RbD_3(SeO_3)_2$, i.r. reflectance spectrum, para- and ferroelec. phases 4−13460
RbF, in water-methanol soln., n.m.r. investig. of relaxation times, selective solvation 4−41293
RbF-YbF_3 system, phase relations and new cpd. obs. *(French)* 4−40870
$RbFeF_3$, appl. of model for mag. states obtained from Mossbauer obs. of $KFeF_3$ 4−25039
$RbFeF_3$, electronic Raman spectrum 4−6879
RbH_2PO_4, Raman spectra and permittivity, temp. and press. effects, rel. to ferroelec. transition 4−25066
$RbHSO_4$, ferroelec. Curie temp., press. coeff., thermal expansion 4−6848
$RbH_3(SeO_3)_2$, i.r. reflectance spectrum, para- and ferroelec. phases 4−13460
rubidium compounds continued
$RbH_3(SeO_3)_2$ hydrostatic press. effect on Curie temp. 4−20950
RbI, phonon dispersion curves and mode Gruneisen parameters calc. 4−36966
RbI, second order Raman scatt., temp. depend. 4−28832
$RbMnF_3$, antiferromag., crit. temp., calc., meas., Heisenberg model 4−24944
$RbMnF_3$, antiferromag., mag. field depend. of thermal cond. magnon contrib. 4−33183
$RbMnF_3$, antiferromag., spin pair Raman scatt. in paramag. phase, Green's function anal. 4−13454
$RbMnF_3$, exciton and magnon-phonon sidebands in 5500 Å region, temp. depend. 4−10446
$RbMnF_3$, ferromag. crit. props., computer simulation versus expt. 4−6707
$RbMnF_3$, Heisenberg paramag. dynamics, memory function approach 4−3812
$RbMnF_3$, spin diffusion, temp. depend., 90 to 300 K 4−20758
$RbMnF_3$, spin wave renormalization at finite temps., Bloch theory extension 4−41205
RbN_3, ion-dipole and Coulomb energies, van der Waals and hydrogen bonding 4−1024
$RbNO_3$, crystal struct. determ. 4−28814
$RbNbCl_6$, X-ray absorption spectra of Nb, determ. of symmetry and effective charge distrib. 4−1423
Rb_2NbCl_6, X-ray absorption spectra of Nb, determ. of symmetry and effective charge distrib. 4−1423
Rb_2NbOCl_5, X-ray absorption spectra of Nb, determ. of symmetry and effective charge distrib. 4−1423
$RbNiBr_3$, polycryst., mag. susceptibility meas., antiferromag. Heisenberg linear-chain interpretation 4−33142
$RbNiCl_3$, absorpt. spectrum, mechanism 4−33435
$RbNiCl_3$, polycryst., mag. susceptibility meas., antiferromag. Heisenberg linear-chain interpretation 4−33142
Rb_2NiF_4, layered antiferromagnet, absorpt. spectra 40 to 40000 cm^{-1}, specific vibrs. 4−13433
Rb_2NiF_4, quadratic layer cpd., antiferromag. reson. freq., temp. variation 4−13348
RbO_2, e.s.r. in inert gas isolation matrix, struct. and electronic props. 4−33246
RbSH, trigonal phase, SH^- reorientation, neutron quasielastic scatt. 4−32453
Rb_2SO_4, Cd^{2+} and Zn^{2+} doped, X-irrad., absorpt., emission and circular dichroism 4−21026
Rb_3Sb, effective photocathode, band struct. calc. *(Russian)* 4−32866
$RbSbO_3$, cubic disordered phases, cryst. struct. and chem. 4−40776
$RbZnF_3$, n.m.r. spectra, magnetic screening of ^{19}F 4−1351
TlI-RbI system, lattice const. and solid solubility, X-ray obs. 4−28190

ruby
γ-irradiated, spin-lattice relaxation 4−24996
artificial, emission and absorpt. spectral analysis, laser light source *(Russian)* 4−15053
e.p.r. absorption spectrum, line broadening, external field direction effects 4−20851
forced radiation, crystals with internal oscillations *(Russian)* 4−28868
laser, γ-irrad. effects on emission characts. 4−5506
laser, Cu-phthalocyanine vapour quality modulation, 150 to 200 MW cm^{-2} pulse *(Russian)* 4−39748
laser, microsecond pulse operation, lasing conditions 4−35861
laser, mono-impulse, divided 2-dimens. resonator, operation *(Russian)* 4−39747
laser, self-modulation mechanism 4−5505
laser, two-freq., ruby and Nd:glass in common resonator 4−39746
laser, using KH_2PO_4 electro-optical filter as tuning element, performance *(Russian)* 4−35854
laser action collapse, moving selector, resonator energy distrib. 4−23340
laser Lidar system, beam characts. 4−31035
laser system, 20 ps of brightness $>10^{18}$ W/cm^2 × sr 4−31042
light echo, superradiation damping *(Russian)* 4−5523
luminescence, anti-Stokes, laser excitation thermal phonon role 4−25173
luminescence of Cr ion pairs, in anti-Stokes phonon satellite region 4−41423
luminescence spectrum, relax. from $^4T_2$ state 4−13518
maser for 4 cm band 4−19056
n.m.r. of ^{27}Al, 77 and 4.2 K, appl. of marginal oscillator with m.o.s.f.e.t 4−5130
photon echo, near level crossing 4−8858
powder, absolute quantum yields of Cr^{3+} $^2E \rightarrow {}^4A_2$ emission 4−28899
refractive index, change in electron component during pumping *(Russian)* 4−26982
ring-laser, solid-statte, influence of diffraction elements on free pulse generation *(Russian)* 4−35876
ruby: Cr^{3+}, luminescence by excitation of 6935 Å line *(Russian)* 4−8847
ruby, s.h.f. elastic waves, temp. depend. of damping 4−28158
thermal conductivity at 1 to 4K, effect of Cr^{2+} ion 4−24600
thermal diffusivity measurement, using spatially periodic temp. distrib. induced by laser light 4−35888
thermoluminescence, ^{192}Ir gamma rays, accidental exposure, dose estimation 4−8239
wave propagation radn. spectra, coherence effect *(Russian)* 4−5524
Cr^{3+} ions conc., determ. using u.v. absorpt. *(Russian)* 4−18796
Runge-Kutta methods
anisotropic circular plate, load carrying capacity calc. *(German)* 4−8639
discretization of vortex sheet with roll-up 4−24165
laminar natural convection on inclined isothermal plates, thermal instability, perturbation eqns. 4−40383
nonlinear equations solution *(Russian)* 4−39485
ordinary differential eqn. soln. rel. to dynamical astronomy 4−42262
steam-generating channel, thermo-hydraulic low-freq. stability, computer investigation using D-partitioning 4−40389
stellar model, strong shock propagation in self gravitating conducting gases 4−14345

rupture
aqueous film, critical thickness of rupture rel. to electrolyte conc. *(Russian)* 4−7437
Borsic/Al composite, containing stainless steel and Ti, transverse creep and stress-rupture 4−13865
β-brass, creep above critical pt., partial decomp. obs. *(French)* 4−25367
circular torsion bar, creep constitutive and damage relationships effect on rupture time 4−41683
composite, laminar metal/metal, characteriz. for high temp. applics. 4−1665
constantan wire, creep rupture life rel. to temp. 4−17309
constitutive equations for temp. and time depend. stress and failure analysis 4−17493
cotton fibres, endurance, environment influence *(Russian)* 4−38056
creep rupture curves, ductile and brittle, scatter effects 4−17476
creep structures, lower bound on time to initial rupture 4−15174
glass composite, zirconia-practical, sintered, comp., modulus of rupture and thermal expansion *(Japanese)* 4−13886
glass fibre, tensile fragmentation obs. 4−7359
intergranular creep cracks growing by surface diffusion, shape calcs. 4−33685
lattice structures in creep conditions, optimum design, Kempner-Hoff theory of buckling 4−2494
loose materials, physical model of discrete statistical system proposed, packing density anal. 4−33930
macroplastic flow, influence of microplastic deform., near solid body surface, review *(Russian)* 4−21307
malenate polyester, styrol conc. influence on photopolymerisation rate and mech. props. *(Russian)* 4−10683
mechanics of, investigations, acoustic emission applic., development *(French)* 4−17486
metal, brittle rupture tendency under shock loading, method and apparatus *(Russian)* 4−1692
metallurgical specimens, exam. by SEM with X-ray microanal. 4−10594
plastic flow role, crack form. mechanism *(Russian)* 4−12983
plate, uniaxially stretched, containing circular hole, stress redistrib. and rupture due to creep 4−33816
plates and shells, rupture modes, stress intensity factors 4−33968
polyisobutylene film on glass, molecular kinetic model of temp. depend. of adhesion strength *(Russian)* 4−38082
polymer, highly oriented fracture surface energy 4−13896
polymer, mol. bond rupture in fracture, e.p.r. obs., book 4−7370
steel, 20% CW Type 316 stainless, time-to-rupture in postirradiation and in-pile creep 4−23902
steel, austenitic, carbide stabilizing elements effect on creep-rupture strength and microstruct. changes 4−37920
steel, austenitic stainless Cr-Mn-N, effect of grain size on creep and rupture, and mechanism 4−4153
steel, ferritic, effect of carbon on creep-rupture properties in LMFBR 4−23898
steel, gas adsorpt. effect on surface energy, electron microscopy 4−13746
steel, high temperature austenitic, effect of cold forming on creep *(German)* 4−25349
steel, low-C, specimen shape and size effects 4−41775
steel, stainless, Type 316, grain boundary penetration by Cs_xO_y, biaxial stress-to-failure props. 4−31544
steel, stainless type 308 shielded metal arc weld, varying ferritic content, high temp. properties 4−23900
steel, Type 316 stainless, heat treatment effect on fast neutron damage, creep-rupture tests 4−27452
steel cladding on mixed-oxide fuel elements, failure mechanism 4−23897
Al, structural changes during static and dynamic deform. *(Russian)* 4−37870
Al alloy, splat cooled, struct. refinement and prop. control 4−29179
Al alloys, fracture toughness, metallurgical factors influence 4−33838
Al alloys, props. control using powder metallurgy approach 4−29184
Al-Mg-Mn alloys, toughness and fracture characts., influence of Fe and Si 4−41771
Al-Zn-Mg alloys, toughness and fracture characts., influence of Fe and Si 4−41771
Al_2O_3, surface layer on Al, photoelectron emission 4−21261
CO-base alloy, prealloyed-powder, HS-31, mech. props., effect of autoclave heat treatments 4−10631
Co superalloy, cast, Mo substitution for W effects 4−41640
Co-Cr alloy, environment resistant, development 4−13788
Cu, creep after low-temp. rolling *(Russian)* 4−37879
Fe, cast, cyclic microfriction, mech.-chem. wear *(Russian)* 4−10619
Fe, creep rupture properties, liq. Cu embrittlement effects 4−29133
Fe alloys, beryllia dispersed, structure-property relationships 4−29173
Mo, ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
Mo bicrystals, along torsional boundary, cleaved surface struct. 4−17325
Ni, creep, alternate thermal cycling and annealing influence *(Russian)* 4−1564
Ni, massive electrodeposits, structural and mech. props 4−37937
Ni alloy, air environment effect 4−29177
Ni and Ni-Co alloys, electrodeposited, Co addition effects 4−17344
Ni superalloy, directionally solidified, transverse grain boundary strengthening, Hf additions 4−13663
Ni superalloys, thermal exposure effect 4−17332
Ni-Co alloys, massive electrodeposits, structural and mech. props. 4−37937
Ni-Cr alloys, thoria dispersed, diffusional creep and creep-degradation 4−41709
Ni-Cr alloys, with ThO_2 dispersion, diffusional creep and creep degradation 4−13790
Ni-Cr(20 wt.%) alloy, dispersion strengthened, rel. to forming and joining 4−13811
Ni_3Al base γ' crystals, creep and stress-rupture props. 4−33752
SiC, high-strength, characterization 4−25409

rupture continued
Si_3N_4, high-strength, characterization 4−25409
Ti alloys, fracture toughness, H content effect *(Russian)* 4−21308
Ti-Al-Nb alloy, development for use at 750°C *(German)* 4−33821
Ti-Al-V castings, weld repair effects on creep props. 4−33837
Ti-Al(6 wt.%) alloy, ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
W, wire, effect of micropores on high temp. creep ductility 4−21374
W lamp wire, short time creep rupture props. 4−7404
W wire, pure and doped, cavity growth in high temp. creep 4−41606
W/Nichrome laminar composites, characteriz. for high temp. applics. 4−1665
YAG:Nd crystals, rupture stress meas., surface var. 4−7386
ZrO_2-Zr, dense hot-pressed, residual stress role 4−7278

Russell-Saunders coupling
electron atom scattering, low energy, polarised pseudo-states for LS-coupled atom 4−40194
multiconfiguration approx. for outer shells of $3p^n$ and $4p^n$ configs. *(Russian)* 4−5937
reduced matrix element computation rel. to summations of one-particle tensor operators 4−5935
^{165}Ho, atomic and nuclear g_j-factors, reevaluation 4−36417
NdI, absorpt. spectra, departure from L-S coupling 4−9379
U, ground state configuration, energy levels, intermediate coupling, radial parameters 4−31642

rust prevention *see corrosion protection*

ruthenium
adsorption of O_2, low temp. field ion study 4−13096
diffusion in Ag and Cu, dislocation effect *(French)* 4−32737
diffusion in Cu, pipe mechanism *(French)* 4−32738
film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
magnetoresistance, fields up to 155 kOe 4−10136
Ru VIII, u.v. spectra, classification 4−31660
RuI, $(d+s)^n$ mixed configuration spectra, second-order spin-orbit interaction influence 4−693

ruthenium alloys
see also ruthenium compounds
superconducting transition temp., depression by Co, Ni, Pt, Pd, Rh, Ir 4−37359
$Ce_{0.8}Tb_{0.2}Ru_2$, neutron scatt. 4−10271
$Ce_{1-x}Tb_xRu_2$, superconductivity and correlation of mag. moments 4−33056
RuCr, dilute, spin fluctuation effects on resistivity 4−37210
RuFe, dilute, spin fluctuation effects on resistivity 4−37210
$Ru_{0.5}Ge_{0.5}$ film, absence of superconductivity down to 1.1K 4−13245
Th-Ru, free energy, enthalpy of form., e.m.f. meas. *(German)* 4−32724
V-Ru, press. effect on lattice and superconducting transition temps. 4−16869

ruthenium compounds
see also ruthenium alloys
acetylacetonate, e.p.r., exchange interactions and relaxation 4−24988
$[Ru(NH_3)_5N_2]^{2+}$, $[Ru(NH_3)_5CO]^{2+}$ and $[Ru(NH_3)_5No]^{3+}$ complexes, electronic structure and spectra, CNDO MO calc. 4−6000
Ru complex, tris-acetylacetonatoruthenium(III), struct. 4−9892
Ru complex, tris(2,2′-dipyridyl)ruthenium(II), phosphorescence quenching by Cr(III) complexes, ligand and geometry effects 4−38160
Ru complex in molten thiocyanates, elec. spectra obs. 4−3981
Ru_xBy, Mossbauer spectra, isomer shift, electronic config. 4−41316
Ru(II) complex, pentammine carbonyls (nitrogenyls), vibr. spectra 4−28838
Ru(II) complex, photoluminescence anal. of symmetry assignments for lowest CT excited state 4−10465
Ru(II)-Cr(III) complex, exciton transfer in double complex salts 4−10464
Ru(III) complexes, facial isomers of MCl_3L_3 type, absorption and mag. circular dichroism spectra, bonding study 4−40259
Ru(III)acidopentammine, vibr. spectra anal. of metal-ligand bond 4−13446
$Ru(NH_3)_6{}^{3+}$ ion, n.m.r. and covalency parameter determ. 4−28715
RuO_4, electronic absorption spectra 4−19815
RuO_4, photoelectron spectra 4−6118
RuO_4, vib. spectra, $\nu_2(E)$ and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4−24077
Ru_xPy, Mossbauer spectra, isomer shift, electronic config. 4−41316

rutile *see titanium compounds*

S-matrix theory
see also dispersion relations
analyticity, unitarity and scattering amplitudes 4−2659
asymptotic series for scattering operator and asymptotic unitarity of space cut-off interactions 4−8899
atom + molecule, reactive and non-reactive collisions, semi-classical S matrix theory, transition probabilities 4−12635
atom rigid rotor scattering, excited rot. state transitions 4−12497
causality conditions, generalization of Haag and Bogolyubov principles *(Russian)* 4−23444
CDD ambiguity, extended to potential-model, long-range behaviour 4−27156
chiral perturbation theory, SU(2) × SU(2) and SU(3) × SU(3) symmetries, Nambu-Goldstone bosons 4−39822
collision broadening of spectral lines 4−3071
complex potential, completeness of singularities 4−2534
compound nucleus cross-sections calc. for elastic and inelastic scattering 4−36173
continuum ambiguity in unitary analytic amplitude construction from fixed-energy scattering data 4−8917
Coulomb matrix, connectedness structure, singularities 4−19186
covariant properties under field transformations 4−8908
cross sections, lower bounds without unknown constants and valid at all energies 4−23443
De-Sitter inhomogeneous group, scatt. amplitude decomposition by irreducible unitary representations *(Russian)* 4−31117

S-matrix theory continued
dispersion matrix, reln. between K-matrix and S-matrix elements *(Russian)* 4−606
divergence-free theory, 'instant' form, for interacting-particle system 4−12018
dual amplitudes with Mandelstam analyticity; S-matrix theory 4−12058
Efimov's construction, unitarity 4−35949
electron reactions, arbitrary polarization, elements calc. *(Russian)* 4−19189
e.m. interaction, low energy, S-matrix theory with dispersion relations 4−2677
finite-dimensional phase-space path-summation formulation for quantum mechanics 4−15206
form parameter calc. from Schrodinger eqn. soln. *(Russian)* 4−344
gauge theories, spontaneously broken, renormalisation and gauge independence 4−5560
gravitational field local measure, general relations and renormalisation 4−35730
gravitational potentials calc. for four-body system in quantum theory 4−39817
hadron models, bound state wave functions, plane-wave approx. in S-matrix 4−27123
Higgs theorem in Yang-Feldman formalism 4−8904
isovector mesons, high energy multiproduction, unitary eikonal formalism 4−2710
LEED, scatt. matrix of two-dimens. periodic objects, analytic props. 4−40952
Marchenko equations, discrete, in inverse scattering problem 4−8680
massive vector boson theory in indefinite metric spaces, manifestly covariant and unitary formulations 4−5564
multichannel log-derivative method of soln. for scattering eqns. 4−23178
multichannel partial wave unitarity, appl. to $\gamma N \rightarrow \pi N$ and $\pi N \rightarrow \pi N$ 4−15444
non-local field theory reconstruction, causal description 4−8907
non-polynomial interactions, scattering matrix, infinite volume limit 4−19188
non-polynomial interactions, scattering matrix 4−19187
nonlocal separable functions, soln. of Lippmann-Schwinger eqn. 4−30859
nuclear resonance reactions, determ. of sum rules for resonance parameters 4−15740
phase space approach to quantum motion *(French)* 4−18933
poles, complex well potential, calc. 4−2826
pomeron, perturbative S-matrix description, multifireball expansion 4−39871
primitive divergent elimination by complex coupling consts. 4−27032
rational function approximation, and $^4He(\alpha,\alpha')$ scattering 4−2658
scattering non-unitary S-matrix, reson. struct. *(Russian)* 4−31118
semiclassical, integral expression and transformation of conventional coordinates 4−23177
semiclassical collision theory, evaluation of multidimensional canonical integrals 4−6129
stable analytic continuation and unitarity 4−27074
standing wave states, Bjorken limit, shadow quarks 4−39816
thermodynamic limits, series of perturbation theory 4−12019
three-body resonance theory 4−15752
two-Reggeon cut, isolation 4−15445
unitarity, rel. to anal. of optical theorem 4−19235
Weinberg model derivation applying asymptotic softness requirement 4−39815
Wronskian anal. of resonance tunnelling reactions 4−7432
$^{13}C(\alpha,n)^{16}O$, determ. of absolute parities of ^{17}O states 4−19530
$^4He(p,p)^4He$, 1-12 MeV, polarisation anal. in Humblet-Rosenfeld S-matrix theory 4−15837
NN, relativistic, lowest approx. in functional quantum theory 4−27087
$^{16}O + ^{12}C$ scatt., Regge-pole description 4−27356

safety
see also accidents; health hazards; protection
γ-radiation protection factors, fallout and environmental, civilian vehicles 4−26272
balloons, tethered, appl. to air pollution meas. *(French)* 4−38544
biomedical training for electronics technicians 4−22594
cats and rats, e.m. absorption 4−30646
cryogenic liquid sampling, techniques 4−5009
electric shock, prevention of macro and microshocks in hospitals 4−18194
electrical, of patients, training of hospital staff, case histories method, results 4−18195
electron microscopes, standards for X-ray leakage 4−42609
environmental radiation, estimation, present and future 4−8235
fast reactors, pool and loop design, charact. 4−9336
FFTF driver fuel, shipping container, safety anal. 4−27489
fissile material, foamglas shipping container, criticality evaluation 4−27495
fissile materials, critical expts. with shipping container materials 4−27482
gas-cooled fast breeder reactor, 300 MWe 4−9337
gas-cooled reactor system, safety, reliability and environmental features 4−27394
GCFR, 300 MW(e) demonstration plant, status and safety aspects 4−27400
ground disposal site, radioactive wastes, selection 4−26276
high power u.s. 4−26329
high vacuum plant 4−26494
hospital electrical equipment safety test instrument 4−14592
hospital safety, leakage current reduction by double-screened power transformer 4−18181
HTGR, 2300 MW(e) twin, Philadelphia, design features 4−27393
HTGR plant safety design bases and operating characteristics 4−27395
industrial radiation facilities, feature standards 4−4880
irradiated fuel cask, criticality safety anal., engineering approach 4−27491
laser beams in the student laboratory 4−22726
laser goggles, testing material before use 4−35314

safety continued
lasers, hazards and precautions 4−8790
LMFBR, alternate shutdown system 4−27417
LWR, reliability of pressure vessels, status and research planning 4−23798
LWR fuel, multiple array, criticality control in spent-fuel shipping cask 4−27490
LWR fuel assembly, shipping container, safety evaluation 4−27488
magnetic field, comment on possible biological health hazards 4−18316
nuclear criticality, pipe intersections, Monte Carlo anal. 4−27484
nuclear fuel mech. response to rapid heating 4−3051
nuclear fuel problems in fast reactor safety analysis 4−3050
nuclear fuel shipping container, Exxon, drop test qualification 4−31581
nuclear materials safety, X-ray fingerprints for seals 4−19640
nuclear power reactor core, thermal-hydraulic anal. 4−31477
nuclear power station, rules, protection of personnel *(Czech)* 4−5931
nuclear power stations situated near towns, development trends *(Czech)* 4−31573
nuclear reactor, construction *(German)* 4−5875
nuclear reactor, mesh regularising mechanism 4−31479
nuclear reactor accident anal. effects of I spiking 4−40072
nuclear reactor accidental I release from secondary coolant system 4−40073
nuclear reactor concrete pressure vessels, prestressed, developments in France 4−27432
nuclear reactor fuel element acceleration accidents 4−12421
nuclear reactor fuel shipping container, criticality safety 4−31553
nuclear reactor fuel-coolant interaction calcs. comparison with S-11 TREAT tests 4−40082
nuclear reactor material, two-phase flow 4−31481
nuclear reactor operation, boiling of alkali metals, investigation 4−19576
nuclear reactor power station, radiation, technical *(Slovak)* 4−5884
nuclear reactor safety function and protection sequences anal. 4−40074
nuclear reactor site criteria, various countries *(Japanese)* 4−2997
nuclear reactor systems, period detection instrument 4−9347
nuclear reactor with process computer, pulse monitoring units *(German)* 4−8479
nuclear reactors, LMFBR type 4−40059
nuclear reactors, three dimensional neutronics calcs. of safety parameters 4−36301
overload protection, heavy duty presses for sheet metal forming *(German)* 4−37967
radiation, education, comment and reply on safety procedures 4−18315
radiation, population dose reduction prospects 4−14701
radiation, use of whole-body counting 4−39073
radioactive matter dispersal by evaporation 4−4884
radioactive waste, post-impact anal. of space disposal containers rel. to abortive flight 4−31588
radioactive waste air cleaning, fuel element fabrication from enriched U *(Russian)* 4−31621
radioactive waste disposal in underground salt cavities *(Dutch)* 4−23925
road, safety, speed limit optimisation, automatic speed measurements 4−5099
shielding, absorbing rod efficiency 4−40065
ultrasound, clinical and diagnostic applic. 4−14599
Pu, chemical assay for safeguards 4−27501
$Pu(NO_3)_4$ solution, shipping container design 4−31578
PuO_2, DOT-6M packages for shipment 4−27494
^{239}Pu, in aqueous soln. minimum critical concentration 4−27492
^{239}Pu, minimum critical conc. in water 4−27493
$(U,Pu)(NO_3)_4$ solution, criticality determ. 4−27486
U, assay requirements of nuclear accountability and safeguards 4−27500
^{235}U enriched fuel assembly, criticality safety evaluation of transporting wooden pallets 4−27487
^{235}U slug, enriched tubular, light-water-moderated reactivity rel. to storage 4−27483
U(93.2)-metal cylinders, criticality of three dimensional arrays 4−5889

safety systems
aircraft hijacking, weapon detection equipment, magnetometer technologies 4−14929
cars, sonar, lasers, radar and automatic control applics. *(French)* 4−5543
finger-printed security seal, field verifiable, development 4−27498
railway level crossing road-clear signalling and barrier telecontrol with laser beam *(German)* 4−23411
X-ray warning device 4−15023

Sakata model *see quarks*

salt water conversion *see desalination*

samarium
Auger electron spectroscopy, oxidation effect 4−13105
borate glass:Sm^{3+}, energy transfer to Gd^{3+}, quenching, intensity parameters 4−33492
chemical shift, K and L X-rays, relativistic Hartree-Fock calcs. 4−27528
lattice parameters, small grained wires, sample prep. effect 4−24413
thermal expansion coefficient, low temp. anomalies, mag. ordering lattice deform., 2-50K 4−16926
X-ray emission spectrum, $N_{4,5}$, reemission transitions, 4d subshell ionisation 4−25194
X-ray L-absorption edges positions 4−33518
^{146}Sm use as nucleochronometer for p-process 4−34601
Sn^{3+}, fluorescence enhancement in $POCl_3$:$ZrCl_4$ 4−4005

samarium alloys
Co_5Sm, coercive field due to point defects 4−6756
Co-Sm, thin film, mag. properties 4−33202
Co_5Sm, phase transformations 4−7044
$(Sm,Pr)Co_5$ powders, mag. props. and cryst. struct. rel. to particle size *(Russian)* 4−20799

samarium alloys continued
Sm-Co, sintering mechanisms, isothermal shrinkage meas. *(German)* 4−7258
Sm-Co compounds, sintering mechanism, shrinkage meas. *(German)* 4−37984
Sm-Co system, Co-rich part, phase diagram determ. 4−37784
Sm-Co system, homogeneity region of $SmCo_5$ 4−1464
$SmAu_6$, cryst. struct. refinement 4−32473
SmCo, permanent magnet for self centring suspension, testing 4−2333
$SmCo_5$, fluid-quenched, mag. props., effect of quenching rate 4−3861
$SmCo_5$, foil, defects, mag. domain struct., TEM obs. 4−33211
$SmCo_5$, liq. phase sintered, phase anal. 4−4059
$SmCo_5$, mag. domains, electron microscope obs. 4−3867
$SmCo_5$, magnetocryst. anisotropy consts. *(Russian)* 4−16941
$SmCo_5$, permanent magnet, hysteresis loops and magnetisation curves investigation 4−33203
$SmCo_5$, struct. and stability, 500°C to m.p. 4−4058
$SmCo_5$, X-ray diffr., phase comp. verification 4−32478
$SmCo_5$ based alloys, relative orientations of phases *(Russian)* 4−33701
$SmCo_5$ particles, etching effect on magnetisation reversal 4−3882
$SmCo_5$ single crystls, coercive force, influence of surface conditions 4−3860
$SmCo_5$-Lodex composite, demagnetization curves 4−3865
$SmCo_5$-Pb composite, demagnetization curves 4−3865
$SmCo_5$-$SmCu_5$ cast alloys, microstruct. rel. to mag. props. *(Korean)* 4−37837
$Sm_{0.167}Co_{0.833}Al_x$, homogeneous, temp. depend. of giant coercive force 4−37453
$SmCo_{5-x}Cu_x$, cryst. struct., stability, annealing effect 4−24415
$SmCu_6$, meas. of magnetic susceptibilities at 80 to 1200K, determ. of paramagnetic characteristics 4−6712
$SmFe_2$, amorphous, high field magnetization and coercivity 4−16944
$Sm_xNd_{1-x}Co_5$, particles, magnetisation reversal, O_2 diffusion effect 4−37458

samarium compounds
see also samarium alloys
metallic, gyromagnetic ratios, calc. 4−25004
$(Sm,Y)_3(Fe,Ga)_5O_{12}$, mag. bubble garnet, liquid phase epitaxial growth 4−21184
SmB_6, pure and Eu doped single crysts. growth for cond. meas. 4−37776
$Sm_{1-x}Nd_xSe$, metal-insulator transition props., theory 4−3708
$Sm_{1-x}Nd_xSe$, polycryst. film, semicond. to metal transition, optical props. 4−33047
Sm_2O_3, plasma spraying 4−41822
Sm_2O_3 chemical shift of L-absorption edges, fine structure 4−33518
$Sm(OH)_3$, lattice consts. 4−6389
$SmOHCO_3$, hydrothermal growth and synthesis *(French)* 4−25234
SmP, cryst. field obs., effective-point-charge model 4−41030
SmS, laser induced phase transition in surface *(German)* 4−24705
SmS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
SmS, semicond.-metal transition calcs., 4f occupancy change of Sm ion 4−10108
SmS, X-ray K-lines of Sm, reversible pressure depend., 6 to 9 kbar 4−21098
SmS crystal surface, laser-induced metal to semicond. transition, data storage appl. 4−31061
SmS(Se)(Te), systems undergoing valence changes, equations of state 4−24707
SmSb, cryst. field obs., effective-point-charge model 4−41030
SmSe, prep. technique 4−29308
$SmTaO_4$, paramag. susceptibility meas., temp. depend. 4−13295
$Sm_2(WO_4)_3$, cryst. growth and lattice parameters 4−1444
$SmWO_4Cl$, cryst. chem. 4−16463

sampled data systems
see also Z transforms
boundary value problems, heat transfer in laminar fluid flow 4−32032
chemical analysis of seawater by nuclear reactions, feasibility of automatic system 4−22187
communications, underwater acoustic, methods of signal processing 4−14758
holograms, high-density image-storage, random phase sampling method 4−22885
nuclear reactor plant, spectral anal. with heterodyne digital filtering techniques 4−5893

sand
booming sand dunes, acoustic and seismic emissions 4−17882
borehole logging in Quaternary research in S. Saskatchewan 4−38513
Columbia River, Oregon, large scale natural sound waves, eddy viscosity and stress fields 4−17626
elastic props. under uniaxial compaction cycles 4−7564
elastic state function 4−13955
erosion of coastal cliffs due to waves 4−38294
fluidised bed, vibr. induced, effective thermal diffusivity 4−41908
gypsum, reflectivity spectrum, basalt lava flow contrast 4−7510
Konchibouguac Bay barrier island sand spit system variation in last 160 yrs 4−10858
macroporous structure, differential characteristic meas. 4−41911
Martian variable features in Promethei Sinus region, Mariner 9 obs. 4−29902
quartz, flow division from vibratory feeder 4−30675
quartz, free flow meas. 4−27910
silica, determ. of Na and K by flame photometry 4−18780
tracing movements of radioactively tagged sand, counting circuit 4−35443
water flow in unsaturated sandy ground *(Polish And English)* 4−25642

satellite computers
precision radar altimetry, ocean wave height estimation 4−29778

satellite links
see also artificial satellites
15 GHz, estimating attenuation, scintillation and scattering 4−7744

satellite links continued
atmospheric attenuation at 1 to 40 GHz 4−29581
ATS-F COMSAT signal attenuation at 17.8 GHz due to rain 4−17702
attenuation measurement, aerial-noise temp. observations, radiometer rain scattering effect 4−39175
design factors relation with radiowave propagation effects, interrelation with space communication link design 4−7752
INTERCOSMOS program, micrometeorite detectors, reliability *(Russian)* 4−11268
ISIS satellite beacon transmissions at 136 MHz, spatial occurrence of angular scintillations 4−34461
meteorological satellite scanning radiometer picture contrast expansion processor 4−14229
multifrequency microwave scanning antenna 4−30416
rain attenuation effect 4−29644
synchronisation of atomic clocks using satellite, international time transfer 4−18341
synchronous meteorological system, design criteria and characteristics 4−25885
transmitter TESLA M4K for ionosphere properties 4−17803
Rb, frequency standard performance evaluations for satellite navigation 4−30388

satellite relay systems
meteorological observation, VHRR picture receiving equipment (RW 072) 4−34547
TIMATION III navigation satellite frequency standard with digital control 4−30389

satellite vehicles *see artificial satellites*

satellites, artificial *see artificial satellites*

satellites, planetary *see planetary satellites*

saturation control *see chemical variables control*

saturation measurement *see chemical variables measurement*

Saturn
atmospheric and cloud structure 4−22297
atmospheric entry probe planned for structure and composition obs. of troposphere 4−30151
atmospheric model influence on probe design 4−30152
Casini division in rings rel. to Kirkwood gaps, statistical theory 4−34726
Enceladus-Dione system, resonance motion and origin of commensurabilities 4−17954
gas ring and recycling of Titan's atmosphere 4−2081
inclination-type resonance of Mimas and Tethys 4−11098
inner satellites, albedos and densities from visible photometry and i.r. radiometry 4−29917
interior composition models, gravitational multipole moments 4−34698
interior structure, shape, thermal state 4−38679
interior structure rel. to gravitational moments 4−34679
interior-structure, review of theory and observational data 4−22312
i.r. spectrophotometry in 0.6-2 μ region, limb darkening and albedo 4−26009
i.r. spectrophotometry in 0.6-2 micron region 4−14314
i.r. spectrum and brightness temp. in 7.5-13.5 μ range 4−29873
lunar occultation of satellites and ephemeris 4−29931
lunar occultation of Titan on 2-3 March 1974, predictions 4−26045
methane $3\nu_3$ band absorption, Fourier i.r. spectroscopy 4−4715
molecular envelope, density and equation of state from gravitational moments 4−34680
narrow band photography, 3000-9200 A and 1-2 μ 4−4722
outer planet mission, MJS 1977, orbit improvement from satellite imaging data 4−4673
perturbed Keplerian motion of satellite systems of Jupiter and Saturn 4−42279
polarisation observations, circular, variation with phase angle, southern hemisphere, conclusions 4−29876
polarisation observations since 1968, u.v. and visible light, results 4−29875
review of main characteristics 4−17957
ring particle size determ. from eclipse cooling and heating curves 4−17941
ring particle size estimates, eclipse cooling curve method, results 4−29879
ring spectrophotometry of E-W asymmetry 4−34656
ring system, extended glow obs. during reappearance of Saturn from lunar occultation 4−26051
ring system and Kirkwood gaps, Brown-Shook model 4−38719
rings, brightness temperatures of A, B and C rings, observations, theoretical model 4−29883
rings, comp. determ. by Fourier spectroscopy, temp. for water ice 4−34674
rings, interpretation of reflectivity of frosts, lab. simulation 4−34673
rings, linear polarisation and transmittance, measurements 4−29882
rings, linear polarization and transparency, 3700 A-1.7 μ 4−17943
rings, multiple scattering model, analysis 4−29878
rings, optical thickness, photometric high resolution study, measurement method 4−29881
rings, particle size estimates rel. to cosmogony 4−22287
rings, physical properties 4−42333
rings, properties from observations of 8900 A CH_4 band viewed through rings 4−29880
rings, radar cross section and transparent particle scattering 4−34684
rings, radar obs. at 12.6 cm 4−22286
rings, radar observations at 12.6 cm, particle characteristics 4−29884
rings, rock fragment clusters, radar contact *(German)* 4−38683
rings, simulation of ices, reflectivity spectra 4−34962
rings, surface brightness as function of Saturnocentric latitudes of Earth and Sun 4−17966
satellite encounter opportunities, Mariner Jupiter-Saturn (1977) 4−11135
satellites, Table Mountain Observatory obs. during 1971-72 period 4−14316
satellites, UBV photometric obs. of brightness var. 4−34659
satellites system, commensurabilities, tidal force action 4−14317
synchrotron radiation from hypothetical radiation belt 4−2080

Saturn continued
thermal emission of rings and disk at 29-34 μ using new filter techniques 4—42326
thermal spectrum, broadband i.r. photometric obs. of planet, rings and Titan 4—34668
tidal dissipation function, constraints from satellite orbit theory 4—29877
Titan, atm. evolution, losses by escape 4—34665
Titan, greenhouse model for atm. 4—34660
Titan, i.r. spectrum, high altitude haze layer interpretation 4—34661
Titan, satellite obs. of continuum albedo, U.V., temp. inversion effect 4—34662
Titan, spectrographic obs., band identification with methane and H_2 4—34663
Titan, unidentified strong i.r. absorptions, morphology 4—34683
Titan and ring system, u.v. reflectivity and geometrical albedo 4—22295
Titan-Hyperion system, formation and orbit-orbit resonance 4—42320
Titan-Hyperion system, initial orbital vels. leading to stable librating solns. 4—42340
u.v. reflectivity comparison of planet, rings and Titan, atm. comp. 4—34664
H I 21.1 cm. wavelength high angular resolution obs. 4—11130

SC (sudden commencement) *see magnetic storms*

scale invariance *see scaling phenomena*

scalers (circuits) *see scaling circuits*

scales *see balances*

scaling circuits
decade counter SN-7490 appl. 4—11605
missed count compensation, device with dynamic display 4—22968
for pulse freq. scaling 4—8485
time scale convertor using charge-storage conversion, 10-100 nsec. 4—22965

scaling phenomena
see also elementary particle theory
φ^4 theory, anomalous dimensions of higher order operators 4—30900
associated multiplicity, test of semi-inclusive scaling 4—36078
asymptotic behaviour of form factors and large angle scattering amplitudes 4—12054
asymptotic multiplicity distributions, analogue of central-limit theorem 4—8997
asymptotic values of scaling functions rel. to vector dominance and PCAC 4—23505
Bjorken, in quantum field theory 4—39799
Bjorken limit, S-matrix elements in presence of shadow states, shadow quarks 4—39816
Bjorken scaling in deep inelastic scattering and annihilation, parton model 4—2691
Bjorken scaling in mean field theory *(Russian)* 4—15436
Bjorken scaling in non-Abelian gauge theories of deep inelastic phenomena 4—23488
book, relation to conformal symmetry 4—19192
bootstrap model, derivation of Gribov-Lipatov reciprocity relation 4—8978
Bose gas, specific heat, second order anal. 4—26852
broken scale invariance, chiral symmetry breaking terms 4—5580
canonical field theories, scale invariance and physics of light cone 4—2656
canonical light-cone singularities of the vertex function 4—39791
charged multiplicity distributions, mode and scaling 4—5693
complex helicity plane, pole positions res. to Regge poles, asymptotic behaviour 4—15454
compound Poisson distribs. and KNO scaling 4—375
correlation function inside scaling regime, next to leading terms 4—19018
costmic ray hadronic interactions, 2-1000 TeV, muon obs. rel. to scaling predictions 4—29791
critical behaviour in renormalized local field theory 4—11983
critical scattering, scaling function, 1/n-expansion 4—18991
current commutator, model for leading light-cone singularity 4—5584
current interactions, gauge-invariant scaling parton model, finite sum rules 4—27119
current-hadronic interactions, unified model 4—8943
deep inelastic electroproduction structure functions, analytic representation 4—8970
deep inelastic hadron collisions, competing scaling laws 4—31213
deep inelastic leptoproduction, point-like scaling behaviour 4—23486
deep inelastic scattering, scale-breaking due to e.m. corrections 4—23502
deep inelastic scattering, unitarity relns. 4—19217
deep inelastic structure function, sum rules and light cone singularities 4—15463
dual light-core model for structure functions of deep inelastic scatt. and annihilation 4—27117
electroproduction, scaling and locality with no pomeron 4—5614
e.m. equal-time commutators, causality, scaling restrictions 4—15421
e.m. form factors of nucleon in quark model, asymptotic behaviour 4—8956
Feynman scaling, breakdown with simple colliding pole models 4—36029
$g(\varphi^+\varphi)^2$ field theory, properties of scaling functions for small couplings 4—15431
gauge theories, asymptotically free, $SU_3 \times SU_3$ with colour 4—27083
gauge theories, consequences for scaling 4—27120
general dynamical criterion for classification of behaviours, appl. to e^+e^- annihilation and deep inelastic scatt. 4—39798
hadron inelastic collisions, new scaling variable for prong number distributions 4—9018
hadron resonance form factors, from $e^+e^- \to \gamma^* \to$ hadrons, light cone and parton model considerations 4—36003
hadron scattering, density correlations, early multiplicity scaling 4—36092
hadronic collisions, high-energy, cluster model for multiplicity distrib. 4—31177
hadronic scattering amplitude, Regge behaviour and fixed-angle scattering 4—27145

scaling phenomena continued
inclusive electroproduction of pseudoscalar mesons, scaling laws 4—8972
inclusive lepton pair production, large mass and transverse momentum 4—5678
inclusive processes in quantum mesodynamics, from scale invariance at small distances hypothesis *(Russian)* 4—15589
inclusive reactions, criterion for early scaling in Regge limit. 4—12110
inclusive reactions, early scaling, algebra of vertex strengths, fragmentation region 4—31201
inclusive reactions, leading particles, energy momentum conservation and scaling 4—31216
inclusive reactions, multiperipheral eqn. determ. and soln. 4—39873
inclusive reactions, scaling and factorization in $K_s{}^0$ and Λ^0 production region 4—5694
inclusive reactions in pionization region, symmetry constraints 4—27196
inclusive single-particle distributions, broken conformal symmetry 4—12112
Ising model, critical behaviour along coexistence curve and critical isotherm. 4—30899
Jost-Lehmann spectral function asymptotic behaviour, equivalence with scaling and light-cone singularities 4—39784
KNO scaling, conditions for early onset 4—390
KNO scaling law, analysis of $\langle n \rangle/D$ ratios in pp collisions 4—36081
KNO scaling relation in high energy unitary eikonal models of multiproduction 4—27159
KNO scaling up to 7 GeV/c in pp interactions 4—36088
large transverse momentum hadronic and e.m. interactions, dimens. counting, quark model 4—27122
lattice n-dimens. system, scaling function for critical scattering 4—8726
lepton-hadron deep inelastic processes at high energy 4—15503
light cone physics and partons, need for consistent dynamical model 4—12051
massive Thirring model with U(n) symmetry, asymptotic scale invariance 4—39800
massless quarks, rel. to Bjorken scaling function in light cone algebra, exptl. consequences 4—31154
Mellin poles and structure functions 4—39789
model for large transverse momentum production, 3 scaling regions 4—31207
multiparticle processes at high-energies 4—39905
multiperipheral model, scaling of inclusive distribs. 4—27214
multiperipheral model, violation of scaling in production of particles with high transverse momentum 4—27160
multiplicity distributions, charged, scaling props. 4—19234
multiplicity scaling at low energies, Wroblewski-formula and leading particle effect 4—5682
null-plane commutators of conserved isovector currents, causality, scaling 4—27084
parton-parton scattering models, non-scaling behaviour at large transverse momentum 4—36013
proton internal dynamics, scaling, O(4,2) model, infinite component wave eqn. 4—2686
quantum field theory, u.v. asymptotics 4—2650
relativistic Lagrangian field theory for spin-half particles, O(4,2) group, generalised Dirac current 4—27042
renormalised perturbation theory, approach to scaling, critical exponents 4—15427
renormalization group and composite field in Wilson's theory of critical phenomena 4—12001
scalar Yukawa coupling in 4-ε dimensions 4—339
stress tensor trace identity anomalies, normal product approach 4—39788
strong interactions, high-energy, review of theoretical advances 4—27167
SU(N)-singlet gluon model in less-than-four dimensions, renormalisation and coupling consts. 4—15429
sum rules, scaling, as $q^2 \to -\infty$ limit of finite expressions 4—2666
topological cross sections and correlation functions in high energy pp and πp collisions 4—9037
uncorrelated jet model, positive $\pi^- - \pi^0$ correlation 4—23522
virtual photo absorption, scaling behaviour of ratio of longitudinal to transverse total cross sections 4—23506
Weyl's gauge field, relationship with scale transformations 4—12008
$e^- + e^+ \to$ hadrons, extended vector dominance in scaling breakdown 4—27109
ed scattering, deep inelastic scaling and neutron-to-proton cross section ratio 4—23487
e^+e^- multihadron production, scaling results, sum rules, structure functions for pions 4—15497
eN deep inelastic annihilation functions from analyticity 4—19215
eN scattering, scaling breakdown at 10^{-15} cm, pn mass difference 4—15488
ep deep inelastic scattering, scaling 4—365
ep deep inelastic scattering, formulation of B-S eqn. 4—19219
ep $\to e\pi^+ +$ anything, virtual photoproduction cross section anal. 4—8963
ep scattering, deep inelastic, scaling and neutron-to-proton cross section ratio 4—23487
ep scattering, e.m. transition form factor determ. from scaling behaviour 4—8958
ν deep inelastic structure function, scaling from q-number Schwinger term 4—15460
ν inelastic reactions, predictions from πN total cross sections 4—15576
ν inelastic reactions, vector-axial vector interference terms in scaling limit, calc. from single-pion photoproduction 4—35978
ν scattering chiral-symmetry-breaking Hamiltonian, scale 4—27097
νN scatt., light cone analysis to reveal scaling behaviour of structure functions 4—8927
νN scattering, deep inelastic, scaling breakdown 4—31140
p-n mass difference and breakdown of scaling 4—12035
p-nucleus collisions, 69 GeV, nuclear multiplicity scaling 4—27313
p-nucleus collisions, multiplicity scaling in cosmic ray jet data, 0.1-10 TeV 4—27314

scaling phenomena continued
p-nucleus collisions, multiplicity scaling at high energies, two-cone model 4−27315
p-nucleus scattering at 1.15 to 5.7 GeV, effects of scaling invariance *(Russian)* 4−15573
pp collisions, $\leqslant 7$ GeV/c, scaling in prong-number distribution 4−392
pp collisions, leading particle effects, estimate 4−36080
pp collisions, scaling, multiplicity distrib. and isospin conservation in uncorrelated jet model 4−12105
pp elastic scattering, survey of theoretical models 4−5658
pp ISR and cosmic ray interactions, two cluster scaling model *(Russian)* 4−36098
pp inclusive expts. at ISR energies, high transverse momentum, central and fragmentation regions 4−27200
pp inclusive reactions, rapidity charge densities and leading particle effect 4−5691
pp inclusive reactions, scaling property of modified Bose distrib. 4−9039
pp interactions, high-energy phenomenology 4−27202
pp interactions, scaling in nondiffractive multiplicity distrib. 4−19260
$pp \rightarrow K_s^0 + n$ charged particles, topological cross sections in KNO semi-inclusive scaling prediction 4−15581
$pp \rightarrow l^+l^- +$ anything, systematic analysis, scaling of structure functions 4−23587
$pp \rightarrow \Lambda + n$ charged particles, topological cross sections in KNO semi-inclusive scaling prediction 4−15581
$pp \rightarrow pX$, 405 GeV/c, scaling properties 4−27197
$pp \rightarrow pX$, triple-Regge region, scaling deviation and f/P universality 4−31206
$pp \rightarrow \pi +$ anything, scaling breaking with dipole pomeron and growth of total cross section 4−36079
pp scattering, scaling law for elastic differential cross section from geometric scaling 4−39891
pp total cross-section data from Pisa-Stony Brook ISR expt. 4−27204
πN and KN(KN) elastic scattering, dual model scaling relation 4−12060
$\pi^- N \rightarrow \gamma +$ anything, 40 GeV/c, scaling hypothesis for γ distrib. 4−5676
$\pi^- p \rightarrow X^- p$ at 25 and 40 GeV/c, differential cross sections and scaling 4−2722

scaling tubes *see counting tubes*

scandium
adsorption of CO, capture coeff., isothermal desorption, mol. beam method *(Russian)* 4−32818
atom, K α satellite structure, projectile, target dependence 4−9458
atom, satellite and hypersatellite X-ray spectra due to proton, He^+ and O^{5+} bombard. 4−695
film, superconducting transition temp. meas. 4−28524
film, thermoelectric effects, charge transfer two zone model, meas. *(Russian)* 4−33550
heat capacity, temp. var. 3-300 K, thermodynamic functions 4−13051
phonon dispersion relation, non-central force model 4−40850
phonon dispersion relations, appl. of phenomenological model for h.c.p. metals 4−24533
surface ionisation, Langmuir vaporisation 4−33861
thermodynamic properties, from exptl. spectroscopic data, tabulations 4−41956
$Ce:^{44}Sc$, hyperfine field, γ-ray ang. distrib. meas. 4−37532
Sc XIII, level energies and transition probabilities 4−16007
Sc^{2+}, in ZnS, e.p.r., spin hamiltonian parameters detn. 4−41243
Sc^{3+}, dipole polarisability calc. by variational method *(French)* 4−15992
$ScF_3:Sc^{3+}$, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
ScIV, three times ionised, spectrogram obs. 4−9389
$Sc_2O_3:Sc^{3+}$, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
$YIG:Sc^{3+}$, supertransferred hyperfine fields, spin echo obs. 4−37507

scandium alloys
see also scandium compounds
Fe_2Sc, hexagonal $MgZn_2$-type struct., ferromag. props. 4−41195
Sc-Gd, dilute, sp.ht. meas. in range 0.6 to 4.2 K 4−33167
Sc-Zr solid solns., ^{45}Sc Knight shift, mag. susceptibility, electronic sp. ht. *(Russian)* 4−16993

scandium compounds
see also scandium alloys
$CdF_2:ScF_3$, photoionisation absorption spectra in near i.r. 4−10457
ScB_2, $M_{II,III}$ X-ray emission bands of metal ion 4−37704
ScC_2 Langmuir vaporisation and surface ionisation 4−33861
$ScF_3:Sc^{3+}$, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
ScO, wave functions, hyperfine coupling cases, diatomic transitions, electric dipole moment 4−31818
Sc_2O_3, a.c. cond., new hopping cond. model 4−32952
Sc_2O_3 doped high temp. Ta_2O_5, lattice fringes, electron microscope investigation 4−20314
$Sc_2O_3:Sc^{3+}$, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
Sc_xO_y, thermodynamic properties, from exptl. spectroscopic data, tabulations 4−41956
$(Sc_{1-x}Ti_x)_2O_3$, elec. cond., comp. and temp. depend. 4−13179
$ScVO_4:Nd$, luminesc. and excitation spectra, Nd^{3+} emission intensity and lifetimes *(Russian)* 4−41428

scanning antennas
electronically scannable narrow-beam plasma antenna system 4−32176
radiometer, development and testing 4−30416

scattering
see also backscatter; beta-ray scattering; electromagnetic wave scattering; nuclear reactions and scattering; particle scattering; potential scattering
classical cross-section for cut-off Coulomb potential 4−8282
discrete inverse scattering problems with Schrodinger potential 4−5369

scattering continued
elastic, Stieltjes imaging of Fredholm determinants 4−30847
Fredholm integral equations with composite symmetric kernel, resolvent, invariant imbedding 4−8612
hard rod dynamics, non-Fickian single file pore behaviour 4−30895
from impurities in crystal, time-dependent approach 4−1209
inverse problem of quantum theory, fixed energy 4−211
lattice n-dimens. system, scaling function for critical scattering 4−8726
Marchenko equations, discrete, in inverse scattering problem 4−8680
Markovian processes, cloud formula for partial transmission amplitudes 4−204
multichannel log-derivative method of soln. 4−23178
quantum mechanical scattering states, characterization 4−23175
quantum theory, definition of antibound states and resonances 4−26347
quantum theory, generalised Wronskian theorem and integral representations for phase shift differences 4−8682
radial Jost functions, in phase integral approach to eqn. integration 4−8677
radiation scattering material, opt. characts. determ., indirect methods 4−39233
seismic PKP wave scattering and spectral data 4−21694
time-dependent, comment on theory of Amrein, Martin and Misra 4−5589

scattering matrix *see S-matrix theory*

scf methods *see self-consistent field methods*

schizons *see elementary particle weak interactions*

schlieren systems
arc, electric, ~2000 amp, pulse-holographic meas. of density ditrib. *(German)* 4−2302
arc, schlieren diagnostics and interferometry using pulsed holography 4−6276
liquid drop under stress, induced birefr. visualization, Schlieren method with lenses 4−18421
temperature field meas. in solids 4−39183
ultracentrifuge cell, effect of refractive index of medium on position of camera lens 4−26697
$H_2 + O_2$, supersonic blunt body, pulsating combustion effects *(Russian)* 4−35570

Schottky-barrier diodes
see also semiconductor-metal boundaries
minority carrier collector, SEM hole diffusion length determ. 4−41078
$Au-CdIn_2S_4$, photoelec. props., broad energy region 4−28492
Au-CdS, characts. w.r.t. $CdS-Cu_2S$ solar cell fabrication *(French)* 4−33031
n-GaAs, effect of alloying on elec. characts. 4−28489
GaAs, fabrication, topotactic reaction between Ni and GaAs 4−6992
GaAs Schottky barrier avalanche photodiode, electron and hole impact ionis. coeffs. obs. 4−32971
GaAs-Au, polycryst., switching and negative resistance effects 4−37310
GaAs-Au, transient capacitance in presence of deep impurities and interfacial layer 4−20686
GaAs-Sn, deep levels, space charge capacitance, field effect mobility 4−24829
Ge, electrical characs. with different metal films 4−13223
$In_xGa_{1-x}As$ avalanche photodiode, prep., props., 1.06 μm 4−37758
Pb-PbTe, on BaF_2, thin film laser props. 4−26987
Si surface-barrier, high resistivity, voltage-dependent reverse current 4−18609
Si surface-barrier, minority carrier injection and resistance modulation 4−18608
ZnSe:Al, electroluminesc., exciton emission 4−25176
ZnSeMn(Cu) impact ionisation of deep impurities, multiplication meas. 4−10158

Schottky barriers *see Schottky effect*

Schottky defects
ambipolar-diffusion anal. using Vlasov eqn. soln. *(Russian)* 4−37047
apatite, role of dislocations in the decomposition process 4−3492
CdTe, undoped, density obs. 4−12943
HgO, colour rel. to lattice imperfections 4−6398
KCl, energy of formation and binding energy in ground state calc. 4−28096
NaCl, energy of formation and binding energy in ground state calc. 4−28096
$RbCl:Pb^{2+}$, energy of formation, ionic cond. obs. 4−16762

Schottky effect
see also work function
metal-dielectric interface, photoemission mechanism *(Russian)* 4−37732
oxide coated cathode, Schottky relns,, and temp. depend. of yield, appl. of semicond. model with surface donors *(Russian)* 4−21147
surface electron states at metal-semicond. contact, energy spectrum determ. *(Russian)* 4−13221
Al-GaAs Schottky barrier, heat treatment effects 4−6673
B, Au electrode, current temp. and field depends. mechanism 4−20706
CdS polar surface,. Schottky barrier heights, I-V and C-V characts. obs. 4−24828
CdS-Cu, Au, effect of chemisorbed oxygen on barrier height 4−20685
Ge-metal barrier, electrical characs. 4−13223
$Pt-Cu_2O-Pt$, negative photocond. photohole escape or capture 4−28451
SiO_x, thin film capacitor, time constant of voltage response 4−16833
Ta_2O_5 thin film on Ta, reverse cond. mechanism 4−13236
ZnS:Mn,Cu,Cl, plastic-embedded, d.c. conduction and electroluminescence 4−1239

Schottky noise *see shot noise*

Schrodinger equation
arbitrary spin wave equations, extreme relativistic limit 4−8887
atomic absorption of ultra intense laser raddiation 4−12462
atomic screen effect theory 4−12463

Schrodinger equation continued
bound state wave function, anal. for exponentially screened Coulomb pot. 4−23182
centrally symmetric potential, radial function *(Russian)* 4−30865
charged particle motion in radial magnetic fields 4−26793
charged particle relativistic motion in e.m. field, scalar wave eqn. *(German)* 4−39814
charged particle scattering by material with local inhomogeneities, spatial distrib. 4−11807
classical picture of quantum mechanics 4−15205
complex potential, completeness of radial equation 4−2534
diatomic molecule, Tietz oscillator, vibr.-rotation states, exact soln. *(Russian)* 4−36490
diatomic molecule, vibr.-rot. states, rot. predissociation *(Russian)* 4−19784
dilation analytic potentials, decay at infinity 4−18927
discrete inverse scattering problems with Schrodinger potential 4−5369
dynamical system, general, covariant canonical and path integral quantisation 4−26806
eigenfunction spacial exponential decay, O'Connor's approach from analytic perturbation of transformation groups 4−11794
electron beams diffraction, dense, in quantum mech., prob. eqn. and Schrodingers eqn. 4−327
electron potential scattering in e.m. field, Glauber approximation 4−26803
essentially self-adjoint operators with singular potentials 4−30844
excitonic molecule system, binding energy determ. from Feynman's path integral method 4−3720
Feynman integral, generalised, derivation of generalised Schrodinger eqn., Coulomb energy spectrum 4−8669
form parameter calc., potential and resonance amplitudes in S-scattering *(Russian)* 4−344
gauge invariance w.r.t. mol. props. calcs. 4−2531
Hamiltonian operators, commutators and self-adjointness 4−15196
harmonic oscillator wave function expansion of unbound solution 4−15208
hyperbolized, Klein-Gordon eqn. on limiting case 4−23176
hyperspherical formalism and bound states *(French)* 4−5378
impurity molecule, theory, Born-Oppenheimer method 4−37189
inverse scattering problem, class of algorithms *(French)* 4−18932
irregular and composite region, new soln. method 4−11791
many-body Rayleigh-Schrodinger perturbation theory calcs. for π-electron systems 4−9588
massive Schrodinger particle, maximal kinematical group 4−18931
m.i.s. structure quantum dimension effect *(German)* 4−24833
molecular complex in solution, nonlinear eqn. 4−22507
one dimensional non selfadjoint, pertubation, complex valued potential 4−2541
one-dimensional, analytic approx. method for problems with three classical turning points 4−8676
operator with almost periodic functions, spectral properties 4−30709
operators with singular potentials, essential self-adjointness 4−5309
particle in an electric field which is time-varying, Schrodinger soln. 4−26346
perturbation theory for projected states, convergence criteria and soluble model 4−8683
phase integral approximations of arbitrary order, modifications 4−30857
plasma oscillating two-stream instability, Schrodinger eqn. nonlinear model 4−27952
proton internal dynamics O(4,2) model, infinite component wave eqn. 4−2686
quantisation of spherical well $A/r^4-B/r^3$, exact soln. 4−11808
quantum momentum method for exact solution of separable multiple well bound state 4−39582
radial eigenvalue solutions, computational errors in matrix anal. 4−30850
Rayleigh-Schrodinger perturbation theory applic. to excitation energies calc. of π-electron systems 4−27611
semiconductor thin film, size-quantization optoelectric effect 4−37585
solid, elastic, exact results for phonon spectra, band struct. and sine Gordon eqn. 4−24675
soliton theory, formation and interaction in double plasma device 4−16303
solution with desk calculator-plotter 4−26414
standing wave solutions, partial wave elements, reaction matrices 4−39579
stochastic, quantised particle motion in randomly perturbed potential field kinetic eqns. 4−26866
three magnon bound state equation, derivation 4−10276
time dependent, frequency and perturbating force closed-form solution 4−8681
time-dependent, invariants and groups for rigid rotator and symmetric top 4−8678
two-electron system, multiconfiguration Hartree-Fock method 4−31650
underwater sound, normal modes, Hartree's method of numerical calc. 4−42657
variational methods in a harmonic oscillator basis 4−5368
Ar^+, scatt. wave function, parametrisation of low-energy electron scatt. 4−9443
$H+H^+$, time-depend. impact-parameter model. I. 4−16028
$H+H^+$, time-depend. impact-parameter model, coupled-state calc. 4−16029
$H+H^+$, time-depend. impact-parameter model, non-hydrogenic expansion function 4−16030
$H+H^+$, time-depend. impact-parameter model, variational methods, IV 4−16031
Si, self-consistent calc., ionisation pot., charge density and surface pot. 4−20665

Schroedinger equation *see Schrodinger equation*

Schwarz-Hora effect
bremsstrahlung emission, string excitation analogy 4−329

Schwarzschild metric
see also cosmology
black hole, lines of force on nearby point charge 4−30075
black holes, scatt. effects of gravit. and e.m. wave packets 4−14432

Schwarzschild metric continued
changed dust thin shell motion in Schwarzschild coords., naked singularities, Reissner-Nordstrom metric 4−15221
fluid, perfect, spherically symm. distrib. from conformally flat space-time 4−224
Hamiltonian treatment, lack of linear constraints 4−26835
interior Schwarzschild soln. of Einstein's field eqns. 4−26831
interplanetary radar time delays in different theories of gravitation 4−4675
master eqns. for perturbation to geometry 4−39610
modified, from discrete relativistic model of minipulsar *(French)* 4−229
particle in free fall in Schwarzschild field, velocity at radius 4−15220
particle velocity in Schwarzschild field, definition for far away observer 4−39614
Plebanski gravity field solutions in Eddington coordinates 4−18953
radius simple derivation for students 4−8287
relative acceleration at surface $r=2m$ 4−8697
self-lens effect 4−26843
singularity, behaviour of e.m. test fields 4−8698
V_5^4 manifold geometry, peculiar surfaces *(Russian)* 4−35732

Schwarzschild space *see Schwarzschild metric*

science education *see education*

scientific societies *see societies*

scintillation
see also phosphorescence; phosphors
Crab Nebula, interplanetary scintillation obs. at 73.8 MHz 4−22460
electron beam NDT, fast, resolving power 4−33947
Fourier and Bessel spectra for ionospheric irregularities 4−7770
interplanetary, indices and theoretical intensity spectra for scattering by thin turbulent layer 4−22382
interplanetary scintillation at 327 MHz, struct. of 194 southern declination radiosources 4−34864
interplanetary scintillation at 327 MHz, struct. of 9 radiosources, Ooty telescope obs. 4−34770
interplanetary scintillation of cosmic rays, general theory 4−42239
interplanetary scintillation of cosmic rays, low-frequency limit and neutron monitor obs. 4−42240
ionospheric e.m. wave propagation *(Czech)* 4−7773
ionospheric high latitude scintillations, zenith angle and azimuth dependence 4−4571
ISIS satellite beacon transmissions at 136 MHz, spatial occurrence of angular scintillations 4−34461
liquid scintillation counting, elementary mechanisms, aromatic and aliphatic liquids 4−5171
metal-dielectric-GaAs, electroluminesc., tunnelling mechanism *(Russian)* 4−41433
nocturnal equatorial ionospheric scintillation at spring equinox, obs. 4−34463
plastic film, luminesc. rel. to ^{16}O stopping power 4−40824
polystyrene, light yield changes due to X-rays 4−21076
polystyrene-αNPO solid solutions, donor conc. depend. 4−3997
rainfall, estimating attenuation, scintillation and scattering at 15 GHz 4−7744
satellite obs. over northern high latitude regions 4−7777
scintillation spectra, asymptotic expn. including interplanetary Fresnel filtering 4−22383
scintillography using thermal neutrons 4−33937
screens, sensitivity for proton radiography 4−26620
solar wind, colliding stream region obs. using interplanetary scintillation 4−22221
solar wind, radio scintillation obs. of latitude dependent nonlinear high speed streams 4−22222
CsI:Tl, radiation induced and photoexcited scintillations 4−25181
^{3}H activities, very low, meas. by liquid scintillation technique, electrolytic concentration effect *(Czech)* 4−15039
KBr:Ag, phosphoresc. decay, scintillation and luminesc. extinction *(Russian)* 4−13494
Ta_2O_5 films, anodic, flaws rel. to scintillation during anodization *(Korean)* 4−20503

scintillation chambers
see also scintillation counters
gaseous, comparison with plastic detectors in low energy fission studies *(French)* 4−35431
hodoscope scintillation, for magnetic particle spectrometer, 0.8-4.0 GeV/c 4−22977
showing scintillation calorimeter, intensive electron flux measurement, electron-photon cascade showers 4−22047

scintillation counters
see also photomultipliers
alpha-particle assay by liquid scintillation technique using pulse-shape discrimination 4−23944
camera collimators, septal penetration, in line spread function calc. 4−11307
coincidence counting, accuracy, reproducibility techniques 4−5181
coincidence matrix system, large scale 3D, double or triple coincidences, hodoscope planes and Cerenkov hodoscope, Omega spectrometer CERN 4−113
cosmic ray telescope to search for massive and fractionally charged particles 4−26611
doorway monitor for diversion safeguard of special nuclear materials 4−27499
fission products, mass meas. thin plastic scintillator film detectors 4−5196
fluorescence self-absorpt. effect and time resolution 4−18612
gain stabilisation, pulser controlled dual window 4−18600
gamma spectrometers calibration *(Russian)* 4−30592
gamma-ray low-background spectrometer 4−18691
gamma-ray luggage screening for guns, experimental results 4−5199
geological samples, high-speed radioluxograph with single scintillation sensitivity for autoradiography 4−34526
hodoscope, Gray code, and fast buffer for beam particle tagging 4−26607
large trigger counter, time invariant pulse circuits 4−39350
light-sources, pulsed, application as exciters of scintillation detectors, characteristics 4−5156
liquid, active volume 3.05m × 0.20m × 0.20m, properties 4−18617
liquid, detection at soft β labels 4−5157

scintillation counters continued
- liquid, for hard β- and γ-emitting radionuclides in biological samples 4−42587
- liquid, in nuclear medicine 4−39048
- liquid, large, response to pions and protons in low GeV range 4−39357
- liquid, mineral oil, Pilot, response, temp. depend., 0 to 60C 4−97
- liquid, quench correction using programmable desk computer 4−14974
- liquid, radiative energy transfer 4−11581
- liquid counting, probability of non-detection, calibration of radionuclides, sources of errors 4−5172
- liquid scintillation counting, elementary mechanisms, aromatic and aliphatic liquids 4−5171
- liquid scintillation counting, precision, general aspects, applications, techniques, review 4−5170
- liquid scintillation counting, problems in the standardisation of ^{87}Y and ^{67}Ga 4−5174
- liquid scintillation spectrometer, routine checking of electronics 4−18681
- liquid systems, afterpulses, detection methods, general review 4−5173
- logarithmic charge amplifier 4−11593
- momentum/charge ratio meas. using magnetic spectrograph, scintillator and streak camera 4−35421
- NE 111 foil, response to transient ^{16}O ions 4−18604
- NE 213, liquid, meas. of time-dependent fast neutron spectra 4−30548
- neutron, Monte Carlo simulation 4−18601
- neutron spectrometer, direction depend. of pulse shape of anisotropic organic scintillators 4−22978
- nondestructive testing neutron radiography in India 4−41933
- organic, response fn. to neutrons, Monte Carlo program *(German)* 4−8466
- organic liquid, pulse shape discrimination circuit 4−35438
- plastic, correction to KURZ neutron detector efficiency code 4−26606
- plastic, energy loss, relativistic rise, observation 4−8461
- plastic, for use in telescope for gamma-ray astronomy 4−34977
- plastic, neutron detector efficiency meas. from 7 to 14 MeV 4−35446
- plastic, neutron elastic scattering cross-section meas. 4−30597
- plastic, thin film detectors for fission product mass meas. 4−26627
- plastic, time response characts. 4−18615
- polystyrene scintillation light yield changes due to X-rays 4−21076
- pulse height distributon 4−26600
- pulse shape-discrimination for wide dynamic range neutron scattering experiments 4−26618
- radiochromatogram scanning device 4−5281
- radiochromatrography, photographic detect. of radionuclides 4−23033
- sample adsorption and pulse height shift correlation in liquid scintillation counting of organic compounds 4−2350
- sandwich detector, scintillator-brass type, for slow K^+ mesons 4−35397
- stilbene, fast neutron scintillation spectrometer 4−18682
- thin film detectors, timing in perturbed ang. correlations expt. 4−26593
- total myocardial blood flow meas. with ^{43}K and scintillation camera 4−11305
- XTR detector, energy deposition *(Russian)* 4−35394
- β-ray emitters followed by γ-rays, liquid scintillation measurement 4−11582
- CaF$_2$:Eu scintillator system for low-level tritium detection 4−18614
- CsI crystals, meas. of optical props. 4−41352
- CsI scintillator crystals, spectra of induced radioactivity by 155 MeV protons 4−8101
- Fe-plastic response to pions and protons in low GeV range 4−39357
- Ge(Li), gamma-ray spectrometers, low level counting *(German)* 4−5207
- He, liquid, meas. with test cryostat and movable alpha source 4−18631
- He-Xe gas, high-pressure for neutron detection 4−30544
- ^{6}Li-loaded glass detector for neutron cross-section meas. on Harwell synchrocyclotron 4−26642
- NaI crystals, photopeak efficiencies for 4π detecting geometry 4−35400
- NaI(Tl), high source-cryst. distances 4−18594
- NaI(Tl), shape of photopeak due to 622 keV line of ^{137}Cs 4−39358
- Si rubber addition, industrial solvents, pulse height characts. 4−26602
- Xe, for soft X-rays registration *(Russian)* 4−35392

scintillation detectors *see scintillation counters*

scintillation spectrometers *see particle spectrometers; scintillation counters*

scintillators *see scintillation counters*

scintillometers *see scintillation counters*

scorching *see combustion*

s.c.r. *see thyristors*

screening *see shielding*

screens, fluorescent *see fluorescent screens*

screens, phosphorescent *see fluorescent screens*

scrubbing (abrasion) *see abrasion*

scuffing *see abrasion*

SDI *see information dissemination*

sealing *see seals (stoppers)*

seals (stoppers)
- *see also glass-metal seals*
- ferrofluids, properties and applications to seals, valves and bearings 4−37459
- metal-to-metal bakeable inserted vacuum seal, stainless steel insert between Cu sheets 4−35240
- n.m.r. samples in tubes, sealing under vacuum 4−30365
- O-ring vacuum seals, elastomer, design criteria 4−5026
- vacuum lock, for UHV system 4−39203
- Al$_2$O$_3$-Al(Cu)(Ta), kinetics and mechanism of cohesion *(German)* 4−7282
- In, low-temp. 4−18402

seals (stoppers) continued
- In low-temp. seal 4−8346
- Na freeze-seal valve, linear motion, for use in FFTF, operating characteristics 4−27405
- Na freeze-seals, rotary-motion shear properties, use in FFTF and LMFBR 4−23787

seawater
- absorptivity studies by asymptotic radiation distribution method *(Russian)* 4−10864
- acoustic absorption spectra, computer simulation 4−22657
- acoustic transmission channel characteristics meas. *(Italian)* 4−26304
- air, flow interaction with water surface waves, turbulence struct. 4−10862
- annual temp. and salinity cycles at OWS NOVEMBER due to advection 4−17668
- Antarctic bottom water, high-latitude thermohaline sinking, comments 4−34288
- Asian coastal regions, sea water temp., level and salinity *(Russian)* 4−29555
- NE Atlantic, mean density structure, stability frequency 4−7635
- W. Atlantic Ocean, silicate meridional distrib. 4−7613
- Atlantic water mass characterization by multiple linear regression analysis 4−17656
- Black Sea, C, N, P, flux through oxygen-sulphide interface 4−7614
- bomb produced tritium in Antarctic Ocean rel. to water mass types and surface water input into deep water 4−29538
- bottom water, noble gas concentrations, effects of deep-sea volcanism 4−34155
- Caribbean Sea, evidence of presence of 18°C Sargasso Sea water 4−42068
- chemical analysis by nuclear reactions, feasibility of automatic system 4−22187
- chemical variables measurement in polar seas research 4−14240
- coastal upwelling, internal wave effects on biologically significant props. of water 4−17674
- compressibility from sound speeds 4−9938
- conductivity measurements of surface layer, e.m. method 4−22182
- corrosion of stainless steel, ills. *(Dutch)* 4−37120
- dielectric properties at 2.65 GHz rel. to NaCl solutions 4−1809
- digital filter technique for oceanic small scale structure of salinity, temp. and sound speed 4−17861
- electrical conductivity meas. in situ 4−11077
- evaporation measurements, Ghanaian coastal waters, upwelling 4−21929
- evaporation suppression, monomolecular film expt., Gulf Stream 4−7640
- excess Rn profiles in Pacific bottom water 4−29539
- flocculation of suspended inorganic sediments in the sea 4−14105
- freezing, Mach-Zehnder interferometry of convection currents 4−17648
- ice, glacial, heat, mass, momentum transfer during melting 4−21899
- ice stalactite formation, laminar flow theory, comparison with obs. 4−34266
- NE Japan bispectra, cross-bispectra of temp. salinity, sound vel., density fluct. 4−7638
- laser beam profile and attenuation in seawater, obs. 4−11070
- light absorption, method of evaluation *(Russian)* 4−29773
- light absorption, relationship with physico-biological conditions, Atlantic trades zone observations *(Russian)* 4−29554
- light absorption and specific scattering capacity of some Atlantic Ocean regions *(Russian)* 4−34294
- light scattering functions rel. to sea hydrosol structure *(Russian)* 4−21915
- measurement of oil at sea, simple ultrasonic technique 4−18260
- microwave sea scatter, model of wind dependence 4−23253
- monitoring, low cost towable underwater system 4−17878
- North Sea water levels, wind-generated elevations, computational forecast *(German)* 4−7612
- optical characteristics determination by laser sounding *(Russian)* 4−29776
- optical characteristics of tropical Atlantic, comparison with hydrophysical fields *(Russian)* 4−29550
- optical structure, seasonal vibrations, measurements in Straits of Gibraltar *(Russian)* 4−38301
- osmotic coefficient, specific interaction model of ionic components 4−42066
- Pacific Equatorial Undercurrent, vertical mixing 4−7636
- Pacific Ocean, Ca/Cl ratio of deep water 4−4393
- Panama basin, suspended matter distrib. 4−10867
- phase matrix components, samples from Atlantic and Pacific tropical zones *(Russian)* 4−7625
- plasma-arc cutting characteristics 4−36749
- pollutant dispersion in coastal waters 4−11079
- profiling system for temperature, salinity, and sound velocity, measurement and results 4−17880
- Raman scattering depolarisation, temp. mapping expt. 4−11052
- salinity meas. remote, in estuarine environment 4−7846
- sea-ice profiles, statistical comparison of airborne laser and stereophotogrammetric meas. 4−7847
- seawater continuous undersea towable sampling system 4−17877
- solar radiation penetration, spectral flux meas. *(Russian)* 4−38310
- stable density interface, wind induced turbulent entrainment 4−4401
- supercooling of Arctic lead surface water, cause of subsurface freezing 4−21928
- telluric current distribution from study of sea shore magnetic anomalies *(French)* 4−29481
- temperature correlation with remanent magnetisation intensities during sediment deposition 4−29487
- temperature fluctuations, spatial struct., Rossby waves analogy 4−1814
- thermodynamic parameters, stability criteria with salinity *(Russian)* 4−4398
- Tonga Trench deep-water, hydrooptical studies *(Russian)* 4−21916
- trace element composition of low level marine atmospheric particulates 4−1815
- ultrasonic transmission, effects of thermal and salinity microstructure in marginal ice zone 4−14245
- underwater acoustic field, improved computer soln. 4−14737
- u.s. studies, review *(Japanese)* 4−4266

seawater continued
- water quality monitoring automatic shipborne system 4-15092
- W Weddell Sea, silicate and potential temp. in deep and bottom water 4-10860
- white caps and foam streaks, relation to environmental parameters, production theories 4-34281
- CO sink in primitive ocean by formate production in aqueous solution 4-4395
- CO_2, industrial produced, accumulation in atmosphere and sea 4-29634
- $CaCO_3$ saturation state of Atlantic Ocean waters 4-21940
- Cu content and distribution in Caribbean Sea *(Russian)* 4-34295
- Cu content of Pacific tropical zone waters *(Russian)* 4-29553
- Mo content and distribution in Caribbean Sea *(Russian)* 4-34295
- Mo content of Pacific tropical zone waters *(Russian)* 4-29553
- N/Ar ratio, difference thermal conductivity method 4-2017
- O generator and analyser for oceanographic appls., uses of seawater *(French)* 4-38561
- O_3 destruction rate of ocean surface, wind vel. depend. 4-4488
- ^{18}O concentration throughout ocean history 4-42077
- ^{18}O distribution in equatorial Atlantic waters *(Russian)* 4-38302
- ^{210}Pb in North Pacific and transport of terrestrial material through atmosphere 4-4394
- ^{228}Ra distribution in world oceans 4-29541
- ^{90}Sr determ. by ^{90}Y separation, method 4-39414
- ^{90}Sr distribution in Mediterranean Sea *(Russian)* 4-38303
- ^{228}Th/^{228}Ra ratio in open surface seawater rel. to rate of reactive pollutants 4-1805
- ^{234}Th/^{238}U activity ratios in Pacific Ocean near bottom waters 4-38291
- Zn content and distribution in Caribbean Sea *(Russian)* 4-34295
- Zn content of Pacific tropical zone waters *(Russian)* 4-29553

second sound
- *see also liquid helium sound propagation*
- liquid ^{3}He-^{4}He mixtures, velocity, finite geometry effects, as fn. of ^{3}He conc. 4-10021
- anharmonic crystal, collective phonon microscopic theory 4-20397
- attenuation, superfluid and normal flow in a capillary 4-3614
- dielectric solid, thermal pulse phenomena *(French)* 4-20396
- nonlinear medium with dislocations, second and third longit. sound harmonics generation *(Russian)* 4-16551
- solid, nonlinear waves 4-13003
- velocity measurement in rotating liquid He, ang. vel. depend. 4-16631
- Eu chalcogenides, ferromag., magnon second sound and thermal cond. 4-1319
- He, liq., vertical counterflow, second sound excess attenuation and stepwise growth of vortices 4-20459
- He II, resonance frequencies, optical obs. 4-20460
- He II, rotating, thermal effects due to vortex motion, entropy flux *(French)* 4-16628
- He II, rotating , two-fluid continuum theory, non-invariance of dissipation function R 4-3610
- He II, Schlieren observations of surface deformation 4-3612
- He liquid, rotating, search for second to first sound coupling 4-10004
- ^{3}He, soundlike collective excitations, Landau parameter deriv. of sound vels. 4-10019
- ^{3}He-^{4}He, dilute soln., superfluid fraction determ., conc. depend. 4-16641
- ^{4}He liquid, heat current effect on vel., vortex line interaction 4-28251

secondary cells
- accumulator electrodes, performance as function of thickness 4-1721
- Na-S cell, props. of β-Al_2O_3-Na_2O electrolyte 4-1619
- Pb-acid battery, influence of commercial additives on $PbSO_4$ form. at Pb electrode 4-34053
- Pb-acid battery, phys. requirements of alloys 4-17362

secondary electron emission
- anthracene, energy loss by intramolecular vibrs. and excitons 4-33541
- crystal alignment, low ion energy reflection experiments, technique 4-137
- detector, for shielded scanning electron microscope 4-26673
- diode cavity, gas pressure effects on current transmission, model 4-40697
- electron microscope, for specimen surface examination 4-26667
- emitter with negative electron affinity, analytical expressions *(Russian)* 4-21153
- gas covered surface, by fast He^{0}, He and He^{+} 4-28968
- geometric configuration of thermal emitter recovery in secondary emission by screening thermal component *(Russian)* 4-41456
- glass, semiconducting 4-13539
- heavy-ion induced, method for Z-identification 4-11548
- insulator, fast surface flashover mechanism 4-36750
- light elements, role of inelastic processes *(Russian)* 4-21122
- low energy electron spectrometer with preacceleration, reflection and transmission, photoelectrons *(German)* 4-2370
- metal, light, Auger electron emission by ion bombard., secondary electron energy distrib. 4-28981
- metal, temperature dependent peaks in spectra 4-10508
- metal film, penetration by multiply charged ions, electron emission kinetics *(Russian)* 4-21128
- metals, conduction band states density, low energy impact 4-24619
- microscope image, at low accelerating voltage 4-26668
- monitor based on delta-electrons, description 4-22931
- pyrene, energy loss by intramolecular vibrs. and excitons 4-33541
- SEM, different modes, contrast 4-22999
- semiconductor, backscattered electrons and their effect on resolution of transmission secondary electron multiplier 4-37717
- spectrometer, programmer circuit to vary sensitivity with electron energy 4-35467
- surface, electron-induced spectroscopy 4-25203
- tetracene, energy loss by intramolecular vibrs. and excitons 4-33541
- yield curve, scatt. effects, rel. to development of three-dimens. theory 4-37718
- Ag, polycrystalline, charact. gain phenomena 4-33538
- Al, L-Auger and very low energy secondary electron spectra *(French)* 4-25200

secondary electron emission continued
- Al, polycrystalline, charact. gain phenomena 4-33538
- Al-Li-Mg oxidized layers, inelastic electron delf. and secondary emission *(Russian)* 4-21120
- As, (0001) surfaces, excitation, conduction, emission mechanisms 4-13080
- Au, bombarded by high charge number laser produced metal ions 4-37716
- Au foil, charge exchange to continuum for light ions 4-21134
- C foil, charge exchange to continuum for light ions 4-21134
- CaO epitaxial film on Mo, struct. and secondary emission characts. *(Russian)* 4-21125
- Co, temperature dependent peaks in spectra 4-10508
- CsI film, gain factors 4-1427
- CsI layers, elastic electron delf. and secondary emission, E=2-30 eV *(Russian)* 4-21121
- Cu, Ar^{+} bombard., ang. distrib. anisotropy, bulk diffraction *(French)* 4-6945
- Cu, Li^{+} channelling effect, electron microscopy *(Russian)* 4-32589
- Cu, polycrystalline, charact. gain phenomena 4-33538
- Cu, temperature dependent peaks in spectra 4-10508
- CuBe, bombarded by high charge number laser produced metal ions 4-37716
- Cu(100) surface, ion bombard., energy distribs. obs. 4-13537
- Fe(110) single crystal, spectra at various emission angles, rel. to SEM 4-21136
- GaAs, rel. to electron affinity change on Cs adsorption 4-37726
- GaAs, thin film, secondary electron energy depend. on substrate temp. *(Japanese)* 4-33044
- GaAs film, transmitted secondary electron emission 4-6941
- GaP, rel. to electron affinity change on Cs adsorption 4-37726
- Hg discharge, breakdown voltage below Paschen minimum, cathode secondary electron emission effect 4-3401
- Li-Mg oxidized layers, inelastic electron defl. and secondary emission *(Russian)* 4-21120
- Mg, energy spectra after primary electron bombardment, satellite struct. 4-33546
- Mg, L-Auger and very low energy secondary electron spectra *(French)* 4-25200
- Mg, oxidation effect on fine struct. of slow emission peak 4-21137
- MgO film, role of electron irrad. damage *(Russian)* 4-21126
- MgO-Au cermet film, differential sputtering, Auger obs., secondary electron emitter appl. 4-28982
- Mo, bombarded by high charge number laser produced metal ions 4-37716
- Mo, K^{+} bombard., sputtering recording method, ion dispersion *(Russian)* 4-33535
- Mo single crystal, low energy electron dispersion, effect of state of surface *(Russian)* 4-17147
- Na, angular distrib. 4-13542
- Pt, (111) surface, secondary electron energy distrib., energy losses, Auger and LEED obs. 4-21117
- Si, energy spectra after primary electron bombardment, satellite struct. 4-33546

secondary emission
- *see also secondary electron emission; secondary ion emission*
- Ge, 1 keV Xe^{+} ion irrad., defects, secondary emission obs. *(Russian)* 4-20331

secondary ion emission
- cold cathode, bombarded by fast discharge particles, secondary negative ion emission *(Russian)* 4-21131
- ion probe mass spectrometry, technique, instrumentation 4-5295
- metal, ionic emission and surface potential, O_2 effects *(French)* 4-10509
- metals, ionization probability, particle-excitation coupling 4-25204
- models, kinetic, surface effects, prob. of electron following atom 4-10505
- quantitative analysis, directional effects *(French)* 4-21118
- sputtering, application of generalised Dobretsov equation 4-1424
- steel, surface investigation by secondary ion mass spectrometry 4-10599
- surface layer analysis technique 4-8579
- theory, conf. Garching, Germany (1972) 4-9931
- transition metal dilute alloys, autoionizing model *(French)* 4-37723
- transition metal dilute alloys, yield meas., solute atom depend. *(French)* 4-37722
- transition metals, dependence on electronic exchange process between exciting atom and metal *(French)* 4-1428
- Al, implanted Ar atoms precip. during sputtering *(French)* 4-33527
- Al, single crystal target, keV ion bombardment 4-28964
- Ba, oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4-24656
- Co-Ni alloys, mass spectrographic obs., comp. depend. *(Russian)* 4-6940
- Cu, 5-10 keV Ne ion bombard., secondary ^{63}Cu^{+} ions, ang., energy distribs. 4-17151
- Cu, oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4-24657
- Cu, single crystal target, keV ion bombardment 4-28964
- Cu, sputtered by Cs ions, negative ion yield determ. 4-10504
- Cu-Al(Ni) alloys, mass spectrographic obs., comp. depend. *(Russian)* 4-6940
- CuAl, secondary molecular cluster ion emission 4-28969
- CuBe alloy, secondary molecular cluster ion emission 4-28969
- Fe, form. of oxide layer, exam. by secondary ion mass spectrometry 4-28308
- Fe-Co(Cr)(Zr) alloys, mass spectrographic obs., comp. depend. *(Russian)* 4-6940
- InSb, 5-10 keV Ne ion bombard., secondary ^{115}In^{+} ions, ang. distrib. 4-17151
- Mg, oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4-24656
- Mo, accommodation coefficients of low energy alkaline ions 4-10503
- Ni, oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4-24657
- Ni bombarded with Ar beam, influence of O_2 and N_2 chemisorption *(French)* 4-3649
- Ni-Cr bombarded by Ar beam, influence of O_2 and N_2 chemisorption *(French)* 4-3649

secondary ion emission continued
- Si IC, C residues, mass spectroscopy, photoemission electron microscope investigation 4−8520
- Si:B annealing effect on conc. profile, secondary ion mass spectrometry 4−6975
- Sr, oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24656
- Ti, oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24657

sedimentation
- *see also disperse systems; water treatment*
- aerosol spectrometer, cylindrical field type, design theory and calibration 4−39367
- automatic recording sedimentation balance, description and computer program *(Polish)* 4−8315
- biopolymer, mol. weight determ. 4−38944
- blood sedimentation rate correl. with atm. daily cooling index *(German)* 4−11279
- Fraser river western delta-front, British Columbia 4−17551
- macromolecular system, binary diffusion theory based on hindered sedimentation of particles 4−27779
- particle, suspended, averaged motion, effect of liq. pulsations 4−40589
- phenylmethacrylic alkoxybenzoic acid polyesters, hydrodynamic and optical props. *(Russian)* 4−9641
- poly-3-ethyl-3-pentyl methacrylate in various solvents, dilute soln. props. and dimensions 4−21493
- polymer, polydispersivity measurement by velocity sedimentation *(Russian)* 4−907
- polyphenylalkylsiloxanes, ladder-type mols., mol. wt. dependence *(Russian)* 4−36597
- polyphenylsiloxane, cyclolinear, benzole solutions, mol. props. *(Russian)* 4−9638
- polyphenylsiloxane, mol. wt. determ., sedimentation analysis, light-compression effect *(Russian)* 4−36599
- polystyrene solution in toluene, sedimentation constant conc. depend. *(Russian)* 4−27784
- polyvinylstearate, molecules in soln. *(Russian)* 4−36598
- ring macromolecules, chain stiffness and excluded volume effects 4−27780
- river aquatories, water and silt peak coincidence 4−1794
- submicrometer particle, effect of diffusion in particle size anal. 4−29250
- suspended inorganic sediment flocculation in the sea 4−14105
- suspension, spherical particles in incompressible liq., sedimentation, fluidisation, Kuznetsov's eqns. *(Russian)* 4−40602
- suspension fingers, descent rates for inshore deposits in lakes and oceans 4−4373
- ^{241}Am suspended sediment concentration gauge 4−4641
- W powders, photosedimentation analysis 4−17471

Seebeck effect *see thermoelectricity*

Seidel theory *see aberrations*

Seignette salt *see Rochelle salt*

Seignettoelectric materials *see ferroelectric materials*

seismic waves
- *see also seismology*
- absorption from thermal relaxation 4−7556
- aftershocks from underground nuclear explosions in Novaya Zemlya 4−25584
- Alaskan earthquake 1964 March 28, spheroidal overtone data implications 4−29425
- amplification of small apparent velocity waves using new type of mixer *(Russian)* 4−34512
- anelastic nonlinear media, numerical solutions of wave equation 4−25543
- anomalous high-frequency arrivals from deep-focus South American earthquakes, models 4−21695
- atmospheric supersonic moving point source as generator 4−14055
- attenuation, four element viscoelastic model, explosive source 4−14058
- attenuation beneath central Aleutian Arc 4−38200
- automatic processing, incorporating novel f-k filtering technique 4−21799
- azimuthal studies of elastic waves from industrial detonations in Urals 4−29443
- Bengal Engineering College, Howrah, India, catalogue of disturbances 4−4346
- body wave calculations, caustics, tunnelling in core 4−21802
- body wave data for study of crustal structure beneath Himalayas 4−34167
- body wave dependencies on multicomponent models of upper mantle structure 4−29440
- body wave travel times, crustal structure of Indian subcontinent, summary and review 4−34198
- booming sand dunes, acoustic and seismic emissions 4−17882
- California, Coast Ranges, Pg seismic travel-time data, time-term analysis 4−7525
- Canadian shield crust and mantle, S velocity distrib. 4−7568
- compressional wave velocities in possible mantle rocks, 30 kbar pressures 4−29453
- Concorde sonic boom effects 4−10930
- conformal transformations application to inhomogeneous media with harmonic fields of propagation velocities 4−7550
- core wave attenuation from P7KP/P4KP and PKIKP/PKP amplitude ratios 4−34151
- crustal refraction and reflection data, generalized linear inversion 4−17581
- differential PcP-P times and outer core radius 4−21693
- diffraction by perturbed spherical zone, direct and inverse problem *(French)* 4−39561
- earthquake generated converted, use in crustal structure investigation 4−34180
- earthquake prediction, body wave velocity changes during San Fernando aftershock series 4−21671
- earthquake prediction from temporal P and S wave velocity variations in source region 4−17564
- earthquake prediction from travel time ratio of P and S waves 4−21670

seismic waves continued
- earthquakes in Nevada, premonitory variations in S-wave velocity anisotropy 4−21829
- energy measurement during sample crushing under constant load application 4−7546
- excitation criterion, free oscill. spectral peaks for Colombian deep shock 4−4337
- explosions underground, survey of theoretical aspects 4−7537
- field continuation toward source 4−7547
- generalized ray expansions for point source dislocations rel. to synthetic seismogram construction 4−21663
- granular materials, compressional and shear wave velocities to 2.5 kb 4−10815
- guiding properties of Earth crust with a sedimentary layer *(French)* 4−42003
- identification and deconvolution of water waves in seismic refraction studies 4−42233
- Indiana limestone under axial loading, P and S velocities 4−7567
- infrasonic waves as long-period seismic noise source 4−21704
- inverse problem, comment 4−21800
- kinematics of refracted waves in media containing steeply inclined interfaces *(Russian)* 4−29436
- Lg seismic phase rel. to different types of continental crustal structure 4−21697
- Lg waves, identification with higher mode Love waves 4−4340
- Love waves, short period, average thickness of Deccan traps between Bombay and Konya from dispersion 4−14048
- microearthquake recordings, determination of Q-factor of earth's crust 4−7795
- micropolar elastic plate, Lamb and Love wave propag. 4−41999
- micropolar media, equiv. body force and couple for seismic dislocations 4−14038
- Mohorovicic discontinuity survey, laminar transition zone 4−7533
- multilayered Earth with horizontal velocity contrasts, seismic wave interaction 4−4343
- near surface wave propagation in homogeneous medium with arbitrary smooth boundary 4−29438
- New Hebrides island arc, P and S velocity anomalies evidence for detached slab in mantle 4−7569
- noise and strain steps from high sensitivity borehole strainmeters 4−21705
- noisy reception, measurement scheme permitting optimisation 4−7538
- OSCURO underground nuclear explosion, interpretation of body and Rayleigh waves 4−21698
- P wave sampling and recording by Large Aperture Seismic Array 4−11030
- P-velocity distrib. for Scandinavia and W. Russia from NORSAR recordings 4−21699
- P-wave arrivals at Warramunga array, effect of local crustal and upper mantle structure 4−38237
- P-wave corner frequencies, models of earthquake sources, study of San Fernando aftershocks Feb. 1971 4−38196
- P-wave first motion directions, Himalayan earthquakes, focal mechanisms 4−34210
- P-wave radiation pattern of Ghir earthquake April 10, 1972 4−38195
- P-wave residuals and earthquake prediction 4−21674
- P-wave residuals for teleseisms, indication of high velocity lithospheric plate under Nevada 4−38198
- P-wave spectra analysis for crustal structure, central United States 4−21647
- P-wave synthetic seismograms from quantised ray theory for upper mantle models 4−38230
- P-wave theoretical seismograms from earthquake source models, report 4−21857
- P-wave travel times, Aleutian-Alaska region, correlation with plate tectonics of area 4−21846
- P-wave travel times, partial derivatives, various upper mantle models 4−29431
- P-wave travel times rel. to upper mantle structure of W. Washington 4−41993
- P-wave velocities, Uppsala array, structural studies 4−14044
- P-wave velocity in S. California, temporal changes 4−17565
- P-wave velocity spectral analysis, evidence of upper mantle discontinuities 4−34141
- P-waves, apparent arrival vectors rel. to mantle lateral heterogeneity 4−21692
- P-waves, body-wave spectra of Aleutian shallow earthquakes, CANNIKIN 4−7517
- P-waves, long and short period, comparison of travel times and arrival angles 4−14045
- P-waves, low apparent velocity and high absorpt. layer at 39.0-40.2° epicentral dist. 4−10793
- PcP travel times, layered core-mantle boundary 4−34124
- PKiKP phases at distances less than 110°, Yellowknife array 4−21649
- PKIKP precursor wave train slowness variation rel. to scattering in D″ layer 4−29400
- PKIKP precursors rel. to scattering and spectral data of PKP waves 4−21694
- PKP precursor readings, new interpretation 4−21620
- PKP precursors, scattering and spectral data 4−29427
- PKP precursors, scattering by small-scale irregularities at mantle-core boundary 4−29470
- PKP precursors, seismic wave scattering and spectral data 4−21694
- Pn apparent velocity, azimuthal variation under Gulf of Genoa 4−29405
- pre-strained elastic medium, seismic reciprocity theorem 4−29456
- propagation in complex media, study of low velocity layers and horizontal inhomogeneities 4−34179
- pure P- and SH-waves in inhomogeneous medium 4−14033
- Q-factor estimate using seismic Rayleigh waves from nuclear explosions 4−4354
- quarry explosion, rel. to dilatancy of strike-slip earthquake 4−34174
- quasisliding longitudinal waves, concave refracting boundary 4−7548
- random velocity fluctuations in two dimensional seismic model 4−29444
- ray theory approach to wave fronts in weakly anisotropic medium *(French)* 4−21660

seismic waves continued
  Rayleigh wave dispersion, shallow structure of Poona Karad profile 4–38203
  Rayleigh wave dispersion, study of structure of uppper crust, Middle Asia 4–29473
  Rayleigh wave response to dip-slip motion along vertical fault plane 4–29420
  Rayleigh waves from large nuclear explosions, used in determining specific attenuation factor 4–34143
  reflected wave hodographs, kinematic corrections, parameter identification *(Russian)* 4–42193
  reflected wave method of seismic data interpretation *(Rumanian)* 4–29476
  reflected wave methods, seismic record regeneration, using extremal values *(Russian)* 4–42198
  reflection method surveys, combining explosion drillings and observation *(Russian)* 4–42196
  reflection phases seen on microearthquake seismograms from Rio Grande rift, discontinuity map 4–34122
  refraction and reflection studies for Laramie anorthosite complex 4–21702
  relative efficiency of earthquakes and explosions in exciting surface and body waves 4–4345
  response spectra of multilayered elastic half-space using Haskell matrix method *(Chinese)* 4–38194
  S-wave corner frequencies, models of earthquake sources, study of San Fernando aftershocks Feb. 1971 4–38196
  S-wave precursors, cause of error in seismogram interpretation 4–38201
  S-wave radiation pattern of Ghir earthquake April 10, 1972 4–38195
  S-wave travel-time data for mantle shear velocity modelling by Monte Carlo inversion 4–29429
  S-wave velocity determination of crustal structure, Gulf of California 4–21648
  scattering, thick and thin scatterers 4–4323
  scattering near caustics, PKKP precursor obs. 4–25579
  seismic event relocation using surface waves 4–7519
  seismic section construction, time correlation errors *(Russian)* 4–42194
  SH travel times beyond 40°, indication of lateral heterogeneities in lower mantle 4–34123
  SH wave, dynamic structure-soil-structure interaction 4–7518
  SH waves in semi infinite elastic space due to torsional disturbance 4–29472
  SH-type motion generated by torsion-free sources 4–7516
  shear propagation in low porosity anisotropic rocks 4–34121
  short-period surface wave propagation in Las Vegas Valley 4–21701
  Somigliana wave formation for complex conjugate roots of Rayleigh eqn. *(Italian)* 4–21637
  spectral amplitude fields, spherical and non-spherical explosive sources 4–14052
  spectral peak detection, covariance function, retrieval of harmonics 4–4338
  stability of P- and S-wave velocities from central California quarry blasts 4–21672
  stress wave source function of spherical explosive source 4–14051
  surface wave dispersion, crustal structure of Indian Subcontinent summary and review 4–34198
  surface wave propagation rel. to anisotropy of oceanic upper mantle 4–21696
  surface wave study of Illinois earthquake, (Nov. 9, 1968) 4–38197
  surface waves group velocity variation with period, Indian Peninsula, crust-mantle structure 4–38236
  synthetic seismograms for inhomogeneous medium 4–17567
  T-phases from Hawaiin magnitude 6.0 earthquake 4–17568
  teleseismic P-wave transmission through slabs 4–7522
  teleseismic P-waves from MILROW and CANNIKIN explosions, homomorphic deconvolution 4–29423
  teleseismic radiation field from nuclear explosions 4–21668
  time-distance curves, gross properties, r.m.s. velocities 4–7530
  transit time equations solution, for position determ. of cylinder or sphere *(German)* 4–38205
  transverse, in homogeneous viscoelastic medium, eqn. for, soln. *(Russian)* 4–25567
  travel time curves for Far Eastern earthquakes 4–29439
  travel times and gravity anomaly profiles on same Earth model 4–14013
  ultrasonic shear wave birefringence as test of homogeneous elastic anisotropy 4–21814
  upper mantle elastic characteristics using homogeneous transversely isotropic structure model 4–7492
  upper mantle travel-time branches, anelastic effects 4–38223
  velocities, boundary and stratum, correlational dependence, in sedimentary deposits *(Russian)* 4–42195
  velocities, P and S waves, Kamchatka, upper mantle 4–7540
  velocities from reflection surveys for horizontally layered ground 4–25547
  velocities from surface travel time measurement, new technique 4–34504
  velocities in dilatant rock model with pore fluid diffusion 4–21713
  velocity, model of average radial distributions, from inversion of travel times, free oscillations, mass, moment of inertia 4–38238
  velocity and travel time computations, series approximation 4–29419
  velocity characteristics of Bolshezemelsk tundra and carbonaceous deposits *(Russian)* 4–38519
  velocity depth distribution models, Brittany to Mossif Central 4–4317
  velocity determination, effect of lateral inhomogeneity 4–7532
  velocity determination from frequency of earth's natural modes of oscillation 4–7493
  vertical travel time curve for refracted wave, two-layer medium with inclined bounding planes *(Russian)* 4–34231
  vibroseis method, high-resolution capabilities, compressional and shear wave modes 4–25840
  wavefront curvature to relate data with subsurface parameters 4–29414
  Westerly granite, P-wave velocity of water-saurated samples at high temp. and pressure 4–21732
  Pn, Sn, derivation of upper mantle structure variations 4–17595

seismographs *see seismometers*

seismology
  see also lunar seismology; seismometers
  1000 Hz pulse compression seismic reflection profiling system for sea floor studies 4–25859
  accelerogram analysis, 1966 Parkfield earthquake, observed motion relation to crack propagation 4–21640
  accumulation at common receiving points, by multiple stacking system *(Russian)* 4–34229
  accurate accelerations from existing accelerographs by correction of errors 4–29446
  acoustic wave propagation from moving point source, subsonic and supersonic cases 4–34116
  acoustic waves, critically refracted from spherical boundary, theoretical analysis 4–17570
  adaptive processing techniques for apparent velocity and azimuth, Warramunga array 4–21796
  advanced land data processing system 4–25560
  aftershock analysis by dislocation theory 4–29467
  Aleutian strain events, observations and static dislocation interpretation 4–21801
  Anantnag earthquakes, Feb. to April (1967), study 4–17574
  anisotropy, Wadati diagram and travel times 4–21673
  array resolving power, two correlated plane waves 4–34136
  Assam-Burma region, earthquake focal mechanisms and tectonics 4–21835
  astroseismology project 4–21690
  automatic data display system, TIADD 11, description 4–25833
  azimuthal studies of elastic waves from industrial detonations in Urals 4–29443
  Baffin Bay crustal structure from earthquake-generated Lg phase 4 -34133
  Baffin Bay region, earthquake hypocentres rel. to palaeotectonics 4–21683
  Balearic Sea, oceanic crustal structure from long seismic refraction profiles 4–34202
  Baltic Sea, continuous seismic profiling, sedimentary mantle data to 300 m depth 4–21826
  Bolshezemelsk tundra and carbonaceous deposits, seismic velocity characteristics *(Russian)* 4–38519
  British Isles crustal structure, review of seismic reflection data since 1965 4–34205
  buildings and structures interacting with ground, seismic load estimation *(Russian)* 4–25565
  Cagniard-Pekeris inversion technique extension to nonsymmetric earthquake sources, shear dislocations 4–21645
  California, earthquake prediction from quarry explosions 4–42031
  California, regional trends in long-term frequency-magnitude studies 4–17566
  California, seismicity preceding moderate earthquakes 4–25568
  S Californian earthquakes, source parameters rel. to local magnitudes 4–25569
  Canadian bulletin, January to December 1972, observatories, data availability, instrument changes, calibration curves 4–29478
  Canadian Crust and upper mantle structure, structural conclusions from review of published seismic data 4–34191
  capsule for instruments, deep ocean to 16400 ft. 4–7848
  Caucasus, seismic shakeability maps for earthquakes 7-9 scale units 4–7535
  Caucasus earthquake periodicity, relation to solar activity 4–7543
  w Cayman ridge, magnetic, gravity and seismic reflection profiles 4–17584
  Cayman Trough, evidence for axis of sea-floor spreading from seismic reflection and bathymetry 4–29401
  Central USA gravity high, study, rift system analogy 4–34193
  common depth point method, kinematic corrections and multiple wave velocities *(Russian)* 4–34230
  common depth point seismograms, appl. of kinematic corrections *(Russian)* 4–34511
  common depth point summation tapes, problems in usage *(Russian)* 4–38252
  compressional wave velocity-depth profile used to select preferred models of oceanic crust 4–25521
  computer data handling, input to output channel organisation, MINSK-22 computer memory *(Russian)* 4–34225
  correlation properties of seismograms, evaluation with special algorithm *(Russian)* 4–38251
  covariance of external short noise at sensor array 4–29416
  cross-correlation function peak timing, errors 4–25551
  crustal deformations, comparison between deductions from recent faults and earthquake focal mechanisms, Cyprus 4–21844
  crustal seismic reflection model near Edmonton, Alberta 4–34132
  crustal structure, Peninsular India, from analysis of 40 aftershocks of Konya earthquake 1967 4–17594
  crustal structure in Antarctica, evidence of various seismic studies 4–34196
  crustal structure investigation, Japan 4–34186
  crustal structure investigation, Sakhalin-Hokkaido-Primorye zone 4–34185
  crustal structure of Matsushiro earthquake swarm zone 4–34187
  crustal structure under Andes, re-interpretation of previous seismic data 4–34195
  crustal study, Pacific Ocean, international Upper Mantle Project 4–34188
  crystal and mantle structure, from seismology in Rumania *(Rumanian)* 4–29475
  crystalline basement study of Chaidam Basin *(Chinese)* 4–34107
  Cyprus, seismic studies at sea 4–42025
  damped Fourier spectrum and response spectra 4–21655
  data processing, calculation of optimum lag shaping filter 4–25546
  data processing by TIOPS computer *(Rumanian)* 4–29386
  deconvolution of seismic signals using Kalman filter, reflectivity function 4–38506
  deep focus seismicity used to determine plate tectonic characteristics of Southern Aegean Sea 4–21633
  deep resistivity var. rel. to San Andreas Fault earthquakes 4–21678
  deep seismic sounding of Baltic and Ukrainian Shields, new data 4–34181
  deep seismic soundings, Baikal rift zone 4–34182

seismology continued
deep sounding, crustal structure of Central and Southeastern Europe 4−34177
diesel-oil gun for seismic marine generator, description 4−25830
dislocations, body force, body couple and heat source equivalents 4−29471
display incorporating basic pulse shape at zero time 4−25838
Dodevonsk petroleum deposits, seismic prospecting and deep drilling *(Russian)* 4−38249
Doruneh Fault, Iran, geomorphic and seismic evidence for recent activity 4−21845
dynamic shear cracks, admissible speeds, with friction but lacking cohesion 4−29426
Earth flattening approximation in body wave theory 4−21795
earth motion, low frequency, relation to wind generated atmospheric pressure field 4−21643
earthquake, Point Mugu, California, 21 Feb. 1973, aftershocks 4−25593
earthquake activity of Belice Valley, Sicily, support of seismicity-neotectonic correlation hypothesis *(Italian)* 4−21632
earthquake aftershock programmes in Canada 4−42040
earthquake associated crustal tilt directions, amplitudes, velocities 4−21793
earthquake depth distribution and origin in terms of underthrusting plate buckling 4−21798
earthquake dilatancy, correl. with quarry explosion data 4−34174
earthquake foci migration, Europe and Asia Minor, 1901 to 69 4−14059
earthquake location, type and intensity from various arrays of 12 points *(German)* 4−34223
earthquake location by gradient and minima of beams of directions methods 4−21658
earthquake modelling by stick-slip along precut surfaces in stressed foam rubber 4−38501
earthquake occurrence model, for Europe, statistical investigation 4−14049
earthquake prediction, body wave velocity changes during San Fernando aftershock series 4−21671
earthquake prediction, magnetometrical exploration 4−14221
earthquake prediction, precursory effects, rock dilatory, water diffusion, common physical basis 4−1779
earthquake prediction from temporal P and S wave velocity variations in source region 4−17564
earthquake prediction from travel time ratio of P and S waves 4−21670
earthquake relationship to crustal activity 4−25594
earthquake simulation, statistical character of random surface displacements 4−14050
earthquake source mechanisms from synthetic long period body wave seismograms 4−21669
earthquake source models, data from San Fernando earthquake February, 1971 4−38196
earthquake source parameters from freq. dependent Rayleigh and Love wave radiation patterns 4−17562
earthquakes, triggering by fluid injected into oil field, study at Rangely, Colorado 4−21641
earthquakes distinguished from explosions, failure of m_b:M_s criterion 4−29430
earthquakes in Nevada, premonitory variations in S-wave velocity anisotropy 4−21829
East African rift system, average crust-mantle model based on seismic data 4−34201
East African rift zone crustal structure, review of seismological data 4−34200
effectiveness of methods in investigating diapyrous structures in Rumanian Carpathians 4−14219
elastic wedge response to SH pulse 4−21642
energy concentrations in Aegean volcanic belt, aseismic domains beneath volcanoes 4−21847
European crustal structure based on deep seismic sounding measurements over twenty years 4−38246
evidence for magma intrusion in eastern Koae fault system, Kilauea volcano, Hawaii 4−21756
excitation criterion, free oscill. spectral peaks for Colombian deep shock 4−4337
exploration work, complex specific costs *(Russian)* 4−34515
explosion induced motion along non-radial joint, observed and calculated 4−21737
explosions underground, survey of theoretical aspects 4−7537
Faeroe Islands, evidence for continental crust 4−34161
Fourier hologram filtering with sphero-cylindrical optics, seismic records deconvolution *(French)* 4−22156
France, Crystal structure from Brittany to Massif Central 4−4317
Galapagos Islands, seismicity of Fernandina volcanic caldera collapse 4−25570
Ganges Cone in Bay of Bengal, seismic study of fluvial sediments 4−25648
geoelectric-seismic refraction, groundwater exploration in Lusaka District 4−42182
global volcano surveillance system, implementation 4−22139
global volcano surveillance system, preliminary results 4−22140
ground motion analysis for prediction of earthquake response spectra 4−29445
ground motion correlation with structural damage, statistical analysis 4−21639
Gulf of Aden crustal structure, reflection and reflection surveys, review 4−34199
Gulf of Mexico, discontinuity associated with phase transition 4−34194
Gulf of Suez, fluctuations in oil flow from wells before earthquakes 4−29464
heterogeneous medium, noninterchangeability of sources and receivers 4−38234
Hindou-Kouch seismic source parameters *(French)* 4−34125
hydrocarbon detection 4−25557
hydrophone, miniature type, design and operating principle 4−25831
Iberian Peninsula crustal structure from explosian seismic profile 4−34203
Iceland, region, seismicity, plate boundaries 4−7521

seismology continued
Indian subcontinent, epicentre and origin time errors for small magnitude earthquakes 4−34113
instrumentation and techniques, data processing, conference, Brighton (1973) 4−25825
interaction of elastic and e.m. fields, hereditary model 4−38239
intersection of St Paul, Cape Palmas and Grand Cess fracture zones with continental margin of Liberia 4−34165
interval velocity from stacking velocity, dipping effect included 4−25843
inverse geomagnetic and seismic sounding problems, regularising algorithm *(Russian)* 4−10846
inverse problem, new method for solution, deep sounding application 4−38510
seismic inverse problem soln., man machine interaction 4−14216
island arc structures, New Britain-New Ireland, time term anal. 4−1768
isoline map construction, from seismic survey data, systematisation *(Russian)* 4−42199
Italy, models of occurrence and isoseismals, seismotectonic map 4−42001
E Kazakhstan, earthquake explanation of 1969, May 1 seismic event 4−42024
Lake Mead, microseismicity rel. to lake level 4−21682
Laramie anorthosite complex, seismic refraction and reflection studies 4−21702
Las Vegas Valley, characteristics of short-period surface wave propagation 4−21701
late aftershocks focal mechanism, tectonic stress and dilatancy hypothesis 4−14035
lithologic model from seismic depth section, computation of synthetic gravity and magnetic field profiles 4−25524
lithospheric slabs at subduction zones, seismic prospecting 4−38221
long refraction line through western Montana and northern Idaho, crustal thickness and velocity 4−38227
Long Valley caldera, seismic refraction survey 4−21739
Love waves, short period, average thickness of Deccan traps between Bombay and Konya from dispersion 4−14048
low velocity channel in upper crust, review of supporting evidence and possible causes 4−34127
magnetoelastic transverse surface waves in initially stressed half space 4−14018
magnetotelluric probing data processing, device for digitizing seismograms *(Russian)* 4−29714
mantle compressional velocity and continental drift rates from seismic profiles 4−1774
mantle low velocity zone, structural model proposed, synthetic seismograms 4−17573
marine, in offshore oil exploration, integration with marine magnetic and aeromagnetic surveys 4−25886
marine, method based on highly repetitive nonexplosive sources 4−7789
marine, single channel data processing using PDP15/PDP8 computer system 4−25837
marine survey in North Sea, gas sand mapping 4−25561
mechanisms of deep focus earthquakes from thermal evolution of lithospheric slab at subduction zones 4−21803
Mediterranean, seismic foci distrib. and tectonic implications 4−4342
E Mediterranean, seismic reflection and refraction studies of crust 4−38215
Meriadzek Terrace, Bay of Biscay, reflection profiles 4−29462
Mesa geothermal anomaly, Imperial Valley, California, microearthquake investigation 4−21746
microearthquake activity, Melos, Greece, mixture of volcanic and tectonic activity 4−21635
microearthquake activity of Galapagos fast spreading centre 4−38235
microearthquake study, Long Valley region, California 4−21742
microseismic activity caused by gravitational radiation from pulsars, laser interferometry 4−14022
microseismic noise analysis, source location 4−21794
microseisms origin, Lamb theory with sea-zone wave front forcing agent *(Italian)* 4−21634
mid-Atlantic Ridge, 45°N, study of a ocean bottom seismographs 4−29421
Mid-Atlantic Ridge, microearthquake study near 37°N using sonobuoys 4−4347
Mid-Atlantic Ridge, microearthquake survey of Median Valley at 36°30'N 4−42019
Mid-Atlantic Ridge at 37ºN, median valley seismic refraction line 4−4348
Mid-Atlantic Ridge near 37°N, microearthquake study 4−21686
Mid-Atlantic Ridge near 37°N, microearthquake study using sonobuoys 4−21685
Moho contour map, Fennescandia, Norwegian and North Sea from deep seismic sounding data 4−34206
Moho contour map from new interpretation of long profiles, conterminous United States 4−34192
Mohorovicic discontinuity survey, laminar transition zone 4−7533
E Montana, crustal structure under LASA, seismic refraction meas. 4−25575
multichannel filters, minimum mixing effects 4−25556
multichannel linear filters, optimal rejection of multiple reflections 4−34138
multidimensional arrays, optimal energy array weighting functions computation 4−25544
multiple discriminant seismological screening procedure for test ban verification 4−14036
multiple events, detection and analysis, comparison of methods 4−34115
multiple reflected wave stacking procedure, effectiveness in various conditions *(Russian)* 4−34227
multiple reflection cancellation by feedback 4−25846
multiple reflections filtering by comparison with model 4−25555
Nevada Test Site, focal mechanisms and regional stress fields 4−17563
central New Mexico, Gasbuggy seismic profile and crustal structure 4−21700
New York City, short period waves, local geological effects 4−4324

seismology continued
New Zealand, seismological and geothermal research 4—7574
noise spectra in Europe at 2 Hz 4—42012
noise survey, Long Valley, California, techniques for evaluation of anomaly 4—21741
North Sea sediment layer parameters *(German)* 4—7582
Norwegian Channel, origin from seismic profiles 4—38207
Novaya Zemlya, aftershocks from underground nuclear explosions 4—25584
numerical ray generation application to seismogram computation for complex layered media 4—21805
ocean exploration, use of gas explosion and pneumatic radiator *(Russian)* 4—34524
oceanographic use in manganese nodules exploration 4—4643
Ontong Java plateau (W. equatorial Pacific), seismic refraction meas. 4—25572
optical spectral correlation analysis of seismographic materials *(Russian)* 4—34513
optimum-lag shaping filters for deconvolution of seismic records 4—42180
ore prospecting, optical filter applic. to anal. of material from the Pechensky region *(Russian)* 4—42192
P-waves, long and short period, comparison of travel times and arrival angles 4—14045
Pacific mobile belt, crustal structure 4—34184
peninsular India, eastern coast, vertical movements in Pleistocene and Recent times 4—21836
permafrost conditions, use of synthetic seismograms in study of reflected wave field *(Russian)* 4—38253
Peru-Chile Arc, slip-rates and seismic efficiency 4—21712
piezoelectric pressure sensors, experimental test of use in logging of boreholes *(Russian)* 4—34525
plane wave reflection from free plane boundary, elastic medium with microstructure 4—21638
plotter for computer processed common depth point reading, description *(Russian)* 4—38527
political uses, nuclear test detection 4—10822
porous formations, microseismograms, synthetic, acoustic permeability logging 4—38232
porous materials, first pressure derivative of bulk modulus 4—21499
porous materials, shear modulus first pressure derivative 4—38098
porous media, dynamic theory, representation theorem, body force equivalents to dislocations 4—29422
pre-strained elastic medium, seismic reciprocity theorem 4—29456
primary pulse estimation 4—25545
probabilistic description, point random process 4—7553
profile across Newfoundland continental shelf, buried island arc 4—25562
profile to depth of 400m along middle reaches of river Ob *(Russian)* 4—38254
profiling method using double regulated direction procedure *(Russian)* 4—34514
prospects, computer software for integrated interpretation 4—25558
Przheral' earthquake, 1970, June 5, seismic conditions in Tien-Shan before occurrence 4—7539
pulse compression, based on Fourier transform theorems 4—25839
pulse contraction technique based on Hadamard transforms *(French)* 4—29708
quasi-static deformation by displacement dislocation of viscoelastic half-space, viscoelastic models 4—38245
Quaternary deposits exploration, seismic techniques 4—38512
radial vibrations of circular disc, variable thickness, with and without central hole 4—11774
random velocity fluctuations in two dimensional seismic model 4—29444
Rayleigh wave phase velocities in Atlantic Ocean using single station technique 4—34142
Rayleigh waves, attenuation, reflection, refraction and mode conversion in earth 4—21650
recursive continuous analysis 4—25549
recursive models, derivation of algorithms of filtering 4—7554
Red Sea crustal structure, reflection and reflection surveys, review 4—34199
reflected wave, survey prior to drilling for petroleum, North Sakhalin *(Russian)* 4—34232
reflected wave hodographs, kinematic corrections, parameter identification *(Russian)* 4—42193
reflected wave method of seismic data interpretation *(Rumanian)* 4—29476
reflected wave methods, seismic record regeneration, using extremal values *(Russian)* 4—42198
reflection, Mn nodules, exploration techniques, R.V. Valdivia 4—17862
reflection, multichannel adaptive filter theory applic. 4—25867
reflection pulse, normal moveout correction 4—7529
reflection survey, westward extension of Snaefellsnes volcanic zone, Iceland 4—29454
reflection surveys over gas filled storage sand 4—25559
refraction, screening-effect, identification of signals 4—25835
refraction data, algorithm for best fit solution of system of linear regression equations 4—34139
refraction data, Australian crustal structure 4—34197
refraction data, western Germany, time-term interpretation 4—34219
refraction profiles, southern Indian Ocean 4—34117
refraction study of Hawaiian Archipelago, northern Melanesia, Central Pacific Basin 4—34189
refraction survey in northern Rocky Mountains, evidence for intermediate crustal layer 4—29424
refraction surveying, single ship telemetric recoverable sonobuoy system 4—29771
refraction surveys of crustal structure, Alaska, summary of recent results 4—34190
residual static corrections 4—25553
resonance danger map of alluvial layer of shingles *(Russian)* 4—29437
Rhinegraben area crustal structure, new evaluation of seismic data 4—34207
Rio Blanco experiment, velocity data 4—19627
risk analysis using quadratic log frequency vs. magnitude relationship 4—34120

seismology continued
W Russia, P-velocity distrib. from NORSAR recordings 4—21699
San Andreas fault system, static surface deformations caused by earthquakes 4—21666
San Fernando earthquake, 1971 February 9, accelerogram interpretation using moving dislocation model 4—21664
Santiago de Cuba, seismic zoning from historical data, geology, seismic props. of grounds 4—29442
Sardinia-Tunisia strait and N. Tunisia fracture zone *(French)* 4—42037
Scandinavia, P-velocity distrib. from NORSAR recordings 4—21699
Scotian Shelf, erosional unconformities from seismic profiling 4—34131
sea bottom multiples, cancellation by prediction methods 4—25845
sea floor acoustic wave reflectivity, Deep Tow Instrumentation System, seismic profiling 4—17860
section migration, effect of various processes 4—25554
sediments of Chesapeake Bay, interstitial gas bubbles as cause of acoustic impenetrability 4—29461
seismic discontinuities from analysis of magnetic anomalies 4—34183
seismic event relocation using surface waves 4—7519
seismic moment temporal variation, evidence of precursive compression for deep earthquakes 4—17588
seismic scattering, thick and thin scatterers 4—4323
seismic section construction, time correlation errors *(Russian)* 4—42194
seismic source energies of explosions in salt dome 4—21816
seismicity relation to gas and oil bearing sites 4—7557
seismograms analogue processing, comparison of various algorithms *(Russian)* 4—34226
seismoscope records, calculation of horizontal accelerations 4—21646
SH-type motion generated by torsion-free sources 4—7516
shaped charge surface source, results from field use 4—29418
sidereal periodicity in earthquake aftershocks 4—21815
signal and noise coherence determination, Uppsala seismograph array station 4—17593
signal detection using sign bits 4—34137
signal power spectra and noise components on trace 4—29705
sliding stability on saw cuts in granite 4—21736
soil pore pressure, transient motion meas., Rio Blanco project 4—19630
soil pore pressure increase, liquifaction, Rio Blanco project 4—19629
N South Island, New Zealand, microseismicity and geologic structure 4—21681
southeastern United States, review and analysis of existing data 4—21656
spall measurement, Rio Blanco experiment 4—19626
spatial coherence method, wavenumber distrib. in medium 4—38509
spectral peak detection, covariance function, retrieval of harmonics 4—4338
spherical distortional pulse, theoretical seismograms for sources with exponential decay 4—14056
static corrections, holoseismic method 4—25550
static corrections computation by general purpose program 4—25552
statistical data on crustal sections, USSR 4—34178
strain steps accompanying New Zealand earthquakes, interpretation 4—21653
stress relaxation in semi-infinite viscoelastic earth model 4—38199
stress wave source function of spherical explosive source 4—14051
strong-motion seismic data, interpretation 4—21689
surface motions due to sub-surface sliding 4—7526
surface wave propagation, non-homogeneous aeolotropic cylindrical shell 4—11775
synthetic seismogram construction from generalized ray expansions for point source dislocations 4—21663
synthetic seismogram construction on analogue plotting machine *(Russian)* 4—34228
synthetic seismograms, eikonal expsn. convergence 4—7520
systems response, optimum element combinations, determination 4—25832
tectonic disturbance separation, using one-dimensional spectra and seismogram correlograms *(Russian)* 4—42197
teleseismic source parameters for Longshot, Milrow and Cannikin nuclear explosions 4—34146
terrestrial shear pattern of earthquake distribution, strain ellipsoid model 4—14060
theoretical seismograms for Rayleigh waves from atmospheric point sources, effect of yield and burst height 4—34144
thermoelastic wave propagation in non-simple media 4—14047
thin beds, reflective properties 4—34140
tidal signal, coherence, effect on structure 4—10790
time-distance curves, gross properties, r.m.s. velocities 4—7530
topographic influence on ground motions, data from California earthquake, Feb. 1971 4—21644
total signal duration and local Richter magnitude, Southern California network 4—21657
transition zone response to nearby P-wave source 4—21804
Transylvania Depression, morphology and structure of crystalline basement *(Rumanian)* 4—29474
travel time equations, correction to abstr. A21841 (1973) and approximate inversion 4—34118
tsunami prediction (CETI), evacuation map revision 4—21913
underground nuclear explosion, CANNIKIN, surface- and body-wave spectra 4—7517
Uppsala array, slowness, azimuth, structural studies 4—14044
velocity, continuous measurement for monitoring in situ stress 4—29722
velocity determination, effect of lateral inhomogeneity 4—7532
velocity relationships, from reflection surveys for horizontally layered ground 4—25547
velocity values, estimates of accuracy 4—25548
velocity-dip estimates, computer program output, techniques for analysis and treatment 4—25844
vibroseis, compensation for nonuniform attenuation of spectrum 4—25841
vibroseis data, high-resolution capabilities, compressional and shear wave modes 4—25840
viscoelastic models, surface strains and tilts 4—21652

seismology continued
volcanic arcs, K content of andesitic lavas and depth of seismic zone 4−10814
Wadati diagram, interpretation with relaxed assumptions application to Amchitka earthquakes 4−21651
water wave identification and deconvolution in seismic refraction studies 4−42233
wave attenuation, four element viscoelastic model, explosive source 4−14058
wave field continuation toward source 4−7547
wave reflection survey methods, combining explosion drillings and observation *(Russian)* 4−42196
wave scattering near caustics, PKKP precursor obs. 4−25579
wave velocities, boundary and stratum, correlational dependence, in sedimentary deposits *(Russian)* 4−42195
wavenumber filtering, design of source and receiver patterns 4−29417
weak earthquake data from single station, determination of stress field *(Chinese)* 4−34487
Western Washington, tectonic model, from gravity, seismology, geology, topography and geomagnetism 4−38225
wide line profiling, marine operation 4−25836
Pn, Sn waves, upper mantle structure variations 4−17595
^{234}U/^{238}U, earthquake effect on ratio in subterranean water 4−7536
seismometers
see also seismology
amplification of small apparent velocity waves using new type of mixer *(Russian)* 4−34512
arrays, wide frequency band constant beamwidth design techniques 4−14761
automatic seismic event detecting fast-playback recording system 4−22138
Large Aperture Seismic Array, sampling and recording of P waves 4−11030
LASA, in Montana, automatic event detection, location capabilities 4−7788
laser communication channel system *(Russian)* 4−11014
laser interferometer, design, appl. 4−25865
long period mercury pendulum, description 4−29712
marine seismic source, Vaporchoc, using pressurized steam 4−7818
model, use of capacitor elastic wave *(Russian)* 4−10829
noise, theoretical and observed, in high-sensitivity long-period instruments 4−34488
non-linearity in long-period seismic instruments 4−42178
NORSAR, event detection capability, evaluation program 4−17825
NORSAR, in Norway, automatic event detection, location capabilities 4−7788
nuclear weapons, underground test detection *(Swedish)* 4−23923
ocean bottom seismometer capsule 4−22141
prototype broadband seismic system for Viking Mars lander 4−22467
Sosie, pulse coding system for marine use 4−7817
submersible seismograph for undersea earthquakes *(German)* 4−34501
transistor amplifier for signals *(Russian)* 4−11015
selective dissemination of information *see information dissemination*
selenium
amorphous, charge carrier photogeneration, expt. and model 4−33000
amorphous, space-charge-limited conduction with gaussian distrib. of localised states 4−16763
amorphous film recomb. processes, photocond. meas. 4−32972
atomic absorption spectroscopy, electrodeless discharge lamp, performance compared with hollow cathode lamp 4−30648
crystallization in organic liquids, DTA obs. 4−12871
diffusion in PbSe, radioactive tracer, vap. source technique 4−28231
electrical conductivity, meas. through m.p., impurity effects 4−16755
electronic charge density, from band structure evaluation of trigonal Se 4−24691
film, amorphous, crystn. morphology and kinetics 4−36808
film, amorphous and cryst., X-ray and far u.v. photoemission, valence density of states 4−21163
glass, elastic and acoustic props., pressure and temp. effects 4−24507
Hall and transverse magnetoresistance effects detection 4−41089
Hall effect and magnetoresistance detection in trigonal crystals at room temp. 4−24765
impurity in liquid Te, effect on surface tension polytherm 4−13088
ion laser, population mechanisms, optimum discharge conditions 4−23322
liquid, elec. cond. in i.r. ranges 4−28458
liquid, struct. by neutron diffr. *(French)* 4−9814
polymerisation during crystallisation from melt 4−20212
insteel, S, effect on struct. and props. 4−33788
stopping cross section of α-particles, 0.3-2.0 MeV 4−24503
structure of Se overlayer on Ag(001), 4-fold site model 4−28317
superconducting transitions at pressure up to 160 kbar, hexagonal, amorphous and monoclinic, Se 4−3793
thin film, reversible transformation to cryst., liquid and vapour phases 4−1190
trigonal, lattice vibr. symm. in Brillouin zone, group theory anal. 4−16568
vacuum evaporated layer, amorphous and crystalline structure obs. *(Russian)* 4−6570
viscosity-temp. relation 4−40908
X-ray fluorescence, K-shell yield, K-edge absorpt. coeff. 4−25187
Auger emission, backscattering effects, ionisation cross section, estimate 4−13540
p-CdTe:Se, effect of phase distrib. of impurities on light absorpt. by free carriers *(Russian)* 4−37650
He-Ne-Cd-Se, mixed gas laser, NeI, CdII and SeII lines generation 4−35842
He-Se, laser, decay rate meas., upper levels, mag. field dip method 4−26958
He-Se gas laser, oscill. spectrum 4−35833
He-Se laser discharge, upper laser level emission, radial profiles 4−26957
He-Se mixture, electric discharge, He pumping to anode 4−32370
Se:^{125}Te, nuclear quadrupole interaction meas. 4−3922
selenium continued
Se:Hg, amorphous sample, anomalous photocond. model 4−16791
Se:Sn, cryst., glassy and finely dispersed, phonon spectrum of Sn impurities, Mossbauer obs. 4−20915
Se:Tl, electrooptic effect at 10.6 μm 4−20963
Se-Af$_2$Se, polycryst. thin film heterojunction, switching effect and memory peculiarities *(Russian)* 4−6668
Se-Ag$_2$Se, film heterojunction, elec. characteristics in the pulsed regime *(Russian)* 4−1269
Se-Ag$_2$Se p-n heterojunctions, phys. state investigation, switching without memory regime *(Russian)* 4−33030
Se-CdSe heterojunction, annealed at 413 and 483K, capacitance *(Russian)* 4−37302
Se-CdSe p-n, junction, reverse biased, features typical of m.i.s. structs. *(Russian)* 4−13218
Te:Se, 1.2-77K, doping 0-1500 p.p.m., isoelectronic impurity states, elec. props. 4−13148
selenium compounds
selenides, (Eu,Yb,Ca,Sr,Ba)(Al,Ga,In)Se$_4$, synthesis, photoluminesc. 4−25153
As$_2$Se$_3$Cu$_{1,2}$, glassy state, mag. susceptibility meas. *(Czech)* 4−12874
Cr-Se systems, antiferromag., ferrimag. props., temp. depend. X-ray struct. anal. 4−6717
Cu-Sn-Se system, phase diagrams of quasibinary Cu$_2$Se-SnSe$_2$, Cu$_2$SnSe$_3$-SnSe and Cu$_2$Se-SnSe systems 4−13019
GaSe, pulsed magnetic field, effect of excitons on optical const. 4−13415
Ge-As-Se amorphous systems, a.c. conductivity 4−10146
Ge-Se amorphous film, optical and transport props. 4−24741
Ge-Se-In system, vitreous phases, transform. temp. and props. *(German)* 4−1013
Ge$_{50}$Se$_{50}$ film, amorphous, Poole-Frenkel effect on centres with screened Coulomb potential 4−20620
Sb-Se amorphous film, optical and transport props. 4−24741
Se-GeSe$_2$, amorphous struct., X-ray diffr. obs. *(Japanese)* 4−40749
Se-S amorphous film, drift mobility, photocond. edges, comp. depend. 4−10181
Se-Te alloys, cryst. and amorphous, heats of form., crystn. and fusion, comp. depend. 4−37021
Se-Te mixed crystal, acceptor states investigation 4−28430
Se-Tl liquid, miscibility phase transition elec. resist. meas. 4−28213
SeH$^-$, photodetachment and photoionisation spectra, rot. effects 4−6116
SeO, mol., two emission band systems in photographic i.r., vibr. analysis 4−6048
SeO, new band system obs. in 10780-9490 Å region, vibrational anal. 4−40293
SeO$_2$, C-X system, visible spectrum 4−36508
SeO$_2$, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
SeOCl$_2$, CS$_2$ soln., i.r. spectrum, monomer-dimer-autoassociation constants *(German)* 4−28844
SeTe(Ge), alloys, liq. and amorphous, switching effect, thermal and electronic mechanisms 4−24796
Se$_{0.77}$Te$_{0.13}$Se$_{0.10}$, liquid semicond., reversible elec. switching 4−10192
Te-Se system, Te enriched, molten temp. depend. of Hall mobility, quasiionic scatter, nature of elec. transport 4−28436
Te-Se-Ge, Te-Se-Sb, chalcogenide glasses, temp. depend. of resistivity 4−41068
Te-Se-Ge glass, chalcogenide semiconductor, electrothermal effects 4−37288
Tl-As-Se semiconductor glasses, n.m.r. of ^{205}Tl *(Russian)* 4−28718
self-absorption *see absorption*
self-adjusting systems
see also learning systems
thickness measurement, wire and fibre diameter meas. using laser diffraction principle 4−35909
self-consistent field methods
anthracene-TCNQ complex, exciton states, SCF intermolecular orbitals, triad exciton model 4−28372
aromatic hydrocarbons, static elec. polarisability changes 4−9507
atom, coupled multiconfiguration SCF calc. of polarisabilities Li to Ne 4−23969
atomic and molecular polarisabilities, SCF LCGO wave functions *(French)* 4−36419
atomic dipole hyperpolarizabilities, SCF perturbation method 4−31668
atomic even-tempered bases, pseudoscaling capability for molecular calcs. 4−27602
atomic expectation values, uncoupled SCF and Hf perturbation thories 4−5938
atomic one-electron energies, total energies, Slater integrals, computer program for non-relativistic calcs. 4−36407
atomic orbital, expsn. in even-tempered Gaussian primitives 4−27601
atomic orbitals, nonorthogonal linear combination 4−27600
atomic wavefunctions, even-tempered experimental bases 4−27599
azanaphthalenes, triplet energies calc. 4−29349
benzene molecule near-Hartree-Fock calcs. 4−761
benzofuran, and isoconjugated isomer, LCAO SCF MO calcs., mol. properties 4−40224
carbazole, electronic structure, SCF scattered wave method 4−12548
carbazole, ionis. pots., electron affinity, excited states, ab initio calcs. 4−12616
Coster-Kronig transition energies, L$_1$-L$_{23}$M processes 4−12478
diarylamine radical, recombination reaction, π-SCF MO calc. 4−16046
diatomic molecule, seminumerical SCF calcs., for Hartree-Fock eqns. 4−19748
diazocyclopentadiene, LCAO MO SCF calcs., ESCA, structure, bonding, core and valence ionized states 4−31791
dinitrofluorenone, electronic structure, SCF scattered wave method 4−12548
electric arc, cathode sheath formation, cathode drop 4−16371
electron repulsion integrals, inequalities 4−27592
ethylene, ground state rot. barrier, double config. SCF approach 4−24046

self-consistent field methods continued
- ferrocene, SCF Xα scattered-wave calc. 4—24027
- fluorenone, electronic structure, SCF scattered wave method 4—12548
- formaldehyde, spin dipole-dipole parameters, CI calcs. 4—27607
- α-glycine, electron density, Fourier synthesis vs. MO calcs. 4—19773
- Hartree-Fock method, struct. and energy of elements shells 4—31645
- Hartree-Fock SCF iterative sequences, convergence acceleration by type II Pade approximants 4—754
- hydroxyapatite, pure and fluorine-containing, MO-SCF study of hydroxyl binding and diffusion 4—28113
- ionisation energies direct calc., transition operator for ΔE_{sce} method 4—755
- isocyanates, MO-SCF calculations, nonlinearity of NCO-group 4—40213
- localised SCF orbitals by direct determ. 4—31774
- localized orbitals, multiconfig. SCF theory, choice of localization pot. 4—19746
- magnetic insulation, cathode electron sheath equilib. 4—30942
- MC SCF orbitals, variational procedure for optimisation 4—27589
- methane, electronic props. CI anal. 4—31788
- methane, LCAO MO SCF calcs., promotion, hybridization effects 4—12529
- methane cross section formula for (e,2e) reaction 4—876
- methanol, ab initio SCF calcs. of force consts. and dipole moment derivatives 4—775
- methylene, spin dipole-dipole parameters, CI calcs. 4—27607
- methylene peroxide, stability and conform., SCF MO calc. 4—24022
- molecular electron affinity and ioniz. pots., self-consistent determ. of ion and neutral mol. wavefunctions 4—31907
- molecular electronic structure, effect of arbitrary change in nuclear configuration 4—5986
- molecular self-consistent Hartree-Fock-Slater calc., computational procedure 4—756
- molecular self-consistent Hartree-Fock-Slater calc., exchange scaling effect in small mols. 4—768
- molecular-complex binding energy, Li^+:formaldehyde 4—27591
- monofluoride, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4—9488
- multiconfiguration, general Fock eqns. orbital soln. 4—31782
- naphthalene-TCNE complex, exciton states, SCF intermolecular orbitals, triad exciton model 4—28371
- nitroethylene, u.v. spectrum, SCF configuration interaction study of ground state 4—31830
- n.m.r. chemical shift, gauge invariant LCAO anal. 4—40318
- nonlinear molecule, electron repulsion integrals and symmetry adapted charge distributions 4—9486
- peptides, conformational depend. of ^{15}N-C-C-H vicinal coupling consts., INDO approx. 4—36474
- phosphirane, ab initio LCAO-MO-SCF calcs. of electronic struct. 4—19782
- polyene, symmetric, effect of symmetry in SCF calcs. of band struct. 4—32865
- polymer chain theory, equiv. of Born-Green-Yvon and Reiss methods 4—27773
- porphyrins, all-valence-electron SCF MO CI calcs., of spectra of dianion and free base porphin 4—3107
- proton magnetic shielding anisotropies, gauge invariant molecular orbital approach 4—27709
- pyridinediols, variable electronegativity π-electron SCF-MO theory, electronic spectra 4—40228
- quantum crystal, elastic constant calc. for lattice stability region 4—32600
- quasiparticle-phonon coupling, normal and superfluid fluid 4—434
- rearrangement terms, necessity in ground state calc. 4—556
- selection of orbitals 4—40220
- spin density, calc. by SCF INDO method, with/without projection of UHF function 4—40215
- statistical exchange correlation in the self-consistent field 4—759
- statistical exchange potential, for electrons in different shells, Xα method 4—27508
- TCNQ and anions, ab initio calcs. of ioniz. energies and charge distribs. 4—31790
- teaching, SCF problems introduced in one dimension 4—11408
- thiirane, ab initio LCAO-MO-SCF calcs. of electronic struct. 4—19782
- thioformaldehyde, non-empirical SCF and CI calcs. for ground and excited states 4—31792
- transition metal ions, 3d, covalency effect on spin-orbit coupling const. 4—1203
- trialkali ions, pseudoscaled nonorthogonal atomic orbitals 4—27603
- trinitrofluorenone, electronic structure, SCF scattered wave method 4—12548
- trinitrofluorenone, ionis. pots., electron affinity, excited states, ab initio calcs. 4—12616
- water, LCAO MO SCF calcs., promotion, hybridization effects 4—12529
- Xα scattered-wave method, overlapping spheres 4—9481
- Al, liquid, collective mode phonon dispersion calc. 4—40860
- AlO, AlO^+, energy spectrum obs. and predicted states, transitions 4—16044
- α-Al_2O_3:$Fe^{2+}H^+$, SCF calcs. of OHO^{3-} config. 4—16457
- AsF, SCF wave functions, Hartree-Fock-Roothaan matrix expsn. method 4—31913
- BH^+, gaussian lobe SCF molecular wavefunctions, spin-orbit coupling const. 4—31786
- $Be(BH_4)_2$ ab initio SCF and CI study of gas phase geometries 4—31769
- C_2^-, nonempirical calcs. on electronic spectrum 4—12538
- CF_5^-, geometrical struct., wave mechanical investigation 4—3093
- CH, gaussian lobe SCF molecular wavefunctions, spin-orbit coupling const. 4—31786
- CO, dipole moment, CI interactions, SCF calc. 4—5991
- CO, optimized Gaussian bond functions 4—27610
- CO_2, LCAO MO SCF calc., vibr., electronic props. 4—12550
- C_2O_2, electronic struct., ab initio LCGO MO SCF calc. 4—27612
- Co II spectra, oscillator strengths theoretical investigation *(Russian)* 4—31661
- Cu, frozen core approximation validity 4—32843

self-consistent field methods continued
- Fe II spectra, oscillator strengths theoretical investigation *(Russian)* 4—31661
- H_2, $^1\Pi_u$, $^3\Pi_u$ states, kinetic, electron-nuclear attraction and interelectronic repulsion energies 4—19758
- H_2, cross section formula for (e,2e) reaction 4—876
- H_2-H_2O, intermolecular forces, potential energy curve 4—12647
- H_2-HF system, intermolecular forces, potential energy curve 4—12647
- H_4, pot. energy surface, calc. of reaction paths 4—9487
- HBS, ground state, electronic struct. and mol. props., ab initio calcs. 4—31789
- HCN, hydrogen bonded complex with HF, LCAO-SCF calcs. of vibr. props. 4—24032
- HF, electronic struct. and dissoc. energy, multi-config. SCF calc. 4—36475
- HF→HI, third-order perturbation calc. heavy atom nuclear shielding depend., I. proton chemical shift 4—9580
- HNCO, LCAO-MO-SCF calc. of electronic structure, rel. to HNCS 4—27616
- HNCS, LCAO-MO-SCF calc. of electronic structure, rel. to HNCO, S d-orbitals 4—27616
- H_2O, lowest triplet state, multi-config. calcs. 4—3095
- H_2O ab initio SCF and configuration interaction calcs. on ground state 4—3103
- H_2O lowest triplet state SCF calc. 4—6005
- H_2O-H_2CO, in relaxed singlet and triplet $n\rightarrow\pi^*$ states, ab initio SCF CI calcs. of hydrogen bonding 4—12543
- H_3O^+, equil. geom., ab initio SCF calcs. with inclusion of correl. energy 4—12523
- H_2S, LCAO MO SCF calcs., promotion, hybridization effects 4—12529
- He, seminumerical SCF calcs., for Hartree-Fock eqns. 4—19748
- He-H_2O, intermolecular forces, potential energy curve 4—12647
- He-HF system, intermolecular forces, potential energy curve 4—12647
- He_2, seminumerical SCF calcs., for Hartree-Fock eqns. 4—19748
- $HeH^+ + H_2$, ab initio quantum mech. pot. energy surface classical trajectory calc. 4—19921
- LiH, seminumerical SCF calcs. for Hartree-Fock eqns. 4—19748
- LiO_2 radical, open shell calcs., lowest electronic doublet states 4—9477
- MgF_2, dipole moment as fn. of bond angle calc. 4—24141
- NH_3, LCAO MO SCF calcs., promotion, hybridization effects 4—12529
- NH_3, LCAO of atomic Slater orbitals calc. of diamagnetic susceptibility 4—9485
- NO^+, absolute i.r. intensities of vibr.-rot. transitions in ground state 4—12566
- Ne_2, interatomic pot. exchange energy, SCF calc. 4—36452
- O_3, bound states, MC SCF calcs. 4—771
- O_3, excited state equilib. geometry, SCF-CI-MO calc. 4—36479
- O_3, unsymmetrical $^1B_2(\pi\pi^*)$ state obs. 4—740
- Si, ionisation pot., charge density and surface pot. 4—20665
- SiF_2, electronic spectrum, ab initio SCF and CI calcs. 4—767

self-diffusion *see diffusion*

self-focusing
- *heading is late addition, see also nonlinear optics*
- benzene-toluene mixture excitation, effect of self-focusing on inverse Raman scattering *(German)* 4—39767
- coherent pulses 4—320
- c.w. dye laser beam, propagation in Na vapour 4—19140
- electron beams, relativistic in dense plasma 4—20089
- e.m. wave beam, nonlinear aberration 4—27010
- e.m. waves in random media, requirements for minimizing self focusing damage 4—27005
- Gaussian beam in stratified nonlinear medium 4—19045
- glass, optical, self-focusing mechanisms, Kerr, electrostrictive and thermal effects 4—312
- glass amplifier, linear stability anal., Franz-Nodvik model 4—35884
- Kerr liquids, wave eqn. numerical calc. 4—19135
- Kerr type nonlinear refractive index, theory 4—23398
- laser beam in strongly ionised plasma 4—20077
- laser in plasma, e.m. forces and self-focusing 4—16324
- laser induced u.v. gas breakdown, self-focusing *(Japanese)* 4—31072
- laser produced plasma, self-focusing shock wave 4—27965
- laser radiation, vortex type soln. *(Russian)* 4—5531
- liquid crystal, nematic, isotropic phase, threshold power and nonlinear index 4—11949
- liquid crystal, transient laser self-focusing isotropic phase 4—27014
- magnetoplasma, e.m. wave self-focusing 4—36695
- parametric instability, to explain stimulated scatt. and self-focusing anomalies 4—27013
- periodic breakup of optical beams due to self-focusing, expt. demonstration 4—19130
- picosecond pulse, propagation props., Nd glass laser 4—8856
- picosecond pulse application 4—23397
- plasma, degenerate electron-hole, e.m. wave self-focusing, nonlinearity 4—20641
- plasma, e.m. waves, electron distribution function calc. 4—16319
- plasma, high amplitude wave, electron redistrib. 4—20076
- pulse excitation, expt., theory, time depend. 4—23399
- rod and disc amplifiers for high-energy glass lasers, self-focusing damage 4—19112
- SELFOC fibre, interferometric meas. of dielectric constant to sixth order 4—10391
- semiconductor, narrow gap, magnetic field enhancement 4—27015
- semiconductor plasma, mechanisms, nonlinear eqns. soln. 4—35900
- $BiGeO_{20}$ crystals, nonlinear optical activity, self-focusing of Ar laser radiation 4—19144
- Na vapour, c.w. self-focusing and beam trapping 4—316
- Nd:glass laser, pulse amplification, damage avoidance 4—26983
- Nd:glass laser, self-focusing distortion of transverse intensity distrib. 4—15364

self inductance *see inductance*

self-optimising systems *see self-adjusting systems*

self-organising systems *see self-adjusting systems*

semi-insulating materials *see semiconductor materials*

semiconductor counters
compound, current development 4—5182
current pulse formation, Ramo's theorem 4—14976
delayed coincidence meas. of short nuclear half lives in ^{233}Pa and ^{237}Np 4—27272
detector system, in nuclear medicine 4—39047
electron diffraction patterns, scanned, from small selected area (100 angstroms) 4—11629
electrons above 10 keV, semicond. detection system 4—8534
gamma-ray spectrometers, calibration, with semicond. detectors *(Roumanian)* 4—18689
internal-pair formation for multipolarity anal. using detectors with superconducting solenoids 4—26640
noise measurement, methods 4—22952
sandwich spectrometer, ^{3}He-semiconductor, γ-discriminating, fast neutron meas. 4—30595
surface barrier detectors, high resolution timing system for particle-particle coincidence 4—18675
X-ray, efficiency calibration 4—5183
CdS, electron-phonon detector of ionising radiation 4—39327
CdTe gamma ray spectrometer, full energy peak efficiency 4—26636
GaSe, efficiency of alpha-particle detection 4—30549
Ge, hyperpure current development 4—5182
Ge, intrinsic efficiency calibration in X-ray region 4—5183
Ge, nuclear radiation detector 4—39341
Ge(Li), appl. to ang. correl. meas. of positron annihilation radiation 4—22946
Ge(Li), coaxial detectors, developments in subnanosecond tuning 4—26604
Ge(Li), directional dependence of energy meas. of gamma rays 4—35406
Ge(Li), method for independent yields in fission determ. 4—26622
Ge(Li) current development 4—5182
Ge(Li) detector, calibration standard, ^{75}Se decay 4—2354
Ge(Li) detectors, determ. of efficiency near Ge K edge 4—35404
Ge(Li) detectors, shape function of photopeaks for gamma-ray spectrum anal. 4—30552
Ge(Li) detectors, solid angle correction factors 4—18598
Ge(Li) gamma ray spectrometry, photopeak integration methods in activation anal. 4—26610
Ge(Li) pair, response function localisation, gamma-ray spectral anal. 4—39356
Ge(Li) thin, relative efficiency near Ge K absorption edge 4—35405
^{6}Li semiconductor sandwich, background scattering efficiency 4—26645
Si, cosmic ray detector telescopes, isotope identification 4—39338
Si, gamma-ray detector, evaluation of efficiency 4—18625
Si, single crystal, B and P ion implantation 4—26596
Si, surface-barrier particle detectors, pulsed-bias operation 4—30591
Si, thickness and uniformity study rel. to production quality control *(Russian)* 4—22959
Si electronics, amplifiers, discriminators, filters, circuit schematics 4—116
Si surface barrier detectors, anomalously low energy loss by low energy particles 4—35411
Si surface-barrier detectors, calibration procedure for heavy-ion response 4—26605
SiC detector, made from Be diffusion, characteristics determ. 4—18626
Si(Li), current development 4—5182
Si(Li), rise time discrimination in 20 MeV proton spectroscopy 4—35407
Si(Li) beta-ray spectrometer for complex spectra studies 4—30598
Si(Li) drifted surface barrier detector 4—35414

semiconductor defects
charged point, many valley struct., elec. cond. theory 4—37238
diamond, ion-implanted, defect e.p.r. spectrum 4—28702
electron beam X-ray microprobe, soln. of semiconductor problems *(German)* 4—6667
electron scattering by charged dislocations 4—32928
II-IV-V$_2$ compounds, metastable regions with differing c/a ratios 4—28094
impure semiconductor, external multi-photon photoeffect, electron-phonon interaction, photoelectron escape 4—13552
impurities, density of states and conductivity determ. by path integral methods 4—1197
SEM cathodoluminescence observation, image form., diffusion effects *(French)* 4—40805
semiconductors, inhomogeneities, SEM, phase sensitive (lock-in) amplification 4—11624
surface, annealing effect, rel. to electron emission *(Russian)* 4—32552
surface detection, laser scan technique 4—27020
telluride compounds, neutron flux damage, Mossbauer study 4—24493
Cd$_x$Hg$_{1-x}$Se, solid soln., rel. to fundamental absorption edge profile 4—37616
CdS, film, adsorption effects, rel. to elec. props. 4—20707
CdS epitaxial thin film, clean and carbon film coated mica substrate, comparison of defects and cryst. orientation 4—28313
CdS:Tm^{3+}, electron radiation damage monitoring, spectral changes 4—28121
CdS:Yb^{3+}, e.s.r., complex site struct. 4—33250
p-CdTe, influence of light on crack propagation and dislocation generation 4—6456
CdTe, undoped, point defects, density obs. 4—12943
CeO$_2$:Ca, mobile ionic point defects, dielec. props. 4—25053
Cr$_2$S$_3$, range of stoichiometry, 1123-1273K 4—3491
n-GaAS:B, local mode absorpt. meas., impurity behaviour 4—25141
GaAs, electron capture cross-section at imperfection centres in l.e.d's 4—28939
GaAs, radiative recombination centre diffusion, luminesc. effect 4—28240
GaAs film, epitaxial, defects, influence of degree of imperfection of substrate 4—28312
GaAs single crystal, annealing effects on lattice defects 4—6412
GaAs single crystals, doped, dislocations obs. by i.r. microscopy *(German)* 4—32568

semiconductor defects continued
GaAs:Sn, highly doped single crysts., investigation of struct. defects *(German)* 4—32553
GaAs:Te, nonstoichiometry defects, As vap. press. depend., annealing effect 4—28359
GaAs$_{1-x}$P$_x$ light-emitting diode p-n junctions, red deep-level defects 4—41435
n-GaP, cathodoluminescence, impurity, residual and radiation defect effects *(Russian)* 4—41438
n-GaP:B, i.r. absorpt. meas., B(2) centre pairing 4—25141
n-GaP:Si, donor-acceptor pairs i.r. absorpt. 4—25140
Ge, 1 keV Xe$^+$ ion irrad., defects, secondary emission obs. *(Russian)* 4—20331
Ge, defect distrib. determ. by fast proton channelling 4—16527
Ge, dislocation multiplication mechanism at high temp., low stress *(Russian)* 4—10552
Ge, dislocation structure, grain form. effect in shaped monocrystals *(Russian)* 4—10550
Ge, electron bombard., di-vacancy migration 4—28235
Ge, electron irrad., annealing kinetics, donor impurity influence 4—32894
Ge, electron or neutron irrad., annealing of defects 4—32581
Ge, impurity distribution, cylindrical monocrystals grown by Stepanov's method *(Russian)* 4—10548
n-Ge, laser pulses effect at 77°K *(Russian)* 4—20600
Ge autoepitaxial coatings, electron microscopy *(Russian)* 4—10062
Ge neutron-irrad., recombination in disordered regions, equilibrium vs. impact models 4—41081
Ge:As, electron microscope exam., type determin. of dislocation loops by diffr. contrast 4—28108
Ge:Li, neutron irrad. defects, effect on cond., levels determ. 4—32893
Ge:Sb, Ga, quasistable light sensitivity model, irradiated at 77K 4—32892
Ge-Si, alloys, X-ray topography, growth composition, dislocations *(Russian)* 4—13575
In$_x$Ga$_{1-x}$As film, epitaxial, struct. perfection, X-ray determ. *(Russian)* 4—37122
InP, grown from melt, characterization 4—29018
InSb, dislocations induced by scratching, X-ray topography *(Russian)* 4—13574
InSb, shaped cryst. growth, dislocations, grains *(Russian)* 4—13573
Pb chalcogenides, vacancy and interstitial states, investig. of props. 4—24709
PbTe, n.m.r. peak splitting due to defects 4—28712
Si, crystal defects investigation, i.r. microscopy *(Roumanian)* 4—21211
Si, Cu dislocation struct., precipitation, TEM, covalent bond form. 4—20306
Si, defect distrib. determ. by fast proton channelling 4—16527
Si, electron bombard., generation rates, heating and ionisation effects 4—36917
Si, electron irrad., rel. to temp., stress, and annealing effects on photolum. 4—37659
Si, large area single crystal production and defect concentration *(German)* 4—17177
Si, neutron-irrad., minority carrier diffusion length meas. for damage constants in comparison with photocond. decay obs. 4—41082
Si, neutron-irrad., recombination in disordered regions, equilibrium vs. impact models 4—41081
Si, neutron-irrad., stable damage comparisons from minority carrier lifetime degradation obs. 4—41080
Si, proton irradiation effect, recomb. centre form. theory *(Russian)* 4—32588
Si, screw dislocations in reflecting plane, X-ray intensity contrast 4—36907
Si, vacancy, semivacancy pair, form. and activation anal., self diffusion 4—32560
Si dendritic crystals, B doped, X-ray topographic investigation of defect distrib. 4—32840
Si substrate, cryst. imperfection obs., Cu displacement etching system 4—29010
Si substrate, treatment and polishing influence *(Russian)* 4—41504
Si vidicon type tube, elec. effects of growth striations 4—17176
Si:B, Al, Ga, acceptor associated defects, minority carrier lifetime obs. 4—28360
Si:B, dislocation generating sources 4—9921
Si:B$^+$, ion implantation, lattice damage at 140 keV, e.p.r. obs. 4—41501
Si:Cu, possible role of impurities in neutron damage process, i.r. spectra obs. 4—36912
Si:Li, electron irrad., rel. to low temp. photolum. 4—37660
Si:P implanted, annealing behaviour of secondary defects, electron microscope exam. 4—28127
Si:Sb, high temp. annealing, dislocations, decomposition mechanism *(Russian)* 4—10551
β-SiC, epitaxial growth on Si, growth morphology and perfection 4—10530
β-SiC, neutron irrad., X-ray diffr. peak profile analysis 4—24496
SiC, screw dislocations, X-ray topographic obs. 4—24481
SiC, single cryst. vapour phase growth mechanism and parameters 4—10535
β-SiC, soln. grown, inclusion obs. in large crysts. 4—10538
β-SiC:N, film, photoluminesc. mechanism, ion implantation synthesis 4—28908
SnO$_2$, vacancies, donor levels, elec. cond. meas. 4—20559
Te, strained sample, magnetoabsorpt., effect of dislocations 4—21032
ZnO, mobile ionic interstitials, Na, Li doping, high temp. dielec. behaviour 4—25054
ZnO, TEM obs., dislocation images 4—28101
ZnS:Mn^{2+}, e.p.r. spectra, twin boundaries, normal and defective sites *(Russian)* 4—6413
ZnSe, electron irrad. damage and decay characts. of cathodolum. bands 4—25180
ZnTe:Al(I), reflectivity, luminesc., defect complex role 4—17115

semiconductor device manufacture
see also integrated circuit production
bipolar transistor, simultaneous emitter and base diffusion using Ga and As 4—41512

semiconductor device manufacture continued
diffusion process, systems approach 4−1451
doping by molecular beams, intense source of collimated beams 4−33628
electroluminescent diode cross-bar integrated array realization, appl. of proton bombardment of $Ga_{1-x}Al_xAs$ 4−13174
f.e.t., gate insulator thickness meas. using automated ellipsometer 4−35292
glass applications *(German)* 4−10633
identification methods applic. 4−10560
III-V semiconductor light emitting diode, epitaxial growth, review 4−25266
III-V semiconductors applications *(German)* 4−37764
impurity distribution, c.-a.d. 4−6977
ion implantation, beam heating of Si wafers, computer model 4−33629
ion implantation application, review 4−29024
laser diode, stripe geometry double heterostructure, with internally striped planar structure 4−31052
light emitting diode, epitaxial material growth, junction formation, and device fabrication, review 4−25280
microwave transistor, emitter doping by arsenosilica film source 4−37779
n-type gas phase dopants, physical and thermodynamic props. 4−25281
photoresist and other semiconductor related films, refractive index dispersion, laser interferometer obs. 4−25195
Si:Ga, P, double diffusion, simultaneous *(Japanese)* 4−33620
surface cleaning unit, organic solvents and reactants, in vacuum *(Russian)* 4−21207
thyristors and rectifiers, with Si:P from $^{30}Sr(n,\gamma)^{31}Si \rightarrow {}^{31}P$ 4−33614
transistor die attachment, transient thermal response to voids 4−6998
wafer preparation, bibliography 4−21210
CdS thin film evaporation for CdS-Si heterojunction transistors 4−13568
CdS-Cu_2S heterojunction solar cell, heat, treatment, mathematical analysis 4−13219
n-GaAs, Ni/Au-Ge technology for ohmic contacts 4−29025
GaAs Gunn diode, surface preparation techniques 4−6981
GaAs Schottky-barrier diode, topotactic reaction between Ni and GaAs 4−6992
GaP, efficient red-emitting diode fabrication by vapour phase Zn doping 4−6993
GaP, green emitting diode, liquid phase epitaxial growth 4−6980
GaP l.e.d., grown in high capacity LPE apparatus utilising thin melts 4−10554
GaP l.e.d., red emitting, liquid phase epitaxial growth *(Korean)* 4−6995
GaP light emitting diode numeric display, laser beam machining 4−31090
GaP red emitting diode, liquid phase epitaxial growth 4−6979
GaP(As), localized plastic deform. from thermocompression bonding 4−6984
$In_xGa_{1-x}As$ laser diode, for 106 μm emission, fabrication 4−31050
InSb films, high mobility prod. by hot-wire zone refining 4−25261
$PbTe:Sb^+$, photodiode fabrication on BaF_2 film, ion implantation method 4−29005
Si, cryst. defects investigation, i.r. microscopy *(Roumanian)* 4−21211
Si, insulating film, localized defects, detection and characterization 4−37132
Si detector, thickness and uniformity study rel. to production quality control *(Russian)* 4−22959
Si epitaxial reactor, minicomputer control 4−4051
Si microwave transistor, B and As simultaneous diffusion from predepsoited sources, cooperative effects 4−17185
Si processing, ion implantation technology, review 4−6999
Si substrate, standardisation of shape, mechanical, structural and surface props. 4−1449
Si vapour deposition plant, power supply 4−33626
Si wafer scanner, He-Ne laser appl. 4−19157
SiO_2 film, production reactor for continuous deposition 4−17184
ZnTe-InAs heterojunctions, manuf. 4−16813

semiconductor device models
m.i.s. structures, time dependent phenomena 4−28504
m.o.s. structure, ion implantation induced potential barrier, physical model 4−33037
m.o.s. structure, with strong surface inversion, h.f. space charge layer capacitance effects 4−41128
p-n diode, reversed biased, two-piece model of hot point generation 4−24819
p-n heterojunctions, current/voltage characteristics 4−6664
semiconductor plate, with negative a.c. mobility, diffusion effect on small signal stability 4−28415

semiconductor device testing
see also integrated circuit testing
automated digital instrument, for meas. of CV curves and derivatives, and capacitance transients 4−5105
metallisation at high temps., Au-R, (R=refractory metal), thin-film reliability, SEM obs. 4−3667
temperature meas. using thermostat *(German)* 4−35214
Si, device characterisation, large area electron-transparent sample prep., for electron microscopy 4−41503

semiconductor devices
see also field effect devices; Gunn devices; integrated circuits; oscillistors; semiconductor counters; semiconductor diodes; semiconductor lasers; thermistors; thyristors; transistors; transit time devices; varistors
carrier lifetimes, minority, and diffusion lengths, meas. using SEM 4−24825
cathodoluminescence, scanning electron microscopy 4−8530
coupled semiconductor-piezoelectric convolver, theory 4−37074
disc in rotating elec. and d.c. mag. fields, calc. *(Slovak)* 4−8736
electroacoustic amplifier, electron surface mobility in semicond. thin films 4−10185
failure analysis, ion microprobe applic. 4−8508
failure analysis, SEM application 4−8507
interdigitized test structs., electromigration-thermomigration 4−28243

semiconductor devices continued
metallisation, Al thin films, reliability SEM obs. of electromigration damage mechanisms 4−9998
microphone using strain sensitive semiconductor, outdoor noise measurement 4−14810
microwave fast physical processes, oscilloscopic measurement installation 4−5107
scanning electron microscopy, failure anal. 4−8529
SEM, retarding field and low voltage, inspection without damage 4−15016
CdS phonon maser, voltage modulation 4−37278
Ge radiation detectors, using intrinsic material *(Italian)* 4−39330
Ge(Li), detector for γ-ray spectra of shielded sources, nuclear reactors 4−118
InSb nonreciprocal reflection beam isolator, for far i.r. use 4−14906
Si photocell sensors, exposure meters in photography, new developments and techniques *(German)* 4−14863
SiC varistor, nonlinear cond. temp. depend., neutron effects *(Russian)* 4−1236
Si(Li), detector for γ-ray spectra of shielded sources, nuclear reactors 4−118
semiconductor diode light emitters *see light emitting diodes*
semiconductor diodes
see also avalanche diodes; charge storage diodes; Gunn diodes; light emitting diodes; photodiodes; Schottky-barrier diodes; solid-state rectifiers; tunnel diodes; varactors; Zener diodes
cryogenic thermometry, comparison with resistance thermometers 4−35222
current filamentation, S-type i-v characteristic, double injection model 4−28481
magneto-current, in forward bias, oscillatory behaviour 4−33029
out-of-focus images in p-n junction region, contrast effects 4−16816
p-n, reversed biased, two-piece model of hot point generation 4−24819
parametric amplifier, at 70 GHz, for radioastronomical instruments 4−22501
radiation damage in space meas. in Earth synchronous orbit 4−34436
SEM characterisation, induced mode obs. *(French)* 4−39382
tissue stimulation by implanted semiconductor diode, theory 4−14656
transition metal silicides-Si, fabrication, barrier height to Si 4−17183
GaAs:Ge, minority carrier diffusion lengths 4−10204
Ge, anisotropic deform., current instability 4−16817
Si p-n junction, 1/f noise models 4−20679
Si p-n junction surface barrier device, temp. response and compensation, dosimeter applic. 4−18240
Si surface-controlled junction diode, 1.0 MeV electron-irrad., characts. 4−28480
Si:Au, distributed diode, current filaments, using mirror electron microscope 4−20610
Si:P from $^{30}Sr(n,\gamma)^{31}Si \rightarrow {}^{31}P$, breakdown behaviour 4−33614
Si-Mg, charact. 4−37307
Si(Li) drifted surface barrier detector 4−35414
V_2O_5-metal boundary, high temp. diode *(Russian)* 4−37308
semiconductor doping
see also ion implantation
: 4−17178
automatic liquid level control bubbler 4−41513
bipolar transistor fabrication, simultaneous emitter and base diffusions using Ga and As 4−41512
diffusion, field-aided, numerical study 4−41510
diffusion, mixed boundary condition problem 4−41511
diffusion from surface, normal and enhanced, conc. contours 4−20431
diffusion process, systems approach 4−1451
doped semiconductor filaments, optically induced excess carriers, calc. 4−6417
double heterojunction laser, reduction of threshold current by electron superinjection 4−23347
electron beam X-ray microprobe, soln. of semiconductor problems *(German)* 4−6667
film, impurity concentration, rel. to analysis methods *(German)* 4−10555
homogeneity of heavily doped semiconductors, optical meas. 4−21199
ion implantation, semiconductor device technology applic. 4−29024
ion implantation 4−17179
ion implantation equipment, applications and prospects *(German)* 4−25265
luminescent components, prod. by high-pressure sintering 4−37762
microwave transistor manufacture, emitter doping by arsenosilica film source 4−37779
m.i.s. array, two-dimensional inhomogeneously doped, potential distrib., numerical method 4−41106
molecular beam, intense source of collimated beams 4−33628
m.o.s. structure, flatband voltage meas., comparison between capacitance and electroreflectance meas. 4−28497
n-type gas phase dopants, physical and thermodynamic props. 4−25281
p-n abrupt junctions, multiplication factors and breakdown voltages 4−10202
p-n junction, rel. to peripheral and diffused layer effects 4−24815
phosphosilicate glass diffusion source, composition by i.r. absorption 4−6983
semiconductor diffusion, localised using local laser melting in doping atmosphere 4−37313
semiconductor impurity distribution 4−6977
Si:Ga, P, double diffusion, simultaneous *(Japanese)* 4−33620
stripe geometry double heterostructure, with internally striped planar structure, successive diffusion for laser diodes 4−31052
$BaTiO_3:Sb_2O_3$, ceramic semiconductor, effect of heat treatment on posistor effect 4−6619
p-Bi-Sb, alloys, cyclotron reson., quantum oscill., band struct. with increased Sb conc. 4−16709
$Bi_2Se_3:La$, elec. cond., temp. and doping depend. 4−20609
$Bi_2Te_3:La(Ce)$, elec. cond., thermoelectric power, temp. depend., near m.p. 4−20609
$CdCr_2S_4$, chemical comp. determ., vap. deposited 4−29011
$CdCr_2Se_4$, chemical comp. determ., vap. deposited 4−29011
CdGeP, low resist. prod. 4−13581

semiconductor doping continued
CdS, single cryst. prep. with radiation-stability to ionizing radiations 4−33615
CdS heterojunctions, props. of photovoltaic elements *(Russian)* 4−6669
CdS:Cu(Te)(Bi) heterojunctions, influence of impurities on spectral dependence 4−10175
CdSb:Te, anisotropy of elec. cond., Hall coeff., depend. on donor conc. 4−24767
EuO, paramagnetic surface layer, doping effect on molecular field *(German)* 4−24981
GaAs, application to CO_2 laser windows 4−56
GaAs, compensation from implantation 4−17175
GaAs, doped single crystals, dislocations obs. by i.r. microscopy *(German)* 4−32568
GaAs, film growth from thin soln. layer between substrates 4−37774
n-GaAs, liquid phase epitaxy on semi-insulating substrate, doping profile obs. 4−29014
GaAs, zone melting, crucibleless, temp. distrib. investigation, impurities transfer influence *(Russian)* 4−21198
GaAs layer, vapour-grown, impurity profile measurements 4−6978
GaAs multilayer epitaxial vapour growth, improved doping method 4−33623
GaAs:Ge diodes, minority carrier diffusion lengths 4−10204
GaAs:S, reproducible diffusion, selection of diffusion source composition 4−17186
GaAs:Si(Ge)(Sn), vapour epitaxial, growth temp. and substrate orientation effects 4−37772
GaAs:Sn, highly doped single crysts., investigation of struct. defects *(German)* 4−32553
GaAs:Sn(Te) doping profiles of films grown from soln. 4−33622
GaAs:Zn, Sn, lateral diffusion through phosphosilicate glass windows, interfacial stress effect 4−29026
GaAs-Au Schottky barrier diode, deep impurities, transient capacitance obs. 4−20686
$GaAs_{1-x}P_x$:N, hot implantation, isoelectronic radiative recomb. centres 4−41505
GaP, efficient red-emitting diode fabrication by vapour phase Zn doping 4−6993
n-GaP, Raman spectra of optical phonons, effect of uniaxial stress, doping 4−17068
GaP, Zn diffusion, liquid phase epitaxy 4−29017
GaP:O, liquid-phase epitaxy, conc. meas. using (p,α) reaction 4−18777
GaP:S, Zn, 250 keV Zn ion implantation 4−9924
Ge, radiation-enhanced diffusion of B during ion implantation 4−29021
Ge:Ag(Au)(Ga)(P)(Sb), amorphous layers, elec. cond. and optical props. *(Czech)* 4−16745
n-InAs, electron diffusion, diffusivity-mobility ratio, depend. on doping conc., 300K 4−20601
$In_xGe_{1-x}As$:Sn(Te), doping profiles of films grown from soln. 4−33622
InP, growth from melt, stoichiometry, distrib. 4−29018
InP, LED mat., LPE-grown, Sn, Ge, Si, Te, Cd, Zn, Bi effects 4−17104
InP, solid soln., varied doping conc., donor-acceptor interaction 4−24714
n-InSb, electron diffusion, diffusivity-mobility ratio, depend. on doping conc., 300K 4−20601
PbTe:In, Hall coeff., elec. cond., magnetoresist., impurity band struct. 4−24766
Si, Au ion implantation, controlled technique, redistribution anneal 4−37760
Si, by diffusion of ^{32}P, conc. depend. and mechanism 4−1139
Si, by in situ B from oxidized BN wafer source 4−6520
Si, concentration profiles of implanted ^{31}P 4−32575
n-Si, crystals, resist. variations rel. to growth striations 4−32953
Si, diffusion of B, rel. to dislocation generating sources 4−9921
Si, diffusion of B from glassy borate containing organic film *(Russian)* 4−21208
Si, dopant redistribution, during thermal oxidation, models 4−10553
Si, doping profile at p-n junction investig. using electron beam microprobe *(German)* 4−20673
Si, doping rate determ. from temp. variation of m.o.s. struct. *(French)* 4−13569
Si, impurity detection sensitivity, He^{2+}, C^{2+} back scatt. technique 4−6951
Si, ion implantation, etch rate characterization of thermally grown oxide layer 4−6987
Si, P diffusion from SiO_2 layers, temp. depend., ambient atm. effect 4−25268
Si, p-n-p junctions, profile scanning by beam induced signals *(German)* 4−6666
Si, polycryst. film, growth, characterisation and conduction model 4−17180
Si, wafer heating during ion implantation 4−33629
Si dendritic crystals, B-doped, X-ray topographic investigation of defect distrib. 4−32840
Si epitaxial layer, three-dimensional impurity profile 4−1450
Si film, electrochem. etching form., dopant atom diffusion 4−29009
Si IC, by hydrocarbons, photoemission electron microscope investigation 4−8520
Si IC wafer, using spun-on silica layer diffusion sources 4−17187
Si:^{84}Kr, impurity distrib. $^4He^+$ back-scatt. anal. 4−21212
Si:As, diffusion profiles, backscattering and differential conductance comparison 4−29013
Si:B, As, simultaneous diffusion from predeposited sources, cooperative effects 4−17185
Si:B, defect generation at stacking faults in thin films 4−3668
Si:B, diffusion from H_2-BBr_3 mixture, surface effect 4−29022
n-Si:B, kinetics of negative annealing, precip. of boron assoc. with dislocations 4−20333
Si:B, open-tube BBr_3 diffusion systems, use of water vapour as oxidant 4−41502
Si:B(P), detectability limits for B or P by Auger spectroscopy 4−25284
Si:N, ion implanted thin foil preparation for electron microscopy 4−40725
Si:P, alpha backscattering technique for phosphorus detection 4−6976
Si:P, degenerate, P redistrib. during thermal oxidation, Auger and ellipsometric obs. 4−41497
Si:P, diffusion under oxidising atmospheres 4−13582
Si:P, Fermi level at diffusion temperature 4−13147
Si:P, from $^{30}Si(n,\gamma)^{31}Si \rightarrow ^{31}P$, for thyristors and rectifiers 4−33614
Si-Ge:P, structural changes during P precipitation 4−3504
Si-SiO_2, penetration depth of dopants *(German)* 4−4050
SiC, doping by implantation 4−9927
6H-SiC, ion implantation 4−9928
Te:Se, 1.2-77K, doping 0-1500 p.p.m., isoelectronic impurity states, elec. props. 4−13148
TiO_2, rutile, flux-grown crysts., elec. props., B incorporation effects 4−41034
ZnSe, Cd diffusion, comp.-depth profiles, photolum./chem. etching obs. 4−37768
$ZnSiAs_2$, effect on carrier conc. and mobility 4−13180
$ZnSiP_2$, growth from tin soln., temp.-comp. diagram of $ZnSiP_2$:Sn system 4−4048

semiconductor electron states *see crystal electron states*

semiconductor growth
chalcopyrites, $A^{II}B^{IV}CV_2^V$ type 4−37775
chemical vapour deposition, review 4−21216
electroluminescent material, single cryst. growth, review *(Czech)* 4−21209
film, bibliography for 1971, in book 4−6970
film deposition, laser vaporisation method, anal. *(Russian)* 4−33612
II-VI compounds, from vapour, supersaturation control anal. 4−32457
II-VI compounds, melt compositions during growth in high-press. furnace 4−13577
III-V compound, epitaxial growth, for light emitting diodes, review 4−25266
III-V pseudo-binary compound, vapour phase epitaxy *(French)* 4−25263
light emitting diode material, epitaxial growth, review 4−25280
liquid phase epitaxy apparatus, with high capacity, utilising thin melts 4−10554
review, of trends 4−33625
stripe geometry double heterostructure, with internally striped planar structure, successive solution growth for laser diodes 4−31052
vv $CdGeAs_2$, Bridgman growth 4−37775
AlGaAs, improved boat for multiple-bin liquid phase epitaxy 4−13578
$Al_xGa_{1-x}As$, liq. phase epitaxial growth on polished and roughed GaP substrates, for transmission photocathodes 4−41498
$Al_xGa_{1-x}As$, selective liq. phase epitaxy 4−6994
$Al_xGa_{1-x}Sb$ (x=0 to 0.4) thin film, epitaxial build up from metallic melt *(Russian)* 4−1440
$Al_xIn_{1-x}Sb$, electroreflectance spectra of step-freeze grown samples, 0.2-3μ, composition depend. of E_0, E_1 transitions 4−41395
As_2Te_3, homogeneous film prep. by single source steady state sublimation 4−25275
$B_{13}As_2$, hetero-epitaxial growth on Si substrates 4−21206
BP on Si substrate, hetero-epitaxial growth using B_2H_6-PH_3-H_2 system 4−37771
$CdCr_2S_4$, chemical vap. transport, comp. determ. 4−29011
$CdCr_2Se_4$, chemical vap. transport, comp. determ. 4−29011
$CdCr_2Se_4$, formation in CdSe-Cr_2Se_3 system, phase diagram 4−3552
CdGeP, directional solidification, quality, doping 4−13581
CdS, film, oblique growth orientation, RHEED 4−10557
CdS, monocrystalline film growth on mica, chemical transport, interfacial layer 4−29023
CdS, self-heterodiffusion tests 4−1448
CdS, single cryst. prep. with radiation-stability to ionizing radiations 4−33615
CdS film, on GaAs cryst. substrate *(Russian)* 4−37127
CdSe, orientation on CdSe, needle and plate form. conditions 4−33627
CdSe, vacuum deposited films, stoichiometric influence on structure 4−6572
CdSe epitaxial layers, prep. by vapour transport 4−29020
CdSe thin film transistor structure, use of radiant heating for evaporation 4−37781
CdTe, high purity single cryst. growth by vertical zone melting 4−6982
CdTe, thin film, cumulative vacuum deposition, internal macrovoltages *(Russian)* 4−1249
CdTe thin films, recrystallisation limited by stimulator diffusion *(Russian)* 4−6997
$CuGaSe_2$-ZnSe pseudo-binary system, solid soln. form. and large cryst. prep. 4−25274
Cu_2GeSe_3, from melt, phase struct., elec. props. 4−29016
$CuInSe_2ZnSe$ pseudo-binary system, solid soln. form. and large cryst. prep. 4−25274
$CuPbSbS_3$, growth by modified zone-melting method, and characterization 4−4044
Cu_2S, on CdS sigle cryst., aq. soln., growth rate 4−29015
Cu_3SbSe_4 type cpds., melt growth mechanism 4−4043
p-Cu_2Se on ZnSe, heterojunction formation from vapour phase, electroluminescence 4−4013
Cu_2SnSe_3, from melt, phase struct., elec. props. 4−29016
Ga-GaAs, epitaxial efficiency coefficient for growth from liquid phase 4−13579
$Ga_{1-x}Al_xAs$ layer, liquid phase epitaxy, composition 4−25262
$Ga_{1-x}Al_xAs_{1-y}P_y$, liq. phase epitaxial layers on GaAs substrate, stress compensation 4−13567
$Ga_{1-x}Al_xP$ heterostructures for optical waveguide modulators, preparation by liquid-phase epitaxy *(German)* 4−17188
$Ga_{1-x}Al_xSb$ single cryst. layers, liq. phase epitaxy *(French)* 4−33611
GaAs, application to CO_2 laser windows 4−56
GaAs, as-grown single cryst., zone form. obs. 4−17189
GaAs, by chemical vapour transport, effect of compositional convection 4−33605

semiconductor growth continued
GaAs, epitaxial layers from liquid Pb 4-25271
GaAs, film growth from a thin solution layer between substrates 4-6996
GaAs, improved boat for multiple-bin liquid phase epitaxy 4-13578
GaAs, layer thickness investig., comparison with theory 4-20495
n-GaAs, liquid phase epitaxy on semi-insulating substrate, doping profile obs. 4-29014
GaAs, liquid phase epitaxy, temp. gradient influence, numerical anal. 4-33616
GaAs, substrate etching effect on growth kinetics of autoepitaxial layers *(Russian)* 4-33613
GaAs, vapour-grown, impurity profile measurements 4-6978
GaAs, zone melting, crucibleless, temp. distrib. investigation *(Russian)* 4-21198
GaAs and GaAs-$Ga_{1-x}Al_xAs$ structures, molecular beam epitaxial growth and props. 4-25272
GaAs film, epitaxial, defects, influence of degree of imperfection of substrate 4-28312
GaAs film growth rate anisotropy in GaAs-$AsCl_3$-H_2 system, Zn impurity effects *(Russian)* 4-37767
GaAs layers, homoepitaxial, surface morphology investigation *(German)* 4-10063
GaAs multilayer epitaxial vapour growth, improved doping method 4-33623
GaAs thin film, nucleation, growth and structure, review 4-37778
GaAs thin-film waveguides, growth and evaluation at 10.6 micron wavelength 4-21217
GaAs:Si(Ge)(Sn), vapour epitaxial, growth temp. and substrate orientation effects 4-37772
GaAs:Sn(Te) doping profiles of films grown from soln. 4-33622
GaAs/$Ga_{1-x}Al_xAs$/GaAs transmission photocathode, fabrication by liq. phase epitaxy, and quantum yield 4-37734
$GaAs_x\ Sb_{1-x}$ epitaxial growth, layer thickness investig., comparison with theory 4-20495
$GaAs_{(1-x)}P_x$, epitaxial growth on GaAs substrate investig. rel. to cryst. morphology 4-21202
$GaAs_{1-x}P_x$ layer preparation using solid GaAs source and chlorides of As and P, soln. 4-37780
$Ga_xIn_{1-x}P$, electron beam microprobe anal. of epitaxial growth 4-3657
$Ga_xIn_{1-x}P$, epitaxial growth investig. rel. to layer and substrate comp. 4-20496
$Ga_xIn_{1-x}Sb$, liq. phase epitaxy, phase diagram *(French)* 4-41507
$Ga_xIn_{1-x}Sb$, low temp. solute diffusion technique 4-13580
n-$Ga_xIn_{1-x}Sb$, soln. growth and Gunn effect 4-41506
GaN, ammonolysis, sublimation, single crysts. 4-25269
GaN, deposition from gas phase in system not containing halogen 4-13576
GaP, epitaxial, for red l.e.d. manufacture *(Korean)* 4-6995
GaP, liquid encapsulated Czochralski growth, diameter control 4-33618
GaP, liquid phase epitaxy for red emitting diodes 4-6979
GaP, liquid phase epitaxy for green emitting diodes 4-6980
GaP layer, liquid phase epitaxy, morphology and thickness 4-25262
GaP layers, growth from thin aliquot melts, commercial process 4-6985
GaP single crystals, liq. phase epitaxy by centrifugal tipping technique 4-6988
GaP:Zn, green emitting diode prod., liquid phase epitaxy 4-29017
n-GaSb, liquid phase epitaxy, undoped, elec. props. 4-29012
GaTe, sublimation, vap. transport, single cryst. props. 4-37770
Ge, amorphous film deposition, substrate temp. depend. 4-32827
Ge, autoepitaxial deposition on rectangular substrates *(Russian)* 4-10062
Ge, cylindrical monocrystals, Stepanov's method, impurity distrib. *(Russian)* 4-10548
Ge, dislocation structure, grain form. effect in shaped monocrystals *(Russian)* 4-10550
Ge, from melt, shaped monocrystals, large cross sectional area *(Russian)* 4-10546
Ge, monocrystalline rods, impurity distrib. resist. and Hall effect meas. *(Russian)* 4-13572
Ge, monocrystals, control of capillary shaping process from melt *(Russian)* 4-10547
Ge, on W, field emission, field ion microscopy, struct. obs. 4-13110
Ge, rectangular section, forming features, Stepanov's method *(Russian)* 4-10545
Ge, thin strips, elevated melt press., Stepanov's method *(Russian)* 4-13570
Ge, whisker growth by vapour-liquid-solid mechanism, periodic instability 4-3669
Ge rods, group growing process, Stepanov's method *(Russian)* 4-10542
Ge-Si, alloys, X-ray topography, growth composition, dislocations *(Russian)* 4-13575
$GeTe_2$, amorphous film, r.f. sputtering, d.c. substrate bias effect 4-37769
$HG_{1-x}Cd_xTe$, freezing interface and diffusion layer obs. 4-41494
InAs films, grown on Al_2O_3 ceramic 4-41509
$In_xGa_{1-x}As$, Schottky-barrier avalanche photodiode at 1.06 μm 4-37758
$In_xGa_{1-x}As$, thermodynamics of preparation from vapour phase and determ. of equilibrium 4-4049
$In_yGa_{1-y}As$ crystal doped with Ge, amphoteric properties 4-17178
$In_{1-x}Ga_xAs_{1-y}P_y$, liq. phase epitaxy on InP, heterojunction growth and characteriz. 4-6989
$In_{1-x}Ga_xP(x\sim 0.7)$, epitaxy on $GaAs_{1-x}P_x$ 4-28888
$In_xGe_{1-x}As$:Sn(Te), doping profiles of films grown from soln. 4-33622
InP, from melt, gradient freeze technique, doping 4-29018
InP, LED mat., liquid phase epitaxy and dopant behaviour 4-17104
InP, LPE growth from Sn soln., efficient electrolum., for l.e.d. applic. 4-41496
InP:Cr, cryst. growth, eutectic form. investig. by instrumental methods 4-21203
InSb shaped crystals, dislocation, grain form. *(Russian)* 4-13573
InSe, zone melting, synthesis of In_5Se_6, In_2Se 4-33619
Pb-Sn-Se(Te), ternary phase diag., liq. phase epitaxy 4-33617

semiconductor growth continued
n-PbTe, on $Pb_{1-x}Sn_xTe$, diode laser fabrication 4-15368
Se, thin film, reversible transformation to cryst., liquid and vapour phases 4-1190
Si, elec. effects of growth striations, in vidicon tubes 4-17176
Si, epitaxial growth on ion-implanted SiN layer 4-10541
Si, film, epitaxial growth in horizontal reactor, heat and mass transfer, transport eqns. 4-32826
Si, film epitaxy with ion sputtering, growth surface step motion 4-20498
Si, microdefects in dislocation-free crystals 4-3495
Si, monocrystals from melt, Chokhral'sky's method, angle of wetting *(Russian)* 4-13571
Si, on W, field emission, field ion microscopy, struct. obs. 4-13110
Si, polycryst. film, growth, characterisation and conduction model 4-17180
Si, review 4-33624
Si, shaped crystals, e.m. field and temp. distrib. in working zone *(Russian)* 4-10543
Si, shaped crystals from melt, in crucible or on mounting *(Russian)* 4-10544
Si, shaped ingots, Stepanov's method, temp. distrib. calc. *(Russian)* 4-13048
Si, thin crystal and layer, for transilluminational electron microscopy 4-24359
Si epitaxial reactor, minicomputer control 4-4051
Si film, effect of deposition parameters on grain size 4-6568
Si film, epitaxial, on insulating substrate 4-6986
Si thin film, nucleation, growth and structure, review 4-37778
Si vapour deposition plant, power supply 4-33626
Si whisker growth by vapour-liquid-solid mechanism, periodic instability 4-3669
SiC, 6H type, epitaxial growth, 1320-1390°C, chemical vap. deposition 4-29008
SiC, α and β type thin films, liquid epitaxy and sputtering prep. 4-10556
SiC, chem. vapour deposition on C fibres, fabrication and characteriz. 4-10527
SiC, epitaxial growth by chem. vapour deposition, electrolum. junction prep. 4-10526
SiC, epitaxial growth of layers, methods comparison 4-10525
β-SiC, epitaxial growth on Si, kinetics and growth mechanism 4-10529
β-SiC, epitaxial growth on Si, growth morphology and perfection 4-10530
SiC, single cryst. growth from Si vapour and carbon 4-10534
SiC, single cryst. vapour phase growth mechanism and parameters 4-10535
β-SiC, soln. grown, inclusion obs. in large crysts. 4-10538
β-SiC, sputter deposition and annealing 4-10528
β SiC, thin film, epitaxial growth on Si 4-1452
SiC layers, seeded soln. growth using Ti-Si flux 4-10539
SiC layers on AlN substrates 4-10531
α-SiC(:B) epitaxial layer, growth investig. rel. to temp. dependence, morphology 4-21204
SmB_6, pure and Eu doped single crysts. growth for cond. meas. 4-37776
Te, factors controlling Czochralski growth of monocrystals, temp. profile requirement 4-41515
TiO_2, rutile, flux-grown crysts., elec. props., B incorporation effects 4-41034
$Tl_2Se_xTe_{1-x}$, amorphous film, flash evaporation 4-41131
$Tl_2Se_xTe_{1-x}$, amorphous films, preparation by flash evaporation, electrical props. 4-41132
$ZnGeP_2$ Bridgman growth 4-37775
ZnO, film transducer fabrication, sputtering nucleating surface influence 4-28762
ZnO, needle growth from molten KOH soln., Raman spectra 4-21201
ZnO, self-heterodiffusion tests 4-1448
ZnS, epitaxial film, local energy levels, energy of deposition *(Russian)* 4-6591
ZnS films, 100μ, electro-optic devices, growth from vapour phase, technique 4-4047
ZnS:TbF_3, electroluminesc. film, optical and elec. props., vacuum evaporation *(Japanese)* 4-37773
ZnSe, vapour phase transport in Ar or H_2, evap. obs. *(French)* 4-25279
ZnSe-ZnTe heterojunctions, liquid-phase epitaxial growth 4-17182
$ZnSiAs_2$, Bridgman growth 4-37775
$ZnSiP_2$, from tin soln., temp.-comp. diagram of $ZnSiP_2$:Sn system 4-4048
$ZnSiP_2$, growth by I_2 vapour transport method, morphology rel. to growth mechanism investig. 4-21205
$ZnSiP_2$, vapour transport, single-stage procedure 4-37775
$ZnSnSb_2$, from Sn solution, elec. props. 4-29007
ZnTe on ZnSe crystals, heterojunction formation, electroluminescence 4-4012
ZnTe vacuum evaporated films, critical substrate temp. rel. to texture and optical transmission 4-37763

semiconductor imperfections *see semiconductor defects*

semiconductor-insulator boundaries
laser, localised semiconductor diffusions using local laser melting in doping atmosphere 4-37313
CdSe-Dy_2O_3, surface state energy levels, m.i.s. CV charac. temp. depend. 4-41120
CdSe-Si_xO_y, surface state energy levels, m.i.s. CV charac. temp. depend. 4-41120
Si surface recombination rate, effect of aluminium di-2,4-pentandionato-mononitrate film, impurity diffusion *(Russian)* 4-20664
Si-sapphire, expansion, resist. changes, stress relax. obs. *(Russian)* 4-13108
Si-SiO_2, anodic, state density at interface, effects of cryst. orientation 4-24838
Si-SiO_2, condensator photoelectromotive force at high injection levels *(Russian)* 4-33036
Si-SiO_2, elec. props., effect of metallisation-induced stress 4-37314
Si-SiO_2, electron injection into SiO_2 from avalanching p-n junction 4-1271

semiconductor-insulator boundaries continued
Si-SiO_2, fast interface states, low temp. photocapacity in m.o.s. struct. 4–20696
Si-SiO_2, fundamental props., effect of Si cond. type 4–28500
Si-SiO_2, injection and removal of ionic charge through SiO_2/air interface, room temp. 4–37035
Si-SiO_2, interface props., m.o.s.t. transfer admittance obs. 4–41126
Si-SiO_2, Si-SiO_2-Si_3N_4, ionic charges, effects of annealing ambients 4–24831
Si-SiO_2, surface charge and stress distrib. 4–13229
Si-SiO_2, surface states, low density, meas. method 4–20695
Si-SiO_2, thermal growth kinetics of HCl-O_2 oxides 4–6562
Si-SiO_2, thin oxide m.o.s. struct., effective surface density of states, saturation capacitance obs. 4–41127
Si-SiO_2 film, X-ray diffr. topographs 4–20501
Si-SiO_2 interface, effects of Ni, m.o.s. CV characts. obs. 4–20697
Si-SiO_2 interface, m.o.s. cond. technique, effect of energy-depend. capture cross section on data interpret. 4–37315
p-Si-SiO_2 system, activation of SiO_2 film, rel. to radiation detector applic. *(Russian)* 4–18621
p-Si-SiO_2 system, applic. to radiation detectors *(Russian)* 4–18620

semiconductor integrated circuits *see monolithic integrated circuits*

semiconductor junctions
see also p-n junctions
avalanching semiconductor diode, magnetoresistance anal. 4–20674
electrolyte/semiconductor interface, elec. double layer, book 4–21570
GaAs, p-i-n diode, carrier transport in relax., mag. field effects 4–1270
multiple deep level characterisation, by admittance measurement 4–24821
p-n-m diode, nonequilibrium charge carrier density 4–6671
p-n-n^+ diode, nonequilibrium charge carrier density 4–6671
photocurrents induced by radiation pulse, transitory effects *(French)* 4–3776
photodetector applications 4–37301
scanning electron microscopy, failure anal. 4–8529
CdS-GaAs junction, autodoping effects near interface 4–41115
(Ga,Al)As/GaAs, etching of (110) cleaved faces, etch pattern investig. *(German)* 4–20489
$Ga_{1-x}Al_xAs$-GaAs heterojunction, photolum. probing 4–37304
InP-$In_{1-x}Ga_xAs_{1-y}P_y$, lattice-matched, growth and characterization 4–6989
Se-CdSe, annealed at 413 and 483K, capacitance *(Russian)* 4–37302
Si, p-n-p junctions, profile scanning by beam induced signals *(German)* 4–6666
Si, polycrystalline, p-i-n junctions, prep. and elec. props. 4–20678
Si, surface contamination on polishing and cleaning, backscatt. obs. 4–1171
Si amorphous-crystalline junctions, rectification, characteristics, photovoltage production 4–16815
ZnTe-InAs heterojunctions, manuf. 4–16813

semiconductor lasers
application of semiconductor laser diode arrays, helicopter night vision 4–19154
conditions of existence of coherent field, theory *(Russian)* 4–11938
distributed feedback laser, transverse mode control 4–19122
double heterojunction laser, reduction of threshold current by electron superinjection 4–23347
double-heterojunction, stripe geometry, losses and transverse mode selection 4–39751
fabrication, and application in holography 4–39263
field dynamics, intensity depend. index of refraction 4–11939
injection laser, strong polarisation, spontaneous and coherent props. 4–35868
internally striped laser, transverse single mode, for optical communication 4–5510
junction, possibility of light pulse generation by external mag. field 4–306
large-signal direct modulation 4–5508
light pulse generation employing external magnetic field *(Japanese)* 4–15369
optical coupling 4–15371
optical coupling of two diodes, shortening of emission time under pulse drive *(German)* 4–23349
optical gain theory and threshold properties 4–23345
optical investigation, high pressure chamber, low temperatures 4–4990
Q-switching and long delays, critical review 4–31046
research, optical chamber, pressure up to 10 kbar, 77K 4–5043
spectral emission temp. depend., band tail saturable absorpt. model for long time delays 4–31044
stripe contact, current thresholds, from current distrib. analysis 4–5511
stripe geometry double heterostructure, with internally striped planar structure 4–31052
terrain following system., injection laser 4–19155
thin film, evanescent field coupling to passive waveguide, optimum conditions 4–35867
tracking and ranging systems applics., ships guiding apparatus *(Japanese)* 4–11971
tunable, review 4–281
tunable, spectroscopic appls., props. 4–23353
$Al_xGa_{1-x}As$, multiple layer heterojunction structure investig. using electron microprobe anal. 4–20672
$Al_xGa_{1-x}As$-GaAs heterojunctions, light and voltage noise 4–15372
(Al.Ga)As, double heterostructure diode, degradation mechanism 4–35863
CdS, intense recomb. radiation and room temp. lasing, high voltage r.f. current pulse excitation 4–8833
CdSe, as tunable i.r. parametric oscillator 4–5509
GaAlAs, double heterostruct., p.c.m. current modulation, method for pattern effect reduction 4–305
GaAlAs diode, pumping of IR dye laser 4–31034
GaAlAs laser p.c.m. communication experiment 4–19161
GaAlAs pulsed diode laser, excitation of i.r. dye waveguide laser 4–26976

semiconductor lasers continued
(GaAl)As/GaAs heterostructure, low threshold current density 4–5507
$Ga_{1-x}Al_xAs$, double heterostructure, 6190 Å emission, efficiency 4–39749
GaAs, coupling to optical fibres, use of microlenses 4–30499
GaAs, double heterostructure, mode guidance parallel to junction plane 4–19118
GaAs, electroluminescent diode, scanning electron microscope study 4–2627
GaAs, electron beam pumped, threshold current temp. depend., calc. 4–39753
GaAs, electron scatt. times, transport theory 4–26989
GaAs, junction laser determ. of minority carrier lifetime and diffusivity-mobility ratio 4–41083
GaAs, neutron-irrad. induced time delays, obs. 4–39752
GaAs, pump pulse length depend., output spatial characts. 4–31049
GaAs, reflectivity depend. of lasing photon energy 4–31043
GaAs, stripe geometry double heterostructure, carrier and gain spatial profiles 4–26988
GaAs, thin film, distrib. feedback and distrib. Bragg reflector, principles 4–31045
GaAs, twin laser set-up, meas. of material dispersion in long glass fibre 4–35903
GaAs array, high efficiency polarised 4–35865
GaAs double-heterostructure junction lasers, c.w. degradation, ambient temp. 4–23350
GaAs injection lasers, reliability 4–19120
GaAs laser-thyristor, epitaxial growth, design *(Hebrew)* 4–8835
GaAs lasing energy, temp. depend. 4–26986
GaAs quantitative analysis, barrier electron voltaic effect 4–23351
GaAs threshold reduction by addition of P to ternary layers 4–31053
n-GaAs:Ge, Si, Sn, electron beam excitation threshold, luminesc. obs. 4–31048
GaAs-(Ga,Al)As, DH, illumination for off-axis holograms 4–22881
GaAs-$Al_xGa_{1-x}As$, double heterostruct. type, beam divergence of emission, theory 4–35866
GaAs-$Al_xGa_{1-x}As$ double heterostructure, improvement for fibre optic communication system 4–31051
GaAs-AlGaAs heterostructure, progress in Japan 4–19119
GaAs-$Ga_{1-x}Al_2As$, spectral behaviour of pulsing double-heterostructure injection laser 4–39754
GaAs-$Ga_{1-x}Al_xAs$, DH, minority carrier lifetime meas. during gradual degradation 4–15370
GaAs-GaAlAs, DH, stripe geometry, defect structure during operation, dislocation network 4–8834
$GaAs_{1-x}P_x$:N, pumping by electron beam from gas plasma, 77K 4–31047
GaP, electroluminescent diode, scanning electron microscope study 4–2627
$In_xGa_{1-x}As$ c.w. laser diodes and high power arrays for 1.06 μ emission 4–39750
$In_xGa_{1-x}As$ diode, 1.06 μm emission, cw and pulse operation 4–31050
$In_xGa_{1-x}Ga$, p-n junction, prep., room temp. performance 4–35864
$In_{1-x}Ga_xP(x \sim 0.7)$, epitaxial growth, n- or p-type, luminesc. obs. 4–28888
InSb, far i.r. generation by optical mixing and stimulated Raman scatt., theory 4–23344
InSb, permanent-magnet, spin-flip Raman, field gradient for freq. tuning 4–307
InSb spin-flip Raman laser, mag. field behaviour interpretation from magnetoabsorpt. expts. 4–25110
Pb salts, tuning characts., efficiency power, appls. 4–8836
$PbS_{1-x}Se_x$ tunable diode, 4.3 to 8.5 μm, improvements, output over 1 mW 4–31054
$Pb_{1-x}Sn_xSe$, band inversion under hydrostatic press., laser emission 4–35869
$Pb_{1-x}Sn_xTe$-PbTe p-n heterojunction laser, fabrication and characts. 4–15368
PbTe, thin film, waveguide props., luminesc. 4–26987

semiconductor materials
Specific materials only. See also amorphous semiconductor materials; elemental semiconductors; II-VI semiconductors; III-V semiconductors; ionic semiconductors; liquid semiconductors; oxide semiconductors. For generalities and properties of unspecified materials see semiconductors
anthracene, thermal activation energies for cond. interpret. 4–1228
anthraquinone, charge transport calcs., band struct., mobility anisotropy 4–6626
arylethynyl copper, photoconductive props., effects of struct., O_2 in air 4–37271
chalcopyrites, $A^{II}B^{IV}C^{V}$ type, cryst. growth 4–37775
chloranil-trimethylamine, charge-transfer complex, electron transport, doping effects, hopping, tunnelling mechanism 4–3739
cold-cathodes for microwave vacuum devices 4–13556
compound, rotating jet thinning apparatus for taper section and electron microscope specimen prep. 4–998
copper phthalocyanine, model of elec. transport phenomena and surface states 4–3736
1,5-diaminonaphthalene, elec. cond., zone refined, impurity effect 4–32944
evaluation, automated digital meas. of CV curves and derivatives, and capacitance transients 4–5105
γ-Ga_2S_3, infrared reflection spectra obs. 4–1390
glazes, for h.v. insulators, interference and flashover problem soln. 4–38007
I-III-VI_2, n.m.r. spectra 4–33301
I-IV-VI, growth from melt, elec. props. 4–29016
II-IV-V_2 compounds, nonlinear optical properties, susceptibility calc. 4–35897
II-IV-V_2 compounds, struct. defects 4–28094
IV-VI compounds, review of struct., bonding, lattice dynamical props. 4–25064
low temperature uniaxial compression investig., He cryostat attachment 4–35225
magnesium acetate tetrahydrate:VO^{2+}, e.p.r. spectra, struct. anal., H_2O vacancy model 4–28701
narrow gap, magnetic field enhancement of laser beam self focusing 4–27015

semiconductor materials continued
optical properties, thermoelec. cryostat 4−18400
organic molecular complexes, semicond., photocond., resist. determ., visible spectra rel. to cryst. electronic states 4−37272
polyethylene film, between Au and Al electrodes, elec. switching behaviour 4−37338
quinolinium $(TCN)_2^-$, Hall mobility using cavity resonators 4−10171
resistivity, free-carrier lifetime, contactless meas. 4−18519
resistivity measurement, four point probe meas. 4−6998
selenides, $(Eu,Yb,Ca,Sr,Ba)(Al,Ga,In)Se_4$, synthesis, photolumines c. 4−25153
β-SiC, epitaxial growth on Si, kinetics and growth mechanism 4−10529
sulphides, $(Eu,Yb,Ca,Sr,Ba)(Al,Ga,In)S_4$, synthesis, photoluminesc. 4−25153
TCNQ salt, $Cs_2(TCNQ)_3$, cryst., i.r., Raman spectra of TCNQ sites, ground state charge densities 4−41363
TCNQ-triphenylmethylphosphonium (arsonium) complexes, surface morphology, slip, electron and optical microscopy *(German)* 4−20308
$TEA(TCNQ)_2$, electrical conductivity and dielectric constant meas. at 10^8 and 2×10^8 Hz 4−28442
$TEA(TCQN)_2$, anisotropic, polarised optical reflection spectra obs. 4−37626
telluride compounds, neutron flux damage, Mossbauer effect 4−24493
tetracene, crystalline, triplet exciton-charge carrier interaction 4−6598
tetrathiotetracene, semicond. props., role of dithiotetracene impurity *(German)* 4−10149
thermoelectric, semicond. properties, measurement 4−16783
trace metal analysis, flameless atomic absorpt. spectrometry 4−15064
transition metal dichalcogenides, review of properties 4−16711
transition metal oxyfluorides, rutile struct., elec. cond. *(French)* 4−28050
transition metal sulphospinels, synthesis and characteriz. 4−28052
vapour transport, single-stage procedure 4−37775
vv $CdGeAs_2$, Bridgman growth 4−37775
$AgGaS_2$, energy gap, anomalous temp. depend., 4.2 to 300 K, optical meas. 4−13141
$AgGaSe_2$, second harmonic generation, i.r. mixing, laser tuning 4−35883
$AgInS_2(Se_2,Te_2)$, band struct. calc. *(Russian)* 4−41021
$AgSbTe_2$, energy gap width 4−1199
Ag_2Se, i.r. spectra, temp. depend. of effective electron mass 4−25113
Ag_2Se, polymorphic transform., electron microscope investigation of low and high temp. phases 4−13043
Ag_2Se, refl. spectrum, cond. band dispersion, depend. on carrier density, 330 K 4−25112
Ag_2Te, i.r. refl. spectra anal., conduction band struct. 4−16710
Ag_2Te, inelastic scatt. of electrons investigation 4−28414
As_2S_3, cryst. photolum. decay kinetics 4.2 K 4−17110
As_2S_3, crystalline, optical consts. and electronic struct., 3-35 eV range 4−37161
As_2Se_3, cryst., photolum. decay kinetics 4.2 K 4−17110
$B_{13}As_2$, hetero-epitaxial growth on Si substrates 4−21206
BP on Si substrate, hetero-epitaxial growth using B_2H_6-PH_3-H_2 system 4−37771
$BaTiO_3$ ceramic, PTC anomaly, transition element dopant effects 4−37231
$BaTiO_3$:Dy, Mossbauer spectra, isomer shift, conc. depend. 4−37536
$BaTiO_3:Sb_2O_3$, ceramic semiconductor, effect of heat treatment on posistor effect 4−6619
Bi-Sb alloy, h.f. cond., interband breakdown conditions 4−32994
Bi(S,Se)I, ferroelect. semicond., far i.r. reflectivity, polar optic phonon investig. 4−20376
$Bi_{0.92}Sb_{0.08}$, monocryst., magnetoplasma wave dispersion under hydrostatic pressure *(Russian)* 4−6652
$Bi_{1-x}Sb_x$, magnetoplasma wave propagation, carrier drift influence 4−32995
$Bi_{92}Sb_8$, pure and doped, magnetoplasma wave dispersion, rel. to band struct. 4−37154
n-Bi_2Se_3, cond. tensor from Shubnikov de Haas expts. 4−32980
n-Bi_2Se_3, trigonal warping of Fermi surface, Shubnikov-de Haas obs. 4−3700
Bi_2Te_3, i.r. reflectivity meas. to determ. dielectric const. and optical phonon information 4−1392
Bi_2Te_3, lattice expansion, 4.2-600 K, anisotropy 4−20426
n-BiTeBr, layered crysts., i.r. absorpt., energy struct. features 4−17077
$Bi_8Te_7S_5$ film, elec. cond., 77 and 300K, quantum size effect 4−24843
$Bi_8Te_7S_5$ film, field effect cond., quantum size effects 4−24844
Ca_2IrO_4, rel. to cryst. struct. 4−32512
$CaO_x.NiO_{1-x}.Fe_2O_3$, elec. resist., comp. depend. *(French)* 4−28401
Cd_3As_2, conduction band models 4−3696
Cd_3As_2, negative longitudinal magnetoresistivity meas. at 300K and 84K 4−24760
Cd_3As_2, optimization for thermal detector based on Nernst effect 4−13197
$CdCr_2S_4$, chemical comp., vap. deposited, doping 4−29011
$CdCr_2Se_4$, chemical comp., vap. deposited, doping 4−29011
$CdCr_2Se_4$, formation in $CdSe$-Cr_2Se_3 system, phase diagram 4−3552
$CdCr_2Se_4$ single cryst., mag. semicond., magnetoresist., temp. and magnetic field depend. 4−6642
$CdF_2:ScF_3$, photoionisation absorption spectra in near i.r. 4−10457
$Cd_{1-x}Fe_{1\|x}SnS_4$, mag. and elec. props. 4−28052
$CdGa_2S(Se)_4$, optical props., band struct., 200-600 nm 4−25131
$CdGa_2Se_4$:Au, photoconductivity, trapping processes and luminescence obs. 4−28452
CdGeP, directional solidification, quality, doping 4−13581
$CdGeP_2$, long wavelength absorpt. edge struct., energy gap 4−37631
$CdIn_2S_4$, band struct., Heine-Abarenkov model potential calc. 4−32868
$CdIn_2S_4$, memory effect obs. 4−41100

semiconductor materials continued
$CdIn_2S_4$, negative magnetoresistance effect 4−28428
$CdIn_2S_4$:Cu(Au), relax. of photocond., residual cond., optical memory effects 4−24779
$CdIn_2S_4$-Au Schottky barrier diode, photocond. props. 4−28492
$CdIn_2Te_4$, thin films, form. conditions and elec. props. *(Russian)* 4−6680
$Cd_2Os_2O_7$, semicond.-metal transition, cond. mag. susceptibility and thermoelec. power obs. 4−24795
CdP_2, optical and electroabsorption spectra, anisotropy obs. phonon type and energy determ. 4−3985
CdP_2, Raman scatt., 30-500 cm^{-1}, room temp., band assignment 4−37618
CdP_4, optical and electroabsorption spectra, anisotropy obs. phonon type and energy determ. 4−3985
CdSb, band struct., empirical pseudopotential calc. 4−10093
CdSb, electron mobility anisotropy temp. depend., p-type Dember and photomag. effects 4−24744
CdSb:Te, anisotropy of elec. cond., Hall coeff., depend. on donor conc. 4−24767
CdSb(II), semiconductor, band struct., empirical pseudo pot. anal. *(Japanese)* 4−37171
$CdSiP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4−33438
$CdSnP_2$-CdSe heterojunction, spectral characts. of photosensitivity *(Russian)* 4−33028
$CdSnP_2$-Cu_2S heterojunction, spectral characts. of photosensitivity *(Russian)* 4−33028
$Co_{1-x}M_xSi$ (M=Fe, Ni) solid solutions, elec. cond., thermopower meas. 4−13189
$Cr_{1-x}M_xSi_2$ (M=V, Mn) solid solutions, elec. cond., thermopower meas. 4−13189
Cr_2S_3, range of stoichiometry and defect struct. 4−3491
β-CrSe, Cr_7Se_8, Cr_2Se_3, 80 to 440K 4−3596
$CuAlS_2$, valence band density of states and core levels, X-ray photoelectron obs. 4−10091
Cu_3AsSe_4, thermal cond. in liquid and solid states 4−3594
CuCl(Br) binding energy of excitonic molecules determ. 4−3720
$CuGaS_2$, hole density, resist., ionisation energy meas., temp. depend. 4−28403
$CuGaSe_2$-ZnSe pseudo-binary system, solid soln. form. and large cryst. prep. 4−25274
Cu_2GeSe_3, growth from melt, struct., elec. props. 4−29016
$CuInSe_2$, fabrication of p and n-type single crystals, zone levelling technique 4−13565
$CuInSe_2$, films, flash evaporated, struct., elec. cond. 4−20510
$CuInSe_2$ p-n junction, electrolum., quantum efficiency of band near 1.34 μ 4−41432
$CuInSe_2ZnSe$ pseudo-binary system, solid soln. form. and large cryst. prep. 4−25274
$CuInTe_2$, elec. props. rel. to doping, stoichiometry, Hall and thermoelec. props. 4−10168
$CuPbSbS_3$, growth by modified zone-melting method, and characterization 4−4044
Cu_2S, form. on CdS single cryst., aq. soln., growth rate 4−29015
p-Cu_2S-n-Si, heterojunction, photosensitivity 4−28485
Cu_xS-CdS topotaxial heterojunction, photovoltaic efficiencies of Cu_xS phases 4−41116
Cu_3SbSe_4, thermal cond. in liquid and solid states 4−3594
Cu_3SbSe_4 type cpds., phase diagram and elec. props., cryst. growth 4−4043
Cu_2Se-ZnSe heterojunction, prep. by vapour phase epitaxy, and electrolum. 4−4013
Cu_2SnSe_3, growth from melt, struct., elec. props. 4−29016
EuB_6, elec. cond. mechanism *(French)* 4−41065
EuO, ferromag., surface spin-exchange scatt. of photo- and field-emitted electrons 4−10518
EuO thin film, magnetoresist. and photomagnetoresist. obs. near Curie temp. 4−10167
EuS, ferromag., surface spin-exchange scatt. of photo-and field-emitted electrons 4−10518
EuS film junction, ferromag., mag. field depend. switching effect 4−24827
EuS magnetic semiconductor, Raman scattering at 300 K *(German)* 4−25083
n-EuSe, positive magnetoresistance, conduction band spin splitting 4−32978
EuSe magnetic semiconductor, Raman scattering at 300 K *(German)* 4−25083
Eu_3SiO_5, synthesis, magneto-optics, fluoresc. 4−33485
n-EuTe, positive magnetoresistance, conduction band spin splitting 4−32978
$FeCr_2S_4$, ferrimag., anisotropic resist. and magnetoresist. 4−3751
$FeCr_2Se_4$, thermal cond. meas., 80 to 440K 4−3596
Fe_2RhS_4, mag. and elec. props. 4−28052
FeS_2, localised levels rel. to NiS_2 bandlike valence electron states, photoelectron obs. 4−28356
GaAsSe chalcogenide glass, refr. index meas., 1.1-1.6 μm 4−37579
GaS, indirect excitons and phononless transitions, absorption and luminesc. spectra 4−28912
GaS, long-wavelength lattice vibrations, Raman and far i.r. absorpt. obs. 4−3972
GaS, luminescence and photocurrent, 4.2K to room temp. 4−17113
GaS-metal junctions, barrier height, influence of chem. reactions 4−24826
GaS(Se)(Te), electrorefl. spectra, anal. using theory of elec. field effect. on dielec. function 4−17043
GaSe, drift velocity meas. of electrons and holes 4−24738
GaSe, long lifetime photolum., 4.2-40K *(French)* 4−21051
GaSe, long-wavelength lattice vibrations, Raman and far i.r. absorpt. obs. 4−3972
GaSe, low temp. photolum., impurity effects 4−28904
GaSe, luminescence, doublet struct., exciton ground state, 4.2 K 4−25170
GaSe, neutron diffraction exam. of layer structure and phonon spectra *(French)* 4−40783
GaSe, photolum. and elec. props., impurity effects *(French)* 4−21050
GaSe, photoluminescence spectra, free exciton behaviour and phonon replicas 4−41430

semiconductor materials continued
GaSe, pseudodopotential calcs. from selection and absorpt. spectra, band-gap excitons 4−6597
GaSe single crystals, threshold switching 4−1258
GaTe, cryst. growth from vap., elec. props. 4−37770
GaTe, layer compound, optical consts., 1-6 eV 4−17036
GaTe film, fine struct., X-ray obs. by fourth-moment method *(Russian)* 4−6569
GeTe, band struct. from i.r. refl. spectra 4−32880
GeTe, film, electronic phase transition, O_2 chemisorption effect 4−37290
GeTe, film, nucleation and growth mechanism on KCl, SnTe 4−20508
$GeTe_2$, amorphous film r.f. sputtering, d.c. substrate bias effect 4−37769
$Ge_xV_{1-x}O_2$ first order phase transition, DTA, resist., mag. and X-ray meas. 4−37005
Hg_3Te_3-Ga_2Te_3, high pressure elec. and phase props., Hall effect meas. 4−20631
In-As-Te system, thermal anal., X-ray diffr. 4−32712
InBr single crysts., optical props. 4−33366
InSe, zone melting, synthesis of In_5Se_6, In_2Se 4−33619
In_2Se, photomodulation absorption mechanism, rel. to energy struct. *(Russian)* 4−33452
K_2CrO_4, elec. conductivity and activation energies, 25-320°C 4−10151
$K_2Pt(CN)_4Br_{0.3}.xH_2O$, Hall mobility using cavity resonators 4−10171
$La_xEu_{1-x}B_6$ solid solutions, elec. and mag. props. band model *(French)* 4−16706
$La_{1-x}Sr_xVO_3$, metal-insulator transition props., theory 4−3708
Mo dichalcogenides, vac. u.v. reflectivity, band struct. 4−33431
$(NH_4)_xV_2O_5$, prep., elec. cond., localised states 4−32516
Nb_2O_5, hot-pressed, electrophysical props. 4−37241
$NbSe_2I_2$, elec., photoelectrical props. and prep. 4−32931
$NbSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4−13592
Ni_3Al, high-field magnetoresistance, two band (s-d) model 4−6646
$NiCr_2Se_4$, thermal cond. meas., 80 to 440K 4−3596
Ni_3Ga, high-field magnetoresistance, two band (s-d) model 4−6646
NiS, hexagonal, elec. and mag. props. in transition region 4−24794
NiS_2 bandlike valence electron states rel. to FeS_2 localised levels, photoelectron obs. 4−28356
Pb chalcogenides, vacancy and interstitial states, investig. of props. 4−24709
Pb-Sn-Se(Te), ternary phase diag., liq. phase epitaxy 4−33617
$Pb_{1-x}In_xTe$, solid soln., absorpt. spectra, quasilocal impurity states 4−25147
Pb(S,Se,Te), wavelength modulation spectra investig. and interpretation 4−25123
PbS, epitaxial periodic p-n struct., electric and photoelectric props. 4−33027
PbS film, depend. of elec. cond. on thickness, influence of oxygen 4−28515
PbSe, anisotropy of electron and hole masses and g-factors by k.p calc. 4−28345
PbSe, photoelectron spectra investig. rel. to density of states calc. 4−25207
PbSe, press.-temp.-comp. diagrams and elec. characteriz. 4−13022
p-PbSnSe, recomb. of nonequilib. carriers at 77K 4−28427
$Pb_{1-x}Sn_xSe$, band inversion under hydrostatic press., laser emission 4−35869
$Pb_{1-x}Sn_xSe$, band inversion under hydrostatic press., galvanomag. props. 4−37168
$Pb_{1-x}Sn_xSe$, band struct. calc., band inversion under hydrostatic press. 4−37167
$Pb_{1-x}Sn_xSe$, effective mass of light holes, depend. on carrier density, nonparabolic valence band, 78 K 4−24768
p-$Pb_{1-x}Sn_xTe$, conversion to n-type by proton bomb. and isochronal annealing effect 4−10559
$Pb_{1-x}Sn_xTe$, ferroelec., dielec. const. explained rel. to TO-phonon mode softening 4−25067
$Pb_{1-x}Sn_xTe$, ionicity, valency and band inversion 4−3695
$Pb_{1-x}Sn_xTe$, semicond. soft mode, Landau transition investig. using inelastic neutron scatt. 4−24542
$Pb_{1-x}Sn_xTe$-PbTe p-n heterojunction laser, fabrication and characts. 4−15368
$Pb_xSn_{1-x}Te$ film on mica, struct., electrical, optical and photoelectric props. *(Russian)* 4−32832
PbTe, magneto-optical reflect. and transmittance meas., far i.r. region 4−25098
PbTe, n-type, optical absorpt. coeffs. meas., cond. effective mass evaluation 4−25099
PbTe, n.m.r. peak splitting due to defects 4−28712
PbTe, planar n-p junction photodiodes, fabrication by Sb^+ ion implantation 4−25273
PbTe, press.-temp.-comp. diagrams and elec. characteriz. 4−13022
PbTe, saturation effect on carrier conc. and type, impurity depend. 4−13183
PbTe, thin film, waveguide props. diode laser prep., luminsc. 4−26987
PbTe based II-IV-VI cpds., phase equil. relationships 4−13021
PbTe based thermoelectric materials, deform. mechanism, impurity effect *(Russian)* 4−20356
PbTe:Ga, impurity states, transport phenomena, optical absorpt. meas. 4−28367
PbTe:In, Hall coeff., elec. cond., magnetoresist., impurity band struct. 4−24766
PbTe:Sb^+, photodiode fabrication on BaF_2 film, ion implantation method 4−29005
PbTe-Ge heterojunction, prep., diode characts., spectral response 4−28487
PbTe-InTe system, phase diagram, thermoelec. props. obs. 4−6648
$PtSb_2$, Hall effect and magnetoresistance meas. in pulsed mag. fields 4−20636
Sb(S,Se)I, ferroelec. semicond., far i.r. reflectivity, polar optic phonon investig. 4−20376
SbSI, anomalous u.s. absorpt. during phase transition *(Russian)* 4−20947

semiconductor materials continued
SbSI, birefr. Meas., sample in paraelec. phase, elec. fields up to 2 kV cm^{-1} 4−28793
SbSI, ferroelec., cathodolum. on impurity levels, 25K *(French)* 4−41437
SbSI, Ferroelec., mag. field effect on Curie temp. 4−17031
SbSI, wavelength modulation spectra and electronic band struct. 4−41391
SbSI film, c-axis oriented, semicond. and dielec. props. 4−6850
Sb_2Se_3, photoemission energy distrib. curves, polarisation depend. and Se lone-pairs 4−10517
Sb_2Te_3:Ge, electrical props., effective masses using six valley model 4−16775
Se-Te mixed crystal, acceptor states investigation 4−28430
n-α-SiC, 6H polytype, impurity absorpt., fine struct. obs. for large impurity conc. 4−28880
SiC, 6H type, epitaxial growth, 1320-1390°C, chemical vap. deposition 4−29008
SiC, carrier velocity meas. 4−10162
SiC, chem. vapour deposition on C fibres, fabrication and characteriz. 4−10527
SiC, conf., Miami Beach, USA (Sep. 1973) 4−10647
SiC, diffusion and solubility of B, Al, Be and Ga impurities 4−9997
SiC, doping by implantation 4−9927
α-SiC, electrical props. of different polytype 4−10154
SiC, epitaxial growth by chem. vapour deposition, electrolum. junction prep. 4−10526
SiC, epitaxial growth of layers, methods comparison 4−10525
β-SiC, grown by gasphase method, cathodolum., 100-300K 4−10492
6H-SiC, ion implantation 4−9928
SiC, light-emitting diode, thermally stimulated e.m.f. of p-n junctions 4−24822
SiC, liq. phase epitaxy by travelling heater method 4−10537
SiC, natural superlattice rel. to electron energy spectrum 4−24450
SiC, neutron irrad., changes in temp. depend. of nonlinear conductivity *(Russian)* 4−1236
β-SiC, neutron irrad., X-ray diffr. peak profile analysis 4−24496
SiC, oxidation by O_2, CO_2 and CO, 1000-1600°C, kinetics 4−10059
p-SiC, resistance anomaly 4−10152
SiC, resistivity and Hall effect meas. 4−10153
SiC, screw dislocations, X-ray topographic obs. 4−24481
SiC, single cryst. growth from Si vapour and carbon 4−10534
SiC, single cryst. surface barriers, I-V, C-V characts. 4−33022
SiC, single cryst. vapour phase growth mechanism and parameters 4−10535
β-SiC, soln. grown, inclusion obs. in large crysts. 4−10538
β-SiC, sputter deposition and annealing 4−10528
SiC film, r.f. sputtered, prep., characterisation, and applic. 4−37759
SiC layer growth on AlN substrates 4−10531
SiC layers, seeded soln. growth using Ti-Si flux 4−10539
β-SiC polycrystalline films, elec. cond. *(Russian)* 4−20607
SiC polytypes, electronic energy band struct. calcs. 4−24698
β-SiC:B,N, photolum. spectra 4−10489
SiC:H(D), implanted, photolum. 4−10488
β-SiC:N, film, photoluminesc. mechanism, ion implantation synthesis 4−28908
SiC(4H), n-type, optical absorpt., main band transitions 4−17090
α-SiC(6H):B, absorption spectra of acceptor-exciton complexes at 86 K 4−17098
SmB_6, pure and Eu doped single crysts. growth for cond. meas. 4−37776
$Sm_{1-x}Nd_xSe$, metal-insulator transition props., theory 4−3708
SmS surface, laser induced phase transition to semiconducting state *(German)* 4−24705
SnS_2, band structure and photoemission obs. 4−16704
SnS_2, band structure and photoemission, theoretical investigation 4−16705
SnS_2, layer semiconds., electronic charge densities, pseudopotential band calcs. 4−20538
SnS_2 single crystals, Hall mobility, cond. in trigonal plane, temp. depend. 4−6643
SnS_2:Sb, Hall coeff. determ. rel. to temp., compared with pure SnS_2 *(French)* 4−41088
SnSe, wavelength modulation spectra investig. and interpretation 4−25123
$SnSe_2$, band structure and photoemission obs. 4−16704
$SnSe_2$, band structure and photoemission, theoretical investigation 4−16705
$SnSe_2$, layer semiconds., electronic charge densities, pseudopotential band calcs. 4−20538
SnTe, semicond. thin film, energy band investigs. using optical consts. determ. 4−24694
SnTe-PbTe-GeTe alloys, enhancement of superconductivity and phonon softening 4−24860
$SrTiO_3$, reduced, optical absorption spectra, process model 4−41394
$SrTiO_{3-x}$, superconducting semiconductor, energy gap determ. by tunnelling 4−37358
$TEA(TCNQ)_2$, elec. cond., anisotropy investigs. 4−16750
$TaSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4−13592
$TiGe_2$-Ge eutectic system, unidirectionally solidified microstructs. 4−13592
$Tl_2Se_xTe_{1-x}$, amorphous film, prep., props., cond. temp. depend. 4−41131
VCr_2Se_4, thermal cond. meas., 80 to 440K 4−3596
W dichalcogenides, vac. u.v. reflectivity, band struct. 4−33431
WSe_2, reversible microstructural occlusion control of elec. props. band gap increase 4−10092
n-YIG, space-charge-limited cond. and permittivity 4−24751
YbB_6, elec. cond. mechanism *(French)* 4−41065
p-Zn_3As_2, negative magnetoresistance, mechanism 4−10165
$ZnGeP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4−33438
$ZnGeP_2$ Bridgman growth 4−37775
$ZnIn_2Se_4$, photoconductivity and trap distrib. 4−16792
$ZnIn_2Te_4$, photoconductivity and trap distrib. 4−16792
ZnP_2, Raman scatt., 30-500 cm^{-1}, room temp., band assignment 4−37618

semiconductor materials continued
$ZnSiAs_2$, Bridgman growth 4−37775
$ZnSiAs_2$, carrier conc. and mobility, effect of doping 4−13180
$ZnSiAs_2(P_2)$, optical modulation spectra, depend. of bandgap on pressure 4−33439
$ZnSiAs_2(P_2)$, wavelength modulated absorpt. spectra, band struct. determ. 4−33438
$ZnSiP_2$, growth from tin soln., temp.-comp. diagram of $ZnSiP_2$:Sn system 4−4048
n-$ZnSiP_2$ cond. and Hall effect meas. and analysis 4−28432
$ZnSnSb_2$, prep., elec. props., optical absorpt. 4−29007

semiconductor materials testing
cathodoluminescence, scanning electron microscopy 4−8530
flaw detection by scanning electron microscopy and X-ray topography *(German)* 4−18706
Hall coefficient, measuring equipment, for temperatures up to 1000°C 4−35350
homogeneity of heavily doped semiconductors, optical meas. 4−21199
polycrystalline, under pressure, conductivity temperature relation measurement 4−22914
surface evaluation, laser scan technique 4−27020
thermoelectric power meas., 80 to 400K, sample holder and cryostat 4−39171
$GaAs_{1-x}P_x$, optical scanning for comp. uniformity 4−26708
Si:P, alpha backscattering technique 4−6976
ZnSe, strength characteriz. using statistically designed proof test 4−5038

semiconductor-metal boundaries
see also Schottky-barrier diodes
contact resistivity and noise, meas. method 4−13224
current-voltage characteristics in presence of dielectric layer and local level *(Russian)* 4−13220
electric and photoelectric properties, detailed analysis 4−41118
electrostatic double layer adhesion, direct obs. using light-modulation of surface electronic props. 4−37294
III-V and II-VI compounds with zincblende structure, one-electron theory 4−16821
magnetic semiconductor, contact and bulk cond. 4−28493
microwave generation in m.s.m., charge carrier transport., diffusion theory 4−20680
minority carrier transport, drift-diffusion limited 4−20687
Schottky barrier, energy spectrum of surface states determ. *(Russian)* 4−13221
work function difference, calc. correction, implication for effective density of charges 4−24798
Al sputtered onto n-type Si, stress effects on current-voltage characteristics 4−16823
As_2S_3-Ag, electron beam effects, sensitivity-energy relations *(Russian)* 4−2356
Au electrical contact, prep. for van der Pauw meas. 4−20683
CdS polar surface, Schottky barrier heights, I-V and C-V characts. obs. 4−24828
CdS/Au junction, Cu-diffused, photodetection by barrier modulation 4−16818
CdS-Au barrier characts. w.r.t. CdS-Cu_2S solar cell fabrication *(French)* 4−33031
CdS-Cu, Au, effect of chemisorbed oxygen on barrier height 4−20685
CdS-In, contact resist. meas. *(Russian)* 4−37306
n-GaAs, Ni/Au-Ge technology for ohmic contacts 4−29025
GaAs-Al Schottky barrier, heat treatment effects 4−6673
GaAs-Au, polycryst., Schottky barrier, switching and negative resistance effects 4−37310
GaAs-Au contact, alloying behaviour, internal friction obs. 4−6674
GaAs-Au/In ohmic constant, alloying behaviour, ^4He ion backscattering study 4−16822
GaAs-metal contact, photolum., form. of new surface recomb. centres *(Russian)* 4−33499
GaAs-Sn, Schottky diode, deep levels, space charge capacitance, field effect mobility 4−24829
GaN-Zn, forward bias current and capacitance, indirect tunnelling 4−28490
GaS-metal, barier height, influence of chem. reactions 4−24826
GaSb with metal contacts, surface conditions rel. to barrier heights *(German)* 4−13222
GaSb-Ag, Au, Ni, Al, In, Sb contacts, ohmic contact resistance meas. *(German)* 4−6675
Gd-EuS-Gd film junction, ferromag., mag. field depend. switching effect 4−24827
Ge, double injection I-V charact., electric field distrib., meas., theory 4−20681
Ge, electrical charactcs. with different metal films 4−13223
n-Ge, ohmic contact fabrication by diffusion from SiO_2:As 4−6990
Ge-metal, electron tunnelling, phonon peaks 4−20684
InP, etching and nonblocking contact formation 4−10206
Mo-GeSe-Mo sandwich, freq. depend. of conductance and capacitance 4−24846
PbI_2-Ag, electron beam effects, sensitivity-energy relations *(Russian)* 4−2356
PtSi thin film on Si substrates, crystallog. 4−32833
Si-Mg diode characteristics 4−37307
Si-Ni layers, phase formation, electron microscope investig. *(German)* 4−37037
Si-to-PtSi ohmic contacts, W-metallized, elec. and thermal stability 4−16819
Si-to-PtSi ohmic contacts, W-metallized, WSi_2 formation 4−16820
Si-transition metal, formation of silicides and their barrier heights to Si 4−17183
Si-W Schottky barrier, energy spectrum of surface states determ. *(Russian)* 4−13221
V_2O_5-metal, high temp. diode *(Russian)* 4−37308

semiconductor properties *see semiconductors*

semiconductor storage devices
amorphous semiconductor applications *(Hungarian)* 4−24733
chalcogenide glass, review *(Czech)* 4−10196
m.o.s. LSI, employing poly Si gate electrodes, physical and electrical charact. and applic. *(Japanese)* 4−10207
As_2Se_3, memory switching process 4−1259

semiconductor storage devices continued
Se-Ag_2Se, polycryst. thin film heterojunction, switching effect and memory peculiarities *(Russian)* 4−6668

semiconductor switches
amorphous semiconductor applications *(Hungarian)* 4−24733
chalcogenide glass, review *(Czech)* 4−10196
chalcogenide glass, thermally controlled switching, intrinsic instability, current channelling 4−33013
n.m.r. receivers, f.e.t. analogue switch circuit, description 4−2338
p-i-n diode stripline single pole double throw switches for radioastronomy receivers at L-band 4−11263
Se-Ag_2Se, polycryst. thin film heterojunction, switching effect and memory peculiarities *(Russian)* 4−6668
Se-Ag_2Se p-n heterojunctions, phys. state investigation, switching without memory regime *(Russian)* 4−33030
VO_2, coplanar devices, thermal switching, pulse response 4−3766
VO_2 coplanar switching device, influence of intrinsic thermistor effect 4−28469

semiconductor theory *see semiconductors*

semiconductor thin films
: 4−10529
amorphous, temp. depend. of electrical conduction mechanism 4−41076
amorphous, threshold switching, review 4−24790
amorphous metal-rich germanides and carbides prep. and characteriz. 4−36809
amorphous preswitching and postswitching phenomena 4−24791
barrier limited mobility, Boltzmann expression 4−3743
bibliography for 1971, in book 4−6970
chemical vapour deposition, review 4−21216
cholesterol based, between Hg electrodes, i-v charact. 4−16839
compound semiconductor, low density deposit, prod. techniques for electron tube applic. 4−10558
deposition, laser vaporisation method, physical props. *(Russian)* 4−33612
diffusion, localized semiconductor diffusions using local laser melting in doping atmosphere 4−37313
electro-optic effect, size-quantization theory 4−37585
electroacoustic amplifier, surface electron mobiliity 4−10185
field effect, with surface states, carrier freezeout calc. 4−33048
frequency tripling, mirror scatt. at boundaries, freq. depend. of current *(Russian)* 4−33043
Hall mobility, meas. by Hall current method *(Russian)* 4−30519
impurity concentration, rel. to analysis methods *(German)* 4−10555
negative differential resistance, substrate effects, theory 4−24748
piezoelectric transducers for acoustic microwave devices, excitation theory 4−20477
polyethylene, between Au and Al electrodes, elec. switching behaviour 4−37338
tetrathiotetracene, photogeneration and charge carrier transfer mechanisms by pulse photocond. *(Russian)* 4−41096
Ag_2Se epitaxial growth on KCl, NaCl, electron diffraction orientation study *(French)* 4−16669
$Al_xGa_{1-x}Sb$ ($x=0$ to 0.4), epitaxial build up from metallic melt *(Russian)* 4−1440
n-$Al_xGa_{1-x}Te$, photoluminesc., temp. depend., impurity level 4−17114
As chalcogenide, amorphous, i.r. spectrum, rel. to struct. *(Russian)* 4−33423
As_2S_3, amorphous, photostructural transforms. 4−24398
$As_2S_3(Se_3)(Te_3)$, struct. and elec. props., comparison with vitreous bulk specimens 4−24667
α-As_2Se_3, amorphous, electric field depend. photodensification 4−7462
As_2Se_3, amorphous, photostructural transforms. 4−24398
As_2Se_3, memory switching process 4−1259
As_2SeTe_2, amorphous, photocond. and recomb. kinetics, model approach 4−16786
As_2SeTe_2, amorphous, test for Ohmic cond. at turnover 4−37333
a-As_2SeTe_2, amorphous sandwich struct., thermal fringing at turnover 4−20657
As_2Te_3, homogeneous film prep. by single source steady state sublimation 4−25275
B, electrode limited conduction, d.c. meas. 4−20706
Bi, discontinuous, field depend. conductivity obs. 4−10159
Bi, elastoresist. relax. rel. to resist. relax. in transverse elec. field *(French)* 4−3754
Bi, energy gap form., semimetal-semicond. quantum size transition 4−16838
Bi, magnetoresistance meas., size effect 4−24770
Bi, nonlinear props., Hall effect in configuration e.m.f. 4−20617
Bi, size-quantized, structure, electrical conductivity 4−6627
Bi, vapour-phase deposited on NaCl, electron microscope and electron diffr. obs. *(Russian)* 4−13115
$Bi_8Te_7S_5$, elec. cond., 77 and 300K, quantum size effect 4−24843
$Bi_8Te_7S_5$, field effect cond., quantum size effects 4−24844
$CdIn_2Te_4$, thin films, form. conditions and elec. props. *(Russian)* 4−6680
CdO degenerate films, optical absorpt. by free polarons at 5 to 25 μm 4−3721
CdS, elec. props., O_2, H_2 adsorption effect, electronic struct. 4−20707
CdS, epitaxial, orientation and struct. defects 4−28313
CdS, grown in H_2 atmosphere, electrical props. and photocond. 4−16744
CdS, monocrystalline film growth on mica, chemical transport, interfacial layer 4−29023
CdS, oblique growth orientation, RHEED 4−10557
CdS, on GaAs cryst. substrate, prep. and struct. props. *(Russian)* 4−37127
CdS, photocond. props. in dark, planar memory element appl. 4−13209
CdS, photoconductivity, current saturation, thickness direction 4−28513
CdS, piezoresist., rel. to appl. as high sensitivity strain sensor 4−14798
CdS, polycryst., elec. resist. in strong elec. field, non-ohmic props. 4−33042
CdS, properties for CdS-Si heterojunction transistors 4−13568
CdS, residual cond. mechanism, barrier relief 4−37237

semiconductor thin films continued
- CdS, sintered layer, spectral distrib. of photosensitivity *(Russian)* 4−1251
- CdS, space-charge limited current obs. 4−28514
- CdS, sputtered, photocond., O_2 chemisorption effects 4−10184
- CdS, struct. and elec. resist., ionizing radiation effects 4−32838
- CdS epitaxial layer, on GaAs cryst., elec. props. *(Russian)* 4−37332
- CdS textured, longitudinal wave attenuation 4−22678
- CdS:Cu,Cl, sintered layers, photocond. and photolum., depend. on Cu conc. *(Russian)* 4−33007
- CdS-Au barrier characts. w.r.t. CdS-Cu_2S solar cell fabrication *(French)* 4−33031
- CdS-GaAs junction, autodoping effects near interface 4−41115
- CdSe, residual cond. mechanism, barrier relief 4−37237
- CdSe, vacuum deposited films, stoichiometric influence on structure 4−6572
- CdSe epitaxial layers, prep. by vapour transport 4−29020
- CdSe thin film transistor structure, use of radiant heating for evaporation 4−37781
- $CdSnP_2$-CdSe heterojunction, spectral characts. of photosensitivity *(Russian)* 4−33028
- $CdSnP_2$-Cu_2S heterojunction, spectral characts. of photosensitivity *(Russian)* 4−33028
- CdTe, interband Faraday effect, exciton absorpt. 4−25078
- CdTe, thin film, internal macrovoltages *(Russian)* 4−1249
- CdTe thin films, recrystallisation limited by stimulator diffusion *(Russian)* 4−6997
- CoO and CoO(Li), switching characteristics 4−37286
- Co_3O_4, thermal switching, static and dynamical props. calcs. 4−33046
- CoTe, grown on rocksalt and NaCl, electron diffr. exam., substrate temp. effect on struct. 4−20493
- CuI, exciton spectrum, thermal stress effects 4−20574
- $CuInSe_2$, flash evaporated, struct., elec. cond. 4−20510
- EuO, magnetoresist. and photomagnetoresist. obs. near Curie temp. 4−10167
- EuS film junction, ferromag., mag. field depend. switching effect 4−24827
- $Ga_{1-x}Al_xAs$ epitaxial layers, proton-bombarded, formation of insulating walls 4−13174
- $Ga_{1-x}Al_xAs_{1-y}P_y$, liq. phase epitaxial layers on GaAs substrates, stress compensation 4−13567
- $Ga_{1-x}Al_xSb$ single cryst. layers, liq. phase epitaxy *(French)* 4−33611
- GaAs, epitaxial, oscillatory magneto-absorpt., fine struct. anal. 4−25132
- GaAs, epitaxial, struct., influence of degree of imperfection of substrate 4−28312
- GaAs, epitaxial 4−16770
- GaAs, epitaxial film, surface recombination 4−3758
- GaAs, film growth from a thin solution layer between substrates 4−6996
- GaAs, growth from thin soln. layer between substrates 4−37774
- GaAs, growth rate anisotropy in GaAs-$AsCl_3$-H_2 system, Zn impurity effects *(Russian)* 4−37767
- n-GaAs, i.r. irrad., cyclotron reson., effective electron mass, mobility, 300K, 80K 4−16708
- n-GaAs, magnetoresistance, electron scatt. by polar optical phonons 4−32985
- GaAs, magnetoresistance, field depend., band struct. 4−16781
- n-GaAs, nonlinear props., Hall effect in configuration e.m.f. 4−20617
- GaAs, nucleation, growth and structure, review 4−37778
- GaAs, polycryst. and amorphous, elec. cond., temp. depend. 4−24842
- GaAs, struct., resist. and secondary electron emission, depend. on substrate temp. *(Japanese)* 4−33044
- GaAs, transmitted secondary electron emission 4−6941
- GaAs and GaAs-$Ga_{1-x}Al_xAs$ structures, molecular beam epitaxial growth and props. 4−25272
- GaAs film waveguides, growth and evaluation at 10.6 micron wavelength 4−21217
- GaAs layers, homoepitaxial, surface morphology investigation *(German)* 4−10063
- GaAs:Si(Ge)(Sn), vapour epitaxial, growth temp. and substrate orientation effects 4−37772
- GaAs:Sn, Hall coeff., elec. cond., magnetoresistance meas., impurity levels 4−16778
- GaAs:Sn(Te) doping profiles of films grown from soln. 4−33622
- GaAs-Sn, Schottky diode, effect of deep levels on space charge capacitance and field-effect mobility 4−24829
- $GaAs_{1-x}P_x$ layer preparation using solid GaAs source and chlorides of As and P, soln. 4−37780
- $Ga_xIn_{1-x}P$, electron beam microprobe anal. of epitaxial growth 4−3657
- GaN, vapour phase epitaxial growth on GaAs, GaP, Si and sapphire substrates 4−17181
- GaP layers, growth from thin aliquot melts, commercial process 4−6985
- GaSb, light ion bombardment, electronic retarding cross section 4−28129
- GaSe, three-temp. form., struct. anal., elec. and optical props. 4−20705
- GaSe(Te), amorphous radial distrib. of atoms, electron diffr. obs. *(Russian)* 4−32839
- GaTe, fine struct., X-ray obs. by fourth-moment method *(Russian)* 4−6569
- Ge, amorphous, elec. and optical props., temp. depend., band struct. 4−28405
- Ge, amorphous, elec. cond. and optical absorpt., structural damage effects 4−3662
- Ge, amorphous, evidence for sharp and gradual optical absorption edges 4−3984
- Ge, amorphous, localised and nonlocalised impurity states 4−1215
- Ge, amorphous, model for struct. and optical props. 4−32827
- Ge, amorphous, optical modelling of TEM image, fringe effects 4−32407
- Ge, amorphous, optical props., substrate temp. depend., mechanism 4−33524

semiconductor thin films continued
- Ge, amorphous, shock crystn., internal stress contrib. 4−10067
- Ge, amorphous, shock-crystallisation on basis of domino theory 4−40994
- Ge, amorphous, sputtered, heat-radiation from shock crystallisation 4−1117
- Ge, amorphous, X-ray scatt. data, rel. to struct. props. 4−32828
- Ge, amorphous sputtered film, obs. of propag. in shock-crystn. 4−1184
- Ge, amorphous thin films, conductivity anisotropy 4−13234
- Ge, barrier for Nb Josephson junction, tunnelling characts. 4−20730
- Ge, epitaxial, form. and slip of dislocations *(Russian)* 4−10061
- Ge, non-crystalline, explosive crystn. 4−16673
- Ge, noncryst., tribolum. on explosive crystn. 4−33470
- Ge, on W, field emission current-voltage characts., thickness depend. 4−13555
- α-Ge, shock-crystallisation, e.s.r., X-ray diffraction and mass spectroscopy obs. 4−6573
- Ge thin crystal foils, contrast investigations using scanning electron microscope 4−3424
- Ge:Ag(Au)(Ga)(P)(Sb), elec. cond. and optical props. *(Czech)* 4−16745
- Ge-Se(Te), amorphous, optical and transport props. 4−24741
- Ge-Te, amorphous film, struct. transforms. during elec. switching, TEM obs. 4−16593
- GeSe, amorphous struct., electron diffr., laser and thermally sputtered 4−13116
- GeSe, I/V charact., adhesion spots effect *(German)* 4−24845
- GeSe, sputtered, amorphous freq. depend. of a.c. conduction 4−24846
- $Ge_{50}Se_{50}$, amorphous, Poole-Frenkel effect on centres with screened Coulomb potential 4−20620
- GeTe, amorphous, energy gap, tunnelling spectroscopy obs. in m.i.s. struct. 4−28334
- GeTe, amorphous struct., electron diffr., laser and thermally sputtered 4−13116
- GeTe, electronic phase transition, O_2 chemisorption effect 4−37290
- GeTe, nucleation and growth mechanism on KCl, SnTe 4−20508
- $GeTe_2$, amorphous, r.f. sputtering, d.c. substrate bias effect 4−37769
- Ge_xTe_{1-x}, amorphous, d.c. cond., optical absorpt., and photocond. 4−24847
- HgTe-βHgS, reflection spectra, dependence on composition, 1.60-5.35 eV at 300K *(Russian)* 4−21022
- InAs films, grown on Al_2O_3 ceramic 4−41509
- $In_xGa_{1-x}As$, epitaxial, struct. perfection, X-ray determ. *(Russian)* 4−37122
- $In_xGe_{1-x}As$:Sn(Te), doping profiles of films grown from soln. 4−33622
- In_2O_3, charge transfer at weak and high fields 4−16837
- In_2O_3:Sn, ionised impurity scattering 4−3735
- n-InP, i.r. irrad., cyclotron reson., effective electron mass, mobility, 300K, 80K 4−16708
- n-InP, magnetoresistance, electron scatt. by polar optical phonons 4−32985
- In_2S_3, vac. deposition, electron diffr. struct. anal., temp. depend. 4−16681
- InSb, amorphous, thermally activated hopping and intrinsic cond. obs. 4−28410
- InSb, barrier for Nb Josephson junction, tunnelling characts. 4−20730
- n-InSb, carrier capture by surface states, quantum size effects 4−24848
- InSb, high mobility prod. by hot-wire zone refining 4−25261
- InSb, intervalley electron transfer meas. 4−20612
- InSb/$LiNbO_3$ acoustoelectric monolithic structure 4−28267
- InSb-ZnO double layer film, on quartz, u.s. surface wave amplification *(Japanese)* 4−37079
- LaF_3, ionic thermocond. and elec. cond. meas., 219 to 519K 4−37334
- NbN, normal state negative temp. coeff. of resist. and supercond. 4−1277
- Ni-Si, thin layers, electron microscopy of phase transformations during annealing *(German)* 4−6497
- NiO:Li, polycryst., surface switching 4−33012
- $Pb_{1-x}In_xTe$, solid soln., absorpt. spectra, quasilocal impurity states 4−25147
- PbS, depend. of elec. cond. on thickness, influence of oxygen 4−28515
- PbS thin films, surface hillocks investigation *(Russian)* 4−28321
- $Pb_xSn_{1-x}Te$, struct., electrical, optical and photoelectric props. *(Russian)* 4−32832
- PbTe, waveguide props., diode laser prep.. luminesc. 4−26987
- Sb, elec. resist. temp. depend. 4−37336
- Sb, optical props. 2.5 to 14.5 eV, interband transitions, volume and surface plasmons 4−1397
- Sb chalcogenide, amorphous, i.r. spectrum, rel. to struct. *(Russian)* 4−33423
- Sb recrystn. investig. rel. to film thickness, using electron diffraction *(German)* 4−24669
- Sb-Se, amorphous, optical and transport props. 4−24741
- SbSI, c-axis oriented, semicond. and dielec. props. 4−6850
- Se, amorphous, crystn. morphology and kinetics 4−36808
- Se, amorphous and cryst., X-ray and far u.v. photoemission, valence density of states 4−21163
- Se, amorphous recomb. processes, photocond. meas. 4−32972
- Se, reversible transformation to cryst., liquid and vapour phases 4−1190
- Se on Ag(001), overlayer structure, 4-fold site model 4−28317
- Se vacuum evaporated layer, amorphous and crystalline structure obs. *(Russian)* 4−6570
- Se-Ag_2Se, film heterojunction, elec. characteristics in the pulsed regime *(Russian)* 4−1269
- Se-Ag_2Se, polycryst. thin film heterojunction, switching effect and memory peculiarities *(Russian)* 4−6668
- Se-Ag_2Se p-n heterojunctions, phys. state investigation, switching without memory regime *(Russian)* 4−33030
- Se-S amorphous, drift mobility, photocond. edges, comp. depend. 4−10181

semiconductor thin films continued
Si, amorphous, d.c. conductivity, spin density and optical absorption, deposition rate depend. 4−1233
Si, amorphous, density 4−10064
Si, amorphous, effect of annealing on high-field cond. mechanism 4−24749
Si, amorphous, X-ray interferences, thickness meas. 4−3664
Si, amorphous thin films, conductivity anisotropy 4−13234
Si, deposition for transilluminational electron microscopy 4−24359
Si, electrochem. etching form., dopant atom diffusion 4−29009
Si, epitaxial, on MgO/Al_2O_3 spinel, elec. cond. and Hall coeff., neutron and electron irrad. effects 4−13187
Si, epitaxial, thin dE/dx detectors of uniform thickness 4−11583
Si, epitaxial growth on insulating substrate 4−6986
Si, epitaxial surface prep., step motion, initial stage 4−20498
Si, evaporated and pyrolytic, microstructural anal. 4−6567
Si, film, epitaxial growth in horizontal reactor, heat and mass transfer, transport eqns. 4−32826
Si, grain size, transmission electron microscope obs. 4−6568
Si, large area single crystal production and defect concentration *(German)* 4−17177
Si, Li and He ions energy losses 4−28279
Si, nucleation, growth and structure, review 4−37778
Si, oxidised, defect generation at stacking faults 4−3668
Si, polycryst. film, growth, characterisation and conduction model 4−17180
Si, polycrystalline, avalanche breakdown in Si gate m.o.s. struct. 4−10208
Si, preparation by jet chem. etching amd modified ion beam milling 4−1002
Si, single cryst., on Si and sapphire, X-ray stress meas. 4−29006
Si, thickness meas., phase shift influence, Fourier transform spectroscopy 4−22846
Si amorphous, anisotropy in elec. cond. 4−33045
Si:B, defect generation at stacking faults 4−3668
SiC, α and β type, liquid epitaxy and sputtering prep. 4−10556
SiC, epitaxial growth of layers, methods comparison 4−10525
β SiC, epitaxial growth on Si 4−1452
β-SiC, epitaxial growth on Si, growth morphology and perfection 4−10530
SiC, liq. phase epitaxy by travelling heater method 4−10537
SiC, r.f. sputtered, prep., characterisation and applic. 4−37759
β-SiC, sputter deposition and annealing 4−10528
SiC amorphous films, optical props. rel. to bonding models 4−10452
SiC layer growth on AlN substrates 4−10531
SiC layers, seeded soln. growth using Ti-Si flux 4−10539
β-SiC polycrystalline films, elec. cond. *(Russian)* 4−20607
β-SiC:N, photoluminesc. mechanism, ion implantation synthesis 4−28908
$Si_{0.5}Ge_{0.5}$, amorphous alloy, anisotropy in elec. cond. 4−33045
SiO_2, penetration depth of dopants in SiO_2 films on Si *(German)* 4−4050
$Sm_{1-x}Nd_xSe$, polycryst., semicond. to metal transition, optical props. 4−33047
SnTe, energy band investigs. using optical consts. determ. 4−24694
Te, amorphous and cryst., X-ray and far u.v. photoemission, valence density of states 4−21163
Te, amorphous and polycryst., photoemission obs. and electronic density of states 4−17157
Te, conductivity and Hall effect meas. *(German)* 4−3781
Te, Hall mobility meas. as function of temp. from 77 to 300K 4−16773
Te, i.r. photoconductivity meas. at 90 K 4−10182
Te, on glass, temperature dependence of resistivity *(German)* 4−16836
Te, struct. depend. of elec. cond. 4−1273
Te amorphous film prepared by low temp. condensation, electron diffraction structure study 4−10066
$Te_{40}As_{35}Si_{15}Ge_7P_3$, amorphous glass, switching, dark and photocond. meas., field depend. 4−24789
$Te_x(Si_{0.24}Ge_{0.20}As_{0.56})_{1-x}$ chalcogenide glasses, electronic props., bulk form, thin film form 4−20603
$Tl_2Se_xTe_{1-x}$, amorphous, prep., props., cond. temp. depend. 4−41131
$Tl_2Se_xTe_{1-x}$, amorphous, preparation by flash evaporation, electrical props. 4−41132
VO_2, temp. depend. of elec. cond., use in coplanar switches 4−28469
ZnO, film transducer fabrication, sputtering nucleating surface influence 4−28762
ZnO, flameless combustion, mechanism 4−18772
ZnO, prep., elec. props., for hypersonic transducers 4−3744
ZnO-resin layer surface corona discharge model and expt. *(Japanese)* 4−36754
ZnS, cryst. struct. as function of conditions of reactive cathodic sputtering conditions *(French)* 4−1180
ZnS, electrolum., temp. depend., −150 to 50°C, pre-excitation effects *(Russian)* 4−37688
ZnS, epitaxial, local energy levels *(Russian)* 4−6591
ZnS, laser-induced damage, role of coating defects 4−15382
ZnS, optical waveguide, for harmonic generation of Nd:YAG laser 4−31079
ZnS, photocond. props. in dark, planar memory element appl. 4−13209
ZnS, superficial space charge region influence on optical absorption *(French)* 4−41110
ZnS, thermolum., effect of weak alternating elec. field *(Russian)* 4−37693
ZnS: Cu, Mn, Cl, prep. and d.c. electroluminesc. *(Czech)* 4−25178
ZnS:Cu, Cl, yellow cathodoluminescence, annealing effect *(French)* 4−28946
$ZnS:Ln^{3+}$, in m.i.s.m. struct., electrolum., voltage depend. of brightness 4−28936
$ZnS:Tb^{3+}$ film in m.i.s.m. and m.i.s.i.m. structures, electron injection mechanism 4−17123
$ZnS:TbF_3$, d.c. and a.c. electroluminescence characts., obs. *(Japanese)* 4−37690
$ZnS:TbF_3$, electroluminesc. film, prep., optical and elec. props. *(Japanese)* 4−37773

semiconductor thin films continued
ZnSe:Cu, Ga, i.r. effect on moving high field domains in film 4−20627
ZnSe-ZnTe heterojunction, voltage-current characts. *(Russian)* 4−33026
ZnTe vacuum evaporated films, critical substrate temp. rel. to texture and optical transmission 4−37763

semiconductor triodes *see power transistors*

semiconductors
Generalities and properties of unspecified materials only. For specific materials see semiconductor materials.
see also crystal electron states; photoconductivity; photovoltaic effects; semiconductor devices; tunnelling
acoustic paraelastic resonance of electron centres, many-valley semiconds. 4−20858
acoustic wave and mag. moment generation by elec. field appl., parity 4−16803
acoustic-electric nonlinearity, theory of heating 4−1253
acoustoelectric attenuation, asymptotic expansion for small magnetic fields 4−24783
acoustoplasma coupled wave amplification theory 4−24777
alloys, energy gap bowing, virtual crystal approximation 4−24692
alloys, spin-orbit splitting, Γ, Λ points 4−24702
ambipolar, acoustic effects, theory 4−28463
antiferromagnetic, stability of self localised state of carriers, mag. field appl. 4−28579
Auger recombination, in mag. field, lifetime two band model 4−20597
backscattered electrons and their effect on resolution of transmission secondary electron multiplier 4−37717
Baldereschi point, electronic charge density 4−3693
band boundary shifting during solid soln. form., local perturbation contrib. of pot. 4−3698
band structure, absolute energies *(German)* 4−6589
band structure, nonstandard parameters from i.r. refl. spectra 4−32880
band-to-band Auger processes at high carrier conc. 4−1201
binary, impurity diffusion, influence of partial vapour press. of components, theory 4−13062
bonding, covalent, electronic struct. of impurities 4−28033
bound states, electron-phonon and exciton phonon, review of theoretical and experimental work 4−3535
bulk resistivity, meas. method with resistive contacts 4−13224
capacity component, temp. meas. from thermal relation *(German)* 4−2251
carrier diffusion dynamics, laser probing 4−37270
carrier transport equations, for low scatt. rate and at high freqs. 4−20598
compensated, deep level optical transitions, spontaneous recomb. radiation 4−28913
compensated, distortion magnetoresistance calc. 4−32982
compensated, heavily doped, electroabsorption, theoretical model 4−28792
conductivity measurement in high electric d.c. field 4−35347
covalent, approx. exchange operator in pseudopotential model investigation 4−16703
current or field stratification in systems with positive differential resist. 4−10143
cyclotron resonance, hot carrier fluctuations, differential cond., transport eqn. 4−37252
deep impurity centre meas. using C-V techniques 4−24713
deformed, calc. of scattering of free holes at dislocations 4−10144
degenerate valence band, diamond and zinc blende struct., exciton spectra, CuBr 4−13138
Dember effect in case of cylindrical illumination 4−20645
density of states function for non-parabolic energy bands under strong magnetic quantisation 4−1200
dielectric screening and lattice dynamics, Wannier representation 4−36969
diffusion equation, flux step boundary condition soln., error function complement profile 4−28234
diffusion results and models, review 4−16619
direct gap, cathodoluminesc., doping profiles and temp. distrib. 4−25182
disordered, anal. of jump conductivity *(Russian)* 4−37242
disordered, charge carrier behaviour in random force field and electronic theory 4−32989
disordered, electroabsorpt., formula for low field limit 4−20972
doped, potential difference generated in mag. field 4−3752
dynamic electron spin polarisation in strong e.m. field, two band model 4−37593
electrical transport, transport equation, electron-phonon and imperfection scattering 4−32916
electroabsorption anisotropy, polarised radiation, simple band struct. 4−37583
electron beam X-ray microprobe, soln. of semiconductor problems *(German)* 4−6667
electron relaxation theory, energy spectrum, mechanisms 4−13195
electron scattering by charged dislocations 4−32928
electron screening function, low temp., exchange and correl. contribs. 4−24672
electron-electron mutual interactions, hot electron distrib. function *(German)* 4−28420
electron-phonon heating, strong e.m. wave, field and temp. damping, surface impedance 4−13202
electronic states model, ion screening charge calc. 4−10080
e.m. surface waves and acoustic Lamb's waves interaction, piezosemicond. plate 4−10189
energy gaps, variations in semicond., alloy system 4−3697
exciton binding to donor-acceptor pair, Coulomb interaction 4−1211
exciton energy, short range exchange interaction, effective screening 4−32907
excitons, collective radiative Auger recomb. 4−17116
ferrite slab/semiconductor magnetostatic surface waves 4−20789
ferroelectric, u.s. harmonic generation due to strain depend. dielectric const. 4−37281
ferromagnet, fluctuon theory 4−13307
ferromagnetic, anomalous temp. depend. cond., Mott transition 4−16805

semiconductors continued
- ferromagnetic, heavily doped, quasisurface magnon states, quasiclassical method 4–28639
- ferromagnetic, incident e.m. wave, electron-magnon damping, dispersion 4–13315
- ferromagnetic, strong spin-electron interaction, conduction electron states investigation 4–16917
- galvano-magneto-recombination effect in a non-uniform mag. field *(Russian)* 4–3750
- galvanomagnetic effect, oscillating character in attenuating mag. field *(Russian)* 4–41087
- galvanomagnetic properties of simplest transport model 4–37258
- gapless, linear electron spectrum, Coulomb interactions at threshold *(Russian)* 4–20544
- Gunn oscillations, wherence, mag. field effects 4–24755
- Hall effect, microwave, in high elec. field *(Russian)* 4–28437
- Hall mobility, determ. by 8-mm microwave magnetorefl. 4–32974
- Hall mobility meas. in unconventional electrode system 4–39273
- heavily doped, compensated, nondegenerate theory of luminescence 4–28910
- heavily doped, theory of luminescence 4–28909
- h.f. effect, acoustic instability, piezoelectric coupling 4–13204
- h.f. electroconcentration effects at inhomogeneous photogeneration of current carriers 4–32993
- highly impure, density of states and conductivity anal. using path integral methods 4–1197
- hole mass differences, diamond and zinc blende struct., exciton spectra, CuBr 4–13138
- homogeneous, hot carrier bigradient e.m.f. *(Russian)* 4–6635
- hot electrons, nuclear spin polarisation at spin-magnetophonon resonance 4–13355
- impact ionisation of deep centres by conduction electrons, calc. 4–13194
- impact ionisation probability and its energy depend. calc. 4–28453
- impurities, charged, in intense mag. fields, screening 4–41032
- impurity effects, energy level transitions, computer kinetic simulation *(French)* 4–41005
- impurity levels, deep, transport props., book 4–13151
- inhomogeneously doped, effect of complex formation on impurity diffusion 4–13061
- intrinsic, carrier lifetime and ambipolar diffusion coeff. direct determ. *(French)* 4–41079
- inverse dielectric relaxation effect of travelling carriers 4–41077
- ion implantation 4–17179
- ion-electron emission, energy spectrum for H^+; Hg^+ *(Russian)* 4–33533
- ionised impurity scattering calc. 4–28400
- i.r. absorption, multiphonon processes 4–25093
- isotropic, binding energy of excitonic molecules determ. 4–3720
- kinetic properties, theory of reciprocal electron and phonon drag, variational methods 4–1093
- lattice energy, covalent bond contrib., pseudopotential calc. 4–40756
- layered, Dember photo-e.m.f., anisotropic 4–28455
- light absorption, conduction electron multiphoton absorp. 4–23383
- light beam interaction theory, via polariton-polariton scatt. 4–31075
- luminescence spectra, band shape variations in high electric field 4–21082
- magnetic, μ^+ meson depolarization, phenomenological theory 4–12966
- magnetic, bifluctuon localisation near impurity centre, models *(Russian)* 4–32896
- magnetic, charge density periodic stratification at phase transition 4–37455
- magnetic, electronic states, extension of CPA to random spin systems 4–16903
- magnetic, magnetoelec. reson. and d.c. e.m.f. 4–16774
- magnetic, spin polarised OPW band struc. calcs., appl to EuO 4–32879
- magnetic, spin polarised OPW band struct. calcs., appl. to EuO 4–32878
- magnetic, variational calc. of free energy 4–13052
- magnetic ordering, exchange Hamiltonian for narrow band, orbital degeneracy effect 4–13278
- magneto-microwave Kerr effect investigation 4–28796
- magneto-optical instability in crossed elec., mag. fields 4–13413
- magnetoabsorption, high-field, theory of exciton effects, adiabatic method 4–10449
- magnetoconcentration of excess carrier on surface 4–41113
- magnetodiode transients, in thin sample, eigenfunction representation 4–13199
- magnetooptic absorption, electron-hole wavefunction derivation 4–28863
- magnetoplasma instabilities, frequency spectrum obs. using microwave apparatus 4–35348
- magnetoresistance, in strong elec., weak mag. fields 4–16780
- magnetoresistance, oscillatory, at low temp., heavily doped semicond. 4–3748
- magnetoresistance of magnetic semicond., temp. and magnetic field depend. 4–6642
- many valley, charged point defects, elec. cond. theory 4–37238
- many-valley, phase transitions, theory *(Russian)* 4–28212
- microwave focusing, inhomogeneous quantum mag. field appl. 4–21109
- minority carrier mobility and diffusion const. determ. method *(French)* 4–16788
- mobility, Kubo's formula, Boltzmann, transport eqn. 4–32915
- momentum relaxation times, degeneracy influence under ohmic and non-ohmic conditions 4–37230
- Nernst constant, giant Sondheimer oscills., electron dragging by phonons 4–20633
- non-degenerate, singly-ionised electron-impurity scatt., phase shift anal. 4–13173
- noncentrosymmetric, spin relax. due to cond. band spin orbit splitting 4–28688
- nonlinear electromagnetoacoustic effect, theory 4–28462
- nonlinear polarisation theory 4–27016
- nonparabolic band, in m.i.s. struct., capacitance and derivative capacitance calc. 4–16832
- nonparabolic energy band, magnetic quantisation 4–20535

semiconductors continued
- nonradiative recombination at deep levels in field of strong e.m. wave 4–16798
- one-carrier injection and extraction IV characts. computational methods 4–6638
- optical direct transitions in indirect material, with superlattice struct. 4–20971
- optical orientation of electrons, hyperfine interaction 4–13144
- optically induced transition to metal, memory effect 4–16807
- optically oriented electron spin relaxation 4–37484
- organic, contact and bulk cond. 4–28493
- organic, double space charge developed by Costa Ribeiro effect, expt. obs. 4–28423
- organic, review of elec. and mag. props. *(Hungarian)* 4–37228
- paramagnetic, strong spin-electron interaction, conduction electron states investigation 4–16917
- Peierls, giant Kohn phonon anomaly 4–13000
- permittivity, isotropic zone-struct. model *(Russian)* 4–41326
- permittivity of hot electrons, quantum theory 4–17020
- phonon decay effect on electronic transition, ionic crystal semicond. 4–1094
- phonon drag, two-stage, and exponentially high thermoelec. power 4–28438
- photoelectric spectroscopy for residual impurity qualitative analysis 4–16797
- photoelectric spectroscopy of impurities, maximum sensitivity 4–28456
- photographic system, low temp., electrophoretic image recording 4–35343
- photon echo, electric field effect *(Russian)* 4–5533
- physics, student textbook 4–24697
- piezoelectric, acoustic amplification in strong elec. field 4–24787
- piezoelectric, acoustic surface wave velocity and attenuation control using distributed varactor struct. 4–14805
- piezoelectric, acoustic wave amplification, linear theory, domain formation and evolution 4–37280
- piezoelectric, acoustoelectric amplification, phonon-laser approach 4–16801
- piezoelectric, acoustoelectric domain effect on cond. 4–37279
- piezoelectric, Brillouin scatt., optical to mm waves, mechanisms 4–33421
- piezoelectric, e.m. generation of acoustic waves 4–10187
- piezoelectric, free carriers, i.r. absorpt. theory 4–37617
- piezoelectric, nonlinear ultrasound amplification in mag. field, theory 4–13335
- piezoelectric, parametric instabilities of short wavelength acoustic vibrs. in mag. field 4–28352
- piezoelectric, sound propag., effect of h.f. field close to plasma freq. 4–28465
- piezoelectric, stationary acoustoelectron waves, weak diffusion 4–24788
- piezoelectric, u.s. modulation of microwaves 4–16800
- piezoelectric, u.s. wave propag., eqns. 4–28459
- piezoelectric semiconductor, ultrasonic harmonic generation in e.m. and mag. fields 4–3762
- piezotransistor effect obs. 4–28766
- plasma, hot carrier diffusion induced e.m. wave instabilities 4–3756
- plasma, instability due to spatial charge-exchange waves 4–24775
- plasma, superheat instability theory 4–37253
- plasma, surface screw instability, nonlinear anal. *(Russian)* 4–37261
- plasmon generation, vibr. modes at impurity centres, optical pumping 4–37201
- plate with negative a.c. mobility, diffusion effect on small signal stability 4–28415
- polar, Hall cond., magnetophonon contrib., quantum transport theory 4–20634
- pulsed magnetic field generation, semiconductor phys. appl., galvanomag. phenomena *(Polish)* 4–14928
- radiative transitions involving impurities, many-electron effective mass theory 4–33486
- Raman scattering, ellipsoidal electron energy surface 4–13457
- Raman spectra, crossed elec. and mag. fields, calc. 4–33422
- recombination, inter-impurity, donor-acceptor, book 4–6927
- refractive index, drift carrier effect in strong mag. field *(Russian)* 4–33370
- residual conductivity mechanism, barrier relief model 4–37237
- resonant absorption method of laser modulation 4–317
- screened potential of static field, integral eqn. soln. 4–16689
- screening effects in doped semiconds., semicond.-semimetal transition 4–3711
- SEM, phase sensitive (lock-in) amplification, semicond. inhomogeneities 4–11624
- SEM cathodoluminescence monochromator appl. *(French)* 4–39381
- SEM characterization, conductive and cathodoluminescence modes 4–39380
- shallow acceptor states, spherical model 4–28364
- single-particle band structure, electron correlation, excitons, density of states 4–16724
- small gap semiconductor crysts., band struct. and electron dynamics *(Polish)* 4–20539
- space-charge-limited conduction, with gaussian distrib. of localised states 4–16763
- specific resistance measurement, localisation of 4-probe method *(Russian)* 4–5104
- spectral sensitisation, monolayer of cyanine dyes, photoconductivity meas. 4–4292
- spin dependent conductivity mechanism, rel. to e.s.r. 4–37240
- in strong electromagnetic field, quantum transport equation 4–28426
- superlinear current-voltage characteristics, transverse steady-state structs. and waves, $j<c^2/\mu L$ 4–24757
- surface, modulation of i.r. wave guided by free carriers *(French)* 4–31066
- surface barriers, display and meas. by SEM technique 4–28473
- surface cleaning unit, organic solvents and reactants, in vacuum *(Russian)* 4–21207
- surface properties of electron-hole droplets 4–32906
- tetrahedrally bonded, ordered and disordered, Penn gap 4–41023

semiconductors continued
  tetrahedrally bonded, perturbative approach to valence charge density 4−16691
  thermal conductivity, low temp., apparatus precision determ. using Fe reference material *(French)* 4−2239
  thermoelectric power in extreme quantum limit, electron diffusion contrib. 4−24772
  thermoelectric power measurement *(Hungarian)* 4−10169
  thermoelectric refrigeration, thermoelec. materials selection *(Roumanian)* 4−18403
  traps, recombination centre, classification 4−3747
  two-band semiconductors anomalous Hall effect 4−10164
  Urbach absorpt. edge, structural disorder effects 4−1404
  u.s. absorption, acoustoelectric effect, lattice absorption in crystals, measurement method 4−4981
  vaporisation by laser radiation, ion emission, mass spectra *(Russian)* 4−33612
  work function, calc. correction, implication for effective density of charges 4−24798
  wurtzite type, phonon drag part of thermoelectric power tensor calc. 4−1242
  Zener interband tunnelling calcs., nonuniform elec. field effects 4−32871
  zero-gap, anomalous magnetoresistance, mag. field depend. 4−3753
  zero-gap, energy gap induced by mag. field 4−3699
semileptonic decays
  Cabibbo angle origin, suppression of $\Delta S=1$ decay rates relative to $\Delta S=\varphi$ 4−35972
  gauge theory of weak interactions, effect of Higgs scalars 4−2673
  parity conservation tests 4−39820
  quarks, structure from $\Delta Q=\Delta S$ rule, difference between $\Delta S=0$, $\Delta S\neq 0$ decays 4−12027
  weak, vector and axial charges rel. to hadrons 4−5633
  $K\rightarrow\pi\mu(e)\nu$, analyticity of decay form factor in chiral symmetry breaking parameters 4−35974
  $K\rightarrow\pi\mu(e)\nu$, estimate of slope of scalar form factor at origin 4−12029
  $K\rightarrow\pi\mu(e)\nu$, form factor determ. from $\nu N\rightarrow\mu^- K\Delta$ in spacelike region 4−12034
  $K\rightarrow\pi\mu(e)\nu$, form factors from SU_3 hidden symmetry model 4−2664
  $K\rightarrow\pi\mu(e)\nu$, gluon quark model, chiral-symmetry breaking, equal-time commutators 4−19197
  $K\rightarrow\pi\mu(e)\nu$, hard-pion model, connection with phenomenological Lagrangian 4−8930
  $K\rightarrow\pi\mu(e)\nu$, light cone mass extrapolation 4−2676
  $K\rightarrow\pi\mu(e)\nu$, scalar form factor, hard-pion current algebra constraint 4−12030
  $K\rightarrow\pi\mu(e)\nu$ decay, and quark model commutators 4−19196
  $K\rightarrow\pi\mu(e)\nu$ form factors, correction to Treiman-Callan reln. due to Higgs' scalar particles exchange *(Russian)* 4−15470
  $K\rightarrow\pi\mu(e)\nu$ scalar form factor, dynamical model 4−23457
  $K^0\rightarrow\pi^{\pm}e^{\mp}\nu$, $\Delta S=\Delta Q$ rule 4−5601
  $K^0\rightarrow\pi^{\pm}e^{\mp}\nu$, test of $\Delta S=\Delta S=\Delta Q$ rule 4−15473
  $K^0\rightarrow\pi eV$, charge asymmetry 4−8946
  $K^0\rightarrow\pi e\nu$, exptl. anal. of $\Delta S/\Delta Q$ rule in time dependent rate 4−35973
  $K^0\rightarrow\pi\mu(e)\nu$, form factors 4−8949
  $K^0\rightarrow\pi\mu\nu$, Dalitz plot analysis, scalar, vector formfactors 4−8950
  $K^0\rightarrow\pi\mu\nu$, form factor anal. 4−27093
  $K^0\rightarrow\pi\mu\nu/K^0\rightarrow\pi e\nu$, branching ratio meas. 4−8949
  $K^0{}_l\rightarrow\pi^{\pm}e^{\mp}\nu$, meas. of charge asymmetry 4−19199
  $K^+\rightarrow\pi^-\mu^+e^+$, $\mu^{\pm}\rightarrow e^{\mp}$ transitions in gauge models of weak interactions 4−27091
  $K^+\rightarrow\pi^o e^+\nu$, study of q^2 variation of form factor 4−8948
  $K^+\rightarrow\pi^o\mu^+\nu$, exptl. study of decay Dalitz plot 4−8947
  $K_l{}^0\rightarrow\pi^{\pm}e^{\mp}\nu$, charge asymmetry meas., CP violation parameter 4−31132
  $K_l{}^0\rightarrow\pi^{\pm}l^{\mp}\nu$, lepton charge asymmetry meas. 4−8945
  $K_l{}^0\rightarrow\pi^{\pm}\mu^{\mp}\nu$, charge asymmetry meas., CP violation parameter 4−31132
  $K_l{}^0\rightarrow\pi\mu(e)\nu$, t-dependence of form factors 4−23454
  n oscillator theory, yeti genesis 4−35971
  $\Sigma^{\pm}\rightarrow\Lambda e\nu$, indirect meas. of Σ^0 lifetime, CVC hypothesis 4−19198
  $\Sigma^{\pm}\rightarrow ne^{\pm}\nu$, three body decay, $\Delta Q=\Delta S$ transitions, branching ratio 4−27094
semimetals
  see also antimony; arsenic; bismuth
  electron and hole creation by microwave fields 4−28457
  electron spectrum of group V elements, theory 4−13146
  l.f. e.m. excitations in anisotropic conductors *(Russian)* 4−37206
  Nernst constant, giant Sondheimer oscills., electron dragging by phonons 4−20633
  phonon drag, two-stage, and exponentially high thermoelec. power 4−28438
  u.s. absorption, mag. field equivalent to geometrical oscills. 4−37476
  $Ti_{1.8}V_{0.2}O_3$, cryst. struct., substitution changes 4−32514
sensing devices *see detectors*
sensing devices, electric *see electric sensing devices*
sensing devices, nonelectric *see nonelectric sensing devices*
sensitivity
  capacitance meter, direct reading *(Japanese)* 4−22915
  capacitor hygrometer, improvement *(Russian)* 4−4999
  chemical detectors, electron capture, alkali flame and photometric 4−35544
  chromatic colour contrast sensitivity of human eye 4−18178
  electron spectrometer, programmer circuit to vary sensitivity 4−35467
  e.p.r. detection sensitivity, using mag. circular dichroism *(Roumanian)* 4−20829
  e.p.r. transistorised X-band spectrometer *(Roumanian)* 4−22923
  fast reactor burst pin detection system sensitivity improvement 4−39329
  Fleurs Synthesis Telescope design and development 4−22490
  holographic interferometer *(Russian)* 4−14890
  holographic storage in electrooptic crysts. 4−30493
  ionospheric scattering measurement, radar system considerations 4−34553
  manually controlled precision mechanisms, motion threshold sensitivity 4−18351
sensitivity continued
  photodetector, sensitivity increase using quantum fibre amplifiers 4−23336
  photodetector spectral sensitivity meas., DMR-4 monochromator modernization 4−22856
  photoelasticity, isochromatic-fringe patterns whole-field interpolation 4−39157
  scintillography using thermal neutrons 4−33937
  spectrometric methods, quantitative, teaching paper 4−30327
  spectrophotometer, Pye Unicam SP1900 double beam atomic absorption, precision and digital control 4−18786
  turbidimetric measurements, gas laser applic. 4−30441
  vibration meas. by laser beam modulation method *(Italian)* 4−14790
  water quality management system, optimal, distributed, open-loop performance index sensitivity 4−4898
sensitivity analysis
  see also control system analysis; dynamic response; frequency response; transient response
  air pollution meas., laser molecular resonance absorption 4−11345
sensors, nonelectric *see nonelectric sensing devices*
sensory aids
  see also hearing aids
  blind aid, TV camera and tone synthesizer 4−14669
  blind mobility aid system *(Japanese)* 4−35035
  blind reading aid employing transparent electrode charge coupled image sensors 4−30180
  i.r. laser cane, use for the blind 4−14680
  i.r. three-channel laser cane for blind 4−14670
  laser cane, C-5, for the blind 4−35914
  Optacon blind reading aid, importance of movement information 4−14668
  u.s. environment sensor using auditory perception 4−4982
separation
  see also desalination; distillation; drying; isotope separation
  density separation in heavy liquids, freezing in liquid N 4−5303
  electrostatic, of suspended matter in insulating liquids, methods 4−8748
  fluid displacement in porous media, viscous finger wavelength degeneration in Hele-Shaw model 4−1797
  heavy liquid, mineral grains, laboratory overflow-centrifuge 4−5302
  isotopic exchange, rapid separation of radioactive species, using ion exchange column *(French)* 4−39429
  liquid chromatography, h.p., equipment and applications *(German)* 4−18781
  liquid cleansing by ferromagnetic separation, MHD interactions *(Russian)* 4−20036
  magnetic, high gradient, mineral beneficiation appl. 4−7792
  magnetic, high gradient, mineral processing and pollution appl. 4−5114
  magnetic, in pollution control 4−8250
  magnetic desulphurization of coal, high gradient mag. separation 4−7793
  petroleum wax separation, dielectrophoretic method 4−10716
  turbulent boundary layer under inhomogeneous nonisothermal blowing, heat and mass exchange coeffs. and crit. separation parameters 4−32079
  He-N_2 gas mixture, species separation in swirling expansion jet *(Japanese)* 4−3289
  Pb, from natural silicates at trace levels by electrochem. technique 4−39394
  Th, chem. extraction from calcite, anal. of products 4−36356
  U, chem. extraction from calcite, anal. of products 4−36356
  V, determination of content in steel, ion exchange separation 4−35535
  Zr, in geological, lunar samples, determ. using stable isotope dil., mass spectrometry 4−39399
series (mathematics)
  Borel summability of partial propagator in self interacting field theory 4−19174
  celestial mechanics, Fourier series storage on computers *(French)* 4−34580
  Dirichlet series for entire function, mean values 4−30725
  double Fourier series use in gravimetric data interpretation *(Rumanian)* 4−29385
  Emden's equation, movable singularities, series expansions 4−11720
  Fourier, for capillary-gravitational waves of finite amplitude on surface of fluid over wave-shaped surface *(Russian)* 4−24234
  Fourier gap series, trigonometric theory 4−39487
  Fourier series, derived, Norlund summability 4−18829
  functional equation, linear, asymptotic series expansions of continuous solns. 4−30710
  $G=SL(2,Q_p)$ group, representations of discrete series 4−35594
  geophysical data, spheric-harmonic analysis on spherical surface 4−38564
  infinite, absolute Cesaro summability 4−35611
  N variable power series, rational approximants 4−8615
  power series representations of Feynman amplitudes, generalised hypergeometric functions 4−15446
  residual elasticity theory, fractional-exponential operator characteristic *(Russian)* 4−39537
services, information *see information services*
servo systems *see servomechanisms*
servomechanisms
  dye laser, c.w., freq. stabilisation by cavity length servo control 4−19109
  laser, stabilization using Zeeman effect and servomechanism 4−35844
  Rb vapour frequency standard, anal. of system 4−8304
set theory
  Klein-Gordon equation, integral sets and variable separation *(Russian)* 4−11988
  neurophysiological data analysis, fuzzy and probabilistic clustering 4−14676
  normal operators, property (P) 4−18822
  pseudo-dynamical systems, stability of sets 4−30708
  structural systems with minimum critical sets having joint elements in pairs, ultimate bearing capacity 4−15166

set theory continued
tensorial sets, irreducible, theory *(Russian)* 4−30692
sets (mathematics) *see set theory*
sferics *see atmospherics*
shadow universe *see cosmology*
shear flow
air film pressure distrib. considering inertia forces 4−36618
Alfven gravity wave, conducting shear flow, ohmic dissipation 4−32120
annular duct, acoustically lined, sound attenuation 4−42635
asymptotic suction profile, energy stability limit 4−32072
bentonite-water suspensions, horizontal pipe flow behaviour 4−27912
boundary layer separation, laminar, in uniform shear flow 4−32062
compressible, stability of jets and shear layers, inner expsn. method 4−24209
compressible atmosphere, baroclinic instability 4−29585
creep and relaxation, rel. rates in shear, elongation, and isotropic compression 4−21458
dielectric rigid ellipsoid suspension, electric field effect 4−3334
dispersion kinetics, oscillatory behaviour of particles in shear flow 4−16265
dispersion kinetics, transient orientation and rheology of particles in shear flow 4−16264
duct wall impedance for sound propagation in uniform shear layer 4−4900
elastic liquid, normal stress meas. by hole pressure 4−27878
ellipsoidal particle suspensions, rel. to elec. cond. of blood 4−11281
fluid with deformable microstructure, transient flow 4−20053
interacting turbulent shear layers in duct flow 4−3264
internal waves, long, nonlinear, generation in weakly stratified shear flow 4−29543
jet, turbulent Mach 5, mixing, mean flow and turbulence meas. in shear layer 4−3302
jet, turbulent Mach 5, mixing, spreading of mean flow in shear layer 4−3301
laminar far wake behind two-dimensional body, perturbation analysis 4−3294
laminar wake anal. behind symm. two-dimens. body 4−32093
layer, free downstream of backstep in supersonic flow 4−20006
MBBA, continuity of flow alignment parameters across nematic-isotropic transition 4−20209
methyl methacrylate-styrene copolymers, flow props., cone and plate viscometer 4−13892
multicomponent fluid system, anomalous shear viscosity near critical point 4−30928
non-Newtonian flow, between rotating concentric cyl., climbing effect, material function 4−27874
non-Newtonian MHD flow, self-similar soln. for jet through liq. layer *(Russian)* 4−40555
non-Newtonian polymeric media, helical flow problem 4−20017
Pitot probe, response in turbulent stream 4−16185
plane two-stream mixing layer, turbulence structure 4−3269
polydimethylsiloxane, steady shear viscosity, lower to upper Newtonian region 4−36664
polyisobutylene, mineral oil soln., stress-birefringence, rheological parameters 4−27875
polyisobutylene, Primol soln., parallel superposition of shear flow, small amplitude oscill. motion 4−27877
polyisobutylene-polybutene solution, steady flow viscous and elastic props. 4−33912
polymer, dil. soln., Pitot tube meas. errors 4−9683
polymer, normal stress calc. 4−20018
polymer solutions and melts, flow mechanisms 4−20019
polymeric systems, liq., crit. regions of deform. 4−41878
polymers, superposed oscill. shear flow, microstructure model 4−27876
polypropylene, helical flow problem 4−20017
polystyrene, Aroclor soln., parallel superposition of shear flow, small amplitude oscill. motion 4−27877
relaxation spectrum, rel. to nonlinear shear rate dependent viscosity 4−27873
rotating systems, shear layer turbulence suppression 4−3265
rubbery liquid, thermal-fluctuation for calc. relax. spectrum 4−13932
singular perturbation and turbulent shear flow near walls 4−24199
solid particles transverse motion in a flow with fluctuating shear 4−3337
stability, stratified fluid 4−24190
stokes' law, falling sphere viscometry, wall and end corrections 4−26748
Stokes' law, falling sphere viscometry, wall and inertial corrections 4−26747
stratified shear flow, device for producing controlled flow 4−39459
troposphere, gravity-shear waves in stratified flow, numerical soln. 4−1907
turbulence, due to Kelvin-Helmholtz instability in two-dimens. shear flow 4−12682
turbulent, bounded, truncated turbulence signals 4−40406
turbulent, in curved rectangular duct, mean flow props. 4−16184
turbulent, wavelike eddy development, near jet noise field 4−24177
turbulent boundary layer, visual obs. 4−6173
turbulent wall jet, turbulent interface motion and topography 4−40506
unstable disturbance growth rate in gravitationally stratified compressible shear flow 4−27837
viscoelastic fluid, superposed shearing flow, dynamic and steady-state properties *(Polish)* 4−16231
viscoelastic liquid, BKZ theory, shear acceleration critical wave amplitude 4−27879
vortex generation by heating, cyclonic behaviour 4−3271
wake of circular cylinder, vortex shedding, turbulence in shear layer 4−3293
wave on shearing current, asymptotic solution 4−40535
wind, surface obstruction wind profiles, review 4−42139
Na freeze-seals, rotary-motion shear properties, use in FFTF and LMFBR 4−23787
shear strength
A_nB_{8-n} type crystals, temp. depend., bond strength *(Russian)* 4−9939
Bakelite, temp. dependence of shear modulus and loss tangent 4−21479
beam of nonhomogeneous cross section, static shear factors 4−33881
cantilevered plate with low shear stiffness, state of stress 4−18869
circular plates, thick, plastic anal. using von Mises yield criterion 4−5347
collagen film, effect of water on mechanical props., 4−10689
composite, C fibre, impact energy tests 4−10670
composite, fibre reinforced, interfacial bond, pullout technique 4−4236
composite, filament wound, static testing techniques 4−29262
composite, interfacial fracture energy and toughness 4−41838
composite, unidirectional, shear stress/strain response determ. 4−1635
composite, unidirectional fibre reinforced, upper bounds to in-plane shear strength 4−33893
cubic crystals and aggregate, elastic-plastic constitutive behaviour at large press. 4−40830
diallyl phthalates, curing reaction, dynamic shear meas. 4−21481
epoxy anhydride, curing reaction, dynamic shear meas. 4−21481
epoxy resin, granular microscopic study *(Japanese)* 4−38096
ethylene-vinyl acetate copolymer, mechanical loss properties, rel. to hydrostatic pressure and temp. 4−21477
fibre reinforced plates, critical load depend. on fibre orientation 4−13871
glass, rel. to relax. times, viscosity 4−28028
glass reinforced plastic plate with low shear stiffness, state of stress 4−18869
graphite fibres, pyrolytic surface treatment and effects 4−38036
highpolymer systems, viscoelastic props. *(Japanese)* 4−33917
inhomogeneous elastic half space with transition layers, soln. of shear loads moving on 4−39514
jointed rock, undrained shear testing 4−17836
limestone, influence of liquids, pressures up to 10 kbar 4−7555
lubricant elastohydrodynamic films, rolling-contact expt., viscoelastic behaviour obs. 4−20367
lunar soil, meas. in air, density depend. 4−4747
orthotropic beam, homogeneous, shear coeffs. 4−33882
orthotropic laminates under static load, stress correction factors 4−33888
PMMA, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
PMMA/polyurethane preparation and mechanical props. 4−21435
polyethylene, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21477
polyethylene terephthalate, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
polymer, amorphous glassy, yield and flow, mol. model, dislocation analogue 4−21460
polymer melt, constitutive equation for entangled network, elongation and shear 4−21484
polymer melt, effect of pressure on shear viscosity 4−21483
polymorphic phase boundaries as zones of shear weakness, geophysical implications 4−21735
polypropylene mechanical loss props. rel. to hydrostatic pressure and temp. 4−21477
polyvinyl acetate, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
polyvinyl fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
polyvinyldiene fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
polyvinylidenechloride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
powder, failure props., yield locus parameter depend. 4−29256
PTFE based copolymers, under high press. 4−38058
PVC, mechanical loss props. to hydrostatic pressure and temp. 4−21478
rubber, mechanical loss properties, rel. to hydrostatic pressure and temp. 4−21477
rubber vulcanisation system, curing reaction, dynamic shear meas. 4−21481
rubber-fabric joint, shear resistance testing *(Polish)* 4−21521
semispace, inhomogeneous, action of shear forces applied to surface *(Russian)* 4−15158
shell, cylindrical, effects of shear and normal deformation using Zerna's exact theory 4−30765
strength of materials, analogies 4−21527
SVAM glass-reinforced plastics, effect of sign of shear on stress strength 4−13870
tetrafluoroethylene-hexafluoropropylene copolymer, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
vinylchloride/vinyl acetate copolymers, mechanical loss props rel. to hydrostatic pressure and temp. 4−21479
warping of materials, unified definition of term *(Russian)* 4−18908
Ag sintering, nucleation of dislocations on neck surfaces 4−21371
Ag-Ge eutectic, undirectionally solidified temp. depend. 4−37901
Al:O_2, superconducting film, mixed state meas. 4−41163
Al/B fibre reinforced, cyclic temp. variations effect on mech. props. 4−25429
Al/C multilayer composites, physico-mechanical properties *(Russian)* 4−4203
Al/Pb multilayer composites, physico-mechanical properties *(Russian)* 4−4203
Al-Mg-Mn alloys, fretting fatigue strength, effect of contact materials 4−21348
B/epoxy composite, interfacial fracture energy and toughness 4−41838
C/epoxy composite, neutron irrad. effects 4−1630
Cu-Al-Co, dispersion hardening effect, 77-573 K *(Russian)* 4−41681
V-Fe, elastic consts., longitudinal and shear ultrasonic meas. 4−1555
sheathing, cable *see cable sheathing*
sheaths, plasma *see plasma sheaths*
shell model (nuclear) *see nuclear shell model*

shielding
see also magnetic shielding; radiation protection
concrete, calcs. of time-dependent neutron and gamma-ray transport 4−36399
concrete, Monte Carlo anal. of neutron and gamma-ray transport 4−36400
concrete, neutron distrib. calc. using moments method 4−23752
fissile material, low-enriched array, isolation, KENO calc. 4−27485
fusion reactor magnet, optimum design of shield, materials 4−19608
gamma photons, angle selection techniques, calcs. on parallel computers 4−23928
gamma-ray dose buildup factor at surface of spherical shield 4−19650
hospital safety, leakage current reduction by double-screened power transformer 4−18181
magnetised Fe medium, charged particle multiple scattering and focusing 4−8447
multiorifice shield plates, pressure-loss coeff. in fast flux test facility 4−36313
neutron detector shielding for fast neutron scattering expts. of high sensitivity 4−26617
nuclear reactor, slabs, investigation using beam of CP-5 reactor *(Korean)* 4−31576
nuclear reactor fuel, storage capacity as function of facility size 4−31574
nuclear reactor transuranium processing plant, remote maintenance experience 4−36394
oil, determ. of build-up factors for 14.1 MeV neutrons using Monte Carlo program 4−15935
paraffin, determ. of build-up factors for 14.1 MeV neutron using Monte Carlo program 4−15935
particle accelerators, radiation environment, review paper 4−35374
phase conductors, linear, parallel with cylindrical e.m. screens, steady state, investigation *(French)* 4−19025
photoneutron, for 400 MeV electron-produced neutrons incident on Cu target 4−11575
plane waveguides separated by multiapertured screen, geometrical optimisation *(Russian)* 4−8659
reference theta-pinch reactor, bulk shielding props. 4−19612
steel, carbon, meas. and Monte Carlo calcs. of n spectra behind thick samples 4−36364
water, determ. of build-up factors for 14.1 MeV neutron using Monte Carlo program 4−15935
X-ray installation, panoramic dental, operator protection 4−4883
Al-Pb multilayered slabs 4−23927
Ca, n-induced gamma-ray production, 0.7 to 20 MeV, cross-section meas. 4−23688
LiH on neutron shield for mobile nuclear reactors 4−40144

shielding, magnetic *see magnetic shielding*

shift register sequences *see binary sequences*

ships
see also navigation; radio direction-finding
acoustic navigation, coast and harbour 4−22665
Calypso, calibration of i.r. and colour information from satellite exploration of Antarctic 4−17657
detection, remote sensing with u.h.f. radiometers 4−29766
Doppler sonar navigation systems *(French)* 4−30409
e.m.c. problems *(Polish)* 4−39091
nuclear, Otto Hahn, commissioning of second core *(German)* 4−36252
nuclear, Otto Hahn, pulsed neutron meas. of large shutdown, excess reactivity *(German)* 4−36251
nuclear, Otto Hahn, second core zero power expt. anal. *(German)* 4−36250
nuclear, Otto Hahn, zero power experiments *(German)* 4−31459
velocity measurement, using relative log, effects of rolling on errors *(Russian)* 4−18365
wave height radar system 4−14235

shock measurement
shock accelerometer, high range, calibration using Hertz's eqns. of elastic impact *(German)* 4−26478
solids, using dielectric pulsed-pressure pickup 4−4975

shock tubes
see also shock waves
double diaphragm, for supersonic two-phase flow obs. *(Italian)* 4−23066
double discharge with separate exploding wire circuit, hypersonic shock generation 4−40499
piston driven, design and theory *(Italian)* 4−8594
pyramidal form simulation of sonic booms 4−32086
for spectrochemical analysis 4−11692
for thermal conductivity of gas determs. 4−30424

shock wave effects
air, shock-heated, transient struct. of stream *(Russian)* 4−27866
Arkansas novaculite, transformation to high density phase in front 4−29447
boundary layers, laminar compressible shock-induced, initial value method 4−19998
boundary layers turbulent, interaction with oblique shock waves, sidewall effects 4−12704
boundary-layer separation ahead of blunt fins, shock wave interaction 4−12703
composite, fibre reinforced, shock compression and release 4−1661
compression consts. optimisation for cumulated plane shock waves in a closed tube 4−978
Concorde sonic boom effects 4−10930
conducting gas, pseudo-stationary curved shock wave, current lines curvature and torsion 4−16245
dye laser action termination, flashlamp pumped, mechanism 4−35848
elastic lattice, nonlinear interaction, far field anal. 4−18918
enstatite, sound speed under shock compression 4−20371
explosive hardening, wear resistance increase of steels 4−25372
gas, ionised, transport shock and collisional relax. layer interrelated struct. 4−16302
idealized structures, response to sonic booms 4−2201
infinite plate, temp. field, initial conditions influence, various temp. variation laws 4−5424

shock wave effects continued
interface, thermal relaxation following compression 4−37077
interface interaction, temp. deposition, hydrodynamic anal. 4−37076
liquid drops in stream, break-up by shock wave with triangular gas vel. profile *(Russian)* 4−27900
liquid metal film, shock action of current of gas, deformation *(Russian)* 4−4052
metal, brittle rupture tendency under shock loading, method and apparatus *(Russian)* 4−1692
mild steel panel, surface saturation, X-ray and metallographic analysis 4−17373
nitromethane, liq., shock-compression, eqn. of state 4−32612
nuclear explosions, crater form., and radioactive waste storage *(French)* 4−38204
piezo-ceramic, depolarisation, current enhancement at shock contact *(Russian)* 4−37566
piston acceleration in shock tube, one-dimensional model 4−32091
planetary nebulae, density fluctuation origin and radial filaments 4−18063
plate in supersonic flow, shock load response 4−925
Plexiglas cylinder, compression by conical detonation wave 4−17449
PMMA, deformed at high strain rates, fracture mechanics 4−33904
PMMA, steady wave profile obs. method 4−21451
quartz, x-cut, shock-wave compression, Hugoniot elastic limit, elec. response meas. 4−33351
refractory, densification by pre-sintering with explosive compaction 4−7259
relaxation processes, in solutions, meas. using pressure wave techniques *(German)* 4−38173
seismic wave generation by atmospheric supersonic moving point source as generator 4−14055
silica, sound speed under shock compression 4−20371
single crystals, cubic and hexagonal, shock-compressed, wave velocities above elastic limit 4−32613
solar chromosphere, weak shock wave theory 4−2057
solid compression, meas. of temp. by thermal resist. determ. *(Russian)* 4−35213
solid mechanical mixtures, shock compression and release 4−1661
sonic boom, exposure effects *(Japanese)* 4−39089
steel, austenitic, hardening and kinetics of ageing, effect of explosive impact, 4Kh12N8G8MFB 4−13714
steel, low-cycle endurance in working media *(Russian)* 4−41663
steel, pressure vessel type, explosive forming and static deform. effects on mech. props. 4−7158
supersonic flow, shock wave interaction on blunted body, nonstationary flow, interferometric study *(Russian)* 4−36659
transient gas compression by coalescing waves, exact steady state analogy 4−3383
Al, dislocation loop form. on local explosive loading *(Russian)* 4−4081
Al alloy 7075 plate, microstruct. and mech. prop. modifications using plastic wave TMT 4−29150
Ar, hypersonic flow over blunt bodies, ionising shock waves 4−40488
Ar, solid, shock compression, melting curve 4−9979
Ar gas, shock-heated, transient struct. of stream *(Russian)* 4−27866
Bi, eqns. of state and shock-induced transforms. in solid I-solid II-liq. region 4−32660
Bi, phase transformation, detection technique 4−37001
CO, shock-heated, laser linewidths and transition probabilities 4−19856
CO_2 gas, shock-heated, transient struct. of stream *(Russian)* 4−27866
CaF_2, shock-wave compressibility, press. up to 3 Mbar 4−28211
Fe, Armco, dynamic characts. on impact oscilloscope method *(Russian)* 4−33942
Fe-Mn, b.c.c., recovery of flow stress and elec. resist. after shock deform. 4−17316
Fe-Si(3.75 wt.%), shock loading and cold rolling effects on substruct. and high temp. creep 4−41711
Ge, amorphous film, shock-crystallisation on basis of domino theory 4−40994
Ge film, amorphous, shock crystn., internal stress contrib. 4−10067
N_2 gas, shock-heated, transient struct. of stream *(Russian)* 4−27866
N_2+CO+O_2, vibr. relaxation time of shock heated N_2 4−9609
NaCl crystals, doped, mechanism of shock wave induced polarisation, impurity effects 4−20929
$NbC_{0.99}$, explosion effects on struct. and props. *(Russian)* 4−33852
SV_6, vibr. relax. in post shock region 4−27758
SiO_2, synthesis of high density phase, compression by 350 to 900 kbar shock waves 4−36874
$TiC_{0.98}$ explosion effects on struct and props. *(Russian)* 4−33852
TiO_2, shock-wave compressibility, press. up to 3 Mbar 4−28211
Xe, electron temp. meas. 4−16350
Xe, electron temp. meas. line intensity ratio 4−16351
Xe, shock-heated, ionization relax. under influence of wall boundary layer 4−40498
$ZrC_{0.96}$, explosion effects on struct. and props. *(Russian)* 4−33852

shock waves
see also detonation; explosions; plasma shock waves; shock tubes; shock wave effects; supersonic flow
acetylene-oxygen detonation wave, ionised zone, microwave reflection 4−29300
acoustic far-field of rigid bodies in motion 4−30286
aerosols, finite amplitude waveform propag. 4−40598
air, struct. and luminosity 4−16219
bimolecular collisions, microscopic anal. of wave relax. *(Russian)* 4−38122
blunt-body stagnation region, hypersonic radiating merged shock layer 4−27864
Boltzmann equation solution at upstream and downstream singular points 4−40500
boundary layer-external flow interaction in shock tube, numerical analysis *(French)* 4−36658
boundary layers, shock-induced turbulent 4−16197
brass, shock adiabat curves calc. *(Russian)* 4−7347
centred rarefaction, stationary and nonstationary, propag. in vibratory nonequilib. media *(French)* 4−32087

shock waves continued

colliding bars, propagation, closed-form soln. 4–200
composite, anisotropic plates, shock wave propag. 4–1634
composite, stress wave propag., lattice model 4–33887
composite elastic materials, multi-continuum theory 4–1622
compressible liquid, action of nonstationary waves on cylindrical bodies *(Russian)* 4–18875
concentric, self-similar, limiting value of density 4–36657
conical wings, nonlinear flows with attached shock waves, calc. methods 4–24215
conjugate state uniqueness, stable two layer flow horizontally confined 4–36638
corresponding states law, Hugoniot, thermodynamic appl. 4–30800
curved shocks, streamline curvature and velocity gradient 4–3284
curvilinear media, generalized progressive wave with vectorial wave form *(French)* 4–18913
cylindrical, in magneto gas dynamic homothermal flows 4–32123
cylindrical shells, dynamic shell theory coupling thickness stress wave effects with struct. response 4–30830
delta wing, analytical charact., 2-dimens. isentropic anal. 4–36648
diatomic gas, anomalous states of regular reflection *(Russian)* 4–27863
diffraction and reflection from corners, angle of yaw effects 4–20007
dust stream of hypersonic wind tunnels, anomalous flow around blunt bodies 4–40489
Earth's bow shock, discrete wave packet obs. by OGO-5 4–22130
Earth's bow shock, electron energy spectrum 4–22131
Earth's bow shock wave structure, Ogo 3 obs. of local time dependence 4–42164
earth bow, motions induced by interplanetary disturbances 4–25806
elastic bilinear body, closed form solns. for propagation 4–5360
elastic medium, propagation during finite plane deformation 4–23157
elastic-plastic solid, shock wave behaviour and Hugoniots 4–40835
evolutionary condition in detonation and deflagration wave theory 4–40496
excitation criteria and intensity during explosion in rarefied gas *(Russian)* 4–27867
expansion pattern of flare associated disturbances in 1968 Oct.23-Nov.4 period 4–7900
exploding wires, energies from expansion velocity, variation of discharge circuit parameters *(German)* 4–3419
filament formation in supernova shells 4–34824
fireworks, noise signatures 4–30179
fluid interface, blast wave from plane source 4–40497
gas, compressed two-dimensional unsteady problems of expansion 4–36601
gas, spark channel development, hypersonic interpretation 4–24339
gas dynamics system, conservation laws, global solns. for quasi-linear hyperbolic systems 4–32088
gravitational of order $n=2$, Newman-Penrose formation 4–11831
hydrodynamic thermal shock, expt. form. 4–12679
hypersonic, generation in double discharge shock tube 4–40499
hypersonic blunt cone, shock layer thermal props., viscosity and diffusion, anal. *(Russian)* 4–36647
hypersonic buzz on delta configuration, wind tunnel expts. 4–12698
hypersonic downstream region, self-similar motion past slender profile 4–36653
hypersonic flow, unsteady, high order solutions 4–40481
hypersonic slender cone near wake, variable incidence $M_\infty = 7$ 4–36660
hypersonic swirling flow past blunt bodies 4–36645
inhomogeneous thermoelastic bodies, differential eqtn. derivation 4–193
interplanetary, generation in solar atmosphere, connection with magnetic storms 4–11161
interplanetary, moving magnetic mirror treatment, explanation of Forbush effect 4–25897
interplanetary plasma, flow over terrella, electric and magnetic field microfluctuations 4–7965
interstellar, rotational excitation of H_2 4–18050
jet interaction with supersonic flow, reattachment of separated boundary layer to convex surface 4–20008
kinetic models and structure *(Russian)* 4–3286
magnetogasdynamic shock wave structure with negligible shear viscosity 4–36668
MHD, self-stimulating disruption *(Russian)* 4–40548
MHD, shock wave existence and nonunicity *(French)* 4–24240
MHD, shock wave existence and structure *(French)* 4–24238
MHD, shock wave existence and unicity *(French)* 4–24239
Navier-Stokes eqns., unsteady, including multicomponent finite rate chem., soln. using finite difference technique 4–27799
Navier-Stokes equation, one dimensional, numerical solution method *(Russian)* 4–12701
nonhomogeneous body, strong point explosion, approx. closed form soln. 4–36656
nonlinear saturation of explosive instability, influence of dissipative effects *(Russian)* 4–32090
nonlinear viscoelastic solid, acceleration wave propag. 4–33918
normal shock and turbulent boundary-layer interaction, model 4–32089
nuclear, anal. of supersonic heavy-ion collisions 4–40039
nuclear, production in heavy-ion collisions 4–36225
nuclear reactor material, compressible hydrodynamics 4–31480
oligotropic motion conservation in compressible fluids *(French)* 4–16217
oxy-acetylene mixtures, laser spark detonation, schlieren frame and streak records 4–1703
P-waves, low apparent velocity and high absorpt. layer at 39.0-40.2° epicentral dist. 4–10793
paraffin/W mixture, shock adiabat curves calc. *(Russian)* 4–7347
parametric excitation of boundary, Burgers' eqn., exact shock wave soln. 4–8258
Parkfield earthquake, supersonic crack propagation velocity 4–21640
perfect gas trans-shock velocity thermal sources, appl. to plasma heating 4–16211

shock waves continued

pipe, reson. freq. acoustic oscills. shock waveform. orifice depend. 4–39130
plasma, two-temperature, averaged eqns. for heating and expansion inc. thermal and shock waves 4–20111
in PMMA, nonlinear thermoviscoelastic response 4–10685
PMMA, shock pulse attenuation 4–41864
propagation in variable area ducts, wall friction, difference methods 4–3287
rare earth metals, Hugoniot parameters determ. from shock wave expts. 4–28184
reacting gas mixture behind shock wave, equil. comp. determ. 4–41944
reflection coefficients of sharp-edged orifices for small amplitude pressure waves, correlation method 4–16218
solar active region heating by shock waves, MHD waves and Joule losses *(Russian)* 4–14302
solar atmosphere, periodic wave trains in gravitational atmosphere 4–25950
solar flare of 1968, November 4, shock wave rel. to magnetic bottle 4–29854
solarwind, front thickness of interplanetary shock waves 4–2104
in solid, nonlinear thermoviscoelastic response 4–10685
solid, struct. of strong shock waves *(Japanese)* 4–12989
solids at high pressure, kinematic characteristics, Gruneisen parameter 4–7544
sonic boom meas., solid-state convertor 4–26482
sonic boom simulation using pyramidal shock tubes, developments 4–32086
spherical, propag. characts. in burning two-phase medium *(Russian)* 4–27868
spiral arms of galaxies, density-wave theory rel. to supernovae 4–14413
steady-state e.m. shock profiles, effects of dispersion 4–19033
stellar atmosphere, self-similar homothermal flow of self-gravitating gas behind shock wave 4–17991
stellar model, strong shock propagation in self gravitating conducting gases 4–14345
strong, diffraction by bodies with convex angles *(Russian)* 4–3285
structure of weak shock wave discontinuities in MHD 4–6194
subsonic sources in perfect gas, expansion, reln. to plasma heating 4–6250
supersonic flow, unsteady, high order solutions 4–40481
supersonic flow around cone, gas injection effects 4–40490
supersonic flow past wedges, numerical analysis 4–3283
supersonic flows in cylindrical ducts, shock wave structure 4–12705
terrestrial bow shock and interaction with interplanetary shocks 4–14194
thin layer theory, extensions 4–40479
three-phase flow, EHD shock waves, surface discontinuities *(Russian)* 4–40569
transonic flow with shock waves, hodograph method applic. *(French)* 4–924
travelling distortion by wall effects, exptl. and theoretical study 4–16216
tuffs, shock wave response rel. to porosity and saturation 4–1769
turbulent flow in plane Lavalle jet, conditions for absence of shock *(Russian)* 4–24219
two-mass system with collisions, interaction fixed constraint, dynamic characteristics *(Russian)* 4–23158
unstable detonations, microwave interferometry monitoring 4–15103
USN explosive sound signal MK61, pulse component source energies 4–42673
viscoelastic fibre, wave propag. under transverse impact 4–30816
viscous shock layer flow in the windward plane of cones at angle of attack 4–9678
viscous-inviscid interactions in supersonic flow, Klineberg's method modification 4–9674
wake formation behind triple shock wave configuration at point of branching *(Russian)* 4–40512
water, piston driven flow, self-similar soln. 4–12706
waveform thickness, metallographic determ. anal. and review *(Russian)* 4–37868
weak, Mach reflection at rigid wall *(Russian)* 4–27865
Al/epoxy resin, shock adiabat curves calc. *(Russian)* 4–7347
Ar, ionisation mechanism, weak nonstationary shock wave relaxation zone *(German)* 4–40372
Ar, solid, shock wave meas. 4–9948
H_2, solid, shock wave meas. 4–9948
$H_2 + O_2$, supersonic blunt body, pulsating combustion effects *(Russian)* 4–35570
He enriched shells associated with solar flares, expansion pattern 4–7901
Kr, ionisation mechanism, weak nonstationary shock wave relaxation zone *(German)* 4–40372
MgO, rarefaction wave velocities under shock compression to 500 kb 4–16552

shocks, electric *see electric shocks*

short-range order

in adsorbed film, cryst., mag. and momentum order, book 4–20484
amorphous metals, rel. to electron emission modulation spectroscopy 4–24619
amorphous semiconductor, study of anharmonicity in rel. to optical absorpt. edge 4–32637
bromoform, statistical model for orientational disorder during crystal growth 4–24406
conduction electron scattering in atomic array during pre-precipitation, computer simulation 4–3725
4,4'-di(n-alkoxy)azoxybenzene, nematic homologous series, effect on elastic consts. 4–24391
disordered alloy, perturbative electron transport theory 4–32920
disordered system with strong short-range order, local features of phonons 4–1098
disperse order, model for partially ordered state of concentrated solid solns. *(German)* 4–41556
lattice fluids with short-range interactions, phase transitions 4–39640

- **short-range order** continued
  - liquid alloys, struct. characts. calc., strongly interacting components *(Russian)* 4−20200
  - noncrystalline solids, vibrational props., state of art review 4−32636
  - polymer, amorphous and semicrystalline, density fluctuations, absolute values determ. 4−36818
  - silica glass, short-range order, crystallinity, theories, discussion 4−1014
  - α-Ag-Cd alloys, rel. to thermopower, 4.2-300K 4−1223
  - Al-Ge eutectic alloy, liq., X-ray obs. 4−13591
  - As chalcogenide, amorphous film, i.r. absorpt. spectrum *(Russian)* 4−33423
  - Au-Cr (Mn)(V) alloys, superlattice obs. 4−1460
  - Au_3Cu alloy, phase transitions and ordering process, thermopower meas. 4−10566
  - $Ce(PO_3)_3$, glass, rel. to Faraday rot. 4−28795
  - $Ce_{0.8}Tb_{0.2}Ru_2$, ferromag., neutron scatt., below supercond. transition point 4−10271
  - $Ce_{1-x}Tb_xRu_2$, superconductivity and correlation of mag. moments 4−33056
  - Co-Ir solid soln., hexagonal, X-ray diffr. obs. *(Russian)* 4−33632
  - α-Cu-Al solid solns., solute atoms influence on stacking fault energy 4−41602
  - Cu-Au alloys, Cu_3Au_{II} phase growth 4−33647
  - CuPt, disordered, order development on heating, elec. resist. charges 4−33667
  - $CuWO_4$, mag., effect on temp. depend. of e.p.r. linewidth *(Russian)* 4−24986
  - Fe-C melts, X-ray diffr. obs. *(Russian)* 4−33631
  - Fe-Co alloy diffusion couple with Fe-Ni alloy, interdiffusion after annealing at 1100C *(Japanese)* 4−37852
  - Fe-Co-V alloy, hardened, ordering kinetics *(French)* 4−1535
  - Fe-Ni alloy diffusion couple with Fe-Co alloy, interdiffusion after annealing at 1100C *(Japanese)* 4−37852
  - Fe-Ni-Co alloys, martensitic, ordering phenomena and mech. props. changes *(Russian)* 4−10562
  - Fe-Ni-Mo alloys, effect of Co on martensite ageing, short-range order regions form. 4−7177
  - FeCo, slip deform. depend. on strain, temp. and atomic ordering 4−17337
  - GaSe(Te) amorphous film, electron diffr. obs. *(Russian)* 4−32839
  - Ge and Ge:noble metals, quenched condensed films, superconduction and metastable phases 4−24858
  - Mg-Cd alloy, twinning dislocation motion, ordering effect *(Russian)* 4−21253
  - N_2 adsorbed on graphite, neutron scatt. anal. 4−37090
  - Nb-Mo system, high temp. thermodynamic props., 1050-1300K 4−13848
  - Nb-Ti-Zr solid solns., diffuse scatt., short-range displacement order, struct. models *(Russian)* 4−29027
  - Ni-Mo alloys, superlattice obs. 4−1460
  - Ni-Ti, local order parameter, plane stability ratio, field evaporation rate meas. 4−17253
  - Ni_3Mn single crysts., ordering influence on strain hardening characts. *(Russian)* 4−10610
  - NiPt, and long-range order 4−16446
  - NiSi, $NiSi_2$, liquid struct., X-ray obs. *(Russian)* 4−6321
  - $Pb_{0.9}In_{0.1}$ film, localised phonon modes, lattice order effect, supercond. tunnelling obs. 4−1288
  - Pd-Cu-Si metallic glasses, chem. bonding role in density, stability and form. 4−1011
  - Pd-Fe alloys, (8-18% Fe), resist. meas., quenched and aged samples, 77-400K 4−41194
  - Sb and Sb:noble metal, quenched condensed films, superconduction and metastable phases 4−24858
  - Sb chalcogenide, amorphous film, i.r. absorpt. spectrum *(Russian)* 4−33423
  - Sn:Cu quenched condensed films, superconduction and metastable phases 4−24858
  - Ta-W alloys, high temp. thermodynamic props. 4−13846
  - Ti, b.c.c. solid solns., with ω-phase, short-range struct. soln., models 4−1027
  - Ti-Al alloys, α-phase decomp., resist. and TEM obs. 4−37796
  - $VO_{2.23}$, short-range-order scatt. of electrons from local order of defects 4−24467
  - W wire, annealed doped, short range ordering of interstitials 4−29084
  - Zr-Nb(20 wt.%) b.c.c. with ω-phase, short-range struct. soln., models for diffuse neutron diffr. pattern 4−1027
- **shot noise**
  - lens, noise effect on m.t.f. meas. 4−8349
  - SEM, image quality and resolution 4−26669
  - Voigt contour study, Fabry-Perot optimum params. with shot, thermal noise 4−39251
- **showers, cosmic ray** *see cosmic ray showers and bursts*
- **SIC** *see monolithic integrated circuits*
- **signal coding** *see encoding*
- **signal detection**
  - adaptive, Bayesian likelihood ratio 4−14765
  - adaptive, sonar, optimality, absolute and constrained 4−11396
  - beating light beams, power spectral density, heterodyning, homodyning 4−15311
  - conference, Loughborough (1972) 4−8265
  - light signal, weak, detection by photon counting technique 4−18415
  - n.m.r., from bulk metals 4−26558
  - quantum, multiple parameter estimation 4−2608
  - seismic noisy reception, measurement scheme permitting optimisation 4−7538
  - seismology, use of sign bit semblance 4−34137
  - spectrometer, wavelength modulated, signal recovering with one photodetector 4−26520
  - visual acuity, meridional variations, vertical and horizontal gratings 4−8161
- **signal processing**
  - *see also correlation theory; data compression; filtering and prediction theory; Walsh functions*
  - acoustic array processing, ambient noise field edge effects 4−42672
  - acoustic holography, linear array systems, review 4−11527
  - adaptive, Bayesian likelihood ratio 4−14765
- **signal processing** continued
  - adaptive, sonar, optimality, absolute and constrained 4−11396
  - adaptive array, near optimum noise rejection, minimisation of hardware 4−14763
  - adaptive systems for sonar arrays, laboratory experimental results 4−14760
  - adaptive to enhance antenna and sonar performance 4−14764
  - analogue function modules 4−35571
  - analytic signal of magnetic body, props. 4−38265
  - atmospherics, method for reduction in distortions against noise background 4−29747
  - for automatic in situ sound velocity measurement of marine sediment cores 4−17867
  - Cook's tree bar, extracellular recording electrodes, i.r. induced thermoelectric potentials 4−150
  - correlation fns., digital estimation 4−14754
  - correlation method, acoustic tracking of ground vehicles using engine noise 4−8330
  - data reduction techniques, review, including man-machine systems 4−11383
  - digital signal averager, for improving S/N ratio in microwave spectroscopy 4−8371
  - exponential modulation in oceanographic telemetering systems *(Russian)* 4−38562
  - faradaic admittance measurement, Fourier anal., test signal waveforms 4−15042
  - homomorphic deconvolution of teleseismic P-waves from MILROW and CANNIKIN explosions 4−29423
  - INPUT airborne e.m. system, geophysical exploration instrumentation 4−38503
  - interactive time series analysis system with minicomputer 4−8274
  - Large Aperture Seismic Array, sampling and recording of P waves 4−11030
  - for long range side scan seabed investigation 4−11063
  - long-period micropulsations, power spectral estimates 4−21865
  - magnetic activity indices, power spectral estimates 4−21866
  - methods for underwater acoustic communications, sampled analogue 4−14758
  - micrometeorite detectors *(Russian)* 4−11268
  - in nuclear medicine 4−18205
  - ocean bottom wide swathe mapping, incoherent scatt. model and signal processor 4−17865
  - on line computer emulation of multichannel lock-in detector inexperiment 4−35491
  - optical heterodyne detection system, real-time correlators *(Japanese)* 4−39215
  - optical system, u.s. light modulators, zero-order background light reduction 4−26929
  - optimum array, spatial predictability of noise fields and singular detection 4−22676
  - optimum-lag shaping filters for deconvolution of seismic records 4−42180
  - parameter estimation of sonar target, theory 4−14762
  - passive sonar techniques 4−8331
  - photomultiplier output signal processing methods, efficiency 4−30457
  - plasma optical interferograms, automatic primary processing system, active filter, computer *(Russian)* 4−39248
  - power spectral estimates, theory and synthetic signals 4−21864
  - radar receiver for lunar mapping, sampling phase rotator for removal of Doppler shift 4−11259
  - radar satellite altimeter, ocean wave height estimation 4−29778
  - radar signal autocorrelation functions 4−7838
  - radiometer, total power, performance investigation comparison with analogue, digital computer smoothing 4−30413
  - radiometers, optimum signal processing for radiosource temp. determ. 4−18079
  - scanning electron microscopy, signal derivative processing 4−35475
  - sea ice classification, prototype radar system 4−14242
  - seismic array, adaptive processing techniques for apparent velocity and azimuth 4−21796
  - seismic data, after-stack multichannel filters, minimum mixing effects 4−25556
  - seismic data processing, calculation of optimum lag shaping filter 4−25546
  - seismic long period automatic processing, incorporating novel f-k filtering technique 4−21799
  - seismic recordings, algorithms for recursive filtering 4−7554
  - seismic reflection pulse, normal moveout correction 4−7529
  - seismic reflection traces, cross-correlation function peak timing, errors 4−25551
  - seismic traces, method of estimating signal power spectra and noise components 4−29705
  - seismograph array station, Uppsala, signal and noise coherence determination 4−17593
  - seismology, advanced land data processing system 4−25560
  - seismology, multichannel linear filters, optimal rejection of multiple reflections 4−34138
  - SEM, phase sensitive (lock-in) amplification, semicond. inhomogeneities 4−11624
  - SEM digital image processing 4−15013
  - SEM quantometer 4−8526
  - signal conditioner, for neurophysiology 4−35504
  - sonar, by acoustic microwave devices 4−11400
  - sonar, idealised, reverberation, removal of time varying character 4−11398
  - sonar, normalisation techniques and optimal processors, comparison 4−11399
  - sonar, reverberation, removal of time varying character 4−11397
  - sonar and radar, target detectability, effect of increasing resolution 4−11382
  - sonar and underwater communications in shallow water 4−11379
  - sonar signal and filter optimisation, jointly and severally 4−14733
  - sound propagation digital analysis system 4−4983
  - surface acoustic wave convolver, non-linear 4−26331
  - surface acoustic wave matched filter modem, in noise and interference limited environments 4−26330
  - transient, estimation of spectra, correl. functions 4−35114
  - turbulent target medium, estimation of spectral moments of pulse train returns 4−9663

signal processing continued
underwater acoustic system, dispersion wave, f.m. correl. technique *(Japanese)* 4—30407
underwater acoustics, conference, Loughborough (1972) 4—8265
underwater communication, fast unmanned underwater vehicles, review 4—14759
underwater communication, sonar, statistical analysis of time and space variant channels 4—11395
underwater low light level, TV cameras, video processing techniques 4—22180
underwater sound, surface reradiated spectrum evaluation by partitioned and modified chirp Z transform 4—18266
underwater sound receiving arrays, adaptive beamforming optimisation 4—14736
for underwater sound sources, detection by water surface reflected microwaves 4—4984
underwater sound spectrum, Walsh functions appl. 4—8266
vibroseis, compensation for nonuniform attenuation of spectrum 4—25841
video recording and reproduction on disc for colour television, Philips VLP system *(German)* 4—39770
video signal, electrooptical Fourier transform system, real-time 4—30492
vision, model, transformation technique, formal neuron realisation 4—8141

signalling
Nuffield circuit modules, imitation of traffic lights and S.O.S. signal 4—26406
railway level crossing road-clear signalling and barrier telecontrol with laser beam *(German)* 4—23411
temperature rise, using resistors *(Polish)* 4—4994

silica minerals *see minerals*

silicate minerals *see minerals*

silicon
(111) and (100) oriented, B redistrib. and anisotropic diffusion at 1100°C, obs. 4—16617
absorption spectrum, split-off exciton and phonon struct. 4—37629
acceptor impurities, four nearest neighbour sigma bonding model two electron wave function determ. 4—28369
adsorption layers, Li and He ions energy losses 4—28279
adsorption of CO and O_2, electron beam induced effects, Auger spectroscopy 4—24636
adsorption of CO and O_2, electron beam induced effects, Auger spectroscopy and SEM 4—24637
adsorption of O_2 on (111) surfaces, ellipsometric obs. 4—40987
adsorption on W single crystal faces, validity of Fowler-Nordheim parameters 4—10044
amorphous, electronic struct. and optical props. 4—20521
amorphous, phonon density of states, local order effect 4—40861
amorphous, photocond. and absorpt. 0.5 to 3 eV, localised state distrib. model 4—10180
amorphous, short range disorder model for imaginary part of dielectric function 4—1378
amorphous, struct. model, randomly stacked layers, tetrahedral coordination 4—9849
amorphous, valence band density of states interpretation 4—20525
amorphous, valence band state densities determ. 4—32854
amorphous and complex crystalline phases, band struct. and optical props. 4—28336
amorphous film anisotropy in elec cond. 4—33045
amorphous film density 4—10064
amorphous structure, simple microcrystallite model for diffr. data calcs. 4—12872
amorphous substrate, Pd_2Si thin film growth and transformation, epitaxy, temp. depend. 4—3666
amorphous thin films, conductivity anisotropy 4—13234
amorphous thin films, X-ray interferences, thickness meas. 4—3664
amorphous-crystalline junctions, rectification, characteristics, photovoltage production 4—16815
annealed, influence on depth of disturbed layer after grinding 4—3630
annealing behaviour of As implants physical and elec. profile comparison 4—12963
annealing processes, electron irradiated, internal friction meas. 4—36954
anodisation in r.f. plasma, oxide thickness depend. 4—6561
atom, beam-gas spectra, v.u.v., analysis of newly observed lines 4—15987
atomic crystal, incoherent X-ray scatt. intensities, valence states of atoms effects *(Russian)* 4—32468
Auger effect, high energy satellite peaks, double ionization 4—13543
Auger electron emission by ion bombard., secondary electron energy distrib. 4—28981
Auger electron spectroscopy, Kikuchi correlations 4—4020
Auger spectra, higher energy satellites 4—33545
backscattered electrons and their effect on resolution of transmission secondary electron multiplier 4—37717
backscattering from aligned crystals, molecular ion effects 4—20342
band structure, appl. of X-ray scatt. struct. amplitudes *(Russian)* 4—32872
band structure deep levels with divacancy in cell, semiempirical calc. 4—10111
band-tailing due to electron irrad., obs. 4—41008
barrier detector, response to protons and α-particles 4—11591
binding energy of excitonic molecules determ. 4—3720
carrier diffusion dynamics, laser probing 4—37270
carrier repopulation, electron scatt. conc. sensitive effects 4—41071
channelling of protons, energy scale conversion to depth scale, stopping power 4—16536
chemical vapour deposition, review 4—21216
chemisorption of In on (111) surface, kinetics, mass spectrometric determ. 4—37105
coherent bremsstrahlung from single cryst., polarization meas. 4—15020
coherent bremsstralung, from single cryst., polarization meas. 4—8450
concentration profiles of implanted ^{31}P 4—32575
condensed electron-hole state, radiative recomb., doping effects 4—37673

silicon continued
contamination detection, MeV ion scatt. 4—25270
counters, semiconductor, solid-state, electronics, amplifiers, discriminators, filters, circuit schematics 4—116
covalent surfaces, excitonic instabilities, vacancies and reconstruction 4—10029
crystal, tilted, pseudo-Kikuchi pattern contrast 4—24375
crystal defects investigation, i.r. microscopy *(Roumanian)* 4—21211
crystal growth, processes, review 4—33624
crystal-lamellae as neutron monochromator, resolution and intensity control 4—26564
cyclotron resonance, surface electron gas, Landau levels 4—20540
damage dependent electrical activation, B implanted 4—37761
defect distribution, determ. by fast proton channelling 4—16527
defects, thermally induced, model deduced from Hall coefficients and conductivity measurements 4—16719
dendritic crystals, B-doped, X-ray topographic investigation of defect distrib. 4—32840
density of states, calc. based on X-ray emission spectra meas. 4—13127
depth profiles of Na, Al, nucl. reson. method 4—6418
detection system, semicond., counting electrons above 10 keV 4—8534
detector, thickness and uniformity study rel. to production quality control *(Russian)* 4—22959
diffusion into Pt film, PtSi form., etching effect 4—37115
diffusion of Au and Ni, dissociative diffusion limiting process 4—20435
diffusion of Au rel. to dislocation density, Si semi-infinite single crysts. 4—16622
diffusion of B from H_2-BBr_3 mixture, surface effect 4—29022
diffusion of P, conc. depend. and mechanism 4—1139
diffusion of P from SiO_2 layers, temp. depend., ambient atm. effect 4—25268
diffusion through W films on Si, Auger spectroscopy 4—32748
diffusional doping by in situ B from oxidized BN wafer source 4—6520
dislocation generation by electron beam during electron-arc heating *(Russian)* 4—1068
dislocation network arising from diffusion of phosphorus, distrib. function of segment lengths *(Russian)* 4—3497
disorder in Au film on Si(111) surface, LEED obs. 4—20502
disordered, proton channelling meas., ion implanted 4—36923
dopant redistribution, during thermal oxidation, models 4—10553
doping, Au ion implantation, controlled technique, redistribution anneal 4—37760
doping rate determ. from temp. variation of m.o.s. struct. *(French)* 4—13569
Draconis, Si II, Si III spectra at LTE 4—30021
electrical properties, pseudopotential approach 4—41064
electron bombardment, defect generation, heating and ionisation effects 4—36917
electron bremsstrahlung spectra calc. *(German)* 4—37706
electron channelling, 0.5-3 MeV, theory comparison 4—40825
electron diffraction, dynamical theory, nature of errors using first order perturbation theory for absorpt. coeff. calc. 4—20193
electron irradiated, photolum., temp., stress and annealing effects 4—37659
electron multiple scattering, in single cryst., lattice effects 4—36790
electron penetration depth determ., 100-200 eV *(Russian)* 4—20339
electron scattering, magnetoresistance meas. 4—24769
electron spectra, amorphous, cryst. state differences, electronic condition model 4—6938
electron-hole droplets, crit. temp. 4—13157
electron-hole drops, quantum oscills. of intensity of recomb. radiation 4—10468
electronegativity in methylsilane 4—36482
ellipsometry data analysis beam deviation error 4—2271
energy gap, press. coeff., empirical psuedopotential calc. 4—24696
energy loss of fast B ions, through plane channels *(Russian)* 4—20335
energy shift of $K\alpha_{1,2}$ emission lines 4—21096
epitaxial, on $MgO.Al_2O_3$ spinel, elec. cond. and Hall coeff. neutron and electron irrad. effects 4—13187
epitaxial growth by sputtering, substrate step motion anal. 4—20498
epitaxial growth on ion-implanted SiN layer 4—10541
epitaxial layer, three-dimensional impurity profile 4—1450
epitaxial layers, thickness meas., phase shift influence, Fourier transform spectroscopy 4—22846
e.p.r. of cond. electrons produced by H ion implantation 4—33266
e.p.r. spectra of dislocations 4—41253
exciton energy spectrum and their condensation into liquid phase 4—28378
exciton luminescence band at high excitation intensities 4—1413
explosive burning of O and Si and resulting nucleosynthesis 4—26099
Faraday rotation, interband, meas. in spectral region 0.55 to 3.1 eV by modulation method 4—1382
field emission, transient effects 4—28996
field-emitted electrons, energy distrib., evidence for surface states 4—25216
film, amorphous, d.c. conductivity, spin density and optical absorption, deposition rate depend. 4—1233
film, amorphous, effect of annealing on high-field cond. mechanism 4—24749
film, electrochem. etching form., dopant atom diffusion 4—29009
film, epitaxial growth in horizontal reactor, heat and mass transfer, transport eqns. 4—32826
film, epitaxial growth on insulating substrate 4—6986
film, grain size, transmission electron microscope obs. 4—6568
film, large area single crystal production and defect concentration *(German)* 4—17177
film, nucleation, growth and structure, review 4—37778
film, single cryst. on Si and sapphire, stress meas., X-ray diffr. 4—29006
films, evaporated and pyrolytic, microstructural anal. 4—6567
force constant softening due to impurities, band and molecular models 4—20390
growth from melt, monocrystals, Chokhral'sky's method, angle of wetting *(Russian)* 4—13571

silicon continued
growth of shaped crystals, e.m. field and temp. distrib. in working zone *(Russian)* 4−10543
growth of shaped crystals from melt, in crucible or on mounting *(Russian)* 4−10544
growth on W, field emission, field ion microscopy, struct. obs. 4−13110
Hall mobility, determ. by 8-mm microwave magnetorefl. 4−32974
heat of sublimation, mass spectrometric study 4−32688
heavily doped, modified transport eqns. obtained 4−10145
high frequency electron conductivity mobility obs. 4−1245
hot carrier energy relax. time, transverse cond. oscill. 4−16769
hypersound, longit. absorpt., by anharmonic three-phonon processes 4−20373
implantation, etch rate characterization of thermally grown oxide layer 4−6987
implantation of B, annealing effect on conc. profiles, secondary ion mass spectrometry 4−6975
impurity detection sensitivity, He^{2+}, C^{2+} back scatt. technique 4−6951
inelastic energy loss of fast He and N ions, impact parameter depend. 4−28132
internal friction of deformed single crystals, 10 to 450 K, 15 Hz 4−16549
internal stresses, heteroepitaxial coatings on sapphire, stress relax. obs. *(Russian)* 4−13108
inversion layer of m.n.o.s.f.e.t, variable range hopping, low temp. cond. 4−28496
inversion layers, surfons, electron mobility theory 4−28495
ion bombardment radiation damage, ion scatt. ang. regularity depend. 4−9932
ion implantation, wafer heating 4−33629
ion-implanted, elec. switching effects in amorphized layers 4−24792
ionospheric sporadic-E layer, meteoric origin, layer struct. 4−4584
i.r. absorption spectrum, dislocation effect, dipole moment form. 4−13481
i.r. electron cyclotron resonance, inversion layer 4−20541
jet thinning, rotating apparatus for taper section and electron microscope specimen prep. 4−998
junction diode, surface-controlled, 1.0 MeV electron-irrad., characts. 4−28480
Kamper striation etch, simplified procedure 4−16665
kaonic atom, energy level widths, shifts, yields 4−3088
laser beam printing of part numbers 4−31085
laser deposition of Al on Si(111) surface, ordering kinetics 4−28978
lattice parameter determ. using precise double X-ray spectrometer 4−20190
liquid, elec. resist. and thermoelec. power, pseudopotential calc. 4−32941
LOCMOS technology *(French)* 4−25278
Luders band propagation in heavily doped single crysts. 4−32602
luminescence, press.-induced splitting of 0.97 eV line 4−28945
metal-Si_3N_4 n-p^+ Si, m.i.s. structure, bistable impedance states through controlled inversion 4−3777
microdefects in dislocation-free crystals 4−3495
migration energy of simple vacancy, impurity-vacancy interactions 4−13065
minority carrier lifetime, in m.o.s. struct., prep. technology effects 4−41119
multiple-exciton complexes, bound, at high doping levels 4−37199
n- and p-type, radiation damage to surface layers, defect energy levels 4−24484
n-type, e.m. absorpt. by ionised donor pair mol.-ion traps, theory 4−32992
n-type, inversion layers, piezoresistance, low temp. 4−3940
n-type, low-field transport, effect of quadrupole and octupole electron-phonon coupling 4−32951
n-type, minority carrier generation in m.o.s. struct. 4−6677
n-type, mobility, depend. on conc. of O 4−28412
n-type, refractive index anisotropy, electron scatt. in strong field 4−28791
n-type, Shubnikov-de Haas oscillations in p-type inversion layers 4−32984
n-type crystals, resist. variations rel. to growth striations 4−32953
neutron irradiated, e.s.r. saturation 4−13347
neutron-irrad., minority carrier diffusion length meas. for damage constants in comparison with photocond. decay obs. 4−41082
neutron-irrad., recombination in disordered regions, equilibrium vs. impact models 4−41081
neutron-irrad., stable damage comparisons from minority carrier lifetime degradation obs. 4−41080
neutron-irradiated, e.p.r., negative charge state of nonplanar five-vacancy cluster 4−20857
non-muffin-tin potentials, general formulation for multiple scatt., cryst. Si 4−20546
nuclear radiation spectrometer, barrier method 4−14980
ohmic contacts, Pd_2Si film formation kinetics and structure 4−25283
one-sided abrupt barriers, experiment determ. of avalanche region 4−41117
optical windows, pressure chamber for semiconductor research, 77K 4−5043
oxidation, photoelectron spectra obs. *(French)* 4−3653
oxidation, thermal growth of HCL-O_2 oxides, kinetics 4−6562
oxidised thin film, defect generation at stacking faults 4−3668
p-n junction, As-implanted, damage, i.r. microscopy obs. 4−12962
p-n junction, avalanche multiplication due to carrier generation in space-charge region 4−3775
p-n junction, doping profile at p-n junction investig. using electron beam microprobe *(German)* 4−20673
p-n junction fabrication, B diffusion into Si, from glassy B organic films *(Russian)* 4−21208
p-n junctions, microplasma effects 4−20675
p-n-p junctions, profile scanning by beam induced signals *(German)* 4−6666
p-type, doped, free carriers effect on zone centre vibr. modes, optical modes 4−36982
p-type, effect of neutron irradiation on positron annhilation 4−20326
p-type, mag. field effect on photoconductivity oscillations 4−28454
particle detector, B and P ion implantation 4−26596

silicon continued
particles, oxide coating, i.r. absorption 4−6884
penetration depth of dopants in SiO_2 films on Si *(German)* 4−4050
permittivity, isotropic zone-struct. model *(Russian)* 4−41326
photocell sensors, exposure meters in photography, new developments and techniques *(German)* 4−14863
photoconductivity, low temp. residual cond. of n-channel in f.e.t. p-n junction 4−37275
photocurrent, spectral characts., depend. on quantum energy *(Russian)* 4−32998
photocurrent decay kinetics, proton irrad., slow processes 4−37274
photoemission and field emission, alkali metal impurity effects *(Russian)* 4−21154
photoemission meas. of surface states 4−25208
photoemission spectra, u.v., surface and bulk contribs. 4−28989
photoexcited carriers, transport and recomb. below 30K, carrier heating, theory 4−1247
photomagnetic effect, anomalous behaviour, minority carrier diffusion length 4−33004
piezoresistive pressure transducer construction, characts. *(German)* 4−30432
plasma, instability due to spatial charge-exchange waves 4−24775
plasmon enhanced excitation in inner level ionisation 4−13160
point contact junction superconductivity, ultrarapidly quenched granules 4−37378
polycrystalline film, avalanche breakdown in Si gate m.o.s. struct. 4−10208
polycrystalline film, characterization and conduction model 4−17180
positron channelling, 40-160 MeV, effect of cryst. orientation 4−20340
powder compacts, nitridation kinetics 4−13838
precipitation of Cu, TEM, dislocation struct., covalent bond form. 4−20306
proton channelling in crystals covered with amorphous layer 4−24501
proton irradiation effect, recomb. centre form. theory *(Russian)* 4−32588
radiation defects profile, B and P ion irradiation, amorphous and cryst. Si *(Russian)* 4−20330
radiation detector, hot carriers, extended theory 4−18596
radiation detector, hot carriers, general theory 4−18595
radiative recombination coefficient, temp. depend. 4−21071
radiative transitions involving impurities, many-electron effective mass theory 4−33486
Raman spectrum, two-phonon overtone states, crit. point anal. 4−33402
Raman spectrum of wurtzite Si, relevance for diamond cubic and amorphous microcryst. models 4−33418
saturated drift velocity, hot electron range, impurity conc. and temp. depend. 4−20619
screw dislocations, X-ray intensity contrast, reflecting plane 4−36907
secondary electron energy spectra after primary electron bombardment, satellite struct. 4−33546
segregation in cast Fe with spheroidal graphite, importance for heat treatment *(German)* 4−25329
SEM, pseudo-Kikuchi band and lines due to detector position 4−16402
semiconductor, gamma-ray detector, evaluation of efficiency 4−18625
semiconductor, surface cleaning unit, organic solvents and reactants, in vacuum *(Russian)* 4−21207
semiconductor cosmic ray detector telescopes, isotope identification 4−39338
shallow impurities, binding energy 4−20558
Shockley-Read-Hall recombination theory, exptl. verification 4−10163
single crystals, Li diffusion, fabrication of Si semiconductor radiation detectors 4−18628
slow neutron filter, monocrystalline, transmission characts. *(Russian)* 4−36786
solar cell, γ-ray dosimeter, solid state analogue to gas ionization chamber 4−14704
sputter-etching, damage in surface region obs. 4−40988
stacking fault energy, pseudopotential calc. 4−20315
stacking faults and bounding partial dislocations, electron microscope image contrast 4−1001
in steel, low-pearlite, effect on strength, ductility and toughness 4−33789
stellar Si burning, related nuclear reaction rates 4−38753
stopping cross section factors, He^+ back-scatt. meas. 4−16533
substrate, cryst. imperfection obs., Cu displacement etching system 4−29010
substrate, for device manufacture, standardisation of shape, mechanical, structural and surface props. 4−1449
substrate, hetero-epitaxial growth of lower $B_{13}As_2$ 4−21206
substrate, treatment and polishing influence *(Russian)* 4−41504
substrate, W film reaction kinetics, X-ray diffr. 4−21200
substrate for epitaxial growth of β-SiC, growth morphology and perfection 4−10530
substrate for epitaxial growth of β-SiC, kinetics and growth mechanism 4−10529
substrate heater, u.h. vacuum, temps. near to melting point 4−5027
surface, photoinduced e.p.r. 4−28685
surface, reordering of Si(7 × 7) pattern, LEED obs. 4−40956
surface, thermochem. destruction, obs. by electrophys. methods *(Russian)* 4−20491
surface, two dimensional excitonic insulator ground state 4−41112
surface (111), caesiated, polarization depend. of photoelec. emission 4−41470
surface AR ion bombardment, characteristic X-ray production *(Hungarian)* 4−36443
surface barrier detector, damage effects with 0.5-2 MeV protons 4−39333
surface barrier detector for α-particles, electrons, prep., performance 4−30553
surface barrier detector irradiated with 0.5 to 1.5 MeV electrons, multiplication phenomena 4−39334

silicon continued
surface barrier diode, minority carrier injection and resistance modulation 4–18608
surface barriers, display and meas. by SEM technique 4–28473
surface contamination on polishing and cleaning, backscatt. obs. 4–1171
surface Debye temperature of Si (001)-2 × 2 structure, LEED-Auger obs. 4–40957
surface electron state, charge density, surface pot. and ionisation pot. self-consistent calc. 4–20665
surface electron states of Si(111), semi-empirical tight-binding calcs. 4–37299
surface e.m. waves on magnetic media, Si overlayer on NiO 4–24982
surface inversion layer, carrier mobility surface anisotropy and surface electron state effects 4–41104
surface mobility, Coulomb scatt. effect, rel. to m.o.s. struct. 4–37317
surface phonons, free-111-surface, model calc. using six-parameter potential 4–28266
surface photo-Hall effect in wafer with p-n junction 4–37256
surface recombination rate, effect of aluminium di-2,4-pentandionato-mononitrate film *(Russian)* 4–20664
surface states, rel. to peaked struct. in field-effect mobility of m.o.s.t., 4.2K and below 4–13225
surface states and conduction bands *(German)* 4–24797
surface-barrier detectors, calibration procedure for heavy ion response 4–26605
surface-barrier diode, high resistivity, voltage-dependent reverse current 4–18609
surface-barrier particle detector, pulsed-bias operation 4–30591
surface-barrier particle detectors, cooling 4–8455
temperature distrib., shaped ingots, grown by Stepanov's method, calc. *(Russian)* 4–13048
thermal conductivity, high temp. fall due to phonon phonon scatter 4–28177
thermal expansion, rel. to Cu 4–1129
thermal oxidation after ion implantation 4–6991
thin crystal and layer, for transilluminational electron microscopy 4–24359
thin dE/dx detectors of uniform thickness 4–11583
thin single crystal layer preparation, jet chem. etching and modified ion beam milling 4–1002
transition metal silicides-Si, fabrication, barrier height to Si 4–17183
twinned layers, behaviour on heating 4–28112
u.v. spectra, high temp., identification in solar spectrum 4–6045
vacancy, semivacancy pair, form. and activation anal., self diffusion 4–32560
vacancy capture radii for As, Sb, Bi impurities 4–40799
valence band, E(k)-depend. of bands of heavy and light holes 4–28346
valence band density of states, empirical pseudopot. calc. 4–28350
valence electron momentum density, from Compton profile obs. 4–37707
valence force field potentials, diamond-like crystal 4–28327
vidicon type tube, elec. effect of growth striations 4–17176
wafer resistivity meas., four point probe method 4–6998
wedge crystal, many-beam effects on thickness fringes 4–40727
whisker growth by vapour-liquid-solid mechanism, periodic instability 4–3669
X-ray diffraction, relative intensities of transmitted and reflected beams *(German)* 4–21110
X-ray emission $K_{\beta_1\beta_x}$ spectra *(Russian)* 4–21106
X-ray K_β and $L_{2,3}$ emission bands 4–4015
X-ray $L_{II,III}$ absorpt. spectra shapes, simple calcs. 4–37701
X-ray monochromator, perfect crystal props. *(German)* 4–32388
X-ray production by Ar bombardment 4–28954
X-ray topograph, with oxide layer, strain distrib. 4–20501
zone melting, crucibleless, thermal field calc. under gravity and surface tension forces *(Russian)* 4–41676
p scattering, analysing power, from 4 MeV to 16 MeV 4–14961
Al-Si interdigitized test structs., electromigration-thermomigration 4–28243
Al-Si sputtered junction, stress effect on current-voltage characteristics 4–16823
Al-SiO_2-Si, m.o.s., surface impurities effect on radiation induced changes 4–33034
Al_2O_3:Si, substrates, Auger electron spectroscopy for surface chemistry 4–7262
Au-Si interdigitized test structs., electromigration-thermomigration 4–28243
Au-SiO_2-Si structure, photoelec. mechanism, trap charging 4–28502
Au(Si) surface barrier detector, pulse height defect and mass dependence 4–11610
Auger emission, backscattering effects, ionisation cross section, estimate 4–13540
p-Cu_2S-n-Si, heterojunction, photosensitivity 4–28485
Fe:Si, high temp. elec. resist., Matthiessen rule, scatt. mechanisms *(Russian)* 4–24725
Fe:Si, neutron refr. at individual domain boundaries, laminar struct. *(Russian)* 4–28665
Fe/Si contact below eutectic temp. dendritic struct. obs. 4–40996
$Ga_{1-x}Al_xAs$:Si structure, variable gap, S-type diode, electroluminesc. 4–37691
n-GaAs:Si, laser, electron beam excitation, luminesc. mechanisms 4–31048
GaAs:Si, role of impurity, residual donor, doping, i.r. spectra 4–37182
GaAs:Si, vapour epitaxial, growth temp. and substrate orientation effects 4–37772
GaAs:Si doped single crystals, dislocations obs. by i.r. microscopy *(German)* 4–32568
GaAs:Si single crysts., stress/strain behaviour, dislocation mechanisms 4–6430
n-GaP:Si, local model absorption lines, pair form., Si-C complexes 4–25140
GaP-Si, Cu, Zn diffusion, complex form., localized mode freq. 4–25139
IC, C residues investigation, photoemission electron microscope 4–8520

silicon continued
InP:Si, dopant behaviour in LPE-grown LED mat. 4–17104
Ni-Si, thin layers, electron microscopy of phase transformations during annealing *(German)* 4–6497
Ni-Si layers, electron microscope investigation of phase formation *(German)* 4–37037
P doped, photoluminescence spectra at 2 K as function of impurity conc. 4–1416
n-Si, in strong mag. and elec. fields, magnetoresistivity, at 77K 4–13198
Si I $3s^2\ 3p^2\ {}^3P$-$3s3p^3\ {}^3D^0$ isoelectronic sequence, transition probabilities and correl. effects, NCMET 4–19657
Si II solar emission lines, u.v., high dispersion profiles, Schuster Schwarzschild model, analysis 4–25976
Si:^{84}Kr, impurity distrib. $^4He^+$ back-scatt. anal. 4–21212
Si:As, diffusion profiles, backscattering and differential conductance comparison 4–29013
Si:As, isothermal annealing, reaction kinetics, 550-850°C 4–24499
Si:Au, distributed diode, current filaments, using mirror electron microscope 4–20610
Si:Au, doping profile in p^+-n junction 4–3774
Si:B, Al, Ga, acceptor associated defects, minority carrier lifetime obs. 4–28360
Si:B, As, simultaneous diffusion from predeposited sources, cooperative effects 4–17185
Si:B, defect generation at stacking faults in thin films 4–3668
Si:B, depth profile determ. by $^{10}B(n,\alpha)^7Li$ reaction 4–6419
Si:B, diffusion, field-aided, numerical study 4–41510
Si:B, dislocation generating sources 4–9921
Si:B, electron capture coeff. of B atoms, low temp., theory 4–3746
Si:B, film, negative annealing, precip. of boron solid soln. 4–20333
Si:B, influence of D^- and A^+-centres on recomb. and scatt. of carriers 4–28368
Si:B, open-tube BBr_3 diffusion systems, use of water vapour as oxidant 4–41502
Si:B,P, internal absorpt. spectrum of B acceptors, compensation effect 4–28875
p-Si:B free carriers effect on zone-centre vibr. modes, acoustical modes 4–36981
Si:B^+, ion implantation, lattice damage at 140 keV, e.p.r. obs. 4–41501
Si:B(Al)(In), groun and excited states of acceptors, quantitative piezospectroscopy 4–33465
Si:B(P), detectability limits for B or P by Auger spectroscopy 4–25284
Si:Cu, possible role of impurities in neutron damage process, i.r. spectra obs. 4–36912
Si:Li, electron irrad., low temp. photolum. 4–37660
Si:Li, paraelastic reson. hypersound absorpt. by electron centres 4–20858
Si:N, thin foil, ion implanted, preparation techniques for transmission electron microscopy 4–40725
Si:O, Fourier transform i.r. spectra, O detection, computer anal. 4–18762
Si:P, alpha backscattering technique for phosphorus detection 4–6976
Si:P, Anderson transition, Knight shift, theory 4–20554
Si:P, degenerate, P redistrib. during thermal oxidation, Auger and ellipsometric obs. 4–41497
Si:P, diffusion under oxidising atmospheres 4–13582
Si:P, e.s.r., spin dependent cond. meas. 4–41254
Si:P, Fermi level at diffusion temperature 4–13147
Si:P, for thyristors and rectifiers from $^{30}Si(n,\gamma)^{31}Si \rightarrow {}^{31}P$ 4–33614
Si:P, metal-insulator transition props., theory 4–3708
Si:P, n.m.r. line shape and Knight shift 4–20883
Si:P, precipitates, X-ray diffr. and optical microscopy 4–28214
Si:P implanted, annealing behaviour of secondary defects, electron microscope exam. 4–28127
Si:P^+, X-ray diffraction contrast asymmetrics, implanted region-nonimplanted region boundary 4–6416
n-Si:P(As), Nernst-Ettingshausen coeff. meas., 77 to 300 K 4–20632
Si:S^+, deep level donor electronic struct., LCAO MO treatment 4–37187
Si:Sb, high temp. annealing, dislocations, decomposition mechanism *(Russian)* 4–10551
Si:Zn, recomb. waves, threshold freq., effect of optical injection 4–24780
Si:Zn(P), slow recomb. waves, effect of local electron probe 4–24776
Si/SiO_2 interface, surface roughness, guided beam attenuation meas. in Si waveguide 4–26454
Si-Al film, co-sputtered, comp. calc. 4–28315
Si-Ge layer structure, etching rate method investigation 4–28306
Si-Ge:P, structural changes during P precipitation 4–3504
n-Si-$LiNbO_3$, nonlinear acoustic surface wave interaction, coupling to charge carriers 4–28268
Si-$LiNbO_3$, validity of theory of coupled semicond. piezoelec. convolver 4–37074
Si-Mg diode characteristics 4–37307
Si-NiO, n-p junction, prep., I-V curves, photo e.m.f., temp., wavelength depends. *(Russian)* 4–24814
Si-P, exchange and dipolar fields, electron spin echo investig. 4–24985
Si-SiO_2, anodic, state density at interface, effects of cryst. orientation 4–24838
Si-SiO_2 boundary, condensator photoelectromotive force at high injection levels *(Russian)* 4–33036
Si-SiO_2 boundary, elec. props., effect of metallisation-induced stress 4–37314
Si-SiO_2 boundary, electron injection into SiO_2 from avalanching p-n junction 4–1271
Si-SiO_2 interface, fundamental props., effect of Si cond. type 4–28500
Si-SiO_2 interface, in m.o.s. struct., X-ray effect on electron states 4–20689
Si-SiO_2 interface, m.o.s. cond. technique, effect of energy-depend. capture cross section on data interpret. 4–37315

silicon continued
Si-SiO_2 interface, quantum state and electron transport, m.i.s. device technology 4−37318
Si-SiO_2 interface, surface charge and stress distrib. 4−13229
Si-W Schottky barrier, energy spectrum of surface states determ. *(Russian)* 4−13221
Si + glass reaction, bubble formation in glass coatings 4−33895
Si^{2-}, restricted HF-Roothaan wavefunction stability 4−15981
SiI(II)(III), in Ar plasma, Stark broadening parameters 4−31666
Si(Li) detectors of 20 MeV proton, rise time discrimination 4−35407
Si(Li) drifted surface barrier detector 4−35414
Si(Li) planar detectors, escape peak, investigation 4−18603
Si(Li) position-sensitive surface-barrier detector, for low energy γ-rays 4−11596
Si(Li) semiconductor spectrometer for complex spectra studies 4−30598
SiO_2-Si, m.o.s., irradiation effect on carrier mobility in inversion layers 4−33035
W-Si, point contact, negative photovoltage, anomalous Dember effect 4−20645
YIG:Si, mag. anisotropy, photo-induced changes, meas., valence exchange model 4−33186
YIG:Si, photomag. effect and electron-diffusion after effect 4−28660
YIG:Si light-induced mag. after-effect 4−33215

silicon alloys
rare earth silicides, RFe_2Si_2 type, elec. resist., 100-300K 4−13169
Ag-Si, liquisol quenching, metastable phase, X-ray diffr. 4−32713
Al-Mg_2Si, upper temp. limit for GP zones, resistometric determ. 4−29076
Al-Mg_2Si(1.0 wt.%) pseudo binary alloy, Guinier-Preston zone formation and ageing precip., effect of adding Fe *(Korean)* 4−21268
Al-Mg-Si, internal friction, grain boundary relax. 4−29129
Al-Si, denucleation processes 4−25316
Al-Si, internal friction meas. 4−33809
Al-Si, rapid solidification struct. 4−13593
Al-Si, vacancy-Si binding energy determ. by positron annihilation 4−36839
Al-Si alloy, hypereutectic, refining of primary Si cryst., effect of u.s. irrad. *(Korean)* 4−21321
Al-Si-Fe alloy, morphology of eutectic, solid solns., and intermetallic phases *(German, English)* 4−21231
Au-Si, SEM of sputter etched specimens 4−41578
Au-Si system, non-equil. phase cryst. struct. 4−12900
Co-Co_2Si system, metastable eutectic existence 4−29041
CoSi, specific heat between 0.5 and 9 K 4−16930
Cr_3Si, X-ray Kβ_5 emission bands, band struct. obs. 4−21101
Cu-Mn-Si bronze, volume changes during ageing *(Russian)* 4−37878
Cu-Si internally oxidized crysts., strain bursts during fatigue *(German)* 4−37962
Eu-Si, Mossbauer effect, magnetization meas., hyperfine fields 4−37538
Eu-Si_2, Mossbauer effect, magnetization meas., hyperfine fields 4−37538
Fe-Al-Si vol. growth during sintering *(Russian)* 4−21391
Fe-C-Si, hypereutectoid, isothermal bainitic transform., second stage obs. *(French)* 4−41522
Fe-C-Si, proeutectoid ferrite reaction kinetics, Si influence 4−17203
Fe-C-Si, Si alloying effects, Mossbauer obs. 4−29040
Fe-C-Si, spheroidization of flake graphite, Mg diffusion effects *(Korean)* 4−37907
Fe-C-Si(3.9 w.%) hypereutectoid alloys, bainitic transform. influence on graphitization by recovery *(French)* 4−41521
Fe-Cr (10-16 at.%)-Si (5-6 at.%)-Ti (2 at.%) alloy, precip. and hardening mechanisms, hardness, yield strength, ageing *(French)* 4−33782
Fe-Cr-Mn-Si-Ti ferritic-martensitic alloy, struct. hardening, effect of Mn content *(French)* 4−37942
Fe-Mn-Si systems, ferrite/austenite equil., γ-loops *(Japanese)* 4−41530
Fe-Mn-Si-Ti martensitic alloy, struct. hardening, effect of Mn content *(French)* 4−37942
Fe-Si, ^{57}Fe Mossbauer study, phase transformations, isomer shift and quadrupole splitting 4−28730
Fe-Si, dilute, positron annihilation, plastic deform. effect 4−37184
Fe-Si, ferromag., Hall e.m.f. meas., tensor nature 4−16741
Fe-Si, grain oriented, bending stress effects on mag. props. 4−37470
Fe-Si, lightly deformed single crysts., recrystallized grain growth rate anisotropy *(Russian)* 4−37827
Fe-Si, orientation depend. of grain boundary energy *(Russian)* 4−17235
Fe-Si, Si effect on boride coating formation 4−29121
Fe-Si, spinodal decomp., theory 4−29039
Fe-Si, thermomag. treatment effectiveness mag. props. w.r.t. mag. props. *(Russian)* 4−28645
Fe-Si, twin layers, defect struct., electron microscopy 4−37859
Fe-Si (12.1 at.%) elastic interaction of dislocations and antiphase boundaries *(Russian)* 4−29057
Fe-Si (3%), plastically deformed, dislocation influence on mag. domains 4−33205
Fe-Si plates under pure bending containing through crack, yield zones 4−37890
Fe-Si single crysts., strengthening zone induced by laser beam, struct. obs. *(Russian)* 4−33702
Fe-Si single crysts., substruct. form. during initial stage of high temp. creep *(Russian)* 4−21251
Fe-Si solid solns., b.c.c., ordering reactions, chem. and mag. interaction considerations 4−33670
Fe-Si solid solns., elec. resist., 300-1300K, Si alloying effect *(Russian)* 4−28384
Fe-Si(3 wt.%), galvanic Cr films effect on magnetostriction remanent induction and coercive force *(Russian)* 4−33212
Fe-Si(3 wt.%), high temp. creep kinetics and struct. depend. 4−41713
Fe-Si(3.25 wt.%) grain-oriented laminations, stress effects on mag. props. 4−37447
Fe-Si(3.75 wt.%), shock loading and cold rolling effects on substruct. and high temp. creep 4−41711

silicon alloys continued
FeSi, elastic moduli, temp. depend., rel. to carrier density 4−37956
FeSi, specific heat between 0.5 and 9 K 4−16930
Fe_3Si, hyperfine fields and mol. fields, temp. depend. 4−41321
Fe_3Si, K-zone absorpt., Fe electron struct. *(Russian)* 4−24689
Ge-Si, growth comp., dislocation, X-ray topography *(Russian)* 4−13575
$NbSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4−13592
Nb_3Si, new A-15 alloys, supercond. T_c meas. and cryst. struct. obs. 4−33064
$Pd_{0.775}Cu_{0.06}Si_{0.165}$ glasses, compressive deform., 77-520 K 4−13695
$Pd_{80}Si_{20}$, amorphous, crystn. kinetics, electron microscope obs. 4−24399
$Pd_{80}Si_{20}$, amorphous, X-ray struct. obs., random packing of hard spheres 4−32439
$Pd_{0.755}Si_{0.165}Cu_{0.06}$, anharmonicity of amorphous and crystalline phases 4−36968
Si-3d transition metals, liquid, struct. characts. calc., strong interaction *(Russian)* 4−20200
Si-Cu (0.0002 at.%) alloy, in situ annealing of dendritic shaped Cu precipitation colonies 4−16513
Si-Fe, mag. domain contrast, SEM obs. *(French)* 4−41213
Si-Ge, disordered, phonons, Raman spectra interpretation 4−36987
SiGe + glass reaction, bubble formation in glass coatings 4−33895
$Si_{0.5}Ge_{0.5}$, amorphous alloy film, anisotropy in elec. cond. 4−33045
$Si_{1-x}Ge_x$:P, e.p.r., rel. to band struct. and P surroundings 4−37487
$TaSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4−13592
(Ti,Zr,Hf)-Cu-Si, ternary phase diagram at 800°C *(German)* 4−17197
Ti-Si, creep rates, microstruct. and Si content depend. 4−33830
USi_3, low temp. electronic sp. ht. meas. 4−20781
V_3Si, cubic A15 structure, possibility of press. inducted instability 4−17208
V_3Si, elec. resist., temp. depend., 17 to 1100 K 4−16732
V_3Si, energy gap, temps. up to 30 K, far i.r. surface impedance meas. 4−24872
V_3Si, enhanced lattice stability under hydrostatic pressure 4−37810
V_3Si, form. from V reaction with Si, SiO_2 wafers, 15 K supercond. transition temp. 4−24854
V_3Si, mag. field depend. of martensitic transform. temp. 4−21233
V_3Si, optical reflectivity obs., density of states 4−25126
V_3Si, press. effect on lattice and superconducting transition temps. 4−16869
V_3Si, press. effects on elastic props., soft mode behaviour and superconductivity 4−16580
V_3Si, shear modulus press. coeff., linear chain model 4−25303
V_3Si, sound vel. meas. in high mag. field, electronic density of states 4−20401
V_3Si, supercond., lattice instability, electronic lifetime effect 4−13248
V_3Si, superconducting, density of states investigation 4−16572
V_3Si, u.s. obs. of soft mode in mag. field 4−16582
V_3Si single crysts., ^{51}V nucl. acoustic reson., martensitic transition region behaviour *(French)* 4−20868
$(V_3Si)_{1-x}(Cr_3Si)_x$, A15 type, ^{51}V n.m.r., conc. and temp. depend. *(Russian)* 4−16875

silicon compounds
see also quartz; silicon alloys; silicones
: 4−10529
Al-Si_3N_4-Al, influence of space charge and traps, on elec. cond. *(Russian)* 4−1272
Borsic reinforced Al composite, room temp. creep 4−41845
Borsic/Al composite, containing stainless steel and Ti, transverse creep and stress-rupture 4−13865
carbon stars, explanation of violet depression by SiC 4−30019
glass, Na metasilicate + sand, reaction kinetics 4−33973
glasses, irradiation defect centres, e.p.r. obs. 4−33260
inert gas crystal: silane, theoretical i.r. spectra of polyatomic point defect 4−1396
metal-Si_3N_4 n-p^+ Si, m.i.s. structure, bistable impedance states through controlled inversion 4−3777
mullite, vacuum pressure sintering kinetics 4−21397
SiB_6, lightweight, synthesis and characteriz. 4−7266
silica, compressed powder, Cherenkov radiation, meas. 4−8459
silica glass containing titanite, small-angle neutron scatt. 4−36813
silicate, meridional distrib. in Western Atlantic Ocean 4−7613
silicate glass, alkali ion depletion at blocking anode, theory 4−32957
silicate glass, multicomponent, corrosion, behaviour in aqueous environment 4−32823
silicate glasses, γ-irrad., interpretation of e.s.r. spectrum 4−16971
silicates, cleaning from seel sheet, transmission electron microscopy 4−10054
SiO_2, coating for LiF optical component, corrosion and wear resist. 4−18437
styrene-butadiene rubber/SiO_2 mixtures, dielec. const. and dielec. loss 60-10^8 Hz 4−1367
tetramethylsilane, gaseous ionic reactions 4−34000
Ag-SiO_2, granular film, optical, electrical and electron microscope obs. 4−33526
Al-SiO_2-Si, m.o.s., surface impurities effect on radiation induced changes 4−33034
Al_2O_3, chemical vapour deposition, review 4−21216
Au-SiO_2 granular film, optical, electrical and electron microscope obs. 4−33526
Bi_2O_3-SiO_2-GeO_2 glass, struct. and props. 4−20219
CaO-Al_2O_3-SiO_2 glass self-diffusion coeffs. meas. 4−37044
$Cl_3SiOSiF_3$, Raman spectrum 4−40275
Cu-SiO_2 single crystal, void formation rel. to deform. and SiO_2 particle size *(Japanese)* 4−13638
F_3SiPH_2, molecular struct. determ. 4−3094
$Li_2O.Al_2O_3.SiO_2$ glass, X-irrad., thermolum., e.p.r. spectra and optical absorpt. 4−13526
MgO-SiO_2-H_2O, high press. and high temp. meas., reaction products exam. by optical, thermal, X-ray meas. 4−29197
Na_2O-BaO-SiO_2 ternary system, subsolidus phase equilib. and compound formation 4−29225
Na_2O-CaO-SiO_2 glass, optical waveguide, e.s.r. and mag. susceptibility 4−19038

silicon compounds continued
$Na_2O.SiO_2$ glass, X-irrad., thermolum., e.p.r. spectra and optical absorpt. 4−13526
PbO-SiO_2 glass, self-diffusion coeffs. meas. 4−37044
PbO-SiO_2 system, liquid, distrib. of Sb *(Japanese)* 4−17201
Si-As-Ag-Te-Se, polynary glass, high softening and glass transition temps. 4−12876
Si-SiO_2 interface, fundamental props., effect of Si cond. type 4−28500
Si-SiO_2 interface, in m.o.s. struct., X-ray effect on electron states 4−20689
SiAlON, processing and characteriz. 4−4180
SiAlON, processing and characteriz. 4−4181
SiC, 21T polytype structure 4−24449
SiC, 4H, 95K violet and 300K green luminesc. 4−10490
SiC, 6H, oxidation 4−10060
n-α-SiC, 6H polytype, impurity absorpt., fine struct. obs. for large impurity conc. 4−28880
SiC, 6H type, epitaxial growth, 1320-1390°C, chemical vap. deposition 4−29008
SiC, α and β type thin films, liquid epitaxy and sputtering prep. 4−10556
SiC, carrier velocity meas. 4−10162
SiC, characterisation for high temp. use 4−10653
SiC, chem. vapour deposition on C fibres, fabrication and characteriz. 4−10527
SiC, chemical vapour deposition w.r.t. high temp. struct. applics. 4−10532
SiC, coated nuclear reactor fuel, detection of defective coating layers 4−23849
SiC, coating layer of coated reactor-fuel particles, Si content, coating failure 4−31530
SiC, comparison with related diamond-like crystals 4−10661
SiC, conf., Miami Beach, USA (Sep. 1973) 4−10647
SiC, cubic, theoretical investigation of solid solubility of cubic BN 4−10658
SiC, diffusion and solubility of B, Al, Be and Ga impurities 4−9997
SiC, doping by implantation 4−9927
SiC, effect on oxidation behaviour of ZrB_2 4−38008
α-SiC, electrical props. of different polytype 4−10154
SiC, epitaxial growth by chem. vapour deposition, electrolum. junction prep. 4−10526
SiC, epitaxial growth of layers, methods comparison 4−10525
β-SiC, epitaxial growth on Si, growth morphology and perfection 4−10530
SiC, etch. pit obs. on pure polytypes 4−24649
SiC, fracture of commercial samples 4−10660
β-SiC, grown by gasphase method, cathodolum., 100-300K 4−10492
SiC, growth characts. during reaction sintering TEM obs. 4−25420
SiC, high strength, characterisation rel. to severe environment use 4−10651
SiC, high-strength, characterization 4−25409
SiC, hot pressed, effect of C additions on grain growth and strength 4−10649
SiC, hot-pressed, alumina content influence on oxidation characts. 4−7276
SiC, hot-pressed, microstruct. and strength 4−7279
SiC, infiltration with Si, metals and Si-alloys 4−10717
SiC, influence of impurity levels on cohesive energy density, i.r. obs. 4−10657
6H-SiC, ion implantation 4−9928
SiC, light-emitting diode, thermally stimulated e.m.f. of p-n junctions 4−24822
SiC, liq. phase epitaxy by travelling heater method 4−10537
SiC, liquid-phase reactive sintering, kinetics 4−38028
SiC, long period structures, TEM obs. 4−25421
SiC, microstructural effects on physical props. 4−10659
SiC, natural superlattice rel. to electron energy spectrum 4−24450
SiC, neutron irrad., changes in temp. depend. of nonlinear conductivity *(Russian)* 4−1236
β-SiC, neutron irrad., post-irrad. annealing behaviour 4−23831
β-SiC, neutron irrad., X-ray diffr. peak profile analysis 4−24496
α-SiC, non-Lely growth expts. 4−10533
SiC, non-electronic applics. 4−10648
SiC, oxidation by O_2, CO_2 and CO, 1000-1600°C, kinetics 4−10059
SiC, polycryst., abnormal grain growth 4−10654
SiC, polytype growth mechanism 4−24448
SiC, polytypic transform. mechanisms 4−24560
SiC, polytypism origin 4−24447
β-SiC, post neutron irrad. annealing props., use as irrad. temp. monitor 4−9356
SiC, pyrolytic, integral hemispherical radiation 4−7285
β-SiC, pyrolytic, striated structures 4−10655
SiC, Raman spectra, powder and single crysts., comparison *(German)* 4−6881
p-SiC, resistance anomaly 4−10152
SiC, resistivity and Hall effect meas. 4−10153
SiC, screw dislocations, X-ray topographic obs. 4−24481
SiC, self-bonded, REFEL, engineering applics. 4−10650
SiC, single cryst. growth from Si vapour and carbon 4−10534
SiC, single cryst. surface barriers, I-V, C-V characts. 4−33022
SiC, single cryst. vapour phase growth mechanism and parameters 4−10535
α-SiC, slip distribs. and dislocation densities 4−24482
β-SiC, soln. grown, inclusion obs. in large crysts. 4−10538
β-SiC, sputter deposition and annealing 4−10528
SiC, subcritical crack growth and fatigue at high temps. 4−7269
SiC, thermal shock testing 4−7385
SiC, whiskers, anomalous Young's modulus, 700-1400°C 4−21402
SiC, X-ray production by Ar bombardment 4−28954
SiC addition to WC-Co cemented alloy, effect on mech. props. *(Korean)* 4−17305
SiC amorphous films, optical props. rel. to bonding models 4−10452
SiC coated nuclear fuel granules, systematic X-ray diff. examination 4−10656
β-SiC de Launay's angular force model, [100], [111] phonon dispersion relations 4−3536
SiC fibres, compatibility with Ti matrix and W substrate 4−7345

silicon compounds continued
SiC filament prep. by chem. vapour deposition 4−25246
SiC filament reinforced Al and Ti matrix composites, off axis tensile behaviour 4−1653
SiC filaments, chemical vapour deposition, heat treatment, rupture strength 4−10652
SiC film, r.f. sputtered, prep., characterisation, and applic. 4−37759
SiC layer growth on AlN substrates 4−10531
SiC layers, seeded soln. growth using Ti-Si flux 4−10539
SiC particles in N-type carbon star circumstellar shells, cause of violet opacity 4−42423
β-SiC polycrystalline films, elec. cond. *(Russian)* 4−20607
SiC polytypes, atlas of Laue patterns 4−24451
SiC polytypes, electronic energy band struct. calcs. 4−24698
SiC powder, soft X-ray appearance pot. spectrum, excitation probability *(Japanese)* 4−33517
SiC semiconductor detector, made from Be diffusion, characteristics determ. 4−18626
SiC:Al(Na), depth profiles, nucl. reson. method 4−6418
SiC:B, hot-pressed, strength and grain struct. 4−41802
β-SiC:B,N, photolum. spectra 4−10489
SiC:H(D), implanted, photolum. 4−10488
SiC:N, Al, 6H and 4H types, photo-, cathodolum., donor-acceptor pair recomb. 4−1408
β-SiC:N, film, ion implantation synthesis, photoluminesc., obs. and mechanism 4−28908
SiC:N, temperature and concentration dependence of spin-lattice relaxation 4−1337
α-SiC(:B) epitaxial layer, growth investig. rel. to temp. dependence, morphology 4−21204
SiC(4H), n-type, optical absorpt., main band transitions 4−17090
α-SiC(6H), i.r. irrad. effect on impurity centre recharge, thermolum. and phosphoresc. flashes 4−10462
α-SiC(6H):B, absorption spectra of acceptor-exciton complexes at 86 K 4−17098
SiCl, rot. fine struct. in B-X system 4−24058
$SiCl_4$, liquid gas phase, i.r., Raman spectra, isotope structure, intermolecular interaction 4−12582
$SiCl_4$, negative-ion charge transfer, electron affinities, mass spectra 4−12641
$SiCl_4$, oxidised in plasma, low optical loss silica glass prep. 4−33894
Si_2Cl_6O, vibr. spectra, vibr. assignments and mol. struct. 4−40280
$SiD(Hal)_3$, Hal=F, Br, I, prediction of normal vibr. frequencies *(Russian)* 4−31812
SiF, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4−9488
SiF, dissoc. energy estimation 4−27732
SiF_2, electronic spectrum, ab initio SCF and CI calcs. 4−767
SiF_3, emission spectrum, 2100-2600 Å, vibr. analysis 4−16061
SiF_4, assignment of He I photoelectron spectrum 4−31922
SiF_4, molecule, electron diffraction investigation of Si-F length 4−749
SiF_4, small-signal absorpt. coeff., 9.6 μ, saturated reson. spectroscopy 4−11950
SiF_4, two-quantum region absorpt. spectrum calc., $2 \times v_3$ transition 4−12992
SiF_4 in binary mixtures, CO_2 laser excited, vibr. relax., visible fluoresc. obs. 4−3224
SiH, u.v. spectra, high temp., identification in solar spectrum 4−6045
SiH_3, e.s.r. spectrum, high-order calculation 4−36557
SiH_4, gas added to He flowing afterglow, molecular spectral emission 4−793
SiH_4, liquid, rotational diffusion model calc. of incoherent cold neutron scatt. 4−16410
SiH_4, pure rotation spectrum 4−9540
$SiH_4(D_4)+H$, Arrhenius parameters, kinetic isotope effects *(German)* 4−38141
$(SiH_3)_2NH$, Raman and i.r. spectra, vibrational assignments, mol. struct. 4−6062
Si(Li), detector for γ-ray spectra of shielded sources, nuclear reactors 4−118
SiN, 3840 Å Woods band, 3900-4900 Å, high freq, discharge, nitrogen afterglow 4−19820
Si_3N_4, amorphous film crystallization by ionic bombard. and annealing 4−16680
Si_3N_4, anodization and props. of anodic oxide film products 4−1715
Si_3N_4, chemical vapour deposition, review 4−21216
Si_3N_4, Compton profile, superposition of $Si+N_2$ profiles 4−17142
Si_3N_4, crack propag. and failure prediction at elevated temps., proof testing method 4−38109
β-Si_3N_4, growth from Si melt, hexagonal needles 4−33599
Si_3N_4, high temp. characterization 4−7313
Si_3N_4, high-strength, characterization 4−25409
Si_3N_4, high-strength, hot pressing phenomena 4−4174
Si_3N_4, hot-pressed, cyclic fatigue 4−38022
Si_3N_4, hot-pressed, high temp. strength, impurity effects 4−7280
Si_3N_4, hot-pressed, microstruct. exam. 4−4192
Si_3N_4, hot-pressed, strength and fracture energy rel. to grain morphology 4−38021
Si_3N_4, i.r. transmission and reflection spectra *(Russian)* 4−6886
Si_3N_4, in m.i.m. with Al, elec. cond. mechanisms, V-i curves, temp. depend. *(Russian)* 4−6678
Si_3N_4, in m.n.o.s. struct., Na conc. profile determ., by neutron activation analysis 4−41499
Si_3N_4, microstructs. during hot pressing transforms. 4−38019
Si_3N_4, prod. from nitridation of Si powder compacts 4−13838
Si_3N_4, reaction sintered, oxidation effect on internal struct. and strength 4−13827
Si_3N_4, reaction sintering and microstruct. 4−7315
Si_3N_4, reaction-bonded, reflected light microscopy and microhardness 4−29203
Si_3N_4, subcritical crack growth and fatigue at high temps. 4−7269
Si_3N_4, thermal decomposition kinetics, 1490°-1750°C 4−7429
Si_3N_4, thermal shock testing 4−7385
Si_3N_4, W reinforced composite, effect of interface on impact strength 4−7337
β-Si_3N_4 decomp. temp. in Si_3N_4-C-N_2 system *(Japanese)* 4−41484

silicon compounds continued

- Si_3N_4 film, effect of sputtering conditions on elec. characts. of m.i.s. struct. *(Russian)* 4−37312
- Si_3N_4 film, in m.i.s. struct., current transmission mechanism *(Russian)* 4−16825
- Si_3N_4 film, on Si, reactive ion beam sputtering *(Hungarian)* 4−37766
- Si_3N_4 substrate, for metal film photocopying applic. *(Russian)* 4−18511
- Si_3N_4-MgO system, sintered, struct. and props. rel. to MgO conc. *(Japanese)* 4−10644
- Si_3N_4-SiC composite system, effect of microstructure on strength 4−17420
- Si_3N_4-Ta, composite, impact properties 4−21425
- Si_4N_3 films, dielectric properties *(Hungarian)* 4−37765
- α-Si_xN_y, reaction-bonded, oxygen content 4−41814
- Si_xN_y, reaction-sintered, SEM obs. of fine α-matte and prismatic β crysts. 4−41813
- Si_2N_2O, reflected light microscopy and microhardness 4−29203
- SiO, $^1\Sigma$-$^3\pi_i$ perturbation in 1413 Å band of $H^1\Sigma^+ - X^1\Sigma^+$ system 4−27642
- SiO, selective precipitation, film prep. technique *(Russian)* 4−32830
- SiO, spectra, 3840-4900 Å, Woods band, high freq. discharge, N_2 afterglow 4−19820
- SiO, threshold and memory switching 4−20658
- SiO, vibr., rot. analysis of Σ-Σ transition 4−9510
- SiO film on C as electron microscope specimen support film 4−35480
- SiO-MgF_2-ZnS, multilayer film deposition, equivalent refractive index 4−28960
- SiO_2, adsorbed substituted pyridines, H-bonding, i.r. spectra obs. 4−24633
- SiO_2, adsorption of water, n.m.r., freezing effects 4−37088
- SiO_2, amorphous, Mossbauer obs. of elastic and inelastic scatt. of γ-rays 4−33324
- SiO_2, anodic, state density at interface with Si, Si cryst. orientation effects 4−24838
- SiO_2, Auger anal., electron irrad. effects, surface dissociation 4−37721
- SiO_2, binary polarising lens, analysis of mechanics 4−18430
- SiO_2, chemical vapour deposition, review 4−21216
- SiO_2, discharge tube wall, MHD characs. depend. on wall geometry, material 4−32243
- SiO_2, doping in Al_2O_3, firing effect, substrate prep. 4−7260
- SiO_2, electron injection from avalanching p-n junction 4−1271
- SiO_2, film on Si, X-ray topography, strain distrib. 4−20501
- SiO_2, finely dispersed silica, spectrophotometric props., diffuse reflection 4−22854
- SiO_2, formation and removal of films on Si in gas discharges *(Russian)* 4−1447
- SiO_2, fused, e.p.r. of H atoms, phase relax. mechanism 4−13338
- SiO_2, fused silica, ion implantation induced compaction 4−36922
- SiO_2, gel, adsorption of water, surface diffusivity 4−4299
- SiO_2, gels, pore struct. anal. by O_2 adsorpt. 4−13948
- SiO_2, heat of sublimation determ. 4−32688
- SiO_2, high field cond., two-carrier model 4−37249
- SiO_2, hole-trapping centres, capture cross section determ. 4−3778
- SiO_2, in Au-SIO_2-Si structure, photoelec. mechanism, trap charging 4−28502
- SiO_2, in m.n.o.s. struct., Na conc. profile determ. by neutron activation analysis 4−41499
- SiO_2, in m.o.s. system, oxide charge trapping induced by Na^+ and Al^+, obs. 4−41124
- SiO_2, injection and removal of ionic charge through SiO_2/air interface, room temp. 4−37035
- SiO_2, layer on Si, $^4He^+$ channelling meas., line shape extraction anal. 4−20346
- SiO_2, loose fibre and powder, thermal cond. 4−4234
- SiO_2, models for electronic processes 4−10081
- SiO_2, penetration depth of dopants in SiO_2 films on Si *(German)* 4−4050
- SiO_2, quartz, Peierls force interpretation, SiO_4 tetrahedron stability 4−1755
- SiO_2, quartz, penetrating radiation effect on resistivity, dielec. loss 4−13385
- SiO_2, r.f. plasma anodisation of Si, ionic cond., space charge 4−6561
- SiO_2, radiation damage, oxidation and reduction depend. 4−32576
- SiO_2, Raman spectra, powder and single crysts., comparison *(German)* 4−6881
- SiO_2, Raman spectra of piperidine adsorption 4−13092
- SiO_2, silica suspension, aqueous, rheological props. 4−17458
- SiO_2, sintered for containers and formers in Stepanov's process *(Russian)* 4−13815
- SiO_2, sputtered, Na distrib., neutron activation and u.v. spectrographic analysis 4−6939
- SiO_2, synthesis of high density phase, compression by 350 to 900 kbar shock waves 4−36874
- SiO_2, thermally grown, B-implanted, etch rate characterization 4−6987
- SiO_2, thin film, transmission and reflection spectra, 5-40 eV 4−25196
- SiO_2, thin layer on Si, stoichiometry determ., He^+ back-scatt., channelling 4−40991
- SiO_2, trap density dependence on O^+ implantation 4−16751
- SiO_2, u.v. spectra, rel. to electronic struct. determ. 4−33434
- SiO_2, vibr. props. of disordered solids, state of art review 4−32636
- SiO_2, vitreous, B_2-band absorption effects of implanted ions, obs. 4−40819
- SiO_2, vitreous, low optical loss, prep. by plasma torch technique 4−33894
- SiO_2, vitreous, low temp. sp.ht. and thermal conductivity meas. 4−20418
- SiO_2, vitreous, thermal cond. up to 100K, random-network model 4−24540
- SiO_2, vitreous, thermal expansion, rel. to Cu, 30-290K 4−1129
- SiO_2, vitreous, thermal expansion, influence of TiO_2 addition 4−16605

silicon compounds continued

- SiO_2 (β-crystobalite), thermal decomposition, Knudsen effusion meas. 4−7431
- SiO_2 antireflection coating, transmission increase of CdO semicond. layer 4−22834
- SiO_2 film, 10 keV electron irrad., volume shrinkage 4−12957
- SiO_2 film, accelerated dielec. breakdown 4−1375
- SiO_2 film, in m.i.s. struct., current transmission mechanism *(Russian)* 4−16825
- SiO_2 film, on Si, activation, rel. to radiation detector applic. *(Russian)* 4−18621
- SiO_2 film, on Si, ionic charges, effect of annealing ambients 4−24831
- SiO_2 film, on Si substrate, ellipsometric obs. *(French)* 4−13534
- SiO_2 film, production reactor for continuous deposition 4−17184
- SiO_2 film, thermally grown, elec. cond. at elevated temp. 4−6631
- SiO_2 film, vapour-deposited, submicron thickness calibration by i.r. spectroscopy 4−37709
- SiO_2 film properties, growth rate influence *(Russian)* 4−37319
- SiO_2 films, low temp. form, from reactive vapour mixture 4−6968
- SiO_2 films, low-temp. investig. *(Russian)* 4−41125
- SiO_2 films, protective characts. by microhardness meas. 4−2229
- SiO_2 gel, adsorbate sp.ht meas., phase transition 4−10041
- SiO_2 gel, chemisorption of ammonia, wide-line n.m.r. obs. 4−1168
- SiO_2 gel, positronium quenching, effect of Br_2 and O_2 adsorpt. 4−28117
- SiO_2 gel films form. on alkali-silicate glass, struct. anal. 4−7469
- SiO_2 glass, NaCl soln. adsorption, phase transitions, porosity 4−10713
- SiO_2 m.o.s., ion transport 4−10209
- SiO_2 substrate, transition metal epitaxial thin films, silicide formation, low temps. 4−6571
- SiO_2 synthesis of antigorite, temp., press., mol. ratio depend. 4−1753
- SiO_2:Al(Na), depth profiles, nucl. reson. method 4−6418
- SiO_2:As, diffusion, appl. to ohmic contact fabrication on n-Ge 4−6990
- SiO_2:N(P) film, trap density and energy levels, thermally stimulated current obs. 4−37341
- SiO_2:Na^+, ion bombard. effect on thermally stimulated ionic conductivity 4−16764
- SiO_2:Nd lasers, end pumped fibre geometry, room-temp. operation 4−302
- SiO_2/Si interface, surface roughness, guided beam attenuation meas. in Si waveguide 4−26454
- SiO_2/TiO, 9-layer filter interf. coating, spectral characts. before and after cementing between glasses 4−18471
- SiO_2-Al_2O_3 melts, diffusion kinetics in mullite layer 4−21401
- SiO_2-Al_2O_3-Li_2O, glass nucleation and crystallisation, variation of props. 4−32441
- SiO_2-Al_2O_3-MgO-Li_2O, glass-ceramic, TiO_2 crystallisation agent *(Polish)* 4−29201
- SiO_2-Al_2O_3-Na_2O, glass, determ. depth of ^6Li penetration *(Polish)* 4−4200
- SiO_2-Al_2O_3-Na_2O glass, Raman spectra, vibr., comp. depend. 4−6874
- SiO_2-Al_2O_e systems, stable and metastable states, 1 atm. mullite melting props. diffusion couple method, electron microprobe anal. 4−40872
- SiO_2-B_2O_3 glass, refr. index and energy gap 4−37578
- SiO_2-B_2O_3-Na_2O-Al_2O_3 system, electron microscopy determ. of spinodal temp. 4−6342
- SiO_2-BaO-Al_2O_3, glass film, crystn. process, heat treatment, thickness 4−7263
- SiO_2-$CaCO_3$, X-ray fluoresc. anal., calibration in presence of interelement effects 4−39402
- SiO_2-CaO-Na_2O glass, Na_2O-CaO-SiO_2 glass X-ray and light scattering study of particle growth 4−20216
- SiO_2-CaO-Na_2O glass, scatt. studies of metastable immiscibility 4−6343
- SiO_2-K_2O (75%) glass, annealing, relax. of elec. cond. and refractive index 4−32929
- SiO_2-K_2O glass, elastic moduli meas., press. depend. 4−32598
- SiO_2-K_2O-Na_2O glass, comparison of mechanical and elec. field relax. 4−1374
- SiO_2-MgO refractories, phase equilibria and microstructure 4−33865
- SiO_2-Na_2O glass, amorphous phase separation, physical props. changes 4−28030
- SiO_2-Na_2O glass, correl. function anal. of phase separation, X-ray scatt. 4−6344
- SiO_2-Na_2O glass, transformation range, l.f. storage, loss moduli 4−28138
- SiO_2-Na_2O-Fe_2O_3 glass system, Fe^{2+} content, Mossbauer spectra versus chem. anal. 4−13369
- SiO_2-PbO glass, in MGOS struct., polarisation phenomena 4−20692
- SiO_2-PbO-Fe_2O_3 glass, a.c., d.c. conds., dielec. relax., polaron hopping mechanism 4−32901
- SiO_2-PbO-PbX_2 (X=F, Cl, Br, I) glass, mixed halide conductivity effects 4−1235
- SiO_2-Si, m.o.s., irradiation effect on carrier mobility in inversion layers 4−33035
- SiO_2-Si boundary, condensator photoelectromotive force at high injection levels *(Russian)* 4−33036
- SiO_2-Si boundary, elec. props., effect of metallisation-induced stress 4−37314
- SiO_2-Si interface, m.o.s. cond. technique, effect of energy-depend. capture cross section on data interpret. 4−37315
- SiO_2-Si interface, quantum state and electron transport, m.i.s. device technology 4−37318
- SiO_2-Si_3N_4 films, on Si, ionic charges, effects of annealing ambients 4−24831
- SiO_x, film, in m.i.m. struct., electroformed, switching energy 4−20699
- SiO_x, in Al-SiO_x-Au struct., enhanced forming, pulsed bias, filamentary models 4−28506
- SiO_x, in MIMIM triode struct., pot. distrib., hot electron attenuation meas. 4−28508
- SiO_x, thin film anal., Rutherford scatt., MeV α-particles 4−28316
- SiO_x, thin film capacitor, time constant of voltage response 4−16833

silicon compounds continued
SiO$_x$, X-ray emission K$_{\beta 1 \beta x}$ spectra *(Russian)* 4−21106
SiO$_x$ film, in m.i.m. struct., current transmission mechanism *(Russian)* 4−16825
Si^{18}O, vacuum u.v. absorption spectrum, excited states, ionization potential 4−27659
SiO$_2$−Al$_2$O$_3$ melts, diffusion analysis 4−17391
SiO$_x$ films, anodic, stretching band absorpt. peak shift after heat treatment *(German)* 4−17064
SiP$_2$, pyrite struct., symm. props. of energy zone *(Russian)* 4−20266
SiTe, enthalpy of form. determ. by combustion in F *(French)* 4−40903
SiTiO$_3$ second order structural transition, Landau and phenomenological phonon theories *(Hungarian)* 4−24543
^{28}SiD$_4$, i.r. and laser Raman spectra, rovibrational constants 4−27672
^{28}SiH$_4$, i.r. and laser Raman spectra, rovibrational constants 4−27672
α-si$_3$N$_4$, O content determ. using thermal neutron activation analysis 4−10639
Te-As-Si glass, small filament, cond., field effect 4−24750
TiO$_2$-SiO$_2$-Si-SiO$_2$-TiO$_2$ structure, discharge effect 4−20694

silicon controlled rectifiers *see thyristors*

silicon integrated circuits *see monolithic integrated circuits*

silicon reference diodes *see avalanche diodes*

silicones
fibre filled composite, fibre length effect on strength and fracture props. 4−21432
ionisation detector, performance analysis using accel. heavy ions and fission fragments *(Russian)* 4−30584
n.m.r., effect of specimen rot., internal motion dynamics *(French)* 4−1344
oil, fluid layers, Benard convection, heat transfer 4−16182
rubber membrane, transport of dissolved CO$_2$ 4−24577
sheath formation by plunging jets 4−3291

silver
adsorbed on W, surface reconstruction, field ion and emission microscopy 4−6552
adsorption, S on solid Ag, O on liquid Ag, statistical thermodynamics model 4−28292
aggregated film with opaque overcoating, spectral transmittance 4−41450
aggregated films, light scatt., spectral distrib. meas., comparison with Mie theory 4−41454
in atmospheric precipitations in Languedoc region *(French)* 4−34362
atom, K-shell electron impact ionisation 4−36441
Auger emission, backscattering effects, ionisation cross section, estimate 4−13540
co-adsorption of O and CO on Ag 4−28290
coating effects of Ag + Au and Au + Cu + Ag on surface states of Ge *(Russian)* 4−28475
cold cathodes for sealed-off CO$_2$ lasers 4−18487
colloidal, removal from AgCl permitting zone melting and crystal growth 4−4045
coupling of density and magnetization modes through momentum depend. of g-factor 4−20862
creep substructure investigation, electron probe microanalysis *(French)* 4−41930
diffused Cu surface, accommodation dislocations development in Ag conc. gradient 4−1482
diffused Cu surface, glide dislocation behaviour and strengthening 4−4076
diffusion in α-Fe and Ni, and effect of mag. transform. 4−16618
diffusion in Au, isotope effect *(German)* 4−40919
diffusion in Pb, effect of isotopic mass meas. 4−20441
diffusion in Sb, and elec. cond. *(Russian)* 4−20438
diffusion of Co 4−20430
diffusion of low solubility transition metals, dislocation effect *(French)* 4−32737
diffusion of Mg, isotope effect *(German)* 4−32739
disclination containing crysts., growth characts. 4−16440
disordered film on Ge, effect on inelastic electron refl. 4−37727
electrical and magnetic property changes due to solid soln. form. with group B-metals *(German)* 4−41053
electrical resistivity, at high temps., Ziman's model, corrections 4−20583
electrical resistivity, temp. variation, lattice dynamical models 4−3723
electrodeposition, growth spiral patterns, differential interference microscope obs. 4−3451
electrodeposition on Au electrode, specular reflectivity meas. 4−17523
electromigration, solute effects 4−37043
electromigration in Pr, steady-state meas., mechanism 4−32744
electron channelling, 0.5-3 MeV, theory comparison 4−40825
electron microscopy of developed film emulsion, optical filtering techniques, pitfalls 4−6315
electrotransport and diffusion in γ-Ce 4−37041
epitaxial growth of evaporated films of different orientations on NaCl 4−25239
evaporated targets, electron-induced plasmons, radiative decay with surface roughness 4−13158
exploding wire excitation; for anal. of trace metals, elec., radiative props., electrodeposition for preconc. 4−35553
f.c.c., {110}⟨110⟩ slip *(French)* 4−1502
film, (100), plastic deform., thickness effects 4−37130
film, aggregated, anomalous absorpt., optical effect of substrate 4−37713
film, annealing effects on thermoelectric power 4−28511
film, discontinuous, optical cond. reson., dipole approx. 4−25071
film, i.r. reflectance, thickness effect 4−41453
film, light reflectance and transmission, photoelec. props. at plasma freq. 4−1430
film, mechanism of nucleation and epitaxial growth by sputtering 4−1178
film, nucleation on alkali halide substrates, theoretical model 4−37134

silver continued
film, polycryst., t.c.r., grain size depend. 4−13233
film, reaction with I$_2$ vapour in α-AgI phase region 4−6476
film, resistivity, longitudinal-strain coefficient 4−41130
film, single cryst., resistivity, 4.2-56 K, electron-phonon scatt. 4−20578
film, surface plasmon dispersion curve, attenuated total reflection technique 4−13214
film, surface plasmon reson. absorpt., surface roughness effects 4−33433
film, thermoelec. power and resist. 4−37327
film, vac. deposition, TEM, electron diffr. obs. of phase comp., doping distrib. *(Russian)* 4−6566
film, vacuum-evaporated, X-ray line shift anal. 4−1179
film, work function changes on Xe adsorpt., field emission and photoemission obs. 4−37092
film in contact with In film, diffusion phenomena in contact zone *(Russian)* 4−3659
foil preparation for transmission electron microscopy 4−39370
grain boundary and dislocation pipe self-diffusion, correl. effects 4−1135
grain relaxation mechanism, review *(Russian)* 4−21271
grain size, effects in resolution of electron microscope autoradiographs 4−5272
Hall effect, skew scattering by rare-earth impurities, obs. between 1.2 and 40 K 4−13172
hardened, recrystn. obs. by SEM *(French)* 4−21257
human foetal livers, neutron activation analysis of trace elements 4−30167
LEED intensities, expt. obs. of Ag(001) 4−40947
LEED intensities, theory for Ag(001) 4−40948
LEED spectra calculation, surface Debye temp. determ. 4−13082
liquid, dielec. const., nearly-free electron part 4−3929
liquid, diffusivity of oxygen, electrochem. meas. 4−41519
liquid, evap. rates in h.f. vacuum induction melting *(Japanese)* 4−13596
liquid, gas phase resistance resistance influence on mass transfer 4−37782
liquid, self diffusion and diffusion of Cu and Au *(Japanese)* 4−4066
liquid, solute diffusion, gas model 4−16614
liquid, static struct., X-ray diffr. obs. 4−36795
liquid, struct. factors 4−16415
low-temp. electrical and thermal resistivities, electron scattering mechanism 4−10129
molten, self-diffusion, kinetic theory of fluids applic. 4−21218
noble metal granular films, plasma reson. 4−6937
optical properties of small particles, surface influences 4−25134
optical properties thermovariation, ellipsometric expt. with bulk samples 4−28867
particle stability in redox buffer 4−14003
particles, light absorption, temp. depend. *(German)* 4−6896
particles, small, conduction, e.s.r., quantum size effect 4−33265
phonon frequency and cohesive energy, band model with exchange correlations 4−40855
photoelectron spectra, 145 keV γ-ray K-shell cross sections 4−25211
plastic deformation, low temp., polycrysts. *(Russian)* 4−10612
positron annihilation with core electrons angular correlation curves 4−32579
positron lifetimes, lattice thermal expansion effects 4−41040
powder, cold pressing, green compacts 4−21370
powder, in Mn based thermistor material, effect of addition 4−41836
proton bombardment, K-shell ionization, X-ray production cross section 4−23987
radioisotopes, environmental behaviour in aquatic media, review 4−31629
secondary electron emission charact. energy gains in polycrystalline metal 4−33538
self-diffusion data analysis, single and divacancy activation energies 4−20439
single crystals, electrolytic growth rate and dissolution, potentiostatic conditions, twin boundaries influence *(German)* 4−13990
sintering, nucleation of dislocations on neck surfaces 4−21371
solubility in γ-Fe, 1366-1561K 4−37803
solubility in Al, phase diagram obs. 4−29042
specific heat meas. 2.5 to 30K, electronic coeff. 4−40902
spectrometry, atomic absorption high resolution, using scanning Fabry-Perot interferometer 4−5276
stacking fault energies, model pot. calcs. 4−40809
stopping cross section factors, He$^+$ back-scatt. meas. 4−16533
stopping power for 5-18 MeV protons and deuterons 4−24502
structure of Se overlayer on Ag(001), 4-fold site model 4−28317
submonolayer detection by electron microprobe analysis 4−1181
substrate, epitaxial growth of Fe, interfacial and morphological effects 4−1435
superconductivity, induced by proximity effect, thermal meas. 4−41155
surface, (111), adsorption of I, site determ. by LEED 4−37099
surface plasmons, dispersion curves, backbending 4−20643
target, refl. of 20-50 keV ^{7}Be ions 4−17149
texture development on rolling, obs. and mechanism 4−41593
thermal and electrical resist. meas., temp. depend. 2 to 20K, high purity Ag sample 4−37216
thermal diffusion in liquid tin *(Russian)* 4−6514
thermal expansion, rel. to Cu 4−1129
thermal expansion rel. to atomic vibr. amplitude 4−20391
thick target yields of L X-rays by fast heavy ion bombardments 4−5968
thin films, thickness meas., electron microprobe depth-distrib.-functions determ. 4−5257
trapped atoms in disordered matrices, matrix ENDOR linewidths 4−1723
valence band spectra using X-ray photoemission 4−37739
whiskers and epitaxial layers on W tips, FEM specimen, annealing and oxidation 4−28323
work function by Auger electron spectroscopy 4−15094
X-ray photoelectron spectrum, valence band meas., surface struct. electron microscopy 4−33578
X-ray photoemission of 3d electrons, core line asymmetries 4−25209
X-ray scattering, anharmonic, thermal, from longit., transverse modes 4−1100

silver continued
Ag/Au (111) bicrystals, misfit dislocation generation 4—1176
Ag/Cu bilayer, investigation of interfacial dislocations by RHEED 4—1543
Ag/Pb, normal/supercond. contact, proximity effects under mag. fields, u.s. absorpt. meas. 4—1287
Ag-AgCl-Mg implanted biogalvanic cell, feasibility 4—26227
Ag-Na$_2$O.10Al$_2$O$_3$-Ag electrochemical cell, impedance at interface 4—29336
Ag-Pb-Ag sandwich, supercond. density of states, calorimetric meas. 4—10228
Ag-SiO$_2$, granular film, optical, electrical and electron microscope obs. 4—33526
Ag-SiO$_x$-Ag-SiO$_x$-Ag, thin film triodes, pot. distrib., hot electron attenuation meas. 4—28508
Ag$^-$, paired centres in KCl, relaxed excited states 4—6911
Ag$^-$ centres in alkali halides, absorption, emission and excitation spectra 4—10467
Ag$^+$ ion, aqueous, entropy, and enthalpies of precip. of silver halides 4—38124
Ag(II) ion, thin layer electrochem. cell, applic. to Ag(II) reacts. 4—41968
Al-Ag film system on SiO$_2$-Si, low temp. stability, interdiffusion, ^{4}He$^+$ back-scatt. 4—20447
GaSb-Ag contact, ohmic contact resistance meas. *(German)* 4—6675
KBr:Ag, phosphoresc. decay, scintillation and luminesc. extinction *(Russian)* 4—13494
MgO-Ag cold cathode self-sustained emission 4—33597
NaCl:Ag$^+$, elec. field nuclear double reson. 4—25027
NaCl:Ag$^+$, luminescence spectra, synchrotron radiation excitation, photomultiplication 4—28915
Ni/Ag laminated material, thickness and comp. depend. of mech. and mag. props. *(Russian)* 4—33781
TlCl:Ag crystal, photolytic darkening 4—28873
(Zn,Cd)S:Ag, phosphor, saturation at high current densities 4—17128
ZnS:Ag, photolum. and X-ray luminesc. *(Russian)* 4—37657
ZnS:Ag,Al, comminution effects on luminesc. 4—17129

silver alloys
see also silver compounds
electrical and magnetic property changes due to solid soln. form. with group B-metals *(German)* 4—41053
lattice thermal conductivity of cold worked alloys at 0.5 to 4K 4—41055
oxidation, internal, at high O$_2$ pressure, rel. to disperse materials prodn. *(German)* 4—37995
Ag-Cu, radiometric absorption anal. using bremsstrahlung and line sources *(Czech)* 4—30656
Ag:Dy, dilute, crystalline field effects in e.s.r. 4—33257
Ag:Er, dilute, Mossbauer investigation, spectra of isolated atoms and clusters 4—37534
Ag-Al, diffusion coeff. meas. using electrochem. method *(Czech)* 4—6524
Ag-Al, massive transform. interface vel., temp. depend. 4—17222
Ag-Al, molten, inhomogeneities, small-angle scatt. obs. 4—33706
Ag-Al, -μ transform. kinetics 4—37798
Ag-Al system, alloying behaviour, pseudopotential calc. 4—25296
Ag-Al system, μ and phase stability, electronic sp. ht. obs. 4—33637
Ag-Al(24 at.%), $\beta \rightarrow \mu$ transform. 4—37799
Ag-Au, AgSn, study of surface composition by Auger spectroscopy 4—1697
Ag-Au, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4—13598
Ag-Au, dil., phenomenological model potential 4—3674
Ag-Au, non-dilute, electromigration, effective valence calc. 4—32745
Ag-Au, optical properties of small particles, surface influences 4—25134
Ag-Bi, molten, silver activity meas. by TIE method 4—29044
Ag-CD(45 at.%), pseudoelasticity and strain-memory effect 4—7014
Ag-Cd, intrinsic diffusion and vacancy wind effects 4—37040
β-Ag-Cd, martensitic transforms. 4—17205
Ag-Cd, pretransform. lattice instabilities 4—37812
α-Ag-Cd, thermopower, 4.2-300K 4—1223
Ag-Cu, liq., struct. factors 4—16415
Ag-Cu (28 wt.%), wettability on carbon steel rel. to atmosphere *(Japanese)* 4—4163
Ag-Cu internally oxidised, cold cathodes for sealed-off CO$_2$ lasers 4—18487
Ag-Cu system solid solns., solubility curves 4—25298
Ag-Cu-Cd, elec. contact prep. and props. 4—37783
Ag-Cu(2.5 wt.%), internal oxidation, Cu$_2$O and CuO form. 4—33824
Ag-Er dilute system, local moment conduction electron system 4—13344
Ag-Ge, liq., elec. resist., mag. susceptibility, heat of mixing 4—28394
Ag-Ge eutectic, unidirectionally solidified, temp. depend. of mech. props. 4—37901
α-Ag-In, indium v.p. meas. using atomic absorpt., thermodynamic parameters 4—13606
α-Ag-In, v.p. of In using atomic absorpt., thermodynamic parameters calc. 4—21241
α-Ag-In solid solns., activities, free energies, Hume-Rothery phenomena 4—1461
Ag-Mg emitter, Auger spectroscopy obs. *(Russian)* 4—21124
Ag-Mg solid soln., diffusion of Mg, isotope effect *(German)* 4—32739
Ag-Mg system, alloying behaviour, pseudopotential calc. 4—25296
Ag-Mn, dilute, magnetisation meas., ordering and absence of Kondo state 4—41181
Ag-Mn dil. alloy, internal mag. field obs. using pulsed n.m.r. spectrometer 4—3908
Ag-Nd, Phase equilibria, thermal, metallographic, X-ray, chemical anals. 4—29031
Ag-Ni, influence of K-state on Debye-temp. 4—3545
Ag-Ni(23.4 at.%), metastable, film, elec. resist. meas., 2.5 to 300K 4—3727
Ag-Pb, molten, inhomogeneities, small-angle scatt. obs. 4—33706
Ag-Pb, surface tension by sessile drop method *(French)* 4—13089
Ag-Pb(Sb)(Sn), molten, activities meas. 4—41551

silver alloys continued
Ag-Pd, adsorpt. of H$_2$, react. $H_2 \rightleftharpoons 2H$ (dissolved) studied, kinetics mechanism, rel. to temp. 4—40970
Ag-Pd, Knight shift temp. depend., DPAD technique 4—33317
Ag-Pr, phase equilibria, thermal, chemical, metallographic, X-ray anals. *(French)* 4—29030
Ag-Si, liquisol quenching, metastable phase, X-ray diffr. 4—32713
Ag-Sn, internal oxidation phenomena, Mossbauer and isotope exchange obs. 4—1358
α-Ag-Sn solid solns., activities, free energies, Hume-Rothery phenomena 4—1461
Ag-Yb, dilute, resist. meas., intermediate Yb valence state 4—20584
Ag-Zn, β′ phase, disordering kinetics 4—17223
Ag-Zn, thermally activated martensitic transform. kinetics and crystallography 4—29051
β'-Ag-Zn single crysts., antiphase domain growth kinetics 4—25331
AgAu, lattice sp. ht., temp. depend. calc. 4—16600
AgBi, visible and i.r. spectra, vibr. analysis, rot. constants determ. *(French)* 4—27650
AgCd, 9R martensite formation process 4—10565
AgCuZn$_2$, Heusler alloy ordering 4—25310
Ag$_3$Mg, plastic deformation mode 4—4103
AgPd, valence band spectra using X-ray photoemission 4—37739
β^1-AgZn, de Haas-van Alphen effect, Fermi surface, modulation method 4—3686
Al-Ag, dilute, vacancy-solute binding energy from positron trapping obs. 4—41038
Al-Ag, dilute n.m.r. and quadrupole interactions obs. 4—33302
Al-Ag, low temp. lattice sp.ht. enhancement, resonance modes 4—28218
Al-Ag, superconducting, magnetic behaviour investigation 4—33075
Al-Ag alloys, liquid-quenched, spinodal decomposition, small-angle X-ray scatt. 4—37831
Al-Ag alloys, metastable miscibility gap and crystallog. struct. of G.P. zones *(French)* 4—17238
Al-Ag powder, elec. conducting, prep. and chem. props. *(German)* 4—37994
γ′—Al-Ag precipitate plates, EMMA-4 analysis of comp. 4—17260
Al-Ag system, dissolution of grain boundary allotriomorphs 4—1503
Al-Ag system, solubility of Ag, phase diagram obs. 4—29042
Al-Ag-Zn, Zn addition effects on ageing kinetics, diffuse X-ray scatt. obs. *(Russian)* 4—17228
Al-At-Ag, effect of cellular precipitation on superconducting properties 4—10224
AlAg, dissociation energy of gaseous species meas. by Knudsen-cell mass spectrometry 4—3209
Au-Ag, creep substructure investigation, electron probe microanalysis *(French)* 4—41930
Au-Ag, specific gravity anal., errors 4—35520
Au-Ag volumetric interaction, diffusion under combination by pressure with preheat *(Russian)* 4—4129
Au-Ag-Pd thin films, interdiffusion 4—24595
AuAg, Bragg's rule validity, ^{4}He$^+$ scatt. 4—16535
Au$_x$Ag$_{1-x}$:Yb, e.s.r. linewidth investigation, Kondo effect 4—1339
AuAgZn$_2$, Heusler alloy ordering 4—25310
Bi-Ag aligned eutectic alloy, galvanothermomag. props. 4—16736
Cd-Ag, magnetoresistance anisotropy, 1.4-10K, fields up to 23 kG 4—3732
Cu-Ag, activities calc. from distrib. equil. meas. in fused salt mixtures *(German)* 4—25308
Cu-Ag, liquid, evaporation rates of Ag in h.f. vacuum induction melting *(Japanese)* 4—13596
Cu-Ag, oxidation technique for Fe removal, thermoelec. study 4—32925
Cu-Ag film, grain boundary electromigration and transport reversal 4—32746
Cu-Ag solid solns., interdiffusion coeffs. 4—6526
Cu-Ag-Al, internally oxidized, isothermal recrystn. kinetics 4—37835
DyAg, thermal expansion and magnetostriction 4—24979
ErAg, antiferromag. transitions, neutron diffr. 4—20773
LaAg$_x$In$_{1-x}$, mag. susceptibility, effect of cubic-to-tetragonal transform. 4—37403
Pb-Ag, type I superconductor, critical currents due to flux pinning 4—41158
Pb-Sn-Ag molten system, activities and free energies of mixing, e.m.f. method 4—37807
Pd-Ag, diffusion of H, electrochemical oscillation method *(German)* 4—13060
Pd-Ag-H, superconducting transition temp., lattice struct. and instabilities 4—16867
Pd-Ag-H system, variations of elastic moduli and internal friction 4—17202
Pd-Ag-Ni(Pt), hydrogen permeability and stability *(Russian)* 4—10620
Pd$_{60}$Ag$_{40}$, resist. min. obs. at 700K, s-d scatt. interpretation, comparison with Ni$_{35}$Cu$_{65}$ 4—37213
Sn-Ag-Sb, liq., interdiffusion coeff. determ. *(French)* 4—25304
TbAg, thermal expansion and magnetostriction 4—24979
YAg:Gd, e.p.r. obs., sign reversal for g-shift 4—6784
Zn-Ag, splat cooled, metastable phase relationships 4—1458

silver compounds
see also silver alloys
(+)$_{589}$-Ag[Co(NO$_2$)$_2$(D-ala)$_2$], cryst. struct. 4—16456
dycyanonitromethanide, cryst. struct. 4—28064
halid grains, exposure to light, surface and internal sites competition 4—2319
halide, spectral sensitisation using cyanine dyes, electrochem. pot.. data applic. 4—4290
halide emulsion, new form of developed Ag 4—2324
halide emulsions, photographic sensitivity and latent image form. mechanism 4—4283
halide with adsorbed cyanine dyes, J-aggregate supersensitisation mechanism 4—4288
halides, for precision photography, microcrystalline layer props. 4—30515
halides, photolysis of low-pAg emulsions, drift motion of ions in gelatin films 4—4285
halides, photolytic, mechanics of growth of Ag 4—4282

silver compounds continued

- halides, photolytic Ag_2 latent image speck, properties, quantum mechanical approach 4−4281
- halides, space charge, surface and electrode charge theory 4−37562
- photoemulsion for nuclear observations, interaction with relativistic protons and π-mesons *(Russian)* 4−35429
- photographic emulsions, spectral sensitisation, modifications by alterations in environment 4−25512
- Ag-AgCl-Mg implanted biogalvanic cell, feasibility 4−26227
- Ag-CdO composites, fine-dispersed, sintered, production *(German)* 4−38043
- Ag^+-(ClO_4)-HC complex, (HC=benzene, toluene, o-xylene), electronic spectra 4−24068
- Ag_3AsS_3, i.r. reflection and transmission spectra, 20-650 cm^{-1}, phonon mode obs. 4−41384
- Ag_3AsS_3, proustite, 10.6μ up-conversion to visible, efficiency increase in pump laser resonator 4−35875
- Ag_3AsS_3, proustite, harmonic generation, phase matching band spectral depend. 4−27018
- Ag_3AsS_3, proustite, phase-matched c.w. upconversion of CO laser lines 4−2634
- Ag_3AsS_3, proustite, two photon absorpt., threshold meas. 4−23389
- Ag_3AsS_3, Raman and far i.r. spectral investig. rel. to cryst. struct. 4−20979
- $AgBF_4$, in frozen organic soln., γ-irrad., e.s.r. obs. of paramag. Ag atom clusters 4−25494
- AgBr, anharmonicity of lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067
- AgBr, electrochem. electrode, photoresponse rel. to sensitising dye 4−21593
- AgBr, enthalpies of precip., and aqueous Ag^+ ion entropy 4−38124
- AgBr, photographic emulsion, decay of hole conc. after photoexcitation 4−20647
- AgBr, photographic sensitivity, effect of pressure 4−2322
- AgBr, transition metal impurities, valent state, lattice position and site symmetry 4−3896
- AgBr, zone refined, cyclotron electron mass and mobility, temp. depend. 4−37164
- AgBr dispersions, S-sensitized, red-light sensitivity, effect of aurous Au 4−4286
- AgBr emulsions obtained by bromination of developed layers, sensitisation properties 4−4295
- AgBr fresh wet precipitates, diffusion of Br^- 4−25518
- AgBr grains in nuclear emulsions, electron capture cross-sections 4−11603
- AgBr microcrystals, crystal shapes bounded by {110} planes 4−16666
- AgBr single crystal, the role of iodide ions in photographic process 4−21594
- AgBr trapping, electron and hole trap characteristics, effects on lifetimes and mobilities 4−13196
- AgBr with adsorbed trimethincyanines, J-aggregate freq. shifts rel. to struct. 4−4289
- $AgC(CN)_2NO$, cryst. struct. 4−36859
- AgCl, anharmonicity of lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067
- AgCl, anisotropic plastic flow, stress/strain meas. *(Russian)* 4−12976
- AgCl, e.p.r. spectra of Yb^{3+}, Er^{3+}, Dy^{3+} at 4.2K 4−16976
- AgCl, electrochem. electrode, photoresponse rel. to sensitising dye 4−21593
- AgCl, electron drift velocity and breakdown 4−1230
- AgCl, enthalpies of precip., and aqueous Ag^+ ion entropy 4−38124
- AgCl, epitaxial growth on PVC film, copying elec. props. of NaCl surface 4−13111
- AgCl, epitaxial growth on spherical Ag cryst., $HCl + Cl_2 + Ag$ reaction at 20°C *(German)* 4−16670
- AgCl, hydrostatic limits, to 100 kbar, rel. to appl. as press. transmitting medium 4−36952
- AgCl, inherent and spectral sensitivity, effect of moisture and O_2 4−4293
- AgCl, quenched, dislocation velocity stress exponent 4−36906
- AgCl, surface space charge regions, vibrating capacitor meas. 4−24799
- AgCl, temp. depend. formation of self-trapped holes 4−28363
- AgCl, thermal conductivity, effect of press. 4−40933
- AgCl, transition metal impurities, valent state, lattice position and site symmetry 4−3896
- AgCl crystal, as visual detectors of nuclear particles, review 4−18663
- AgCl detector, appl. to dosimetry and radiobiology 4−18664
- AgCl detector, Cd doped, mechanism of track formation 4−21596
- AgCl emulsions, influence of crystals habit on absorpt. spectra, adsorbed sensitising dyes 4−4291
- AgCl film, epitaxial, ionic cond. 4−24849
- AgCl zone melting and crystal growth from melt, O_2 and colloidal Ag impurity removal 4−4045
- AgCl:^{119}Sn, deformed polycryst. samples, Mossbauer effect obs. 4−17014
- AgCl:Au, optical absorption spectra obs., exciton absorption 4−33466
- AgCl:Cd detector, detecting properties for ionising particles 4−21597
- AgCl-NaCl solid solns., kinetics of decomposition from specific cond. meas. *(Russian)* 4−1229
- AgCl-NaCl solid solution, particle distrib. effect on diffuse X-ray scatt. 4−13047
- AgCl(Br), magnetoabsorpt. of indirect exciton 4−10397
- $AgClO_4$, in frozen benzene soln., γ-irrad., e.s.r. obs. of paramag. Ag atom clusters 4−25494
- $AgClO_4$ adduct of Fe(III) trisacetylacetonate monohydrate, cryst. struct. 4−36855
- Ag_2F, elec. cond., press. and temp. depend. 4−32932
- $Ag_2Fe_6(OH)_{12}(SO_4)_4$, argentojarosite, synthesis, physical props., thermal behaviour 4−4318
- $AgGaS_2$, energy gap, anomalous temp. depend., 4.2 to 300 K, optical meas. 4−13141
- $AgGaS_2$, tunable medium i.r. generation, down-conversion of flash-pumped dye laser radiation 4−31067
- $AgGaSe_2$, chalcopyrite, nonlinear optical coeff. and damage, phase-matched second harmonic generation 4−5538
- $AgGaSe_2$, second harmonic generation, i.r. mixing, laser tuning 4−35883
- $(AgGe_4)^{3-}$, in Ge, electron density distrib., electron energy distrib., covalent crystal acceptor impurities, sigma bonding model 4−28369
- $Ag_2H_3IO_6$, low temp. phase, n.m.r. study of structure, quadrupole coupling const. *(German)* 4−25005
- AgI, cloud seeding aerosols, particle size investigation, X-ray scattering 4−21988
- AgI, enthalpies of precip., and aqueous Ag^+ ion entropy 4−38124
- AgI, hexagonal single cryst., light absorpt., refr. index, freq. depend. 4−28782
- AgI, influence on freezing temps. of large water drops 4−29617
- AgI, ionic switching investigation 4−16806
- AgI, moisture-saturated, second-order phase transition 4−41896
- AgI, radioactive and nonradioactive, effect on ice nucleation 4−34392
- AgI, seeding agent, ice formation mechanism *(French)* 4−29613
- AgI, supersaturation spectra, filter technique 4−7714
- Ag(I) complex, bis-(10-methylisoalloxazine) silver nitrite tetrahydrate, and disordered nitrate-nitrite, cryst. struct. 4−6359
- Ag(I) cpds., linear ligand field effects on Auger spectra 4−33528
- AgI pellets, γ- and β-phases, elec. cond., temp. depend., electronic contribs. 4−32940
- β-AgI single crystals, elec. cond. meas., hydrostatic pressure effects 4−32964
- AgI-NaI, -KI, $-NH_4I$, ice nucleating properties, cloud chamber tests 4−10928
- Ag(III) complex, ethylenebis(biguanide), existence of highly charged Ag ion, from photoelectron spectra 4−31928
- $AgInS_2(Se_2,Te_2)$, semicond., band struct. calc. *(Russian)* 4−41021
- $AgNO_3$-$AlkNO_3$ melts, self-diffusion coeffs. 4−37026
- $AgNO_3$-KNO_3, molten mixture, self diffusion of cations, various temperatures and concentrations 4−3582
- $AgNO_3$-$LiNO_3$, ionic melt, Hittorf transference, internal transport numbers *(German)* 4−16771
- $AgNO_3$-$LiNO_3$ melt, transport nos. *(German)* 4−37048
- $AgNO_3$-$NaNO_3$ melt, self-diffusion coeffs. of Ag and Na and friction coeffs. 4−40906
- $AgNO_3$-$NaNO_3$ molten mixture, self diffusion of cations, various temperatures and concentrations 4−3582
- $AgNa(NO_2)_2$, ferroelec., nonlinearity 4−28775
- $AgNa(NO_2)_2$, ferroelec., luminesc., light absorpt., vibrs. 4−37683
- $Ag_2Nb_2(Ta_2)O_5F_2$, prep. and struct. characteriz. *(French)* 4−40771
- $AgNiF_3$ crystals, prep. and props. 4−41492
- Ag_3PO_4-$AgPO_3$ system, liquidus diagram study by differential thermal analysis 4−1108
- Ag_2S, cryst. struct. investigation, bulk material and thin films *(Rumanian)* 4−36872
- Ag_2S, crystal growth from vapour in H_2S-H_2 atmosphere 4−10523
- $AgSbO_3$, cubic disordered phases, cryst. struct. and chem. 4−40776
- $AgSbO_3$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
- Ag_3SbS_3, Raman and far i.r. spectral investig. rel. to cryst. struct. 4−20979
- $AgSbTe_2$, energy gap width 4−1199
- Ag_2Se, cryst. struct. investigation, bulk material and thin films *(Rumanian)* 4−36872
- Ag_2Se, i.r. spectra, temp. depend. of effective electron mass 4−25113
- Ag_2Se, polymorphic transform., electron microscope investigation 4−13043
- Ag_2Se, refl. spectrum, cond. band dispersion, depend. on carrier density, 330 K 4−25112
- Ag_2Se-Se, polycryst. thin film heterojunction, switching effect and memory peculiarities *(Russian)* 4−6668
- Ag_2Se-Se n-p heterojunctions, phys. state investigation, switching without memory regime *(Russian)* 4−33030
- Ag_2Se epitaxial growth on KCl, NaCl, electron diffraction orientation study *(French)* 4−16669
- $(AgSi_4)^{3-}$, in Si, electron density distrib., electron energy distrib., covalent crystal acceptor impurities, sigma bonding model 4−28369
- Ag_2Te, cryst. struct. investigation, bulk material and thin films *(Rumanian)* 4−36872
- Ag_2Te, i.r. refl. spectra anal., conduction band struct. 4−16710
- Ag_2Te, inelastic scatt. of electrons investigation 4−28414
- $Ag_{1.43}V_4O_{10}$, atomic struct., Patterson function, refinement 4−12924
- AgX where X=halide, electron paramagnetic resonance *(Russian)* 4−19690
- Ag_2X-AgI-HgI_2 system, X=S, Se, Te, ionic conductivity rel. to cryst. struct. 4−13063
- As-S-Ag system, glass form. and thermal analysis 4−40753
- $CdIn_2S_4$, anomalous shift of luminesc. band 4−10469
- $(K^+,Ag^+ \| NO_3^-,SO_4^{2-})$ reciprocal system, thermodynamic props. calc. from phase diagram 4−29364
- NaCl-AgCl, solid soln., two-phase decomposition model 4−6504
- $Pd_{0.775}Ag_{0.06}Si_{0.165}$, ultrasonic attenuation, freq. and temp. depend. 4−3527
- Se-Ag_2Se, film heterojunction, elec. characteristics in the pulsed regime *(Russian)* 4−1269

simulation

- *see also aerospace simulation; plasma simulation*
- 55 Hz olfactory bioelectric rhythm simulation 4−11285
- a.c. impedance, for influence of catalyst/inhibitor on electrode reaction 4−29328
- acoustic noise, in computer environment, by computer 4−26315
- of analysis of complex visual images *(Russian)* 4−30197,
- artificial earthquakes simulation based on a stationary stochastic process 4−38240
- astronomy, Polish computer applics. *(Polish)* 4−29792
- beam transport systems, analogue and hbrid programming methods *(German)* 4−39311
- biological processes, using differential equations *(Danish)* 4−14593
- buoyant pollutants, in atmospheric boundary layer 4−29642

simulation continued
BWR core, simulated, optimal control rod policies for operating cycle 4-23791
cardiac tissue impedance, cell-to-cell transmission model, computer-aided analysis 4-34986
cell devised with const. maintained ionic conc. gradient across membrane, biophysical model *(French)* 4-34989
changed particle transport systems DECAY TURTLE computer program 4-39314
chemical reaction kinetics, Monte Carlo computer simulation for students 4-26420
cochlear potentia, generation and distribution, computer simulation 4-11295
composites, elastic and viscoelastic, discrete lattice simulation of transient motions 4-17419
computer, two phase annular flow, film and droplet velocities, interchange effects 4-934
computer and statistical extremes of ocean phenomena, prediction technique 4-14110
condensation, dropwise, drop growth by coalescence investigation 4-32679
conduction electron scattering in atomic array during pre-precipitation, computer simulation 4-3725
continuous radiance functions estimation from discrete radiative transfer simulations 4-2572
cooperative systems, computer simulation 4-18969
creep, high temp., computer simulation 4-37914
crystal growth, by computer, confrontation with measured (R, σ) curves 4-3452
crystallography, computer programs for simulation of geometry of quasi-Laue RHEED patterns *(German)* 4-20192
d.c. arcs, steady state, computer applic. 4-16359
diffusion, surface conc., effects on absorpt. and desorpt. curves, electroanalog model 4-28276
diffusion simulation, floating random wave technique 4-28233
digital, rot. double-ring electrode, flow vel., conc. changes calc. 4-34036
dislocation dynamic bowing, computer modelling 4-13668
dislocation motion through random array of obstacles, computer simulation models 4-13667
Earth-ionosphere model, e.l.f. propagation charact. 4-38443
electrochemical systems, digital, improvements in method, approximations anal., appls. 4-41964
electrochemical systems, digital simulation of electrode processes, procedure for conserving computer time 4-41965
electrochemistry, rotating double ring electrode, collection efficiency eval. *(French)* 4-41966
ensemble theory of large interacting systems, computer simulation, relaxation process 4-15246
fast-reactor spectra, appl. to calcs. of reactivity effects 4-5879
field boundary problems, capacitance network model *(Russian)* 4-35782
flaw detection, u.s. impulse-echo method *(German)* 4-29274
flow pattern, in chem. plant, electrolytic bath described *(German)* 4-36682
fluid dynamics in fiords, mathematical and computer water pollution prediction 4-12669
fusion reactor development analysis using partitive analytical forecasting techniques 4-23918
galaxy shape, tidal distortions theory tested with computer models 4-38894
heat conduction, one-dimensional, nonstationary, analytic electrical simulation method 4-2578
holography, soft X-ray, optical simulation expt. 4-5086
hydrodynamics, by method of point vortices 4-24164
ion scattering by single crysts., energy distrib., computer modelling *(Russian)* 4-21127
liquid metal, self diffusion and thermal motion of Na ions *(Japanese)* 4-3581
magnetic core hysteresis, digital simulation *(Japanese)* 4-1323
metal texture, static and dynamic simulation, rolled f.c.c. and b.c.c. polycrysts. 4-4110
N-body computer simulations, theoretical aspects rel. to stellar dynamics 4-42273
neutron irradiation effects, h.v. electron microscopy 4-1072
nuclear excavitation, simulation by chemical explosive, computer matching 4-19634
nuclear pressuriser, digital model simulation 4-5886
nuclear reactor fuel columns, apparatus to simulate in-reactor transient heating conditions 4-3002
nuclear reactor in-core fuel management, linear programming 4-31486
nuclear reactor loss-of-flow simulation, for FFTF-type pre-irradiated fuel pins 4-40099
nuclear reactor scale model, rod bundle air flow tests 4-36312
polarography, d.c. effects at dropping Hg electrode, use of computer simulation 4-39417
polymer, brittle fracture simulation, network model in Monte Carlo method 4-17448
polymer film, growth in glow discharge, computer simulation *(German)* 4-37133
potential-step chronoabsorptometry, reversible chem. reacts. at electrode, kinetics, spectral characts. of intermediates 4-35512
protein model building computer program 4-26203
pulsatile flow, wall shear and separation in two dimensional branch 4-18112
pumps for nuclear applications 4-31457
PWR FLECHT test facility, loss-of-coolant accident simulation, cladding temp. meas. 4-40101
Q-meter proton target polarisation meas., computer simulation 4-41263
quasi-Laue-RHEED diagrams, a computer programme for geometry simulation *(German)* 4-6313
radar, by underwater u.s. 4-26308
of radar topographic images, viewing angle effects, photography of models 4-39236
relativistic electron beam diode, computer simulation 4-39780
small perturbation equation, analogue, transonic flow applic. 4-24211

simulation continued
solid-liquid crystal interface, mech. model of macroscopic shape of interface 4-20469
sonic boom, using pyramidal shock tubes, developments 4-32086
spark chamber, charged particle track simulation technique 4-2358
spatio-temporal model of visual system, analogue simulation 4-35030
special relativity, simulation of Einstein train in the laboratory 4-26386
spectrochemical analysis, induction heated plasma characts. 4-11691
of statistical thermodynamics problems, review paper 4-30933
stellar envelopes labs simulation of graphite formation 4-18004
vibration environments for testing 4-29266
weapons system, laser guided, OCM vulnerability evaluation 4-8863
whistlers, computer simulation for v.l.f. emissions in magnetosphere 4-38500
Cs beam clock performance 4-18343
InP, velocity/field charact. by microwave absorption technique 4-28418

simulators *see simulation*

single substrate integrated circuits *see monolithic integrated circuits*

sinks, heat *see heat sinks*

sintering
see also densification; powder metallurgy
activated, rel. to electron struct., for Mo, W, Mn, Al and Ni alloys *(Russian)* 4-21388
alloy, SAS-1, micro- and macroheterogeneities 4-17376
boehmite gel, simultaneous sintering and phase transformation 4-21411
carbonates, kinetics of thermally activated non-isothermal processes *(Russian)* 4-21552
ceramic, effect of trapped gas 4-21405
ceramic, liquid phase sintering kinetics 4-17390
ceramic, thermodynamics of liquid phase sintering 4-17389
ceramic porous microstructures characteriz., topology and geometry 4-4168
ceramic surfaces, effect on crystallographic props. 4-1614
cermet, stronger bond prod. between constituents, role of thermodynamics 4-7324
chrome-carbide hard metals, prodn. parameters rel. to phys. props. *(Russian)* 4-37999
compact, shrinkage of interconnected pore system 4-21373
conference, Herceg-Nova, Yugoslavia (Sep. 1973) 4-21369
diamond-metal system, densification during liquid phase sintering *(Russian)* 4-21386
disperse-porous body, thermodynamic anal. *(Russian)* 4-21384
dispersed oxide composites, sintering for high temp. protective coatings applic. 4-41823
filter elements, sintered, aerodynamics 4-38094
glass composite, zirconia-practical, sintered, comp., modulus of rupture and thermal expansion *(Japanese)* 4-13886
grain size dispersion, rel. to crystal growth and densification 4-21381
hot pressing, grain growth 4-21377
hydrates, kinetics of thermally activated non-isothermal processes *(Russian)* 4-21552
initial-stage, effects of particle-size distrib. 4-13836
interface-reaction control, role of vacancies 4-13849
isolated pores, randomly distributed sinks case 4-41791
isostatic pressing, advantages and applics. *(German)* 4-38004
kaolin, physico-chemical characteristics of activated sintering *(Russian)* 4-21414
luminescent components, prod. by high-pressure sintering 4-37762
magnetic alloy preparation, reduction sintering *(Japanese)* 4-37979
material, and composite materials, production, physical and chem. conditions *(Russian)* 4-37988
materials synthesis from powders, review 4-21421
metal, Nabarro-Herring mechanism role 4-7225
metal powders, role of primary recrystallisation 4-7253
metal sintered and composite materials, props., prodn. and applics. 4-37980
metal-glass materials, porous, densification kinetics 4-41796
metallo-ceramic electric discharge sintering *(Russian)* 4-21387
models and real powders, mech. activated, sintering kinetics *(German)* 4-37981
mullite, vacuum pressure sintering kinetics 4-21397
nitride ceramics, synthesis and fabrication procedures 4-4173
oxide refractories, high temp., microstruct. rel. to manuf. variables 4-7316
particles, hollow spherical, and light sintered materials, prep. *(German)* 4-38005
periclase-spinel, physico-chemical characteristics of activated sintering *(Russian)* 4-21414
polycrystal, radiospectroscopic study of defects 4-41248
pore closure, transport mechanisms 4-21382
powder, ductile, pressed and sintered, stress-strain curves *(German)* 4-37986
powder compacts, intermediate stage sintering, densification depend. on grain growth 4-4170
powder metallurgy materials, sintering temperature and time effects on results of spectral analysis 4-41795
powder metallurgy plates, porous, control using elec. resistivity meas. 4-17374
rare earth pyrohafnates, prep. and characteriz. for power reactor control rods 4-12444
refractory, densification by pre-sintering with explosive compaction 4-7259
second-stage liquid-phase sintering with partially wetting liquid, model 4-1610
solid state, thermodynamic anal. 4-21408
sphere, single, based on softening or melting of solid 4-17402
steel, based on sponge and atomized powders, P addition effect on mech. props. 4-7245
steel, high-speed tool type, fabrication by ultrafine powder metallurgy 4-7240
steel, high-strength sintered alloy prod. using transition metal carbides 4-7241

sintering continued
steel, stainless. sintered, sulphidizing 4—17377
surface geometry, rel. to contact forming 4—21380
theory, application in practice 4—21378
theory, application in practice 4—21379
topological props. of e.g. sintered materials, microscopic method for quantitative defn. 4—13830
vacancy annihilation and vacancy conc. influence on stress during sintering 4—37971
vacancy annihilation and vacancy conc. influence on stress during sintering 4—37972
in vacuum, activation effect *(German)* 4—37982
Ag, nucleation of dislocations on neck surfaces 4—21371
Ag-CdO composites, fine-dispersed, sintered, production *(German)* 4—38043
Al compact with admixture, liq. phase sintering, shrinkage *(Russian)* 4—37985
AlN, sintering rate under press., effect of iron *(Japanese)* 4—41830
Al_2O_3, alumina, magnesia-doped, sintered under rate control, intermediate stage densification kinetics 4—4171
Al_2O_3, alumina, magnesia-doped, sintered in vacuo, residual gas analyses 4—4172
Al_2O_3, effect of Y_2O_3 on microstruct. 4—21406
Al_2O_3, investig., nucleation statistical model *(German)* 4—33928
Al_2O_3, shrinkage rel. to particle size and packing 4—21412
Al_2O_3-glass ceramic, containing oxides *(Russian)* 4—21416
B, sintering behaviour, 2155-2268K, crystalline specimens 4—17393
B_4C, temp., press., grain size effects on microstructure 4—1617
Ba ferrites, sintering kinetics, raw material props. and stoichiometry influence *(German)* 4—7229
$Ba_{1\pm x}Fe_{12\mp x}O_{19}$, elementary and macroscopic densification *(French)* 4—41809
$Ba_{1-x}Pb_xTiO_3$ ceramic PTC composition, microstruct. and elec. props., composition and firing effects 4—37232
BeO, powder, heat of wetting rel. to sinterability *(Japanese)* 4—13855
$Bi(CNO)_3$, manufacture and characteriz. for electroceramic applics. *(Polish)* 4—29199
Co-Ni, relationships governing two-component sintering *(Russian)* 4—21390
Cu, dispersion strengthened with Al_2O_3, prod. by electroless codeposition method 4—41794
Cu, influence of dislocations on initial stage *(German)* 4—7234
Cu, oriented single cryst. spheres *(German)* 4—41790
Cu, spherical particles, sintering kinetics rel. to pressing 4—21372
Cu, surface tension and sintering force 4—37970
Cu graphite sintered material with Cu-clad graphite granule additions, antifriction props. 4—17375
Cu powder, sintering behaviour, effects of particle size, shape and surface props. *(German)* 4—37983
Cu single crystal, model, sintering kinetics, activating effect rel. to cold deform. *(German)* 4—37981
Cu-Al(7 wt.%) bronze, activated sintering, effect of B additions 4—21376
Cu-Ni, relationships governing two-component sintering *(Russian)* 4—21390
Cu-Ni sintered materials, homogeneity investigation using microprobe 4—33843
Cu-Ti alloy, heat-treatable, prep. and props. *(German)* 4—37996
Eu_2O_3 absorber material fabrication 4—15949
Fe, effect on adsorption of CO, determ. by i.r. spectroscopy 4—37093
Fe, sintered powder compacts, effect of porous character on ultimate tensile strength *(Slovak)* 4—13809
Fe alloy, sintered, case hardening, effects of porosity and sintering method *(Russian)* 4—37992
Fe compacts, effect of reduction annealing on props. *(Czech)* 4—7230
Fe parts, sintered, densification, nondestructive and destructive testing and metallog. analysis *(Russian)* 4—38118
Fe powder, abnormal grain growth at Curie pt. during hot pressing 4—7063
Fe powder, sintered, porosity, depend. of tensile strengths elongation and hardness *(German)* 4—37987
Fe powder, sintering kinetics rel. to mech. activation *(German)* 4—37981
Fe powders containing 0.1-2.2% P, optimum conditions 4—7254
Fe wire, in molten Cu 4—21375
Fe-Al, vol. growth during sintering *(Russian)* 4—21391
Fe-Al_2O_3, influence of production methods on sintering *(Russian)* 4—21393
Fe-Al-Si, vol. growth during sintering *(Russian)* 4—21391
Fe-CO, relationships governing two-component sintering *(Russian)* 4—21390
Fe-Cr, relationships governing two-component sintering *(Russian)* 4—21390
Fe-Cu powder mixtures, sintering of compacts and microstruct. characteriz. 4—7243
Fe-Cu pre-alloyed powders, atomized, mech. characts. 4—41801
Fe-Cu-Sn sintered compact prep. and mech. characteriz. 4—7242
Fe-Cu(Ni), ceramic, effect of heating rate on vol. change in sintering *(Russian)* 4—21385
Fe-Cu(20 wt.%), solid particle growth during sintering in liq. phase presence 4—1536
Fe-$FeAl_2O_4$ powder-molecular dispersion catalyst, sintering mechanism 4—41792
Fe-graphite, sintering pressing rate rel. to mechanism of formation *(Russian)* 4—21392
Fe-NbC, influence of production methods on sintering *(Russian)* 4—21393
Fe-steel, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4—21394
Fe_3O_4, magnetite, effect of non-stoichiometry 4—17403
Li(Ni,Zn) ferrite, prearation by liquid drying 4—38011
MGO, MgO:LiF, isothermal shrinkage obs. during initial sintering 4—10641
MgO, by thermal decomposition, factors affecting sinterability 4—21409
MgO, optimum texture for sintering *(French)* 4—41804
MgO, pore size distrib. by back diffusion method *(Japanese)* 4—13857
MgO, precursor rel. to microstructure during consolidation 4—13845
MgO-Si_3N_4 system mats., mech. props. 4—33859
Mo, densification by pre-sintering with explosive compaction 4—7259
$MoSi_2$, powder, hot pressing with chem. activation *(German)* 4—4198
$MoSi_2(Ge_2)$ alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4—13806
NaF, sintering kinetics and paramag. centres influence 4—41249
Ni, effect on adsorption of CO, determ. by i.r. spectroscopy 4—37093
Ni, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4—21394
Ni alloy with HfO_2 dispersion, particle growth in hardening phases *(Russian)* 4—41786
Ni powder, precipitated, porosity effect on fatigue behaviour 4—7246
Ni powder metallurgy plates, porous, control using elec. resistivity meas. 4—17374
Ni wire, in molten Cu 4—21375
Ni-Al, vol. growth during sintering *(Russian)* 4—21391
Ni-Al_2O_3 influence of production methods on sintering *(Russian)* 4—21393
Ni-ZrO_2, influence of production methods on sintering *(Russian)* 4—21393
NiO powder compacts, initial sintering, shrinkage kinetics 4—41818
NiO powders, nonstoichiometric 4—33862
NiZn ferrite, sintering in presence of V_2O_5 4—41825
$Pb_xLa_{1-x}(Zr,Ti)O_3$ ceramic, transparent, atmosphere sintering, improvements 4—13837
$Pb_xLa_{1-x}(Zr,Ti)O_3$ ceramic, pressure-sintered, isothermal grain growth 4—13839
$Pb(Zr,Ti)O_3$, liquid phase densification 4—17394
$^{238}PuO_2$ radioisotopic fuels, fabrication parameters 4—23826
QC-Co alloys, sintering temp. and cooling conditions influence on microstruct. and residual stresses *(French)* 4—33845
SiAlON, processing and characteriz. 4—4180
SiAlON, processing and characteriz. 4—4181
SiC, growth characts. during reaction sintering TEM obs. 4—25420
SiC, liquid-phase reactive sintering, kinetics 4—38028
Si_3N_4, reaction sintering and microstruct. 4—7315
Si_3N_4-MgO system, sintered, struct. and props. rel. to MgO conc. *(Japanese)* 4—10644
SiO_2 for containers and formers in Stepanov's process *(Russian)* 4—13815
Sm-Co alloys, sintering mechanisms, isothermal shrinkage meas. *(German)* 4—7258
Sm-Co compounds, mechanism, shrinkage meas. *(German)* 4—37984
TaC-Co alloy, cobalt content effect on microstruct. during sintering 4—29198
ThO_2, ThO_2-Y_2O_3, activated sintering and NiO 4—10637
TiB_2 alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4—13806
TiN_x, x=0.95, 0.92, 0.88 and 0.86, temp.-time dependence of shrinkage *(Russian)* 4—21413
TiO_2, sintered, with transition element oxides, physical characterization 4—21418
$(U,Pu)O_2$ fuel, role in modelling actinide redistrib. 4—3017
$(U,Pu)O_2$ fuel elements, plutonium segregation and central-void form. 4—31536
UO_2, calc. of kinetic constants and densification during sintering *(Russian)* 4—21417
UO_2, high temp., microstruct. rel. to manuf. variables 4—7316
UO_2, shrinkage rel. to particle size and packing 4—21412
UO_2, tensile strength dependence on microstruct. 4—21407
UO_2 fuel pellets, thermal resinter characts. 4—15962
UO_2 nuclear reactor fuel, rapid sintering in glow discharge 4—23888
UO_2 powder compacts, sintering and morphology of interconnected porosity 4—13825
UO_2-ThO_2 mixtures, powder characts. influence on sintering 4—7320
W, densification by pre-sintering with explosive compaction 4—7259
W wire, in molten Cu 4—21375
W wire, sintering kinetics, effect of solid-phase Ni coating 4—37977
W-Mo powder pressings, solid soln. form. during sintering, temp. depend. *(Russian)* 4—41787
WC-Co cemented carbides, composition and microstruct. of binder phases 4—7235
WC-Co hard metals, sintering rel. to C deficit compensation, props. *(German)* 4—38003
WC-Co(6 wt.%) cemented alloy, effect of SiC addition *(Korean)* 4—17305
ZnS, compaction kinetics during hot pressing 4—33860

size effect
heading is late addition
alkali halides, movement of gas-filled cavities produced by external fields 4—24587
electron gas, size corrections to diamagnetic susceptibility 4—1300
ferroelectric film, phase transition, stability and depolarization field theory 4—37573
film, expts., review 4—24666
mag. field depend. of nonequilib. electron tunnelling 4—13231
metal, electron m.f.p. calc., size effect theory 4—3733
metal thin plate, surface scatt. influence on quantum size effect 4—16731
Ag small particles, conduction e.s.r., quantum size effect 4—33265
Al small particles, electronic quantum effects 4—25002
Au film, evaporated, appl. of size effect theory to phonon behaviour 4—37328
Bi, film, magnetoresistance meas. 4—24770
Bi polycryst. film, thermal, elec. cond. and thermoelec. power, crystallite size effect 4—37337
$Bi_8Te_7S_5$ film, elec. cond., 77 and 300K, quantum size effect 4—24843
$Bi_8Te_7S_5$ film, field effect cond., quantum size effects 4—24844

size effect continued
Cd, electron mean free path, temp. depend., reson. peak obs. *(French)* 4—20577
Cd, r.f. size effect, Fermi surface dimensions, reson. peak obs. *(French)* 4—20526
Cd, size depend. oscillatory magnetoresist. and Hall effect 4—41060
Cu, thin foils, Hall effect study at 5K *(German)* 4—10211
Cu, thin wire, conduction electron m.f.p. determ. *(German)* 4—6616
Cu small particles, electronic quantum effects 4—25002
Ga, thermoelectric power between 4.2 and 1.4K 4—10135
Ga:In, thermoelectric power between 4.2 and 1.4K 4—10135
Ge:Ga, current-voltage characts. associated with low temp. impact ionisation 4—24754
n-InSb, film, carrier capture by surface states, quantum size effects 4—24848
Li small particles, electronic quantum effects 4—25002
NaN_3, conduction e.s.r. of small Na particles 4—33267
NaN_3, size effect on Mie optical absorption of small Na particles 4—33444

skin effect
see also anomalous skin effect
conductor, circuit parameters from Maxwell's eqns. 4—30934
metal, e.m. excitation of sound under normal skin effect conditions, cond. electron surface scatt. role *(Russian)* 4—28957
metal, n.m.r. spin echo, bulk metal amplitude and phase rel. to spin and sample size 4—3904
metal particles, free induction line form and echo signal on cond. electrons *(Russian)* 4—1326
transient eddy currents in sphere, due to coil of any shape *(German)* 4—15268

sky
see also night sky; sky brightness
cloud cover, automatic indicator system using reflected radiation 4—34544

sky brightness
see also airglow; twilight
absolute monochromatic brightness near Sun rel. to atmospheric aerosol 4—17707
all sky photometry, data reduction techniques 4—38550
circumsolar sky radiation, effect on Angstrom pyrheliometric scale 4—4640
city sky glow monitoring at Kitt Peak 4—14141
effective transmission functions in day sky scattered light *(Russian)* 4—34372
Galactic non-thermal radio background at 151.5 and 408 MHz 4—30106
Galactic non-thermal radio background at 408, 610 and 1407 MHz 4—30107
intensity of direct radiation in clear sky, predeterm. for low aersol conc. *(French)* 4—34367
light pollution at astronomical observatories, aerosol effects, model atmosphere 4—34360
light pollution in California and Arizona 4—14142
light pollution level at Observatoire de Haute Provence *(French)* 4—4421
limb radiance measurement, for stratospheric temp. profile 4—7704
Lyman-α sky background emission, OGO-5 u.v. photometer meas. 4—26151
multiple scattering influence 4—7677
near u.v. brightness and polarization of daylight sky *(Russian)* 4—1880
photometer, for submillimetre sky background radiation meas. 4—18067
radio, Fleurs Synthesis Telescope data reduction and mapping programs 4—22498
radio flux density and discrete sources at 4 cm. 4—42427
satellite observations for cloud ceiling estimation, current and future 4—34327
seeing conditions at Mt. Maidanak in central Asia, rel. to astronomical observations 4—42125
solar intensities, spread function for stray light 4—34424
solar radiation measurement, O_3 effect 4—4501
spectral power distributions at Amagasaki *(Japanese)* 4—21944
'sunset' demonstration using dried milk dissolved in water 4—22731
twilight luminance increase due to meteoric swarms in low thermosphere *(French)* 4—29647
twilight sky, intensity and polarisation in four colours 4—29568
upper atmosphere, meteoric aerosols rel. to twilight diffusion luminance *(French)* 4—38431
u.v. and e.u.v. background, obs. review, nature of interstellar matter 4—38866
water surface temp. meas., effect of sky radiation *(Russian)* 4—14232
X and gamma ray background, power law *(French)* 4—38863
X-ray background radiation fluctuations rel. to source counts and distributions 4—30105
zodiac component separation from airglow continuum, 4000 to 5300 Å, annual variation *(French)* 4—29645
H I Lyman α sky background, Mariner 9 u.v. spectrometer experiment 4—8058

sky surveys *see astronomical catalogues*

sliderules *see calculating apparatus*

sliding contacts, electrical *see electrical contacts*

slip
see also plastic flow
alloy, amorphous, slip markings origin, electron microscope obs. 4—21297
alloy, amorphous, slip markings origin 4—21298
alloy, Cu_3Au type, cross slip, screw superdislocation, dislocation barriers 4—7092
alloy, ordered Cu_3Au type, incomplete transverse glide of superdislocations *(Russian)* 4—21246
b.c.c. single crystals, metal, fatigue mechanism, asymm. 4—29096
brass, α-β two-phase multicrysts., model obs. 4—17348
α-β-brass two-phase multicryst., tensile behaviour 4—33828
composite, fibre reinforced, failure analysis 4—1649
computer simulation of high temp. deform. 4—37914

slip continued
crustal slip zone initiation and arrest on a fault plane due to propagating disturbances 4—34148
cubic crystal, interaction force between tetragonal defects and screw dislocations 4—1057
cubic crystals and aggregate, elastic-plastic constitutive behaviour at large press. 4—40830
deformation band form. mechanism 4—17274
deformation of internal boundaries, geometrical analysis 4—37834
dislocation mutual annihilation by cross slip, theory 4—21263
dislocation symmetry, two-sided and single sided movements *(Russian)* 4—9940
elastic crystal, effect of mobile line dislocations anchored to slip planes on response of polycrystalline solid 4—16491
fault at Opemiska Copper Mine, use of dilatancy diagrams to obtain net slip 4—34134
flat bar, orthogonally anisotropic, uniaxial stress tests, Luders band 4—1545
flux line lattice, dislocations interactions and slip 4—1285
grain boundary sliding rate modification due to movement of three dislocation sets 4—29072
hexagonal crystal, slip line (trace) data in surface orientation evaluation 4—12837
isotropic materials, strength differential effect, twinning and directional slip role 4—37930
metal, b.c.c., deformed at low temps., anomalous {110} slip mechanism 4—1061
metal, f.c.c., {110}⟨110⟩ slip *(French)* 4—1502
metal, f.c.c., randomly oriented, yield locus according to Bishop-Hill theory 4—37929
metal cutting, slip line field and hodograph 4—13676
metal deformation, photoemission electron microscope examination 4—3432
metal texture, static and dynamic simulation, rolled f.c.c. and b.c.c. polycrysts. 4—4110
olivine, naturally deformed, electron microscope obs. 4—17591
Orowan loops, cross-slip at incoherent particles, theory 4—3498
Permalloy, quenched single crysts., rolling induced, mag. anisotropy *(Russian)* 4—28641
plastic deformation by pencil glide, crystallographic aspects 4—3518
plasticity theory, complete Bauschinger effect *(Russian)* 4—35689
polycrystalline aggregates, microstrain, slip initiation at grain boundaires 4—1487
San Andreas fault, systematic inversion of geodetic data for slip rates along plate boundary 4—17548
steel, cold rolled, cementite dislocation struct. *(Japanese)* 4—4090
steel, low-C, cyclically strained, carbide particle precip. and growth 4—1495
steel, precip.-hardened, high-temp. variable-stress creep and segregation behaviour *(German)* 4—7086
steel, stainless, rel. to fretting corrosion and fretting fatigue 4—4157
rel. to strain hardening during high temp. creep, model 4—1590
TCNQ complexes, surface morphology and slip behaviour *(German)* 4—6406
TCNQ-triphenylmethylphosphonium (arsonium) complexes crystal surface morphology, slip behaviour investig. using electron and optical microscopy *(German)* 4—20308
yield locus, model obs. of corners 4—11754
AgCl, anisotropy, temp., orientation depends, stress/strain meas. *(Russian)* 4—12976
Al, (112)[111] texture development on rolling, obs. and mechanism 4—41593
Al, cavitation induced deformation 4—29175
Al, cyclic hardening kinetics of single crysts. 4—13784
Al, photoemission from slip lines, plastic deform., contrast mechanism 4—21159
Al, photostimulated exoelectron emission, microscopic obs. 4—21261
Al alloy 7075, SEM investigation of fracture processes 4—10592
Al alloys, fracture toughness, metallurgical factors influence 4—33838
Al and alloys, work-hardend layer, etch pit density, dislocation density 4—1496
Al foil, high purity, thickness and texture influence *(German)* 4—7210
Al-Al_3Ni, directionally solidifiied eutectic, failure analysis 4—1649
Al-Cu-Mg alloys, high strength, struct. influence on strength and toughness 4—29161
Al-Cu(3.4 wt.%) alloy, precip. hardening and plastic deform., electron microscopy investig. *(Korean)* 4—17241
Al-Li single cryst. containing Al_3Li particles, ordered particle effects 4—29137
Al-Zn-Mg-Cu alloys, high-strength, struct. influence on strength and toughness 4—29161
Al_2O_3, sapphire, non-basal, plastic deform. on bending, temp. depend. 4—3517
Au-Cd(47.5 at.%) oriented single crysts., prior plastic deform. effects on martensitic transform. 4—4062
Bi single crystal, plastic deform. and dislocation etch-pit distrib. due to {001} ⟨110⟩ glide system *(Japanese)* 4—17240
CdMg alloy, anisotropic elasticity applic. to plastic deform. *(Czech)* 4—41571
Cu, (112)[111] texture development on rolling, obs. and mechanism 4—41593
Cu, cyclic hardening kinetics of single crysts. 4—13784
Cu, deformed by rot. slip, dynamic development of kink bands 4—17275
Cu, fatigued at low const. plastic strain amplitude, rel. to dislocation struct. 4—1527
Cu, helical dislocation source in single crysts. with [100] axis orientation 4—21284
Cu, neutron irrad., prismatic slip and dislocation channelling 4—24497
Cu, slip systems in flat single crysts., selection rule 4—29071
Cu, u.s. fatigue 4—25401
Cu, whisker, tensile test, scanning electron microscopy 4—28322
Cu bicrystal, rolling deform., finite deform. analysis *(Japanese)* 4—25363
Cu single crystals, deformed, slip planes, rel. to cell struct. 4—17237

slip continued
Cu-Al alloys, deformed by rot. slip, dynamic development of kink bands 4−17275
Cu-Fe(9.5 wt.%) alloy f.c.c. crystals, deformation twins formation in localised slip regions 4−1064
Cu-Sn, whisker, tensile test, scanning electron microscopy 4−28322
Fe, asymmetric deform. in torsional fatigue of single crysts. 4−13785
Fe, u.s. fatigue 4−25401
Fe, whisker, tensile test, scanning electron microscopy 4−28322
Fe single crystal, ductile fracture and lattice rotation in necked region *(Japanese)* 4−13684
Fe-Co, effect of atomic order on slip, twinning and crack formation at 4.2K 4−1553
Fe-Cu and Fe-Cu-Ti-C alloys, dispersion hardening, temp. and coherent phase precip. influence *(Russian)* 4−4080
Fe-Si single crysts., substruct. form. during initial stage of high temp. creep *(Russian)* 4−21251
Fe-Si(3 wt.%) alloy, work-hardened layer, etch pit density, dislocation density 4−1496
Fe-Si(3 wt.%) single crysts., primary recrystn. textures form. mechanism *(Russian)* 4−10575
Fe-V alloys, yielding, slip character and ductility 4−21326
FeCo, slip deform. depend. on strain, temp. and atomic ordering 4−17337
FeSi, X-ray topography, stratified substructure, Luders band model 4−13657
Ge, epitaxial films, dislocation slip *(Russian)* 4−10061
Ge, isothermal creep and stress relax. of single crysts., dislocation movement 4−40832
Hf, single cryst., deform. behaviour, 77-473K 4−37927
In, dislocation stability, elastic anisotropy and temp. influence 4−17289
In, plastic deform. of single crysts. 4−33744
KCl, etched polycrystalline, Au decoration replica 4−1155
KCl, internal stress distrib. after stick-slip deform. *(Russian)* 4−12975
LiF, edge and screw dislocation behaviour under alternating stress 4−1084
LiF, internal stress distrib. after stick-slip deform. *(Russian)* 4−12975
LiF crystal, crack propag. on (100) cleavage plane, slip band influence 4−20365
Mg, Peierls energy and stress computation for glide systems 4−33695
Mg, slip mode in c-axis compression 4−1501
Mg-Li alloys, tensile microplasticity and fatigue 4−41684
Mg_3Cd, ordered and disordered, microplasticity obs. 4−33771
MgO, polycryst., rel. to deform., 1200-1400°C 4−38026
Mo, asymmetric deform. in torsional fatigue of single crysts. 4−13785
Mo, ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
Mo, single crystal, dislocations, slip bands 4−6410
NaCl, ⟨100⟩ slip line form round dynamical indentation on [100] face, mechanism *(T)* 4−20357
NaCl, local heating of slip bands, deform. in liquid He *(Russian)* 4−12973
NaCl, microscopic crack generation obs., light scatt. *(Russian)* 4−12984
NaCl crystal, crack propag. on (100) cleavage plane, slip band influence 4−20365
Nb, asymmetric deform. in torsional fatigue of single crysts. 4−13785
Nb, fatigue hardening in single crysts. 4−33742
Nb, slip on {110} in ⟨001⟩ single crystals deformed in compression at 77K 4−37945
Nb-Hf(Ta)(W) alloys, solid soln. strengthening 4−37921
Nb_6C_5, hardness anisotropy meas. and slip process 4−41811
$NbFe_2$, electron microscope exam. of plastic deformation *(German)* 4−4137
$NbFe_2$, plastic deform. and dislocations decoration, electron microscope investigations *(German)* 4−33774
NiAl crystals, 300-1050 K, kinking, uniform deform. mechanisms 4−4148
Ni_3Al, Ni-rich, high temp. flow stress 4−17336
Ni_3Al, superlattice dislocations on cube planes 4−7104
Ni_3Ga single crysts., yield stress, temp. and orientation depend. 4−4115
Pb, dislocation stability, elastic anisotropy and temp. influence 4−17289
Pb-Cu(Sb) dilute alloys, rel. to creep *(Russian)* 4−13632
α-SiC, slip distribs. and dislocation densities 4−24482
Ta-N alloys, yield stress and slip asymmetry 4−17333
Ti, interstitial content and grain size effect, 4.2 to 650K 4−1558
Ti, u.s. fatigue 4−25401
Ti and alloys, rel. to fretting corrosion and fretting fatigue 4−4157
Ti-Al alloy single crysts., deform. modes 4−17334
Ti-Al alloys, Al conc. and precip. effects on plastic behaviour 4−13692
Ti-Al-Mo-V alloy, stress corrosion cracking in aqueous environments, plastic zones and crack morphology 4−13707
Ti-Al(6 wt.%) alloy, ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
Ti-Al(8 wt.%) alloy, fractography of stress corrosion 4−10604
β-Ti-Mo-Al alloys, dispersion-hardened, mech. props. correl. woth microstruct. and role of slip mode 4−7163
V, high-purity crysts., slip deform. on anomalous (011) plane 4−17314
W lamp wire, short time creep rupture props. 4−7404
Zn, millimicroplastic burst phenomena in monocrystals 4−1556
Zn, polycryst., cyclic stress-induced grain boundary migration 4−33711
Zn, twinning dislocations and forest dislocations, interaction 4−13660
Zn-Al (22 wt.%) alloy, transcryst. slip during superplastic deform., struct. influence *(Russian)* 4−21303
Zn-Al(22 wt.%) superplastic eutectoid, high temp. deform. mechanisms 4−33743

slip continued
Zn-Al(40 and 50 wt.%) alloys, extruded, superplasticity correl. with microstruct. 4−41722
Zn-Al(40 wt.%) alloy, superplastic, quantitative texture meas. 4−33691
$ZnSiP_2$ single crystals, TEM investigations of lattice defects *(German)* 4−36905
Zr, Peierls energy and stress computation for glide systems 4−33695
Zr, polycryst., deform. behaviour, flow stress thermal and athermal components 4−7141
Zr, repeated A⇌β transforms. effect on microstruct. *(Russian)* 4−13629

smectic phase *see liquid crystals*

smoke
see also air pollution
air pollutant, low concn. meas. 4−4618
diphasic flow anal. and reln. between structure and hydrocarbon combustion 4−15051
levels in air sample measurements at Harwell 4−30267
light reflection, brightness of multiple backward scatt. *(Russian)* 4−11896
light transmittance across plume downwind of point source 4−29562
pollution detection, a.c. reflectometry 4−35093
Raman scattering, expt. field test of lidar transmissometer 4−8873
Al in He, ultrafine particle formation by gas evaporation technique 4−7374

snap off varactors *see varactors*

Snoek effect *see elastic relaxation; interstitials*

snow
ablation of snowpack, device for evaluating energy exchange processes 4−42181
avalanche, two-dimensional motion anal. using hydrolic models *(Russian)* 4−25640
chemical variables measurement in polar seas research 4−14240
cloud conditions rel. to snowfall forms 4−34310
cloud seeding with ice crystals, numerical study 4−4433
crystal growth, pulse Doppler radar obs. 4−38344
dirt waves on snow surfaces, Deception Is. South Shetlands 4−10932
fall rate, artificial seeding of clouds across mountain range 4−7734
forecasting for Midwest USA, inclusion of precipitation probabilities 4−34342
forecasting method and simplified snow predictor 4−14133
heat balance study, glacierised watershed in Northern Alaska 4−10926
humidity content by absorption characteristicss of galactic cosmic radiation *(Russian)* 4−29780
inhomogeneous viscous layer on inclined plane, stability of quasistatic equil. state *(Russian)* 4−40471
lake-effect storms, numerical model for effects of seeding 4−7708
microphysics of particle formation, fallout over mountains 4−4432
movement in three-dimensional wind field, meas. by dual Doppler radar system 4−25677
North Slope, Alaska ERTS obs. of seasonal snow cover 4−17732
photometric properties of natural snow and snow-covered planets 4−22290
rain gauge catch deficiency, errors due to wind and snow 4−42221
recurrence analysis technique, Pearson type 3, for depth, density, water equivalent 4−17637
satellite mapping of snow cover by NOAA-2 4−17824
shallow prairie snowpacks, melt and runoff 4−25634
Shetland Islands blizzard of 1973, April 28 4−21999
thickness measurement, by high range resolution radar 4−29697
USSR zoning by snow loading on horizontal plane *(Russian)* 4−4466
volume determination in mountains from airphotography of shadows *(Russian)* 4−29730
water equivalent remote monitoring by meas. natural soil radioactivity 4−4526
wave propagation in snow 4−14083
wind-blown snow grains, acoustic noise under winter sea ice fields 4−35105
CO_2 concentration profiles across and beneath Arctic snowpack during spring 4−34379
^{53}Mn measurements in Antarctic, extra-terrestrial origin 4−25889

social and behavioural sciences
see also economic and sociological effects; psychology; teaching
ecological analysis and macroeconomics, algebraic framework 4−2442
future generations, effect on welfare of radiation-induced mutations 4−8224
laboratory management, behavioural science applic. 4−4914
macroscopic descriptions of microscopic phenomena Cartesian products, summary functions 4−2443
young ape, language training system 4−39011

societies
No entries

sociological effects *see economic and sociological effects*

sociology *see social and behavioural sciences*

sockets (electrical) *see electric connectors*

sodium
adsorption, single adatoms on W, field emission and field desorption obs. 4−32810
adsorption on Al, ELEED, Auger and contact potential meas. 4−24640
adsorption on Ni, surface state parameter determ. from very low energy electron refl. 4−40954
adsorption on W, conc. depend. of work function and heat of adsorption 4−28295
artificial cloud, atmospheric turbopause *(French)* 4−38429
atmospheric, origin and height distribution, theoretical model 4−29646
atom, 3S→5S two photon transition without Doppler broadening 4−36414
atom, electron scatt. from excited states 4−24005
atom, electron scattering, total cross section meas. 4−9445
atom, groundstate, relaxation in collisions with He-, H_2 isotopes *(German)* 4−5963

sodium continued
atom, hyperfine struct., mag. dipole coupling const., cascade r.f. spectroscopy 4−31677
atom, laser excited inelastic electron scatt., superelastic, inelastic cross-sections 4−31727
atom, oscillator strengths, transition state calc., X_α local exchange approximation 4−23950
atom, reaction cross section with Br_2 mols. 4−10763
atom, Stark effect, perturbation calc. for ground state hyperfine struct. 4−31662
atom, two-photon absorption without Doppler broadening, 3S-5S transition 4−36415
atom, two-photon spectrum, fine structure splitting of $4d^2D$ state 4−40165
atom, two-photon transition, Zeeman effect, mag. field selection rule effects 4−40166
atom level-crossing on $3^2P_{3/2}$ level, dy laser optical pumping 4−31678
atomic beam, c.w. dye laser optical pumping to produce two-level atom 4−31673
atoms, excitation cross-sections for electron impact 4−3078
Auger electron emission by ion bombard., secondary electron energy distrib. 4−28981
beam-foil spectrum and radiative lifetimes, 150-400 Å 4−19685
bremsstrahlung activation analysis, O and C traces in Na and Cs 4−2429
collisions with IBr and ICl, halogen negative ion production 4−893
conduction electron spin relaxation, 14-20 K, surface contrib. 4−41255
coolant in nuclear reactor, flow patterns in cold trap crystallisers 4−23781
Debye-Waller factor, anharmonic contribs. calc. 4−20394
depletion in interstellar clouds 4−38895
determ., by reson. fluoresc. using dye impulse laser *(Russian)* 4−26736
elastic constants, from 20 to 95°C u.s. technique 4−1080
electrical resistivity, at high temps., Ziman's model, corrections 4−20583
energy shift of $K\alpha_{1,2}$ emission lines 4−21096
e.p.r., cond. electrons, crit. angle anomalies 4−41256
f.c.c., lattice dynamical calc. of Debye temp. and Gruneisen parameters 4−3543
film, elec. cond. calc., Boltzmann eqn., thickness depend. 4−20702
film, energy loss spectra, 50 keV electrons, plasmon dispersion curve, damping *(German)* 4−6599
film motion model, LMFBR loss-of-flow transient 4−31478
flame photometric determination, in silica sand and carbonate rocks 4−18780
flow boiling system, liquid metal heated, nucleate boiling departure 4−15939
freezing, classical liquid model, method based on random phase approx. 4−32675
gas chromatography, Ar impurity anal. in nuclear reactor test loop 4−23061
gaseous, thermogravimetric study of Fe corrosion products 4−27463
geothermal system identification from concentration in water samples, Imperial Valley, California 4−21745
Io, implications of Na emission for surface composition 4−38665
Io, Na D-line emission, Doppler shift and profile 4−38664
ion implantation, in SiO_2, oxide charge trapping obs. 4−41124
ion thermal motion and self diffusion in liquid metal, computer simulation *(Japanese)* 4−3581
ionospheric cloud drifts, tidal motions 4−4545
ions, effect on Limulus lateral eye retinular cells 4−14579
K_α X-radiation detection, gas flow proportional counter 4−30546
L-edge absorption spectrum, Mahan exponents calc. 4−10496
lattice dynamics, third order perturbation theory 4−20382
lattice parameter, neutron back scatt. 4−32479
lattice potential, analytic expression for form factors 4−13122
liquid, C content, cover gas correlation, high temp. loop 4−3040
liquid, comparison of two in-line distillation units, sampling device for loop system 4−2426
liquid, coolant for fast reactor, development of carbon meter 4−3039
liquid, corrosion effects on structural materials of corrosion loop after 25000 hours operation 4−27426
liquid, corrosion of austenitic steels, composition dependence 4−27466
liquid, corrosion of Cr, Fe, stainless steel, X-ray diffr. 4−32825
liquid, corrosion of V, dissolved O_2 effect, X-ray diffr. 4−24651
liquid, corrosion products of V, Nb and Ta 4−27465
liquid, distrib. of Cs, Ba isotope fission products 4−3042
liquid, dynamic, influence of alloying elements on corrosion of ferritic steel 4−31555
liquid, dynamic struct. factor, hydrodynamic approach 4−9815
liquid, effect of cleaning and subsequent air storage on cladding materials 4−31556
liquid, effective interionic pair pots. and props. 4−1003
liquid, electrotransport of ^{22}Na and ^{195}Au impurities 4−16609
liquid, FFTF hex-can response to local molten fuel coolant interaction 4−27415
liquid, flowing, interstitial and minor element mass transfer in stainless steel 4−27470
liquid, flowing, interstitial element movement of austenitic stainless steels 4−27469
liquid, hydrocarbon reactions at surface, 100 to 200°C 4−4301
liquid, in LMFBR, reaction with oxide fuel elements, meas. of oxygen threshold 4−27450
liquid, in nuclear reactors, instrumentation 4−15971
liquid, in nuclear reactors, technological review *(Japanese)* 4−31531
liquid, incipient superheat reduction in fast reactor by nitriding heating wall 4−19579
liquid, K impurity diffusivities, 100-285°C 4−3583
liquid, kinetic aspects of corrosion of austenitic stainless steel 4−27467
liquid, model potential method for dissolved negative halide ions, O^{--} 4−3715
liquid, monitoring of hydrogen and oxygen 4−4265
liquid, Monte Carlo calcs. of struct. 4−9813

sodium continued
liquid, nuclear reactor fuel cycle effects on small sample reactivity traverses 4−36280
liquid, operation of linear motion freeze-seal valve in FFTF 4−27405
liquid, optical absorption, temp. dependence, electron energy perturbation calc. 4−37635
liquid, oxygen analysis by vanadium wire equilibration technique 4−23051
liquid, pair potential density depend., using electron theory of metals 4−41007
liquid, plugging meter response, multiple temp. breaks, O, solubility equilib. 4−2427
liquid, precipitation of Ba_2N, Ba_3N_2, ternary phase diagram 4−4311
liquid, radial distrib. function Monte Carlo calc. 4−28017
liquid, reaction and swelling effects on oxide fuel elements, out-of-pile investigation 4−40128
liquid, reaction with water vapour, 300 to 450°C, Na-H-O phase diagram 4−4253
liquid, reactions with mixed oxides of iron and chromium, reln. to steel corrosion 4−27464
liquid, self-welding of metals in contact 4−3047
liquid, superheat in flowing systems 4−12441
liquid, thermodynamic properties, pseudopotential theory 4−32676
liquid, triplet correl. and pair potential functions, from X-ray diffr. data 4−32418
liquid, void reactivity, effect of axial streaming, heterogeneity, calc. of elastic removal cross sections 4−5881
liquid, with metallic solutes, reactivity towards H_2, 393-573K, 0-35 kNm^{-2} 4−4254
liquid freeze seals, rotary-motion shear properties, use in FFTF and LMFBR 4−23787
liquid metal, cold trapping of ^3H from Li in fusion reactor blanket 4−19598
liquid systems, corrosion and mass transport of steel and Ni alloys 4−27468
melting at high pressure, thermodynamic functions 4−28193
metallic, impurity analysis by X-ray fluorescence spectroscopy 4−2430
metallic, neutron activation analysis for trace elements 4−2428
in m.n.o.s. structure, conc. profile determ., by neutron activation analysis 4−41499
molecule, electron scatt. cross-section, 0.5-50 eV, struct. 4−19901
molecule, optical pumping, relax. mechanisms 4−19863
nuclear fast flux test facility, Na removal program 4−36263
nuclear reactor coolant, ^{135}I monitoring rel. to fuel element cladding penetration anal. 4−23770
nuclear reactor coolant, anal. of void expts. using ENDF/B-III data 4−36286
nuclear reactor coolant, effect of O_2 in Na on radionuclide release from stainless steel 4−23877
nuclear reactor coolant, expulsion test in 7-pin geometry 4−40126
nuclear reactor coolant, interaction with molten fuel *(German)* 4−36253
nuclear reactor coolant, problems due to large temp. differences 4−36359
nuclear reactor coolant, prototype applications loop for O_2 detection 4−23876
nuclear reactor coolant, utilisation of on-line purity monitors 4−36354
nuclear reactor coolant 4−36355
nuclear reactor fuel swelling due to sodium reactions, analytical model 4−3013
nuclear reactor fuel-coolant interaction anal. 4−40127
nuclear reactor fuel-coolant interaction heat loss to cold structure 4−40083
nuclear reactor fuel-coolant interactions, TREAT tests 4−40081
nuclear reactor sodium bonded fuel pins; possibility of nitridation 4−40129
paramagnetic resonance of conduction electrons, theory of anomalies near critical angle 4−41257
photoconductivity, in argon matrix containing Na atoms and tetracyanoethylene mols. 4−28448
photoelectron spectra, plasmon photoeffect mechanism *(Russian)* 4−6957
rat tissues, foetal, maternal, Na concentration, neutron activation analysis 4−30166
Righi-Leduc and Hall coeff. meas., Weidemann-Franz law 4−41059
secondary electrons, ang. distrib. 4−13542
soft X-ray emission, band structure determ. 4−25190
solar D_1-line, collisional broadening 4−4703
in styrene ionomer, glass transition, effect of Na ion 4−33411
subcooled, pool boiling at atmospheric pressure from Ta spheres 4−24553
upper atmosphere, detection *(French)* 4−38559
upper atmospheric aerosols 4−42124
vapour, action on MeO_2 and M_2MeO_4 (M=Na, K; Me=Mo, W), 300-600°C, 0.01-0.1 Torr 4−4255
vapour, c.w. self-focusing and beam trapping 4−316
void reactivity, maximum positive, in B_4C poisoned core nuclear reactor assembly 4−36279
wetting of ferrous materials, sessile drop technique 4−3044
wetting of stainless steel, Ni, Fe 4−3045
X-ray edge singularity, intensity and shape calc. 4−21102
X-ray emission, high energy satellites, double ionization decay 4−41445
X-ray $L_{II,III}$ absorpt. spectra shapes, simple calcs. 4−37701
X-ray obs. of thermal vibrations 4−24520
X-ray photoelectron spectra obs., valence band 4−33572
X-ray photoemission, obs. of free electronlike valence bands 4−41467
D_2+Na^+ single collision, dissociation of D_2 molecule 4−12634
Fe-Na mixtures, neutron slowing down, mixed energy-group, energy-point theory 4−15934
Ge surfaces, submonolayer Na, covering effect on second harmonic generation 4−321
H_2+Na collision, direct detection of electronic and vib. energy transfer, H_2 vib. relax determ. 4−19918
KBr, Na colour centres, thermo- and radiolum. meas. 4−37652
KBr:Na, thermochemical reactions of freed halogen interstitials 4−21088

sodium continued
  Na:Ar phase-matched gas mixture, freq. conversion 4−23391
  Na/Ar, metal to nonmetal transition, variational determ. 4−3709
  Na/H_2O, explosive interaction, material wastage, at heat exchanger leaks 4−3009
  Na/H_2O reactions in heat exchangers, mathematical modelling techniques 4−3012
  Na/H_2O reactions in steam generators, exptl. studies 4−3011
  Na/stainless steel system, solubility, deposition of NaBr, NaI 4−3043
  Na/steel cooling systems, corrosion and mass transfer effects 4−5911
  Na/steel system, C transport between steels 4−3041
  Na-Ca neural transmembrane exchange, carrier model 4−14550
  Na-Cs(I) liquid-vapour system, thermodynamic props., mass spectra 4−4312
  Na-He-H_2, pulsed discharge, H_2 effect on Na(I), He(I) line luminesc. 4−40710
  Na-NH_3 solution, theory of inhomogeneous model appl. to elec. cond. press. and temp. depend. 4−10124
  Na-NH_3 system, supercond. evidence, time depend. 4−41139
  Na-S cell, props. of β-Al_2O_3-Na_2O electrolyte 4−1619
  Na + Hg, rainbow scatt. cross-section, Lennard-Jones pot. uniform approx. calc. 4−40332
  Na + K, collision excitation, separated doublet line meas. 4−31699
  Na + K collisions, radiative decay obs. of K excitation 4−19705
  Na^-, electron negative ion detachment, Coulomb effects 4−9422
  Na^-, photodetachment 4−705
  Na^+, 5-45 keV, ionisation, fragmentation of diatomic mol. gases CO, N_2, O_2, H_2 4−19891
  Na^+, rel. to propagation speed in myelinated nerve 4−14543
  Na^+, rel. to propagation speed in myelinated nerve 4−14544
  Na^+, sputtered from NaCl crysts., energy spectrum 4−37719
  Na^+ diffusion in β-Al_2O_3 ceramic, metal production, electrolytic degradation mechanism 4−1612
  Na^+ ion, model potential calc. 4−32846
  Na^+ ion effect on electrode behaviour of alkalisilicate glasses *(Russian)* 4−29338
  $Na_3{}^+$, SCF calcs., pseudoscaled nonorthogonal atomic orbitals 4−27603
  $^{22}Na^+$ and $^{24}Na^+$, diffusion in NaCl, KCl, and KBr, isotope effect 4−24589
  inSiO_2, sputtered, Na distrib., neutron activation and u.v. spectrographic analysis 4−6939
  SiO_2:Na^+, ion bombard. effect on thermally stimulated ionic conductivity 4−16764
  ZnO:Na, high temp. dielec. behaviour 4−25054
  ZnO:Na^+ e.s.r. spectra, hyperfine structure obs. 4−16980
  ZnSe:Nu, Al, luminesc. at temps. below 150 K 4−13506
sodium alloys
  Cs-Na, liq., elec. resist. and thermopower, press. effects up to 30 kbar 4−32919
  Na-Cs, electron work function, photoemission investig. rel. to temp., conc. 4−41471
  Na-Cs, liquid, electrical resistivity meas., 50 to 300°C 4−28393
  Na-Cs, size factor rule justification by pseudo alloy atom model 4−33645
  Na-Cs alloy, liq., chem. pot. meas., calc. of comp. fluctuations 4−28015
  Na-K, eutectic system, liquid curves under press. 4−33666
  Na-K, liq., electrotransport comp. depend. 4−40907
  Na-K, liq., enthalpy of mixing model based on at. distribs., partition function *(French)* 4−40735
  Na-K, liq., excess volume of mixing 4−33657
  Na-K, liq., thermotransport, comp. depend. 4−32728
  Na-K, size factor rule justification by pseudo alloy atom model 4−33645
  Na-Rb, eutectic, electron work function, photoemission investig. rel. to temp., conc. 4−41471
  Na-Rb, liquid, thermotransport correl. with electromigration 4−16608
  Na-Rb, size factor rule justification by pseudo alloy atom model 4−33645
  Na-Rb-Cs, liq., Knight shift, expt. 4−37514
  Na-Rb(Cs), liq., Knight shift, expt. 4−37514
  NaCu, dissoc. energy and ht. of formation 4−41953
  NaLi, heteronuclear alkali metal diatomics, split-shell mol. orbital model, ground state props. 4−16040
  Pb-Na, dilute, residual resistivity, pseudopotential approach 4−28387
sodium compounds
  see also Rochelle salt; sodium alloys
  borosilicate glass: Yb(Nd), energy transfer between rare earth ions during microlayering 4−10474
  borosilicate glass, mechanism of phase separation 4−24401
  borosilicate glass, vitreous, low temp. sp.ht. and thermal conductivity meas. 4−20418
  borosilicate glasses, Fe_3O_4-, TiO_2-doped, optical absorpt. effects of heat treatment 4−6349
  chlorosodalite:S, optical absorption, photoluminesc. and cathodoluminesc. 4−1377
  decyl sulphate, e.p.r. of VO^{2+}, micellar soln., counterion mobility 4−29243
  disodium chromoglycate-H_2O system, mesophase, X-ray diffr., microscopy 4−24394
  dodecyl sulphate, alkali metal counter ions effect on second critical micelle concentration 4−7373
  formate, refr. index, 0.35-1.5 μ 4−3951
  halides, refl. spectra, 260-140 nm, deformation effect 4−37632
  lithium sodium formate, refr. index, 0.35-1.5 μ 4−3951
  monosodium urate, solubility and nucleation, rel. to gouty arthritis 4−4869
  soda-lime-silica melts, SO_3 solubility 4−9855
  sodalite, Ge substitution effect on lattice parameters., comp. determ. 4−24444
  sodalites, bromate and hydroxide, thermal decomposition 4−38128
  sodium ammonium tartrate:Cr^{3+}, phase transition, e.s.r. obs. 4−41346
  sodium aspartate, treatment of isolated rabbit retina, isolation of PIII subcomponents 4−8151
sodium compounds continued
  sodium methylphosphonate, n.m.r. spectra in lyotropic mesophase soln. 4−6796
  tetraphenylboron and glyme complexes, in THF solvents, density, viscosity meas., solvation investig. 4−29367
  uranyl acetate, optical rotatory dispersion curve, effect of deuteration on optical activity *(Russian)* 4−33455
  zeolites, e.s.r. of $^{17}O_2{}^-$ and $SO_2{}^-$ generated from $Na_4{}^{3+}$ centres 4−21601
  Ag-$Na_2O.10Al_2O_3$-Ag electrochemical cell, impedance at interface 4−29336
  AgI-NaI, ice nucleating properties, cloud chamber tests 4−10928
  $AgNO_3$-$NaNO_3$ melt, self-diffusion coeffs. of Ag and Na and friction coeffs. 4−40906
  $AgNa(NO_2)_2$, ferroelec., nonlinearity 4−28775
  β-Al_2O_3-Na_2O, electrolyte for Na-S battery, props. 4−1619
  $BaCl_2$-NaCl-$CeCl_3$, phase diagram *(Russian)* 4−40874
  $BiCl_3$-NaCl, molten, pressure and composition of vapours *(Russian)* 4−40888
  Cs_2NaYCl_6:Co^{3+}, absorpt. and mag. circular dichroism spectra 4−37644
  GaAs, effect of chem. binding on $L\alpha_{1,2}$- and $L\beta_1$-X-ray emission spectra *(German)* 4−6934
  KCl-NaCl mixed single crystals, creep behaviour on decomp. *(Russian)* 4−32608
  KCl-NaCl solid solution single crysts., Debye temp. and elastic consts., temp. depend. *(Russian)* 4−13010
  $LiNa_2{}^+$, SCF calcs., pseudoscaled nonorthogonal atomic orbitals 4−27603
  Li_2Na^+, SCF calcs., pseudoscaled nonorthogonal atomic orbitals 4−27603
  MgO-$LiNaCO_3$, disperse mixture, temp. rel. to thixotropic strength 4−41895
  MgO-Na_2O-B_2O_3 glass, ^{11}B n.q.r. study 4−20217
  $(Na,K)_{2-x}(Nb,Ti)_2(O,OH)_2Si_4O_{12}.4H_2O$, nenadkevichite, four-fold silica tetrahedra ring struct. 4−6382
  Na complexes of di-o-mesitoylbenzene, ENDOR in fluid and rigid solns. 4−41308
  Na-Cs(I) liquid-vapour system, thermodynamic props., mass spectra 4−4312
  Na^+-activated enzyme system, transport of cations across cell membrane 4−22532
  Na^+-H_2O complex, HF calc. of heat of formation and correl. energy 4−29314
  NaA zeolite. supercond. of Hg in lattice of voids 4−24876
  $NaAg(NO_2)_2$, i.r. spectrum anal. 4−25114
  Na_3AlF_6, multilayer film deposition, equivalent refractive index 4−28960
  β''-$Na_{4.7}Al_{30.4}Mg_{2.6}O_{51.0}$, struct. rel. to ion transport, neutron diffr. 4−6383
  $Na_8Al_6Si_6O_{24}Cl_2$, sodalite, vacancy pairs, equilib. config. calc. 4−24470
  $Na_4Al_3Si_3O_{12}X$, X = Cl, Br or I, sodalite, thermal decomposition 4−38128
  $NaAuCl_4.2H_2O$, n.q.r., effect of pressure on hydrogen bonding 4−10348
  NaB_6, polycryst., cond. e.p.r., temp. independ. intensities and positive g-shifts 4−33264
  $Na^+B^{5+}B^{6+}O_6{}^{2+}$ where $B^{5+} = Nb^{5+}$, Ta^{5+} and $B^{6+} = Mo^{6+}$, W^{6+}, dielec. const., loss tangent and room temp. resistivities 4−10368
  $NaBO_2$, gas-phase electron diffraction determ. of geometric parameters 4−751
  γ'-Na_2BeF_4, X-ray scan technique, struct. determ. 4−6365
  $Na_3BeTh_{10}F_{45}$, cryst. struct. 4−9896
  $NaBiCl_4$, vapour, $BiCl_3$-NaCl system *(Russian)* 4−40888
  NaBr, divalent ion addition strengthening hardness yield strength 4−7293
  NaBr, interionic potential, force const. models 4−32620
  NaBr, intrinsic tail spectra, Urbach rule 4−28168
  NaBr, lattice dynamics using deformable-shell model 4−20387
  NaBr, molten, molar volumes meas. 4−4310
  NaBr, solubility, deposition, in Na/stainless steel system 4−3043
  NaBr aqueous solution, differential conductance coeffs. in cation-exchange membrane 4−25514
  NaBr-TlBr, molten, molar volumes meas. 4−4310
  $NaBrO_3$, i.r. permittivity derivation from Raman scatt. spectra 4−13459
  $NaBrO_3$, i.r. spectra, classical dispersion anal. 4−1385
  $NaBrO_3$ crystal, dislocation etch pits 4−28097
  NaCN, valence band, X-ray spectroscopy 4−6021
  Na_2CO_3 solvent for quartz single cryst. growth conc. and impurity effects 4−41475
  Na_2CO_3-Li_2CO_3, electrochem. cell, C behaviour 4−4266
  α-$NaCaCeF_6$:Nd^{3+}, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4−13471
  $NaCaHSiO_4$, monoclinic, cryst. struct. determ. 4−36849
  $NaCa_2Mg_2V_3O_{12}$ garnet, e.p.r. of V^{4+}, linewidth and intensity, homogeneous broadening 77K 4−28690
  $NaCa_2Mn_2V_3O_{12}$, mag. ordering, neutron diffr., Young's modulus and susceptibility obs. 4−24966
  $NaCa_4Nb_5O_{17}$ and $Na_2Ca_4Nb_6O_{20}$, synthesis and crystallographic characts. *(French)* 4−24432
  α-$NaCaYF_6$:Nd^{3+}, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4−13471
  $NaCa_2(Zr,Nb)[Si_2O_7](F,O)_2$, Wohlerite, atomic struct. refinement, cation distrib. 4−12923
  NaCl, {100} and {111} faces, adsorpt. isotherms of Cd^{2+} ion in aq. soln. *(French)* 4−40979
  NaCl, ⟨100⟩ slip line form round dynamical indentation on [100] face, mechanism *(T)* 4−20357
  NaCl, acoustic n.m.r., dipole-dipole interactions 4−10336
  NaCl, adsorption effect on near surface dislocation mobility 4−28100
  NaCl, anharmonic spin-lattice relax. calcs., nuclear quadrupole interactions 4−20890
  NaCl, aqueous soln., boiling mechanism investig. at low press. 4−32037
  NaCl, block disorientation rel. to fracture resist., X-ray anal., optical obs. 4−12950
  NaCl, colour centres, photoplastic effect *(Russian)* 4−13476

sodium compounds continued
NaCl, coloured, positron annihilation investigation 4−16516
NaCl, coloured cryst., F-stimulated photoplastic effect, u.s. absorpt. changes 4−20362
NaCl, Compton effect, MO-LCAO approx. 4−21095
NaCl, crack form. during deform., dislocation interaction decoration method 4−12987
NaCl, crack obs., light scatt., residual stress, slip plane heterogeneity *(Russian)* 4−12984
NaCl, crystallisation, effect of $[Fe(CN)_6]^{4-}$, supersaturation limits, mechanism 4−32460
NaCl, Czochralski growth method, prismatic-cylindrical morphology change *(French)* 4−32461
NaCl, Debye-Waller factor determ. at 4.2 and 295 K by powder neutron diffraction 4−1032
NaCl, deformational changes in optical props. *(Russian)* 4−20955
NaCl, diffusion of $^{22}Na^+$ and $^{24}Na^+$, isotope effect 4−24589
NaCl, dislocation photoconduction spectrum, internal electric field magnitude 4−28446
NaCl, dislocation pinning, decay consts., diffusion to dislocations 4−24588
NaCl, dispersion of C, 30-400°C, rel. to temp. effect on piezo-optic dispersion 4−1379
NaCl, divalent ion addition strengthening, hardness, yield strength 4−7293
NaCl, doped, elastic anisotropy and Cauchy relation 4−3511
NaCl, electrolyte, spherical limiter discharge, plasma production 4−20118
NaCl, electromigration of Ca^{2+} and vacancy jump freqs. determ. *(French)* 4−1134
NaCl, energy of formation of Schottky defects calc. 4−28096
NaCl, energy spectrum of sputtered Na^+ ions 4−37719
NaCl, epitaxial growth of Fe_3S_4 thin films 4−4032
NaCl, F-centre form., electron irrad. along ⟨100⟩, dyeing depth *(Russian)* 4−32562
NaCl, filament shaped crysts., internal friction meas., temp. depend. *(Russian)* 4−12990
NaCl, H_2O and D_2O solutions, O isotope fractionation *(German)* 4−41950
NaCl, hardening and softening effects on γ- and X-ray irrad. *(Russian)* 4−40812
NaCl, hydrostatic limits, to 100 kbar, rel. to appl. as press. transmitting medium 4−36952
NaCl, i.r. absorption, theory of multiphonon absorption processes 4−20995
NaCl, intrinsic tail spectra, Urbach rule 4−28168
NaCl, laser damage, effect of atm. pressure *(Russian)* 4−26996
NaCl, lattice dynamics using deformable-shell model 4−20387
NaCl, local heating of slip bands, deform. in liquid He *(Russian)* 4−12973
NaCl, localised orbital moments of defect F-centres 4−32891
NaCl, locally deformed crystal, grain boundary migration investigation 4−16547
NaCl, mech. stability of small angle growth boundaries, X-ray topography 4−16502
NaCl, model potential method for extra electron, conduction band 4−28347
NaCl, movement of gas-filled cavities in elec. field and temp. gradient 4−24587
NaCl, multiphonon absorpt., i.r., temp. depend. theory 4−20982
NaCl, multiphonon reststrahlen absorpt. band, temp. depend. 4−3969
NaCl, PVC film deposition, surface elec. props. copying using AgCl epitaxial growth 4−13111
NaCl, particle impingement mechanism of dislocation generation 4−6409
NaCl, phonon cond., polarisation branches role, 1-100 K 4−36960
NaCl, polycryst., Compton profile, MO-LCAO calcs., meas. with 59.54 keV γ-rays 4−3505
NaCl, powder pressing, contact form. in porous disperse structs., surface-active mol. layer effects *(Russian)* 4−41907
NaCl, proton channelling, simulation, X-ray excitation, K-spectra profile for Na, Cl, 80°C, 280°C 4−16530
NaCl, Raman scatt. by phonons and polaritons due to spatial dispersion, theory 4−28830
NaCl, s-zone electron, improved accuracy for wave functions and energy zone *(Russian)* 4−10102
NaCl, SO_4^{2-} diffusion and solubility, temp. depend., new meas. method 4−1144
NaCl, saturated solution, application of free surface profile study in heterogeneous liquid films *(French)* 4−32797
NaCl, single cryst., F-centres diffusion *(Korean)* 4−32750
NaCl, single cryst., plastic deform. at high temp., dislocation patterns 4−32604
NaCl, single- and polycrystalline, activation anal. of steady state deformation 4−3515
NaCl, solns., adsorption on porous NaCl glass, phase transitions 4−10713
NaCl, solution, stress corrosion cracking of Zircaloy-2, surface film 4−1175
NaCl, Stepanov's effect, rel. to elec. cond. *(Russian)* 4−10157
NaCl, study of atomic V-steps formed by cleavage 4−3629
NaCl, study of n.m.r. line broadening due to dislocations using Monte Carlo methods 4−3903
NaCl, substrates for Cu thin films, TEM, activation, binding energies 4−3665
NaCl, surface discharge in vacuum, flashover voltage 4−20936
NaCl, surface states and conduction bands *(German)* 4−24797
NaCl, thermal conductivity, effect of press. 4−40933
NaCl, thermal diffusion of vacancies mechanism for pore change 4−24592
NaCl, thermal expansion, rel. to Cu 4−1129
NaCl, unified model for all stages of F-colouring 4−1055
NaCl, vacancy conc., rel. to plastic deform., X-ray irrad., optical absorpt. meas. 4−16490
NaCl, X-irrad., positive ion vacancy dynamics, positron annihilation 4−40816
NaCl activity in NaCl-KCl-$PbCl_2$ melts at 600°C, Darken's method *(Russian)* 4−34092
NaCl aq. solns., tracer diffusion coeffs. of Na 4−21495

sodium compounds continued
NaCl crystal, condensation of Bi film, preferential nucleation 4−16679
NaCl crystal, crack propag. on (100) cleavage plane, slip band influence 4−20365
NaCl crystals, doped, mechanism of shock wave induced polarisation, impurity effects 4−20929
NaCl crystals, equilib. shape of molten CsCl-NaCl droplets 4−40967
NaCl crystals, stress relaxation anal. 4−40801
NaCl effect of electron beam irrad., influence of colour centres 4−28118
NaCl in atmospheric aerosols, conc. size distrib. and chem. nature of particles 4−42114
NaCl in polycrystalline form, pressure dependence of thermal diffusivity 4−20454
NaCl in solution of oceanic concentration, thermal and Fickian diffusion 4−17644
NaCl kinetics of motion of screw dislocations in crystal *(Russian)* 4−1059
NaCl molecular beam intensity measurement, condensation temperature method, advantages, technique 4−5224
NaCl polycrystals, hydrostatic pressure influence on mechanical props. 4−3516
NaCl powder, thermally stimulated electron exoemission before and after electron bombard. excitation 4−21149
NaCl single crystal, orientational depend. of F-centre form., channelling electron influence 4−20304
NaCl single crystals, 2 MeV electron penetration *(Russian)* 4−20338
NaCl solution containing ice, mass and heat transfer during melting 4−32674
NaCl substrate, surface dislocation damage by thin film deposition 4−1182
NaCl substrate growth kinetics of Cu films 4−16678
NaCl whiskers, growth and obs. *(Japanese)* 4−32841
NaCl:Ag^+, elec. field nuclear double reson. 4−25027
NaCl:Ag^+, luminescence spectra, synchrotron radiation excitation, photomultiplication 4−28915
NaCl:$BaCl_2$ crystal, solubility curves, light scattering *(German)* 4−16598
NaCl:Bi^{3+}, low-temperature association, annealing 4−32573
NaCl:$BiCl_3$ (BiOCl), opt., elec. and dielec. props. 4−17085
NaCl:Ca^{2+}, stress relax., electric field effect *(Russian)* 4−40836
NaCl:Cr^+, homopolar bond influence on structure, electron-nucleon interaction *(German)* 4−40233
NaCl:Cr^{3+}, low temp. cond., two association regions obs. 4−41067
NaCl:Eu^{2+}, emission sidebands, liq. He temp. 4−17105
NaCl:H^-, optical props. of U centres 4−37639
NaCl:Pb^{2+}, precipitate size depend. on heat treatment, Rayleigh scatt., ultraviolet absorpt. 4−13441
NaCl:Sr, X-irrad., colour centre absorpt. rel. to thermoluminesc. 4−33510
NaCl-AgCl, solid soln., two-phase decomposition model 4−6504
NaCl-AgCl solid soln., kinetics of decomposition from specific cond. meas. *(Russian)* 4−1229
NaCl-AgCl solid solution, particle distrib. effect on diffuse X-ray scatt. 4−13047
NaCl-KCl solid solution, max. spinodal temp. calc., decomp. 4−20415
NaCl-KCl solid solutions, pressure induced polymorphism 4−28206
NaCl-KCl-$PbCl_2$ melts, component activities at 600°C, Darken's method *(Russian)* 4−34092
NaCl-KCl-$RbCl_2$ melts, alkalisilicate glass electrode behaviour, Na^+ and K^+ ion effects *(Russian)* 4−29338
NaCl-LiCl-KCl system, melting investigation *(Russian)* 4−28196
NaCl-polystyrene suspension, simulation of melt flow e.m. treatment *(Russian)* 4−40600
NaCl-pyrrole system, interactions at solid-liquid interface, i.r. spectra *(French)* 4−13084
NaCl-RbCl, pressure-induced phase transforms. 4−32701
NaCl + $AlCl_3$ melt, complexes determ. from activity measurements 4−4264
NaCl + KCl mixture, Monte Carlo calc. of thermodynamics props. 4−20419
$NaCl_2$, chemiluminescence rel. to Na + Cl_2 reaction dynamics 4−31877
$(NaCl)_2$, vapour, $BiCl_3$-NaCl system *(Russian)* 4−40888
NaCl(Br), absorpt., emission and excitation spectra of Ag^- centres 4−10467
$NaClO_3$, ^{35}Cl n.q.r., impurity effects 4−10353
$NaClO_3$, i.r. spectra, classical dispersion anal. 4−1385
$NaClO_3$, irrad., e.s.r. obs. of ClO_3 quadrupole coupling 4−10310
$NaClO_3$, linewidth of phonons associated to disorder mechanism 4−1104
$NaClO_3$, n.q.r. of ^{35}Cl in impurity doped chlorates 4−1355
$Na_2CrO_4.4H_2O$, cryst. struct. 4−9895
$NaCrS_2$, e.h.f. meas. of e.p.r. 4−20833
$Na_2Cu(SeO_4)_2.2H_2O$, triclinic cryst. struct., octahedral arrangement of O atoms *(French)* 4−20269
NaF, acoustic n.m.r., dipole-dipole interactions 4−10336
NaF, cation tracer diffusion meas. 4−32747
NaF, colour centre material, for thick phase holograms 4−22880
NaF, Compton profile, superposition of $Na^+ + F^-$ free-atom momentum densities 4−17142
NaF, Debye temp., lattice anharmonicity effects due to thermal expsn. 4−20393
NaF, Debye temp. determ. by X-ray diffraction 4−24536
NaF, Debye-Waller factors and extinction 4−24537
NaF, dispersion and diffr. by M-centres, possible appl. to holographic storage 4−28876
NaF, energy limits in chemiluminescent, atom transfer reactions rel. to bond dissoc. energy 4−41940
NaF, i.r. multiphonon absorpt. temp. depend. 4−13439
NaF, infrared absorption spectra, assignment of fundamental modes 4−3143
NaF, intrinsic tail spectra, Urbach rule 4−28168
NaF, isotropic Compton profile, tight-binding calc. 4−17143
NaF, liquid He medium effect on plastic flow stress *(Russian)* 4−12974
NaF, multiphonon reststrahlen absorpt. band, temp. depend. 4−3969

sodium compounds continued
- NaF, proton action, F-centre accumulation curves *(Russian)* 4−24473
- NaF, pulse nuclear double resonance 4−3917
- NaF, pure single cryst., prep. and u.v. spectra investigation, impurity effects 4−33600
- NaF, r.m.s. vibr. displacements of Na and F ions determ. 4−24522
- NaF, sintering kinetics and paramag. centres influence 4−41249
- NaF, slow diffusive motions, nuclear relax. meas. 4−32753
- NaF:Cr^+, homopolar bond influence on structure, electron-nucleon interaction *(German)* 4−40233
- NaF:Eu^{3+} single crysts., X-irrad., colour centre behaviour 4−6404
- 5NaF-9YF_3:Nd^{3+}, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4−13472
- NaF-AlF_3 system, cryolite liquidus curve behaviour 4−7477
- NaF-CaF_2-AlF_3, molten, conc. depend. of specific electric conductivities 4−41092
- NaF-LiF lamellar eutectic, interface phonon 4−24621
- NaF_2, chemiluminescence rel. to $Na+F_2$ reaction dynamics 4−31877
- $(NaF)_2$, fundamental mode assignment from i.r. absorption spectra of Na 4−3143
- $NaFe(CrO_4)_2$. $2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4−3968
- α-$NaFeO_2$, mag. susceptibility, temp. depend. 4−20767
- $Na_2Fe_5TiSi_6O_{20}$, aenigmatite, order-disorder struct. factor twinning 4−24418
- $NaGa(NH_2)_4$, Raman and i.r. spectra, vibr. assignment, cryst. struct. *(French)* 4−20989
- $NaGdO_2$:Er^{3+}, Yb^{3+}, i.r. excited, fluoresc. decay 4−25160
- NaH, linear and cyclic dimers, mol. orbital calc. 4−12617
- NaH_2^+, SCF calcs., pseudoscaled nonorthogonal atomic orbitals 4−27603
- Na_2H^+, SCF calcs., pseudoscaled nonorthogonal atomic orbitals 4−27603
- $Na(H_{1-x}D_x)_3(SeO_3)_s$, Raman study of phase transitions, order-disorder 4−13421
- $NaHF_2$, Raman spectra, polarisability tensor depend. 4−28818
- NaH_2PO_4, struct. and hydrogen bonding, X-ray obs. 4−12903
- NaH_2PO_4-KH_2PO_4 glass, internal friction, dielec. loss mechanisms 4−32614
- $NaH_3(SeO_3)_2$, dipolar spin-lattice relax. rates of protons 4−28676
- $NaH_3(SeO_3)_2$, triclinic ferroelec. phase, meas. of dielec., elastic, piezoelec. props. 4−28772
- NaI, absorption spectra calc. one phonon and multiphonon absorption anal. 4−1092
- NaI, calc. of electron bremsstrahlung spectra *(German)* 4−37706
- NaI, ice nucleating ability, light exposure, positive and negative catalysis 4−12886
- NaI, interionic potential, force const. models 4−32620
- NaI, intrinsic tail spectra, Urbach rule 4−28168
- NaI, nucleation of ice, size effect 4−9868
- NaI, scintillation counter, photopeak efficiencies for 4π detecting geometry 4−35400
- NaI, solubility, deposition, in Na/stainless steel system 4−3043
- NaI scintillation detector, radioactive Cs content, field use 4−4881
- NaI:Cl^-, electric field gradient determ. 4−28728
- NaI-2,2′,2″-trimethoxytriethylamine complex, cryst. and mol. struct. *(French)* 4−12936
- NaI-triethanolamine complex, cryst. and mol. struct. *(French)* 4−12937
- $NaIO_4$, ^{127}I n.m.r., Zeeman splitting rel. to asymmetry parameter near zero 4−10354
- NaI(Tl), backscattering, high source-cryst. distances 4−18594
- NaI(Tl) crystal counters, sum-peak coincidence counting, technique 4−5179
- NaI(Tl) scintillation detector, photopeak shape obs. 4−39358
- 6 NaI(Tl)-2 Ge(Li) detector system, γ-γ angular correlation studies 4−18592
- NaK liquid metal, cold trapping of ^3H from Li in fusion reactor blanket 4−19598
- $NaK_3(PO_3F)_2$, cryst. struct. *(French)* 4−24428
- Na_2KSb, effective photocathode band struct. calc. *(Russian)* 4−32866
- $Na_xK_yWO_3$, quadratic tungsten bronze structure, optical const. determ. *(French)* 4−3950
- $NaLi_3(PO_3F)_2$, cryst. struct. *(French)* 4−24428
- Na_2MeO_4 (Me=Mo, W), action of Na and K vapours, 300-600°C, 0.01-0.1 Torr 4−4255
- $NaMgAl(CrO_4)_3.9H_2O$ powder, absolute quantum yields of Cr^{3+} $^2E \rightarrow {}^4A_2$ emission 4−28899
- $Na_2Mg(SO_4)_2.4H_2O$, complex isolated units in crystal structure 4−32520
- NaN_3, conduction e.s.r. of small Na particles, size effect 4−33267
- NaN_3, ion-dipole and Coulomb energies, van der Waals and hydrogen bonding 4−1024
- NaN_3, size effect on Mie optical absorption of small Na particles 4−33444
- $NaNH_4HPO_4.4H_2O$, stercorite, cryst. struct., twinning and hydrogen bonding 4−24426
- $NaNH_4P_3F.H_2O$, cryst. struct. *(French)* 4−24428
- $NaNH_4SeO_4.2H_2O$, ferroelec., Curie temp., high hydrostatic pressure effects 4−25062
- $NaNO_2$, γ-irrad., electric field gradient tensor, ^{23}Na n.m.r. obs. 4−10328
- $NaNO_2$, $NaNO_3$, linewidth of phonons associated to disorder mechanism 4−1104
- $NaNO_2$, optical nonlinear susceptibility components, relative signs determ. 4−27007
- $NaNO_2$, Raman spectrum, order-disorder transformation, lattice dynamics model 4−24545
- $NaNO_2$ crysts., triplet state, e.s.r. and opt. investig. *(German)* 4−41982
- $NaNO_3$, molten, hypersonic velocities determ. by 4−36955
- $NaNO_3$, molten, spin-lattice relax. time of ^{23}Na 4−25006
- $NaNO_3$, polarized specular refl. i.r. spectra, angle depend. effects, LO and TO modes 4−1384
- $NaNO_3$, temp. depend. of libration mode and dielectric relaxation 4−28758
- $NaNO_3$, u.v. absorpt., temp. depend. 4−25120

sodium compounds continued
- $NaNO_3$ in soln. effect on kaolinite clay erosion by flowing water 4−29529
- $NaNO_3$-$AgNO_3$ molten mixture, self diffusion of cations, various temperatures and concentrations 4−3582
- $NaNbO_3$, single cryst., SEM, cathodoluminesce, single cryst., domain temp. depend., inhomogeneities visibility, domain temp. depend. inhomogeneities visibility 4−9799
- Na_2NiAlF_7, one-dimens. linear antiferromag. props., susceptibility and neutron diffr. meas. 4−6734
- Na_2NiFeF_7, ferrimag. props. below 88K, susceptibility and neutron diffr. meas. 4−6734
- NaO_2, e.s.r. in inert gas isolation matrix, struct. and electronic props. 4−33246
- NaO_2, single crystal, mol. and lattice modes, Raman spectra meas. *(German)* 4−1393
- Na_2O, aerosol to closed chamber, fast reactor safety 4−19568
- Na_2O, in phosphoaluminate and borate glass, internal friction meas., anal. 4−28148
- Na_2O-Al_2O_3-SiO_2 glass, Raman spectra, vibr. comp. depend. 4−6874
- Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glass, Pt(IV) complexes, opt. absorpt. 4−21031
- Na_2O-B_2O_3 glass, He diffusion, thermally induced vol. relax. effect 4−20433
- Na_2O-B_2O_3 glass, ionic cond., high-pressure effects rel. to mixed cond. processes 4−13212
- Na_2O-B_2O_3-SiO_2-Al_2O_3 system, electron microscopy determ. of spinodal temp. 4−6342
- Na_2O-BaO-SiO_2 ternary system, subsolidus phase equilib. and compound formation 4−29225
- Na_2O-CaO glass, sliding friction, liq. environments influence 4−7275
- Na_2O-CaO-SiO_2 glass, optical waveguide, e.s.r. and mag. susceptibility 4−19038
- Na_2O-Ga_2O_3 system, β and β' alumina type phase obs. *(French)* 4−1111
- Na_2O-GeO_2 and Na_2S-GeO_2 system glasses, elastic and thermal props. *(Japanese)* 4−40905
- Na_2O-In_2O_3-GeO_2 system, glass forming regions, refractive index, density 4−7292
- Na_2O-IrO_2 system, equilib. phase rel., quenching technique in air 4−28186
- Na_2O-K_2O-SiO_2 glass, comparison of mechanical and elec. field relax. 4−1374
- Na_2O-Li_2O system, DTA analysis of phase diagram *(French)* 4−20407
- Na_2O-Li_2O-Fe_2O_3 powder, magnetic phase contents, mag. analysis determ. 4−16965
- Na_2O-P_2O_5 glass, internal friction meas., mechanism, rel. to dielec. loss 4−28145
- Na_2O-PtO_2 system, equilib. phase rel., quenching technique in air 4−28186
- Na_2O-SiO_2, glass, densification at 10 to 60 kbar pressure 4−10643
- Na_2O-SiO_2, glass, dielec. relax. meas. rel. to temps. and comp. 4−33344
- Na_2O-SiO_2, glass, transformation range, l.f. storage, loss moduli 4−28138
- Na_2O-SiO_2 glass, amorphous phase separation, physical props. changes 4−28030
- Na_2O-SiO_2 glass, correl. function anal. of phase separation, X-ray scatt. 4−6344
- Na_2O-SiO_2-CaO glass, scatt. studies of metastable immiscibility 4−6343
- Na_2O-silicate glass, dielec. relax. time distrib., current decay curves 4−28757
- NaOBr dismutation species obs. by Raman spectra *(French)* 4−17500
- NaOH, cryst. forms and stability regions, powder diagrams *(French)* 4−32495
- NaOH, free electronlike valence bands, X-ray photoemission obs. 4−41467
- NaOH, in ice, γ-irradiated, Hall mobility and electron drift 4−32975
- NaOH, solution, wet batching of flint glass 4−17397
- NaOH aqueous glasses, fast electron transfer reactions, quantum mech. tunnelling 4−1726
- NaOH-CaO, soda-lime glass stress corrosion susceptibility, effect of polymeric coatings 4−10686
- NaOH+HCl, computer simulation of pH control reaction 4−33998
- $(Na_2O)_{0.2}(P_2O_5)_{0.8}$ glass, paramag. centre form., by fracture and γ-irrad., e.s.r. 4−28703
- $Na_2O.SiO_2$ glass, X-irrad., thermolum., e.p.r. spectra and optical absorpt. 4−13526
- $xNa_2O.(1-x)B_2O_3(+m\ Al_2O_3)$ glass, positron lifetimes 4−20323
- $Na_2O.2B_2O_3$, cryst. struct. 4−28042
- α-$Na_2O.3B_2O_3$, cryst. struct. 4−32482
- $Na_2O.xB_2O_3$ glasses, i.r. and Raman spectra, obs. of phase transformations 4−17057
- $Na_2P_2O_6$-Al_2O_3 glass, internal friction, dissolved water effect 4−28147
- Na_2PO_3F, α- and β-forms, cryst. struct. *(French)* 4−24428
- $Na_4(PO_3NHPO_3).10H_2O$, cryst. struct. 4−20255
- $NaRb_3(PO_3F)_2$, cryst. struct. *(French)* 4−24428
- Na_2SO_3 and Na_2SO_4 aqueous solns., spontaneous rupture of supercooling and supersaturation states *(French)* 4−9977
- Na_2SO_3 etchant in production of crystal shapes bounded by {110} planes 4−16666
- Na_2SO_4, liq., v.p. meas., 954-1204°C 4−41990
- Na_2SO_4, microwave measurement of dielectric const. using Looyenga's formula, temp. depend. 4−3928
- Na_2SO_4:Co^{2+}, optical and elec. props., doping effects, cryst. field parameters 4−25121
- $Na_2S_2O_3$, etchant in production of crystal shapes bounded by {110} planes 4−16666
- $NaSbO_3$, cubic disordered phases, cryst. struct. and chem. 4−40776
- $Na_4Sc_2Ge_4O_{13}$, X-ray struct. anal. 4−32526
- $NaScSi_2O_6$, cryst. struct. refinement 4−6371
- $Na_2Si_2O_5$ glass, electrode behaviour, effect of Na^+ and K^+ ions *(Russian)* 4−29338
- $NaTaO_3$, isomer shifts of γ-reson. of ^{181}Ta 4−25041

sodium compounds continued
$Na_2Ta_2O_5F_2$, prep. and struct. characteriz. *(French)* 4—40771
$Na_2Ti[Si_4O_{11}]$, narsarsukite, hydrothermal synthesis 4—13558
$NaVO_3$ single crystal, dielec. dispersion, room temp. to 500°C 4—33342
Na_2WO_4, Raman spectra, powder and single crysts., comparison *(German)* 4—6881
Na_xWO_3, $0<x<1$ bronzes, teaching paper on perovskite structure 4—26379.
Na_xWO_3, percolation view of transport properties 4—28411
$NaWO_2F_3$, Mossbauer E2-transitions, ^{182}W, ^{183}W and ^{184}W electric quadrupole interactions 4—33328
$NaYF_4$:Er^{3+}, Yb^{3+}, i.r. excited, fluoresc. decay 4—25160
$NaYF_4$:Pr^{3+}, two photon luminesc. u.v. excitation 4—33490
α-$NaYF_4$:Yb^{3+}, Tm^{3+}, host lattice influence on infrared-excited blue luminesc. 4—13502
$Na_2ZnCl_4/3H_2O$;Mn^{2+}, e.p.r., 100 to 300 K 4—16981
$Na_2ZnCl_4.3D_2O$, deuteron magnetic resonance, hydrogen positions, hydrogen bonds 4—16992
$Na_2ZnCl_4.3H_2O$, p.m.r., hydrogen positions, hydrogen bonds 4—16992
$3Na_20.7TeO_2$:Er^{3+}, glass, quantum efficiencies and intensities of electronic transitions of green luminescence 4—10482
$Na_3[Au(S_2O_3)_2]2H_2O$, X-ray diffraction expt. 4—3484
$Na_6[Si_{16}Al_2(BeOH)_2O_{39}].1.5H_2O$, cryst. struct. 4—20253
SiO_2-Al_2O_3-Na_2O, glass, determ. depth of ^6Li penetration *(Polish)* 4—4200
SiO_2-CaO-Na_2O glass, Na_2O-CaO-SiO_2 glass X-ray and light scattering study of particle growth 4—20216

sodium potassium tartrate tetrahydrate *see Rochelle salt*

software (computers) *see computer software*

sogicons *see semiconductor devices*

soil
acoustic measurement of anomalies, cadaver detection 4—8405
association maps using ERTS data 4—34233
capillary hysteresis, similarity hypothesis 4—21907
cohesionless, elastic state function 4—13955
collapse limit and stability conditions *(Russian)* 4—29479
conductivity mapping methods, medium wave *(Spanish)* 4—34505
continuum model of mechanical properties 4—29450
cratering by TNT explosions, mass partition 4—17885
dielectric constant meas. by microwave sensors 4—14218
diffusion of solutes and water under transient unsaturated flow conditions 4—4385
disperse system, with sublimating ice, mass transfer in interaction with air flow 4—32138
electrical conductivity, medium wave, surface distribution in different countries *(German)* 4—17619
evaporation of water rel. to water balance in two French watersheds 4—25671
fluid displacement in porous media, viscous finger wavelength degeneration in Hele-Shaw model 4—1797
frozen partially, coupled heat-fluid transport, analysis 4—21906
ground freezing, heat conduction problem involving latent heat, finite element method 4—5426
groundwater dynamics in soil, effect of accretion 4—1798
hydrological regime, transfer of results of lysimetric obs. to field conditions *(Russian)* 4—29528
hydrophobic, hydraulic charge influence on horizontal flow *(French)* 4—34262
inactive alluvial fans, Bow River Valley, Alberta 4—29522
infiltration into crusted soil, numerical and similarity anal. 4—4386
infiltration of water, hydrophobant influence *(French)* 4—38284
limitations detection, analysis of remotely sensed data 4—34234
loess, late Pleistocene deposits, distrib. in England 4—34164
magnetism, Preisach diagrams, magnetic viscosity phenomena 4—21880
magnetotelluric prospecting, Cagniard formula generalisation to e.m. noise case *(French)* 4—17820
marine clayey soil instability off Mississippi River delta during hurricane Camille 4—10877
mass transfer in freezing soil-water system 4—25633
mechanics, appl. of finite element method, review *(Polish)* 4—17587
metal concentrations in soil moisture films 4—14042
moisture content, remote sensing with microwave radiometers 4—29720
moisture meas. at 30 MHz to 4 GHz 4—14222
moisture meas. by v.h.f. radio wave attenuation 4—14215
moisture meas. using microwave radiometers 4—34564
moisture meas. using radar 4—34274
moisture potential meas. by cryoscopic method *(Russian)* 4—7802
neutron irradiation up to 1 GeV, gamma-active isotope production 4—23930
nuclear explosions, crater form., shock wave propag., and radioactive waste storage *(French)* 4—38204
nuclear power station, site investigation, South Africa, ground waste sorption capacity 4—12461
ocean bottom soil sampling acoustic shear wave vel. meas. technique 4—11057
oedometer of IBW-PAN type for soil sample testing *(Polish And English)* 4—25863
permafrost characteristics of Mackenzie River valley terrain, landscape zonation 4—29523
permafrost rel. to groundwater behaviour near subarctic stream 4—25635
pore pressure, transient motion meas., Rio Blanco project 4—19630
pore pressure increase, liquefaction, Rio Blanco project 4—19629
pore water pressure rel. to soil structure and external load *(Polish And English)* 4—25591
radar backscatter from irrigated and dry fields at 400 MHz and 13.3 GHz 4—25890
radioactive tracer migration, constants of dispersion phenomena 4—3342
radioactivity, meas. of for remote monitoring of snow water equivalent 4—4526
radionuclides, river transport to cultivated soils *(French)* 4—31631
refuse decomposition, gas production 4—22631
salinity, from salt water cooling towers 4—22629

soil continued
SH wave, dynamic structure-soil-structure interaction 4—7518
spatially discretized groundwater flow equations, anal. of 4—1799
thermal properties studied by expedition to Tsumeb, South West Africa during rainy season *(German)* 4—25709
underground environment, behaviour of radioactive U and Th *(French)* 4—31632
undisturbed, transport of ^{131}I, ^{137}Cs, ^{106}Ru, ^{144}Ce and ^{54}Mn 4—31633
unsaturated, nonstationary two-dimens. infiltration, numerical analysis *(French)* 4—38285
unsaturated, water absorption, analytical solutions to diffusion equation 4—20060
vertical flow, one dimensional eqn. for ground water in soil 4—4389
viscoelastic semi-space in plane state of strain, consolidation 4—15139
water flow in soil simultaneity procedure anal. 4—1796
water flow in unsaturated sandy ground *(Polish And English)* 4—25642
water table, control during irrigation, model *(Russian)* 4—29531
watersheds in S. Idaho, physiography, soils, bedrock and water chemistry 4—42058
^{26}Al content of rocks and soil near Tunguska event rel. to antimatter theories 4—38734
CO_2 concentration profiles across and beneath Arctic snowpack during spring 4—34379
^{137}Cs, flood plain transfer and accumulation 4—31630
^{137}Cs, migration from environment to human body *(Russian)* 4—35070
^3H uptake by soil water and groundwater as molecular hydrogen 4—4391
^{90}Sr radioecological study, Osaka, Japan 4—7608

solar activity
see also solar flares; solar prominences; sunspots
1969 cosmic ray intensity data, solar wind effects 4—34630
1970, July rise in proton intensity 4—29847
active region 8818, acceleration and distribution of coronal particles 4—22216
annual and quarterly variations of solar activity and cosmic ray intensity 4—4652
areas index as function of time of rise and relative sunspot number 4—17930
areas index for finding correlation between activity and annual precipitation 4—17764
bursts, type III, analysis of simultaneous observations of energetic electrons and l.f. radio emission near 1 A.U. 4—25971
climatic effects, planetary alignment influence 4—14140
climatic effects of solar cycle *(Russian)* 4—4469
Coronal densities determined from hectometric radio observations of solar storm activity 4—2041
coronal density evolution of active regions and flare rates from Mg X spectroheliograms 4—34615
coronal magnetic fields rel. to geomagnetic activity var. 4—29837
coronal structure identification and analysis from X-ray photography 4—22262
corresponding evolution of atomic hydrogen density at 100 km 4—25745
cosmic ray burst satellite meas. of protons and nuclei, energy spectrum 4—4650
cycle effect on ionospheric F-region, neutral wind effect 4—4583
cycle effect on solar and lunar electrojet in equatorial zone 4—4544
cycle variation of solar wind, geomagnetic effects 4—25959
cycles 18, 19, 20, modulation of galactic cosmic ray intensity 4—38576
cyclic change of 180 yr period 4—17932
double peak of energetic events at solar maxima from latitudinal analysis of flares and type IV bursts 4—17931
earth radiation belt, radiation dose distribution, max. solar activity 4—4604
earthquake periodicity in the Caucasus rel. to solar activity 4—7543
effect of extrema on solar-terrestrial relationships 4—38629
effect on Earth's upper atmosphere from satellite drag density meas. 4—1926
Ellerman bomb, anal. of statistical props. 4—7902
emerging flux regions Hα filtergrams and videomagnetograms 4—34621
energetic particle events, variability of intensity ratios H to He, He to $Z \geqslant 3$ ions 4—25908
ephemeral active regions, Hα and magnetic field obs. 4—29861
eruption radiation investigation, X-ray polarimeter, Interkomos 7 *(German)* 4—38933
eruptions associated with decimetric wave jumps *(French)* 4—34632
evolution of active centres rel. to photospheric motions 4—29859
exploding granules rel. to chromospheric network, K2 violet filtergrams 4—34640
extreme u.v. spectroheliograms from Skylab 4—38647
F-region neutral air winds from solar cycle changes in equatorial anomaly 4—10994
flare and burst generation from Harris type micro instabilities 4—2069
flare surges, production rel. to energetic electrons 4—29869
fluctuation of 25 day period, photospheric faculae explanation 4—7899
foF_1 prediction using Zurich smoothed sunspot number 4—22093
galactic cosmic rays, effect on solar cycle from K-corona changes 4—7920
geomagnetic abnormal quiet day variation in low latitudes 4—1787
geomagnetic K_p-index, solar cycle dependence of periodic var. 4—34248
heating of active regions by magnetic energy dissipation 4—17907
heating of active regions by shock waves, MHD waves and Joule losses *(Russian)* 4—14302
heliopause variations with solar activity cycle 4—17987
influence on upper atmosphere 4—38388
inhomogeneous model, radio and X-ray emission *(Russian)* 4—17923
interplanetary and solar sector structure from geomagnetic storm and solar activity statistics 4—1791
ionospheric absorption, winter anomaly rel. to sunspot cycle 4—22073

solar activity continued
- ionospheric electron concentration during high and low solar activity 4−22058
- ionospheric transequatorial v.h.f. transmission, effect of sunspot number 4−29665
- Jupiter's atmospheric activity, photometric studies from 1962-1969, correlation with solar activity 4−7930
- large ionospheric inhomogeneities rel. to solar activity 4−1941
- line brightness and magnetic fields in active regions *(Russian)* 4−14301
- local sources, directional effect of radioemission 4−22236
- long-term modulation function 1969 abrupt change of cosmic rays 4−38577
- lunar daily geomagnetic var. at Istanbul, solar cycle influence 4−1790
- magnetic fields, rel. to changes in sun's surface and atmosphere, review 4−2052
- Mars ionosphere parameters change in relation to seasonal radio wave propagation, solar activity phase, and planet distance from the Sun *(Russian)* 4−2078
- MHD structure of convection zone from sunspot structure 4−38643
- effect on O$_3$ content of stratosphere, Nimbus 4 BUV expt. 4−4497
- photospheric motion, waveform classification 4−7908
- photospheric oscillations, statistical analysis 4−7909
- photospheric spectrum lines, Doppler effect giving rotation, relation with solar activity 4−25960
- planetary influence, calc. of longitude distrib., of flares 4−7919
- planetary influence on flares in solar cycle 19 period 4−2040
- pressure on synchronous near equatorial satellite 4−25914
- proton flare 1971 September 1, preceding change in activity 4−34627
- proton flare activity evolution sudden changes 4−17921
- quiet K corona electron density model for solar activity max. from 5303 A obs. 4−22245
- radio burst activity of McMath region 10789, 1970 June 13 4−17938
- r.f. emission spectrum, quiet Sun, relation to activity, measurements, analysis *(Russian)* 4−2046
- r.f. local sources, polarised radiation *(Russian)* 4−17922
- slowly varying component at 10.7 cm, evidence for 10.5 yr period 4−38631
- slowly varying decimetric component in different activity cycle phases *(Polish)* 4−29852
- solar 300-second oscillations, direct i.r. obs. of temp. amplitude 4−29826
- solar cycle number 21, onset from magnetograph obs. 4−14300
- solar-terrestrial relationships, effect on physical and biological processes 4−7484
- split pair burst emission, depend. on electron streams 4−7905
- sunspot cycle, forecasting problems, dissertation 4−4713
- sunspot minima, mean magnetic field 4−34618
- sunspot number and magnetic influence on stratospheric ozone layer 4−4503
- surges, velocity curves and braking force, Hα filtergrams 4−22265
- type III radio bursts, association with Hα activity 4−38662
- type III radiobursts electron stream evolution 4−34650
- type IV radio bursts, nonlinear wave coupling between electrostatic waves 4−34651
- underground cosmic ray intensity diurnal variations at London and Torino during max solar activity 4−11089
- upper atmosphere, aspherical model, effect of solar activity and geomag. disturbances, prediction of satellite motion 4−4532
- wind disturbances, spatial structure from interplanetary scintillation obs. 4−25986
- wind var. with solar cycle and cosmic ray intensity modulation 4−38626
- Wolf ratio (M), latitudinal and seasonal var. 4−4709
- X-ray flux, relation to development of active region and chromospheric subflares during cycle minima 4−4705
- ^{14}C dating of tree rings, correlation of variations with solar activity 4−29698
- effect on O$_3$ concentration in upper stratosphere 4−4490

solar atmosphere
- *see also chromosphere; photosphere*
- 300-second oscillations, direct i.r. obs. of temp. amplitude 4−29826
- convective instability, compressible atm. with radiative damping non-Boussinesq anal. 4−2107
- convective instability of rapidly rotating compressible fluid 4−25949
- convective overshoot estimation, graphical method 4−42373
- few-nucleon reactions, nucleon density 4−29817
- flare triggering by coherent oscillations in plages 4−11114
- heating processes by acoustic, Alfven and gravity waves 4−38653
- inhomogeneous atmosphere models, granulation, limb flux and oblateness 4−38638
- light nuclei abundances, rel. to solar mixing models 4−22257
- limb darkening eqn. inversion in presence of noise 4−25965
- Line formation in multidimensional atmospheres with rapid depth variation of absorption coefficient 4−25962
- macroscopic motions in optical pairs and interacting prominences 4−22251
- mass transport in stratified perfect gas induced by time-dependent oscillations 4−25955
- parametric coupling of incoherent microwaves 4−2071
- periodic wave trains in gravitational atmosphere, weak shock theory 4−25950
- radiative damping of trapped gravity waves 4−2056
- solar activity, role of mag. fields, changes in sun's surface and atmosphere, review 4−2052
- stratified atmosphere response to localised turbulent source 4−34653
- sunspot model choice, influence on derivation of turbulent velocity *(Russian)* 4−14303
- Syrovatskii's mechanism, comment on invalidity 4−2068
- temperature distrib. and emission measure in steadily heated solar atmosphere 4−38652
- C emission regions, intensity distrib. and electron temp. 4−42315
- He-like ion line ratios, temp. dependence 4−17909

solar batteries *see solar cells*

solar cell arrays
- No entries

solar cells
- CdS-Cu$_2$S, Au-CdS barrier characts. *(French)* 4−33031
- CdS-Cu$_2$S, heterojunction, photoelectric props., mathematical analysis 4−13219
- Cu$_x$S-CdS topotaxial heterojunction, photovoltaic efficiencies of Cu$_x$S phases 4−41116

solar chromosphere *see chromosphere*

solar constant *see solar radiation*

solar corona
- 1968, September 22 eclipse, obs. of coronal condensation 4−7923
- 1970, March 7, photometry 4−11124
- 5303 A line intensity in solar cycle No. 20 rel. to cosmic ray variations 4−38578
- active region 8818, acceleration and distribution of coronal particles 4−22216
- active region heating by magnetic energy dissipation 4−17907
- airborne studies during eclipse (June 30 1973) 4−11127
- arch systems, prominences, formation theory, from Nov. 12, 1966 eclipse 4−7911
- aureola intensity, computation from solar aureola obs. during total eclipse *(French)* 4−38628
- Cherenkov radiation, e.m. wave scattering 4−2072
- density determ. from hectometric radio obs. of storm activity 4−2041
- density evolution of active regions and flare rates from Mg X spectroheliograms 4−34615
- differential rotation rate in chromosphere and corona, EUV obs. 4−38658
- disc surge, 1971 August 27, 3 dimensional velocity field from time series spectrograms 4−29849
- disturbances, fast transient events during last solar cycle 4−22253
- eclipse, total, 1965, May 30, visible spectrum of lower corona, 3300 to 8200 Å 4−7910
- electron density and radio scattering of corona during pulsar NP 0532 occultation 4−11115
- e.m. wave refraction, deviation calc., Einstein effect *(French)* 4−34628
- emission line profile analysis, 30 May 1965 eclipse observations 4−25969
- emission line profiles of λ5303 at July 10 1972 total solar eclipse, video recording, technique 4−25970
- F corona, intensity meas. near solar limb 4−17912
- flare particle transport, mathematical model 4−22217
- green line intensity anti-correlation with solar wind velocity 4−22234
- gyromagnetic absorption at the fundamental, e.m. wave damping 4−42309
- Hα flare properties as secondary product of coronal instability 4−22248
- heavy ion effects on electron temperatures 4−25988
- hot coronal tracing of magnetic fields, X-RAY OBS. FROM Skylab 4−4704
- hydrodynamic eqns. for ideal inviscid fully ionized hydrogen gas 4−22246
- hydrostatic temperature from vertical density gradient, K-coronameter obs. *(French)* 4−22264
- i.r. coronal line 10747 Å of Fe XIII in 1966 eclipse, emission line polarisation 4−2060
- K-corona, changes, for effect on solar cycle of galactic cosmic rays 4−7920
- K-coronal bridges, source of interplanetary magnetic source boundaries 4−22233
- low energy proton injection profile during solar rotation 1517 4−22215
- magnetic disturbance nonlinear acceleration using Hall term in Ohm's law 4−22266
- magnetic field structure from Faraday rotation of 4170 MHz radio waves 4−11125
- magnetic fields and energetic particles 4−29835
- magnetic fields rel. to geomagnetic activity var. 4−29837
- magnetic sheet association with prominences from type III radioburst obs. 4−34648
- microwave burst, obs. at linear polarisation 4−7904
- microwave bursts, spatial dispersion of Faraday rotation 4−22270
- mode coupling, oblique incidence 4−34608
- mode coupling near plasma level, type I storm radiation 4−34607
- moving type IV radio sources, gyro-synchrotron radiation 4−34638
- neutral sheet, obs. in 1922 eclipse assoc. mag. field distrib. 4−2063
- neutral sheet, support of prominence filaments by magnetic forces 4−34614
- observations at Moussoro, Chad, during June 30 1973 eclipse 4−11126
- outer white light corona, sectored structure correlation with interplanetary magnetic field 4−22232
- particle density, one fluid model eqns. rel. to quiet solar wind 4−42311
- photographs taken by Skylab telescopes *(German)* 4−34654
- physical nature 4−25994
- plasma turbulence, effect on e.m. radiation and propagation of particle streams 4−25952
- plume and streamer obs. at eclipse (1973 June 30) *(German)* 4−11128
- prominence-corona interface, u.v. spectral obs. during eclipse 4−29836
- prominences, 1972 October 29, line centre Hα images 4−38644
- proton events, 1972 August 2-9, relation to coronal magnetic structure 4−22218
- quiet K corona electron density model for solar activity max. from 5303 A obs. 4−22245
- quiet-time wind and coronal source longitude rel. to interplanetary large-scale structure 4−38743
- radiance in intermediate IR (7.5-13 μ) rel. to particle models 4−34610
- radiance of corona/inner zodiacal light, Apollo 16 obs. 4−4776
- radio echoes, plasma theory rel. to solar wind 4−29870
- radioemission from coronal active regions, anal. of agreement with Sengupta's model 4−2064
- rapid var. during 1973, June 30 eclipse 4−11122
- shock waves in corona, from solar flares 4−38745
- split pair burst emission, depend. on electron streams 4−7905

solar corona continued
structure identification and analysis from X-ray photography 4—22262
sunrise optical effects, spacecraft obs. reinterpretation rel. to solar corona 4—34631
surges, velocity curves and braking force, $H\alpha$ filtergrams 4—22265
synchrotron radiation from drifting magnetoplasma 4—32157
temperature distrib. and emission measure in steadily heated solar atmosphere 4—38652
temperature-density structure rel. to solar wind 4—29840
type III radio bursts, association with $H\alpha$ activity 4—38662
type IV decimetre bursts in corona, generation and model 4—42317
white light coronagraph, Skylab outer corona obs. 4—42312
wind, thermodynamics and composition rel. to physics of corona 4—17928
X-ray temporal fine structure from trapped electrons in solar flares 4—22272
Fe abundance from X-ray spectra 4—34622
Fe emission line profiles, 1970 March 7 eclipse obs. 4—38645
Fe emission lines, spectrophotometry during 1970 March 7 eclipse 4—34647
Fe XI 7892 Å line obs. *(French)* 4—22212
Fe XIII, coronal lines, theoretical intensity ratios due to proton collision excitation 4—2062
Fe XIII e.u.v. emission spectrum 4—38625
Fe^{+12}, proton collisional excitation of ground config., rate const. calc. at coronal temp. 4—2061
Fe^{+12}, proton impact excitation calc. at solar coronal energies 4—5807
He I emitting sheath in surge prominence D3 line widths 4—29850

solar corpuscular radiation
see also solar cosmic ray particles
accelerated fluxes, rel. to variation of interplanetary plasma inhomogeneities 4—11162
active region 8818, acceleration and distribution of coronal particles 4—22216
Alfven wave refraction and amplitude variation in varying interplanetary magnetic field 4—22230
atmospheric circulation response to solar corpuscular streams *(Russian)* 4—29625
comet Bennet (1969i), obs. of Lyman-α radiation rel. to proton flux 4—4766
comet Burnham (1959k), brightness, rel. to fluctuations in solar wind 4—4765
coronal injection profile of low energy protons during solar rotation 1517 4—22215
dayside magnetopause position for solar wind variations, geomagnetic penetration 4—4599
effect of changes in condition on earth bow shock 4—25806
electrons, enertetic, simultaneous observations with l.f. radio emission at 1 A.U. type III bursts, analysis 4—25971
electrons, observations at lunar surface by Apollo 12 and 15 Solar Wind Spectrometer experiments 4—26060
escape of energetic charged particles from trapping magnetic structures 4—34613
evolving interplanetary magnetic configurations by multi-spacecraft obs. technique 4—38744
flare induced proton fluxes, prediction near Earth 4—22374
front thickness of interplanetary shock waves 4—2104
geomagnetic tail lobes, solar wind and substorm-related changes 4—25796
heavy ion effects on electron temperatures in solar wind 4—25988
heliographic latitude dependence of some parameters, effect on Kp indices 4—25624
high latitude experiments *(French)* 4—38427
IMP 7 buss potential in solar wind 4—22225
intensity and atmospheric ion concentration meas. 4—34448
interaction with geomagnetic field, results of experiments with three-dimensional terrella 4—29687
interplanetary multiple shock ensemble, Pioneer 9 and Ogo 5 obs. 4—22226
interplanetary shock wave, interaction with terrestrial bow shock 4—14194
interplanetary shock wave acceleration and trapping of <1 MeV protons 4—22228
interplanetary shock waves from solar flares, effect on solar wind 4—38745
low energy protons, correlation between chromospheric and IMF polarities near minimum 4—22235
lunar atmosphere perturbation of solar wind 4—26061
lunar atmospheric interactions, loss rate of gases to wind 4—17973
lunar soil damage, implantation of He, Ne, diffusion study 4—4755
lunar wake, disturbances of magnetic field and particle concentration 4—4738
magnetic field association with geomagnetic tail lobe density fluctuations, statistical analysis 4—38470
magnetospheric solar proton pitch angle distrib. during geomagnetic activity, statistical analysis 4—42172
mechanisms for energy transfer to magnetosphere, comparison of ap index with fluctuations in B and V 4—25819
plasma flow, effect of nonstationarity in chemical composition 4—2043
plasma instabilities produced by ions of planetary and interstellar origin 4—29848
plasma turbulence, effect on e.m. radiation and propagation of particle streams 4—25952
proton acceleration by beam-plasma instability 4—29783
proton events, 1972 August 2-9, relation to coronal magnetic structure 4—22218
proton intensity, July 1970 rise 4—29847
protons at lunar surface, conversion to H molecules 4—29959
protons in 30-100 keV range upstream from Earth's bow shock 4—34772
quiet wind, one fluid model eqns. 4—42311
quiet-time wind and coronal source longitude rel. to interplanetary large-scale structure 4—38743
statistical relationship to F-layer magnetic field and critical frequencies *(German)* 4—7778
viscous interaction with magnetosphere, possible convection and cusp production 4—38481

solar corpuscular radiation continued
wind, Alfven wave propagation in quiet interplanetary medium 4—25951
wind, Alfven wave scatt. by random density fluctuations 4—38739
wind, Alfven wave scattering by random density fluctuations 4—22231
wind, at lunar limb thermal boundary layer behaviour of solar wind by continuum fluid analysis 4—22331
wind, azimuthal modulation with magnetic fields 4—22271
wind, colliding stream region obs. using interplanetary scintillation 4—22221
wind, cosmic ray propagation in interplanetary space, direct and inverse problems 4—4648
wind, damping and nonlinear wave-particle interactions of Alfven waves 4—7891
wind, degree of symmetry of electron velocity distrib. 4—22224
wind, effect on Jupiter outer magnetosphere 4—42327
wind, effect on lunar resistivity 4—42343
wind, electron obs. from Ogo 5 spacecraft 4—1984
wind, e.m. induction in Moon and planets, effect of solar wind 4—22352
wind, e.m. interaction with Mercury and Moon 4—22282
wind, first order latitude effects 4—29853
wind, galactic magnetic field models, Faraday rotation interpretation 4—30135
wind, geomagnetic field interaction with antiparallel field 4—4606
wind, Greenstadt's binary index criterion 4—4613
wind, heat current and anisotropy-driven instabilities 4—4708
wind, heat current influenced instabilities parallel to the magnetic field 4—2073
wind, heat transport processes 4—42310
wind, influence on inner rotation by Eddington-Sweet type circulation 4—29851
wind, interaction with lunar magnetic field 4—4745
wind, interaction with lunar magnetic field 4—22329
wind, interaction with magnetic fields of Mars and Venus 4—38672
wind, interaction with Venus, spacecraft obs., models 4—34675
wind, interaction with Venus neutral atmosphere 4—22283
wind, interplanetary double shock pairs, numerical simulation 4—22227
wind, interplanetary quiet time electrons in 0.5-300 keV range 4—22375
wind, inviscid heat conducting two fluid model, asymptotic solns. 4—17906
wind, kinetic model, rel. to evolution of polar wind theory, review 4—2051
wind, magnetosphere demarcation layer 4—4600
wind, Mars and Venus atmospheric ion loss, electrodynamic model 4—26023
wind, nonradial supersonic flow, MHD eqns. 4—22223
wind, pitch angles of particles in interplanetary magnetic field 4—4706
wind, plasma theory and coronal radio echo data 4—29870
wind, plasma with large density gradient, evaporation 4—2074
wind, pressure anisotropy, effect on geomag. tail oscillations 4—4602
wind, props. at Earth by one-fluid model with helioclassical thermal electron conductivity 4—11120
wind, radio scintillation obs. of latitude dependent nonlinear high speed streams 4—22222
wind, shock system 1969 February 2, structure and origin 4—14308
wind, solar cycle variation, geomagnetic effects 4—25959
wind, steady state interaction with Moon, electron-proton plasma model 4—26054
wind, sudden spherically symmetric disturbance propagation 4—22229
wind, temp. and velocity variations of He component 4—22219
wind, temporal spectrum of integrated electron columnar content 4—29823
wind, thermodynamics and composition rel. to physics of corona 4—17928
wind, two stream instability in collisionless plasma 4—7892
wind, velocity and temp. dropoff to $\sim$5 A.U. by Pioneer obs. 4—22385
wind, wave coupling between protons and He 4—22220
wind and temperature-density structure of solar corona 4—29840
wind composition, anisotropy, and streaming, effects on e.m. instability 4—25985
wind D/H ratio rel. to origin of comets 4—38735
wind disturbances, spatial structure from interplanetary scintillation obs. 4—25986
wind effects on 1969 cosmic ray intensity data 4—34630
wind flow parameters, large-scale dynamical effects, Vela 3 proton data 4—2048
wind heating beyond 1 AU 4—7894
wind interaction with H_2O comets 4—4759
wind interaction with planetary neutral and ion-exospheres rel. to Mercury 4—4737
wind modulation of Galactic coscmic rays 4—2022
wind parameters at 20 $R_\odot$, power spectra from Mariner 5 data 4—2049
wind parameters rel. to K_p index during recurrent geomagnetic storm 4—4366
wind plasma, contact discontinuities 4—2033
wind plasma, mean free path in transition region beyond magnetosphere boundary 4—1977
wind proton temp. and thermal anisotropy., origin 4—4707
wind research using modulation charged-particle traps 4—34969
wind rotational discontinuities rel. to powerful chromospheric flares 4—2042
wind stream interactions and interplanetary heat conduction 4—25984
wind structure between 20 $R_\odot$ and orbit of Mars 4—2047
wind two-fluid models, radial dependence of electron temp., comments 4—7895
wind two-fluid models, radial dependence of electron temp., further comments 4—7896
wind var. with solar cycle and cosmic ray intensity modulation 4—38626
wind velocity anti-correlation with coronal green line intensity 4—22234

- **solar corpuscular radiation** continued
  - wind velocity rel. to mag. activity half-yearly variation *(French)* 4−34629
  - wind-applied torque on tilted terrestrial magnetosphere 4−25794
- **solar corpuscular streams** *see solar corpuscular radiation*
- **solar cosmic ray particles**
  - acceleration and injection of highly relativistic electrons during solar flare 4−7859
  - angular distrib. of solar particles over Earth's polar caps 4−22095
  - burst, satellite meas. of protons and nuclei, energy spectrum 4−4650
  - charge composition var. during 1972 August flares 4−29785
  - coronal magnetic fields and energetic particles 4−29835
  - cosmochemical view of solar and galactic particles, review 4−14258
  - cosmochemistry of cosmic rays and solar particles rel. to galactic or solar origin 4−34571
  - cutoff obs. in polar cap from OGO-6 meas. 4−22096
  - diurnal variation, change in upper limiting rigidity, 1965 to 1971 4−38572
  - electrons, observed in magnetospheric cleft at low altitudes, mode of entry 4−38489
  - enrichment with heavy nuclei 4−4651
  - escape of energetic charged particles from trapping magnetic structures 4−34613
  - flare cosmic ray increase 1972, August 7, neutron monitor data, rigidity spectra limit 4−11088
  - flare of 1972, February 26, X-ray and electron obs. rel. to thin-target X-ray emission 4−29867
  - flare protons and electrons, propagation anisotropies comment on paper by K.R. Pyle 4−25987
  - gamma-rays, high energy flux meas. 4−34566
  - hard X-ray bursts, interpretation of polarisation meas. 4−25989
  - ionization rates of planetary atmospheres 4−17953
  - irradiation of olivine and feldspar crystals in Luna-16 lunar soil column *(Russian)* 4−34712
  - long-term fluxes of heavy nuclei from meteorites and lunar samples 4−14255
  - long-term modulation function, 1969 abrupt change 4−38577
  - low energy flare protons, azimuthal propagation 4−11086
  - magnetosphere and energetic solar particles, review 4−29694
  - magnetospheric particle entry calculations 4−22097
  - magnetospheric solar proton pitch angle distrib. during geomagnetic activity, statistical analysis 4−42172
  - multiple event response in neutron monitor 4−25905
  - neutrino flux, failure of Davis expt., review 4−38593
  - neutrino flux, problem of absence educational paper 4−29786
  - neutrino flux rel. to He inhomogeneities 4−14310
  - neutrino flux rel. to internal solar rotation 4−34567
  - neutrino flux rel. to solar abundances and initial composition on models 4−17915
  - neutrino flux rel. to vibrational stability during central H burning for 1 M$_\odot$ star 4−34609
  - neutrinos, solar models capable of producing low flux 4−4711
  - neutrinos review of observational and calculational discrepancy 4−34576
  - neutron fluxes, correlation with solar flare obs. using high-energy neutron detector 4−26198
  - polar magnetic field line topography probed by small solar cosmic ray increase 4−38573
  - propagation in medium with sharply changing diffusion coefficient 4−25896
  - proton, probabilities for peak flux and fluence incident on interplanetary spacecraft 4−22192
  - proton acceleration at Earth's shock front 4−34467
  - proton acceleration by beam-plasma instability 4−29783
  - proton electron and alpha particle events in 1972, 4 and 7 August 4−25899
  - proton flares rel. to solar microwave bursts 4−14307
  - proton flux detection prob. at 1 AU 4−2024
  - proton injection spectrum, propagation model selection 4−2023
  - proton intensity, July 1970 rise 4−29847
  - protons, anisotropic propagation for event 18 November 1968 in terms of power spectrum of interplanetary field fluctuations 4−25898
  - protons, cause of polar phase anomalies in v.l.f. waves, 17.8, 16.0 and 18.6 kHz 4−10845
  - protons, differential energy spectrum in inner regions of Earth's radiation belts 4−34468
  - protons, illumination of Earth's polar caps and role of neutral sheet 4−1988
  - protons, observed in magnetospheric cleft at low altitudes, mode of entry 4−38489
  - protons, solar flare activity, detectors and propsects *(French)* 4−35390
  - protons and tracing of high-latitude geomagnetic field lines 4−42175
  - protons in 30-100 keV range upstream from Earth's bow shock 4−34772
  - relativistic electron events, rise time to max. flux rel. to interplanetary field 4−25900
  - relativistic solar cosmic rays, anisotropies in pitch angle distrib. 4−14253
  - storm August 1972, relation to interplanetary field changes 4−38570
  - α particles observed in magnetospheric cleft at low altitudes, mode of entry 4−38489
  - ν, gentle scattering and Davis expt. 4−29787
  - ν, interaction with matter at low energy transfers, expt. 4−11095
  - ν, rel. to resonance existence in ^{3}He + ^{3}He system 4−29788
  - ν, related M1 transition in ^{6}Li 4−25901
  - ν from ^{3}He(p, e$^{+}\nu$)^{4}He reaction 4−9159
  - ν problem, extrapolation of ^{3}He(^{3}He,pp)^{4}He cross section to very low energies 4−15901
  - ν problem, forward-peaked ν_ee scattering 4−7860
  - ν problem, reln. to other lepton puzzles 4−5594
  - ν problem, search for resonance in ^{3}He(^{3}He,pp)^{4}He reaction 4−15900
  - ν puzzle, search for ^{6}Be* resonant final state in ^{6}Li(^{3}He, t) reaction 4−9209
  - Fe, relative abundance of He(C, N, O) and Fe-group nuclei, particle acceleration 4−7861
- **solar cosmic ray particles** continued
  - H/He, variability of intensity ratios in solar energetic particle events 4−25908
  - He, relative abundance of He(C, N, O) and Fe-group nuclei, particle acceleration 4−7861
  - He/Z$\geqslant$3 ions, variability of intensity ratios in solar energetic particle events 4−25908
  - ν, Brookhaven experiment, explanation in terms of strong interaction between neutrinos, bosons and photons 4−42241
- **solar cosmic ray photons**
  - X-rays, relation to development of active region and chromospheric subflares during cycle minima 4−4705
  - γ-ray flux, upper limit from OSO-3 satellite obs. 4−34906
- **solar disturbances** *see solar activity*
- **solar eclipses**
  - 1961 February 15, line intensities in photosphere-chromosphere transition region 4−38654
  - 1965, May 30, coronal emission line profile, observations and analysis 4−25969
  - 1965, May 30, lower corona, visible spectrum, 3300 to 8200 Å 4−7910
  - 1966, November 12, i.r. coronal line 10747 Å of Fe XIII emission line polarisation 4−2060
  - 1966, November 12, prominences and arch systems, formation theory 4−7911
  - 1966, November 12 total eclipse, radio obs. of centre to limb brightness distrib. 4−38633
  - 1968, September 22, coronal aureola intensity, computation from solar aurela obs. during total eclipse *(French)* 4−38628
  - 1968, September 22 eclipse, obs. of coronal condensation 4−7923
  - 1968 September 22, radiobrightness near solar limb *(Russian)* 4−14305
  - 1970, March 7, coronal aureola intensity, computation from solar aureola obs. during total eclipse *(French)* 4−38628
  - 1970, March 7, F$_1$-region temp. and ion composition 4−38461
  - 1970, March 7, Fe emission line spectrophotometry 4−34647
  - 1970, March 7, Lamb waves generated in Earth's atmosphere 4−1912
  - 1970, March 7, photometry of corona 4−11124
  - 1970, March 7, u.v. spectral obs. of prominence-corona interface 4−29836
  - 1970 March 7, Fe emission line profiles 4−38645
  - 1970 March 7, radio radius from 3mm-31 cm obs. 4−25993
  - 1970 March 7, radiobrightness near solar limb *(Russian)* 4−14305
  - 1972, July 10, incoherent scatter radar obs. of terrestrial auroral zone ionosphere 4−14184
  - 1972, July 10, total eclipse, coronal emission line profiles of λ5303, video recording, technique 4−25970
  - 1972 July 10, radio radius from 3 mm-31 cm obs. 4−25993
  - 1972 July 10, total 4−22239
  - 1973, June 30, airborne studies 4−11127
  - 1973, June 30, Concorde 001 flight and extended eclipse obs. 4−2050
  - 1973, June 30, contact time obs. at Timia, Niger *(Italian)* 4−38635
  - 1973, June 30, corona plume and streamer obs. *(German)* 4−11128
  - 1973, June 30, mean effective chromospheric thickness from Hα visual obs. 4−11121
  - 1973, June 30, observ. at Moussoro, Chad 4−11126
  - 1973, June 30, rapid coronal var. 4−11122
  - 1973, June 30, search for induced gravity waves in terrestrial atmosphere 4−10929
  - 1973 January 4, polarisation obs. at 7 and 22.2 GHz 4−34645
  - 1974, June 20, prospects for W. Australian observers 4−7922
  - F-region gravity wave in phase height during solar eclipse 1970, March 7 4−10992
  - FOX interval, Mayan solar eclipse warning 4−7897
  - THIX interval, Mayan solar eclipse warning 4−7897
- **solar flares**
  - 3B flare, ionospheric response, incoherent scatter obs. 4−38445
  - 4 August 1972, source of cosmic ray storm 4−38570
  - 18 November 1968, associated proton anisotropic propagation 4−25898
  - 29 April 1973, source of small cosmic ray event 4−38573
  - 1967, March 27, 2114 UT, e.u.v. spectrum 4−22250
  - 1968, November 4, shock wave rel. to magnetic bottle associated with flare 4−29854
  - 1971-1972, Ondrejov Observatory obs. with associated radio and SEA records 4−17920
  - 1972, auguest 4, 3B flare, high resolution magnetic observations, analysis 4−25972
  - 1972, August, monochromatic movies, magnetograms, spectra 4−22267
  - 1972, August, optical u.v. and magnetograph obs. 4−34625
  - 1972, August 2, soft X-ray and e.u.v. emission, OSO-7 obs. 4−29834
  - 1972, August 7, acceleration and injection of highly relativistic electrons 4−7859
  - 1972, August 7, response of ionospheric F-region 4−38454
  - 1972, February 26, X-ray and electron obs. rel. to thin-target X-ray emission 4−29867
  - calibration of matched telescopes, videometers 4−8119
  - chromospheric flare initial phase model, strong gasodynamic explosion theory 4−22249
  - chromospheric flare spectrum, spectrophotometry and analysis of H I and Ca II lines *(Russian)* 4−29832
  - chromospheric Hα flare properties as secondary product of coronal instability 4−22248
  - chromospheric temperature structure if heated by non-thermal electrons 4−7913
  - close matching for patrol telescopes 4−34965
  - coronal density evolution of active regions and flare rates from Mg X spectroheliograms 4−34615
  - coronal transport of flare particles, mathematical model 4−22217
  - cosmic ray charge composition var. during 1972 August flares 4−29785
  - cosmic ray heavy nuclei, Fermi acceleration and energy spectra at low energies 4−7863
  - cosmic ray increase 1972, August 7, neutron monitor data, rigidity spectra limit 4−11088

solar flares continued
- cycles 18, 19, 20, comparison of activity 4−38630
- decrease in 2800 MHz emission before flare of 1969 May 19 4−38660
- development pattern following arch filament systems 4−7898
- double peak of energetic events at solar maxima from latitudinal analysis of flares and type IV bursts 4−17931
- effects on Earth and interference with telecommunication *(Italian)* 4−17924
- emerging flux regions $H\alpha$ filtergrams and videomagnetograms 4−34621
- eruptions associated with decimetric wave jumps *(French)* 4−34632
- e.u.v. two phase, spatial structure obs. (OSO 7) 4−22214
- expansion pattern of associated disturbances in 1968 Oct.23-Nov.4 period 4−7900
- extreme u.v. spectroheliograms from Skylab 4−38647
- far i.r. fluxes production processes 4−25961
- flare and burst generation from Harris micro instabilities 4−2069
- force free magnetic field energy storage for 1972 August flares 4−38646
- gamma-ray flux measurement, high-energy 4−34566
- hard X-ray burst, 1972 May 18, radio and X-ray data 4−17935
- heliographic longitude distrib. of flares assoc. with type III radio bursts 4−25992
- impulsive X-ray bursts, bremsstrahlung forms electron beam in chromosphere 4−17908
- influence on VLF propagation and earth's angular velocity of rotation 4−25564
- interplanetary shock waves, generation in solar atmosphere connection with magnetic storms 4−11161
- ionisation and recombination in non-thermal plasmas rel. to solar flare X-ray emission 4−17939
- ionosphere, long-upset periods, solar flare effects and magnetic-ionospheric disturbances 4−1932
- $L\alpha$ line emission and UV continuum obs. 4−34626
- loop prominence magnetic fields rel. to great flares of 1972 August 4−38661
- low energy solar flare protons, azimuthal propagation 4−11086
- mass flow model in magnetic field 4−34617
- mass motions and heating by optical X-ray and microwave obs. 4−34620
- microwaves parametric coupling 4−2071
- model based on diversion of energy of faculae 4−7918
- moving solar plasma clouds at $10R_\odot$, Pioneer 6 radio signal Faraday rotation 4−17919
- neutron flux correlation, meas. using high-energy neutron detector 4−26198
- night air glow, solar flares effect on 5577 Å line 4−25729
- nonthermal electron spectra from hard X-ray emission 4−25963
- photographs taken by Skylab telescopes *(German)* 4−34654
- photometrical study of development in $H\alpha$ 4−17936
- planetary influence in solar cycle 19 period 4−2040
- powerful chromospheric flares rel. to solar wind rotational discontinuities 4−2042
- proton, limb events, coronal phenomena, development, spatial struct. 4−11118
- proton acceleration by beam-plasma instability 4−29783
- proton flare 1971 September 1, preceding change in activity 4−34627
- proton flare activity evolution sudden changes 4−17921
- proton flares rel. to solar microwave bursts 4−14307
- proton flux detection prob. at 1 AU 4−2024
- proton flux intensity over last 1000 yrs from Ar radioactivity in lunar material 4−17929
- proton flux prediction near Earth 4−22374
- proton intensity, July 1970 rise 4−29847
- radio bursts of types II and IV rel. to flare-assoc. interplanetary disturbances 4−38632
- radio emission, type II, large solar flares, shock front excitation, v.l.f., observations 4−25974
- radio flux meas. at 2830 and 9285 MHz 4−38634
- relation to geomagnetic storm occurrence and characteristics during sunspot cycles 18, 19, 20 4−38259
- relativistic electron events, rise time to max. flux rel. to interplanetary field 4−25900
- shock waves, interplanetary, generated by solar flares 4−38745
- short-lived chromospheric flare-point, $H\alpha$ and K-line obs. 4−11116
- spectra, emission lines 6 to 25 Å, identification to ionized Fe 4−7914
- stratospheric air influx into troposphere after solar $H\alpha$ and X-ray flares 4−1885
- suprathermal plasma nodule production, loop prominences, X-ray heliographs 4−17934
- surges, production rel. to energetic electrons 4−29869
- telescope for automatic cinematographic recording 4−4849
- temperature distrib. and emission measure in steadily heated solar atmosphere 4−38652
- triggering by coherent oscillations in plages 4−11114
- tsunami as source of flares 4−7917
- v.l.f. waves, 17.8, 16.0 and 18.6 kHz, polar phase anomalies from solar events, geomagnetism 4−10845
- white light flare, 1972 August 7, magnetic and velocity field changes 4−34649
- wind, shock system 1969 February 2, structure and origin 4−14308
- X-ray, soft, 2.6-10Å, multi-thermal interpretation 4−7915
- X-ray bursts, $K\alpha$ line emission 4−22268
- X-ray effect observations on ionosphere, model considerations 4−25773
- X-ray effects on ionosphere, sudden disturbance observations, information content 4−25772
- X-ray emission, height distrib. and directionality 4−11112
- X-ray emission, polarisation meas. 4−29868
- X-ray flare plasma temp., comment on paper by Deshpande and Tandon 4−11113
- X-ray flux, relation to development of active region and chromospheric subflares during cycle minima 4−4705
- X-ray temporal fine structure from trapped electrons in solar flares 4−22272
- H isotope abundance ratios from IMP-5,6 obs. 4−17916
- $H\alpha$ profiles from 1972 August 2 events 4−29844

solar flares continued
- He enriched shells associated with solar flares, expansion pattern 4−7901
- He isotope abundance ratios from IMP-5,6 obs. 4−17916

solar furnaces *see furnaces*

solar magnetic fields *see solar magnetism*

solar magnetism
- active region field changes, videomagnetograph studies 4−29860
- active region heating by magnetic energy dissipation 4−17907
- chromosphere $H\alpha$ fibrils, turbulent velocity variations 4−34616
- chromospheric force-free fields stability associated with bipolar sunspot groups 4−2070
- Chromospheric force-free magnetic fields associated with bi-polar sunspot groups 4−25979
- chromospheric trapped magnetoatmospheric waves, modulation by magnetic fields 4−38641
- chromospheric trapped oscillations in presence of magnetic field 4−29833
- corona field structure from Faraday rotation of 4170 MHz radio waves 4−11125
- coronal magnetic disturbance nonlinear acceleration using Hall term in Ohm's law 4−22266
- coronal magnetic fields and energetic particles 4−29835
- coronal magnetic fields rel. to geomagnetic activity var. 4−29837
- coronal magnetic sheet association with prominences from type III radioburst obs. 4−34648
- coronal neutral sheet, obs. in 1922 eclipse assoc. mag. field distrib. 4−2063
- coronal neutral sheet, support of prominence filaments by magnetic forces 4−34614
- diffusion and generation of magnetic fields in a sphere, eigenvalue problem 4−2044
- dynamo theories, criticisms of E. N. Parker's models of magnetic field annihilation 4−7893
- effect on changes in the sun's surface and atmosphere, solar activity, review 4−2052
- escape of energetic charged particles from trapping magnetic structures 4−34613
- expanding magnetic bottles rel. to initial development stage of type IV radio bursts 4−22255
- extremely short lasting decimetric bursts, 500-550 MHz, solar magnetic trap processes 4−22269
- flare, 1972, August 4, 3B flare, high resolution magnetic observations, analysis 4−25972
- flare triggering by coherent oscillations in plages 4−11114
- flares, mass flow model in magnetic field 4−34617
- flares 1972, August, monochromatic movies, magnetograms, spectra 4−22267
- force free magnetic field energy storage for 1972 August flares 4−38646
- heliomagnetic equator and interplanetary sector structure 4−7966
- hot coronal tracing of magnetic fields, X-RAY OBS. FROM Skylab 4−4704
- interplanetary and solar sector structure from geomagnetic storm and solar activity statistics 4−1791
- line brightness and magnetic fields in active regions *(Russian)* 4−14301
- longitudinal fields in active regions, polarization structure at 3.5 mm. wavelength 4−25991
- loop prominence magnetic fields rel. to great flares of 1972 August 4−38661
- magnetic convection, effect of buoyancy in solar and stellar interiors 4−38649
- magnetographic magnetic field meas., comparison for different spectral lines 4−22243
- mean field obs. at Mt. Wilson Solar Observatory 4−29843
- microwave bursts, spatial dispersion of Faraday rotation 4−22270
- noise in spectrograms, spectroheliograms, effect of film granularity on accuracy 4−8118
- photographic polarimeter for Stokes parameter meas. in solar spectra 4−34978
- photosphere, non-LTE line formation in magnetic field, non-coherent scattering and true absorption 4−22240
- photosphere mean magnetic field during sunspot minima, geomagnetic obs. 4−34618
- photosphere non-LTE line formation in magnetic field, line contours, influence of noncoherent scattering 4−22241
- photospheric magnetic field roots rel. to fine structure 4−29846
- photospheric magnetic field structure in supergranular network 4−22260
- photospheric structure rel. to model of shallow twisted magnetic arcs 4−34639
- photospheric weak magnetic fields, comparison with supergranule fields 4−17911
- polar magnetic fields and onset of number 21 solar cycle 4−14300
- prominence magnetic fields, upper limit mechanisms, surge complexes development and structure, theory 4−25975
- prominences, mechanisms of production 4−34623
- proton events, 1972 August 2-9, relation to coronal magnetic structure 4−22218
- pulsating type IV solar radio bursts, synchrotron emission variation models 4−38663
- radiative transfer eqns., perturbative soln. for Stokes parameters in magnetic field 4−22242
- relation to geomagnetic storm occurrence and characteristics during sunspot cycles 18, 19, 20 4−38259
- solar radio event, postulated fast MHD shock origin 4−7903
- sunspot magnetostatic model, balance between Lorentz forces and pressure and gravitational forces 4−38657
- sunspot total magnetic vector meas. from Fe 5250 Å and Ca I 6103A line depths *(Russian)* 4−14304
- sunspot umbral fields, Zeeman-split line contours 4−29862
- sunspots, emission features, Ca II $\lambda3933$ peak, outflow rel. to magnetic elements in chromosphere 4−7921
- sunspots, magnetic features of large umbra, spectra of dark core and fine structures 4−22211
- supergranules, depth determ. by analytic solns. of Navier-Stokes eqns. 4−17910
- Syrovatskii's mechanism, comment on invalidity 4−2068
- terrestrial effects, of sun's magnetic fields 4−25990

solar magnetism continued
umbral profile of Zeeman triplet at 5250.22 A in sunspots 4−38655
velocity shear stability in inhomogeneous magnetic field rel. to sunspots 4−29825
white light flare, 1972 August 7, magnetic and velocity field changes 4−34649
Hα structure, topological assoc. with mag. fields 4−2066
solar noise *see noise; solar radiofrequency radiation*
solar prominences
1972 October 29, line centre Hα images 4−38644
corona-prominence interface, u.v. spectral obs. during eclipse 4−29836
coronal magnetic sheet association with prominences from type III radioburst obs. 4−34648
coronal neutral sheet, support of prominence filaments by magnetic forces 4−34614
disc surge, 1971 August 27, 3 dimensional velocity field from time series spectrograms 4−29849
eruptive, H atom numbers from Balmer lines *(Russian)* 4−29831
evolution rel. to active centres, review 4−7907
extreme u.v. spectroheliograms from Skylab 4−38647
formation mechanism for loop prominences 4−22252
loop, Hα and λ5303 spatial relationships 4−2067
loop prominence magnetic fields rel. to great flares of 1972 August 4−38661
macroscopic motions in optical pairs and interacting prominences 4−22251
magnetic fields, upper limit mechanisms, surge complexes development and structure, theory 4−25975
multi-component model, λ5303 and Hβ components, loop system, two dimensional relationship 4−25978
photospheric electric field model, mechanisms for prominence production 4−34623
quiescent, arch systems, formation theory, from Nov. 12, 1966 eclipse 4−7911
San Manuel effect, streaming in quiescent prominences, directional dependence, conclusions 4−25973
suprathermal plasma nodule production, loop prominences, X-ray heliographs 4−17934
tsunami as source of oscillations of quiescent prominences 4−7917
Hα mottle, fine structure, evolution and oscillation 4−34619
Hα structure, topological assoc. with mag. fields 4−2066
He I emitting sheath in surge prominence D3 line widths 4−29850
solar radiation
see also solar corpuscular radiation; solar cosmic ray photons; solar radiofrequency radiation; solar spectra; sunlight
atmospheric attenuation by aerosols 4−42123
corona, emission line profiles of λ5303 at July 10 1972 total solar eclipse, video recording, technique 4−25970
coronal emission line profile, analysis, 30 May 1965 eclipse observations 4−25969
deep reservoir, thermal stratification due to solar radiation 4−34272
EUV heat input, thermosphere, numerical model of symm. tidal wave modes 4−4528
F corona, intensity meas. near solar limb 4−17912
flare X-ray emission, polarisation meas. 4−29868
flux measurement using rocket-borne u.v. detectors 4−34635
flux measurements on Venus surface 4−22308
gyromagnetic absorption at the fundamental, e.m. wave damping 4−42309
hard X-ray bursts, interpretation of polarisation meas. 4−25989
high resolution analysis from 9 to 11.6 μ 4−7718
impulsive X-ray bursts, bremsstrahlung forms electron beam in chromosphere 4−17908
impulsive X-ray bursts, model 4−29838
inhomogeneous atmosphere models, granulation, limb flux and oblateness 4−38638
intensity of direct radiation in clear sky, predeterm. for low aersol conc. *(French)* 4−34367
Interkosmos space research programme, review of solar X-ray measurement system 4−22466
ionosphere, non-zero ambipolar flux density due to increased solar illumination 4−1952
i.r. fluxes of solar radiation in cloudy atmosphere *(Russian)* 4−1879
Jupiter, distrib. in magnetosphere 4−42328
limb darkening eqn. inversion in presence of noise 4−25965
luminosity variations, effect on earth, glacial periods 4−2053
Lyman α backscattering on neutral H sheath effect of density enhancement 4−22379
Lyman-α flux from u.v. obs. of Comet Bennett (1970 II) 4−17917
meteorites, gas-rich, formation, evidence of solar irrad. 4−42358
polarisation measurements, quiet Sun, centre-to-limb, results 4−25980
pressure on synchronous near equatorial satellite 4−25914
pyrheliometric scale, Angstrom theory, circumsolar sky radiation effect 4−4640
quiet solar disc, broadband polarization meas. at 5834 A 4−34612
radiometer, i.r., heterodyne, for high-resolution meas. 4−11266
resonance scattering of 10830 Å radiation by metastable He atoms in upper atmosphere 4−38413
sea water penetration, spectral flux meas. *(Russian)* 4−38310
sky radiance observation, O$_3$ effect 4−4501
small cosmic ray increase as probe for high latitude polar magnetic field line topography 4−38573
solar flares, far i.r. fluxes production processes 4−25961
spatial distrib. of soft X-ray and e.u.v. emission, OSO-7 obs. during flare 4−29834
spread function for stray light in terrestrial atmosphere 4−34424
sunspot intensity corrections for scattered light 4−22261
troposphere, vertical flux in water vapour and CO$_2$ 4−4405
upper atmosphere, absorption of 1000 to 10000 Å, radiation 4−10960
u.v., photo-stimulated oxidation of exposed Martian surface materials 4−29900
u.v. data, analysis using atmospheric model with aerosols 4−29600
vacuum u.v. region, absolute intensity and centre-to-limb variation 4−34643
Venus u.v. polarization of reflected sunlight at 0.365 μ 4−26035
solar radiation continued
X-ray, active regions inhomogeneous model, radio and X-ray emission *(Russian)* 4−17923
X-ray burst polarisation, accelerated electron plasma interaction *(Russian)* 4−29824
X-ray bursts, Kα line emission 4−22268
X-ray radiation, registration methods *(Polish)* 4−11123
X-ray temporal fine structure from trapped electrons in solar flares 4−22272
X-rays, multi-temperature plasma spectra 4−34624
γ-ray flux, upper limit from OSO-3 satellite obs. 4−34906
C emission regions, intensity distrib. and electron temp. 4−42315
H$_2$ u.v. fluorescence spectrum excited by solar e.u.v. radiation 4−7967
Hα bright points in sunspot groups and emerging flux regions 4−25966
solar radio emission *see solar radiofrequency radiation*
solar radiobursts *see solar radiofrequency radiation*
solar radiofrequency radiation
1971, January 14, high resolution temporal, positional and intensity study 4−7903
active regions, inhomogeneous model, radio and X-ray emission *(Russian)* 4−17923
active regions, local sources, directional effect 4−22236
active regions, polarization structure at 3.5 mm. wavelength 4−25991
brightness distrib. at 2.8 cm wavelength 4−29866
brightness distrib. parameters *(Russian)* 4−2045
burst at 8.6 mm. rel. to polarized hard X-ray event, interferometer obs. 4−22254
bursts, fork-type, dynamic spectra *(Russian)* 4−25983
bursts in 100-200 MHz range, obs. with electro-optical radio spectrograph 4−17914
centre to limb brightness distrib., radio obs. during 1966, November 12 eclipse 4−38633
chromospheric brightness temp.-wavelength relation in EHF for model giving electron temps. and densities 4−22244
chromospheric temperature inversion, rel. to m.m. brightness distrib. 4−34644
corona, mode coupling near plasma level, type I storm radiation 4−34607
coronal active region emission, anal. rel. to Sengupta's model 4−2064
Coronal densities determined from hectometric radio observations of solar storm activity 4−2041
coronal magnetic sheet association with prominences from type III radioburst obs. 4−34648
decrease in 2800 MHz emission before flare of 1969 May 19 4−38660
double peak of energetic events at solar maxima from latitudinal analysis of flares and type IV bursts 4−17931
eclipse, 1973 January 4, polarisation obs. at 7 and 22.2 GHz 4−34645
emission of sumfrequencies of the upper hybrid and harmonic gyrofrequencies 4−2075
eruptions associated with decimetric wave jumps *(French)* 4−34632
extremely short lasting decimetric bursts, 500-550 MHz, solar magnetic trap processes 4−22269
flare associated thermal burst at 73 GHz 4−38659
flare radio flux meas. at 2830 and 9285 MHz 4−38634
flux density meas. at 2.1 mm wavelength 4−34876
ionospheric absorption, rel. to atm. O$_3$ content 4−4595
latitude and solar cycle dependence of height of 9.1 cm emission 4−34646
l.f., simultaneous observations with energetic solar electrons at 1 A.U., type III bursts, analysis 4−25971
local radiosource coincidence with sunspots during 1970 March 7 solar eclipse *(Russian)* 4−14306
metre wavelength obs. of damped train of regular pulses 4−34637
microwave burst, obs. of linear polarisation 4−7904
microwave bursts, explanation of quasi-periodic structure 4−7916
microwave bursts, spatial dispersion of Faraday rotation 4−22270
microwave bursts rel. to solar proton flares 4−14307
moving type IV radio sources, in corona, gyro-synchrotron radiation 4−34638
pioneer to 2292 MHz line anomalous redshift close to solar limb 4−22213
preferential backward emission at second harmonic of plasma frequency in radio bursts 4−17913
proton flares (2 Nov. 1969), limb events, impulsive radio emission heights 4−11118
pulsating type IV radio bursts, synchrotron emission variation models 4−38663
quiet Sun spectrum, relation to solar activity, measurements, analysis *(Russian)* 4−2046
radio brightness distribution, OSO IV u.v. spectroheliograms 4−4710
radio burst activity of McMath region 10789, 1970 June 13 4−17938
radiobrightness near limb during eclipses of 1968 September 22, 1970 March 7 *(Russian)* 4−14305
r.f. local sources, polarised radiation, active region development *(Russian)* 4−17922
slowly varying component at 10.7 cm, evidence for 10.5 yr period 4−38631
slowly varying decimetric component in different activity cycle phases *(Polish)* 4−29852
split pair burst emission, depend. on electron streams 4−7905
sporadic pulses in plasmas with high density e.m. radiation 4−2123
submillimeter Fourier spectrometry at sea level 4−42314
sunspots, interferometry at 8085 MHz 4−25967
type II, large solar flares, shock front excitation, v.l.f., observations 4−25974
type II and IV bursts rel. to flare-assoc. interplanetary disturbances 4−38632
type II burst observed by IMP-6 up to 37 solar radii 4−7890
type III burst, RAE-I obs. rel. to interplanetary magnetic field orientation 4−22377
type III burst emission in interplanetary medium, wave particle interaction 4−22378
type III bursts, coherent amplification of radio emission 4−29841

solar radiofrequency radiation continued
- type III bursts, solar longitude dependence 4-29842
- type III bursts, starting frequency 4-4714
- Type III bursts, total Faraday rotation at 35 MHz meas. at Earth 4-25953
- type III bursts at km. wavelength, heliographic distrib. of assoc. flares 4-25992
- type III exciters, characteristics from 67 kHz-2.8 MHz obs. 4-22256
- type III radio bursts, association with Hα activity 4-38662
- type III radiobursts dynamic theory 4-34650
- type IV bursts, initial development stage rel. to expanding magnetic bottles 4-22255
- type IV bursts, peculiar finestructures 4-17937
- type IV decimetre bursts in corona, generation and model 4-42317
- type IV moving radio sources, Culgoora radioheliograph observations 4-11117
- type IV radio bursts, nonlinear wave coupling between electrostatic waves 4-34651
- type IVmA and IV μ bursts, generation from Harris type micro instabilities 4-2069
- U-bursts, parameters in 190-220 MHz range 4-42316
- upper atmosphere, ion formation function for average solar activity by shortwave radiation 4-1921

solar radiowaves *see solar radiofrequency radiation*

solar spectra
- *see also solar activity; solar corona; solar radiation*
- 1 to 5.5 microns, i.r. high resolution Fourier transform spectrometer 4-8116
- absorption line profiles, empirical analysis 4-14312
- abundances rel. to evolution 4-14372
- centre to limb data, self-limiting inversion technique 4-26180
- centre-limb spectrum synthesis of 2 faint Fe^+ lines 4-14313
- centre-to-limb profiles of weak Fraunhofer line rel. to velocities *(Russian)* 4-29827
- chromosophere Mg II line profiles 4-25968
- chromosphere, contours of K-lines rel. to broadened profiles and vel. fields 4-4701
- chromosphere absorption profiles and height var. of velocity amplitudes 4-4700
- chromospheric flare spectrum, spectrophotometry and analysis of H I and Ca II lines *(Russian)* 4-29832
- chromospheric line profiles, effect of small and large scale sine waves 4-29845
- chromospheric Lyman α profile, partial redistribution effects 4-34641
- corona, density evolution of active regions and flare rates from Mg X spectroheliograms 4-34615
- corona, emission line profiles of λ5303 at July 10 1972 total solar eclipse, video recording, technique 4-25970
- coronal 5303 A line intensity in solar cycle No.20 rel. to cosmic ray variations 4-38578
- coronal emission line profile, analysis, 30 May 1965 eclipse observations 4-25969
- coronal Fe XI 7892 Å line obs. *(French)* 4-22212
- coronal green line intensity anti-correlation with solar wind velocity 4-22234
- coronal neutral sheet, obs. in 1922 eclipse assoc. mag. field distrib. 4-2063
- disc surge, 1971 August 27, 3 dimensional velocity field from time series spectrograms 4-29849
- eclipse, total, 1965, May 30, visible spectrum of lower corona, 3300 to 8200 Å 4-7910
- Ellerman bomb, anal. of statistical props. 4-7902
- eruptive prominences, H atom numbers from Balmer lines *(Russian)* 4-29831
- e.u.v. obs. of chromospheric network from Apollo Telescope Mount 4-38627
- e.u.v. spectroheliograms giving solar rotation rate 4-25958
- e.u.v. spectrum of flare of 1967, March 27, 2114 UT 4-22250
- extreme u.v. spectroheliograms from Skylab 4-38647
- facula line profile and contrasts rel. to models 4-4702
- facula models, diatomic mols., dissociation equilib. calcs., mol. abundances 4-11119
- faint Fraunhofer line shift, effect of progressive sound waves *(Russian)* 4-29828
- filter, far i.r. for isolating bands 4-22480
- flare emission lines, 6 to 25 Å, identification of ionised Fe 4-7914
- flare Lα line emission and UV continuum obs. 4-34626
- flares 1972, August, monochromatic movies, magnetograms, spectra 4-22267
- Fourier transform spectrometer for atmospheric composition measurements by solar spectroscopy *(French)* 4-42226
- Fraunhofer line sensitivity to local temp. variations 4-38640
- Fraunhofer lines, 1969-1971, precise profiles *(Russian)* 4-22237
- intensity distrib. and electron temp. of C emission regions 4-42315
- i.r. coronal line 10747 Å of Fe XIII in 1966 eclipse, emission line polarisation 4-2060
- K-line obs. of spicules 4-29857
- light elements, i.r. atomic lines, wave-length calc. *(French)* 4-31658
- limb emission lines in 3900-4000 Å region 4-34652
- line brightness and magnetic fields in active regions *(Russian)* 4-14301
- Line formation in multidimensional atmospheres with rapid depth variation of absorption coefficient 4-25962
- line profiles between 166.0 and 154.7 nm 4-25964
- loop prominence, Hα and λ5303 spatial relationships 4-2067
- Lyman-α flux from u.v. obs. of Comet Bennett (1970 II) 4-17917
- magnetographic magnetic field meas., comparison for different spectral lines 4-22243
- microturbulence, centre-limb increase of Doppler width in Na D line cores 4-17926
- multi-component model for fine structure intensity variations of CN violet band at 3883 A 4-22258
- multiplet lines, photospheric microturbulent velocity from fine analysis *(Russian)* 4-29830
- noise in spectrograms, spectroheliograms, effect of film granularity on accuracy 4-8118
- non-LTE line formation in magnetic field, line contours, influence of noncoherent scattering 4-22241

solar spectra continued
- non-LTE line formation in magnetic field, non-coherent scattering and true absorption 4-22240
- nonthermal electron spectra from hard X-ray emission 4-25963
- photosphere, Na D line broadening by hydrogen, S-matrix analysis 4-19669
- photosphere-chromosphere transition region, line intensities from eclipse spectra 4-38654
- photospheric brightness and vertical rel. fluctuations, Fe I line obs. 4-38639
- photospheric i.r. spectrum, identification and oscillator strengths of CI 4-22263
- photospheric lines, Doppler effect giving rotation relation with solar activity 4-25960
- photospheric velocity field 5 min oscillations, coherence and phase spectra 4-38651
- photospheric velocity field 5 min oscillations, oscillatory velocity and intensity fields 4-38650
- radiative transfer eqns., perturbative soln. for Stokes parameters in magnetic field 4-22242
- resonance line transfer with partial redistribution 4-7889
- r.f. fork-type bursts, dynamic spectra *(Russian)* 4-25983
- solar flare mass motions and heating by optical X-ray and microwave obs. 4-34620
- solar spicules, study in Hα, Hβ and K-line 4-29858
- speckle interferometry, spatial power spectra of small solar features 4-25957
- spectrograph, multi-slit, time lapse photography of transient solar phenomena, design and operation 4-26186
- spectrophotometer, double-pass with digital registration for solar spectrum *(Russian)* 4-22481
- Stokes parameter meas. by photographic polarimeter 4-34978
- submillimeter Fourier spectrometry at sea level 4-42314
- sunspot large umbra, suitable spectral lines for investigation 4-42313
- sunspot umbrae, anomalously strong lines of Fe II and Cr II 4-14309
- sunspot Zeeman-split line contours rel. to umbral magnetic fields 4-29862
- sunspots, emission features, Ca II λ3933 peak, outflow rel. to magnetic elements in chromosphere 4-7921
- sunspots, magnetic features of large umbra, spectra of dark core and fine structures 4-22211
- telluric lines in 5233-50 and 6562 Å regions of solar spectrum 4-21991
- umbral flashes and penumbral waves, oscills. in superadiabatic, subphotospheric layer 4-2065
- umbral profile of Zeeman triplet at 5250.22 A in sunspots 4-38655
- u.v., echelle spectrograph observations, 1970 to 1800A, characteristics 4-25977
- u.v. flux measurement by rocket borne spectrometer 4-2059
- u.v. spectrum emitted from disc and above limb in 150-870 Å 4-34636
- vacuum u.v., identification of Si, SiH, Ca, CaH 4-6045
- vacuum u.v. region, absolute intensity and centre-to-limb variation 4-34643
- X-ray burst polarisation, accelerated electron plasma interaction *(Russian)* 4-29824
- X-ray flare plasma temp., comment on paper by Deshpande and Tandon 4-11113
- X-rays, multi-temperature plasma spectra 4-34624
- zodiacal dust particle radial rel. from Fraunhofer line profiles 4-29996
- Cr I 6300 Å, fine analysis rel. to microturbulent velocity in photosphere *(Russian)* 4-29829
- Be abundance from u.v. spectrum 4-14311
- C_2 Swan lines, presence in umbral spectra 4-7912
- Ca XVII, 2s-2p transitions 4-2039
- Cu I, identification, from $3d^{10}(^1S)nl$ state tranditions *(French)* 4-19668
- Fe abundance from X-ray spectra 4-34622
- Fe emission line profiles, 1970 March 7 eclipse obs. 4-38645
- Fe emission lines, spectrophotometry during 1970 March 7 eclipse 4-34647
- Fe I, line profiles from centre to limb 4-2054
- Fe I 5128 Å resonance line rel. to Fe photospheric abundance independent of line-shape parameters 4-25947
- Fe I lines in 3500-4500 Å range, profile synthesis 4-29855
- Fe VI, VII $3p^63d^n$-$3p^53d^{n+1}$ line absence in solar spectrograms 4-19701
- Fe XIII, coronal lines, theoretical intensity ratios due to proton collision excitation 4-2062
- Fe XIII e.u.v. emission spectrum of corona 4-38625
- Fe^{+12}, proton collisional excitation of ground config., rate const. calc. at coronal temp. 4-2061
- Ge abundance from u.v. spectrum 4-14311
- Hα bright points in sunspot groups and emerging flux regions 4-25966
- Hα chromospheric oscillations above sunspot umbrae 4-29839
- Hα profiles from 1972 August 2 flare events 4-29844
- Hα structure, topological assoc. with mag. fields 4-2066
- He I emitting sheath in surge prominence D3 line widths 4-29850
- Na I D_1-line, collisional broadening 4-4703
- O I 7773 Å triplet lines in i.r. solar spectrum, non-LTE analysis 4-34611
- S XIII(XIV) line identifications in 25-40 A region 4-36426
- Si II u.v. emission lines, high dispersion profiles, Schuster Schwarzschild model, analysis 4-25976
- Th/Pb relative abundance in solar photosphere 4-2055
- Ti XIX, 2s-2p transitions 4-2039

solar system
- *see also celestial mechanics; planets; sun*
- abundances, theories of nucleosynthesis 4-34781
- accreting grains as mechanism for heavy element segregation 4-25941
- accretion of solar nebula rel. to extreme orbital eccentricity and inclination of Pallas 4-26092
- astrometric method for detecting planets beyond Pluto 4-38669
- chemical history, study of chondritic meteorites 4-42306
- circumsolar accretion, experiment to determine particle velocities 4-25942

solar system continued
collapse calculations rel. to formation of Sun and solar system 4−25934
composition, mineralogy, texture and formation of chondrites rel. to chemistry of solar nebula 4−14339
condensing nebula model, predictions of lunar struct. 4−22338
cosmogony, fluid dynamical problems 4−25924
disruptive star encounters, limacoid technique, rel. to origin of solar system 4−42389
early condensates from solar nebula rel. to ^{87}Sr/^{86}Sr ratio of Allende 4−2097
early irradiation of meteoritic matter in solar system 4−25940
early magnetic fields from carbonaceous chondrites 4−26086
elemental abundances from solar and meteorite composition rel. to solar nebula 4−14298
elementary dynamical astronomy, essentials of Newtonian mechanics rel. to solar system 4−42282
evolution, applic. of ancient astronomy data 4−25927
evolution, asteroid and comet exploration 4−38733
formation, electrostatic adhesion of grains in space 4−7888
gravitation, experimental disproof of class of linear theories 4−4699
hydrodynamics of rotation and contraction of primitive solar nebula 4−25935
interstellar dust, role in star formation 4−42382
lunar-sized objects in early solar system and satellite origin in capture 4−25937
mass distribution in meteoritic complex, obs. data 4−4769
meteorites and lunar samples, trapped He, Ne and Ar rel. to solar system origin 4−26085
MHD, hydrodynamics, and dynamics in different models 4−25930
nebula, use of meteoritic magnetite as cosmothermometer 4−29990
noble gas isotopes and deuterium 4−25938
orbital periods of planets and satellites, Bode's law and near-commensurabilities 4−25943
origin, remarks on solar nebula type theories 4−25932
origin, review of concepts and theories 4−25929
origin, symposium (Nice, France, 3-7 April 1972) 4−25928
origin and evolution role of small solid interplanetary particles 4−38740
physico-chemical processes in solar nebula from meteorite data 4−25936
Planetary Sciences Div. of Am. Astro. Soc., meeting (Tucson, USA, 20-3 March 1973) 4−25997
primitive nebula, isotopic abundance variations accounting for age differences in meteorites 4−2103
primitive solar nebula, numerical models 4−25931
proto-cometary cloud, mass lower limit 4−26091
protoplanetary gas-dust cloud, accumulation of planets 4−26052
protosolar nebula, deuterium abundance, implications for cosmology, stellar evolution and solar system origin 4−34606
reconstruction of history 4−25933
review of theories of origin, educational paper 4−29822
rotation of solid bodies in solar system 4−42250
solar nebula, accretion rel. to stellar wind radiation damage to cosmic dust grains 4−26178
solar nebula, early magnetic field from Murray meteorite n.r.m. 4−42307
solar nebula, initial size, mass and angular momentum and origin 4−25944
solar nebula, lunar origin as high temp. condensate 4−34713
solar nebula chemistry from meteorite formation processes 4−34605
solar nebula model, mass transport rate, comments 4−25945
solarwind, front thickness of interplanetary shock waves 4−2104
structure of bright asteroid belt rel. to formation *(Russian)* 4−4762
student project, plotting position of planets 4−22702
terrestrial planetary accretion, stochastic coalescence model 4−29929
^{13}C/^{12}C ratio in outer solar system 4−25939

solar visible radiation *see sunlight*

solar wind *see solar corpuscular radiation*

soldering
faults, through contacts, i.r. testing *(German)* 4−4972
using light beams, characteristics and apparatus *(Hungarian)* 4−35907
space research, materials manufacture on board Apollo, alloy manufacturing, smelting *(German)* 4−29182
techneques and materials for electronic components, present and future *(Hungarian)* 4−37969
vacuum capillary, cryogenics, soldering materials, joint construction *(Czech)* 4−11474
Cu-Ga alloys, thermal e.m.f., electrical and thermal conductivity, soldering pastes 4−25286
Pb-Sn solder, chill cast, temp. influence on stress relax. 4−25357

solenoids
see also coils; electromagnets
a.c. rock demagnetizer 4−7805
alternating field demagnetiser for rock magnetism studies, solenoid design and associated circuit 4−29734
alternating magnetic field generator, for prolate volume 4−39677
effectiveness, for hard magnetic material testing instruments 4−18525
mechanical stress, anal. 4−251
Nb$_3$Sn superconducting magnet, construction, testing 4−13272

solid electron states *see crystal electron states*

solid helium
hcp ^{4}He, longitudinal and velocity; anomaly between 1 and 2K 4−10024
adsorbed layer, superfluid content 4−10008
condensed matter physics, theory, conf. Kiljava, Finland (1971) 4−3672
crystal structure, binding, theory 4−3615
ground-state energy, pressure and phase transition calc. at high densities 4−24613
ion mobility, time of flight meas. in elec. field, temp. var. 4−13074
isotope diffusion, mass spin fluctuation waves, effect on n.m.r. exchange lattice relax. 4−28260
isotope shift of Debye temp. in two- and three-dimensional quantum solids 4−37061

solid helium continued
Jastrow functions of WKB type, suitability for cluster calcs. of quantum cryst. ground state 4−2565
Kapitza resistance near 1K 4−10025
one-phonon spectral function, secondary structure 4−32782
phase diagram predictions via generalised quantum-mechanical cell model 4−24612
α matter, evidence of solidity in lowest state 4−12239
^{3}He, b.c.c., temp. depend of sound vels. and elastic constants., 0.123-08 K 4−3621
^{3}He, exchange behaviour, review 4−13073
^{3}He, general cluster term 4−13075
^{3}He, ground state energy, perturbation expn. 4−16643
^{3}He, paramagnetic, antiferromagnetic and ferromagnetic exchange interactions 4−16644
^{3}He, vacancies 4−13076
^{3}He impurity excitations in ^{4}He, Hamiltonian, n.m.r. meas., diffusion coeff. 4−3620
^{3}He-^{4}He solid solution, singularities in quantum diffusion of ^{3}He 4−10023
^{4}He, high density monolayer, chemical pot., spreading press. and compressibility calc. 4−32781
^{4}He, inelastic neutron scatt., lattice excitations 4−10026
^{4}He, vacancies 4−13076
^{4}He:^{3}He, n.m.r. , T_1 measurements 4−40944

solid lasers
see also semiconductor lasers
alkali halide exciton laser, config. coord. model 4−15363
cavity component spacing for longit. mode selection and stabilization 4−31056
cavity loss parameter meas. 4−8822
c.w. mode-locked source at $0.532\ \mu$, external second harmonic generation in Ba$_2$NaNb$_5$O$_{15}$ 4−18488
disc laser amplifier, helically pumped, for subnanosecond operation 4−26985
frequency dispersion resonator, pulsed emission theory *(Russian)* 4−15377
garnet, epitaxial film growth techniques 4−29003
glass fibre, Nd$_2$O$_3$ doped core, threshold, time and spectral characts. 4−23338
glass-laser system, four-beam high-energy rod and disc amplifiers 4−19112
heat flow, elect. analogy for laser rods 4−26981
heat removal methods, high-power high-repetition rate laser technology 4−8826
heat removal methods, high-power high-repetition rate laser technology 4−19110
holographic compensation of phase distortion in radiation field 4−26542
intensity fluctuation, correlation functions of population levels *(Russian)* 4−31005
kinetic equation, Fokker-Planck theory, radiation field distrib. 4−35860
l.f. modulation of emission in axial mode locking conditions 4−5485
multi-mode, applicability of phenomenological eqns. *(Russian)* 4−5501
Nd:glass, high-power, uniform output energy density 4−31041
neodymium ring-laser, influence of diffraction elements on free pulse generation *(Russian)* 4−35876
optical waveguide distributed laser, nonuniform gain, coupled mode theory 4−35859
picosecond light pulses, passively mode-locked, generation and appl. 4−19116
power and halfwidth of first laser spike, formulae solns., laser design appl. 4−31038
pulse compression and shaping, linear and nonlinear techniques compared 4−27003
pulse generation multimode region, radiation interaction with active medium *(Russian)* 4−39745
pulse ruby laser, coherence props. and interference method of longitudinal mode limitation 4−11519
pulse self-dispersion in self-phase modulation 4−31078
pulsed, electro-optical modulator producing damped spikes *(German)* 4−22900
radiation, polar diagram, rel. to similarity with surface wave antenna 4−5500
resonant cavity mirrors, graded index rods 4−35874
ruby, γ-irrad. effects on emission characts. 4−5506
ruby, attainable object depth in holography *(Czech)* 4−19049
ruby, Cu-phthalocyanine vapour quality modulation, 150 to 200 MW cm^{-2} pulse *(Russian)* 4−39748
ruby, emission mixed with Nd laser emission on LiNbO$_3$ cryst., freq. generation *(Russian)* 4−19145
ruby, freq. scanning, stabilization for spectroscopy appl. 4−22899
ruby, laser action collapse, moving selector, resonator energy distrib. 4−23340
ruby, microsecond pulse operation, lasing conditions 4−35861
ruby, mode-locked 20 ps laser system, of brightness $>10^{18}$ W/cm$^2\times$ sr 4−31042
ruby, mono-impulse, divided 2-dimens. resonator, operation *(Russian)* 4−39747
ruby, Q-switching using ferroelectric PLZT electrooptic shutter 4−22890
ruby, refractive index change during pumping, electron component *(Russian)* 4−26982
ruby, self-modulation mechanism 4−5505
ruby, spectroscopic source, weak absorpt. meas. in gases 4−8825
ruby, using KH$_2$PO$_4$ electro-optical filter as tuning element, performance *(Russian)* 4−35854
ruby and Nd:glass in common resonator, two-freq. with controlled polarisation 4−39746
ruby laser excitation, low noise instrumentation, Raman and luminescence spectrometers 4−5059
ruby laser Lidar system, beam characts. 4−31035
ruby ring laser, influence of diffraction elements on free pulse generation *(Russian)* 4−35876
soft X-ray frequency, using charge exchange, electron pickup 4−5484
spiking, machining parameters control 4−4165

solid lasers continued
stability rel. to heat dissipation from film type mode selector *(Russian)* 4−39744
thin film, distributed amplitude-modulated feedback, tuning method 4−11935
thin film, mode selection, stabilisation and coupling by forward Bragg diffraction of periodic structures 4−35855
$CeCl_3$:Nd^{3+}, 1.065 μm emission at room temp., performance, appls. 4−35853
$CuSO_4$, X-ray laser action, collimation effect 4−5499
Er: glass, laser ceilometer, eye-safe 4−22178
Er^{3+}:$YAlO_3$, laser action, spectral props., fluoresc. kinetics 4−303
Ho^{3+}, 2.1 micron laser performance, development and appls. 4−8827
Ho^{3+}:BaY_2F_8; electronic- and phonon-terminated laser emission 4−31036
Ho^{3+}:YAG, appl. for efficient moderate power c.w. output, high rate repetitive Q-swtiched performance 4−8827
Ho^{3+}:YAG, elimination of degradation in output 4−35858
Ho^{3+}:$YAlO_3$, laser action, spectral props., fluoresc. kinetics 4−303
Ho^{3+}:$YLiF_4$, practical range-finder and target designator performance appl. 4−8827
Nd, Cr:YAG, sun-pumped, laboratory model 4−8830
Nd, emission mixed with ruby laser emission on $LiNbO_3$ cryst., freq. generation *(Russian)* 4−19145
Nd, freq. doubled, two-photon spectroscopy applic. 4−22858
Nd, pulse emission intensity, duration vars. 4−26999
Nd, pulsed, undamped reson. spiking by internal modulation, cavity loss modulation 4−19115
Nd, thin film, distrib. feedback and distrib. Bragg reflector, principles 4−31045
Nd glass, colour centre distrib. effect on generation 4−8824
Nd glass, high pressure gas cell, O_2 collisional deactivation 4−12644
Nd glass, picosecond pulse, self-focusing, self phase modulation 4−8856
Nd: glass, space-time distrib. of radiation for ~1 ms generation, influence on interaction with matter *(Russian)* 4−2629
Nd:CaLa silicate oxyapatite, pulsed mode locked oscillation, characteristics 4−26984
Nd:CaLaSOAP, high average power testing, continuous laser appl. 4−8832
Nd:$Gd_3Sc_2Al_3O_{12}$, c.w. laser action, growth and optical props. 4−15365
Nd:glass, dispersional resonator to control spectral and kinetic characts. 4−8841
Nd:glass, i.r., new dye solns. for mode-locking 4−22895
Nd:glass, laser devices review, fusion appls. 4−31088
Nd:glass, laser emission, spike intensity, effect of thermal blooming in liquid filter 4−5091
Nd:glass, LiD target irradiation, plasma production, stimulated backscattered radn. 4−12795
Nd:glass, multiaperture plane mirror attachment 4−30505
Nd:glass, multimode transient processes with homogeneous broadening 4−11936
Nd:glass, parametric oscill., intracavity harmonic generation, high efficiency 4−11940
Nd:glass, passive Q-switch conditions *(German)* 4−23342
Nd:glass, picosecond and subpicosecond pulse generation with saturable absorber 4−18497
Nd:glass, picosecond pulse evolution, self-phase modulation effect 4−19117
Nd:glass, pulse amplification, nonlinearity effect on output 4−26983
Nd:glass, pulse shape control with erythrosene in acetone soln. 4−11531
Nd:glass, Q-switched, multiphoton ionisation of Xe atoms 4−27543
Nd:glass, Q-switched, single mode diffr. limit operation 4−23337
Nd:glass, self Q-switching, resonator length depend. 4−23339
Nd:glass, short pulse production for laser-plasma interactions *(German)* 4−24301
Nd:glass, temporal characteristics, effect of cavity configuration and active medium position 4−15367
Nd:glass laser, two frequency 4−8823
Nd:glass laser for aerospace applications 4−5502
Nd:glass laser oscillator, mode-locked, self-focusing 4−15364
Nd:glass rods, optically pumped, meas. of lens action *(German)* 4−23341
Nd:glass subnanosecond amplifier system, characts., fusion appl. 4−31040
Nd:SiO_2, end pumped fibre geometry, room-temp. operation 4−302
Nd:YAG, acousto-optic modulation of output, fibre optical communication appl. 4−54
Nd:YAG, c.w., longit. mode selection and stabilization by cavity component spacing 4−31056
Nd:YAG, c.w., simultaneous Q-switching and mode-locking 4−5504
Nd:YAG, c.w. solid ring laser, characts. 4−39759
Nd:YAG, efficiency increase for acousto-optic Q-switch 4−8390
Nd:YAG, efficient freq.-doubled, single-freq., resonant cavity designs 4−19111
Nd:YAG, electrooptic versus passive dye Q-switches 4−8389
Nd:YAG, end-pumped miniature, performance, analytical model 4−35857
Nd:YAG, heat removal methods, high-power high-repetition rate laser technology 4−19110
Nd:YAG, high pressure gas cell, O_2 collisional deactivation 4−12644
Nd:YAG, K-Rb lamp-pumped, conductively cooled 4−8829
Nd:YAG, laser machining of light emitting numeric display 4−31090
Nd:YAG, mode locked laser pulse prod. using glass filter absorber 4−11529
Nd:YAG, optimum conc. of Nd 4−5503
Nd:YAG, pump source for high power second harmonic generation and parametric oscill. 4−23394
Nd:YAG, second harmonic generation, high powered 4−27006
Nd:YAG, single diode end pumped, miniature size 4−304
Nd:YAG, surgical instrumentation, optical engineering aspects 4−35910

solid lasers continued
Nd:YAG, thermo-optical perturbation of intracavity elements 4−31055
Nd:YAG laser, frequency stability, single freq. operation 4−26980
Nd:YAG laser, Kr arc pumped, cavity acousto-optical dumping 4−8840
Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4−23419
Nd:YAG laser rod, thermally induced focusing at low input powers 4−15362
Nd:YAG mode-locked freq.-doubled laser 4−23343
Nd:YAlG, u.v irradiation rel. to induced transient absorption 4−19114
Nd^{3+}:glass, large laser system design for fusion 4−31089
Nd^{3+}:glass and Nd^{3+}:YAG Sandia four-beam laser system, fusion appl. 4−31039
Nd^{3+}:glass laser, Q-switching and mode locking with Ni dithienes 4−23335
Nd^{3+}:$LiYF_4$, high efficiency, characts. 4−35856
Nd^{3+}:YAG crystals in three-mirror resonator, spontaneous single freq. ring laser 4−8838
Nd^{3+}:YAG laser transillumination, for fibre-glass bundle image amplification *(German)* 4−23409
$Nd_{0.5}La_{0.5}P_5O_{14}$, intense pulse pumping and c.w. operation 4−23334
Nd_2O_3 glass core with Sm_2O_3 cladding, fibre amplifier, photodetector sensitivity increase 4−23336
NdP_5O_{14} laser material, cryst. struct. 4−36866
Ndi glass, calcs. of induced-emission cross sections 4−31037
Ne:glass, phase relations between longitudinal modes 4−11937
Rb, quantum generator, colour subcarrier formation *(Russian)* 4−35862
Sc:NdP_5O_{14}, c.w. oscill., 4 mW pump threshold power 4−11934
Tb^{3+}:$LiYF_4$, stimulated emission at 5445A, room temp. 4−8828
Tm^{3+}:$YAlO_3$, laser action, spectral props., fluoresc. kinetics 4−303
Y:NdP_5O_{14}, pulsed oscill., 1.05 μ, 200 W 4−11933
YAG, appl. to high resolution microfilm recording system 4−18514
YAG, diffraction-limited, stable pulsed, optimization 4−8831
Y_2O_3-ThO_2-Nd_2O_3 ceramic (NDY), prep., performance meas. 4−19113

solid-liquid transformations
see also crystallisation; freezing; melting; solidification
alkali metals and alloys, brief discussion 4−3729
expandable lattice model mean free volume, effective, hard-core transition freezing and melting points 4−13028
glass, summary of transition and structural phenomena 4−26377
glass formation, optimum conds., during rapid cooling of solns., Mossbauer investig. 4−41311
ice accretion, crystallographic orientations, relation to growth conditions 4−21968
Pb-Sb-Sn(-As) solders, partially molten, grain-ripening of Pb-rich phase 4−10584
Percus-Yevick approximation, small watermelon diagram contrib. 4−28192
phenomenological theory, use of perturbation theory about hard-sphere fluid 4−40879
propargyl alcohol, phase diagram, pressures up to 40 kbar, −20 to +130°C 4−32670
supercooled liquids, light scattering at triple point, clustering phenomena investig. *(German)* 4−33391
Al-Ge, eutectic temp. up to 40 kbar, vol. change 4−25293
$BaTiO_3$-TiO_2 system, subsolidus phase relations, X-ray diffr. 4−32517
Bi_2O_3-TiO_3 system, liquidus, thermobalance and differential thermal analysis determ. 4−28187
GaP, solidus curve determ., vacancy conc. 4−24550
$LiNaSO_4$, elec. cond., meas. in liq., cryst. states, phase transitions investig. 4−41094
Ni-Cr alloy, eutectic, struct. and comp. of phases during solidification 4−13609
PBr_3, Raman spectra, 77-400K, modification I and II obs. 4−10415
PbTe-SnTe solution, ternary, solid-liquid phase diagram *(French)* 4−13018
Sn, during film deposition from vapour, struct. anal. 4−20499
U-Cr binary system, computer calc. of transform. curves, α-β and β-γ *(Czech)* 4−7012

solid mechanics *see mechanics*

solid solution hardening *see dispersion hardening*

solid solutions
solid solutions such as Au-Cu are indexed under alloys of the named elements i.e. 'gold alloys' and 'copper alloys' in this example
see also alloys
b.c.c., model for softening and hardening 4−29160
binary, anomalous creep behaviour 4−21337
binary, locally ordered, dynamic programing applic. 4−24417
binary alloy, single phase, selective oxidation, metal diffusion investig. *(French)* 4−32743
cubic crystals, elastic interaction of coherent tetragonal precipitates 4−17282
disperse order, model for partially ordered state of concentrated solid solns. *(German)* 4−41556
elastic energy, coherency stress due to conc. fluctuations, theory 4−37012
elastic interaction of small coherency strain centres w.r.t. ordered arrays 4−17283
inhomogeneities, small-angle scatt. and TEM obs. 4−37830
insulator, optical and acoustic vibrs., conc. depend. 4−13002
interphase boundaries, ledged and disordered, relative growth kinetics 4−13654
interstitial ordered, problem of symmetry in statistical thermodynamics 4−4053
ionic, anomalous Gibbs enriched layer *(Russian)* 4−28215
ionic, chem. pot. rel. to vacancies and elec. neutrality 4−40916
multicomponent, decomp. parameters prediction from electronegativity *(Russian)* 4−17236
refractory, stacking fault phenomena, block size *(Russian)* 4−29056
semiconductor, anomalous Gibbs enriched layer *(Russian)* 4−28215
serrated yielding, strain depend. of vacancy creation and dislocation density 4−17323

solid solutions continued
size factor rule justification by pseudo alloy atom model 4−33645
softening and hardening mechanism, motion of screw dislocations, yield stress 4−1552
solute limited grain boundary migration, grain growth rationalisation 4−1481
spinel, conc. depend. of mag. moment, interpretation using method of cluster components 4−12899
spinodal decomposition, theory and statistical methods 4−33638
steel, nitride oxide and sulphide content electron probe and X-ray diffr. microanal. 4−37840
substitutional ordered, problem of symmetry in statistical thermodynamics 4−4053
supersaturated, spinodal decomp. *(Russian)* 4−33663
ternary solid solutions, graphical representation of crystallization and fusion 4−29390
titanomagnetite, magnetic props. rel. to NRM with Al or Mg substitution 4−29468
3 Al_2O-$2SiO_2$, melting behaviour and solid soln. range, 1 atm. diffusion couple 4−40872
$BaCl_2$-$CeCl_3$, phase diagram *(Russian)* 4−40873
$BaTiO_3$-$BaNbO_3$, X-ray phase anal., dielec. const. meas. 4−16469
$CoAl_2O_4$-$GeCo_2O_4$, solid solubility, cation distribution and formation process, X-ray powder diffraction exam. 4−24563
(Ga,Al)As/GaAs, etching of (110) cleaved faces, etch pattern investig. *(German)* 4−20489
$Ga_{1-x}Al_xAs$, $Ga_{1-x}Al_xSb$, X-ray crystallography of mixed crystals *(German)* 4−3486
GaAs-ZnTe system, phase equilibria 4−32667
$Ga_xIn_{1-x}P$, epitaxial growth investig. rel. to layer and substrate comp. 4−20496
GaP and GaAs in Sn and Bi, solubilities *(German)* 4−13024
GeTe-Sb_2Te_3, boundary obs. and electrophys. props. 4−32710
In-As-Te system, thermal anal., X-ray diffr. 4−32712
$LaNiO_3$-$LaAlO_3$, mag. susceptibility *(Russian)* 4−28607
Li_4SiO_4-Li_4MO_4, solid soln., prep., ionic cond. investig. 4−28237
Li_4SiO_4-$Li_xM_{1-x}SiO_4$, solid soln., prep., ionic cond. investig. 4−28237
Na-Cs, size factor rule justification by pseudo alloy atom model 4−33645
NaCl-KCl, spinodal decomposition, max. temp. calc. 4−20415
Nb-C, solubility limit, elec. resist. meas., high temp. 4−29058
$Nb_{1-x}W_xC_y$, mag. susceptibility and superconductivity 4−24875
NiO-CoO, single crystal, phase separation investigation 4−6477
Pb,La(Zr,Ti)O_3 ceramic, La solubility limit, rel. to dielec. applic. 4−38009
$Pb(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$, cryst. struct. and piezoelectric porops. 4−3938
Ta-C, solubility limit, elec. resist. meas., high temp. 4−29058
Ta-D, deuteride precipitation effects, vibr. freq., internal friction meas. 4−37821
V-H(D), phase diagrams, comparison by n.m.r. 4−32668
V-N, solubility limit, 500-1500°C, precipitation phenomena 4−33653
V_2O_3-Al_2O_3, mag. susceptibility *(Russian)* 4−41191
Y-C, solubility temp. depend., heat of soln. 4−33708
Y-N, solubility temp. depend., heat of soln. 4−33708
Y-O, solubility temp. depend., heat of soln. 4−33708

solid-state microwave circuits
10 GHz mixing by constricted thin-film Josephson devices 4−10233
Gunn oscillator, microwave measurements of plasma electron density, technique 4−3396
noise thermometry, using microwave resistive SQUID 4−5006
H_2 maser frequency divider and amplifier 4−19057

solid-state microwave devices
bipolar power transistor, emitter doping by arsenosilica film source 4−37779
Josephson junction, laser beam mixing, 9-11 μm, generating difference freqs. in range 19 MHz-106 GHz 4−6696
metallisation at high temps., Au-R, (R=refractory metal), thin-film reliability, SEM obs. 4−3667
m.o.s.f.e.t., double diffused 4−25264
optical modulators using birefringent crystals, Faraday effect in varying magnetic field 4−20970
power transistor, metallisation, suitability of Au-W(Mo) film systems, annealing expts. 4−37128
power transistor, sputtered Au-W and Au-Mo metallisation, characts. 4−24662
semiconductor fast physical processes, oscilloscopic measurement installation 4−5107
CdS phonon maser, voltage modulation 4−37278
GaAs Schottky-barrier diode fabrication, topotactic reaction between Ni and GaAs 4−6992
Si bipolar transistor, B and As simultaneous diffusion from predeposited sources, cooperative effects 4−17185

solid-state phase transformations
see also ageing; ferroelasticity; ferroelectric transitions
acetonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4−28744
acrylonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4−28744
acrylonitrile, n.m.r. obs. of transitions between 100 and 191K *(French)* 4−33270
alkali perchlorates, struct. transformations 4−6493
alloy, two-phase, diffusional creep analysis *(Russian)* 4−17233
alloy, uniform elongation during transform. aided plasticity 4−13691
amphibolite to granulite facies metamorphism, immiscible fluid phases 4−21784
antiferrodistortive structural phase transitions, molecular-dynamics model 4−9973
aragonite type carbonates, subsolidus phase relations 4−6491
b.c.c. to omega transition phonon structure 4−1103
benzil, single cryst., uniaxial to biaxial modification phase transition 4−32702
bicyclohexyl, effects on fluoresc. characts. 4−1406
binary alloys, critical points, higher order transitions, review, discussion of results 4−37816
binary alloys, phase separation on quenching, Ising model 4−41553
biphenyl-h_{10}(-d_{10}), low temp. solid, spectroscopic obs. of continuous change in mol. and cryst. struct. 4−20976

solid-state phase transformations continued
brass, α-β bicrystal, heat treatment effect on transition zone 4−37900
brass, metastable β, heterogeneous nucleation of bainitic plates 4−37797
calcium formate, differential thermal anal., polymorphism 4−32546
calcium formate, X-ray diffr., polymorphism 4−32547
coherent interface propagation between two nonhydrostatically stressed rock crystals 4−17577
composite, Ni-based fibre-reinforced, phase boundary interaction, thermal stability *(Russian)* 4−38050
cooperative phenomena and dimensionality 4−24541
critical phenomena, review 4−20402
crystal, Kossel camera and low temp. stage 4−24370
cyclohexane, cryst., far i.r. spectra, solid-state phase transitions, struct. investig. 4−40893
cyclohexane, effects on fluoresc. characts. 4−1406
diamond, synthetic polycrystals, Ni, γ-Fe inclusions, heating effect 4−36913
diamond nucleation from graphite in presence of Ni 4−41817
p-diiodobenzene photoconductor, single cryst. to single cryst. 4−9983
displacive change, d-dimensions, order determ., calc. *(French)* 4−20411
dynamics, simple model for struct. transform. 4−40894
ethylene-methacrylic acid copolymer and Na salt, dynamic light scatt. study, 25-65°C 4−6935
evolved gas analysis technique for obs. 4−6495
ferrocene, cryst., lambda transition, mol. config., i.r. spectra 4−13424
ferrodistortive and antiferrodistortive, Raman activity of soft modes 4−20400
ferromagnet, temp. depend. of field induced magnetization reorientation 4−1309
forsterite, postspinel phase rel. to Earth mantle evolution 4−25581
geology, coherent phase transitions, nonhydrostatic thermodynamics, review 4−1750
glasses, pseudo-lattice vibrations and glass transitions 4−9856
graphite-diamond, ballas synthesis, morphology exam. 4−13851
group theory method, to determ. symm. of soft modes in general second order phase transitions 4−1105
hexamethylbenzene, cryst., phase transition at 116K, investig. using deuterated compound *(German)* 4−33394
hydroxyapatite and deuterohydroxyapatite single crysts., monoclinic-hexagonal transition 4−16591
Ising model, three-spin interactions on triangular lattice, exact soln. 4−9985
Jahn-Teller cooperative struct. transform., dynamic susceptibility of electron-phonon system 4−32651
Jahn-Teller ionic crystals, mol. field approx. 4−37176
lepidocrocite to hematite, remanent magnetisation 4−7596
light scattering theory, tricritical point 4−37008
maghemite to haematite, isothermal transform., effect of preliminary pressing 4−13843
magnetite, effect of low temp. transition on magnetoresistance 4−16777
Magnico alloy, effect of Co, Ni, Cu and Al on transform. temp. 4−13611
metal, idealized close packed, faulting and phase stability 4−20317
metal, one-dimensional, dynamic Peierls instability 4−40867
metallic thin films, due to illumination after deposition *(French)* 4−28318
metallurgical, review 4−21240
methacrylonitrile:$FeCl_3$, structural transitions, Mossbauer meas., calorimetry meas. 4−28744
molecular crystal, coupled librational soft modes assoc. with phase transition 4−24555
molecular crystal, crit. dynamical behaviour of pseudospin-phonon coupled systems 4−32645
molecular crystals, orientational phase transition anal. using statistical models 4−9984
neutron stars, phase transition to neutron solid, modified Brucknev theory calcs. 4−11206
nucleation of second solid phase along dislocations, model 4−37808
nylons, transition and relaxation processes 4−13936
α-olefine crystals, intermol. interaction and phase transitions, i.r. absorpt. obs. *(Russian)* 4−32454
olivine-spinel and olivine-β phase transformations elasticity rel. to 400 km discontinuity in mantle 4−7571
olivine-spinel transition in upper mantle, convection through phase boundary 4−21621
omega transformation theory 4−33648
order-order transitions during cooling, thermoremanent magnetisation reversal mechanism 4−29500
n-paraffin crystals, intermol. interaction and phase transitions, i.r. absorpt. obs. *(Russian)* 4−32454
paramagnetic system, spin-phonon interaction theory 4−3836
polyethylene, glass transition, vol. relax. mechanism 4−20224
polyethylene, oriented chain-extended, fracture behaviour, Young's modulus 4−4215
polyethylene, orthorhombic to monoclinic, energetics 4−6496
polyethylene lamellae aggregates produced by annealing 4−4214
polyisobutylene, positron annihilation lifetime meas., struct. determ. 4−20228
polymorphic, press. induced, hysteresis effect, kinetic model *(French)* 4−37002
polymorphic phase boundaries as zones of shear weakness, geophysical implications 4−21735
polymorphic phase transformations, Birch's law 4−7565
polyvinylidene fluoride, effect of γ-radiation on phase transformations and m.p. of crystallites *(Russian)* 4−38081
polyvinylidene fluoride, solid-glass, pyroelec. and switching props. 4−10380
propargyl alcohol, phase diagram, pressures up to 40 kbar, −20 to +130°C 4−32670
quartz:Al, optical obs. of α-β fluctuating transition 4−21015
quartz, α-β inversion, press. response, pulse heated 4−28205
quartz, α-β transform., thermodynamic stability 4−16592
quartz, refractive index meas. in α-β transition region 4−13038
quartz to stishovite, wave propagation in mixed phase region 4−29447

solid-state phase transformations continued
second order, induced by two-and three-component order parameters, symmetry considerations 4−13042
second order, Landau and phenomenological phonon theories *(Hungarian)* 4−24543
semiconductor, many-valley, theory *(Russian)* 4−28212
soft-phonon driven, in systems with negative anharmonic coupling const. 4−32648
spinodal decomposition, thermodynamics 4−7049
steel, $\alpha \to \gamma$ transform., kinetic analysis *(Russian)* 4−37790
steel, δ-ferrite variation during homogenization of 1Kh16N4B 4−1523
steel, austenite, isothermal transform. kinetics, effect of plastic deform. 4−13608
steel, austenite conversion process, deform. resist. changes *(Russian)* 4−33764
steel, austenite formation below 723°C, accelerated heating 4−13615
steel, austenite/proeutectoid orientation relationship 4−17218
steel, austenitic, metastable, with nonequil. struct., heating vel. influence *(Russian)* 4−33662
steel, austenitic stainless, transform. influence on work hardening 4−29172
steel, austenitisation at various heating rates, struct. defects influence on temp. conditions *(Russian)* 4−17192
steel, bainite occurrence, carbide free, struct. and props. *(Polish)* 4−41559
steel, bainite structure, carbide free, microscopic exam., 0.18 C-0.5 Mn-2.4 Cr-1.4 Ni-0.003% B 4−10582
steel, bainite transformation, characts. 4−29035
steel, bainitic transformation metallography 4−17219
steel, bainitic transformation of AISI 86B80 type, u.s. obs. 4−29053
steel, chromium, carbide transformations and influence on mech. props. *(Russian)* 4−29093
steel, Cr-Ni, phase strain hardening of austenite 4−33800
steel, effect of heat treatment on struct. transforms. and susceptibility to intercryst. corrosion, 000Kh16N15M3 4−33787
steel, eutectoid, phase transform. sensitivity under pulse loads, initial struct. influence *(Russian)* 4−10563
steel, grain boundary ferrite allotriomorphs, growth kinetics 4−7074
steel, high-strength low-alloy, austenite range tensile deform. effect on transform. kinetics 4−37800
steel, low-C, boron-treated, transform. kinetics and hardenability 4−7017
steel, low-C high temp. transform. and layer morphology on reaction with liq. Sn *(French)* 4−33758
steel, low-carbon, $\alpha \rightleftarrows \gamma$ transition after high-velocity loading with metallic plate *(Russian)* 4−4057
steel, martensite-austenite and bainite-austenite orientation relationships comparison *(Russian)* 4−21221
steel, martensitic-ferritic, phase transform. during hot deform. 4−33665
steel, Mn type, damping coeff. and shear modulus during repeated $\gamma \rightleftarrows \varepsilon'$ and $\gamma \rightleftarrows \varepsilon$ transforms. *(Russian)* 4−33779
steel, Mo type, isothermal decomposition, transformation mechanism of Mo_2C fibres 4−7006
steel, pearlite reaction, interrupted quench effect 4−17220
steel, proeutectoid ferrite reaction kinetics, Al, Co and Si influence 4−17203
steel, quenched and tempered, austenitic struct. form. in crit. temp. range during slow heating *(Russian)* 4−17193
steel, stainless, N70M27, corrosion characts., ordering processes and carbide formation, effect of V and Nb 4−17312
steel, stainless, Type 316, neutron irrad., ferrite form. 4−23907
steel, stainless Cr-Ni, $\alpha \to \gamma$ transform., redistrib. of Ni, Cr and Mo 4−13612
steel, struct. formation during dynamic hot-pressing *(Russian)* 4−21389
steel, surface layer, phase transform. during abrasive wear 4−29036
steel, Widmannstatten structure formation 4−41545
strontium formate, differential thermal anal., polymorphism 4−32546
strontium formate, X-ray diffr., polymorphism 4−32547
subcrustal phase boundary, dynamical response to pressure perturbations 4−29466
TCNQ anion radical salt of diethylcyclohexylammonium, 347 K first-order transition 4−1310
tetrachloro-p-benzoquinone, coupled libration soft modes assoc. with phase transition, n.q.r. obs. 4−24556
tetrachloro-p-benzoquinone, coupled librational soft modes assoc. with phase transition, ht. capacity obs. 4−24557
tetramethyl ammonium manganese chloride, pressure-induced, low-temp. transforms. 4−3571
thin film critical behaviour, scaling theory 4−23232
transition metal fluorosilicates, $MSiF_6.6H_2O$, M=Zn, Cu, Mn, Co and Ni, n.m.r., 90-425K 4−28708
s-triazine, ^{14}N pure n.q.r. investigation between 77 and 280K 4−33300
1,1,1-trichloroethane, enthalpy of first-order transition 4−3569
two-phase mixture, temp. depend. of internal friction, phase transform. rate effects *(Russian)* 4−13588
ultrasonic experiments, vel. and attenuation effects 4−32699
Ag-Al alloys, massive transform. interface vel., temp. depend. 4−17222
Ag-Al alloys, -μ transform. kinetics 4−37798
Ag-Al(24 at.%) alloy, $\beta \to \mu$ transform. 4−37799
Ag_2S, cryst. struct. investigation, bulk material and thin films *(Rumanian)* 4−36872
Ag_2Se, cryst. struct. investigation, bulk material and thin films *(Rumanian)* 4−36872
Ag_2Se, polymorphic transform., electron microscope investigation 4−13043
Ag_2Te, cryst. struct. investigation, bulk material and thin films *(Rumanian)* 4−36872
Al alloy-steel wire composite, phase boundary interaction during prodn. process *(Russian)* 4−38046
Al powder, production, formation and growth mechanism of oxide phase *(Russian)* 4−37997
Al-Cu(4 wt.%) alloy, metastable phase form., heating speed influence *(French)* 4−37785

solid-state phase transformations continued
Al-Cu(4 wt.%) alloy, precip. after reverse transform., microcalorimetric obs. *(French)* 4−37813
Al-Zn(Ag) alloys, liquid-quenched, spinodal decomposition, small-angle X-ray scatt. 4−37831
Al-Zn(28 at.%) alloy, matrix precip. effects on cellular growth kinetics, miscibility gaps 4−37792
Au_2Al, struct. determ., small atom shift mechanism *(German)* 4−32476
B, transformations induced by mechanical comminution 4−6498
$BaCl_2$-$CeCl_3$, phase diagram *(Russian)* 4−40873
$BaCl_2$-NaCl-$CeCl_3$, phase diagram *(Russian)* 4−40874
$BaM^{2+}Fe_6$, (M^{2+}=Mn, Fe, Co, Ni, Zn, Mg), synthesis and h.p. transform. *(French)* 4−24558
$Ba_{4+x}Na_{2-x}Nb_{10-x}Ti_xO_{30}$, orthorhombic-tetragonal, Ti substitution effect 4−28789
$BaTiO_3$, improper ferroelecs., change of transition order with external parameters 4−13014
$BaTiO_3$, stress effect, tetragonal-orthorhombic, domain struct. 4−13400
$BaWO_4$, press. induced transform., h.p. form cryst. struct. 4−37006
Bi, eqns. of state and shock-induced transforms. in solid I-solid II-liq. region 4−32660
Bi, film, low temp. struct., elec. props., electron diffr., thickness depend. *(Russian)* 4−20506
Bi, press. induced, elastic parameters, u.s. vel. meas. 4−36956
Bi, under shock loading, temp. monitoring 4−37001
Bi I-II transition, manganin resist. manometers calibration *(Polish)* 4−14834
BiI⇄BiII transforms. at h.p. under hydrostatic conditions. temp.-press. equil. diagram *(Russian)* 4−37000
C, laser irrad., polymorph formation and fluid flow pattern obs. 4−31062
$CaAl_2Si_2O_8$, anorthite, n.q.r. of ^{27}Al 4−6499
$Ca_2As_2O_7$, thermal study, decay to orthoarsenate 4−36999
Ca_3SiO_5:MgO solid solution, annealing, MgO exsolution 4−7307
CdI_2, 84 layered rhombohedral cryst., polymorphism mechanism 4−36863
CdI_2, polytypic crystals, kinetics of stacking faults role in struct. trans. and polytype form. 4−28210
CdI_2, polytypism 4−32703
CfF_3, orthorhombic-trigonal transformation study by annealing and quenching 4−3485
Co, prestrained, interaction between recrystallization and allotropic transform., rel. to internal friction *(French)* 4−33783
Co, valence electron plasma oscills., polymorphic transition 4−37202
Co alloy, simple and complex, stability of γ'-Co_3Ti compound 4−10561
Co-Re alloys, $\varepsilon \rightleftarrows \alpha$ transform. obs. *(Russian)* 4−33650
$CoMoO_4$, polymorphism, X-ray diffr. and i.r. absorpt. obs. 4−13035
Co_5Sm, microstruct. after annealing 4−7044
Cr-Ti system, up to 1390°C *(Russian)* 4−7026
$CrN_{0.98}$, at 290K 4−32973
CsCl-KCl, pressure-induced phase transform. 4−32701
$CsPbCl_3$, superstruct. and phase transitions, X-ray obs. 4−9906
Cu and Cu-Sb alloys, grain boundary region discrete struct. changes *(Russian)* 4−21248
Cu thin films on NaCl, poly to monocrystalline, activation energy 4−3665
β_1'-Cu-Al martensite, stress-induced transform. and mech. props. interrel., crystallographic obs. 4−21238
β_1'-Cu-Al martensite, stress-induced transform. and mech. props. interrel., shape deform. criterion 4−21239
β-Cu-Be alloy, hypereutectic, electron metallography of decomp. processes 4−29045
Cu-Be alloy system, eutectoid decomp., crystallo-struct. obs. of initial decomp. stage *(Russian)* 4−37788
Cu-Ga alloy with 18-70 wt% Ga 4−17214
Cu-Ga alloys, rel. to charact. for soldering pastes 4−25286
Cu-Ni(20 wt.%)-Mn(20 wt.%), elec. resistivity and thermoelec. power, rel. to decomposition 4−41050
Cu-Sn(16.5 at.%) alloy, ω phase behaviour 4−41538
Cu-Ti and Cu-Ni-Ti alloys, precip. of Ti, coarsening obs. 4−33684
Cu-Zr alloys, amorphous-cryst. transition 4−21243
$CuCr_2O_4$, tetragonal→cubic transform, heat of transition 4−13818
$CuSiF_6.4H_2O$, $CuSiF_6.6H_2O$, n.m.r. obs., 90-425K 4−28708
^{63}Cu, n.m.r., in Cu_2HgI_4, quadrupole coupling const. rel. to temp. *(German)* 4−41302
$DyAsO_4$, phase transition at 11.2K, Dy^{3+}, Er^{3+} absorpt. spectra, mag. ordering *(German)* 4−20779
$DyCo_5$, effect on Hall const., elec. props. *(Russian)* 4−24841
DySb, cubic to tetragonal elastic const. calc. model 4−12971
DySb, theoretical anal. on softening of elastic constant 4−16541
$DyVO_4$, cryst. transform., detect. by linear dichroism 4−1116
$Er_2Si_2O_7$, monoclinic-monoclinic mechanism, X-ray diffr. 4−16594
$Eu(NH_3)_6$, Mossbauer recoilless fraction anomaly and phase transition phenomena 4−25031
Eu_2O_3, polymorphic transition, absorpt. spectra study 4−13034
Fe, $\alpha \to \gamma$ transform. by super-rapid heating *(Japanese)* 4−13595
Fe, cast, eutectoid transform. kinetics, effect of Cr 4−41546
Fe, cast Cr-Mn austenitic, chem. comp. of phases, effect of temp. and strain hardening 4−33664
Fe, struct. formation during dynamic hot pressing *(Russian)* 4−21389
Fe complex, $[C_5H_5FeC_6H_5F]PF_6$, temperature depend. of Mossbauer spectra 4−20916
Fe-Al diffusion couples with Fe, interdiffusion and equil. diagram behaviour 4−41549
Fe-C-Si, Si alloying effects, Mossbauer obs. 4−29040
Fe-C-Si alloy, hypereutectoid, isothermal bainitic transform., second stage obs. *(French)* 4−41522
Fe-C-Si(3.9 w.%) hypereutectoid alloys, bainitic transform. influence on graphitization by recovery *(French)* 4−41521
Fe-Co system, mag. field effects 4−1471
Fe-Ni alloy, Invar type, under influence of non-hydrostatic stress, Mossbauer spectra 4−33310
Fe-Ni alloys, kinetics of polymorphic (γ-α) transform. at high press. 4−17210

solid-state phase transformations continued
Fe-Ni-Ti alloy, two-stage ageing effect on decomp. *(Russian)* 4-37871
Fe-Si, ^{57}Fe Mossbauer study, isomer shift and quadrupole splitting 4-28730
Fe-Si alloy, spinodal decomp., theory 4-29039
Fe-V-C alloys, ferrite strengthening by vanadium carbide precip. 4-41720
$Fe(ClO_4)_2.6H_2O$, changes in Mossbauer parameters during phase transition 4-33314
FeCo, f.c.c.-b.c.c. transition, specific heat investigation 4-33159
α-FeOOH, synthetic goethite, intermediate state of dehydration, X-ray and electron microscopy obs. 4-28208
$Fe_{83}P_{10}C_7$ alloys, amorphous, resist. obs. of amorphous-cryst. transition 4-21242
$GaSe_xS_{1-x}$, layer compound, composition range $0.6<x<0.9$, Raman scatt. obs. 4-28833
Ge film, amorphous, sputtered, heat-radiation from shock crystallisation 4-1117
Ge-Te, amorphous film, struct. transforms. during elec. switching, TEM obs. 4-16593
GeSe-GeTe systems, X-ray anal., 2 transforms 4-6494
$Ge_xV_{1-x}O_2$, first order phase transition, DTA, resist., mag. and X-ray meas. 4-37005
H_2, solid, ortho-para conversion rate investig. 4-24559
H_2, transition to metallic phase at high densities 4-3570
H_2 solid, mol. rot., one-mol. pot. function model, phase transition 4-16438
$H_3O.ClO_4$, crystn., proton jumps, phase transition, obs. by calorimetry and neutron scatt. 4-37007
$(Hf, Zr)V_2$, lattice instabilities and superconductivity 4-33086
Hf-Mo system, Laue phase studies *(Russian)* 4-7029
HfV_2, transition temp. determ., anomalous behaviour of sp. ht. 4-28207
HgS, black $\rightleftharpoons$ red, thermodynamics 4-32683
Hg_3Te_3-Ga_2Te_3, Zn blende to cinnabar struct. transform. at high pressure, elec. props. 4-20631
InP:Cr, cryst. growth, eutectic form. investig. by instrumental methods 4-21203
InSb, electrical resistance study of semiconductor to metallic phase transformation 4-1260
InSb surface, mech. deform., supercond. appearance 4-24874
In_3Sn, effect on supercond. transition temp. 4-20717
KCl, appl. of cubic anvil X-ray diffr. press. 4-6308
KCl-NaCl solid solutions, pressure induced polymorphism 4-28206
$KH_3(SeO_3)_2$, hydrostatic press. effect on phase transition temp. 4-20412
$KMnF_3$, cryst., neutron scattering investigation, soft phonon modes and struct. phase transitions *(Japanese)* 4-32654
$KMnF_3$, phonon-hydrodynamic description 4-20398
KPF_6, vibr. spectra anal. of high pressure polymorphism 4-10425
$K_2Pt(CN_4)Br_{0.3}.3D_2O$, one-dimens. conductor, struct. transform., neutron scatt. obs. 4-37009
K_2SO_4, X-ray scatt. and diffr., pretransition struct. changes 4-13040
$LaAg_xIn_{1-x}$ alloys, cubic-to-tetragonal, effect on mag. susceptibility 4-37403
La_2CoO_4, orthorhombic-cubic transform. *(French)* 4-3568
$LaVO_3$, sp. ht. λ-anomaly, antiferromag. 4-37421
$La_2(WO_4)_3$, room temp. to m.p. obs. 4-1444
Li_4GeO_4, polymorphism, crystal chemistry 4-24437
$LiNaSO_4$, elec. cond. meas. in cryst. states, α to β phase transitions investig. 4-41094
Li_4SiO_4, polymorphism, crystal chemistry 4-24437
Li_4TiO_4, polymorphism, crystal chemistry 4-24437
Mn complex, $(C_nH_{2n\|1}NH_3)_2MnCl_4$, new phase transitions obs. by DTA and hot stage microscopy 4-3572
Mn-Cu alloy with high damping capacity, struct. transforms 4-13610
Mo-Co, diffusion couples, phase diagram 800-1300°C 4-25294
$(NH_4)_3AlF_6$, e.p.r. of Fe^{3+}, temp. depend., phase change obs. *(French)* 4-20839
NH_4Cl, thermal expansion near λ-transition 4-13055
NaCl-CsCl type structures, external factor effects, kinetics 4-20410
NaCl-KCl, solid soln., spinodal decomp., max. temp. calc. 4-20415
$Na(H_{1-x}D_x)_3(SeO_3)_2$, Raman study, order-disorder 4-13421
Na_2O-SiO_2 glass, amorphous phase separation, physical props. changes 4-28030
NaOH, cryst. forms and stability regions, powder diagrams *(French)* 4-32495
$Na_2O.xB_2O_3$ glasses, i.r. and Raman spectra, obs. of phase transformations 4-17057
Nb-H, morphology and transitions in hydride precipitates 4-13655
Nb-Zr alloys, above monoeutectoid temp. 4-33641
Nb-Zr alloys, below monoeutectoid temp. 4-33642
Nb_3(Al-Ge) superconductor, susceptibility temp. depend. correl. 4-13254
$NbFe_2$, plastic deform. and dislocations decoration, electron microscope investigation *(German)* 4-33774
NbN, supercond. film, struct. temp. depend., electron diffr. *(French)* 4-32834
Nb_3Sn, theory of structural phase transition 4-21229
Ni superalloy, Mar-M200 4-17215
Ni-Co-W-Cr-Zr, effect of B on phase transformations *(Czech)* 4-13599
Ni-Mo alloys, metastable phase Ni_2Mo and initial ordering obs. by electron microscopy 4-21230
Ni-Si, thin layers, electron microscopy of phase transformations during annealing *(German)* 4-6497
Ni_3Mn, with Al and Cu additions, neutron diffr. obs. *(Russian)* 4-13589
Ni_3Sn alloy, martensitic and massive transforms. *(Japanese)* 4-25302
$NiTiF_6$, e.s.r., struct. phase transition thermal hysteresis 4-16978
P_2Cl_{10}, coupled librational soft modes assoc. with phase transition at 102K 4-24555
$(Pb,La)(Zr,Ti)(O_3)$, ferroelec., electrooptic props. investig. rel. to La content 4-20961
$(Pb,La)Zr_{0.65}Ti_{0.35}O_3$ ceramic, La content, temp. depend., ferroelectric transition 4-7296

solid-state phase transformations continued
PbF_2, solid electrolyte, α and β forms 4-6521
Pb_3GeO_5, ferroelastic, cryst. data and growth 4-32504
$Pb_{1-x}Sn_xTe$, semicond. soft mode, Landau transition investig. using inelastic neutron scatt. 4-24542
$PbTiO_3$, improper ferroelecs., change of transiton order with external parameters 4-13014
Pd-Ag-H system, variations of elastic moduli and internal friction 4-17202
Pr-Co-Cu, Pr-Co-Cu-Fe and Pr-Co-Ni systems phase constitution and structure *(Russian)* 4-1463
$PrAlO_3$, 151K phase transition, quadrupole exciton-phonon dynamics 4-9986
$PrAlO_3:Gd^{3+}$ e.p.r., internal-displacement order parameter below 151 K Jahn-Teller phase transition 4-24992
Pt complex, mixed valence, $K_x[Pt(C_2O_4)_2].nH_2O$, distortions and transforms. *(French)* 4-32700
Rb halides, F-band behaviour, press. effect 4-6900
Rb halides, polymorphic transitions, retropressure effect theory *(French)* 4-13037
RbCl, high press. polymorphic transition, experimental parameters effect on hysteresis *(French)* 4-13036
RbCl-$CdCl_2$ system, tetragonal-cubic transition 4-13025
RbCl-KCl solid solutions, pressure induced polymorphism 4-28206
RbCl-NaCl, pressure-induced phase transform. 4-32701
ReO_2 spiral growth phenomenon during monoclinic-orthorhombic transform. *(French)* 4-37004
SbSI, u.s. absorpt. anomaly, mechanism *(Russian)* 4-20947
Si-CU (0.0002 at.%) alloy, dragging of Cu precipitate colonies by climbing dislocations, vacancy dislocation loop generation 4-16513
SiC, polytypic transform. mechanisms 4-24560
Si_3N_4, microstructs. during hot pressing transforms. 4-38019
Si_3N_4-MgO system, sintered, struct. and props. rel. to MgO conc. *(Japanese)* 4-10644
$SmCo_{5-x}Cu_x$, high temp. annealing effect, conc. depend. 4-24415
Sn, β-α, growth rate anisotropy, obs., mechanisms 4-17213
$(Sr,Ba)Bi_2Ta_2O_9$, lower phase transition nature 4-1037
$Sr_3Fe_2O_{7-x}$, polymorphism 4-37003
$SrTiO_3$, phonon-hydrodynamic description 4-20398
$SrTiO_3$ critical opalescence, temp. dependence on phase transformation, Ornstein-Zernike theory 4-25068
Ta, film, sputtering in Ar-O_2, annealing effect 4-20507
$TaSe_2$, intrapolytype transition, charge density wave, superlattice formation 4-40782
$TbAsO_4$, 27.7K tetragonal to orthorhombic symm. transform., mag. props. 4-6726
$TbAsO_4$, tetragonal to orthorhombic, 27K Jahn-Teller induced cryst. transition, mag. props. 4-6725
$Tb_xGd_{1-x}VO_4$, cooperative Jahn-Teller transform., Raman and birefr. meas. 4-37010
$TbPO_4$, molecular-field theory 4-24951
Te-Sn, Pb, Bi, chalcogenide glass, struct. relax., differential scanning calorimetry 4-28209
TeO_2, paratellurite, second-order transform. at 90 kbar, soft acoustic mode driven 4-28178
$ThBr_4$, cryst. struct., X-ray diffr., polymorphs 4-32507
Ti, high temp. friction, effect of two different phases *(French)* 4-29144
Ti, kinetic study on reaction with hydrogen, reln. to phase transformation 4-15973
Ti, Ti-O alloys, β-α on quenching, cooling rate depend. 4-25291
β-Ti alloy RMI (38-6-44), omega phase form. 4-41686
Ti alloy TA6V, high temp. friction, effect of two different phases *(French)* 4-29144
Ti-Al alloys, Al conc. and precip. effects on plastic behaviour 4-13692
Ti-Al-V alloy, metastable β-phase effect *(German)* 4-7038
Ti-Al-V(-Mo)(-Sn) alloys, heat treatment responses 4-17307
Ti-Mo alloys, dil., $\beta\rightleftharpoons\alpha$ transform. 4-33655
Ti-Mo alloys, omega phase formation *(French)* 4-41544
Ti-Mo alloys, superconductivity and b.c.c. phase stability 4-20721
Ti-Mo-Al, microstruct. of aged specimens 4-7045
Ti-Nb alloys, omega phase formation *(French)* 4-41544
Ti-Nb alloys, superconductivity and b.c.c. phase stability 4-20721
Ti-Nb(30 wt.%)-Zr(30% wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4-25301
Ti-Ni metastable alloys, elec., elastic and thermal props. var. 4-13614
Ti-V alloys, superconductivity and b.c.c. phase stability 4-20721
TiNi, mech. memory effect, orthopaedic bone plate applics. 4-30218
$TlMnCl_3$, cryst., paramag., crystallographic and mag. phase transitions 4-10265
TlN_3, thermal expansion and low temp. phase transition obs. by X-ray diffr. 4-9992
$TmAsO_4$, molecular-field theory 4-24951
TmCd, cooperative Jahn-Teller effect obs. 4-32649
α-U, high press. obs. of 37 K transition by a.c. calorimetric technique 4-13039
U-Cr binary system, computer calc. of transform. curves, α-β and β-γ *(Czech)* 4-7012
U-Nb-Zr alloy, isothermal transform. kinetics, resist. obs., 130-590°C 4-13594
U-Nb(7.5 wt.%)-Zr(2.5 wt.%) alloy, transition phase form., equil. α phase props. *(French)* 4-1462
U_3O_8, α-, β- and δ-phase obs. 4-12451
U_4O_9, at about 70°C, superstruct. obs. at 120°C 4-32704
U_3Si, transform. twins and elastic props. at low temp., nuclear reactor material appl. 4-16505
V, allotropic transformation absence at high temps. 4-4070
V-Co-Ni alloys, $\alpha'\rightarrow\kappa$ transition 4-41540
V-N, solid solubility limit determ., 500-1500°C 4-33653
VO_2, nonstoichiometry effect, elec. cond. changes, monoclinic-tetragonal 4-16804
$VO_2:{}^{119}Sn^{4+}$, Mossbauer effects obs. of phase transition *(French)* 4-37535
VO_2:Cr(Nb), metal-insulator transitions, structural aspects 4-20551
V_2O_3, high temp. anomaly, X-ray diffr., 300-700K 4-32705

solid-state phase transformations continued
- V_3Si, cubic A15 structure, possibility of press. inducted instability 4−17208
- V_3Si, enhanced lattice stability under hydrostatic pressure 4−37810
- V_3Si, superconducting, effect of electronic lifetime on lattice instability 4−13248
- V_3Si-type compounds, mag. field effect on tetragonal phase, theory 4−32706
- β- W film, resist. behaviour and phase transforms., 1.4-900 K 4−37329
- WC-Co, cemented carbide, binder phase chem. comp. rel. to phys. props. *(German)* 4−37998
- $ZnFe_xSm_{2-x}O_4$, phase studies, rel. to struct. correlation of gahnite 4−6492
- ZnS, cubic-hexagonal, Mn diffusion effect, e.p.r. 4−13041
- Zr, repeated $A \rightleftharpoons \beta$ transforms. effect on microstruct. *(Russian)* 4−13629
- Zr-Cr system, Laue phase studies *(Russian)* 4−7028
- Zr-H alloys, γ and δ hydride relationships 4−25297
- Zr-H alloys, γ-phase form. mechanism 4−29034
- Zr-H system, 160-190 K, sp. ht. meas. 4−37814
- ZrO_2, tetragonal-monoclinic transition, temp. depend. on stabiliser additive *(German)* 4−33850
- ZrO_2 single crystals, monoclinic, phase transform. 4−13844
- ZrO_2-Zr, dense hot-pressed, tetragonal-monoclinic transform. role in fracture behaviour 4−7278
- ZrV_2, transition temp. determ., anomalous behaviour of sp. ht. 4−28207

solid-state plasma
- *see also helicons; plasmons*
- acoustoplasma coupled wave amplification theory 4−24777
- classical one-component plasma, simple model, thermodynamic functions and radial distrib. 4−20512
- crystalline properties, e.m. wave dispersion, reson., electron energy spectrum 4−13205
- degenerate electron-hole, self-focusing of e.m. waves, nonlinearity 4−20641
- electron gas, high density, confined to thin film, electron correlation and plasma oscills. 4−1193
- electron-hole droplets, surface and curvature energies 4−10199
- electron-hole plasma, electron displacement, linear differential equation *(German)* 4−32996
- electron-hole system oscillations, collective modes in mag. field 4−41044
- electrons, unbounded wave propagation characteristics 4−10172
- e.m. wave propagation, waveguide struct., azimuthal current generation 4−37264
- e.m. wave self-focusing, mechanisms, nonlinear eqns. soln. 4−35900
- homogeneous, generalised Wiedemann-Franz law 4−20069
- ionic semiconductor, supercond. transition point, effect of optical phonon and acoustic plasma branches 4−24893
- Josephson junction, plasma oscillations, parametric excitation, theory 4−6692
- Josephson junctions, parametric oscill. excitation theory 4−28574
- layered structures, electron gas, plasma freq. calc. 4−24676
- microplasma, use as photon counter, photocarrier generation 4−16785
- microplasma effects in p-n junctions 4−20675
- mi.is. structure, recomb. waves, threshold conditions 4−24839
- noble metal granular films, plasma reson. 4−6937
- plasmon spontaneous combinational scattering, semi phenomenological description *(Russian)* 4−37266
- rough dielectric surface, photon diffuse scatt. and surface-plasmon generation 4−37193
- semiconductor, hot carrier diffusion induced e.m. wave instabilities 4−3756
- semiconductor, instability due to spatial charge exchange waves 4−24775
- semiconductor, microwave apparatus for frequency spectrum of magnetoplasma instabilities 4−35348
- semiconductor, piezoelec., sound propag., effect of h.f. field close to plasma freq. 4−28465
- semiconductor, rel. to resonant absorpt. method of laser modulation 4−317
- semiconductor, superheat instability theory 4−37253
- semiconductor, surface screw instability, nonlinear anal. *(Russian)* 4−37261
- surface screw instability, nonlinear anal. *(Russian)* 4−41095
- Al film, electron energy loss spectrum during oxidation 4−12965
- Al thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
- Bi, Fermi level shift in strong mag. field, magnetoplasma wave meas. 4−10097
- Bi, radioelectric effect in mag. field, magnetoplasma wave theory *(Russian)* 4−20626
- Bi, reflection edges, freq. depend. 4−37263
- Bi-Sb, Alfven waves and cyclotron resonance obs. at 356 GHz 4−28349
- Bi-Sb alloys, reflection edges, freq. depend. 4−37263
- $Bi_{0.92}Sb_{0.08}$, monocryst., magnetoplasma wave dispersion under hydrostatic pressure *(Russian)* 4−6652
- $Bi_{1-x}Sb_x$, magnetoplasma wave propagation, carrier drift influence 4−32995
- $Bi_{92}Sb_8$, semicond., pure and doped, magnetoplasma wave dispersion 4−37154
- CdS, cold photoemission current generation kinetics, microplasma breakthrough *(Russian)* 4−21155
- Co, valence electron plasma oscills., polymorphic transition 4−37202
- p-Ge, cold photoemission current generation kinetics, microplasma breakthrough *(Russian)* 4−21155
- Ge, critical temp. of electron-hole droplets 4−13157
- Ge, time-resolved anal. of i.r. plasma absorption due to electron hole drop 4−41381
- InSb, doped n-type, uniaxial stress effects on plasma minimum position, band consts., deformation pot. 4−41024
- n-InSb, electron-hole plasma, microwave generation due to instability, fields up to 100 kOe 4−20644
- InSb, grating, surface plasmon dispersion, e.m. wave refl. 4−20662

solid-state plasma continued
- n-InSb, plasma in mag. field, non-linear effects of microwave propagation *(Russian)* 4−6651
- K thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
- Li thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
- Mg thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
- Na thin film, oscillations excited by 50 keV electrons *(German)* 4−6599
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, hydrostatic press. effect on plasma reflection edge 4−10447
- Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, optical excitation of plasma oscillations 4−24773
- Sb_{1-x}, $x \leqslant 0.125$, magnetoplasma phenomena, intraband magnetoreflection expts. 4−24685
- Si, critical temp. of electron-hole droplets 4−13157
- Si:Zn, recomb. waves, threshold freq., effect of optical injection 4−24780
- Si:Zn(P), slow recomb. waves, effect of local electron probe 4−24776
- ZrB_2, film, plasma freq. from optical refl. meas. 4−21114

solid-state radiation detectors *see crystal counters*

solid-state rectifiers
- *see also copper-oxide rectifiers; thyristors*
- i.r. rectifier-frequency mixer diode, appls. 4−8416
- planar diffused structure, with field limiting rings, field calc. 4−28488

solid structure
- *see also crystal structure; long-range order; noncrystalline state structure; short-range order*
- H_2O, supercooled, clustering obs. 4−24561

solid theory
- element, Thomas-Fermi-Dirac-Weizsacker statistical anal. of compressed atom model 4−12895

solid-vapour transformations
- *see also sublimation*
- critical phenomena at gas-solid interface, scaling laws 4−13032
- noncrystalline solid form., cooling curve, sputtering 4−6967
- quartz monzonite magma, synthetic modelling of hydrous vapour phase generation 4−21775
- solid, wave mechanical description *(Hungarian)* 4−2533
- steam, desublimation under medium vacuum, heat and mass transfer 4−32695
- La_2O_3, 1900°C, non-congruent vaporisation, mass spectrometry study 4−3567
- Ta, evaporation from open surface, in vacuo, Langmuir and Knudsen method 4−32696
- $TiN_{0.98}$, $TiN_{0.87}$, powder, evaporation in homogeneity region 4−7287
- Y_2O_3, 2200°C, non-congruent vaporisation, mass spectrometry study 4−3567
- ZnSe, vapour phase transport, Ar or H_2 flow, thermodynamic equilib. *(French)* 4−25279

solidification
- alloy, binary, transient state anal., temp. distrib. and phase change rate 4−21234
- alloy, denucleation processes 4−25316
- alloy, eutectic, comp. depend. on supercooling 4−7003
- alloy, interdendritic eutectic composition 4−17204
- alloy, lamellar eutectic, stability of growth, theory 4−33669
- alloy, ternary, cellular and plane front solidification 4−13618
- casting, analysis of Kolmogorov's kinetic eqn., conditions for volumetric crystallization *(Russian)* 4−4055
- casting, continuous, u.s. action on ingot solidification process *(Russian)* 4−41675
- castings, successive solidification, anal. of kinetics *(Russian)* 4−21222
- crystal growth, oriented, regular, by eutectic solidification and eutectoid transformation *(German)* 4−25254
- directional, of ingot, three-dimens., model exam., numerical soln. 4−33659
- ellipsoidal filament unrestrained growth 4−17225
- ice, dendrite structures produced on unidirectional solidification of multicomponent aqueous solns. 4−3671
- infinite body with spherical cavity, soln. by embedding technique 4−11867
- ingot, continuous cylindrical numerical-analytic soln. for solidification *(Russian)* 4−29046
- ingot, horizontal continuous, computer-aided analysis of temp. distrib. in Cu wall *(Russian)* 4−4056
- ionic salt eutectics, directional solidification using edge-defined film-fed growth technique 4−41490
- metal, with zero superheat, unidirectional solidification, cooled moulds 4−33672
- metal-metal oxide ternary eutectics, directional solidification, eutectics growth 4−17217
- nuclear fission product solutions solidification reln. to waste disposal *(French)* 4−36373
- planar, with fixed wall temp. and variable thermal props. 4−40877
- rare earth cobalt intermetallics, struct. near RCo_5 comp. *(Russian)* 4−29054
- semitransparent spherical medium, pressurization by cond. and radiation 4−32677
- stability of moving surfaces in fluid systems with phase transformations, heat and mass transfer 4−6198
- steel, continuously poured hollow ingot, conditions of formation and heat regime of internal cooling *(Russian)* 4−4161
- steel, Mo-W tool type, solidification structure 4−17258
- steel, pearlite growth, directional control by specimen translation through steep temperature gradient 4−7005
- stress state during solidification with varying freezing press. and temp. 4−41552
- supercooled liquid→solid, vapour pressure eqn. 4−2212
- ternary system, unidirectional solidification of liq. into two solid phases 4−41536
- volume, anal. by linearisation of Kolmogorov's kinetic eqn. 4−41489
- warm liquid flowing over cold wall, time depend. 4−27824

solidification continued
Al, continuously cast, development of subsurface segregation zones 4–1517
Al, grain refinement by Ti and B additions 4–17340
Al, with zero superheat, unidirectional solidification, cooled moulds 4–33672
Al alloys, filtration processes 4–17273
Al-Al_2Cu oriented lamellar eutectic, creep in compression, defect mechanisms *(French)* 4–41726
Al-Al_3Ni directionally solidified eutectic, as-grown and coarsened, crystallography and morphology 4–7020
Al-Al_3Ni eutectic:Fe, (Si), space orientation of phases *(Slovak)* 4–7013
Al-Al_3Ni eutectics, directional solidification 4–13619
Al-Al_3Ni system, halo formation during unidirectional solidification 4–4060
Al-Al_9Co_2 system, halo formation during unidirectional solidification 4–4060
Al-based dilute alloys, unidirectional solidification, solid/liq. interface stability 4–7001
Al-Cu alloys, liq. state thermotransport influence 4–16615
Al-$Cu_2Mg_2Al_2$ unidirectionally solidified quasi-binary eutectic composite, room and elevated temp. tensile props. 4–41774
Al-Cu-Ni alloys, cellular and plane front solidification 4–13618
Al-Cu-Ni alloys, dendritic solidification 4–17216
Al-$CuAl_2$ eutectic, fault line movement investig. 4–21266
Al-$CuAl_2$ eutectic, transient growth structs. 4–4061
Al-$CuAl_2$ eutectics, directional solidification 4–13619
Al-Cu(45 at.%) alloy, metastable Al_3Cu_2 phase parameters 4–41527
Al-Si, rapid solidification struct. 4–13593
Al-Si-Fe alloy, morphology of eutectic, solid solns., and intermetallic phases *(German, English)* 4–21231
Al_2O_3, drops, O_2, Ar atm. effects, luminosity, struct., colour 4–33856
Co superalloys, aligned multicomponent, coupled growth and stability 4–13622
Co-base alloy, carbide fibre-strengthened, directional solidification 4–10602
Co-Cr-C(TaC) system, fibre-strengthened, directional solidification 4–10602
Cu, substructure control by solidification control, single cryst. growth 4–37846
Cu/E phase, pseudobinary eutectic, unidirectional solidification *(German)* 4–17198
Cu-Cu_5Hf alloys, constitution and props. after directional solidification 4–4069
Cu-Ga alloys, rel. to charact. for soldering pastes 4–25286
Fe, cast, malleable, graphitization and solidification, stress effects *(Korean)* 4–21322
Fe, density meas. by penetrating radiation 4–26739
Fe-C alloys, solidification rate during slab casting *(German)* 4–1475
Fe-C-Si alloy, isothermal solidification, non-eutectic reactions *(Japanese)* 4–4063
Fe-Co-Cr-C system, prep. and props. of monodisperse in situ composites from quaternary melts 4–41848
Fe-Cu(Ni), ceramic, effect of heating rate on vol. change in sintering *(Russian)* 4–21385
InSb-MnSb eutectic alloy, struct. after unidirectional solidification *(Japanese)* 4–13636
InSb-Sb eutectic, directional solidification and orientation *(Russian)* 4–21226
$LiNbO_3$, surface dendrite growth 4–3670
Li_2O-B_2O_3 system, in situ growth of aligned composites from vitreous state 4–29209
MnSb-(Sb,Bi) eutectic, mutual orientations between phases, fibrous and cellular morphologies *(French)* 4–37786
Nb-Ga alloys, supercond., fast cooling rates influence *(Russian)* 4–10564
$NbSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4–13592
Ni, effects of reduced gravity 4–4074
Ni alloy, segregation of alloying elements *(Czech)* 4–13640
Ni superalloy, Mar-M200, phase equil. and transform. kinetics 4–17215
Ni superalloys, aligned multicomponent, coupled growth and stability 4–13622
Ni superalloys, cast hafnium-modified, partitioning of refractory metal elements 4–17245
Ni-Cr alloy, eutectic, struct. and comp. of phases during solidification 4–13609
Ni-Ni_3Ta directionally precip. hardened composites, thermal stability 4–17425
Ni-Ni_3Ta eutectic, unidirectionally solidfied, tensile props. 4–29178
Ni-Sn, effects of reduced gravity 4–4074
Ni_3Al, by twin growth mechanism 4–17226
Ni(Cr)-TaC fibrous eutectic, crystallographic reln. between Ni(Cr) matrix and aligned TaC fibres 4–4072
Pb, with zero superheat, unidirectional solidification, cooled moulds 4–33672
Pb-Sb-Sn-As solders, ingot struct. w.r.t. two-phase growth 4–13664
Pb-Sn-Cd system controlled coupled growth 4–13621
Sn-Bi alloys, electrotransport effect 4–37802
Sn-Pb, off-eutectic composite alloys, effect of elec. field 4–17200
$TaSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4–13592
Ti-Al-V-Sn alloy, transform. diagram in continuous solidification, acicular and pseudomassive martensites *(French)* 4–17191
$TiGe_2$-Ge eutectic system, unidirectionally solidified microstructs. 4–13592
UO_2-MgO-W system, directional solidification, eutectics growth 4–17217
Zn, with zero superheat, unidirectional solidification, cooled moulds 4–33672
Zn-Al(22 wt.%) alloy, anti-wear props., effect of pressure applied during solidification *(Korean)* 4–17304
Zn-Ti hypereutectic alloy, unidirectionally solidified, microstructure *(Japanese)* 4–25326

solidification continued
Zr-Al(0.7 wt.%) solid solution, microscopy study of Al_3Zr--precipitates 4–17254

solids
see also crystals; solid structure; solid theory
physics, student textbook 4–20183

solions *see transducers*

solitons
Backland transformation, restricted, soliton interactions 4–26760
Backlund transformation, inverse scatt. method correspondence 4–35608
Backlund transformation of the Korteweg-de Vries equation solutions 4–8625
beam-plasma system, beam energy modulation, wave form. 4–40642
formation and interaction, double plasma device obs. of vel. and recurrence 4–16303
ion-acoustic cylindrical solitons, Langmuir probe meas. 4–36743
Korteweg-de Vries equation, modified N-soliton soln. 4–35622
Langmuir spectra, three dimens. 4–9743
nonlinear optics eqn. derived by general inverse method, N-soliton soln. 4–5536
nonlinear phenomena in physics *(Japanese)* 4–35892
plasma, spherical solns. for modified Korteweg-de Vries eqn. 4–12769
plasma collisionless electron wave shocks, solitary wave trains 4–12787
plasma wave interactions, solitary pulse propag. in three-wave interaction 4–40638
sine-Gordon equation, two-dimens., three-soliton soln., Josephson junction transmission lines 4–23093
transparency, self-induced, general theory, soliton solutions 4–19139

sols
see also colloids; sedimentation
radionuclides in colloidal or sol form self-diffusing in solution, γ-irradiation effect 4–29355
segregation of colloidal solution systems, effect of cooling vel. 4–13954
thixotropic fluid, kinetics of structural changes 4–1689

solubility
see also phase equilibrium; solutions
acetonitrile-water system, phase separation phenomena, selective solvation on addition of electrolytes 4–38148
achiral molecules dissolved in cholesteric mesophase, mol. fluoresc. polarization rel. to solvent struct. *(German)* 4–33473
alkali metals, liquid, non-metal solvation energies, screened potential, quasi-lattice models 4–4313
alkali metals, liquid, solubility of non-metals, screened potential, quasi-lattice models 4–4313
alkyl sulphates, transfers between solvents, ion pair extraction consts. determ., partition coeffs. 4–38170
associated liquids, dynamic struct., ion solvation investig. 4–38168
brass, diffusion couples, transient growth of second phases during soln. treatment 4–7062
diamond-metal system, densification during liquid phase sintering *(Russian)* 4–21386
dye molecules, solvation in aqueous soln. *(Russian)* 4–9987
hard-sphere solute in aqueous soln., thermodynamic props. rel. to hydrophobic hydration 4–29368
ionic solvation, review, kinetics, thermodynamics *(German)* 4–34086
ions in H_2O, ΔS_s and ΔS_{tr} determ. 4–29362
liquid crystals, thermotropic, polymorphism, classification 4–9830
liquid mixtures, perturbation methods fr calculating props., review 4–4302
metal, alloying behaviour of hydrogen 4–17279
monosodium urate, solubility and nucleation, rel. to gouty arthritis 4–4869
multicomponent polymer liquids, solubility *(German)* 4–4308
nonelectrolytes, estimation of solubility parameters 4–40897
organic molecules in aqueous solution, struct. determ. by i.r., high temp., salt effect investig. *(German)* 4–33392
polyethylene, n-hexane and isooctane solutions, thermodynamic props. 4–15032
polymer-solvent system, solubility parameters and molar volume estimation 4–9991
polystyrene-polyphenylene oxide glassy blend, solubility of Ne, Kr, Ar gases 4–24578
pyrene, in aq. detergent soln., fluoresc., ionic strength effects, excimer form. investig. *(German)* 4–33921
soda-lime-silica melts, SO_3 solubility 4–9855
solubility in water, effect of hydrogen bonding 4–14006
solvation, particle, two step process, hole form., adhesion, binding forces est. *(German)* 4–38169
student demonstration of the solubility of immiscible fluids 4–26365
water, gases, effect of hydrogen bonding 4–14006
water in silicate melts, prediction by thermodynamic basis rel. to mantle 4–21776
Al, of Ag, phase diagram obs. 4–29042
Al film, of Ge, MeV He^+ backscatt. obs. 4–7000
Al-Ag alloys, metastable miscibility gap and crystallog. struct. of G.P. zones *(French)* 4–17238
Al-Si, rapid solidification struct. 4–13593
Al-Ti-B ternary melts, mutual solubilities of Ti and B 4–7060
Al-Zn-Mg, Mg supersaturations within precipitate free zones, electron microscope obs. 4–17251
Al-Zn(4wt.%)-Mg(3wt.%), Ag influence on Mg diffusion, Mg conc. profiles at grain boundaries 4–21277
Au:He gas, detection and precipitation of He after quenching in high hydrostatic pressure *(French)* 4–4099
B_2O_3, vitreous, of He, struct. relax. effect 4–28236
CO_2, of Kr and Xe rel. to HTGR fuel processing 4–31580
CdS:P meas. of vapour pressure dependence of diffusion coeff. and solubility 4–1141
$CeCo_5$, of La, homogeneity range 4–25292
Co-B solid soln., boron solubility obs. *(French)* 4–1534

solubility continued
Co-Ni alloys, rel. to comp. depend. of secondary ion emission intensity *(Russian)* 4−6940
$CoAl_2O_4$-$GeCo_2O_4$, solid solubility, cation distribution and formation process, X-ray powder diffraction exam. 4−24563
Cr-Pt system, constitution diagram 4−41535
Cu-Al(Ni) alloys, rel. to comp. depend. of secondary ion emission intensity *(Russian)* 4−6940
Cu-Ti dil. solid solns., internal oxidation kinetics and structures 4−17259
Fe, Armco, of hydrogen, conc. depend. 4−1494
Fe, hydrogen brittleness and trapping 4−21354
Fe, molten, of nitrogen, interaction energy between solute atoms and nitrogen 4−29028
γ-Fe, of silver, 1366-1561K 4−37803
Fe-Co(Cr)(Zr) alloys, rel. to comp. depend. of secondary ion emission intensity *(Russian)* 4−6940
Fe-Ni alloys, solid and liq., interstitial solute solubility, ferromag. contribs. to free energy 4−33676
α-Fe_2O_3-α-Al_2O_3, X-ray determ. and mag. meas. 4−24565
GaAs, in liquid Pb, epitaxial growth 4−25271
GaAs-ZnTe system, phase equilibria 4−32667
GaP and GaAs in Sn and Bi *(German)* 4−13024
GaSb, of Zn, obs. between 540 and 640°C, heat of solution 4−32751
H in liquid Na, H-activity meter application 4−36355
Hg-Tl system, eutectic behaviour at h.p. 4−1455
In, of Co, dislocation density depend. *(German)* 4−40920
InP-InSb quasi-binary phase diagram *(Japanese)* 4−40871
K, of Li, miscibility limits, 63-500°C, chemical anal. 4−29032
K halides, of rare gases, meas. between 60 and 240°C 4−20442
KCl, SO_4^{2-} diffusion and solubility, temp. depend., new meas. method 4−1144
Li, of K, miscibility limits, 63-500°C, chemical anal. 4−29032
Li-alkali elements, alloys, determ. of immiscibility from heat of soln. calc. 4−1470
Mo, liq., of N_2 4−41598
Mo-O system, solid solubility of oxygen 4−33675
Mo-Zr-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
$(NH_4)_2HPO_4$-urea-KCl-H_2O, visual polythermic method 4−6500
Na, liquid, precipitation of Ba_2N, Ba_3N_2, ternary phase diagram 4−4311
Na-alkali elements, alloys, determ. of immiscibility from heat of soln. calc. 4−1470
NaBr, in Na/stainless steel system 4−3043
NaCl, SO_4^{2-} diffusion and solubility, temp. depend., new meas. method 4−1144
NaCl:$BaCl_2$ crystal, solubility curves, light scattering *(German)* 4−16598
NaI, in Na/stainless steel system 4−3043
Nb, adsorpt. and soln. of H_2 and N_2 4−40981
Nb, of C, high temp. solid limit, elec. resist. meas. 4−29058
Nb-H solid solns., b.c.c., thermodynamic props. 4−1121
Nb-O solid solns., terminal solubility and thermodynamic props. determ. using solid electrolytic cells 4−33679
Nb-O-N solid solns., terminal solubility and thermodynamics determ. using solid electrolytic cells 4−33680
Ni-Co alloys, solid and liq., interstitial solute solubility, ferromag. contribs. to free energy 4−33676
Ni-O system, terminal solubility determ. using solid electrolytic cells 4−33678
Pb,La(Zr,Ti)O_3 ceramic, of La, rel. to dielec. applic. 4−38009
PbTe based II-IV-VI cpds., phase equil. relationships 4−13021
Pd/H system, pressure against composition isotherms for α-phase 4−33714
Pd-Ti system, solid solubility, electron probe analysis, intermetallic phase form. *(German)* 4−1145
Pt-Hg system, intermetallic phase studies *(German)* 4−1478
Re-Hg system, intermetallic phase studies *(German)* 4−1478
Se-Tl liquid, miscibility phase transition elec. resist. meas. 4−28213
SiC, cubic, solid solubility of BN 4−10658
Ta, adsorpt. and soln. of H_2 and N_2 4−40981
Ta, of C, high temp. solid limit, elec. resist. meas. 4−29058
Ta-H solid solns., b.c.c., thermodynamic props. 4−1121
Ta-N system, metal-rich side phase equil. 4−37806
Ta-N system, nitride phase obs. 4−25309
Ta-O solid solns., terminal solubility and thermodynamic props. determ. using solid electrolytic cells 4−33679
Ta-O-N solid solns., terminal solubility and thermodynamics determ. using solid electrolytic cells 4−33680
$TaS_{1-x}Se_x$ system, single crystal, and powder samples, prepared by hot pressing 4−28188
Th, liq., of W and Ta, 1600-2900 K 4−32707
Ti-Al-H and Ti-Al-V-H systems, press. depend. solubility of hydrogen, 800-1000°C *(German)* 4−37817
Ti-Al-H and Ti-Al-V-H systems, hydrogen solubility, 800-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
Ti-V-H and Ti-Al-V-H systems, press. depend. solubility of hydrogen, 800-1000°C *(German)* 4−37817
Ti-V-H and Ti-Al-V-H systems, hydrogen solubility, 80-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
TlI-CsI system, lattice const. and solid solubility, X-ray obs. 4−28190
TlI-RbI system, lattice const. and solid solubility, X-ray obs. 4−28190
TlI-TlCl system, lattice const. and solid solubility, X-ray obs. 4−28190
U, liq., of W and Ta, 1600-2900 K 4−32707
U-Hf(Mo)(Nb)(Zr) system solid solns., computer calc. of phase equil. curves 4−25298
V-H solid solns., b.c.c., thermodynamic props. 4−1121
V-H solid solns., solubility and trapping of vanadium 4−1505
V-H system, isotope effect on solvus 4−37795
V-Mo-Zr ternary system, phase equil. relationships *(Russian)* 4−21227
V-Ti-N system phase studies *(Russian)* 4−7025
V-Zr-N system phase studies *(Russian)* 4−7025
Yb-Ni system, immiscibility gap, phase anal. 4−7010
Zr-Nb system solid solns., computer calc. of phase equil. curves 4−25298

solution energy *see heat of solution*

solutions
see also Debye-Huckel theory; heat of solution; liquids
alkali halide, aq. solns., nuclear mag. relax., viscosity determ. 4−41290
alkyl sulphates, transfers between solvents, ion pair extraction consts. determ., partition coeffs. 4−38170
aqueous electrolyte solns., relation between fusion diagrams and structure of solns. 4−6478
binary alloys, solid and liquid, critical points, higher order transitions, review, discussion of results 4−37816
binary liquid alloys, ratio of mean sq. density fluctuations of components calc. *(French)* 4−40734
binary systems, solid/liquid interfacial free energies 4−1161
carboxylic circuits in soln., reorientational relax., depolarised Rayleigh scatt., bonding effects 4−25088
chloroform in soln., reorientational relax. from depolarised Rayleigh state and n.m.r. 4−28812
complexes, mixed, of one metal with two ligands, continuous variation method 4−1005
conformal mixtures, thermodynamic props. calc. from hard-sphere equation of state 4−21609
1,2-dimethoxyethane, intramol. interactions, n.m.r. 4−24026
1,2-dimethoxyethane, intramol. interactions 4−24025
p-dimethylaminobenzonitrile, giant dipole mol. effect on solvent reorganization 4−25152
DNA in aq. 1-1-electrolyte solution, scatt. obs. 4−36776
equation of state for multicomponent gas and liquid solutions 4−1106
ethylene glycol and methyl ether derivs., intramolecular interactions, theory 4−24025
ethylene glycol and methyl ether derivs., intramolecular interactions, n.m.r. 4−24026
fast electric field effects, high power square wave pulse generator applic. 4−30520
fissile material, combinations with fissile metal, criticality study 4−23846
fissile materials, fission track registration in immersed detectors 4−26624
glass formation, optimum conds., during rapid cooling of solns., Mossbauer investig. 4−41311
Group Solution Model and principle of congruence for viscosities 4−1745
hexomethylenetetramine in water, solute molecule interactions, scatt. obs. 4−36776
ion-solvent interaction, relation between ionic B coeff. and ionic vols., aq. electrolytic soln. 4−38176
ionic, nonideal solvents, no-charge dipole model, ion-solvent interaction model 4−21607
2-methoxyethanol, intramol. interactions, n.m.r. 4−24026
2-methoxyethanol, intramol. interactions, theory 4−24025
molecular spectroscopy, i.r., Raman, mol. dynamics, intermol. forces, band shapes, review 4−37594
molten salt reciprocal systems, thermodynamic props. calc. from phase diagram 4−29364
molten salt system, AB-A'B, statistical model, appl. to anal. of enthalpy of mixing *(French)* 4−41991
nitrobenzene in soln., reorientational relax. from depolarized Rayleigh state and n.m.r. 4−28812
nitroethane-isooctane mixture, depolarised light scatt. near crit. point 4−33436
n-octylamine in aq. soln., mesomorphic, struct. relax., u.s. absorpt. obs. 4−16555
organic, width of depolarized combination scatt. lines, during change with conc. of fluidity *(Russian)* 4−37596
poly-L-ornithine, effect of organic solvents on structure *(Italian)* 4−6135
overpot. at interface between aq. soln. and soln. immiscible with water *(French)* 4−34052
partial molal volumes, of solutes in H_2O and D_2O meas. rel. to struct. of H_2O 4−38175
1-phenyl-3,5-dimethyl-pyrazole, in nonaromatic solvents, n.m.r., solvent and steric effects 4−33276
2-phenylindole in n-heptane (hexane)-n-butanol, average interaction energy of solute with solvent mols. *(German)* 4−40731
polar solutes in nonpolar solvents, weak intermolecular interactions in vib. spectra 4−10409
polyelectrolyte, one-dimensional model of conductance 4−21564
polymer, concentrated, zero shear viscosity, corresponding states principles 4−41879
polymer, dil., laminar boundary layer flow, stability 4−40513
polymer, elastic recoil as function of conc. 4−41870
polymer solution, small-angle neutron scatt. in intermediate momentum range 4−36784
polymer-solvent system, solubility parameters and molar volume estimation 4−9991
polymethacrylic acid, molecular rotation determ. by polarised luminescence *(Russian)* 4−36596
polyoxyethylene in aq. soln., 250 ppm., u.s effects on viscosity 4−37033
polystyrene, low mol. wt., u.s. relax. *(French)* 4−40846
polystyrene, non-diffusional nature of local conform. changes, u.s. meas. 4−27778
polystyrene in dilute soln., mol. wt. depend. of segmental rotational correl. times determ. by spin labelling 4−27782
polystyrene solution in toluene, sedimentation constant conc. depend. *(Russian)* 4−27784
polystyrene-polybutadiene-polystyrene block copolymer in MEK, dil. soln., small-angle scatt. 4−36774
polyvinylstearate, hydrodynamic and optical props. *(Russian)* 4−36598
pressure, teaching approach 4−2213
radioactive, with standardised disintegration rates 4−5149
relaxation processes, meas. using pressure wave techniques *(German)* 4−38173
solute-solvent interaction in liquids 4−40730
solvatochromic phenomena, role of pairwise van der Waals interaction of molecules 4−10475
solvent environment and mutual interactions of solute molecules, scatt. obs. 4−36776

solutions continued
solvent reorganisation around giant dipole molecule 4−25152
Soret coefficient meas. by holographic interferometry *(French)* 4−32732
statistical thermodynamics, excess props. *(French)* 4−14007
surface tension of binary solns., equation for isotherm 4−24627
thermal conductivity, generalised conduction theory 4−19015
transient light scatt., larger or anisotropic particles 4−25441
tricritical points in three- and four-component fluid mixtures 4−21608
water activity of supersaturated aq. solns., calc. from ternary data 4−4303
water in dimethyl sulphoxide, Raman spectra and structure of water 4−6322
Wilson coefficients, regression method 4−1746
xanthene dyes, absorpt. spectra, conc. depend., aggregation 4−21011
$[Cr(H_2O)_6]Cl_3$ aqueous soln., radial distrib. function, X-ray diffr. obs. 4−25515
CU(II)-glycylhistidylglycine in water, polydispersed system, small-angle X-ray scatt. 4−36775
CsF, aq. soln., X-ray diffr. investig. of struct. *(German)* 4−40732
HCl, carbon tetrachloride soln., solute-solvent interactions, long-range forces, vibr. solvent shifts 4−40730
H_2O-choline chloride-KCl systems, isothermal diffusion meas., density data, refractive index derivatives determ. 4−29366
H_2O-dioxane mixture, molecular reorientation, press. and conc. depend. 4−25007
$HgCl_2$ in benzene, molecular structure 4−24023
K-KCl molten solutions, molar volumes by γ-ray absorption 4−6320
K-KI molten solutions, molar volumes by γ-ray absorption 4−6320
$K_3Mo(CN)_8$ and $K_3W(CN)_8$ in solns., mag. field depend. of electron spin relaxation 4−28681
NH_3, Raman study of solvent structure and interactions 4−20985
$(NH_4)_2SO_4$-water-ethanol-benzene, tricritical point of four-component system 4−21608
NaCl, saturated, application of free surface profile study in heterogeneous liquid films *(French)* 4−32797
NaCl solutions and seawater, dielectric properties at 2.65 GHz 4−1809
$NaCl$-KCl-$PbCl_2$ melts, component activities at 600°C, Darken's method *(Russian)* 4−34092
RbF, in water-methanol soln., n.m.r. investig. of relaxation times, selective solvation 4−41293
Ta in liq. Th and U, solubility and derived thermodynamic props. 4−32707
W in liq. Th and U, solubility and derived thermodynamic props. 4−32707
Zn-Sn alloys, dil., liq., effects of Cu and Au on activity coeff. of Zn 4−41575

solvated electrons
aromatic hydrocarbon radical ions recombination in non polar solvents, electron-tunnelling model 4−1747
configuration coordinate model, Jahn-Teller splitting excited state 4−29365
dissolution of crystals containing F-centres 4−21610
hexamethylphosphortriamide, irrad., props. and spectrum of solvated electrons, effect of temp. and electrolyte ions 4−34067
inice, quantum electronic polaron model 4−1744
photodiffusion currents, determ. in solns. where solvated electron scavenger at electrode 4−34059
polar solvents, molecular orbital treatment, dimer, monomer models 4−7473
reactions with uracil and cytosine, SCF-MO calc. of ketyl radical intermediates spectra 4−27604
tetrahydrofuran, pulse radiolysis, prod. of solvated electrons, ion-pairs and alkali metal anions 4−29341
H_3O^+, slow Faradaic processes following homogeneous electron capture 4−17520
N_2O, slow Faradaic processes following homogeneous electron capture 4−17520

sonar
see also navigation; underwater sound
adaptive array, near optimum noise rejection, minimisation of hardware 4−14763
adaptive signal detection, optimality, absolute and constrained 4−11396
adaptive signal processing, Bayesian likelihood ratio 4−14765
adaptive signal processing to enhance performance 4−14764
adaptive systems of array signal processing, laboratory experimental results 4−14760
arrays, calibration system for large aperture arrays 4−18263
aural mode of passive sonar, detection method and effects of various S/N ratios 4−18134
automobile safety system applic. *(French)* 4−5543
Doppler navigation systems *(French)* 4−30409
Doppler navigation systems *(French)* 4−34560
engineering in ocean environment, conference, Seattle (1973) 4−11064
fish shoal strength, plotting of polar diagrams 4−26306
high definition short range, cadaver detection 4−8405
humpback whales, target strengths 4−30288
hydrophone arrays, wide frequency band constant beamwidth design techniques 4−14761
long range side scan, seabed investigation 4−11063
mapping of the underside of pack ice 4−29769
multiple beam system for axis of linear submarine feature determ. 4−14231
ocean surveying, display technique for sonar data 4−11062
parameter estimation of target, theory for signal processing 4−14762
passive, random acoustic arrays, properties and examples 4−17879
passive detection solutions for boundary reflections in a constant-gradient medium 4−30289
passive techniques, signal processing 4−8331
porpoise, phocoena ph. L., h.f. component of click rel. to echolocation 4−30292
real time signal processing, reverberation, removal of time varying character 4−11397
receiving arrays, adaptive beamforming optimisation 4−14736

sonar continued
research employing interactive time series analysis system with mini-computer 4−8274
sea floor mapping and underwater imagery by sonar 4−7852
shallow water problems, signal processing 4−11379
signal and filter optimisation, jointly and severally 4−14733
signal processing, normalisation techniques and optimal processors, comparison 4−11399
signal processing, statistical analysis of time and space variant communication channels 4−11395
signal processing by acoustic microwave devices 4−11400
signal processing idealised, reverberation, removal of time varying character 4−11398
simple means of comparison of ideal performance of different types of transmission 4−14757
spherical surface, field analysis *(Russian)* 4−8261
synthetic aperture, 2 MHz, for medical use 4−18204
target detectability against reverberation, effect of increasing resolution 4−11382
through ice cover, feasibility study 4−14731
tracking of ground vehicles using engine noise, correlation method 4−8330
transducers, acoustic radiation loading model using finite element analysis 4−30279
underwater acoustic propagation loss models 4−11385
underwater reverberation, point scatt. model and statistical props. 4−35108
underwater u.s., for oil industry 4−26305
wave front perturbation, measurement, correlation with microstructure 4−8268

sonic boom *see shock waves*
sonic propagation *see acoustic wave propagation*
sonoluminescence
gaseous cavitation, elec. hypothesis 4−33472
Soret effect *see thermal diffusion in liquids*
sorption
see also chemisorption; desorption; surface diffusion
admixture convective-diffusive transfer inside cylinder in presence of free gas exchange between flow and wall 4−3261
alkali halides, effect on photoemission from F-centres *(Russian)* 4−33559
collagen film, effect of water on mechanical props. 4−10689
collagen film, water sorption effect on gas permeation 4−24579
crystalline double layer, unequal density distrib., gas kinetic investigation 4−10035
diffusion-controlled competitive sorption processes 4−3639
diffusion-immobilization model, heterogeneous systems 4−3638
gas absorption with complex reaction, enhancement factors variation 4−7419
gases with nonlinear equilibria, fixed bed sorption behaviour 4−4298
glass fibre reinforced plastics, fibre/matrix boundary problems 4−29208
granular column, mass transfer in presence of nonequil. sorption at phase interface 4−40610
Kelvin temperature scale, thermodynamic, 273.15-415K, effects of sorption in gas thermometer 4−26449
metal, chemical surface stress phenomenon 4−28277
non-Newtonian falling film, gas absorption, orthogonal collocation technique 4−40517
nuclear fuel reprocessing by fluoride volatility *(French)* 4−36372
nylon membrane, dye sorption, reverse osmosis, diffusion solubility model 4−24584
PMMA, plasticizing effect of high pressure sorption of CO_2 4−13927
poly(ethylene terephthalate) film, diffusion and sorption of gases 4−20436
poly n-butylmethacrylate, effect of methanol and ethanol penetrants on tensile stress relaxation 4−10691
polybutadiene film, cryst. and amorphous, sorption of small molecules 4−24580
polymer, glassy, sorption and diffusion, reversible immobilisation, anal. 4−33913
polymer film, cracking during sorption of solvent, role of diffusion *(Russian)* 4−10680
polymethylacrylate, effect of water penetrant on tensile stress relaxation 4−10691
polyvinyl acetate film, partially hydrolyzed, water vapour sorption 4−24628
resin, filled/reinforced, vapour sorption, thermodynamic analysis 4−38039
sensor for measuring small admixture in atmosphere, mass exchange aspects *(Russian)* 4−7831
BeO powders, obtained by calcination of sulphate, surface struct., comp. and sorption props. *(Japanese)* 4−25417
Ni-P film, of H_2, cryst. growth, absorpt. investig. rel. to elec. resist., struct. *(French)* 4−40976
Pd powder, tracer investig. method 4−6551
Ta, of H_2, N_2, Ar, changes in partial press. vs. temp. obs. 4−13091
Ta surface analysis by Auger spectroscopy on interaction with air, O_2, N_2 4−17156
sorting
computer controlled in laboratory expt. 4−39426
sorting programs *see sorting*
sound *see acoustic waves; acoustics*
sound amplification *see acoustic wave amplification*
sound broadcasting *see radio broadcasting*
sound field *see acoustic field*
sound generators *see acoustic generators*
sound intensity *see acoustic intensity*
sound measurement *see acoustic variables measurement*
sound propagation *see acoustic wave propagation*
sound ranging *see sonar*
sound reproduction
see also audio acoustics; audio recording; pick-ups
distance perception, and in-head localisation of sound images *(German)* 4−8135
music, program controlled noise filter 4−30302

sound reproduction continued
phase distortion and polarity, detection by ear, expt., results 4−30303
sound waves *see acoustic waves*
space charge
see also limited space charge accumulation; space-charge-limited conduction
charge exchange near electrode, ion collisions 4−16373
charged particle collisions, nonlinear interactions *(German)* 4−24266
chlorobiphenyls, conductivity and space charge, obs. *(French)* 4−10375
dielectric, double space charge developed by Costa Ribeiro effect, expt. obs. 4−28423
edge profile vicinity of p-n junction in thyristor 4−24817
electron beam evaporation of matter, space distrib. of charged particles in vacuum chamber *(Russian)* 4−4033
electron trajectories, simple expression, space charge effects in quadrupole lens 4−35917
electronegative gases, conduction mechanism of corona discharges in Trichel pulse regime 4−16366
glass, dielec. loss, capacitance model, thickness depend. 4−28755
ice, dispersion, effect of plastic deformation 4−17024
ion beam, space charge field calc. *(German)* 4−8883
ionospheric flight of positively biased body, Sayer's probe *(French)* 4−34462
long electron beams, velocity broadening 4−11975
mesosphere, space charge and field polarities, rocket obs. 4−4423
m.i.s., quantum dimensions effects *(German)* 4−24833
modulated ion beams, compensation by interaction with background electrons 4−16315
m.o.s. capacitor, rel. to effect of inhomogeneous distrib. of recomb. centres on inversion behaviour *(German)* 4−28501
p-n junction, high-resist. cryst., deep traps in space-charge region, thermally stimulated current 4−24823
plasma, effect on electron distrib. during e.m. heating 4−16319
plasma orifice probe, instrumental effects 4−24317
semiconductor, organic, double space charge developed by Costa Ribeiro effect, expt. obs. 4−28423
silver halides, surface and electrode charge theory 4−37562
stratosphere, space charge and field polarities, rocket obs. 4−4423
Ag halides surfaces, effects of divalent impurities and halogen pressure 4−1264
AgCl, surface space charge regions, vibrating capacitor meas. 4−24799
Al-Si_3N_4-Al, influence on electrical cond. *(Russian)* 4−1272
As_2S_3 film, electron bombardment conductivity, trapped space charge effect 4−20640
$AsSe_{1.5}Tl_x$ mixed electrophotographic layers, dark discharge kinetics investigation *(Russian)* 4−34079
Bi, plasma reflection edges determination 4−37263
Bi-Sb, plasma reflection edges determination, freq. depend. 4−37263
CdS film, electron bombardment conductivity, trapped space charge effect 4−20640
CeO_2:Ca, polarisation model, high temp. behaviour 4−25053
Cs, atom and molecule, space-charge-amplification technique in absorpt. spectroscopy 4−16013
Cu cathode-spot regime, successive approx. calc. at cathode parameters 4−12829
GaAs electrodes, hole injection and surface state effects 4−1266
LaF_3 thin film, transport props. 4−16834
PbO-SiO_2 glass, in MGOS struct., polarisation phenomena 4−20692
Se-CdSe heterojunction, rel. to capacitance, activation energy, and cut-off voltage *(Russian)* 4−37302
Si, anomalous photomagnetic effect, surface layer 4−33004
Si, doping profile at p-n junction investig. using electron beam microprobe *(German)* 4−20673
Si p-n junction, avalanche multiplication due to carrier generation in space-charge region 4−3775
SiO_2, anodisation of Si in r.f. plasma 4−6561
SiO_2, rel. to two-carrier moel for high field cond. 4−37249
ZnO, polarisation model, high temp. behaviour, Na, Li doping 4−25054
ZnS, film, surface charge induced, effect on light absorption *(French)* 4−41110
ZnS, wurtzite, cathode-ray-induced space and surface currents 4−1243
ZnS film, electron bombardment conductivity, trapped space charge effect 4−20640
ZnS:Cu(Co), radical recomb. luminesc., photoluminesc., i.r. effect *(Russian)* 4−6904
space-charge-limited conduction
see also limited space charge accumulation
anthracene crystal, limited hole currents, impurity induced exponential trap distrib. 4−32962
antracene, Kepler experiment, ideal s.c.l. transients 4−16766
arc welding (TIG), heat flow to workpiece determ. 4−3418
cylindrical cavity, gas pressure and composition effects on current transmission, obs. 4−40698
diode cavity, gas pressure effects on current transmission, model 4−40697
IC, substrate influence 4−10156
insulating film, graded, transition from ohmic to s.c.l. cond., calc. 4−37340
insulator, containing traps distributed in energy 4−16768
majority carrier density, possible decrease due to infection of minority carriers 4−20629
organic crystal, charge carrier trapping 4−6636
polymers, d.c. cond. investig. rel. to electron energy levels, chem. struct. *(German)* 4−32959
semiconductor, one-carrier injection and extraction IV characts. computational methods 4−6638
semiconductor, with gaussian distrib. of localised states, current-voltage characts. 4−16763
semiconductor film, amorphous temp. depend. of electrical conduction mechanism 4−41076
solid containing traps, time depend. 4−20618
trinitrofluorenone: poly(N-vinyl carbazole) charge transfer complex 4−37251
space-charge-limited conduction continued
CdS, thin film, photoconductivity meas., thickness direction 4−28513
CdS film, forward I-V charact. between 190 and 400K 4−28514
CdSe, electron trapping levels, s.c.l., current obs. 4−37250
GaAs, epitaxial film, magnetoresistance, field depend. mechanism 4−16781
GaAs-Sn, Schottky diode, deep levels, space charge capacitance 4−24829
Ge, compensated n-type, inhomogeneity effect on Hall effect 4−16782
p-Ge, i.r. spectra, field effect, hole mobility in space-charge region 4−24758
Ge:Ni, current instability related with recombination *(Russian)* 4−32966
N_2, liq., prebreakdown effects 4−25058
Si film amorphous, cond. change from Poole-Frenkel to s.c.l. mechanism on annealing 4−24749
Ta_2O_5 thin film, on Ta, forward cond. mechanism 4−13236
in-YIG, interpretation in terms of two-layer model 4−24751
space-charge limited devices
see also limited space charge accumulation
field emission diode analysis 4−17165
space communication links
see also satellite links; space vehicles; telemetering
1 Gb/s short-pulse laser communication, acquisition and tracking systems performances 4−31091
Communication with Extra Terrestrial Intelligences, application of pulses with compensating delays as call signals *(Russian)* 4−2148
current distributon on infinitely long cylindrical antenna in isotropic homogeneous cold plasma 4−12756
with extra-terrestrial intelligence, antennae and probes, CETI 4−38929
interference meas. at 15.7 GHz over long transhorizon path 4−7747
Mariner 10 mission, communication and control systems 4−38925
Mariner-10 Mercury probe 4−18080
multi-user optical space communication systems, comparison 4−31093
radioastronomical search for highly organised systems in the universe, traces of life, cybernetic methods *(Russian)* 4−2149
rain attenuation, radiometer experiments 4−34552
telemetry from deep space, Effelsberg radiotelescope dual mode horn feed 4−11267
Venus atmospheric turbulence effects on r.f. propagation 4−34697
space groups
see also crystal atomic structure
acetophenone, cryst., polarized i.r. absorpt. spectra, vibr., struct. anal., space group proposed *(French)* 4−41365
apatite compounds, higher symmetry structure 4−16465
Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6464
Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6465
Clebsch-Gordan coefficients, calc. method 4−3461
cobalt acetate, anhydrous, crystallographic investigation, lattice parameters and space groups *(Spanish)* 4−32549
harmonic generation analysis, no centre of symm. 4−16387
induced representations, symmetrized nth powers 4−3459
iron acetate, anhydrous, crystallographic investigation, lattice parameters and space groups *(Spanish)* 4−32549
irreducible multiplier representations of group of wave vector $G_0(k)$ rel. to lattice dynamics 4−6297
and lattice complexes 4−12893
manganese acetate, anhydrous, crystallographic investigation, lattice parameters and space groups *(Spanish)* 4−32549
$P2_1/c$, artificial structures, in reliability of Σ_2 relation 4−1023
point, irreducible representations employing little group technique 4−1022
polar crystal systems, variances and covariances of coords. 4−24408
pyridinium dipicrylaminate, struct. prep. and physico-chem. props. 4−40797
symmetrized nth powers of representations, e.g. ZnS 4−3460
symmetry, fast Fourier algorithm 4−24407
symmorphic, multiplier groups and factor systems, crystal energy level degeneracy 4−3462
two-dimensional, irreducible representations, and rel. to surface and thin film eigenstates 4−37064
$Mg_3(PO_4)_2$, farringtonite, X-ray data 4−1756
UI_3, mag. space group, derived theoretically from chem. struct. 4−20783
space research
see also artificial satellites; astronomy and astrophysics; space vehicles
ammonia biosystem, hypothetical 4−42530
asteroids, use of solar electric propulsion space vehicles 4−7958
astronaut's role reviewed 4−26381
astronaut exposure to heavy particles, Apollo 15 4−22625
astronaut exposure to high Z particles 4−22624
astronautical research (IAF congress, Vienna, 8-15 October 1972) 4−42523
Biostack, M211 expt. on Apollo 16 *(French)* 4−18674
comets, use of solar electric propulsion space vehicles 4−7958
Earth resources aircraft facility 4−34498
Earth-Moon-Earth trajectories 4−25912
economics of Skylab, Space-shuttle and Spacetug, launch and materials *(Dutch)* 4−38932
energetic particle detection, spaceborne 4−18666
extraterrestrial matter handling equipment 4−4840
far i.r. spectroscopy of cosmic background radiation 4−38864
Interkosmos programme, review of solar X-ray measurement system 4−22466
Jovian magnetosphere and processes obs. by Pioneer 10 with several optical instruments *(German)* 4−38684
Jupiter, Pioneer 10, instrumentation and preliminary obs. for Jupiter flyby 4−34691
Langmuir probe, cylindrical, moving, current collection characts., theory 4−36736
lunar exploration programme, first results *(French)* 4−38687

space research continued
lunar surface soil sampling by Luna 20, apparatus and operation 4−34970
Mariner 10, spacecraft and mission description 4−38924
Mariner 9 and exploration of Mars 4−42342
Mars ionosphere charact. obs. employing Mars-2 craft 4−17962
Mars probe, automation, flight control space *(German)* 4−34694
materials manufacture on board Apollo, alloy manufacturing, soldering, smelting *(German)* 4−29182
Mercury orbiter, Venus swingby, 1977-1978 mission design and navigation 4−25918
multiple asteroid flybys from 1970 to 1973, trajectory charact. 4−34591
planetary flybys, heliocentric orbits normal to ecliptic with fixed perihelia 4−34592
reentry flight test, microwave antenna performance using chemical alleviation 4−32182
review, Naval Research Laboratory, Washington, D.C., 1973 4−4661
Russian space plans and stations, satellites, lunar missions, interplanetary probes *(German)* 4−38936
Skylab, Comet Kohoutek (1973f) experiments, description 4−26187
Skylab photographs of solar flares and solar corona *(German)* 4−34654
Skylab student project 4−39149
solar radiation pressure effect on synchronous near equatorial satellite 4−25914
solar research, Skylab space laboratory, fusion reactor development *(German)* 4−31566
solar system evolution, exploration of interplanetary bodies 4−38733
sun-pumped Nd, Cr:YAG laser, laboratory model 4−8830
u.h. vacuum material handling apparatus 4−4841
Viking Mars Lander, inorganic chemical investigation by X-ray fluorescence analysis 4−2150
Viking Mars lander, prototype broadband seismic system 4−22467
space science *see space research*
space-time configurations
see also general relativity
anomaly structure in Ward identities, artibrary space-time dimensions 4−27079
axisymmetric asymptotically flat vacuum rel. to black hole equilibrium 4−18010
causally continuous spacetimes 4−26824
cellular space-time as measuring rod, limits of perception 4−8624
cellular structures, transformations and covariance principle 4−11826
charged fluid, four-dimensional, isometric motion, Einstein-Maxwell theory 4−23199
complex recurrent space-times, similarities with P-P wave and conformally symmetric space times 4−23194
conformally flat, of spherical symmetry in isotropic coordinates 4−224
conformally invariant massive spinor equations in six-dimensional space 4−12002
differential geometry from modern standpoint 4−39477
Einstein's equations, non-static spherically symmetrical solns. *(Russian)* 4−18955
Einstein gravitational field eqns., spherically symmetric solns. 4−18943
elementary particle theory, unified space-time 4−330
e.m. energy-impulse tensor, Belinfante method extension *(French)* 4−39608
e.m. energy-impulse tensor in ponderable medium, Belinfante method *(French)* 4−35725
embedding, local, for restricted covariance group 4−11827
fluid spheres of uniform density in general relativity 4−26825
Fourier transforms on conformal group *(French)* 4−35728
free spin 3/2 and spin 1/2 particles, series development of field eqns. solns. in de Sitter space *(French)* 4−2643
gedanken experiments to destroy black hole 4−26121
geometrodynamics and geochronometry, review of theories *(German)* 4−35733
global spinor fields in oriented causal manifolds 4−18945
gravitation, quadratic action principle theory, exact solns. 4−30884
gravitational constant, universe age dependence, Weyl's geometry 4−30887
hadronic geometry, reln. to gauge theory interactions 4−15531
hadronic geometry, reln. to gauge theory of strong interactions 4−15532
holonomic tetrads, covariant superpotentials *(German)* 4−5384
integrable structure for type D spacetimes 4−23198
Kahlerian manifolds, inequality 4−15218
Lagrangian, non-linear, q-number variational method 4−8684
Lanczos spinor in general relativity *(French)* 4−5386
Lorentz cobordism, changes of topology of spacelike sections 4−5389
Mach's principle, interpretation for rotation 4−34602
Mach's principle and cosmic rotation in three static models cosmological models 4−7887
Minkowski space, causality and Lorentz group 4−8689
Minkowskian, flat, of classical field theories, reln. to gravitation in curved Riemann time-space 4−23191
Newton's law of inertia, nature of gravitational forces 4−35623
non-Riemannian, equivalence principle 4−15216
orientability of time, space and charge 4−11710
quantisation and Cherenkov emission at velocities $v>c$ 4−26816
quanto mechanical description, peculiarities 4−15202
quantum field theory, singularity-free, microstructure 4−335
relativistic kinematics, Minkowski space visualisation, comparison between geometric methods 4−18944
renormalization and Ward identities using complex space-time dimension 4−39785
renormalization of arbitrary graphs by analytic interpolation in space-time dimension 4−27038
Riemannian, curved, of Einstein theory of gravitation, rel. to field theories in flat time space 4−23191
Riemannian, e.m. radiation in weak gravitational fields 4−26823
Riemannian, energetic spinor *(Italian)* 4−218
Riemannian, symmetry mappings of constrained dynamical systems and related integral theorem 4−26753
space-time configurations continued
Riemannian mechanics with groups of motion, congruence conditions *(Italian)* 4−35731
simultaneity concept based on causality principle 4−15214
singularities, behaviour of test matter in vicinity using eikonal approx. of Klein-Gordon eqn. 4−11817
Snyder spaces, class of fields 4−5563
stable causality of highly mobile space-times 4−23188
static two-body problem, Einstein's equations 4−39612
tests of general relativity and scalar fields 4−30881
tetrad field for generalized Lorentz transformation 4−39602
unaccelerated-returning-twin paradox in flat space time 4−5382
vacuum spacetimes, spacelike isometry groups, compact invariant hypersurfaces 4−30875
Vierbein formalism, conservation laws for dynamical systems in Riemannian space-time 4−8694
Yang-Mills field, classical, invariance *(French)* 4−39819
π-σ theory, math. formulation for observables and non-observables 4−39821
space vehicle power plants
Mariner-10 Mercury probe 4−18080
space vehicles
see also artificial satellites; rockets; space vehicle power plants
Apollo project, review of the results of study of the moon 4−30157
Apollo space mission, analysis of Moon samples to explain origin and structure *(German)* 4−34710
characteristics estimation, iterative algorithm 4−2032
charge distribution obs. using scanning electron microscope 4−8741
Earth-Mars and Earth-Venus orbit transfers with uncontrolled limited-thrust engine 4−29802
economics of Skylab, Space-shuttle and Spacetug, launch and materials *(Dutch)* 4−38932
electric field, in vicinity of photoemitting plate in plasma 4−11164
electric propulsion, solar, multiasteroid and comet research mission 4−7958
flexible, dynamics, effect on active altitude control 4−38600
guidance trajectory, optimal correction 4−4690
gyroscopic orbit with nonlinear control laws, orientation accuracy 4−34587
interplanetary, probabilities for the peak flux and fluence of incident energetic solar protons 4−22192
interplanetary flight, atmospheric deceleration of returning manned spacecraft 4−4688
interplanetary trajectory parameters, isochronous derivatives 4−29803
ionosphere, charged particle flow around conducting spacecraft, numerical soln. 4−17789
large, wake obs. platform expts. 4−22487
latitudinal motion in noncentral gravitational field 4−42289
low-temperature techniques, liquid O_2/H_2 reaction control systems, Space Shuttle 4−5011
Luna 16 and 17, radio-wave scatt. charact. of Moon during soft landing 4−2090
Luna 20, soil sampling on lunar surface, apparatus and operation 4−34970
lunar programs, 1958-73, survey 4−26196
magnetic fields, in-flight determ. using variation of Davis-Smith method 4−2151
manned space flight, radiation dosage for long stay in close Earth orbit 4−30251
Mariner 10, communication and control systems, experimental equipment 4−38925
Mariner 10, spacecraft and mission description 4−38924
Mariner 9 and exploration of Mars 4−42342
Mariner Jupiter-Saturn (1977), Saturn satellite encounter opportunities 4−11135
Mariner-10 Mercury probe, construction, communications, control and scientific objectives 4−18080
Mars probe, automation, flight control space *(German)* 4−34694
Mars round trip missions, in the 1980 to 2000 time period using looping trajectories 4−25919
Mercury orbiter, interplanetary low thrust constant acceleration trajectories 4−42292
meteoroid population parameters, models for shield design *(Italian)* 4−42354
Moon-Earth flight, aiming procedures 4−34586
optimal reorientation 4−29799
orbit determ., sequential filter design 4−29795
orbit in planetary Laplacean sphere of influence accounting for solar gravitation influence 4−4686
orbital calcs. relative motion eqns. determ. including planet sphericity effects *(Rumanian)* 4−14265
orientation, pulse-frequency control system 4−34584
outer planet mission, MJS 1977, orbit improvement from satellite imaging data 4−4673
Pioneer 10, instrumentation and preliminary obs. for Jupiter flyby 4−34691
Pioneer 10, Jovian magnetosphere obs. *(German)* 4−38684
Pioneer 10 Jupiter probe mission and instrumentation *(Italian)* 4−11260
planetary exploration photography, fibre-optic faceplate evaluation 4−22502
probes, communication, CETI 4−38929
propellent tanks, fluid-structural dynamic interaction, hydroelastic method 4−32113
radioguidance, control of landing in the earth's atmosphere, control algorithms 4−4689
re-entry, surrounded by flowing continuum plasma, Langmuir probe theory 4−32324
reentry vehicle, spatial oscillations with nonlinear stabilization system 4−29800
rocket powered hypervelocity vehicle, optimal three dimensional manoeuvring 4−42290
Saturn/Uranus atmospheric entry probe planned for structure and composition obs. of troposphere 4−30151
Saturn/Uranus common probe, influence of atmosphere models on design 4−30152
solar electric propulsion, trajectory in celestial body shadow *(Italian)* 4−8626

space vehicles continued
- stabilization on descent trajectory, three parameter multistep algorithm 4−4677
- Surveyor 3 material, emittance meas., effect of lunar environment 4−2093
- trajectory in the Martian atmosphere, optimal control 4−4687
- Viking automatic probe softlanding mission *(Italian)* 4−22285
- Viking Mars soft lander, radiation effects study 4−19652
- Viking type spacecraft, Martian moon rendezvous 4−8108
- v.l.f. radiowave studies, on-board digital correlator 4−25855
- wake regions and spacecraft-space plasma interaction 4−17886

spacecraft *see space vehicles*

spallation (nuclear) *see nuclear spallation*

spark chambers
- active area of 2.0×4.0 m^2, construction and performance 4−11602
- constant current regulator for fast recharging of h.v. capacitors 4−14988
- cosmic ray telescope to search for massive and fractionally charged particles 4−26611
- cryogenic, with high space resolution 4−102
- current limited, multiple efficiency 4−18638
- detection efficiency, depend. on pressure, <1 atm. 4−8470
- digitized, for magnetic multiparticle spectrometer 4−14995
- electron-photon showers investigation in heterogeneous medium *(Russian)* 4−30556
- fast camera design 4−106
- filmless spark chamber spectrometer, K^0 decays, angular resolution 4−126
- foam polyurethane, construction 4−14985
- hybrid bubble chamber-wide gap spark chamber system 4−26635
- operation, high magnetic field 4−8468
- optical expt. to test $\Delta S = \Delta Q$ rule in decay $K^0 \rightarrow \Lambda^{\pm} e^{\mp} \nu$ 4−5601
- particle track simulation technique 4−2358
- polyethylene, for measuring proton polarisation 4−14984
- review of development, physical principles 4−30557
- spectrometer, filmless, trigger for K^0 expts. 4−125
- television complex for information takeoff to computer 4−22960
- track, hadron interaction, $E > 10^{13}$ eV 4−5200
- track fitting method, particles in non-uniform magnetic fields 4−11601
- TV takeoff of information, using superorthicons 4−5201
- wire, review 4−93
- wire chamber alignment in cosmic-ray magnetic spectrometer by muons traversing zero-field region 4−35420
- wire chamber with magnetostrictive readout, design criteria and construction 4−35418
- Al wire, with magnetostrictive readout 4−101

spark counters
- automatic measurement of nuclear tracks in solid state track detectors 4−30577
- cosmic ray detector, Utah, large array of cylindrical spark counters, techniques, operating experience 4−95
- fission fragment damage track detectors, accuracy of spark counting 4−35427
- Nuffield school α-particle detector, modification to measure half-life of Emanation 220 4−26445
- U, spatial distrib., content determ., in geological materials 4−35527

spark erosion machining *see spark machining*

spark-gap voltmeters *see voltmeters*

spark gaps
- air, long point-plane, prediction and prevention of breakdown 4−16363
- air, negative point-to-plane corona, primary streamer to arc transition obs. 4−20164
- broadband, with start from electrical or light signal 4−24333
- camera, high speed, use of spark gap to put time marks on the film 4−35341
- electric strength of electrodes moving in still gas or air, calc. 4−11878
- laser pulsing system, effects of spark resistance 4−26953
- laser triggered, controlling electrooptical shutters, operating charact. 4−11969
- spherical, plasma cathode, firing conditions *(Russian)* 4−40696
- ultra fast quenched, as h.v. pulse generator *(French)* 4−24332
- vacuum, discharge mechanism up to 400 kV, length depend. 4−20166

spark machining
- molten metal volume, in electric discharge, heat conduction model 4−40705

sparks
- *see also electric breakdown; lightning*
- Autospark unit, for mass spectrometry 4−30539
- channel emission, prod. by Nanolite nanosecond high radiance standard source 4−30460
- discharge, spectral line intensity changes *(Russian)* 4−16375
- electrode-spark interactions rel. to lightning strike properties 4−17717
- electronegative gases, unstable ions, limiting condition for sparkover 4−16362
- h.v. pulsed discharge, temp. field calc. 4−40707
- interferometric study, CO$_2$ laser produced sparks 4−991
- needle to plane coronas, sparking charact. obs. 4−16377
- recovering spark channel, temp. detn. from conductivity probe obs. 4−3395
- shock transmission, spark channel development, hypersonic interpretation 4−24339
- sliding discharge, solid Xe, u.v. source for photoionisation 4−14872
- spark channel, high current, temperature detn., review 4−6283
- time-dependent current, secondary ionisation by positive ions and photons, calc. 4−16364
- vacuum discharge, method of achieving equally probable ionisation of atoms 4−16367
- vacuum spark, extreme u.v. absorpt. spectra light source *(French)* 4−35280
- Ta$_2$O$_5$, breakdown during anodization 4−10213

spatial orientation control *see attitude control*

speakers *see loudspeakers*

special purpose computers
- biomedical measured data, Sinuc system for collection, storage and evaluation 4−39059
- geomagnetic field element evaluation, computer design *(Russian)* 4−25857
- particle tracks, high energy physics, hardware processors for pattern recognition in wire chamber data 4−109
- processor, for automatic fringe scanner, for strain measurement 4−8323
- sound propagation analysis, data acquisition 4−4983

special relativity
- *see also Lorentz transformation*
- accelerated systems, clock paradox 4−35724
- Cherenkov radiation from tachyons 4−26821
- Cherenkov radiation from tachyons only possible in superluminal media 4−39607
- clock paradox, allowance for general relativity 4−217
- clock paradox, choice of convention 4−23186
- Doppler effect, meas. using 8.6 MeV capture γ-rays 4−5191
- ds^2 law, relation to general relativity *(Italian)* 4−39604
- $E = h\nu$ relation, derivation in special relativity 4−35145
- Einstein's train, simulation in the laboratory to deduce eqns. for students 4−26386
- energy-mass relation, rel. to nuclear gamma emission, examination of derivation 4−11811
- entropy, relativistic invariance, law of heat transform. *(French)* 4−5435
- extended to include tachyons, crossing relations and CPT covariance 4−39832
- gravitational wave detection, theory of expt. using Mossbauer effect 4−18965
- Hamiltonian dynamical system, non-autonomous and Lorentz-invariant case 4−2644
- history, comparison of Einstein's program and Lorentz's program 4−22693
- history, Einstein's program versus Lorentz's program 4−26336
- interaction interpretation rel. to quantum theory 4−8688
- kinematics, application of Smith diagrams to graphical solutions *(Spanish)* 4−5381
- Lorentz invariance in quantum theory rel. to causality in classical relativistic field theory 4−5556
- magnetic monopoles, compatibility with Galilean invariance 4−214
- magnetic monopoles, existence, superluminal electric charges 4−30870
- magnetic monopoles, rel. to tachyons in special relativity 4−26822
- magnetic monopoles at faster-than-light speeds 4−39919
- magnetoelastic interactions, hereditary processes, special relativistic theory 4−39500
- Markov processes, asymptotics 4−38611
- mean velocity and elec. current concepts *(French)* 4−5380
- observer's coordinates in presence of gravitational fields 4−11835
- radiation of particle in magnetic field, kinetic energy loss, inertial frame 4−216
- radiation reaction for classical electron in gravitational field, adaption for curved Riemannian space-time 4−213
- red shift derivation from theory of special relativity 4−26354
- reference frames, infinite-momentum, invariance groups from Poincare group 4−2547
- simultaneity, faster-than-light signal and time relativity 4−39605
- space-like particles, generalized rapidity 4−5383
- spinors, conformal mapping on celestial sphere 4−15210
- spinors, type [3/2, 1/2], concomitants in space-time 4−215
- statics, asynchronous formulation, pivot events 4−30871
- tachyons, in an extended theory of special relativity 4−42299
- tachyons, negative-energy, expt. search, discussion 4−15211
- Thomas precession, clarification 4−39603
- time-asymmetric two-body problem of Fokker one- and two-dimensional solns. 4−15213
- transport properties for massive particles and neutrinos 4−2548
- twin paradox, presentation in first course in relativity 4−22711
- unaccelerated-returning-twin paradox in flat space time 4−5382

specific gravity *see density*

specific gravity measurement *see density measurement*

specific heat
- *see also Debye temperature; Gruneisen coefficient; specific heat of gases; specific heat of liquids; specific heat of solids*
- adsorbed layer of associated two dimensional gas, coverage depend. 4−37086
- APAPA nematic liquid crystal, specific heat anomaly *(Japanese)* 4−36807
- benzene, adsorbed on SiO$_2$ gel, phase transition effect 4−10041
- biological masses, thermophys. props. meas. by probe method 4−39182
- critical amplitudes universal ratio, Wilson-Fisher ε-expansion, 4-D 4−35762
- differential scanning calorimetry for quantitative determ. 4−5001
- electron gas, model inc. electron interaction via static current-current potential 4−32859
- electron gas, specific heat and spin paramagnetism, reson. scatt. impurity effects 4−37395
- electron gas model in layered stuctures, one-particle properties 4−2567
- fast reactor materials, high temp. phys. props. 4−19581
- foodstuffs, microwave thermal effects *(Spanish)* 4−10365
- Heisenberg model, ferromagnetic spin system, two-dimensional 4−6706
- n-hexane, adsorbed on SiO$_2$ gel, phase transition effect 4−10041
- Hubbard model, high-temp. thermodynamics at arbitrary electron density 4−33128
- N-o-hydroxy-p-methoxybenzylidene-p-butylaniline, glassy nematic liq. cryst. 4−28021
- ice, adsorbed on SiO$_2$ gel, phase transition effect 4−10041
- Ising model, coexistence curve from low temp. expansion, critical behaviour 4−30899
- Ising model, three-spin interactions on triangular lattice, exact soln. 4−9985
- Ising model with pure triplet interactions on triangular lattice, critical indices 4−39639
- liquid crystals, Kobayashi-McMillan model potential 4−12865
- materials, determ. by calorimetric unit 4−2246

specific heat continued
- Mie-Gruneisen materials, temp. depend. 4—13053
- statistical measure for probability distributions 4—30932
- thermal spike model with temp. depend. sp. ht. 4—40810
- ^{3}He, adsorbed monolayer film, graphite substrate 4—10042
- ^{4}He, adsorbed monolayer film, graphite substrate 4—10042
- ^{4}He, multilayer films, cut off λ-point behaviour 4—10011
- ^{4}He, multilayer films on graphite 4—10010
- ^{4}He submonolayer films adsorbed on Cu, 0.75-4.0K 4—3622

specific heat at constant pressure *see specific heat*

specific heat at constant volume *see specific heat*

specific heat of gases
- Bose gas, thin film of gas, specific heat, second order anal. 4—26852
- electron gas, exchange integral 4—26849
- ethane, rigid rotor harmonic oscill. model 4—24160
- ethane-CO_2, isomorphism of critical phenomena expt. *(Russian)* 4—28199
- ethane-heptane, isomorphism of critical phenomena expt. *(Russian)* 4—28199
- m-helostyrenes, heat capacity at constant press. calc. 4—3140
- propane, rigid rotor harmonic oscill. model 4—24160
- steam, consistency test using kinetic theory 4—12661
- 1,1,1-trichloroethane vapour 4—3569
- C_n, n=1-7, calculated thermal functions 4—32000
- UF_6, specific heat ratio meas. up to 1500K with ballistic piston compressor 4—23894

specific heat of liquids
- estimation, from room temp. to critical temp., heat of vaporization temp. fn. 4—28217
- ethane-CO_2, isomorphism of critical phenomena expt. *(Russian)* 4—28199
- ethane-heptane, isomorphism of critical phenomena expt. *(Russian)* 4—28199
- long range four particle correlations at critical point *(Russian)* 4—20409
- PMMA melt, heat capacity, interpretation 4—6505
- polyethylene melt, heat capacity, interpretation 4—6505
- polypropylene melt, heat capacity, interpretation 4—6505
- polystyrene melt, heat capacity, interpretation 4—6505
- 1,1,1-trichloroethane 4—3569
- Cd-Sb alloys, heat capacity, liquidus curve to 630°C 4—32716
- He adsorbed submonolayer on Ne and Ar coated Cu, specific heats 4—6550
- ^{3}He-^{4}He mixture filling Vycor glass pores, specific heat calcs. 4—40943
- ^{4}He, and ^{3}He-^{4}He films, adsorbed on Cu, heat capacity for $0.1<T<1.2$ K 4—3605
- Na, C_p/C_V, hydrodynamic approach to dynamic struct. factor determ. 4—9815
- $POCl_3$, liq., sound velocity and thermodynamic props. 4—9949
- $(U,Pu)O_2$, molten, heat capacity 4—15964
- V, molten, 2084-2325K 4—32715
- Xe, experimental study of the equation of state 4—1107

specific heat of solids
- alkali halide, thermal expansion and equation of state 4—3578
- alloy, binary, configurational heat content jump calc. by generalized Bethe method *(Russian)* 4—9990
- alloy, melting by laser radiation, influence of thermophysical properties *(Russian)* 4—4160
- alloys, transition metal, rare earth and actinide, localized moment formation, exptl. bulk properties 4—24704
- analogue computer method, temp. dependence of thermophysical props. 4—6532
- antiferromagnet, extrinsic noncollinear, spin heat capacity *(Russian)* 4—3834
- calorimeter for solids at liquid He temperatures, with mechanical heat switch *(German)* 4—14818
- copper phthalocyanine, low temp. sp. ht., Neel temp., and exchange consts. 4—3841
- Debye solid, vibr. energy-level density by method of steepest descent 4—6472
- dilute alloy, rel. to theory of nearly magnetic antiparallel pairs 4—24925
- dimethylammonium trichlorocuprate, low temp. heat capacity 4—33152
- electron gas, exchange effect on electronic specific heat, logarithmic term 4—32722
- ferroelectric crystal, hydrostatic pressure induced phase transition, Devonshire theory 4—20939
- graphite, 200-3500K meas. eval. 4—12448
- Heisenberg model, paramagnetic phase anal. using second order Green's functions 4—10244
- Heisenberg ring, anisotropic spin-$^1/_2$, using method of non linear integral eqns. 4—13285
- Heisenberg spin-$^1/_2$ ferromagnet, anisotropy, low temp. 4—24906
- Heisenberg-Ising model, two-dimens., critical behaviour of free energy 4—10241
- ice, hexagonal, heat capacity meas., relaxational proton ordering 4—37019
- inert gases, const. vol. at const. vol. and zero press. vol., calc. 4—28219
- Ising linear-chain system, antiferromagnetic, temp. depend. 4—1296
- Ising model one-dimensional random system of higher spin, specific heats and zero field susceptibilities 4—13286
- Ising model with dilute impurities, critical props. determ. 4—13284
- Ising spin lattices, random mixtures, mag. props. 4—28582
- magnetic 1-D S=1 system, Hamiltonian method 4—28620
- magnetic alloy, dilute, linear sp. ht. term below 4.2 K 4—37399
- measurement technique using short signal method *(French)* 4—30417
- metal, melting by laser radiation, influence of thermophysical properties *(Russian)* 4—4160
- methane-d, solid hindered rotational levels, heat capacity analysis, barrier to internal rot. 4—32452
- non-crystalline dielectrics, meas. between 0.05 and 2K 4—20418
- paramagnetic system, spin-phonon interaction theory 4—3836
- polychlorostyrene, high pressure meas. *(German)* 4—3597

specific heat of solids continued
- polyethylene, heat capacities, 2-360K, standard samples of linear and branched whole polymer 4—29220
- polyhexene-1, amorphous, heat capacity between 20 and 300K, intramolec. vibr. contrib. to C_v below glass transition 4—20417
- polystyrene and related polymers, specific heat, 1.6-4°K 4—6507
- polystyrene emulsion filled with glass fibres, thermal properties meas. 4—4206
- porcelain, technical, effect of humidity on thermal props. 4—33848
- PVC, filled plasticised polymer, effect on polymer struct. 4—7355
- PVC, filled plasticised polymer, thermodynamic stability factors 4—7356
- rare earth chromates, meas. 1 to 30K rel. to mag. phase transitions 4—6724
- rare earth pnictides, meas. of cryst. fields, effective-point-charge model 4—41030
- rocks, strain energy due to internal stress, theoretical bounds for thermal expansion and specific heat 4—17576
- Semenov's method for thermophys. characts. determ. of materials under quasi steady-state conditions 4—39176
- Sitalls, thermal cond. and specific heat 4—4184
- superconducting A15 compounds, low temp. heat capacity and martensitic transforms. 4—17207
- superconductor, dirty, mixed state 4—24864
- superconductor, electronic sp. ht., temp. depend. calc. 4—28530
- superconductor, quasi-particle approx. *(German)* 4—10215
- surface heat capacity from surface density of acoustical phonon states 4—1158
- tanol suberate, ferromag. transition, sp.ht. obs. 4—3840
- tetrachloro-p-benzoquinone, coupled librational soft modes assoc. with phase transition, ht. capacity obs. 4—24557
- tetramethylammonium trichloronickelate, low temp. heat capacity 4—33152
- TMMC, 0.5—20 K, discontinuity range, contribs, anal. 4—37412
- transition metal alloys, heat of formation 4—32719
- transition metal alloys, supercond., additive model, phonon enhancement, electron interactions 4—24871
- transition metal borides, dilute, electronic sp. ht. obs. 4—24950
- transition metals, electron gas model for phonon dispersion relns. and specific heat 4—32622
- 1,1,1-trichloroethane 4—3569
- triglycine sulphate:Fe, near critical point 4—3574
- TTF-TCNQ, sp. ht., metal-insulator transition 4—37018
- two-band model, with Coulomb interaction *(Russian)* 4—28330
- vitreous system, temp. depend. near absolute zero 4—13049
- Wood's metal, at low temps. 4—9989
- Ag, meas. 2.5 to 30K, electronic coeff. 4—40902
- Ag-Al system, electronic sp. ht., low temp., μ and phases, rel. to phase stability 4—33637
- AgAu alloy, dilute, lattice sp. ht., temp. depend. calc. 4—16600
- Al-Ag, low temp. lattice sp.ht. enhancement, resonance modes 4—28218
- As, amorphous, low temp. meas., Debye temp. 4—32720
- As_2Se_3 glass, kinetic parameters for glass transition, specific heat meas. 4—20220
- Au, meas. 2.5 to 30K, electronic coeff. 4—40902
- B_4C, thermal props., room temp. to 1500°C 4—15947
- β-BN, temp. depend., 298-1000K 4—13822
- BaF_2, two-body and (two + three)-body lattice dynamics 4—28173
- $BaFe_{12}O_{19}$, ferrite, low temp. heat capacity meas. 4—33168
- Be, electronic structure determ. by Green's function method 4—32857
- Bi, disordered and amorphous films, 2.5-5K *(German)* 4—41146
- CO crystal, high temp. phase, hindered rotational effects 4—40901
- CaF_2, two-body and (two + three)-body lattice dynamics 4—28173
- $Ca_3Fe_2Ge_3O_{12}$, garnet, mag. meas., four-sublattice mol. field model 4—20780
- $CaWO_4$, determ. from elastic consts. data 4—1081
- CdS, hot pressed, grain size and hot-pressing defect effects 4—16603
- $CeAl_2$, mag. transitions, dilation, sp. ht. and magnetization obs. 4—1307
- CeBi, mag. transition obs. 4—20774
- $Ce(C_{11}H_{12}ON_2)_6I_3$, mag. sp.ht. meas., suitability for adiabatic demagnetisation 4—2255
- $Ce_2Mg_3(NO_3)_{12}.24H_2O$, 0.3-4 K, anomalous behaviour 4—24567
- $Ce(NO_3)_2.6H_2O$, 0.3-4 K, rel. to anomalous behaviour of O 4—24567
- CeP(As), Schottky anomalies, cryst. field splitting of J-ground state 4—3575
- $Ce(SCN)_3[OP(C_6H_5)_3]_4$, mag. sp.ht meas., suitability for adiabatic demagnetisation 4—2255
- Co complex, $[(CH_3)_3NH]CoCl_3.2H_2O$, low dimens. Ising system, struct. and canted antiferromag. behaviour 4—24954
- $CoFe_2O_4$, temperature variation of specific heat, 4 to 300 K, spin-wave dispersion 4—37414
- CoS_2, metallic ferromag., mag. contribs. meas. 4—33164
- CoSi(Ge), specific heat between 0.5 and 9 K 4—16930
- CoSn, electron density of states and Debye temp., specific heat meas. 4—16931
- $Cr_{0.47}Fe_{0.53}$, meas. of enthalpies of formation and secondary reaction from heat capacity curves 4—25
- Cs, temp. depend., lattice theory, ang. force model 4—20381
- CsH_2AsO_4, ferroelec. transition, deuteration effect 4—37574
- Cu, cold-worked and annealed, electronic specific heat coeff. rel. to dislocations, 1.5 to 4.2K 4—16601
- Cu, meas. 2.5 to 30K, electronic coeff. 4—40902
- α-Cu-Al (14.2 at.%), cold-worked, annealing behaviour, specific ht. meas. *(Japanese)* 4—13637
- Cu-based alloys, change in electronic spectrum due to dilute impurities, calc. 4—20520
- $Cu_{0.4}Cd_{0.6}Fe_2O_4$, singularities in mag. field near Curie pt. 4—10260
- CuS superconductor, pure compared with impure 4—6682
- $CuSO_4.5H_2O$, phase transition detection, $\simeq$0.1K, 3 kOe-38 kOe 4—3839
- D_2O ice, enthalpy relaxation from heat capacity meas. 4—16597
- $DyCo_3$, low temp. electronic, anomalies, band struct. 4—32721
- $DyFe_3$, low temp. electronic, anomalies, band struct. 4—32721
- $DyNi_3$, low temp. electronic, anomalies, band struct. 4—32721
- $DyNi_5$, low temp. heat capacity, magnetic contrib., anomalies rel. to $GdNi_5$ type props. 4—33155

specific heat of solids continued
DyNi$_5$, meas., thermodynamic function calcs., anomaly mechanisms 4−16922
Dy(OH)$_3$, ordering obs., 1-16K 4−24952
Er, mag. hyperfine parameters, nucl. quadrupole coupling 4−20782
ErNi$_5$, low temp. heat capacity, mag. contrib., anomalies rel. to GdNi$_5$ type props. 4−33155
ErNi$_5$, meas., thermodynamic function calcs., anomaly mechanisms 4−16922
Eu, mag. hyperfine parameters, nucl. quadrupole coupling 4−20782
EuO, Heisenberg-like to dipolar critical behaviour transition 4−3844
Eu$_2$O$_3$, thermal props., room temp. to 1500°C 4−15947
Fe, b.c.c., band model calc., temp. depend. 4−41009
Fe-Ni (fcc) alloys, 300-1000K, conc. depend. behaviour at Curie point 4−41197
Fe-rare earth Laves compounds, anomalies at mag. ordering temp. 4−24945
FeCo, order-disorder phenomena, sp. ht. obs. 4−33159
FeGe(Sn), electron density of states and Debye temp., specific heat meas. 4−16931
Fe(II) complex, Fe(phen)$_2$(NCSe)$_2$, phonon coupled cooperative low-spin $^1A_1 \rightleftharpoons$ high-spin $^5T_2$ transition, sp.ht. and i.r. spectra obs. 4−32646
FeRh alloy, entropy change, antiferromag.-ferromag. transition 4−28619
FeSi(Ge), specific heat between 0.5 and 9 K 4−16930
GaSb, low temps. 0.3-4K, temp. linear term electronic in origin 4−16602
Gd$_3$Ga$_5$O$_{12}$, magnetothermodynamics, 0.35 to 4.2 K meas. 4−24942
β-Gd$_2$(MoO$_4$)$_3$, thermal and mag. props. below 0.5 K 4−28614
Ge, amorphous, low temp. heat capacity 4−28220
p-H$_2$:Ne 2-6K, effect of Ne and ortho-H$_2$ impurities 4−24568
H$_2$O, supercooled, clustering obs. 4−24561
H$_3$O.ClO$_4$, crystn., proton jumps, phase transition, obs. by calorimetry and neutron scatt. 4−37007
Hf electron gas model for phonon dispersion relns. and specific heat 4−32622
HfV$_2$, anomalous behaviour, phase transition temp. determ. 4−28207
HoAl$_2$, 5-300 K, mag. contrib., mag. entropy 4−6730
HoAsO$_4$, paramag.-antiferromag. transition, reduced mag. susceptibility, exchange and dipolar fields 4−13308
HoNi$_5$, low temp. heat capacity, mag. contrib., anomalies rel. to GdNi$_5$ type props. 4−33155
HoNi$_5$, meas., thermodynamic function calcs., anomaly mechanisms 4−16922
Ho(OH)$_3$, ordering obs., 1-16K 4−24952
In, sp. ht. of disordered and amorphous films, 2.5-5K *(German)* 4−41146
In, superconducting, anisotropy of pressure and volume effects *(German)* 4−24855
K$_4$Fe(CN)$_6$.3H$_2$O, K$_4$Fe(CN)$_6$.3D$_2$O, ferroelectric phase transition specific heat meas. 4−20951
K$_4$Fe(CN)$_6$.3H$_2$O and anhydrous salt, rel. to ferroelectric transition 4−3943
KH$_2$PO$_4$, anomalies meas. at ferroelec. transition, validity of self-consistent field theory 4−37575
K$_2$O-SiO$_2$ glass, Gruneisen ratio determ. 4−32598
(La,Th):Ce, supercond., continuous demagnetisation of Ce impurity calorimetric determ. 4−16855
LaAl$_2$, Kondo superconductor, meas. between 0.3 and 5K 4−16858
(La$_{1-x}$Ce$_x$)Al$_2$, Kondo superconductor, meas. between 0.3 and 5K 4−16858
La$_3$In(Tl), supercond. 4−37355
La$_2$Mg$_3$(NO$_3$)$_{12}$.24H$_2$O, 0.3-4 K, rel. to anomalous behaviour or O 4−24567
LaNi$_3$, low temp. electronic, anomalies, band struct. 4−32721
LaP(As), Schottky anomalies, cryst. field splitting of J-ground state 4−3575
La$_{1-x}$Tb$_x$Al$_2$, superconductor, sp.ht. jump rel. to cryst. electric field splitting of Tb^{3+} levels 4−3796
LaVO$_3$, λ-anomalies, mag. and struct. phase transitions 4−37421
Li, lattice dynamical calcs. at different temps. 4−3544
LuP(As), Schottky anomalies, cryst. field splitting of J-ground state 4−3575
Mg, temp. and press. depends., model 4−32640
MgF$_2$, hot pressed, grain size and hot-pressing defect effects 4−16603
Mg$_2$Sn determ. of minus second moment of freq. spectrum 4−13007
MgZn$_2$, specific heat, low temps., 2.3-4.2K, 12-23K 4−6508
Mg(Zn$_{1-x}$Al$_x$)$_2$, specific heat, low temps., 2.3-4.2K, 12-23 K 4−6508
Mn complex, di-iodotetrakis(pyrazole)-Mn(II), tetragonal, zero-field splitting, heat capacity meas. 4−20846
Mn wire, at low temps. 4−9989
MnTe, from Knudsen meas. of decomp. and heat of formation 4−32684
Mn$_{1-x}$Zn$_x$Fe$_2$O$_4$, ferrite, low temp. heat capacity meas. 4−33168
N$_2$ crystal, high temp. phase, hindered rotational effects 4−40901
(NH$_4$)$_2$SiF$_6$, hindered rot., heat capacity, torsional freq., rot. barrier calc. 4−37017
(NH$_4$)$_2$SnCl$_6$, hindered rot., heat capacity, torsional freq., rot. barriers calc. 4−37017
Na, elastic constants, from 20 to 95°C Gruneisen parameters 4−1080
Nb:O, effects of interstitial O on superconductivity 4−16866
NbC, homogeneity region, 1300 to 2500K 4−33858
NdP(As), Schottky anomalies, cryst. field splitting of J-ground state 4−3575
Ni alloys, anomaly at ferromag. crit. conc. 4−33162
Ni-Ag, influence of K-state on Debye-temp. 4−3545
Ni-Fe(Co), λ-anomalies at Curie temp., Mag. contribs. 4−16932
NiFe$_2$O$_4$, temperature variation of specific heat, 4 to 300 K, spin-wave dispersion 4−37414
NiX$_2$L$_2$, X=Cl, Br, L=N$_2$C$_3$H$_4$, NC$_5$H$_5$, single ion anisotropy and ferromag. intrachain interaction 4−37420
Ni$_{1-x}$Zn$_x$Fe$_2$O$_4$, ferrite, low temp. heat capacity meas. 4−33168
Os, polycrystalline, 0.18-4.2K 4−3790
Pb, disordered and amorphous films, 2.5-5K *(German)* 4−41146
Pb, superconductor, electronic sp. ht., temp. depend. calc. 4−28530

specific heat of solids continued
Pd-Ni alloy, dil., 1.3 to 25K 4−3826
Pd$_{0.755}$Si$_{0.165}$Cu$_{0.06}$ alloy, effect of anharmonicity in amorphous and crystalline phases 4−36968
Pt, ht. capacity, 350-1200K 4−32718
Pt, temp. depend., lattice theory, ang. force model 4−20381
Pt, temp. modulation method, 1200-1900 K 4−28221
Pt-Co alloy, low temperature, Weiss molecular field model analysis 4−3838
Pt-Mn alloy, low temperature, Weiss molecular field model analysis 4−3838
Rb, anharmonic calc. of phonon self-energy, heat capacity 4−16558
Rb, temp. depend., lattice theory, ang. force model 4−20381
Rb$_2$CuCl$_4$, Rb$_2$CuCl$_3$Br, Rb$_2$CuCl$_2$Br$_2$, antiferromag. transition temp. and exchange parameters determ. 4−28618
RbI, breathing shell model calc. 4−36966
Sc, temp. var., 3-300 K 4−13051
Sc-Gd, dilute alloys, meas. in range 0.6 to 4.2 K 4−33167
Sc-Zr solid solns., electronic sp. ht., conc. depend. *(Russian)* 4−16993
Sn, superconducting, anisotropy of pressure and volume effects *(German)* 4−24855
SnCl$_2$.2H$_2$O, SnCl$_2$.2D$_2$O, heat capacity meas., relaxational proton ordering 4−37019
SnCl$_2$.2H$_2$O single crystal, high resolution heat capacity, anomaly at H order-disorder transition 4−13050
SrF$_2$, two-body and (two + three)-body lattice dynamics 4−28173
1T-TaSe$_2$, prep., 473K intrapolytypic transform. and superlattice obs. 4−36873
TbAl$_2$, 5-300 K, mag. contrib., mag. entropy 4−6730
TbAsO$_4$, meas. at 27.7K cryst. and 1.50K para- to antiferromag. transitions 4−6726
TbVO$_4$, paramag. to antiferromag. phase change at 0.61 K 4−28622
Te$_{70}$Ge$_{10}$As$_{20}$ glass, temp. depend. of thermal props. 4−32717
ThN, specific heat from 450 to 850 K 4−6506
Th$_3$N$_4$, specific heat from 450 to 850 K 4−6506
Ti, electronic structure determ. by Green's function method 4−32857
Ti alloys, VT-8, VT-5 thermophysical, electrical and elastic properties meas. 4−4130
TiC, homogeneity region, 1300 to 2500K 4−33858
Tl, disordered and amorphous films, 2.5-5K *(German)* 4−41146
TlSe, sp. ht. at const. press. between 3 and 600K 4−16599
TmCd, cooperative Jahn-Teller effect obs. 4−32649
Tm$_x$Y$_{1-x}$Al$_x$, meas., rel. to crystalline elec. field parameters 4−28621
(U,Pu)O$_2$, analyt. expressions for enthalpy and ht. capacity 4−40119
UO$_2$, UO$_2$-ThO$_2$, 1.5 to 35 K, mag. contribs., first-order mag. transition 4−33157
U$_4$O$_{9-y}$, nonstoichiometric, λ-type sp. ht. anomaly 4−19585
UX$_3$ intermetallics, X=Al, Ga, In, Si, Ge, Sn, low temp., electronic meas. 4−20781
V, meas. of physical prop. coeffs. 4−6601
VC$_x$, discussed in terms of band struct. calc. *(German)* 4−28353
V$_{1-x}$Cr$_x$Be$_{12}$, low temp., weak ferromag. to paramag. transition 4−10267
(V$_{0.99}$Cr$_{0.01}$)$_2$O$_3$, high temp. resist. anomaly struct. depend. 4−13186
V$_3$Ga$_{1-x}$Sn$_x$, electronic density of states determ. at Fermi level 4−16861
W, modulation calorimetry, non-adiabatic regime 4−4992
Y electron gas model for phonon dispersion relns. and specific heat 4−32622
ZnC, homogeneity region, 1300 to 2500K 4−33858
ZnFe$_2$O$_4$, 10 to 350 K, lattice vibrational component 4−37415
ZnMn alloy, dilute, temp. depend. from 0.7 to 4 K 4−1314
ZnO, rel. to pyroelectricity, rigid ion interpretation 4−37568
Zr-H system, phase transition determ., 160-190K 4−37814
ZrC, 0-3000K 4−7305
ZrV$_2$, anomalous behaviour, phase transition temp. determ. 4−28207
ZrZn$_2$, mag. entropy evaluation from heat capacity data 4−37411

specific volume *see density*

specimen preparation
see also replica techniques
airlock system, cooled specimen transfer to high vacuum 4−8533
alcian blue/nuclear-fast red staining method *(German)* 4−35506
atomic absorption spectroscopy, automation of sample preparation 4−11679
biological electron microscopy, wetting agents 4−30619
biological electron microscopy, wetting agents 4−30620
biopsy material, rapid processing for light and electron microscopy 4−35295
capillary mount preparation in dry box 4−6306
cell monolayers, for electron microscopy, in Leighton culture tubes 4−2395
cell suspensions, cryobioligical technique prep., exam. 4−8505
critical point drying, fine-sieve processing container 4−30616
cryo-ultramicrotomy fine structure of myofilaments tissue prep. for electron microscopy 4−8553
diamond stylus of roughness meter, SEM 4−10662
electron microprobe anal., elements, low concs., optimum accel. voltage 4−5255
electron microscope, straining specimen holder 4−30618
electron microscopes, charging effects in different artifacts 4−8537
electron microscopy, cryostat approach, X-ray microanal. 4−35472
electron microscopy, in materials science, book 4−9789
electron microscopy, noise free crystalline BeO supporting film 4−26680
electron microscopy, photoemission, image brightness and contrast var., contamination layers and evaporation 4−8518
electron microscopy, profiles of jet polished specimens 4−30621
electron microscopy, Si:N thin foils 4−40725
electron microscopy, transmission, sputtering appls. 4−8541
electron microscopy of polymer mixtures, etching by gas-discharge method *(Russian)* 4−36791
electron microscopy replica technique, thin films cross-sectional struct. 4−11634
electron probe analysis, effect of vapour phase deposited layers on primary X-ray intensity 4−30624

specimen preparation continued
electron probe microanal. of thin foils, X-ray anal. comparison 4−5254
electropolishing method, automatic, for prep. of thin foils for electron microscopy *(German, English)* 4−40728
erythrocytes, frozen, ice formation, appl. for electron microscopy 4−8554
ferromagnetic foils, oriented, for transmission electron microscopy 4−136
freeze cleavage, sandwich method 4−18719
frozen liquid cracking method, for s.e.m. 4−18721
histological sections, electron microscopy 4−18736
i.r. ultramicrosampling technique 4−11649
Luna 16 regolith samples, electron microprobe anal. 4−11145
metallurgical specimens, exam. by SEM with X-ray microanal. 4−10594
Raman spectroscopy, semimicro samples 4−18454
rotating jet thinning apparatus, for Si and cpd. semiconductors 4−998
SEM, operation and uses, sample prep. and size 4−30625
SEM, thin metal films props., cathodic sputtering 4−11633
SEM metal evaporation coating 4−26676
SEM particle mount preparation, millipore filters, smaller than 20 microns 4−5228
SEM specimen coating by sputtering 4−8538
semiautomatic critical point dryer for s.e.m. 4−18734
sputtering, specimen coating for scanning electron microscopy 4−999
steel, Ck 15 and Ck 45, SEM investigations of fatigue failures 4−10591
steel, cross-polished, vapour deposited metal carbides, microanal. investigations *(German)* 4−37839
steel, stainless, liq. Na exposed, electron microprobe anal. 4−10598
table, electron microscopy, freezing-etching method 4−18707
tissue handling device 4−18735
transmission electron micfroscopy, obs. of heavily cold rolled microstructure 4−10589
ultra small sample preparation for microprobe analyses of meteoritic and lunar rocks 4−26681
ultrathin section, low temp. 4−18733
waste water analysers, sample conditioner 4−8572
X-ray photoelectron spectrometer fracture device 4−37736
Zircaloy, preparation for ion bombardment and transmission electron microscopy 4−1539
Al, thin film, SEM obs. of electromigration damage mechanisms 4−9998
Al_2O_3/Al, porous anodic film, electron microscopy, ultramicrotome sample prep. 4−9808
Au-Si alloy, SEM of sputter etched specimens 4−41578
Ir foils, electropolishing techniques, transmission electron microscopy 4−15001
Ni-W composite, effect of ion beam milling on surface topography 4−1156
Si, device characterisation, large area electron-transparent sample prep., for electron microscopy 4−41503
Si, thin crystal and layer, for transilluminational electron microscopy 4−24359
Si, thin single crystal substrates for in situ electron microscope studies 4−1002
SiO_2, for Raman spectra of adsorbed heterocyclic mols. 4−13092

spectra
see also alpha-particle spectra; astronomical spectra; atmospheric spectra; atomic spectra; beam-foil spectra; brillouin spectra; chemical shift; electron spectra; energy level crossing; gamma-ray spectra; isomer shift; light scattering; luminescence; mass spectra; microwave spectra; molecular spectra; neutron spectra; nonradiative transitions; proton spectra; spectra of inorganic liquids and solutions; spectra of organic molecules and substances; spectra of solids; spectral line breadth; spectral line shift; spectrochemical analysis; Stark effect; two-photon spectra; x-ray spectra
air atmosphere, hollow cathode excitation 4−9781
Bertrand theorem role in symmetry and degeneracy problems *(French)* 4−39581
demonstration in large lecture hall using Hg vapour 4−30362
Dirac Hamiltonian, spectral props., class of dilatation analytic interactions 4−27030
discharge light sources, automatic sensing, monochromator for, modification *(Czech)* 4−8350
electrochemistry, elucidation of electrochemically induced phenomena, review 4−34032
Franck-Condon energy conserving transitions, algebraic treatment 4−21042
gas, anal. calc. of Elsasser integral *(Russian)* 4−30723
gas, investig. of ε_0, fraction of black radiation intensity 4−32001
i.r., interpretation using pattern recognition techniques 4−5052
line contour, effect of slit-width variation 4−14876
momentary spectral energy distrib. meas., soln. *(German)* 4−5057
plasma, nonthermal, radiation distrib. in pseudothermodynamic model 4−6221
plasma, nonthermal slab, radiation transport theory based on generalised Biberman-Holstein factor 4−6222
radiofrequency mixed gas plasma, emission spectra, excitation processes 4−35550
seismic, one-dimensional, and siesmogram correlograms, for tectonic disturbance separation *(Russian)* 4−42197
solvatochromic phenomena, role of pairwise van der Waals interaction of molecules 4−10475
Ag particles, in PMMA matrix, light absorption, 3500 to 4500 Å *(German)* 4−6896
Cu, colloidal soln. with gelatin, optical absorption spectra of surface plasmons 4−37623

spectra of diatomic inorganic molecules
atmospheric gases, radiation coefficients *(Russian)* 4−7698
Franck-Condon factor, calc., review of methods for diatomic mol. and radical systems 4−36537
interhalogens, spectroscopic interatomic potential, curve crossings 4−27636
photodetachment and photoionisation, rot. effects 4−6116
pressure-induced vibrational and rotational absorpt. on collision with atoms 4−27675

spectra of diatomic inorganic molecules continued
relative positions of noncombining electronic states from reflected shock wave obs. *(Russian)* 4−31815
rotation-line intensity factors, review of theory 4−31813
rotation-vibration coupling Morse-Pekeris intensities, closed form formulas 4−27628
rotational emission in quantum and classical limits 4−27676
OD, line shape of predissociated transitions in $B^2\Sigma \rightarrow A^2\Sigma$ system 4−40304
AgBi, visible and i.r. spectra, vibr. analysis, rot. constants determ. *(French)* 4−27650
AlO, AlO^+, SCF calcs., energy spectra, obs. and predicted states transitions 4−16044
ArKr, Van der Waals molecule, u.v. spectroscopy 4−24067
As_2, u.v. absorption spectrum, $A \rightarrow X$ system, new electronic states, vibronic levels 4−36514
AsF radical, electronic states investig., transitions in 2900-5600 Å regions vibr., rot. anal. *(French)* 4−40255
AuX radicals, X = Si, Ge, Sn, Pb, i.r. emission spectra obs., electronic structure investigation 4−789
BeH, ioniz. pot., absorpt. spectra and ab initio calcs. 4−31906
Bi_2, vacuum u.v. absorption spectrum, vibr. analysis *(French)* 4−36516
Br + Br quasimolecule, transition energies calculated with Dirac equation 4−36485
Br_2, effect of electronic excitation on intermolecular force constants 4−40303
Br_2, isotope effects in selective isotopic mol. excitation with single model laser 4−12603
Br_2, vapour absorption spectra, organic dye laser internal resonator method, rot. quantum no. *(Russian)* 4−40251
C_2 Swan lines in sunspot umbral spectra 4−7912
C_2^-, nonempirical calcs. on electronic spectrum 4−12538
CN, band system characts. from Comet Bennett (1970 II) spectrographic obs. *(French)* 4−11153
CN, free radical, violet system, absorption spectrum during BrCN flash photolysis, rot. analysis 4−27652
CN, r-centroids calc. in $B^2\Sigma$-$X^2\Sigma$ transition 4−3114
CN band strengths in stellar spectra rel. to N abundance 4−14369
CO, (1-0) vibration-rotation lines absolute values 4−6077
CO, absorpt. spectrum near 550 Å, photoionis. continuum struct. 4−12559
CO, absorption spectrum, perturbation in E-X(0-0) band, accidental predissociation 4−27653
CO, absorption spectrum in Hopfield He continuum, 960-1080 Å, Rydberg bands, rot. analysis 4−40258
CO, added to flowing He afterglow, spectral emission characts. 4−793
CO, adsorbed on Fe and Ni, i.r. spectra 4−37093
CO, CO^+, vibr. level relax., radiative lifetimes, pressure depend., visible 4−19858
CO, collision broadening of i.r. lines between 80 and 295°K 4−12599
CO, Franck-Condon factor calc. for excitation of rirst negative system 4−19799
CO, i.r. emission in oxy-acetylene flame, vibr.-rot. band, vibr. and rot. temps. *(French)* 4−24085
CO, i.r. spectroscopic study of $J = 21$ to 22 rotational transition 4−9521
CO, inelastic cross section and radiative transitions, photon excitation 4−19920
CO, laser spectrum, $\Delta v = 1$ transitions between $v = 28$ and 37 4−31888
CO, radiating gas, absorpt. of vibr.-rot. band, first hot band contrib., high temp. 4−40288
CO, shock heated, line strength meas. via laser absorpt., transition moment obs. 4−3161
CO, shock-heated, laser linewidths and transition probabilities 4−19856
CO, vibr.-rot. transitions, lineshifts, wave numbers, $0 \rightarrow 2$, $0 \rightarrow 3$ *(French)* 4−40260
CO laser spectra, mol. consts. derivation 4−3160
CO-N_2, liq., i.r. spectra determ. of E2 and mol. torque 4−12571
CO^+, band system characts. from Comet Bennett (1970 II) spectrographic obs. *(French)* 4−11153
$^{12}C^{16}O$, new near-i.r. wavenumber standards by Fourier spectroscopy in vacuum 4−14884
CaCl spectra in carbon emission line stars 4−14425
CaD, absorption bands at 2854, 2855 Å, >1300°C 4−16062
CaH, $A^2\Pi$-$X^2\Sigma$ and $B^2\Sigma$-$X^2\Sigma$ transitions, 6130-7125 Å 4−36504
CaH, absorption bands at 2851, 2852 Å, >1300°C 4−16062
CaH, high temp. vacuum u.v., solar spectrum 4−6045
CaI, $B^2\Sigma - X^2\Sigma$ emission spectrum, 5977-6354 Å, vibr. consts., electronic config. 4−19813
CaI, u.v. emission spectrum, vibrational analysis 4−3131
Ch stellar absorption spectra, determ. of C abundances 4−2109
Co-Ar, liq., i.r. spectra determ. of E2 and mol. torque 4−12571
Cs-noble gas molecules, regular undulation in continuum spectra 4−6035
Cs_2, mol. absorption, bright band, gigantic pulsed laser radn. *(Russian)* 4−6037
Cs_2, space-charge-amplification technique in absorpt. spectroscopy 4−16013
Cs_2 two photon ionisation spectra 4−16129
CuO, visible spectrum, rot. analysis of 4182 Å blue band system 4−24060
$^{63}Cu^{16}O$, rotational analysis of (0,0) band of orange-red system 4−788
o-(p-)D_2, $d(3p)^3\Pi_u$ fine struct., MOMRIE obs. 4−19868
DBr^+, $A^2\Sigma^+$-$X^2\Pi_i$ transition *(French)* 4−16055
DF, vibr. spectra, self and HF induced collision broadened spectral line width, calc. 4−36536
GeD, electronic spectrum, rot. energy, fine structure, Hund's coupling case 4−16056
GeH electron spectrum, rot. energy, fine structure, Hund's coupling case 4−16056
GeO, u.v. emission system, rotational analysis 4−19821
H_2, electronic transition moments calc. by perturbation of multiconfiguration wavefunction method 4−40226
H_2, high resolution nonlinear, vibr.-rot. reson. 4−24097

spectra of diatomic inorganic molecules continued
H_2, i.r. spectrum, Ar quadrupole interaction, line shape 4−16104
H_2, nonlinear spectroscopy near $Q_{01}(1)$ vibr. reson. 4−815
H_2, pressure-induced vibr. i.r. absorption in $H_2 + H$ collisions 4−24084
H_2, u.v., i.r., Raman, expt. test of quantum theory 4−24066
H_2, vibr. rot. spectra, Werner band, internuclear separation transition moment depend. 4−27745
H_2, vibro-rotational mode $Q_{01}(1)$, nonlinear i.r. spectroscopy 4−814
H_2 (3-0) and (4-0) quadrupole lines from Jupiter's atmosphere 4−26006
H_2 u.v. fluorescence spectrum excited by solar e.u.v. radiation 4−7967
H_2^+, $2p\pi_u$ state electronic struct. and spectroscopic consts. 4−27615
H_2^+, $3d\sigma_g$ state, electronic struct. and spectroscopic consts. 4−24041
HBr, i.r. absorpt. bands analyses *(French)* 4−36518
HBr^+, $A^2\Sigma^+$-$X^2\Pi_i$ transition *(French)* 4−16055
$H^{79}Br$, $H^{81}Br$, gas, i.r. absorption bands *(French)* 4−31854
HCl, i.r band displacement at gas-solution transition 4−9530
HCl, i.r. rotation emission lines from premixed flame 4−18766
HCl, in soln., induced dipole moment influence on i.r. band shapes *(French)* 4−31870
HCl in liquid Xe, far-i.r. spectrum, residual rot. fine struct. 4−9520
HD rotation-vibration bands, lab. intensity meas. 4−4717
HF, i.r. rotation emission lines from premixed flame 4−18766
HF, line strengths in 4-0- and 5-0-rot.-vibr. bands, rot. matrix elements of electric dipole moment *(German)* 4−40262
HF, rot. emission from diatomic mol., classical and quantum calcs. 4−27676
HF (DF), hot source, i.r. spectral radiance in $\Delta v=1$ band region in given atmos. path 4−38358
HF pulsed chem. laser, emission spectrum investig. *(German)* 4−30998
HI, i.r. absorpt. bands analyses *(French)* 4−36518
He_2, 600 Å band, excitation processes, continuum spectra, formation of He_2 mol. 4−16054
HeH^+, quasibound state spectrum, spectroscopic consts. and rot. excitation via collision 4−31956
$(^3He\ ^3H)^+$, i.r. emission after β-decay of $^3H_2$ 4−40277
HfI, emission band spectrum in red region 4−27646
I_2, $^3\Pi_{0(u)}+$ level lifetime and Lande factors meas. *(French)* 4−3192
I_2, 3400 Å emission spectrum, vibr. anal., band profile calcs. 4−6039
I_2, B $^3\Pi_{0(u)}+$ state perturbations 4−6087
I_2, laser-mol. beam meas. of h.f.s. 4−6079
I_2, saturated dispersion at 5145 Å outside laser cavity, interferometric set-up *(French)* 4−2303
I_2 fluorescence, laser excited and quenching, a student experiment 4−26374
I_2 vapour absorption spectra, organic dye laser internal resonator method, rot. quantum no. *(Russian)* 4−40251
K_2, vacuum u.v. absorption spectrum 4−6043
KF, infrared absorption spectra, assignment of fundamental modes 4−3143
Kr_2, Van der Waals molecule, u.v. spectroscopy 4−24067
Kr_2 potential energy well, u.v. spectra RKR anal. and thermo-physical data immersion 4−36515
LaO, hyperfine struc. of rot. lines 4−24062
LiBr, $^{79,81}Br$ nuclear polarisation 4−40169
$^6Li_2$, B-X band system investigation, visible spectrum *(Spanish)* 4−36509
LuD, electronic spectrum *(French)* 4−36505
Mg_2, long-range forces and vibr. levels near dissociation 4−19927
MgO, electronic transition moments calc. by perturbation of multiconfiguration wavefunction method 4−40226
MnH, $X^7\Sigma^+$ septet state, fine structure, $^7\pi$-$^7\Sigma^+$ interactions 4−27640
N_2, electronic emission in i.r., rel. to auroral spectra 4−16094
N_2, Franck-Condon factor calc. for excitation of first negative system 4−19799
N_2, Franck-Condon principle appl. to autoionisation expt. 4−24123
N_2, metastable vibr. states electron impact, calc. 4−27744
N_2, N_2^+, vibr. level relax., radiative lifetimes, pressure depend., visible 4−19858
N_2, photoionisation yield in band series from 734 to 796 Å 4−24121
N_2, spectroscopic obs. of impulse corona discharges in air 4−40704
N_2, vacuum u.v. bands, rotational analysis 4−6042
α-N_2, vol. dependence of Raman freq., Gruneisen parameters of Raman freq., Gruneisen parameters of librational modes 4−20992
N_2 and N_2^+, low-lying states, valence band wave functions, oscillator strengths calc. 4−6024
N_2 gas for Cherenkov radiation counters, optical absorption spectra meas. in vacuum u.v. 4−26612
N_2 long-lived electronic states, transition probabilities 4−6061
N_2^+, perturbations in electron beam induced spectra of first neg. system 4−24133
NO, absorpt. linewidth at 3693.504 cm^{-1}, meas. with HF laser 4−12598
NO, added to flowing He afterglow, spectral emission characts. 4−793
NO, high field Zeeman spectrum at 1876 cm^{-1}, strong nonlinearities 4−19830
NO, low lying excited states, direct lifetime meas., h.f. deflection 4−24063
NO, total emission of fundamental band, high temp. meas. 4−24087
NO^+, absolute i.r. intensities of vibr.-rot. transitions in ground state 4−12566
NS, valence states in region 2250-3800 Å, rot. analysis *(French)* 4−6032
$^{28}N_2^+$, in ion beam, radiative decay of long lived excited states, 3200 to 6000 Å 4−19817
$^{30}N_2^+$, in ion beam, radiative decay of long lived excited states, 3200 to 6000 Å 4−19817
NaF, infrared absorption spectra, assignment of fundamental modes 4−3143
NbO in inert matrices, optical and e.p.r., electronic ground state determ. 4−6109
O_2, atm. A-band, pressure depend. of line shifts 4−38367

spectra of diatomic inorganic molecules continued
O_2, electron excitation, effective atom and mol. cross section 4−19905
O_2, first band, time-averaged deconvoluted photoelectron spectrum 4−3214
O_2, intermolecular enhancement of spin forbidden transitions, selection rules 4−27648
O_2, opacity distrib. functions and absorption in Schumann-Runge bands 4−27654
O_2 vacuum u.v. absorption spectrum 4−6041
O_2^+, $A^2\Pi_u$-$X^2\Pi_g$ transition 4−6044
OD, $A^2\Sigma^+$-$X^2\Pi_i$ transition, oscillator strengths from line absorption 4−9515
OH, $A^2\Sigma^+$-$X^2\Pi_i$ transition, oscillator strengths from line absorption 4−9515
OH, absorption in 1200 Å region, Rydberg state 4−31826
OH, i.r. rotation emission lines from premixed flame 4−18766
OH, nonthermal emission in interstellar dust clouds 4−18046
OH, proton Fermi-contact hyperfine const. many-body pertubation theory 4−16041
OH and OH^+, band system characts. from Comet Bennett (1970 II) spectrographic obs. *(French)* 4−11153
OH rotation-vibration i.r. nightglow bands, ground-based obs. 4−29653
OH vibration-rotation spectrum, experimental oscillator strengths 4−24069
OH*(9-4), (8-3) and (5-1) nightglow i.r. bands and effects of quenching 4−34438
$P^{16}O$, $P^{18}O$, emission, $D^2\Pi$-$B^2\Sigma^+$, $D'^2\Pi$-$B^2\Sigma^+$, nature of $D'^2\Pi$ valence state *(French)* 4−27645
$P^{16}O$, $P^{18}O$, emission 50000-58000 cm^{-1}, $^2\Sigma^+$ states, rot. anal. *(French)* 4−24057
$P^{16}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4−16052
$P^{18}O$, visible emission spectrum, rot. analysis, vibr. levels study *(French)* 4−16052
PbO, rot. spectra, struct. and anal. of B→X and D→X band systems 4−27655
PtD, UV delta band sub-system rot. anal. 4−16065
Rb-noble gas molecules, regular undulation in continuum spectra 4−6035
Rb_2, mol. absorption, bright band, gigantic pulsed laser radn. *(Russian)* 4−6037
Rb_2 absorption spectrum, 690-700 nm, ruby laser irrad., valley widening *(Russian)* 4−6038
S_2, B-X system, resonance fluorescence, Franck-Condon factors 4−9564
Sb_2, vacuum u.v. absorption spectrum, vibr. analysis *(French)* 4−36516
SeO, new band system obs. in 10780-9490 Å region, vibrational anal. 4−40293
SeO, two emission band systems in photographic i.r. vibr. analysis 4−6048
SiCl, rot. fine struct. in B-X system 4−24058
SiH, high temp. vacuum u.v., solar spectrum 4−6045
SiN, 3840 Å Woods band, 3900-4900 Å, high freq, discharge, nitrogen afterglow 4−19820
SiO, $^1\Sigma$-$^3\pi_i$ perturbation in 1413 Å band of $H^1\Sigma^+ - X^1\Sigma^+$ system 4−27642
SiO, 3840 Å Woods band, 3900-4900Å, high freq. discharge, nitrogen afterglow 4−19820
SiO, vibr., rot. analysis of Σ-Σ transition 4−9510
$Si^{18}O$, vacuum u.v. absorption spectrum, excited states, ionization potential 4−27659
SnD, electronic spectrum, rot. energy, fine structure, Hund's coupling case 4−16056
SnF, rot. anal. of $(0,0)_{3/2}$ sub-band 4−9514
SnH, electronic spectrum, rot. energy, fine structure, Hund's coupling case 4−16056
SrI, u.v. band spectrum, λ3400-3600Å, $D^2\Sigma - X^2\Sigma$ transition 4−19819
TiO, singlet and triplet states, molecular constants 4−36503
Tl, u.v. spectra, new line detection in high temp. vacuum furnace *(Russian)* 4−39241
Xe + Ar, UV α-excited electronic energy transfer 4−9612
Xe + Kr, UV α-excited electronic energy transfer 4−9612
Xe_2 pseudomol., high-resolution vacuum u.v. spectrum, lower excited state obs. 4−27658
(XeKr)*, UV α-excited electronic energy transfer 4−9612
ZrO, ground electronic state from reflected shock wave obs. *(Russian)* 4−31815
ZrO, visible spectrum, 649.5 nm, $^1\pi$-$X^1\Sigma^+$ system, rot. analysis 4−16058
ZrO, visible spectrum, gamma system, rot. analysis 4−16057
ZrO, visible spectrum, p-system, triplet splitting rot. analysis 4−16059

spectra of inorganic liquids and solutions
alkali metal salts of sulphonic acids in soln., i.r. spectra and interionic vibrations 4−25519
electrolyte solutions, vibr. spectra, elec. and mag. field effects 4−21555
liquid gases, mixtures, i.r. spectroscopy, review 4−33409
water, containing small quantities of nonelectrolytes, change in vibrational spectra 4−36793
water, i.r. absorpt. coeffs., thin layer, Au substrate, surface e.m. wave meas. technique 4−10400
$[Ni(NH_3)_6]^{2+}$, vibr. spectra, isotopic substitution, psuedo-exact force consts. 4−27682
$[Zn(CN)_4]^{2-}$, vibr. spectra, isotopic substitution, pseudo-exact force consts. 4−27682
$[Zn(NH_3)_4]^{2+}$, vibr. spectra, isotopic substitution, pseudo-exact force consts. 4−27682
Ar, h.f. behaviour of impurity induced i.r. absorption 4−17062
CO-Ar, liq., i.r. spectra, determ. of E2 and mol. torque 4−12571
CO-N_2, liq., i.r. spectra determ. of E2 and mol. torque 4−12571
Ce^{3+} ions in H_2SO_4 and $HClO_4$ solutions 4−25133
Co(III) complex, trans $[Co(en)_2XY]^z$ type, trans influence and X→Co carge transfer transitions 4−10440
CrO_4^{2-}, isotopic substitution, i.r. spectra, ionic force consts. *(German)* 4−27681

spectra of inorganic liquids and solutions continued
- $HCl + H_2O$ solutions, i.r. spectra of H_3O^+ ions by method of disrupted total internal reflection 4—7476
- H_2O, i.r. reson. absorpt., surface e.m. wave propag. in Cu underlayer 4—24807
- H_2SO_4, soln. in water, optical consts. in i.r., refl. meas. 4—41364
- KI, in binary solvent, electronic, i.r. spectral band shifts 4—13450
- K_2SO_4, soln. in water, optical consts. in i.r., refl. meas. 4—41364
- LiF, cryst. and molten, comparison of optical and dielec. props., i.r. meas. 4—20987
- MoO_4^{2-}, isotopic substitution, i.r. spectra, ionic force consts. *(German)* 4—27681
- $NH_4H_2PO_4$, soln. in water, optical consts. in i.r., refl. meas. 4—41364
- Na, liquid, optical absorption, temp. dependence, electron energy perturbation calc. 4—37635
- Ni complex, stilbendiamine acetates and halogens, visible-u.v. spectra analysis 4—6593
- Pt(II) complex, i.r. obs. of Pt-H bond stretching vibr. 4—13426
- $Re^{18}O_4^{2-}$, i.r. spectra, ionic force consts. *(German)* 4—27681
- SO_2-H_2O system, vib. spectra 4—21611
- $SeOCl_2$, CS_2 soln., i.r. spectrum, monomer-dimer-autoassociation constants *(German)* 4—28844
- $SiCl_4$, i.r., Raman spectra, isotope structure, intermolecular interaction 4—12582
- UO_2^{++} in aqueous soln., absorption of electronically excited ion *(Russian)* 4—10770
- $ZnCl_2$, far i.r., liq., glass and solid states, band shape order and temp. depend. 4—28842

spectra of inorganic molecules
- *see also Raman spectra of inorganic substances; spectra of diatomic inorganic molecules; spectra of polyatomic inorganic molecules*
- gas added to He flowing afterglow, spectral emissions from dissociation products 4—793
- hydrogen-bonded, broadening of i.r. absorption spectra, vib. predissociation 4—24088

spectra of inorganic solids
- *see also radiofrequency spectra of inorganic solids; Raman spectra of inorganic substances*
- A15 compounds absorption from 0.09 to 3 eV obs., density of states 4—25126
- actinide metal-biscyclooctatetraenyl complex, i.r. and Raman spectra, vibr. assignments 4—40278
- alkali, halogenate, i.r. spectra, classical dispersion anal. 4—1385
- alkali antimonates, $MSbO_3$ type, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4—10422
- alkali halide:Sn^{2+} crystals, B-band fine struct., absorpt. spectra obs. 4—21029
- alkali halide discs: SCN^- i.r. absorption spectra at 300 and 77K *(Russian)* 4—37649
- alkali halides, absorpt., emission and excitation spectra of Ag^- centres 4—10467
- alkali halides, impurity induced colloidal centres, prod. and absorpt. spectra *(French)* 4—24477
- alkali halides, refl., 260-140 nm, deformation effect 4—37632
- alkali halides, refl. at fundamental absorpt. band, deformational changes *(Russian)* 4—20955
- alkali halides with BO_2^- ions in crystal lattice, i.r. spectra 4—10434
- alkali metal fluorides containing Cu(II), site symmetry and optical absorption spectra 4—3465
- alkali sulphate, orthorhombic, Cu^{2+} centres, u.v. absorpt. band obs. 4—41400
- alkali sulphates, Cd^{2+} and Zn^{2+} doped, X-irrad., absorpt., emission and circular dichroism 4—21026
- alkaline earth antimonates, MSb_2O_6 type, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4—10422
- alkaline earth halides, impurity induced colloidal centres, prod. and absorpt. spectra *(French)* 4—24477
- amorphous semiconductor, study of anharmonicity in rel. to optical absorpt. edge 4—32637
- anisotropic polyvalent metals, polarisation dependent reflectivities 4—21018
- aqueous halide ion glasses, optical absorption spectra, doped with s^2-state impurity ions 4—1398
- β- brass, ordered, absorpt. edge, expt. agreement with APW band calcs. 4—32862
- Bravais space cell, selection rules for lattice vibrations using the correlation method 4—6464
- Bravais space cell, selection rules for lattice vibrations using the correlation method 4—6465
- charge transfer to solvent spectrum of Br^- in supercooled $(Bu_4P^+)_2MBr_4^{2-}$ 4—6891
- diamond, infrared spectra, N platelets, H impurities *(Portuguese)* 4—6871
- diamond, type Ia, visible and near u.v. spectra, GR1 symmetry, ND1 line width 4—10456
- difluoride crystals, tetragonal, effective charges on ions determ. from i.r. spectra 4—36840
- γ-Ga_2S_3, infrared reflection spectra obs. 4—1390
- garnerite:Ni^{2+}, optical absorption spectrum, crystal and mineral oil mull samples 4—6902
- garnet, pressure shifts of optical absorption bands 4—21010
- glass, absorpt. 0.38-1.1 μm, impurity bands 4—28865
- glass, alkali silicate, lattice vibr., ofder determ., Raman, i.r. spectra 4—6875
- glass, i.r. absorpt. study of H_2O, benzene vapour adsorption 4—10039
- glass, optical grade, light scatt., spectrum and intensity 4—22817
- glass, photochromic, containing alkali halide crysts., absorpt. spectra at liq. N_2 temp. 4—41405
- glass, relax. processes, light attenuation expts. 4—26503
- glass, spectrophotometric analysis, impurity absorpt. 4—28881
- glass corrosion, gel film formation, i.r. reflection 4—7294
- glass fibres, i.r. reflectance spectra and molecular orientation 4—9854
- glasses, far i.r. spectra, pseudo-lattice vibrations and glass transitions 4—9856
- halide salts and acids, frozen aq. soln., mol. anion impurity effect 4—41417
- ice, cubic, first absorption band in far u.v. 4—20543

spectra of inorganic solids continued
- ice, Ih crysts., vibr. spectrum, lattice dynamics, valence force field 4—25084
- ice, pure and alkaline, properties of trapped and mobile electrons 4—33008
- ice-Ih, far-i.r. spectrum, orientational correlation effect 4—33429
- inert gas:Al(Ga) crystals, electronic quenching of isolated atoms 4—25136
- inert gas crystal: silane, theoretical i.r. spectra of polyatomic point defect 4—1396
- insulating crystals, i.r. absorption, theory of multiphonon absorption processes 4—20995
- ionic and covalent crystals, i.r. and Raman studies in vibr. spectra of impurities, book 4—3994
- ionic crystal, light absorpt. in exciton region, temp. character *(Russian)* 4—37634
- ionic crystals, multiphonon absorpt. theory, temp. depend. 4—20982
- i.r., hyroscopic thin film reflection spectra, meas. 4—22848
- i.r. absorption, temp. and freq. depend. 4—3956
- kaolin, physico-chemical characteristics of activated sintering *(Russian)* 4—21414
- liquid metals, optical properties theory, pseudopotential method 4—37591
- matrix effects in matrix isolation spectroscopy, in book 4—3977
- metal chelate with nitrilotriacetic acid, i.r. spectra 4—41374
- metal film, optical consts., determ. from transmission meas. using semi-graphical method *(German)* 4—35256
- metal Hg complex $MHg(SCN)_4$-triphenyl phosphine, i.r. spectra 4—40282
- metallic chelates with mixed ligands, intramol. transmetallic charge transfer transitions 4—3988
- olivine, pressure shifts of optical absorption bands 4—21010
- olivine, vibr. spectra, ortho-phosphates, arsenates and vanadates 4—28843
- periclase-spinel, physico-chemical characteristics of activated sintering *(Russian)* 4—21414
- phosphosilicate glass diffusion source, composition by i.r. absorption 4—6983
- piezoelectric semiconductor, i.r. absorpt. theory 4—37617
- potassium titanates, prep. and props. 4—33988
- pyroxene, pressure shifts of optical absorption bands 4—21010
- quartz:Al, optical obs. of α-β fluctuating transition 4—21015
- quartz, fused, i.r. absorpt. temp. depend., 1270-1870K 4—10414
- α-quartz, intensity calcs. to check vib. shapes 4—10411
- quartz glass, deviations from stoichiometry and interstitial paramag. O_2^- ions, e.p.r. and optical spectra obs. 4—13346
- quartz glass at high temp., spectral radiation coefficient 4—3962
- reflection spectra 2.5-7 μ of solids of planetary interest 4—26040
- reflection spectra of solids of planetary interest 4—26039
- rocks, acidic, igneous, reflection spectra 0.325 to 2.5 μ 4—21823
- semiconductor, i.r. refl., rel. to nonstandard band struct. 4—32880
- semiconductor, Urbach absoorpt. edge, structural disorder effects 4—1404
- silicate glass, u.v., rel. to electronic struct. determ. 4—33434
- silicates, reflection spectra 0.325 to 2.5 μ, explanation of features 4—21818
- sillenite type cubic crystals, Faraday rot., 0.43-0.91 μ 4—13470
- spinel, pressure shifts of optical absorption bands 4—21010
- styrene ionomer, i.r. obs. of glass transition 4—33411
- sulphides, i.r. absorption, u.v. emission, comp. correl. 4—41362
- titanate perovskites, i.r. investigation of order on larger cation sublattice 4—25092
- transition metal(III)acidopentammine, vibr. spectra anal. of metal-ligand bond 4—13446
- transition metal complex, hexakis-(pyridine-N-oxide) metal (II), far i.r. spectra, metal-ligand vibrations 4—13449
- transition metal complexes, vibronic spectra, two-dimensional potential surface 4—33385
- transition metal-biscyclooctatetraenyl complex, i.r. and Raman spectra, vibr. assignments 4—40278
- uvarovite garnet:Cr^+, optical absorption spectrum, i.r. region, at 300 and 9K 4—28874
- zeolites, with adsorbed N,N-dimethylamiline, thermal origin of specific absorption spectra *(Russian)* 4—6897
- Ag, Ag-Au alloys, small particles, surface effects, absorption 4—25134
- Ag film, surface plasmon reson. absorpt., surface roughness effects 4—33433
- Ag-SiO_2, granular film, transmission spectra obs. 4—33526
- Ag_3AsS_3, i.r. reflection and transmission spectra, 20-650 cm^{-1}, phonon mode obs. 4—41384
- Ag_3AsS_3, Raman and far i.r. spectral investig. rel. to cryst. struct. 4—20979
- AgBr, AgCl, anharmonicity in lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4—17067
- AgCl:Au, optical absorption spectra obs., exciton absorption 4—33466
- AgCl(Br), magnetoabsorpt. of indirect exciton 4—10397
- $AgGaS_2$, energy gap determ., anomalous temp. depend. 4.2 to 300 K 4—13141
- AgI, transmission meas., 437-750 nm, near absorption tail 4—28782
- $AgNa(NO_2)_2$, ferroelec., light absorpt., vibronic interpretation 4—37683
- $AgNiF_3$ crystals, prep. and props. 4—41492
- $AgSbO_3$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4—10422
- Ag_3SbS_3, Raman and far i.r. spectral investig. rel. to cryst. struct. 4—20979
- Ag_2Se, i.r. refl., temp. depend. of effective electron mass 4—25113
- Ag_2Te, i.r. refl. anal., conduction band struct. 4—16710
- $Al_xIn_{1-x}Sb$, electroreflectance spectra of step-freeze grown samples, 0.2-3μ, composition depend. of E_0, E_1 transitions 4—41395
- Al_2O_3, ruby, u.v. and visible absorpt., high-energy electron irrad. effects *(Russian)* 4—33453
- Al_2O_3 films, anodic, i.r. refl.-absorpt. spectra 4—37619
- Al_2O_3:Cr, formation and destruction of dye centres after thermal treatment 4—3496
- Al_2O_3:Mn^{3+} far i.r. absorption lines obs. 4—17094
- AlSb, pseudopotential-k.p combinatorial calc., optical critical points and effective masses 4—20533

spectra of inorganic solids continued
- Ar, i.r. absorption spectra anal. of H atom trapping sites 4−13427
- Ar film, with Xe impurity, 10K, 8.5-11.5 eV, cluster band due to impurities 4−17087
- $Ar{:}^{41}K$, absorption, 300-800 nm, annealing effect 4−37641
- As, chalcogenide, amorphous film, i.r. absorpt., rel. to struct. *(Russian)* 4−33423
- As, reflectivity meas., 0.08 to 70 eV, optical and dielectric constants determ. *(French)* 4−41392
- AsI_3, optical absorption spectrum 4−41387
- $As_xP_{1-x}In$, solid soln., i.r. refl. spectra, lattice vibr. 4−25094
- As_2S_3-$AsI_3(Br_3)$ glasses, absorpt. and mag. rotation dispersion spectra 4−13463
- AsSI, i.r. absorpt., surface impurity effect *(Russian)* 4−33369
- AsSeI, i.r. absorpt., surface impurity effect *(Russian)* 4−33369
- As_2SeTe_2, amorphous, bulk and film, extrinsic electroabsorpt., peak obs., rel. to photocond. 4−16786
- AsXI, (X=S,Se), glass form. region, transmission spectra *(Russian)* 4−6345
- Au, Ag-Au alloys, small particles, surface effects, absorption 4−25134
- Au, surface plasmons, dispersion relations, optical meas. 4−41109
- Au film, thermal diffusivity determ., laser reflectance relax. spectroscopy 4−9996
- Au-SiO_2, granular film, transmission spectra obs. 4−33526
- Au(1) complex, triphenylphosphine (arsine) vibr. spectra 4−28836
- BN, u.v. and i.r. absorpt. spectra, band gap meas. 4−37628
- BO_2^-, i.r. spectra in K, Rb halide lattices, anharmonic force field determ. 4−41403
- $BaF_2{:}Er^{3+}$, luminescence and absorption spectra, calc. of crystal field parameters 4−28914
- $BaNaPO_4.9H_2O$, crystal and spectroscopic data 4−32501
- $BaS_2O_3.H_2O$, i.r. and Raman spectra, effect of water of crystallization, and other thiosulphates *(French)* 4−28799
- $BaTiO_3$, ferroelectric, empirical reln. for optical absorption edges 4−10430
- Bi, magnetic-field-induced far i.r. transmission 4−10405
- BiI_3, absorption and photoluminescence as function of polarisation, existence of bielectrons *(German)* 4−28886
- BiI_3, absorption spectra meas. at low temp. 4−28858
- BiI_3, bielectron versus donor-acceptor-pair model, absorpt. and emission obs. 4−3722
- BiI_3, optical absorption spectrum 4−41387
- BiI_3, optical spectrum of acceptor centre *(Russian)* 4−41404
- Bi_2O_3-GeO_2 glass, i.r. absorption meas. 4−20219
- Bi_2Se_3, reflectivity, optically active lattice vibrs. investigation 4−28162
- $Bi_2Se_3{:}I(Br)$, free carrier conc. determ. from reflectivity meas. 4−33467
- Bi_2Te_3, optical phonons and dielec. const., i.r. reflectivity meas. 4−1392
- n-BiTeBr, layered crysts., i.r. absorpt., energy struct. features 4−17077
- $(CH_3)_3PBH_3$ and $(CH_3)_3PBD_3$, addition compounds 4−3141
- CaF_2, REF centres press. depend. 4−10453
- $CaF_2{:}Ce^{3+}$, absorption, vibronic struct. interpretation 4−41401
- $CaF_2{:}Ce^{3+}$, crystal field, site symm. determ. 4−41035
- CaF_2:rare earth ions, high resolution absorption spectra, 4f→5d transitions 4−25145
- $CaF_2{:}Tm^{3+}$, absorpt., Zeeman effects, 4.2K, heat treatment effects 4−25142
- CaO, exciton thermoreflectance 6 to 8 eV, spin-orbit splitting, exciton-phonon structs. 4−13469
- CaO crystal, deformed, luminescence effect, opt. absorpt. and emission spectra 4−13498
- $Ca_3(PO_4)_3F$, fluoroapatite, optical constants, Kramers-Kronig anal. of i.r. refl. spectra 4−13434
- CaS:Sn, n.g.r., e.p.r., and optical spectra meas. 4−28740
- $CaSO_4.2H_2O$, thermal dehydration, i.r. spectral study *(Italian)* 4−1700
- $CaSc_2O_4{:}Nd^{3+}$, absorpt. and fluoresc. spectra 4−28906
- CdCl, strongly excited, excitonic absorpt. 4−33494
- $CdCl_2(Br_2)$, absorpt. bands due to Cu^+, Cu^{2+} centres 4−1403
- $CdCr_2S_4$, chalcogenide spinels, hot pressed, stoichiometry, optical transparency 4−29196
- $CdF_2{:}Co^{2+}$, Fe^{2+}, Jahn-Teller effect on excited orbital triplet states, absorp. obs. 4−37643
- $CdF_2{:}ScF_3$, photoionisation absorption spectra in near i.r. 4−10457
- $CdF_2.2NH_3$, i.r., hydrolysis, thermal decomposition products identification 4−24440
- $CdGa_2S(Se)_4$, optical props., band struct., 200-600 nm 4−25131
- $CdGeP_2$, long wavelength absorpt. edge struct., forbidden band 4−37631
- $Cd_xHg_{1-x}Se$, solid soln., fundamental absorption edge profile 4−37616
- $CdIn_2S_4$, i.r. reflectance and transmission optical phonon freqs. 4−6880
- CdO degenerate films, optical absorption by free polarons at 5 to 24 μm 4−3721
- CdP_2 optical and electroabsorption spectra, anisotropy obs. phonon type and energy determ. 4−3985
- CdP_4, optical and electroabsorption spectra, anisotropy obs. phonon type and energy determ. 4−3985
- CdS, capture processes of excitons and free carriers, edge emission peak obs. 4−28855
- n-CdS, cyclotron phonon resonance and satellite absorption 4−6895
- CdS, direct formation of excitonic mols. by optical absorption 4−28860
- CdS, exciton-phonon absorpt. spectra at 77 K 4−13161
- CdS, film, optical exciton interference states obs. 4−41451
- CdS, fluorescence, phonon replica of excited level of free exciton 4−10481
- CdS, heavily doped, exciton spectra, 4.2, 77K, broadening mechanism 4−33448
- CdS, optical absorpt. edge, press. effect 4−28879
- CdS, reflection spectra at 1.8 K, obs. of optical anisotropy of exciton transition 4−17092
- CdS, short wavelength edge emission bands, transitions 4−28854
- CdS, stress-induced stimulated emission from excitonic mol. 4−41396

spectra of inorganic solids continued
- CdS, strongly excited, excitonic absorpt. 4−33494
- CdS, thin cryst., emission and transmission spectra, 1.8-77K, interacting excitonic mols. 4−13515
- CdS, two-photon absorpt., angular dispersion in exciton region 4−35901
- $CdSb_2O_6$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
- CdSe, A-exciton absorpt., picosecond light pulses from self-phase modulation 4−25124
- n-CdSe, absorpt. spectra and Faraday effect due to free carriers, effective electron mass 4−21021
- CdSe, film, optical exciton interference states obs. 4−41451
- CdSe, Urbach rule, absorpt. coeff. meas. 4−32625
- $CdSe_xT_{1-x}$, impurity electroabsorption, photoconductivity, deep levels 4−33450
- $CdSiP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4−33438
- p-CdTe:Se, effect of phase distrib. of impurities on absorpt. by free carriers *(Russian)* 4−37650
- $CeF_3{:}Tm^{3+}$, spectrum and energy levels *(Russian)* 4−6925
- $CfCl_3$, indentification of electron transfer bands in absorpt. spectrum 4−10441
- Cl_2, codeposited in N_2 matrix with NH_3, 20K, i.r., u.v. spectra, complex proposed 4−38121
- Co complex, Co^{3+}-N-acetylacetone-anthranilic diffuse reflectance spectrum, u.v.-visible region 4−25127
- Co tetracarbonyl complex, i.r. spectral band intensities, dipole moment derivatives 4−25097
- Co-I boracite, far i.r. reflectivity obs. 4−13420
- Co^{2+}-complex, circular dichroism meas., spin-orbit and tetragonal field splitting 4−28809
- $CoCl_2$, far i.r. spectra, hexahydrate librations *(French)* 4−28841
- $CoCl_2$-$CdCl_2$ mixed crystals, electronic spectra of spin-forbidden transitions 4−28857
- $CoCr_2S_4$, chalcogenide spinels, hot pressed, stoichiometry, optical transparency 4−29196
- $Co(H_2O)_6(BrO_3)_2$, mag. circ. dichroism in i.r. region, vib. analysis 4−25101
- Co(II) complex, $Co(KSO_4)_26H_2O$, visible to u.v. spectrum, room and liq. N temps., ligand field theory 4−20741
- Co(II) complex, $Co(NH_4SO_4)_26H_2O$, visible to u.v. spectrum, room and liq. N temps., ligand field theory 4−20741
- $Co_xMg_{1-x}O{:}Co^{2+}$, optical absorpt. spectra *(Russian)* 4−41022
- $CoMoO_4$, polymorphism, X-ray diffr. and i.r. absorpt. obs. 4−13035
- Cr^{3+} complexes, Cr^{3+} energy level transitions, diffuse reflectance spectrum 4−6870
- Cr^{3+}:MgO, meas. of mag. induced circular emission 4−30463
- Cs film, optical consts., 1.5-3.8 eV, determ. from transmission meas. using semi-graphical method *(German)* 4−35256
- Cs halides: chalkogen hydrides, u.v. and visible fluorescence, vibr. spectra 4−10483
- CsCl-$LaCl_3{:}Pu^{3+}$, absorpt. spectra spin-orbit and electrostatic interaction effects *(Russian)* 4−41406
- CsCl(I), i.r. absorpt. spectra, surface modes, Brillouin zone 4−24620
- Cs_2GeF_6:Mn(IV), O_h symmetry, detailed analysis 4−25137
- CsI, optical props., far infrared, 12-300K, rel. to anharmonicity 4−17058
- $Cs(Mg,Ni)Cl_3$, light absorpt., cooperative interactions 4−33435
- $CsMnCl_3.2H_2O$, magnon sideband, intensity, freq. and line width, temp. depend. 4−13313
- Cs_2MoO_4-MoO_3, phase diagram, thermal, spectral and X-ray diffraction obs. 4−28185
- $Cs_2NaYCl_6{:}Co^{3+}$, absorpt. and mag. circular dichroism spectra 4−37644
- $CsNiBr_3$, light absorpt., cooperative interactions 4−33435
- $CsNiCl_3$, light absorpt., cooperative interactions 4−33435
- CsX:M, (X=Br, Cl, I, M=Li, Na, Rb, Tl) i.r. spectra calc. 4−21033
- Cu complexes, bis(diamine)Cu(II), charge-transfer spectra, correl. with other props. 4−28853
- Cu-Al, α-phase alloys, modulated reflectivity meas. 4−21019
- Cu-Ga, α-phase alloys, modulated reflectivity meas. 4−21019
- Cu-Ge, α-phase alloys, modulated reflectivity meas. 4−21019
- Cu-Zn, α-phase alloys, modulated reflectivity meas. 4−21019
- $CuAl_2O_4$, intermediate spinel, opt. absorpt. spectra of Cu^{2+} 4−37622
- $CuAlS_2$, i.r. reflectivity and absorption, optical phonons investigation at 300 K 4−13453
- $CuAlS_2$:Fe, optical absorption spectra obs. 4−28856
- CuCl, two photon absorption, biexciton creation 4−35896
- $CuFeS_2$ film, optical absorption spectra obs. 4−28856
- $CuGaS_2$:Fe, optical absorption spectra obs. 4−28856
- αCuGe, light absorpt. at 4.2 K, direct interband transitions 4−33443
- Cu(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4−10423
- Cu_2O, absorpt. line shape, exciton-LO phonon scatt. 4−33430
- Cu_2O, exciton 1S absorpt. line, isoelectronic broadening due to Ag impurity 4−13478
- Cu_2O, i.r. and Raman spectra, lattice vibr., optical and dielectric parameters 4−25096
- Cu_2O, two-photon absorp. due to excitonic states 4−28861
- Cu_2O, yellow 1S line, temp. depend., cryst. defects, exciton scatt. by phonons 4−21017
- $CuPbSbS_3$, grown by modified zone-melting method, characterization 4−4044
- DCL, in monatomic matrix, dimeric struct. rel. to near i.r. absorpt. 4−25086
- D_2O_2, i.r. and Raman spectra O-H stetching bands 4−28845
- $DyAsO_4$, phase transition at 11.2K, absorpt. spectra of Dy^{3+}, Er^{3+}, splitting factors, mag. ordering *(German)* 4−20779
- Dy_2O_2S, absorp. spectra, Dy^{3+} crystal field levels detn. 4−37674
- $EuAlO_3{:}Cr^{3+}$, cooperative absorpt. and luminesc. 4−25165
- $Eu_3Ga_5O_{12}$:Pt, antireson. in optical spectrum of Eu^{3+} 4−25144
- EuO, spin polarised OPW band struct. calcs., allowed optical transitions 4−32879
- Eu_2O_3 polytypes, absorpt. spectra rel. to struct. 4−13034

spectra of inorganic solids continued
EuS(Se)(Te), films, far i.r. absorpt. at 2K, single peak rel. to TO phonon 4−25089
F_2, vibr. spectra 4−28813
F_3PBH_3, solid, vib. spectra 4−28824
Fe, room temp. optical props., 1.1 to 4.9 eV 4−28783
Fe complex, Fe(1,10-phenanthroline)$_2X_2$, far i.r. spectra, metal-ligand stretching vibr. 4−28847
Fe-Ni alloys, refr. index and absorpt. coeff. dispersion, band model interpret., conc. depend. *(Russian)* 4−28808
$FeBO_3$, exciton, magnon and phonon structure in optical absorption spectrum 4−3986
$FeCO_3$, antiferromagnet, anal. of i.r. absorpt., 20-300 cm^{-1}, 4.2-70K 4−24939
$FeCO_3$, light absorpt., magnetothermal effect monitoring 4−24960
Fe(II), complexes, 1,10-phenanthroline, 2,2′-bipyridine, press.-temp. relationships, i.r. spectra, spin conversion 4−20975
Fe(II) complex, $Fe(phen)_2(NCS)_2$, phonon coupled cooperative low-spin $^1A_1 \rightleftharpoons$ high-spin $^5T_2$ transition, sp.ht. and i.r. spectra obs. 4−32646
FeOOH, i.r. spectra, characterisation of new high pressure phase 4−1366
$(Fe^{III}O_{3/2}Se)2R$, R=Li, Na or K, black glass, optical absorpt. characts. investig. 4−32446
$FeSO_4.H_2O$ Mossbauer resonance investig., growth in varying temps. and atmospheres 4−33327
GaAs, amorphous, for i.r. absorpt. spectra 4−3971
GaAs, band-tailing due to electron, irrad., obs. 4−41008
GaAs, electroreflectance transverse spectrum near fundamental edge, interpretation 4−6864
n-GaAs, epitaxial, magneto-optical obs. of free exciton reflectance 4−37627
GaAs, epitaxial cryst., exciton absorpt. spectrum, fine struct., 4.2 K 4−25130
GaAs, exciton absorption spectra obs. by mag. field modulation 4−28864
GaAs, flatband electroreflectance data analysis 4−21020
GaAs, magneto-absorpt., fine struct. anal. 4−25132
GaAs, magneto-reflectance of 1S exciton ground states 4−41393
GaAs, oscillatory magnetoabsorpt., anisotropy, π spectra, band parameters, 30 kOe, 4.2 K 4−25129
GaAs, powder transmission meas., surface vibrs. 4−13086
n-GaAs:B, i.r. absorpt. meas., B(2) centre pairing 4−25141
GaAs:Cd, absorption, acceptor-to-band transitions, effective mass approx. 4−37676
GaAs:Li, i.r. active localised vibr. modes of Li defect complexes 4−3991
GaAs:N$^+$, local vibr. band, i.r., annealing effect 4−21027
GaAs:Si, role of residual donor impurity, i.r. spectra 4−37182
$Ga_xIn_{1-x}Sb$, piezoreflectance meas., 77-300K, i.r. 4−33377
GaN, vapour phase epitaxially grown, absorpt. coeff. 4−6892
GaP, electroabsorption, indirect optical transitions, phonon role 4−33449
GaP, powder transmission meas., surface vibrs. 4−13086
n-GaP:B, i.r. absorpt. meas., B(2) centre pairing 4−25141
GaP:Si, Cu, Zn diffusion, complex form., i.r. absorpt. 4−25139
n-GaP:Si, i.r. absorpt., local modes, pair form., Si-C complexes 4−25140
$(GaP)_{1-x}(ZnSe)_x$, optical band gap variation obs. 4−33445
GaS, indirect excitons and phononless transitions 4−28912
GaS(Se), long-wavelength lattice vibrations, far i.r. absorpt. obs. 4−3972
GaSe, film, transmittance meas., exciton absorpt. 4−20705
GaSe, optical props., and collective excitations, 2 to 80 eV 4−33437
GaSe, spectra interpretation in pseudopotential band calcs. rel. to band gap excitons 4−6597
GaTe, layer compound, optical consts., 1-6 eV 4−17036
$GdAlO_3$:Fe transition group ions, absorption spectra, transition energies 4−17097
$GdCl_3$, Raman and i.r. spectra, lattice dynamics, cryst. struct. 4−25095
$Gd_2(MoO_4)_3$, ferroelectric, empirical reln. for optical absorption edges 4−10430
$Gd_2(MoO_4)_3$, temp. and polarisation depend. of optical absorption edge 4−33441
$GdVO_4$, diffuse scatt. spectra, opt. parameter determ. *(Russian)* 4−33469
Ge, amorphous, far i.r. absorpt. spectra 4−3971
Ge, amorphous film, elec. cond. and optical absorpt., structural damage effects 4−3662
Ge, amorphous film, light absorpt., temp. depend., annealing effect 4−28405
Ge, amorphous film, light absorpt., substrate temp. depend. 4−33524
Ge, differential spectrum of indirect transitions in crossed elec. and mag. fields 4−13458
Ge, electrode, use in modulated electro-internal refl. spectrometry 4−22841
p-Ge, i.r. absorpt., hole mobility in space charge region 4−24758
Ge, time-resolved anal. of i.r. plasma absorption due to electron hole drop 4−41381
Ge film, amorphous, evidence for sharp and gradual optical absorption edges 4−3984
Ge:Sb, absorption of sub-m.m. radiation in intermediate impurity conc. region 4−28871
Ge-S(Se) glasses, struct. interpret. 4−17056
$GeSb_2Se_4$, vitreous, absorpt. 0.7 to 25 μ 4−10404
Ge_xTe_{1-x} film, absorpt., room temp. 4−24847
HBr hydrates, i.r. spectra of crystalline phases 4−28825
HCN-DCN mixed crysts., internal vib. modes and hydrogen bonding 4−25085
HCl, in monatomic matrix, dimeric structure rel. to near i.r. absorpt. 4−25086
HCl hydrates, i.r. spectra of crystalline phases 4−28825
HDO_2, i.r. and Raman spectra O-H stetching bands 4−28845
α-HIO_3, Raman and i.r. spectra, fund. vibr. spectra, ang. dispersion by phonons 4−16567
H_2O_2 i.r. and Raman spectra O-H stretching bands 4−28845
$H_2O_2.2H_2O$, and deuterated analogue, vibr. spectra and cryst. struct. 4−33427

spectra of inorganic solids continued
H_2SO_4 aqueous solutions, i.r. reflectance spectra meas., room temp. 4−6860
$Hf(BH_4)_3$-$U(BH_4)_4$ mixed crystal, e.p.r. and optical (5000-300 cm^{-1}) spectra, electronic origins 4−3978
Hg, polarisation dependent reflectivities 4−21018
$HgF_2.2NH_3$, i.r., hydrolysis, thermal decomposition products identification 4−24440
$Hg_2(N_3)_2$, absorpt. spectra, photodecomposition, covalent bonding 4−25156
α-HgS, synthetic, polarised light, i.r. refl. spectra, lattice vibr. modes, 80K, 300K *(French)* 4−13442
HgS_xSe_{1-x}, band struct., refl. and electrorefl. obs., 2.4-3.6 eV *(Russian)* 4−28866
HgTe, cyclotron reson., far i.r. magnetotransmission meas., Faraday and Voigt geometries 4−32877
HgTe, inversion-asymmetry-induced interband magneto-optical transitions 4−10431
InBr single crysts., absorpt. near band edge, exciton absorpt., energy gap determ. 4−33366
InI, photolum. and optical absorpt. spectra *(French)* 4−21049
InP, magneto-reflectance of 1S exciton ground states 4−41393
InSb, band-tailing due to electron irrad., obs. 4−41008
InSb, compensated, impurity absorpt spectra, deep levels, effect of vacuum annealing, 300-10 K 4−25148
$(In_2Te_3)_x$-$(Hg_3Te_3)_{1-x}$, transmission coeffs. as function of freq., Bernstein effect *(Russian)* 4−10451
K $AlO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Al_2O(OH)_6]^{2-}$ *(French)* 4−25090
K $GaO_2.1.5H_2O$, i.r. and Raman spectra, vibrations, interpretation on basis of $[Ga_2O(OH)_6]^{2-}$ *(French)* 4−25090
K halides, exciton absorpt. spectra in vacuum u.v., ligand field theory 4−13468
K halides, investigation of Sb impurity centres 4−28877
KBr, i.r. study of U-centres 4−10463
KBr, n-irradiated, optical absorption and luminescence spectra 4−3987
KBr:Pb^{2+}, aggregate centres, model 4−33463
KBr:Pb^{2+} crystals, optical absorption spectrum 4−3989
KBr:Sr, absorption spectra, ^{60}Co γ-irradiation effect on impurity-vacancy dipoles 4−28116
K(Cl,Br), absorption meas. rel. to X-ray destruction of F-centres in whisker crystals *(Russian)* 4−1054
KCl, absorpt., F-centre interaction with impurity complexes 4−13482
KCl:Li$^+$, far i.r. absorpt. multiplet struct., ⟨111⟩ off centred impurities 4−10454
KCl:$NO_3^-(OH^-)(CO_3^{2-})$, absorption spectra, optical and thermal bleaching characts. 4−3990
KCl:Sr, Z_2 and Z_5 centres, optical absorpt. *(Russian)* 4−21038
KCl:Tl, hole migration investigation by pulsed absorpt. spectroscopy and V_k centres *(Russian)* 4−41084
KCl:Tl, optical absorpt., X-irrad., colour centre conversion 4−37648
KCl-KI, $H(ICl_3^{3-})$ centre absorpt., thermal effects 4−41398
KCl_xBr_{1-x}, additively coloured, F-aggregate bands 4−37637
KCl(Br)(I), intrinsic tail spectra, Urbach rule 4−28168
$K_2CuCl_4.2H_2O$, vib. spectra of H_2O mols. in planar chains 4−19846
$K_4Fe(CN)_6.3H_2O$, ferroelec. cryst., dynamics of H_2O mols. 4−10421
$KFe(CrO_4)_2.2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4−3968
K_2GeF_6:Mn(IV), D_{3d} symmetry, detailed analysis 4−25137
KI, one phonon and multiphonon absorpt., calc. 4−1092
KI single crystals, refl. spectra, oblique incidence of beam, 240-150 nm, axial compression effects *(Russian)* 4−21023
KI:Rb, induced far i.r. absorpt., phonon eigendata with localised impurity model 4−37646
KI:Rb$^+$, gap mode freq. determ. using far i.r. spectra 4−1095
$KMgF_3$:Fe^{2+}, evidence of equal Jahn-Teller coupling to E_g T_{2g} modes from far i.r. studies 4−10461
KNO_3, u.v. absorpt., temp. depend. 4−25120
$KNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
K_2NiF_4, layered antiferromagnet, absorpt. spectra 40 to 40000 cm^{-1}, specific vibrs. 4−13433
K_2O-SiO_2 glass, i.r. absort. spectra, comp. and press. effects, up to 40 kbar 4−37597
KPF_6, vibr. spectra anal. of high pressure polymorphism 4−10425
$K_2Pt(CN)_4Br_{0.3}.3H_2O$, 1-D conductor, u.v.-i.r. props. 4−33432
K_2PtCl_6:Re^{4+}, vibronic selection rules, polarisation and Zeeman effects 4−3996
K_2SO_4:Co^{2+}, optical and elec. props., doping effects, cryst. field parameters 4−25121
$KTaO_3$, ferroelectric, empirical reln. for optical absorption edges 4−10430
$KTaO_3$, surface polaritons, A.T.R. spectral investig. 4−24532
$K_{1-x}Tl_xCl$, $K_{1-x}Tl_xBr$, long wavelength optical phonons, far i.r. reflectivity obs. 4−36964
$KZnF_3$, perturbed $[F_2^-]$ centres, light absorpt. 4−25138
LaOCl:Er^{3+}, diffuse scatt. spectra, opt. parameter determ. *(Russian)* 4−33469
$La_{2/3}TiO_3$, and its solid soln. with $BaTiO_3$, oscillatory spectra, 30-1500 cm^{-1} *(Russian)* 4−37620
$LiAl_5O_8$:M, M=iron-group ions, absorption spectra 4−6901
LiCl crystals, thermal behaviour of colour centres produced in n and γ irradiation 4−32584
$Li_{1-x}Cu_x$, Li soft X-ray K absorption threshold meas. 4−17136
LiF, cryst. and molten, comparison of optical and dielec. props., i.r. meas. 4−20987
LiF, phononless line of N_1 colour centres, quadratic pseudo-Stark splitting 4−37640
LiF, thermal bleaching of colour centres after neutron irradiation at 18K 4−32583
LiF, thermally induced absorpt. bands with vibr. struct., u.v. 4−28878
LiF films, thermal emission in 30-140 μm region, virtual modes theory *(German)* 4−25183
LiF:Mn, absorpt. spectrum, 6000 to 1400 A 4−41399
$LiNbO_3$, optical anisotropy, from refl. obs. up to 10 eV 4−25128
$LiNbO_3$:Fe$^{2+,3+}$, polarised optical absorption spectrum 4−33457

spectra of inorganic solids continued
Li_2NiF_4, layered antiferromagnet, absorpt. spectra 40 to 40000 cm^{-1}, specific vibrs. 4–13433
Li_2O-SiO_2 glass, i.r. absorpt. spectra, comp. and press. effects, up to 40 kbar 4–37597
$Li_2O.Al_2O_3$-SiO_2 glass, X-irrad., absorpt. 4–13526
Li_3PO_4 glass:transition metal ions, impurity absorption spectra and magnetic susceptibilities 4–33458
$LiSO_4.H_2O$, $LiSO_4.D_2O$, thermodynamic props. and i.r. spectra 4–1124
$Li_2SO_4.H_2O$, l.f. acoustic vibrs. of H_2O mols. 4–3531
$LiTaO_3$:Fe^{2+}, polarised optical absorption spectrum 4–33457
Mg/graphite composites, localized exfoliation, combined metallographic and analytical approach 4–33884
$MgAl_2O_4$:Cr^{3+}, absorpt. spectra at room, liquid N_2 temps. 4–10455
$MgAl_2O_4$:Fe^{2+}, visible absorpt., due to spin-forbidden electronic transitions on tetrahedral Fe^{2+} 4–33464
$Mg(H_2O)_6SO_3$, doped with $M(H_2O)_6{}^{2+}$ ions (M=Fe, Ni, Co, Cu), MCD interpret., vibronic intensity 4–3995
MgO, exciton thermoreflectance 6 to 8 eV, spin-orbit splitting, exciton-phonon structs. 4–13469
MgO, one phonon and multiphonon absorpt., calc. 4–1092
MgO, V^- type centre, bound small polaron optical absorp. 4–37642
MgO:Al_2O_3 Verneuil-grown spinel, optical properties in i.r. region 4–37595
MgO:Cr^{3+}, absorpt. and mag. circular dichroism spectra 4–33459
MgO:Ni^{2+} adsorption of H_2O and NH_3, reflection spectroscopy 4–6546
$MgWO_4$:Co^{2+}, Cr^{3+}, impurity absorpt. 4–13484
$MnBr_2$, film, far u.v. absorption spectra between 20 and 67 eV 4–41390
$MnCl_2$, film, far u.v. absorption spectra between 20 and 67 eV 4–41390
MnF_2, far i.r. optical absorption, search for multiple-magnon processes 4–28801
MnF_2, film, far u.v. absorption spectra between 20 and 67 eV 4–41390
$MnF_6{}^{2-}$ in O_h and D_{3d} symmetry, detailed analysis. 4–25137
$MnFe_2O_4$, i.r. absorption spectra and inversion degree 4–37614
$MnO.B_2O_3.3H_2O$, i.r. absorption spectra *(Russian)* 4–6885
MnTe, antiferromag. semicond., phonon i.r. absorpt., temp. depend. at Neel point 4–37418
Mo dichalcogenides, vac. u.v. reflectivity, band struct. 4–33431
MoO_3 layers, variations of optical absorption and refractive index 4–21035
NH_3, codeposited in N_2 matrix with Cl_2, 20K, i.r., u.v. spectra, complex proposed 4–38121
NH_3, i.r. absorpt., Lambert coeffs. 4–6859
NH_4Br, NH_4Cl, anharmonicity in lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4–17067
NH_4Cl small crystals, temp. dependence of i.r. absorption and Raman scattering 4–1391
NH_4ClO_4, polarised i.r. reflectance spectra 4–10435
$NH_4Fe(CrO_4)_2.2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4–3968
$NH_4H_2PO_4$, i.r. absorption, antiferroelec. transition effects *(French)* 4–41370
$(NH_4)_2SO_4$:Co^{2+}, optical and elec. props., doping effects, cryst. field parameters 4–25121
$NaAg(NO_2)_2$, i.r. absorpt. 4–25114
NaCl:$BiCl_3$(BiOCl), opt., elec. and dielec. props. 4–17085
NaCl:Sr, X-irrad., colour centre absorption, rel. to thermoluminesc. 4–33510
NaCl-pyrrole system, interactions at solid-liquid interface, i.r. spectra *(French)* 4–13084
NaCl(F), multiphonon reststrahlen absorpt. band, temp. depend. 4–3969
NaF, dispersion and diffr. by M-centres, possible appl. to holographic storage 4–28876
NaF, i.r. multiphonon absorpt. temp. depend. 4–13439
NaF, pure single cryst., prep. and u.v. spectra investigation, impurity effects 4–33600
NaF(Ci)(Br)(I), intrinsic tail spectra, Urbach rule 4–28168
$NaFe(CrO_4)_2.2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4–3968
$NaGa(NH_2)_4$, Raman and i.r. spectra, 4000-150 cm^{-1}, cryst. struct. *(French)* 4–20989
NaI, one phonon and multiphonon absorpt., calc. 4–1092
$Na_xK_yWO_3$, quadratic tungsten bronze structure, optical const. determ. *(French)* 4–3950
NaN_3, size effect on Mie optical absorption of small Na particles 4–33444
$NaNO_3$, polarized specular refl. i.r. spectra, angle depend. effects, LO and TO modes 4–1384
$NaNO_3$, u.v. absorpt., temp. depend. 4–25120
Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glass, Pt(IV) complexes, opt. absorpt. 4–21031
$Na_2O.SiO_2$ glass, X-irrad., absorpt. 4–13526
$Na_2O.xB_2O_3$ glasses, i.r. and Raman spectra, obs. of phase transformations 4–17057
Na_2SO_4:Co^{2+}, optical and elec. props., doping effects, cryst. field parameters 4–25121
$3Na_20.7TeO_2$:Er^{3+}, glass, quantum efficiencies and intensities of electronic transitions of green luminescence 4–10482
$Nd_{2/3}TiO_3$, and its solid soln. with $BaTiO_3$, oscillatory spectra, 30-1500 cm^{-1} *(Russian)* 4–37620
Ni, passive, metal mirror electrode, changes of reflectivity rel. to electrode pot. investig. *(German)* 4–34034
Ni, room temp. optical props., 1.1 to 4.9 eV 4–28783
Ni complex, $(CH_3OCS_2)_2Ni$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4–25105
Ni complex, bis-(N-methylsalicylaldiminato)-nickel(II), polarized i.r. spectrum of single crystals 4–3975
Ni complex, tetracyanonickelate(II), polarised electronic spectra at 5°K 4–41388
Ni tetracarbonyl complex, i.r. spectral band intensities, dipole moment derivatives 4–25097
Ni-Cr, optical consts., 250 to 1100 nm 4–37625
Ni-Fe alloy, room temp. optical props., 1.1 to 4.9 eV 4–28783
Ni-I boracite, far i.r. reflectivity obs. 4–13420

spectra of inorganic solids continued
$NiAl_2O_4$, intermediate spinel, opt. absorpt. spectra of Ni^{2+} 4–37622
$NiCl_2$, far i.r. spectra, hexahydrate librations *(French)* 4–28841
$Ni(H_2O)_6SO_4$, circular dichroism spectra of i.r. band, orthorhombic splitting of $E(^3T_{2g})$ state 4–6877
Ni(II) complex, β-mercaptoethyl vibr. spectra 4–28835
Ni(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4–10423
α-$NiSO_4.6H_2O$, vibrational circular dichroism, 1900 to 5000 cm^{-1} 4–25118
Ni(0) complex, triphenylphosphine (arsine) vibr. spectra 4–28836
α-O_2, bimolecular exciton states, absorpt. obs. at 1.3K 4–10119
Os(II) complex, pentammine carbonyls (nitrogenyls), vibr. spectra 4–28838
Pb, supercond. film, i.r. transmission, fluctuation contrib. 4–41154
Pb film, refl. meas. 3 to 15.5 eV in u.h. vacuum, existence of volume and surface plasmons 4–41452
PbF_2, thin film, optical consts. and exciton states *(Russian)* 4–10450
PbFX (X=Cl, Br, I), powder samples, i.r. and Raman spectra *(French)* 4–13447
Pb(II)-bis-(N-methylsalicylaldiminato), i.r. spectra, vibr. assignments 4–10423
$Pb_{1-x}In_xTe$, solid soln., absorpt. spectra, quasilocal impurity states 4–25147
Pb(S,Se,Te), wavelength modulation spectra investig. and interpretation 4–25123
$PbSb_2O_6$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4–10422
PbTe, magneto-optical reflect. and transmittance meas., far i.r. region 4–25098
PbTe, n-type, optical absorpt. coeffs. meas., cond. effective mass evaluation 4–25099
Pd complex, $(CH_3OCS_2)_2Pd$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4–25105
Pd(II) complex, β-mercaptoethyl vibr. spectra 4–28835
Pd(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4–20997
Pd(II) methylpyridine complex, i.r. spectrum, coordinate vibrations *(French)* 4–20996
$Pr_{2/3}TiO_3$, and its solid soln. with $BaTiO_3$, oscillatory spectra, 30-1500 cm^{-1} *(Russian)* 4–37620
Pt complex, $(CH_3OCS_2)_2Pt$, i.r. and Raman spectra, normal coord. analyses, force const. determ. *(German)* 4–25105
Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, hydrostatic press. effect on plasma reflection edge 4–10447
Pt complex, $K_2Pt(CN)_4Br_{0.32}.2.3H_2O$, reflection spectra in plasma edge region 4–17091
Pt complex, $K_2Pt(CN)_4Br_{0.3}.3H_2O$, one-dimensional, reflection meas. in far i.r. at 4.2 and 62 K *(German)* 4–25082
Pt(II) complex, β-mercaptoethyl vibr. spectra 4–28835
Pt(II) halogenated pyridine complex, i.r. and Raman spectra, vibrations of square planar skeleton *(French)* 4–20997
Pt(II) methylpyridine complex, i.r. spectrum, coordinate vibrations *(French)* 4–20996
$RbAg_4I_5$, disordered solid electrolyte, lattice vibrs., optical, dielec. props. *(German)* 4–36986
RbBr: chalkogen hydrides, u.v. and visible fluorescence, vibr. spectra 4–10483
RbCl(Br)(I), refl., 15-19 eV, optical excitation of Rb^+ 4p-level, 8K 4–21016
$RbD_3(SeO_3)_2$, i.r. reflectance, para- and ferroelec. phases 4–13460
$RbH_3(SeO_3)_2$, i.r. reflectance, para- and ferroelec. phases 4–13460
$RbMnF_3$, exciton and magnon-phonon sidebands in 5500 Å region, temp. depend. 4–10446
$RbNiCl_3$, light absorpt., cooperative interactions 4–33435
Rb_2NiF_4, layered antiferromagnet, absorpt. spectra 40 to 40000 cm^{-1}, specific vibrs. 4–13433
Re, i.r., visible and u.v. spectral characts. w.r.t. electron struct. *(Russian)* 4–20978
Ru(II) complex, pentammine carbonyls (nitrogenyls), vibr. spectra 4–28838
SO_2F_2, crystalline, i.r. spectra, symmetry obs. 4–10436
Sb, chalcogenide, amorphous film, i.r. absorpt., rel. to struct. *(Russian)* 4–33423
Sb, film, i.r. transmittance, absorption index, refractive index 4–17079
Sb, film, optical props. 2.5 to 14.5 eV, interband transitions, volume and surface plasmons 4–1397
$Sb_{1-x}Bi_x$, magnetoreflection expts., band struct. 4–24685
SbI_3, optical absorption spectrum 4–41387
Sb_2S_3 monocrystals, near i.r. optical props., electron-phonon interaction influence *(Russian)* 4–33412
SbSI, wavelength modulation spectra and electronic band struct. 4–41391
Si, band-tailing due to electron irrad., obs. 4–41008
Si, dislocation effect on i.r. absorpt., dipole moment form. 4–13481
Si, O determ., i.r. Fourier transform. spectra, computer anal. 4–18762
Si, split-off exciton and phonon struct. in absorption spectrum 4–37629
Si film, amorphous, transmission, depend. on deposition rate 4–1233
Si particles, oxide coating, i.r. absorption 4–6884
Si:B,P, internal absorpt. spectrum of B acceptors, compensation effect 4–28875
Si:B(Al)(In), groun and excited states of acceptors, quantitative piezospectroscopy 4–33465
Si:Cu, possible role of impurities in neutron damage process, i.r. spectra obs. 4–36912
n-α-SiC, 6H polytype, impurity absorpt., fine struct. obs. for large impurity conc. 4–28880
SiC, comparison with related diamond-like crystals 4–10661
SiC, influence of impurity levels on cohesive energy density, i.r. obs. 4–10657
SiC(4H), n-type, optical absorpt., main band transitions 4–17090
α-SiC(6H):B, absorption spectra of acceptor-exciton complexes at 86 K 4–17098

spectra of inorganic solids continued
SiF_4, two-quantum region absorpt. spectrum calc., $2 \times \nu_3$ transition 4-12992
Si_3N_4, i.r. transmission and reflection spectra *(Russian)* 4-6886
SiO_2, adsorbed substituted pyridines, H-bonding, i.r. spectra obs. 4-24633
SiO_2, models for electronic processes, u.v. spectrum 4-10081
SiO_2, quartz glass, thermal darkening, electrical melting 4-33451
SiO_2, thin film, transmission and reflection spectra, 5-40 eV 4-25196
SiO_2, vitreous, B_2-band absorption effects of implanted ions, obs. 4-40819
SiO_2 film, vapour-deposited, submicron thickness calibration by i.r. spectroscopy 4-37709
SiO_2 film properties, growth rate influence on i.r. absorpt. *(Russian)* 4-37319
SiO_x films, anodic, stretching band absorpt. peak shift after heat treatment *(German)* 4-17064
$Sm_{1-x}Nd_xSe$, polycryst. film, semicond. to metal transition, optical props. 4-33047
α-Sn, mag. subband struct. of one cond. and two valence bands, magneto-absorpt. calc. 4-33419
Sn complex, ethylammonium hexabromostannate, TcIV and ReIV impurity ions, polarised absorption spectra *(German)* 4-3993
SnI_4, optical absorption spectrum 4-41387
SnS, absorpt., 100-300K, 2.2-0.8 μ 4-33405
SnSe, wavelength modulation spectra investig. and interpretation 4-25123
$SrAlF_5$:rare earth^{2+}, absorption, emission and excitation 4-41421
$SrAl_{12}O_{19}:Nd^{3+}$, absorpt. and fluoresc. spectra 4-28906
$SrCl_2$, alkaline cation doped, X-irrad., absorpt., and thermolum. of positive hole V_k-centres 4-3992
$SrCl_2$ single crystal, i.r. active lattice vibration obs. 4-37608
$SrCl_2:La^3+(Ce^{3+})(Pr^{3+})$, hydrogenated, i.r. study 4-33415
$SrCl_2:Tm^{2+}$, 4f-5d electrostatic interaction in vibr. struct. splitting 4-28870
SrF_2, absorption spectrum, coloration behaviour investigation 4-33468
$SrF_2:Er^{3+}$ luminescence and absorption spectra, calc. of crystal field parameters 4-28914
$SrF_2:Gd^{2+}$, Zeeman effect, $^8S_{7/2}$-$^6P_{7/2,\ 5/2}$ transition, cryst. field component 4-37630
$SrNaPO_4.9H_2O$, crystal and spectroscopic data 4-32501
$SrTiO_3$, reduced, optical absorption spectra, process model 4-41394
$SrTiO_3$, surface polaritons, A.T.R. spectral investig. 4-24532
$SrTiO_3:cr^{3+}$ low freq. lattice vibr. modes obs. in vibronic spectrum 4-36985
$TbAsO_4$, obs. of induced magnetism, mag. ordering 4-6725
Te, electric-field-modulated reflectance spectra obs. 4-28859
Te, i.r. photoconductivity meas. at 90 K 4-10182
Te, pressure effects on band structure, i.r. optical props. 4-13139
Te, strained sample, magnetoabsorpt., effect of dislocations 4-21032
Te:Sb, far i.r. absorption by acceptor states 4-10459
Th(IV) complex, phosphine oxide perchlorate, mol. vibr., visible/u.v. 4-33401
Ti^{3+} fassaite from Allende meteorite, reinterpretation of absorpt. spectra 4-2095
Ti^{3+} fassaite from Allende meteorite, absorpt. spectra 4-2096
TlBr, TlCl, anharmonicity in lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4-17067
TlCl:Ag crystal, photolytic darkening 4-28873
$TlFe(CrO_4)_2.2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4-3968
U(IV) complex, dioxouranium perchlorate phosphine oxide, mol. vibr., visible/u.v. 4-33401
U(IV) complex, phosphine oxide perchlorate, mol. vibr., visible/u.v. 4-33401
UO_2 complex, uranyl nitrates and chlorides with amines, mirror symmetry in i.r. and luminesc. spectra *(Russian)* 4-13514
UO_3, i.r. spectra in isolation matrix, struct. and assignments 4-31843
V complex, oxo-, dioxo-, with F coord and organic mol., i.r., visible and u.v. spectra *(French)* 4-19738
V film, optical transmission, 0.5-5.5 eV, normal and oblique incidence, interband transitions *(French)* 4-33525
V-Ga alloys, cast supercond., optical consts. and electron characts. *(Russian)* 4-20977
V_2O_5, long-wave optical vibrations, i.r. reflection obs. 4-3970
W dichalcogenides, vac. u.v. reflectivity, band struct. 4-33431
WO_3, i.r. absorption spectra, colour problem *(French)* 4-28834
$WO_3:P_2O_5$ glass, V_2O_5, MoO_3 and CuO impurity effects 4-16747
W(100), optical reflectance spectroscopy of surface states in H_2 chemisorption 4-41389
$YAlO_3$, absorption spectra, coloration behaviour at room temp. 4-21034
$YAlO_3$:Nd, colour and luminescence centres investigation 4-25146
$Y_{2.2-2x}Bi_{0.8}Ca_{2x}Fe_{5-x}V_xO_{12}$, magneto-optic Kerr rotation, 2-5.2 eV 4-37621
$Y_{2-x}BiCa_xFe_{5-x}Zr_xO_{12}$, magneto-optic Kerr rotation, 2-5.2 eV 4-37621
$Y_{3-x}Bi_xFe_5O_{12}$, magneto-optic Kerr rotation, 2-5.2 eV 4-37621
Y_2O_3:Er, diffuse scatt. spectra, opt. parameters, determ. *(Russian)* 4-33469
$YOF:Er^{3+}$, diffuse scatt. spectra, opt. parameter determ. *(Russian)* 4-33469
$YVO_4:Er^{3+}$, diffuse scatt. spectra, opt. parameter determ. *(Russian)* 4-33469
$YVO_4;Tm^{3+}$, ground config., cryst. field anal. 4-32884
Yb, vacuum evaporated films, optical absorption 4-17088
Yb film, optical conductivity, transitions, light absorpt. *(French)* 4-28961
Zn, electrolytic deposition onto ZnO, mechanism investig. by differential refl. spectroscopy *(German)* 4-34035
Zn, polarisation dependent reflectivities 4-21018
$ZnCl_2$, far i.r., liq., glass and solid states, band shape order and temp. depend. 4-28842
$ZnGa_2O_4$, doubly excited Cr^{3+} pairs, excitation and emission spectra 4-25163

spectra of inorganic solids continued
$ZnGeP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4-33438
α-$Zn(H_2O)_6SeO_4$ enantiomorphic crysts., doped with $M(H_2O)_6{}^{2+}$ ions (M=Fe, Ni, Co, Cu), MCD interpret., vibronic intensity 4-3995
α-$Zn(H_2O)_6SeO_4:Mn^{2+}$, circular dichroism of Mn^{2+} ions, anal. rel. to ligand field theory 4-37638
$ZnIn_2S_4$, quasi-disordered, optical absorpt. and thermolum. meas. 4-10460
ZnO, semiconductor, absorption edge meas. and Urbach's rule anal. 4-10445
ZnO:Mn, near-band-edge absorption, 2-3 eV *(German)* 4-20449
ZnRe, absorption band effect on transmission meas., 5285-6060 Å 4-33447
ZnS, film, superficial space charge region influence on optical absorption *(French)* 4-41110
$ZnS:Co^{2+}$, i.r. absorption, weak Jahn-Teller coupling 4-41402
ZnS:Cr, near i.r. absorpt. press. depend. 4-28869
ZnS:Cu, exciton reflection and impurity absorption spectra, stabilisation of sphalerite struct. 4-21036
ZnS:Cu, Mn, Cl phosphors, electroluminesc. *(Korean)* 4-33507
$ZnS:Cu^{2+}$, Jahn-Teller effect, meas. using i.r. emiss. and absorpt. spectra 4-33416
ZnS-Mn^{2+}, excited-state absorption spectra 4-37647
$ZnS(O):Ni^{2+}$, $^3T_1(P)$ absorpt. band of Ni^{2+}, Jahn-Teller model of zero-phonon lines 4-28872
ZnSe, light reflectivity, non-local pseudopotential calc. 4-28343
α-$ZnSeO_4.6H_2O$, vibrational circular dichroism, 1900 to 5000 cm^{-1} 4-25118
$ZnSiAs_2(P_2)$, pressure depend. of energy gap, wavelength modulated absorpt. obs. 4-33439
$ZnSiAs_2(P_2)$, wavelength modulated absorpt. spectra, band struct. determ. 4-33438
$ZnSnSb_2$, light absorpt., temp. depend., mechanism 4-29007
α-$Zr(HPO_4)_2$, i.r. and Raman spectra, lattice water interaction 4-21002

spectra of organic molecules and substances
see also infrared spectra of organic molecules and substances; luminescence of organic solids; radiofrequency spectra of organic molecules and substances; Raman spectra of organic substances
(TTF)(TCNQ), polarised absorption and reflectance spectra 4-10448
(TTF)(TCNQ) polarised reflectivity spectra meas. 4-17089
acenaphthylene, Raman, i.r., electronic, and u.v. absorpt. 4-797
acetylene, 1650-1950 Å, discontinuity in ^{13}C isotope shift 4-6033
acetylene, Rydberg series, 1250-1360 Å region, D and G states 4-16067
acridine red, excited singlet state absorpt. spectrum with tunable dye lasers 4-21576
acrolein, u.v. spectrum, triplet-singlet transitions, magnetic circular dichroism 4-27651
β-alanine *(French)* 4-10499
alkyl chlorides, electronic spectra in range 55000 to 90000 cm^{-1}. Rydberg states 4-795
alkylperoxy radical u.v. absorpt. and mutual recomb. 4-13995
amino-4-butanoic acid *(French)* 4-10499
amino-5-valerianic acid *(French)* 4-10499
amino-6-cuproic acid *(French)* 4-10499
amorphous film, absorpt. and fluoresc. spectra 4-21009
anilines, secondary and solvent deuterium isotope effects on electronic spectra 4-3199
anthracene, computation of difference due to effective and average fields in vibronic spectra *(Russian)* 4-13465
anthracene, cryst., exciton dynamics, 4000 Å transition spectral moment analysis 4-41042
anthracene, cryst., singlet exciton time response function, line shape analysis 4-41041
anthracene, excited state u.v. absorpt. spectra using solid-state laser PTM spectrometer 4-41976
anthracene, exciton transitions, second quantised boson theory 4-21014
anthracene, in CCl_4 and n-hexane solns., absorption spectra 4-10478
anthracene, single cryst., optical properties, excitonic region, 4 to 10.5 eV 4-41385
anthracenes, monosubstituted, regularities in u.v. electron vibration spectra 4-36513
1 and 2-anthroic acid, u.v., fluoresc. spectral investig. rel. to soln. acidity 4-37686
aromatic hydrocarbon crystal, triplet transfer integrals, nonorthogonality corrections influence 4-10443
aromatic hydrocarbons, static elec. polarisability changes 4-9507
aromatic hydroxycarbonium ions, u.v.-visible absorpt. and emission spectra, mol. parameters calc., struct. 4-27649
aromatic molecules in alkane soln., u.v. spectral solvent shifts 4-13462
N-arylhydroxamic acids and hydroxamic acids, u.v. absorpt. spectra, solvent effects 4-27656
1-1azabicyclo(2.2.2)octan-3-ono, photophys. props., fluoresc., u.v. spectra, intramol. energy transfer investig. 4-41973
benzene, electric field perturbation of electronic spectra in rigid solns. 4-9518
benzene, exciton-phonon interaction, light absorption, deuteration effect 4-41416
benzene, pure liq., vacuum u.v. absorpt. 4-25119
benzene, triplet lifetime meas. by absorpt., wavelength, environment depends. 4-6084
benzene, two-photon absorpt., selection rules and Herzberg-Teller theory 4-19807
benzene, two-photon absorption, using frequency doubled Nd laser 4-22858
benzene, vapour, mag. circular dichroism spectrum f $^1B_{2u} \leftarrow {}^1A_{1g}$ transition 4-3133
benzene and alkyl derivatives, intermol. vibronic coupling and hexatrienes form. mechanism 4-34069
benzene crystal, polarised absorption spectrum at 2000 Å 4-3983
benzene-d_6, single cryst., polarized spectrum at 2000 Å 4-37624
benzene-h_6(-d_6), two-photon absorpt. of $^1B_{2u}$ state, moderate resolution obs. 4-19808

spectra of organic molecules and substances continued
- benzenes, substituted, electronic-vibr. spectra, intramol. charge transfer bands 4−9516
- benzenoid aromatic hydrocarbons, mol., transient absorption spectra, excited singlet and triplet states determ. 4−4275
- 1,12-benzoperylene, amorphous film, absorpt. and fluoresc. spectra 4−21009
- benzophenone, lowest triplet state population after singlet excitation 4−25115
- p-benzoquinone, Stark effects on B_{1g} and A_u $n\pi^*$ triplet states 4−1733
- 1,12-benzperylene, laser flash spectroscopy 4−30462
- benzyl mercaptan, u.v. electronic spectrum, vibronic bands 4−40267
- benzyl radical, three-step photoselection and assignment of electronic states 4−10774
- benzyl radical formation and interaction with chloride ion in rigid matrices 4−34070
- benzylalkylketones, u.v. spectrum, transannular interaction *(French)* 4−24064
- benzylimine and related isoelectric monosubstituted benzenes, electronic spectra 4−9519
- bifurans, isomeric, electronic spectra 4−3134
- biphenyl, two-photon spectrum 4−27657
- bipyrroles, isomeric, electronic spectra 4−3134
- bithiophenes, isomeric, electronic spectra 4−3134
- 3-bromoquinoline vapour, u.v. absorption spectrum, vibr. assignment, band shifts, 3250-2850Å 4−19811
- carbazole, using photoselection technique 4−10773
- carbonyl complexes dissolved in CCl_4, vibration-rotation coupling effects on vibration rotation spectra *(German)* 4−24072
- carbonyl complexes dissolved in N_2 gas, vibration-rotation coupling effects on spectra *(German)* 4−24073
- trans-chalcone, nature of electronic absorption bands 4−790
- p-chloraniline, forbidden factor group states location 4−10439
- chlorobenzonitrile isomers, vapours, u.v. spectra, vibr. anal. 4−19810
- chlorophyll solution, visible spectrum, solvent effect 4−21008
- chlorophyll-a and -b solutions, visible absorption and fluorescence spectra, solvent effect, Stokes' shift 4−28850
- chromophore, in water and perfluoro n-hexane solvent, visible spectrum, solvent shifts 4−21013
- chromophoric structure, quantum-chemistry method *(German)* 4−40231
- chrysene, in CCl_4 and n-hexane solns., absorption spectra 4−10478
- cobalt phthalocyanine, mag. circular dichroism 4−28852
- colchicine, in soln., photophysics, absorption, luminescence spectra *(French)* 4−10758
- coronene, amorphous film, absorpt. and fluoresc. spectra 4−21009
- coronene, laser flash spectroscopy 4−30462
- coronene mononegative ions, angular momentum calculations 4−24031
- coronene-triphenylene mixed crysts., polarized absorpt., 4.2K, subspectra obs. 4−21046
- coumarin, molecule, substituent effects on triplet-triplet absorption spectra 4−4276
- coumarin, triplet-triplet absorpt. spectra 4−34072
- coumarin and derivatives, electronic spectra calc. by Pariser-Parr-Pople method in β approx. 4−31829
- coumarin dyes, chemical structure relation with laser action 4−26979
- cryptocyanine/methanol soln., S_1-absorpt., 530 to 700 nm. *(German)* 4−6893
- diacetylene polymer, cryst., fund. electronic and defect props. 4−28851
- N,N-dialkyl-p-cyanoanilines, in soln. 4−16114
- 1,3-diazaazulene, dipole moments, dielectric constant meas. 4−10442
- dibenzo [f,h]-[1,5]-dioxacyclononadiene, u.v. and phosphorescence spectra at 77 K 4−40254
- dibenzofuran, electronic states investigation by absorption and emission spectroscopy 4−3982
- dibenzofuran, low energy electronic states, absorption and emission spectra 4−1400
- 3,4,9,10-dibenzpyrene, laser flash spectroscopy 4−30462
- 1,4-dibromonaphthalene, absorption line shapes and triplet exciton scatt. 4−21590
- 2,5- and 2,6-dibromopyridines, vapour and soln. near u.v. spectra, vibr. analysis, solvent shifts 4−19809
- 3,4-dichlorofluorobenzene vapour, electronic spectrum, 2903-2560 Å, vibr. assignment 4−19812
- n-dimethylamino-2,5-diphenyloxadiazole, vapour, luminescence, absorption spectra *(Russian)* 4−844
- N,N-dimethylaniline, 540-600 nm, evidence of adsorption on aluminosilicagel and ceolites *(Russian)* 4−1743
- dimethylselenide, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
- dimethylselenide, vapour, electronic absorption spectra between 3000 and 1200 Å 4−794
- dimethylsulphide, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
- dimethyltelluride, vacuum u.v. absorption, vibr. progressions, bond angles and distances 4−31832
- dimethyltelluride, vapour, electronic absorption spectra between 3000 and 1200 Å 4−794
- dinaphto [1,2-f,1',2'-h]-[1,5]-dioxacyclononadiene u.v. and phosphorescence spectra at 77 K 4−40254
- 2,5-(2,2)dioxyphenyloxadiazole-1,3,4, electronic spectrum *(Russian)* 4−9570
- trans-1,6-diphenyl-1,3,5-hexatriene in ordered liquid crystal solns., absorption spectrum 4−10768
- diphenyloctatetraene, lowest energy excited singlet state, polyene photochemistry 4−25499
- 2,5-diphenyloxadiazole, vapour, luminescence, absorption spectra *(Russian)* 4−844
- 2,5 diphenyloxazole, fluorescence, solvent effect on thermodynamic props. of excimer formation process 4−13044
- 2,5-diphenyloxazole, vapour, luminescence, absorption spectra *(Russian)* 4−844
- disodium chlorin complex, and monoanion, polarization of electronic transitions 4−10766

spectra of organic molecules and substances continued
- DMSO-carbon tetrachloride and trichloromethane systems containing $TbCl_3$, absorpt. 4−4009
- dye solutions, e.s.r. investig. of photoinduced triplet states 4−37479
- dyes, symmetric basic, relative parameters from visible spectra for Huckel orbital calc. *(Portuguese)* 4−5981
- electronic transition energies $n\rightarrow\pi^*$, calc. by simple semiempircal procedure, using Huckel orbitals *(French)* 4−40221
- enamines, heterocyclic, electronic absorption spectra *(Russian)* 4−9517
- ethanol, electronic spectra of trapped electrons, photobleaching obs., 4K 4−10760
- 1-ethoxynaphthalene, vapour, in ethanol rigid glass, near u.v. spectra 4−12560
- ethyl fluoride, far u.v. absorption spectrum 4−6036
- excited singlet state absorpt. spectrum with tunable dye lasers 4−21576
- ferricenium ion, absorpt., magnetic circular dichroism and e.s.r. anal. of electronic struct. 4−9583
- flavone, phosphoresc. and absorpt. spectra, solvent and substituent effects on triplet state 4−41980
- fluorenone, excited state electronic props. 4−31797
- fluorobenzene, far u.v. absorpt. spectrum, ionisation threshold to 13.5 eV, Rydberg series 4−31828
- formaldehyde, Stark spectroscopy of the ν_2 bands, rotational consts., dipole moments determ. 4−6069
- formaldehyde vibronic magnetic rotational strengths and oscillator strengths calc. method 4−6040
- furocoumarin and derivatives, electronic spectra calc. by Pariser-Parr-Pople method in β approx. 4−31829
- furylpyrroles, isomeric, electronic spectra 4−3134
- gaseous compounds for Cherenkov radiation counters, optical absorption spectra meas. in vacuum u.v. 4−26612
- glycine, Debye spectrometry study *(French)* 4−10499
- cisglyoxal-d_1, rot. analysis of 4875 Å O-O bound of first singlet system 4−27641
- halobenzene, trisubstituted, singlet transition energies, MIM wavefunctions, PPP charge densities and bond orders 4−27626
- halobenzenes, triplet state properties, spin orbit perturbations 4−1357
- haloflavone, phosphoresc. and absorpt. spectra, solvent and substituent effects on triplet state 4−41980
- hexacene crystals, u.v. absorpt. spectrum meas. *(German)* 4−33454
- hexafluorobenzene, far u.v. absorpt. spectrum, ionisation threshold to 13.5 eV, Rydberg series 4−31828
- hexamethylphosphortriamide, irrad., props. and spectrum of solvated electrons, effect of temp. and electrolyte ions 4−34067
- 1,3,5-hexatriene, high resolution absorption and emission, symmetry ordering of excited states 4−796
- hydroxyazo dye, u.v. and visible spectra, π-electronic struct. 4−36506
- 7-hydroxycoumarin, triplet-triplet absorpt. spectra 4−34072
- 8- hydroxyquinolinato-palladium (II) chloranil complex, room temp. specular reflection spectra 4−3955
- 8- hydroxyquinoline-chloranil complex, room temp. specular reflection spectra 4−3955
- indandione-1,3 derivatives, electronic transitions in absorpt. and emission spectra, alternating effect *(Russian)* 4−16066
- indole and substituted indoles, absorpt. and fluoresc. spectra, environment effects *(German)* 4−28920
- indole solutions, solute-solute and solute-solvent interactions 4−9513
- indoline spiropyrans, absorpt. and luminesc. spectra obs. of photochromic props. *(Russian)* 4−14001
- iron phthalocyanine, mag. circular dichroism 4−28852
- ketyl radicals and radical anions of uracil and cytosine, SCF calc. of spectra 4−27604
- ketyls with divalent cations, aggregate form. and dissoc. into biradicals 4−1730
- laser flash spectroscopy 4−30462
- liquid crystals, cholesteric mixtures, conical-helical perturbation, doping effect 4−10393
- liquid crystals, light scattering, review 4−32436
- manganese phthalocyanine, mag. circular dichroism 4−28852
- mesitylene vapour, u.r. absorption spectra, assignment of bands 4−36510
- metal-porphyrin complexes in soln., triplet-triplet abosrpt. and phosphoresc. 4−14000
- methane, added to flowing He afterglow, spectral emission characts. 4−793
- methane, carbon K-absorption spectrum, threshold region 4−3127
- methane, low temp. depend. of multiplet intensities of 2 ν_3-band 4−36531
- methane, monodeuterated, octopole moment determ. from rot. spectrum linewidth meas. 4−40252
- methane 8880 Å absorption band from Jupiter's disc 4−26008
- methane in Saturn's rings, properties from observations of 8900 A band viewed through rings 4−29880
- methanol, deuterated, absorption spectrum, 3850 to 16600 cm^{-1}, hydrogen bonded O-H and O-D overtone bands, potential energy curve 4−40257
- ^{13}C methanol, interstellar microwave spectrum 4−30138
- methanol interstellar source in Orion at 25 GHz 4−30139
- 1-methoxynaphthalene, vapour, in ethanol rigid glass, near u.v. spectra 4−12560
- 3-methyl indole vapour, electronic absorpt. spectra 4−786
- methyl radical detection in flow pyrolysis by u.v. spectroscopy 4−10759
- 1-methylindan, gas phase absorption and circular dichroism spectra, 280 to 150 nm 4−19818
- 3-methylpentane, glassy, absorpt. spectrum of trapped electrons, spectral shifts 4−21584
- molecular crystal, absorpt., transmission and refl. spectra, exciton interactions 4−28797
- molecular crystal, vibronic absorption spectrum 4−28161
- mylar polyester, absorpt. spectrum shift in strong elec. field, Stark effects *(French)* 4−6894
- naphthacene, amorphous film, absorpt. and fluoresc. spectra 4−21009

spectra of organic molecules and substances continued
naphthalene:β-fluoronaphthalene, absorpt. and fluoresc. spectra, multiplet struct. *(Russian)* 4–21078
naphthalene, absorption line shapes and triplet exciton scatt. 4–21590
naphthalene, electric field perturbation of electronic spectra in rigid solns. 4–9518
naphthalene, excited-state u.v. absorpt. spectra using solid state laser PTM spectrometer 4–41976
naphthalene, in CCl_4 and n-hexane solns., absorption spectra 4–10478
naphthalene, spectra of adsorbed mols. on cation substituted zeolites *(Russian)* 4–13464
naphthalene, triplet lifetime meas. by absorpt., wavelength, environment depends. 4–6084
naphthalene, two-photon absorpt., selection rules and Herzberg-Teller theory 4–19807
naphthalene and 1-methylnaphthalene, laser excited, pressure effects, absorpt. spectra, triplet, singlet population 4–16108
naphthalene crystal and naphthalene in durene, moderate-resolution two-photon spectrum 4–25116
1,4-naphthoquinone, visible emission and absorption spectra, triplet-singlet transition 4–3132
2-(1-naphthyl-5-furanoxadiazole, vapour, luminescence, absorption spectra *(Russian)* 4–844
naphthylamine adsorbed on cation substituted zeolites, chemisorption interaction obs. *(Russian)* 4–13464
nitroalkene derivatives, i.r. and u.v. spectra *(Russian)* 4–16087
nitrobenzene, halogen derivatives, calculation and interpretation of electronic spectra 4–3108
nitroethane-isooctane mixture, depolarised light scatt. near crit. point 4–33436
nitroethylene, u.v. spectrum, SCF configuration interaction study of ground state 4–31830
organic molecular complexes, semicond., photocond., resist determ., visible spectra, rel. to cryst. electronic struct. 4–37272
organosilicon cpds. containing S, and complexes with $TiCl_4$, u.v. spectra 4–6029
oxalyl chloridefluoride, 3870 Å absorption system, vibr. analysis 4–24059
β-oxyamines, spectral obs. of H-bonding *(Russian)* 4–6030
β-oxysulphides, spectral obs. of H-bonding *(Russian)* 4–6030
palladium octaethyl porphyrin, meas. of mag. induced circular emission 4–30463
parabanic acid, and alkyl derivatives, electronic struct., spectroscopy 4–27647
n-paraffin:1,12 benzoperylene, annealed sample, u.v. absorption, solute associations 4–13475
n-paraffin:1,12 benzoperylene, fast frozen sample, u.v. absorption, Schpolskii effect 4–13474
n-paraffin:coronene, annealed sample, u.v. absorption, solute associations 4–13475
n-paraffin:coronene, fast frozen sample, u.v. absorption, Schpolskii effect 4–13474
n-paraffin:perylene, annealed sample, solute associations, absorption 4–13475
n-paraffin:perylene, annealed sample, u.v. absorption, solute associations 4–13475
n-paraffin:perylene, fast frozen sample, u.v. absorption, Schpolskii effect 4–13474
perylene, amorphous film, absorpt. and fluoresc. spectra 4–21009
phenanthrene, cryst., visible spectrum, exciton-phonon interaction 4–21012
phenols in organic bases, valence band struct. of OH group, Fermi resonance, vibr. coupling 4–16071
phenyl benzoates and iso(nicotinates), electronic absorpt. spectra and mol. moments 4–27585
2-phenylindole in polar and non-polar solvents, electronic spectra study 4–10438
phosphapyridine derivates, u.v. absorpt. spectra, substituent and solvent effects 4–36511
polyatomic molecules vibronic struct., vibronic intensity borrowing and isotope dependence 4–849
polymethine cyanine dyes, long-lived transient absorpt. in nanosecond laser photolysis 4–4274
propynal, visible spectrum, Stark effect on rot. lines, electric dipole moment determ. 4–16053
pyrazine, u.v. spectrum, structure-spectrum correlation, protolytic equilibria 4–27644
pyrazine in polyethylene soln., n-π* transitions detection by linear dichroism 4–12558
pyrazine N-oxides, normal coordinate analysis, u.v. spectrum, structure-spectrum, correlation 4–27644
pyrazines, evidence for second low-lying nπ* single state 4–12561
pyrazoles, 3- and 5-substituted, absorpt. spectra, polarisation *(Russian)* 4–27688
pyrene, laser flash spectroscopy 4–30462
pyrene, monopositive ion in boric acid glass, absorption spectrum, 200-1400 nm 4–13997
pyrene-d_{10}, u.v. vibronic spectrum, solvent enhancement of first singlet-singlet transition 4–28862
pyridine, far u.v. absorpt. spectrum, ionisation threshold to 13.5 eV, Rydberg series 4–31828
pyridine, normal coordinate analysis, u.v. spectrum, structure-spectrum correlation 4–27644
pyridine in polyethylene soln., n-π* transitions detection by linear dichroism 4–12558
pyridyl benzoates and (iso)nicotinates, electronic absorpt. spectra and mol. moments 4–27585
pyrimidine, 4,6-disubstituted, effect of tautomerism on absorpt. spectra 4–36460
pyrimidine, u.v. spectrum, structure-spectrum correlation, protolytic equilibria 4–27644
α-pyrone derivatives, electronic spectra calc. by Pariser-Parr-Pople method in variable β approx. 4–31829
quinoline, depolarised light scatt., component struct. 4–25125
quinoxaline vapour, intermediate strong coupling states, time resolved emission 4–6089
rhodamine dye associates, luminescence and absorption spectra obs. at 73 to 293K *(Russian)* 4–6922

spectra of organic molecules and substances continued
rhodopsin, absorp. spectra time depend. photolysis 4–7461
riboflavin, transformations in anisotropic media, absorpt., emission, dichroism, fluoresc. 4–4269
riboflavin solns., absorpt. and luminesc. spectra, temp. effect, conformity to universal relationship *(Russian)* 4–6913
salicylaldehyde, salicylaldimine, electronic spectra investigation, quantum chemical results 4–848
solutions, laser lamp pumping system 4–5089
solvatochromic merocyanine dye, acid-base equil. in ground and excited states 4–25467
space-fixed molecules with D_{2h} and D_{6h} symmetry, two-photon absorpt., selection rules and Herzberg-Teller theory 4–19807
stilbene-chloroform solns., strong nonlinear absorpt., superposition of two-photon and one-photon absorpt. 4–19134
1,3,5-sym-triazine, Stark, Zeeman, absorpt. spectra, singlet-singlet, singlet-triplet transitions, excited states geometry 4–17086
$TEA(TCQN)_2$, anisotropic semicond., polarised optical reflection spectra 4–37626
tetramethyl ammonium nickel chloride, light absorpt., cooperative interactions 4–33435
tetramethylammonium manganese chloride, magnon sideband, intensity, freq. and line width, temp. depend. 4–13313
tetramethylammonium tetracyano-1,1,3,3-aza-2 propenide, electronic struct., u.v. spectra and solvation energy *(French)* 4–27621
tetraphenylporphine, film, vacuum u.v. absorption coeff. 4–1401
tetrathiofulvalene, electronic struct. from photoelectron and polarised u.v.-visible spectra 4–33568
tetrathiotetracene, LCAO calc. 4–3110
thienylfurans, isomeric, electronic spectra 4–3134
thienylpyrroles, isomeric, electronic spectra 4–3134
thiocarbonyl heterocyclic compounds, electronic spectra, expt. and calcs. 4–27660
2-thiophenesulphonamides, u.v. and i.r. absorpt. spectra, substituent effects 4–28840
transition metal phthalocyanine, mag. circular dichroism 4–28852
triglycine sulphate, ferroelec., X-irrad., temp. depend. of, investig. using UV absorpt. 4–25143
triglycine sulphate, u.v. reflectance spectra, temp. depend. and para-ferroelectric transition *(Russian)* 4–13466
trimethincyanine dyes adsorbed on AgBr, J-aggregate frequency shifts, relation to structure 4–4289
vacuum u.v. spectra, Rydberg band character, rel. to photoelectron spectroscopy 4–31833
vinylethynes, alkylthio-, alkylseleno-, alkyltelluro-, u.v. spectra, electronic structure *(Russian)* 4–31831
water petroleum emulsion, multiple internal reflection spectra *(Russian)* 4–41906
xanthene dye solutions, absorpt. spectra, conc. depend., aggregation 4–21011
C_2^-, in inert gas matrix, e.p.r. and optical, electronic struct. 4–6110
CH^+, mol. vibr., eqn. of motion anal. of oscillator strengths 4–31827
C_2H, in inert gas matrix, e.p.r. and optical, electronic struct. 4–6110
(−)-S-trans-1,2-di(4-pyridine-1-oxide)oxiran, circular dichroism u.v. spectrum, pyridine-1-oxide 280 and 215 nm transitions 4–24065
3-hydroxy-4-pyridinaldehyde, electronic spectra investigation, quantum chemical results 4–848
3-hydroxy-4-pyridinaldimine, electronic spectra investigation, quantum chemical results 4–848

spectra of polyatomic inorganic molecules
see also radiofrequency spectra of polyatomic inorganic molecules
actinide oxides, matrix-isolated mid-i.r. spectra 4–27690
alkali antimonates, $MSbO_3$ type, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4–10422
alkaline earth antimonates, MSb_2O_6 type, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4–10422
atmospheric gases, radiation coefficients *(Russian)* 4–7698
c H_2O, strengths and air-broadened widths of lines in 2950-3400 cm^{-1} region 4–3168
carbonyl complexes, spherical-top, in gaseous N_2, ang. correl. functions and Coriolis coupling 4–16138
i.r., molecular vibrational frequencies 4–24086
lanthanide oxides, matrix-isolated mid-i.r. spectra 4–27690
metal Hg complex $MHg(SCN)_4$-triphenyl phosphine, i.r. spectra 4–40282
oxygen bond systems, i.r. spectra, vibrational analysis 4–31851
small gaseous molecules, high resoln. i.r. absorpt. 4–16095
weak molecular complexes in low temp. matrices 4–19827
$[Ru(NH_3)_5N_2]^{2+}$, $[Ru(NH_3)_5CO]^{2+}$ and $[Ru(NH_3)_5No]^{3+}$ complexes, electronic structure and spectra, CNDO MO calc. 4–6000
Ag^+-(ClO_4)-HC complex, (HC=benzene, toluene, o-xylene), electronic spectra 4–24068
$AgSbO_3$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4–10422
AlH_4^-, Raman and i.r. spectra 4–12569
AsH_3 i.r., splitting of ground state K=3 levels, splitting const. calc. 4–819
AsN, visible spectrum, $^1\pi$-$X^1\Sigma^+$ system, rot. analysis 4–40256
Au(I)halide complex with tris(p-fluorophenyl) phosphine, vibr. spectra assignments 4–40284
BH_3CO, high resolution spectra of ν_5 bands near 2450 cm^{-1} 4–3167
BO_2, saturation spectroscopy at 5145 Å 4–24108
BO_2^-, in alkali halide lattices, i.r. spectra and anharmonic force field 4–10434
$B(SH_3)$, Raman, i.r. spectra, struct., valence force field determ. *(French)* 4–31846
$BX(SH_2)$, X=Br, I, Raman, i.r. spectra, struct., valence force field determ. *(French)* 4–31846
$BaCl_2$, in solid Kr matrix, i.r. spectrum, molecular force constants and geometry 4–31844
Br_2CO, dipole moment derivative calc. CNDO anal. of vibr. intensities 4–31819
$C(CN)_3^-$ ion in $KC(CN)_3$, $AgC(CN)_3$, soln. and solid, vibr. assignment, coord. anal. 4–19833
$(CH_3)_3PBH_3$ and $(CH_3)_3PBD_3$, addition compounds, i.r. spectra 4–3141
C_2N_2, i.r. spectra, high resolution, rot. and vibr. consts. *(French)* 4–27683

spectra of polyatomic inorganic molecules continued
CO_2, added to flowing He afterglow, spectral emission characts. 4−793
CO_2, bending vibration relax. time 4−9617
CO_2, constants by minimisation method *(Russian)* 4−7696
CO_2, Coriolis interaction in Fermi triplet, intensity perturbations in perpendicular bands 4−816
CO_2, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
CO_2, line shape of 00^01-10^00 band, hot band contribution 4−31868
CO_2, refractive index 1807 to 2537A, interferometric determ. 4−16063
CO_2, vibr. excited, i.r. emission, cold gas layer role *(French)* 4−31838
CO_2 i.r. bands, transmissivity at high temp. and pressure, 1.2, 1.6 and 2.0 μ bands *(Russian)* 4−9523
CO_2 laser, radiation field pattern visual obs. 4−2304
CO_2 laser pulse, four freq. struct., vibr. lines, rot. thermalization 4−11921
CO_2 TEA single shot laser pulses, homodyne spectra 4−39739
CO_2-H_2O, nonhomogeneous gas mixture, i.r. spectra, overlapping bands 4−27798
COS, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
COS, obs. of deactivation of excited S atom 4−9610
CS_2, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
$CSCl_2$, visible absorption spectrum, a^3A_2 from X^1A_1, π^* from n transition, vibronic analysis 4−16060
CSe_2, u.v. and photoelectron spectra, shake-up process assignments 4−36573
CSe_2^{78}, 3900 Å absorption system, analysis 4−791
CSe_2^{80}, 3900 Å absorption system, analysis 4−791
$^{12}C^{16}O_2$, emission spectrum from 4.2 to 4.7 microns, in CO_2-N_2-He mixture 4−27674
$^{12}C^{32}S_2$, high resolution i.r. spectra, diode 10^0-02^01, ground state consts. *(French)* 4−31834
$CaCl_2$, in solid Kr matrix, i.r. spectrum, molecular force constants and geometry 4−31844
$CdSb_2O_6$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
ClNO, absorption spectra, u.v. and visible, maxima wavelengths and extinction coeffs. 4−40261
ClO_2, vacuum u.v. kinetic spectroscopy for extinction coeffs. from flash photolysis 4−10769
Co complex, decaammine-μ-peroxo-dicobalt, i.r. spectra anal. of coordination bond 4−9536
Co(II) complexes, tetrahedral, with alkyl substituted thioureas, absorpt. spectra of S donor ligands and electronic struct. 4−19814
Co(III) complex, trans $[Co(en)_2XY]^z$ type, trans influence and X→Co carge transfer transitions 4−10440
$Cr(CO)_6$ complex, band intensities obs. in i.r. spectra 4−3147
Cu complexes, bis(diamine)Cu(II), charge-transfer spectra, correl. with other props. 4−28853
$2CuCO_3.Cu(OH)_2$, freq. assignment to mol. vibr., mol. symm. 4−19791
Cu(II) complex, bis-(N,N'-dimethyl-n-nitrodiiminato) copper, u.v. absorpt. spectra anal. 4−24061
D_2O, peak assignments in non-polar solvents 4−12579
D_2O, vacuum u.v. absorpt. and photionisation cross sections 4−19822
D_3SiBr, i.r. spectrum, force constants 4−12585
Er complex, ionic transition oscill. strengths, organic solvent effects *(Russian)* 4−41361
$ErCl_3$, amide soln., absorption spectrum, 8000-42000 cm^{-1}, nephelouxetic effect 4−27643
Fe(III) complexes, tetrabromo- and tetrachloro-, magnetic circular dichroism, charge transfer transitions 4−36507
$Ga_2Cl_nBr_{6-n}{}^{2-}$, $Ga_2Cl_nI_{6-n}{}^{2-}$, $Ga_2Br_nI_{6-n}{}^{2-}$ (n=1−5), i.r. and Raman spectra, vibr. assignment 4−40271
$GaH_4{}^-$, Raman and i.r. spectra 4−12569
Ge complexes, of $GeCl_4$ with N-ligands, characteristics of G-N bond determ. from i.r. spectra 4−36525
GeH_4, pure rotational spectrum, 50-130 cm^{-1}, possible mechanism 4−40294
GeH_nX_{4-n} (X=F, Cl, Br, I; n=0, 1, 2), vibration parameter calc. *(Russian)* 4−776
HBS, high resolution i.r. spectra of isotopic species, fundamental vibrations and force constants 4−3166
HBS, photoelectron spectra, electronic struct. investig. 4−27733
HCNO, high-resolution i.r. spectrum 4−9538
HCNO, i.r. spectrum, HCN bending mode 4−12588
HNO, electronic and vibr. emission spectra, vibr. freqs. 4−9511
HNO, i.r. spectrum, matrix isolation study of reaction of H atoms with NO 4−24081
H_2O, added to flowing He afterglow, spectral emission characts. 4−793
H_2O, i.r., spectrophotometer characts. 4−30472
H_2O, i.r. rotation emission lines from premixed flame 4−18766
H_2O, line intensity calcs., vibr.-rot. interaction, first overtone, combination freqs. 4−9529
H_2O, rot. spectrum, 398 μm absorption line parameters 4−19838
H_2O, struct. of water vapour at 350°C and 158 bar 4−6056
H_2O, vacuum u.v. absorpt. and photoionisation cross sections 4−19822
H_2O, vacuum u.v. spectra, study of dissociation processes 4−3211
H_2O, vib. spectra of planar chains 4−19846
H_2O, vibration-rotation energy levels exptl., calc. values 4−817
H_2O in chloroform solvent, spectroscopic evidence of interaction 4−9534
H_2O vapour transitions in i.r. region, tunable laser meas., rotational line breadths 4−3169
H_2O^+, excited level lifetime meas., h.f. deflection 4−16064
H_3O^+ in aq. HCl solns., i.r. spectra 4−7476
$H_5O_2{}^+$, i.r. absorption bands in HCl and HBr hydrates 4−28825
HOD, peak assignments in non-polar solvents 4−12579
H_3SiBr, i.r. spectrum, force constants 4−12585
$HoCl_3$, amide soln., absorption spectrum, 8000-42000 cm^{-1}, nephelouxetic effect 4−27643
I_2-H_2O and I_2-C_2H_4, molecular complexes in low temp. matrices 4−19827
KH_2PO_4, far i.r. polarised radiation obs. 4−13461

spectra of polyatomic inorganic molecules continued
$K_2Zn(CN)_4$, (Cd,Hg), i.r. and Raman spectra, lattice vibrs. and interatomic force consts. 4−25107
$K[B_5O_6(OH)_4]$, partially deuterated, i.r. spectra and vibrational assignments *(German)* 4−3144
$K_2[B_6O_7(OH)_6]$, partially deuterated, i.r. spectra and vibrational assignments *(German)* 4−3144
$MgCl_2$, in solid Kr matrix, i.r. spectrum, molecular force constants and geometry 4−31844
$Mo(CO)_6$ complex, band intensities obs. in i.r. spectra 4−3147
$(N_2)_2$, i.r. spectrum, collision induced absorption 4−27667
N_2Ar, i.r. spectra, mol. rot. struct. and props. 4−36527
N_2D_2, i.r. absorption spectrum, ν_5 fundamental band, rot. and centrifugal distortion constants 4−31837
NH_3, $2\nu_4$ i.r. spectrum, l-type resonance in overtone band, vibr.-rot. interaction 4−16079
NH_3, absorption strengths, $\nu_1+\nu_2$, $\nu_2+\nu_3$ bands 4−820
NH_3, collision broadening cross section, depend. on molecular velocity, i.r. technique 4−27701
NH_3, i.r. spectrum, rot. line intensities in combination bands 4−27671
NH_3, i.r.-i.r. double resonance using two-photon technique 4−9524
NH_3, i.r.-microwave double reson., collisional relax. among rot. levels 4−31886
NH_3, i.r.-microwave multiple resonance, energy collisional transfer between hyperfine levels 4−31966
NH_3, matrix isolated, vibrational relaxation by i.r. double resonance 4−6094
NH_3, microwave i.r. double resonance spectrum, $\Delta J=0$ collision induced transitions 4−31889
NH_3, ND_3, dielec. losses, freq. depend., classical theory 4−785
NH_3, ND_3, vibration-inversion-rotation spectra, model Hamiltonian 4−3145
NH_3, ND_3, vibration-inversion-rotation spectra, eigenvalue problem for Schrodinger eqn. 4−3146
NH_3 forbidden $\Delta k=3$ transitions in ν_2-vibration rotation band 4−6068
NH_3 narrow-band lines in microwave spectra of Jupiter 4−25999
N_2H_2, i.r. absorption ν_5 fundamental band, rot. and centrifugal distortion constants 4−31837
NH_2D, nonlinear i.r., photon echo, optical nutation obs., Stark pulse appl. 4−24096
$NH_4H_2PO_4$, far i.r. polarised radiation obs. 4−13461
NH_2OH, i.r. spectrum, torsional bands, internal-rot. potential function 4−31849
$N_2H_4.2BH_3$, vibrational spectra and struct. 4−6065
NO-H_2O, molecular complexes in low temp. matrices 4−19827
NO_2, atm. spectrum around 6.78 μ *(French)* 4−21989
NO_2, i.r. study of $2\nu_3$ band 4−825
NO_2, microwave opt. double reson. with tunable c.w. dye laser 4−24113
NO_2, microwave-optical double reson., fluoresc., 4579 Å Ar^+ laser line excitation 4−31887
NO_2, resonance fluorescence and absorption spectrum in region 6000 to 11500 Å 4−6086
$N^{18}O_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4−821
N_2O, i.r. spectra in liq. O_2 and liq. Ar *(Russian)* 4−12576
N_2O, i.r. spectrum, vibration-rotation bands in 4.1 micron region 4−3165
N_2O, line shape of 00^01-10^00 band, hot band contribution 4−31868
N_2O^+, vacuum u.v. fluorescence, cross section and band strengths 4−31881
$^{14}N^{15}N^{16}O$, high resolution i.r. spectra, ν_3 band obs. *(French)* 4−31835
$^{14}N^{16}O_2$, i.r. spectrum, 13.3 μm, ν_2 band, vibr.-rot. energy levels 4−16081
$^{14}N^{16}O_2$, ν_2 band near 13.3 μ, molecular constants 4−823
$^{14}NO_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4−821
$^{15}NO_2$, $^2B_1(^2\Pi_u)$ state, bending vibration, potential function 4−821
Nd complex, spectra, ionic transition oscill. strengths, organic solvent effects *(Russian)* 4−41361
$NdCl_3$, amide soln., absorption spectrum, 8000-42000 cm^{-1}, nephelouxetic effect 4−27643
Ni complexes, $Ni(N_2)m(CO)_{4-m}$, where m=1-3, formed in co-condensation at 4.2-10°K 4−3136
Ni(II) thiocarbonato complex, i.r. spectra, Ni isotope shifts, normal coord. anal. 4−40287
O_2-Ar van der Waals mol., i.r. spectra, struct., props. 4−802
O_3, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
OAlF, i.r. matrix isolation spectra 4−31841
$^{16}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4−31847
$^{18}O_3$, i.r. spectrum, vibrorotational bands, Darling and Dennison resonance 4−31847
Os(III) complexes, facial isomers of MCl_3L_3 type, bonding study 4−40259
OsO_4, band struct. 4−19815
OsO_4, mag. circular dichroism spectrum, electronic transitions 4−787
$PCl_2(O)NCO$, i.r. spectra and structure 4−31852
PH_3, i.r., splitting of ground state K=3 levels, splitting const. calc. 4−819
PH_3, i.r.-r.f. two-photon Lamb dip spectra 4−16103
POF_xCl_{3-x}, (x=0−3) electronic spectra, 2500-1250Å 4−3135
PSF_xCL_{3-x}, (x=0−3), electronic spectra, 2500-1250Å 4−3135
$PbSb_2O_6$, i.r. absorpt. spectra, vibrs. anal. and struct. determ. *(French)* 4−10422
$PrCl_3$, amide soln., absorption spectrum, 8000-42000 cm^{-1}, nephelouxetic effect 4−27643
Ru(III) complexes, facial isomers of MCl_3L_3 type, bonding study 4−40259
RuO_4, band struct. 4−19815
SF_2, i.r. spectrum, centrifugal distortion effects, force field calc. 4−3176
SF_4, force field, vibrational amplitude calcs., i.r. and Raman spectra vibr. assignment 4−36494
SF_6 mixtures with O_2 and N_2, absorpt. intensity of simulteneous vibr. transitions 4−24071

spectra of polyatomic inorganic molecules continued
- SF_6-air mixtures, 10.6 μ CO_2 laser radiation absorption, aerodynamic appl. 4−19823
- SO_2, 3400 Å band system 4−6034
- SO_2, added to flowing He afterglow, spectral emission characts. 4−793
- SO_2, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
- SO_2, i.r. spectrum, $\nu_1+\nu_3$ combination band, quantum number identification 4−818
- SO_2, photolytic excitation, chem., phys. quenching investig., SO, vibr. excited SO_2 form. 4−41975
- SO_2, vibration-rotation line intensities, algebraic expressions 4−9526
- SO_2 in β-hydroquinone clathrates, 400-30 cm^{-1} rotational and translational assignments 4−3149
- SO_2-C_2H_4, molecular complexes in low temp. matrices 4−19827
- SeO_2, C-X system, visible spectrum 4−36508
- SeO_2, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
- $SeOCl_2$, CS_2 soln., i.r. spectrum, monomer-dimer-autoassociation constants *(German)* 4−28844
- $SiCl_4$, i.r., Raman spectra, isotope structure, intermolecular interaction 4−12582
- SiF_3, emission spectrum, 2100-2600 Å, vibr. analysis 4−16061
- SiF_4, small-signal absorpt. coeff., 9.6 μ, saturated reson. spectroscopy 4−11950
- SiH_4, added to flowing He afterglow, spectral emission characts. 4−793
- SiH_4, pure rotation spectrum 4−9540
- $(SiH_3)_2NH$, Raman and i.r. spectra, vibrational assignments, mol. struct. 4−6062
- $^{28}SiD_4$, i.r. and laser Raman spectra, rovibrational constants 4−27672
- $^{28}SiH_4$, i.r. and laser Raman spectra, rovibrational constants 4−27672
- $SrCl_2$, in solid Kr matrix, i.r. spectrum, molecular force constants and geometry 4−31844
- TeO_2, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
- $TiCl_4$ complexes with S-containing organosilicon cpds., u.v. spectra 4−6029
- TiI_4, i.r. spectra, vibr. freqs. 4−9528
- U complex, i.r. spectra, slow spectral development, comparison with mol. vibr. theory *(Russian)* 4−40289
- UO_3, i.r. spectra in isolation matrix, struct. and assignments 4−31843
- $W(CO)_6$ complex, band intensities obs. in i.r. spectra 4−3147
- WF_6, i.r. spectrum, 190 to 310 K, Coriolis constants 4−16077
- Y(III) complexes, di-n-butoxythiophosphato polynuclear, prep., i.r. spectra, struct. 4−7475
- Zn(II) thiocarbonato complex, i.r. spectra, Zn isotope shifts, normal coord. anal. 4−40287
- ZrF_2, ZrF_3, ZrF_4, matrix isolated, i.r., stretch freq. assignment 4−31842

spectra of solids
- absorption band shape for transitions to Jahn-Teller coupled states 4−33386
- antiferromagnet, two-dimens., two-exciton spectrum *(Russian)* 4−28380
- clathrates, i.r. and Raman spectra, book 4−6887
- contour, complex spectral, breakdown into symm. bands 4−41360
- crystal, monoclinic, reflection spectroscopy, dielectric tensor, transverse excitations 4−41359
- crystal with interstitial impurities, defect modes, Mossbauer and i.r. absorpt. obs. 4−20906
- crystals, weak i.r. absorpt. at 0K, single particle model for freq. depend. 4−25102
- difluoride crystals, tetragonal, effective charges on ions determ. from i.r. spectra 4−36840
- ferroelectric system, with displacive transition, effect of impurities on long wavelength spectrum 4−28778
- impurities, symmetry of vibr. assisted electronic absorpt. and emission band shapes 4−25162
- impurity centre, phononless lineshape theory, temp. depend. 4−33446
- i.r. absorption, by local and quasi-local vibrs., theory of peak intensity *(Russian)* 4−21005
- matrix isolated molecules in static crystal fields 4−20234
- molecular crystal, absorpt., transmission and refl. spectra, exciton interactions 4−28797
- molecular crystal, absorption bands, Herzberg-Teller mechanism 4−32624
- molecular crystal, line shape of optical and e.p.r. absorpt., exciton motion influence 4−33388
- optical absorption spectrum, interacting impurity centres, Green's function method *(Russian)* 4−13477
- quadrupole light absorption, role of spatial dispersion, calc. *(Russian)* 4−28798
- semiconductor, disordered, interband absorpt. coeff., low temp., calc. *(Russian)* 4−37590
- semiconductor, heavily doped, magneto-absorpt. 4−17095

spectral analysers
- *see also wave analysers*
- nondispersive i.r., for ethylene oxide process 4−23048

spectral line breadth
- *see also chemical shift; Doppler effect; Stark effect; Zeeman effect*
- air, HF-DF laser meas., variable path length 4−7842
- analytic deconvolution, and matching of Peyre-Principi profiles 4−18748
- anthracene, cryst., exciton dynamics, 4000 Å transition spectral moment analysis 4−41042
- anthracene, cryst., singlet exciton time response function, line shape analysis 4−41041
- atomic photoabsorption profiles, Stieltjes imaging 4−688
- 1,2-benzanthracene, SCF-MO semi-empirical methods 4−12540
- p-benzyl alcohols, i.r. band shape, fundamental OH stretching vibration 4−16068
- biphenyl salts, aq., n.m.r., line widths, electron spin correlation time 4−33292

spectral line breadth continued
- bromoform, in CS_2 soln., effect of conc. fluctuations on vibr. spectral line widths 4−13437
- Brownian rotational motion parameters, calc., from molecular spectra, using line widths *(Russian)* 4−33927
- c H_2O, strengths and air-broadened widths of lines in 2950-3400 cm^{-1} region 4−3168
- carbonyl complexes, spherical-top, in gaseous N_2, ang. correl. functions and Coriolis coupling 4−16138
- o-carborane, solid, temp. effects of laser Raman spectrum 4−17075
- chloroform, in CS_2 soln., effect of conc. fluctuations on vibr. spectra line widths 4−13437
- close binary stars, spectral line profile changes due to mass transfer 4−7996
- collective radiation by harmonic oscillators, line shift and broadening 4−39712
- collision broadening, algebraic theory 4−3071
- collisional broadening, similarity law for line profile and inelastic cross section 4−36534
- communications systems, laser binary, effect of spectral shape on error 4−31063
- derivation of semi-empirical formula *(Roumanian)* 4−19674
- diamond, type Ia, visible and near u.v. spectra, GR1 symmetry, ND1 line width 4−10456
- 1,2,5,6-dibenzanthracene, SFC-MO semi-empirical methods 4−12540
- p-dibromobenzene soln., reson. broadening of i.r. absorpt. bands 4−13432
- 1,4-dibromonaphthalene, absorption line shapes and triplet exciton scatt. 4−21590
- p-dichlorobenzene soln., reson. broadening of i.r. absorpt. bands 4−13432
- dichloromethane, in CS_2 soln., effect of conc. fluctuations on vibr. spectral line widths 4−13437
- diethylammonium copper chloride, e.s.r. 4−24989
- dilute system, diamagnetic n.m.r. line profiles and saturation behaviour *(German)* 4−28720
- dye solution, Raman line intensity meas., effect of absorpt. of matter 4−10413
- ELDOR, applic. of e.s.r. lineshapes, saturation in slow motional region 4−36542
- e.p.r., broad lorentzian line, modulation broadening for linewidth estimation 4−39293
- equivalent width for nine phases of variable star δ Cephei 4−14396
- error correction, two-slit spectral line width method, for plasmas *(Russian)* 4−26735
- e.s.r., modulation effects in saturation of nonuniformly broadened lines 4−36559
- excimer, structured lineshapes, two-dimens. model pot. approach 4−24107
- Fano antiresonances, photon absorpt., scatt., coupling between continuous and radiation field states 4−16106
- ferrimagnetic and antiferromagnetic resonance line broadening, dislocation-induced 4−41258
- fluid, l.f. depolarized light scatt., lineshapes 4−24161
- fluorenone, n.m.r., line widths, electron spin correlation time 4−33292
- gases, narrow resonances induced by intense light beam 4−23401
- glass, statistical anal. of e.p.r. and n.m.r. spectra 4−20218
- glasses, n.m.r. in transformation range *(German)* 4−13360
- half-width, effect of slit-width variation 4−14876
- hydrocarbon radical, e.p.r. obs. of zero field splitting and quartet state 4−9579
- hydrogen-bonded, broadening of i.r. absorption spectra, vib. predissociation 4−24088
- impurity centre, phononless lineshapes, temp. depend. 4−33446
- intensity, photometric determ. using convergent set of characteristic curves *(Russian)* 4−15054
- laser, Nd:glass, multimode transient processes with homogeneous broadening 4−11936
- laser induced line narrowing, coupled Doppler broadened systems 4−22861
- laser spectroscopy of gases 4−35286
- of laser transition from Lamb dip 4−23324
- line broadening, scalar and unified additivity theories 4−9561
- linear molecule, line broadening, octupolar and hexadecapolar moment contribution *(French)* 4−27703
- Lorentz gas, intercollisional interference, induced dipole moment 4−16105
- low pressure discharge, ion vel. distrib., line shape temp. depend. 4−12828
- mass spectrometer peak shapes due to energetic decomposition of metastable ions 4−31912
- methane, calculated linewidths for broadening by N_2 and O_2 4−9563
- methane, collision broadening of i.r. lines between 80 and 295°K 4−12599
- methane, h.f.s. meas. at 3.39 μ using laser saturated absorption 4−9541
- microturbulence in main sequence stars rel. to absorption line profiles 4−11174
- microwave spectroscopy, thermodynamic function determ. 4−12590
- molecular, Tennessee University research programme 4−11505
- molecular collision, semiclassical theory, impact approx. spectral line shifts and widths 4−19857
- molecular crystal, line shape of optical and e.p.r. absorpt., exciton motion influence 4−33388
- molecular electronic spectra, antiresonances, line shapes 4−40302
- molecular microwave lines at low pressure, width and shift 4−31869
- molecular photoabsorption profiles, Stieltjes imaging 4−688
- molecular vibrational resonances, Dicke narrowing, press. broadening 4−24097
- molecule, pressure effects, anal. of spectra and relaxation 4−19816
- molecule, weakly symmetric, bandshapes for circular dichroism and circular polarization of luminesc. 4−835
- multiplet lines, solar photospheric microturbulent velocity from fine analysis and profiles *(Russian)* 4−29830
- muonic X-rays, line shape depend. on Auger transitions and atomic after effects 4−24020
- naphthacene, polycrystal, u.v. photoelectron spectra 4−13554

- **spectral line breadth** continued
  - naphthalene, absorption line shapes and triplet exciton scatt. 4−21590
  - n.m.r., line shape for polycrystalline solids 4−37504
  - n.m.r. in solids, temperature dependence 4−37503
  - n.m.r. line shape calc. using memory function 4−20875
  - n.m.r. line shape in solids, experimental data 4−6794
  - n.m.r. linewidth derivation taking account of correlation time distribution *(Russian)* 4−37511
  - O- and Of-type stars, line width in red spectral region for 77 objects 4−38773
  - organic compounds, p.m.r. obs. of methyl proton resonance line shapes, C_3 and C_3' reorientations 4−41300
  - organic solution, width of depolarized combination scatt. lines, during change with conc. of fluidity *(Russian)* 4−37596
  - photon diffusion, Monte Carlo simulation of Voigt distrib. 4−30006
  - photospheric microturbulence, centre-limb increase of Doppler width in Na D line cores 4−17926
  - pollutant diagnostics, velocity effects with tunable lasers for Doppler broadened lines 4−11347
  - polycrystalline samples, diffusion broadening of Mossbauer line shape, cryst. struct. effects 4−17005
  - polypeptides, ^{35}Cl n.m.r. linewidth rel. to mol. weight, rot. motion, conformation 4−40354
  - profile analysis using monomode laser 4−23959
  - profile analysis using multimode laser, applic. to Xe 3.36 μm line 4−23960
  - profile synthesis of radiation emitted after collision 4−12477
  - radially vibrating plasma, ionic emission Doppler broadening, profile ionic conc. depend. *(Russian)* 4−40683
  - relativistic, asymmetry and blue-shifting, theory 4−38609
  - resonance profile broadening by apparatus function 4−35281
  - riboflavin solns., absorpt. and luminesc. spectra, temp. effect, conformity to universal relationship *(Russian)* 4−6913
  - t-RNA, interaction of low mol. weight compounds 4−26200
  - rotational line shapes in Rabitz effective potential formalism 4−12600
  - ruby, line broadening of e.p.r. absorpt. spectrum, external field direction effects 4−20851
  - semiconductor luminescence spectra, band shape variations in high electric field 4−21082
  - solar absorption line profiles, empirical analysis 4−14312
  - solar centre to limb data, self-limiting inversion technique 4−26180
  - solar chromosphere, contours of K-lines rel. to broadened profiles and vel. fields 4−4701
  - solar chromosphere absorption profiles and height var. of velocity amplitudes 4−4700
  - solar chromospheric line profiles, effect of small and large scale sine waves 4−29845
  - solar chromospheric Lyman α profile, partial redistribution effects 4−34641
  - solar facula line profiles and contrasts rel. to models 4−4702
  - Solar spectrum, centre-to-limb profiles of weak Fraunhofer line rel. to velocities *(Russian)* 4−29827
  - solar spectrum, faint Fraunhofer line shift, effect of progressive sound waves *(Russian)* 4−29828
  - source analysis using high resolution echelle spectrometer 4−11671
  - spark discharge, spectral line intensity changes *(Russian)* 4−16375
  - symmetric top gas mols., collision integrals, Senftleben-Beenakker effects, nonreson. absorpt., press. broadening 4−31999
  - ternary collisions effect in press. broadening theory of spectral lines of atoms 4−19667
  - time resolution, two-channel optical bridge for resolving intensity fluctuations in transmitting medium 4−18461
  - umbral profile of Zeeman triplet at 5250.22 A in sunspots 4−38655
  - u.v. stellar spectral synthesis, computer program 4−38922
  - velocity distortions of spectral lines with combined Doppler and collision broadening 4−31872
  - Voigt profile, integrated absorption approx. 4−36535
  - wood, pyrolyzed, e.s.r. spectra, paramagnetic environment effects on unpaired spins 4−41240
  - wustite, diffusion broadening of Mossbauer line 4−20912
  - OD, line shape of predissociated transitions in $B^2\Sigma \rightarrow A^2\Sigma$ system 4−40304
  - Ag, determ. by high resolution at. absorpt. spectrometry 4−5276
  - Ar, high press. cascade arc, line width and shift, temp. meas. 4−32320
  - Ar, plasma jet, spectral broadening outside LTE, 4000-6000 Å *(French)* 4−24312
  - Ar discharge, broadening in positive column, calc. 4−9380
  - ^{197}Au, E2/M1 77.3 keV transition, thick absorber line-shape analysis and interference effects in Mossbauer absorption spectra 4−12255
  - BO_2, saturation spectroscopy at 5145 Å 4−24108
  - BiI_3, optical spectrum of acceptor centre *(Russian)* 4−41404
  - Br_2 pressure broadening, effect of electronic excitation on intermolecular force constants 4−40303
  - CO, air broadened linewidths calc. 4−9562
  - CO, collision broadening of i.r. lines between 80 and 295°K 4−12599
  - CO, collisional broadening by CO_2 4−31871
  - CO, self-broadening collisional broadening by N_2, O_2, H_2 and CO_2, octupolar and hexadecapolar moments contributions *(French)* 4−27703
  - CO, shock-heated, laser linewidths and transition probabilities 4−19856
  - CO collisional excitation by H_2 from pressure-broadened CO rotational Raman lines 4−6122
  - CO_2, line shape of 00^01-10^00 band, hot band contribution 4−31868
  - CO_2, line-narrowed saturated fluoresc., high resolution pressure broadening 4−9621
  - CO_2, self-broadening, collisional broadening by N_2, octupolar and hexadecapolar moments contributions *(French)* 4−27703
  - CO_2 equivalent widths, interpretation of inverse phase effect of Venus' atmosphere 4−2082
  - Ca, perturbation of principal series by metastable atoms 4−23972
  - Ca I and II lines, broadening and shift by van der Waals interaction with Ar atoms and by electron impact 4−710
  - Ca^+-rare gas system, spectral line broadening cross-section, Hanle effect, atomic interactions 4−40189
  - Cd-Xe arc lamp performance in deep ocean waters 4−11067

- **spectral line breadth** continued
  - CdS, heavily doped, exciton spectra, scatt. and screening broadening 4−33448
  - CeO_2-ThO_2, Raman linewidths, entropy of mixing anal. 4−33398
  - Cu, determ. by high resolution atomic absorption spectrometry 4−5276
  - Cu-Mn nuclear acoustic resonance obs. between 300 and 2K 4−41267
  - D_2 dissolved in inert liq., Raman bandshapes 4−25080
  - DF, rot. band shapes in photoelectron spectra 4−19895
  - DF, self and HF induced collision broadened line widths, anomalous reson. 4−36536
  - Eu atom, resonant spectral line broadening due to $a^8S_{7/2}-Y^8P_{9/2,\,7/2,\,5/2}$ transitions 4−9373
  - Fe I, solar spectrum, line profiles from centre to limb 4−2054
  - Fe I 5128 Å resonance line rel. to Fe solar photospheric abundance independent of line-shape parameters 4−25947
  - Fe I solar lines in 3500-4500 Å range, profile synthesis 4−29855
  - Ga + inert gas collision, Ga(I) reson. line broadening 4−36454
  - H, line broadening, role of elastic and inelastic electron collision processes 4−9418
  - H^- photoionisation continuum, shape of 1^1S_o-2^1p_1 Fano resonance 4−9408
  - H_2, Dicke narrowing and dispersion of third-order nonlinear susceptibility near $Q_{01}(1)$ vibr. reson. 4−815
  - H_2, Raman spectrum, quadrupole transition strengths 4−16082
  - H_2 dissolved in inert liq., Raman bandshapes 4−25080
  - H_2-Ar mixture, quadrupole-induced H_2 i.r. spectrum, line shape 4−16104
  - HCl, collisional broadening by CO_2 and N_2 4−31871
  - HCl, line broadening of $O \rightarrow 2$ transition, octupole moment influence 4−9559
  - HF, rot. band shapes in photoelectron spectra 4−19895
  - HF dissolved in inert liq., Raman bandshapes 4−25080
  - H_2O vapour transitions in i.r. region, tunable laser meas., rotational line breadths 4−3169
  - Hα emission line profile in eclipsing binary star β Lyrae 4−14416
  - He, singlet spectrum, resonance broadening 4−9395
  - He-Ne laser, travelling wave, natural linewidth meas. in 0.63 μm region 4−8804
  - Hg, intensity, photometric determ. using convergent set of characteristic curves *(Russian)* 4−15054
  - Hg, neutral atom perturbed, atomic absorption spectra, determ. of interatomic pot. 4−5947
  - Hg, quasimolecules influence on shape of λ2537 angstrom spectral line *(Russian)* 4−5942
  - Hg-He(Ne) mixture, collision broadening of 1.53 μm laser line 4−8803
  - Hg + Kr collision, shape of Hg 2537 Å resonance line at low press. 4−40201
  - I_2, broadening, elastic and inelastic determ. by resonance Raman scatt. lifetime 4−19840
  - In + inert gas collision, In(I) reson. line broadening 4−36454
  - n-InSb, cyclotron resonance absorption lineshape at 337 μm 4−37162
  - K, 4047 Å line, perturbed by Kr, red satellite band, temp. depend. 4−19670
  - K, ang. depend., cond. e.s.r., anomalies near crit. angle 4−41257
  - KCl-LiCl:LiI, anodic plasma, spectra, plasma diagnostics *(French)* 4−24314
  - Mg^+-rare gas system, spectral line broadening cross-section, Hanle effect, atomic interactions 4−40189
  - MgO, V^- type centre, bound small polaron optical absorp. 4−37642
  - Mn antipyrine complex in concentrated soln., e.s.r. spectra 4−33255
  - $Mn_xFe_{3-x}O_4$, ferromag. resonance linewidth origin, microwave cond. obs. 4−37262
  - N_2 dissolved in inert liq., Raman bandshapes 4−25080
  - NH_3, broadening by H_2, absorpt. in far wings of vibr.-rot. band 4−836
  - NH_3, collision broadening cross section, depend. on molecular velocity, i.r. technique 4−27701
  - NH_3, pressure-broadening of rotational line by He, Ne, Kr, Ar, H_2, D_2 and N_2 *(French)* 4−9558
  - NH_4^- ion, p.m.r. spectra of rapid reorientations around C_2 and C_3 axes, semiclassical approx. 4−41269
  - NO, absorpt. linewidth at 3693.504 cm^{-1}, meas. with HF laser 4−12598
  - NO, spectral broadening and shifts by predissociation 4−9560
  - N_2O, line shape of 00^01-10^00 band, hot band contribution 4−31868
  - $^{14}N(d,n\gamma)^{15}O$, 2.2-2.8 MeV, neutron angular distrib. from γ-ray line shape studies 4−15851
  - Na, ang. depend., cond. e.s.r., anomalies near crit. angle 4−41257
  - Na, D line broadening by hydrogen, S-matrix analysis 4−19669
  - Na I solar D_1-line, collisional broadening 4−4703
  - $Na_2Ca_2Mg_2V_3O_{12}$ garnet, e.p.r. of V^{4+}, linewidth and intensity, homogeneous broadening, 77K 4−28690
  - $NaCrS_2$, e.h.f. meas. of e.p.r. 4−20833
  - O_2, microwave absorption lines, pressure broadening 4−6078
  - O_2 pressure broadening of λ5577 Å line by rare gas 4−9616
  - Rb-rare gas system, spectral line broadening cross-section, Hanle effect, atomic interactions 4−40189
  - $Si_{1-x}Ge_x$:P, e.p.r., rel. to band struct. and P surroundings 4−37487
  - SiI(II)(III), in Ar plasma, Stark broadening parameters 4−31666
  - Th, 377.6 nm, reson, broadening meas. 4−23973
  - Tl-As-Se semicond. glasses, ^{205}Tl n.m.r. *(Russian)* 4−28718
  - Tl + inert gas collision, Tl(I) reson. line broadening 4−36454
  - Xe, 3.36 μm line, press. broadening and shift, analysis using monomode laser 4−23960
  - Zn-Xe arc lamp performance in deep ocean waters 4−11067
  - $Zn_{1-x}M_xWO_4$, (M=Cd,Ca,Cr,Li), e.p.r. line width, expt. and theory *(Russian)* 4−28689
  - ZnS:Mn^{2+}, e.p.r. line broadening by elec. fields of point defects *(Russian)* 4−28700
  - ZrC, ZrO_2, Zr $L_{\alpha1,2}$ X-ray line, effect of chem. bonds 4−37697
- **spectral line profiles** *see spectral line breadth*
- **spectral line shift**
  - *see also chemical shift; isomer shift; isotope shifts; red shift; Stark effect; Zeeman effect*
  - acetone, 1720 cm^{-1} Raman line, solvent effects *(German)* 4−27662
  - analysis using monomode laser 4−23959

spectral line shift continued
- analysis using multimode laser, applic. to Xe 3.36 μm line 4—23960
- aromatic molecules in alkane soln., u.v. spectral solvent shifts 4—13462
- azobenzene, in binary solvent, electronic, i.r. spectral band shifts 4—13450
- chromophore, in water and perfluoro n-hexane solvent, visible spectrum, solvent shifts 4—21013
- 2,5- and 2,6-dibromopyridines, vapour and soln. near u.v. spectra, vibr. analysis, solvent shifts 4—19809
- dimethylsulfoxide, in binary solvent, electronic, i.r. spectra band shifts 4—13450
- ligand vibration frequency shifts, complexation, kinematic effect 4—12553
- vinylethynes, alkylthio-, alkylseleno-, alkyltelluro-, u.v. spectra, electronic structure *(Russian)* 4—31831
- Ar, plasma jet, spectral broadening outside LTE, 4000-6000 Å *(French)* 4—24312
- CO, vibr.-rot. transitions, 0→2, 0→3, from wavenumber meas. *(French)* 4—40260
- Ca, perturbation of principal series by metastable atoms 4—23972
- H atom, light-shifts caused by CO$_2$ laser, calc. 4—27526
- KI, in binary solvent, electronic, i.r. spectral band shifts 4—13450
- NO, spectral broadening and shifts by predissociation 4—9560
- O$_2$, atm. A-band, pressure depend. of line shifts 4—38367
- SiI(II)(III), in Ar plasma, Stark broadening parameters 4—31666
- Xe, 3.36 μm line, press. broadening and shift, analysis using monomode laser 4—23960

spectral linewidths *see spectral line breadth*

spectral methods of temperature measurement
- *see also pyrometers*
- electron temperature meas. behind shock wave in Xe using two-line intensity ratio technique 4—16350
- electron temperature meas. in Xe downstream of shock front 4—16351
- flame profile, at. fluoresc. spectrometry using tunable laser 4—15081
- flame temp. meas., student experiment 4—26380
- gas flame radiation intensity fluctuations, statistical analysis *(Italian)* 4—22798
- i.r. remote meas. of surface temp. comparison of satellite and aircraft results 4—7845
- jet temperature meas. by spectral line intensity pulsation investig. *(Russian)* 4—27988
- of metals, in the visual spectral range 4—30420
- micropyrometer, multichannel, high-speed photoelectric, operation and construction 4—5000
- micropyrometers, absolute methods for small temp. differences *(German)* 4—14825
- Ne, positive column, radial gas-temp. distrib. from differential interferometry 4—36742
- optical thermometer, photometric temp. scale 4—30418
- radiance temperature of Nb at melting point 4—1120
- Raman scattering, monitoring with N$_2$, CF$_4$ 4—11463
- semiconductor capacit component, temp. meas. from thermal relation *(German)* 4—2251
- spark channel, high current, review 4—6283
- water surface temp. meas., effect of sky radiation *(Russian)* 4—14232
- Cu arc, photographic photometry obs. of spectra 4—36768
- D$_2$ plasma, seeded, error in using classical approx. to X-ray spectra 4—32323

spectrochemical analysis
- absorptiometer, high sensitivity, appl. to industrial low level determ. 4—166
- accuracy assessment, National Bureau of Standards 4—14787
- air, at. absorpt. spectroscopy in near i.r. *(Russian)* 4—39440
- air, hydroxyl conc., diurnal variation, reson. fluoresc. obs. 4—29635
- air pollutants, high resolution i.r. spectra using Fourier transform spectrometer 4—39099
- air pollutants, laser induced i.r. fluoresc. and absorpt. 4—26723
- air pollution monitoring, advanced spectroscopic techniques 4—11349
- alkali carbonates, i.r. determ., dry box for pellet technique 4—39409
- Anglo Saxon gold jewellery, X-ray fluorescent analysis 4—5298
- appearance potential spectroscopy, detection of light elements 4—15073
- appearance potential spectroscopy of lanthanides and actinides 4—15072
- N-arylhydroxamic acids and hydroxamic acids, u.v. absorpt. spectra, solvent effects 4—27656
- atmospheric contamination, C rod atomizer applic. 4—14722
- atmospheric contamination by X-ray spectrometry 4—14721
- atmospheric metal detection at 10^{-12} g level by at. absorpt. spectrosopy 4—14718
- atmospheric metal determ. by flameless at. absorpt. spectroscopy 4—14720
- atmospheric molecular constituents, remote meas. by laser-Raman radar 4—38547
- atmospheric precipitation, Ag conc. determ. *(French)* 4—34362
- atmospheric trace metal direct determ. by Ta ribbon flameless at. absorpt. spectroscopy 4—14719
- atom absorption analysis with graphite cuvette 4—18775
- atomic absorbances, spectral anal. lines selection 4—11653
- atomic absorptiometer, multi-channel, with fibre optics 4—11674
- atomic absorptiometer, multielement, with vidicon detector, and data acquisition automation 4—11678
- atomic absorption, a.c. arc source 4—35528
- atomic absorption, aliphatic secondary amine determ., form., determ. of Cu or Ni derivatives 4—23036
- atomic absorption, analytical significance of transient signal dynamics in modified C rod atomizer 4—18800
- atomic absorption, at transition probabilities meas., theory 4—18799
- atomic absorption, atom formation and interferences in heated graphite atomiser 4—15070
- atomic absorption, attachments to increase sensitivity in determ. of Hg, As, trace elements *(Japanese)* 4—35558
- atomic absorption, bibliography for July-December 1973, inc. index 4—39412

spectrochemical analysis continued
- atomic absorption, complete automated system for sample anal. *(Japanese)* 4—35557
- atomic absorption, effect of physical parameters *(French)* 4—18798
- atomic absorption, externally controlled liq. uptake for turbulence burner *(German)* 4—39432
- atomic absorption, flameless, furnace comparison 4—15063
- atomic absorption, flameless, metal determ. 4—15064
- atomic absorption, flameless, optimization of graphite tube furnace 4—15065
- atomic absorption, flameless, preatomisation losses 4—15057
- atomic absorption, flameless, signal formation and shape 4—18801
- atomic absorption, gas-controlled graphite-furnace, developments 4—15069
- atomic absorption, graphite-tube, atomization temp. regulation 4—15071
- atomic absorption, high resolution, using scanning Fabry-Perot interferometer 4—5276
- atomic absorption, performance of As, Cd, Se, Te electrodeless discharge lamps 4—30648
- atomic absorption, simultaneous multielement analysis 4—15067
- atomic absorption, stray radiant energy determ. using amplification technique 4—39404
- atomic absorption, vapour phase sample injection for flame and flameless systems 4—15068
- atomic absorption and emission, flash-back-resistant burner, for nitrous oxide-acetylene flame 4—26722
- atomic absorption spectrometer, computer-controlled, transient atom population meas. 4—23026
- atomic absorption spectroscopy, automation of sample preparation 4—11679
- atomic absorption spectroscopy, computer-controlled instrumentation 4—11686
- atomic absorption spectroscopy, electrodeless discharge lamps 4—11675
- atomic absorption spectroscopy, highly ionized species, population of excited levels, theoret. determ. 4—12496
- atomic absorption spectroscopy, math. methods for planning expts. 4—11669
- atomic absorption spectroscopy, sample introduction into Woodriff furnace 4—11683
- atomic absorption spectroscopy, solid sample introduction into Woodriff furnace 4—11680
- atomic absorption spectroscopy, use of stabilized d.c. arc plasma 4—11682
- atomic absorption unit, modification for dual beam background correction meas. 4—11652
- atomic absorption/flame emission, Rank Precision Industries, design, evaluation 4—8573
- atomic and molecular absorption measurement by intra-cavity quenching of laser fluoresc. 4—35514
- atomic fluorescence, pulsed source, review of principles, apparatus, results, future appl. 4—35519
- atomic fluorescence, pulsed-mode, use of demountable hollow cathode excitation source 4—35515
- atomic fluorescence analyt. curves, shape, laser excitation source 4—5291
- atomic fluorescence flame spectrometry, laser-excited, saturation phenomena influence 4—39437
- atomic fluorescence flame spectrometry, nonlinear opt. behaviour 4—5290
- atomic fluorescence spectrometry, electrodeless discharge lamps 4—15080
- atomic fluorescence spectrometry, non-dispersive 4—15079
- atomic fluorescence spectrometry, standard ref. mat. analysis 4—15078
- atomic fluorescence spectrometry, tunable laser use 4—15081
- atomic fluorescence spectrometry with graphite atomization and photon counting 4—15082
- atomic spectroscopy, conf., Toronto, Canada, (Oct-Nov 1973) 4—11664
- Auger electron spectroscopy, surface composition analysis 4—10501
- background correction using Zeeman modulated sources 4—11689
- biological materials, metal trace analysis by at. absorpt. spectroscopy 4—11665
- biological specimens, trace element determ., matrix effects 4—18753
- biomedical science applic., review 4—11681
- blood, Pb determ. by 4.0 mm paper disc at. absorpt. spectroscopy 4—11667
- body fluids, computerised anal., orthomolecular medicine 4—35034
- calibration, conc. depend. spectral precision determ. *(Russian)* 4—39438
- carbon rod flameless atomizer, commercial, modification to accept graphite tubes 4—2408
- ChemLab automated analysis system, use in teaching lab. 4—39425
- chloroquine, photochemical-fluorimetric determ. methods 4—39407
- colorimeter, multichannel, for continuous flow systems, review 4—30456
- controlled waveform source, precision and versatility 4—11677
- covalent hydrides, combustion in tube furnace 4—11697
- data analysis, using Hadamard transform, followed by pattern recognition *(X)* 4—23042
- d.c. arc, cathode layer use, detection limits 4—5293
- d.c. arc plasma, effect of surrounding atmospheres, heat transfer evaluations 4—11684
- d.c. arc plasma, first ionization pot. determ. for U and Th 4—2419
- d.c. arc plasma burning in air, electron density calcs. derived from energy balance eqn. 4—2418
- derivative spectroscopy, description of technique rel. to trace gas anal. 4—23038
- discharge lamps, electrodeless, thermostated, optimization for analyt. atomic spectrometry 4—5289
- dye laser intra-cavity enhanced absorption, meas. using photodiode array direct reading spectrometer 4—39403
- dynamic multicuvette fluorometer-spectro-photometer based on GeM—SAEC fast analyzer principle 4—2402
- electrochemistry, elucidation of electrochemically induced phenomena, review 4—34032
- electrode holder for non-standard samples 4—8569

spectrochemical analysis continued
electrodeless discharge lamp, neon, operation, use in absorpt. and fluoresc. determ. of Cr 4−23035
electrodeless discharge lamps, use in spectrochem. anal., prep., operation, critical review 4−39431
element separation in impulse light source with hollow cathode *(Russian)* 4−15055
elemental emission, identification using photodiode array spectrometer, appl. of logic operations 4−2407
elements, photodiode array spectrometer, appl. of logic operations 4−2407
emission, liq. layer introduction onto solid sample electrode surface during sparking 4−39397
emission microspectral analysis, MSL-1 attachment *(Russian)* 4−23062
emission spectra, Bi, Pb detection in Ni and Fe alloys 4−11651
equidensitometry, plasma characterisation method 4−12815
ethylene oxide process employing nondispersive i.r. analysers 4−23048
exploding wire radiative props. and trace metal analysis 4−11670
extruded d.c. plasma arc burning in inert atmos. 4−12816
feldspars, quantitative spectrochemical analyses by ion bombardment 4−25198
ferrous materials, trace element determ. 4−23045
flame atomic absorption and emission spectrometry, lateral diffusion interferences 4−151
flame atomic absorption spectrometry, use of resonance monochromators 4−152
flame emission, automated sequential analysis 4−15058
flame photometric determination, in silica sand and carbonate rocks 4−18780
flame photometry for microanalysis, review 4−11696
flame spectrometer, simple wavelength modulation, design and performance 4−11676
flame spectrometry, information content by flames 4−11668
flame spectrometry, on-line digital computer applic. 4−11673
flame spectrometry, vaporisation of individual solute particles 4−15061
flame spectroscopy, atomic absorpt. error function evaluation 4−18791
flame spectroscopy, lateral diffusion interferences 4−11690
flameless atomic absorpt. spectrometry, heating rate effects 4−8558
flameless atomic absorption sampling, improvements and readout device evaluation 4−11685
flameless atomic absorption spectroscopy, novel developments 4−11672
flames, i.r. emission rotation lines of HF, Hcl, H_2O and OH 4−18766
flames, nonthermal atomisation processes 4−15060
fluorescence excited in turbid medium, surface intensity anal., chromatography appl. 4−11659
fluorimetry technique 4−168
forensic science applications, firearms, oil spills 4−26726
gamma-ray spectra, influence upon monitoring calibrating unit for one sampling *(Russian)* 4−8582
glass, high purity, detection of Fe and Cu by flameless at. absorpt. spectroscopy 4−15066
glass, Nd, emission and absorpt. spectral analysis, laser light source *(Russian)* 4−15053
glass, using d.c. arc plasmatron 4−30651
glass, wide-line n.m.r. determ. of fluorine content *(Japanese)* 4−39436
glass container coating, Auger electron spectroscopy 4−7264
graph integration *(Russian)* 4−15056
graphite briquets for opt. and X-ray spectrometry 4−15084
heteromolecular clusters of $SO_2.(H_2O)_n$, n=1-6 type 4−40250
high accuracy, National Bureau of Standards development of standards and instrumentation 4−15075
high resolution infrared spectroscopy, review of recent techniques, appls. 4−35274
high-temperature gas-discharge tubes *(Russian)* 4−8581
hollow cathode discharge, neutral H_2O density determ. 4−35543
hollow cooled cathode, use of discharge as light source *(Russian)* 4−26732
human brain tissue, Al trace analysis by at. absorpt. spectroscopy rel. to neurofibrillary degeneration 4−11666
human urine, for As, X-ray microanalysis technique 4−42585
impulse atomic spectroscopy 4−11688
induction discharge, use for emission spectral anal. of powders containing various elements *(Russian)* 4−26733
inductively coupled plasma-optical emission system for determ. of trace metals in soln. 4−39398
infrared gas chromatography, combined method 4−8559
inorganic solution, spectrofluorimetry 4−167
ion scattering spectrometry, surface anal. technique 4−6946
i.r., Fourier analysis, high speed and sensitive chemical analysis, Cambridge Scientific Instruments range 4−8362
i.r., Hadamard transform spectrometer 4−15091
i.r. spectrophotometer attachment, for obtaining spectra at any sample temp. *(Russian)* 4−30667
i.r. ultramicrosampling technique 4−11649
iron, cast, removal of O_2 impurities by Ar flow before anal. *(German)* 4−35552
isotopic filtration, cell-filter for ^{85}Rb vapours, for elimination of spectral fine struct. *(Russian)* 4−26734
jet discharge, h.f., atomizing efficiency 4−18774
laser, tunable dye, anal. of appls. 4−26700
laser microanalysis using MSL-2 apparatus *(Russian)* 4−8580
line profile analysis using high resolution echelle spectrometer 4−11671
line profile synthesis of radiation emitted after collision 4−12477
linear polyurethanes, recrystn. studies, spectral β and X-ray structural analysis *(Russian)* 4−32451
membrane-hormone interaction, cooperative cellular struct. of membrane, spectrofluorimetry 4−38966
metal chelate extraction and formation constants, continuous variations determ., computer approach 4−11648
metals and alloys, atomic absorpt. methods using solid samples 4−5274

spectrochemical analysis continued
microanalysis, modern instrumental methods, review *(German)* 4−30659
microsampling system, Perkin-Elmer at absorpt., improvements 4−159
microspectral analyses, vacuum vessels and application *(German)* 4−39199
microwave discharge emission spectrometer with microwave atomizer, automatic operation 4−11687
molecular emission cavity analysis, modification for volatile samples 4−18802
molecular emission cavity analysis 4−11693
molecular flame absorption spectrometry for non-metals 4−18804
multichannel X-ray spectrometer, MRS 3, for rapid analysis 4−15085
multielement determ., thin specimens, X-ray spectrometry 4−18784
multielement flame spectrometry 4−15059
nondestructive techniques, in nuclear industry, in-plant application 4−23778
nondispersive X-ray fluorescence analysis, use of α particle source 4−2410
nuclear fuel nondestructive assay by X-ray fluorescence and gamma spectroscopy, computerized system 4−23938
nuclear fuel processing facilities, appl. of nondestructive assay techniques 4−23936
Perkin-Elmer flameless Hg system, problems and solns. in use 4−158
petroleum bitumens, direct spectral determ. of B *(Russian)* 4−18795
phenols, u.v. ratio spectrophotometric system for trace anal., comparison with ASTM method 4−39396
phosphosilicate glass diffusion source, composition by i.r. absorption 4−6983
photographically recorded, data processing analysis *(German)* 4−18765
plant tissue, direct reading spark emission spectroscopy 4−18754
plasma characts., computer simulation of induction heated r.f. discharge 4−11691
pollutant diagnostics, velocity effects with tunable lasers for Doppler broadened lines 4−11347
pollution detection in lakes, airborne measurement 4−29765
powder metallurgy materials, sintering temperature and time effects on results of spectral analysis 4−41795
pyridinium dipicrylaminate, γ-irradiated for i.r. spectral impurity enhancement 4−39443
radiation source, h.f. discharge type, review 4−18773
radiofrequency mixed gas plasma, emission spectra, excitation processes 4−35550
Raman data aquisition, fluoresc. background interf. minimisation using dye laser 4−23028
Raman scattering cross sections for gaseous molecules, using pulsed N_2 gas laser *(Japanese)* 4−30662
rapid scanning spectroscopy, review 4−8557
reference spectroradiometer 4−15077
remote detection techniques, review 4−18261
resonance fluorescence, Na determ. using dye impulse laser *(Russian)* 4−26736
ruby, artificial, emission and absorpt. spectral analysis, laser light source *(Russian)* 4−15053
ruby crystal, conc. of Cr^{3+} ions, determ. using u.v. absorpt. bands *(Russian)* 4−18796
salinity, remote meas. in microwave region in estuarine environment 4−7846
sample introduction, flame spectrometry, null point technique 4−23027
sanitary landfill, i.r. spectra of gaseous decomposition products 4−18761
search algorithm, for mixture spectra 4−23037
sensitivity and limit of detection in quantitative work, teaching paper 4−30327
sewage treatment plant wastes, heavy metal determ. 4−22630
shock tube excitation for trace metal analysis 4−11692
spectral peak identification, digitized spectra, deconvolution method 4−23043
spectrometer, direct-reading, for silicate rock anal., by use of graphite-pellet technique 4−23064
spectrometer, second derivative instrumentation for trace gases, recent developments 4−26737
spectrophotometer, Pye Unicam SP1900 double beam atomic absorption, precision and digital control 4−18786
spinel, crystal, conc. of Cr^{3+} ions, determ. using u.v. absorpt. bands *(Russian)* 4−18796
stability const. determ. by spectrophotometric method of corresponding solns., numerical treatment 4−13974
statistical analysis of results, standard deviation of anal. line pair appl. to emission spectroanal. 4−35555
steel, removal of O_2 impurities by Ar flow before anal. *(German)* 4−35552
sulphides, i.r. absorption, u.v. emission, comp. correl. 4−41362
surface analysis, X-rays, proton back scatt., Auger electrons 4−6948
thin films, graphite electrodes as substrates 4−2409
trace element anl. using proton-induced X-ray emission spectroscopy 4−26720
trace elements determ., microscale X-ray fluorescence method 4−11654
tritiated water, isotopic analysis via i.r. spectrophotometry 4−2401
ultra violet, automated anal. system based on Shimadzu UV-200 spectrophotometer *(Japanese)* 4−35556
urine vapours, computerised gas chromatography anal., orthomolecular medicine 4−35034
vanadyl thiocyanate method for spectrophotometric determ. of V (IV) 4−5279
vidicon TV tube, 500-channel Si-target, photodetector for atomic absorpt. spectrometry 4−2420
Viking Mars Lander, inorganic chemical investigation by X-ray fluorescence analysis 4−2150
water pollution, metal analysis by at. spectroscopy 4−14723
X-ray, fluorescence analysis, nanogram region, quantitative method 4−18785

- **spectrochemical analysis** continued
  - X-ray absorption edge spectrometry for revealing O_2-binding in transition metal complexes 4—17140
  - X-ray fluorescence, energy-dispersive, for trace element conc. determ. 4—26725
  - X-ray fluorescence spectrometer model XRS-1 4—8584
  - X-ray fluorescence spectrometry, matrix effect correction, multielement aq. soln. analysis 4—15083
  - X-ray spectrophotometry, bone-mineral determinations 4—39070
  - X-ray SRPP circulation device for spectral analysis 4—39386
  - X-rays, stimulated emission in electron columns, AEPI 290 system 4—2413
  - Ag exploding wire excitation, for anal. of trace metals, Hg, Cd, Pb, Ni, electrodeposition for preconc. investig. 4—35553
  - Al_2O_3, alumina substrate, compositional depth profile meas. 4—38012
  - Au, fire assay beads 4—23046
  - B, isotopic analysis by at. absorpt. 4—18803
  - Ba, in bone, rapid determ. by atomic absorpt. spectrophotometry 4—5292
  - Be particulates in air, furnace at. absorpt., using direct filtration through porous graphite 4—35554
  - $Bi_2Bi_4Ti_3Fe_2O_{18}$, perovskite-like, layer-type ferroelectrics, Mossbauer spectra 4—20902
  - CH flame fluorescence at 4315A, dye laser excitation 4—5277
  - En_2O_3, growth from flux, purity investig., cell dimension determ. 4—21194
  - Eu complex, Eu^{3+} in cryst. hydrates of acetylacetone complexes, luminesc., i.r. spectra, form., struct. *(Russian)* 4—33503
  - Fe atoms, states in sputtering discharges, at. absorpt. spectrometry 4—16357
  - Fe complex, ESCA and Mossbauer obs. of chemical shift and binding energies 4—28732
  - Fe-Co-Ni, spectral determ. of conc. in arc discharge *(Russian)* 4—39439
  - Fe-Ni(27 at.%), retained austenite determ. by Mossbauer spectroscopy 4—39427
  - H_2 burning in air, rel. to Kilauea volcano, Hawaii 4—10823
  - Hg determination, flameless device, Au plating of graphite 4—18764
  - Hg in air, C rod atomizer, light absorpt. 4—18763
  - Hg in air, flameless at. absorpt. determ. 4—35551
  - Mo atom, formation in flames 4—15062
  - NO, mag. field modulated u.v. reson. absorpt. instrument 4—35518
  - N_2O-acetylene flame, atomization cell for flame spectroscopy 4—18790
  - Na, metallic, impurity analysis by X-ray fluorescence spectroscopy 4—2430
  - Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glass, Pt(IV) complexes, opt. absorpt. 4—21031
  - NaOBr dismutation species obs. by Raman spectra *(French)* 4—17500
  - Ni superalloy, Bi determ., atomic absorption spectrophotometry 4—39408
  - O_2, trace analysis using h.f. discharges *(Russian)* 4—40717
  - O_3, atmospheric, symposium, Arosa, Switzerland, of 1972, 21 to 25 August 4—4473
  - O_3, meas. in Huggins band, new method 4—4631
  - O_3, meas. replacement for Dobson spectrophotometer 4—4629
  - O_3 atmospheric, automated Dobson spectrophotometer 4—4632
  - O_3 atmospheric, photometric meas. of sky radiation 4—4633
  - O_3 measurement, cloudy weather total ozone meas. 4—4630
  - $O\,^3S_1$-$^3P_{2,1,0}$ resonance absorption and fluorescence, appl. to rate consts. determ. for rapid bimolec. reactions 4—29317
  - Pb, airborne particulates, direct determ. by nonflame atomic absorption 4—2398
  - Pb, in ambient air, X-ray fluorescence anal. 4—25722
  - Pb-In system, surface comp. from Auger spectra 4—28967
  - $(PrBi)Bi_4Ti_3Fe_2O_{18}$, $Pr_2Bi_4Ti_3Fe_2O_{18}$, perovskite-like, layer-type ferroelectrics, Mossbauer spectra 4—20902
  - Pt group metals, fire assay beads 4—23046
  - SO_2, in ambient air, X-ray fluorescence anal. 4—25722
  - Si, O determ., i.r. Fourier transform. spectra, computer anal. 4—18762
  - Si_3N_4, hot-pressed, impurity and inclusion distrib. and conc. 4—4192
  - SiO_2, sputtered, Na distrib., neutron activation and u.v. spectrographic analysis 4—6939
  - Sr, fission prod., diffusion through graphite matrix, conc. profile determ. by at. absorpt. *(German)* 4—36367
  - Ta surface analysis by Auger spectroscopy on interaction with air, O_2, N_2 4—17156
  - Te/O_2, chemisorbed, trace analysis via oxide stripping with HCl 4—15076
  - Th, first ionization pot. determ., d.c. arc plasma 4—2419
  - Ti diffusional coating on steel, conc. distrib. of C, photoelec. method *(Russian)* 4—15052
  - Ti-Al-B diffusional coating on steel, conc. distrib. of C, photoelec. method *(Russian)* 4—15052
  - U, first ionization pot. determ., d.c. arc plasma 4—2419
  - V content in steel, ion separation and atomic absorpt. spectrophotometry 4—35535
  - WF_6, i.r. absoption impurity determ. method 4—39406
  - YAG crystal, conc. of Cr^{3+} ions, determ. using u.v. absorpt. bands *(Russian)* 4—18796
  - Zn, atomic absorption anal., pH effect 4—19666
- **spectrography** *see spectroscopy*
- **spectrometer accessories**
  - *see also mass spectrometer accessories*
  - atomic absorption, attachments to increase sensitivity in determ. of Hg, As, trace elements *(Japanese)* 4—35558
  - atomic absorption, complete automated system for sample anal. *(Japanese)* 4—35557
  - atomic absorption unit, modification for dual beam background correction meas. 4—11652
  - attachment for obtaining i.r. absorpt. spectra at any sample temp. *(Russian)* 4—30667
  - carbon rod flameless atomizer, commercial, modification to accept graphite tubes 4—2408
  - cryostat, comparison of gas-flow, heat cond. types for use in optical spectroscopy 4—39190
- **spectrometer accessories** continued
  - discharge cell, r.f. electrodeless, for organic mol. emission spectra 4—39225
  - discharge lamps, electrodeless, thermostated, optimization for analyt. atomic spectrometry 4—5289
  - Dobson spectrophotometer, self balancing system and digital readout 4—4632
  - double resonance spectrometer accessory for homonuclear spin decoupling 4—69
  - electron multiplier, parallel plate channel, effect of lateral displacement of the front edges 4—18607
  - electrostatic mirror, use in electron spectrometer accommodated in microscope column 4—22990
  - encoding masks for Hadamard spectrometric imager 4—35807
  - e.s.r. investigation at 0.5 to 4.2 K, cryostat using liquid ^3He evacuation 4—5129
  - fast retrace of particle orbits, through large inhomogeneous magnetic field 4—18554
  - flame spectroscopy, N_2O-acetylene flame atomisation cell 4—18790
  - flames, burning parameters of O_2-H_2, O_2-acetylene mixtures 4—21533
  - furnace system for u.v. spectra, atoms and molecules 4—6045
  - goniospectrophotometric attachment, combined with Shimadzu recording spectrophotometer, geometrical metamerism anal. appl. *(Japanese)* 4—35288
  - graphite crystal for X-ray spectrometer, diffraction meas. 4—12842
  - high pressure optical cell, liquid He cooled 4—30464
  - high resolution infrared sources, review of recent techniques, appls. 4—35274
  - high-temperature attachments and cells for electronic absorption spectra of molten salts 4—35289
  - i.r. microcell, improved construction 4—11499
  - i.r. twin-wave spectrometer, attachment for obs. reflection coeff. meas. 4—5056
  - light intensity monitor device, differential amplifier, description, for optical modulation spectroscopy 4—2286
  - monochromator, DMR-4, modernization for photodetector spectral sensitivity meas. 4—22856
  - n.m.r., simple sample container, liquids, up to 2 kbar, −15 to 250C, description 4—2339
  - pen adaptor for recording, ink testing 4—11500
  - photodetector signal backing-off circuit for kinetic spectrophotometry 4—26515
  - photodetector signal backing-off circuit for kinetic spectrophotometry 4—26516
  - proportional counter, gas flow, for NaKα X-radiation detection 4—30546
  - Raman, circulating sample cell for temp. control 4—18455
  - Raman and luminescence spectroscopy, low noise instrumentation, ruby and Ar laser excitation 4—5059
  - Raman cell, for low temp. liquids 4—39228
  - Raman spectroscopy, automatic scanning of depolarization ratio, electronic system 4—18452
  - reactor neutron, appl. of proportional counter 4—18606
  - sample changer, gamma spectrometer, for large samples 4—35444
  - scales, calibration using photometric method *(Russian)* 4—18464
  - temperature i.r. in situ cell, for gas-solid surface studies 4—39232
  - time domain, demountable thermostat jacket for rigid coaxial lines 4—22849
  - ultra violet, automated anal. system based on Shimadzu UV-200 spectrophotometer *(Japanese)* 4—35556
  - vacuum cell technique, for i.r. reflection spectra meas. of hygroscopic thin films 4—22848
  - LiF prism order sorter, for concave grating vacuum spectrograph, vacuum-u.v. range 4—39237
- **spectrometers**
  - *see also interference spectrometers; magnetic resonance spectrometers; mass spectrometers; microwave spectrometers; particle spectrometers; radiofrequency spectrometers; x-ray spectrometers*
  - aerosol cylindrical field type, design theory and calibration 4—39367
  - analog cross correlation readout system for spectrometer using Si photodiode detector 4—153
  - astronomical spectrograph, small off-axis, design, fabrication 4—8107
  - atomic fluorescence, automated nonflame, instrumental parameter optimisation 4—5275
  - Czerny-Turner, scanning, stacked to form double monochromator, for calibration source 4—30459
  - derivative type for chemical analysis, instrumentation 4—26737
  - differential, wavelength modulation 4—18460
  - dye laser c.w. spectrometer, high-resolution, construction and use 4—14880
  - Ebert, astigmatism and coma free, computer-aided design 4—22852
  - energy dispersive, use with 200 kV transmission SEM 4—11631
  - five metre Littrow spectrometer resolution calibration and operation 4—5069
  - Fourier transform spectrometer for atmospheric composition measurements by solar spectroscopy *(French)* 4—42226
  - grating spectrograph for a college observatory 4—34979
  - grating spectrograph of high resolution, long duration exposure of mol. band spectra *(French)* 4—14870
  - high resolution, meas. of mag. induced circular emission 4—30463
  - high speed instantaneous-value, for momentary spectral energy distrib. meas. *(German)* 4—5057
  - ion kinetic energy, ion focusing instrument 4—14875
  - i.r., high resolution, identification of absorpt. lines in gases used to modulate CO_2 lasers 4—8398
  - i.r., high resolution, identification of absorpt. lines in gases used to modulate CO_2 lasers 4—18485
  - i.r. absorption spectrometer characterization, tunable He-Xe laser source 4—26510
  - i.r. high resolution Fourier-transform 1 to 5.5 microns 4—8116
  - laser, high power solid-state, in PTM, use in time resolved mol. spectroscopy 4—41976
  - laser, polarisation Raman scattering spectra, construction 4—5054
  - laser Raman, applic. to spectroscopy of alkali metal-ammonia solns. 4—10403
  - Littrow type, analogy with new type precision ellipsometer 4—26523

spectrometers continued
Michelson, field widened, with no moving parts 4−35272
multislit, using longitudinal dispersion characteristics of optical lenses 4−18459
multispectral imaging sensor 4−11506
optical electronically tunable, using a collinear interaction acousto-optical filter 4−30474
opto-acoustic, phase sensitive detection of radiationless transitions 4−792
pair, high energy small-angle photon scattering, description 4−8493
photoelectric spectropolarimeter with two channel signal storage 4−39230
photoelectron, n.v. meas. of naphthacene polycrystal 4−13554
quadrupole, flow meas. of freely expanding supersonic CO_2 jet *(German)* 4−2439
Raman, parametric anal., noise, focusing 4−2284
rapid scan device, μsec plasma spectra 4−18457
rocket spectrograph, vacuum u.v., with Carruthers electronographic camera 4−34530
spectrograph, multi-slit, time lapse photography of transient solar phenomena, design and operation 4−26186
spread function calculation, Fourier transform, resolving power 4−30471
stabilization cct. for optical detector 4−35283
two-photon, using frequency doubled Nd laser 4−22858
u.v., inexpensive construction, emission spectra 4−39226
u.v. with high temperature vacuum furnace *(Russian)* 4−39241
vidicon-based, for observation of triplet-triplet absorption by organic molecules 4−8367
wavelength modulated, signal recovering with one photodetector 4−26520
CO_2, c.w. high pressure laser for super-high-resolution spectrometer 4−19070

spectrophotometers
see also spectrophotometry
atomic absorptiometer, multi-channel, with fibre optics 4−11674
atomic absorptiometer, multielement, with vidicon detector, and data acquisition automation 4−11678
atomic absorption, complete automated system for sample anal. *(Japanese)* 4−35557
atomic absorption, computer-controlled, transient atom population meas. 4−23026
atomic absorption spectrophotometers, maintenance 4−39234
atomic absorption/flame emission, Rank Precision Industries, design, evaluation 4−8573
digital double wavelength, Hitachi model 156, construction and applic. *(Japanese)* 4−5053
digital two-wavelength, Model 156 by Hitachi, applic. 4−26512
digitally recording, wavelength error correction 4−14868
Dobson spectrophotometer, calibration and standardisation in North America 4−4476
double beam absorption type, u.v., visible, i.r., computer control 4−22842
double beam type which counts photons 4−39239
double-beam, Hitachi model 323, special features *(Japanese)* 4−26513
double-pass with digital registration for solar spectrum *(Russian)* 4−22481
dual-beam, detector/amplifier/indicator cct. 4−2280
dynamic multicuvette fluorometer-spectro-photometer based on GeM—SAEC fast analyzer principle 4−2402
fast scanning, single-beam, rotating filter, description 4−8369
flame, for power station feed water sodium content meas. *(Russian)* 4−35277
flame spectrometer, simple wavelength modulation, design and performance 4−11676
goniospectrophotometer, 3-D light scatt. meas. 4−26508
goniospectrophotometric attachment, combined with Shimadzu recording spectrophotometer, geometrical metamerism anal. appl. *(Japanese)* 4−35288
hardware and software interface, for PDP-11 computer 4−26514
high accuracy, National Bureau of Standards development 4−15075
i.r., 20-500 μm, design, performance characts. 4−30472
i.r., double beam, for determ. thermoradiation characts. of materials dissipating radiation 4−30467
i.r., Hadamard transform spectrometer 4−15091
i.r., IKS-24, single and double beam recording 4−22855
i.r., twin-wave, attachment for obs. reflection coeff. meas. 4−5056
microscope microspectrophotometer, optical design and appl. to determ. of frog rod waveguide props. 4−14874
microwave discharge emission spectrometer with microwave atomizer, automatic operation 4−11687
near i.r.-visible region developed at UTMSL, Tennessee University 4−11503
photodiode array direct reading, use in dye laser intra-cavity enhanced absorpt. meas. 4−39403
photoelectric, for meas. of artificial u.v. radiance in UV(A+B)-UVM-1B spectral region 4−35279
photometric errors, non-linear response, optical effects in sample and sample layer 4−30466
Pye Unicam SP1900 double beam atomic absorption spectrophotometer, precision and digital control 4−18786
quartz cell design, for absorption measurements 4−21011
reference spectroradiometer 4−15077
scanning reflectometer, near normal incidence, for visible range 4−26519
spectroelectrochemical system, computer controlled 4−23029
for thermal radiative props. meas. 4−11466
twin beams, attachment for obtaining i.r. absorpt. spectra at any sample temp. *(Russian)* 4−30667
ultra violet, automated anal. system based on Shimadzu UV-200 spectrophotometer *(Japanese)* 4−35556
O_3, atmospheric, Toronto spectrophotometric obs. of short-time period fluctuations 4−4475
O_3, meas. replacement for Dobson spectrophotometer 4−4629
O_3 atmospheric, automated Dobson spectrophotometer 4−4632
O_3 content of mesosphere and upper stratosphere, balloon meas. *(French)* 4−4639

spectrophotometry
see also colorimetry; spectrophotometers; stellar spectrophotometry
aerosol grain size and concentration meas. using photoelectric devices 4−14866
airglow FUV emissions of N and N_2 in 1130-1520 A range 4−22030
asteroid (43) Ariadne, evidence for chondritic composition 4−34722
asteroid ground based observation techniques, review 4−34760
asteroids, meteorites, spectral reflectivity 4−38732
asteroids and planetary satellites, review of physical studies in past 2 years 4−29962
atmospheric dust in KBr pellets, transmittance meas. with CO_2 laser, spectrophotometer use 4−11033
automatic step by step counting system *(French)* 4−22843
colour specimens, transparent, instrument monitoring applic. 4−22829
double beam absorption, u.v., visible, computerized data anal. 4−18453
dynamic flame noise, atomic absorpt. error function evaluation 4−18791
electric field effects, coupled physical and chemical, in solution, fast detection system 4−35275
formation constants from spectrophotometric data for students 4−26423
γ-Ga_2S_3, infrared reflection spectra obs. 4−1390
Galactic central region and classification as spiral galaxy rel. to UBVR photometry *(German)* 4−26160
high accuracy, National Bureau of Standards development of standard and instrumentation 4−15075
kinetic, automatic circuit for backing-off photodetector signal 4−26515
kinetic, microsecond, automatic calculation and recording of spectra 4−43
kinetic, simple circuit for backing-off photodetector signal 4−26516
light source, pulsed, 500 W Xe arc lamps and associated circuitry 4−35284
Mars, dust cloud photometric profiles from Mars-3 4−4731
Moon, monochromatic phase curves and albedos from narrow band and UBV photometry 4−29944
Neptune, narrow band and UBV photometry 4−29890
nightglow, EUV emission 4−22027
optical thermometer, photometric temp. scale 4−30418
photomultiplier, single photon counting, selection procedure, spectrophotometric installation 4−5055
planetary nebulae, He I intensity and derived optical depth 4−8098
Southern Coalsack, UBVRI extinctions and masses for six globules 4−42491
spectral line intensity, photometric determ. using convergent set of characteristic curves *(Russian)* 4−15054
techniques to obtain best results for students 4−26418
time resolved spectra, scanning analyzer 4−18456
transmittance in visible, meas. with 0.1% accuracy 4−18462
UBV observations of southern galaxies, magnitude and colour 4−38877
vanadyl thiocyanate method for spectrophotometric determ. of V (IV) 4−5279
Venus, u.v. spectrum in 1200-1900 Å range using rocket-borne spectrophotometer 4−26046
Venus u.v. clouds 3300-5100 Å photoelectric spectral scan 4−26037
X-ray, bone-mineral determinations 4−39070
Bi, atomic absorption, comp. determ. in Ni superalloys 4−39408
Hg spectral line intensity, photometric determ. using convergent set of characteristic curves *(Russian)* 4−15054
N_2O-acetylene flame, atomization cell for flame spectroscopy 4−18790
$Na_xK_yWO_3$, quadratic tungsten bronze structure, optical const. determ. *(French)* 4−3950
O_3, meas. in Huggins band, new method 4−4631
O_3 atmospheric, photometric meas. of sky radiation 4−4633
O_3 cloudy weather total ozone meas. 4−4630
SiO_2, finely dispersed silica, spectrophotometric props., diffuse reflection 4−22854
V content in steel, ion separation and atomic absorpt. spectrophotometry 4−35535

spectroscopes *see spectrometers*

spectroscopic light sources
arc lamps Xe, pulsed, for spectrophotometry and circuitry 4−35284
atomic fluorescence, pulsed-mode, use of demountable hollow cathode excitation source 4−35515
atomic fluorescence spectrometry, electrodeless discharge lamps 4−15080
beam-foil spectroscopy, doubly excited states in light atoms 4−14879
controlled waveform source, precision and versatility 4−11677
dye laser, freq. stable single mode tunable c.w. 4−19108
dye laser, tunable, cw, applic. 4−22844
dye laser with Faraday filter, frequency locking analysis 4−35315
electrodeless discharge lamps, use in spectrochem. anal., prep., operation, critical review 4−39431
electrodeless discharge lamps for at. absorpt. 4−11675
globar at 1400°C, for IKS-24 i.r. spectrophotometer 4−22855
h.f. discharge, for spectrochemical analysis, review 4−18773
high resolution infrared spectroscopy, review of recent techniques, appls. 4−35274
impulse, with hollow cathode, element separation *(Russian)* 4−15055
impulse pump sources, radiation characts., effect of laser luminator *(Russian)* 4−14881
i.r., low cond. alloys, lamp design, range, performance 4−35287
Josephson junction point contact, generation of tuneable far i.r. radiation 4−5070
laser, for weak gaseous absorpt. meas. 4−8825
line profile analysis using high resolution echelle spectrometer 4−11671
miniature lamps with r.f. excitation 4−35278
Nanolite, nanosecond high radiance standard source, prod. of spark channel emission 4−30460
ruby and Ar laser, low noise instrumentation for Raman and luminescence spectrometers 4−5059
ruby laser, freq. scanning, stabilization 4−22899

spectroscopic light sources continued
- synchrotron radiation, storage ring, for fast time-resolved fluoresc. and liftime meas. 4−30469
- synchrotron versus black body as i.r. radiation source 4−14871
- u.v., Cherenkov radiation appl., expt. prod. 4−30461
- u.v., extreme, absorpt. spectra light source vacuum spark *(French)* 4−35280
- u.v., induction coupled r.f. discharge, for emission spectra 4−39227
- u.v., pulsed discharge, prod. of Si lines from quartz helix 4−39229
- vortex stabilized 150 kW high intensity, visible region, design and performance 4−39242
- windowless lamp and pumping system for high vacuum photoemission spectroscopy 4−35285
- Zeeman modulated, applic. in background correction 4−11689
- D lamp, quasi-monochromatic calibration source, 0.22 to 7μ 4−30459
- He-H$_2$, microwave discharge, spectroscopic study as a radiation source for transition probability meas. 4−8361
- He-Xe laser, characterization 4−26510
- W ribbon lamp, quasi-monochromatic calibration source, 0.22 to 7μ 4−30459
- Xe, discharge lamp, spectral response, far i.r., brightness temp. 4−26521
- Xe, pulsed, radiative props. calc. from energy balance considerations 4−8363
- Xe lamp, radiation characts., effect of laser luminator *(Russian)* 4−14881

spectroscopy
- *see also beam-foil spectroscopy; electron spectroscopy; mass spectroscopy; modulation spectroscopy; radiofrequency spectroscopy; two-photon spectroscopy; X-ray spectroscopy*
- absorption analysis of strongly absorbing substances 4−5061
- astronomical, Fourier spectroscopy, review 4−11264
- atomic absorption, review 4−39235
- atomic resonance line observation, Hg vapour mirror as optical filter 4−35273
- cryostat, comparison of gas-flow, heat cond. types for use in optical spectroscopy 4−39190
- data acquisition, instrumental control and interactive analysis system 4−11504
- data scanning and restoration, noise effect 4−39705
- derivative, description of technique rel. to trace gas anal. 4−23038
- digitally recorded spectra, line centres meas. using a minicomputer 4−5066
- dye laser application 4−31033
- electrode holder for non-standard samples 4−8569
- Fabry-Perot nonlinear, spectrogram identification 4−22853
- fast transient media extreme, u.v. absorption spectra vacuum spark light source *(French)* 4−35280
- film characterisation by mixing spectroscopy, colloid system 4−7376
- fluorescence lifetime meas., fast, u.v., of LaF$_3$:Ce^{3+}, synchrotron radiation use 4−5060
- Fourier, critical review 4−35276
- Fourier, new near-i.r. standards obtained in vacuum 4−14884
- Fourier spectrometer interferogram analysis, null difference function *(Russian)* 4−39240
- Fourier spectroscopy, spectroscopic temp. determination, noise effects in Michelson interferometer 4−22850
- Fourier transform., i.r., O in Si determ., computer anal. 4−18762
- Fourier transform, i.r. absorpt. by ice in solar system, comp. determ. 4−34674
- Fourier transform, multiplexing techniques 4−39231
- Fourier transform, Si epitaxial layer thickness meas., phase shift influence 4−22846
- Fourier transform versus Hadamard transform 4−14869
- high dispersion stellar spectra, automated abundance analysis 4−2153
- high resolution Fourier transform spectroscopy in the far i.r. 4−5067
- holographic, ultrahigh resolution, of fluctuating media 4−8364
- holographic filtering, for automatic identification of i.r. spectra 4−8370
- holographic interpretation, use of oblique grating 4−18480
- intensity fluctuation spectroscopy of motile microorganisms 4−30642
- ion scattering, surface anal. technique 4−6946
- i.r., adsorption on silica surfaces, hydroxyl groups, effect of impurities 4−20485
- i.r., appl. to SiO$_2$ film thickness calibration 4−37709
- i.r., fast spectral transform imager, using optical transform masks 4−14873
- i.r., Fourier analysis, high speed and sensitive chemical analysis, Cambridge Scientific Instruments range 4−8362
- i.r. absorption profiles distortion due to multiple reflections in optical cell 4−18458
- i.r. holographic Fourier transform technique 4−26528
- i.r. spectra, interpretation using pattern recognition techniques 4−5052
- i.r. spectroscopic analysis improved by Fourier transform 4−11657
- i.r. ultramicrosampling technique, sample prep. 4−11649
- laser, inside Doppler line, opt. and γ-ranges 4−14877
- laser, of gases 4−35286
- laser, rhodamine 6G dye, c.w., jet stream, high resolution spectroscopy appl. 4−8819
- laser application, modern developments 4−22860
- laser beam applications, conf., Esfahan, Iran (1971) 4−23420
- laser beat spectroscopy of thin free liquid films 4−13535
- laser flash, aromatic mols. 4−30462
- laser induced line narrowing, coupled Doppler broadened systems 4−22861
- laser intracavity enhancement of trace absorpt., flash lamp pumped and c.w. dye laser 4−22847
- magnetoreflectance, principles and appls. 4−22865
- matrix isolation laser Raman spectroscopy 4−2289
- matrix isolation spectroscopy, matrix props. and expt. techniques, book 4−2288
- matrix isolation technique, sputtering studies 4−21115
- molecular, automatic system for complex data treatment *(Russian)* 4−19802
- molecular, Tennessee University research programme 4−11505
- neutron, ^{6}Li semiconductor sandwich technique, reproducibility, investigation 4−8490
- neutron, energy range 10 to 500 keV, ^{6}Li sandwich detector 4−8489
- nonlinear i.r., high precision, tunable c.w. laser appl. 4−24096
- on-line, neutron-rich isotopes of Li, Na, decay props. 4−2801
- optical, comparative anal. with n.m.r. and neutron spectroscopy 4−20872
- organic moleecules, triplet-triplet absorption obs. with vidicon-based spectrometer 4−8367
- phosphorescence, phase sensitive detector spectrometer, anal. of phosphorimeter factor 4−8366
- photo emission from high pressure discharges, recorder, use in vacuum u.v. *(Russian)* 4−14883
- photofragment, using lasers 4−22859
- photon counting, accuracy of digital autocorrelators, effect of channel correlation 4−2285
- picosecond spectroscopy using lasers, review 4−30473
- radiation absorption, molecular, by atmospheric gases, apparatus *(Russian)* 4−14882
- radiometry normalization appl. to spectral quantities 4−14812
- Raman, laser-excited resonance, review 4−40263
- Raman, of solids, new techniques, apparatus, appls. 4−22864
- Raman, semimicro rotating sampling technique 4−18454
- Raman laser application, narrow linewidth characts. 4−26990
- Raman laser application, spin-flip 4−23352
- Raman spectroscopy and diamond fluorescence at high pressures, diamond anvil cell 4−2281
- RC smoothing 4−5064
- recording system, lag induced distortion anal. 4−30470
- reflection, Michelson interferometer, development and testing 4−26511
- reflection by meteorites, standard classification 4−34720
- remote sensing, symposium, Saskatoon, Canada, 5-7 Feb (1973) 4−29695
- review of work of Sir William Crookes, late 19th century 4−18279
- saturated absorption line shape theory 4−22862
- space-charge-amplification techniques use in absorpt. spectroscopy 4−16013
- spectral line photographic profiles, rapid oscilloscopic determ. 4−26509
- spectral radiance meas. methods *(German)* 4−22851
- three-photon, coherent vac. ultraviolet generation, 2ν, $+\nu_2$ transition 4−27533
- time resolution, two-channel optical bridge for resolving intensity fluctuations in transmitting medium 4−18461
- transform spectrometry, effects of changing spectrum 4−14885
- transient signal, estimation of spectra, correl. functions 4−35114
- tunable laser applications, visible region 4−22866
- tunable semiconductor laser applications 4−23353
- turbulent flow meas., laser cross-beam photon correlation spectroscopy 4−5308
- ultra long path high resolution molecular spectroscopy 4−5068
- wavenumber standards for near-i.r. by Fourier spectroscopy in vacuum 4−14884
- He-Ne laser tube, sealed, gas pressure and mixture ratio 4−11476

spectrum *see spectra*

spectrum analysers *see spectral analysers*

speech
- *see also hearing*
- articulation, dynamic models 4−22564
- articulatory duration measuring system 4−39012
- children, normal and lisping speakers, tongue contact patterns 4−14559
- glottal-area time function, subglottal-pressure variation 4−42562
- interruptibility, investigation 4−22675
- visual speech display, multiparameter 4−35014
- visual speech training aid, instrumentation problem 4−35012
- visual training aid, computer based for the deaf 4−35013
- vocal chord excitation, model 4−42561
- young apes, computer-controlled language training system 4−39011

speech amplifiers *see audio-frequency amplifiers*

speech analysis
- bilabial consonants, labial and mandibular dynamics 4−14557
- code, phonetic, feasibility of correl. with the acoustic speech signal 4−22680
- consonant confusion in noise, perception 4−30299
- isochronous rhythmic units production and perception 4−30297
- jaw acceleration during speech, muscle forcing fn. 4−14558
- pitch extraction, time-domain approach 4−11393
- semiautomatic speech sounds aural identification procedure, appl. 4−11388
- speech segment duration, effect of position in utterance, in English 4−30298
- vowel duration, influencing factors, interaction 4−22579

speech intelligibility
- Articulation Index, rel. to room acoustics design 4−39119
- consonant confusion in noise, perception 4−30299
- extremally coded, articulation index 4−22679
- noise control in industry, speech communication criterion 4−26323
- spread-of-masking effects, pure tones and speech stimuli 4−14560
- vowel, boundary fluctuations *(Russian)* 4−42577
- vowel perception, band hypothesis expt. testing 4−22580

speech recognition
- auditory nerve response to speech sounds 4−42563
- children, speech sound discrimination 4−14564
- consonant confusion in noise, perception 4−30299
- f.m. tone, masking value *(Japanese)* 4−35116
- hearing, dichotic, ear superiority, effects of attention and cerebral dominance 4−8140
- isochronous rhythmic units production and perception 4−30297
- Japanese, partial autocorrelation coeffs., recognition improvement *(Japanese)* 4−11392

speech synthesis
- isochronous rhythmic units production and perception 4−30297

speech transmission *see voice communication*

speed *see velocity*

speed indicating instruments *see velocity measurement*

speed measurement *see velocity measurement*
spelter *see zinc*
spherical aberration *see aberrations*
spicules *see solar prominences*
spin
see also electron spin; hyperon spin and parity; meson spin and parity; nuclear spin and parity
hadron dynamics, definition of spin density tensor 4−19177
Radcliffe space, matrix representation of operators 4−11801
uncertainty relation for coherent spin-state representation 4−15204
spin arrangements *see magnetic structure; spin systems*
spin disorder resistivity
antiferromagnet, resist. anomalies, near Neel temp., due to crit. scatt. 4−24958
ferromagnet., resist. anomalies, near Curie temp., due to crit. scatt. 4−24959
rare earth-Zn compounds, dilute, temp. depend. of resistivity 4−37401
n-EuSe, cond. band splitting, magnetoresistance effect 4−32978
n-EuTe, cond. band splitting, magnetoresistance effect 4−32978
Fe:Si, high temp. meas., Matthiessen rule *(Russian)* 4−24725
$FeCr_2S_4$, ferrimag., anisotropic magnetoresist. rel. to spin disorder scatt. 4−3751
Pd-Fe alloys, resist. meas., 77-400K, Curie temp., short-range order, quenched and aged samples 4−41194
Pd-Ni, dilute alloys, press. effect on spin-fluctuation resistivity 4−24723
RuCr, dilute alloy, spin fluctuation effects on resistivity 4−37210
RuFe, dilute alloy, spin fluctuation effects on resistivity 4−37210
V-Fe, weakly ferromag., elec. resist. and initial susceptibility meas. rel. to temp. 4−24956
spin dynamics
see also spin disorder resistivity
antiferromagnet, biaxial, flip flop transitions and crit. points *(Russian)* 4−33170
antiferromagnetism in metals, ground state of localised spin pair based on Yosida theory 4−16913
asymptotic behaviour, spin-spin correlation function, in mag. field below T_c 4−28597
coupled spin precession 4−10307
diffusion, spin label, translational, in solid tristearin 4−42543
ferromagnet, near Curie point, excitation spectrum, acoustic attenuation, spin-spin and spin-phonon interactions 4−20792
ferromagnet, theory of cross-relaxation 4−28636
ferromagnetic system, exchange-enhanced spin fluctuations, local spin susecptibility 4−3832
general relativity, spin-spin contact interaction in unified field theory 4−5390
Heisberg model, spin-pair correlation functions, paramag. and ferromag. temps., self-consistent Monte Carlo calcs. 4−41174
Ising model, one-dimens., with transverse field, $T=\infty$, spin and energy coupling 4−13288
isolated spin system, relax. phenomena and equilib. states study 4−20739
itinerant electron system, ferromagnetism, microscopic theory of fluctuations 4−37394
linear chain of spins asymptotic behaviour of four spin correlation functions 4−24908
master equations for magnons 4−37430
molecular crystal, crit. dynamical behaviour of pseudospin-phonon coupled systems 4−32645
n.m.r. in solids, conf. Krakow, Poland (1973) 4−41270
organic compounds, C_3 and C_3' reorientation in methyl proton spin relaxation 4−41300
paramagnetic phase of Heisenberg antiferromag., spin pair Raman scatt., Green function anal. 4−13454
polynuclear complex compounds, higher order spin coupling 4−13304
Raman laser, electronic spin-flip, power outputs 4−23346
rare earth orthochromite, temp. induced spin reorientation, theory 4−33156
rare earth orthoferrite, temp. induced spin reorientation, theory 4−33156
rare earth orthoferrites, spin reorientation phenomena *(Russian)* 4−3833
scattering amplitude, unitary, analytic, for spin 0-spin $^1/_2$ case 4−15443
semiconductor, paramag. and ferromag., spin-electron complex propag., fluctuons 4−16917
soap solutions, liq. cryst. phases, nuclear spin dynamics 4−40747
spinel ferrite permeability dispersion relations, spin rotation and domain wall motion 4−37444
spontaneous coherent phonons in ground state of strong spin-phonon interaction 4−16561
thermodynamic fluctuations near nonequilib. steady state, theory 4−16892
X-Y model, relax., shape function for spin $^1/_2$, memory function approach 4−28590
$CaF_2:Eu^{2+}$, spin memory, mag. circular luminesc. dichroism 4−13414
Cr, Cr-W (0.3 at.%), 123 K, 112.5 K ± 0.5 K spin-flip transitions, mag. susceptibility obs. 4−33158
$CsMnCl_3.2H_2O$, antiferromag.-spin flop-paramag. transitions, magnetostriction and magnetothermal obs. 4−20775
Cu-Fe, thermal cond. and Lorentz number, spin compensation 4−24722
$CuCl_2.2N(C_5D_5)$, inelastic neutron scattering 4−20752
Fe, thermopower, spin fluctuations contrib. *(French)* 4−20589
FeS single crysts., stoichiometric, 190°C, spin-flop and 155°C cryst. transitions 4−1315
Fe(ii) complex, bis(phenanthrolyl-methyl-oxadiazole) iron fluoroborate, time-dependent magnetism 4−28612
$GdAsO_4$, thermal conduction by magnons in spin flop phase 4−3849
$GdCl_3$, critical spin relaxation 4−41198
H atom in amorphous matrix, phase relax. mechanism, spin diffusion 4−13338
$Ho_xTb_{1-x}Fe_2$ cubic Laves compounds, elasticity phenomena during spin rotation 4−25369

spin dynamics continued
InSb, c.w. spin-flip Raman laser, operation with pump-depletion and spin-saturation 4−26990
InSb, far i.r. generation, stimulated Raman scatt. via spin-flip transitions, theory 4−23344
InSb, permanent-magnet, spin-flip Raman laser, field gradient for freq. tuning 4−307
$MnCl_2.4H_2O$, spin-flop transition studied by nuclear orientation techniques 4−41199
NH_4^- ion, p.m.r. spectra of rapid reorientations around C_2 and C_3 axes, semiclassical approx. 4−41269
$RbMnF_3$, antiferromag., spin pair Raman scatt. in paramag. phase, Green's function anal. 4−13454
$RbMnF_3$, spin diffusion, temp. depend., 90 to 300 K 4−20758
RuCr, dilute alloy, spin fluctuation effects on resistivity 4−37210
RuFe, dilute alloy, spin fluctuation effects on resistivity 4−37210
Si-P, exchange and dipolar fields, electron spin echo investig. 4−24985

spin echo method (electron) *see paramagnetic resonance*

spin echo method (nuclear) *see nuclear magnetic resonance*

spin Hamiltonians
classical, generator coord. theory 4−27258
coupled spin precession 4−10307
Dirac Hamiltonian, spectral props., class of dilatation analytic interactions 4−27030
e.p.r. spectra, electric field effects *(Rumanian)* 4−37490
ferromagnet, spin wave spectrum in mag. field 4−37431
ferromagnet, temp. depend. of field induced magnetization reorientation 4−1309
ferromagnetic metals, s-d exchange, dynamic susceptibility model 4−13302
half-filled-band Hubbard model, finite temp. Green's function calc. 4−1297
Hall effect, anomalous, in two-band semiconductor 4−10164
Heisenberg ferromagnet, arbitrary field direction, correlation functions 4−24907
Heisenberg ferromagnet model, spin operators in first order, Green function theory 4−1295
Heisenberg ferromagnet with crystal field and exchange anisotropy, low temp. behaviour 4−33118
Heisenberg spin-$^1/_2$ ferromagnet, arbitrary field direction, thermodynamics 4−24906
Heisenberg spin-exchange Hamiltonian, variational multistate ket derivation 4−24909
nuclear polarisation reactions, symmetry props. 4−12311
one dimensional $S=1$ system, sp.ht. calc. 4−28620
one-electron atom, elastic electron scatt., spin polarization 4−19712
paramagnetic ions in symmetric triads 4−28686
paramagnons in uniformly exchange enhanced mag. systems 4−37428
polyenes, long mols., spin struct. of ground state, antiferromag. criteria 4−16906
radical, CIDEP, effect of valence forces 4−10735
rare earth dielectrics, superexchange interaction theory *(Russian)* 4−20768
rare earth ferromagnetic film, standing magnetoelastic wave theory 4−37472
relativistic Lagrangian field theory for spin-half particles, O(4,2) group, generalised Dirac current 4−27042
Schrodinger operators multiparticle asymptotic behaviour of eigenfunctions 4−11794
semiconductor, narrow band, exchange function, orbital degeneracy effect 4−13278
spontaneous coherent phonons in ground state of strong spin-phonon interaction 4−16561
three magnon bound state equation, derivation 4−10276
two-magnon bound states in Heisenberg ferromagnets 4−28586
XY model, Baxter's quantum number, operator for symmetrical hamiltonian 4−11863
$Bi_4(GeO_4)_3:Gd^{3+}$, e.s.r. spectra, spin Hamiltonian parameters for threefold station symmetry 4−20840
$CaF_2:Mn^{2+}$, exchange coupled ion pairs, e.p.r. anal. 4−37493
$CdS:Gd^{3+}$, paramag. reson., study 4−33256
$CdWO_4:Cr^{3+}$, spin Hamiltonian consts., cryst. field theory *(Russian)* 4−24905
Cu complex, diethyldithiophosphate, bonding, e.s.r. obs. 4−28691
Fe group ions, of cryst. field for exchange-coupled pairs 4−20744
$FeSiF_6.6H_2O$, magnetisation meas. during intense pulsed fields 4−16960
$KBr:Eu^{2+}$ impurities, e.s.r. spectrum, spin Hamiltonian formed 4−28699
KCl:Li, F-centres, spin-lattice relaxation, phonon interactions 4−33263
$K_2Co(SO_4)_2:Cu^{2+}$ e.s.r., spin Hamiltonian parameters and relax. time 4−33248
$K_2SO_4:Mn^{6+}$, e.s.r. meas., spin Hamiltonian determ. 4−28698
NH_4^- ion, p.m.r. spectra of rapid reorientations around C_2 and C_3 axes, semiclassical approx. 4−41269
$NiSnF_6$ and $NiSnCl_6$, e.s.r., mag. props. 4−16978
$NiTiF_6$, e.s.r., mag. props. and phase transformation 4−16978
$SrF_2:Mn^{2+}$, exchange coupled ion pairs, e.p.r. anal. 4−37493
$TbPO_4$, crystallographic and mag. transitions, molecular field theory 4−24951
$TeO_2:Gd^{3+}$, e.s.r. spectra, crystal field splitting 4−28696
$TmAsO_4$, crystallographic and mag. transitions, molecular field theory 4−24951
$ZnS:Sc^{2+}$, e.p.r. during optical excitation 4−41243

spin-lattice relaxation
acetylene, deuterated, liquid, self-diffusion, rotational correlation times, deuteron spin-lattice relaxation 4−1131
adiabatic rapid passage in solids, signal shape and passage conditions 4−20893
$alum:Cr^{3+}$, spin-lattice coeff. from uniaxial stress-e.s.r. obs. 4−20853
anisole in polystyrene, study of internal rotation 4−33291
aromatic phosphrescent molecules, spin-lattice relax. time meas. *(French)* 4−16118
automated data collection system for T_1 and T_2 determ. 4−18530

spin-lattice relaxation continued
- p-azoxyanisole, liq. cryst., intermolecular and intramolecular contribs. to proton relaxation 4—10343
- azulene, mol. motion comparison with obs. of n.m.r. spectral parameter calc. 4—33286
- benzyl cyanide, liq., overall and internal rotation, pressure effects 4—10340
- blood, n.m.r. obs. 4—22545
- Born-Oppenheimer approximation, application to F-centres 4—1328
- t-butyl chloride, solid, liq., proton, deuteron, ^{35}Cl n.m.r. 4—13361
- carbon tetrafluoride, gas, n.m.r. ^{19}F spin-lattice relaxation time, Raman spectrum 4—19869
- cation exchange resin phase, KU-2-8, nuclear relax. of water mols. protons 4—16996
- cobaltous salts, susceptibility measurements, cross relaxation between Co^{2+} and Ni^{2+}, low temperature 4—3895
- cysteine hydrochloride monohydrate, two component phase, 333 to 388K, n.m.r. study 4—41299
- density matrix, master eqn., liqs. and solids 4—20826
- 3,5-dichloropyridine, ^{14}N, H, spin-lattice relaxation time 4—10344
- dilute alloy, nearly magnetic antiparallel pairs, theory 4—24925
- dilute system, diamagnetic n.m.r. line profiles and saturation behaviour *(German)* 4—28720
- 2,6-dimethyl-1,4-dimethoxybenzene, mol., proton mag. relaxation times meas. 4—3909
- diphenyl:anthracene(phenazine), electron spin polarised triplet state energy transfer 4—33247
- 2,2'-dipyridyl, 1,10-phenanthroline and tris and bis complexes with rhodium(III), rel. to phosphoresc. decay, low temps. 4—21586
- EBBA, obs. of proton spin relaxation and self-diffusion 4—10342
- EBBA, proton spin-lattice relax. times in solid, nematic and isotropic phases 4—25014
- e.p.r., relaxation time measurements *(French)* 4—3894
- ethanol-CCl_4 mixtures, relative mol. orientation from mag. relax. meas. 4—9577
- ethyl-[p-(p-methoxybenzylide)-amino]-cinnamate p.m.r. obs. of mol. motions and ordering 4—6802
- ethyleneglycol:methanol, proton spin-lattice relax. and dynamic polarisation 4—20888
- exciton, spin exchange, derivation of exchange interaction kinetic eqns. 4—20565
- exciton e.s.r. linewidth mechanism, triplet molecular exciton hopping 4—33243
- ferromagnetic transition metal, effect of electron correl. on $(1/T_1)_{orb}$ 4—33272
- glasses, n.m.r. in transformation range *(German)* 4—13360
- glycolic acid, γ-irrad. crysts., main and satellite lines of oriented free radical 4—10311
- heavy water, relaxation times meas. in supercooled water, entropy, activation energy calc. 4—28722
- human muscle tissue, in vivo meas. of proton spin-lattice relation time 4—42597
- intratissue water, temp. dependence 4—38963
- Kramers-non Kramers ion cross relaxation, quadrupole elec. field interaction 4—33249
- liquids, a.p.r., rot. diffusion effect 4—10312
- MBBA, obs. of proton spin relaxation and self-diffusion 4—10342
- measurement of dipolar spin-lattice relax. by saturation 4—28676
- measurement of T_1, elimination of H_1 inhomogeneity effects 4—20828
- methyl group in solid, T_1 temp. depend., hindered reorientation 4—10341
- methyl naphthalene, 77-4.2K, longitudinal relaxation time *(German)* 4—3911
- methylacrylate, methylmethacrylate, in polystyrene, mol. motion of polar monomers *(Russian)* 4—9640
- methylchlorosilanes, solid, methyl group rot. barriers from T_1 meas. 4—3913
- micellar solutions, ^{13}C relax. meas. of mol. motion 4—1687
- molecular crystal, optically detected a.p.r. of metastable triplet states 4—17001
- molecule, symmetric top, nuclear spin symmetry, gas phase relaxation 4—31892
- monatomic spin 1/2 gases, transition operator 4—243
- multispin systems, calculation of response in n.m.r. 4—20892
- n.m.r., spin-spin multiplets, T_1 spin decoupling effect on lineshape 4—31896
- n.m.r. in solids, conf. Krakow, Poland (1973) 4—41270
- n.m.r. obs. of molecular motion and deuteron quadrupole coupling in solids 4—33284
- n.q.r., measurement theory, spins $I=1$, various signals 4—6806
- nuclear, due to hindered mol. reorientation 4—1353
- nuclear quadrupole tensor, time reversal invariance 4—16999
- nuclei in solids, relax. rate, mol. symm. influence 4—37522
- organic compounds, C_3 and C_3' reorientation in methyl proton spin relaxation 4—41300
- paramagnetic centres in vicinity of off-central ions 4—33263
- paramagnetic ion, relax. multiphonon process 4—33295
- phase shifted pulse sequences for spin-lattice relaxation time meas. 4—41301
- phenyl radical reaction kinetics, CIDNP obs. 4—33987
- phosphorus heterocycles, ^{13}C spin-lattice relaxation times 4—19875
- γ-picoline, nearly zero methyl group rot. barrier obs. 4—37520
- polyacrylonitrile, ^{13}C n.m.r. 4—37519
- polyisobutylene, ^{13}C n.m.r. 4—37519
- polymer medium as matrix for studying structure and motion of small molecules 4—33291
- polyphenylacetylene, thermolysed, temperature dependence *(Russian)* 4—37485
- polystyrene solutions, ^{13}C spin-lattice relaxation meas. *(German)* 4—4231
- polyvinyl alcohol, ^{13}C n.m.r. 4—37519
- propanediol doped with Cr^{v} complexes, dynamic p polarisation below 0.5 K 4—28724
- PVC, ^{13}C n.m.r. 4—37519
- pyridine in various solvents, deuteron and proton spin-lattice relaxation 4—20891
- relaxometer, device for const. and oscill. mag. fields 4—39290
- reversed Carr-Purcell train for meas. of n.m.r. relax. time by approach to driven equilib. 4—37477

spin-lattice relaxation continued
- rotating frame, theory 4—25017
- rotational diffusion anisotropy in near ellipsoidal molecules 4—41307
- ruby, γ-irrad. 4—24996
- semiconductor, optically oriented electrons, H like impurity centres 4—37484
- spin echo phenomena, alternating gradient expts. *(French)* 4—20889
- TCNQ, ion radical salt, $(\varphi_3AsCH_3)^+(TCNQ)_2^-$, proton spin lattice relaxation, temp. depend. 4—33288
- 1,2,4,5-tetrachlorobenzene, optically detected a.p.r. of metastable triplet states 4—17001
- thermodynamic formalism, relax. times, electronic spin motion effect *(French)* 4—37517
- tissue water, proton exchange by spin relax. in rot. frame 4—2157
- s-triazine, ^{14}N pure n.q.r. investigation of phase transition 4—33300
- trichloromethane-d, D n.m.r. spin-lattice relax., mol. reorientation rel. to liquid models 4—41291
- 1,3,5-trifluorobenzene:^2D, reorientational and ang. momentum correl. times 4—28721
- 1,3,5-trifluorobenzene-d:^{19}F, reorientational and ang. momentum correl. times 4—28721
- triglycine sulphate, ferroelec. transition, proton relax. obs. 4—33294
- tumours, live mouse tail tissue, detection and monitoring 4—5271
- water, adsorbed on silica, freezing in pores 4—37088
- water relax. time, temp. depend., interpretation using scaled particle-quasilattice model 4—9811
- weak collision limit, exact formula 4—41292
- Al superconducting fine particles 4—33081
- Al-Mn alloy, dil., normal and supercond. states 4—10225
- As_2S_3, pulsed n.q.r. of ^{75}As, vitreous and cryst., temp. depend. 4—6811
- $AuGa_2$:^{71}Ga, ^{197}Au pressure depend. rel. to Fermi surface struct., Pd impurity effects 4—41283
- $BaTiO_3$:Mn^{3+} optical phonon role, e.s.r. meas. 4—28687
- CH_3 group in solids, mol. symm. influence on rate 4—37522
- ^{13}C relaxation mechanism, determ. from correlaton of ^2H and ^{13}C relax. times 4—40317
- $CaB_3O_4(OH)_3.H_2O$, ferroelec. transition, proton relax. obs. 4—33294
- $CaCd(Ac)_4.6H_2O$:Cu^{2+}, relaxation time, e.s.r. obs. 4—1335
- CaF_2, via paramag. centres, short correl. time limit 4—41295
- $CaWO_4$:Cr^{3+}, e.p.r. meas., temp. depend., Orbach process 4—13345
- $CaWO_4$:Nd^{3+}, e.s.r. linewidths 4—33251
- CdS:Mn^{2+}, hexagonal, spin-lattice relax., 1.3-4.2K 4—20852
- Ce complex, cerium ethylsulphate, paramagnetic susceptibility 10-55 MHz, 1.2-4.2K, relaxation rate 4—1331
- Cl_2, solid, relaxation times of ^{35}Cl and ^{37}Cl 4—3914
- Co complex, cis- and trans-dichlorotetra-amminecobalt(III) chloride, p.m.r. determ. of molecular motion 4—28723
- Co^{2+} in dimethylsulphoxide, pulsed p.m.r., solvation, electronic spin relax., depend. on freq. *(French)* 4—17505
- $CuWO_4$, high temp. line broadening mechanism *(Russian)* 4—24986
- $Cu(6H_2O)^{2+}$ complex, relax rate determ. rel. to Jahn-Teller parameter 4—37482
- D_2, ordered para state, impurity conc. depend. 4—41264
- D_2O ice-Ih, deuteron n.m.r. relaxation obs. 4—37523
- Fe(III) complex, iodo(bispyrrolidinedithiocarbamato):^{127}I, Mossbauer meas. 4—3924
- $FeSiF_6.6H_2O$, proton T_1 meas., crystal field splitting 4—33293
- $Ga_{0.6}Al_{0.4}As$, optical orientation, spin depend. recomb., spin polarization 4—21074
- H atoms in amorphous matrix, spin echo meas., phase relax. mechanism 4—13338
- H_2, adsorbed on graphite, n.m.r., 12-28K 4—20481
- H_2O, flow from tap, low magnetisation level detection, blood appl. 4—10327
- H_2O-dioxane mixture, molecular reorientation, press. and conc. depend. 4—25007
- He, solid, isotope diffusion, mass spin fluctuation waves effect on n.m.r. 4—28260
- ^4He:^3He, solid n.m.r. investigation 4—40944
- ^{199}Hg, optically oriented, nucl. relax., effects of X-irrad. of cells 4—20894
- ^{201}Hg, optically oriented, nucl. relax., effects of X-irrad. of cells 4—20894
- KBr, KCl, ENDOR investigation at 77 K and 300 K 4—17003
- KCl:Li, F-centres, spin Hamiltonian, modulation, phonon interactions 4—33263
- $K_2Co(SO_4)_2$:Cu^{2+} e.s.r., spin Hamiltonian parameters and relax. time 4—33248
- $K_4Fe(CN)_6.3H_2O$, ferroelec. transition, proton relax. obs. 4—33294
- $K_3Mo(CN)_8$ and $K_3W(CN)_8$ in solns., mag. field dependence 4—28681
- K_2SO_4:Mn^{6+}, relax. time meas., Raman and Orbach processes 4—28698
- Kr, solid, liq., ^{83}Kr meas., nucl. quadrupole interaction 4—41297
- La_3In intermetallic compound, n.m.r. obs., temp. dependence 4—20881
- $La_2Mg_3(NO_3)_{12}$:Cu^{2+}, tunnelling and strain parameters 4—41245
- $La_2Mg_3(NO_3)_{12}.24H_2O$ of Cu^{2+}, Jahn-Teller effect *(French)* 4—41251
- La_3Tl intermetallic compound, n.m.r. obs., temp. dependence 4—20881
- LiF, ENDOR investigation at 77 K and 300 K 4—17003
- $LiNb(I)O_3$, saturation of ^7Li, relax. behaviour 4—33296
- NH_3^+ group in solids, mol. symm. influence on rate 4—37522
- $(NH_4)_2GeF_6$, proton spin-lattice relax., reorientation motion 4—28719
- NH_4I, relaxation time of nuclear dipolar energy 4—41298
- NH_4PF_6, solid, n.m.r., F spin-lattice relaxation, proton, F second moments determ. 4—10339
- $(NH_4)_2PtBr_6$, $(NH_4)_2PtCl_6$, p.m.r., spin isomerism 4—33285
- Na, cond. electrons, 14-20 K, surface contrib. 4—41255
- $NaCa_2Mg_2V_3O_{12}$ garnet, e.p.r. of V^{4+}, linewidth and intensity, homogeneous broadening 77K 4—28690
- NaCl, anharmonic Raman process calcs., nuclear quadrupole coupling with vibr. lattice pot. 4—20890
- $NaH_3(SeO_3)_2$, dipolar spin-lattice relax. rates of protons 4—28676
- $NaNO_3$, molten, spin-lattice relax. time of ^{23}Na 4—25006

spin-lattice relaxation continued
- Nb, superconducting, two-zone character *(Russian)* 4−20729
- Ni, nuclear relax. times of ^{59}Co, 4.2K, fields up to 12kG 4−37521
- Ni^{2+} in dimethylsulphoxide, pulsed p.m.r., solvation, electronic spin relax., depend. on freq. *(French)* 4−17505
- Pd, of ^{45}Sc and ^{51}V 4−16997
- Pd-Fe alloy, dil., effect of electron-electron interaction 4−25018
- Pt, of ^{45}Sc 4−16997
- Pt-Si(Ge)(Sn) intermetallics, n.m.r. and bulk susceptibility obs. 4−25009
- Rh(III) complexes of 2,2'-dipyridyl, 1,10-phenanthroline, 2,2'-dipyridyl, 1,10-phenanthroline and tris and bis with rhodium(III), rel. to phosphoresc. decay, low temps. 4−21586
- SiC:N, temperature and concentration dependence 4−1337
- Sn superconducting fine particles 4−33081
- Th_4H_{15}, T_1 meas., normal and supercond. states 4−20728
- UH_3, of protons, interaction contribs., Fermi level density of states 4−41294
- $U_{1-x}Pu_xAl_2$, spin fluctuation effect, s-f hybridization 4−41282
- V-transition metal alloys, n.m.r. and mag. props. investigation 4−37518
- $V_3Ga_{1-x}Sn_x$, n.m.r. meas. 4−16861
- V_2O_3, metal-insulator transition investigation 4−1208
- $WO_3:P_2O_5$ glass:$V_2O_5(MoO_3)(CuO)$, ^{31}P nuclear mag. resonance obs. 4−16975
- $Y(OH)_3:Yb^{3+}$, p.m.r., spin refrigeration meas. 4−41296
- $ZnSiF_6:Cu^{2+}$, Jahn-Teller dynamics effect on e.p.r. 4−20844
- ZrH_2, proton spin-lattice relaxation rate, 40 mK-1K, 1kOe-9.5 kOe 4−3910

spin-orbit interactions
- alkali chlorides, photoelectron spectra, binding energies of outer electronic bands 4−1429
- anisotropic, effects on splitting of d^2 configuration in trigonal field 4−1206
- atomic orbitals, photoionisation cross-sections, spin-orbit coupling effects, Dirac-Slater calcs. 4−40182
- azaphenanthrenes and protonated species, zero field splittings in lowest excited triplet states 4−21578
- benzaldehyde, phosphorescence excitation spectrum, $n\pi^*$ and $\pi\pi^*$ lowest triplet levels, zero-field splittings 4−37667
- benzene, Zeeman and microwave induced delayed phosphorescence obs. 4−3197
- p-benzoquinone, from optically detected magnetic resonance 4−6815
- diatomic dipole, inversion procedure for internuclear distance depend. 4−3126
- diatomic molecules, spin coupling, CI interactions, wave functions calc. 4−6004
- diatomics-in-molecules potential energy surfaces calculations 4−24155
- diazaphenanthrenes and protonated species, zero field splittings in lowest excited triplet states 4−21578
- Hall coefficient of liquid metals, effect of spin-orbit coupling 4−10139
- halobenzenes, perturbations on triplet state properties 4−1357
- hydrocarbons, aromatic, intersystem crossing processes, position depend. deuterium effect on rate consts. 4−840
- hydrogenic ions, electron impact excitation, relativistic effects 4−12506
- III-V semiconductor, valence band spin-orbit splitting, disorder induced effects 4−28351
- ligand field-spin orbit energy levels in d^4 and d^6 electron configs. of octahedral and tetrahedral symmetry 4−28357
- ligand-field spin-orbit energy levels, d^5 electron configuration, octahedral and tetrahedral symmetry 4−37177
- linear polyatomic molecules, degenerate electronic states, semiempirical calcs. 4−36473
- metallic sandwich complexes, ligand field theory, axial field spin-orbit perturbation calc. 4−27617
- multiplet splitting, cryst. field theory, inner shell vacancy levels 4−32888
- naphthalene:p-dibromobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
- naphthalene:p-dichlorobenzene, effect of external heavy-atom spin-orbit coupling on T_1-vibr. activity 4−10466
- nuclear inelastic proton scattering. polarisation phenomena 4−12354
- nuclear optical model potential, nucleon-nucleus 4−12353
- nuclear shell model, origin 4−12219
- one-electron atom, elastic electron scatt., spin polarization 4−19712
- one-electron atom, elastic electron scatt. 4−9432
- Peierls instability, magnetic field dependence 4−3679
- phenylsulphides, electronic spectroscopy and spin-orbit coupling origin 4−21056
- photoelectron spectra, calc. model 4−24130
- position operators and Thomas precession 4−27072
- pseudopotential secular equation of electron band theory 4−16685
- rare earth ions in crystals, parameter magnitude variation w.r.t. covalency effects 4−10103
- semiconductor, noncentrosymm., spin relax. due to cond. band spin orbit splitting 4−28688
- semiconductor alloys, energy level splitting Γ, Λ points 4−24702
- spin density, calc. by SCF INDO method, with/without projection of UHF function 4−40215
- superconducting thin film, high field, spin paramagnetism 4−33078
- transition metal ions, 3d, covalency effect on spin-orbit coupling const. 4−1203
- transition metals, influence on $(d+s)^n$ mixed configuration spectra, comparison with mutual magnetic interactions 4−693
- two-centre harmonic oscillator potential *(Rumanian)* 4−30864
- (d,p) reactions, reln. between polarisation, analysing power and asymmetry 4−15860
- d, polarised, elastic scattering from nuclei, 9-12 MeV 4−19488
- p-nucleus spin-orbit coupling, deformation magnitude, optical model 4−27322
- Ag small particles, conduction e.s.r., quantum size effect 4−33265
- AlO, AlO^+, SCF calcs., energy spectrum, obs. and calc. spectroscopic elements, predicted states 4−16044
- $Al_2O_3:V^{3+}$, acoustic paramag. reson. theory 4−3898
- Au-$CdIn_2S_4$ Schottky-barrier diode rel. to photocond. 4−28492

spin-orbit interactions continued
- $^{197}Au(p,p)^{197}Au$, 10-14 MeV, polarisation rel. to optical model spin-orbit radius anomaly 4−19444
- BH^+, gaussian lobe SCF molecular wavefunctions, spin-orbit coupling const. 4−31786
- ^8Be, α-cluster model, effect of spin-orbit interaction 4−2793
- CH, gaussian lobe SCF molecular wavefunctions, spin-orbit coupling const. 4−31786
- $^{12}C(d,d)^{12}C$, 41-51 MeV, differential cross section fitting, vector polarisation 4−19489
- CaO, exciton thermoreflectance 6 to 8 eV, spin-orbit splitting, exciton-phonon structs. 4−13469
- $CdGa_2S(Se)_4$, refl. spectra, 200-600 nm, band struct. 4−25131
- $CdWO_4:Cr^{3+}$, spin Hamiltonian, wave function effects, cryst. field theory *(Russian)* 4−24905
- Co:Au(Ir) impurities coupling, effect on impurity states 4−33148
- Co^{2+}-complex, circular dichroism meas., spin-orbit and tetragonal field splitting 4−28809
- $CrCl_3$, correction in trigonal field calc. 4−37174
- CsBr, photoelectron, mass spectra 4−12623
- CsCl, energies at high symmetry pts. of valence bands, LCAO calcs. *(French)* 4−32864
- CsCl, photoelectron, mass spectra 4−12623
- CsCl-$LaCl_3:Pu^{3+}$, absorpt. spectra spin-orbit and electrostatic interaction effects *(Russian)* 4−41406
- CsF, photoelectron, mass spectra 4−12623
- Cs_2GeF_6:Mn(IV), O_h symmetry, spectral analysis 4−25137
- CsI, photoelectron, mass spectra 4−12623
- o-(p-)D_2, $d(3p)^3\Pi_\mu$ fine struct., MOMRIE obs. 4−19868
- DF, rot. band shapes in photoelectron spectra 4−19895
- Fe:Au(Ir) impurities, coupling, effect on impurity states 4−33148
- $FeCO_3$, antiferromagnet, anal. of i.r. absorpt., 20-300 cm^{-1}, 4.2-70K 4−24939
- GaAs, flatband electroreflectance data analysis 4−21020
- GaP, reson. Raman scatt. at spin-orbit split $E_0+\Delta_0$ gap 4−13455
- GaSe, band-gap excitons study from absorpt. and reflection spectra 4−6597
- p-H_2 $k(p)^3\Pi_u$, fine structure, microwave optical magnetic resonance, electron induced 4−9575
- HF, rot. band shapes in photoelectron spectra 4−19895
- HeI-like spectra, singlet-triplet splitting 4−27525
- ^3He, n.m.r. lineshifts below 3 mK, spontaneously broken spin-orbit symm. 4−1150
- InSb, core level binding energies, spin-orbit splittings, photoemission obs. 20 to 70 eV 4−10101
- K_2GeF_6:Mn(IV), D_{3d} symmetry, spectral analysis 4−25137
- $KMgF_3$, F-centre electronic struct. calcs. 4−10110
- MgO, exciton thermoreflectance 6 to 8 eV, spin-orbit splitting, exciton-phonon structs. 4−13469
- $MgO:V^{3+}$, acoustic paramag. reson. theory 4−3898
- Mn complex, di-iodotetrakis(pyrazole)-MN(II), zero-field splitting determ. 4−20846
- MnF_6^{2-} in O_h and D_{3d} symmetry, spectral analysis 4−25137
- Mo atom, inert-gas matrix isolated absorpt. spectra 4−40162
- NO, photoelectron spectra, threshold-972 Å 4−31925
- NdI, absorpt. spectra, relative values of oscillator strengths 4−9379
- Ni:Au(Ir) impurities coupling, effect on impurity states 4−33148
- Ni(II) complex, nickel(II)-bis(di-n-butyl-diselenocarbamate), paramag. adduct existence, e.p.r. obs. 4−3893
- NiIr, dilute alloy, quadrupolar Hamiltonian on Ir Nuclei, spin-orbit effect 4−37525
- PX_3, PYX_3 (X=Cl, Br, Y=O, S), photoelectron spectra, calc. model 4−24130
- Rb atomic spectrum, student experiment, study of fine structure 4−35131
- Re, i.r., visible and u.v. spectral characts. w.r.t. electron struct. *(Russian)* 4−20978
- Yb^{3+} ions in crystals, parameter magnitude variation w.r.t. covalency effects 4−10103
- $ZnS:Cu^{2+}$, dynamic Jahn-Teller effect, T_2 mode coupling 4−41408
- $ZnS:Cu^{2+}$, Jahn-Teller effect, i.r. spectra meas., equiv. to lattice interactions 4−33416
- ZnSe, non-local pseudopotential calc., valence band density of states 4−28343

spin-phonon interactions
- a.p.r. spectra of $(3d)^n$ ion impurities in crystals, Jahn-Teller effects *(Polish)* 4−28695
- a.p.r. theory, absorption line form *(Russian)* 4−6778
- dielectric, higher-order a.p.r. transitions of mag. impurities 4−24984
- ethyl sulphate: Cd^{3+}, g-shift calc., inconsistency of Orbach's procedure 4−20847
- ferromagnet, near Curie temp., excitation spectrum, acoustic attenuation 4−20792
- ground state investigation using perturbation theory, spontaneous coherent phonons 4−16561
- Ising model, elastic solvable, with improved four-spin interaction 4−3813
- Ising system, random phase approx., disorder points 4−10239
- Jahn-Teller effect for ^2E electronic state coupled to continuous phonon spectrum 4−41031
- molecular crystal, crit. dynamical behaviour of pseudospin-phonon coupled systems 4−32645
- molecular crystal, optically detected a.p.r. of metastable triplet states 4−17001
- paramagnetic relax., effect of interactions 4−20832
- paramagnetic system, theory, sp.ht., phase transitions 4−3836
- phonon bottleneck effect, saturation of inhomogeneously broadened magnetic resonance line 4−28682
- rare earth ethyl sulphates, nondipolar interactions, origin 4−6592
- rare earth ion-covalent lattice, orbit-lattice interaction 4−12994
- semiconductor, nuclear spin polarisation by hot electrons at spin-magnetophonon reson. 4−13355
- 1,2,4,5-tetrachlorobenzene, optically detected a.p.r. of metastable triplet states 4−17001
- Ce complex, cerium ethylsulphate, paramagnetic susceptibility 10-55 MHz, 1.2-4.2K, relaxation rate 4−1331
- ^3He, liq., nuclear acoustic resonance in contact with a metal surface 4−16640
- $KCl:CN^-(Li^+)$, tunnelling states of impurity ions, spin-phonon interaction obs., expt. 4−36983

spin-phonon interactions continued
- KCl:CN$^-$(Li$^+$), tunnelling states of impurity ions, spin-phonon interaction obs., analysis 4−36984

spin-spin nuclear coupling in molecules *see molecular nuclear coupling*

spin-spin relaxation
- alkali halides, nuclear mag. relax. of ^{35}Cl, ^{81}Br, ^{127}I in aq. soln. investig., viscosity determ. 4−41290
- automated data collection system for T_1 and T_2 determ. 4−18530
- t-butyl chloride, solid, liq., proton, deuteron, ^{35}Cl n.m.r. 4−13361
- cation exchange resin phase, KU-2-8, nuclear relax. of water mols. protons 4−16996
- diatomic X_2 molecule, ortho and para, intramolecular quadrupole mechanism 4−16117
- dilute solid, spin echo signal of free radicals *(Russian)* 4−20836
- electron spin-echo signal decay, effect of cross-relaxation transitions 4−16972
- 1, 2-ethanediol, dynamic nucl. orientation, deuteron tensor polarization 4−28711
- p-n-heptyloxyazoxybenzene, liq. cryst., spin-spin relaxation, proton spin echo 4−33290
- Ising model, critical behaviour in transverse field, spin relaxation function spectral density 4−41173
- liquid, simple, nuclear relax. obs. of ang. momentum relax. effective collision times 4−33287
- MBBA, liq. cryst., spin-spin relaxation, proton spin echo 4−33290
- multispin systems, calculation of response in n.m.r. 4−20892
- n.m.r. spectrum individual lines, sign of scalar coupling constants 4−6099
- reservoirs of dipole-dipole interactions in cross-relaxation 4−1329
- reversed Carr-Purcell train for meas. of n.m.r. relax. time by approach to driven equilib. 4−37477
- tumours, live mouse tail tissue, detection and monitoring 4−5271
- water, adsorbed on silica, freezing in pores 4−37088
- weak collision limit, exact formula 4−41292
- Cs_2, optically pumped vapour, n.m.r. 4−36555
- α-Fe_2O_3, selective excitation double Mossbauer technique 4−33320
- H atoms in amorphous matrix, spin echo meas., phase relax. mechanism 4−13338
- H_2, adsorbed on graphite, n.m.r., 12-28K 4−20481
- H_2, gas, electric field induced nonlinear coherent i.r. spectroscopy 4−814
- ^{199,201}Hg, transverse relax. times, nonuniform mag. field depend. 4−25016
- ^{199}Hg, optically oriented, nucl. relax., effects of X-irrad. of cells 4−20894
- ^{201}Hg, optically oriented, nucl. relax., effects of X-irrad. of cells 4−20894
- In-Sn liquid alloy, valence difference effect on rate 4−16998
- KBr, KCl, ENDOR investigation at 77 K and 300 K 4−17003
- LiF, ENDOR investigation at 77 K and 300 K 4−17003
- Ni, nuclear relax. times of ^{59}Co, 4.2K, fields up to 12kG 4−37521
- Rb_2, optically pumped vapour, n.m.r. 4−36555
- $Ru(NH_3)_6^{3+}$ ion, n.m.r. and covalency parameter determ. 4−28715
- Si-P, exchange and dipolar fields, electron spin echo investig. 4−24985
- V, superconductor, nuclear spin diffusion, dipole-dipole energy relaxation 4−13260

spin systems
- *see also magnetic properties of substances; magnetism*
- acoustic wave resonance interaction, theory *(Russian)* 4−6778
- antiferromagnet, disordered, mag. field effects 4−33176
- asymptotically exact soln. for same spin models *(Russian)* 4−6710
- coherent spin states, anal. of rotation operator 4−23209
- dilute system, diamagnetic n.m.r. line profiles and saturation behaviour *(German)* 4−28720
- domain wall energy and thickness, 90° wall, modified Neel model 4−41210
- ferrites, hexagonal, spin non-collinearity, n.m.r. *(Russian)* 4−20879
- Gaussian model, renormalization group equations 4−20743
- Heisenberg model, with uniaxial and exchange anisotropy, mag. spin correlations, method of moments 4−28583
- high resolution n.m.r. of dilute spin species 4−41272
- infinite spin dimensionality limit for non-translationally invariant interactions 4−26862
- intermetallic compounds, explanation of Curie Weiss behaviour using Kondo effect 4−33133
- Ising chain, ground state, spin cluster energies 4−33109
- Ising model, spin-1 biquadratic, free energy symm. relation 4−18992
- Ising system, triangular lattice, transformation, Wilson theory 4−28589
- isolated spin system, temp. and correl. functions 4−20739
- magnetic impurity spin states, density broadening by RKKY interaction 4−33137
- magnetic semiconductor, extension of CPA to random spin systems 4−16903
- master equations for magnons 4−37430
- metal, generalized Wannier function including electron spin, spin struct., localised functions *(German)* 4−16716
- microwave pulse propag. in paramag. spin systems 4−41223
- multifrequency, phase configuration, general explanation *(Russian)* 4−6776
- nuclear, long relaxation times, magnetisation sampling technique by superfast passage through n.m.r. 4−41225
- nuclear dipolar spin temp., periodic external r.f. perturbation 4−37506
- nuclear ferromagnetism existence from n.m.r. expts. in CaF_2 *(French)* 4−33271
- one dimensional S=1, sp.ht. calc., Hamiltonian method 4−28620
- Potts model, 2S+1 states per site, rel. to nonlinear spin-S Ising model 4−33114
- quantum theory, antiferromag., ferromag., planar 1-D, 2-D lattices 4−20742
- random mixture of Ising spins, mag. props. 4−28582
- rare earth cobalt (III) oxides, low to high spin transition *(French)* 4−32510
- spin-lattice relaxation, in liqs and solids, master eqn. for density matrix 4−20826

spin systems continued
- thermodynamic fluctuations near nonequilib. steady state, theory 4−16892
- thiodiglycolic acid, X-irrad., spin densities and radical structure 4−25025
- Wilson's theory, triangular lattice 4−10234
- wood, pyrolyzed, e.s.r. spectra, paramagnetic environment effects on unpaired spins 4−41240
- Al_2O_3:Cr^{3+}, dynamic nuclear polarization, quadrupole coupling constant sign and ^{17}O spin temp. 4−25022
- Cr(III) aquo complex, d.m.r. obs, chem. exchange 4−25476
- $CuWO_4$, antiferromag., crit. fluctuations, e.p.r. line broadening *(Russian)* 4−24986
- EuTe:I, antiferromagnetic, influence of ferromagnetic spin clusters on domain structure 4−20800
- FeI_2, neutron diffr., spin orientation, antiferromag. 4−20785
- Fe(II), complexes, 1,10-phenanthroline, 2,2′-bipyridine, press.-temp. relationships, i.r. spectra, spin conversion 4−20975
- Gd:Dy^{3+}, temp. var. of impurity spin orientation, Mossbauer spectra 4−13373
- ^{3}He, liq., paramagnetic transition, phenomenological approach to role of spin systems 4−32779
- $HoCoO_3$, spin state equilibria conditions, transition 4−41319
- K_2CoF_4 neutron scatt. obs. of sublattice magnetisation and spin correlations 4−37426
- $KCuF_3$, n.m.r., mag. orientation, spin struct. and micromagnetic location *(Japanese)* 4−37510
- $LaNiO_3$-$LaAlO_3$ solid solutions, mag. susceptibility, trivalent Ni high-spin state *(Russian)* 4−28607
- $N_2H_6FeF_5$, Mossbauer obs., 77-410K 4−28734
- $Ni_xZn_{1-x}Fe_2O_4$, ferrite, non-collinear spin arrangement obs. by Mossbauer effect 4−3847
- Pd-Cr alloy, mag. susceptibility, local spin fluctuations 4−24927
- Pt-Cr alloys, mag. susceptibility, local spin fluctuation 4−24927

spin wave resonance *see ferromagnetic resonance*

spin waves
- *see also magnons*
- amorphous mixed magnet, transitions, density of spin-excitation states study 4−20778
- anisotropic exchange ferromagnet, localized state calc. 4−41204
- antiferromagnet, flipped phase, mixing of acoustic waves with alternating mag. field and paramag. interaction 4−10306
- antiferromagnet, helical struct., spectrum, damping, diagrammatic technique 4−37432
- antiferromagnet, magnetisation oscill. effect, instability growth rate 4−13321
- antiferromagnet, optical excitation, threshold field determ. 4−13320
- antiferromagnet, spin wave relax., four magnon scatt. 4−28638
- antiferromagnet with small negative cubic-anisotropy consts., applied field independent modes 4−3848
- antiferromagnetic configuration system with cubic anisotropy, spin wave mode softening 4−28615
- antiferromagnetic crystal, localised mag. vibrs. of quadrupole impurity 4−28609
- disordered system, cond. and spin-wave stiffness, exactly soluble model 4−20790
- electron liquid, metal, quantum theory, approx. for Fermi-liquid interaction 4−13317
- excitations rel. to kinematical theorem of ferromagnetism 4−13274
- Fermi liquid, propag. in nonuniform mag. field, reson. excitation possibility *(Russian)* 4−10323
- ferrite slab/semiconductor 4−20789
- ferromagnet, diluted Heisenberg system, spin waves and long-range order, 0K 4−24915
- ferromagnet, infinite-chain Heisenberg model, second-order Green's function theory 4−24913
- ferromagnet, non-diffusion modes, theory, use of random phase approx. *(Russian)* 4−20791
- ferromagnet, parametric excitation via localised magnon modes 4−10278
- ferromagnet, theory of cross-relaxation 4−28636
- ferromagnet, uniaxial, dispersion law in mag. field, perturbation approach 4−37431
- ferromagnet, uniaxial plate, with domain struct., spin wave spectrum *(Russian)* 4−10274
- ferromagnet, with Bloch domain boundaries, longit. excitation *(Russian)* 4−16936
- ferromagnet with domain boundaries, spin wave spectrum and dipole energy *(Russian)* 4−20788
- ferromagnetic alloy, localisation transitions for nuclear spin waves, n.m.r. obs. method 4−37429
- ferromagnetic alloys, non-linear behaviour of Curie temp. with spin-wave stiffness coeff. 4−16928
- ferromagnetic crystals, excitation of photomag. and spin waves 4−16940
- ferromagnetic film, surface spin waves and magnetisation 4−33223
- ferromagnetic linear finite chain, temp. renormalisation by Bloch method 4−41203
- ferromagnetic metal, indirect interactions of localised spins 4−20753
- ferromagnetic metals, localised-itinerant electron exchange interaction model 4−13302
- ferromagnetic semiconductor, fluctuon theory 4−13307
- Heisenberg, ferromagnetic with single-ion anisotropy, spin waves 4−37391
- Heisenberg amorphous two-dimens. spin system, thermodynamics, spin wave self-energy 4−6708
- Heisenberg antiferromagnet, renormalised energy temp. depend., dipolar interaction 4−16899
- Heisenberg antiferromagnet with single-ion anisotropy. spin wave spectrum *(Russian)* 4−20745
- Heisenberg ferromagnet, arbitrary field direction, correlation functions 4−24907
- Heisenberg ferromagnet, elementary excitation spectrum 4−33112
- Heisenberg ferromagnet, spin wave spectrum, mean field theory 4−10250
- Heisenberg ferromagnetic alloy, disordered binary, spin wave spectrum calc. 4−6742
- Heisenberg spin-$^1/_2$ ferromagnet, arbitrary field direction, thermodynamics 4−24906

spin waves continued
  Heusler alloys, dispersion relation from dynamic susceptibility by random phase approximation 4−41177
  hypersonic waves, $>10^8$Hz, propagation and interactions in crystals 4−16553
  itinerant ferromagnetism, stiffness constant calc. 4−16904
  magnet, two-dimens., planar, dynamics, reson. line rel. to susceptibility 4−33182
  master equations for magnons 4−37430
  Oguchi-Honma's theory, appl. to antiferromag. reson. in two-dimens. systems 4−13348
  one-dimensional metal model, cond. from charge or spin density waves 4−41049
  paramagnetic metal, anal. of excitation by circularly polarised e.m. wave *(Russian)* 4−33132
  semiconductor, magnetic, magnetoelec. reson., carrier dragging by propag. spin waves 4−16774
  semiconductor, paramag. and ferromag., strong spin-electron interaction, conduction electron states investigation 4−16917
  spontaneous coherent phonons in ground state of strong spin-phonon interaction 4−16561
  statistical mechanics approach, book 4−11839
  zero field impurity spin susceptibility calc. for spin 1/2 Kondo systems 4−10256
  Ca_2MnO_4, spectrum meas. at 4.2K, magnon dispersion curve 4−10277
  $CdCr_2Se_4$:Ag single cryst., magnetoelec. reson., carrier dragging by propag. spin waves 4−16774
  $CoCl_2$, mag. excitations, ferromag. saturation of antiferromag. state, metamag. props. 4−1316
  $CoFe_2O_4$, contribution to specific heat, 4 to 300 K 4−37414
  CoO, low-lying mag. excitations, Raman meas. of temp. depend. 4−13319
  CoO, mag. excitations, Raman meas., temp. depend. 4−20793
  CoP amorphous alloy, magnetisation, spin wave excitation 4−28658
  Cr, antiferromagnetic spin density wave energy gap, temp. depend. 4−6610
  Cr, strain wave, X-ray diffr. investig., below Neel point 4−24968
  Cr alloys, commensurate-incommensurate transition of spin density wave 4−16919
  $CsNiF_3$, one-dimens. ferromag., proof of spin waves by inelastic neutron scatt. *(German)* 4−6741
  Fe single crystal, crit. neutron scatt., spin wave damping obs. 4−28635
  FeGe(Sn), spin-wave contrib. to specific heat 4−16931
  γ-$Fe_{47}Mn_{53}$, antiferromagnetic, inelastic neutron scattering at 295K 4−1320
  FeO, thin film, on Fe particles, Mossbauer spectra anal. 4−10364
  $GdAlO_3$, u.s. interaction, 0.5-10 GHz, phase depend. *(French)* 4−20865
  $GdVO_4$, magnetic phase transitions obs. 4−16927
  ^3He, superfluid, A-phase, microscopic model 4−20463
  K, e.s.r. mechanism, crit. angle anomalies 4−41256
  K_2CuF_4, Heisenberg ferromagnetic body spin wave theory *(Japanese)* 4−37433
  K_2NiF_4, dispersion relations 4−16939
  Li spinel single cryst., magnetoelec. reson., carrier dragging by propag. spin waves 4−16774
  $MnCO_3$, antiferromag., excitation in parallel pumping by microwaves *(Russian)* 4−24969
  $MnCO_3$, ferromag., parametric excitation, field and temp. depend. *(Russian)* 4−28640
  MnF_2, antiferromag., critical damping calc., uniform mode 4−16938
  MnF_2, energy renormalization at finite temp. Bloch theory extension 4−41205
  MnO, 4.2K-117K, neutron scatt. obs. 4−13314
  MnO, energy renormalization at finite temp. Bloch theory extension 4−41205
  MnO, meas. from 4K to close to T_n, linear theory interpretation 4−33181
  $Mn_{1-c}Zn_cF_2$, dilute antiferromag., cluster theory 4−28637
  Na, e.s.r. mechanism, crit. angle anomalies 4−41256
  $NiFe_2O_4$, contribution to specific heat, 4 to 300 K 4−37414
  $RbMnF_3$, energy renormalization at finite temp. Bloch theory extension 4−41205
  Y-ferrite-garnet, excitation, parallel pumping *(Russian)* 4−20764
  YIG, instability at low temperature 4−3850
  YIG films, tensorial surface anisotropy, excitation of non-propag. surface exchange modes 4−24975
spinor groups *see group theory*
spirality *see elementary particle theory*
splines (mathematics)
  see also function approximation; interpolation
  finite element approx. use of singular function 4−5340
  machine contouring, min. curvature, 2-dimens. interpolation of 1-dimens. spline fit 4−38178
  quintic spline model of track for momentum anal. of particle in magnetic field 4−35415
sponges *see porous materials*
sponginess *see porosity*
spooling *see winding (process)*
sporadic-E layer
  mean latitude E_s region, small scale irregularities *(Russian)* 4−1967
  metals, neutral particles of meteoric origin, layer struct. 4−4584
  nighttime downward transport into lower E-region at Arecibo 4−22091
  nighttime obs. from Arecibo, statistical summary 4−1971
  pulsed VHF sounding on 1620 km link 4−1965
  short radio wave reflector, mechanism for anomalous propagation at high latitudes 4−25756
  temporal variations as random process 4−1964
  true and virtual heights, comparison from vertical sounding data 4−4586
  turbulent diffusion as controlling factor 4−17809
  type distrib. at middle and subauroral latitudes in NE USSR 4−1962
sprays
  see also aerosols; drops; jets
  drop size distribution, effect of spraying factors 4−40579
  drop size prediction from gas atomisation of liquids study 4−3332
sprays continued
  flame propagation in gas-droplets mixture *(Russian)* 4−7434
  fog droplet spectral distributions, spray equation 4−4438
  furniture industry, electrostatic paint spray application 4−19023
  liquid, high-viscosity, by pneumatic pumps, droplet size and distrib. 4−32100
  liquid drops, monosized, in air, motion of stream 4−27896
  metal, atomization on interrupted action of liq. atomizing agent *(German)* 4−37991
  plasma spraying in metal industry, automatic *(German)* 4−32341
  two-phase spray-annular streams in heated tubes, flow characteristics *(Russian)* 4−6211
  waves, spray formation mechanism, effect of wind speed, 0-15 ms^{-1}, wave height 4−7655
spurions *see elementary particles*
sputtering
  see also integrated circuit production; thin films
  alkaline earth oxide film, rare-earth-doped, r.f. sputtered, luminesc. 4−28943
  amorphous metal-rich germanides and carbides prep. and characteriz. 4−36809
  amorpous solid, equil. topography 4−40958
  cathodic reactive diode, preparation of thin films *(French)* 4−6969
  consistent theory, by ion bombardment, power potential law 4−28970
  d.c. diode sputtering discharge, current distrib. 4−26601
  ejection of matter from zone of laser interaction 4−23371
  electron microscopy, ion beam technology in, quantitative microanal. 4−11635
  electron microscopy, transmission, sputtering appls. 4−8541
  field-emission cathodes, effect on stability and life 4−25215
  garnet film, uniaxial for bubble domains, r.f. sputtering 4−37461
  glass electrode membranes, aq. soln., surface layer anal. 4−28302
  glass film deposition, r.f.-bias in Ar and Ar/O_2 4−6346
  implanted atoms, effect on depth distrib. 4−9925
  ion beam, thin film technology applic. *(German)* 4−10521
  ion beam bombardment, atomic shadowing for electron microscopy 4−28010
  ion dispersion recording method, secondary emission energy spectrum *(Russian)* 4−33535
  ion probe mass spectrometry, technique, instrumentation 4−5295
  ion pump using ionisation due to electrons oscillating in a magnetic field *(French)* 4−22811
  ion scattering spectrometry, surface anal. technique 4−6946
  ion source, modification for Van de Graaff operation 4−35383
  ion surface interaction, conf. Garching, Germany (1972) 4−9931
  magnetic thin film production, electron microscope examination of structure *(German, English)* 4−41590
  magnetron source, planar 4−37749
  matrix isolation technique, rel. to absorbance data 4−21115
  metal, argon ion etching in reactive gas 4−13538
  metal and metallic oxide, cathode sputtering process in welding arc *(Russian)* 4−21365
  metal film, effects of ion beam parameters on characts. *(Russian)* 4−21133
  metal film, sputtered and evaporated, gas incorporation 4−25245
  metal grain boundaries revealed by ion etching at low temp. 4−21260
  metal sandwich, surface layer analysis, with Auger emission 4−6947
  noncrystalline film formation, substrate temp. depend. 4−6967
  optical thin films onto large surfaces 4−35266
  oxide, argon ion etching in reactive gas 4−13538
  polarisers, wire-grid, for 10.6 micron radiation, ion-beam micromachining 4−22827
  polymer thin film production, r.f. sputtering 4−4224
  PTFE, ion beam etching, fragment film struct. 4−21141
  quantitative analysis by secondary ion emission, directional effects *(French)* 4−21118
  radiation sources, thin film, ^{241}Am for α source 4−26590
  rare earth oxysulphide luminescent films, r.f. technique 4−25236
  rate dependence on current in glow discharge 4−36757
  reactive, production of Si_3N_4 layers *(Hungarian)* 4−37766
  r.f., film deposition by *(Japanese)* 4−37748
  r.f. sputtering system, effect of power dissipation on substrate temp. *(Japanese)* 4−18408
  secondary ion emission, application of generalised Dobretsov equation 4−1424
  secondary transition metal ions, dependence on electronic exchange process between exciting atom and metal *(French)* 4−1428
  SEM specimen coating by sputtering 4−8538
  SEM specimen preparation, thin metal films props., cathodic sputtering 4−11633
  single crystal, atom ang. distribs., Lehmann-Sigmund model 4−33540
  specimen coating for scanning electro microscopy 4−999
  surface analysis by ion sputtering and quadrupole mass spectrometry 4−30665
  surface investigation by secondary ion mass spectrometry 4−10599
  surface layer analysis, depth profiling techniques 4−8579
  surface microroughening by ion bombardment, mechanism 4−3650
  thin film deposition, geometry using rotating targets 4−21182
  thin film deposition, vacuum equipment, review 4−21181
  thin film growth in r.f. systems 4−1185
  thin film vacuum deposition, evaporation, sputtering, and ion-plating compared 4−21180
  thin films development *(Hungarian)* 4−37747
  transition metal superconducting films, transition temp. rel. to noble gas used in deposition 4−24859
  vacuum pumping problems 4−22810
  Ag, film, mechanism of nucleation and epitaxial growth by sputtering 4−1178
  Al, anisotropic emission meas., ejection mechanisms 4−10507
  Al, implanted Ar atoms precip. *(French)* 4−33527
  Al on n-type Si, stress effect on current-voltage characteristics 4−16823
  Al targets, use of O_2 to make etching more uniform 4−1425
  Al-Ta alloy film, Al-rich phases obs. 4−25223
  Au, grain boundary self diffusion by Ar sputtering 4−20432
  Au, polycryst., surface erosion by Ar ions, SEM obs. 4−28265
  Au-In, evaporated film, In surface enrichment determ. 4−37125

sputtering continued
Au-Si alloy, SEM of sputter etched specimens 4−41578
BaO:Ln film, r.f. sputtered, luminesc. 4−28943
Be, extraction canal in BF_3 glow discharge ion source, production of Be ions 4−39318
$Bi_4Ti_3O_{12}$, film, ferroelec., epitaxial growth, for display device applic. 4−37746
CaO:rare earth ions, film, optical fluorescence spectra obs. during sputtering 4−21070
Cu, 5-10 keV Ne ion bombard., secondary $^{63}Cu^+$ ions, ang., energy distribs. 4−17151
Cu, by Cs ions, negative ion yield determ. 4−10504
Cu, dose depend. of 45 keV V^+ and Bi^+ yield 4−10506
Cu, polycryst., surface erosion by Ar ions, SEM obs. 4−28265
Cu, single cryst., space distrib., ion incidence angle depend. 4−10502
CuAl alloy, ion bombardment, sputtered molecular cluster ions 4−28969
CuBe alloy, ion bombardment, sputtered molecular cluster ions 4−28969
Fe atoms, states in sputtering discharges, at. absorpt. spectrometry 4−16357
Fe^-, PIG source, cathodic sputtering *(French)* 4−8438
GaAs, yield of (111), (111) faces, 100 eV Ar^+ 4−28966
Gd-Co, amorphous film prep., bubble domain appls. 4−28670
Ge, amorphous layers, elec. cond. and opical props. *(Czech)* 4−16745
Ge, rotating crystal, 5-15 keV ion bombard., sputtering, channelling effect 4−17150
Ge, thin film, non-crystalline, explosive crystn. 4−16673
Ge films, noncryst., tribolum. on explosive crystn. 4−33470
$GeTe_2$, amorphous film form., d.c. substrate bias effect 4−37769
InSb, 5-10 keV Ne ion bombard., secondary In^+ ions, ang. distrib. 4−17151
InSb, rotating crystal, 5-15 keV ion bombard., sputtering, channelling effect 4−17150
LaB_6 film prep. and characteriz. 4−29001
Mg, anisotropic emission meas., ejection mechanisms 4−10507
MgO:rare earth ions, film, optical fluorescence spectra obs. during sputtering 4−21070
MgO-Au cermet film, differential sputtering, Auger obs., secondary electron emitter appl. 4−28982
Mo, cathode sputtering by Cs^+ ions, angular deform. of ion component energy spectrum 4−21140
MoS_2, low energy Ar^+ bombard., Auger meas. 4−33537
NaCl, energy spectrum of sputtered Na^+ ions 4−37719
Nb, irradiated with 14-MeV neutrons, particle release investigation 4−37725
NbC, supercond. film, comp. var., $^4He^+$ scatt., Bragg's rule 4−16534
NbN, film prep., rel. to struct. and elec. props. *(French)* 4−33058
NbN, r.f. reactive, film prep., supercond. transition temp. 4−28523
NbN, supercond. film, comp. var., $^4He^+$ scatt., Bragg's rule 4−16534
Ni, bombarded by Ar, influence of O_2 and N_2 chemisorption on yield *(French)* 4−3649
Ni-Cr bombarded by Ar beam, influence of O_2 and N_2 chemisorption *(French)* 4−3649
NiCr film resistor, reactive sputtering in O_2 4−28320
Pb, film oxidation, r.f. sputter etching in O plasma 4−37720
$Pb_{0.92}Bi_{0.07}La_{0.01}(Fe_{0.405}Nb_{0.325}Zr_{0.27})O_3$, ferroelectric, r.f. sputtered onto Al_2O_3 substrate, investig. of elec. characts. 4−20941
PbTe, onto n-Ge, heterojunction prep. 4−28487
Pd, surface effects, vacuum evaporation and Ar sputtering comparison 4−33555
Pt onto sapphire or polycrystalline alumina, suitability as substrate for ferroelectric films 4−25237
Si, damage in surface region produced by sputter-etching 4−40988
Si, film epitaxy, growth surface step motion 4−20498
SiC, α and β type thin films, liquid epitaxy and sputtering prep. 4−10556
SiC film, r.f. sputtering prep., characterisation and applic. 4−37759
β-SiC single cryst. film prep., annealing 4−10528
Si_3N_4 film, effect of sputtering conditions on elec. characts. of m.i.s. struct. *(Russian)* 4−37312
Si_4N_3 films, dielectric properties *(Hungarian)* 4−37765
SiO, film prep. technique, selective precipitation *(Russian)* 4−32830
SiO_2, Na distrib., neutron activation and u.v. spectrographic analysis 4−6939
SrO:Ln film, r.f. sputtered, luminesc. 4−28943
Ta, film, in Ar-O_2, annealing effect, phase stability 4−20507
Ta, mass spectrometry, background gases, partial press. time depend. 4−4022
TiO_2 thin films, cross-sectional struct., electron microscopy replica technique 4−11634
Zn, anisotropic emission meas., ejection mechanisms 4−10507
Zn, influence of ion bombardment on microrelief adsorpt. props. of single cryst. 4−40959
$Zn_xCd_{1-x}S$, film prod., ZnS conc. var., deposition profile, struct. *(French)* 4−3663
ZnO, film prep., electroacoustic transducer, nucleating surface influence 4−28762
ZnS film, cryst. struct. as function of conditions of reactive cathodic sputtering conditions *(French)* 4−1180

square-wave generators
high power, for investigating fast electric field effects in solutions 4−30520
Van-de-Graaff accelerator, ion current pulse generator, 0-800 kHz 4−22927

stabilisation *see stability*
stabilisers *see controllers*
stability
see also frequency stability; Lyapunov methods; plasma instability
alloy shells, cylindrical, heated, investigation of stressed state *(Russian)* 4−13963
arch, shallow circular, stability of equilib. branches 4−23101
armoured logging cable, for bore-hole meas. stability of transmission coefficient *(Russian)* 4−11024

stability continued
artificial satellite, spatial oscillations in resonance conditions *(Russian)* 4−14292
axisymmetric menisci, equilibrium and stability conditions 4−32799
binary liquid system, partially miscible, stability behaviour 4−17541
binary liquid system, partially miscible interfacial stability 4−17540
bioconvection patterns in microorganism cultures, instability 4−38993
Brillouin electron beam, instability in waveguide with impedance wall *(Russian)* 4−328
bubble rising in inviscid fluids 4−16256
cable-connected satellites in orbits 4−25915
cantilevered-beam, thin, suppression of dynamic instability using feedback control 4−23116
capacitance meter, direct reading *(Japanese)* 4−22915
circular rings under normal concentrated loads, bifurcation 4−30778
circulation contour, natural, during boiling, stability region 4−40563
column under short response axial loads, dynamic response 4−30826
columns, parametric instability under periodic axial load 4−2508
columns thin-walled closed cross-section, optimum design in elastic and inelastic ranges 4−18865
composite, symmetric laminates, post-yielding behaviour, inelastic macromechanics 4−1631
compressible flow, stability of jets and shear layers, inner expsn. method 4−24209
constant temperature chamber, on-off floating control, effect of periodic air temp. fluctuations 4−18397
convection flow on heated, inclined plate, stability anal. 4−40399
convective instability of rapidly rotating compressible fluid 4−25949
Cosserat fluid motion 4−40377
cylindrical shell, stability problem of axial compression, characteristic value density determ. *(Russian)* 4−39539
de Vogelaere method for timewise numerical integration, linear dynamic system anal. 4−18893
decay law, unstable states, non-exponential decay analysis 4−31106
deformable systems with initial imperfections in unlimited creep conditions *(Russian)* 4−3521
destabilization in bar under non-conservative forces, with damping 4−11765
differential equations, quasi-periodic solutions in small parameter theory, local stability *(Russian)* 4−23087
dividers for nuclear power station reactivity meas. *(French)* 4−19641
elastic body, dynamic stability and energy criterion 4−39510
elastic systems, probabilistic stability theory for imperfection sensitive structures 4−23115
electron field-emission cathodes, sputtering effect 4−25215
fibre glass plastic shells, effect of elasticity consts. on stability during deformation *(Russian)* 4−21426
fibre reinforced composite, plastic matrix stability, fracture *(German)* 4−17411
fibreglass shells, load carrying capacity under external hydrostatic pressure *(Russian)* 4−4208
figures of revolution with negative Gaussian curvature, stability loss under torsion *(Russian)* 4−39498
flat space in general relativity 4−2551
flattened galaxies, evolution of N-body simulated system 4−14464
flow, reformulation of energy stability theory 4−40376
flows in ventilation networks, asymptotic behaviour 4−24228
fluid, incompressible, horizontal boundaries with temp. gradient, modes and stability 4−24230
fluid, linear dipolar, Holder stability, logarithmic convexity 4−910
fluid flow, between rigid and elastic walls *(Russian)* 4−40536
fluid flow, global stability of modulated fluid layers 4−24231
fluid motion laminar, application of analogue computers 4−36616
glass fibre reinforced polycarbonate mouldings 4−10673
gravimeters, systematic error compensation *(Russian)* 4−18806
gyro-frame, biaxial, stability under angular vibration action in resonance conditions *(Russian)* 4−2518
gyroscopic system subject to random frictional forces, average stability of forced oscillations *(Russian)* 4−11772
gyrostabiliser, static single-axis, synthesis *(Russian)* 4−39493
gyrostabilizer, triaxial, for uniform rotation of base *(Russian)* 4−39492
heat conduction, nonlinear, stability of difference schemes 4−5422
holonomic conservative mechanical systems, inversion of Routh's theorem *(Russian)* 4−2467
hydrodynamics, stability of spatially periodic motions *(Russian)* 4−24236
impulsive parametric excitation, stability charts 4−30733
inclinometers with photoelectric amplification, nonlinearity of optical system *(Russian)* 4−7812
inhomogeneous viscous layer on inclined plane, stability of quasistatic equil. state *(Russian)* 4−40471
instability theory, rel. to periodic breakup of optical beams due to self-focusing 4−19130
insulating liquid layer under strong unipolar injection, nonlinear hydrodynamic stability *(French)* 4−36670
interconnected rigid bodies, equil. conditions 4−39491
International Weston cell e.m.f. stability rel. to electrolyte pH 4−35157
Karman plates underedge load, anal. using Movchan-Lyapunov theorem 4−23144
Kerr-metric black hole, stability of scalar perturbations 4−7991
laser, inhomogeneous line broadening 4−23296
laser beam for optical waveguide 4−8860
laser beam power stabilisation, by Pockels effect *(French)* 4−30504
laser resonator with internal thin lenses, nomogram reduction *(German)* 4−23363
linear nonconservative system, stabilising damping configurations 4−2503
liquid film, flow down plane, Orr-Sommerfeld equation 4−16198
liquid flow inside three-axis ellipsoidal cavity *(Russian)* 4−32056
liquid-gas-interface, with nonharmonic oscills., dynamic stabilization and parametric excitation of instabilities 4−16239
Maclaurin spheroids, adiabatic pulsations and convective instability 4−30008
magnetic field instabilities demonstrated, student experiment 4−26356

stability continued

Meacham bridge oscillator, using quartz resonator, for thin film thickness monitor 4—4967
membrane, inflated spherical nonlinear, contact problem 4—30774
Moon, stability of interior to solid state convection against viscosity 4—17971
multilayer sandwich structures, stability analysis 4—5336
multimode configuration, stability and fluctuations near convection instability 4—16191
multiphase flow, spherical cavity stability, in acoustic field *(Russian)* 4—40585
Navier-Stokes eqns., unsteady, including multicomponent finite rate chem., soln. using finite difference technique 4—27799
non-isothermal flow in channels 4—19979
non-linear systems, multiple-parameter perturbation technique 4—11716
nondestructive shell stability estimation by combined-loading technique 4—29265
nondivergent elastic systems, vibration and stability 4—11755
nonlinear dynamic systems, stability analysis in Banach space 4—18830
nuclear reactor, heavy-water-moderated light-water-cooled, reactivity feedback effect on hydrodynamic stability 4—12439
nuclear reactor, heterogeneous, stationary regime 4—40066
nuclear reactor, perturbed, with negative feedback, new equilib. state 4—5887
nuclear reactor dynamics, anal. of nonlinear Xe oscillation by method of averaging 4—19569
olivine, stability w.r.t. oxidation and reduction 4—34145
orthotropic cylindrical shell partially filled with elastic core, local stability under external press. 4—18871
oscillating cylinder, in uniform flow and wake 4—12719
panel or cylindrical shell in subsonic flow; buckling 4—32076
particle accelerator, iron-free quadrupole focusing, stability of particle motion 4—18547
pendulum, dynamic stabilisation *(Russian)* 4—39571
pendulum, inverted, subject to random parametric excitation, mean square stability 4—26768
photographic image stabilisation, in thiocarbamide and rhodamide solutions *(Russian)* 4—38162
plane dynamic system, stability synthesis from second order differential equation 4—15122
Poiseuille flow, in pipe *(French)* 4—27881
pseudo-dynamical systems, stability of sets 4—30708
pulse amplifier, linear, with negative feedback, gain stability *(Korean)* 4—30590
rapidly rotating stars, secular stability using Poincare's criteria 4—7976
Rayleigh-Taylor instability of two viscous superposed conducting fluids 4—32122
rectangular plate of variable thickness, buckling 4—30785
rectangular plates subject to following compressive forces *(Russian)* 4—39538
rigid body with elastic rods, relative equilibrium stability in circular orbit 4—35699
rigid disc, two-degree-of-freedom, with moving massive load, dynamic response 4—30738
rotary inertia and transverse shear plate, plane strain motion, numerical approx. 4—39548
satellite orbit, using spinning dissipator 4—29804
saturated atmosphere, stability rel. to small perturbation hydrodynamic analysis 4—25685
self-gravitating stellar system, stability rel. to energy and angular momentum 4—22437
self-magnetising gas, propagation of small amplitude waves, determ. of wave eqns. *(Russian)* 4—24243
shell, compact convex, moment-less condition, surface and edge forces *(Russian)* 4—23096
shells, cylindrical with oval cross-section, for momentarily stressed condition *(Russian)* 4—23146
shells, imperfect cylindrical, lower critical hydrostatic pressure 4—11750
shells, sandwich, anal. of stability in plastic region 4—35693
shells, smooth, of minimum weight, anal. using energy method in Alfutov-Balabukh form *(Russian)* 4—18873
shells, truncated, conical, dynamic instability under periodic axial load 4—15146
shells of variable thickness, arbitrary external load *(Russian)* 4—35690
single-frequency high powered laser *(Russian)* 4—39744
soil, collapse limit and stability conditions *(Russian)* 4—29479
spinning membrane disc, stability of transverse waves 4—30815
steel, stainless, stability of cylindrical shells under axial compression, test machine rigidity effect *(Russian)* 4—39164
stellar E models, secular stability, multiple solutions of structure equations 4—30011
stellar models, stability criterion for nonradial modes of pulsation 4—7974
Stokes layers, oscillatory, linear stability theory 4—36642
stratified fluid, rapidly rotating, hydromag. wavelike instabilities 4—6197
string, flexible non-extensible, equilib. stability under stationary field of force *(Russian)* 4—199
sunspot periodic motion, theory of overstable motions in fluid layer 4—17925
test aeroplane for direct tilt control, noise abatement landing approaches *(German)* 4—35119
thin pipes, with fast internal flow 4—15183
three-layer panel with viscoelastic filler, buckling *(Russian)* 4—39540
TRIGA Mk-II reactor, dynamic stability, cross correlation method *(Korean)* 4—5885
two electron-stream system, h.f. e.m. wave instability *(Russian)* 4—39777
two-parameter nonconservative systems, elastic stability 4—30770
uniform subsonic flow, stability of simply supported rectangular surfaces 4—32080
viscoelastic bar, dynamic stability, anal. by averaging method 4—11768
viscoelastic fluid, stability of plane Poiseuille flow 4—20022

stability continued

viscous fluid, nonisothermal flow in channels 4—16173
vision, parafoveal, perception, influence of stimulus movements 4—39036
vision, parafoveal, perception, influence of stimulus movements 4—39037
Ag-Cu system solid solns., solubility curves 4—25298
Al alloy pressure vessels, buckling of cylinder-torisphere combinations under external pressure 4—23800
Ar laser frequency spectrum and mode self-locking 4—19080
H_2 maser, automatic stabilisation of magnetic field 4—19055
Mo, neutron irradiated annealed samples, damaged state stability 4—19599
YIG, spin waves at low temperature 4—3850

stability criteria

semiconductor plate with negative a.c. mobility, diffusion on small signal stability 4—28415
superharmonic resonance in piecewise linear systems, Fourier anal. 4—195
thermo-elastic bodies, discussion 4—5434

stability of numerical methods *see convergence of numerical methods*

stacking faults

alloy, f.c.c., stacking fault tetrahedra form. by plastic deform. *(French)* 4—1533
alloy, W-structure variants *(German)* 4—1479
α-brass, stacking fault energy rel. to extrusions and intrusions development, single crysts. 4—13786
dislocation cell structure reln., stacking fault energy depend. of K 4—32571
electron diffraction analysis of lattice imperfections, computer method for use of goniometer stage 4—3429
electron micrograph technique for identification, book 4—32555
electron micrographs, computer-simulated 4—3427
electron microscope image analysis, use of dynamical theory *(Japanese)* 4—12860
f.c.c. metals and alloys, planar defect shape anal. 4—21262
ferrite, hexagonal, stacking sequences and sequence faults, lattice imaging 4—1066
ferrites, hexagonal, stacking sequences imaging, electron microscopy and diffr. 4—16407
ice:NH_3, X-ray diffraction topography 4—36911
martensitic transformation with long period stacking order, crystallography 4—33639
metal, f.c.c., stacking fault tetrahedra form. by plastic deform. *(French)* 4—1533
metal, h.c.p., X-ray diffr. effects *(Russian)* 4—36909
metal, high temp. creep parameters, review 4—17338
metal, idealized close packed, faulting and phase stability 4—20317
metal system, cubic, rel. to behaviour in uniaxial tensile test 4—37902
permalloy, mag. anisotropy induced by plastic deform., induced defect interactions *(Russian)* 4—37434
polytypes, periodic and layer lattices, direct investigative methods 4—36910
refractory metals and alloys, stacking fault phenomena, block size *(Russian)* 4—29056
Ag, film, vacuum-evaporated, X-ray line shift anal. 4—1179
Ag, rel. to temp. depend. singularities of strengthening coeffs. *(Russian)* 4—10612
Ag, stacking fault energies, model pot. calcs. 4—40809
Al, elec. resist. of stacking faults, rel. to Matthiessen's rule deviations 4—32912
Al, stacking fault energies, model pot. calcs. 4—40809
Al-$CuAl_2$ eutectic, fault line movement investig. 4—21266
Au, annealing of stacking fault tetrahedra, high voltage electron microscope direct obs. 4—16506
Au, low-energy ion bombard. effects on vacancy stacking fault tetrahedra, stereomicroscope obs. 4—16507
Au, stacking fault energies, model pot. calcs. 4—40809
Au wire, recovery and recrystallisation, change in thermoelec. power and elec. resistivity *(Japanese)* 4—17239
BN, wurtzite struct., under press., X-ray and electron anals. 4—13852
Be, stacking fault energies, model pot. calcs. 4—40809
CdI_2, 84 layered rhombohedral cryst., polymorphism mechanism 4—36863
CdI_2, polytypic crystals, kinetics of stacking faults role in struct. trans. and polytype form. 4—28210
Co-Ni-Cr(-Mo) alloy, dislocation nodes rel. to stacking fault energy of superalloy matrix at high temp. *(Jananese)* 4—25323
Co-Ti alloys, thin foil, scanning reflection electron micrograph obs. 4—21278
Co_5Sm, phase transformations 4—7044
Cu, stacking fault energies, model pot. calcs. 4—40809
Cu alloys, size-factor dependence of stacking faults parameter 4—41762
Cu and α-Cu-Sn alloys, cyclic deform. at const. stress amplitude *(German)* 4—25379
α-Cu-Al solid solns., solute atoms influence on stacking fault energy 4—41602
α-Cu-As alloys, stacking fault energies, electron microscopy 4—7091
α-Cu-Ge alloys, annealing, comp. and deform. temp. depend. 4—17248
Cu-Sn(1.35 at.%) alloy, deformed by compression, X-ray and transmission electron microscope obs. *(French)* 4—10581
Cu-Zn alloy, martensitic transform. crystallography 4—33639
Cu_3Au type long period superstructures, survey, interpretation by spatial correlation model 4—1029
Fe alloys, f.c.c. and b.c.t., diffusion bands due to structure defects, random stacking faults 4—9879
Fe-Cr-Ni alloy, dislocation nodes rel. to stacking fault energy of superalloy matrix at high temp. *(Jananese)* 4—25323
GaAs layers, homoepitaxial, surface morphology investigation *(German)* 4—10063
Ge autoepitaxial coatings, electron microscopy *(Russian)* 4—10062
$LiFe_5O_8$, h.v. electron microscopy of stacking faults and dislocations 4—1067
Mg, stacking fault energies, model pot. calcs. 4—40809
Mg_3In long period stacking sequence, press. depend. 4—6357

stacking faults continued
  Mo-Re, alloys, deformed, X-ray diffr. obs. 4−7098
  $Nb_{22}O_{54}$, high resolution electron microscopy 4−9915
  Nb_2O_5-WO_3 system structural investig. of tetragonal tungsten bronze type by electron microscopy 4−12952
  Ni, Ni-Co, positron trapping at stacking faults in metals 4−16508
  Ni ferrite film, planar defect obs., vap. deposited 4−28319
  Ni-Al martensites, stacking modulated struct. 4−17243
  Ni-Co alloys, plastic deformation, effect of stacking fault energy 4−1559
  Si, electron microscope image contrast, effect of modified Wehnelt grid assembly 4−1001
  Si, oxidised, defect generation at stacking faults in thin films 4−3668
  Si, stacking fault energy, pseudopotential calc. 4−20315
  Si:B, defect generation at stacking faults in thin films 4−3668
  Si:B, dislocation generating sources 4−9921
  SiC, growth characts. during reaction sintering TEM obs. 4−25420
  SiC, long period structures, TEM obs. 4−25421
  SiC, polytypic transform. mechanisms 4−24560
  Ti-O and Ti-Al-O alloys, X-ray line broadening, oxygen effect 4−17288
  $ZnSiP_2$, TEM investigation of twinning, stacking faults and dislocations *(German)* 4−20313
  $ZnSiP_2$ single crystals, TEM investigations of lattice defects *(German)* 4−36905
  Zr_3Al, ordered, transmission electron microscope obs. 4−41569
staff *see personnel*
standard microphones *see microphones*
standardisation
  Dobson spectrophotometer, calibration and standardisation in North America 4−4476
  electronic laboratory instrumentation evolution rel. to component technology and microprogramming *(Italian)* 4−14920
  international, industrial measuring, control and processing techniques, trends *(German)* 4−22737
  machine tools, laser interferometer applic. *(German)* 4−5078
  measurement result accuracy and credibility, for quality control 4−18330
  metrology, improvement of quality of linear and angular dimensions measurement instruments 4−35161
  microscope design 4−35297
  miniature circuit breakers 4−35154
  scanning electron microscope, C grid test specimen 4−8510
  scanning electron microscope, high resolution, test specimens 4−8509
  selenodetic frame of reference 4−22346
  sound power levels determination methods, six 4−11460
  tensile testing, parameter standards for measuring instruments 4−18370
  time, synchronisation of atomic clocks using satellite, international time transfer 4−18341
  O_3, atmospheric, optimum ozone station distribution global 4−4635
  O_3 atmospheric, international standardisation of instruments 4−4634
  Si substrate, for device manufacture, standardisation of shape, mechanical, structural and surface props. 4−1449
standards
  see also television standards; units (measurement)
  astronomy, southern i.r. standard stars and absolute calibration of i.r. photometry 4−8110
  electron probe reference standards, refractory carbide characteriz. 4−39411
  epoxide resin systems, international and continental specification 4−10667
  laser coatings, standardisation 4−18492
  polyester resin systems, international and continental specifications 4−10667
Stark broadening *see Stark effect*
Stark effect
  see also atomic spectra
  acetonitrile, Stark spectroscopy of v_4 band, analysis and assignments 4−3159
  allene-1, 1-d_2, microwave spectrum, Stark splitting J=4 from 3, $K_{-1}=3$ transition 4−12591
  aromatic hydrocarbons, static elec. polarisability changes 4−9507
  atomic vapour, Hanle effect of alignment-orientation coupling process induced by Stark effect 4−23970
  azulene-benzophenone mixed crystal, polarisability and dipole moment changes of azulene $^1\pi\pi^*$ state 4−1399
  azulene-naphthalene mixed crystal, polarisability and dipole moment changes of azulene $^1\pi\pi^*$ state 4−1399
  p-benzoquinone, Stark effects on B_{1g} and A_u $n\pi^*$ triplet states 4−1733
  broadening theory, approx. treatment of ion dynamics 4−23961
  p-chloraniline, forbidden factor group states location 4−10439
  crystal, linear, finite, electronic states in elec. field, Stark ladders 4−3703
  cyanoallene, total dipole moment 4−830
  cyclopropyl methyl ether, microwave spectrum, Stark coeff., absolute dipole moment 4−19849
  Dewar benzene, rot. consts. and dipole moments 4−31862
  1,3-diazaazulene, dipole moments, dielectric constant meas. 4−10442
  formaldehyde, Stark spectroscopy of the v_2 bands, rotational consts., dipole moments determ. 4−6069
  formaldehyde and deuterate, spectroscopy of v_2 bands (~ 1750 cm^{-1}) with CO laser 4−40305
  frequency correlation function of intense frequency modulated field 4−8852
  gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4−8398
  gas, used to modulate CO_2 laser, Stark splitting of vibr.-rotation lines 4−18485
  hydrogenic lines, highly excited levels of multicharged ions, Stark broadening *(French)* 4−23958
  isocyanic acid, dipole moment rel. to microwave emission in Sagittarius B2 direction 4−40295
  methane, rel. to YAG:Er 6077 cm^{-1} laser emission coincidence, tetrahedral fine struct. 4−36517
Stark effect continued
  methanesulphenyl chloride, microwave spectra, struct. and direction of dipole moment and quadrupole coupling tensor 4−9545
  methyl fluoride, Stark spectroscopy of v_3 band using 9.6 μm CO_2 laser 4−3158
  microwave spectrometer *(German)* 4−5063
  microwave spectrometer making a Stark modulation absorption cell 4−26438
  molecular beam, time-of-flight distrib. using modulation spectroscopy of population of quantum state *(French)* 4−31973
  molecule, vibration-rotation energy levels, electric and mag. field effects on symmetry 4−3191
  monofluoromethane, study of optical coherent transient effects in collisions 4−9596
  mylar polyester, absorpt. spectrum shift in strong elec. field *(French)* 4−6894
  nitroethane, microwave spectrum and internal rot. 4−828
  nitroethane, microwave Stark and microwave-microwave double resonance spectra 4−9552
  plasma turbulence spectrum, optical polarization measurement 4−12812
  propynal, visible spectrum, electric dipole moment determ. 4−16053
  Raman spectra, mol. vibr. modulation 4−27019
  semiconductor model, 3-band, resonant laser radiation, dynamic Stark effect, dielec. function 4−13410
  1,3,5-sym-triazine, Stark, Zeeman, absorpt. spectra, singlet-singlet, singlet-triplet transitions, excited states geometry 4−17086
  thioformamide, microwave spectrum, Stark shifts, dipole moment calc. 4−31864
  three-level system in intense field, absorpt. line Stark splitting due to noise 4−35821
  vinylcyclopropane, microwave spectrum, dipole moment calc. 4−31863
  Al, atomic beam method for $^2P_{1/2}$ level, tensor polarisability 4−31669
  Ar, $3p^5ns$ levels, Stark shift, intermediate coupling method *(Russian)* 4−12474
  Ba, Stark-splitting of lowest $^1P_1$ levels, level-crossing investigation *(German)* 4−5955
  C I 2478 spctral line, Stark width determ. 4−19673
  CN radical, electric dipole moment of $A^2\Pi$ state, level anti-crossing spectra meas. 4−6031
  Ca, Stark-splitting of lowest $^1P_1$ levels, level-crossing investigation *(German)* 4−5955
  CeF_3:Tm^{3+}, spectrum and energy levels *(Russian)* 4−6925
  D, Stark broadened Balmer line profile, arc meas., ion motion 4−9381
  D_2O, low J states, e.s.r., electric dipole moment 4−12554
  DOF, electric dipole moment, electronic struct. 4−19848
  GaAs, high purity donor transitions 4−10458
  GaSe, magneto Stark effect, crossing of s and p states due to exciton movement *(German)* 4−25117
  H, Stark broadened Balmer line profile, arc meas., ion motion 4−9381
  H, Stark-Zeeman spectra, time depend. generalization 4−9382
  H plasma, turbulent heating, dynamic Stark effect 4−27966
  H_α and H_β Balmer lines, Stark broadening, expt. obs. 4−3062
  $H^{79}Br$, $H^{81}Br$, Stark-Zeeman hyperfine structure, molecular beam electric resonance spectroscopy 4−27694
  H_2O, low J states, e.s.r., electric dipole moment 4−12554
  HOF, electric dipole moment, electronic struct. 4−19848
  $H\alpha$ and $H\beta$ lines, Stark broadening, ion dynamics 4−27523
  He, liquid, Stark effect in electron microwave absorption lines 4−28254
  He, Stark shift in intense light, reson. multiphoton ionisation 4−19694
  He I, shifts of 3889, 4713 and 5016 Å lines from atmospheric plasma jet 4−40685
  He I overlapping 4471.48 Å line in plasma Stark broadening, general impact formation 4−32314
  He plasma, moderately dense, Stark profiles of allowed and forbidden transitions 4−20144
  ^{199}Hg, 6^3D_1 level *(French)* 4−23971
  K, atom, stimulated electron Raman scatt., polarisation characts. 4−36413
  K, perturbation calc. for ground state hyperfine struct. 4−31662
  KBr, dislocation photoconduction spectrum, Stark effect of F-centre 4−28446
  KCl, dislocation photoconduction spectrum, Stark effect of F-centre 4−28446
  KI, dislocation photoconduction spectrum, Stark effect of F-centre 4−28446
  Kr, Stark shift, Jl coupling in ns level 4−19655
  La_2O_3:Eu^{3+}, emission and excitation spectra obs. *(French)* 4−3999
  in Li plasma flux, spectral line widening, explained using electron conc. meas. *(Russian)* 4−32334
  LiF, phononless line of N_1 colour centres, quadratic pseudo-Stark splitting 4−37640
  NH_3, i.r. laser, Stark tuned, use of CO_2 laser pump 4−26952
  NH_3, population inversion, Stark effect laser freq. sweep optical pumping 4−36540
  Na, perturbation calc. for ground state hyperfine struct. 4−31662
  NaCl, dislocation photoconduction spectrum, Stark effect of F-centre 4−28446
  OD, hyperfine Λ-doubling transitions, electric dipole moment 4−3129
  OH, hyperfine Λ-doubling transitions, electric dipole moment 4−3129
  ^{85}Rb, Stark const. of $6^2P_{3/2}$ state 4−12488
  SH hyperfine Λ-doubling spectrum in $^2\Pi_{3/2}$ state 4−27692
  Si I(II)(III), in Ar plasma, spectral line widths and shifts 4−31666
  Sr, Stark-splitting of lowest $^1P_1$ levels, level-crossing investigation *(German)* 4−5955
  Xe, Stark shift, Jl coupling in ns level 4−19655
  Y_2O_2S:Tb^{3+}, luminescence, Stark level identifications *(Russian)* 4−10486
  ZnS, sphalerite lattices, transverse optic mode, rel. to nonlinear polarisability 4−13381
  $ZrSiO_4$:Eu^{3+}, level scheme, Stark splitting and intensities of luminesc. lines 4−13496

stars
see also stellar ......
see also dwarf stars; giant stars; multiple stars; neutron stars; novae; sun; variable stars
absolute declination determ. of equatorial stars from micrometric obs. 4−42519
Ap stars, presence of superheavy elements, r-process 4−11207
blueAp type, a.r. photometry from OAO-z 4−7986
Ap type line identifiction, elemental abundances and equivalent widths 4−4795
Barnard's star, perturbations rel. to orbiting planets 4−26117
Be stars in M52 galactic cluster 4−8078
α Bootis, $^{12}C/^{13}C$ ratio in atmosphere from photoelectric scans 4−11177
bright fundamental stars in the declination zone +40° to −90°, obs. *(Russian)* 4−22410
bright K0-K5 stars, UBRI luminosity index 4−34787
bright stars north of −10° declination, ubvy and Hβ photometry 4−11189
brighter stars of astrophysical interest in southern sky 4−11187
C-S type spectral classification from red region objective prism plates 4−14376
Y Canum Veraticorum bright carbon star, spectroscopic anal. in 1 μm region 4−42417
catalogue of 274 faint reference stars in northern sky areas with galaxies *(Russian)* 4−22409
β Centauri, interstellar D absorption lines 4−22453
composite polytropic stars, gravity modes 4−26101
β Coronae Borealis, Ap star, lanthanide identification from visible and u.v spectrograms 4−14378
β Coronae Borealis, magn. field variations in south polarity extremum 4−8018
CPD-56°8032, identification with cool Wolf-Rayet stars 4−30066
Cygnus X-1 field, UBV photometry of 50 stars 4−30020
declinations from Pulkovo zenith program *(Russian)* 4−38748
Draconis, Si II, Si III spectra at LTE 4−30021
early type B stars broad absorption feature in u.v. spectrum 4−42386
early-type high-luminosity, survey of Hα emission 4−26108
early-type objects, physical parameters 4−14364
emission-line object found in Orion Nebula, Herbig-Haro object 4−14408
faint blue objects in field of BD+15°2469 in Virgo Cluster of Galaxies, U-B colours 4−34811
FK4 declinations, Odessa meridian circle obs. *(Russian)* 4−38746
FK4 declinations, Pulkovo zenith zone obs. *(Russian)* 4−38747
fundamental star catalogues, improvements from artificial satellite motion obs. *(Russian)* 4−30148
gravitational self-lens effect 4−26843
Greenwich time report, Jan.-Mar. 1973 4−7972
H 177, identification with 2U 1639-62 X-ray source and alternative theories 4−2120
Harvard Standard E and F regions, UBV photometry and magnitude sequence zero points 4−30023
HD 122563, metal deficient star, O abundance from [OI] 6300 A line obs. 4−38779
HD 201345, ON9 V type, atmospheric abundances 4−11252
HD 7583, A0Ia-O supergiant in SMC, fine analysis 4−4796
Henize 2-113, identification with cool Wolf-Rayet stars 4−30066
Herbig Be/Ae pre main sequence stars, polarization and photometric variability 4−38774
α Herculis, detection of ^{17}O at 4.7 μ 4−38853
U Hydrae bright carbon star, spectroscopic anal. in 1 μm region 4−42417
image motion correlation, depend. on zenith distance *(Russian)* 4−38312
image motion using telescopes, autocorrelation functions, error estimation *(Russian)* 4−38923
infrared source discovery in M17 at 10μ 4−14452
infrared sources, low resolution spectrograms in 5000-9000 Å range 4−14451
invisible, upper limit to number in solar neighbourhood 4−8073
IRC unidentified southern sources near galactic plane, classification 4−11218
LMC members and galactic stars in LMC direction, radial velocities 4−34783
luminous objects in cores of H II regions 4−14509
lunar occultations of stars, reduction of 119 Cracow obs. 4−34699
α Lyrae, (Vega), absolute flux meas. in rocket u.v. 4−22464
M4-18, identification with cool Wolf-Rayet stars 4−30066
M giants, late cool type stars, H_2 quadrupole rotation-vibration lines in i.r. spectra 4−14374
main sequence, C depletion in envelopes 4−7977
main sequence A to G stars, dependence of microturbulence on absolute f-values for Fe I 4−14428
massive Population II stars, evolutionary tracks and He problem 4−14355
massive stars and i.r. sources 4−8056
neutral stellar object near unusual blue galaxy, identification with radiosource 1107+036 4−42426
neutron capture, slow, nucleosynthesis mechanisms discussion *(Polish)* 4−30016
NGC 6231-92, red giant, IR photometric observ. 4−8032
O5f-F8 type angular diameters of 32 stars 4−38768
O to A0 star distrib. in region in Vela, spectral and colour obs. 4−34934
O-type, Hα line strength obs., comparison with non-LTE model atmospheres 4−30065
O-type stars, new general catalogue 4−14342
observation programme with Danjon astrolabe, Pulkovo Observatory *(Russian)* 4−22411
Of-type stars, physical mechanisms producing N III emission lines 4−14415
Ophinchi, absolute flux meas. in rocket u.v. 4−22464
peculiar, southern, spectral classification 4−8007
Population II blue halo stars, advanced evolution 4−4779
protostars, multifilter i.r. obs., early evolution model 4−2121
protostars, obs. possibilities 4−26136
PZT obs., fortnightly terms in latitude and time obs., periodogram analysis 4−26095
red, in large Magellanic Cloud, u.v., i.r., photography 4−8080

stars continued
red dwarfs, significance of parallaxes in x and y coordinates 4−22465
red giants, Li abundance in envelope 4−11176
rotating, gravit. collapse, 3-D relativity theory, spin coeffs. 4−11105
rotating, linear pulsations and stability *(Polish)* 4−30017
V348 Sagittarii, identification with cool Wolf-Rayet stars 4−30066
α Scorpii, detection of ^{17}O at 4.7 μ 4−38853
δ Scorpii, equivalent widths of interstellar H_2 lines 4−26120
β Scorpii, occultation by Jupiter, multichannel obs. of planet's upper atmosphere structure 4−26001
β Scorpii, occultation by Jupiter, periodicity in flashes during disappearance and reappearance 4−38671
β Scorpii, occultation by Jupiter on May 13, 1971, contact times and brightness 4−7969
sensor for satellite attitude determ. 4−34589
α Serpentis, $^{12}C/^{13}C$ ratio in atmosphere from photoelectric scans 4−11177
stellar objects in Texas radiosource positions, optical spectra 4−34875
supergiants, late cool type stars, H_2 quadrupole rotation-vibration lines in i.r. spectra 4−14374
time and latitude obs., use of ephemeris and reference systems 4−41995
time and latitude tables, photographic zenith tube obs. 4−4777
time determ., ε sec δ systematic errors, reduction *(Italian)* 4−38749
Tokyo Astronomical Observatory, time and latitude bulletins (Feb. 1973) 4−7970
Tokyo Astronomical Observatory, time and latitude bulletins (March 1973) 4−7971
Tokyo time and latitude bulletin (May 1973) 4−30001
Tokyo time and latitude bulletins (April 1973) 4−30000
Tokyo time and latitude bulletins (July 1973) 4−38751
Tokyo time and latitude bulletins (June 1973) 4−38750
UBV photoelectric sequences in celestial equatorial selected areas 4−14365
UBV photometry of 63 southern stars 4−38812
η Ursae Majoris absolute flux meas. in rocket u.v. 4−22464
UV stars, computer simulations of surrounding interstellar medium, H I region 4−30141
visibility in optical instrument, threshold brightness 4−30159
Wolf-Rayet stars in Galactic window around longitude 307 degrees 4−34806
young disc giants, UBVBI photometry, luminosity, velocity distrib. 4−8026
young stars, evolution, galactic orbit calcs. 4−8072
ZC 1336, 2500, 1705 and 2490 grazing occultations by Moon 4−7968
C, forbidden [CI]λ8727 line 4−42416
Hα emission-line, in Large Magellanic Cloud, luminosity function 4−8021
He rich B-type stars, composition and evolutionary status, ubvy colours 4−30034
He stars, UBV photometry for determ. of variability at optical wavelengths 4−14427

starters *see starting*

starting
see also excitation; ignition
A-1 nuclear reactor starting problems 4−23773
first Czechoslovak nuclear power station, starting of A-1 reactor 4−23771
HTGR, low-enriched with continuous refuelling, running in strategies 4−31493
nuclear reactor, startup physics testing at Westinghouse 4−31495
nuclear reactor startup tests 4−36332
nuclear ship Otto Hahn, FDR core commissioning *(German)* 4−36252
plasma torch, mains frequency, automatic system for protection, start up and shut down 4−32338
power reactor startup, applications of observational kinetics 4−36331

startup *see starting*

state of the art studies *see reviews*

state-space methods
surface impedance of plane stratified media, e.m. scattering 4−23254

static (atmospherics) *see atmospherics*

static electricity *see electrostatics*

static electrification
see also triboelectricity
broadcast antenna guy insulators, calc. 4−23242
Hg motion over scintillator coated glass 4−16811

statics
see also hydrostatics
relativistic, asynchronous formulation, pivot events 4−30871

stations, power *see power stations*

statistical analysis
see also measurement errors; probability; random processes; statistical theory of nuclear reactions and scattering
300 mb heights and winds, comparison of quasi-optimal and conventional objective analysis schemes 4−21974
A_1 moonquakes, mechanism and epicentre determ. 4−7938
Abell catalogue of rich clusters of galaxies, statistical analysis 4−11226
accelerated convergence expansion applic. to pion-nucleon scatt. 4−12080
acoustic power, flow of random point sources *(Japanese)* 4−35115
activation-analysis, precision determ. 4−2421
air temperatures, mean monthly, stability of anomaly field, Northern hemisphere *(Russian)* 4−34418
alpha-particle scattering on Mg and Si nuclei, anal. of excitation functions 4−23709
atmospheric temperature profiles from radiosonde data *(Russian)* 4−38364
atmospheric temperature tendency curves, application in automated prediction scheme 4−38333
axisymmetric shield, fast neutron penetration 4−40056

statistical analysis continued
beam waveguide sequence of lenses with random surface irregularities 4—35719
colloid, variational soln. of Poisson-Boltzmann eqn. for electrostatic pot. 4—29236
comets, interstellar origin evidence, number-brightness correlation 4—34761
communications systems, laser binary, effect of spectral shape on error 4—31063
compact, shrinkage of interconnected pore system 4—21373
cooperative phenomena, in physics and biology, book 4—23216
correlation coefficient, group rank 4—35617
correspondence analysis, application to geological process interp. 4—34489
cross spectrum analysis of pairs of complex valued time series 4—30727
cumulus seeding, Florida experiments, application of Bayesian statistics 4—21955
desorption spectra, N_2 on W 4—13099
discriminant analysis algorithms, atmospheric precipitation example *(Russian)* 4—34410
dislocation glide, thermally activated, random point obstacle array 4—28099
dry solid random and non-random mixtures, variance-sample size relations, autocorrel. approach 4—29260
earthquake data from 14 different areas, statistical properties, dissertation 4—21856
earthquake occurrences in China since 1000 AD *(Chinese)* 4—38192
earthquakes in Mexico City, magnitude probabilities and nonrandomness 4—34114
education, experiment in nuclear counting and assoc. statistical distribs. 4—18297
elastic bodies, random interaction with surroundings, sound insulation 4—11779
elementary particle multihadron production processes 4—23521
elementary particle resonance parameters anal. using statistical extrapolation method 4—39917
elementary particle resonance width determ., Gaussian errors 4—8939
emission spectroanalysis, standard deviation of anal. line pair 4—35555
equilibrium filling of above-critical pores, with nonwetting liquid 4—7382
experiment design *(German)* 4—8621
extragalactic objects, statistical analysis of catalogues 4—8061
extreme wind distrib. prediction, statistical analysis of seven methods 4—34353
extremes of magnitude, prediction technique 4—14110
factor analysis, of e.g. structure *(French)* 4—42556
fibre, electrostatic field alignment, statistical anal. 4—11880
fluid, meas. by photon correlation technique comprising laser Doppler 4—26741
gamma-ray angular correlation expts. 4—26594
gamma-ray spectra, complex, following (n,γ) reaction 4—39356
gamma-ray spectrum analysis with Ge(Li) detector, shape function of photopeaks 4—30552
gas flame radiation intensity fluctuations *(Italian)* 4—22798
gas-wall interaction, determined probabilistic reflection model 4—36600
geodetic control networks, European triangulation misclosures 4—4316
geophysical data, detection of weak anomalies against noisy background 4—25827
glass, structural disorder, statistical anal. of e.p.r. and n.m.r. spectra 4—20218
hydrodynamics, random flow, Gaussian nature of vel. distrib. 4—36633
hydrologic series extrapolation using data generation rainfall meas. *(Italian)* 4—34423
hydrophysical processes, current sampling estimates of moment functions of fluctuating fields *(Russian)* 4—38300
Kirkwood gaps, statistical theory 4—34726
laser illuminated degraded surfaces, statistical investigation of reflected light 4—18445
least squares, non-linear, symbolic formula manipulation, appl. 4—11609
light scattering, randomly heterogeneous material *(Russian)* 4—19044
light scattering by identical independent scatterers, single-interval statistics 4—23270
long-period comets, perihelion distrib. 4—34762
loose medium, displacement and strain distrib. determ. 4—35615
loose medium, random excess of definite level of displacement and strain 4—35616
low-energy level spacing distrib. in nuclear table 4—431
MBBA, liq. cryst., Raman spectra anal. of statistical theories of nematic ordering 4—10419
measurement errors, variance of r.m.s. and entropy error values, dependence on number of observations 4—22740
meteor trail drift measurements, determination of optimum algorithms 4—25878
meteorological field observations, constraints of balance equation and positive-semidefiniteness of wavenumber spectral matrix 4—21957
multivariate distributions, characterisation 4—39490
nuclear activation analysis, appl. of binomial distrib. statistics for accuracy estimation, Poisson distrib. 4—35548
Nuffield physical science project, assessment 4—18317
open ensemble, power spectrum, kinetic eqn. rate const. calc. 4—26854
optical digital phase meter, phase fluctuations statistical characts. 4—18500
Pearson type 3 distribution for sampling error of T-year events 4—21903
photogrammetric sample, using modulated normal distrib. 4—30513
photogrammetry, recursive methods, algorithms 4—30514
photomultiplier tube secondary multiplication anal. using histogram of anode pulse amplitudes *(French)* 4—35403
pitch of complex tones, optimum processor theory 4—42569
plastics, electrical breakdown 4—41336

statistical analysis continued
Poisson distribution computer-aided experiment for students 4—22715
PSE extreme value testing using method of average error 4—42564
QSO close pairs, a priori calculations 4—42433
radiation complex spectra anal. 4—39969
radiation hydrodynamics, two-dimensional implicit, rel. to gaseous mediums 4—6206
radiation protection, rationale 4—42606
radioactivity counting equipment, statistical method for meas. of equipment instability 4—23013
rainfall, neighbourhood gradient analysis 4—34387
rainfall events, extreme, probability analysis 4—14115
random field properties *(Russian)* 4—5327
random pulse trains, book 4—8622
reciprocal molten salt system, statistical model rel. to thermodynamic function *(French)* 4—10787
regression, least squares method, processing roughness profilograms 4—35191
robust methods, for damaged, sparse, and badly distributed data 4—15132
separation of equispaced variable, statistical procedure for determ. 4—4933
Shippingport nuclear reactor neighbourhood infant and neonatal mortality rates, regression analysis 4—42602
sonar, aural mode, effects of various S/N ratios 4—18134
sound wave, scattered by random surface, appl. to reflection at underwater surface *(French)* 4—22655
spatial distribution of Au island condensates on KCl 4—20505
stellar spectra, diffuse interstellar bands, correlation analysis 4—14502
stochastic analysis, e.m.g. signals, multi-functional prosthesis control applic. 4—35011
stress/strain relationships, three-dimens., multiple linear regression techniques applic. 4—13966
surface roughness measurement, profile and power spectral densities investigation 4—18360
theory of extreme values applied to earthquake prediction *(Chinese)* 4—34105
visibility sensors, statistical analysis of transmissometer and scattered light recorder 4—34535
Volterra's functional eqns. in theory of damage 4—6423
Wolf numbers, monthly average forecast *(Russian)* 4—22238
X-ray fluorescence spectrometry, statistical method for meas. of equipment instability 4—23013
W separated isotopes, neutron resonance spectroscopy 4—12344

statistical mechanics
see also lattice theory and statistics; quantum statistical mechanics
binary liquid mixture, thermal cond. investig., modification of statistical mech. theory 4—40921
binary system, distribution functions and equilibrium consts., classical 4—10744
Boltzmann equation generalization, from Liouville eqn. using projection operator techniques 4—30907
book, covering series of lectures 4—11839
Brownian particle, random force autocorrelation function 4—8718
chain molecules, partition of function, kinetic energy emission 4—31990
Chapman-Enskog method, transport in weakly coupled systems 4—8727
charged particle system possessing intrinsic mag. moments, mag. interactions *(Russian)* 4—11841
Chetaev's principle for system of large number of particles 4—15234
classical picture of quantum mechanics 4—15205
classical vector model, appl. to liquid crystals 4—39641
cluster properties, strong, finite range interaction systems 4—26860
compressibility, triplet interaction, correlation functions, pressure consistency conditions 4—2581
computer simulation, review paper 4—30933
contact angle for simple fluids near rigid solids, statistical mechanical approach 4—11842
cooperative systems, computer simulation 4—18969
correlations in classical and quantum systems far from thermal equilib. 4—5406
Coulomb gas, 2-D, canonical partition function, low temp., point particles 4—18973
critical system, multipoint correlation functions, dilation and conformal covariance 4—11872
crystals, one-particle distrib. function, thermodynamics of inert gas solids 4—32638
diffusion processes, Einstein formula, mechanistic models 4—26865
electrodynamics of one-dimensional Hohlraum, invalidity of equipartition law 4—15233
ensemble theory of large interacting systems, computer simulation, relaxation process 4—15246
Enskog equation, modified, for hard sphere mixtures, linear transport coeff. 4—18994
equilibrium systems, projection techniques 4—231
equivalence for mixing in abstract dynamical system, Liouville eqn. 4—18967
ergodic theorems for Markoff processes 4—2458
ergodic theory, philosophical models of statistical explanation 4—30310
ergodynamic system, family of limited functions less than unity *(German)* 4—35743
fluid, renormalization groups, Wegner's method, critical exponents 4—15264
Fokker-Planck system, soln. of correlation function 4—15252
gas, moderately dense, H theorem, entropy irreversible processs 4—19953
Gauss principle of arithmetic mean, statistics approach 4—15231
generalised Liouville equation *(German)* 4—5405
Gibbsian ensemble theory, presence of 1/N! factor 4—11840
Ginzburg-Landau field in one dimension, screening approx. 4—26884
hadron interactions, gas analogue for multiplicity distrib., phase transitions and dual resonance model 4—23515
hadronic fluid analogue for 50-303 GeV/c pp collisions 4—15577
Hamiltonian dynamics, generalization to 3m-dimensional phase space, geometrical approach 4—15194

statistical mechanics continued
hard core fluid, dielec. props. eval. with Monte Carlo method 4−30888
hard sphere diffusion model and velocity autocorrelation function for Lennard-Jones fluid 4−23208
hard sphere fluid, Percus-Yevick eqn. analytic soln. 4−19008
hard sphere gas, low-density, expansion of Van Hove self-correlation function $G_s(r,t)$ 4−39627
hard-sphere fluid, eqn. of state 4−26845
hard-sphere fluid eqn. of state 4−26844
hard-sphere gas, recurrence method for free energy determ. 4−39624
harmonic oscillator system, phase function, asymptotic ergodic props. 4−18972
Helmholtz free energy, nearly close packed strips of hard squares, brickwall config. 4−11862
hydrodynamics, nonlinear, nonlocal, eqns. for relaxation to equilibrium 4−2561
ideal classical gas, equations of state 4−39668
inelastic scattering, in-out decoupling calcs. 4−23207
invariant toroids of N-dimensions, variational principles 4−39494
ionic solutions, non-ideal solvents, no-charge dipole model, ion-solvent interaction model 4−21607
ionic systems, statistical thermodynamic treatment 4−21606
kinetic equations, existence, term order of magnitude anal. 4−30908
Lennard-Jones gas system, eqns. of motion, stochastic behaviour 4−8711
light scattering, intensity variation as function of incident coherence 4−19041
liquid mixtures, excess thermodynamic props. *(French)* 4−14007
liquid surface, transition zone struct., thermodynamics 4−20468
Lorentz gas, high density phenomenon models 4−35753
macro- and microphysic, interrelationship 4−35742
macrofracture of solids under quasistatic external loading *(Russian)* 4−18902
macroscopic descriptions, mathematical framework 4−2442
macroscopic descriptions of microscopic phenomena Cartesian products, summary functions 4−2443
Maxwell distribution functions, evaluation using method of binary small parameters 4−3237
meson spherical model for simple polar mixtures, exact solution 4−18970
molten salt system, AB-A'B, statistical model, appl. to anal. of enthalpy of mixing *(French)* 4−41991
multicomponent chain of interconverting links 4−19933
negative temperature states of two-dimensional plasmas and vortex fluids 4−20067
non-uniform systems, general evolution equations from projection operators *(Spanish)* 4−5403
nonequilibrium, of finite systems, avoidance of infinite system limit 4−15228
nonequilibrium, of weakly interacting finite systems, master eqn. 4−15229
nonequilibrium system, Curie relations *(Russian)* 4−39671
nonlinear response, general theory 4−35739
nonlinear response, hydrodynamic eqns. 4−35740
one-dimensional fluid, and region, surface energy, struct., pair density 4−15232
one-dimensional system, Maier-Saupe model soln. *(French)* 4−20205
one-dimensional system, partition function determ. *(French)* 4−18968
particle wave phenomena and substitution for classical field theory in wave mechanics *(Hungarian)* 4−2527
phase space distrib. function, Zubarev statistical operator 4−30889
plasma, random-phase-approx. soln. of partition function 4−27932
plasma turbulence theory, entropy max. concept *(Japanese)* 4−27945
polymer chains, anal. by path integral and diagram methods 4−9636
polymers, anal. of melting transition in lattice models 4−27783
probabilistic physics combination of quantum and statistical theory 4−15129
projection operator method using Liouville's eqn. 4−26846
quantum semiclassical theory from relativistic statistics, two-particle case 4−8671
random field properties *(Russian)* 4−5327
relativistic many particle system, reduction of volume to surface *(Russian)* 4−11830
solid-state equilib. and transport phenomena, book 4−13012
specific heat, statistical measure for probability distributions 4−30932
subdynamics in Prigogine classical mechanics 4−39499
superconductivity theory, cluster variation method, Hartree-Fock approximation, BCS Hamiltonian 4−10214
supercritical fluids, correl. for thermodynamic props. at high pressure 4−13029
superoperator transformation theory and Kruskal's generalization of averaging method, comparison 4−11844
teaching paper on time development of statistical system 4−8284
time correlations, expansion for many-body system, appl. to theory of liquids 4−11843
time-displaced correlation functions, kinetic eqns. without memory 4−15230
transition from analytic dynamics to statistical mechanics, review in book 4−5407
transport processes, nonlinear shear viscosity, stress effects 4−15253
transport properties of Van der Waals fluid, formal theory 4−26867
two-dimensional model system, invariant states and time correlation function 4−26861
variational methods, review, in book 4−5408
vertex model, boundary condition equivalence and long range order in antiferroelectrics 4−26863
Yang-Lee distribution for class of lattice gases 4−15245

statistical theory of nuclear reactions and scattering
actinide fission, statistical model for fragment excitation and energy distrib. 4−36239
appl. to compound nucleus theories, R-matrix theory *(Rumanian)* 4−31335
balance tests, detailed, of T reversal invariance in fluctuations region 4−23657

statistical theory of nuclear reactions and scattering continued
combined area method, neutron strength function for ^{177}Hf(n,n) resonance reaction 4−9184
complex nuclei, A=40 to 200, anal. of structure of highly excited states *(Russian)* 4−15630
compound nuclear reactions, computation of total and differential cross section 4−9133
compound nucleus cross-sections calc. for elastic and inelastic scattering 4−36173
compound nucleus formation, new mechanism of pre-equilibrium emission 4−9136
compound-nucleus reaction mechanism, excitation functions in closed form *(German)* 4−27299
correlation analysis, for (d,p) (n,γ), A=24 to 80 4−9222
emission of light particles from highly excited states, continuum shell model, d and t decay widths 4−2781
energy dependence of cross section, for ^{28}Si$(\alpha,\alpha)^{28}$Si and ^{24}Mg$(\alpha,\alpha)^{24}$Mg reactions 4−9242
equilibrium statistical model, for ^{197}Au(d,xn)$^{199-x}$Hg, x=4, 6, 7, 8 and 9, and ^{197}Au(d,pxn)$^{198-x}$Au, x=0, 2, 4 and 6 4−9221
excitation function analysis, for ^{12}C(^{12}C$,\alpha)^{20}$Ne, 18 to 25 MeV 4−9290
exciton model, intermediate-state decay rates 4−15746
exit states model, intermediate struct. in ^{115}In$(n,\gamma)^{116}$In reaction 4−9191
fissile nuclides, multilevel effects in unresolved resonances region of cross sections 4−5771
fission, neutron induced, ambiguities of reaction widths in R-matrix parametrization 4−36241
fission width of excited nuclei, discussion of innaccuracies 4−2989
fluctuation analysis of intermediate structure, for ^{88}Sr(p,p_0) at 12.5 MeV 4−9189
fluctuation cross sections for inelastic nucleon scattering on deformed nuclei 4−19374
fluctuation region, restraints on detection of resonance parameter correlations 4−2856
Griffin model, comparison of (p,p′) and (p,n) energy spectra for ^{103}Rh, ^{159}Tb and ^{169}Tm at 18 MeV 4−9183
Hauser Feshbach calculations, for ^{12}C(^{14}N,^{6}Li)^{20}Ne, ^{12}C(^{14}N,^{7}Be)^{19}F and ^{12}C(^{14}N,p,(d),(α)) reactions 4−9294
Hauser Feshbach estimates of scattering mechanism, for ^{12}C(^{12}C,^{12}C)^{12}C 4−9293
Hauser-Feshbach analysis of heavy-ion induced compound nuclear variations 4−15909
Hauser-Feshbach calculations, absolute cross section for ^{150}Sm, ^{150,148}Nd(^{16}O$,xn\gamma$) and (^{16}O$\alpha xn\gamma$) reaction 4−9296
Hauser-Feshbach method, calc. of compound-nucleus contribution to ^{14}N inelastic proton scattering 4−19412
Hauser-Feshbach theory, channel similarity in deformed nuclei 4−9134
Hauser-Feshbach theory, departures due to level-level correlations is deformed nuclei 4−19374
Hauser-Feshback theory anal. of ^{65}Cu$(p,n\gamma)^{65}$Zn, angular correlations for spin sequences 4−19336
heavy ion induced reactions, statistical compound nucleus theory of shape isomers 4−9305
heavy ion induced reactions, theory of isomer ratios of shape isomers, comparison with expt. for ^{238}U(^{11}B$,\alpha 3n)^{242}$Am 4−5835
heavy ion reactions, statistical models, excitation functions *(Russian)* 4−662
hybrid model, excitation functions for ^{197}Au$(\alpha$(^{3}He),yp,xn) and ^{181}Ta$(\alpha$(^{3}He)(d),yp,xn) reactions 4−9241
level density anal. review 4−15747
Migdal's theory, appl. to nucleon-nucleus scattering, ^{15}N(p,n)^{15}O 4−9171
nucleon escape width, calc. rel. to single-particle component of doorway state 4−9135
Poisson, and non-Poisson behaviour of radioactive systems 4−18589
pre-compound emission mechanism and internal cascades 4−36174
pre-equilibrium and knock-on models, for ^{153}Eu, ^{160}Dy, ^{161}Dy(n,α) reactions at 14 and 18 MeV 4−9180
pre-equilibrium emission, for ^{147,152,154}Sm, ^{150}Nd, ^{176}Yb(p,α) reactions at 18 MeV 4−9181
pre-equilibrium emission, for (n,n), ^{56}Fe(n,p) and ^{58}Ni(n,p) reactions 4−9182
pre-equilibrium processes, for ^{197}Au(p,α), ^{141}Pr(n,α) and ^{165}Ho(n,α) reactions 4−9178
pre-equilibrium state widths, calc. from absolute (n,n′) spectra 4−9176
randomness tests, for intermediate struct. rel. to resonance energies 4−9075
spin flip probability, for ^{12}C(p,p′)^{12}C 4−9173
thermodynamic model approach to p + nucleus interactions and fast light nuclide ejection *(French)* 4−9163
Villar's technique, intermediate struct. for nucleon-nucleus scattering 4−9192
Weisskopf-Ewing formula, separation of pre-equilibrium and equilibrium emission, for (n,n′) reactions 4−9179
(α,xn) estimation of max. cross section of excitation functions 4−12309
α-decay, spontaneous, transmission factor calc. 4−31315
(d,p) reactions, compound-nucleus and deuteron D-state effects in T_{20} analysing power 4−9208
(n,f) reactions around 1 MeV, search for fission shape isomers 4−19548
(p,np_1), compound-nucleus mechanism near neutron threshold, isobaric analogue resonance decay 4−19406
(p,xn) estimation of max cross section of excitation functions 4−12309
^{27}Al(d,α), final state spin dependence and reaction mechanism 4−31384
^{12}C-^{12}C cross sections for elastic and inelastic scattering, fluctuation analysis 4−12377
^{12}C(^{11}B$,2\alpha)^{15}$N, 28 MeV, energy spectra and cross section meas. reaction mechanism determ. 4−36219
^{12}C(^{13}C$,n\alpha)^{20}$Ne, n-α correlation study, compound nucleus reaction model 4−9300
^{12}C(^{16}O$,\alpha)^{24}$Mg, cross section enhancements beyond $(2I+1)$ rule for ^{28}Si compound nucleus formation 4−9299

statistical theory of nuclear reactions and scattering continued
^{12}C(^{16}O,α)^{24}Mg, statistical model, evidence for ^{24}Mg decay into ^{12}C + ^{12}C 4−9298
^{13}C(^{12}C,nα)^{20}Ne, n-α correlation study, compound nucleus reaction model 4−9300
^{40}Ca, compound nucleus, particle emission from high excitation 4−12379
^{44}Ca(p,n)^{44}Sc, low energy, excitation of $k=0^-$ rotational band, statistical model 4−15610
Cd (p,α) compound nucleus contrib. 4−5803
^{54}Fe, neutron scatt. 2.9 MeV, optical model and statistical theory *(Russian)* 4−23693
^{156}Gd(p,n)^{156}Tb, determ. of ^{156}Tb statistical parameters using compound nucleus model *(French)* 4−19417
^{157}Gd(p,n)^{157}Tb, determ. of ^{157}Tb statistical parameters using compound nucleus model *(French)* 4−19417
^{25}Mg(d,α), final state spin dependence and reaction mechanism 4−31384
^{31}P(p,α), statistical fluctuation analysis, isospin dependence of ^{32}S level widths 4−12168
^{31}P(p,p′), statistical fluctuation analysis, isospin dependence of ^{32}S level widths 4−12168
Sn (p,α) compound nucleus contrib. 4−5803
Sn(p,p′), 14 to 17.8 MeV on A = 118 to 124 isotopes, isospin conservation and pre-equilibrium decay 4−40008
^{117}Te compound nucleus in ^{40}Ar and ^{14}N induced reactins, ang. distrib. of changed particle evaporation, critical ang. momenta 4−9302
^{233}U, Adler-Adler resonance parameters 4−31334
^{235}U, Adler-Adler resonance parameters 4−31334
^{235}U(n,t), intermediate structure of cross-sections in unresolved resonance region 4−36240
Xe + π, GeV region, quasifree interactions statistical interpretation *(Russian)* 4−36233
statistical thermodynamics *see statistical mechanics*
statistics
see also error statistics; game theory; probability; queuing theory
binary vinyl copolymer with asymmetric α-C atoms, general and Markov statistics 4−27775
β Cephei stars, frequency within 200 pc of Sun 4−30043
classical occupation problems anal. using combinatorial mathematics *(German)* 4−35619
classification by weak attributes using max. likelihood method *(Russian)* 4−35621
confidence limits on product of two uncertain numbers 4−177
counting experiments and exptl. data evaluation using statistical methods 4−5326
e.l.f., atmospheric noise level for project Sanguine 4−38356
independent intervals model, general soln. 4−26765
large deviations, local limit theorems *(Russian)* 4−30731
laser speckle patterns, extreme value statistics of max. intensity 4−26931
many-photon processes, statistical phenomena 4−39713
nonstationary reverberation, signal processing 4−8267
Norton County meteoroid, size distrib. of meteorite fragments 4−29988
optical system, under-sampled, statistical estimation of point image 4−23275
radiosources, statistical properties of extragalactic objects 4−14439
sampling techniques, book 4−18847
speckle, second order statistical props. meas., autocorrelation and Wiener spectrum 4−18425
stators
bar-type electrostatic generator, stator field determ. *(Russian)* 4−5442
fan stator noise, unified anal. 4−42667
steady-state theory *see cosmology*
steam
bubble, frequency and departure under pool boiling conditions *(German)* 4−20052
condensation in vacuum, heat and mass transfer, ice formation 4−32697
condensing injector, steam-H$_2$O, study of heat transfer process 4−5880
desublimation under medium vacuum, heat and mass transfer 4−32695
dropwise condensation phenomena 4−3558
marine seismic source, Vaporchoc, using pressurized steam 4−7818
molecular composition, assoc. under press., effect on enthalpy, entropy 4−12536
nuclear reactor, on-load monitoring of local steam velocity by neutron noise anal. 4−36274
nuclear reactor loss-of-coolant accident, steam relief in scaled models of cold-leg piping and pressure vessel 4−40103
transport properties, consistency test using kinetic theory 4−12661
CO$_2$-H$_2$O, nonhomogeneous gas mixture, i.r. spectra, overlapping bands 4−27798
O$_2$-H$_2$O-D$_2$O, gas mixture, vibrational relaxation 4−40366
steam boilers *see boilers*
steam generators *see boilers*
steam plants
see also boilers; condensers (steam plant)
200 MW unit, electro-filter for, modernisation *(Polish)* 4−5443
nuclear steam generator tubing, 12Cr ferritic steels and Ni-rich alloys, corrosion tests 4−41923
superheater tubes, high-temp. fuel oil fume effects on corrosion 4−21331
steam turbines
corrosion, high-temp. microphotographs after 10000 to 15000 operating hours 4−21332
HTGR, design and development of series steam turbine driven helium circulator 4−27397
nuclear power reactor, CANDU circuits, approach to materials selection rel. to corrosion control 4−31558
nuclear reactor, 2300 MW(e) twin HTGR, design 4−27393
steel
σ-phase formation in 26Cr:6Ni stainless steel 4−7054
abrasional wear resistance of diffusional boron based claddings *(Russian)* 4−37884
acoustic emission activity, ring-down counting 4−7406
steel continued
adhesion and environmental stability of oxide coatings *(Russian)* 4−33762
adhesion of polyethylene, photo-ageing effect *(Russian)* 4−38084
adsorption cracking tendency, microhardness obs. *(Russian)* 4−33765
ageing kinetics, hardness, elec. resistivity and coercive force 4−7178
ageing of parts from large forgings 4−41751
aging intergranular chromium carbide precipitation, temp. depend. 4−1525
aluminised, growth rate of Fe-Al layer 4−37908
anisothermal stress relaxation 4−13771
annealing, influence of mag. properties, obs., Si-free type specimen *(Polish)* 4−41756
annealing texture control by deform. before completion of recrystn. *(Russian)* 4−33696
as-cast, containing Ce additions, wear resist. *(Russian)* 4−7169
austenite, isothermal transform. kinetics, effect of plastic deform. 4−13608
austenite, unstable, characts. 4−1468
austenite conversion process, deform. resist. changes *(Russian)* 4−33764
austenite formation below 723°C, accelerated heating 4−13615
austenite grain growth in 55S2, effect of small Mn and V additions 4−7084
austenite lattice parameter changes during martensitic transform. *(Russian)* 4−37789
austenite structural state during continuous hot strip mill rolling 4−41635
austenite/proeutectoid orientation relationship 4−17218
austenitic, 1Kh14N18V2B carbide phases, effect of B on distrib. and amounts 4−7083
austenitic, carbide stabilizing elements effect on creep-rupture strength and microstruct. changes 4−37920
austenitic, containing boron, mechanicothermal treatment effect on heat resist. 4−41748
austenitic, corrosion in flowing sodium composition dependence 4−27466
austenitic, crack growth and form. in creep *(Russian)* 4−37872
austenitic, Cu-containing, fine precipitate coherency loss mechanism *(French)* 4−7047
austenitic, dynamic recrystn. characts. 4−41622
austenitic, hardening and kinetics of ageing, effect of explosive impact, 4Kh12N8G8MFb 4−13714
austenitic, low temp. mech. props. in biaxial tension 4−41731
austenitic, martensitic transform. influence on strengthening and wear resist. in dry friction *(Russian)* 4−17293
austenitic, metastable, austenitic stability rel. to tensile props. 4−7142
austenitic, metastable, with nonequil. struct., heating vel. influence *(Russian)* 4−33662
austenitic, recrystn. and precip. during hot working 4−41628
austenitic, stainless, study of thermal stress ratchetting using three bars specimen 4−33804
austenitic, thermal and thermomech. treatment effects on mech., elec. and mag. props. *(Russian)* 4−17292
austenitic, V-containing, precip. after soln. treating and ageing, hardness 4−37829
austenitic Cr-Ni, LEED-Auger investigations of (100) surface *(German)* 4−37909
austenitic EP17, struct. in zone of thermal influence during welding *(Russian)* 4−41562
austenitic heat-resistant, fine struct. changes during ageing *(Russian)* 4−10570
austenitic metastable, mech. props. rel to alloy elements and struct. *(Japanese)* 4−41693
austenitic stainless, Cr effect on nitrogen activity 4−33681
austenitic stainless, deformation martensite *(German)* 4−25290
austenitic stainless, effect of minor alloy variations on thermal densification 4−17313
austenitic stainless, fine grain structure by rolling and annealing control 4−41631
austenitic stainless, hydrogen-induced grain boundary and twin boundary structs. 4−29086
austenitic stainless, hydrogen-induced phase transform. sequence *(Japanese)* 4−41528
austenitic stainless, in flowing sodium interstitial element movement 4−27469
austenitic stainless, influence of high hydrostatic pressure on flow stress 4−1604
austenitic stainless, interstitial and minor element mass transfer in sodium 4−27470
austenitic stainless, kinetic aspects of corrosion in high temp. sodium 4−27467
austenitic stainless, stress corrosion cracking in boiling MgCl$_2$ solns., comp. effect *(Japanese)* 4−41696
austenitic stainless, transform. influence on work hardening 4−29172
austenitic stainless, Type 316, thermal-mech. treated, microstruct. stability 4−37845
austenitic stainless Cr-Mn-N type, grain size effect on tensile props., 25-1000°C 4−17346
austenitisation at various heating rates, struct. defects influence on temp. conditions *(Russian)* 4−17192
autoclaves, embrittlement of steel used in autoclaves for hydrothermal crystallisation 4−21319
bainite occurrence, carbide free, struct. and props. *(Polish)* 4−41559
bainite structure, carbide free, microscopic exam., 0.18 C-0.5 Mn-2.4 Cr-1.4 Mo-0.003% B, carbide free bainite struct 4−10582
bainite transformation, characts. 4−29035
bainitic transformation metallography 4−17219
bainitic transformation of AISI 86B80 type, u.s. obs. 4−29053
beam, box-section, exptl. determ. of carrying capacity under bending load *(Russian)* 4−21311
beam-columns, anal. soln. of yield load 4−35662
bearing, high temp. mech. props., effect of nonmetallic inclusions 4−1577
bending, ductility rel. to quenching and tempering treatment 4−1585

steel continued
- biaxial-extension, applicability of hardening hypothesis to regions of small plastic deformation *(Russian)* 4−21329
- biaxially stretched sheets, strain hardening and instability 4−13703
- boiler, heat resistance, effect of rate of cooling from autenitizing temp., 12Kh1MF and 15Kh1M1F 4−13712
- boride coatings, redistrib. of C and alloying elements 4−13732
- boronising as surface hardening process 4−13758
- in Borsic/Al composite, effect on transverse creep and stress-rupture 4−13865
- brittle failure resistance of high tempered steels with initial bainite or martensite 4−1581
- brittle fracture, elastic-plastic mechanics of crack extension *(Czech)* 4−41699
- brittle fracture prevention criteria, wide plate test data use 4−33966
- carbide and coherent precipitate containing, fatigue behaviour 4−13782
- carbide phases produced during tempering, nucl. gamma reson. obs. *(Russian)* 4−21252
- carbide surface distribution, electron microprobe quantitative phase analyser 4−33716
- carbide transformations and influence on mech. props., Cr steel specimens *(Russian)* 4−29093
- carbides in steel, surface distribution, electron microprobe quantitative phase analyser 4−33716
- carbon, for nuclear power reactor feedtrain, design factors rel. to corrosion control 4−31501
- carbon, radiation shielding, meas. and Monte Carlo calcs. of n spectra behind thick samples 4−36364
- carbonitrided, failure character and phase comp. of surface layer, tempering effect 4−29120
- carburization, high-temp. sodium loop 4−3040
- carburized, microcracking and fatigue 4−37918
- carburized, tempering in fluidized bed., struct. and props., 18Kh2N4VA 4−13716
- carburized case, retained austenite and hardness after quenching in 2 media, 18Kh2N4VA 4−13730
- case hardened En 41b, nitriding effect on mech. props. 4−13768
- cast, yttrium influence on physicomech. props. and corrosion resist. *(Russian)* 4−10623
- cast rolled 20KhGNR, struct. and mech. characts. *(Russian)* 4−33725
- casting, high-Mn, operational reliability rel. to low temp., P content 4−7189
- cavitation erosion of wear surfaces, spheroidal particle production 4−24511
- cementite containing, working hardening and fracture 4−33749
- chromised coatings, phys. metallurgy and rel. to applics. 4−13759
- cladding, on mixed oxide fuel elements, intergranular and uniform attack 4−23895
- cladding, on mixed-oxide fuel elements, rupture mechanism 4−23897
- cleaning, transmission electron microscopy, development of industrial detergents 4−10054
- coated with Ni-P, corrosion fatigue strength, thermal treatment influence *(Russian)* 4−41656
- coating and cleaning, organic compound coating, SEM exam. 4−37910
- coating with Al powder, phys. metallurgy aspects 4−13766
- cold brittleness, analytical description of influencing factors *(Russian)* 4−10719
- cold rolled, cementite dislocation struct. *(Japanese)* 4−4090
- cold rolled sheet annealed in humid hydrogen, mech. props. and ageing tendency 4−41727
- cold rolling influence on hydrogen permeability *(Russian)* 4−37883
- cold-rolled, unalloyed, effect of phosphorus additives on mag. properties *(Russian)* 4−16946
- composite, fibre-reinforced steel wire-Al, brittle boundary layers, fracture behaviour analysis *(Russian)* 4−38048
- composite, fibre-reinforced steel-Al, boundary layer formation, effect on tensile strength *(German)* 4−38047
- composite, glass, Na-Fe-SiO_2, on low C steel, wetting and adherence 4−13835
- composite, glass, Na-Fe-SiO_2, on steel, Mossbauer spectroscopy studies 4−17009
- composition effects on formation and adherence of galvanized coatings 4−37896
- construction, recrystallisation and precipitation induced by high temp. deformation *(French)* 4−7175
- construction steel, hot-strengthened, reliability 4−7206
- construction steel, strength and ductility characts. 4−7207
- constructional, fatigue and corrosion-fatigue strength, electrothermal treatment influence *(Russian)* 4−1570
- continuously poured hollow ingot, conditions of formation and heat regime of internal cooling *(Russian)* 4−4161
- corrosion, intercrystalline, effect of heat treatment on susceptibility, 000Kh16N15M3 4−33787
- corrosion cracking, apparatus for plane specimens in fixed bending *(Russian)* 4−10722
- corrosion fatigue strength, galvanic Cr-Cd plating influence *(Russian)* 4−1569
- corrosion fatigue strength of notched specimens, cathode polarization influence *(Russian)* 4−10616
- corrosion resistance increase on exposure to laser radiation *(Russian)* 4−41667
- corrosion stability, rel. to roller applic. *(Russian)* 4−1568
- corrosion susceptibility in hydrogen, carbon thermodynamic activity influence *(Russian)* 4−10618
- corrosion types and protection, stainless steel and austenitic steel *(Dutch)* 4−37120
- crack arrest in increasing K-field 4−33965
- crack arrest temperature, effect of struct. and specimen thickness *(German)* 4−21300
- crack detection, u.s. shear wave techniques, topography role in small crack meas. and detection ability 4−25449
- crack growth kinetics, subcritical, under sustained locating 4−7123
- cracking resistance in sulphur pulp, grain size influence *(Russian)* 4−1566
- creep, cycle-depend., under random loading 4−38101

steel continued
- creep, elec. and mag. field effects 4−33813
- creep resistance, alternating load influence, 450°C *(Russian)* 4−41669
- creep resistance enhancement 4−7146
- creep resistant, microhomogeneity removal by electroslag remelting 4−1576
- cross-polished, vapour deposited metal carbides, microanal. investigations *(German)* 4−37839
- cutting mild steel using plasma arc 4−37911
- cyanide coatings, change in struct. and props. under cyclic temp.-force influences 4−4143
- cyclic loading, test stand 4−29280
- cyclic plastic reaction, fatigue endurance curves *(Czech)* 4−7138
- deformed at high rates, effect on grain size, carbide heterogeneity and bending strength, R18 4−13736
- density meas. using air comparison pycnometer *(German)* 4−41928
- die, cold-worked, treated for secondary hardening, alloying fundamentals 4−13724
- diffusion chromium plated, fatigue and contact strength *(Russian)* 4−1571
- diffusion of C, profile determ. by nuclear microprobe 4−2417
- diffusion of hydrogen, microvoid effects 4−33692
- directionally solidified, thermomech. processing effect on sulphide inclusions 4−17272
- disc. determ. of plastic state and max. rot. speed, from hardness meas. 4−7409
- ductile-brittle transition temperature determ. by stat. method 4−41740
- elastic-plastic fracture by homogeneous microvoid coalescence tearing along alternating shear planes 4−13646
- electrode potential determ. w.r.t. reversibility of friction *(Russian)* 4−37885
- electron microscope examination, solute distrib. 4−8504
- electron probe microanalyser appls. in metallurgy *(German)* 4−7050
- electrospark alloying with bronze and Mo, surface layer obs. *(Russian)* 4−41785
- embrittlement by hydrogen, austempering effect 4−41745
- embrittlement by hydrogen, conditions for max. effect 4−13751
- embrittlement by hydrogen, loading mode effect 4−7152
- embrittlement by hydrogen, microscopic vs. macroscopic aspects 4−17355
- embrittlement by hydrogen, stress gradient effect 4−17350
- embrittlement by hydrogen of specimens with nonmetallic inclusions 4−41737
- energy transfer system, rolling element bearing wear in cryogenic fluids 4−29295
- eutectoid, phase transform. sensitivity under pulse loads, initial struct. influence *(Russian)* 4−10563
- explosive hardening, wear resistance increase of steels 4−25372
- extra-mild, Al-killed, preparation for deep drawing, recrystallisation *(French)* 4−7231
- fatigue, axial fatigue strength, crack strength and notch radius at branch point 4−33755
- fatigue and corrosion-fatigue resist., ring-notch depth influence *(Russian)* 4−1691
- fatigue and creep, X-ray diffr. applic. 4−33759
- fatigue crack initiation, surface replica obs., 4340 steel 4−7064
- fatigue crack propag. in irrad. and unirrad. ASTM A533-B specimens at low cyclic freq. 4−19592
- fatigue crack propagation, high strain, above room temp., 1018 steel 4−13802
- fatigue cycling effect on positron lifetimes 4−13804
- fatigue failure stages occurrence and consequences *(Russian)* 4−41919
- fatigue fracture initiation during rolling, austenite struct influence *(French)* 4−17227
- fatigue fracture kinetics in working medium, method and apparatus *(Russian)* 4−10723
- fatigue fracture microfractography, review *(Russian)* 4−21272
- fatigue life, subjected to alternating loads under uniaxial and biaxial static strain, criteria 4−13747
- fatigue life prediction under stationary Gaussian random loads 4−41915
- fatigue strength in mag. field, energy dissipation correlation, 2Kh13 4−13749
- Fatigue strength of 40KhNMA and 30KhGSA grade steels after high temperature thermomechanical treatment 4−1579
- fatigue strength of rapid heat treated specimens, effect of mean stress 4−41639
- fatigue strength rel. to creep damage 4−7216
- f.c.c. to hexagonal martensitic transformations, stress and deform. induced, anisotropic length changes *(German)* 4−13597
- ferric, low alloy, strain concentration behaviour in notched round bar subjected to creep 4−23810
- ferrite lattice spacing, P and Si redistrib. effects *(Russian)* 4−33726
- δ-ferrite variation during homogenization of 1Kh16N4B 4−1523
- ferrite-martensite net structure, micromechanisms of fracture *(Czech)* 4−41700
- ferrite-martensite net structure, micromechanisms of fracture *(Czech)* 4−41701
- ferritic, dispersion-strengthened, for fast reactor structural material 4−27451
- ferritic, effect of carbon on creep-rupture properties in LMFBR 4−23898
- ferritic, influence of alloying elements on corrosion in dynamic sodium 4−31555
- ferritic, low alloy, nuclear reactor pressure vessel surveillance specimen techniques 4−36362
- ferritic, stress corrosion cracking in chloride environment, effect of Ni additions 4−41646
- ferritic alloys combining strength and toughness at cryogenic temps. 4−25395
- ferritic stainless, ridging mechanism 4−17244
- ferrous martensites, extra diffraction spots, obs. and origin 4−41594
- fibre reinforced composite, interfacial shear strength, pullout test 4−4236
- flaking proclivity 4−1522
- flow stress rate sensitivity 4−13797

steel continued
  forged, corrosion-fatigue strength in carbamate soln. *(Russian)* 4−37882
  forged matensitic Mn-Ni-Cr, causes of easy etchability of grain boundaries *(Czech)* 4−41572
  forgings, radiation embrittlement sensitivity, contrib. of residual elements 4−10626
  fracture, plastic to brittle transition *(Italian)* 4−33811
  fracture criterion for cold forming 4−41777
  fracture criterion for surface flaws and weld defects 4−33969
  fracture types in load controlled low cycle fatigue 4−1560
  friction contact, effect on fretting fatigue strength of Al-Mg-Mn alloys 4−21348
  frictional consts. determ. for different types in contact at liquid N_2 temps. *(Russian)* 4−17300
  grain boundary ferrite allotriomorphs, growth kinetics 4−7074
  grain size control methods 4−41623
  hardenability, effect of Mo, ShKh15SG 4−13733
  hardened, hydrogenation intensity and cracking tendency in HCl and H_2SO_4 solns. *(Russian)* 4−41666
  hardened, multi-cycle fatigue failure and morphology of fish eye *(Russian)* 4−41658
  hardened, strength-differential effect, temp. depend. 4−13801
  hardening, Nb effect on grain size *(Russian)* 4−21312
  heat resistance, ductility and hardenability, 4Kh2GSVMF rel. to 3Kh2V8F 4−33802
  heat resistance at varying temps., exptl. verification of parametric calc. method *(Russian)* 4−10621
  heat resistant, austenitic, 3Kh15N13Yu3 4−29123
  heat resistant, effect of Nb on props. 4−7187
  heat resistant, effect of structure on strength and high temp. oxidation 4−41749
  heat resistant, grain growth, effect of rare earth metals during recryst. 4−7085
  heat resistant fastener, EP44, charact. of failure, micropores 4−7184
  heat treatment, following cold forming *(German)* 4−25347
  heat treatment, thermomechanical treatment in H_2-containing atmospheres 4−33812
  heat-resistant, effect of vacuum heat treatment on props. 4−13717
  high Cr, Kh17, deformability texture depend. 4−1575
  high temperature austenitic, effect of cold forming on creep *(German)* 4−25349
  high yield strength, for atomic energy reactors, development *(French And English)* 4−5907
  high-C, low temp. deform. of martensite, struct. singularities *(Russian)* 4−17230
  high-C, quenched, tempering, martensitic decomposition stages 4−1584
  high-C, recrystn. between intervals of high temp. deform. 4−7154
  high-chrome, damping props. in homogeneous tension-compression stress state, and temp. effects 4−7203
  high-Mn, three-dimens. recrystn. diagram 4−41585
  high-Ni, low-C steel, strength, effects of Mo, W, V 4−4142
  high-Ni, precip. characts. 4−29089
  high-speed, C diffusion in ferrite 4−29063
  high-speed, double tempering 4−29117
  high-speed, high-temp. multistage hardening 4−13723
  high-speed, production from cold-pressing powder mixtures 4−37974
  high-speed, X82WMo6.5, linescan electron microscope investigations *(German)* 4−25330
  high-speed and die, effect of temp. on modulus of elasticity 4−29118
  high-speed tool type, fabrication by ultrafine powder metallurgy 4−7240
  high-strength, acoustic emission testing 4−33940
  high-strength, crit. stress-intensity coeff. in corrosion cracking *(Russian)* 4−41665
  high-strength, environment-enhanced fatigue crack growth, loading variables influence 4−17484
  high-strength, fracture toughness, effect of alloying elements, 40Kh2GSNMA 4−33791
  high-strength, prior plastic strain effect on SCC threshold behaviour in sea water 4−7119
  high-strength, stress corrosion crack advance in dry gases 4−17356
  high-strength, synergistic relation between temper and hydrogen embrittlement 4−33833
  high-strength, torsional flow and fracture characts. 4−10729
  high-strength low-alloy, austenite range tensile deform. effect on transform. kinetics 4−37800
  high-strength reinforcing, brittle fracture susceptibility in hydrogen-containing substance 4−41744
  high-strength sintered alloy prod. using transition metal carbides 4−7241
  high-strenth AISI 4340, plastic instability in pure shear 4−7147
  high-tensile, H-induced brittle fracture *(German)* 4−13674
  hot-pressing, dynamic, struct. formation *(Russian)* 4−21389
  hydrogenated, internal friction *(Russian)* 4−41659
  inclusions, parallel appl. of electron microanal. and X-ray anal. 4−4067
  internal friction and shear modulus during repeated $\gamma \rightleftarrows \varepsilon'$ and $\gamma \rightleftarrows \varepsilon$ transforms, Mn-type steel *(Russian)* 4−33779
  interstitial phase orientation relationships 4−1520
  laminates, austenite-martensite transformation study dimensional anisotropy 4−7004
  laser induced deformation modes, time depend. 4−19127
  localisation of B-containing constituents by neutron and autoradiography (n,α) with aid of solid-state detectors *(French)* 4−30660
  low alloy, pressure vessel, photoemission electron microscopy, specimen straining stage appl. 4−8523
  low cycle high-temperature fatigue under uniaxial and biaxial stress 4−4156
  low-alloy, Cu particles identification, dark field image technique 4−9794
  low-alloy, fatigue crack growth mechanisms 4−1548
  low-alloy, martensitic ageing, influence of Sb *(French)* 4−10630
  low-alloy high-strength, overheating and fracture toughness 4−37898
  low-C, ageing time for serrated yielding 4−1595
  low-C, Al-rich layers formed during hot dip galvanizing 4−7155
  low-C, as-cast and wrought, hot ductility 4−25388

steel continued
  low-C, boron-treated, transform. kinetics and hardenability 4−7017
  low-C, containing Nb, structures and textures 4−41633
  low-C, containing Nb(CN) dispersion, isothermal recrystn. kinetics 4−41619
  low-C, controlled rolled, carbonitride particles effect on recovery and recrystn. 4−41629
  low-C, cyclically strained, carbide particle precip. and growth 4−1495
  low-C, ductility rel. to nonmetallic inclusions 4−1583
  low-C, dynamic strain ageing effects decrease due to load removal *(Russian)* 4−17298
  low-C, effect of loading time on hardness-stress relation 4−7201
  low-c, fatigue crack propagation 4−41776
  low-C, high temp. transform. and layer morphology on reaction with liq. Sn *(French)* 4−33758
  low-C, hydrostatically extruded rod, residual stresses 4−17308
  low-C, low-cycle fatigue strength, notch effect 4−41638
  low-C, Nb-bearing, hot-rolled, effect of cold rolling and annealing on texture and plastic strain ratio 4−41609
  low-C, pearlitic structures effect on wear, room temp. to 800°C 4−41637
  low-C, pressurized, grain size effect on onset of serrated yielding 4−17369
  low-C, reinforcing bars, stress corrosion cracking in nitrate environment *(German)* 4−25348
  low-C, resist. to small plastic deform., elastic range loading *(Russian)* 4−37875
  low-C, specimen shape and size effects on creep and rupture props. 4−41775
  low-C, temper brittleness and internal friction *(Russian)* 4−33780
  low-C, under plastic deform., H embrittlement rel. to crevice crack formation *(German)* 4−13675
  low-C $\alpha \rightleftarrows \gamma$ transition after high-velocity loading with metallic plate *(Russian)* 4−4057
  low-C austenitic Mn-Cr type, martensitic transitions *(German)* 4−7036
  low-C ferritic and pearlitic, hardening rel. to mode of deformation 4−13683
  low-C low-alloy, temper embrittlement phenomena 4−25393
  low-C manganese type, water-cooled and tempered, low temp. toughness 4−25396
  low-C martensite, low temp. tempering, electron and neutron irrad. effects 4−33815
  low-C medium-alloy, thermally hardened, corrosion cracking resist., Al alloying influence *(Russian)* 4−41671
  low-C mild, carburized and uncarburized, tensile props. 4−33770
  low-C sheet, hot band struct. influence on texture development 4−41634
  low-C sheet, niobium effects on cold-rolling and recrystn. textures 4−41601
  low-cycle endurance in working media, shock wave influence *(Russian)* 4−41663
  low-P high-Mn, thermomech. treatment influence on ductility *(Russian)* 4−7171
  low-pearlite, strength, ductility and toughness, effects of V, Nb, C and Si 4−33789
  low-strength, microcleavage cracking during fatigue crack propag. 4−29102
  lower yield strength during discontinuous yielding, grain size and cross-head vel. effect 4−41710
  magnetisation curve and hysteresis loop recorder with electronic control 4−22919
  maraging, 18Ni type, strength differential phenomenon 4−29171
  maraging, attainment of strengths of 110-130 kg/mm^2 4−41750
  maraging, austenizing treatment effects on props. 4−41752
  maraging, deform. during heat treatment 4−7179
  maraging, Fe-Ni-Co-Mn type, ordering contrib. to hardening *(Russian)* 4−10562
  maraging, heat-affected zone props. rel. to thermal cycles during welding 4−7233
  maraging, hydroerosion resistance, effect of heat treatment 4−7180
  maraging, improved fatigue resist. through thermomech. processing, rel. to struct. 4−13783
  maraging, initial decomp. stages *(Russian)* 4−21250
  maraging, struct. and mech. props. of welded joints 4−41788
  maraging, structure and props. of welds, N18K9M5T steel 4−7232
  maraging, structure and props. of welds 4−7232
  maraging, structure development on cumulative thermal cycling *(French)* 4−41583
  maraging, substitutional, low temp. ageing rel. to serrated flow *(Japanese)* 4−41697
  maraging, sustained load cracking behaviour in hydrogen, preloading influence 4−41641
  maraging, thermal embrittlement and grain boundary segregants 4−25344
  maraging high-speed cutting Fe-Co-W type, struct. and comp. changes influence on hardening *(Russian)* 4−4119
  maraging N18K8M3TYu, embrittlement after slow cooling from high temp. 4−7181
  martensite, etching of prior austenite grain boundaries 4−33719
  martensite, Fe−Ni−C type, hydrogen embrittlement, interstitial carbon and metallurgical factors influence *(French)* 4−13677
  martensite, heat effect during $\varepsilon' \rightarrow \gamma$ transform. *(Russian)* 4−7023
  martensite form. kinetics, internal struct. and surface relief *(Russian)* 4−17194
  martensite structure depend. on carbon conc. *(Russian)* 4−4079
  martensite-austenite and bainite-austenite orientation relationships comparison *(Russian)* 4−21221
  martensitic and austenitic, fatigue crack propag. rates 4−37922
  martensitic point, physical interpret. *(Russian)* 4−13587
  martensitic transformations, elec. resist. changes, alloying elements effect *(Russian)* 4−37787
  martensitic transformations, plastic deform. effects, Mn type specimens *(Russian)* 4−21225
  martensitic-aged, strengthening by deformation at liquid N_2 temps. *(Russian)* 4−21310
  martensitic-ferritic, phase transform. during hot deform. 4−33665
  mechanical properties, effect of plastic deform. in mag. field 4−21342

steel continued
mechanical properties and struct., low-temp. ageing applied before high-temp. treatment effect (*Russian*) 4−10666
mechanical properties of low-alloy steels, effect of small Nb additions 4−33790
mechanical props., effect of Cr-Ni diffusion coatings, medium-C steel 4−29124
medium-C, alitizing influence on creep (*Russian*) 4−41670
melting by laser radiation, influence of thermophysical properties (*Russian*) 4−4160
microhardness indentations, dam formation, investig. (*German*) 4−41926
microstructure after electroslag remelting (*Czech*) 4−7053
microstructure rel. to mech. props 4−17347
mild, brittle fracture by dynamic strain ageing 4−13770
mild, compression tests, high strain rate behaviour 4−13969
mild, critical tensile stress rel. to fracture toughness 4−41682
mild, EnIA, discontinuities in S/N curves, fatigue tests 4−4138
mild, fracture toughness depend. on temp. and crack velocity 4−13699
mild, h.f. cyclic load effects on mech. props. and dislocation struct. (*Russian*) 4−10611
mild, influence of upper yield stress in bending and torsion behavior 4−25355
mild, liquid Li embrittlement, tensile props. 4−3046
mild, microstruct. inhomogeneities effect on recrystn. 4−41630
mild, perforated sheet, criterion of ductile fracture on tensile testing 4−33745
mild, plates under pure bending containing through crack, yield zones 4−37891
mild, reactive ion plating of TiC coatings 4−13776
mild, strain ageing and Bauschinger effect 4−17365
mild, stress and deform. during axisymmetric necking 4−33956
mild, stress-strain curve in initial stages of cyclic loading 4−7109
mild, surface investigation by secondary ion mass spectrometry 4−10599
mild, vanadium-bearing, planar band colonies form. 4−1498
miniature latching relay applic., Cr-Co type mag. cores 4−37948
molten, water jet atomisation 4−17371
neutron activation analysis, 14 MeV, oxygen, silicon, copper and phosphorus determ. (*Flemish*) 4−1166
neutron embrittlement surveillance of Garigliano nuclear reactor pressure vessel 4−32587
nitride case, alpha phase structure 4−41584
nitride case, hardness at high temps., 38KhMYuA 4−29119
nitride content, electron probe and X-ray diffr. microanal. 4−37840
nitriding kinetics 4−13767
nitriding kinetics from high-temp. etching in NH_3 4−29106
nonmagnetic, precipitation-hardening, surface hardening with nitriding and surface work hardening 4−29108
nuclear reactor cladding, neutron damage, voids, vol. increase 4−5922
nuclear reactor fuel cladding, possibility of nitridation at sodium-steel interface 4−40129
nuclear reactor material, sodium interaction effects (*Japanese*) 4−31531
nuclear steam generator tubing, 12Cr ferritic steels and Ni-rich alloys, corrosion tests 4−41923
oxidation, oxide film struct., grain size and growth effects (*Japanese*) 4−41577
oxide content, electron probe and X-ray diffr. microanal. 4−37840
oxy-laser cutting technique 4−8871
pearlite, cold drawn, SEM obs. 4−10595
pearlite, substruct., TEM obs. 4−33720
pearlite growth, directional control by specimen translation through steep temperature gradient 4−7005
pearlite morphology, model approach 4−17270
pearlite reaction, interrupted quench effect 4−17220
pearlitic, slow fatigue crack propag., microstruct. role 4−21323
pearlitic, spheroidization during isothermal subcrit. annealing 4−25390
pearlitic and spheroidized, continuum mechanics approach to yield strength and microstruct. 4−33737
peeling thin film shapes 4−4213
perforation of thin sheet, CO_2 continuous wave laser energy density 4−2630
phase transformation, $\alpha \to \gamma$, kinetic analysis (*Russian*) 4−37790
piping components, low-cycle fatigue strength 4−31515
piping connections, low-cycle fatigue strength 4−31518
plastic deformation, plastic deform., void form. around microscopic particles 4−13643
plastic deformation behaviour in tensile and hydraulic bulge testing 4−37905
plate, fracture toughness rel. to shear lips thickness 4−17495
plate, St.3 and 10KhSND, struct. and props. after rapid cooling 4−7188
plated with vanadium, chem. comp. effect on struct. and props (*Russian*) 4−41657
polyethylene coated, corrosion-fatigue strength (*Russian*) 4−10624
porosity, from sintered powder 4−7257
precipitation-hardened, high-temp. variable-stress creep and segregation behaviour (*German*) 4−7086
precipitation-strengthened low-alloy Nb-containing, strength-toughness relations 4−17311
prehydrogenated, low-cycle fatigue, temp. depend. (*Russian*) 4−1567
pressure vessel, stress distribs. for spherical shells with nonradial nozzles 4−23801
pressure vessel, thick-walled, for nuclear reactor, fracture behaviour 4−40088
pressure vessel, thick-walled, for water-cooled nuclear reactor, fracture tests 4−36311
pressure vessel, u.s. in-service inspection 4−31512
pressure vessel technology, conference, San Antonio, Texas, USA (October 1973) 4−23796
pressure vessels, acoustic emission inspection 4−31510
pressure vessels, acoustic emission testing 4−31508
pressure vessels, acoustic emission testing 4−31509
pressure vessels, COD as measure of fracture initiation 4−33963

steel continued
pressure vessels, coldstretched austenitic stainless steel, development 4−31524
pressure vessels, explt. determ. of plastic collapse loads 4−23816
pressure vessels, low-cycle fracture resist. 4−31516
pressure vessels, thick-walled and multilayer for power reactors, comparison with concrete vessels 4−27431
pressure vessle type, explosive forming and static deform. effects on mech. props. 4−7158
proeutectoid ferrite reaction kinetics, Al, Co and Si influence 4−17203
protection using cracked methanol 4−8575
quenched, low-tempered, Bauschinger effect 4−37897
quenched and tempered, austenitic struct. form. in crit. temp. range during slow heating (*Russian*) 4−17193
quenched martensitic carbon, internal friction changes rel. to ageing (*Czech*) 4−7136
radioactive contamination, low level radioactivity meas. 4−5189
reactor pressure vessel, acoustic emission rel. to crack opening displacements meas. 4−29291
recovery and recrystn., contactless meas. 4−7144
recrystallisation process, rel. to grain structure formation, 08kp steel 4−13649
reinforcing carbon, thermally hardened during rolling, stress corrosion cracking susceptibility (*Russian*) 4−1565
reinforcing type, stress level effect on hydrogen damage 4−41743
residual stress relaxation by thermal stress relief 4−33839
ribbon reinforced Al composite, deform. and fracture mechanisms 4−1659
rolling, continuous process, strength rel. to heat treatment 4−1582
rotor type, cold brittleness, grain size and cooling rate effect 4−41754
rotor type, interaction of creep and low-cycle fatigue 4−29263
round-compact-tension specimen geometry for K_{Ic} meas. (*German*) 4−21531
rupture, gas adsorpt. effect on surface energy, electron microscopy 4−13746
saturation with Mo from vapour phase, Kh18N10T 4−29109
second phases, kinetics of soln., Kh18N12T 4−33731
secondary hardening at 550°C by bainitic quenching after recovery (*French*) 4−37865
segregation ratio determination using an electron microprobe (*German*) 4−1519
SEM investigations of fatigue failures 4−10591
sensitivity to stress concentrations, effect on ductility and toughness, 0KhN40MDTYu 4−13735
sheet, punch-stretched, expansion and temp. distrib. investigations (*Japanese*) 4−41760
sheet, yield pt. elimination by rapid temp. change 4−7140
singing, heat treatment and relax. process rel. to sound 4−7191
single-phase structure, small inclusions investigation method (*Czech*) 4−41573
sintered, based on sponge and atomized powders, P additions effect on mech. props. 4−7245
sintering, application of theory in practice 4−21379
sliding friction, metal transfer mechanism 4−33820
spectrometric analysis, in Ar, removal of O_2 impurities before anal. (*German*) 4−35552
spheroidised 0.5%C, hydrostatic press. influence on tensile deform., void development 4−37950
spring steel D16T, fracture due to creep (*Russian*) 4−41781
spring wire, fracture after low temp. tempering 4−41753
St. 3 low-C, yield strength meas. 4−2232
stabilisation and ageing of austenite, 25-80°C (*French*) 4−37943
stainless, 20% CW Type 316, time-to-rupture in postirradiation and in-pile creep 4−23902
stainless, 304, photodesorption 4−10050
stainless, α/γ duplex, Ashby-Verrall model for superplastic flow 4−37953
stainless, AISI Type 304, heat-to-heat variations in fatigue and creep fatigue at 593°C 4−25361
stainless, AISI Type 304, low-cycle fatigue behaviour, hold time effects 4−4141
stainless, arsenic residual element evaluation 4−13775
stainless, austenitic, sigma phase form., deform. and recrystn. effect 4−7219
stainless, austenitic, void form. with high-energy electron irrad., grain size effect 4−20297
stainless, cavitation suppression by polymer injection 4−12735
stainless, channels, heat transfer to liquid He 4−5015
stainless, cladding of EBR-II irradiated Mark-IA driver fuel, end-of-life obs. 4−27457
stainless, cladding on mixed oxide fuel rods, correlation of chemical attack 4−23896
stainless, coarse grain austenitic, angle beam u.s. testing, longit. mode 4−33936
stainless, corrosion and mass transport in sodium systems 4−27468
stainless, corrosion characts., ordering processes and carbide formation in alloy N70M27, effect of V and Nb 4−17312
stainless, Cr-Ni-Nb type, recrystn. processes 4−41616
stainless, defect production by protons, neutrons and Ni ions, computer modelling 4−24494
stainless, deform. in presence of LiH 4−33836
stainless, displacement cross sections due to neutron collisions 4−2993
stainless, effect of high He content on swelling, fusion reactor applications 4−23860
stainless, effect of O_2 in Na on radionuclide release in nuclear reactors 4−23877
stainless, effect of temp. on fusion reactor first-wall erosion by radiation blistering 4−23855
stainless, fatigue crack propagation, thermomech. processing effect 4−7153
stainless, ferritic and martensitic, stress corrosion cracking behaviour in saline solns. 4−10605
stainless, fibre metallurgical aspects of failure 4−1647
stainless, fibre/Pb-Sn (5 wt.%), micromechanics and mech. props. of matrix (*Japanese*) 4−13862
stainless, fretting corrosion and fretting fatigue 4−4157

steel continued
stainless, fusion reactor shield for CTR magnet, optimum design, materials 4−19608
stainless, heavy ion bombardment *(Japanese)* 4−1432
stainless, imperfect elasticity, effect of method of obtaining martensite 4−33801
stainless, intergranular crack propagation rel. to deformation rate 4−17302
stainless, liq. Na exposed, corrosion products identification 4−10597
stainless, liq. Na exposed, electron microprobe anal. 4−10598
stainless, low cycle fatigue damage accumulation 4−1608
stainless, low temp. isothermal martensitic decomp. 4−29048
stainless, low-C, nitride case formation 4−29107
stainless, lubrication by fatty amines, failure rel. to adsorption 4−12988
stainless, martensitic transformation *(French)* 4−10567
stainless, mixed-oxide fuel rod cladding in EBR-II, postirradiation exam. 4−23903
stainless, Mossbauer effect, depth-selective meas. using scattered electrons 4−30629
stainless, neutron diffusion calc. rel. to ^{239}Pu critical conc. in water 4−27493
stainless, neutron irrad. induced swelling, effect of minor constituents 4−12449
stainless, neutron irradiation transmutation effects in fusion reactor blankets 4−23858
stainless, Ni-base, wear resistant, effect of heat treatment on struct. and props. 4−13727
stainless, nuclear reactor casings, irrad. effects on ductility, creep and metal swelling *(French)* 4−36350
stainless, oxide spallation kinetics and product morphology 4−13793
stainless, passivation, effect of Mo *(French)* 4−33784
stainless, plastic flow, dislocation distrib. for work hardening and density of mobile and immobile dislocations 4−1499
stainless, reinforced Al, residual stresses and mech. characteriz. 4−1654
stainless, segregation of S during heating, LEED-Auger studies *(German)* 4−4093
stainless, semicoherent interface struct. between grain boundary nucleated carbide and austenite grain 4−33689
stainless, sensitised 309S, behaviour in hydrogen 4−41705
stainless, sensitized, stress corrosion cracking in oxygenated high temp. water 4−41650
stainless, simulation of neutron irrad. effects by h.v. electron microscopy 4−1072
stainless, sintered, sulphidizing 4−17377
stainless, stability of cylindrical shells under axial compression, test machine rigidity effect *(Russian)* 4−39164
stainless, surface effects on tritium diffusion 4−23834
stainless, surface investigation by secondary ion mass spectrometry 4−10599
stainless, thermal response to pulsed laser radiation, time depend. 4−8845
stainless, transport of activated corrosion products in Na loops in LMFBR 4−23880
stainless, tubes, in-reactor creep expts. 4−23901
stainless, tubing, elastoplastic behaviour under bending, pressure, torsion 4−29297
stainless, Type 304, elevated temp. flow at high strain rates, math. description 4−17483
stainless, Type 304, grain boundary corrosion by caesium oxides 4−5919
stainless, Type 304, interfacial free energies and temp. coeffs. 4−1491
stainless, Type 304, radiation damage obs. by h.v. electron microscopy 4−24488
stainless, Type 304L, defect structures produced by electrolytic hydrogen charging 4−17276
stainless, Type 304L, hydrogen release during plastic deform. 4−17349
stainless, type 304L, small offset yield surfaces 4−21299
stainless, Type 316, annealed and cold worked, nickel ion bombardment 4−23835
stainless, Type 316, deformed in slow tension, substruct. obs. 4−1506
stainless, Type 316, grain boundary penetration by Cs$_x$O$_y$, biaxial stress-to-failure props. 4−31544
stainless, Type 316, heat treatment effect on fast neutron damage, creep-rupture tests 4−27452
stainless, type 316, LMFBR cladding performance prediction using deformation mechanism maps 4−27454
stainless, Type 316, neutron irrad., ferrite form. 4−23907
stainless, Type 316, substructure due to creep, quantitative characteriz. 4−7070
stainless, Type 316, u.s. meas. of cold working percentages 4−4239
stainless, Type 316L, Ni$^+$ irrad., dislocation density changes *(French)* 4−19587
stainless, vibratory cavitation damage tests 4−13970
stainless, void coarsening during electron irradiation 4−1073
stainless, wetting by Na, 98 to 800°C 4−3045
stainless 18-8, oxide films, effect of surface polishing in high temp. water *(Japanese)* 4−13686
stainless and S45, cyclic dynamic loading, shear u.s. second harmonic variation *(Russian)* 4−4123
stainless austenitic, creep cavities distrib., effect of grain size 4−37899
stainless austenitic, intergranular corrosion, rel. to grain boundary chem. 4−37824
stainless carburized, corrosion resistance, optimal heat treatment 4−13728
stainless corrosion chemistry in liquid sodium 4−27464
stainless corrosion in liquid Na, X-ray diffr., prod. identification 4−32825
stainless Cr-Ni, $\alpha\rightarrow\gamma$ transform., redistrib. of Ni, Cr and Mo 4−13612
stainless Cr-Ni type, carbon and titanium effect on hot workability 4−7162
stainless maraging Fe-Cr-Ni, effect of alloying and phase comp. on props. 4−13726

steel continued
stainless type 304 welded, strength and microstructure in LMFBR pressure vessel 4−23899
stainless type 308 shielded metal arc weld, varying ferritic content, high temp. properties 4−23900
strain hardened, diffusion of interstitial and substitution atoms 4−13652
strain induced e.m.f., meas., mechanism 4−29098
strainless, void initiation in ductile fracture 4−17324
strength and ductility, temp., and strain rate effect 4−21353
strength and fracture toughness rel. to heat treatment 4−1588
strength-differential effect rel. to plasticity theory and vol. expansion 4−7159
strengthening by thermal working, complex alloy 30KhGVT *(Russian)* 4−33778
stress corrosion cracking in liq. ammonia environments, ASTM A517 grade F specimens 4−41643
stress corrosion cracking in sulphate solns. at 289°C 4−41649
stress diagrams for elastic and elastic-plastic contact between sphere and plane 4−4242
stress interaction and freq. composition in random load fatigue 4−7414
strip, Al-killed, plane-strain deform. and recrystn. texture 4−7068
strip, low-carbon, coercive force rel. to temper roll reduction levels 4−20813
structural, 15KhGNTA, with Ti, austenite grain growth 4−7082
structural, fatigue strength, effect of lead 4−41735
structural, fracture arrest characteriz. 4−33964
structural, high alloy, props. after high temp. thermomech. treatment and isothermal quenching 4−1580
structural, inheritance of subboundaries in austenite by martensite *(Russian)* 4−33700
structural, N and stable nitrides, properties 4−25317
structural, physical props. variation with deoxidation procedure 4−41736
structural, with Si, notch sensitivity, rel. to comp. and heat treatment 4−33792
structural materials for Na cooled FBR, high temp. characts. and compatibility problems 4−5925
structural steelwork fire damage and reusability assessment by NDT *(German)* 4−25368
structure, fine, effect of V addition, 20 FL and 45 FL 4−29064
structure and props. of S steel with high machinability effect of Se 4−33788
subgrain development during elevated temperature deformation 4−7048
sulphide content, electron probe and X-ray diffr. microanal. 4−37840
sulphide corrosion cracking, fracture mechanics *(Czech)* 4−7139
superplasticity, rel. to grain size and heat treatments, Kh18N10T 4−33799
surface, Sn diffusion coating prep. and characteriz. 4−13760
surface charge role in hydrogenation, hydrogen embrittlement and corrosion cracking processes *(Russian)* 4−41664
surface fatigue, device for studying effect of sliding 4−39165
surface layer, phase transform. during abrasive wear 4−29036
surface layer props., effect of heat treatment on changes during wear, 12KhN3A 4−33803
surface microprobe anal., chem. vapour deposition of metal carbides *(German)* 4−4037
surface saturation, shock wave effects 4−17373
technical, spectra of clustered Barkhausen transitions 4−33204
time before failure, electrolytic action, recording device 4−29286
tool, and alloys, heat resistance, rel. to precip. and hardening 4−29116
tool, resistance to plastic deform., elastic limit rel. to comp. and struct. 4−13725
tool alloy, wear under impact conditions 4−13721
transformer-grade, under uniaxial extension, hydrogen influence on mosaic block misorientation and subdivision *(Russian)* 4−10577
TRIP, embrittlement in h.p. hydrogen gas 4−13708
TRIP, fatigue crack propag., austenite stability depend. 4−7143
TRIP, hardening by deform.-induced phase transform. 4−29052
TRIP, high-strength, homogeneous deform. and strain rate effects 4−13800
TRIP, hydrogen embrittlement, slow crack growth obs. 4−7157
TRIP, strain rate effect on tension and compression stress/strain behaviour 4−21324
TRIP, uniform elongation during transform. aided plasticity 4−13691
tube, rough, heat transfer to boiling water *(German)* 4−19984
twinned martensite lattice orientation *(Russian)* 4−17229
u.s. fatigue testing, techniques and equipment 4−25465
warm extrusion, microstructure, mech. props. rel. to working temp. and C content *(Japanese)* 4−4134
wear, sliding friction investigation, influence of oxidation characts. and humidity *(German)* 4−21347
wear, sliding of Cu against steel, strain distrib. model 4−29146
wear in vacuum at −190 and +20°C, effect of original struct. 4−41732
wear resistance, complex boride coatings influence *(Russian)* 4−10625
wear resistance, heat treatments rel. to increasing wear resist., 110G13L 4−29122
wear resistance, review of effects of metallurgical factors 4−37961
wear resistant Fe-Cr-C type, ductility and strength 4−41738
wearing ability of finished steel surfaces, testing method 4−29145
weld defect in 100 mm thick joint, fatigue crack propag. 4−33962
welding, high speed with CO$_2$ laser, speed, penetration 4−8869
wettability by Ag brazing alloy rel. to atmosphere and C content *(Japanese)* 4−4163
wetting of Al$_2$O$_3$-AlN-Mo(W, Ni) 4−38030
Widmannstatten structure formation 4−41545
Widmannstatten struct., changes in phase morphology and toughness *(Czech)* 4−13642
wire, electrothermal working effect on corrosive props. *(Russian)* 4−33777
wire, in Al alloy composite, phase boundary interaction during prodn. process *(Russian)* 4−38046

steel continued
  wire-reinforced epoxy resin, effect of interfacial and shear stress on fibre pull-out 4—1628
  wire/Al alloy composite, mech. props. *(Russian)* 4—33871
  X-ray spectrometer for impurity analysis, assessment tests 4—39447
  yield stress, deformational anisotropy *(Russian)* 4—10615
  yield stress, technical, determ. using non-destructive method 4—38099
  Al, carbide formation during breakdown of α-martensite obs. 4—17256
  Al/steel fibre reinforced composite, deposition methods *(Russian)* 4—4202
  AlN precipitation, influence of hot deformation 4—7133
  C-Mn-Nb, structure and strength during hot rolling, 900-1100°C 4—7132
  Cr, segregation ratio determ. with electron beam microanal., conc. depend. *(German)* 4—37842
  Cr, transmission electron microscope and microfractograph studies on X 20 Cr 13 for turbine blades *(German, English)* 4—7196
  Cr steels, effect of thermomechanical treatment on mechanical props. *(Czech)* 4—7137
  Cr type, protective film comp. and nature 4—13762
  Cr-Mn-N austenitic stainless, effect of grain size on creep and rupture, and mechanism 4—4153
  $2^1._4$Cr-Mo, liquid Li embrittlement, tensile props. 4—3046
  Cr-Mo type, thermal fatigue testing 4—17494
  Cr-Mo-V, segregation at austenite grain boundaries *(Czech)* 4—13641
  Cr-Ni, austenitic, segregation at austenite grain boundaries *(Czech)* 4—13641
  Cr-Ni, maraging, kinetics of ageing, effect of alloying element on hardness 4—7178
  Cr-Ni, phase strain hardening of austenite 4—33800
  Cr-Ni, segregation ratio determ. with electron beam microanal., conc. depend. *(German)* 4—37842
  Cr-Ni, strengthening with unstable austenite 4—33785
  Cr-Ni, structure and chem. comp. changes during heating in C-containing atmos. 4—33786
  Cr-Ni alloy, heat resistant recrystallized, microstructure, Kh20N80 4—13651
  Cr-Ni and Cr-Ni-Mo type with boron additions, heat resistance 4—41747
  Cr-Ni low-C, susceptibility to intercrystalline corrosion 4—13729
  Cr-Ni-Mn type, strengthening by thermomech. treatment *(German)* 4—7192
  Cr-Ni-Mo-Ti, B diffusion after liq. Na heat treatment *(German)* 4—21320
  Cr-V oil-tempered steel wires, ageing, reversible embrittlement obs. 4—37958
  Fe-C system, calc. of T-P-C phase diag. of melt, up to 100 kbar 4—13616
  Fe-Cr-C type, high-strength, development 4—25394
  Fe-Cr(25.wt.%) alloy, static strain ageing 4—37933
  Fe-Mn and Fe-Mn-C, elastic oscillations damping during multicycling of γ-ε and γ-ε' transforms. *(Russian)* 4—7024
  Fe-Mn martensite, low-C, austenite grain size effect on strength 4—21333
  Fe-Mo-C, neutron irrad., effect on Snoek peak, recovery 4—37895
  Fe-steel, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4—21394
  Mn type, martensitic transform. induced changes in internal friction and shear modulus *(Russian)* 4—13586
  Mn-C type, high temp. oxidation characts. 4—7223
  Mo steel, isothermal decomposition, transformation mechanism of Mo_2C fibres 4—7006
  Mo-Cr, segregation ratio determ. with electron beam microanal., conc. depend. *(German)* 4—37842
  Mo-W tool type, solidification structures 4—17258
  Na/stainless steel system, solubility, deposition of NaBr, NaI 4—3043
  Na/steel cooling systems, corrosion and mass transfer effects 4—5911
  Na/steel system, C transport between steels 4—3041
  Nb-Ti, recrystn. in austenite range 4—13633
  Ni-Co-Mo, low-C, maraging, kinetics of ageing, effect of alloying element on hardness 4—7178
  Ni-Cr-Mo, diffusion of C, autoradiography study *(Korean)* 4—17242
  Ni-Cr-Mo-V, sensitive to temper embrittlement, fracture toughness and fatigue crack growth rate 4—7121
  Ni-Cr-Mo-V rotor type, intercrit. heat treatment effect on temper embrittlement 4—25392
  Re, martensite decomposition during tempering 4—13607
  Si type, strain rate change tests, activation area struct. depend. 4—13777
  Ti diffusional coating, conc. distrib. of C, spectral analysis using photoelec. method *(Russian)* 4—15052
  Ti-Al-B diffusional coating, conc. distrib. of C, spectral analysis using photoelec. method *(Russian)* 4—15052
  V content determination, ion exchange separation and atomic absorpt. spectrophotometry 4—35535
  W-Mo, ductility and welding of R6M5 and R18 tool steels 4—33776
steel industry
  sample testing laboratory, process computer applic. 4—1695
steel manufacture
  NDT, for residual austenite, using thermoelectric sensors 4—33945
  pig-iron, foundry effluent, water treatment 4—18253
  powder metallurgy processes, high speed steel and alloy steel *(French)* 4—41784
stellar atmospheres
  see also solar atmosphere
  ZAnd romedae-type stars, extended envelopes, effects on spectrum 4—4788
  angular momentum transfer in envelopes with magnetic field *(Russian)* 4—30002
  π Aquarii, energy distrib. analysis of emission-line B-type star 4—38789
  Be shell stars, rapid var. of emission line features 4—34835
  Be stars, magnetic field effect on dynamics of envelope *(Russian)* 4—11166

stellar atmospheres continued
  Be stars, var. of free-free emission from surrounding circumstellar gas 4—8002
  binary stars, numerical simulation of gas flow in semi-detached close systems 4—34831
  binary stars photometric i.r. obs. of 9 objects 4—11178
  δ Cephei atmosphere, revised abundance analysis from high dispersion spectra 4—30078
  UVCeti type flares, radiative relaxation of ionised H at Balmer line frequencies *(Russian)* 4—14403
  chromospheres of cool stars 4—42381
  circularly polarized radiation transfer 4—30007
  circumstellar dust cloud, optical transmission from radiative transfer eqns. 4—38763
  circumstellar dust clouds, applicability of techniques relating colour excess and optical depth 4—42509
  circumstellar dust shell stars, search for diffuse interstellar features 4—42421
  circumstellar shell development of protostellar origin 4—30041
  close binary systems, source function in monodirectional illum. of grey atmosphere 4—34798
  convective instability, compressible atm. with radiative damping non-Boussinesq anal. 4—2107
  convective overshoot estimation, graphical method 4—42373
  R Coronae Borealis, UBGORI photometry and polarimetry rel. to grain size in circumstellar shell 4—26110
  cosmic clouds, nonequilibrium chemistry and composition 4—34947
  32 Cygni, eclipsing binary, spectrographic obs. during 1971 eclipse 4—30053
  1 Delphini, model envelope for shell star 4—30033
  differentially sheared media, transport of thin pencil of waves 4—42436
  diffuse band absorption in circumstellar dust shells 4—14414
  dust temp. around hot stars 4—8023
  dust-embedded stars, diffuse interstellar features in spectra 4—42422
  early type main sequence, detectability and nature of CNO anomalies 4—30012
  early type stars, electrical fields caused by pressure gradient 4—34779
  envelopes, labs simulation of graphite formation 4—18004
  82 Eridani, Fe/H ratio from model atmosphere analysis of G 5 dwarf star 4—14387
  evolution of red giant rel. to magnetic pumping in nucleus and envelope *(Russian)* 4—14343
  few-nucleon reactions, nucleon density 4—29817
  G- and K-type giants and supergiants, departures from LTE in spectra 4—8000
  giants, Population II, UBV colours rel. to effective temperature and luminosity 4—22395
  gravity-darkening for general rotation laws 4—42378
  HD 122563, metal deficient star, O abundance from [OI] 6300 A line obs. 4—38779
  HD 135485, atmopshere of H-deficient star, abundances 4—4798
  HD 135485, peculiar early-type metal-rich star, model atmosphere analysis 4—2113
  HD 187399, spectral obs. of shell star, envelope expansion velocity *(Russian)* 4—30027
  HD 201345, ON9 V type, atmospheric abundances 4—11252
  HD 97859, spectroscopic study of blue halo Si star 4—34802
  αHerculis A, M-type supergiant, atmospheric relative abundances *(Russian)* 4—30057
  HR 2142, spectrograms and secondary shell phase 4—34833
  invariant imbedding and line transfer problem in kernel approx. 4—14357
  late type stars, chromosphere grains, thermodynamics of emission quenching 4—11168
  Line formation in multidimensional atmospheres with rapid depth variation of absorption coefficient 4—25962
  line opacities, comparison of straight-mean, harmonic-mean and multiple-picket approximations 4—30003
  luminosity sensitive O I multiplet formation at 7774 Å in model atmospheres 4—30004
  M-giants, obs. study of atmospheric structure from Fe I and Ti I lines 4—2112
  M-stars, TiO and O_2 abundances *(Russian)* 4—38798
  main sequence A to G stars, dependence of microturbulence on absolute f-values for Fe I 4—14428
  main sequence A-type stars, envelope He diffusion processes, models 4—34777
  mass flux in stellar atmospheric regions 4—14352
  microturbulence in main sequence stars rel. to absorption line profiles 4—11174
  microturbulence in stellar spectral line formation, turbulent element approach 4—4782
  multiple light scattering in semi-infinite atmospheres *(Russian)* 4—11165
  N carbon stars, absence of TC in stars with s-processed material 4—38754
  N-type carbon stars, circumstellar dust shell, evidence for SiC particles causing violet opacity 4—42423
  neutrino pair emission by magnetized stellar plasma 4—29812
  non-coherent scattering in moving spherical shell media 4—14348
  Nova Delphini 1967, circumstellar absorpt. systems *(French)* 4—18009
  Nova Delphini 1967, nebular stage, Balmer decrement rel. to circumstellar envelope *(French)* 4—4797
  novae, contracting envelopes, new method of calculating models 4—38785
  O-type, Hα line strength obs., comparison with non-LTE model atmospheres 4—30065
  Oe- and Oef-type stars, emission line profiles rel. to extended envelopes 4—34842
  Ophiuchi, optically thick shell formation 4—38793
  photon diffusion, Monte Carlo simulation of Voigt distrib. 4—30006
  polarisation by rotationally distorted electron scattering atmospheres 4—38752
  protostellar origin of circumstellar envelopes 4—14383
  pulsar magnetosphere, non axisymmetric generalization 4—8053
  radiation loss influence on spectrum of turbulence *(Russian)* 4—14353

stellar atmospheres continued
radiative transfer, comparison with integral equations 4—38760
radiative transfer, line formation problems 4—17992
radiative transfer eqns., complete linearization 4—35755
radiative transfer line transfer problem with radial velocity fields 4—17993
red giants, Li abundance in envelope 4—11176
resonance line formation in multidimensional media, interpolation functions 4—11167
resonance line formation in multidimensional media, radiation operator representation 4—4778
rotating differentially sheared medium, radiative transfer 4—42437
αScorpii, M-type supergiant, atmospheric relative abundances *(Russian)* 4—30057
self-similar homothermal flow of self-gravitating gas behind shock wave 4—17991
shell stars rel. to interacting binaries, spectroscopic survey 4—34834
source function in spherical scattering medium with internal sources 4—14356
spectral line formation in non-LTE expanding atmospheres 4—22390
spectral line formation in turbulent atmosphere, unified theory 4—4784
supergiants of types B9-A3, mass motions in atmospheres from spectrograms 4—11203
supernovae type II shells, density model rel. to two objects 4—4803
Tauri, rocket obs. of u.v. spectrum of possible shell star 4—34813
T Tauri stars, H α emission rel. to chromospheres of 20 objects 4—14389
temperature fluctuation smoothing by radiation and conduction 4—4783
thermal pulses in pre-white dwarf helium shell-burning stars 4—38780
thermalization lengths in multilevel radiation transfer 4—30015
transfer equations of spectral lines in magnetic field 4—42380
transfer of polarised radiation in isotropic medium with arbitrary scattering law, Milne's problem *(German)* 4—38348
transition zone in stellar atmospheric regions, general approach 4—14351
W Virginis type pulsating stars, relativistic terms of radiation transfer hydrodynamics in nonlinear pulsation theory 4—30036
white dwarf circumstellar ring, effect on novae and dwarf novae outbursts 4—34832
white dwarfs, composition of cool He and C objects 4—38787
X-ray binary system, X-radiation reprocessing by normal stars atmosphere 4—38856
zero age main sequence stars, effects of opacity changes 4—26102
C in H-poor white dwarf model atmospheres 4—2111
C shell, explosive ejection in stellar evolution and nucleosynthesis 4—34599
C stars, model atmospheres 4—38755
C stars, opacity effects and spectral classification 4—26096
CN band strengths in stellar spectra rel. to N abundance 4—14369
H atom inverse bremsstrahlung absorption by free-free transitions 4—27536
He shell, explosive ejection in stellar evolution and nucleosynthesis 4—34599
O shell, explosive ejection in stellar evolution and nucleosynthesis 4—34599
Si shell, explosive ejection in stellar evolution and nucleosynthesis 4—34599
stellar binaries *see binary stars*
stellar clusters
Aquila ring, UV excess stars and radiosources, UBV photometry 4—34916
ω Centauri, C stars in globular cluster, i.r. narrow-band photometry 4—26154
ω Centauri, membership of eclipsing variable star 4—34819
ω Centauri globular cluster, radial velocity of RGO 153 carbon star 4—14426
ω Centauri stars RGO 55, 77, CNO abundances from Swan bands and UBV colours 4—18013
classical Cepheids, pulsation masses, mass-luminosity relation 4—30073
cluster X-ray source size and spectra, fits with thermal and nonthermal models 4—34901
Cygnus OB2 association, search for i.r. circumstellar emission in JHKL 4—42464
Cygnus OB2 association dust-embedded stars, diffuse interstellar features in spectra 4—42422
Einstein globular cluster, stability of gravitating systems against surface perturbations 4—42298
formation from collapsing interstellar cloud, role of turbulence 4—42467
globular cluster age from spherical system evolution models *(Polish)* 4—11238
globular cluster giants, effective temps., surface gravities, Fe/H values and masses from DDO colours 4—18005
globular cluster model with continuous mass distrib. 4—42453
globular cluster reddening material distrib. from 6-colour obs. 4—14494
globular cluster u.v. excesses rel. to chemical composition 4—38884
globular clusters, dynamical method of mass determ. 4—42457
globular clusters, G-band strengths in spectra of red giant stars 4—34931
globular clusters, H I profiles, 21 cm obs. 4—22435
globular clusters, integrated UBV colour obs. 4—42446
globular clusters, limits on var. of G 4—26163
globular clusters, mean colour of horizontal branch nonvariable stars *(Russian)* 4—11225
globular clusters, structural parameters 4—34925
globular clusters in Galaxy and Magellanic Clouds, horizontal branch *(Russian)* 4—30116
h and χ Persei association M supergiants, i.r. excesses 4—22407
horizontal branch model and age of globular clusters *(Russian)* 4—11224
Hyades, possible membership of HD 27149, spectroscopic binary 4—11204
Hyades, UBV comparison with M67 4—38892
IC 4756, bright blue stragglers in Galactic cluster, spectra and motion 4—34928
stellar clusters continued
interstellar extinction measure from open star cluster diameter method 4—42503
i.r. photometry of 13 globular clusters 4—34932
Lacertae OB1 association, spectral classification of stars 4—14499
LMC cluster system, recent evolutionary history 4—14466
low velocity M-dwarfs and star formation in associations and clusters 4—22403
RR Lyrae type in globular clusters, theoretical evolution with overshooting and mass loss 4—42376
M15, luminosity vs. effective temperature 4—22395
M52 galactic cluster, Be stars 4—8078
M67, open cluster, interstellar reddening, blanketing and metallicity 4—30120
M67, UBV comparison with Hyades stars 4—38892
M92, luminosity vs. effective temperature 4—22395
M 39, spectroscopic study of open cluster 4—18039
Magellanic Clouds, integrated spectral types of galactic globular clusters 4—11236
metal abundances in 19 Galactic clusters from UBViyz photometry 4—34929
metal-rich globular clusters, theoretical isochrones 4—11231
N-body problem integration rel. to dynamical evolution of stellar systems 4—42275
nearby stars of similar characteristics, possible interpretations 4—8065
NGC 1893, UBV photometry 4—11233
NGC 2164 in LMC, colour-magnitude diagram, BV photometry 4—11230
NGC 2175, 2264, 2353 and 2362, young stellar clusters, H content determ. 4—34910
NGC 2287, open cluster in Pleiades group, intermediate and broadband photometry 4—38874
NGC 2298 globular cluster, UBV photometry 4—30128
NGC 2477, open cluster, faint star distrib. *(German)* 4—8066
NGC 3293, 6167, 6193, 6200 and 6204, young stellar clusters, H content determ. 4—30122
NGC 4372, globular cluster, UBV obs. 4—38878
NGC 4372 globular cluster, UBV spectrophotometry 4—26155
NGC 581 (M103), open cluster, RGU photometry 4—42450
NGC 5904, globular cluster, absolute spectral energy distrib. in 3300-10800 Å range 4—26106
NGC 6231, 6383, 6514 and 6531, young stellar clusters, H content determ. 4—34911
NGC 6256, nature of star cluster in blue and i.r. 4—22438
NGC 6383, photoelec. obs. of eclipsing binary V701 Scorpii 4—38794
NGC 659 open cluster, RGU photometry 4—42450
NGC 6604, 6611 and 6823, young stellar clusters, H content determ. 4—30123
NGC 6633, bright blue stragglers in Galactic cluster, spectra and motion 4—34928
NGC 6819, open cluster, UBV photometry 4—34919
NGC 6871, uvby and Hβ photometry of cluster stars 4—34927
NGC 7006 globular cluster, RR Lyrae variables 4—4809
NGC 7078, globular cluster, absolute spectral energy distrib. in 3300-10800 Å range 4—26106
O-type, H content determ., obs. and data reduction methods 4—30121
OB associations in Ara, UBV and Hβ obs. 4—22450
old stellar populations, globular cluster evolution in M 31 and Galaxy 4—4826
Oosterhoff groups of globular clusters containing RR Lyrae stars 4—8062
Orion Association, dust, star and H distribs. from Paloma Sky Survey and Hα photograph 4—42462
Orion OB1a association, internal motions, alternatives to rapid expansion 4—14487
Pleiades, 0.52 and 0.36 μ polarimetry of faint stars 4—34930
Pleiades, continuous spectra and spectrophotometry of 44 cluster stars *(Russian)* 4—30129
Pleiades, occultation by Moon, 1972 August 30, accurate timing 4—34709
Pleiades, photographic obs. of flare stars *(Russian)* 4—30110
Pleiades, stellar spectrophotometry and absorption lines *(Russian)* 4—38879
Pleiades region, Asiago flare star survey, concluding results 4—38885
relativistic system, projected density distrib. formula 4—34912
rotating isothermal configurations in post-Newtonian general relativistic approx. 4—7879
Scorpio-Centaurus association, luminosities of β Canis Majoris-type variables 4—34852
self gravitating stellar systems, uniform density equilibrium model 4—42448
stability in one-dimensional stellar system, distrib. function 4—22445
stellar rings and Galactic spiral structure 4—14475
symmetric clusters with elliptical particle orbits, stability of model 4—42456
Tr 1, open cluster, RGU photometry 4—42450
variable star catalogue 4—34861
young open cluster comprising Trumpler 14 and 16 clusters 4—14481
zero-age main sequence stars, relative luminosity and surface gravities 4—14489
stellar colour *see stellar spectrophotometry*
stellar composition
see also element origin
abundance distribs. rel. to evolution, review of spectroscopic obs. 4—34790
Algol-type eclipsing binaries, element abundances from spectra of six objects 4—34820
Ap, Am stars, Eu abundance reduction by inclusion of hyperfine splitting effects 4—42391
BD 37°1977, He II rich and H deficient, spectral obs. *(French)* 4—34845
BD 48°1777, He II rich ad H deficient, spectral obs. *(French)* 4—34845
XX Cammelopardalis, R Coronae Borealis type spectroscopic study 4—34808
ζ^1 Canis Majoris, β Cephei type, chemical composition 4—14410

stellar composition continued
- α Canis Majoris (Sirius) A, chem. comp. calcs. 4−26133
- carbon stars, explanation of violet depression by SiC 4−30019
- U Cephei, eclipsing binary, abundance anomalies in secondary component 4−38816
- δ Cephei atmosphere, revised abundance analysis from high dispersion spectra 4−30078
- β Coronae Borealis, Ap star, lanthanide identification from visible and u.v spectrograms 4−14378
- cosmic clouds, nonequilibrium chemistry and composition 4−34947
- early-type high-velocity stars, ^{3}He isotope search 4−42419
- 82 Eridani, Fe/H ratio from Fe I spectrum of G 5 dwarf star 4−14387
- erupting carbon stars, surface enrichment of Li; C; Ni by deep mixing 4−42371
- globular cluster u.v. excesses rel. to chemical composition 4−38884
- HD 110066, Cr I and Fe I line strengths in peculiar A2-type star 4−34804
- HD 135485, atmopshere of H-deficient star, abundances 4−4798
- HD 135485, peculiar early-type metal-rich star, model atmosphere analysis 4−2113
- HD 152270, Wolf-Rayet spectroscopic binary, line identifications, radial velocities, 3500-6000 A 4−34809
- HD 97859, spectroscopic study of blue halo Si star 4−34802
- αHerculis A, M-type supergiant, atmospheric relative abundances *(Russian)* 4−30057
- HR 511 and 7670, spectrum analysis of Fe-rich stars 4−26123
- instability in secular spectrum rel. to chemical abundance perturbation 4−4780
- M67, open cluster, interstellar reddening, blanketing and metallicity 4−30120
- 20 M$_\odot$ star, evolutionary models with different initial chemical composition 4−14350
- M-stars, TiO and O$_2$ abundances in atmospheres *(Russian)* 4−38798
- M-type giants, heavy metal abundances 4−34803
- in Magellanic clouds, evolutionary sequences and abundance effects 4−11229
- metal abundances in 19 Galactic clusters from UBViyz photometry 4−34929
- metal-enhanced star formation 4−18037
- metallic line stars, diffusive separation model 4−30071
- N carbon stars, absence of TC in stars with s-processed material 4−38754
- neutron stars, evolution and chem. struct. 4−14431
- nucleosynthesis mechanisms discussion, slow neutron capture *(Polish)* 4−30016
- γ Pegasi, β Cephei type, chemical composition 4−14410
- β Pegasi, M2-giant, heavy metal abundances reanalysis 4−34803
- Population I A-type stars, Ca abundance from K line strength 4−34862
- quarks, mass and radius, 10^{19}-10^{23} g cm^{-3} core density *(Russian)* 4−42297
- RGO 55, 70 in ω Centauri cluster, CH stars, CNO abundances from Swan bands and UBV colours 4−18013
- αScorpii, M-type supergiant, atmospheric relative abundances *(Russian)* 4−30057
- super-metal-rich stars, metal abundances rel. to giant star spectra 4−34785
- supermassive star explosions, H nucleosynthesis, rare isotope abundances 4−17989
- white dwarf spectra interpretation rel. to composition, convection and models 4−34793
- white dwarfs, composition of cool He and C objects 4−38787
- C abundances from CH molecular absorption spectra 4−2109
- C in H-poor white dwarf model atmospheres 4−2111
- C stars, model atmospheres 4−38755
- C stars, opacity effects and spectral classification 4−26096
- He rich B-type stars, composition and evolutionary status, ubvy colours 4−30034
- He-C stars of 3.5 and 1 M$_\odot$, linear series of models 4−34776
- He-rich hot stars, continuous energy distrib. 4−7984
- N abundance rel. to CN band strengths 4−14369
- Tc II and Pm I, search for lines in Ap and S stars 4−14370

stellar evolution
- abundance distribs. rel. to evolution, review of spectroscopic obs. 4−34790
- Aquila ring, UV excess stars and radiosources, UBV photometry 4−34916
- ε Aurigae, i.r. excess, secondary light var. and planetary system formation 4−30031
- B stars, mass loss on main sequence 4−11170
- BD + 16°516, orbit evolution of eclipsing binary and rotation of white dwarf 4−22401
- binary star systems, effect of supernova explosion 4−34856
- binary stars system in star field, kinetic eqn. determ. 4−4787
- birthrates in Sb and Sc galaxies, role of gas density 4−26100
- blue halo stars, supra-horizontal-branch and subdwarfs 4−22391
- α Canis Majoris (Sirius) A, chem. comp. calcs. 4−26133
- central stars of planetary nebulae, crystallizing white dwarf stage 4−34795
- UV Ceti type red dwarfs, age dependence of flare activity *(Russian)* 4−14398
- chronology of Galactic heavy element nucleosynthesis 4−34782
- circumstellar shell development of protostellar origin 4−30041
- close binaries, theories of stellar evolution, internal structure 4−18015
- close binary systems, Galactic space frequency rel. to origin 4−11183
- cluster zero-age main sequence stars, relative luminosity and surface gravities 4−14489
- collapse, including neutrino-nuclear scattering from neutral current theory 4−38764
- collapsing cores rel. to black hole formation 4−17990
- collapsing interstellar cloud, role of turbulence in stellar cluster formation 4−42467
- V1016 Cygni, UBGVRI photometry rel. to evolution of symbiotic stars 4−42392
- degenerate stars, development of angular velocity distrib. 4−38766
- delayed fission, role in production of very heavy and superheavy elements 4−9326

stellar evolution continued
- AS Eridani eclipsing binary, A3 main seq. star and subgiant 4−11180
- formation and destruction 4−42383
- formation in spherical protogalaxies, dynamical models 4−34935
- formation mechanism theories, interstellar gas 4−14358
- formation rel. to chemical inhomogeneities in interstellar gas 4−34942
- formation rel. to galaxy evolution 4−18035
- Galactic stellar halo, formation theory 4−11234
- in galaxies rel. to chemical evolution coefficients 4−18036
- globular clusters, H I profiles, 21 cm obs. 4−22435
- globular clusters, mean colour of horizontal branch nonvariable stars *(Russian)* 4−11225
- globular clusters in Galaxy and Magellanic Clouds, horizontal branch *(Russian)* 4−30116
- Herbig-Haro object, spectrum of assoc. i.r. source in 5-12.6 μ region 4−30099
- horizontal branch model and age of globular clusters *(Russian)* 4−11224
- instability in secular spectrum rel. to chemical abundance perturbation 4−4780
- interstellar dust, role in star formation 4−42382
- in isothermal contracting interstellar cloud, marginal stability 4−4785
- LMC cluster system, recent evolutionary history 4−14466
- low velocity M-dwarfs and star formation in associations and clusters 4−22403
- RR Lyrae type in globular clusters, theoretical evolution with overshooting and mass loss 4−42376
- 20 M$_\odot$ star, evolutionary models with different initial chemical composition 4−14350
- in Magellanic clouds, evolutionary sequences and abundance effects 4−11229
- magnetic braking during formation 4−34775
- magnetic field origins 4−11175
- mass loss from convective envelopes of giant components in close binaries 4−38762
- massive close binary system, axial rot. in evolution of indiv. stellar compts. 4−8025
- massive Population II stars, evolutionary tracks and He problem 4−14355
- massive protostars, hydrodynamic evolution 4−30042
- massive stars, convective cores existence 4−26104
- metal-enhanced star formation 4−18037
- metal-rich globular clusters, theoretical isochrones 4−11231
- models of spherical systems for globular cluster age *(Polish)* 4−11238
- N carbon stars, absence of TC in stars with s-processed material 4−38754
- nearby stellar population, evolution and galactic kinematics 4−22443
- nearby stellar population, evolution and kinematics 4−34924
- neutron star formation in carbon detonation supernovae 4−26113
- neutron stars, chem. struct. 4−14431
- NGC 2287, open cluster in Pleiades group, intermediate and broadband photometry 4−38874
- nucleo-cosmochronology, r-process chronometer pairs, review 4−14360
- nucleosynthesis, contributions to solar system abundances 4−34781
- nucleosynthesis, review of current theories 4−14359
- nucleosynthesis of light elements and interstellar medium 4−42384
- nucleosynthesis rel. to element abundance and origin 4−38757
- Oosterhoff groups of globular clusters containing RR Lyrae stars 4−8062
- Ophiuchus dark cloud, strong 350 μ source in region of star formation 4−22426
- Orion OB1a association, internal motions, alternatives to rapid expansion 4−14487
- Population II blue halo stars, advanced evolution 4−4779
- pre-main-sequence rel. to luminosity function model for stars of lower limiting mass 4−34786
- protosolar nebula, deuterium abundance, implications for cosmology, stellar evolution and solar system origin 4−34606
- protostars, multifilter i.r. obs., early evolution model 4−2121
- protostars, obs. possibilities 4−26136
- protostars rel. to observational data on interstellar matter 4−26168
- r-process formation of superheavy elements, neutron energy distrib. 4−17988
- red giant−planetary nebulae−white dwarf sequence *(Russian)* 4−14343
- relativistic stars, collapse and black holes 4−42301
- Salpeter initial luminosity function for giant elliptical galaxies 4−14474
- Sculptor type dwarf galaxies, horizontal branch *(Russian)* 4−30116
- secular stability of 0.5 and 1.1 M$_\odot$ stars during H-shell burning phase 4−26103
- Sharpless 2-88, bright Hα-knots and central star interactions rel. to formation 4−22457
- simultaneous neutron star formation with supernova explosion 4−38838
- spiral structure of galaxies in density-wave theory, dust clouds and star formation 4−22436
- star formation rate in Galaxy, limits 4−14484
- supermassive oblique rotator, electrodynamics, evolution, observational tests 4−14346
- supermassive star explosions, H nucleosynthesis, rare isotope abundances 4−17989
- supernova remnant evolution rel. to magnetic field, relativistic particles, luminosity and central pulsar 4−18000
- supernova remnants, late evolution models 4−34826
- supernovae, binary model of white dwarf and red giant in colliding spiral orbit 4−38781
- supernovae, frequency of type I and II objects rel. to stellar evolution 4−22400
- T Tauri stars, mass loss by stellar wind 4−38761
- theoretical low mass main sequence stars, structure 4−22392
- thermal pulses in pre-white dwarf helium shell-burning stars 4−38780
- thermonuclear reactions, explosive ejection of He, C, O, and Si shells 4−34599

stellar evolution continued
Type I supernovae, evolution and formation frequency in binary systems 4−26098
uniqueness of stellar evolution solutions 4−30013
young stars, galactic scale, local density 4−8072
zero age main sequence stars, effects of opacity changes 4−26102
$^{12}C(\alpha,\gamma)^{26}O$, cross section at astrophys. energies, R-matrix optical model 4−31394
He rich B-type stars, composition and evolutionary status, ubvy colours 4−30034
He-C stars of 3.5 and 1 $M_\odot$, linear series of models 4−34776
$^{16}O(p,\alpha)^{13}N$ at 6.13-7.26 MeV in explosive nucleosynthesis 4−14344

stellar interiors *see stellar internal processes*

stellar internal processes
see also stellar evolution
B stars, mass loss on main sequence 4−11170
carbon dwarf supernovae, effect of electron capture rates on nuclear equilib. thermodynamic props. 4−42372
chronology of Galactic heavy element nucleosynthesis 4−34782
conductive opacity, fitting procedure 4−42370
convection in rotating stars 4−14354
convective zone, rotation and anisotropic convection 4−42375
cosmic ray source abundances rel. to explosive nucleosynthesis 4−7865
dense matter properties, IAU Symposium No. 53 4−38765
E models, secular stability, multiple solutions of structure equations 4−30011
electrical and thermal conductivities of stellar degenerate matter 4−2106
erupting carbon stars, surface enrichment of Li; C; Ni by deep mixing 4−42371
evolved stellar cores, off-centre C ignition detonations 4−30010
explosive burning of O and Si and resulting nucleosynthesis 4−26099
explosive r-process nucleosynthesis 4−11169
RR Lyrae type, nodal quenching and convective quenching 4−14377
magnetic A stars, convection suppression 4−38756
magnetic convection, effect of buoyancy in solar and stellar interiors 4−38649
main sequence stars, C depletion in envelopes 4−7977
massive stars, convective cores existence 4−26104
metallic line stars, diffusive separation model 4−30071
neutrino-nuclear scattering, inclusion in model of collapse 4−38764
neutron stars, internal temperature from pulsar glitches 4−22415
neutron stars, microscope variational calcs. of solidification density 4−34857
neutron stars, superconducting critical field, soln. of differential eqn. by thermodynamic method 4−14385
neutron stars, superfluidity of protons 4−22209
nuclear reaction rates of interest to silicon burning 4−38753
nucleosynthesis, contributions to solar system abundances 4−34781
nucleosynthesis, temp. depend. spontaneous fission rate and upper mass limit 4−7980
nucleosynthesis, use of ^{146}Sm and ^{176}Lu as nucleochronometers 4−34601
nucleosynthesis mechanisms discussion, slow neutron capture *(Polish)* 4−30016
nucleosynthesis rel. to element abundance and evolution in stars 4−38757
pion condensation in neutron stars 4−22413
Population II blue halo stars, advanced evolution 4−4779
pulsational instability towards non-radial oscillations in small mass homogeneous stars 4−34778
r-process calculations, Thomas-Fermi model 4−23617
r-process nucleosynthesis, upper mass limit 4−17994
rotation and superfluid effects in neutron star interiors 4−38837
s-process rel. to ^{58}Fe and ^{59}Co abundances 4−4781
secular stability of 0.5 and 1.1 $M_\odot$ stars during H-shell burning phase 4−26103
stability, non-adiabatic oscillations of gaseous systems in MHD 4−7975
super dense star, nuclear reactions induced by macro-micro interactions 4−26126
supermassive stars, synthesis of $A > 150$ elements 4−34780
surface nuclear reactions in Ap stars 4−11171
thermonuclear reactions, ion contribution to screening effect *(Russian)* 4−30014
white dwarf models, linear adiabatic nonradial oscillations in cooling 4−11181
white dwarfs, superconducting critical field, soln. of differential eqn. by thermodynamic method 4−14385
$^{12}C(\alpha,\gamma)^{16}O$, cross-section at astrophysical energies, reln. to dynamical behaviour of stars 4−15902
$^{14}N(e^-,\nu)^{14}C(\alpha,\gamma)^{18}O$, destruction of ^{14}N in electron degenerate matter 4−5780
$^{14}N(e^-\nu)^{14}C(\alpha,\gamma)^{18}O$ in degenerate matter, Population II red giant interiors 4−30005
$^{16}O(p,\alpha)^{13}N$, exptl. cross section, stellar reaction rates explosive nucleosynthesis 4−7978
$^{16}O(p,\alpha)^{13}N$ at 6.13-7.26 MeV in explosive nucleosynthesis 4−14344

stellar magnetism
see also solar magnetism
A_p stars, cosmic MHD 4−14296
A stars, convection suppression by magnetic fields 4−38756
atmospheres, angular momentum transfer in envelopes with magnetic field *(Russian)* 4−30002
Be stars, magnetic field effect on dynamics of envelope *(Russian)* 4−11166
53Camelopardalis, spectroscopic binary, transverse Zeeman effect in Hβ 4−22399
53 Camelopardalis analysis of magnetic field rel. to distortion 4−38769
collapsed star magnetic fields by quasi-vacuum approx. 4−7981
β Coronae Borealis, magn. field variations in south polarity extremum 4−8018
β Coronae Borealis, peculiar A star, long term behaviour of magnetic field 4−17996

stellar magnetism continued
diffusion and generation of magnetic fields in a sphere, eigenvalue problem 4−2044
formation epoch, magnetic braking 4−34775
HD 140728, 215038 and 215441, ubv photoelectric obs. of magnetic stars 4−11188
HD 153919, circular polarisation in Hβ, rel. to magnetic field variations 4−4821
HD 153919 (2U 1700-37), spectroscopic binary, spectrum, orbit and magnetic field 4−4800
high resolution Zeeman polarimetry of weak stellar magnetic fields 4−14368
magnetic convection, effect of buoyancy in solar and stellar interiors 4−38649
magnetic field generation by laminar convection in stellar outer zone *(Russian)* 4−30024
neutron star superstrong magnetic fields, effect on atoms and atomic chains 4−38835
neutron stars, Einstein-Cartan theory of gravity, effect of inritrinsic spin 4−7988
neutron stars, possible origin of magnetic fields 4−11175
neutron stars, superconducting critical field, soln. of differential eqn. by thermodynamic method 4−14385
non-radial oscillations of magnetically distorted polytropes 4−14349
photoelectric coude polarimeter construction and use for weak stellar magnetic fields 4−14523
poloidal field structures, effect on stellar wind magnetic braking 4−34789
pulsar magnetosphere closed field lines, relativistic model 4−18024
rotating magnetosphere, distant magnetic field structure 4−42385
Scorpius X-1, magnetic white dwarf undergoing accretion, plasma theory rel. to X-ray emission 4−18030
self-gravitating rotating magnetized mass, tensor virial equation for possible figures *(Russian)* 4−11101
spectral lines in magnetic field, transfer equations 4−42380
stability, non-adiabatic oscillations of gaseous systems in MHD 4−7975
supermassive oblique rotator, electrodynamics, evolution, observational tests 4−14346
supernova remnant evolution rel. to magnetic field, relativistic particles, luminosity and central pulsar 4−18000
41 Tauri, spectroscopic binary ubvy photometry rotational synchronism, magnetic field 4−26109
upper main sequence stars with multipole magnetic field, models using perturbation method 4−17998
white dwarfs, effect of 10^4-10^8 G fields on continuum emission 4−38843
white dwarfs, possible origin of magnetic fields 4−11175
white dwarfs, superconducting critical field, soln. of differential eqn. by thermodynamic method 4−14385
white dwarfs polarized radiation from 10^6-10^{12} G magnetic fields 4−38844

stellar models
accretion discs, simple model of fluctuations 4−42379
ε Aurigae, disc model of i.r. excess 4−30031
barred rotating stellar systems, structure from self-consistent stellar dynamic models 4−34936
black holes in binary systems, instability of disc accretion 4−30044
UV Ceti, two types of flares, photometry, spectroscopy and models 4−34838
chromospheres of cool stars 4−42381
close binary system, component surfaces *(Italian)* 4−38806
collapse, including neutrino-nuclear scattering from neutral current theory 4−38764
composite polytropic stars, gravity modes 4−26101
convection in rotating stars 4−14354
Cygnus X-1, triple system model of neutron star, early type star and supergiant 4−26130
Cygnus X-3, galactic, X-ray source standard model applications 4−11220
1 Delphini, model envelope for shell star 4−30033
BY Draconis, spotted flare star photometric behaviour and model for dark spots 4−2119
E models, secular stability, multiple solutions of structure equations 4−30011
early type main sequence, detectability and nature of CNO anomalies 4−30012
early type stars, electrical fields caused by pressure gradient 4−34779
early-type objects, physical parameters 4−14364
82 Eridani, Fe/H ratio from model atmosphere analysis of G 5 dwarf star 4−14387
CC Eridani, spotted flare star photometric behaviour and model for dark spots 4−2119
erupting carbon stars, surface enrichment of Li; C; Ni by deep mixing 4−42371
flare stars, properties and models, review 4−34839
formation mechanism 4−14358
giants, Population II, UBV colours rel. to effective temperature and luminosity 4−22395
gravity-darkening for general rotation laws 4−42378
hadron star models based on eqns. of state 4−38842
HD 135485, peculiar early-type metal-rich star, model atmosphere analysis 4−2113
Hercules X-1, slaved disk model 4−42440
DQ Herculis, eclipsing binary, old nova, oblique rotator model 4−18014
horizontal branch model and age of globular clusters *(Russian)* 4−11224
instability in secular spectrum rel. to chemical abundance perturbation 4−4780
luminosity function model for stars of lower limiting mass 4−34786
11 $M_\odot$ star, shell homology relations 4−4786
20 $M_\odot$ star, evolutionary models with different initial chemical composition 4−14350
magnetic braking during formation 4−34775
magnetically distorted polytropes, non-radial oscillations 4−14349
main sequence A-type stars, envelope He diffusion processes, models 4−34777
massive stars, convective cores existence 4−26104

stellar models continued
metallic line stars, diffusive separation model 4−30071
neutron star, slowly rotating, analytic models 4−8033
neutron star matter, possibility of transition to neutron solid 4−8010
neutron star properties derived from pulsar observations 4−38841
neutron stars, analogy with isothermal gas spheres, general relativistic instability 4−38805
neutron stars, evolution and chem. struct. 4−14431
nonradial pulsation modes in general relativity, variational principle and stability criterion 4−7974
novae, contracting envelopes, new method of calculating models 4−38785
photon-neutrino coupling theory rel. to stellar structure 4−42377
prenova model, multimodal radial pulsational instability 4−26097
protostellar origin of circumstellar envelopes 4−14383
pulsational instability towards non-radial oscillations in small mass homogeneous stars 4−34778
radiosource prolonged injection model, explanation of radio outburst in 3C 273 4−14434
relativistic system, projected density distrib. formula 4−34912
rotating star structure, Kippenhahn-Thomas method 4−14347
rotating stars linear pulsations and stability *(Polish)* 4−30017
Scorpius X-1, magnetic white dwarf undergoing accretion, plasma theory rel. to X-ray emission 4−18030
self-gravitating stellar system, stability rel. to energy and angular momentum 4−22437
solar stratified atmosphere response to localised turbulent source 4−34653
spherical system evolution models for globular cluster age *(Polish)* 4−11238
stellar atmospheres, angular momentum transfer in envelopes with magnetic field *(Russian)* 4−30002
strong shock propagation in self gravitating conducting gases 4−14345
supermassive oblique rotator, electrodynamics, evolution, observational tests 4−14346
supernovae, binary model of white dwarf and red giant in colliding spiral orbit 4−38781
supernovae type II shells, density model rel. to two objects 4−4803
symmetric clusters with elliptical particle orbits, stability of model 4−42456
upper main sequence stars with multipole magnetic field, models using perturbation method 4−17998
vibrational stability during central H burning for 1 M$_\odot$ star, solar model 4−34609
white dwarf matter accretion model for pulsating X-ray sources 4−34905
white dwarf models, linear adiabatic nonradial oscillations in cooling 4−11181
white dwarf spectra interpretation rel. to composition, convection and models 4−34793
white dwarfs, composition of cool He and C objects 4−38787
white dwarfs stars, cooling of liquefying hot objects 4−34792
X-ray source optical counterparts, emission line models 4−34784
X-ray sources, pulsating white dwarf model 4−14458
zero age main sequence stars, effects of opacity changes 4−26102
C stars, model atmospheres 4−38755
He-C stars of 3.5 and 1 M$_\odot$, linear series of models 4−34776

stellar motion
see also celestial mechanics
absolute magnitudes of semi-regular and RV Tauri variables from statistical parallaxes 4−14406
ADS 7967 and 8327, visual binaries, radial vels. 4−38795
Aitken 1813 triple star, orbital elements, masses, ephemerides determ. 4−8028
AB Andromedae, BV photometry, light curve and new orbital elements 4−14394
2 Andromedae, parallax and orbit for suspected subluminous binary 4−42397
LY Aurigae, orbital elements and absolute dimensions of eclipsing binary 4−30032
Barnard's star, orbits and cosmogony of multiplanet system 4−26134
Barnard's star, perturbations rel. to orbiting planets 4−26117
BD + 16°516, orbit evolution of eclipsing binary and rotation of white dwarf 4−22401
BD + 4°3561 (Barnard's star), planetary companion rel. to orbit 4−11190
BD + 66°34, triple star, astrometric analysis of 575 plates 4−14382
binaries, visual, ADS 1522, FIN 342, ADS 7365, ADS 7997, ADS 9378, orbits 4−8008
binary encounters, Yukawa potential from modified Newtonian potential 4−42390
black hole relativistic effects on interactions, radiation and orbits *(Polish)* 4−7881
bright blue stragglers in Galactic clusters, spectra and motion 4−34928
Burnham 1163, spectrographic obs. of visual binary during periastron passage 4−11197
VZ Canum Venaticorum, photometric orbit and light curve variation 4−30054
close binary system, effect of supernova explosion on orbital motion 4−38788
close binary system, three-body problem for ring form. *(Polish)* 4−11100
17 B and 22 Comae Berenicis, radial velocity study of Am-stars 4−17999
CPD-72° 1184, high-velocity blue star, UBV photometry 4−38814
CG Cygni, preliminary elements for eclipsing binary from light curve 4−34817
61 Cygni, relative parallaxes and mass ratio of visual binary 4−26116
disruptive star encounters, limacoid technique, rel. to origin of solar system 4−42389
dynamical problems of interest in celestial mechanics 4−42271
dynamics of rotating stellar systems, collapse and violent relaxation 4−14465
early-type high-velocity stars, ^{3}He isotope search 4−42419
G- and K-type giants, motions rel. to Galactic evolution 4−34922
galactic kinematics of O- and B-type stars from radial velocity and distance meas. 4−42388

stellar motion continued
gravitational slowing down of solid spinning bodies 4−4789
HD82191, double-line, orbit determ. 4−8017
HD 103095 (Groombridge 1830), flare, radial vel., parallax and orbital motion 4−34840
HD 108486, radial velocity study of Am-star in Coma Berenices 4−17999
HD 108, spectrograms of Of-star, intensity var. and radial velocities 4−14388
HD 153919 (2U 1700-37), spectroscopic binary, spectrum, orbit and magnetic field 4−4800
HD 187399, spectral obs. of shell star, envelope expansion velocity *(Russian)* 4−30027
HD 193964, B-type spectrographic, orbital elements 4−8013
HR 6684, radial velocity of β Cephei star from nine spectrograms 4−14422
IDS 19316N5957, radial vel. of both components, optical pair 4−38795
individual radial velocities of 3700 stars 4−38767
K- and M-dwarfs, absence of widely separated co-moving pairs 4−38815
Kuiper 84 (BD + 4°3562), astrometric study of visual binary 4−11191
L726-8, parallax rel. to mass ratio of double star 4−26115
EM Lacertae, BV photoelectric light curves and elements 4−38809
Lalande 21185, astrometric study of solar neighbourhood star 4−42396
LMC members and galactic stars in LMC direction, radial velocities 4−34783
long-period Cepheids in Crux-Centaurus region, kinematics of distant objects 4−34923
long-period visual binaries, orbital elements *(German)* 4−38830
β Lyrae, period var. of eclipsing binary and ephemeris of primary minima 4−34799
M 39, mean stellar rotational velocity and binary frequency 4−18039
massive close binary system, axial rot. in evolution of indiv. stellar compts. 4−8025
Mlr 4, visual binary, orbital elements, O-C and 1972-82 ephemeris 4−30051
nearby classical Cepheids, space velocities 4−42387
nearby stellar population, evolution and kinematics 4−34924
old-disc-population red giants in solar neighbourhood, luminosity and velocity 4−14412
Orion OB1a association, internal motions, alternatives to rapid expansion 4−14487
proper motion and parallaxes for six stars 4−11192
RGO 153 carbon star in ω Centauri, radial velocity meas. 4−14426
solar apex, vortex pattern of local stars, orbital parameters 4−42459
southern β-type stars, radial vel. meas. from Coude spectrograms 4−34855
southern B-type stars, radial velocities 4−7983
spectroscopic binaries, radial velocities of four objects from spectra *(Russian)* 4−30026
stability of flattened galaxies, evolution of N-body simulated system 4−14464
symmetric clusters with elliptical particle orbits, stability of model 4−42456
trigometric parallaxes for nine stars 4−11173
velocity distributions, gaussian components derived from star counts at high Galactic latitude 4−22449
velocity field of young O-B3 stars, three-dimensional analysis 4−22393
visual double stars, orbital elements of 12 objects *(French)* 4−30048
white dwarf collisions and evolution of dense galactic nuclei 4−38888
white dwarfs, radial vel. and space motions of 31 Southern Hemisphere objects 4−30062

stellar origin *see stellar evolution*

stellar radiation
see also solar radiation; stellar spectrophotometry
absolute magnitudes of semi-regular and RV tauri variables 4−14406
absolute spectral energy distrib. of common stellar types in 3300-10800 Å range 4−26106
aligned magnetic rotators, acceleration, radiation and pair production 4−26146
AB Andromedae, BV photometry and analysis of light curve 4−14394
Z Andromedae, flares, UBV photometry, variations of ascending and descending branches *(Russian)* 4−38797
S Andromedae, search for radio emission from supernova remnant 4−8004
Ap-stars, Balmer discontinuity 4−22394
π Aquarii, energy distrib. analysis of emission-line B-type star 4−38789
10 Aquilae, BV photoelectric obs. of light var. 4−38807
ε Aurigae, i.r. excess, secondary light var. and planetary system formation 4−30031
Aurigae, UBV photoelectric photometry of 1971-2 eclipse 4−38786
Be stars, var. of free-free emission from surrounding circumstellar gas 4−8002
black hole relativistic effects on interactions, radiation and orbits *(Polish)* 4−7881
bright K0-K5 stars, UBRI luminosity index 4−34787
brighter stars of astrophysical interest in southern sky 4−11187
calibration of stellar luminosity systems using trigonometric parallaxes 4−14371
53 Camelopardalis, spectroscopic variable Ap star intrinsic linear polarization from broad blue band obs. 4−18011
β Canis Majoris-type variables in Scorpio-Centaurus association, luminosities 4−34852
α^2 Canum Venaticorum, magnetic Ap star, intrinsic linear polarization from broad blue band obs. 4−18011
η Carinae, UBV obs. and three-year cyclic var. in brightness 4−26125
β Cassiopeiae, δ Scuti star, absolute energy distrib. in 3500-6000Å range 4−8001
γ Cassiopeiae, linear polarization of Hβ emission lines feature 4−42411
RZ Cassiopeiae, period var. of Algol-type eclipsing binary 4−26124
β Cephei (Algol), u.v. analysis 4−34821

stellar radiation continued
- UV Ceti, duration of dMe flares 4−42415
- UV Ceti, two types of flares, photometry, spectroscopy and models 4−34838
- UV Ceti type quiescent flare stars, emission line variability 4−18012
- UV Ceti type red dwarfs, age dependence of flare activity *(Russian)* 4−14398
- UV Ceti variables, flare, UBV photometry, variations of ascending and descending branches *(Russian)* 4−38797
- circular polarisation, review 4−17897
- close binary stars, blue CN absorption, photoelectric obs. 4−42393
- close binary systems, source function in monodirectional illum. of grey atmosphere 4−34798
- cluster zero-age main sequence stars, relative luminosity and surface gravities 4−14489
- CoD-31° 17815, duration of dMe flares 4−42415
- AL Comae Berenices, visual magnitude estimates of U Geminorum-type variable 4−42405
- α Coronae Borealis, eccentric eclipsing binary, light curve optimization analysis 4−30038
- R Coronae Borealis, magnitude estimates 4−34849
- R Coronae Borealis, UBGORI photometry and polarimetry at minimum 4−26110
- R Coronae Borealis, UBV photoelectric obs. 4−34847
- R Coronae Borealis, visual magnitude estimates 4−42407
- R Coronae Borealis magnitude estimates 4−26128
- cosmic γ-ray bursts from directed stellar flares 4−38861
- coupled emission of gravitational and e.m. radiation, soln. of eqns. 4−26129
- Crab Pulsar NP0532, light curve and energy density at 2.2 and 3.5 μ 4−22424
- UZ and VW Cygni, Algol-type eclipsing binaries, period study 4−14419
- V477 Cygni, eccentric eclipsing binary, light curve optimization analysis 4−30038
- V1016 Cygni, i.r. flux variations 4−38778
- 32 Cygni, long-period eclipsing binary, outside eclipse light var. 4−34818
- CG Cygni, preliminary elements for eclipsing binary from light curve 4−34817
- SS Cygni, spectrum during flares from spectrophotometry 4−42420
- V 1057 Cygni, three-colour behaviour after outburst 4−34805
- SS Cygni, very soft X-rays from U Geminorum-type close-binary variable 4−30103
- SS Cygni at max., effective temp. and luminosity, OAO-2 obs. 4−34822
- SS Cygni flare, UBV photometry, variations of ascending and descending branches *(Russian)* 4−38797
- Cygnus OB2 association, search for i.r. circumstellar emission in JHKL 4−42464
- BY Draconis, long term light var. of flare star, BV photometry 4−34837
- emission-line, early type, IR excess, radio emission 4−8014
- emission-line object found in Orion Nebula, Herbig-Haro object 4−14408
- emission-line objects, i.r. photometry 4−14405
- energy distrib. in spectra of 19 stars in 5500-9000 Å region *(Russian)* 4−30022
- flux calibration at 10 and 20 μ using Mariner data for Mars 4−26105
- Galactic nuclear bulge, identification of main-sequence stars 4−38876
- GD 229, white dwarf suspect, time varying circular and linear polarization 4−38792
- RX Geminorum, Algol-type eclipsing binary, period study 4−14419
- YY Geminorum, eclipsing double-lined spectroscopic binary, flare regions 4−34836
- globular clusters, mean colour of horizontal branch nonvariable stars *(Russian)* 4−11225
- HBV475, photometric and spectral data for emission-line variable 4−42395
- HD 153919 (2U 1700-37), distance from absorption meas. 4−42441
- HD 65750, red giant in reflection nebula IC 2220, i.r. obs. 4−22402
- Herbig Be/Ae pre main sequence stars, polarization and photometric variability 4−38774
- HZ Herculis, X-ray binary, light curve model 4−18006
- HZHerculis (Hercules X-1) binary system, long term var. of hard X-ray emission 4−4802
- hot stars as excitation sources for small Galactic nebulae 4−14513
- HR1063 (HD21699), UBV photometric var. of He-weak star 4−42394
- VW Hydri, rapid blue variable, rapid pulsation during dwarf nova outburst 4−34853
- interstellar circular polarization effects in light of eight stars 4−30137
- interstellar extinction in u.v. from emission O-type stars 4−8005
- interstellar polarization rel. to grain alignment 4−38913
- i.r., broad-band 20 μ photometry of 76 stars 4−17995
- DD Lacertae, photoelectric obs. for 1959-71 period 4−34800
- late-type objects, microwave H_2O maser emission and i.r. continuum 4−38770
- late-type stars, I-K colours rel. to intrinsic polarization *(Russian)* 4−14362
- α Leonis (Regulus), occultation by Venus, light curve 4−34686
- long-period visual binaries, determ. of parallaxes, masses abd absolute luminosities *(German)* 4−38830
- luminosity function, derivation from trigonometric parallaxes method 4−2110
- luminosity function model for stars of lower limiting mass 4−34786
- luminous objects in cores of H II regions 4−14509
- βLyrae, masses, absolute dimensions, luminosities of both components 4−34844
- β Lyrae, period var. of eclipsing binary and ephemeris of primary minima 4−34799
- β Lyrae, UBV obs. for July-August 1971 period 4−38796
- magnitude sequence revised zero points and UBV photometry in Harvard E and F regions 4−30023
- 21 Monocerotis, light variability in cosine term expression 4−11202
- UX Monocerotis, photoelec. obs. of eclipsing binary *(Italian)* 4−38808

stellar radiation continued
- neutrino field anal. rel. to star undergoing gravitational collapse 4−29815
- neutrino pair emission by magnetized stellar plasma 4−29812
- neutron stars, absorption of high energy heavy nuclei and γ rays at hot surfaces 4−42414
- NGC 2164 in LMC, colour-magnitude diagram, BV photometry of rich cluster 4−11230
- Nova Delphini 1967, flare, UBV photometry, variations of ascending and descending branches *(Russian)* 4−38797
- Nova Delphini 1967 (HR Del), light curve *(French)* 4−42403
- novae, radioactive decay producing observable γ-rays after explosion 4−38791
- old novae, temperatures and luminosities, OAO-2 u.v. photometry 4−34823
- old-disc-population red giants in solar neighbourhood, luminosity and velocity 4−14412
- peculiar emission line stars with i.r. excesses, forbidden emission lines in spectra 4−18061
- X Persei (2U0352 + 30), UBV photoelectric obs. and optical stability 4−42408
- β Persei (Algol), 1972, September 2, Hα obs. 4−11186
- Pleiades, 0.52 and 0.36 μ polarimetry of faint stars 4−34930
- polarisation by rotationally distorted electron scattering atmospheres 4−38752
- polarization of light from stars connected with filamentary nebulae *(Russian)* 4−14361
- polarization of starlight rel. to galactic structure 4−42451
- polarization profile near 4430 Å interstellar absorption band 4−42472
- Poynting-Robertson effect and Eddington limit for electrons scattering with hard photons 4−38606
- pulsar cavity radiation from rotating magnetic neutron star 4−22423
- pulsar intensity variations, simultaneous obs. at Parkes and Ootacamund at 326.5 MHz 4−38852
- ρ Puppis, scanning monochrmator colour indices of δ Scuti star 4−14418
- radiation damage to cosmic dust grains rel. to solar nebula 4−26178
- Salpeter initial luminosity function for giant elliptical galaxies 4−14474
- λ Scorpii, upper limit to soft X-ray flux in 0.5-1.5 keV range 4−26132
- β Scorpii occultation by Jupiter, structure of planet's upper atmosphere 4−42321
- VY Sculptoris, new rapid blue variable, periodicity and spectrum 4−14421
- δ Scuti, scanning monochromator colour indices 4−14418
- southern i.r. standard stars and absolute calibration of i.r. photometry 4−8110
- southern Milky Way, low-dispersion spectra and distrib. of strong emission-line objects 4−11232
- supernova in NGC 3656 (1973 March) yellow magnitudes and UBV colours *(Russian)* 4−14373
- supernova in NGC 4038-39 galaxy, visual magnitude estimates 4−38799
- supernova in NGC 4414, type I event and magnitude estimates 4−42406
- supernovae, light curves and characteristics of four objects, UBV photography 4−4799
- NML Tauri (IK Tauri), revised period and minimum-light spectrum 4−26147
- T Tauri stars, mass loss by stellar wind 4−38761
- thermal radiation from photoautotrophs and biospheres, thermodynamics 4−29999
- tidal gravitational radiation from deformed star in field of black hole 4−4794
- UBV standard stars from photoelectric sequences in celestial equatorial selected areas 4−14365
- υ Ursae Majoris, δ Scuti star, absolute energy distrib. in 3500-6000Å range 4−8001
- u.v. photometry of early-type stars, TD 1 satellite obs. 4−30063
- variable star light curve period using modified Lafler-Kinman-Kholopov method *(Russian)* 4−30150
- visual binaries, UBV photometry and absolute magnitudes of B-type primaries 4−14404
- white dwarf, magnetic, bremsstrahlung model of polarized radiation 4−22414
- white dwarfs, effect of 10^4-10^8 G fields on continuum emission 4−38843
- white dwarfs polarized radiation from 10^6-10^{12} G magnetic fields 4−38844
- wind magnetic braking, effect of poloidal field structures 4−34789
- Wolf 630, duration of dMe flares 4−42415
- WRA 977, high-luminosity B-star rel. to 3U 1223-62, spectra and UBV obs. 4−14393
- X-ray binary system, X-radiation reprocessing by normal stars atmosphere 4−38856
- H α emission in early-type high luminosity stars 4−34841
- Hα narrow-band photoelectric photometry of 32 late-type stars, luminosity effect 4−2108

stellar spectra
- *see also stellar spectrophotometry*
- 1548 + 115, 4C11.50, double QSO, redshift and spectra 4−8052
- absolute spectral energy distrib. of common stellar types in 3300-10800 Å range 4−26106
- abundances rel. to evolution 4−14372
- accreting neutron stars γ-ray line emission in terms of X-ray flux 4−34828
- ADS 7251, pair of spectroscopic binaries, spectra and masses 4−26114
- Algol-type eclipsing binaries, element abundances from spectra of six objects 4−34820
- ZAnd romedae-type stars, Fe VII lines and extended envelopes 4−4788
- Ap, Am stars, Eu abundance reduction by inclusion of hyperfine splitting effects 4−42391
- Ap stars, line identification, elemental abundances and equivalent widths 4−4795
- Ap-stars, Balmer discontinuity 4−22394

stellar spectra continued
π Aquarii, energy distrib. analysis of emission-line B-type star 4−38789
53 Arietis, ^{3}He search in early-type high-velocity star 4−42419
atomic spectra, lab. studies 4−5957
LY Aurigae, spectroscopic study of eclipsing spectroscopic binary 4−34801
automated abundance analysis from high dispersion stellar spectra 4−2153
B2 1101 + 38, low dispersion spectra of optical counterpart 4−8036
B-stars, theoretical continuous spectra *(French)* 4−34788
B-type stars, absorption features in u.v. spectra of 20 objects 4−14366
B-type stars, continua in 1800-2500 Å region for 80 objects 4−14367
B-type stars, u.v. interstellar absorption lines rel. to intercloud medium 4−34938
Barnard's star, atmospheric Li abundance from spectrogram analysis by curves of growth method *(Russian)* 4−14402
BD + 47°781, spectroscopic binary, spectroscopic and photometric obs., orbital elements 4−38800
BD 37°1977, He II rich and H deficient, spectral obs. *(French)* 4−34845
BD 48°1777, He II rich and H deficient, spectral obs. *(French)* 4−34845
Be shell stars, rapid var. of emission line features 4−34835
Be- and Ae-type stars, CO radio emission from associated nebulosity 4−8003
binary stars photometric i.r. obs. of 9 objects 4−11178
blue region spectral gradient (around wave-number 2.34) 4−4790
bright blue stragglers in Galactic clusters, spectra and motion 4−34928
brighter stars of astrophysical interest in southern sky 4−11187
Burnham 1163, spectrographic obs. of visual binary during periastron passage 4−11197
C-S and Mira type variables, unidentified absorption feature 4−38825
C-S type spectral classification from red region objective prism plates 4−14376
Z Camelopardalis, eclipsing binary, dwarf nova, mass loss from Hα emission 4−18001
XX Cammelopardalis, R Coronae Borealis type spectroscopic study 4−34808
ξ^1 Canis Majoris, β Cephei type, chemical composition 4−14410
VY Canis Majoris, energy distrib. fitting using free-free and free-bound emission 4−38777
EZ Canis Majoris, He II line-profile var. in Wolf-Rayet star, binary nature 4−8027
VY Canis Majoris, M supergiant, veiling and circumstellar shell, i.r. spectrum 4−38776
Y Canum Veraticorum bright carbon star, spectroscopic anal. in 1 μm region 4−42417
carbon stars, explanation of violet depression by SiC 4−30019
γ Cassiopeiae, linear polarization of Hβ emission lines feature 4−42411
ω Centauri, C stars in globular cluster, i.r. narrow-band photometry 4−26154
a Centauri, He spectrum var., OAO-2 obs. 4−38772
U Cephei, eclipsing binary, abundance anomalies in secondary component 4−38816
δ Cephei, equivalent width for nine phases of variable star 4−14396
δ Cephei atmosphere, revised abundance analysis from high dispersion spectra 4−30078
UV Ceti type quiescent flare stars, emission line variability 4−18012
close binary stars, blue CN absorption, photoelectric obs. 4−42393
close binary stars, spectral line profile changes due to mass transfer 4−7996
17 B and 22 Comae Berenicis, radial velocity study of Am-stars 4−17999
β Coronae Borealis, Ap star, lanthanide identification from visible and u.v spectrograms 4−14378
55 Cygni, detection of Li I 6708 Å interstellar line 4−30136
32 Cygni, eclipsing binary, spectrographic obs. during 1971 eclipse 4−30053
55 Cygni, Li I line in interstellar spectrum 4−34941
SS Cygni, spectrum during flares from spectrophotometry 4−42420
V 1057 Cygni, three-colour behaviour after outburst 4−34805
χ Cygni, time weaking in near i.r., 1969-1971 *(Russian)* 4−34859
Cygnus X-2, γ-ray emission 4−14454
Cygnus X-2, spectroscopic var. of optical counterpart 4−18029
diffuse band absorption in circumstellar dust shells 4−14414
diffuse interstellar bands in stellar spectra, correlation analysis 4−14502
diffuse interstellar features in stars with circumstellar dust shells 4−42421
diffuse interstellar lines, review of data and theories *(Polish)* 4−11242
Draconis, Si II, Si III spectra at LTE 4−30021
dust-embedded stars, diffuse interstellar features in spectra 4−42422
early type B stars broad absorption feature in u.v. spectrum 4−42386
early type main sequence, detectability and nature of CNO anomalies 4−30012
early-type high-luminosity stars, survey of Hα emission 4−26108
early-type high-velocity stars, ^{3}He isotope search 4−42419
energy distrib. in spectra of 19 stars in 5500-9000 Å region *(Russian)* 4−30022
82 Eridani, Fe/H ratio from Fe I spectrum of G 5 dwarf star 4−14387
G- and K-type giants and supergiants, departures from LTE in spectra 4−8000
YY Geminorum, eclipsing double-lined spectroscopic binary, flare regions 4−34836
giants, late cool type stars, H_2 quadrupole rotation-vibration lines in i.r. spectra 4−14374
H 177, identification with 2U 1639-62 X-ray source and alternative theories 4−2120
HBV475, photometric and spectral data for emission-line variable 4−42395
HD 103095 (Groombridge 1830), flare, radial vel., parallax and orbital motion from spectrograms 4−34840

stellar spectra continued
HD 108486, radial velocity study of Am-star in Coma Berenices 4−17999
HD 108, spectrograms of Of-star, intensity var. and radial velocities 4−14388
HD 110066, Cr I and Fe I line strengths in peculiar A2-type star 4−34804
HD 122563, metal deficient star, O abundance from [OI] 6300 A line obs. 4−38779
HD 135485, atmopshere of H-deficient star, abundances 4−4798
HD 148688, discovery of oxygen-rich supergiant 4−38821
HD 152270, Wolf-Rayet spectroscopic binary, line identifications, radial velocities, 3500-6000 A 4−34809
HD 153919, circular polarisation in Hβ, rel. to magnetic field variations 4−4821
HD 153919 (2U 1700-37), spectroscopic binary, spectrum, orbit and magnetic field 4−4800
HD 153919 (2U 1700-37), visible spectroscopic obs. of X-ray binary 4−30029
HD 175362, B-type star, He line variable 4−30068
HD 184905, H line var. in spectrum of peculiar star *(Russian)* 4−30028
HD 187399, spectral obs. of shell star, envelope expansion velocity *(Russian)* 4−30027
HD 36526, line identification, classification dispersion spectrogram 4−8020
HD 37140, line identification, classification dispersion spectrogram 4−8020
HD 37321, line identification, classification dispersion spectrogram 4−8020
HD 72108, 74455, 75821, u.v. interstellar lines in stars behind Vela supernova remnant 4−34814
HD 7583, A0Ia-O supergiant in SMC, fine analysis 4−4796
HD 77581, radial velocity curve and spectral evidence for black hole companion 2U 0900-40 4−38784
HD 97671, energy distrib. fitting using free-free and free-bound emission 4−38777
HD 97671, M supergiant, veiling and circumstellar shell, i.r. spectrum 4−38776
HD 97859, spectroscopic study of blue halo Si star 4−34802
HDE 228766 massive spectroscopic binary, mass of components from visible spectrum 4−14379
α Herculis, spectrophotometric comparison with α Bootis 4−38819
HZ Herculis, variable emission core in H_β, 4300-6600 A obs. 4−34810
HZ Herculis, X-ray binary, light curve model 4−18006
HR 2142, spectrograms and secondary shell phase 4−34833
HR 511 and 7670, spectrum analysis of Fe-rich stars 4−26123
HR 6684, uvbyβ photometry and spectra of β Cephei star 4−14422
U Hydrae bright carbon star, spectroscopic anal. in 1 μm region 4−42417
infrared sources, low resolution spectrograms in 5000-9000 Å range 4−14451
interstellar extinction in u.v. from Celescope obs. of 550 stars 4−42482
interstellar K-line components in 168 stars rel. to Galactic structure in Southern Hemisphere 4−34937
l 4−11186
12DD Lacertae, power spectrum analysis of multiperiodicity 4−7995
Lacertae OB1 association, spectral classification of stars 4−14499
late type stars, chromosphere grains, thermodynamics of emission quenching 4−11168
ADLeonis, atmospheric Li abundance from spectrogram analysis by curves of growth method *(Russian)* 4−14402
line formation, blending effects, radiative transfer equations 4−26107
Line formation in multidimensional atmospheres with rapid depth variation of absorption coefficient 4−25962
line formation in non-LTE expanding atmospheres 4−22390
line formation in turbulent atmosphere, unified theory 4−4784
line opacities, comparison of straight-mean, harmonic-mean and multiple-picket approximations 4−30003
luminosity sensitive O I multiplet formation at 7774 Å in model atmospheres 4−30004
β Lyrae, eclipsing binary, Hα emission line profile 4−14416
β Lyrae, eclipsing binary, outside-eclipse spectral changes 4−38817
βLyrae, emission line profiles 4−34843
β Lyrae Hα emission profile 4−8015
RR Lyrae type stars, nodal quenching and convective quenching 4−14377
M67, open cluster, interstellar reddening, blanketing and metallicity 4−30120
M 39, spectroscopic study of open cluster 4−18039
M-giants, obs. study of atmospheric structure from Fe I and Ti I lines 4−2112
Magellanic Clouds, integrated spectral types of galactic globular clusters 4−11236
main sequence A to G stars, dependence of microturbulence on absolute f-values for Fe I 4−14428
microturbulence in main sequence stars rel. to absorption line profiles 4−11174
microturbulence in stellar spectral line formation, turbulent element approach 4−4782
FU Monocerotis, SC star, spectra in photographic i.r. region 4−30072
near u.v. extinction feature in 40 stellar spectra, OAO-2 obs. 4−42502
NGC 3504, complex galaxy with blue nucleus, peculiar stellar spectra 4−14470
Nova Delphini 1967, analysis of different absorption systems for spectral studies *(French)* 4−7997
Nova Delphini 1967, circumstellar absorpt. systems *(French)* 4−18009
Nova Delphini 1967, pre-December maximum phase, Hα emission 4−14386
Nova Herculis 1963, spectrum evolution in nebular phase *(French)* 4−38790
Nova IV Cephei 1971, spectrographic and three colour photometry 4−38826

stellar spectra continued
O- and Of-type stars, line width in red spectral region for 77 objects 4−38773
O-stars, theoretical continuous spectra *(French)* 4−34788
O-type stars, spectral classification of objects in solar neighbourhood 4−26158
Oe- and Oef-type stars, emission line profiles rel. to extended envelopes 4−34842
Of-type stars, physical mechanisms producing N III emission lines 4−14415
Ophiuchi, Hα and He I 5875 Å emission lines in spectrum 4−30045
Ophiuchi, interstellar absorption lines in u.v. spectrum 4−34812
ζ Ophiuchi, search for Li I 6708 Å line in spectrum 4−42474
U Ophiuchi spectral variation gravity darkening, u.v. photometry 4−11184
GP Orionis, SC star, spectra in photographic i.r. region 4−30072
α Orionis (Betelgeux), effect of Fe I absorption on Mg II emission at 2795 A 4−17997
peculiar emission line stars with i.r. excesses, forbidden emission lines in spectra 4−18061
peculiar stars, southern, spectral classification 4−8007
γ Pegasi, β Cephei type, chemical composition 4−14410
S Persei, energy distrib. fitting using free-free and free-bound emission 4−38777
S Persei, M supergiant, veiling and circumstellar shell, i.r. spectrum 4−38776
Pleiades cluster stars, continuous spectra and spectrophotometry of 44 objects *(Russian)* 4−30129
Pleiades stars, spectrophotometry and absorption lines *(Russian)* 4−38879
polarization profile near 4430 Å interstellar absorption band 4−42472
proper motion binaries containing white dwarfs, spectroscopic obs. 4−11198
properties of 2200 Angstroms interstellar absorption band 4−14504
Puppis, interstellar gas composition from u.v. absorption lines 4−2139
Puppis, i.r. spectrum in 0.9-1.7 μ range, line identifications 4−30030
Puppis, u.v. spectra from rocket obs. 4−4812
radiative transfer, line formation problems 4−17992
radiative transfer eqn. soln. frequency-quadrature perturbations 4−7973
radiative transfer line transfer problem with radial velocity fields 4−17993
red giants in globular clusters, G-band strengths in spectra 4−34931
resonance line formation in multidimensional media, interpolation functions 4−11167
resonance line formation in multidimensional media, radiation operator representation 4−4778
VX Sagittarii, energy distrib. fitting using free-free and free-bound emission 4−38777
VX Sagittarii, M supergiant, veiling and circumstellar shell, i.r. spectrum 4−38776
δ Scorpii, equivalent widths of interstellar H_2 lines 4−26120
τ Scorpii, similarity to quasar PHL 957 absorption line spectrum 4−42435
VY Sculptoris, new rapid blue variable, periodicity and spectrum 4−14421
shell stars rel. to interacting binaries, spectroscopic survey 4−34834
SMC X-1, optical spectra and mass from Sanduleak 160 obs. 4−38857
southern β-type stars, radial vel. meas. from Coude spectrograms 4−34855
southern long-period red variables, emission lines in spectra 4−34794
southern Milky Way, low-dispersion spectra and distrib. of strong emission-line objects 4−11232
spectroscopic binaries, radial velocities of four objects from spectra *(Russian)* 4−30026
SR type M variables, spectroscopic survey by curves of growth method, rel. to Li abundance *(Russian)* 4−14401
stellar objects in Texas radiosource positions, optical spectra 4−34875
super-metal-rich stars, metal abundances rel. to giant star spectra 4−34785
supergiants of types B9-A3, mass motions in atmospheres from spectrograms 4−11203
Tauri, physical processes in far u.v. spectrum, 1100-2050 Å obs. 4−30046
Tauri, rocket obs. of u.v. spectrum of possible shell star 4−34813
NML Tauri (IK Tauri), revised period and minimum-light spectrum 4−26147
28 Tauri (Pleione), shell spectrum 4−8019
28 Tauri (Pleione), spectral emission variations, 1971-73 *(French)* 4−11196
RV Tauri stars, correlation between i.r. and photographic spectra 4−42409
T Tauri stars, H α emission rel. to chromospheres of 20 objects 4−14389
T Tauri stars, spectral energy distribs. 4−42402
thermalization lengths in multilevel radiation transfer 4−30015
transfer equations of spectral lines in magnetic field 4−42380
W Ursae Majoris type, SR II and Ca I line computation from black body model 4−7998
u.v. (near), 200 bright early-type stars, TD-1A satellite obs. 4−22408
u.v. spectral synthesis, computer program 4−38922
γ^2 Velorum, eclipsing binary, u.v. spectra from rocket obs. 4−4812
γ^2 Velorum, i.r. spectrum in 0.9-1.7 μ range, line identifications 4−30030
γ^2 Velorum, short-term spectral var. from photometric obs. 4−30047
white dwarf spectra interpretation rel. to composition, convection and models 4−34793
white dwarfs, absolute spectral energy distrib. for 38 objects in 3200-10500Å range 4−34791
white dwarfs, radial vel. and space motions of 31 Southern Hemisphere objects 4−30062
WRA 795, possible optical counterpart for Centaurus X-3, UBV photometry and spectroscopy 4−38783

stellar spectra continued
WRA 977, high-luminosity B-star rel. to 3U 1223-62, spectra and UBV obs. 4−14393
X-ray source optical counterparts, emission line models 4−34784
C stars, forbidden [CI]λ8727 line 4−42416
C stars, opacity effects and spectral classification 4−26096
CH molecular absorption spectra, determ. of C abundances 4−2109
CN band strengths rel. to N abundance 4−14369
H α emission in early-type high luminosity stars 4−34841
Hα narrow-band photoelectric photometry of 32 late-type stars, luminosity effect 4−2108
Tc II and Pm I, search for lines in Ap and S stars 4−14370

stellar spectrophotometry
see also stellar radiation; stellar spectra
absolute spectral energy distrib. of common stellar types in 3300-10800 Å range 4−26106
AB Andromedae, W Ursae Majoris−type eclipsing binary, BV photometry 4−14394
Aquila ring, UV excess stars and radiosources, UBV photometry 4−34916
10 Aquilae, BV photoelectric obs. of light var. 4−38807
38 Arietis, δ Scuti type, uvby photoelectric photometry 4−38820
Aurigae, UBV photoelectric photometry of 1971-2 eclipse 4−38786
B-type stars, absorption features in u.v. spectra of 20 objects 4−14366
B-type stars, continua in 1800-2500 Å region for 80 objects 4−14367
BD + 47°781, spectroscopic binary, spectroscopic and photometric obs., orbital elements 4−38800
BD-18°3437 (HD 110139) W UMa type eclipsing binary, UBV photometry 4−30049
Be stars in M52 galactic cluster 4−8078
bright blue stragglers in Galactic clusters, spectra and motion 4−34928
bright K0-K5 stars, UBRI luminosity index 4−34787
bright stars north of −10° declination, ubvy and Hβ photometry 4−11189
RU Camelopardalis, photometric activity (1970-1972) 4−4807
XX Camelopardalis, UBV obs. of R Coronae Borealis variable 4−14417
Carina arm, deep photoelectric UBV sequences in Vela, Carina and Crux 4−14482
η Carinae, UBV obs. and three-year cyclic var. in brightness 4−26125
ρ Cassiopeiae, UBV obs. of supergiant irregular variable 4−14417
cataclysmic vaiables, high-speed photometry 4−8034
ω Centauri, C stars in globular cluster, i.r. narrow-band photometry 4−26154
DICephei, 5 colour TV-photometry *(Russian)* 4−14399
ε Cephei, δ Scuti type, uvby photoelectric photometry 4−38820
UV Ceti, flare star, high time resolution studies 4−11179
R Coronae Borealis, UBGORI photometry and polarimetry at minimum 4−26110
R Coronae Borealis, UBV photoelectric obs. 4−30061
R Coronae Borealis, UBV photoelectric obs. 4−34847
R Coronae Borealis-type stars, UBV obs. of two objects 4−14420
RV Corvi, eclipsing binary, UBV photometry 4−30052
CPD −72° 2551, new eclipsing binary, UBV photometry 4−11201
CPD-72^0 1184, high-velocity blue star, UBV photometry 4−38814
τ Cygni, δ Scuti type, uvby photoelectric photometry 4−38820
BR Cygni, photoelectric photometry 4−11195
SS Cygni, spectrum during flares from spectrophotometry 4−42420
V 1057 Cygni, three-colour behaviour after outburst 4−34805
V1016 Cygni, UBGVRI photometry rel. to evolution of symbiotic stars 4−42392
32 Cygni, UBV photometry of 1971 eclipse 4−38832
SS Cygni at max., effective temp. and luminosity, OAO-2 obs. 4−34822
Cygnus X-1, distance determ. from UBV photometry 4−14456
Cygnus X-1 (HDE 226868), distance estimate from nearby stellar spectrophotometry 4−34898
Cygnus X-1 field, UBV photometry of 50 stars 4−30020
BY Draconis, long term light var. of flare star, BV photometry 4−34837
BY Draconis, spotted flare star photometric behaviour and model for dark spots 4−2119
eclipsing binaries, O'Connell effect, UBV and JHKL 4−22396
eclipsing variables spectrophotometry giving spectral types, magnitudes and velocities *(Russian)* 4−14400
emission-line objects, i.r. photometry 4−14405
CC Eridani, spotted flare star photometric behaviour and model for dark spots 4−2119
globular cluster giants, effective temps., surface gravities, Fe/H values and masses from DDO colours 4−18005
globular cluster reddening material distrib. from 6-colour obs. 4−14494
globular cluster u.v. excesses rel. to chemical composition 4−38884
globular clusters, integrated UBV colour obs. 4−42446
globular clusters, mean colour of horizontal branch nonvariable stars from BV photometry *(Russian)* 4−11225
globular clusters, near i.r. photometry of 13 objects 4−34932
HD82191, double-line, orbit determ. 4−8017
HD 140728, 215038 and 215441, ubv photoelectric obs. of magnetic stars 4−11188
HD 153919 (2U 1700-37), distance from absorption meas. 4−42441
HD 188041, peculiar A star, uvby obs. of light variations 4−38827
HD 32633, short period light variations, UBV photometry 4−7999
HD 52942, new early type eclipsing binary UBV photometry 4−30039
HD 82191, Am spectroscopic binary, orbital elements 4−34851
α Herculis, spectrophotometric comparison with α Bootis 4−38819
HZ Herculis, UBVr photoelectric photometry, interpretation of light curve 4−18003
HR1063 (HD21699), UBV photometric var. of He-weak star 4−42394
HR 6684, uvbyβ photometry and spectra of β Cephei star 4−14422
HR 8006, δ Scuti star, precise differential photoelectric photometry 4−42404
HR 9039, δ Scuti star, precise differential photoelectric photometry 4−42404

stellar spectrophotometry continued
- interstellar circular polarization effects in light of eight stars 4−30137
- interstellar H_2, excitation temp. for high rotational levels from column density 4−18049
- i.r., broad-band 20 μ photometry of 76 stars 4−17995
- EM Lacertae, BV photoelectric light curves and elements 4−38809
- SW Lacertae, W UMa type, differential UBV photometry 4−30055
- late-type stars, I-K colours rel. to intrinsic polarization *(Russian)* 4−14362
- ES Librae (BV 449), spectrophotometric elements 4−8024
- LMC, luminous and massive star photometry 4−14363
- long-period variables, UBV obs. of 33 objects 4−14420
- SW Lyncis, β Lyrae eclipsing binary, minima and light elements 4−38823
- βLyrae, eclipsing binary, redeterm. of photometric calibration, B-V colour 4−18002
- β Lyrae, UBV obs. for July-August 1971 period 4−38796
- M67, open cluster, UBV comparison with Hyades stars 4−38892
- M67-33, W Ursae Majoris type contact binary, masses, radii and luminosities from BV photometry 4−14411
- Mira variables, UBV photometry near max light 4−30056
- 1 Monocerotis, δ Scuti star, UBV photometry 4−8029
- UX Monocerotis, photoelec. obs. of eclipsing binary with V filter *(Italian)* 4−38808
- nearby red dwarfs, UBVRI photometry 4−38818
- NGC 1893, galactic cluster, UBV photometry 4−11233
- NGC 2164 in LMC, colour-magnitude diagram, BV photometry of rich cluster 4−11230
- NGC 2287, open cluster in Pleiades group, intermediate and broadband photometry 4−38874
- NGC 2298 globular cluster, UBV photometry 4−30128
- NGC 3504, complex galaxy with blue nucleus, peculiar stellar spectra 4−14470
- NGC 3955, Ir II galaxy, stellar populations and internal motions from spectroscopy and 11-colour photometry 4−34917
- NGC 4372, globular cluster, UBV obs. 4−38878
- NGC 4372 globular cluster, UBV spectrophotometry 4−26155
- NGC 4433, Ir II galaxy, stellar populations and internal motions from spectroscopy and 11-colour photometry 4−34917
- NGC 581 (M103), open cluster, RGU photometry 4−42450
- NGC 6207, starlike nucleus, photometric and spectroscopic obs. 4−38870
- NGC 6231-92, i.r. source, energy distrib. from UBV photometry and i.r. obs. 4−38775
- NGC 659 open cluster, RGU photometry 4−42450
- NGC 6819, open cluster, UBV photometry 4−34919
- NGC 6871, uvby and Hβ photometry of cluster stars 4−34927
- NGC 7006 globular cluster, RR lyrae variables 4−4809
- North Galactic Pole, UBV photoelectric photometry of 2544 stars 4−14483
- Nova Cephei 1971, IJHK photometry 4−30074
- Nova IV Cephei 1971, spectrographic and three colour photometry 4−38826
- O-B3 stars, UBV photometry rel. to spiral features in Norma region 4−14469
- OB associations in Ara, UBV and Hβ obs. 4−22450
- OJ 287, simultaneous 7.2 radio and UBV obs. 4−30093
- old nova-binaries, JHKL photometry 4−38803
- open cluster comprising Trumpler 14 and 16 clusters, UBVRI and Balmer line photometry 4−14481
- Palomar-Groningen Variable-Star Survey, BV photometry of 20 RR Lyrae stars 4−14395
- τ Pegasi, δ Scuti type, uvby photoelectric photometry 4−38820
- X Persei (2U0352 + 30), UBV photoelectric obs. and optical stability 4−42408
- Y Piscium, Algol system, photoelectric evidence for gas stream 4−7994
- PKS 0537-441, photoelectric UBV of large light pulse 4−18023
- Pleiades cluster stars, continuous spectra and spectrophotometry of 44 objects *(Russian)* 4−30129
- Pleiades stars, spectrophotometry and absorption lines *(Russian)* 4−38879
- prediction of Johnson UBV values from Stromgren uvby photometry 4−30025
- radial velocity determinations, 4000-4300 Å 4−4791
- RGO 55, 70 in ω Centauri cluster, CH stars, CNO abundances from Swan bands and UBV colours 4−18013
- RY Sagitarii, R Coranae Borealis type, UBVRI-JHKL photometry near deep minimum phase 4−14423
- V701 Scorpii eclipsing binary in NGC 6383 cluster, photoelec. obs. 4−38794
- VY Sculptoris, new rapid blue variable, UBV photometry 4−14421
- RZ Scuti eclipsing binary, photometric elements 4−14409
- SN 1968l in NGC 5236, type II, spectroscopy and UBV photometry 4−38802
- SN 1972 in galaxy NGC 5253, photoelectric UBV photometry 4−2114
- southern i.r. standard stars and absolute calibration of i.r. photometry 4−8110
- supernova 1970g in NGC5457, UBV photometry 4−38801
- supernova in NGC 3656 (1973 March) yellow magnitudes and UBV colours *(Russian)* 4−14373
- supernovae, light curves and characteristics of four objects, UBV photography 4−4799
- EU Tauri, cepheid, UBV photometry 4−30050
- 41 Tauri, spectroscopic binary ubvy photometry rotational synchronism, magnetic field 4−26109
- NML Tauri (IK Tauri), revised period and minimum-light spectrum for V-photometry 4−26147
- RVTauri supergiants, UBVR photometry 4−7987
- TD-1A satellites S59 spectrophotometer, optical mechanical electronic props. 4−26179
- Tr 1, open cluster, RGU photometry 4−42450
- transformations between photometric systems 4−4837
- UBV, stellar flares, radiation differences of ascending and descending branches *(Russian)* 4−38797
- UBV photoelectric photometry of Hα emission stars in Milky Way 4−34816

stellar spectrophotometry continued
- UBV photoelectric photometry of long-period Cepheids in Crux-Centaurus region 4−34923
- UBV photoelectric sequences in celestial equatorial selected areas 4−14365
- UBV photometry and magnitude sequence revised zero points in Harvard E and F regions 4−30023
- UBV photometry of 63 southern stars 4−38812
- UBV sequences, 6 of Kapteyn's selected areas 4−8103
- UBV sequences in star fields of five radiosources 4−11211
- UBViyz photometry of 19 Galactic clusters, metal abundances 4−34929
- u.v. photometry of early-type stars, TD 1 satellite obs. 4−30063
- γ^2 Velorum, short-term spectral var. from photometric obs. 4−30047
- visual binaries, UBV photometry and absolute magnitudes of B-type primaries 4−14404
- white dwarfs, absolute spectral energy distrib. for 38 objects in 3200-10500Å range 4−34791
- WRA 795, possible optical counterpart for Centaurus X-3, UBV photometry and spectroscopy 4−38783
- WRA 977, high-luminosity B-star rel. to 3U 1223-62, spectra and UBV obs. 4−14393
- young disc giants, UBVBI photometry, luminosity, velocity distrib. 4−8026
- He rich B-type stars, composition and evolutionary status, ubvy colours 4−30034
- He stars, UBV photometry for determ. of variability at optical wavelengths 4−14427
- He-rich hot stars, continuous energy distrib. 4−7984

stellar structure
- black holes in binary systems, instability of disc accretion 4−30044
- 53 Camelopardalis analysis of magnetic field rel. to distortion 4−38769
- *o* Ceti (Mira), mean radius and temp. from near i.r. photometry 4−30040
- chromospheres of cool stars 4−42381
- circumstellar shell development of protostellar origin 4−30041
- classical Cepheids, pulsation masses, mass-luminosity relation 4−30073
- close binary stars, spectral line profile changes due to mass transfer 4−7996
- close binary systems, gas cloud formation 4−26119
- composite polytropic stars, gravity modes 4−26101
- convection in rotating stars 4−14354
- V1016 Cygni, UBGVRI photometry rel. to evolution of symbiotic stars 4−42392
- Cygnus Loop, expanding shell interaction with interstellar medium, monochromatic photographs 4−34827
- differentially rotating star with radiative dissipation, formulation 4−30009
- BY Draconis, spotted flare star photometric behaviour and model for dark spots 4−2119
- dwarf novae, periodicities and accretion discs 4−11200
- dynamical instability onset by nonaxisymmetric mode of oscillation 4−29808
- E models, secular stability, multiple solutions of structure equations 4−30011
- CC Eridani, spotted flare star photometric behaviour and model for dark spots 4−2119
- AS Eridani eclipsing binary, A3 main seq. star and subgiant 4−11180
- explosive burning of O and Si and resulting nucleosynthesis 4−26099
- globular clusters, structural parameters 4−34925
- gravity-darkening for general rotation laws 4−42378
- hadron star models based on eqns. of state 4−38842
- heavy star, black holes 4−14430
- HZ Herculis, variable emission core in H_β, 4300-6600 A obs. 4−34810
- HR 465, surface reaction theories to explain presence of Pm 4−11171
- βLyrae, masses, absolute dimensions, luminosities of both components 4−34844
- Maclaurin spheroids, adiabatic pulsations and convective instability 4−30008
- magnetically distorted polytropes, non-radial oscillations 4−14349
- main sequence A-type stars, envelope He diffusion processes, models 4−34777
- massive protostars, hydrodynamic evolution 4−30042
- massive stars, convective cores existence 4−26104
- metallic line stars, diffusive separation model 4−30071
- neutron star, max. mass, extremal principle calc. 4−30018
- neutron star structure from observations of glitch behaviour in pulsars 4−38839
- neutron stars, quantum crustal structure using many-body techniques 4−38836
- neutron stars, chemical composition of envelopes, nucleosynthesis 4−26118
- NGC 6888, expanding shell interaction with interstellar medium, monochromatic photographs 4−34827
- non-rotating neutron stars, upper bound of mass 4−14384
- Ophiuchi, optically thick shell formation 4−38793
- photon-neutrino coupling theory rel. to stellar models 4−42377
- prenova model, multimodal radial pulsational instability 4−26097
- protostellar origin of circumstellar envelopes 4−14383
- pulsational instability towards non-radial oscillations in small mass homogeneous stars 4−34778
- rapidly rotating stars, secular stability using Poincare's criteria 4−7976
- rotating isothermal configurations in post-Newtonian general relativistic approx. 4−7879
- rotating stars, Kippenhahn-Thomas method 4−14347
- rotationally distorted stars, moments of inertia 4−7982
- secular stability of 0.5 and 1.1 $M_\odot$ stars during H-shell burning phase 4−26103
- secular stability of tidally distorted stars 4−42374
- self-gravitating rotating magnetized mass, tensor virial equation for possible figures *(Russian)* 4−11101
- shell stars rel. to interacting binaries, spectroscopic survey 4−34834

stellar structure continued
SMC X-1, optical spectra and mass from Sanduleak 160 obs. 4—38857
spherical star, Born approximation for perturbations, Newman-Penrose constants 4—7979
supermassive oblique rotator, electrodynamics, evolution, observational tests 4—14346
supermassive stars, synthesis of $A > 150$ elements 4—34780
supernova remnants, neutron stars rel. to search for black holes 4—34807
surface of components in close binary system *(Italian)* 4—38806
tabular mass solutions for single-line close binaries 4—34796
theoretical low mass main sequence stars, structure 4—22392
uniqueness of stellar evolution solutions 4—30013
white dwarf spectra interpretation rel. to composition, convection and models 4—34793

stellar variables *see variable stars*

stellarators
C-stellarator, plasma containment review 4—20132
confinement and heating expts. in Japan, review 4—32299
electron injection, obs. of stationary shock-like struct. near critical rot. speed 4—32248
high-β stellarator expts., review 4—32267
hydromagnetic stability, method of small oscillations 4—12777
hydromagnetic stability at high plasma pressure, figure 8 type toroid trap 4—12804
JIPP, ohmically heated plasma, transport processes 4—36691
magnetic surfaces, perturbation by heating current 4—12801
magnetic surfaces of stellarator field with current-carrying plasma 4—20129
magnetic trap, solenoid, rectilinear approx. anal. of mag. config. 4—32250
non-axisymmetric systems, neo-classical theory 4—32304
ohmic heating of plasma, ion temp. meas. 4—20117
plasma heating obs. 4—32230
plasma instability due to fine longitudinal electron thermal conductivity 4—12778
PROTO-CLEO, diffusion, fluctuations effect 4—32172
PROTO-CLEO, h.f. heating 4—32232
Saturn-1 Torsatron, low collision freq. plasma confinement 4—32301
TOR-1, laser plasma confinement 4—32300
TOR-2, mag., equipot. and isobaric surfaces 4—32344
TOR-2, with elliptical coils, mag. field props. 4—32343
Torsatron Vint-20, with spatial mag. axis, plasma confinement 4—32302
Uragan, h.f. heating 4—32241
Uragan, plasma equil. and stability during ohmic heating 4—32227
Wendelstein experiments, progress report 4—32342
Wendelstein VII project report 4—32347

step motors *see stepping motors*

step-recovery diodes *see charge storage diodes*

stepped motors *see stepping motors*

stepping motors
synchronised step voltage source, for mass spectrometer *(Japanese)* 4—5219

stereo amplifiers *see audio-frequency amplifiers*
stereoisomerism *see isomerism*
stereoscopy *see vision*
stimulated emission
see also laser theory
amplified spontaneous emission, inverted medium 4—15325
anthracene derivatives, toluene soln., stimulated lasing, fluorescence quantum yield *(Russian)* 4—13473
atom, two level, spontaneous emission multiple-time-scale anal. II 4—16000
atoms, two-level, Dicke maser model and Ising model equivalence at equilib. 4—39711
coupled superradiance, master equations 4—8857
crystal, theoretical anal. of γ-ray generation 4—17013
Dicke model for superradiance, higher order corrections to phase transition 4—8785
dye solutions, photoprotolytic, acidity effects 4—28917
exciton superradiation *(Russian)* 4—6898
glass, with internal type oscillations, forced radiation *(Russian)* 4—28868
inhomogeneously broadened systems, coherent pulses, superradiance delay 4—23386
molecule, diatomic, bound-continuum transitions 4—3198
phthalimide, stimulated emission polarisation, viscosity and temp. depend. *(Russian)* 4—41397
phthalimide solutions, solvent and temp. depends., fluoresc. spectra 4—25135
plasma, longitudinal oscillations and e.m. waves, unstable growth in h.f. elec. field 4—27954
plasma, two-photon process effect, X-ray emission spectrum 4—27986
ruby, light echo, superadiation damping mechanisms *(Russian)* 4—5523
ruby, with internal type oscillations, forced radiation *(Russian)* 4—28868
superradiance, Dicke models, phase transitions 4—8855
superradiance, generalised master equation 4—5479
superradiation, electric dipole moment of resonance levels *(Russian)* 4—21025
superradiation, optical, modulation effects *(Russian)* 4—8848
superradiation, system of oscillators *(Russian)* 4—11954
X-ray, soft, in laser plasma 4—2621
X-rays, electron column machines, elemental analysis of characteristic X-rays, AEPI 290 system 4—2413
CO, vib. relax. on short-pulse discharge 4—24144
$CaWO_4$, with internal type oscillations, forced radiation *(Russian)* 4—28868
CdS, stress-induced stimulated emission from excitonic mol. 4—41396
CdS(Se), exciton interaction and laser processes *(Russian)* 4—6899
CdSe, luminesc., temp., intensity depends., mechanism 4—33484
Cl^+, excitation energy depend., transition wavelengths 4—27534

stimulated emission continued
1,4-di-2-5-phenyl-oxazolylbenzene laser pumped generation *(Russian)* 4—40308
GaAs, Gunn diode, i.r. emission, current-voltage characts., population inversion 4—21024
GaS_xSe_{1-x}, obs. over spectral range 6000 to 4950 Å 4—28911
HF chem. laser emission from $CHF + O_2$ reaction 4—1734
Hg 6^3P_0 metastable state, stimulated two photon decay 4—36422
Hg_2, continuum radiation negative gain measurements 4—274
I^+, excitation energy depend., transition wavelengths 4—27534
Nd^{3+}, in crystals, $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition, luminesc. spectra 4—33495
Nd^{3+}, in crystals, emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4—13471
Nd^{3+}, in crystals, emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4—13472
$PrCl_3$, decay rates 4—25164
Rb vapour, spiked struct. 4—23974
Rb_2, superradiation, laser pulse transmission *(Russian)* 4—5522
Sr, three-photon transition coherent vac. ultraviolet generation 4—27533
Xe, molecular, high-press. gas., high-power u.v. laser radiation 4—286
Xe, superradiant emission under press. *(French)* 4—12482
Xe_2, diatomic bound-continuum transitions 4—3198
YAG, with internal type oscillations, forced radiation *(Russian)* 4—28868
Yb-Er glass, 1.54μ stimulated emission, effective conversion of 1.054μ Nd laser beam 4—18491
ZnS:Mn, electro beam pumping, current density depend. 4—17093
ZnS:Mn film, spontaneous and stimulated electrolum., theory 4—37636

stimulated emission in lasers *see laser theory*

stimulation *see excitation*

stochastic processes
see also random processes
acoustic power, flow of random point sources *(Japanese)* 4—35115
aleatory signal identification, hot-wire wind anemometer *(French)* 4—22168
approximation by random polynomials *(Russian)* 4—18844
artificial earthquakes simulation based on a stationary stochastic process 4—38240
atmospheric, determ. of periodicities *(French)* 4—30728
atmospheric visibilities, 2- and 4-hr. recurrence probabilities, stochastic modelling 4—34346
Brownian motion of harmonic oscillator, stochastic differential eqn. soln. 4—11858
Brownian motion with several dimensional time 4—5416
copolymer structure, phase change 4—12655
creep, stochastic model, calc. of distrib. functions *(Czech)* 4—13687
creep theory, application of stochastic eqns. *(Russian)* 4—35686
crystal, microrheological stochastic model 4—16545
daily rainfall process, stochastic modelling 4—25666
earthquake probability forecasting models, Chinese examples *(Chinese)* 4—34110
electrocrystallisation, stochastic theory of monolayer formation 4—4260
electrodynamics, derivation of time-energy uncertainty relation 4—8651
electrodynamics, harmonic oscillatior, alternative to QED 4—15193
games, elliptic variational inequalities, diffusion processes 4—5325
Gibbs, finite range, one-to-one correspondence with Markov processes 4—178
hopping transport theory, rate equation formulation 4—32938
kinetic equations, asymptotically stable, continuously perturbed equivalent classes 4—39638
linear oscillator, first-passage time moment 4—30801
linear structure failure probability under earthquake excitation, upper bound 4—34176
loose medium, displacement and strain distrib. determ. 4—35615
loose medium, random excess of definite level of displacement and strain 4—35616
myoelectric signal generation, model 4—39004
neutron transport, Monte Carlo convergence 4—31444
nonergodic source coding, modelling 4—8623
nuclear reactor, light water, calc. of fluctuations 4—19566
path integral method, from stochastic variational principle in quantum mechanics 4—5372
photon gas, electric field autocorrelation function, long time behaviour 4—18974
plasma heating under developing instability of Langmuir turbulence 4—983
plasma in strong e.m. fields, stochastic kinetic theory, friction and diffusion terms 4—3359
polymer distribution functions with excluded volume, Kirkwood-Born-Green method 4—12654
polymer dynamics, elastic constants, from gaussian chain model 4—12658
polymer molecule oxidation, exact soln. of stochastic model 4—16151
pseudo-hilbertian space, stationary processes *(Russian)* 4—30726
quantum mechanical harmonic oscillator, mass renormalization, Lamb shift 4—31114
raindrop interactions, influence on rainshaft 4—14155
rainfall, stochastic modelling of horizontal extent 4—25667
rainfall events, simulation on stochastic model 4—25669
random media, stochastic resonances at wave reflection from random refractive index media 4—8720
random perturbation effects on self-excited vibrations of system with one degree of freedom 4—15179
regularity theorems for variational inequalities in unbounded domains, applications to stopping time problems 4—39489
river transport properties 4—29532
spectra, covariance function, retrieval of harmonics 4—4338
spectral matrices of n-variate stochastic processes, description of polarisation states of u.l.f. magnetic fields 4—25613
thermodynamics, classical information, application of generalised gamma functions 4—5432

stochastic systems
see also random processes
cross spectrum analysis of pairs of complex valued time series 4—30727

stochastic systems continued
  daily maximum temperature, prediction and modelling 4−25696
  harmonic chain, linear, stochastic rate eqns. including thermodynamic and weak-coupling limits 4−15247
  Lorentz system, phase space density function, exact and from diffusion eqn. 4−15251
  signal parameters, adaptive processing using Bayesian likelihood ratio 4−14765
Stokes flow *see flow*
Stokes law *see flow*
Stokes lines *see spectra*
Stokes optical law *see luminescence*
stopping of particles *see energy loss of particles*
storage, analogue *see analogue storage*
storage, digital *see digital storage*
storage devices
  see also optical storage devices
  digital electro-optical deflection, applications *(German)* 4−326
storage rings
  Adone, computer control system using HP Basic language 4−26571
  electron, exact longitudinal equilibirum distrib. in presence of self-fields 4−8915
  electron, luminosity meas. by single and double bremstrahlung 4−39302
  electron longitudinal polarisation, parity violation effects in proton collisions 4−26579
  electron-positron, Stanford 2 GeV, beam positions 4−8429
  fluorescence measurement, time-resolved, fast, using storage ring synchrotron radiation 4−30469
  intersecting, vacuum chambers, glow discharge cleaning of surfaces, electron stimulated desorption 4−2347
  luminosity optimisation, for low-β sections and small crossing angles 4−8427
  proton, transverse particle motion, area preserving mappings computation 4−35387
  proton storage rings, CERN, description 4−2345
  μ, CERN, focusing 4−81
  μ, CERN, pulsed e.s. quadrupole focusing 4−14948
storage tubes
  see also image storage tubes
  No entries
stores (computer) *see digital storage*
storms
  see also magnetic storms; thunderstorms
  Adriatic, flooding of Venice, simple model 4−14153
  Adriatic storm-surges, numerical study 4−29556
  air motion, vertical component, Hamburg, Feb. (1962) *(German)* 4−4460
  N Atlantic, forecasting and hindcasting the max. combined sea in storms 4−7660
  Black Hills 1972, June 9 storm, numerical simulation with cloud model 4−1862
  Colorado hailstorms, trajectories within weak echo regions 4−21982
  convective, meteorological Doppler radar applications 4−10931
  convective hailstorms, ice nucleus concentrations at −20C 4−21983
  cosmic ray, relationship to solar activity level 4−38576
  cyclone, kinetic energy budget during growth and decay, North America 4−14167
  cyclones, meteorological reconnaissance flight across eye 4−38381
  cyclones and depressions, Bay of Bengal, Arabian Sea, 1971, main features 4−17739
  electrical fields rel. to humid underground rock cleft *(Slovene)* 4−7585
  extra-tropical cyclogenesis, role of cumulus convection 4−4420
  extratropical storm surges, automated forecasting for NE coast of US 4−7850
  forecasting, National Meteorological Centers performance for winter storm, USA, February 72 4−1818
  FPP tornado scale, application during 1971-72 period 4−1844
  glaze storms, USA, probability estimates of ice accretion, combined wind and ice loads 4−38315
  hail, storm penetration anal. of ice development 4−1823
  hailstorm, Colorado 22 July 1972, analysis of data from T-28 aircraft penetrations 4−34396
  hailstorm, Colorado 22 July 1972, associated airflow and moisture budget 4−34394
  hailstorm, updraught obs. by chaff drops. thermodynamic props. of updraughts 4−4413
  hurricane, inner core region structure 4−29586
  Hurricane Agnes, 1972, June 18-26, associated rainfall 4−25664
  hurricane Audrey of 1957, hindcast of deep-water wave energy spectra 4−7661
  hurricane data analysis, variational optimisation technique with dynamic constraint 4−7709
  hurricane storm surges heights along Gulf Coast 4−21912
  hurricanes, structure of inner core region, thermal stability and dynamic characteristics 4−29587
  ionospheric storm model, rotation effects and onset times 4−34451
  isolated tornado cell, VIP radar presentation of growth rate and rotation 4−1848
  lake-effect, effect of seeding on snowfall distribution 4−7708
  Mars, dust cloud photometric profiles from Mars-3 4−4731
  Mars, dust storm 1971, nine colour photoelectric photometry 4−26021
  Martian dust storm 1971, multicolour polarimetry 4−26022
  mesoscale computing scheme, 29-30 April 1970 storms 4−4418
  mesoscale convective rainband prediction in extratropical cyclone 4−38316
  mesoscale disturbance generation, large-scale dynamics 4−1864
  mesoscale forecast of rainfall assoc. with Hurricane Agnes 4−38317
  models from radar and rainfall data for radiowave absorption and scatt. estimates 4−7743
  ocean wave records and spectra for March 1968 in North Atlantic 4−25649
  Oklahoma severe storms, radar analysis of precipitation characteristics 4−1845
  peripheral fronts of occluded cyclones *(Russian)* 4−29623
  quantitative analysis of rainfall characteristics 4−25670
storms continued
  rainfall events, simulation on stochastic model 4−25669
  rainfall pattern orientation for large storms in eastern US, climatology 4−25662
  rainfall patterns in Detroit rel. to urban water resources 4−25660
  rainfall patterns in S. Great Plains 4−25663
  rainfall patterns rel. to operational hydrologic forecasting 4−25657
  rainstorm, Kufra, Libyan desert, August 1952 meteorological situation 4−38383
  rainstorms, statistical characteristics of var. 4−25658
  severe convective storm, anticyclonic circulation, Doppler radar evidence 4−1827
  severe downslope windstorm prediction, NMC numerical techniques 4−38537
  severe local storm formation, meteorological factors, rel. to location 4−1835
  severe rainstorm, model for low-level jet form. 4−4419
  Severe storm air velocity and temperature structure deduced from penetrating aircraft 4−1821
  severe storm energetics, two-dimensional numerical model 4−1859
  severe weather threat index, modification for tornadoes 4−1843
  Shetland Islands blizzard of 1973, April 28 4−21999
  St. Patrick's Day storm 1965, linear model of boundary layer flow 4−21980
  statistical analysis of storm rainfall structure using raingauge network 4−25659
  time-space patterns of rainfall in convective storms 4−25661
  tornadic storm forecasting, synoptic and dynamic basis 4−34356
  tornado, Cranfield, 26 June 1973, brief account 4−38382
  tornado, dependence of core radius on swirl ratio, laboratory model 4−21969
  tornado funnel, electrical origin 4−17716
  tornado genesis, frictionally driven model 4−2005
  tornado skipping, 'vortex-jump' phenomena 4−29602
  tornado suction mechanism, laboratory model including dust clouds 4−1851
  tornado-like vortices, laboratory mechanical model 4−2004
  tornadoes, e.m. detector evaluation 4−2002
  tornadoes, Iowa, synoptic and physical character of NE and SE advancing types 4−21981
  Tri-State tornado 18 March 1925, detailed analysis 4−1846
  tropical, climatological and geographical conditions for intensification, Indian Ocean area 4−17740
  velocity effects on hydrograph networks, computer simulation prediction 4−25672
strain
  see also deformation; stress/strain relations
  No entries
strain control
  electron microscope, straining tensile specimen holder 4−30618
strain gauges
  see also strain measurement
  amplifier, for cardiovascular manometry experiment station 4−22718
  foraxial and transverse strain, simultaneous meas. 4−4979
  capacitance, microstrain meas. in tension 4−14801
  capacitance gauge configuration for meas. at 954°C 4−26463
  capacitance type, for high temp. and biaxial testing applics. 4−26473
  diffraction grating, strain gauge technique for strain and rot. meas. during elastic impact of rods 4−26470
  diffractographic, structural appls. 4−18376
  educational gauge for dynamic force meas. 4−11417
  electromechanical, longitudinal deformation meas. 4−26476
  high temperature strain meas. techniques eval. 4−26465
  high-elongation, using liquid metal filled capillary 4−26474
  orientation optimisation for load meas. using rosette analysis 4−18374
  shear wave generation and vel. meas. in cylindrical shells 4−26466
  static calibration characs., applic. by transient stress meas. 4−22776
  strip type, residual surface stress meas. in Be 4−33933
  tensometric pickup, meas. of small pressure differentials 4−39160
  vibrating-wire, surface mounted, construction and stability 4−18373
  CdS film high sensitivity strain sensor, struct. and characts. 4−14798
strain hardening *see work hardening*
strain measurement
  see also strain gauges
  anisotropic structures, rapidly pressurized, response determ., test fixture design 4−26467
  concrete, dynamically loaded elements, meas. of six components of strain tensor 4−17477
  concrete, three-dimensional wave propagation, principle strain determ. 4−25447
  concrete pressure vessels of Oldbury-on-Severn nuclear power station, five year service exam. 4−27433
  diffraction grating, strain gauge technique for strain and rot. meas. during elastic impact of rods 4−26470
  digital meter, successive meas. appl. *(German)* 4−4973
  dilatometer for vol. change meas. of concrete under load 4−18368
  earth, steps accompanying New Zealand earthquakes, interpretation 4−21653
  Earth noise and strain steps from high sensitivity borehole strainmeters 4−21705
  educational strain gauge for dynamic force measurements 4−11417
  extensometer, high sensitivity, design and development 4−2233
  gauge orientation optimisation using rosette analysis 4−18374
  geophysical interferometer, earth strain meas. 4−25865
  high resolution laser strainmeter for Earth tides and free oscillations study 4−11010
  high temperature techniques eval. 4−26465
  holographic interferometer appl. *(Russian)* 4−14890
  interferometric, automatic fringe scanner 4−8323
  laser beam method, for large surfaces 4−35182
  low-temperature chamber, under biaxial stress 4−29282
  Moire method, production of phase rasters using holographic plates *(German)* 4−8322
  Moire rosette method for principal strains eval. 4−26471
  moire technique for surface strain distrib. meas. 4−2295
  Moire versus random pattern correlation techniques 4−22777

strain measurement continued
multiplication method, using interference fringes of diffracted beams at gratings 4—35298
plastic, electrodynamic vibrator 4—29278
polyurethane foam, rigid, analysis as shock mitigator 4—38105
rocks, in situ technique using bridged photoelastic bar gauges 4—25864
rocks, recoverable strain, photoelastic measurements at four sites 4—34510
strain gauge, electromechanical, longitudinal deformation meas. 4—26476
stress/strain relation, dynamic, meas. at high strains 4—22773
test device, at high hydrostatic pressure 4—29276
test device, for meas. in uniaxial tension 4—29277
torsional Hopkinson's bar apparatus, Moire fringe method 4—41932
triaxial strain cell for stress determinations 4—22150

strange particles
see also hyperons; kaons
annihilation processes, dual properties 4—36023
high-energy interactions, quark model anal. 4—19225

strangeness *see strange particles*

stratified flow
heading is late addition, see also flow
atmospheric surface layer, response to sudden changes in surface roughness and temperature 4—38335
atmospheric surface layers, matter dispersion 4—29580
boundary layer eqns., spatially unsteady and Rayleigh problem soln. 4—3277
Boussinesq fluid confined between two boundaries, nonlinear penetrative convection 4—6163
conjugate states to stable two layer flow horizontally confined, uniqueness 4—36638
density-stratified fluid tank, transient internal waves produced by moving body 4—6190
destratification, vertical isothermal slot jet 4—32054
geostrophic motions, model soln., extremal props. 4—32053
global stability of modulated fluid layers 4—24231
horizontal fluid layer, cellular thermal gravitational convection *(Russian)* 4—32052
inclined fluid layer, buoyancy driven flow, longit. convection rolls 4—24185
internal gravity wave generation and breaking in stratified fluid, numerical simulation 4—24191
internal waves, long, nonlinear, generation in weakly stratified shear flow 4—29543
internal waves generated by horizontally moving source, two-layer model *(Russian)* 4—34291
laminar thermal plume rise, theory, expt. 4—27871
plane lee waves and dual wave modes in stratified fluid 4—12681
polymer melt, bicomponent flow, equilib. Newtonian tube flow 4—27893
rotating fluid, hydromag. wavelike instabilities 4—6197
rotational, low Rossby number flow, ageostrophic effects 4—24192
shear flow, device for producing controlled flow 4—39459
solar atmosphere, mass transport in stratified, perfect gas induced by time-dependent oscillations 4—25955
stability of shear flow 4—24190
stable atmosphere and divergent channel, thermally stratified, vel. distrib. 4—16193
stably stratified fluids, large amplitude internal gravity waves 4—3318
stably stratified system, wind-induced turbulent entrainment 4—4401
stationary nonlinear problem in meteorology, numerical and qualitative methods comparison *(French)* 4—1918
stratified shear flow, Kelvin-Helmholtz instability at interface of miscible fluids 4—12682
thin cylindrical wall with internal heat sources, cooled by two-phase stratified flow, heat conduction 4—6160
three-layer model of ocean wind driven equatorial currents, nonlinear theory *(Russian)* 4—34279
turbulence at strata interfaces, lubrication and deep sea erosion applications *(Russian)* 4—36637
two-phase, unicomponent, fraction factor depend. on liq. level 4—24246
unstable disturbance growth rate in gravitationally stratified compressible shear flow 4—27837
viscous ocean, stratified by salt and heat, internal wave propag. 4—1812

stratosphere
aerosol, equilibrium vapour pressure for HNO_3 and H_2SO_4 4—10917
aerosol, ground based lidar obs. 4—17706
aerosol, heterogeneous reactions involving NO_2 4—17714
aerosol chemistry and nucleation, review 4—42124
aerosols, airborne laser radar meas. 4—17745
anticyclone formation over tropical South Pacific, quasi-biennial cyclicity *(Russian)* 4—34413
balloon-collected particles, X-ray analysis 4—17749
circulation characteristics, for prevailing westerlies and easterlies *(Russian)* 4—25715
climate changes in present century, anthropogenic factors *(Russian)* 4—4462
contour charts, from Nimbus 4 radiance and radiosonde data 4—14150
distribution with altitude of H_2O, methane, H_2, CO_2, 20-80 km 4—10933
diurnal variation of neutral and ionic constituents in O-H-N-C atmospheric model, 10-110 km 4—25687
dust event observed by twilight photometry, October 1971 4—34375
electrical conductivity measurements, 48 km, blunt conductivity probe 4—17770
electron density variation during anomalous winter radiowave absorption rel. to aerosol concentration 4—1866
equatorial, Kelvin waves, excited by heat source at 20° latitude, interaction with zonal mean flow 4—10902
equatorial, quasi-biennial cyclicity *(Russian)* 4—4463
NW Europe, climatology of stratosphere from rocket soundings 4—14175

stratosphere continued
far-i.r. emission spectrometry, constituents identification *(French)* 4—42100
gas-phase chemistry of N_2 and methane 4—10935
geopotential global field structure, equatorial quasi-biennial oscill. 4—1908
global circulation, effects of earth's orography and continentality, numerical simulation 4—22037
ionised air, continuous altitude profiles, elec. cond. and relaxation time meas. 4—4424
isentropic balloon meas. of dynamics *(French)* 4—38545
lower, turbulence correl. with mesoscale horizontal temp. gradients 4—42138
lower, zonally symmetric flow, variability, wave disturbances, review 4—1915
methane, balloon borne profile determ. 4—7721
methane, vertical distrib. 4—7724
mid-winter circulation rel. to first obs. of summer noctilucent clouds 4—22041
minor constituents, discussion of chemistry of H_2O-CH_4-O_2-O_3-NO_x system 4—7723
Mother-of-pearl clouds, time variation 4—42130
nacreous cloud formation by lee waves 4—14168
neutral constituent concentrations, 45 to 60 km, rocket and balloon borne samplers 4—22010
nitrogen compounds, vertical profile calculations 4—22007
nitrogen oxides, production and distrib. in lower stratosphere 4—4505
numerical techniques for solving coupled differential equations describing Chapman reactions 4—17850
odd nitrogen, source and sinks, detailed calcs. for 0 to 80 km altitude 4—29583
ozone content during partial solar eclipse 1972 July 10 at Alaska 4—10922
perturbed, dynamics, $OH+NH_3$ and $OH+O_3$ reaction kinetics 4—21575
planetary scale waves rel. to v.l.f. propagation var. 4—34383
planetary waves, effect of dissipation on vertical propagation near critical levels 4—4509
pressure measurements and derived densities, 40 to 48 km 4—22009
residence time calculation 4—1890
solar cosmic ray burst, satellite meas. 4—4650
Southern Hemisphere, strong long-period tropospheric and stratospheric rhythm 4—34419
space charge and field polarities, rocket obs. 4—4423
stratopause, h.f. oscills., rocketsonde evidence 4—1881
temp. fields, June 1970-May 1971, Nimbus 4 obs. 4—34422
temp. increase January-February 1973 *(Russian)* 4—29622
temperature, 48 km altitude, balloon-borne thermistor experiments 4—22008
temperature profiles from limb radiance measurements 4—7704
temperature variations, diurnal, annual, rocketsonde data anal. 4—4440
trace constituents, photochemically active, background concs. 4—7719
trace constituents involving odd oxygen, nitrogen oxides and water vapour 4—17705
twilight polarisation, Switzerland Oct. 1968 and June 1973, stratospheric aerosol conc. decrease 4—38311
water vapour injection by thunderstorms 4—34398
water vapour measurements using far i.r. technique 4—29599
water vapour sink at winter antarctic pole 4—22039
wind, structural peculiarities of quasi-biennial cycle in equatorial regions *(Russian)* 4—25714
wind field, statistical characteristics *(Russian)* 4—25711
wind speeds at particular reflection levels from observations of natural infrasound 4—29605
wind velocity pulsation spectra, statistical characteristics *(Russian)* 4—34411
winter, correl. between temp. and O_3 distrib. in disturbed winter atmos. 4—7730
zonal wind half-yearly wave, comments 4—29608
CO, vertical distrib. 4—7724
CO concentration, balloon-borne spectrometer experiments 4—42132
CO_2, distrib. in upper stratosphere 4—7720
H_2, balloon borne profile determ. 4—7721
HNO_3 layers in lower stratosphere from i.r. emission data 4—10915
HO_x and NO_x diurnal variations from time dep. one dim. model 4—17713
H_2O, distrib. in upper stratosphere 4—7720
NO and NO_2 absorpt. spectra, local densities, 15.5 km *(French)* 4—34363
NO and O_3 pollution, effect of nuclear explosions 4—1883
NO:NO_2, anal. of vertical distrib. 4—7726
NO_2, CH_4 content from i.r. spectra 4—4504
NO_x pollution, effect of growth in aviation 4—8251
No mixing ratio between 17.4 and 22.9 km 4—17754
O_3, and temp. distrib. effect of H_2O and nitrogen oxides 4—7731
O_3, global instantaneous photochemical rates 4—7729
O_3, laminated vertical distribution seasonal and latitude variations 4—14145
O_3, photochemistry HNO_3 and pollution effects 4—7722
O_3, rel. to solar cycle, Nimbus 4 BUV expt. 4—4497
O_3, total var. rel. to ionospheric parameters in winter 4—4595
O_3, vertical density distrib. theoretical model 4—7727
O_3, vertical distrib., solar activity effect, Umkehr meas. 4—4490
O_3, vertical distrib. from soundings, long term climatological mean 4—4491
O_3, vertical distrib. in mid-latitudes, statistical characts. 4—4495
O_3, vertical profile vars. for India, temp. depend. 4—4493
O_3 accumulation in winter hemisphere, rel. to circumpolar vortex 4—4508
O_3 and temp. vertical profiles, comparison with synoptic meteorological data 4—4510
O_3 as a stratosphere Lagrangian tracer 4—4638
O_3 circulation, rel. to tropospheric var. 4—4484
O_3 concentration, influence of vertical motion field 4—4507
O_3 content, crepuscular var. meas. by balloon borne spectrophotometer *(French)* 4—4639

- **stratosphere** continued
  - O_3 cycle, two dimensional model with photochemical and transport effects 4−34444
  - O_3 densities, from solar UV irradiance measurements, 48.5 km, effects of photodissociation and recombination 4−17769
  - O_3 density, chemiluminescent sensor and u.v. photometer measurements, balloon based, 48 km 4−22011
  - O_3 density, effect of fleet of supersonic transports 4−42119
  - O_3 distrib., general circulation models 4−4514
  - O_3 distribution, stratospheric-tropospheric exchange, aeroplane meas. 4−4482
  - O_3 distribution, stratospheric-tropospheric exchange, sine, function calc. 4−4483
  - O_3 field variations, Nimbus 4 BUV expt. 4−4498
  - O_3 global distribution, circulation from Nimbus IRIS data 4−4496
  - O_3 injection by electrically active thunderstorms 4−34398
  - O_3 layer, solar activity influence 4−4503
  - O_3 mixing ratio and meridional circulation theory 4−4506
  - O_3 particle densities during sunrise, 40 to 50 km, measured and calculated 4−22012
  - O_3 response to simulated injection of NO using photochemical and vertical transport model 4−17711
  - O_3 seasonal variations, photochemical and dynamic processes 4−4513
  - OH, radical, conc. in stratosphere, anal. of CO and CH_4 mixing ratios 4−7725
- **strays (atmospherics)** *see atmospherics*
- **streamer chambers**
  - construction and operation *(French)* 4−18633
  - cosmic ray EAS expt., operating parameters and performance 4−8474
  - multiplate, electron shower detection properties 4−39340
  - review of development, physical principles 4−30557
  - TV track recording expt. 4−105
  - He, holographic fast detection of electron tracks 4−103
  - Ne-He, medium-sized, construction 4−8471
  - Ne-He, particle track characts. 4−8472
  - Ne-He, time resolution determ. from streamer length meas. 4−26626
  - Ne-He 1.5 metre chamber and high-voltage pulsing system, design and development 4−35416
- **streamers** *see discharges (electric)*
- **streaming, acoustic** *see acoustic streaming*
- **street lighting**
  - glare measuring apparatus, experience *(German)* 4−14846
  - school laboratory use for discarded street lamps 4−26446
- **strength (mechanical)** *see mechanical strength*
- **stress analysis**
  - *see also bending; photoelasticity; strain gauges; torsion*
  - alloy shells, cylindrical, heated, investigation of stressed state *(Russian)* 4−13963
  - Almansi problem for anisotropic elastic beams *(French)* 4−23107
  - analogue reinforcement for stress conc. reduction 4−41835
  - anisotropic media, wave motion recording using dynamic photomechanics 4−26469
  - anisotropic nonhomogeneous cylinder, stresses 4−8629
  - arches, finite element calc. of stress distrib. 4−26771
  - asymmetric sections in plane of bending, elastic-plastic bending 4−5348
  - axisymmetric contact problem of nonplane punch with elastic layer, initial value method 4−11745
  - axisymmetric three-dimensional problem of normal charge on elastic plate *(French)* 4−23106
  - bar with delayed yielding, active plastic deformation process due to mass impact 4−35692
  - beam, sectionally composite hollow circ. cylindrical, torsion 4−18866
  - beam, thin walled, transversely braced, twisting with allowance for localised flange deformation 4−35652
  - beam resting on semi-infinite solid, bending 4−11744
  - birefringent material, static and dynamic point method for stress directions and difference determ. *(French)* 4−35645
  - body of revolution, independence of Saint Venant's conditions under axisymmetric conditions *(Russian)* 4−2483
  - bonded joints of thin cylindrical shells 4−1642
  - boundary-value problems, non-removable singularities, finite element soln. 4−5341
  - branching dislocation cracks, stress state analysis *(Russian)* 4−9943
  - buckling of liner shell, cylindrical, encased in concrete and stud supported, stress analysis 4−30792
  - BWR pressure vessel, with finite element programs BERSAFE and FLHE 4−23808
  - cantilevered plate with low shear stiffness, state of stress 4−18869
  - cantilevered-beam, thin, suppression of dynamic instability using feedback control 4−23116
  - capillaries, viscoelastic liquid flow, theory for normal stresses 4−3309
  - caustics method for stress singularities at concentrated loads 4−39156
  - centrally cracked strip with stiffened edges, stress intensity factors for tension 4−7117
  - ceramic, impact loading behaviour and implications 4−7384
  - ceramic, multiaxial loading behaviour and implications 4−7383
  - circular cylinder, cyclic elastic-plastic torsion for finite deforms. *(German)* 4−30791
  - circular plates, limit loads under combined loading 4−30797
  - circular ring subjected to hydrostatic press., postbuckling analysis 4−35672
  - circular sheet with central hole anal. of stretch flanging 4−35681
  - cladding stresses in EBR-II mixed-oxide fuel subassemblies 4−27455
  - composite, fatigue damage meas., stress state effects around hole 4−29206
  - composite, orthotropic, plasticity and crack blunting effect on stress distrib. 4−33891
  - composite, stress gradient propagation through inclusion 4−33889
  - composite, stress gradient propagation through inclusion 4−33890
  - composite laminate, load conc. factors for circular holes 4−1636
  - composite materials, effective moduli, effect of fibre length and geometry 4−21439
- **stress analysis** continued
  - composite plate, order of singularity at a multi-wedge corner 4−23112
  - composite plate, orthotropic, incremental deforms. under initial stress 4−30771
  - compound cylinder with cylindrical crack, load transfer in torsion 4−35671
  - compressible elastic solids, controllable states of Cauchy stress 4−30756
  - compressible material, complementary strain-energy function determ. 4−29269
  - conservation laws and energy-release rates 4−30772
  - constitutive equations for temp. and time depend. stress and failure analysis 4−17493
  - contact between cylindrical shell and rigid ring 4−23137
  - contact between elastic bodies with wavy surfaces 4−30759
  - crack, elastostatic field near tip 4−30758
  - crack, half-plane, stress intensity factor due to impact loading on crack face 4−23113
  - crack, two-dimens., elastic layer bonded to infinite medium 4−30760
  - crack in electric strip subject to antiplane state of strain, stress intensity factors 4−15140
  - crack in sheet and stiffener, stress intensity factors 4−30744
  - crack propagation, dynamical elasticity theory, stress intensity coeff. 4−11741
  - crack propagation analysis by finite differences 4−39547
  - crack tip deform. fields, accurate elastic-plastic analysis, singular finite elements 4−6437
  - crack tip stress field determination 4−30745
  - cracks, collinear asymmetric internal, reflected shadow method 4−180
  - cracks, two-dimens., prescribed shape 4−26777
  - crustal slip zone initiation and arrest on a fault plane due to propagating disturbances 4−34148
  - curved beam, couple-stress analysis, closed form solns. *(Polish)* 4−15151
  - cylinder, compound rotating, three-dim. stress analysis and deform. 4−35643
  - cylinder of infinite length, maximum temp. drops and thermal stresses calc. 4−39654
  - cylinders in torsion, boundary residual methods limitation 4−8630
  - cylindrical shell, axially symmetrical stress state due to thermal diffusion *(Russian)* 4−8634
  - cylindrical shells, combined metal/reinforced plastic, transition zone analysis 4−25424
  - cylindrical shells with rectangular openings, finite elements method *(Russian)* 4−15157
  - disc, anisotropic, annular, elastic stresses in rotation 4−35649
  - disc, circular ring with radial cut and internal pressure 4−39549
  - disc in rotation, determ. of stress and deformation eqns. using potential functions *(Rumanian)* 4−11726
  - disc weakened by system of cracks, stress state determ. *(Russian)* 4−184
  - disclination theory in non-linear elastic solids 4−35631
  - displacement fields due to elastic inclusions, Somigliana's approach 4−30754
  - displacement measurement, diffractography, holography, techniques, comparison 4−41
  - drops, freezing water, calc. of stresses and pressure in ice shell and liquid core 4−3556
  - earthquake aftershock analysis by dislocation theory 4−29467
  - elastic and elastoplastic plate, collision, stress distrib., energy transmitted 4−11764
  - elastic cracks three-dimensional finite element anal. 4−30764
  - elastic half spaces, bonded, effect of internal pressure on penny shaped crack 4−39517
  - elastic infinite plate steady state response to exponential edge load along fusing crack 4−35650
  - elastic infinite strip. motion of crack in antiplane state of strain, stress intensity factors 4−15180
  - elastic laminated composite beams, stress and strain anal., continuum theory 4−30753
  - elastic media, new digital technique 4−34169
  - elastic plate separation from half-space, axially-symmetric problem *(Russian)* 4−8635
  - elastic screw, stress and displacement anal. in two-dimensional problem *(Russian)* 4−35655
  - elastic semi-space, nonuniform, axially symmetric contact problem in presence of adhesion *(Russian)* 4−23132
  - elastic semi-space asymmetric thermoelastic problems 4−35641
  - elastic solid, crack along interface of embedded rigid circular inclusion 4−36944
  - elastic solid, radial crack system, stress intensity factors and formation energy 4−39518
  - elastic strip, orthotropic, with central transverse crack, isotropic K-calibration *(Russian)* 4−35656
  - elastic structures minimum-weight determ. under multiple loading conditions 4−23114
  - elastic-brittle materials, chip formation on penetration of rigid wedge 4−32610
  - elastic-plastic cylindrical shell under torsion, bifurcation 4−30799
  - elastic-plastic flexure and torsion, stress determ. 4−18901
  - elastic-plastic plates and shells, deflection anal. using simplified hybrid displacement method 4−35688
  - elasticity, anisotropic, generalised plain strain problem for a circular inclusion 4−26774
  - elasticity, spatial problems, Papkovich-Filonenko-Borodich variatonal method modification *(Russian)* 4−39535
  - elastodynamics, linear, polynomial estimate of stress tensor 4−5338
  - elastoplastic body, plane deformed, anal. of crack growth *(Russian)* 4−35683
  - elastoplastic body unloading theorem, determ. of residual stresses and deformations *(Russian)* 4−18907
  - elastoplasticity boundary problem formulation of minimum elastic self-stress potential principle *(Russian)* 4−35685
  - epoxy, filled tubes, biaxial fracture stresses 4−29270
  - fatigue failure predictions for plates with holes and edge notches 4−10726

stress analysis continued
fatigue lives and critical crack sizes of engineering components, FORTRAN IV program 4—13753
fibre reinforced elastic mat., plane strain and generalized plane stress problems 4—10669
fibre reinforced-sheets, determ. of optimum fibre arrangements 4—23142
finite element grids, near optimum, selection procedure 4—23138
finite longitudinally layered shells, stress waves 4—30823
finite plate, effect of circular, elliptical and regular polygonal holes 4—11731
finite plate under uniform in-plane loading, normalized stresses around elliptic hole 4—26770
finite rectangular plates with rectangular inserts, stress conc. factors 4—35185
flexurally stiff frameworks, elastic-plastic deforms. from second order stress theory *(German)* 4—35682
fracture testing, stress intensity factor eval. problems 4—29273
fuselage, stress calcs., method of finite elements, review 4—37965
geophysics, non-homogeneous gravitating sphere and spherical shell 4—14046
glass, thermal stress analysis, temp. depend. coeff. of expansion 4—21488
glass ceramic, fracture surface energies by finite element stress analysis 4—17386
glass reinforced plastic, shells, stress concentrations around openings 4—1638
glass reinforced plastic plate weakened by square opening, state of stress 4—25425
glass reinforced plastic plate with low shear stiffness, state of stress 4—18869
granular bed under gravity flow 4—13956
granular material, heterogeneous, reversibility domain boundary, model approach *(French)* 4—33929
H-shaped members with holes, stress conc. factor determ. *(Japanese)* 4—35673
half-space, elastic, temp. stress anal., due to heat shock *(Russian)* 4—39545
half-space, thermoelastic stresses due to localised space and time depend. temp. or heat transfer perturbations 4—11746
holographic interferometry, quarter-wave plate error effects 4—26527
holographic interferometry determ. of mode I stress intensity factors 4—39159
hybrid stress element for vibration anal. of laminated plates and shells 4—18911
hyperelastic material, 3-dimens. deformation eqns. 4—18883
incompressible elastic solids, controllable states of stress 4—30761
infinite elastic medium, stresses produced by moving loads, in elliptical bore 4—18862
infinite elastic medium, thermoelastic stress around inclusion of elliptic cross section 4—35648
infinite elastic plate under tension with crack and circular inclusion 4—39508
infinite layer, thermally induced stress waves 4—30818
infinite strip, circular inhomogeneity, stress field 4—35660
inhomogeneous bodies, application of Bettis' reciprocity theorem to elasticity theory 4—11738
interface curved dislocations, stress fields and energies 4—25332
isotropic compressible hyperelastic material, duality of stress and deformation fields 4—30755
isotropic media, theory of invariant stress space 4—13929
laminated plate theories, transverse shear 4—8631
loose medium, displacement and strain distrib. determ. 4—35615
loose medium, random excess of definite level of displacement and strain 4—35616
metal, chemical surface stress phenomenon 4—28277
metal, ductile, plastic-elastic fracture mechanics 4—29092
metal cutting, plastic region analysis 4—13676
metallic cylindrical shell, axially compressed, exptl. anal. of deformation process *(Russian)* 4—17320
microfracture and macrofracture mechanics of low-stress brittle fracture of solids with crack or sharp notch 4—40833
micropolar elastic semi-space, stress singularity due to discontinuous boundary load 4—35639
micropolar elastic semispace, singularity of stresses due to concentrated load 4—23103
micropolar elasticity and thermoelasticity, axially symmetric stress problem 4—5337
mixtures of two elastic substances, Neuber-Papkovich solns. for normal axisymmetric pressure *(Russian)* 4—2482
multiply-connected regions subjected to arbitrary body forces and surface, traction, plane elasticity 4—23111
Navier-Stokes materials thermokinetic processes, use of Coleman theorem *(German)* 4—18860
non-Newtonian polymer flow, normal stress calc. 4—20018
nonaxisymmetrically loaded shells of revolution *(German)* 4—5344
nonlinear anisotropic medium, relation between stress and deformation *(Russian)* 4—39501
nozzle intersecting cylindrical shell, elastic stresses due to axial loads 4—23803
nozzle-to-cylinder intersections, stress concentrations, rel. to reactor pressure vessels 4—23804
nuclear reactor, pressure vessel, automated stress analysis 4—23806
nuclear reactor fuel pin thermal stresses 4—40077
nuclear reactor fuel-coolant interactions 4—40127
opened by thin wedge in elastic strip, stress distrib. 4—39516
optimal prestress design for maximum elastic capacity 4—2478
orthotropic cylindrical shell partially filled with elastic core, local stability under external press. 4—18871
orthotropic laminates under static load, stress correction factors 4—33888
orthotropic plates, rectangular, large deflections under combined transverse and in-plane loads 4—15149
orthotropic strip with edge stiffeners, transverse cracks analysis 4—30777
perforated materials, yield surfaces 4—30781
photoelastic immersion fluid, mixing, refr. index determ. 4—35259
photoelastic stress intensity factors determ., surface flaw problems applic. 4—35186

stress analysis continued
photoelasticity thermoelectric method for data processing *(Russian)* 4—18372
photoviscoelastic materials, optical calibration on microsec. time scale 4—35187
plane problems of elasticity, soln. using partitioning concepts 4—30787
plane slender bar, shear deformation, equilib. eqtns. 4—181
plastic, fibre reinforced, photoelastic stress analysis 4—21437
plate, built-in circular, with central hole large deflections 4—23105
plate, circular, comparison of optimal and stiffened plates for load carrying capacity 4—11748
plate, concentrated load problem, normal stress calc. *(French)* 4—2476
plate, response to transient source 4—30805
plate, stress intensity factors and fatigue crack propag. of semi-elliptical part-through surface cracks 4—33961
plate, thick, with circular cylindrical cavities, periodic elasticity problem *(Russian)* 4—35669
plate, uniaxially stretched, containing circular hole, stress redistrib. and rupture due to creep 4—33816
plate bending elements, partially conforming, for static and dynamic analyses 4—41924
plate containing hole and spinning disc, stress intensity factors for cracks 4—36945
plate stiffened on boundary under diagonal loads 4—11747
plates and shells, rupture modes, stress intensity factors 4—33968
PMMA, notch sensitivity 4—21475
point defect migration in crack tip stress fields 4—12985
polycaprolactam loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polycrystal, anal. of stress and strain states 4—40722
polyester, stress field surrounding fatigue crack, photoelastic analysis 4—41856
polyethylene, creep buckling of cylindrical shells under long-time loading 4—13930
polyethylene terephthalate loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polymer, rigid, max. torsional tangential stress calc. 4—17447
polypropylene loaded polymers, effect of stress on interatomic bonds, i.r. meas. 4—29223
polytetrafluorethylene, deformation study of tubular specimens *(Russian)* 4—21492
polyurethane foam, complementary strain-energy function determ. 4—29269
power-law hardening material, stress field due to line load acting on half-space 4—30796
pressure vessel, behaviour of 90° bend with elliptical section, expl. and computer anal. 4—27429
pressure vessels, fracture analysis in high nominal strain areas 4—31523
pressure vessels, thick-walled cylindrical, stress concentrations at offset oblique holes 4—23805
proportional extension, kinematics of hypoelastic material 4—15159
reactor pressure vessels, prestressed concrete, assessment of bounds on stresses and strains 4—40123
rectangular frames, continuum solns. for long-wave extensional buckling 4—11751
rectangular plate of variable thickness, buckling 4—30785
rectangular plates, flexure, three-dimens. analysis 4—30782
rigid bodies on semi-infinite elastic media, stress and displacement 4—15188
riveted stiffened panels, fatigue crack propagation *(Italian)* 4—10663
rosette, rel. to strain gauge orientation optimisation 4—18374
rubbery cylindrical layer reinforced by anisotropic shell, state of stress and strain 4—18870
Saint-Venant torsion of circular tubes and solid cylinders 4—4205
semi-circular plate loaded in its plane, stresses 4—2472
semi-infinite cylinder with fixed short ends, elastic deformation 4—15144
semi-infinite fluid-solid interface, moving load problem, supersonic regime 4—30769
semispace, inhomogeneous, action of shear forces applied to surface *(Russian)* 4—15158
SESA Fall meeting, Indianapolis, USA (Oct. 1973) 4—26456
SH-wave diffraction by elliptic elastic cylinder 4—5352
shallow cylindrical shells, singular solns. 4—30775
shear lag in composite beams, rel. to partial interaction 4—33872
sheet with filled slit, derivation of integrodifferential singular eqns. *(Russian)* 4—11737
shell, cylindrical, nonradially penetrated into spherical pressure vessel, stress distrib. 4—23802
shell, prestressed nonlinear orthotropic shallow, function space approach 4—2473
shell, spherical, thick, elastic-plastic expansion with finite elastic strain 4—18889
shell, spherical, with nonradial nozzle, theoretical and exptl. obs. 4—23801
shell, thin spherical, determ. of optimal heating regime *(Russian)* 4—39544
shell, truncated conical exact soln. for stresses and deflection 4—23136
shell of revolution, creep analysis, applic. of extended Newton method 4—15173
shell of revolution, non-uniform, optimal heating *(Russian)* 4—39533
shells, cylindrical, shallow, fundamental singularity 4—35635
shells, cylindrical with oval cross-section, stability for momentarily stressed conditions *(Russian)* 4—23146
shells, general nonlinear theory for large deflections and finite strains 4—15147
shells, shallow, partially loaded, anal. of stress deformation state *(Russian)* 4—35668
shells, thin, asymptotic formulae for concentrated action *(Russian)* 4—18872
shells, thin cylindrical, dynamic behaviour when subjected to impulsive bending moments 4—30763
shells of revolution, thin, deformation anal. using non-linear integral eqn. method *(Russian)* 4—15143

stress analysis continued
  slits, viscoelastic liquid flow, theory for normal stresses 4—3309
  solenoid coils, of anistropic struct. 4—251
  speckle interferometry, calibration for displacement analysis 4—26525
  spherical shell, shallow of nonlinear elastic material, deviation of general deformation eqns. *(Russian)* 4—23127
  split Hopkinson bar technique analysis for strain-rate-dependent material behaviour 4—33957
  static point methods for principal stress determ., plane problem, birefringent material *(French)* 4—39155
  steel, crack arrest in increasing K-field 4—33965
  steel, technical yield stress determ. using non-destructive method 4—38099
  steel beam-columns, anal. soln. of yield load 4—35662
  stiffened shells, buckling and vibration analytical models 4—2492
  stratum outer layer, stress concentration during mineral working by stoping *(Russian)* 4—21854
  stress and strain in engineering, conf., Brisbane, Australia (Aug. 1973) 4—13557
  strip cross section twisted bars, shear stress bounds 4—30746
  surface and through cracked sheets and plates, fracture analysis 4—7118
  tensile specimens, precracked, stress distrib. near crack tip *(German)* 4—25378
  tensile strip with edge cracks, stress intensity factor, crack energy and displacements 4—11729
  thermal, two dimensional, theoretical anal. and analogue test 4—183
  thermal stresses during annealing glass 4—21487
  thermally activated glide in plastic deform., rate process theory approach 4—13798
  thermally stressed state of arbitrary shaped solids, modelling conditions 4—41474
  thermoelastic substance, stress coefficients and expansion anal. *(German)* 4—18863
  thermoelasticity, anal. of plane strain in linear theory 4—39519
  thermoelasticity, dynamical treatment of thermal stresses on circular region 4—26775
  thick cylindrical shells under arbitrary boundary conditions, stresses and displacements anal. 4—30776
  thin walled cones rotating about axes of symmetry, elastic deflections 4—15165
  thin-walled beam braced by transverse diaphragms, torsional stiffness 4—15150
  thin-walled work-hardening tube, plastic wave propagation, stress paths 4—18899
  three-dimensional photoelasticity applic. in fracture mechanics 4—40834
  torsion, St. Venant theory, shear stress bounds 4—30751
  torsion of round bars of variable diameter, approximate analysis 4—39507
  transient, axisymmetric bodies of varying area, discussion, additional references 4—202
  transversely isotropic slab with spherical cavity 4—30786
  turbulent boundary layer for positive pressure gradient, distribution of tangential stresses *(Russian)* 4—12691
  two-dimensional rheological models, plane stress and deform. states *(French)* 4—18858
  two-phase elastic planes rel. to homogeneous plane 4—8636
  unstiffened cylindrical vessels, twin saddle support 4—23135
  viscoelasic cylinder, contact problems of rolling friction on surface of same material *(Russian)* 4—23126
  viscoelastic cylinder determ. of stress and temp. distrib. due to cyclic internal pressure 4—5339
  viscoelastic half-space in plane state of strain theory 4—35637
  viscoelastic nonlinear liquids, stress in shear sinusoidal motion, fading memory 4—12713
  viscoelastic semi-space in plane state of strain, consolidation 4—15139
  viscoelastic sphere, inhomogeneous, anal. of temperature stresses using perturbation methods *(Russian)* 4—15155
  wave distribution, semi-infinite body, arbitrary surface heat flux 4—15185
  wedge, perforated, soln. method 4—35670
  X-ray diffractometer, attachment for photography of materials under load 4—2385
  yield locus, model obs. of corners 4—11754
  Al_2O_3 sapphire, effects of temperature on fracture, electron microscope examination 4—6457
  $BaTiO_3$, ferroelectric, line defects, obs. using polarised light microscopy 4—6863
  BeO spheres, quenching, thermal stress to crack obs. 4—15974
  $Fe-Cr_{1.45}-C$, annealing and irrad. effects, recovery, torsional tests 4—37894
  KCl crystals, stress relaxation anal. 4—40801
  NaCl crystals, stress relaxation anal. 4—40801
stress birefringence *see mechanical birefringence*
stress control
  bonded joints, automatic design, tapered homogeneous isotropic adherends, geometrical analysis 4—29181
stress effects
  acoustic emission from solids under applied stress, review 4—36958
  alkali alumino silicate glass, Rayleigh wave meas., relax. 4—28272
  alkali halides, refl. spectra, refractive index, deformational changes *(Russian)* 4—20955
  alloy, irrad., stress-induced diffusion of point defects to voids, dislocation bias reduction 4—20319
  axisymmetric specimen, upper bound theorem *(German)* 4—179
  b.c.c. model lattice, screw dislocation motion, interatom row pot. effect on Peierls stress 4—32570
  brass, 7:3, fatigue strength, crack strength and notch radius at branch point 4—33755
  α-brass, stress corrosion cracking in acid sulphate soln. 4—41645
  α-brass, stress corrosion cracking in ammonium sulphate soln. 4—7107
  α-brass, stress corrosion fracture correl. with phase change 4—25353
  Caprolon, impact strength under various strain rates and planar stress, new device 4—11446
  coal mine workings in region of geological fault 4—10813

stress effects continued
  composite material, fibrous, microfracture mechanisms, cont. in-situ obs. and recording of dynamic loading in SEM 4—25430
  corrosion crack propagation, general model 4—41721
  cotton fibres, endurance, environment influence *(Russian)* 4—38056
  crack detection, u.s. shear wave techniques, topography role in small crack meas. and detection ability 4—25449
  diffusion to dislocations, decay consts. 4—24588
  dislocation loops, equilib. config. as function of applied stress 4—28106
  dislocation microcrack growth at front of plane pile-up of edge dislocations *(Russian)* 4—21255
  dislocation mobility, crysts. with pinning centres 4—12951
  dislocation self-interaction effects on Orowan stress 4—16498
  Earth crustal movements under varying ice loads 4—7545
  elastic bodies, inextensible, wave propagation 4—15182
  epoxy resin, shear characteristics during amine curing depend. on shear deformation 4—13931
  fatigue, cumulative damage, effect of stress changes 4—21532
  fatigue crack growth and fracture, biaxial stress effect 4—41654
  fatigue crack propagation behaviour under repeated torque 4—33754
  fatigue life under nonstationary conditions of repetitive-variable loading 4—13964
  ferrites, hot-pressed, effects of residual stresses on magnetic props. *(Russian)* 4—20818
  fibre reinforced composite, internal damping, stress and deform. effect 4—33879
  flat bar, orthogonally anisotropic, uniaxial stress tests, slip plane 4—1545
  fluorlon, failure under nonrepeated loading, kinetics 4—13942
  glass, catalysed crystallisation, activity of nucleation cores *(German)* 4—28025
  glass, commercial, stress relaxation modulus 4—38061
  glass reinforced plastic ring, effects of radial tensile stresses during winding 4—13879
  highpolymer systems, viscoelastic props. *(Japanese)* 4—33917
  improper ferroelectrics, influence of external parameters on phase transition orders 4—13014
  indentation experiments in SEM 4—25458
  laser radiation absorption, cone shaped pit form. mechanism 4—35880
  materials, ageing under elec., mech. and thermal stresses, theory 4—25446
  mechanical characteristics of materials under complex stress system, loading device 4—21528
  metal, analytic method for calc. of stress induced changes in Fermi surfaces 4—6584
  metal, cubic, creep strain on neutron irrad., stress effects on dislocation loop nucleation 4—17319
  metal, deformation under tensile loading, in situ studies in SEM, microstruct. changes 4—24365
  metal, dissolution tendency in corrosive media, review *(Russian)* 4—33777
  metal, strained microcrack heterogeneous nucleation 4—36940
  metal, stress corrosion cracking, surface hydrides role 4—17354
  metal shell intersections, dynamic plastic behaviour 4—33943
  metal under complex loading, effect of Bauschinger effect on yield condition 4—37863
  m.o.s. structure, elec. props., effect of metallisation-induced stress 4—37314
  m.o.s. structures, capacitance-voltage charact. 4—20690
  nuclear reactor LMFBR fuel rod design, cladding integrity assessment by damage fraction rules 4—36308
  plastic flow, beginning, effect of prestressing 4—12982
  Plexiglass, strength under impact load, time depend. 4—13941
  polyethylene, failure under nonrepeated loading, kinetics 4—13942
  polyformaldehyde, inert liq. diffusion kinetics, stress state influence *(Russian)* 4—10677
  polymer, ageing process, anal. of testing methods 4—13961
  polymer, atomic destruction mechanism, bond rupture 4—38079
  polymer, faulure under nonrepeated loading, kinetics 4—13942
  polymer, influence on endurance *(Russian)* 4—38054
  polymer, loaded, plane zigzag skeleton, main-chain vibr. freq. shifts 4—906
  polymer solution, stress relax. upon cessation of steady flow and overshoot effect 4—21457
  polymers, deform., relax., conf., San Diego, USA (1973) 4—21446
  polymers, glassy, theory of low-temp. plastic deformation 4—7365
  polypropylene, isotactic, β-modified film ductile props. *(Japanese)* 4—33898
  polystyrene, failure under nonrepeated loading, kinetics 4—13942
  powder metallurgy materials, densification rolling, mean contact stress 4—37973
  pressure distribution, in fluid layer bounded by elastic plates 4—22674
  quartz, pulse heating, α-β inversion, press. response 4—28205
  Rayleigh wave interaction with edge cracks, optical polarization obs. 4—13087
  rubbery liquid, thermal-fluctuation for calc. relax. spectrum 4—13932
  sapphire, cristobalite-mullite coated, thermal shock resistance rel. to surface prestressing 4—21396
  shear, on erythrocyte membrane, study in cone-and-plate viscometer 4—14547
  shear, solids, high pressures, mechanical and chemical properties 4—2228
  shell, thin, elastoplastic deform. considering small strains, theory *(German)* 4—18895
  soil, collapse limit and stability conditions *(Russian)* 4—29479
  solid-solid interdiffusion 4—20440
  steel, austenitic, stainless, study of thermal stress ratchetting using three bars specimen 4—33804
  steel, austenitic stainless, stress corrosion cracking in boiling $MgCl_2$ solns., comp. effect *(Japanese)* 4—41696
  steel, Cr-Mo-V, low cycle high-temp. fatigue under uniaxial and biaxial stress 4—4156
  steel, fatigue and corrosion-fatigue resist., ring-notch depth influence *(Russian)* 4—1691

stress effects continued
- steel, fatigue life, subjected to alternating loads under uniaxial and biaxial static strain, criteria 4−13747
- steel, f.c.c. to hexagonal martensitic transformations, stress and deform. induced, anisotropic length changes *(German)* 4−13597
- steel, ferritic, stress corrosion cracking in chloride environment, effect of Ni additions 4−41646
- steel, high-strength, acoustic emission testing 4−33940
- steel, high-strength, crit. stress-intensity coeff. in corrosion cracking *(Russian)* 4−41665
- steel, high-strength, prior plastic strain effect on SCC threshold behaviour in sea water 4−7119
- steel, high-strength, stress corrosion crack advance in dry gases 4−17356
- steel, hydrogen embrittlement, stress gradient effect 4−17350
- steel, low-C, effect of loading time on hardness-stress relation 4−7201
- steel, maraging, sustained load cracking behaviour in hydrogen, preloading influence 4−41641
- steel, martensitic-ferritic, phase transform. during hot deform. 4−33665
- steel, reinforcing carbon, thermally hardened during rolling, stress corrosion cracking susceptibility *(Russian)* 4−1565
- steel, reinforcing type, stress level effect on hydrogen damage 4−41743
- steel, sensitivity to stress concentrations, effect on ductility and toughness, 0KhN40MDTYu 4−13735
- steel, stainless, ferritic and martensitic, stress corrosion cracking behaviour in saline solns. 4−10605
- steel, stainless, laser induced deformation modes, time depend. 4−19127
- steel, stainless, sensitized, stress corrosion cracking in oxygenated high temp. water 4−41650
- steel, stress corrosion cracking in liq. ammonia environments, ASTM A517 grade F specimens 4−41643
- steel, sulphide corrosion cracking, fracture mechanics *(Czech)* 4−7139
- strain hardening, effect of stressed state 4−13750
- styrene acrylonitrile polybutadiene composite, dilatation, excess enthalpy mechanism 4−21447
- superconducting transition temperature of nontransition metal, calc. 4−24865
- SVAM glass-reinforced plastics, effect of sign of shear on stress strength 4−13870
- swelling of metals and alloys, coherent precipitates and interstitial annihilation 4−27453
- teaching paper on shear stress 4−30339
- thermal contact resistance, rel. to time of load application 4−30920
- thermoplastic, creep under uniaxial, shear, and hydrostatic stress conditions 4−41873
- tide, strain potential, and reln. between Love numbers k_n and h_n *(French)* 4−29536
- vinyl urethane polymers, fatigue crack propag. 4−1674
- viscoplastic short cylindrical shells, radial impulse, buckling 4−189
- Zircaloy cladding, fracture under simulated power ramp conditions 4−19588
- Al, 6061-T6, laser induced stress waves, 4Kbar peak pressures 4−7106
- Al, alloys, stress corrosion cracking, review 4−25382
- Al, laser induced deformation modes, time depend. 4−19127
- Al, polycryst., flow stress, effect of sub-struct. 4−33756
- Al, wire, elec. resist. change, extension depend. 4−33814
- Al alloy, 7075-T6, triaxial fatigue, intermediate principal stress effect 4−10728
- Al alloy, hardening and softening under load, 135-150°C 4−29115
- Al alloy 2024, thermomech. processing effects on mech. props. 4−29163
- Al alloy 7075, stress corrosion cracks, fractography 4−41644
- Al alloy D16T, fatigue limit, effect of freq. of cyclic tension-compression 4−13748
- Al alloys, acoustic emission testing 4−33940
- Al alloys, stress corrosion cracking in sulphate solns. at 289°C 4−41649
- Al alloys, thermomech. treatments effect on stress-corrosion resist. 4−29162
- Al-Cu (4 wt.%) crystal, stress cracking, grain boundary orientation *(Japanese)* 4−4135
- Al-Cu-Mg I plates, part-through cracks, stress intensity factors *(German)* 4−38114
- Al-Mg alloys, thermomech. processing on stress corrosion resist. 4−29152
- Al-Si sputtered junction, stress effect on current-voltage characteristics 4−16823
- Al-Zn-Mg alloys, stress corrosion susceptibility rel. to heat treatment procedure 4−25383
- Al-Zn-Mg alloys, stress corrosion life rel. to anodic paths 4−25384
- Al-Zn-Mg-Cu alloys, high-strength, Zr substitution for Cr implications 4−17359
- Al_2O_3, bending fracture stress, stress conc. depend. *(German)* 4−33849
- Al_2O_3, polycrystalline, thermal-stress resistance, comparison with BeO 4−13841
- $BaO.6Fe_2O_3$, compressive deform., texture and grain morphology rel. to mag. props. 4−38020
- $BaTiO_3$, alternating mechanical stress effect on repolarisation *(Russian)* 4−33358
- $BaTiO_3$, compression effect on induced phase transition 4−13401
- $BaTiO_3$, domain struct., tetragonal-orthorhombic 4−13400
- $BaTiO_3$, improper ferroelec., influence of external parameters on phase transition orders 4−13014
- BeO, polycrystalline, thermal-stress resistance, comparison with Al_2O_3 4−13841
- C fibres, strengthening under cyclic loading, testing, mechanism *(Russian)* 4−13884
- CaO, Jahn-Teller coupling in excited level of F-centres, uniaxial stress effects *(French)* 4−25157
- CdS, stress-induced stimulated emission from excitonic mol. 4−41396
- Cu, dislocation motion after stressing 4−1062

stress effects continued
- Cu, porous, pulse heating, dynamic response, interferometric meas. 4−29097
- Cu, wire, elec. resist. change, extension depend. 4−33814
- Cu single crystal, cyclic deformation dislocations, hardening, electron microscopy 4−1609
- Cu/W composite, grain boundary cavitation and sliding due to thermal stresses 4−4207
- CuI, films, exciton spectrum, thermal stress effects 4−20574
- Fe, cast, cyclic fatigue loading, stress conc. sensitivity 4−1597
- Fe, cast, in centrifugally cast pipe, mech. props. and fracture resistance, rel. to fine structure 4−33730
- Fe, cast, malleable, graphitization and solidification, stress effects *(Korean)* 4−21322
- Fe, high-field magnetoresistance anisotropy due to open orbits, stress effects 4−37225
- α-Fe, steady-state creep rel. to effective stress and dislocation dynamics 4−17315
- Fe alloys, stress corrosion cracking in sulphate solns. at 289°C 4−41649
- Fe-Ni alloy, Invar type, under influence of non-hydrostatic stress, Mossbauer spectra 4−33310
- Fe-Ni-Cr, stress induced martensite-austenite interface 4−1542
- Fe-Si(3.25 wt.%) grain-oriented laminations, stress effects on mag. props. 4−37447
- Fe_2O_3 polycrystal, tensile creep, 920-1255°C 4−29202
- GaAs, p-n junction, luminesc. polarisation 4−37692
- GaAs, phosphosilicate glass mask, interfacial stress effect and lateral diffusion 4−29026
- GaAs, piezoelectroabsorption, polarization increase 4−17045
- n-GaP, Raman spectra of optical phonons, effect of uniaxial stress, doping 4−17068
- Ge, dislocation multiplication mechanism at high temp., low stress *(Russian)* 4−10552
- Ge diode, anisotropic deformation, current instability 4−16817
- InSb, doped n-type, uniaxial stress effects on plasma minimum position, band consts., deformation pot. 4−41024
- p-InSb, on elec. cond., stress depend. 4−32955
- $KCl:OH^-$, stress dependence of paraelectric susceptibility, 0.3-5 K 4−25046
- $KTaO_3$, stress induced ferroelectricity 4−13397
- LiF, edge and screw dislocation behaviour under alternating stress 4−1084
- LiF crystal, dislocation struct. at crack, stress distrib. and plastic deform. *(Russian)* 4−28142
- Mg-Al(7.5 wt.%) alloy, stress corrosion cracking, hydrogen role 4−17353
- NaOH-CaO, soda-lime glass, stress corrosion suceptibility, effect of polymeric coatings 4−10686
- Nb-W, single cryst., high temp. deform. mechanism, hardening 4−29100
- Nb_3Sn, change from first to second order martensitic transform. 4−4073
- Nb_3Sn film, supercond. transition temp. under tensile stress 4−24863
- Ni, wire, elec. resist. change, extension depend. 4−33814
- Ni:Co, influence of magnetic and mechanical treatment on remagnetisation process *(French)* 4−20821
- Ni-Co alloys, electrolytic, torsional stress effect on mag. props. *(Rumanian)* 4−37452
- Ni-Cr alloy, heat resistant, relax. resistance, conditioning effects 4−7186
- Pb_3GeO_5, ferroelastic, cryst. data and growth 4−32504
- PbS thin films, surface hillocks investigation *(Russian)* 4−28321
- $PbTiO_3$, improper ferroelecs., influence of external parameters on phase transition orders 4−13014
- Si, electron irrad., photolum., temp., stress and annealing effects 4−37659
- Si, single cryst. film, X-ray meas. 4−29006
- $Si-SiO_2$, X-ray topography, strain distrib. calc. 4−20501
- Si_3N_4, hot-pressed, cyclic fatigue 4−38022
- $SrTiO_3$, effect of uniaxial $\langle 100 \rangle$ stress on e.p.r. fine structure lines of Fe^{3+} ions *(German)* 4−6783
- Ti alloy, fracture toughness, aqueous stress corrosion and crack propag. 4−33753
- Ti alloy, quenching and aged, resistance to repeated static loads, effect of surface layer depth and hardness 4−33796
- Ti alloys, fracture toughness, H content effect *(Russian)* 4−21308
- Ti alloys, stress corrosion, electrochem. model 4−41716
- Ti alloys, stress corrosion, electrochem. model 4−41718
- Ti alloys, stress corrosion cracking, role of pH 4−41647
- Ti-Al-Mo-V alloy, stress corrosion cracking in aqueous environments, subcrit. crack propag. kinetics 4−13706
- Ti-Al-Mo-V alloy, stress corrosion cracking in aqueous environments, plastic zones and crack morphology 4−13707
- Ti-Al-Mo-V alloys, subcrit. crack growth in salt water 4−7160
- Ti-Al-V and Ti-Al-V-Sn alloys, corrosion fatigue crack propag. in aqueous and methanolic environments 4−29170
- Ti-Al(6 wt.%)-V(4 wt.%) alloy, stress corrosion cracking, initiation 4−21301
- Ti-Al(8 wt.%) alloy, fractography of stress corrosion 4−10604
- U-Nb(4.5 wt.%) alloy, acoustic emission as stress corrosion testing means 4−41916
- UC_2, stability under heating under stress, U_2C_3 form. 4−5909
- WC-Co, crack formation and propag. during indentation, obs. in SEM 4−25458
- Zn, single crysts., activation vol., mech. and struct. examinations *(Polish)* 4−41636
- ZnS, Zeeman splitting of direct exciton line, electron and hole g-factors 4−1218
- Zr alloy sheaths of fuel elements, iodine induced stress corrosion cracking at 300°C 4−27449

stress measurement
- acoustic emission testing, stress wave energy meas. 4−33940
- anisotropic media, wave motion recording using dynamic photomechanics 4−26469
- birefringence dispersion of object, effect on meas. accuracy 4−18375
- caustics method for stress singularities at concentrated loads 4−39156

stress measurement continued
- circular cylinders, local wall shear, instrument for direct meas. 4—14800
- circular cylindrical shell, stress conc. around elliptic holes 4—30397
- cylindrical shells, crit. load determ. using NDT 4—26459
- double resonator technique for thin films, integrated lateral stress 4—18367
- earth crust, by borehole deformation *(Chinese)* 4—34486
- earth crust from weak earthquake data *(Chinese)* 4—34487
- elastoplastic stress waves in solids, recording using dielectric pickup 4—1696
- e.m. plane stress-wave generator for transient loading of models 4—30396
- finite rectangular plates with rectangular inserts, stress conc. factors 4—35185
- glass fibre reinforced polycarbonate mouldings 4—10673
- holographic interferometric methods limitations in three-dimens. photoelasticity 4—30479
- holographic interferometry determ. of mode I stress intensity factors 4—39159
- immersed structures undergoing fluid motion, photoelastic study 4—22770
- interferometric method for thin plates, refl. fringe anal. 4—18470
- isochromatic and isopachic fringes for stress photoelastic object, holographic recording 4—2234
- metal, high-temp. creep, transient dip test, internal stress interpret. 4—25456
- metal, residual stress meas. using surface displacements around indentation 4—29264
- microstress gauge, magneto-thermal gas transport study 4—17
- photoelastic immersion fluid, mixing, refr. index determ. 4—35259
- photoelasticity, isochromatic-fringe patterns whole-field interpolation 4—39157
- plastic, electrodynamic vibrator 4—29278
- pressure vessels, welded, flush and extruded nozzles, stress conc. factors and fatigue assessment 4—31520
- rocks, determination from ultrasonic pulse velocity measurements 4—34509
- rocks in situ from continuous monitoring of seismic velocity 4—29722
- round-compact-tension specimen geometry for K_{Ic} meas. *(German)* 4—21531
- sandwich-transducer technique, internal dynamic stress in a rod, piezoelectric quartz crystal disc 4—18
- second stress raiser effect on existing stress raiser 4—35184
- static point methods for principal stress determ., plane problem, birefringent material *(French)* 4—39155
- stiffened conical shell structures, cast-epoxy model development and crit. load meas. 4—26460
- stress/strain relation, dynamic, meas. at high strains 4—22773
- tensile wave passage, one-dimensionality and isochoric deform., surface-angle meas. role 4—39158
- transient, using strain gauge and static calibration characs. 4—22776
- triaxial strain cell for stress determinations 4—22150
- u.s. time-of-flight techniques 4—26464
- X-ray diffractometer measurement, sample-curvature error 4—9792
- Be, residual surface stress meas. using strip strain gauges 4—33933
- LiNbO$_3$ gauge, for radiation-induced stress pulse meas. 4—14797

stress/strain curves *see stress/strain relations*

stress/strain diagrams *see stress/strain relations*

stress/strain relations
- *see also elastic limit; yield point*
- acrylonitrile-butadiene-styrene, emulsion polymer, creep mechanisms 4—17440
- alloy, uniform elongation during transform. aided plasticity 4—13691
- Borsic/Al composite with weak fibre/matrix bonds, toughening mechanism of crack blunting 4—1660
- Borsic/Ti alloy composite, tensile props. and fracture modes 4—1652
- branch pipe lateral and tee connections, limit interaction of external couples and internal pressure 4—23814
- branch-pipe lateral and tee connections, limit interaction of external couples and internal pressure 4—23813
- brass, α-β two-phase multicrysts., model obs. 4—17348
- brass, biaxially stretched sheets, strain hardening and instability 4—13703
- brass, flow stress/grain size relation, strain depend. 4—7055
- brass, influence of grain size on work hardening 4—4095
- brass, Portevin-Le Chatelier effect, acoustic emission obs. 4—41655
- α- brass, Portevin-Le Chatelier effect, internal friction during repeated discontinuous yielding 4—25366
- brass, prestrained, under reverse loading 4—25350
- α-brass, tensile fracture, hydrostatic press. effect 4—33741
- brittle fracture, elastic-plastic mechanics of crack extension *(Czech)* 4—41699
- brittle rock, uniaxial stress-strain behaviour, experimental determ. 4—4350
- ceramic, strength-probability-time relationships 4—13824
- chitin, regenerated films, mech. and chem. characts. 4—13902
- circular plates, thick, plastic anal. using von Mises yield criterion 4—5347
- circular-section specimens, from torsion test results 4—2231
- composite, metal-matrix, mech. props. at ultimate loading, theory 4—7342
- composite, metal/metal, elongagion and fracture 4—1651
- composite, unidirectional, shear stress/strain response determ. 4—1635
- composite alloy, discontinuous fibre, micromechanics and mech. props. of matrix *(Japanese)* 4—13862
- composite elastomeric system, elastic props. and struct. 4—7344
- composite laminate, load conc. factors for circular holes 4—1636
- composite materials, stress-strain relns., effect of statistical fluctuations of fibre strength and orientation *(German)* 4—38044
- compressible ideal granular material, plane mechanics and kinematics 4—21498
- compressible material, complementary strain-energy function determ. 4—29269
- concrete, prestressed shell of revolution, viscoelastic anal. by finite element method 4—27471

stress/strain relations continued
- constitutive equations for temp. and time depend. stress and failure analysis 4—17493
- crustal downfolding associated with igneous activity, S. Greenland 4—34211
- cylinder, thin, anal. of stable necking under internal pressure 4—15170
- cylindrical shell, axially symmetrical stress state due to thermal diffusion *(Russian)* 4—8634
- cylindrical shell with circular opening, anal. of elastoplastic stressed state *(Russian)* 4—11753
- deurettable elastic solid, isotropic theory, Drucker stability postulate 4—26780
- dimensionless, and approximation 4—7413
- dislocation structure evolution work hardening curves *(Russian)* 4—13679
- drops, freezing water, calc. of stresses and pressure in ice shell and liquid core 4—3556
- dynamic, meas. at high strains 4—22773
- dynamical state of dislocations during deform., model 4—20359
- elastic laminated composite beams, stress and strain anal., continuum theory 4—30753
- elastic laminates, wave propagation using second order microstructure theory 4—10668
- elastic strain energy theory, enlargement to elastic-plastic range *(German)* 4—2487
- elastic-plastic materials, finite-deformation theory 4—8638
- elastic-plastic plates and shells, deflection anal. using simplified hybrid displacement method 4—35688
- elastic-plastic stress wave propag., unloading boundary 4—30821
- elasticity, non-symmetric linear static problems *(Polish)* 4—15152
- elasticity theory, stress rate conjugacy 4—39542
- elasto-static response of thick shells 4—26458
- electron microscope, straining tensile specimen holder 4—30618
- epoxy particulate composites, stress in chain struct. *(Japanese)* 4—1624
- explosive forming sheet metal dished ends, computer aid obs. of deform. characts. 4—13810
- fatigue failure predictions for plates with holes and edge notches 4—10726
- fibre reinforced composite, elastoplastic transverse props. 4—33877
- fibre reinforced composite, internal damping, stress and deform. effect 4—33879
- fibre reinforced plastic, struct. property relations 4—7332
- finite plate, effect of circular, elliptical and regular polygonal holes 4—11731
- friction surface, macroscopic displacement, elasticity theory, contact problem *(Russian)* 4—20352
- geology, stressed solid, nonhydrostatic thermodynamics review 4—1750
- glass, commercial, stress relaxation modulus 4—38061
- glass reinforced plastic, cylindrical shell 4—13867
- glass reinforced plastic, oriented, fracture mechanisms under uniaxial compression 4—13869
- glass reinforced plastic wound ring, tensile, compressive circumferential stresses 4—1639
- glass reinforced polyamides, physicomech. props. 4—21431
- half-space of combined kinematic and isotropic hardening medium, plane simple waves 4—30824
- Holloman strain hardening equation, limitations 4—37903
- Hooke-Norton spring system, random vibr., stochastically fluctuating load 4—194
- Hopkinson bar test technique 4—13968
- h.v. electron microscope, fatigue stage for specimen stress-strain condition 4—26666
- ice, impure, mechanical properties investigation 4—36934
- ice, internal friction *(Russian)* 4—40838
- incompressible materials, second and higher-order conditions, plane strain 4—30757
- lubrication, elastohydrodynamic non-Newtonian behaviour above critical shear stress 4—24225
- macroplastic flow, influence of microplastic deform., near solid body surface, review *(Russian)* 4—21307
- mechanical anisotropy and Bauschinger effect 4—7135
- membrane, inflated spherical nonlinear, contact problem 4—30774
- metal, f.c.c., work hardening of single crysts. and polycrysts., stress/strain behaviour, dislocation density model 4—1546
- metal, neutron irradiation effects during plastic flow, thermomechanical coupling 4—25352
- metal, notch effect on low-cycle fatigue, finite element analysis 4—33959
- metal, polycryst., elastic deform., effect of neighbouring grains' Young's modulus 4—37864
- metal, polycrystalline, influence of limiting dislocation flux on mechanical response 4—10579
- metal system, cubic, microstruct., relationship with behaviour in uniaxial tensile test 4—37902
- metal-mesh reinforced carbon plastic, temp. depend. of mech. props. 4—13878
- metallic glasses under compression, plastic flow 4—1593
- micropolar medium, distortion problem, theorem of reciprocity of works 4—2497
- non-Newtonian incompressible fluid, nonlinear equations of motion 4—20021
- nonlinear hereditary media, nonlinear theory, correspondence principle 4—11735
- nonlinear viscoelastic materials, modelling, identification and prediction 4—2477
- nonsteady creep conditions 4—7412
- nuclear reactor pressure components, computer program for elevated temp. cyclic anal. 4—23811
- nylon 66, fibre and film dynamic mech props. 4—33908
- orthotropic sheet materials, mechanical props. and extension diag. construction *(Russian)* 4—21503
- parametrical memory of simple materials, mathematical conditions 4—2474
- piezoelectric elastic body, Hooke's law *(Japanese)* 4—41337
- pipes, curved in-plane and out-of-plane bending, flexibility and stresses 4—23820

stress/strain relations continued
- piping system, strain concentration in elbow under high temp. relaxation conditions 4−23818
- plane elastic problems, numerical anal. *(Japanese)* 4−35663
- plastic, plastic strain vector, local strains theory 4−13918
- plastic, strain rate and temp. rise during deform. effect on stress-strain curve 4−29267
- plastic deformation, stress/strain relations 4−35676
- plastic flow, dislocation distrib. for work hardening and density of mobile and immobile dislocations 4−1499
- plate, rectangular, subject to bending, initial deflection effects on stress and strain states *(Polish)* 4−15153
- poly n-butylmethacrylate, effect of methanol and ethanol penetrants on tensile stress relaxation 4−10691
- polyacrylate + glass bead, surface treatment effect on adhesion and mech. props. 4−17416
- polybutadienes, cis- and trans-, and related copolymers, cryogenic tensile stress-strain props. 4−7360
- polycarbonate, stress relax. mechanism, strain depend. 4−21449
- polycarbonate, tube, torsional deformation, shear bands 4−33915
- polyethylene, deformation mechanism and structural interpretation of results 4−7351
- polyethylene films, environment influence on physico-mech. props. *(Russian)* 4−10678
- polyformaldehyde, various block structures, elongation values for fracture *(Russian)* 4−38083
- polyisoprenes, cis- and trans-, and related copolymers, cryogenic tensile stress-strain props. 4−7360
- polymer, craze yielding in N_2 and Ar 4−38064
- polymer, cyclic deform. and fracture 4−33902
- polymer, Volterra-Frechet theory, uniaxial tension 4−13917
- polymeric system, elastic deformation relaxation time, storage and loss moduli 4−38065
- polymethylacrylate, effect of water penetrant on tensile stress relaxation 4−10691
- polypropylene, isotactic, liq. medium influence on mech. props. *(Russian)* 4−41857
- polypropylene films, environment influence on physico-mech. props. *(Russian)* 4−10678
- polystyrene, crit. strain criterion for crazing 4−4216
- polystyrene/low density polythylene blends, mechanical props. 4−10698
- polyurethane, isocyanurate-type crosslinked, props. 4−13904
- polyurethane foam, complementary strain-energy function determ. 4−29269
- powder, ductile, pressed and sintered, stress-strain curves *(German)* 4−37986
- power-law hardening material, stress field due to line load acting on half-space 4−30796
- precracking modes, effect on fracture toughness and critical crack opening displacement *(Slovak)* 4−13689
- pressure vessels, low-cycle fatigue strength 4−31517
- prestrained material under reverse loading 4−25350
- PVC, oriented sheet Young's modulus, correlation with yield stress, u.s. pulse meas. 4−38074
- PVC, rigid, viscoelastic/plastic deform., time depend. constitutive eqn. 4−17454
- quartzite, triaxial compression tests, microscopic and mechanical behaviour 4−21812
- quasilinear rate-type constitutive equations 4−8645
- ratchetting deformation as affected by loading sequence variations, rel. to LMFBR design 4−23812
- reactor fuel pins, strains due to thermal stresses, computer program calc. 4−9355
- recrystallisation in hot working and creep 4−41620
- reversible processes, constraints on relation between stresses and time derivatives of strains and temp. 4−249
- rock aggregates, examination of controlling variables 4−34170
- rock specimens under uniaxial compression 4−21811
- rocks, igneous, experiments up to 1120°C 4−17572
- rocks under uniaxial tension 4−21808
- round-compact-tension specimen geometry for K_{Ic} meas. *(German)* 4−21531
- rubber, elasticity, effect of addition and scission of cross-links under strain 4−10695
- sandwich shells, non-linear theories 4−185
- second dislocation-energy minimum effect on Granato-Lucke-type damping theory 4−24480
- serrated yielding, strain depend. of vacancy creation and dislocation density 4−17323
- sheet forming, tensile tests 4−37904
- shell, cylindrical, effects of shear and normal deformation using Zerna's exact theory 4−30765
- shell, spherical hyperelastic material, finite expansions due to internal pressure 4−26772
- shells, curved, influence of sign of curvature and method of fixing *(Russian)* 4−23130
- shells, junction problems, discretised solution, shifting field 4−2481
- soil, cohesionless, elastic state function 4−13955
- solid solution softening and hardening mechanism, motion of screw dislocation, yield stress 4−1552
- split Hopkinson bar technique analysis for strain-rate-dependent material behaviour 4−33957
- steel, anisotrhermal stress relaxation 4−13771
- steel, austenitic stainless, influence of high hydrostatic pressure on flow stress 4−1604
- steel, biaxially stretched sheets, strain hardening and instability 4−13703
- steel, cyclic plastic reaction, fatigue endurance curves *(Czech)* 4−7138
- steel, fracture criterion for cold forming 4−41777
- steel, heat treatment, following cold forming *(German)* 4−25347
- steel, high-C, recrystn. between intervals of high temp. deform. 4−7154
- steel, high-chrome, damping props. in homogeneous tension-compression stress state, and temp. effects 4−7203
- steel, low alloy ferric, strain concentration behaviour in notched round bar subjected to creep 4−23810
- steel, low-C, ageing time for serrated yielding 4−1595

stress/strain relations continued
- steel, low-C, dynamic strain ageing effects decrease due to load removal *(Russian)* 4−17298
- steel, low-C, ferritic and pearlitic, hardening rel. to mode of deformation 4−13683
- steel, maraging, substitutional, low temp. ageing rel. to serrated flow *(Japanese)* 4−41697
- steel, mild, critical tensile stress rel. to fracture toughness 4−41682
- steel, mild, En1A, discontinuities in S/N curves, fatigue tests 4−4138
- steel, mild, initial stages of cyclic loading 4−7109
- steel, stainless, α/γ duplex, Ashby-Verrall model for superplastic flow 4−37953
- steel, stainless, AISI Type 304, heat-to-heat variations in fatigue and creep fatigue at 593°C 4−25361
- steel, stainless, austenitic, sigma phase form., deform. and recrystn. effect 4−7219
- steel, stainless, low cycle fatigue damage accumulation 4−1608
- steel, stainless, Type 304, elevated temp. flow at high strain rates, math. description 4−17483
- steel, strength and ductility, temp. and strain rate effect 4−21353
- steel, TRIP, high-strength, homogeneous deform. and strain rate effects 4−13800
- steel, TRIP, strain rate effect on tension and compression stress/strain behaviour 4−21324
- steel laminates, austenite-martensite transformation study, dimensional anisotropy 4−7004
- steel plate, fracture toughness rel. to shear lips thickness 4−17495
- stiffness matrix for curved finite element, appl. to general shell theory 4−35642
- strain diagrams in low temp. impact bending tests, recording apparatus 4−13965
- stress and strain in engineering, conf., Brisbane, Australia (Aug. 1973) 4−13557
- stress relaxation expts., dislocation struct. changes 4−21524
- stress relaxation expts., dislocation struct. changes 4−21525
- superplastic alloy, forming process stress anal. 4−1611
- superplastic sheet, creep, bending and tension tests comparison 4−17479
- teaching paper on shear stress 4−30339
- tensile wave passage, one-dimensionality and isochoric deform., surface-angle meas. role 4−39158
- thermoplastic, creep under uniaxial, shear, and hydrostatic stress conditions 4−41873
- thermoplastic structures, viscoelastic/plastic deform., time depend. constitutive eqn. 4−17454
- thin elastic shells, effect of prebuckling deformations on buckling 4−11727
- three-dimensional, multiple linear regression techniques applic. 4−13966
- time influence in static solutions *(French)* 4−18857
- uniaxial testing, misalignment effects on pre-macroyield region of stress/strain curves 4−17497
- unsteady elastic waves in an isotropic sheet *(Russian)* 4−5363
- variable cross section thin-walled beams subjected to loads exceeding proportionality limit calc. by stress-strain curves piecewise approx. 4−5349
- viscoelastic bar, dynamic stability, anal. by averaging method 4−11768
- viscoelastic material with temp. depend. props., dissipative function 4−29219
- viscoelastic materials, stress relax. and creep meas., initial transients influence 4−7402
- viscoelastic particle/matrix, differential operator of anal. of constitutive eqns. 4−33925
- viscoelastic plastic bodies, stability problems *(Russian)* 4−7369
- viscoelastic solid, u.s. effects 4−24516
- welding elbows with end effects, exptl. study of flexibility factors and stresses 4−23821
- yield locus, model obs. of corners 4−11754
- yield point phenomenon, ideally viscoplastic analysis 4−1082
- yield strength, St. 3 low-C steel meas. 4−2232
- Zircaloy-2, yield and flow, effect of temp. and strain-rate, 77 to 660 K 4−7217
- Zircaloy-4, necking strain in dynamic strain ageing range 4−4154
- Ag, powder, cold pressing, green compacts 4−21370
- Ag sintering, nucleation of dislocations on neck surfaces 4−21371
- Al, ⟨111⟩ oriented single crysts. deformed in torsion 4−41714
- Al, deform. history influence 4−13700
- Al, influence of grain size on work hardening 4−4095
- Al, low cycle fatigue damage accumulation 4−1608
- Al, Portevin-Le Chatelier effect, acoustic emission obs. 4−41655
- Al, V-notches under tension, plastic constraint 4−13752
- Al alloy 5086, prestrain effect on dynamic strain ageing characts. 4−17364
- Al alloys, cyclic fatigue behaviour, review 4−13781
- Al alloys, cyclic fatigue behaviour 4−21360
- Al alloys, Portevin-Le Chatelier effect, internal friction during discontinuous yielding 4−25366
- Al-Cu (4 wt.%) alloy, cyclic stress/strain response w.r.t. particles penetrable by dislocations 4−13693
- Al-Cu (4 wt.%) alloy, two-phase, cyclic stress/strain response w.r.t. particles not penetrated by dislocations 4−13694
- Al-Cu alloys, preprecip. stage obs. by Portevin-Le Chatelier effect *(French)* 4−21283
- Al-Cu-Mg alloys, cyclic deformation, Bauschinger effect, dislocation substructure 4−41767
- Al-Cu-Mg alloys, prestrain influence on creep strength at 150°C 4−21317
- Al-Cu(4 wt.%) alloy, cyclic stress/strain response rel. to microstructs. containing particles penetrable by dislocations 4−25380
- Al-Cu(4 wt.%) alloy, cyclic stress/strain response rel. to microstructs. containing particles not penetrated by dislocations 4−25381
- Al-Li single cryst. containing Al_3Li particles, ordered particle effects 4−29137
- Al-Mg alloys, discontinuous flow in steady-state creep at high temps. 4−1605
- Al-Mg alloys, substitutional, Portevin-Le Chatelier effect, activation energies, vacancy migration *(French)* 4−1594

stress/strain relations continued
- Al-Mg(5 wt.%) alloy, plastic deform. behaviour in Portevin-Le Chatelier effect region *(French)* 4—41725
- Al-Zn-Mg alloy, precipitate-free zone width influence on tensile props. 4—37936
- Al-Zn-Mg-Cu-Mn forging alloy, fracture toughness and tensile props., effects of comp. changes 4—10628
- Al_2O_3, alumina, strength-probability-time relationships 4—13824
- Al_2O_3, sapphire, non-basal slip, temp. depend., strain rate sensitivity of flow stress 4—3517
- Au electrodeposits, hydraulic bulge tester meas. 4—7195
- Au-Cd alloy, study of thermoelastic martensitic transformation by stress strain curve anal. 4—4071
- Au-Cu alloys, onset of serrated yielding 4—33746
- Bi single crystal, plastic deform. and dislocation etch-pit distrib. due to $\{001\}\langle 110\rangle$ glide system *(Japanese)* 4—17240
- α-brass, cyclic plastic reaction, fatigue endurance curves *(Czech)* 4—7138
- Cu, cyclic plastic reaction, fatigue endurance curves *(Czech)* 4—7138
- Cu, deform. history influence 4—13700
- Cu, flow stress components of single crysts. 4—29104
- Cu, influence of grain size on work hardening 4—4095
- Cu, wire, study of fatigue by resistometric method *(Czech)* 4—13688
- Cu/W fibre reinforced composite, matrix strengthening under monotonic and cyclic loading 4—41837
- Cu-Al system, comp. depend. of mech. behaviour under h.p., banded struct. 4—17335
- Cu-Al-Fe alloy, superplastic testing conditions and grain growth 4—33769
- Cu-Be, plastic workability rel. to strain hardening 4—17330
- Cu-Be (2.5%. wt), hardened, influence of electron irradiation on mechanical properties *(Russian)* 4—4124
- Cu-Be alloy, finite strain and 0.01% offset yield strength 4—10727
- Cu-Si internally oxidized crysts., strain bursts during fatigue *(German)* 4—37962
- Fe, cast, elastic-plastic properties 4—4139
- Fe, cast, nodular graphite, plastic and fracture behaviour *(Korean)* 4—37906
- α-Fe, dynamical strain aging, effects of strain rate and nitrogen content in jerky-flow region 4—1551
- α-Fe, high temp. deform., recovery and recrystn. 4—7161
- α-Fe, stress relaxation and mech. eqn. of state in monotonic loading 4—33750
- Fe-C, Luders band propag. at low vels. 4—1557
- α-Fe-Mn(1 wt.%) alloy, polycryst., during combined tensile-torsion deformation 4—4150
- GaAs:Si single crysts., dislocation mechanisms 4—6430
- Ge, dynamical state of dislocations during deform. 4—20358
- Ge, dynamical state of dislocations during deform., model 4—20359
- Mg, slip mode in c-axis compression 4—1501
- Mg-Li alloys, cyclic stress/strain and fatigue behaviour 4—41685
- Mg_3Cd, ordered and disordered, microplasticity obs. 4—33771
- MgO, by thermal decomposition, factors affecting sinterability 4—21409
- Mo and Mo-Re single crysts., plastic deform., 100-425K, 10^{-4}-10^{+2} sec^{-1} strain rates 4—1574
- NaCl, coloured cryst., F-stimulated photoplastic effect, u.s. absorpt. changes 4—20362
- NaCl, single- and polycrystalline, activation anal. of steady state deformation 4—3515
- NaCl polycrystals, hydrostatic pressure influence on mechanical props. 4—3516
- Nb, fatigue hardening in single crysts. 4—33742
- Nb, plasticity of superconducting and normal states 4—1554
- Nb, stress relaxation and mech. eqn. of state in monotonic loading 4—33750
- Nb and Nb-N alloys, low temp. hydrogen embrittlement phenomena 4—21357
- Nb-Mo (1.2-7.6 at.% Mo), plasticity of superconducting and normal states 4—1554
- Ni, microstrain tests, grain size depend. of flow stress 4—7164
- Ni alloy IN-100, plane strain/plane stress transition during fatigue crack propag., acoustic emission obs. 4—33941
- Ni alloy with ThO_2 dispersion, stress relax., strain rate sensitivity 4—41715
- Ni/W fibre, micromechanics and mech. props. of matrix *(Japanese)* 4—13862
- Ni-Co alloys, plastic deformation, effect of stacking fault energy 4—1559
- Pb, mech. eqn. of state and grain boundary sliding 4—13794
- Pb-Sn (5 wt.%)/stainless steel fibre, micromechanics and mech. props. of matrix *(Japanese)* 4—13862
- $Pd_{0.775}Cu_{0.06}Si_{0.165}$ glasses, compressive deform., 77-520 K 4—13695
- SiC, whiskers, anomalous Young's modulus, 700-1400°C 4—21402
- Ti, stress/strain curves empirical analysis 4—13701
- Ti, thermally activated deform. at low temp. 4—7212
- Ti-Al alloy single crysts., deform. modes 4—17334
- Ti-Al-Sn-Zr-Mo alloy, plane strain/plane stress transition during fatigue crack propag., acoustic emission obs. 4—33941
- Ti-Al-V alloy, electron beam induced mech. and metallurgical changes 4—29155
- Ti-Al-V forgings, metallurgical struct. and mean stress effect on fatigue behaviour 4—29166
- V, flow stress components of single crysts. 4—29104
- W/nichrome composite, thermal stress distrib., dilatometry 4—1640
- WC/Co bonded composite, stress induced cavitation 4—13901
- WC-Co hard alloy, strength as dispersion-strengthened materials 4—17328
- Zn-Al eutectoid sheet, creep, bending and tension tests comparison 4—17479
- Zn-Al superplastic eutectoid, stress/strain rate behaviour 4—21318
- Zn-Al(22 wt.%) superplastic eutectoid, high temp. deform. mechanisms 4—33743
- α-Zr, dynamic strain ageing during creep 4—37919
- ZrC, arc-cast, high temp. mech. behaviour 4—17387

stresses, internal *see internal stresses*

striations *see discharges (electric)*

striking *see impact*

strip line components
- acoustic surface waves in structures consisting metal strips on dispersive media 4—10032
- microstrip cavity, for dielec. props. meas. of slab-type material 4—8414
- p-i-n diode single pole double throw switches for radioastronomy receivers at L-band 4—11263

strip lines
- in ferrite or dielec. medium, dispersion curves, finite difference soln. *(French)* 4—23173
- irradiated, multiple dielec. relaxation time theory 4—40142

stripping reactions
- α-transfer reaction, spectroscopic amplitude calc. in j-j coupled shell model 4—39950
- A(d,n)B polarisation transfer reactions, formalism 4—15861
- A(d,p)B polarisation transfer reactions, formalism 4—15861
- into continuum, formulation using DWBA 4—31332
- deuteron, 3-body effects 4—2906
- DWBA cross sections calc. for stripping to unbound states 4—15744
- form factors calc. in coupled-channel Born approx. for vibrational-like states 4—12306
- heavy ion, two-nucleon exchange, systematics of interference between direct and indirect modes 4—12376
- heavy particle, reln. to angular $\alpha\gamma$ correlations in inelastic α-particle scattering *(Russian)* 4—15893
- many-particle reactions, summation-diagram method of analysis *(Russian)* 4—607
- one-nucleon transfer, determ. of ^{14}N ground state magnetic moment 4—2753
- one-particle transfer, nonorthogonality effects 4—9130
- three-body model, validity of DWBA 4—27298
- three-product-particle reactions, general semi-phenomenological theory *(Russian)* 4—605
- transfer reaction experiments, review 4—15859
- transfer reactions theory, (d,p) process 4—12364
- (d,n) zero-degree polarisation transfer reactions, use as practical polarised neutron source 4—15862
- (d,p), on spherical nuclei, anal. of two-step effects in adiabatic approx. *(Russian)* 4—31390
- (d,p), prediction of new type of threshold effect 4—2905
- (d,p), solvable model, np many channel separable potential interaction with fixed core 4—2904
- (d,p) reactions, 10 to 12 MeV for A=6 to 14, polarised d, vector analysing power meas. 4—19510
- (d,p) reactions, A=40 to 90, meas. of vector analyzing power for $l_n=4$ transitions 4—19509
- (d,p) reactions, deuteron D-state effect and j-dependence in vector polarisation 4—19500
- (d,p) reactions, j-dependence of vector analysing power in DWBA anal. 4—15887
- (d,p) reactions, nonorthogonality effects 4—19465
- (d,p) reactions, reln. between polarisation, analysing power and asymmetry 4—15860
- (d,p) reactions into continuum, DWBA calcs. for cross sections 4—31332
- d inelastic interactions at 9.4 GeV/c in photoemulsion, isolation of proton stripping events, cross sections *(Russian)* 4—15572
- ^{11}B(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4—19498
- ^{9}Be(d,n), 3.0 to 3.5 MeV n polarisation meas. 4—19497
- ^{9}Be(d,n)^{10}B, 1.75 and 2.20 MeV levels, deuteron and heavy-particle stripping, neutron ang. distrib. 4—19462
- ^{9}Be(d,p$_1$)^{10}Be, 0.9 to 3.1 MeV ang. distrib. meas. DWBA and Hauser Feshbach anal. 4—2909
- C foil strippers, lifetimes 4—14954
- ^{12}C(d,p) appl. of real Weinberg state method to ^{12}C unbound levels 4—2889
- ^{12}C(d,p) at 12.35 MeV, polarisation meas. and DWBA anal. 4—19502
- ^{12}C(d,p)^{13}C, 2.71 MeV, cross-section meas. ^{13}C deduced levels 4—31381
- ^{12}C(d,p)^{13}C, 51 MeV, differential cross section and p polarisation meas. 4—19503
- ^{12}C(d,p)^{13}C, d vector polarisation, 13.6 MeV 4—19492
- ^{12}C(d,p)^{13}C, energies near 1.2 MeV, angular differential cross-sections *(Russian)* 4—646
- ^{12}C(d,p)^{13}C, second order processes and resonances 4—5820
- ^{12}C(d,p)^{13}C*, second-order processes in direct reactions 4—27297
- ^{40}Ca(^{16}O, ^{12}C)^{44}Ti, high resolution study using slit pole magnetic spectrograph 4—9249
- ^{40}Ca(d,p)^{41}Ca, 11 MeV deuteron beam, angular distrib. 4—442
- ^{48}Ca(^{19}F,^{18}O)^{49}Sc, 56 MeV, projectile excitation 4—9255
- ^{248}Cm(^{3}H,p) at 15 MeV, cross section meas. ^{250}Cm energy levels determ. 4—15620
- ^{52}Cr(d,p)^{53}Cr, 8 MeV, DWBA calcs. including deuteron D-state 4—19501
- ^{52}Cr(d,p)^{53}Cr, two-step, cross-section, DWBA method 4—644
- ^{52}Cr(d,p)^{53}Cr form factors calc. in coupled-channel Born approx. for vibrational-like states 4—12306
- ^{52}Cr(t,d$_0$)^{53}Cr, DWBA analysis, test of optical potential approach to) 4—5819
- ^{52}Cr(t,d) at 2.0 to 3.5 MeV, determ. of normalisation factor of DWBA anal. 4—2913
- ^{54}Fe(d,n)^{55}Co at 5 to 6 MeV, meas. of excitation functions for transitions in ^{55}Co 4—2911
- ^{2}H(d, n), deuteron energies <200 keV, parametrization 4—649
- ^{2}H(d, p), deuteron energies <200 keV, parametrisation 4—649
- (^{3}He,d), radial integration for stripping amplitude to isobaric analogue resonances in Tc isotopes 4—9132
- ^{3}He(d,p)^{4}He, d vector polarisation, 13.6 MeV 4—19492
- ^{3}He(d,p)^{4}He, microscopic study, resonating-group method 4—650
- ^{129}I(^{3}He,d), determ. of energy spectra and spectroscopic factors in collective model 4—12223
- ^{41}K(^{3}He,d)^{42}Ca, 20 and 23 MeV, spectroscopic factor determ. by DWBA analysis 4—12164
- ^{7}Li(^{3}He,p)^{9}Be reaction, 3.2, 4.5, 10 MeV, cluster-transfer analysis 4—655
- Li(d,n)Be, fast neutron prod. 4—5144
- ^{24}Mg, single nucleon transfer, cross section calc. using multi-step model 4—15745

- **stripping reactions** continued
  - ^{24}Mg(^{3}He,d)^{25}Al, states of ^{25}Al up to 7.8 MeV excitation and mass of ^{25}Al 4−12165
  - ^{24}Mg(^{7}Li,t)^{28}Si at 12 to 20 MeV, anal. of deformation sign in s-d shell 4−15904
  - ^{24}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
  - ^{24}Mg(d,p), nuclear off-shell scattering 4−9220
  - ^{24}Mg(d,p)^{25}Mg, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
  - ^{26}Mg(^{6}Li, ^{6}He) charge exchange, two-step pickup-stripping excitation mode 4−19535
  - ^{26}Mg(d,p), 13.6 MeV, anal. of j dependence of p ang. distrib. 4−40026
  - ^{92}Mo(d,n)^{93}Tc, excitation function meas., theoretical model *(Russian)* 4−647
  - ^{92}Mo(d,p), 4.0 MeV, DWBA anal. of ang. distrib. 4−23704
  - ^{92}Mo(d,p)^{93}Mo excitation function meas., theoretical model *(Russian)* 4−647
  - ^{14}N(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
  - ^{14}N(d,p), nuclear off-shell scattering 4−9220
  - ^{14}N(d,p)^{15}N, d vector polarisation, 13.6 MeV 4−19492
  - ^{23}Na(d,p)^{24}Na, DWBA anal. of proton groups, 670 and 620 keV 4−12356
  - ^{20}Ne(^{3}He,n)^{22}Mg, 2.6 to 40 MeV, excitation functions and didfferential cross-section meas. 4−27337
  - ^{20}Ne(d,p)^{21}Ne, cross sections obs. using electromagnet system *(French)* 4−18534
  - Ni(^{3}He,d), 18 MeV, meas. cross section, study of Cu isotopes 4−2936
  - ^{60}Ni(t,d), at 2.0 to 3.5 MeV, determ. of normalisation factor of DWBA anal. 4−2913
  - ^{16}O(^{16}O,α)^{28}Si, final states of ^{16}O-^{12}C config. 4−9288
  - ^{16}O(d,p), angular distrib., 25.4 to 63.2 MeV, optical model for ^{17}O levels 4−19463
  - ^{16}O(d,p)^{17}O, 12.3 MeV polarised d, meas. of vector analysing power 4−19505
  - ^{16}O(p,γ) at 0.3 to 3.1 MeV, cross section meas. spectroscopic factors determ. 4−15776
  - ^{17}O (p,γ) at 0.3 to 1.9 MeV, cross section meas. spectroscopic factors determ. 4−15776
  - ^{18}O(^{6}Li, ^{6}He) charge exchange, two-step pickup-stripping excitation mode 4−19535
  - ^{204}Pb(d,p)^{205}Pb, 13.0 and 20.0 MeV, low-lying ^{205}Pb spectrum, .999 MeV state 4−12184
  - ^{207}Pb(d,p)^{208}Pb, 18 MeV, high resolution spectroscopic strengths, energy levels 4−2895
  - ^{208}Pb (d,p)^{209}Ph, meas. vector analysing power near Coulomb barrier 4−19511
  - ^{208}Pb(d,p)^{209}Pb, 13.0 and 20.0 MeV, ^{205}Pb shell model spectrum 4−12185
  - ^{208}Pb(d,p)^{209}Pb, 17 to 25 MeV, spectroscopic factor determ. from d and p optical parameter sets 4−2907
  - ^{208}Pb(d,p)^{209}Pb, 20 MeV, weak transitions, 2p-2h correlations in ^{208}Pb 4−12181
  - ^{208}Pb(d,p)^{209}Pb at 12.3 MeV, meas. of tensor analysing power 4−2912
  - ^{32}S(^{16}O,^{12}C)^{36}Ar, 30 MeV, oscillating angular distributions 4−9246
  - ^{28}Si(α,p)^{25}Al, states of ^{25}Al up to 7.8 MeV excitation and mass of ^{25}Al 4−12165
  - ^{28}Si(d,n)^{29}P, 13.5 MeV, meas. n-peaks, and ^{29}P energy levels 4−2910
  - ^{28}Si(d,p)^{29}Si, 12.3 MeV polarised d, meas. p polarisation 4−19507
  - ^{28}Si(d,p)^{29}Si, 13.5 MeV, meas. p-peaks and ^{29}Si energy levels 4−2910
  - ^{28}Si(d,p)^{29}Si at 10 MeV, Hauser-Feshbach corrections to DWBA anal. 4−2908
  - ^{28}Si(d,p)^{29}Si(g.s.) 10 to 15 MeV, DWBA anal. of spin dependent distortion effects 4−19506
  - ^{230}Th(^{3}H,p) at 15 MeV, cross section meas. ^{232}Th energy levels determ. 4−15620
  - ^{232}Th(^{3}H,p) at 15 MeV, cross section meas. ^{234}Th energy levels determ. 4−15620
  - ^{49}Ti(^{3}He,d), 22 MeV, ^{50}V energy levels, comparison with shell model calc. 4−15623
  - U(^{3}H,p), A=236 to 240 at 15 to 16 MeV, determ. energy levels in $_{236,238,240}$U 4−15620
  - ^{89}Y(d,n), 10 to 11.8 MeV, meas. and DWBA of vector analysing power, polarised d 4−19498
  - ^{89}Y(d,p), 4.0 MeV, DWBA anal. of ang. distrib. 4−23704
  - ^{176}Yb, single nucleon transfer, cross section calc. using multi-step model 4−15745
  - ^{66}Zn(d,p), temp. depend. of electric quadrupole interaction 4−12128
  - Zr(^{3}He,d), A=90 to 96 at 30 MeV anal. of stripping to unbound analogue states in Nb isotopes 4−15889
  - ^{90}Zr(d,n)^{91}Nb, excitation function meas., theoretical model *(Russian)* 4−647
  - ^{90}Zr(d,p)^{91}Zr, excitation function meas., theoretical model *(Russian)* 4−647
  - Zr(d,p), A=90 to 94, 13.6 MeV, anal. of j dependence of p anal. distrib. 4−40026
- **stroboscopes**
  - *see also velocity measurement*
  - flasher and circuit for student experiments 4−35146
  - SEM, fast beam chopping in 4−15014
  - streak camera, time resolution meas. by pulsed injection laser 4−35334
  - synchronised s.c.r. diode flash equipment *(Spanish)* 4−14914
- **strong interactions, elementary particle** *see elementary particle strong interactions*
- **strong interactions, quantum field theory of** *see quantum field theory of strong interactions*
- **strontium**
  - atom, atomic transition probability, photoionization cross section, artificial cloud expts. in upper atmosphere 4−36432
  - atom, Stark-splitting of lowest ^{1}P$_{1}$ levels, level-crossing investigation *(German)* 4−5955
- **strontium** continued
  - atom, three-photon transition coherent vac. ultraviolet generation 4−27533
  - basalts from Iceland and Reykjanes Ridge, Sr isotope geochemistry 4−14040
  - fission product, diffusion from centre of graphite cylinder conc. profile determ. *(German)* 4−36367
  - liquid, electrical resistivity and thermopower calc. 4−6611
  - liquid, electronic density of states calc. 4−28332
  - metastable atomic states determ. in atomic beam cross with two electron beams 4−723
  - oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4−24656
  - purification by reactive distillation 4−25222
  - singlet P level, 5s7p, 5s8p lifetimes, Hanle effect 4−19678
  - surface, oxidation process, Auger electron obs. 4−24654
  - transport props. inducting thermal and electrical conductivity and thermopower 4−41056
  - He^{+} + Sr, thermal energy collision, Penning ionization 4−12518
  - KBr:Sr, ^{60}Co γ-irradiation effect on impurity-vacancy dipoles 4−28116
  - KCl:Sr, Z$_2$ and Z$_5$ centres, optical absorpt. *(Russian)* 4−21038
  - KCl:Sr:OH, distrib. of OH^{-}, ionic thermocurrents study 4−32574
  - KCl:Sr^{2+}, high field transient currents, carrier mobility decrease 4−20614
  - NaCl:Sr, X-irrad., colour centre absorpt. rel. to thermoluminesc. 4−33510
  - Rb-Sr whole rock dating, evidence for thermal episode 500 my ago in S.W. Africa 4−25535
  - Rb-Sr whole-rock ages, Precambrian metamorphic in Kamiaso conglomerate 4−29409
  - SrI, photoionisation cross section meas., 1700-2400 Å *(German)* 4−40183
  - SrIII spectrum, config. interaction 4−9368
  - ^{87}Sr/^{86}Sr initial ratios in chondrites, rel. to early history of solar system 4−11157
  - ^{87}Sr/^{86}Sr ratio, secular var. in Icelandic volcanic rocks 4−17556
  - ^{87}Sr/^{86}Sr ratio from island basalts in Indian Ocean 4−17558
  - ^{87}Sr/^{86}Sr ratio in NE Pacific Ocean seamount basalts 4−10797
  - ^{90}Sr, by-product recovery in irradiated nuclear fuel processing *(French)* 4−5905
  - ^{90}Sr determ. in seawater by ^{90}Y separation, method 4−39414
  - ^{90}Sr in Atlantic Ocean, vertical distrib. at 45°N 4−1807
- **strontium compounds**
  - chemical shift, X-ray K-absorpt. edge and K$\alpha_{1,2}$ fluoresc. lines 4−33516
  - dicalcium strontium propionate, dispersion of u.s. velocity 4−41345
  - dicalcium strontium propionate, neutron spectroscopic study of propionic dynamics 4−3547
  - formate, differential thermal anal., phase struct., polymorphism 4−32546
  - α-Sr$_3$Fe$_2$O$_{7-x}$, trial and error powder method for struct. 4−3470
  - (Ba, Sr)(Zr,Ti)O$_3$ ceramic, permittivity, loss tangent 4−6835
  - Ba$_{0.25}$Sr$_{0.75}$Nb$_2$O$_6$, dielec., ferroelec., electro-optic props., phase transition 4−37584
  - Ba$_{0.25}$Sr$_{0.75}$Nb$_2$O$_6$, electrooptical crysts., absolute temperature stabilization 4−33380
  - Ba$_{1-x}$Sr$_x$TiO$_3$ solid soln. crystn. and dielec. characteriz. *(French)* 4−25257
  - Pb$_{0.315}$Sr$_{0.685}$ TiO$_3$, ferroelec., time delay steering of antenna array feasibility investig. 4−20942
  - SRTiO$_3$, single-valley degenerate semiconductor, two phonon deform. pot. theory of supercond. 4−24852
  - (Sr,Ba)Bi$_2$Ta$_2$O$_9$, cryst. struct. 4−1037
  - (Sr,Ba)NbO$_3$, i.r. laser pulse pyroelectric response, time depend. 4−28768
  - SrAlF$_5$:rare earth^{2+}, prep., absorpt., emission and excitation spectra 4−41421
  - SrAl$_{12}$O$_{19}$:Nd^{3+}, absorpt. and fluoresc. spectra 4−28906
  - Sr$_{1-x}$Ba$_x$Nb$_2$O$_6$, La modified, ferroelec. cryst., i.r. detector applic. 4−28769
  - Sr$_x$Ba$_{1-x}$Nb$_2$O$_6$, ferroelectric, Czochralski growth and dielectric props. *(Japanese)* 4−1439
  - Sr$_x$Ba$_{1-x}$Nb$_2$O$_6$, polarized Raman spectra, temp. depend., 5-850 cm^{-1} 4−28810
  - SrBr$_2$, n.m.r., ratio of Larmor frequencies of ^{87}Sr and ^{73}Ge in GeCl$_4$ 4−1349
  - SrBr$_2$ aqueous solution, differential conductance coeffs. in cation-exchange membrane 4−25514
  - SrCO$_3$, ternary systems with MgCO$_3$, CaCO$_3$, BaCO$_3$, subsolidus phase relations 4−6491
  - SrCO$_3$ + WO$_3$ → SrWO$_4$ + CO$_2$, solid state reaction kinetics and mechanism 4−38142
  - SrCl$_2$, alkaline cation doped, X-irrad., absorpt. and thermolum. of positive hole V$_k$-centres 4−3992
  - SrCl$_2$, in solid Kr matrix, i.r. spectrum, molecular force constants and geometry 4−31844
  - SrCl$_2$, n.m.r., ratio of Larmor frequencies of ^{87}Sr and ^{73}Ge in GeCl$_4$ 4−1349
  - SrCl$_2$ single crystal, i.r. active lattice vibration obs. 4−37608
  - SrCl$_2$:La^{3+}(Ce^{3+})(Pr^{3+}), hydrogenated, i.r. study 4−33415
  - SrCl$_2$:Tm^{2+}, 4f-5d electrostatic interaction in vibr. struct. splitting 4−28870
  - Sr(ClO$_4$)$_2$, n.m.r., ratio of Larmor frequencies of ^{87}Sr and ^{73}Ge in GeCl$_4$ 4−1349
  - SrEu$_2$Fe$_2$O$_7$, tetragonal, mag. props. 4−24934
  - Sr$_2$EuFeO$_5$, growth method, cryst. struct. 4−37752
  - SrF$_2$, absorption spectrum, coloration behaviour investigation 4−33468
  - SrF$_2$, e.s.r. and ENDOR obs. of V$_k$ centre 4−1341
  - SrF$_2$, single crysts., melt growth, optical and mech props. 4−25253
  - SrF$_2$, spherical cryst., Darwin transfer eqns., refinement of extinction 4−24348
  - SrF$_2$, two-body and (two + three)-body lattice dynamics, sp. ht., thermal expsn., optical props. 4−28173
  - SrF$_2$, u.s. absorpt. calcs., dislocation drag coeffs. 4−32616
  - SrF$_2$ metastable e.p.r. spectrum with optical pumping, photomagnetism of M-centres 4−41252
  - SrF$_2$ with ZnS, stibnite layers, narrow-band interf. filter in i.r. 4−39252

strontium compounds continued
$SrF_2:CeO_2$, coloration behaviour, u.v. and X-rays, various temperatures 4−17096
$SrF_2:Er^{3+}$, luminesc. spectra, lines due to Er^{3+} pair impurity centres 4−17117
$SrF_2:Er^{3+}$ luminescence and absorption spectra, calc. of crystal field parameters 4−28914
$SrF_2:Eu^{2+}$, u.v. luminescence 4−37672
$SrF_2:Gd^{2+}$, Zeeman effect, $^8S_{7/2}$-$^6P_{7/2,\,5/2}$ transition, cryst. field component 4−37630
$SrF_2:H^-$, optical props. of U centres 4−37639
$SrF_2:Mn^{2+}$, exchange coupled ion pairs, e.p.r. line anal. 4−37493
$SrF_2:Tb^{3+}$, ionic thermocurrents obs. in range 300 to 500K 4−24752
$SrF_2:Tm^{2+}$, trigonal centres, e.s.r., stability determ. 4−37494
SrF_2-$LaF_3:Nd^{3+}$, stimulated emission due to $^4F_{3/2}\rightarrow{}^4I_{13/2}$ transition 4−13472
SrF_2-$YF_3:Nd^{3+}$, stimulated emission due to $^4F_{3/2}\rightarrow{}^4I_{13/2}$ transition 4−13472
$SrF_2+ZnSe(As_2S_3)$, two-layer antireflection coating, for visible and near i.r. 4−18438
$SrFCl:Eu^{2+}$ tetragonal centre, e.p.r. 4−20855
$SrFeF_5$, X-ray diffraction anal. of crystal structure *(French)* 4−1036
$SrFe_{12}O_{19}$, molten salt synthesis, single mag. domain 4−6973
$SrFe_{12}O_{19}$, n.m.r., exchange interactions, spin non-collinearity *(Russian)* 4−20879
$Sr_3Fe_2O_{7-x}$, polymorphism 4−37003
SrI, u.v. band spectrum, λ3400-3600Å, $D^2\Sigma-X^2\Sigma$ transition 4−19819
$SrLaCuO_4$, oxygenated Cu(III), struct. anal. *(French)* 4−6394
$Sr(Li_{2/5}W_{3/5})O_3$-$PbTiO_3$-$PbZrO_3$, piezoelectric ceramic, surface wave vel. 4−33354
$Sr(NO_3)_2$, n.m.r., ratio of Larmor frequencies of ^{87}Sr and ^{73}Ge in $GeCl_4$ 4−1349
$Sr(NO_3)_2$, X-ray diffr. exam., lattice parameters, 28-310°C, coeff. of thermal expansion 4−20425
$Sr(NO_3)_2$-triethanolamine complex, cryst. and mol. struct. *(French)* 4−12938
$SrNaPO_4.9H_2O$, crystal and spectroscopic data 4−32501
SrO, cationic transference number meas., linear expansion, coulometric titration *(French)* 4−16621
SrO, with adsorbed Ba, barium impurity as independent microscopic cell, depend. of emission current on adatom conc. 4−28985
SrO, with NaCl struct., second-order Raman spectra, comparison with CaO, BaO 4−37609
SrO (NaCl-type structure), crystal structure and lattice parameter changes at high pressure 4−24435
SrO:Ln film, r.f. sputtered, luminesc. 4−28943
$SrO+CeO_2$, solid electrolyte, influence of SO_2/O_2 environment on elec. cond., struct. 4−41093
$SrOF_5$, bulk mag. props., rel. to cryst. struct., mag. sites, mag. ions *(French)* 4−16915
SrOH ionisation potential from mass spectrometric study of flames of $H_2+O_2+N_2$ with Sr trace additive 4−38132
$SrO(6-x)Fe_2O_3xAl_2O_3$, cryst. struct., mag. props. 273 to 1000K 4−6716
$SrOsO_3$, prep. and crystallographic characteriz. 4−29318
$SrSO_4$:rare earth, thermoluminesc., X-ray effect 4−41442
Sr_5Sb_3, structure 4−9884
$SrTiO_3$, dispersion relations of normal vibrations, inelastic neutron scatt. meas. 4−1089
$SrTiO_3$, displacive ferroelectric, dielectric nonlinearity coeff., dynamic, response to microwave field 4−28779
$SrTiO_3$, effect of uniaxial $\langle 100\rangle$ stress on e.p.r. fine structure lines of Fe^{3+} ions *(German)* 4−6783
$SrTiO_3$, light induced $O_2{}^{3-}$ centre kinetics 4−24997
$SrTiO_3$, prep., method applicable to disposal of ^{90}Sr in nuclear fission prods. 4−38164
$SrTiO_3$, reduced, optical absorption spectra, process model 4−41394
$SrTiO_3$, structural phase transition, phonon-hydrodynamic description 4−20398
$SrTiO_3$, surface polaritons, A.T.R. spectral investig. 4−24532
$SrTiO_3$, tetragonal, acoustic anharmonicity, random strain interaction with domains 4−3763
$SrTiO_3$, V centre paramagnetic resonance, oxygen octahedra rot. fluctuations, critical dynamics 4−20835
$SrTiO_3$ critical opalescence, temp. dependence on phase transformation, Ornstein-Zernike theory 4−25068
$SrTiO_3:cr^{3+}$ low freq. lattice vibr. modes obs. in vibronic spectrum 4−36985
$SrTiO_3$:transition metal, thermochroism, elec. cond. charges, annealing and impurity conc. depend. 4−33442
$SrTiO_3$-metal oxide boundary layer ceramic dielectric, struct. mechanism, characs. and applications 4−37539
$SrTiO_{3-x}$, superconducting semiconductor, energy gap determ. by tunnelling 4−37358
structure (chemical) *see chemical structure*
structure factors (crystals) *see crystal atomic structure*
structure of alloys, crystal *see crystal atomic structure of alloys*
structure of elements, crystal *see crystal atomic structure of elements*
student laboratory apparatus
10 kV power supply circuit made from old TV parts 4−22733
acoustic resonant chamber, demonstration of general wave phenomena 4−11418
air table of simplified construction 4−22732
air track, linear, 3-metre, laboratory made for £20 4−30375
air track gliders with mounted magnets to demonstrate forces at a distance 4−35148
black box principle and laboratory experiments for students 4−22725
bomb calorimeter student experiment, improvements 4−11412
Boyle's law apparatus for student experiments 4−30358
calorimeter, ice heat of melting determ., student use *(Russian)* 4−30371
cardiovascular manometry experiment station 4−22718
chemistir, apparatus for simultaneously stirring and meas. electrode potentials and conductivity 4−26444
colorimeter, simple, laboratory made 4−30376
conductance apparatus, stabilized linear direct reading 4−2215
crystal diffraction, microwave technique using macroscopic crystal model 4−11419
student laboratory apparatus continued
d.c. power supply using IC regulators 4−11429
diode, 4-layer trigger, description and applications 4−30370
electric force, charge-to-mass ratio of water drops 4−11420
electrical contact improved by use of bung 4−26447
electrochemistry experiment, U-tube for salt bridge 4−26370
electrometer, MOSFET type, for school laboratory construction 4−26441
electron accelerator, low-energy, on interdisciplinary university laboratory 4−22736
electronic integrator, of simple type to replace the galvanometer 4−30373
electrostatic experiments, rod that will always be charged when required 4−35140
fall body apparatus for measuring g, commercial 4−30344
flasher and circuit, laboratory made, for stroboscopic experiments 4−35146
flashing light unit, cct. for light emitting diode 4−18325
free fall experiment, release and timing mechanism 4−18314
grating spectrograph for a college observatory 4−34979
heuristic 'walk-in' introductory laboratory 4−11428
holography using fine grain film 4−4941
home experiments, organisation 4−22729
hot stage, microscale, for m.p. determ. 4−2217
hydroswitch to switch off apparatus when water ceases to flow 4−30364
inertia, visualisation 4−18321
integrated circuit mounting for ease of removal 4−26443
ionisation potentials determ. *(Russian)* 4−30360
laser beam for demonstration of transmission interception of modulated oscillations 4−14781
linear air track used to determ. periodic time of simple harmonic motion 4−8280
logic circuit board, home construction 4−26413
Michelson interferometer, uniform carriage motion, laser test 4−18310
Millikan's oil-drop experiment, simplified 4−18308
model, brass, for illustrating pseudorotation of five-coordinate atoms for students 4−26434
module, inexpensive case 4−26431
monochromator wavelength and spatial distribution of light, student paper 4−26362
Newport Instruments electromagnet, calibration 4−2219
Newton's third law, CO_2 cartridge guided rocket 4−18327
n.m.r. samples in tubes, sealing under vacuum 4−30365
n.m.r. spectrometer for under $200 4−11423
Nuffield school α-particle detector, modification to measure half-life of Emanation 220 4−26445
ocular system, human, holographic representation technique for optometric instruction 4−2218
operational amplifier use in physics laboratory 4−4943
optical mounts, iron plate and magnetic bases 4−18326
optical rigs, technique for determ. combination lens principle planes and equiv. focal lengths 4−18313
oscillator, frequency modulated, and experiments for 4−22722
oscilloscope beam switch for student laboratory 4−30372
Overhauser effect meas. procedures 4−26417
photometer built in laboratory from other equipment 4−11425
plasma, large quiescent plasma device for undergraduate teaching 4−11431
plastic models of crystals for students, produced in the laboratory 4−26425
pocket calculators, line fitting least-squares approx. keyboard routine 4−18312
proportional counter, windowless gas-flow type, home-made for students 4−26436
pycnometer, self-filling, rapid construction 4−4937
refrigerator, built in the laboratory 4−30350
safety of laser beams in the student laboratory 4−22726
spectral lamps, miniature, with r.f. excitation 4−35278
spectrophotometry, techniques to obtain best results 4−26418
Stark modulation absorption cell for student spectrometer 4−26438
stereo tape recorder for demonstrating props. of acoustic waves 4−30343
Stirling heat engine built for student laboratory 4−30374
strain gauge for dynamic force measurements 4−11417
street lamps, uses 4−26446
thermal radiation spectrum., appls. *(Russian)* 4−22717
thermistor bridge using light-emitting diodes 4−26426
thermobalance, automatic, how to make 4−26437
thermodynamic props. meas. 4−26422
track with friction to illustrate conservation of momentum including friction 4−8292
wave motion demonstrator 4−18324
Worcester circuit board, home made, use of steel banding instead of Terry clips 4−30377
working model, for control by computer processor *(German)* 4−14779
x-radiation sources, hazard and protection evaluation 4−39150
X-ray diffractometer, comment and reply on safety procedures 4−18315
Young's eriometer, modern teaching use 4−4942
Hg cell to demonstrate Faraday's law to pupils and as elapsed time meter 4−26442
studios
BBC, music, acoustic characteristics, subjective study 4−35113
SU_3 theory
σ-model with bilinear breaking, chiral symmetry limit 4−15455
(3,3) × (3,3) model, spectral sum rules based on Wilson expansion 4−35962
(8) × (10) SU(3) coupling constants for Y* resonances, in $KN\rightarrow\Sigma(1385)\pi$ reaction 4−36062
baryon multiplets, mass differences, relativistic quark model 4−15516
baryons in broken chiral $SU_3\times SU_3$, e.m. mass breaking 4−39841
bound states in coloured-quark model 4−36012
chiral SU(3) × SU(3) symmetries realized by Nambu-Goldstone boson, perturbation theory 4−39822
chiral SU(3) × SU(3) symmetry, e.m. self-energies of low-lying mesons 4−39847

SU_3 theory continued
coupling constant sum rules for broken SU(3) 4−8933
coupling constants and low-energy parameters, compilation 4−12077
gauge theories, asymptotically free, $SU_3 \times SU_3$ with colour 4−27083
hadrons, vector and axial charges 4−5633
Hartree-Fock method, constrained, in nuclear theory 4−27254
hidden symmetry model form factors from SU_3 hidden symmetry model 4−2664
Higgs particles, constraints in unified weak-e.m. gauge theories 4−19183
hyperon beta decay, pseudotensor form factors, SU(3) symmetry breaking contribs. 4−23458
hyperon nonleptonic decays, broken SU(3) symmetry 4−27095
inelastic scattering amplitudes, SU(3) predictions 4−23553
light-nuclei rotational spectra anal. using homogeneous harmonic polynomials 4−27273
mass breaking, effect in string model for multiproduction 4−36019
mass formula, baryons, SU_3 symmetry-breaking spinor space model 4−2704
nonleptonic decays, parity-violating, null theorems, SU(3) transformation properties 4−8953
nuclear shell model, spectroscopic factor determ. in s-d and f-p shell nuclei 4−15663
nuclear shell model, SU_3 basis, truncation scheme for $13 \leqslant A \leqslant 20$ 4−12206
octonion algebra, quark structure and SU(3) content in charge space 4−8919
parafield, non-relativistic, order 3, irreducible representations rel. to SU_3 hadron symmetry 4−333
pseudo SU(3) and extension of ground state rot. band, calc. for ^{20}Ne 4−5727
pseudoscalar meson scattering, effective angular momentum barrier 4−8924
quark model, resonance formation amplitudes 4−2696
quark quantum numbers in current fragmentation region 4−15509
quarks, structure from SU(3) breakdown in strong interactions 4−12027
sd-shell nuclei, $18 \leqslant A \leqslant 21$ and $A=23$, non-central interaction in SU_3 model 4−12207
semileptonic processes, chiral $SU_3 \times Su_3$ symmetry, coupling, weak form factors 4−19193
shell model wavefunction, calc. of spectroscopic amplitudes for cluster transfer on light nuclei 4−617
$SU_3 \times SU_3$ broken chiral symmetry, nonlinear Lagrangian model 4−31123
$SU_3 \times SU_3$ currents in Ward-Takahashi identities, derivation in functional integral method 4−35950
$SU(3) \times SU(3)$, connection of weak and e.m. interactions, hypercharge, parity violation 4−15448
$SU(3) \times SU(3)$ chiral algebra mixing operator, low order mass spectrum constraints 4−36026
$SU(3) \times SU(3)$ dynamics, broken nonlinear chiral, meson-baryon and meson-meson scattering *(Russian)* 4−19228
$SU(3)' \times SU(3)''$ rel. to three triplet model of weak interactions 4−8942
vector meson production mechanism, sum rules, analysis of $K^+p \rightarrow K^{*0}\Delta^{++}$, 4.6-16 GeV/c 4−15562
Wigner and Racah coefficients, algorithm formulation 4−35952
Yang-Mills massless e.m. field, in gauge $SU(3) \times SU(3)$ chiral group 4−35935
$\eta \rightarrow \pi^+\pi^-\pi^0$, implications for chiral SU(3) symmetry breaking 4−23460
η-η' mixing angle calc. based on symmetry breaking model 4−9043
$K \rightarrow \pi\pi$, CP violation model and broken SU(3) symmetry 4−23459
$K \rightarrow \pi\pi\pi$, violation of $\Delta I = 1/2$ rule e.m. interaction effects 4−15476
KN interactions, strangeness analogue states, SU(3) invariant optical potential 4−15917
pp scattering, high energy, resolution of rapid energy dependence of polarisation 4−12083
$\pi N \rightarrow \pi\Delta$, resonance formation amplitudes, comparison with quark model 4−368
$\pi N \rightarrow \rho N$, resonance formation amplitudes, comparison with quark model 4−368
$\pi\pi$ scattering from $SU(3) \times SU(3)$ invariant Lagrangian 4−2717
$^{16}O(\alpha,\alpha)$, elastic and inelastic, rel. to determ. of α decay-widths in ^{20}Ne 4−12294
^{18}O, spherical or deformed, K-harmonic model, E2 transition rates 4−31285
^{28}Si pop. in $^{24}Mg(^7Li,t)$ at 12 to 20 MeV anal. of deformation sign in s-d shell 4−15904

SU_n theory
see also SU_3 theory
$(70,1^-)$ states, $SU_{6w} \times O_{2l(z)}$, symmetric quark model, masses, decay rates 4−19223
baryon mass spectrum in $(70,1^-)$ multiplet, mesonic decay, $SU(6)_w$ x $O(2)_{lz}$ symmetry, quark model 4−39836
baryon spectroscopy. quark shell model with $SU(6)_\sigma \otimes O(3)$ symmetry 4−15506
chiral charge algebra, infinite particles 4−348
chiral $SU_2 \times SU_2$ pion-nucleon Lagrangian, representation mixing 4−15413
chiral $SU(2) \times SU(2)$ symmetries realized by Nambu-Goldstone boson, perturbation theory 4−39822
chiral $SU(2) \times SU(2)$ symmetry, e.m. self-energies of low-lying mesons 4−39847
chiral $SU(2) \times SU(2)$ symmetry rel. to Dalitz plot for $K \rightarrow 3\pi$ decays pion spectra slopes *(Russian)* 4−15478
dual model, symmetric, generalisations using Lie groups *(Russian)* 4−27139
dual resonance model, SU(2) vector and axial-vector currents, meson properties 4−39866
excess angular momentum, n-dimens. harmonic oscillator, hydrogen atom. 4−11802
field, interacting, conformal invariance rel. to su(2,2) 4−2663
gauge theories of weak and e.m. interactions, pion mass difference calcs., soft pion techniques 4−39845
Goldstone bosons in chiral $SU(4) \times SU(4)$ 4−5632
hard-pion model, connection with phenomenological Lagrangian 4−8930

SU_n theory continued
invariant trilinear couplings involving SU(2) and SU(1,1) states 4−27077
massive Thirring model with U(n) symmetry, asymptotic scale invariance 4−39800
meson-nucleus elastic low-energy scattering, sum rules from current algebra 4−2982
muon capture, light nuclei, total capture rates, SU_4 breaking and allowed transitions 4−2818
neutral current ratios in three-triplet and three-quartet gauge theories 4−19204
PCAC, dimensional regularisation, sigma model 4−351
renormalizable gauge theories of vectors and spinors, Reggeization 4−39803
representation mixing and KSFR relation 4−35953
spin one, and spin 0 particles two mass assignment, PCAC 4−8902
straton interactions, hadron mass relations in SU(6) 4−31164
$SU_2 \times SU_2$ breaking, Cabibbo angle and $\eta \rightarrow 3\pi$ decay in nonlinear Lagrangian model 4−31123
SU_4 invariants and nucl. binding energy *(French)* 4−9083
SU_4 symmetry of nuclei, binding energy and many-body forces 4−27227
$SU_s(2)_l \times SU_s(2)_r \times SU_w(2)_l \times U_w(1)_r$, unified Bardakci-Weinberg model for strong, weak and e.m. interactions 4−15450
$SU(2) \times SU(2) \times U(1)$ gauge group calculations of pion mass difference 4−39845
$SU(2) \times SU(2)$ dynamics, hadron mass spectra, group theoretical structure 4−2661
$SU(2) \times U(1)$ gauge model, radiative corrections to G_V/G_μ in simple extensions 4−39849
SU(2) symmetry in solvable Lee model 4−39824
$SU(2l+1) \supset O^+(2l+1) \supset O^+(3)$ ang. momentum anal. using Littlewood's S function technique 4−23179
SU(4), finite transformations 4−171
SU(4), rel. to study of alpha transfer reactions using partial level densities 4−2843
SU(4) generalisation of Cabibbo-Maiani-Preparata model rel. to deep inelastic scattering 4−8941
SU(4) isospin-spin averages, in light nuclei with excess neutrons 4−31229
SU(4) symmetry, representations and generators, SU(3) content 4−19190
SU(4)xSU(4) symmetry breaking and n-X mixing 4−35954
SU(5), as gauge group for all elementary particle forces, conjecture 4−27081
$SU(6)_w$, l-broken, quark model for resonance decay 4−23512
$SU(6) \times O(3)$ structure in $\pi N \rightarrow \pi N^*$ interaction, polarisation distribs. of decay product. 4−12078
SU(6) rel. to hadron, vector and axial charges 4−5633
SU(6)-scheme, e.m. form factors of nucleon in quark model 4−8956
SU(9) degeneracy in gauge theories with coloured triplets 4−5631
SU(N)-singlet gluon model in less-than-four dimensions, renormalisation and coupling consts. 4−15429
superradiation, system of oscillators *(Russian)* 4−11954
symmetry breaking in field theory of currents, appl. to $SU(2) \times SU(2)$ 4−15452
U(4) scheme, anal. of current structure 4−8928
$\pi^0 \rightarrow \gamma\gamma$, decay rate calc., vector-meson dominance, axial vector current, quark model 4−19236

sublimation
see also heat of sublimation
biphenyl crystals, luminesc. intensity var., rel. to prod. conditions 4−6915
drying, in e.m. fields 4−40892
graphite, 2320 to 3000 K, ion intensities 4−13031
ice, sublimating in disperse soils, interaction with air flow, mass transfer 4−32138
ice, vacuum freeze-drying 4−3563
ice sublimation mechanism for conductive heat and continuous water supply to capillary body 4−3565
ice vacuum sublimation in single heated macrocapillary 4−3564
IIB-VIA cpds., dissociation of black HgS 4−32683
IIB-VIA cpds., dissociation of ZnSe 4−32685
molecular physical properties, one and two component materials *(German)* 4−3566
multidimensional ablation of solid, solution technique 4−36998
nuclear fuel reprocessing by fluoride volatility *(French)* 4−36372
one-component system, eqn. of state 4−28180
particle beds undergoing sublimation dehydration, heat and mass transfer 4−41909
AlF_3 near 1200 K into flowing HF gas, chemical equilibrium determ. 4−1707
AlN, cryst. growth, twin form., struct. investig. rel. to cryst. morphology 4−20237
As_2Te_3 single source steady state sublimation for homogeneous As_xTe_{1-x} film prep. 4−25275
GdF_3, mass-effusion, mass spectrometry, entropy, enthalpy meas., error anal. 4−34088
HgS, black, thermal stability rel. to red HgS 4−32683
Mg_3N_2, anomalous vaporization 4−32692
NdOBr, incongruent sublimation, decomp. reactions and thermodynamics 4−32691
$ReBr_3$, vaporization characts. 4−32686
Th-O_2 system, vaporization and thermodynamic props. of gaseous ThO and ThO_2 4−32694
TmOBr, incongruent sublimation, decomp. reactions and thermodynamics 4−32691
YbOBr, incongruent sublimation, decomp. reactions and thermodynamics 4−32691
ZnO clean cleaved polar surface, low temp. sublimation during first heating 4−24616
ZnSe, dissociation thermodynamics 4−32685

submarine cables
see also cable laying
laying, sea bed survey techniques 4−4642

suboptimal control *see optimal control*

subroutines
analogue technique for online logging of granular carbonate collector porosity during drilling *(Russian)* 4−38526

subroutines continued

ATOMINT rel. to bound state variational calcs. of atomic integrals using computer program 4—3077

discriminant analysis algorithms, atmospheric precipitation example *(Russian)* 4—34410

electron beam interactions, energy deposition anal. 4—23423

Fourier spectroscopy, critical review, FFT algorithm 4—35276

FRAME, online correction procedure for quantitative electron probe microanalysis, in FORTRAN 4—39446

Green's function for ring radiator, algorithm, in ALGOL 60 *(Russian)* 4—39488

irreducible multiplier representations of group of wave vector $G_0(k)$ rel. to lattice dynamics generation 4—6297

lithologic model digitised from seismic depth sections, computation of gravity and magnetic field profiles 4—25524

modelling of geophysical data using absolute value error criteria 4—29700

random search algorithm rel. to synthesis of optimal surface of plastic shell of rotation *(Russian)* 4—15176

recurrence relations for spherical harmonic functions in geomagnetism 4—34250

seismic recordings, algorithms for recursive filtering 4—7554

seismic refraction data, algorithm for best fit solution of system of linear regression equations 4—34139

seismograms analogue processing, comparison of various algorithms *(Russian)* 4—34226

spacecraft, guidance trajectory, optimal correction optimal correction of the guidance trajectory 4—4690

spacecraft, radioguidance, control of landing in the earth's atmosphere, control algorithms 4—4689

triaxial strain cell for stress determinations, data analysis in FORTRAN 4—22150

subsets (mathematics) *see set theory*

substations

e.h.v., elec. field meas., soln. and obs. *(Polish)* 4—8737

substrates

see also integrated circuit production; semiconductor device manufacture

alkali halide, nucleation of Au and Ag, theoretical model 4—37134

alumina, compositional depth profile by laser emission microprobe and spectrochemical analysis 4—38012

ceramic, conference, Atlanta, Ga., USA, 9-12 Sept. (1973) 4—38006

electrodynamic potential calculation for h.f. circuits with metal screen and dielectric substrates *(Russian)* 4—35773

field emitter, nucleation of metal crystals 4—25217

garnet, for magnetic bubble garnet films, surface flaws 4—37460

hybrid IC, using alumina *(Hungarian)* 4—10636

IC, space charge limited current 4—10156

microgrooves, liquid crystal alignment 4—24386

microgrooves, liquid crystal alignment 4—24389

optical effect on anomalous absorpt. of aggregated Ag films 4—37713

PCV, copying NaCl surface elec. props., AgCl epitaxial growth 4—13111

piezoelectric detector, evaluation of SO_2 4—154

plasma-sprayed coating, effect of substrate properties on formation 4—7255

polyethylene deposition, surface struct. effect on morphology 4—20227

PVC thin film growth on NaCl, Cu, glass 4—4225

sapphire, epitaxy of Mo thin film, characterisation by electron diffraction replication 4—1177

semiconductor thin film, negative differential resist., substrate effects, theory 4—24748

single crystal, for epitaxial growth, examination after mechanical working *(Russian)* 4—20497

Ag, epitaxial deposition of Fe, interfacial and morphological effects 4—1435

Al, metallic thin films, thickness meas., electron microprobe depth-distrib.-functions determ. 4—5257

Al with Cr coating, structural changes *(Russian)* 4—17234

AlN, growth of SiC layers 4—10531

Al_2O_3, Auger electron spectroscopy, surface chem. study 4—7262

Al_2O_3, routine anal. by laser emission microprobe 4—5278

α-Al_2O_3, sapphire, chlorotrifluoromethane for gas-phase etching 4—28303

Al_2O_3, thin film, spinel segregation, MgO struct. determ. 4—7261

Al_2O_3 polycrystalline and single crystal, substrate for sputtered Pt 4—25237

Al_2O_3 prep. for thin film integrated circuitry, firing, SEM obs. 4—7260

C fibre, for chem. vapour deposition of SiC fibres 4—10527

Cu film, Ni, electromonocrystallisation, crystallite form. 4—6966

Fe, metallic thin films, thickness meas., electron microprobe depth-distrib.-functions determ. 4—5257

GaAs, effect of orientation on growth rate of GaAs in GaAs-$AsCl_3$-H_2 system *(Russian)* 4—37767

GaAs, film growth from thin soln. layer between substrates 4—37774

GaAs, for epitaxial GaAs, effect of imperfections on film quality 4—28312

GaAs, substrate etching effect on growth kinetics of autoepitaxial layers *(Russian)* 4—33613

$Ga_xIn_{1-x}P$, epitaxial growth investig. rel. to layer and substrate comp. 4—20496

GaN, single cryst. growth methods 4—25269

$Gd_3Ga_5O_{12}$, for bubble device, prismatic loops and helical dislocations 4—32565

KCl, Ag_2Se epitaxial growth electron diffraction orientation study *(French)* 4—16669

MgO, for $NiFe_2O_4$ films, ferrite inclusion form. 4—32835

MgO, single cryst. substrates for ferrite epitaxial growth, surface prep. 4—37114

Mo, struct., rel. to orientation of epitaxial CaO film *(Russian)* 4—21125

MoS_2, epitaxial Mg film growth, interfacial dislocations *(French)* 4—3658

MoS_2, molybdenite, nucleation of In crystallites 4—24670

substrates continued

NaCl, (111), (100), for Cu thin films, TEM, activation, binding energies 4—3665

NaCl, Ag_2Se epitaxial growth electron diffraction orientation study *(French)* 4—16669

NaCl, growth kinetics of Cu films 4—16678

NaCl, surface dislocation damage by thin film deposition 4—1182

Ni-Fe alloy, for reeds, surface segregation mechanism 4—1516

Pt sputtered on sapphire or polycrystalline alumina, suitability as for ferroelectric films 4—25237

Si, cryst. imperfection obs., Cu displacement etching system 4—29010

Si, epitaxial growth of β-SiC, kinetics and growth mechanism 4—10529

Si, epitaxial growth of β-SiC, growth morphology and perfection 4—10530

Si, for device manufacture, standardisation of shape, mechanical, structural and surface props. 4—1449

Si, growth surface step motion, film epitaxy with ion sputtering 4—20498

Si, hetero-epitaxial growth of lower $B_{13}As_2$ 4—21206

Si, heteroepitaxial growth of BP using B_2H_6-PH_3-H_2 system 4—37771

Si, Pd_2Si thin film growth and transformation, epitaxy, temp. depend. 4—3666

Si, thin single crystal substrates for in situ electron microscope studies 4—1002

Si, treatment and polishing influence *(Russian)* 4—41504

Si, W film deposition, reaction kinetics, X-ray diffr. 4—21200

Si_3N_4, for metal film photocopying applic. *(Russian)* 4—18511

ZnTe vacuum evaporated films, critical substrate temp. rel. to texture and optical transmission 4—37763

sudden commencement *see magnetic storms*

Suhl effect *see Hall effect*

sulfur *see sulphur*

sulphur

additive to CrO_2, effect on mag. props. and lattice consts. 4—6729

adsorbed layer on Ni(100), anomalous thermal depend. of extra spots from LEED pattern 4—10028

adsorption in c(2 × 2) overlayer on Ni(001), small Ni-S bond lengths 4—1165

adsorption on metal surface, struct. rel. to formation mechanism *(French)* 4—10047

atom, beam-gas spectra, v.u.v., analysis of newly observed lines 4—15987

atom, obs. of deactivation of excited s atoms prod. by photolysis of COS 4—9610

Compton profile, some results for cryst. and amorphous samples 4—17142

Compton profile normalisation, intensity rel. to free-atom scatt. factor 4—17144

detection, at 3939 Å using flame photometric detector 4—39098

diffusion, in GaAs, selection of source composition for reproducible results 4—17186

diffusion in Cu, intergranular, boundary segregation effects *(French)* 4—1497

diffusion in thoriated Ni 4—7061

gas, Knudsen diffusivity through porous Mo 4—938

heavy water production effluents, specific ion electrode for sulphur monitoring 4—8253

ionosphere concentration meas. of S ions using rocket mass spectrometer *(German)* 4—25759

isotope analysis, ores from Sudbury, Ontario 4—4327

lower atmosphere oxidation of gaseous S, N and C compounds 4—14117

molecule, rot. satellite intensities and triplet splitting of $B^3\Sigma_u^-$ state 4—6085

NGC 7027, planetary nebula, i.r. spectrum features and S abundance estimate 4—14521

Raman spectra of rhombic S dissolved in primary amines 4—3964

Rydberg constants in K-absorption spectrum in SF_6 4—36498

segregation from stainless steel during heating, LEED-Auger studies *(German)* 4—4093

sensitised AgBr emulsions, red-light sensitivity and effect of aurous gold 4—4286

sensitized emulsions, development rate of fog, depend. on grain size 4—2320

solution in benzene, electrochem. react. with Cu, investig. of kinetics, noncond. soln. anal. 4—35559

solution in hexane, electrochem. react. with Cu, investig. of kinetics, noncond. soln. anal. 4—35559

steel, austenitic Cr-Ni, LEED-Auger investigations of (100) surface, S segregation *(German)* 4—37909

stratiform sulphide deposit at McArthur River, Australia, S isotope ratios 4—29465

stratospheric aerosols 4—42124

X-ray absorption spectra in H_2S and SO_2, interpretation by unoccupied orbitals of ground state 4—31817

$Ga_xIn_{1-x}Sb$:S, impurity level depend. on band struct. variation with press. 4—16718

KI:S_2^-, molecular ion reorientation *(Russian)* 4—41426

KSCN:(Pb^{3+}, S^{2-}), cond. ionic diffusion, impurity effects 4—40912

Na-S cell, props. of β-Al_2O_3-Na_2O electrolyte 4—1619

S X to XIV, transitions between levels of principal quantum numbers 2 and 3 4—9384

S XIII(XIV) line identifications in 25-40 A region 4—36426

S-Ar radiofrequency plasma, spectra, excitation processes 4—35550

S_2, B-X system, resonance fluorescence, Franck-Condon factors 4—9564

S^{2-}, proton affinity, FSGO method 4—27587

S^{2-}, restricted HF-Roothaan wavefunction stability 4—15981

$^{34}S/^{32}S$ abundance ratio as environmental tracer 4—42134

Si:S^+, deep level donor electronic struct., LCAO MO treatment 4—37187

sulphur compounds

alkali halide discs: SCN^- i.r. absorption spectra at 300 and 77K *(Russian)* 4—37649

atmospheric pollution aerosols, chemical states 4—29564

sulphur compounds continued
- atmospheric SO_2 concentration meas. method, verification for samples of short duration 4−10888
- chalcogenide glasses, thin film hologram props. 4−8380
- coal, S bonds, characterization by electron emission spectroscopy 4−6955
- homologous, lone pair bands, He I-, He II-photoelectron spectra, photoionisation cross-section of mol. orbitals 4−16132
- magnetic gases compatible with magnetite-pyrrhotite assemblages 4−21764
- matte and white metal, vacuum treatment, melt e.m.f. meas. and magnetite determ. 4−4263
- sulphate washout from coal fired power plant plume 4−30263
- sulphide ore bodies, study of magnetic characteristics 4−29483
- sulphides, $(Eu,Yb,Ca,Sr,Ba)(Al,Ga,In)S_4$, synthesis, photoluminesc. 4−25153
- sulphides, i.r. absorption, u.v. emission anals., comp. determ. 4−41362
- sulphides in steel, electron probe and X-ray diffr. microanal. 4−37840
- volcanic gases, composition limits and trends, Surtsey, Kilauea, Etna 4−21765
- As-S chalcogenide system, glassy and crystalline state, elec. cond., temp. depend. 4−28406
- As-S-Ag system, glass form. and thermal analysis 4−40753
- H_2SO_4, droplet, growth in H_2SO_4-water system, heteromolecular condensation theory 4−38093
- H_2SO_4, stratospheric aerosol, equilibrium vapour pressure 4−10917
- H_2SO_4 in atmospheric aerosols, conc. size distrib. and chem. nature of particles 4−42114
- He-SO_2-CO and He-SO_2-CO_2 mixtures, glow discharge, positive ion and neutral particle sampling 4−36758
- SCSe, photoelectron spectra, Franck-Condon factors, mol. ion geometry 4−27734
- S_2Cl_2, solvent effect on torsion mode 4−21001
- SF, anal. of SCF wavefunctions near HF limit, giving moments, ionisation pots. and electron affinities 4−9488
- SF_2, molecule, centrifugal distortion effects, force field and i.r. spectrum calc. 4−3176
- SF_4, force field, vibrational amplitude calcs., i.r. and Raman spectra vibr. assignment 4−36494
- SF_4, negative-ion charge transfer, electron affinities, mass spectra 4−12641
- SF_4, X-ray photoelectron spectra 4−12620
- SF_6, breakdown mechanism and criteria, survey *(French, English)* 4−36752
- SF_6, breakdown voltage calculations of slightly inhomogeneous arrangements *(German)* 4−32355
- SF_6, critical liquid-vapour interface, diffuse transition layer thickness 4−16589
- SF_6, critical liquid-vapour interface, thermal excitations, surface tension, viscosity 4−16590
- SF_6, density depend. of Lorentz-Lorentz coeff. 4−40374
- SF_6, density depend. of refractivity 4−19966
- SF_6, elec. discharge, volt-second characteristics *(Russian)* 4−6278
- SF_6, flash tubes, effect of impurities on recovery times 4−89
- SF_6, forbidden Raman bands, collision induced Raman scatt. 4−31840
- SF_6, law of rectilinear diameter, deviations vapour liquid density obs. 4−40887
- SF_6, microwave breakdown, submicrosecond pulse widths, 0.01 to 200 torr 4−32360
- SF_6, negative-ion charge transfer, electron affinities, mass spectra 4−12641
- SF_6, photon echoes obs. 4−8854
- SF_6, pulsed i.r. radiation, coherent interaction *(Russian)* 4−5517
- SF_6, Rydberg constants in X-ray K-absorption spectrum of S 4−36498
- SF_6, vibr. relax. in post shock region 4−27758
- SF_6 breakdown, in uniform field, Paschen curves *(French, English)* 4−36753
- SF_6 gas, nonlinear absorber for c.w. CO_2 laser beam 4−8392
- SF_6 mixtures with O_2 and N_2, absorpt. intensity of simulteneous vibr. transitions 4−24071
- SF_6 vibrational relaxation and acoustic dispersion 4−27753
- SF_6-air mixtures, 10.6 μ CO_2 laser radiation absorption, aerodynamic appl. 4−19823
- SF_6-H_2, elec. discharge chem. laser, computer model 4−5486
- $SF_6 + Cs$, collisional ionization, molecular electron affinities 4−19916
- $SF_6 + H^*$ reaction, chemical laser study 4−7466
- SF_6^-, collisional detachment of electrons and ion-mol. reactions 4−19961
- SH hyperfine Λ-doubling spectrum in $^2\Pi_{3/2}$ state 4−27692
- SH^-, photodetachment and photoionisation spectra, rot. effects 4−6116
- $SH_2 + O_2 \rightarrow S + H_2O_2$, metal ion catalysis, increased valence mechanism 4−38129
- $SH_2 + RN{=}NR \rightarrow S + RNH\text{-}NHR$, metal ion catalysis, increased valence mechanism 4−38129
- $(SN)_x$, conductivity and Seebeck coefficient, 4.2 to 300K, evidence for metallic behaviour 4−13185
- S_4N_4, n.q.r. and mode contrib. 4−25021
- SO, fine struct. and centrifugal distortion in electronic and microwave spectra 4−19855
- SO radicals produced by photolysis, microwave spectra *(French)* 4−4270
- $SO + NO_2$ reaction, mechanism determ. by gas phase e.p.r. spectroscopy 4−34016
- SO_2, 3400 Å band system 4−6034
- SO_2, adsorption on Au films 4−3648
- SO_2, air pollutant, laser induced i.r. fluoresc. and absorpt. 4−26723
- SO_2, air pollutant, low concn. meas. 4−4618
- SO_2, Anderson intramolecular potential energy function 4−12535
- SO_2, atmospheric pollutant, solar heating rates 4−14170
- SO_2, endothermic negative-ion charge transfer, elecaron affinities, mass spectra 4−12640
- SO_2, environment, influence on elec. cond. of solid oxide electrolytes 4−41093
- SO_2, evaluation of power plant emission 4−31637

sulphur compounds continued
- SO_2, gas added to He flowing afterglow, molecular spectral emission 4−793
- SO_2, heteromolecular clusters in pure H_2O 4−40250
- SO_2, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
- SO_2, i.r. spectrum, $\nu_1 + \nu_3$ combination band, quantum number identification 4−818
- SO_2, in ambient air, X-ray fluorescence anal. 4−25722
- SO_2, in cpds., evaluation of substrates for use on piezöelectric detector 4−154
- SO_2, long distance transport, Eindhoven, Netherlands 4−4407
- SO_2, measuring equipment, coulometry, industrial atmosphere *(German)* 4−34426
- SO_2, microwave pure rotation spectrum, vibrational excited states 4−833
- SO_2, microwave spectra, 861-874 GHz 4−11501
- SO_2, mol. equilibrium struct. determ. from zero-point rotational consts. 4−24024
- SO_2, photolytic excitation, chem., phys. quenching investig., SO, vibr. excited SO_2 form. 4−41975
- SO_2, radiationless relaxation, phase sensitive detection, opto-acoustic spectrometer 4−792
- SO_2, single vibronic level fluoresc. 4−24109
- SO_2, vibration-rotation line intensities, algebraic expressions 4−9526
- SO_2, volcanic contribution to atmosphere 4−42122
- SO_2, volcanic emission to atmosphere 4−34172
- SO_2 air pollution, use of $^{34}S/^{32}S$ abundance ratio as environmental tracer 4−42134
- SO_2 atmospheric concentrations from distant source 4−29565
- SO_2 atmospheric pollutant, measurements at Harwell 4−30267
- SO_2 deposition on grass and water by profile method 4−30265
- SO_2 deposition on ground, from measurements of concentration variation with height 4−30266
- SO_2 deposition rates on land and water using ^{35}S tracer 4−30264
- SO_2 in atmosphere, determ. using radioactive iodine kryptonate *(Slovak)* 4−4627
- SO_2 in β-hydroquinone clathrates, far i.r. spectra, 400-30 cm^{-1} 4−3149
- SO_2 meas. by gas chromatography 4−23049
- SO_2 removal by charcoal filters 4−11348
- SO_2-C_2H_4, spectra of molecular complexes in low temp. matrices 4−19827
- SO_2-H_2O system, vib. spectra 4−21611
- SO_2^+, predissociation, comparison with direct and statistical models 4−861
- SO_3, photoelectron spectra, obs. of Jahn-Teller distortion in SO_3^+ 4−19899
- SO_3, solubility in soda-lime-silica melts 4−9855
- SO_3^+, Jahn-Teller distortion obs. in photoelectron spectrum of SO_3 4−19899
- SO_4^{2-} in KCl, divalent anion impurity-anion vacancy pair assoc. 4−12955
- SO_x pollution levels in Great Lake cities, numerical mesoscale dispersion model incorporating local meteorology 4−38332
- S_2O transient species, photoelectron spectra 4−3213
- $2S_2O_3^{2-} + I_3^- \rightarrow S_4O_6^{2-} + 3I$, reaction kinetics in aq. soln. 4−29319
- $S_2O_7^-$, bond strength-bond length relationships 4−5973
- SO_2BrF, microwave spectra analysis 4−3189
- SO_2BrF, molecule, rotational spectra obs. between 18 and 40 GHz 4−3174
- $SO_2{}^{35}Cl^{37}Cl$, rot. spectrum, 8000-80000 MHz, mol. consts. determ. *(French)* 4−31860
- SO_2F_2, crystalline, i.r. and Raman spectra 4−10436
- $SPCl_3(Br_3)$, photoelectron spectra and assignment 4−31921
- SPH_nX_{3-x}, $X{=}R$, OR magnetooptic modulus estimation, electronic struct. calc. *(French)* 4−40230
- Tl-S system, phase equilib. below 100°C 4−32662

sum rules
- Adler, rel. to three triplet model of weak interactions 4−8942
- atomic electric quadrupole transitions, matrix element calc. 4−19677
- axial vector-currents, causal approx. scheme for commutator 4−23447
- baryon classification, using mass sum rule, mass formula, resonances predicted 4−36027
- Bjorken scaling, asymptopia in deep inelastic scattering and annihilation 4−2691
- broken scale invariance, chiral symmetry breaking terms 4−5580
- Callan-Gross, for deep inelastic structure function anomalous dimensions of tensor operators in 4-ε dimensions 4−35939
- closure, rel. to double scattering and final-state interactions in $Xd \rightarrow YNN$ type processes 4−27184
- Corwall-Norton for deep inelastic structure function, anomalous dimensions of tensor operators in 4-ε dimensions 4−35939
- coupling constant, for broken SU(3) 4−8933
- current interactions, gauge-invariant scaling parton model, finite sum rules 4−27119
- current-current commutators, slices of light-cone and value of σ term 4−5583
- current-hadron scattering amplitude, real part, rel. to light-cone commutators 4−27085
- current-hadronic interactions, unified model 4−8943
- current-proton scattering, finite-energy sum rules, light-cone commutators 4−31124
- duality in current propagator 4−35956
- electric dipole, for light even-even nuclei using BHF wave function 4−31269
- electroproduction, scaling and locality with no pomeron 4−5614
- equal-time algebra, sum rules rel. to light-cone commutators 4−15459
- finite energy, for imaginary part of current hadron scattering amplitude, light cone singularities 4−15463
- finite mass, rel. to triple Regge anal. of inclusive spectra 4−23577
- Fubini-Dashen-Gell-Mann, in Compton scattering, modifications 4−15486
- Goldstone bosons in chiral $SU(4) \times SU(4)$ 4−5632
- Gross Smith, rel. to three triplet model of weak interactions 4−8942
- inclusive distributions, phenomenological failure of sum rules based on PCAC 4−15575

sum rules continued

- inelastic, for scattering of high-energy protons and fast electrons from light nuclei 4−15772
- isospin, for inclusive reactions 4−35960
- Lee type quantum field model renormalisation 4−39824
- light-cone, for induced pseudoscalar coupling constants of weak decay 4−39830
- mass differences within baryon decuplet and meson nonets 4−8934
- meson-nucleus elastic low-energy scattering, $SU_3 \otimes SU_3$ algebra, PCAC 4−2982
- multiplicity distribution bounds from one-particle inclusive spectra, using energy conservation sum rules 4−27216
- nuclear charge monopole and dipole modes, two-body correlation effects 4−19273
- nuclear e.m. isoscalar dipole transitions, inelastic form factor prediction 4−15696
- nuclear giant resonances, mass parameter determ. rel. to excitation energy evaluation 4−15739
- nuclear isoscalar transition density, for isovector excitation, general derivation 4−19331
- nuclear resonance reaction, overlapping resonances and unitarity of S-matrix 4−15740
- nuclear vibrations, isovector, effects of core polarisation 4−31280
- overlap functions for nuclei, single particle sum rules with 1/A corrections 4−2851
- overlap representation, single particle, props. from sum rules 4−2754
- photon forward elastic scattering, dispersion reln. anal. 4−31148
- Pomeranchuk theorem, validity from low energy πN data 4−31173
- Regge rising trajectories finite energy sum rule saturation for singular potentials 4−15518
- reggeon graph technique for topological cross sections 4−27152
- resonance saturation, dispersion reln. approach, inconsistencies 4−23448
- S-wave inverse problem and sum rules for potentials with simple pole at origin 4−11790
- scaling, as $q^2 \rightarrow -\infty$ limit of finite expressions 4−2666
- spectral based on Wilson expansion in chiral $(3,3) \times (3,3)$ model 4−35962
- spectral function, higher-mass axial vector mesons possible existence 4−12023
- SU(4), irreducible representations, determination of matrix elements 4−171
- superconvergence relation for scattering amplitude products, $KN \rightarrow k\Xi$ example 4−35958
- unitarity, consistency requirements for two-Reggeon cuts, appl. to multiparticle processes 4−36030
- unitarity constraints for four- and six-point functions 4−35959
- vector meson decay, asymptotic nonet symmetry, sum rules 4−27101
- virtual Compton scattering, sum rule derivation using light cone commutators, tensor covariants 4−15464
- e-nucleus elastic scattering, eikonal approach to dispersion corrections 4−12326
- e-nucleus scattering, using single particle approximation for nuclear current *(Russian)* 4−15771
- $e^+e^- \rightarrow$hadron + anything, duality aspects, finite mass sum rule 4−31155
- e^+e^- multihadron production, scaling results, sum rules, structure functions for pions 4−15497
- f meson width, crossing sum rules and Pomeron 4−36101
- γp interaction, new sum rule, derivation and evaluation 4−31148
- $\gamma p \rightarrow \pi^0 p$, forward scattering, modulus dispersion relation, corrections to sum rule 4−5608
- $\gamma p \rightarrow \pi^+ n$, forward scattering, modulus dispersion relation, corrections to sum rule 4−5608
- $K^+p \rightarrow K^{*0}\Delta^{++}$, 4.6-16 GeV/c, SU_3 sum rule for resonance prod. mechanism 4−15562
- ν inelastic reactions, predictions from πN total cross sections 4−15576
- ν-baryon scattering, lepton-counting sum rules, urbaryon model 4−31138
- π e.m. form factor investigation using dispersion sum rule 4−35984
- πN, $I=J={}^1{\cdot}_2$ state, CDD-pole parameters 4−2706
- πN(CEX) scattering amplitudes, Regge residue determ. from sum rules 4−15545
- πN scattering, 2 to 3 GeV, dual sum rules, scattering amplitude 4−2698
- πN scattering, forward amplitudes fit to chiral symmetry breaking 4−15542
- πN scattering, parameter relations in cross-over point of differential cross-sections 4−39894
- $\pi\pi$ dispersion relations, sum rule inequalities, subtractions 4−8932
- $\rho\rho$ reaction, bootstrap idea in sense of finite energy sum rules, resonance saturation 4−2701
- $X^0 \rightarrow \eta\pi\pi$ decay, width and slope prediction from finite dispersion relations and FESR 4−23591
- ^{4}He, sum rules for quadrupole photoexcitation 4−12252
- ^{6}Li, sum rule photodisintegration cross sections 4−31338
- ^{14}N ground state magnetic moment from one-nucleon transfer data, sum rules 4−2753
- SO(6,1) unification as spectrum generating algebra, 2nd-order mass formula, sum rules 4−347
- ^{45}Sc neutron transfer reactions, spin depend. sum rules for spectroscopic factors 4−2852

sun

- *see also solar .....*
- *see also cosmic ray solar modulation*
- centre to limb data, self-limiting inversion technique 4−26180
- differential rotation rel. to polar spin-down and angular momentum transfer 4−29856
- elemental abundances from solar and meteorite composition rel. to solar nebula 4−14298
- facula models, diatomic mols., dissociation equilib. calcs., mol. abundances 4−11119
- gravitational microwave deflection of radiosource position during occultation 4−25954
- halo phenomena of Swift Current Saskatchewan 4−42131
- inner rotation evolution by Eddington-Sweet type circulation, influence of solar wing 4−29851

sun continued

- internal rotation models capable of producing low neutrino flux 4−4711
- internal rotation rel. to neutrino flux 4−34567
- observation, Pulkovo vertical circle flexure, day time *(Russian)* 4−22486
- Ptolemy's parallax data, statistical confidence 4−26334
- radio radius from 3 mm-31 cm obs. during 1970 March 7 and 1972 July 10 eclipses 4−25993
- rotation, interaction with convection 4−38636
- solar activity and related phenomena, conference, Athens 4-9 September 1972 4−17927
- Solar Physics Division of Am, Astron. Soc. Meeting (Las Cruces, USA, 8-9 Jan. 1973) 4−25956
- vibrational stability during central H burning, core mixing and neutrino flux 4−34609

sunlight

- *see also atmospheric optics; sky brightness*
- atmospheric aerosol refractive index, size altitude distrib., bistatic laser scatt. and solar aureole meas. 4−11034
- cloud transmission characteristics in visible and i.r. *(Russian)* 4−25694
- intensity of direct radiation in clear sky, predeterm. for low aersol conc. *(French)* 4−34367
- scattering measurements as function of height *(German)* 4−34443
- spread function for stray light 4−34424
- sunrise optical effects, spacecraft obs. reinterpretation rel. to solar corona 4−34631
- 'sunset' demonstration using dried milk dissolved in water 4−22731
- sunshine tables for South Bavarian stations, 1963 to 1972 *(German)* 4−25706

sunshine *see sunlight*

sunspots

- *see also solar activity*
- 1973 August 6-September 8, number of sunspots, visible and radio obs. 4−38637
- Alfven wave emisson models 4−42308
- areas index as function of time of rise and relative sunspot number 4−17930
- areas index for finding correlation between activity and annual precipitation 4−17764
- atmospheric Na layer, density profile variation with solar cycle 4−10971
- atmospheric O_3 correlation, statistical anal. 4−4502
- bipolar groups, rel. to chromospheric force free fields, stability 4−2070
- Chromospheric force-free magnetic fields associated with bi-polar sunspot groups 4−25979
- cooling by Carnot cycle, comments 4−34642
- cooling cycle, observations 4−29865
- cycles 18, 19, 20, comparison of activity 4−38630
- cycles 18, 19, 20, geomagnetic storm occurrence and characteristics during period 4−38259
- diatomic molecule diffusion rates 4−17918
- effect on lunar and solar geomagnetic tides 4−34252
- emerging flux regions Hα filtergrams and videomagnetograms 4−34621
- emission features, Ca II λ3933 peak, outflow rel. to magnetic elements in chromosphere 4−7921
- intensity corrections for scattered light 4−22261
- large sunspot or group rel. to supergranules and solar convection zone 4−25948
- latitudinal motion as indicative of photospheric meridional circulation 4−7906
- light-bridges, morphological study by 5700-6100 A photography 4−22247
- local radiosource coincidence during 1970 March 7 solar eclipse *(Russian)* 4−14306
- magnetic features of large umbra, spectra of dark core and fine structures 4−22211
- magnetostatic model, balance between Lorentz forces and pressure and gravitational forces 4−38657
- mean magnetic field during sunspot minima, geomagnetic obs. 4−34618
- MHD structure of convection zone from sunspot structure 4−38643
- model choice, influence on derivation of turbulent velocity *(Russian)* 4−14303
- observation of groups in rotation periods 1583-1595, evolution, latitude distrib. (1972) *(French)* 4−34655
- penumbra fine structure in white light, microphotometric analysis *(French)* 4−29863
- penumbral intensities by pinhole photometry in 0.387-3.800 μ range 4−17933
- periodic motion, theory of overstable motions in fluid layer 4−17925
- probability laws of sunspot variations 4−4712
- radiosource interferometry at 8085 MHz 4−25967
- spectral lines from large umbra, suitability for sunspot investigation 4−42313
- Syrovatskii's mechanism, comment on invalidity 4−2068
- total magnetic vecotor meas. from Fe 5250 A and Ca I 6103A line depths *(Russian)* 4−14304
- umbrae, anomalously strong lines of Fe II and Cr II 4−14309
- umbrae, effect of partial ionization on electrical conductivity 4−38656
- umbral flashes and penumbral waves, oscills. in superadiabatic, subphotospheric layer 4−2065
- umbral profile of Zeeman triplet at 5250.22 A 4−38655
- unipolar sunspot region, oscillatory velocity field, Fe I 5233 Å obs. 4−29864
- velocity shear stability in inhomogeneous magnetic field rel. to sunspots 4−29825
- visual obs. for 1972 in Poland 4−14299
- Wolf numbers, monthly average, statistical forecasts *(Russian)* 4−22238
- Zeeman-split line contours rel. to umbral magnetic fields 4−29862
- C_2 Swan lines, presence in umbral spectra 4−7912
- Hα bright points in sunspot groups and emerging flux regions 4−25966
- Hα chromospheric oscillations above sunspot umbrae 4−29839

superaerodynamics *see rarefied fluid dynamics*

superconducting cables
applications *(Polish)* 4−6700
superconductivity application, review *(Czech)* 4−13237

superconducting devices
see also cryotrons
applications *(Polish)* 4−6700
cavity resonators for stabilising microwave oscillator, frequency stability and noise 4−18348
cavity resonators for stabilising microwave oscillators 4−18349
cavity superconductors in microwave oscillators, sources of instability, performance, frequency standards *(French)* 4−4950
Dayem bridge, hypersound detector 4−18383
hypersonic detection by supercond. layer in condenser form *(French)* 4−11454
Levitron, electron current in hot-electron plasma 4−27967
Levitron, neutral injection plasma 4−32225
Levitron, plasma heating and confinement 4−32295
magnetic field production, very high using superconducting coils 4−35358
magnetic flux meter, quantum, characteristics 4−39282
spiral loaded low-β accelerating structure, performance 4−35368
Al, granular film microbridge, microwave and mag. field effects 4−33100
Nb cavities, manufacture and applic., review *(German)* 4−39303
Nb X-band particle deflecting cavity, design, performance 4−39309

superconducting junctions
Dayem bridge, e.m. props., analogue computer calc. on equiv. cct. 4−10229
Dayem bridge, subharmonic energy gap structure in IV characs. 4−10230
ionic semiconductor, critical temp., theory 4−24893
magnetically coupled films, current-voltage characts., theory 4−33103
metallic sheet with adsorbed dye array, layered, effectiveness of exciton mechanism 4−3805
pair-quasiparticle interference current, theory 4−20733
self-coupled travelling wave model, nonlinear dispersion relation 4−20731
subharmonic gap structure, effect of r.f. 4−10231
subharmonic gap structure, theory 4−10232
thin film phonon transducer, props. 4−16564
tunnelling of excitations into semicond., and increse of T$_c$ 4−13271
weak link, phenomenological approach to phase-dependent conductivity 4−24890
Ag-Pb-Ag sandwich, supercond. density of states, calorimetric meas. 4−10228
Al, phonon absorption coefficients 4−9959
Al, tunnel junction, struct. in characts. at eV=4Δ 4−37377
Al insulator-Al, film, mag. coupling props. of vortex arrays in d.c. transformer 4−33104
Al-Al$_2$O$_3$-Al(In)(Pb) extremely thin film, tunnelling anomaly 4−24892
Al-Al$_2$O$_3$-Pb$_{0.93}$In$_{0.07}$, press. effect on phonon impurity band in Pb-In alloy 4−16887
Al-AlN-Pb, inelastic tunnelling obs. 4−24891
Al-C-Al sandwiches, possible superconductivity at room temp. 4−24889
Nb, point contact, conductivity phase depend. 4−20734
Nb/oxide/In(Pb$_{0.7}$Bi$_{0.3}$), tunnel junction, Nb energy gap determ. 4−33098
Nb-oxide-Pb$_{0.7}$Bi$_{0.3}$(In), absence of tunnelling s-band energy gap 4−3807
Nb$_3$(Al$_{0.75}$Ge$_{0.25}$)-barrier-Pb$_{0.7}$Bi$_{0.3}$ tunnelling junctions, current and cond. characts. 4−20732
Nb$_3$Sn-oxide-Pb, electron tunnelling, electron-phonon interactions 4−16886
Pb film, tunnel junction, energy gap investigation 4−16849
Pb/Al(Cu)(Ag), supercond./normal contact, proximity effects under mag. fields, u.s. absorpt. meas. 4−1287
Pb/Zn-ZnO-Pb tunnel junction, bound states and Fermi velocity 4−24888
Pb-I-Bi$_8$Te$_7$S$_5$-I-Pb sandwiches, proximity effects, tunnelling obs. 4−37380
Pb-PbO-Pb, tunnelling, obs. of optical phonons in PbO 4−16577
Si, point contact, ultrarapidly quenched granules 4−37378
Sn, phonon absorption coefficients for semiconds. 4−9959
Sn bridge of large dimensions, coherent motion of vortices 4−10227
Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4−33105

superconducting lenses *see magnetic lenses*

superconducting magnets
air core, use for heavy ion cyclotron 4−22933
applications *(Polish)* 4−6700
beam handling, use of 400 GeV beam line 4−80
cancer treatment by silicone-iron using superconducting magnet 4−26245
cyrostat, rel. to operation at 4.2 to 300 K in magnetic field 4−5117
demonstration of levitation, 4.2K superconducting magnet simulation of magnetically supported trains 4−11427
field controlling system rel. to superconducting solenoid 4−11545
focusing in high-energy linear proton accelerators 4−18550
fusion reactors, magnetically confined, material problems in design 4−27476
laser tuning, He-Xe, broad band freq. 4−11916
ore benefication applications 4−42191
particle-beam handling equipment, physical and economic considerations of use *(French)* 4−26577
r.f. separator, for CERN 300 GeV synchrotron 4−79
superconductivity application, review *(Czech)* 4−13237
system with vacuum working volume 4−35235
target magnets, polarised proton targets, Saclay Hera magnet, Argonne PPT III magnet, experience 4−82
Fe dipole, high field, field pattern meas. 4−18526
Nb$_3$Sn, critical field, low temp. enhancement 4−14829
Nb$_3$Sn, multifilamentary, stability to neutron irradiation rel. to fusion reactor applications 4−23863
Nb$_3$Sn strip solenoids, construction, testing 4−13272

superconducting magnets continued
NbTi, multifilamentary, stability to neutron irradiation rel. to fusion reactor applications 4−23863

superconducting materials
see also superconductivity; type I superconducting materials
A15 compounds, low temp. heat capacity and martensitic transforms. 4−17207
alkali metal-MoS$_2$, positive curvature of H$_{c2}$ versus T$_c$ boundaries 4−37352
alloy, coherent potential approx. treatment 4−24873
alloy, with mag. impurities, electronic thermal cond. calc. 4−33083
applications *(Polish)* 4−6700
composite, physical and geometric parameters effect on stability *(French)* 4−41164
cubic and tetragonal structures, transition temps. 4−24869
dirty, mixed state, local struct. and thermodynamic behaviour 4−24864
dirty, strong-coupling, fluctuation conductivity and vortex flow resistivity 4−13259
dirty superconductor, lattice of vortices, circular cell approx. using BCS theory 4−28545
electron diffraction microscopy, laminated complexes, lattice struct. *(Spanish)* 4−6688
energy gap, press. depend. from high press. crit. field meas. 4−3797
flux line lattice, dislocations interactions and slip 4−1285
granular, metastable states destruction under monokinetic electron bombardment *(French)* 4−3784
group VI layered dichalcogenides intercalated with Ca, Ba, Sr or YG, supercond. props. 4−41140
hard high field systems, flux pinning 4−13267
layered, positive curvature of H$_{c2}$ versus T$_c$ boundaries 4−37352
layered superconductor, in high magn. field, partially depaired states 4−37362
magnetic field generation, appl. of superconductivity *(Czech)* 4−13237
magnetic flux lines, interaction with point defects, micromagnetic theory 4−16881
magnetic flux nonlinear penetration, numerical solns. 4−6683
magnetic flux structures, direct obs. methods 4−28534
magnetic structure anal. using Green's function methods 4−10221
magnetic structure in superconductors, conference, Argonne USA (1973) 4−28520
magnetically coupled films, current-voltage characts., theory 4−33103
metal film, transition temp. meas. 4−28524
metals, transition phenomena, energy gap for electron pair destruction 4−41144
metastable binary alloy phases with simple cubic struct., transition temp., thermoelectric power 4−20720
multifilament wire, a.c. losses between 1 and 100 Hz 4−37363
Nb, anisotropy effect in flux line lattice 4−28550
nontransition metal, transition temp., stress depend. calc. using McMillan eqn. 4−24865
parallel wires, influence of transverse mag. field on current distrib. 4−37364
phonon line width, from neutron scatt. rel. to Fermi surface study 4−16566
pressure and paramagnetic impurity effects on supercond props. 4−20712
quasiparticle concept, thermodynamic Green's function *(German)* 4−33049
research and alloy prod. problems 4−41162
specific heat, quasi-particle approx. *(German)* 4−10215
superconductor, type II, Ginzburg Landau and Neumann-Tewordt eqns. numerical solns. 4−28521
surface resistance near H$_{c3}$, anisotropy obs. *(French)* 4−3802
transition metal, energy gap anisotropy *(Russian)* 4−3785
transition metal, vol. depend. of electron-phonon mass enhancement and press. depend. of T$_c$ 4−37350
transition metal alloys, superconductivity theory using coherent potential approximation 4−33053
transition metal alloys, transition temp., sp.ht., density of states, additive model 4−24871
transition metal alloys, type A$_3$B(β-W), transition temp. rel. to phase diagram 4−33059
transition metal carbides, coupled, phonon anomalies at T$_c$ 4−41161
transition metal compounds, correlation between normal state resistivity of superconductivity 4−16884
transition metal dichalcogenides, layer-type, band struct. and rel. props., review 4−20545
transition metal ternary alloys, concentration dependence of superconductivity transition temperature 4−3791
transition metals, coupled, phonon anomalies at T$_c$ 4−41161
transition metals, d-band plasmons and plasmon-phonon coupling 4−20570
transition metals, electronic configurations, thermodynamic props. and cryst. struct. 4−16862
transition metals, pure, flux flow theory, Ettingshausen and Peltier effects 4−24882
type II, critical currents, pinning forces 4−20727
type II, dirty, inelastic neutron scatt. from vortex lattice 4−28546
type II, flux line arrangements investigation 4−28547
type II, kinetics of flux jumps, pinning force 4−33095
type II, magnetic structures to dirty limit 4−33051
type II, mixed state, magnetisation, variational calc. 4−20714
type II, mixed state, theory of attractive interaction between vortices 4−28543
type II, morphology of flux line crysts., neutron diffr. obs. 4−24867
type II, nascent vortices investigation 4−28552
type II, n.m.r. obs. of mixed state, comparison with theory 4−28569
type II, peak effect, plastic deform. effects 4−37369
type II, props. and development *(French)* 4−41145
type II, static and dynamic props. of flux line lattice by neutron diffraction 4−33074
type II, superconducting binary alloys, diffusionlike eqn. 4−24851
type II cylindrical cavity, surface crit. field calc. 4−28526
type II e.p.r., lineshape rel. to internal field distrib. 4−41150
Ag, induced by proximity effect, thermal meas. 4−41155

superconducting materials continued
Al, attenuation of h.f. phonons meas. 4−16563
Al, film, crit. fluctuations effect on u.s. attenuation 4−37371
Al, film, energy gap, transition temp., quantum size effect, surface interaction 4−28527
Al, film, spin paramag. effects, phase transition region 4−41143
Al, film resistive transitions in strong electric fields 4−33085
Al, granular film, vortex flow 4−3788
Al, granular thin film, thickness modulation vortex pinning, transport props. 4−24879
Al, tunnel junction, struct. in characts. at $eV=4\Delta$ 4−37377
Al, u.s. attenuation by electrons 4−16877
Al, u.s. attenuation in intermediate state 4−16878
Al alloy, e.m. surface resistance investigation 4−24881
Al film, granular, transition temp. 4−24861
Al film, non-linear voltage-current characts. 4−3803
Al film, search for excitonic superconductivity 4−16859
Al fine particles, transition temp. relation to particle size 4−28555
Al granular film with periodically modulated thickness, pinning enhancement 4−20724
Al insulator-Al, film, mag. coupling props. of vortex arrays in d.c. transformer 4−33104
Al-Ag alloy, magnetic behaviour investigation 4−33075
Al-Al_2O_3-Al junction, tunnelling anomaly obs. 4−24892
Al-Al_2O_3-$Pb_{0.93}In_{0.07}$, press. effect on phonon impurity band in Pb-In alloy 4−16887
Al-Au-Ag, effect of cellular precipitation on superconducting properties 4−10224
Al-C-Al sandwiches, possible superconductivity at room temp. 4−24889
Al-Mn alloy, dil., anomalous nuclear spin-lattice relax. 4−10225
$Al_{12}Mg_{17}$ phase, rapid variation of supercond. transition temp. 4−1278
$(Au_{1-x}Pd_x)Ga_2$ alloy, transition temp., pressure depend. up to 24 kbar 4−33071
Be, vap. quenched film, T_c meas., thickness depend. 4−33067
Bi, film, low temp. struct., electron diffr. *(Russian)* 4−20506
Bi, pure, u.s. attenuation of excitonic state in high mag. field 4−24878
Cd, amplitudes and level spacings of bound states 4−37379
$Ce_{1-x}Tb_xRu_2$, correlation of mag. moments 4−33056
$Ce_{0.8}Th_{0.2}Ru_2$, neutron scatt., ferromag. ordering 4−10271
Cr based A15 type compound, electronically atypical, transition temp., comp. and order depend. 4−37356
Cu-transition metal dilute alloys, Kondo behaviour, transition point *(French)* 4−13299
$CuMo_3S_4$, upper crit. fields of above 500 kG 4−20711
$CuMo_4S_5$, cryst. struct. and crit. temp. obs. 4−16851
CuS, specific heats of pure and impure samples 4−6682
Ge, amorphous, confirmation of press.-induced metallic character by supercond. meas. 4−37289
$(Hf, Zr)V_2$, lattice instabilities and superconductivity 4−33086
$(Hf_{1-x}Ta_x)V_2$, transition temp. and structural instability at high press. 4−16853
HfV_2-based superconductors, correlation between transition temp. and lattice instability 4−16871
$(Hf_{1-x}Zr_x)V_2$, transition temp. and structural instability at high press. 4−16853
Hg in zeolites, lattice of voids, transition temp. meas. 4−24876
In, anisotropy of pressure and volume effects *(German)* 4−24855
In, film, energy gap, transition temp., quantum size effect, surface interaction 4−28527
In film, search for excitonic superconductivity 4−16859
In thin film weak links, energy gap, microwave assisted tunnelling, Josephson steps 4−13247
In-Al_2O_3-Al junction, tunnelling anomaly obs. 4−24892
In-Bi dilute alloy, small K, specific phase transition, crit. parameters 4−33069
In-Tl film sandwich, proximity effect influence on thermal cond. 4−41156
InSb, surface layer resist., near transition temp. 4−28531
InSb surface, mech. deform. effect, transition temp. 4−24874
In_3Sn, phase transition and its influence on supercond. transition temp. 4−20717
Ir, thermodynamic props., 0.1125 K supercond. transition temp. 4−3787
$(La,Ce)Al_2$, Kondo anomalies due to Ce impurities *(German)* 4−1282
(La,Th):Ce, continuous demagnetisation of Cu impurity 4−16855
La, phonon softening under pressure, superconducting tunneling expts. 4−16581
La, tunnelling experiments, phonon softening under pressure 4−9958
La:Er, e.p.r. line width, temp. and conc. depend. 4−13258
$LaAl_2$, sp. ht. meas. between 0.3 and 5K 4−16858
$LaAl_2$:Ce, giant thermoelec. power, 1K negative peak due to Kondo effect 4−41149
$LaAl_2$:Tb, crystal field split impurities effect on props. 4−20723
$(La_{1-x}Ce_x)Al_2$, sp ht. meas. between 0.3 and 5K 4−16858
$La_3In(Tl)$, and related ternary phases, supercond., thermodynamic and electronic props. 4−37355
$La_{1-x}Tb_xAl_2$, sp.ht. jump rel. to cryst. electric field splitting of Tb^{3+} levels 4−3796
$La_{1-x}Tb_xAl_2$, transition temp., pressure depend., cryst. elec. field energies 4−13250
Mo, u.s. attenuation, energy gap determ. 4−41153
Mo based A15 type compound, electronically atypical, transition temp., comp. and order depend. 4−37356
Mo_3Os, ion beam deposited films, transition temps. 4−20722
Na-NH_2 systems, elec. cond. meas., 20-240K, time depend. 4−41139
Nb, anisotropic flux-line lattice, neutron diffr. obs. 4−13249
Nb, crit. current, effect of flux line lattice history 4−37365
Nb, critical current, flux line lattice history effect 4−13268
Nb, dynamics of flux-line arrangements from noise expts. 4−28566
Nb, electron-phonon interaction, acoustic phonon damping, inelastic neutron scatt. meas. 4−13262
Nb, entropy of magnetisation, field increase rate depend. 4−28525
Nb, film, crit. current, transition field, ang. depend. 4−33080
Nb, film, flux line pinning, TEM obs. 4−33084

superconducting materials continued
Nb, film, mag. hysteresis in fluxoid dynamic variables 4−33097
Nb, flux flow theory, Ettingshausen and Peltier effects 4−24882
Nb, interphase surface energy, laminar domain struct. 4−33068
Nb, Josephson junction, thin film, semicond. barrier, characts. 4−20730
Nb, Josephson microbridges, critical current, microwave-induced steps, temp. depend. 4−3804
Nb, neutron diffr. by vortex lattices 4−33057
Nb, neutron scatt. and depolarisation by flux line lattice 4−28551
Nb, neutron-irrad. induced peak effect 4−37368
Nb, nuclear spin lattice relaxation, zone ordering parameters *(Russian)* 4−20729
Nb, phonon softening rel. to superconductivity, linewidth meas. 4−16583
Nb, plasticity of superconducting and normal states 4−1554
Nb, resistivity, influence of annealing treatments on supercond. transition *(German)* 4−28522
Nb, superconducting point contact, conductivity phase depend. 4−20734
Nb, surface resistance, theoretical and exptl. results 4−20710
Nb, temp. depend. of u.s. absorpt. *(Russian)* 4−24886
Nb, transition temp. press. depend., meas. up to 250 kbar 4−13252
Nb, type II, Hall effect meas. 4−28568
Nb, ultrapure, crit. mag. fields and currents, magnetis. curves, electron struct. *(Russian)* 4−28553
Nb A-15 alloys, metastable, transition temp., dual target sputtering obs. 4−16864
Nb emitter tip, local heating by Nottingham effect, normal state transition *(French)* 4−25214
Nb film, quench-condensed, elec. cond. fluctuations 4−3801
Nb neutron diffraction obs. of mag. struct. of mixed state 4−28549
Nb new A-15 alloys, T_c meas. and cryst. struct. obs. 4−33064
Nb wire, heat-treated, a.c. losses, 4.2K 4−1284
Nb wire, helical propag. of flux jumps 4−33093
Nb:O, effects of interstitial O on superconductivity 4−16866
Nb/oxide/In$(Pb_{0.7}Bi_{0.3})$, tunnel junction, Nb energy gap determ. 4−33098
Nb-Al and Nb-Al-Ge, A15 phases, on Nb, prep. and critical parameters *(German)* 4−28533
Nb-Cu composite, crit. current, mag. torque meas. 4−26552
Nb-Ga alloys, fast cooling rates influence on solidification *(Russian)* 4−10564
Nb-Ge, preparation of high T_c metastable films 4−16863
Nb-Ge film, 22.3K transition temp. due to stoichiometric Nb_3Ge phase form. 4−10216
Nb-Mo, lattice thermal cond. below 1K, phonon scatt. 4−37370
Nb-Mo, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Mo (1.2-7.6 at.% Mo), plasticity of superconducting and normal states 4−1554
Nb-Mo alloys, longitudinal acoustic phonon mode dip correl. 4−20715
Nb-Nb point contact, temp. effect on elec. and microwave props. 4−13264
Nb-Ta, lattice thermal cond. below 1K, phonon scatt. 4−37370
Nb-Ti, effect of cold work, heat treatment on superconductivity 4−33079
Nb-Ti, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Ti, monofilamentary superconducting wires *(Czech)* 4−13243
Nb-Ti-Zr filaments, in Cu matrix, supercond. composite conductor, a.c. losses and twisting effects 4−28554
Nb-W, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Zr alloys, precip. above monoeutectoid temp. 4−33641
Nb-Zr alloys, precip. below monoeutectoid temp. 4−33642
Nb_{80}-Mo_{20} alloy, entropy close to critical temp. 4−24856
Nb_3Al, martensitic transformations, effects of Cu plating 4−41532
Nb_3Al-Nb_3Ge alloys, mech. deform. effect on transition temp. 4−33073
Nb_3(Al-Ge), temp. depend. of susceptibility and struct. transition 4−13254
$Nb_{12}Al_3Ge$ sputtered deposit, 66 μm thick, high crit. current densities 4−37366
$Nb_3(Al_{0.75}Ge_{0.25})$-barrier-$Pb_{0.7}Bi_{0.3}$ tunnelling junctions, current and cond. characts. 4−20732
$Nb_x(Al_yGe_{1-y})_{1-x}$, ion beam deposited films, transition temps. 4−20722
NbC, film, sputtered, Bragg's rule validity, comp. rel. to transition temp. 4−16534
NbC, phonon density of states investigation 4−16572
NbC, phonon dispersion relns. using phenomenological model theory 4−16573
NbN, film, crit. current, transition field, ang. depend. 4−33080
NbN, film, electron microscopy, diffr., phase struct., temp. depend. *(French)* 4−32834
NbN, film, reactive sputtering prep., rel. to struct., elec. props. *(French)* 4−33058
NbN, film, sputtered, Bragg's rule validity, comp. rel. to transition temp. 4−16534
NbN, phonon density of states investigation 4−16572
NbN, r.f. reactively sputtered film, transition temp. 4−28523
NbN film, crit. temp. and struct. 4−33055
NbN film, normal state negative temp. coeff. of resist. and supercond. 4−1277
NbS_2, Eu^{2+} intercalated, ferromag. phase obs., inherent supercond. phenomena 4−1275
2H-$NbSe_2$, crit. fluctuation obs. above T_c, by microwave absorption 4−24883
$NbSe_2$, positive curvature of H_{c2} versus T_c boundaries 4−37352
$NbSe_2$ layered superconductor, upper critical field at low temp. 4−6685
$Nb_{0.8}Sn_{0.2}$ alloy, transition temp. increase on pulsed CO_2 laser irrad. 4−10218
Nb_3Sn, acoustic phonons, neutron scatt. obs. 4−24529
Nb_3Sn, construction of supercond. solenoid 4−13272
Nb_3Sn, Geller radii, occurrence and electronic struct. of A-15 phases 4−33063
Nb_3Sn, high C doping, current carrying capacities 4−41159

superconducting materials continued
Nb_3Sn, lattice instability and high supercond. transition temp. 4−1274
Nb_3Sn, phonon density of states investigation 4−16572
Nb_3Sn, phonon line width, from neutron scatt., rel. to Fermi surface study 4−16566
Nb_3Sn, phonon softening rel. to superconductivity, linewidths meas. 4−16583
Nb_3Sn, press. effects on elastic props. and soft mode behaviour 4−16580
Nb_3Sn, superconducting, electron tunnelling obs. 4−16886
Nb_3Sn, use of field trapping for mag. lens 4−18708
Nb_3Sn, voltage-current characteristics in the flux creep region 4−13242
Nb_3Sn filament containing powder rolled composite tape, supercond. props. 4−41141
Nb_3Sn film, transition temp. under tensile stress 4−24863
Nb_3Sn layer form. kinetics of Nb/Cu-Sn interface 4−13792
Nb_3Sn multifilamentary wires, crit. current densities, heat treatment effect 4−13269
Nb_3Sn tapes, critical current behaviour in self fields 4−28573
NbTi, (50 wt.%), crit. current density $j_c(B,T)$, proton irrad. influence 4−3800
NbTi, voltage-current characteristics in the flux creep region 4−13242
$Nb_{1-x}W_xC_y$ solid solutions, temp. and comp. effect on T_c 4−24875
NbZr, flux kinetics, experimental 4−33094
Ni-Al alloy with dispersed intermetallic phases, annealing and deform. effects on T_c *(Russian)* 4−6684
(Ni-Ti)-Cu composite, crit. current, mag. torque meas. 4−26552
Os, polycrystalline, specific heat measurements 0.18-4.2K 4−3790
Pb, bulk, nonbranching intermediate state struct. 4−24870
Pb, film, energy gap, transition temp., quantum size effect, surface interaction 4−28527
Pb, film, i.r. transmission, fluctuation contrib. 4−41154
Pb, film, phonon fluoresc. power meas. 4−41151
Pb, magnetisation curve, meas. device *(French)* 4−39286
Pb based alloy thin films, supercond. tunnelling meas., struct. effect on phonon distrib. 4−3786
Pb film, search for excitonic superconductivity 4−16859
Pb tunnel junction films, superconducting, energy gap meas. 4−16849
Pb:Bi film on quartz, high field, supercond. surface sheath, u.s. attenuation 4−16880
Pb/Zn-ZnO-Pb tunnel junction, bound states and Fermi velocity 4−24888
Pb-Al_2O_3-Al junction, tunnelling anomaly obs. 4−24892
Pb-alloys, neutron diffraction obs. of mag. struct. of mixed state 4−28549
Pb-Bi alloy film, spatially modulated, critical currents and vortex lattice 4−33091
Pb-Bi film, critical currents, period effect of sinusoidal variations of conc. *(French)* 4−33087
Pb-Bi film, critical currents, spatially modulated conc., temp. effect *(French)* 4−33088
Pb-I-$Bi_8Te_7S_5$-I-Pb sandwiches, proximity effects, tunnelling obs. 4−37380
Pb-In, (20wt.%), film, crit. current versus mag. field, diffraction like effects 4−1280
Pb-In alloy film, type II supercond., Josephson-like effect in J_c-H characs. 4−10226
Pb-In systems, transition effect on deforming stress, meas. *(Russian)* 4−13244
Pb-In(4.56 at.%), entropy flux associated with moving vortex lines, low freq. a.c. meas. 4−24880
Pb-Tl alloys, anisotropy effect in flux line lattice 4−28550
Pb-Tl-Bi, phonon spectrum and electron-phonon interaction determ. by electron tunnelling 4−16873
$Pb_{0.9}Bi_{0.1}$, e.m. coherence length, temp. depend. and 0K value 4−37372
PbIn alloys, superconductors, surface resistance study vortice lattice interaction 4−28542
$PbMo_6S_7$, cryst. struct. and crit. temp. obs. 4−16851
$Pb_{0.9}Mo_{5.1}S_6$, upper crit. fields of above 500 kG 4−20711
PbTe, diamagnetism and critical field 4−16860
PbTe film, search for excitonic superconductivity 4−16859
Pd-Ag-H, transition temp., lattice structure and instabilities 4−16867
Pd-Ge alloy film, crit. temp., comp. depend. 4−13245
Pd-H, transition temp., lattice structure and instabilities 4−16867
PdD, transition temp., press. depend. 4−20713
PdH, prep., H conc. depend., clustering. transition temp. 4−28528
PdH, transition temp., press. depend. 4−20713
PdH system, Gruniesen constant calc. for high frequency H mode 4−10220
PdH(D) system, h.f. local modes and anomalous isotope effect 4−16846
PdH(D) system, high freq. local modes, superconductivity, anomalous isotope effect 4−6687
$Pt_{0.5}Ge_{0.5}$ film, crit. temp. 4−13245
Re, multiply connected network in alumina, a.c. susceptibility study 4−24862
Ru alloys, depression of transition temp. by Co, Ni, Pt, Pd, Rh, Ir 4−37359
Se, hexagonal, amorphous and monoclinic, transitions and stability at pressure up to 160 kbar 4−3793
Si, amorphous, confirmation of press.-induced metallic character by supercond. meas. 4−37289
Si, point contact, ultrarapidly quenched granules 4−37378
Sn, anisotropy of pressure and volume effects *(German)* 4−24855
Sn bridge of large dimensions, coherent motion of vortices 4−10227
Sn film, appl. to hypersound detection 4−18383
Sn film, dynamics of superconducting-normal state transition 4−28572
Sn film, search for excitonic superconductivity 4−16859
Sn microbridge, steps in I-V curves investigation 4−33089
Sn:In (0.0093 at.%), supercond., effect of impurities, u.s. absorpt. peaks 4−1286
Sn-Bi(0.10 at.%) alloy, effect of compressional plastic deformation on T_c 4−3792
Sn-Cu, amorphous alloys, transition temp., conc. depend. 4−32921

superconducting materials continued
Sn-In (1.0 at.%) alloy, effect of compressional plastic deformation on T_c 4−3792
Sn-Sn point contact, temp. effect on elec. and microwave props. 4−13264
Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4−33105
$SnAl_{0.5}Mo_5S_6$, upper crit. fields of above 500 kG 4−20711
$SnMo_5S_6$, upper crit. fields of above 500 kG 4−20711
$SnMo_6S_7$, cryst. struct. and crit. temp. obs. 4−16851
Sn whiskers, voltage steps in U(T)-transition and U(I)-characteristic curves 4−13257
$SrTiO_3$, single-valley degenerate semiconductor, two phonon deform. pot. theory of supercond. 4−24852
$SrTiO_{3-x}$, superconducting semiconductor, energy gap determ. by tunnelling 4−37358
Ta, transition temp. press. depend., meas. up to 250 kbar 4−13252
TaC, phonon dispersion relns. using phenomenological model theory 4−16573
$Ta_{70}Nb_{30}$, single cryst., dissipative processes, vortex motion, non conduction technique *(Russian)* 4−24885
TaS_2 intercalated with 4-ethylpyridine, superconducting critical temp. and structural props. 4−12921
TaS_{2-x} system single crystal, and powder samples, studies 4−28188
$TaSe_2$, charge density wave, superlattice formation 4−40782
$TaS_2(pyridene)_{1/2}$, intercalation complex, anisotropic transition temp., low temp. magnetoresist. 4−13251
Tc, neutron diffraction obs. of mag. struct. of mixed state 4−28549
Th-U alloy, dil., supercond. crit. field curves, effect of non-mag. localized states 4−37354
Th_2C_3, pressure depend. of transition temp. 4−16870
Th_4H_{15}, n.m.r. T_1 meas., relax. mechanism 4−20728
Th_4H_{15}, phase diagram, residual resistance and transition temp. 4−16868
Ti-Mo alloys, superconductivity and b.c.c. phase stability 4−20721
Ti-Nb alloy, props. and struct. 4−13246
Ti-Nb alloys, press. effect on transition, X-ray anal. 4−13253
Ti-Nb alloys, superconductivity and b.c.c. phase stability 4−20721
Ti-Nb-Zr-Ta alloy, transition temp., resistive critical field, comp. depend. *(Japanese)* 4−3789
Ti-Nb(30 wt.%)-Zr(30% wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4−25301
Ti-V alloys, superconductivity and b.c.c. phase stability 4−20721
Tl film, fluctuation effect on resistive transition 4−24857
Tl film, search for excitonic superconductivity 4−16859
Tl-In, localised phonons in supercond. tunnelling 4−37382
U_6Fe, transition temp., Fe isotope effect 4−1281
V, dynamics of flux-line arrangements from noise expts. 4−28566
V, effect of fast neutron irrad. rel. to crit. current density 4−37367
V, film, crit. current, transition field, ang. depend. 4−33080
V, influence of Ga implantation on a.c. losses 4−28557
V, nuclear spin diffusion, dipole-dipole energy relaxation 4−13260
V, single crystal, critical current density with neutron irradiation induced pinning centres 4−16883
V, type II, Hall effect meas. 4−28568
V wire, helical propag. of flux jumps 4−33093
V-Ga alloy with dispersed intermetallic phases, annealing and deform. effects on T_c *(Russian)* 4−6684
V-Ga alloys, cast, optical consts. and electron characts. *(Russian)* 4−20977
V-Ru, press. effect on lattice and superconducting transition temps. 4−16869
V-transition metal A15 alloys, anticorrelation of atomic ordering with superconductivity 4−10219
V_3Ga, growth kinetics in V-Ga/Cu-Ga composite system 4−13624
V_3Ga, low temp. thermal expansion, martensitic transform. search 4−37023
V_3Ga, martensiic transformations, effects of Cu plating 4−41532
V_3Ga, superconductor, prep. by solid-state reaction, rel. to crit. current density 4−24884
V_3Ga alloys, processing and characterization 4−13623
$V_3Ga_{1-x}Sn_x$, electron and phonon densities of states effect on transition temp. 4−16861
V_3Ge, lattice instability and high supercond. transition temp. 4−1274
V_3Ge, press. depend. of elastic constants and transition temp. 4−20718
V_3Ge, press. effects on elastic props. and soft mode behaviour 4−16580
$(V_{3.04}Ge_{0.96})_{1-y}(Cr_3Ge)_y$, A15 type, ^{51}V n.m.r., conc. and temp. depend. *(Russian)* 4−16875
V_3Si, effect of electronic lifetime on lattice instability 4−13248
V_3Si, energy gap, temps. up to 30 K, far i.r. surface impedance meas. 4−24872
V_3Si, enhanced lattice stability under hydrostatic pressure 4−37810
V_3Si, form. from V reaction with Si, SiO_2 wafers, 15 K supercond. transition temp. 4−24854
V_3Si, lattice instability and high supercond. transition temp. 4−1274
V_3Si, phonon density of states investigation 4−16572
V_3Si, press. effect on lattice and superconducting transition temps. 4−16869
V_3Si, press. effects on elastic props. and soft mode behaviour 4−16580
V_3Si, u.s. obs. of soft mode in mag. field 4−16582
$(V_3Si)_{1-x}(Cr_3Si)_x$, A15 type, ^{51}V n.m.r., conc. and temp. depend. *(Russian)* 4−16875
W-Re alloys, vapour deposited; transition temp. meas. 4−16865
Y_2C_3, pressure depend. of transition temp. 4−16870
Zn, u.s. attenuation in intermediate state 4−16878
Zr-Nb alloys, crit. currents, magnetisation, rigid vortex lattice *(Russian)* 4−28560
Zr-Nb alloys, flux pinning processes w.r.t. phase separation reaction 4−13266
Zr-Nb alloys, magnetisation obs. of microstructure effects 4−13261
Zr-Rh alloys, upper crit. field and crit. current 4−1283
ZrC, phonon density of states investigation 4−16572
ZrN, phonon density of states investigation 4−16572
ZrV_2, 116.7 K martensitic transform., lattice instabilities, neutron diffr. obs. 4−10568

superconducting materials continued
- ZrV_2-based superconductors, correlation between transition temp. and lattice instability 4−16871

superconducting thin films
- acoustic wave excitation by e.m. wave, influence on surface impedance 4−28558
- bridge structure with superconducting coupling medium 4−24887
- chemical vapour deposition, review 4−21216
- cooperative phenomena and dimensionality 4−24541
- current-carrying film, dynamic phase stratification and e.m. wave generation 4−16876
- density of states, magnetic field splitting, calcs. 4−20719
- flux flow simulation, expts. for velocity distribs. 4−16874
- high field effects, spin paramagnetism 4−33078
- magnetic structure, conference, Argonne USA (1973) 4−28520
- magnetically coupled films, current-voltage characts., theory 4−33103
- metal, transition temp. meas. 4−28524
- metallic sheet with adsorbed dye array, layered, effectiveness of exciton mechanism 4−3805
- size effect, expts., review 4−24666
- transition metals, transition temp. rel. to back-scatt. energy loss parameter 4−17153
- transition metals, transition temperature rel. to noble gas used in depositing films 4−24859
- transition point, search for excitonic superconductivity 4−16859
- type I, mag. flux distrib., intermediate state struct. *(German)* 4−37345
- type I, mixed state structures 4−33054
- type I, tunnelling investigation of vortex state 4−33076
- type II, mixed state, density of states calc. 4−33066
- ultrathin superconducting films, ratio between energy gap and transition temp. 4−6686
- Al, crit. fluctuations effect on u.s. attenuation 4−37371
- Al, energy gap, transition temp. quantum size effect, surface interaction 4−28527
- Al, granular, transition temp. 4−24861
- Al, granular, vortex flow 4−3788
- Al, granular film microbridge, microwave and mag. field effects 4−33100
- Al, granular thin film, thickness modulation vortex pinning, transport props. 4−24879
- Al, mag. coupling props. of vortex arrays in d.c. transformer 4−33104
- Al, non-linear voltage-current characts. 4−3803
- Al, resistive transitions in strong electric fields 4−33085
- Al, spin paramag. effects, phase transition region 4−41143
- Al, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
- Al, vortex struct. and interactions from interference expts. 4−33096
- Al granular film with periodically modulated thickness, pinning enhancement 4−20724
- $Al:O_2$, vortex lattice, mixed state, shear modulus meas. 4−41163
- $Al-Al_2O_3-Al$ junction, tunnelling anomaly obs. 4−24892
- Au/Pb diffusion and intermetallic compound formation investigation by tunnelling 4−24664
- Be, vap. quenched, T_c meas., thickness depend. 4−33067
- Bi, low temp. struct., electron diffr. *(Russian)* 4−20506
- Bi, quenched condensed, short range order and metastable phases 4−24858
- Bi, sp. ht. of disordered and amorphous films, 2.5-5K *(German)* 4−41146
- Cd, amplitudes and level spacings of bound states 4−37379
- Cu-transition metal dilute alloys, Kondo behaviour, transition point *(French)* 4−13299
- Ge and Ge:noble metals, quenched condensed, short range order and metastable phases 4−24858
- Hg, quenched, condensed film, upper critical field meas. 4−41147
- In, current-induced resistive state obs. 4−28571
- In, energy gap, transition temp., quantum size effect, surface interaction 4−28527
- In, quenched, condensed film, upper critical field meas. 4−41147
- In, sp. ht. of disordered and amorphous films, 2.5-5K *(German)* 4−41146
- In, tunnelling obs. of type I to type II transition 4−33077
- In, type I, crit. thickness for intermediate to mixed state transition 4−41138
- In, type I, mixed and intermediate state struct., direct obs. 4−41137
- In, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
- In weak links, energy gap, microwave assisted tunnelling, Josephson steps, 63, 302 GHz 4−13247
- $In-Al_2O_3-Al$ junction, tunnelling anomaly obs. 4−24892
- In-Tl sandwich, proximity effect influence on thermal cond. 4−41156
- Mo_3Os, ion beam deposited, transition temps. 4−20722
- Nb, flux line pinning, TEM obs. 4−33084
- Nb, Josephson junction, tunnelling characts. 4−20730
- Nb, mag. hysteresis in fluxoid dynamic variables 4−33097
- Nb, sputter deposited, crit. current, transition fields, ang. depend. 4−33080
- Nb fluxoid properties rel. to surface proximity effects 4−24850
- Nb quench-condensed, elec. cond. fluctuations 4−3801
- Nb-Ge, 22.3K transition temp. due to stoichiometric Nb_3Ge phase form. 4−10216
- Nb-Ge, preparation of high T_c metastable films 4−16863
- $Nb_{12}Al_3Ge$ sputtered deposit, 66 μm thick, high crit. current densities 4−37366
- $Nb_x(Al_yGe_{1-y})_{1-x}$, ion beam deposited, transition temps. 4−20722
- NbC, sputtered, comp. determ., Bragg's rule validity for $^4He^+$ 4−16534
- NbN, crit. temp. and struct. 4−33055
- NbN, electron microscopy, diffr., phase struct., temp. depend. *(French)* 4−32834
- NbN, normal state negative temp. coeff. of resist. and supercond. 4−1277
- NbN, r.f. reactively sputtered, transition temp. 4−28523
- NbN, reactive sputtering prep., rel. to struct., elec. props. *(French)* 4−33058

superconducting thin films continued
- NbN, sputter deposited, crit. current, transition fields, ang. depend. 4−33080
- NbN, sputtered, comp. determ., Bragg's rule validity for $^4He^+$ 4−16534
- Nb_3Sn, transition temp. under tensile stress 4−24863
- $Os_{0.5}Ge_{0.5}$, absence of superconducting down to 1.1K 4−13245
- Pb, current-induced resistive state obs. 4−28571
- Pb, energy gap, transition temp., quantum size effect, surface interaction 4−28527
- Pb, i.r. transmission, fluctuation contrib. 4−41154
- Pb, phonon fluoresc. power meas. 4−41151
- Pb, sp. ht. of disordered and amorphous films, 2.5-5K *(German)* 4−41146
- Pb, tunnelling obs. of type I to type II transition 4−33077
- Pb, type I, crit. thickness for intermediate to mixed state transition 4−41138
- Pb, type I, pattern of flux tubes 4−41136
- Pb, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
- Pb based alloys, quench condensed, phonon induced supercond. tunnelling meas., order effect 4−3786
- Pb current voltage characts., nonthermal discontinuity 4−28559
- Pb tunnel junction films, superconducting, energy gap meas. 4−16849
- Pb type I, mixed and intermediate state struct., direct obs. 4−41137
- Pb:Bi thick layers on quartz, supercond. surface sheath, u.s. attenuation 4−16880
- $Pb-Al_2O_3-Al$ junction, tunnelling anomaly obs. 4−24892
- Pb-Bi, critical currents, period effect of sinusoidal variations of conc. *(French)* 4−33087
- Pb-Bi, critical currents, spatially modulated conc., temp. effect *(French)* 4−33088
- Pb-Bi, spatially modulated, critical currents and vortex lattice 4−33091
- Pb-In, (20wt.%), crit. current versus mag. field, diffraction like effects 4−1280
- Pb-In, single flux lines, vortex microscopy expts., flux creep 4−16882
- Pb-In alloy, type II supercond., Josephson-like effect in J_c-H characs. 4−10226
- $Pb_{0.9}In_{0.1}$, localised phonon modes, lattice order effect, supercond. tunnelling obs. 4−1288
- PbO, growth on Pb, Auger and ellipsometric studies 4−1174
- Pd-Ge alloy, comp. depend. of crit. temp. 4−13245
- $Pt_{0.5}Ge_{0.5}$, crit. temp. determ. absence of superconductivity down to 1.1K 4−13245
- Re, multiply connected network in alumina, a.c. susceptibility study 4−24862
- $Rh_{0.5}Ge_{0.5}$, absence of superconductivity down to 1.1K 4−13245
- $Ru_{0.5}Ge_{0.5}$, absence of superconductivity down to 1.1K 4−13245
- Sb and Sb:noble metals, quenched condensed, short range order and metastable phases 4−24858
- Sn, appl. to hypersound detection 4−18383
- Sn, dynamics of superconducting-normal state transition 4−28572
- Sn, normal state nucleation times 4−24877
- Sn, quenched, condensed, disordered film, upper critical field 4−41147
- Sn, relaxational current oscills., shape anal. 4−37375
- Sn, type I, crit. thickness for intermediate to mixed state transition 4−41138
- Sn, type I, mixed and intermediate state struct., direct obs. 4−41137
- Sn, type I superconductor, resistance peak at supercond. transition 4−28565
- Sn current voltage characts., nonthermal discontinuity 4−28559
- Sn microbridges, crit. current, temp. depend., microwave enhancement 4−3798
- Sn superconducting microbridges, crit. current, temp. depend., microwave enhancement 4−3798
- Sn:Cu, quenched condensed, short range order and metastable phases 4−24858
- SnTe-PbTe-GeTe alloys, enhancement of superconductivity and phonon softening 4−24860
- Tl, fluctuation effect on resistive transition 4−24857
- Tl, quenched, condensed film, upper critical field meas. 4−41147
- Tl, sp. ht. of disordered and amorphous films, 2.5-5K *(German)* 4−41146
- V, sputter deposited, crit. current, transition fields, ang. depend. 4−33080

superconducting transition point
- alloy, coherent potential approx. treatment 4−24873
- alloys, transition metal impurity effect 4−20716
- circuit, simplified for measuring 4−35351
- cooperative phenomena and dimensionality 4−24541
- critical phenomena, review 4−20402
- crystallographic instabilities, necessity for high transition temperature in multicomponent phases 4−1276
- cubic and tetragonal structures, depend. on lattice consts., electronic conc. 4−24869
- Eliashberg equations, operator form soln., transition temperature 4−37347
- ferromagnet, weak-coupling approx., supercond.-ferromag. coexistence 4−16842
- film, high field spin paramagnetism 4−33078
- first order phase transition between normal and superconducting states 4−28529
- Frohlich-BCS mechanism for high temp. superconductivity 4−16847
- granular system, metastable states destruction under monokinetic electron bombardment *(French)* 4−3784
- high-pressure effects 4−13256
- intermediate state, dynamics of transition 4−28535
- ionic semiconductor, effect of optical phonon and acoustic plasma branches 4−24893
- junction, tunnelling of excitations into semicond., and increase of T_c 4−13271
- layered structure, positive curvature of H_{c2} versus T_c boundaries 4−37352
- maximum value for given class of materials, role of mass enhancement factor 4−24866

superconducting transition point continued
metal, hardening influence at different creep strain jump stages 4−33072
metal film, transition temp. meas. 4−28524
metals, transition phenomena, energy gap for electron pair destruction 4−41144
metastable binary alloy phases with simple cubic struct., composition effect 4−20720
nontransition metal, stress depend. calc. using McMillan eqn. 4−24865
Peierls-BCS transition, Landau theory 4−3783
phonon frequencies, effectiveness in enhancing T_c 4−16857
phonon spectrum form depend. of T_c *(Russian)* 4−37349
pressure and paramagnetic impurity effects 4−20712
sputter deposited films, crit. current, field, ang. depend. 4−33080
superconducting binary alloys, diffusionlike eqn., critical mag. field and magnetisation 4−24851
superconductor containing mag. impurity, depression of transition temp. 4−13241
thermoelectric power in supercond. transition fluctuation region 4−33082
thin films, search for excitonic superconductivity 4−16859
thin films transition metal, trans. temperature rel. to noble gas ion beam used in sputtering 4−24859
transition metal, press. depend. and vol. depend. of electron-phonon mass enhancement 4−37350
transition metal alloys, additive model, BCS formalism 4−24871
transition metal alloys, theory using coherent potential approximation 4−33053
transition metal alloys, type A_3B(β-W), rel. to phase diagram 4−33059
transition metal films, rel. to back-scatt. energy loss parameter 4−17153
transition metal ternary alloys, dependence on concentration 4−3791
transition temperature, simple and accurate eqn. 4−3795
transition temperature depend. on $\alpha^2F(\omega)$ 4−16872
type I, phase boundary relax. effects 4−28556
type I, supercond. to normal transition, rectangular current pulse induced 4−33062
type I superconductor, critical currents, destruction of mixed state, obs. of paramag. behaviour 4−28564
type II, parameters governing transition, theory of interacting vortices 4−28543
ultrathin superconducting films, ratio between energy gap and transition temp. 4−6686
variational solution of supercond. proximity effect for arbitrary mean free path 4−37346
vortex viscous flow, supercond. alloys near crit. temp. 4−37361
Al, film, crit. fluctuations effect on u.s. attenuation 4−37371
Al, film, spin paramag. effects 4−41143
Al, ultrathin film, temp. meas., quantum size effect, surface interaction 4−28527
Al film, granular 4−24861
Al fine particles, relation to particle size 4−28555
Al-Ag alloy, determ. from magnetisation curve 4−33075
Al-At-Ag, effect of cellular precipitation on superconducting properties 4−10224
$Al_{12}Mg_{17}$ phase, rapid variation of temperature, electron bonding effects 4−1278
$(Au_{1-x}Pd_x)Ga_2$ alloy, transition temp., pressure depend. up to 24 kbar 4−33071
Be, vap. quenched film, T_c meas., thickness depend. 4−33067
$Ce_{0.8}Th_{0.2}Ru_2$, neutron scatt., ferromag. ordering 4−10271
Cr based A15 type compound, electronically atypical, transition temp., comp. and order depend. 4−37356
Cu Kondo alloy films, transition metal impurity interactions *(French)* 4−13299
$CuMo_4S_5$, critical temp. meas. 4−16851
CuS, specific heats of pure and impure samples 4−6682
Ge, amorphous, press.-induced metallic phase 4−37289
(Hf, Zr)V_2, lattice instabilities and superconductivity 4−33086
$(Hf_{1-x}Ta_x)V_2$, transition temp. as function of hydrostatic press. 4−16853
HfV_2-based superconductors, correlation between transition temp. and lattice instability 4−16871
$(Hf_{1-x}Zr_x)V_2$, transition temp. as function of hydrostatic press. 4−16853
Hg in zeolites, 3-D channel network 4−24876
In, anisotropy of pressure and volume effects *(German)* 4−24855
In, lattice distortion effects transition temp., lattice distortion effects *(Russian)* 4−28532
In, ultrathin film, temp. meas., quantum size effect, surface interaction 4−28527
In microcylinder, reversible and irreversible transitions, quantum oscills. 4−33065
In-Bi, dilute alloy, small K, specific transition parameters 4−33069
InSb, surface, mech. deform., struct. phase change 4−24874
InSb, surface layer resist., temp. depend. 4−28531
In_3Sn, effect of low temp. phase transition 4−20717
Ir, thermodynamic props., 0.1125 K supercond. transition temp. 4−3787
(La,Ce)Al_2, Kondo anomalies due to Ce impurities *(German)* 4−1282
(La,Th):Ce, continuous demagnetisation of Cu impurity 4−16855
La, phonon softening under pressure 4−9958
$LaAl_2$:Tb, crystal field split impurities effect 4−20723
$La_{1-x}Tb_xAl_2$, transition temp., pressure depend., cryst. elec. field energies 4−13250
Mo based A15 type compound, electronically atypical, transition temp., comp. and order depend. 4−37356
Mo_3Os, ion beam deposited films, transition temps. 4−20722
Nb, press. depend. meas. up to 250 kbar 4−13252
Nb, resistivity, influence of annealing treatments on supercond. transition *(German)* 4−28522
Nb A-15 alloys, metastable, dual target sputtering obs. 4−16864
Nb emitter tip, local heating by Nottingham effect, normal state transition *(French)* 4−25214
Nb new A-15 alloys, and cryst. struct. obs. 4−33064
Nb:O, effects of interstitial O on superconductivity 4−16866
Nb-Al and Nb-Al-Ge, A15 phases, on Nb *(German)* 4−28533

superconducting transition point continued
Nb-Ge, preparation of high T_c metastable films 4−16863
Nb-Ge film, 22.3K transition temp. due to stoichiometric Nb_3Ge phase form. 4−10216
Nb_{80}-Mo_{20} superconducting alloy, incremental entropy of vortices near critical temp. 4−24856
Nb_3Al-Nb_3Ge alloys, mech. deform. effect, mechanism 4−33073
Nb_3(Al-Ge), susceptibility correl., temp. depend., X-ray diffr. 4−13254
$Nb_x(Al_yGe_{1-y})_{1-x}$, ion beam deposited films, transition temps. 4−20722
NbC, sputtered film, rel. to comp., Bragg's rule validity, $^4He^+$ scatt. 4−16534
NbN, film, crit. temp. rel. to reactive sputtering form. *(French)* 4−33058
NbN, r.f. reactively sputtered film, prep. atm. depend. 4−28523
NbN, sputtered film, rel. to comp., Bragg's rule validity, $^4He^+$ scatt. 4−16534
NbN film, struct. effects 4−33055
NbS_2, Eu^{2+} intercalated, ferromag. phase obs., inherent supercond. phenomena 4−1275
2H-$NbSe_2$, crit. fluctuation obs. above T_c, by microwave absorption 4−24883
$Nb_{0.8}Sn_{0.2}$ alloy, transition temp. increase on pulsed CO_2 laser irrad. 4−10218
Nb_3Sn, lattice instability and high supercond. transition temp. 4−1274
Nb_3Sn, premature transition and voltage-current characteristics in the flux creep region 4−13242
Nb_3Sn filament containing powder rolled composite tape, supercond. props. 4−41141
Nb_3Sn film, under tensile stress 4−24863
NbTi, premature transition and voltage-current characteristics in the flux creep region 4−13242
$Nb_{1-x}W_xC_y$, solid soln., temp. depend, comp. var. effect 4−24875
Ni-Al alloy with dispersed intermetallic phases, annealing and deform. effects on T_c *(Russian)* 4−6684
Os, specific heat measurements 0.18-4.2K 4−3790
Pb, film, i.r. transmission near T_c, fluctuation contrib. 4−41154
Pb, type I intermediate state, magneto optical study 4−28561
Pb, ultrathin film, temp. meas., quantum size effect, surface interaction 4−28527
Pb-In systems, effect on deforming stress, meas. *(Russian)* 4−13244
$PbMo_6S_7$, critical temp. meas. 4−16851
Pd-Ag-H, electron-phonon coupling, reln. to cryst. struct. and soft phonon modes 4−16867
Pd-Ge alloy film, comp. depend. 4−13245
Pd-H, electron-phonon coupling, reln. to cryst. struct. and soft phonon modes 4−16867
PdD, press. depend. 4−20713
PdH, H conc. depend., clustering effect 4−28528
PdH, press. depend. 4−20713
$Pt_{0.5}Ge_{0.5}$ film 4−13245
Re, multiply connected network in alumina, a.c. susceptibility study 4−24862
Ru alloys, depression of transition temp. by Co, Ni, Pt, Pd, Rh, Ir 4−37359
Se, hexagonal, amorphous and monoclinic, transitions and stability at pressure up to 160 kbar 4−3793
Si, amorphous, press.-induced metallic phase 4−37289
Sn, anisotropy of pressure and volume effects *(German)* 4−24855
Sn, thin film, resistance peak at supercond. transition 4−28565
Sn, type I superconductor, intermediate state, effect of domains on thermal cond. 4−28562
Sn whiskers, current induced, voltage steps in U(T), U(I) 4−13257
Sn-Bi(0.10 at.%) alloy, effect of compressional plastic deformation on T_c 4−3792
Sn-Cu, amorphous alloys, temp. conc. depend. 4−32921
Sn-In(1.0 at.%) alloy, effect of compressional plastic deformation on T_c 4−3792
$SnMo_6S_7$, critical temp. meas. 4−16851
SnTe-PbTe-GeTe alloys, enhancement of superconductivity and phonon softening 4−24860
Ta, press. depend. meas. up to 250 kbar 4−13252
TaS_2 intercalated with 4-ethylpyridine, superconducting critical temp. and structural props. 4−12921
TaS_{2-x} system single crystal, and powder samples, studies 4−28188
$TaS_2(\text{pyridene})_{1/2}$, intercalation complex, anisotropic transition temp., low temp. magnetoresist. 4−13251
Th_2C_3, pressure depend. up to 10 kbar 4−16870
Th_4H_{15}, variation with composition 4−16868
Ti-Mo alloys, superconductivity and b.c.c. phase stability 4−20721
Ti-Nb alloys, press. effect, struct. changes, X-ray anal. 4−13253
Ti-Nb alloys, superconductivity and b.c.c. phase stability 4−20721
Ti-Nb-Zr-Ta alloy, resistive critical field rel. to comp. *(Japanese)* 4−3789
Ti-V alloys, superconductivity and b.c.c. phase stability 4−20721
Tl film, fluctuation effect on resistive transition 4−24857
U_6Fe, transition temp., Fe isotope effect 4−1281
V:Ta, impurity atom effect on transition temp. 4−37360
V-Ga alloy with dispersed intermetallic phases, annealing and deform. effects on T_c *(Russian)* 4−6684
V-Ru compounds, hydrostatic press. effect 4−16869
V-transition metal A15 alloys, anticorrelation of atomic ordering with superconductivity 4−10219
$V_3Ga_{1-x}Sn_x$, electron and phonon density of states effect 4−16861
V_3Ge, press. coeff. calc. from elastic data 4−20718
V_3Si, form. from V reaction with Si, SiO_2 wafers, 15 K supercond. transition temp. 4−24854
V_3Si, hydrostatic press. effect 4−16869
$V_3Si(Ge)$, lattice instability and high supercond. transition temp. 4−1274
W-Re alloys, vapour deposited; transition temp. meas. 4−16865
Y_2C_3, pressure depend. up to 10 kbar 4−16870
ZrV_2-based superconductors, correlation between transition temp. and lattice instability 4−16871

superconductivity
see also BCS theory; equilibrium properties of superconductors; nonequilibrium properties of superconductors; superconducting materials; superconducting transition point; transport properties of superconductors
(TTF)(TCNQ), criteria for giant conductivity 4—16890
(TTF)(TCNQ), one-dimensional conductor, superconducting fluctuations above 60K investigation 4—16889
a.c. Josephson effect, material independence, superconducting flux quantum 4—6689
acoustic phonon spectral function calc. 4—3794
alloys, transition metal, rare earth and actinide, localized moment formation, exptl. bulk properties 4—24704
applications, type II superconductors, Josephson effect *(Czech)* 4—13237
astrophysical systems 4—4695
Bogoliubov-de Gennes equations of space-depend. supercond., solvable pair potential 4—24853
cooperative phenomena, book 4—23216
critical current in thin film links, Ginzberg-Landau theory 4—28575
critical phenomena, review 4—20402
current-carrying film, dynamic phase stratification and e.m. wave generation 4—16876
electron phonon system with Peierls instability, props. of one dimensional model 4—16848
electron-phonon coupling constant, anharmonicity effect 4—37343
electron-phonon interaction, role since 1950 4—6681
electron-phonon interactions, Nambu-Eliasberg theory, anal. of tunnelling data *(Czech)* 4—13238
electron-phonon mechanism and atomic structure 4—16844
ferromagnetism-superconductivity coexistence, paramag. impurities and pure ferromag., exchange interactions 4—16842
flux quantization type oscillations in normal metals 4—13273
Frohlich-BCS mechanism for high temp. superconductivity 4—16847
gap-loss superconductor, dynamic structure of vortices 4—28548
Geller radii, occurrence and electronic struct. of A-15 phases 4—33063
Ginzburg-Landau equations, exact soln. of new superconducting state 4—37344
Ginzburg-Landau parameter and upper crit. field, temp. depend., strong coupling effects 4—33061
Ginzburg-Landau theory, appl. to elementary particle production model 4—5640
Ginzburg-Landau theory of nonequilibrium relaxation 4—33052
Gorkov equations, iterative soln., appl. to vortices and crit. field 4—28544
high temperature, role of mass enhancement factor 4—24866
interacting fermions, one dimensional, conductivity anal. 4—37203
intermediate state, single domain structure, Landau theory explanation of exhibited behaviour 4—16856
Josephson coupled granular superconductors, coherent-paracoherent state transition 4—6691
Kondo effect, mag. susceptibility, vertex part integral eqn. 4—3799
Landau-Ginsburg theory with fluctuations, functional integral representation 4—20708
lattice instabilities, conf., Gallinburg USA (1973) 4—16843
magnetic states, thermodynamic stability 4—33060
metal, with overlapping energy bands electron retardation of dislocations *(Russian)* 4—33050
metastable binary alloy phases with simple cubic struct. 4—20720
multifilament wire, a.c. losses between 1 and 100 Hz 4—37363
narrow energy band systems, instabilities, superconductor—ferroelectric phase boundary 4—16845
neutron star, superdense, pion condensation and Meisner effect 4—4813
nonlinear continuum theory of flux line lattice *(German)* 4—16841
one-dimensional metal model, cond. from charge or spin density waves 4—41049
organic and organo-metallic compounds, recent progress towards synthesis 4—16888
paramagnetic effects under non-equilib. conditions, mag. field penetration 4—16852
perfect crystalline state, theory, book 4—13119
periodic table trends, lattice dynamical theory 4—41134
phonon mechanism, isotopic effect *(Russian)* 4—10217
reservoir-driven open systems, phase transitions 4—23293
review of theory phenomena and materials 4—37342
statistical mechanics approach, book 4—11839
superconductor, type II, Ginzburg Landau and Neumann-Tewordt eqns. numerical solns. 4—28521
surface, excitation energy spectrum, impedance anisotropy 4—41133
theory, fund. statistical mech. applied to give BCS results 4—10214
time-variable e.m. phenomena within framework of Ginzburg-Landau theory 4—13239
toroidal resistive SQUID, response to modulation by mag. flux 4—16879
transition metal alloys, theory using coherent potential approximation 4—33053
transition metals, d-band plasmons and plasmon-phonon coupling 4—20570
type II, numerical solns. for nonlinear penetration of magnetic flux 4—6683
unifying scheme for trends in periodic table 4—20709
vortex lattice, rigidly pinned, critical current mag. field and temp. depend. 4—41135
vortex viscous flow, supercond. alloys near crit. temp. 4—37361
whiskers, states above critical current, potential between adjacent superconduct. regions due to phase slip 4—13240
Al, granular film, vortex flow 4—3788
$CuMo_3S_4$, upper crit. fields of above 500 kG 4—20711
Nb, anisotropic flux-line lattice, neutron diffr. obs. 4—13249
Nb, electron-phonon interaction, acoustic phonon damping, inelastic neutron scatt. meas. 4—13262
Nb, phonon softening rel. to superconductivity, linewidths meas. 4—16583
Nb-Ti, monofilamentary superconducting wires *(Czech)* 4—13243
NbN film, normal state negative temp. coeff. of resist. and supercond. 4—1277
$NbSe_2$ layered superconductor, upper critical field at low temp. 4—6685

superconductivity continued
Nb_3Sn, phonon softening rel. to superconductivity, linewidths meas. 4—16583
Nb_3Sn, press. effects, depend. on soft mode 4—16580
NbTi, (50 wt.%), crit. current density $j_c(B,T)$, proton irrad. influence 4—3800
$Pb_{0.9}Mo_{5.1}S_6$, upper crit. fields of above 500 kG 4—20711
PdH(D) system, h.f. local modes and anomalous isotope effect 4—16846
PdH(D) system, high freq. local modes, anomalous isotope effect 4—6687
$SRTiO_3$, single-valley degenerate semiconductor, two phonon deform. pot. theory of supercond. 4—24852
$SnAl_{0.5}Mo_5S_6$, upper crit. fields of above 500 kG 4—20711
$SnMo_5S_6$, upper crit. fields of above 500 kG 4—20711
V_3Ge, V_3Si, press. effects, depend. on soft mode 4—16580
Zn, Landau domain struct., periodicity 4—37357

superconductors *see superconducting materials*

supercooling
alloy, eutectic, comp. depend. 4—7003
Arctic lead surface water, cause of subsurface freezing 4—21928
polystyrene single crystals, fold length, crystallisation theories at high supercoolings 4—20230
H_2O, supercooled, clustering obs. 4—24561
Na_2SO_3 and Na_2SO_4 aqueous solns., spontaneous rupture of supercooling and supersaturation states *(French)* 4—9977
Sn-Bi alloy ingots, Bi distrib. in primary α-Sn crysts. 4—21223

superexchange interactions
ferrimagnet with five sublattices, theroetical temp. depend. of paramag. susceptibility 4—6715
ferromagnet with Jahn-Teller ions, cooperative ordering of degenerate d-orbitals 4—10273
Invar ^{57}Co Mossbauer spectra 4—33316
ionic solid, with 3d or 4f cation, mag. ordering, exchange-perturbation treatment 4—24904
Jahn-Teller impurities, degenerate doublet orbital struct. 4—37408
rare earth dielectrics, secondary quantization, Neel and Debye temps. *(Russian)* 4—20768
spinel families, long-range mag. interactions 4—24938
$CoCl_2$ hydrates, Mossbauer spectra of ^{57}Co, effect of electron capture 4—10362
Cr_2F_5, rel. to weak antiferromag. spin canting 4—28608
$Eu_3Ga_5O_{12}$:Pt, rel. to antireson. in optical spectrum of Eu^{3+} 4—25144
$LiNb(I)O_3$, saturation of ^7Li, relax. behaviour 4—33296
$(Mn,Cd)Cr_2Se_4$, ferromag. exchange interaction between Mn and Cr obs. 4—33146
$(Mn,Zn)Cr_2Se_4$, ferromag. exchange interaction between Mn and Cr obs. 4—33146
MnO, cryst. field and exchange parameters, new superexchange mediated by metal 4s states 4—3702
MnS, magnetic ordering, exchange perturbation theory in three solid modifications, B1, B2, B3 4—33147
NiO, cryst. field and exchange parameters, new superexchange mediated by metal 4s states 4—3702
$ZnFe_2O_4$, rel. to mag. struct. theory 4—16933

superfluidity
see also liquid helium; quantum fluids; vortices
liquid ^3He-^4He mixtures, onset, finite geometry effects, as fn. of ^3He conc. 4—10021
adsorbed layer, superfluid content 4—10008
anisotropic BCS-superfluid, Ginzburg-Landau expansion of free energy 4—32763
boson system, $\simeq 1K$, interacting via repulsive core followed by attractive square well 4—1147
Josephson effect, a.c., in phase operator formalism 4—32762
Landau excitation and Galilei invariance 4—10001
neutron stars, internal temperature from pulsar glitches 4—22415
neutron stars, rotation and superfluid effects 4—38837
neutron stars, superfluidity of protons 4—22209
nuclear fission barrier penetration, large superfluidity enhancement 4—36238
nuclear rotation, application of superfluid hydrodynamics 4—520
nuclei, excited, arising from δ-force residual interaction 4—23616
one dimensional superflow in p-state superfluid 4—28246
polarisation modes formed by light coupling with excitation pairs 4—24606
roton binding and scattering 4—40934
second sound attenuation, superfluid and normal flow in a capillary 4—3614
statistical mechanics approach, book 4—11839
temperature oscillations in quasi-isothermal superfluid film oscillations 4—10009
transition, Bogoliubov theory for thermodynamic instability and symmetry breaking 4—3598
He, field emission current meas., press. effect, roton creation near 0.5K 4—16629
He, free surface, scatt. by thermal ripplons 4—3608
He, two baths of coupled superfluid, a.c. Josephson effect in a.c. sound field 4—3607
He film, liq., size effect, expts., review 4—24666
He II, forced superfluid flow, role of Gorter-Mellink mutual friction in cooling effect 4—3611
He II, fourth sound absorpt. near λ point 4—13072
He II, in rot., thermal effects due to vortex motion *(French)* 4—16627
He II, rotating, thermal effects due to vortex motion, entropy flux *(French)* 4—16628
He II, rotating , two-fluid continuum theory, non-invariance of dissipation function R 4—3610
He II, surface tension anomaly near λ-point 4—13070
He II, thin film, third sound, healing length 4—20461
He II, upper limit to rot. cooling 4—32768
He II, vortex ring nucleation rate, due to neg. ions, field emission obs. 4—40936
He II films, flow with rotation, nonexistence of persistent current 4—3603
He λ-point, superfluid component density distrib., external field effect 4—10015

superfluidity continued
^{3}He, A-phase, spin waves, microscopic model 4−20463
^{3}He, anisotropic superfluidity, spin-fluctuation model 4−24609
^{3}He, anisotropic superfluid state, zero sound propagation 4−32777
^{3}He, below 2.7 mK, props. 4−37060
^{3}He, condensation in L=2 or L=3 state, crit. temp. 4−16637
^{3}He, dynamical spin susceptibility of anisotropic superfluid determ. 4−10018
^{3}He, liquid, critical temp. calc., condensation in L=2 or L=3 state 4−32774
^{3}He, liquid, explanation of F- and D-state pairing phase transitions 4−32776
^{3}He, n.m.r. on new phases in contact with Pt powder 4−32775
^{3}He-^{4}He, dilute soln., superfluid fraction conc. depend. near T_{λ} 4−16641
^{3}He-^{4}He mixture, ^{3}He inertial mass, normal fluid density, superfluid ^{4}He 4−24611
^{3}He-^{4}He mixture, ^{3}He quasiparticle interaction in superfluid ^{4}He 4−24610
^{4}He, damping of ripplons at zero temp. 4−16632
^{4}He, excitation spectrum at λ transition 4−6534
^{4}He, film transfer, a.c. elec. field influence 4−28252
^{4}He, liquid, Kapitza resistance between Cu and Pb, anomalous behaviour 4−37055
^{4}He, liquid, λ transition, Bose condensation, momentum distrib. 4−16635
^{4}He, moving superfluid film, thickness meas. below 1K 4−37054
^{4}He, multilayer films on graphite, heat capacity curves, λ pt. anomaly 4−10010
^{4}He, normal fluid viscosity below 0.6 K 4−16634
^{4}He, quantized vortex ring creation by charge carriers 4−32771
^{4}He, superfluid phase transition, two dimensional, critical temp. 4−10011
^{4}He, surface tension anomaly at λ-point, scaling argument 4−10005
^{4}He, thermodynamic phenomena on vortex lines 4−1149
^{4}He, u.s. wave vel. and attenuation calcs. 4−28255
^{4}He, wave function criterion, flow, Josephson effect 4−3615
^{4}He liquid, Josephson effect, acoustic resonance 4−16633
^{4}He thin film, chemical potential of superfluid condensation calc. 4−28250

superheavy nuclei
see also nuclei with $A \geqslant 220$
A=298, potential energy surface for fission 4−12396
Ap stars, presence of superheavy elements, r-process 4−11207
delayed fission, role in production of very heavy and superheavy elements 4−9326
detection, thin film detector, appl. 4−5198
eka-elements, fission $T_{1/2}$ meas. using spinner technique 4−31424
element 111, eka-gold, predicted chem. props. 4−9358
fission of compound system ^{317}127, in ^{136}Xe bombardment of Ta, Au isotope formation 4−9304
formation in reactions of U with 9.6 MeV/nucleon Cu ions, search, fission counting 4−5840
fusion synthesis expts. using accelerated Zn ions 4−27375
in nature, spontaneous fission search 4−5866
neutral vacuum induced decay in overcritical fields, pair production 4−27352
nuclear Thomas-Fermi model for bulk props. of neutron rich and superheavy nuclei 4−38833
particle accelerator production and detection, developments *(German)* 4−5140
production, detection, from shell structure, radioactivity *(German)* 4−503
production by multiple neutron capture 4−9313
production by secondary proton induced reactions in tungsten, search 4−5808
production using heavy-ion accelerators, review, reln. to atomic physics *(French)* 4−2943
QED, stability of vacuum and quantisation of electron-positron field for strong external fields 4−15441
search for naturally occurring 114 element 4−1776
synthesis, future possibilities using heavy ion reactions 4−31414
in terrestrial minerals, search using low level nuclear fission counting technique 4−21855
^{232}Th + ^{74,76}Ge, synthesis, production cross section meas. *(Russian)* 4−31430

superheterodyne receivers
i.r. radiometer, for high resolution meas. of solar radiation 4−11266
Josephson point contact, at 891 GHz, using c.w. HCN laser as local oscill. 4−5093
laser, Doppler frequency measurement, digital instrumentation 4−8400
solar radiotelescope *(Russian)* 4−22473
HgCdTe varactor photodiode, for detection of CO_2 laser beats beyond 60 GHz 4−8386

superionic conducting materials
phase transition to cation disordered state, theory 4−40914
Li_4SiO_4-Li_4MO_4, solid soln., prep., ionic cond. investig. 4−28237
Li_4SiO_4-$Li_xM_{1-x}SiO_4$, solid soln., prep., ionic cond. investig. 4−28237
β''-$Na_{4.7}Al_{30.4}Mg_{2.6}O_{51.0}$, struct. rel. to ion transport 4−6383

superlattice structure *see crystal atomic structure*

supernovae
1572, secular decrease in flux densities 31.5 cm obs. 4−42418
1968l in NGC 5236, type II, spectroscopy and UBV photometry 4−38802
1970g in NGC5457, UBV photometry 4−38801
1972 Palomar supernova search, supernova freq. 4−8031
S Andromedae, search for radio emission from supernova remnant 4−8004
binary model of white dwarf and red giant in colliding spiral orbit 4−38781
binary star systems, effect of supernova explosion 4−34856
3C58, 2695 MHz polarimetric aperture synthesis obs. of remnant 4−14380
carbon dwarf stars, electron capture rates 4−42372
Cassiopeia A, secular decrease in flux densities 31.5 cm obs. 4−42418
Crab Nebula, interplanetary scintillation obs. at 73.8 MHz 4−22460

supernovae continued
Crab Nebula, soft X-ray absorption 4−38854
Crab Nebula toroidal magnetic field and relativistic particles 4−38851
γ Cygni source, 2695 MHz polarimetric aperture synthesis obs. of remnant 4−14380
Cygnus Loop, expanding shell interaction with interstellar medium, monochromatic photographs 4−34827
Cygnus Loop, NGC 6992, discovery of remnant central X-ray object 4−22429
Cygnus Loop, supernova remnant, obs. at 2.7 and 10.7 GHz 4−2115
explosions in close binary systems, Centaurus X-3 application 4−38788
explosive r-process nucleosynthesis 4−11169
filament formation in supernova shells 4−34824
frequency of type I and II objects rel. to stellar evolution 4−22400
Galactic remnants, identification of radiosources for spiral structure evidence 4−2124
HB 21, supernova remnant, 21-cm. line obs. of expanding HI shell 4−14381
DQ Herculis, gas loss calc. *(Russian)* 4−34860
IC443, remnant, polarisation and brightness at 11 cm 4−7993
IC 443, distance to remnant from 21-cm. line absorption meas. 4−18007
intensity of cosmic rays from nearby supernovae, deep sea sediment records 4−10869
Kepler's, 2695 MHz polarimetric aperture synthesis obs. of remnant 4−14380
light curves and characteristics of four objects, UBV photography 4−4799
line ^{57}Co γ-rays, diagnositc of supernova structure 4−38782
model, including neutrino-nuclear scattering from neutral current theory 4−38764
MSH 11-61 A, distance to remnant from 21-cm. line absorption meas. 4−18007
N49, supernova remnant in LMC, emission line spectrum 4−7985
neutron star formation as simultaneous event 4−38838
neutron star formation in carbon detonation supernovae 4−26113
neutron stars in supernova remnants rel. to black hole search 4−34807
NGC3310 discovery 1974 February 25 4−30060
NGC3348 discovery 1974 February 23 4−30060
NGC 3348, supernova obs. refuted 4−34848
in NGC 3656 (1973 March) yellow magnitudes and UBV colours *(Russian)* 4−14373
NGC 3916, supernova discovery obs. 4−34848
in NGC 4038-39 galaxy, visual magnitude estimates 4−38799
NGC 4038-9, supernova discovery obs. 4−34848
NGC 4156, supernova discovered in spiral galaxy 4−26127
in NGC 4414, type I event and magnitude estimates 4−42406
NGC 5161, supernova discovered in galaxy 4−30059
nucleosynthesis, contributions to solar system abundances 4−34781
nucleosynthesis, review of current theories 4−14359
nucleosynthesis in supernova outbursts 4−26118
predetonation lifetime and mass of supernovae spiral arms of galaxies, density-wave theory 4−14413
r-process formation of superheavy elements, neutron energy distrib. 4−17988
remnant evolution rel. to magnetic field, relativistic particles, luminosity and central pulsar 4−18000
remnants, late evolution models 4−34826
remnants, numerical model of shell formation 4−34825
Sagittarius A as supernova remnant rel. to nonthermal radio emission from Galactic Centre 4−22444
Simeiz 59 (Sharpless 104), velocity meas. rel. to supernova remnant 4−42490
SN 1972 in galaxy NGC 5253, photoelectric UBV photometry 4−2114
spectral-energy distribs., including 1972e in NGC 5253 4−11182
stellar birthrates in Sb and Sc galaxies, role of gas density 4−26100
Tycho, X-ray spectrum, thermal component 4−14391
Tycho's, 2695 MHz polarimetric aperture synthesis obs. of remnant 4−14380
Tycho's (3 C 10), 21 cm. absorption spectra and distance 4−2117
Tycho's (3 C 10), distance from 21 cm. absorption meas. 4−2116
Type I, evolution and formation frequency in binary systems 4−26098
type II shells, density model rel. to two objects 4−4803
Vela remnant, u.v. interstellar lines in three more distant stars 4−34814
Vela supernova remnant in Gum Nebula, u.v. photographs 4−38828
W44, remnant, polarisation and brightness at 11 cm 4−7993
W44, supernova remnant, H 166α radio recombination line 4−22397

superparamagnetism
basaltic rock, ferromag. behaviour of interacting superparamag. particle aggregates 4−1793
particles, anisotropy influence on magnetisation curves *(German)* 4−6768
$FeCl_3$-graphite compounds, Mossbauer effect obs. 4−41206
FeOOH, mag. interparticle interactions, n.m.r., mag. moment relax. *(Russian)* 4−25019
α-$FeSO_4$, antiferromag., Mossbauer spectra evidence 4−20777

superplasticity
activation energy and viscosity, rheological eqns. for flow 4−37947
alloy, stress-strain relations during forming processes 4−1611
alloy, two-phase, strength 4−21343
alloy sheet, creep, bending and tension tests comparison 4−17479
alloys, signals operation moulding applic. *(French)* 4−37949
micrograin materials, grain size role in superplastic deform. 4−29134
steel, rel. to grain size and heat treatments, Kh18N10T 4−33799
steel, stainless, α/γ duplex, Ashby-Verrall model for superplastic flow 4−37953
Al-Cu-Mg, ternary eutectic alloys, obs. 4−13744
Al-Cu-Zr alloy, grain size control 4−41627
Al-Zn, microstruct. of superplastic eutectoid 4−7103
Al-Zn-Zr alloy, dynamic recrystn. 4−41626
Be, extended ductility obs. 4−7151
Cu-Al-Fe alloy, superplastic testing conditions and grain growth 4−33769

superplasticity continued
Ni-Ni$_3$Ta eutectic, unidirectionally solidified, tensile props. 4−29178
Pb-Bi eutectic, dynamic recrystn. during tensile deform. in superplastic mode *(Russian)* 4−21306
Pb-Sn eutectic, internal stress during superplastic flow 4−37952
Sn-Pb superplastic eutectic, steady-state creep rate, effective stress depend. 4−29128
Zn alloy, dispersion strengthened 4−13698
Zn-Al, NDT 4−17487
Zn-Al (22 wt.%) alloy, transcryst. slip during superplastic deform., struct. influence *(Russian)* 4−21303
Zn-Al eutectoid, stress/strain rate behaviour 4−21318
Zn-Al eutectoid sheet, creep bending and tension tests comparison 4−17479
Zn-Al(22 wt.%) eutectoid, high temp. deform. mechanisms 4−33743
Zn-Al(40 and 50 wt.%) alloys, extruded correl. with microstruct. 4−41722
Zn-Al(40 wt.%) alloy, quantitative texture meas. 4−33691

superradiance *see stimulated emission*

supersaturation control *see chemical variables control*

supersaturation measurement *see chemical variables measurement*

supersonic flow
see also hypersonic flow; shock waves
aerodynamic drag, conf., Izmir, Turkey (Apr. 1973) 4−27854
aerodynamic drag and lift 4−27855
aerodynamic interference of pitot tubes in turbulent boundary layer at supersonic speed 4−12699
aerodynamic noise amplification by convected flow inhomogeneities 4−16213
aeroelastic system with follower force, self-excited and forced vibrs. with damping 4−2515
airfoil, rapidly oscillating, flow field 4−32077
axially symmetric body, aerodynamic heating *(Italian)* 4−24205
axisymmetric, near centre of expansion 4−6176
binary gas mixture, near round nosed body *(French)* 4−24206
boundary layer, separated, plate-injection, transition regions 4−24208
boundary layer flow, past axisymmetrical bodies of revolution, injection through permeable body surface 4−32143
boundary layer flow, upper surface of triangular wing *(Russian)* 4−40493
boundary layers, press. and temp. distributions, determination 4−30682
boundary-layer separation ahead of blunt fins, shock wave interaction 4−12703
bow wave, detached transonic, slender profiles 4−40495
compressor, unsteady-state flow of gas with stepwise compression in cascades *(Russian)* 4−27853
cone, gas injection effects 4−40490
crosshatch surface patterns, theory and expt. comparison 4−9673
delta wing, analytical charact., 2-dimens. isentropic anal. 4−36648
elastic bodies, algebraic equations from Galerkin's method 4−35661
gasdynamics of condensing vapours, high and low pressure effects in nuclear power plant 4−23761
heat transfer, downstream, effect of film cooling injection 4−40492
heat transfer, Nusselt, Reynolds numbers relationship 4−16212
inefficient supersonic jet, discrete acoustic signals effect on flow *(Russian)* 4−3292
instability due to acoustic radiation striking vortex sheet 4−9676
interacting boundary layers, branching solns. 4−3281
jet, free supersonic, discrete tone perturbation propagation 4−9680
jet, liquid, injection into supersonic flow 4−3288
jet, overexpanded supersonic, flowfield around cone 4−3296
jet, underexpanded, interaction with plane obstacle 4−20011
jet, underexpanded exhausting counter to a supersonic freestream, plume boundary jump 4−9679
jet interaction, reattachment of separated boundary layer to convex surface 4−20008
jets, low density gaseous free, visualisation by glow discharge 4−23071
laminar boundary layer along circular cylinder 4−16201
laminar supersonic flow, effects of blunting and cooling on separation 4−9669
lift and pitching moment, wind tunnel expts., semi-bodies with ogive shaped nose 4−36652
linearised characteristics method for flow past vibrating shells 4−9670
Mach numbers, critical free stream, for flow past aerofoils 4−32085
mixing, supersonic ejector, flow limitations 4−3350
nonlinear with attached shock waves, over conical wings, calc. methods 4−24215
nozzle, convergent-divergent, property fluctuations 4−6180
plasma, weakly ionized, flow field struct., viscous correction to impact probe 4−36701
plasma weakly ionised, flow past flat plate with sharp leading edge 4−40632
plate, shock load response 4−925
projectile wake, holography *(French)* 4−30676
rain erosion on body in supersonic flight *(German)* 4−20047
rarefied gases, generalised laws of similarity for flow under laws of locality conditions *(Russian)* 4−24210
semi-infinite fluid-solid interface, moving load problem, supersonic regime 4−30769
sharp cone, 3-dimens. turbulence anal. 4−40484
shear layer, free, downstream of backstep 4−20006
shock wave interactions on blunted body, nonstationary flow, interferometric study *(Russian)* 4−36659
shock wave structure in cylindrical ducts 4−12705
shock waves, thin layer theory, extensions 4−40479
shockless flows with heat additions in two dimensions 4−20005
sphere drag, continuum to free mol. flow 4−27861
sphere drag in low density supersonic flow, meas. using mag. suspension system 4−18816
steady state flows of gaseous mixtures with given conc. 4−40511
steel ball, free flight, holographic obs. of shadow and interference patterns 4−9677
subsonic blocking of pipes with two flows *(French)* 4−40483

supersonic flow continued
three-dimensional boundary layer separation upstream of solid or fluid obstruction 4−6175
three-dimensional flows about aircraft configs., computation procedure 4−27850
transonic, past thin finite wedge in parallel wall channel 4−27852
transonic, small perturbation equation, analogue simulation 4−24211
transonic, with shock waves, hodograph method applic. *(French)* 4−924
turbine blade trailing edge flow, variation of Mach and Reynolds number 4−36655
turbulent mixing with fluid at rest, obs. 4−24214
two-phase, double diaphragm shock tube *(Italian)* 4−23066
unsteady aerodynamics of finite supersonic cascade with subsonic axial flow 4−32081
unsteady flow, high order solutions 4−40481
viscous-inviscid interactions in supersonic flow, Klineberg's method modification 4−9674
past wedges, attached shock waves, numerical analysis 4−3283
wind tunnels, wall interference effects for 20 deg cone-cylinders 4−24207
CO$_2$, vibr. relaxation during cooling of gas stream in supersonic nozzle *(Russian)* 4−40246
CO$_2$ jet, freely expanding, transitional range, flow meas. *(German)* 4−2439
H$_2$ + O$_2$, supersonic blunt body, pulsating combustion effects *(Russian)* 4−35570
N$_2$-H$_2$ mixture, heat transfer at frontal pt. on blunt body *(Russian)* 4−40494

supersonics *see supersonic flow*

supply systems (electric) *see power systems*

supports
see also poles and towers
dielectric strength and flashover, bibliography for 1971, in book 4−6844
Fleurs Synthesis Telescope antenna system design and layout 4−22492

surface chemistry
see also chemisorption; corrosion; oxidation
adsorption, at electrode, reversible pot. monomol. screening by metal surface *(German)* 4−34031
adsorption, distribution, over electrode surface rel. to metal electrodeposition 4−34061
adsorption kinetics, numerical soln. for sorbent particle of plane geometry 4−28278
adsorption of H$_2$ on Pd and Pd-Ag alloy, react. $H_2 \rightleftharpoons 2H$ (dissolved) studied, kinetics, mechanism, rel. to temp. 4−40970
analysis by ion sputtering and quadrupole mass spectrometry 4−30665
appearance potential spectroscopy, detection of light elements 4−15073
crystallographic problems, real, ideal, metallic, non-metallic surfaces *(German)* 4−3642
N,N-dimethylaniline, adsorption on aluminosilicagel and decathion ceolites *(Russian)* 4−1743
electrode, reflectivity changes, by means of adsorption processes *(German)* 4−34033
electrode adsorption reaction of adsorbed subst. with subst. transported by diffusion 4−29330
formic acid, adsorbed on Ni(110), decomposition, CO$_2$ flash desorption with surface explosion 4−34085
gas absorption with chemical reaction, penetration theory 4−4300
glass, sintered disc, dissolution by HF, porosity and permeability 4−17472
gradient dependent diffusivity 4−4299
interstellar molecules formed by dust grain surface photocatalysis *(German)* 4−11243
photosensitive film formation in corrosion of copper and α-brass by Cl-water 4−21602
polypropylene film, conc. of degradation products on surface *(Russian)* 4−1685
polythene film, conc. of degradation products on surface *(Russian)* 4−1685
porous medium, homogeneous, dissolution by acid porosity and permeability 4−17472
pressure measurement, film balance attachment 4−35536
steel, stainless, passivation, effect of Mo *(French)* 4−33784
X-ray photoelectron spectrometer for surface chemistry studies 4−35489
Al$_2$O$_3$ substrates, Auger electron spectroscopy, thin film adherence 4−7262
C blacks, adsorption isotherms of benzene, surface O complexes effects 4−16656
CO/Pd(III) system, adsorpt./desorpt. kinetics, catalysis investig. using pulsed Nd laser *(German)* 4−32812
GaP + O$_2$, Auger electron spectrum fine struct. anal. 4−10512
NH$_3$ reaction with acenaphthylene 1-carboxylic acid solid surface, mol. packing and struct. defects influence 4−13980
O$_2$ desorption, on ZnO surface under high vac., on u.v. illum. *(German)* 4−32813
Pt-Sn alloy, surface enrichment, combined X-ray photoelectron and Auger spectroscopy 4−25213
Rh catalyst, surface ionis. of CsCl mols. on Rh-C emitter with C diffusion across interface 4−17538
SiO$_2$-Al$_2$O$_3$-Na$_2$O, glass, determ. depth of ^{6}Li penetration *(Polish)* 4−4200

surface contours
effect on displacement precision measurement, roller method *(Russian)* 4−22771
electroinductive sensor, MP-125 instrument *(Czech)* 4−22763
electron microscope specimen, jet polished 4−30621
electron resist, exposure, math. model 4−23003
generation by curvilinear holograms 4−18481
gratings, diffraction, groove profile measurement, Talystep, method evaluation 4−2274
laser interferometric calibration of surface plate 4−11510
metal, reflectivity meas. instrument 4−26507
metallic thin films, topography, transmission electron microscopy technique 4−2372

surface contours continued
NDT, laser scanning for surface defects eval. 4—21516
ocean bottom wide swathe mapping, incoherent scatt. model and signal processor 4—17865
profilometric gross swelling measurement, heavy ion bombardment 4—1000
roughness, profile and power spectral densities investigation 4—18360
roughness profilograms, processing, least squares method 4—35191
sintering, role of surface geometry, contact forming 4—21380
texture recognition, brightness and roughness algorithm 4—8545
thermal, rel. to Mt. Rainier and Mt. Lassen, eruption prediction in cascade region 4—10824
thermoelastic instabilities, frictionally excited, reply to comments on 4—36951
topographic mapping, combination of aerial and satellite photography 4—17828
topography meas. using microwave scanning microscope 4—30626
Ag, electrodeposition on Au electrode, specular reflectivity meas. 4—17523
NaCl, study of atomic V-steps formed by cleavage 4—3629
Ni-W composite, effect of ion beam milling on surface topography 4—1156
Pt(100), Fourier anal. of LEED intensities, surface corrugation 4—3625

surface diffusion
see also sorption
absorption and desorption curves, effect of non-constant charging, electroanalog model 4—28276
a.c. impedance, for influence of catalyst/inhibitor on electrode reaction 4—29328
adsorption kinetics, numerical soln. for sorbent particle of plane geometry 4—28278
alkali alumino silicate glass, Rayleigh wave meas., ion exchange 4—28272
alkali halides of Au, rel. to nucleation kinetics 4—20509
chromised coatings, phys. metallurgy and rel. to applics. 4—13759
coating formation of metals and alloys, nonequil., struct. 4—13755
concentration gradient dependence 4—4299
crystal growth study, diffusion processes rel. to asymmetric capture at steps 4—20240
developers, colour, oxidised, computation of overall diffusion coefficient in gelatin 4—10783
diffusion-controlled competitive sorption processes 4—3639
electrochemistry, boundary value problems, generalisation of semioperator approach 4—25489
film nucleation process, Monte carlo simulation 4—37129
gel, drying kinetics 4—41890
glass, silicate, ion exchange rel. to tracer diffusion 4—38165
grain boundary grooving under combined action of surface and volume diffusion mechanisms 4—1493
grain boundary void growth in creep, surface diffusion influence 4—21281
Higashi model modification 4—6545
implantation, on electrodes, diffusion kinetics, mechanism 4—34060
intergranular creep cracks growing by surface diffusion, shape calcs. 4—33685
metal, of impurity metal atom, activation energy *(German)* 4—10038
metal, oxidation, diffusion in finite system with moving boundary 4—24653
Monte Carlo simulation of simultaneous surface grain boundary and bulk diffusion 4—28233
polybutadiene film, cryst. and amorphous, diffusion of small molecules 4—24580
protective layers prepared by immersion in liq. Sn solid-liq. diffusion concept applic. 4—13763
semipermeable tube in moving liquid, ternary gas mixture *(French)* 4—26214
sorption-diffusion in heterogeneous systems, diffusion-immobilization model 4—3638
steel, boronising as surface hardening process 4—13758
steel, Cr-Ni, structure and chem. comp. changes during heating in C-containing atmos. 4—33786
steel, diffusional boron based claddings, abrasional wear resist. *(Russian)* 4—37884
steel, medium-C, alitizing influence on creep *(Russian)* 4—41670
steel, medium-C, effect of Cr-Ni diffusion coatings on mech. props. 4—29124
steel, Sn diffusion coating prep. and characteriz. 4—13760
steel saturation with Mo from vapour phase, KL18N10T 4—29109
subcritical crack growth in reactive gas environment, diffusion-controlled 4—20363
Ag films in contact with In films *(Russian)* 4—3659
Ag halides, effects of divalent impurities and halogen pressure 4—1264
Al-Cu(4 wt.%) alloy, surface precip. morphology and growth kinetics 4—17265
Al_2O_3-Al(Cu)(Ta), kinetics and mechanism of cohesion *(German)* 4—7282
Au films in contact with In films *(Russian)* 4—3659
B, sintering behaviour, 2155-2268K, crystalline specimens 4—17393
Cu, Ag-diffused surface, glide dislocation behaviour and strengthening 4—4076
Cu, Ag-diffused surfaces, accommodation dislocations development in Ag conc. gradient 4—1482
Cu, protective coating prod. and effects on substrate characts. 4—1578
Fe, of carbon, deform. induced struct. influence *(Russian)* 4—33724
Fe alloy, boride coating, formation, effect of Si 4—29121
Fe/Fe-Pd and Fe/Fe-C diffusion couples, austenitic, enhanced surface diffusion 4—21232
Fe-P alloy, Auger spectroscopic anal. of P surface segregation as function of temp. 4—3645
H_2, adsorbed on graphite, n.m.r., 12-28K, hindered rot.-translation 4—20481
LiF, single cryst. (100), (110) surfaces, collisional coalescence of evaporated Au particles 4—16655

surface diffusion continued
Mo, spike, strong elec. field and heat effects, field emission *(Russian)* 4—33549
Mo, surface self-diffusion parameters 4—40969
Nb, surface self-diffusion parameters 4—40969
Nb alloys, aluminide and silicide coatings form. and degradation 4—13761
Ni, spike, strong elec. field and heat effects, field emission *(Russian)* 4—33549
Ni-al, alloy, diffusional growth of aluminide coatings 4—13756
Ni-Fe alloy substrate for reeds, surface segregation mechanism 4—1516
NiAl type coatings on Ni-Co alloys, prep., degradation and oxidation mechanisms 4—13757
Pb, spreading of Hg under oxide film *(Russian)* 4—40964
Pt catalyst particles, finely dispersed, on Al_2O_3, Ostwald ripening 4—21282
Re, surface self-diffusion parameters 4—40969
Si, of Si, film epitaxy with ion sputtering, surface step motion 4—20498
Si (111) face, ordering process, activation energy for migration, LEED obs. 4—40956
Sr, oxidation process, Auger electron obs. 4—24654
Ta, of Cr, activation energy meas., field electron microscopy *(Russian)* 4—33594
Ti, surface impurity segregation as monitored by Auger electron spectroscopy 4—10037
Ti diffusional coating on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4—15052
Ti-Al-B diffusional coating on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4—15052
W, (211) plane, adatom correlations 4—10036
W, self-diffusion, high elec. field, activation energy, residual gas influence 4—32807
W, spike, strong elec. field and heat effects, field emission *(Russian)* 4—33549

surface discharges
see also corona
capacitance effect, calc. and obs. *(Russian)* 4—12821
ceramic, fast flashover mechanism 4—36750
Lichtenberg figure, liquid crystal display 4—40694
$AsSe_{1.5}Tl_x$ mixed electrophotographic layers, dark discharge kinetics investigation *(Russian)* 4—34079
NaCl, surface discharge in vacuum, flashover voltage 4—20936

surface electron states
adsorbate on narrow band solid, local density 4—33020
copper phthalocyanine, imperfect crystals, microstructure and surface morphology 4—3736
cylinder, non-radiative surface plasmons, dispersion relns. 4—24801
deep-hole excitations in solids, plasmons and surface effects in X-ray photoemission 4—37198
dielectric media, surface waves coupled to surface carriers, theory 4—41107
dielectric model, surface polaron theory, slow electron interaction 4—33021
dispersion of radiative surface plasmons, electron scattering 4—10200
electron reflection, very low energy, surface state parameter determ. 4—40954
electron-hole droplets, density function expansion, gradient dependence 4—10199
electrostatic double layer adhesion, direct obs. using light-modulation of surface electronic props. 4—37294
Fermi hole near metal surface, canonical density matrix 4—28470
Green's function spectrum for film, tightly bound one-band approximation 4—13123
jellium model, surfce potential relative to bulk value, electron gas derivation 4—13215
LEED intensities, effects of potential barrier and surface relax., comparison between exact and perturbation method calcs. *(French)* 4—40955
local state density and reflectivity of electrons at cryst. surface 4—6577
metal, dispersion relation for surface polaritons 4—6660
metal, e.m. excitation of sound under normal skin effect conditions, cond. electron surface scatt. role *(Russian)* 4—28957
metal, image potential, dynamical screening, surface, plasmon model 4—24805
metal, interaction potential for electron approaching surface 4—16808
metal, plasmons, effective exchange and correlation potential 4—16809
metal, plasmons, variational calc. 4—24812
metal, positron trapping at vacancies, voids and surfaces 4—41037
metal, simple, collective contrib. to surface energy 4—3769
metal, zero-point plasma oscillations contrib. to surface energy 4—3770
metal catalyst classification based on surface d-electrons 4—33024
metal surface, smooth and rough, surface plasmons, attenuated total refl. investig. 4—33023
metal-dielectric boundary, microscopic theory, l.f. surface excitons, electrostatic image forces *(Russian)* 4—20688
metal-semiconductor contact with Schottky barrier, energy spectrum determ. *(Russian)* 4—13221
metals, 1-D model, level struct., sinusoidal potential 4—24690
metals, effect of ionic potentials on interface adhesive energy 4—1160
metals, excitation, heavy particle interaction, dynamical effects 4—25204
metals, external elec. field depend., 1-D model 4—24811
metals, theory, expt., conf., Hindas, Sweden (1973) 4—24802
m.i.s. structure, fixed oxide charge density fluctuation effects in CV measurements 4—37311
m.i.s. structure, interfacial thermal current, non-steady state, interfacial trap parameter determ. 4—24836
m.i.s. structure, transient emission current theory, and interface trap parameter determ. 4—24835
m.i.s. structures, photocapacitive effect, theory 4—24834
m.n.o.s. structure, interface trap energy distrib., non-steady state techniques 4—24837

surface electron states continued
molecular crystals, Hamiltonian partition method calc. 4−28476
m.o.s. capacitors, 1 MeV electron irrad., bias temp. treatment, surface state density 4−16828
m.o.s. diode, computational determ. of surface state density 4−28498
m.o.s. thin oxide structure, saturation capacitance obs. 4−41127
m.o.s.t., number of states determination, in weak inversion 4−28477
plasmons, dispersion relation for diffuse boundary scattering 4−41114
polariton theory, variant of Ewald-Oseen extinction theorem 4−37297
polaritons in semiinfinite biaxial crystals 4−3768
quantum transport theory, level broadening in strong mag. field 4−41103
resonance, rel. to dynamical theory of refl. of very low energy electrons at cryst. surfaces 4−40953
semiconductor, surface properties of electron-hole droplets 4−32906
semiconductor ferromagnetic, heavily doped, quasisurface magnon states, quasiclassical method 4−28639
semiconductor film, field effect, carrier freezeout calc. 4−33048
semiconductor surface barriers, display and meas. by SEM technique 4−28473
semiconductors, magnetoconcentration of excess carriers 4−41113
solid body phase boundaries and their importance for semiconductor structural elements *(German)* 4−24797
space groups, two-dimens., irreducible representations, and rel. to surface and thin film eigenstates 4−37064
superconductivity, excitation energy spectrum, impedance anisotropy 4−41133
transition metal, relax. near surface, theory 4−3771
transition metals, surface reson., numerical calc. 4−24806
Van Hove singularities in surface densities of state, (100) simple cubic crystal 4−28472
virtual surface states, existence under conditions of field emission expt. 4−24800
Wannier, function formalism 4−37295
Ag, Ag-Au alloys, small particles, light absorpt., plasmon modes 4−25134
Ag film, plasmon dispersion curve, damping effect, attenuated total reflection technique 4−13214
Ag film, surface plasmon reson. absorpt., surface roughness effects 4−33433
AgCl, surface space charge regions, vibrating capacitor meas. 4−24799
Al, free-electron model, dispersion and damping of surface plasmons calc. 4−41111
Al, influence on elastic LEED 4−20470
Al, surface barrier potential, rel. to polarization depend. of photoelectron yield 4−33584
Al film, energy band calc. for (001) surface 4−37296
Au, Ag-Au alloys, small particles, light absorpt., plasmon modes 4−25134
Au, surface plasmons, dispersion relations, optical meas. 4−41109
Ba, appearance potential spectroscopy 4−33522
BaO, with adsorbed Ba, rel. to thermionic emission 4−28985
p-Bi-Sb, alloys, microwave absorpt., cyclotron reson., quantum oscills. of surface impedance, 35, 70, 135 GHz 4−16709
CaO, with adsorbed Ba, rel. to thermionic emission 4−28985
CdS, uniaxial, dispersion of ordinary and extraordinary surface polaritons 4−1263
CdSe-Dy_2O_3, surface state energy levels, m.i.s. CV charac. temp. depend 4−41120
CdSe-Si_xO_y, surface state energy levels, m.i.s. CV charac. temp. depend. 4−41120
GaAs, epitaxial cryst., exciton absorpt. spectrum, surface charge effects 4−25130
GaAs, epitaxial film, oscillatory magneto-absorpt., fine struct. anal. 4−25132
GaAs, phonons in surface photovoltage 4−33002
GaAs, photovoltage spectroscopy, piezoelec. effects, atm. comp. depend. 4−6661
GaAs electrodes, hole injection and surface state effects 4−1266
GaAs:Au,Cu, adsorbed impurities, effect on elec. and luminous props. *(Russian)* 4−20663
GaAs-Sn, Schottky diode, deep levels, surface field-effect mobility 4−24829
GaSb with metal contacts, surface conditions rel. to barrier heights *(German)* 4−13222
Ge, clean surface field emission from surface states, effect of tunnelling 4−28994
Ge, crushed crystals, e.s.r. obs., paramagnetic surface states 4−41241
Ge, effect of combined metallic coatings, Ag + Au, Au + Cu and Au + Cu + Ag *(Russian)* 4−28475
Ge, photoinduced e.p.r. obs. 4−28685
Ge, surface barriers, display and meas. by SEM technique 4−28473
Ge, surface carrier mobility determ. *(Russian)* 4−41105
n-Ge, surface conductance, anisotropy 4−3740
Ge, thermally oxidised surface charging kinetics, adsorption meas. 4−37300
Ge, with adsorbed water vapour, rel. to surface cond. and field effect mobility 4−24634
Ge-electrolyte interface, surface state investigation by photo-e.m.f. method 4−28474
Ge-metal Schottky barrier, rel. to electrical characs. 4−13223
Ge(111), two dimensional excitonic insulator ground state 4−41112
He, liquid, electrons in image-potential states, microwave absorption 4−28254
He, liquid, microscopic analysis 4−32766
InAs, quantised surface accumulation layer, Pb-oxide-InAs tunnelling and capacitance obs. 4−28471
n-InSb, film, carrier capture by surface states, depend. on density of states 4−24848
InSb, grating, e.m. wave refl., plasmon excitation, dispersion 4−20662
Mg, surface barrier potential, rel. to polarization depend. of photoelectron yield 4−33584
MoS_2, n-, p-type, surface photovoltage and work function, energy gap determ. 4−1262

surface electron states continued
Ni, clean and Na-covered, surface state parameter determ. from very low energy electron refl. 4−40954
Ni, influence of O_2 or N_2 adsorption on secondary ionic emission *(French)* 4−3649
Ni substrate/adsorbate system, photoemission obs. 4−37112
Ni-Cr, influence of O_2 or N_2 adsorption on secondary ionic emission *(French)* 4−3649
Pb film, refl. meas. 3 to 15.5 eV in u.h. vacuum, existence of volume and surface plasmons 4−41452
Si, annealed, photoemission meas. 4−25208
Si, energy distrib. of field-emitted electrons, evidence for surface states 4−25216
n-Si, inversion layers, piezoresistance, low temp. 4−3940
Si, photoinduced e.p.r. obs. 4−28685
n-,p-Si, radiation damage to surface layers, defect energy levels 4−24484
Si, rel. to carrier mobility in surface inversion layers 4−41104
Si, rel. to peaked struct. in field-effect mobility of m.o.s.t., 4.2K and below 4−13225
Si, rel. to u.v. photoemission spectra 4−28989
Si, self-consistent calc., ionisation pot., charge density and surface pot. 4−20665
Si, surface barriers, display and meas. by SEM technique 4−28473
Si surface recombination rate, effect of aluminium di-2,4-pentandionato-mononitrate film, impurity diffusion *(Russian)* 4−20664
Si wafer with p-n junction, surface photo-Hall effect 4−37256
Si-SiO_2, anodic, state density at interface, effects of cryst. orientation 4−24838
Si-SiO_2, fast interface states, low temp. photocapacity in m.o.s. struct. 4−20696
Si-SiO_2 interface, density of surface states, determ. by graphical technique using C-V curves 4−13228
Si-SiO_2 interface, effect of Si cond. type 4−28500
Si-SiO_2 interface, effects of Ni, m.o.s. CV characts. obs. 4−20697
Si-SiO_2 interface, in m.o.s.t., transfer admittance obs. 4−41126
Si-SiO_2 interface, low density, meas. method 4−20695
Si-SiO_2 interface, m.o.s. cond. technique, effect of energy-depend. capture cross section on data interpret. 4−37315
Si-SiO_2 quantum state and electron transport, m.i.s. device technology 4−37318
SiC, single cryst. surface barriers, I-V, C-V characts. 4−33022
SiO_2 films, low-temp. investig. *(Russian)* 4−41125
Si(111), semi-empirical tight-binding calcs. 4−37299
Si(111), two dimensional excitonic insulator ground state 4−41112
SmS crystal surface, laser-induced metal to semicond. transition, data storage appl. 4−31061
Sn, thin film, resistance peak at supercond. transition 4−28565
SrO, with adsorbed Ba, rel. to thermionic emission 4−28985
Te_2AsSi glass, small filament, rel. to field effect 4−24750
Th, photoemission, X-ray induced, clean and oxidised surfaces 4−33564
Ti, emission phenomena, at nonstationary heating by Ar-air low-temp. plasma flow *(Russian)* 4−41443
U, photoemission, X-ray induced, clean and oxidised surfaces 4−33564
W, photoemission spectra, from single cryst., surface and bulk contrib. 4−33585
W, with adsorbed H, electronic energy levels, photoemission obs. 4−37298
W single crystal, directional photoemission investig. 4−33580
W substrate/adsorbate system, photoemission obs. 4−37112
W(100), optical reflectance spectroscopy of surface states in H_2 chemisorption 4−41389
ZnO, H excitation, cond. mechanism *(Russian)* 4−21053
ZnS:Cu phosphor, rel. to Gudden-Pohl effect 4−13522

surface energy
see also surface electron states
activity coeffs. from gas chromatography 4−29357
alloy, high-strength, precipitate growth kinetics 4−7099
binary systems, solid/liquid interfacial free energies 4−1161
bounded electron gas, exchange and correlation energy 4−24808
ceramic, thermodynamics of liquid phase sintering 4−17389
configurational free energy of low index surfaces, low temp. series 4−24625
crystal, configurational free energy calc. by Monte Carlo method 4−16653
crystal surface, free energy calc. 4−40863
dielectric in electrolyte, colloid, Green function calc. 4−29240
dielectric interface, mol. dispersion self-energy 4−28275
disclination containing crysts., growth characts. 4−16440
electrochemical electrode, surface activity evaluation, kinetic anal. 4−17524
electron gas, bounded, surface exchange and correlation energy 4−24673
glass, silane coupling agent effects on H_2O adsorption 4−1162
graphite 4−16651
ice, dispersion and polar components, wettability data calc. 4−37083
metal, analysis of theoretical approximations *(French)* 4−16650
metal, chemical surface stress phenomenon 4−28277
metal, simple, collective contrib. 4−3769
metal, stress corrosion cracking, surface hydrides role 4−17354
metal, zero-point plasma oscillations contrib. 4−3770
metals, effect of ionic potentials on interface adhesive energy 4−1160
metals, exchange and correl. contribs. 4−24810
metals, role of Friedel oscills., electron gas theory 4−24809
mica, electrostatic interlayer bonding from surface energies of (001) cleavage 4−20244
mica, surface free energy determination, importance of mechano-electric phenomena *(German)* 4−3637
muscovite, surface energy calculations 4−40966
one-dimensional fluid, and region, surface energy, struct., pair density 4−15232
polyethylene lamellae aggregates produced by annealing 4−4214
polymer, highly oriented fracture surface energy 4−13896
pyrographite, spreading of liq. Ti and Zr 4−32796
solid, at boundary with gaseous media, estimation method *(Russian)* 4−10033
solid/liquid interfaces, free energies, review 4−32798

- **surface energy** continued
  - steel, rupture, gas adsorpt. effect on surface energy, electron microscopy 4−13746
  - steel, stainless, Type 304, interfacial free energies and temp. coeffs. 4−1491
  - superconducting thin films, mag. struct. conference Argonne USA (1973) 4−28520
  - transparent solid, fracture surface energy using laser-induced cracks 4−1678
  - Al, Landau domain struct. 4−28540
  - Al powder coating of steel strips, phys. metallurgy aspects 4−13766
  - Al_2O_3, fracture, porosity depend. 4−7298
  - Al_2O_3, interfacial energy of coherent and incoherent deform. twin boundaries 4−33846
  - $CH_2 + H_2 \rightarrow CH_4$, potential energy surfaces 4−10745
  - α-Fe solid solutions annealing temp. effect *(Russian)* 4−33703
  - Fe-Zn, specific surface energy of ferrite interface 4−4092
  - Fe-Zn alloys, ferritic, electron microscope investigation of cellular precip. 4−33715
  - Ge, microhardness change on surface charging *(Russian)* 4−1261
  - ^{3}He atom bound states on ^{4}He surface 4−32780
  - ^{4}He, liquid, zero temp., ground state wave function 4−13071
  - InSb-NiSb eutectic alloys, interface energy from total self energy of interface dislocations 4−17206
  - KCl, temp. gradient zone melting, interface stability 4−17174
  - KCl-H_2O system, interface stability in temp. gradient zone melting 4−1446
  - NaCl, rel. to prismatic-cylindrical morphology change, Czochralski growth method *(French)* 4−32461
  - NaCl crystals, equilib. shape of molten CsCl-NaCl droplets 4−40967
  - Nb, supercond., laminar struct. decoration, interphase surface energy 4−33068
  - Ni, thin film, surface energy estimated, ferromag. reson. meas. *(German)* 4−37498
  - Pb, bulk, intermediate supercond. state struct., surface energy parameter 4−24870
  - W, relax. energy of W adatoms 4−32809
  - W wire, at boundary with gaseous media, estimation method *(Russian)* 4−10033
  - Zn, superconducting, Landau domain struct. 4−28539
- **surface films** *see films*
- **surface ionisation**
  - *see also thermionic emission; work function*
  - alkali metal halides on refractory metal emitters *(Russian)* 4−33595
  - field ion characteristics for field calibration with 3% accuracy 4−39368
  - 1-hexene, dependence of field ionisation on field induced surface reactions *(German)* 4−4029
  - nonequilibrium, generalised Dobretsov equation, application to sputtering 4−1424
  - rare earth dicarbides, metal ion emission 4−33861
  - review paper on ionisation in general *(French)* 4−23983
  - CsCl on Rh-C film emitter 4−17538
  - KCl, on Mo (100), work function meas. *(Russian)* 4−33595
  - KCl on Rh surface 4−17538
  - KNO_3 on Rh surface 4−17538
  - Sc dicarbides, metal ion emission 4−33861
  - W, with He layer, field evaporation of WHe^{3+} 4−10049
  - W oxide layer, adsorpt. of alkaline earth metals and oxide formation *(German)* 4−3643
  - Y and dicarbides, Langmuir vaporisation and surface ionisation 4−33861
- **surface measurement**
  - binary alloys, fracture, examination by Auger spectroscopy 4−1697
  - contours, using holographically stored interference patterns *(German)* 4−35178
  - data automated stylus instrument, for surface characterisation 4−35170
  - electroinductive sensor, MP-125 instrument *(Czech)* 4−22763
  - errors of measurement in contact type measuring instruments, stylus kinematics 4−18361
  - gas chromatographic method for area determ., organic adsorbates 4−39441
  - gratings, diffraction, groove profile measurement, Talystep, method evaluation 4−2274
  - holographic interference patterns from static surface displacements, expt. obs. versus theory 4−35179
  - mirror-like, straightness using laser beam 4−8314
  - optical testing, caustic method 4−35262
  - particle surface meas. using EGD corona discharge technique 4−18703
  - roughness, coherent diffraction method 4−11489
  - roughness, profile and power spectral densities investigation 4−18360
  - roughness of supersmooth surfaces, light scatt. meas. instrument 4−30393
  - roughness parameters, filtering properties of M-systems 4−30402
  - roughness profilograms, processing, least squares method 4−35191
  - sphericity of convex surfaces, optical testing, instrument patterned from projecting microscope 4−35257
  - texture analysis methods, sample diffraction patterns 4−11491
  - thickness control by holography 4−2225
  - X-ray texture analysis, computation method 4−20472
  - Si/SiO_2 interface, surface roughness, guided beam attenuation meas. in Si waveguide 4−26454
- **surface phenomena**
  - *see also acoustic surface waves; capillarity; crystal surface and interface vibrations; emissivity; interface phenomena; liquid surface waves; sorption; surface chemistry; surface diffusion; surface discharges; surface ionisation; surface potential; surface tension; surface treatment*
  - accommodation coefficients, rotational and translational, direct simultaneous meas. 4−19797
  - alkali halides, movement of gas-filled cavities produced by external fields 4−24587
  - atom-surface scattering, model calcs. 4−28983
  - chalcogenide glass, electrical and chemical changes in surface region 4−41108
- **surface phenomena** continued
  - charge carrier photoinjection, mol. cryst. surface, Onsager's ion recombination model 4−6654
  - condensation, drop size distrib. and coalescence 4−6483
  - construction materials in high and medium vacuum systems, outgassing props. 4−10684
  - continuum model, electrodynamics 4−33016
  - crack and notch interaction with longitudinal and surface waves, photoelasticity meas. *(Russian)* 4−6542
  - critical phenomena scaling theory 4−23214
  - crystal, hexagonal and tetragonal, quasivolume and Rayleigh elastic surface waves 4−16648
  - dielectric, transparent, laser-induced surface damage 4−15383
  - electrode, estimation of desorpt. on capacitative branch on charging curve 4−41971
  - electron microscope, for surface chemical analysis *(French)* 4−30664
  - electron microscopy, conf., New Orleans, USA (Aug. 1973) 4−141
  - e.m. surface waves along plane interface between linear and nonlinear dielectrics 4−35793
  - e.m. wave amplification using dielec. struct. on infinitely cond. metal *(French)* 4−30951
  - evaporation surface cooling, v.p. depend. in closed system, calc. 4−40884
  - ferromagnetic film, surface ferromag. order, prep. of single crystal film 4−28668
  - foam, effective viscosity, bubble size bias 4−29237
  - free molecule flow, impulsive tridimensional interaction model 4−33530
  - gas-solid interaction, elastic scattering, semiclassical treatment, diffr. intensities, lattice disorder effects 4−41455
  - glass electrode membranes, aq. soln., surface layer form., ion sputtering 4−28302
  - hardened steels, device for studying effect of sliding on surface fatigue 4−39165
  - heat transfer, moving boundaries problem, thermal quasi-stationary approx. soln., surface melting appl. *(Russian)* 4−19000
  - hexagonal crystal, orientation evaluation from data on traces 4−12837
  - ice, conf. Ottowa Canada (1972) 4−32527
  - ice, quasi-liquid transition layer investigation 4−37069
  - ice, surface and volume cond. meas. 4−37243
  - inorganic salt-water system, cryst. growth, rel. to heat and mass transfer and surface rate process 4−17166
  - interface systems, thermodynamic investig. of irreversible processes, transport processes, chem. reactions *(German)* 4−38167
  - laser damage, cone shaped pit form. mechanism 4−35880
  - liquid atomisation by high-velocity gases, prediction of drop size of spray 4−3332
  - macroplastic flow, influence of microplastic deform., near solid body surface, review *(Russian)* 4−21307
  - magnetic media, surface e.m. waves 4−24982
  - magnetisation, Heisenberg model, spatial and temp. depend. 4−33115
  - magnetism, systems with long range interactions *(German)* 4−6704
  - magnetostatic wave propagation, between adjacent magnetic substrates 4−41218
  - magnons, soft surface, mag. superstructure 4−3851
  - metal, chemical surface stress phenomenon 4−28277
  - metal, e.m. wave excitation by electron bombard. 4−36918
  - metal, He beam scatt., applicability of Debye-Waller factor 4−33543
  - metal, image of moving currents and charges 4−19026
  - metal, scattering of CO_2 laser radiation 4−25199
  - metal, specular reflection of conduction electrons 4−20666
  - metal erosion by u.s. cavitation, d.c. current effects *(Japanese)* 4−38152
  - metal thin plate, surface scatt. influence on quantum size effect 4−16731
  - metals, theory, expt., conf., Hindas, Sweden (1973) 4−24802
  - metals with overlayers, e.m. wave propag. 4−24807
  - molecular beam interactions with solid surfaces 4−33529
  - molecular beam scattering, pattern distortion 4−28971
  - nonlinear interaction of X-ray and optical fields 4−21103
  - ocean surface current meas. by h.f. radio wave backscatter 4−11076
  - outgassing props. of construction materials in high and medium vacuum systems 4−10684
  - p-n junctions, 1/f noise in various semiconductors and ambient media *(German)* 4−3773
  - physics of clean surfaces, educational paper 4−18304
  - plasma surface, e.m. wave absorpt. *(Russian)* 4−32155
  - plasmons, electron-induced, metals, radiative decay with surface roughness, evaporated Ag targets 4−13158
  - rarefied gas, surface accommodation effects on thermal transpiration, Burnett theory 4−9642
  - Rayleigh wave scattering, irregularity size depend., freq. range *(Russian)* 4−20369
  - Rayleigh wave scattering by point defects 4−37075
  - rough dielectric surface, photon diffuse scatt. and surface-plasmon generation 4−37193
  - rough surfaces in plastic contact, random process model 4−32795
  - secondary electron emission spectroscopy, electron-induced, of surfaces 4−25203
  - secondary ion emission, model 4−10505
  - semiconductor, strong e.m. wave, electron-phonon heating, damping, surface impedance near cyclotron reson. 4−13202
  - soft surface phonons and surface reconstruction 4−20473
  - soft-mode theory of surface reconstruction, Debye-Waller factor calc. 4−9971
  - solid media elasticity, effect of optical action 4−37080
  - steel, carbonitrided, failure character and phase comp. of surface layer, tempering effect 4−29120
  - steel, surface layer, phase transform. during abrasive wear 4−29036
  - steel, surface layer props., effect of heat treatment on changes during wear, 12KhN3A 4−33803
  - substrate contamination, electrodeposition of Ni epitaxial film 4−20492
  - superconductor, magnetic flux structures, obs. methods 4−28534
  - surface and membrane science, book 4−20467
  - thermal coeff. of accommodation and emissivity, surface roughness depend. 4−40899

surface phenomena continued
transparent dielectric, optical strength, laser damage mechanism 4−23374
two-phase system, surface condition, mass and energy transport entropy prod. 4−26870
type I superconductors, Landau domain struct. 4−28538
Van der Waals forces, theory and expt., book 4−19930
waves and isotropic solid bodies nonresonant parametric interactions *(Russian)* 4−6541
Ag, surface plasmons, dispersion curves, backbending 4−20643
Al alloy, superconducting, e.m. surface resistance 4−24881
Al/Zn, cond. e.s.r., surface relax. boundary conditions 4−20860
Al-Sio$_2$-Si, m.o.s., surface impurities effect on radiation induced changes 4−33034
Al$_2$O$_3$ ceramics, hydration, Ti thin film bonding depend. 4−1615
Al(OH)$_3$, xerogel, surface area and porous texture 4−17466
Ar, solid, surface thermal expansion calc. 4−20427
As$_2$S$_3$, vitreous, surface breakdown under laser irradiation *(Russian)* 4−3628
Au film, interaction energy with gas molecule 4−6548
Au ultrathin films on glass, coalescence, atm. exposure effect 4−6565
Au-In, evaporated film, In enrichment, Auger spectra 4−37125
EuO, paramagnetic surface layer, doping effect on molecular field *(German)* 4−24981
Fe-Si, domain wall behaviour at surface, magneto-optical obs. 4−10295
GaSe, luminescence, exciton fine struct., surface misorientation effects 4−25170
Ge, submonolayer Na, covering effect on second harmonic generation 4−321
H atom recombination, mag. reson. meas., Vycor, borosilicate glass, fused quartz, Dri-film 4−20479
He liquid, evaporation, rel. spectrum, ballistic-collective sound transition 4−24607
InSb, resist near supercond. transition point, filamentary regions 4−28531
InSb, supercond., mech. deform. effect, struct. change 4−24874
Kr, solid, surface thermal expansion calc. 4−20427
LiNbO$_3$, surface wave velocity and delay time, temp. characs. *(Korean)* 4−6540
LiTaO$_3$, surface wave velocity and delay time, temp. characs. *(Korean)* 4−6540
Nb superconducting thin film, fluxoid properties rel. to surface proximity effects 4−24850
Ni, ^{3}H release fusion reactor applications 4−23869
Ni, LEED, intensity-energy spectra using exact multiple scatt. method 4−32789
Ni alloy, structure, chem. comp. and props. during thermal cycling in air stream, ZhS6-KP 4−33732
Pb:Bi film on quartz, high field, supercond. surface sheath, u.s. attenuation 4−16880
PbIn alloys, superconductors, surface resistance study vortice lattice interaction 4−28542
Si:Au, diode, mirror electron microscope, current filament next to base surface 4−20610
Si-SiO$_2$ interface, surface charge and stress distrib. 4−13229
SmS, laser induced metallic to semiconducting phase transition *(German)* 4−24705
Ti alloy, quenching and aged, resistance to repeated static loads, effect of surface layer depth and hardness 4−33796
W, thermal accommodation coeff. of inert gases, 300-623 K 4−13097
W, thermal accommodation effects under transition, temp. jump and free mol. regimes in He and Ne 4−9645
W, wire, heat transfer in N$_2$, temp.-jump region 4−27791
Xe, solid, surface thermal expansion calc. 4−20427

surface potential
alkali adsorption, effects on plasmon dispersion and damping 4−1265
colloid, variational soln. of Poisson-Boltzmann eqn. for electrostatic pot. 4−29236
dielectric layers, electrostatic axisymmetric fields *(Russian)* 4−6829
electrolytes, aq. solns. containing neutral salts, thermodynamic props. determ. *(French)* 4−41963
electron microscopes, charging effects in different artifacts 4−8537
ice, electric-charge-generation processes in clouds 4−38386
jellium model, relative to bulk value, electron gas derivation 4−13215
LEED intensity calculations, barrier model choice 4−13079
liquid, order of magnitude of gradient of density dependent term of elastic potential 4−16649
membrane, collodion, asymmetric potential mechanism 4−28478
metal, effect of Cs halide layer photoemission mechanism *(Russian)* 4−37732
metal, image potential, dynamical screening, surface plasmon model 4−24805
metal, ionic emission and surface potential, O$_2$ effects *(French)* 4−10509
metals, 1-D model, boundary conditions, potential decay 4−24690
m.i.s. array, two-dimensional inhomogeneously doped, distrib., numerical method 4−41106
molecular monolayers at air-water interface, close packed, unionized 4−37292
object, electron microscopy, non-isoplanatic imaging, weak phase object reconstruction 4−5253
Rhodopseudomonas spheroides, thylakoid membranes 4−42545
silver halides, space charge theory 4−37562
X-ray diffraction, spherical shell structures 4−39387
Ag halides, effects of divalent impurities and halogen pressure 4−1264
AgCl, surface space charge regions, vibrating capacitor meas. 4−24799
GaAs, surface photovoltage spectroscopy, piezoelectric effect, atm. var. 4−6661
GaAs electrodes, hole injection and surface state effects 4−1266
p-Ge, i.r. spectra, field effect, hole mobility in space charge region 4−24758
Ge, microhardness change on surface charging *(Russian)* 4−1261

surface potential continued
Ge, surface electrostatic pot., gas atm. effect when subjected to fast electron irradiation *(Russian)* 4−20669
Ge surface electrostatic potential, fast electron irrad. effects *(Russian)* 4−20668
Ge(111) surface, alkali-covered, photoelectron energy distrib. 4−10519
Mo, Born-Mayer, accommodation coeff. calc., secondary ion emission 4−10503
Pd evaporated film, H adsorpt. and absorpt., surface pot. changes meas. 4−28294
Si, self-consistent calc. ionisation pot. charge density and surface pot. 4−20665
Si(Li), drifted surface barrier detector 4−35414
W, well-defined surface, adsorption of common gases *(Japanese)* 4−40977
ZnO-resin layer surface corona discharge model and expt. *(Japanese)* 4−36754
ZnS, of grains, space charge effects, light absorpt. *(French)* 4−41110

surface structure
see also interface structure; surface texture
atomic scattering, elastic, from solid surfaces, semiclassical treatment, diffr. intensities, lattice disorder effects 4−41455
atomic structure, electron diffr. methods 4−32791
Auger electron microscopy 4−3430
binary alloys, fracture, examination by Auger spectroscopy 4−1697
ceramic, prep. condition effects, mechanisms, obs. 4−1614
ceramic, surface defects, result of surface finishing, effect on physical props. 4−38013
channelling phenomenon of MeV α particles, appl. to InP, GaAs, GaP 4−6536
characterisation techniques of chemical, physical and crystallographic nature of surface 4−3626
crystallography, ideal, real, metallic, non-metallic surfaces *(German)* 4−3642
cubic crystal orientation, analytical determ. from data on {111} surface traces 4−6298
elastic bodies with wavy surfaces, contact analysis 4−30759
elastic scattering of ^{4}He, recoil calcs., contamination identification table 4−16645
electron backscattering, SEM techniques, high and low energies 4−40949
electron diffraction, dynamical theory, appl. to refl. of very low energy electrons 4−40953
electronic materials evaluation, laser scan technique 4−27020
garnet substrate, for magnetic bubble garnet films, surface flaws 4−37460
gas-solid surface interaction studies, review 4−33544
glass, optical volume effects in drilling of finished plates 4−38
glass corrosion, gel film formation, electron microscopy, i.r. spectra 4−7294
halfchannels of close packed atomic rows, ion scatt. 4−9936
ice, spiral steps and VLS growth on surfaces treated with AgI-NH$_4$I 4−32790
ion beam spectrometry study of surfaces, teaching paper 4−30348
ion scattering, inelastic interaction energy depend. *(Russian)* 4−32785
laser illuminated degraded surfaces, statistical investigation of reflected light 4−18445
LEED, scatt. matrix of two-dimens. periodic objects, analytic props. 4−40952
LEED determination, use of Patterson function 4−40951
LEED intensities, effects of potential barrier and surface relax., comparison between exact and perturbation method calcs. *(French)* 4−40955
LEED techniques, review 4−10031
light elements on Nb or Ge matrices distrib., anal., by α-scattering method 4−38166
liquid, statistical thermodynamics 4−20468
Luna 16 regolith samples, electron microprobe anal. 4−11145
medium energy electron diffraction combined with scanning electron microscopy 4−3431
metal, and chemisorption layers, from LEED data 4−37065
metal, refractory, asymmetric change of thermo-emission current and cryst. surface struct., directional transfer *(Russian)* 4−21146
metal film, epitaxial, charge transport, effect of surface pseudomorphism 4−33040
metal on GaSb, ohmic contact formation, contact resist. meas. and investig. *(German)* 4−20682
metal surface, elec. microfield obs. using polymer film obtained by photolysis *(Russian)* 4−20667
metals, damaged surfaces, SEM morphology obs. 4−10596
metals, electron-induced plasmons, radiative decay with surface roughness 4−13158
MeV ion backscattering technique *(Japanese)* 4−11617
microanalysis, by nuclear reactions, apparatus, automatic energy scanning 4−8577
microanalytical techniques, conc. profiles 4−8579
microstructure, effect on liquid-gas phase change 4−32680
molecular beam scattering obs., elastic and inelastic 4−21116
quartz, silaned, low-energy, adsorpt. of n-hexane to n-decane, piezogravimetric method 4−10048
reconstructed, surface optical phonons, theory 4−37072
rough surface, r.m.s. roughness and correl. length, determ. by spatial coherence function meas. 4−6535
rough surfaces in plastic contact, random process model 4−32795
secondary electron microscope, for specimen surface examination 4−26667
single crystal substrate, for epitaxial growth, examination after mechanical working *(Russian)* 4−20497
sintered material, topological props., microscopic method for quantitative defn. 4−13830
space groups, two-dimens., irreducible representations, and rel. to surface and thin film eigenstates 4−37064
stainless steel, segregation of S during heating, LEED-Auger studies *(German)* 4−4093
steel, austenitic Cr-Ni, LEED-Auger investigations of (100) surface *(German)* 4−37909

surface structure continued
steel, stainless, liq. Na exposed, corrosion products identification 4−10597
superstructure, lattice dynamical calcs. 4−1152
X-ray photoelectron spectrometer fracture device 4−37736
Ag, electron microscopy influence on X-ray photoelectron yield 4−33578
Ag(001) with Se overlayer, 4-fold site model 4−28317
Al, continuously cast, development of subsurface segregation zones 4−1517
Al, deformed, small-angle X-ray diffr. in surface layers *(Russian)* 4−32784
Al, theory of lattice contraction 4−37062
Al_3Ni fibres, SEM study of fracture surface morphology 4−4149
Al_2O_3, vapour-growth surface, skew-refl. X-ray microscopy 4−10027
As, evaporated (0001) vicinal surfaces, ordered step arrays, LEED obs. 4−24618
Au, electron microscopy, influence on X-ray photoelectron yield 4−33578
Au, polycryst., erosion by Ar ions, SEM obs. 4−28265
Au-Mo, thin film reliability 4−3667
Au-Ta, Au-Ta-Pt, Au-Ta-Pd, thin film reliability 4−3667
Au-W, thin film reliability 4−3667
Au(100) surface, LEED, influence of twin volume density 4−24617
B fibre, temp. depend. of mechanical props. 4−13874
$BaTiO_3$, two-crystal spectroscopy, angles between surface blocks 4−12932
BeO, flat damage-free surfaces, chem. and mech. prep. 4−32821
BeO powders, obtained by calcination of sulphate, surface struct., comp. and sorption props. *(Japanese)* 4−25417
BeO powders derived from hydroxide *(Japanese)* 4−41827
C, laser irrad., polymorph formation and fluid flow pattern obs. 4−31062
Cr(100) and (110), LEED-AES study of oxidation 4−3656
Cu, Ag-diffused surface, glide dislocation behaviour and strengthening 4−4076
Cu, Ag-diffused surfaces, accommodation dislocations development in Ag conc. gradient 4−1482
Cu, electron microscopy, influence on X-ray photoelectron yield 4−33578
Cu, polycryst., erosion by Ar ions, SEM obs. 4−28265
Cu, whisker, tensile test, scanning electron microscopy 4−28322
Cu-Au, single crysts., oxidation, high temp. surface struct. model 4−28309
Cu-Sn, whisker, tensile test, scanning electron microscopy 4−28322
Cu(II) chabazite, e.p.r. spectra of Cu^{2+}, ion sites 4−20841
Er films, He implanted, topographical and expansion effects 4−9933
Fe, Auger emission microanal. 4−3433
Fe, b.c.c. single cryst., surface atomic layer spacing estimation, by Morse pot. function 4−28262
Fe, single cryst., LEED-Auger spectra, struct. changes on ion bombardment and heating *(Japanese)* 4−40945
Fe, whisker, tensile test, scanning electron microscopy 4−28322
GaAs, surface (111), $(19)^{(1/2)} \times (19)^{(1/2)} - 23.4°$ LEED reconstruction 4−24615
GaAs layers, homoepitaxial, surface morphology investigation *(German)* 4−10063
GaP, interaction with O_2, atomic struct., Auger anal. 4−10512
GaP layer, liquid phase epitaxy, surface morphology 4−25262
GaSb with metal contacts, surface conditions rel. to barrier heights *(German)* 4−13222
GaSb-Ag, Au, Ni, Al, In, Sb contacts, contact resistance meas. *(German)* 4−6675
Ge, adsorption of O_2, temp., exposure depends., defect effects 4−6563
Ge, excitonic instabilities, vacancies and reconstruction of covalent surfaces 4−10029
Ge clean cleaved (111) face, superstructure, water vapour adsorption effects 4−28289
Kr(111) surface, LEED intensity energy spectra, temp. depend. 4−28263
LiF, surface erosion during ion bombardment vacuum decoration method *(Russian)* 4−33531
LiF(001), diffraction and surface rainbow in atom-surface scatt. 4−1151
MgO, Kikuchi bands and lines on (100) cleavage face *(French)* 4−13077
Mo, carburisation of (110) surfaces, LEED and emission electron microscopy *(German)* 4−3624
Mo, thin film, oxidation investig. by energy loss and Auger electron spectroscopy 4−37116
Mo single crysts., high temp. annealing effects *(Russian)* 4−32786
MoS_2, dislocation images in high resolution SEM 4−40950
NaCl lateral surface, particle impingement mechanism of dislocation generation 4−6409
NaCl substrate, surface dislocation damage by thin film deposition 4−1182
Ni, (001), (110) and (111) clean surfaces, elastic LEED intensity-energy meas. 4−28264
Ni, deformed, small-angle X-ray diffr. in surface layers *(Russian)* 4−32784
Ni, f.c.c. single cryst., surface atomic layer spacing estimation, by Morse pot. function 4−28262
Ni (100) crystal surface, adsorbed monolayers of Na, Cs, K, O and S, struct. determ. using LEED 4−37066
Ni film, kinetic and microstructural aspects of interaction of O_2 and H_2 4−1170
Pb-In system, surface comp. from Auger spectra 4−28967
PbS thin films, surface hillocks investigation *(Russian)* 4−28321
Pd, vacuum evaporation and Ar sputtering, effect on photoelectron spectra 4−33555
Pt, hydrocarbon chemisorption, LEED 4−13100
Pt, monoenergetic Ar beam scatt., out-of-plane time-of-flight meas. 4−10510
Pt, monoenergetic Ar beam scatt., out-of-plane time-of-flight meas. 4−10511
Pt (100) (5 × 1), impurity causation and props. 4−37067

surface structure continued
Pt(100), Fourier anal. of LEED intensities, surface corrugation 4−3625
Pt(111) surface with O_2 adsorbed layer, LEED exam. 4−1167
Se vacuum evaporated layer, potential relief effect on microstructure *(Russian)* 4−6570
Si, adsorption of CO and O_2, electron beam induced effects, Auger spectroscopy and SEM 4−24637
Si, diffusion of B, effect of H_2-BBr_3 gas environment 4−29022
Si, excitonic instabilities, vacancies and reconstruction of covalent surfaces 4−10029
Si (001)-2 × 2 structure, surface Debye temp., LEED-Auger investigation 4−40957
Si (111) face, ordering process, activation energy for migration, LEED obs. 4−40956
Si IC, C residues, photoemission electron microscope investigation 4−8520
SiO_2-Al_2O_3-Na_2O, glass, determ. depth of ^6Li penetration *(Polish)* 4−4200
Si(111) surface, laser deposition and ordering kinetics of Al 4−28978
Te, c(2 × 2) structure, on Cu(001), LEED intensity calc. by computer programs 4−37068
Te, surface prep. with minimum structural damage, use of solvent saw 4−41514
Ti, high temp. friction *(French)* 4−29144
Ti, surface impurity segregation as monitored by Auger electron spectroscopy 4−10037
Ti alloy TA6V, high temp. friction *(French)* 4−29144
W, benzonitrile activated, field ion microscopy and mass spectrometry 4−6964
Zn influence of ion bombardment on microrelief, adsorpt. props. of single cryst. 4−40959
ZnO, anal. by combination of LEED and X-ray diffraction 4−32787
ZnO clean cleaved polar surface, low temp. sublimation during first heating, LEED obs. 4−24616

surface tension
air-water mixture, effect on speed of sound 4−3328
artificial, in prismatic channel, variation of resonance frequencies *(Italian)* 4−30671
axisymmetric menisci, equilibrium and stability conditions 4−32799
binary solutions, equation for isotherm 4−24627
droplet, radius depend., homogeneous condensation theory 4−38090
effect on capillary-gravity waves 4−32116
elastic potential in liquids, order of magnitude of gradient of density dependent term 4−16649
equilibrium configurations of rotating charged or gravitating liquid masses with surface tension 4−23622
fast reactor materials, high temp. phys. props. 4−19581
film condensation of vapour on horiz. corrugated tubes, incl. surface tension effects 4−32040
fluid body, isolated, effects on motion 4−40375
fluid notion, driven by surface tension gradients in tube lining 4−32067
Fowkes' theory, mean values of dispersion component 4−13090
free surface of rotating fluid between two concentric cylinders under influence of surface tension 4−3272
gas bubble, distortion during high Reynolds number rise 4−16260
glass melt, interfacial tension and wetting *(German)* 4−29218
ice crystals freezing and melting in NaCl solns. 4−12885
immiscible liquid interface, out of equil., spontaneous movements *(French)* 4−34082
interfacial tension gradients, effect on motion of drops and bubbles 4−27897
intermicellar liquid, rel. to porosity of xerogels 4−17461
lightning matter, ball, surface tension rel. to instabilities 4−14131
liquid and mixtures, correlation with orthopositronium annihilation 4−20324
liquids, scaled particle theory calc. 4−6544
MBBA, impurity influence on mol. order and surface tension at nematic-isotropic interface *(French)* 4−16416
MBBA, nematic-isotropic interface, light reflectivity and scattering measurements 4−10034
metal, molten, calc. from effective interionic potentials 4−40736
metal weld drop, short-circuiting MIG welding appl. 4−25403
nematics, nucleation of surface disclination lines, anchoring energies 4−3443
nonelectrolyte fluid, criterion for specific intermol. forces *(German)* 4−32421
nuclear fuel rod bundle, two-phase flow, surface tension, gas density effect on vibrs. 4−2996
polymer, liquid drop shape, large elastic deformation theory 4−21482
spreading of one liquid on another, film formation *(German)* 4−24624
supersaturated solution, gas bubbles growth, nonequilib. effects due to solute diffusion 4−40571
temperature dependence, expt. data and modern theories discussion, bibliography 4−40968
vapour bubble, forces on base, inclusion of wetting tension *(Polish)* 4−16654
viscoelastic particle/matrix, differential operator of anal. of constitutive eqns. 4−33925
water, effect of H_2S, adsorpt. of monolayer proposed 4−37082
Ag, liquid, adsorption of O, surface tension data, statistical thermodynamics model 4−28292
Ag sintering, nucleation of dislocations on neck surfaces 4−21371
Ag-Pb, surface tension by sessile drop method *(French)* 4−13089
Al melt, oxide film effect, in Stepanov's method *(Russian)* 4−10536
CoO, O partial pressure effect, grain boundary groove angles 4−7297
Cu powder, rel. to sintering force 4−37970
Cu-Pb, surface tension by sessile drop method *(French)* 4−13089
Fe, liquid, adsorption of O, surface tension data, statistical thermodynamics model 4−28292
He II, superfluid, anomaly near λ-point 4−13070
^3He surface sound and surface tension meas. of ^3He atomic layer 4−37059
^4He, liquid, anomaly at λ-point, scaling argument 4−10005

surface tension continued
^{4}He, liquid, zero temp., ground state wave function 4−13071
Hg, in contact with salt soln. and air drop, secondary electrocapillarity, Young-Dupre eqn. 4−1159
K, liq., Born-Green eqn. calcs. 4−1003
Na, liq., Born-Green eqn. calcs. 4−1003
$PbCl_2$-$ZnCl_2$ binary system *(Japanese)* 4−24626
SF_6, critical liquid-vapour interface, Rayleigh scattering 4−16590
Te, liq., with impurities, surface tension polytherm 4−13088
(U, Pu)O_2 fuel, molten, phys. props. characteriz. 4−3014

surface tension measurement
balance, electrical, surface tension of biological fluids determ. 4−8550
sessile drop method applied to Ag-Pb and Cu-Pb alloys *(French)* 4−13089
He liquid, by surface waves, wide temperature range 4−3613

surface texture
amorphous solid, sputtered, equil. topography 4−40958
α-brass, stacking fault energy rel. to extrusions and intrusions development, single crysts. 4−13786
ceramic, prep. cond. effects, mechanisms, obs. 4−1614
contact, asperity deformation mode depend. of thermal cond. 4−26872
diamond stylus of roughness meter, SEM 4−10662
electrodeposition of metals, geometric levelling of cathode microirregularities 4−41970
engineering mats., obs. using contamination lines in electron micrographs *(German)* 4−10600
flaw detection, expt. anal. using grazing angle illumination 4−8309
hardness testing rel. to surface finish and shape 4−21505
ion bombardment induced surface microroughening, mechanism 4−3650
liquid crystals, cholesteric, obs., directorfield effect 4−9829
macroscopic relief levelling kinetics, surface directed vacancy flux influence *(Russian)* 4−3627
magnesite, mechanical props. rel. to texture *(Polish)* 4−1621
metal, holographic techniques applic. 4−11524
metal, roughness effect on Mitchell and Makinson photoelec. theory 4−13551
polyethylene, low density extruded films, quantitative characterization of texture 4−41851
quartz resonator surface characterisitics, electron optical techniques 4−1157
rough surfaces in plastic contact, random process model 4−32795
roughness, profile and power spectral densities investigation 4−18360
steel, chem. vapour deposition of metal carbides *(German)* 4−4037
steel, ferritic stainless, ridging mechanism 4−17244
steel, hardened, multi-cycle fatigue failure and morphology of fish eye *(Russian)* 4−41658
steel, wearing ability of finished surfaces, testing method 4−29145
steel 4340, fatigue crack initiation, surface replica obs. 4−7064
X-ray analysis, computation method 4−20472
X-ray photoelectron intensities, surface roughness effects 4−33569
Ag film, surface plasmon reson. absorpt., surface roughness effects 4−33433
Al alloys, roughness meas., grown by Stepanov's method *(Russian)* 4−13630
Al and alloys, work-hardened layer, etch pit density, dislocation density 4−1496
Al(OH)$_3$, xerogel, surface area and porous texture 4−17466
Cu, abrasive wear in single crysts., TEM obs. 4−13671
Fe, cast, siliconized layer, electron microscopy, X-ray diffr. *(Japanese)* 4−4086
Fe-Cr-Al alloy, surface finish effects on corrosion resistance and oxide adherence 4−13773
Fe-Si(3 wt.%) alloy, work-hardened layer, etch pit density, dislocation density 4−1496
GaAs film growth from thin soln. layer between substrates 4−37774
Mo, wire, field ion microscopy image differences and topographical variations 4−1544
Mo single crysts., high temp. annealing effects *(Russian)* 4−32786
Nb, effect on radiance temperature near melting point 4−1120
Nb 650 nm normal spectral emittance, change during melting rel. to surface roughness 4−28884
Nb wire, field ion microscopy image differences and topographical variations 4−1544
Ni-W composite, effect of ion beam milling on surface topography 4−1156
Si, growth surface step motion, film epitaxy with ion sputtering 4−20498
Si substrate, for device manufacture, rel. to standardisation 4−1449
Si/SiO$_2$ interface, surface roughness, guided beam attenuation meas. in Si waveguide 4−26454
SmCo$_5$ single crystals, effect on coercive force 4−3860
Ta, wire, field ion microscopy image differences and topographical variations 4−1544
W, reconstruction by Au, Ag, Cu, field ion and emission microscopy 4−6552
W, smoothing by Cu adsorption, work function changes 4−6662
W, wire, field ion microscopy image differences and topographical variations 4−1544
YAG:Nd, effect on rupture stress, elasticity modulus 4−7386
Zn influence of ion bombardment on microrelief, adsorpt. props. of single cryst. 4−40959

surface treatment
see also etching; polishing
ceramic, effect on physical props. 4−38013
CERN ISR, vacuum chamber glow discharge cleaning 4−2347
cladding, damage due to sodium cleaning and subsequent air storage 4−31556
cleaning for silicon ICs, thin films and quartz crystal devices 4−20487
composite, C fibre-reinforced plastics, effect on modulus, damping, strength 4−13861
crystal resonators, polishing and cleaning techniques, detection of contamination, stability of frequency 4−20488
electrode, preimmersion treatment, before pot. of zero charge determ. by immersion method 4−41962

surface treatment continued
garnet substrate, for magnetic bubble garnet films, induced surface flaws 4−37460
graphite fibres, pyrolytic surface treatment and effects 4−38036
ice, spiral steps and VLS growth on surfaces treated with AgI-NH$_4$I 4−32790
interface alloying during hot-dip galvanizing, Mossbauer obs. 4−41761
ion bombardment induced surface microroughening, mechanism 4−3650
magnesite, mechanical props. rel. to texture *(Polish)* 4−1621
magnetic susceptibility apparatus, high vacuum, surfaces vacuum cleaning *(Russian)* 4−26557
metal, holographic techniques applic. 4−11524
mineral layer on antique vase, electron microprobe anal. 4−10055
napththalene crysts., mechanically ground, fluorescence 4−5037
nuclear reactor stacked disc filter backwashing 4−40070
optical surfaces, contaminant removal 4−35261
plasma spraying, automatic control, metal industry *(German)* 4−32341
polyacrylate and glass bead, bead surface treatment reactivity depend. 4−17415
sapphire, cristobalite-mullite coated, thermal shock resistance rel. to surface prestressing 4−21396
semiconductor, surface cleaning unit, organic solvents and reactants, in vacuum *(Russian)* 4−21207
single crystal substrate, for epitaxial growth, examination after mechanical working *(Russian)* 4−20497
steel, cleaning, transmission electron microscopy, development of industrial detergents 4−10054
steel, wearing ability of finished surfaces, testing method 4−29145
u.s. cleaning, high power, safety aspect 4−26329
u.s. cleaning in rectangular bath 4−26328
Al, vibration machining, dulling for optical instrument components 4−26504
GaSb-Ag, Au, Ni, Al, In, Sb contacts, ohmic contact resistance meas. *(German)* 4−6675
MgO, machining, surface work hardening, and strength 4−38023
MgO crystals, indentation and scratch hardness 4−12980
Ni-W composite, effect of ion beam milling on surface topography 4−1156
Pd, vacuum evaporation and Ar sputtering, effect on photoelectron spectra 4−33555
Si, surface contamination on polishing and cleaning, backscatt. obs. 4−1171
Te, surface prep. with minimum structural damage, use of solvent saw 4−41514
Ti alloys, chem. and thermal treatments influence on wear resist. and mech. props. *(Russian)* 4−7174
V(100) plane, preparation and surface oxidation, obs. *(French)* 4−10053

surface vibrations *see crystal surface and interface vibrations*

surface wave acoustic devices *see acoustic surface wave devices*

surface waves, liquid *see liquid surface waves*

surgery
cancer treatment by silicone-iron using superconducting magnet 4−26245
dental analgesia effectiveness of electrical acupuncture stimulators 4−14655
intraoperative meas. using pulsed Doppler u.s. blood flowmeter 4−14647
laser surgical instrumentation, optical engineering aspects 4−35910
neurosurgery recovery, spontaneous nonlocalized slow potential changes 4−8173
operative cholangiography, results 4−39055
orthopaedic bone plate using mech. memory effect in TiNi 4−30218
renal calculi establishment, Renodor X-ray unit 4−30228
transplanted lungs, monitoring transthoracic bioelectric impedance 4−39007
u.s. applications, prospects 4−18237

surges
see also overvoltage; transients
long duration surge voltage breakdown at low press. 4−40713

surgical operations *see surgery*

surveying
see also geophysical equipment
cartographic accuracy of ERTS 4−42189
error reduction by go and return route method *(Russian)* 4−34521
errors in barometer heights 4−30433
ERTS, photographic process for surveying 4−35329
geodetic, using Navy Satellite System 4−29380
geodetic control networks, European triangulation misclosures, statistical analysis 4−4316
landform analysis, radar shadow freq. method 4−7803
marine sediment classification, acoustic surveying, review and experimental results of prototype array 4−17870
marine sediments, acoustic technique 4−17868
Moon, absolute altitudes of marginal zone, selenodesic reference points *(Russian)* 4−38686
natural resources, needs for Europe, satellites for Earth scientists 4−34156
natural resources by satellite, ERTS 1 multispectral scanner 4−34499
orbital photograph interpretation 4−42187
photography, grey density interpretation in colour by TV scanner 4−42188
plane table, orientation method 4−22151
radar topographic images, viewing angle effects 4−39236
remote sensing data tests 4−42186
resistivity, for Sanguine antenna 4−34496
seabed investigation using long range side scan sonar 4−11063
seabed sediments, remote assessment for engineering projects review of requirements 4−17866
seabed subbottom acoustic surveying, single pulse generator, geologic hazards 4−17869
short range, employing optoelectronic instruments 4−34507
surface topography extraction from stereometric pairs of photographs, theory 4−22155

surveying continued
  topographic mapping, combination of aerial and satellite photography 4−17828
  redundant triangulation, computer-aided reduction *(Russian)* 4−29384
  underground e.m. sounder experiment in 16-50 MHz range 4−22144
  U deposits in sedimentary rocks, system of investigation *(Spanish)* 4−22137
susceptance *see electrical impedance*
susceptibility, magnetic *see magnetic susceptibility*
suspensions
  air-glass microsphere, interaction in turbulent pipe flow 4−27914
  bentonite-water, horizontal pipe flow behaviour 4−27912
  blood, hardened red cells, dilatant flow 4−27927
  bounded volume of well mixed fluid, nonstationary heating of body 4−16187
  carboxy polymethylene soln., aqueous, CO_2 diffusivity meas. 4−6209
  china clay particle size meas. by X-ray absorption in suspension, teaching paper 4−23018
  concentrated particle-gas system, adiabatic flow *(Russian)* 4−6210
  concentration, u.s. meas. 4−18377
  conduction through random suspension of spheres 4−8728
  diamond particles, irregularly shaped in liquids, turbidity determ. 4−41904
  dielectric rigid ellipsoids, electric field effect on flow 4−3334
  electrical conductivity, highly conducting slender inclusions 4−25443
  electrophoretic mobility, meas. by obs. of Doppler shift in oscill. elec. field 4−26927
  electrorheological, electrophysical props., effect of nonisothermicity *(Russian)* 4−36679
  electrostatic separation of suspended matter in insulating liquids, methods 4−8748
  ellipsoidal particles, shear flow rel. to elec. cond. of blood 4−11281
  erythrocytes, shape transformation, light scattering obs. 4−34988
  ferromagnetic particles, ellipsoidal, viscosity in mag. field *(Russian)* 4−29252
  ferrosuspension, laminar flow in alternating mag. field *(Russian)* 4−40599
  fibres, reduction of turbulent flow friction by chemical additives 4−936
  fibres in Newtonian fluids, extensional flow, stress levels 4−24251
  film-forming materials, viscosity rel. to soln. struct. 4−17462
  flow velocity meas. using laser-Doppler anemometer 4−35577
  flowing dispersion kinetics, oscillatory behaviour of particles in shear flow 4−16265
  flowing dispersion kinetics, transient orientation and rheology of particles in shear flow 4−16264
  fluid with deformable microstructure transient shear flow 4−20053
  gas, vert. stabilized flow 4−40591
  gas-particle, Benard convection onset 4−16192
  gas-particle, gas flow particle motion, appl. to gas burners *(Russian)* 4−36678
  gas-particle mixtures in Laval nozzle at low values of particle drag, flow calc. *(Russian)* 4−6212
  inhomogeneous media, u.s. vel. and absorpt., disparate modes of description 4−41902
  ionogenic surface, cond. meas., porosity depend. 4−13950
  light scattering by aggregates of spheres 4−29242
  liquid crystal droplets in isotropic liquid, mag. field effects 4−24392
  liquid drops, viscosity in electric field 4−38085
  microscopic particle orientation, determ. for stationary or flowing systems using elec. cond. meas. 4−38086
  mineral oils, flow through capillary channels, blocking by coagulation processes 4−40593
  mono-dispersive, integral and differential conservation laws in continuous mechanics *(Russian)* 4−25444
  monodispersive, measured concentration, rheological state eqns. *(Russian)* 4−24252
  in non-Newtonian aq. polymer soln., viscosity calc. *(German)* 4−36677
  Panama basin, suspended matter distrib. 4−10867
  particle motion, averaged, effect of liq. pulsations 4−40589
  particle shape rel. to small-angle X-ray scatt. curve outer part 4−32382
  particle size measurement, turbulent flow technique 4−29258
  particle size measurement in atmospheric suspension by light diffraction, student experiment 4−26349
  petroleum wax, dielectrophoretic separation 4−10716
  PMMA, suspension in dibutyl phthalate, dilatant properties 4−41892
  polybutadiene, spherical particle suspensions, light scatt. *(French)* 4−33922
  polybutadiene soln. viscoelastic behaviour, relaxation processes *(German)* 4−4230
  polydisperse crystal suspension, growth calc. 4−29251
  polyisobutylene soln., viscoelastic behaviour, relaxation processes *(German)* 4−4230
  polymer, internal viscosity of macromols. influence on viscoelastic behaviour *(Russian)* 4−41898
  polymer film, adsorbed onto polystyrene sphere in soln., spectroscopic characterisation 4−7376
  polymer soln. turbulent pipe flow, velocity meas. by optical technique 4−2435
  polymer solution, dielectric relaxation meas. *(German)* 4−4231
  polymer solutions, concentrated, vapour-liquid equilibrium 4−7471
  polyphosphate, viscoelastic props. rel. to drag reducing ability 4−1677
  polystyrene, electrophoretic particle mobility, obs. of Doppler shift in oscill. elec. field 4−26927
  polystyrene soln. viscoelastic behaviour, relaxation processes *(German)* 4−4230
  quartz particles in water, turbidity, extinction coeff. and particle size determ. 4−41903
  quartz sand, flow division from vibratory feeder 4−30675
  rigid particle, Brownian couple effect on rheological props. 4−17467
  Saint Lawrence estuary, distrib., transport and comp. of suspended particles 4−4372
suspensions continued
  scattered-light flow-optic relations adaptable to three-dimens. flow birefringence 4−35803
  sea hydrosol structure from light scattering functions *(Russian)* 4−21915
  solid particle falling in non-moving fluid, vel. estimation in horiz. pneumatic conveying lines 4−40588
  solid particles transverse motion in a flow with fluctuating shear 4−3337
  solid-gas suspension flow, vertical, pressure drop 4−16263
  soot particles, diffusion investig., drift in conc. gradients of sucrose/H_2O, D_2O/H_2O systems *(German)* 4−37027
  sound propagation, wave eqn., vel., attenuation coeffs. 4−29235
  sound propagation calc. 4−4228
  sphere drag in continuum to free molecular flow transition 4−20025
  sphere drag in low density supersonic flow, meas. using mag. suspension system 4−18816
  spherical particles in incompressible liquid, sedimentation, fluidisation, Kuznetsov's eqns. *(Russian)* 4−40602
  steel spheres, hydrodynamically suspended in vertical tube, drag coeff., press. drops, polymer addition 4−27907
  tracked air cushion vehicle, modelling 4−32141
  transient light scatt., larger or anisotropic particles 4−25441
  tubular pinch effect expts., radial velocity of spherical particles 4−27911
  turbulent flow, heat transfer 4−3335
  turbulent flow, heat transfer 4−3336
  turbulent flow, radiating fluid in circular tube, constant wall temp. 4−674
  vehicle, tracked air cushion, dynamic model 4−32141
  viscoelastic particle/matrix, differential operator of anal. of constitutive eqns. 4−33925
  viscosity, flow behaviour properties, flow curves, viscometers, theory *(German)* 4−4227
  viscosity, non-Newtonian friction losses in transition from laminar to turbulent flow *(German)* 4−935
  viscous gas suspension flow, solid particle demixing 4−3338
  MgO dust-air, flow over ellipsoid of revolution 4−27915
  ^{239}Pu, wind-driven redistrib., inhalation 4−35068
  SiO_2, silica, aqueous, rheological props. 4−17458
Suzuki atmospheres *see dislocations*
switchboxes *see switchgear*
switches
  see also relays; semiconductor switches
  h.v. arcing, plasma physics research applic. *(Dutch)* 4−36721
  hydroswitch to switch off apparatus when water ceases to flow 4−30364
  long duration surge voltage breakdown at low press. 4−40713
  α-Al_2O_3, sapphire single crystal thermal switch, sample chamber/refrigerator isolation, description 4−2241
switchgear
  see also circuit breakers; switches
  c.-a.d., electric field computation programs 4−30940
switching
  see also electrical conductivity transitions; ferroelectric switching; magnetic switching; switches
  electronic devices, using amorphous materials, conduction 4−10198
  liquid chalcogenide semiconductors, elec. threshold, obs., mechanism 4−1255
  Al-SiO_x-Au structure, pulse expts., upper energy limit 4−20699
  As_2Se_3, memory switching process 4−1259
  a-As_2SeTe_2, amorphous sandwich struct., thermal fringing at turnover 4−20657
  Au-polyethylene-Al sandwiches, electrical behaviour 4−13232
  CoO and CoO(Li) films 4−37286
switching circuits
  audio signals, hearing studies applic. 4−42565
  dekatrons, connection for maximum scale factor 4−35435
  f.e.t. analogue switch, use in pulsed n.m.r. receivers, description 4−2338
  integrated optical circuits, application to scanning and recording of images 4−325
  oscilloscope beam switch for student laboratory 4−30372
  photodetector signal backing-off circuit for kinetic spectrophotometry 4−26515
  photodetector signal backing-off circuit for kinetic spectrophotometry 4−26516
  rocket probing, combined expts., switching system for optimizing 4−29746
switching functions
  see also Boolean functions
  discrete, lattice struct. 4−23077
  discrete, ring and field structs. 4−18820
switching systems
  miniature latching relay system, Cr-Co steel semihard mag. core applic. 4−37948
switching transitions *see electrical conductivity transitions*
symbols *see nomenclature and symbols*
synchrocyclotrons
  neutron capture, elemental anal., appl. 4−11551
  proton, 680 MeV, meas. of water activation in cooling system 4−19647
synchronisation
  global clock synchronisation using VLBI of stellar sources 4−42515
  human circadian rhythms, mutual time relationship and synchronisation *(German)* 4−14537
  Limulus lateral eye, spike synchronisation 4−35026
  local time linkage with international atomic time for Borowiec, Poland *(Polish)* 4−26656
  mechanical vibrators linked with nonlinear system, double synchronisation *(Russian)* 4−39495
  n.m.r. signal detection, from bulk metals 4−26558
  quasilinear oscillators linked by complex oscillating system *(Russian)* 4−39496
  s.c.r. diode stroboscopic flash equipment *(Spanish)* 4−14914
  time, of atomic clocks using satellite 4−18341
synchronism *see synchronisation*

synchronous motors
- gyro system, starting and synchronising torques, improvement 4−10289

synchroscopes *see cathode-ray oscilloscopes*

synchrotron radiation
- black hole, radiation emitted by particle in circular orbit 4−38829
- black hole accretion, magnetic field effects on emergent radiation 4−4793
- charged particles in travelling-wave field, synchronous motion 4−22932
- coherence effects, theoretical study *(Russian)* 4−23509
- Crab Nebula, synchrotron model for continuum spectrum 4−14516
- electric charge moving on constant electric field *(Russian)* 4−23168
- electron motion in homogeneous magnetic field, Schwinger's treatment 4−27070
- electron moving in elliptical orbit, in presence of axial vibrs. *(Russian)* 4−12014
- electrons in magnetosphere, pitch angle effects 4−25814
- energy distribution of electrons trapped in electrostatic quadrupole trap 4−26655
- fluorescence lifetime meas., fast, u.v., of $LaF_3:Ce^{3+}$, synchrotron radiation use 4−5060
- fluorescence measurement, time-resolved, fast, using storage ring synchrotron radiation 4−30469
- gravitational wave interaction, ang. anisotropy *(Russian)* 4−23203
- gravitational waves, rod and dumbbell emission 4−8704
- interference pattern from single electron photons, obs. 4−8973
- lossless particle capture, RF-acceleration mode 4−39304
- magnetoplasma, effects of drift motion 4−32157
- planetary magnetospheres, synchrotron loss rates of energetic electrons 4−22280
- polarisation indicatrices, instantaneous ang. distrib. *(Russian)* 4−31161
- pulsating type IV solar radio bursts, synchrotron emission variation models 4−38663
- radiative braking effect on spectral-angular characts. *(Russian)* 4−31160
- relativistic particle, radiation in magnetic field, kinetic energy loss, inertial frame 4−216
- Saturn, radiation from hypothetical radiation belt 4−2080
- solar corona, moving type IV radio sources, gyro-synchrotron radiation 4−34638
- source, use of grazing incidence monochromator 4−14942
- u.v. vacuum synchrotron accelerator as radiation standard 4−35282
- X-ray source for low-angle scatt. 4−32377

synchrotrons
- *see also cosmotrons*
- Berkely bevatron, heavy ion acceleration, rel. to fragmentation of heavy ions of cosmic radiation *(French)* 4−30533
- betatron oscillation frequencies at 6 GeV, Yerevan synchrotron *(Russian)* 4−35369
- CERN 300 GeV, superconducting r.f. separator 4−79
- electron, high freq. accelerating field, variation of amplitude, law formulation 4−14938
- electron, polarisation of coherent bremsstrahlung beam 4−14939
- heavy ion, design considerations, attainable energy spread 4−39306
- heavy ion beam, calibration facility 4−35445
- as i.r. source, synchrotron versus black body radiation 4−14871
- Nimrod, operation and development quarterly report, details of quadrupole magnet 4−39307
- Nimrod, power supply ripple elimination method 4−39296
- proton, lossless particle capture 4−39304
- pulse generator at low rates of magnetic intensity change in synchrotron electromagnet *(Russian)* 4−35370
- radiation standard in vacuum u.v. 4−35282
- Serpukhov, electron beam production, momenta to 46 GeV/c 4−11976
- K beam source, 5-7 GeV, 100 μA, linear accelerator injector 4−11566

synoptic climatology *see climatology*

synthetic rubber *see rubber*

system theory
- *see also artificial intelligence; identification; information theory; pattern recognition; simulation*
- in chemical analysis, basic terms, definition and interpretation 4−5297
- thermodynamics in context of dynamical systems 4−19012

systems analysis
- *see also systems engineering*
- scientific development, predictability, general systems model 4−8275
- Ca^{2+} dynamically activated myocardial contractility, applic. of systems analysis 4−14542

systems design *see systems analysis*

systems engineering
- *see also systems analysis*
- nuclear reactor fuel element improvement 4−5926
- ocean parameter measurement using underwater robot vehicles 4−14238

systems programming *see systems analysis*

Szilard-Chalmers reactions *see radiochemistry*

T invariance
- in classical mechanics, author admits existence of similar earlier paper 4−5
- Compton scattering on targets of arbitrary spin, low-energy theorems without C, P and Ti invariances 4−2682
- cosmological background effect on time reversal violation, Durr-Heisenberg theory 4−2660
- e.m. interactions, effects in nuclear physics of $NN\gamma$ and $N^*N\gamma$ time reversal violating vertex 4−31290
- experimental aspects of symmetries 4−345
- few particle systems 4−346
- hadron e.m. interaction, maximal C, T violations 4−625
- nuclear gamma decay observables effect of time reversal noninvariance 4−12251
- nuclear polarisation reactions 4−12311
- nulcear reaction detailed balance tests in fluctuation region 4−23657

T invariance continued
- violation, brief review *(Czechoslovakian)* 4−5551
- np reactions, T violation mechanisms, angular distrib. of observables, 425 MeV 4−19243
- pp reactions, T violation mechanisms, angular distrib. of observables, 425 MeV 4−19243
- $^3H(\gamma, \pi^-)^3He$, reciprocity reln. and $\Delta I \leqslant 1$ rule, sensitivity to T noninvariance 4−625
- $^3He(\gamma, \pi^+)^3H$, reciprocity reln. and $\Delta I \leqslant 1$ rule, sensitivity to T noninvariance 4−625
- ^{180}Hf, time-reversal invariance, enhanced sensitivity γ-γ correlation test 4−9107

table-top computers *see minicomputers*

tables (data) *see collections of physical data*

tachometers
- *see also angular velocity measurement*
- digital tachometer/accelerometer, characteristics, accuracy *(French)* 4−35190
- gyrotachometers, resilient damping compliance *(Russian)* 4−18364

tachyons
- bibliography, student, chronological plus author index 4−18274
- big-bang cosmology and possible tachyon universe 4−29818
- Cherenkov radiation, extended special relativistic theory 4−26821
- Cherenkov radiation only possible in superluminal media 4−39607
- crossing relations, CPT-covariance 4−39832
- Doppler effect, radio contact with gravitational props., absence of gravitational Cherenkov radiation 4−42299
- dynamics of tachyons from Lorentz meta-transformation 4−2546
- EAS, possible obs. of associated tachyons 4−25909
- Einstein field eqns. soln. rel. to tachyon dust 4−26826
- electric charges, fulfilling role of magnetic monopoles 4−30870
- field model, soluble, and equivalence theorem 4−5561
- identification possibility *(German)* 4−19267
- interactions with bradyons, causality and lack of rotational invariance 4−15212
- Klein-Gordon equation rel. to wave mechanics of spinless tachyons 4−11812
- Lorentz transformation for superluminal coordinate systems 4−39606
- magnetic monopole behaviour when interacting with an e.m. field 4−39919
- magnetic monopoles, rel. to tachyons in special relativity 4−26822
- negative-energy, expt. search, discussion 4−15211
- review, searches in cosmic radiation 4−38582
- selection rules for trilinear couplings with particles with $m^2 > 0$ 4−39825

tackiness *see adhesion*

tandem accelerators *see particle accelerators*

tantalum
- absorption of C, high temp. solubility, elec. resist. meas. 4−29058
- adsorption and solution of H_2 and N_2 4−40981
- adsorption of C from methane or acetylene stream, kinetics, mechanism 4−28287
- atom, K- and L-shell electron impact ionisation 4−36441
- atomizer, flameless commercial, modification to accept graphite tubes 4−2408
- autoelectron emission, energy distrib., oxide coating effect *(Russian)* 4−33593
- corrosion products in liquid alkali metals 4−27465
- desorption from W, Ir, field ion microscopy, binding energy *(French)* 4−24645
- desorption of Cl^-, Br^-, charge retention, dispersion coeff. *(Russian)* 4−32814
- diffusion coefficient of D, meas. by eddy current method 4−21313
- diffusion of H, electrochemical oscillation method *(German)* 4−13060
- diffusion of N and O interstitials, activation energy calc. 4−6522
- disc shaped edge field emitters 4−28993
- displacement cross sections due to neutron collisions 4−2993
- electrical resistivity, dissolved C influence, conc., temp. depends. 4−28386
- electrical resistivity, nitrogen interstitial ordering effect 4−32910
- embrittlement by hydrogen, strain rate effects 4−21358
- evaporation from open surface, in vacuo, Langmuir and Knudsen method 4−32696
- fibre reinforced Si_3N_4, impact properties 4−21425
- filament reinforced Mg, mech. characteriz. 4−7340
- film, back-scattering energy loss parameter meas., using He^+ 4−17153
- film, physiosorption of nitrogen, 77 K *(German)* 4−20483
- film, sputtered anodized, forward and reverse cond. mechanisms 4−13236
- film, sputtering in Ar-O_2, annealing effect, phase stability 4−20507
- film, superconducting transition temp. meas. 4−28524
- graphite/Ta composite, high temp. material, prep. and props. *(Japanese)* 4−7331
- hot-spheres, pool boiling in subcooled Na at atmospheric pressure 4−24553
- L X-ray spectra, α-particle induced emission intensity ratios 4−25191
- melting by laser radiation, influence of thermophysical properties *(Russian)* 4−4160
- oxidation, Kossel microdiffr. obs. of TaO_z 4−32822
- oxidation in plasma, single-layer oxide model with 2.21 refractive index, ellipsometric meas. 4−28307
- photoelectron spectra, 145 keV γ-ray K-shell cross sections 4−25211
- plates, X-ray induced photoemission obs. 4−41462
- proton backscattering, stopping power meas. 4−16537
- solubility in liq. Th and U, 1600-2900K 4−32707
- sorption of H_2, N_2, Ar, changes in partial press. vs. temp. obs. 4−13091
- sphere, transport anal. of meas. neutron leakage spectra 4−23754
- sputtering, mass spectrometry, background gases, partial press. time depend. 4−4022
- stacking faults and block size *(Russian)* 4−29056
- stopping cross section of α-particles, 0.3 to 2.0 MeV 4−24503
- stress relaxation tests, machine stiffness effect 4−13971
- superconducting transition temperature, press. depend. meas. 4−13252

tantalum continued
surface analysis by Auger spectroscopy on interaction with air, O_2, N_2 4−17156
thick target yields of M X-rays by fast heavy ion bombardments 4−5968
thin films resistivity and temperature coefficient of resistivity rel. to X-ray diffraction analysis microstruct. 4−16835
undercoating for vapour-deposited Au film electrodes 4−1714
wire, field ion microscopy, image differences and topographical variations 4−1544
Young's modulus, dissolved hydrogen effects 4−41764
Au-Ta, Au-Ta-Pt, Au-Ta-Pd, thin film reliability 4−3667
Hf:^{181}Ta, high pressure effect on electric quadrupole interaction 4−28741
HfB_2:Ta, time-differential perturbed-angular correlation obs. of electric field gradient 4−1210
$PbHfO_3$:Ta^{181} impurity, electric fields, effects on gamma gamma cascades, quadrupole interactions 4−28745
Sn ores, determ. by neutron activation anal., γ-ray spectroscopy 4−5288
Ta V, spectrum structure, ionisation potential 4−3068
Ta:N, screw dislocation struct. and impurity segregation effects 4−13669
Ta-Al_2O_3 solderless metal-ceramic seal, kinetics and mechanism of cohesion *(German)* 4−7282
Ta-Cr film, emission and adsorption props., field electron microscopy *(Russian)* 4−33594
Ta^{3+}, irradiation of Mo, void vol. and swelling formula 4−1042
V:Ta, impurity atom effect on supercond. transition temp. 4−37360
Y: ^{181}Ta, elec. field gradient, PAC obs. 4−20909
$ZrZn_2$:Ta, hyperfine field, γ-ray DPAD meas. 4−33319
antalum alloys
see also tantalum compounds
refractory, deformation and failure during programmed temp. change 4−13853
Al-Ta film, cosputtered, A-rich phases, resistivity and t.c.r. obs. 4−25223
Co-Cr-Ni-Ta, effect of Ta additions on microstruct. 4−7102
Fe-Co-Ta, mag. hardening, Ta addition with water quenching from 1300°C *(German)* 4−6760
$(Hf_{1-x}Ta_x)V_2$, superconductivity and structural instability at high press. 4−16853
Mo-Ta solid solns., stacking faults and block size *(Russian)* 4−29056
Nb-Ta, lattice thermal cond. below 1K, supercond. 4−37370
Nb-Ta solid soln. strengthening 4−37921
Ni-Fe-Ta, effect of Ta addition on mag. props., hardness 4−3879
Ni-Ni_3Ta directionally precip. hardened composites, thermal stability 4−17425
Ni-Ni_3Ta eutectic, unidirectionally solidfied, tensile props. 4−29178
Ni(Cr)-TaC fibrous eutectic, crystallographic reln. between Ni(Cr) matrix and aligned TaC fibres 4−4072
Ta-Co Laves phases, cryst. struct., homogeneity ranges and mag. props. 4−33673
Ta-Cr system, intermediate phase studies *(Russian)* 4−7027
Ta-D, deuteride precipitation effects, vibr. freq., internal friction meas. 4−37821
Ta-N, yield stress and slip asymmetry 4−17333
Ta-N system, metal-rich side phase equil. 4−37806
Ta-N system, nitride phase obs. 4−25309
Ta-O solid solns., terminal solubility and thermodynamic props. determ. using solid electrolytic cells 4−33679
Ta-O-N solid solns., terminal solubility and thermodynamics determ. using solid electrolytic cells 4−33680
Ta-Re-N(O) solid solns., substitutional-interstitial solute interactions 4−33740
Ta-W, high temp. thermodynamic props. 4−13846
Ta-W-Hf, internally oxidized, grain boundary fracture at low temp. 4−25345
$TaCr_2$, Laue phase heat resist. *(Russian)* 4−7300
$Ta_{70}Nb_{30}$, single cryst. supercond., dissipative processes, non conduction technique *(Russian)* 4−24885
$TaSi_2$-Si eutectic system, unidirectionally solidified microstructs. 4−13592
Ti-Nb-Zr-Ta, superconducting transition temp., resistive critical field rel. to comp. *(Japanese)* 4−3789
Ti-Nb(30 wt.%)-Zr(30% wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4−25301
V-Ta, dil., elec. resist. temp. depend., 5.2-300 K, Ta impurity effects *(Russian)* 4−16727
V-Ta-Nb alloys, n.m.r. (Knight shift) and mag. susceptibility *(Russian)* 4−37513
W-Ta, oxidation props. 4−41826
antalum compounds
see also tantalum alloys
anodic oxide films, elec. props., annealing effects 4−6839
dichalcogenides, layered, intercalated with alkaline earth metal or YG, supercond. 4−41140
$K_2O-Ta_2O_5-Nb_2O_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4−13856
Ni(Cr)-TaC directionally solidified eutectic, low cycle fatigue characts. 4−13972
Ta-H solid solns., b.c.c., thermodynamic props. 4−1121
Ta-O film, annealing and phase stability 4−24668
Ta-S, high temp. phase diagram and elec. props. of phases *(French)* 4−20406
TaC, isomer shifts of γ-reson. of ^{181}Ta 4−25041
TaC, superconducting, phonon dispersion relns. using phenomenological model theory 4−16573
TaC aligned fibres in Ni(Cr) matrix, crystallographic reln. 4−4072
TaC-Co alloy, cobalt content effect on microstruct. during sintering 4−29198
Ta_2C, high temp. thermodynamic stability, 1740-1900K 4−13847
$TaH_{0.15}$, neutron inelastic scattering, H diffusion, jump diffusion model 4−32742
Ta_2H, neutron inelastic scattering, H diffusion, jump diffusion model 4−32742
$TaLiO_3$, ferroelec., Czochralski growth and characteriz. *(French)* 4−25256
tantalum compounds continued
TaN self supporting foils for use as ^{14,15}N targets in nuclear reactions, preparation method 4−26584
γ-Ta_2N, β-Ta_9N, morphology, electron obs., orientation with matrix *(French)* 4−24663
TaO, anodic, preparation of free standing films 4−38153
TaO_x, formed on oxidation of Ta, Kossel microdiffr. obs. 4−32822
Ta_2O_5, anodic, ion implantation, range profiles, energy depend. 4−24500
Ta_2O_5, anodic film on Ta, cond. mechanism 4−13236
Ta_2O_5, anodic films on sputtered Ta, forward and reverse cond. mechanisms 4−13236
Ta_2O_5, breakdown during anodization 4−10213
Ta_2O_5, in metamict AB_2O_6 rare earth oxides VHN_{50} values, reflectance determ. 4−4319
Ta_2O_5, proton backscattering, stopping power meas. 4−16537
Ta_2O_5 film, dispersion of complex permittivity, m.i.s. struct. obs. *(French)* 4−37321
Ta_2O_5 film, thermal, trapping centres, thermally stimulated current obs. *(French)* 4−37339
Ta_2O_5 films, anodic, flaws rel. to scintillation during anodization *(Korean)* 4−20503
Ta_2O_5:Sc_2O_3(Fe_2O_3), high temp. modif., lattice fringes, electron microscope investigation 4−20314
Ta_2O_5-Al_2O_3 mixture films, structural, optical and dielectric props. 4−16674
TaON, anion ordering, powder neutron diffr. obs. 4−32487
TaS_2, 1T phase, Kohn anomaly, diffr. evidence 4−36962
TaS_2, pyridine-intercalated, cryst. struct., X-ray and electron diffr. obs. 4−36870
TaS_2 intercalated with 4-ethylpyridine, superconducting critical temp. and structural props. 4−12921
TaS_{2-x} system single crystal, and powder samples, studies 4−28188
$TaSe_2$, charge density wave, superlattice formation 4−40782
1T-$TaSe_2$, prep., 473K intrapolytypic transform. and superlattice obs. 4−36873
$TaS_2(pyridine)_{1/2}$, low temp. magnetoresist., logarithmic resist. rise and anisotropic supercond. 4−13251

tantalum electrolytic capacitors *see electrolytic capacitors*

tape recorders
see also magnetic heads; magnetic recording
biomedical applic., simultaneous double nuclide subtraction scintigraphy of the pancreas, using two-channel scanners 4−39054
clinical tracking task battery, portable, for therapeutic trial evaluation 4−22591
computer interface analogue input, analogue or digital output 4−39391
dynamic testing instrumentation, problems, equipment, data recording and analysis, techniques 4−19
Medical & Environmental Data Recorder 4−14610
pneumotachograph/identifier device for flow and volume data recording 4−18757

teaching
see also computer-aided instruction; demonstrations; education; student laboratory apparatus; training
acceleration due to gravity meas. using laser beam and falling metre stick 4−30342
acoustic properties of a hollow corrugated tube 4−26343
acoustic surface waves in piezoelectric materials 4−26390
acoustic wave velocity meas. using oscilloscope 4−26384
acoustics, computer program for monochord tuning 4−18311
aerofoil and cricket ball behaviour 4−30335
air track experiments, recording motion using ladder of light and tape recorder 4−35133
air track gliders with mounted magnets to demonstrate forces at a distance 4−35148
American physics teaching, British teacher exchangee's view 4−18284
analogue circuits for students 4−30349
Apollo project, review of the results of study of the moon 4−30157
astronaut's contribution to space science 4−26381
astronomical projects, moons of Jupiter and planetary orbits 4−22702
astronomical telescope making 4−30334
astronomy, comments on the present position of the stars relative to astrology 4−35144
astronomy in schools 4−22694
atmosphere, terrestrial, origin 4−22703
Atwood machine problem 4−22712
audio-visual installation, Edertal centre, Felsberg *(German)* 4−11432
Avogadro's constant and number clarified 4−4932
balloon hydrogen filling technique 4−26412
beats phenomena demonstrated through an electromechanical experiment 4−26395
B.Ed. degree physics syllabus at London university 4−18282
biophysics, nervous system information processing, introduction of multidisciplinary undergraduate course 4−18290
black box principle and laboratory experiments for students 4−22725
bootstraps, brief sketch 4−14777
Boyle's law apparatus for student experiments 4−30358
bridge design experiments to investigate the properties of materials 4−30359
cancer therapy using irradiation techniques 4−4928
capacitance measurement using reed relay, school experiment 4−26394
capacitors in series and parallel, 9 experiments for students 4−30354
Carnot cycle, computer plot 4−26435
and change 4−35127
chemical reaction energy surfaces, computer plotting 4−30361
china clay particle size meas. by X-ray absorption in suspension, teaching paper 4−23018
circular motion, mathematical derivation 4−18306
circular motion equation, derivation for students 4−26385
clock, history of its development 4−30311
computer, exam or homework individualisation 4−18323
computer programs, suitable for student development, for various physics problems 4−8294
conservation of momentum experiment for schools 4−26396

teaching continued
continuum mechanics, foundations, review of lecture course (Technion, Haifa, 1972), graduate level 4—4926
course appraisal system, automated 4—26339
course for engineering and chemistry students simultaneously, freshman 4—26340
course for non-science college students of question-and-answer type 4—22699
course for non-science students beginning with acoustics and doing without mechanics 4—22701
course for seniors in chemistry and biology teaching physics from evolutionary point of view 4—26337
course on symmetry at Tel Aviv University 4—11411
course with units for independent study 4—22696
crystal structure, computer produced stereoscopic drawings 4—26429
crystal structure point groups, pictorial representation 4—30325
crystallography with a board game 4—26332
DC-8 data for teaching physics 4—30336
deaf, pre-degree courses 4—22700
demonstration, individual, of every day occurrences to nuclear physics 4—18320
diffraction experiment, light shining behind disc in darkened room 4—26409
diffraction of light shown with spectrometer 4—26402
Doppler effect 4—2214
drawing a tangent to a curve using a mirror 4—26387
$E=h\nu$ relation, derivation in special relativity 4—35145
educational and learning processes in physics 4—8278
electrical, of patients, training of hospital staff, case histories method, results 4—18195
electricity and magnetism, diagnostic multichoice questions, book 4—22716
electrode kinetics, meaning of electron transfer coefficient 4—26372
electromagnetism, work done when a closed conducting loop moves in a magnetic field 4—26344
electromagnetism at university level, approaches 4—22705
electron simultaneously in electric and magnetic fields, quantum and classical theories 4—26351
electronic charge meas. by meas. shot and thermal noise across resistor 4—8286
electronics in schools, link with industry 4—30331
electrophoresis experiment, simplified by use of silica gel technique 4—26375
electrostatic experiments, rod that will always be charged when required 4—35140
electrostatics problem, images and point charge capacitor 4—35143
elementary uncertainty calcs., systematic and random errors, senior high school level *(Danish)* 4—18301
e.m. field theory using educational films 4—39681
e.m. fields using computer terminals 4—35767
e.m. induction to sixth formers 4—22704
e.m. wave reflection, scatt. and absorption, from and by obstacles 4—26401
entropy, explanation of 4—26369
examination technique, self-paced, pre-set problem examination 4—18285
fall body apparatus for measuring g, commercial 4—30344
flame temp. meas. experiment 4—26380
Franck-Condon effect, re-examination for students 4—26359
free fall experiment for the measurement of g using an oscilloscope 4—26388
g meas., student experiment 4—30333
glass, summary of transition and structural phenomena 4—26377
glass melting phenomena 4—26378
graphical analysis, graph of Henry Aaron's cumulative home-run output 4—18307
graphical method for linear interpolation 4—39148
gravitational analogue, meas. of nuclear scatt. angle, programs in BASIC 4—18318
harmonic waveform analysis using beats, student circuit experiment 4—30353
heat engine, pistonless vertical temp. in gravit. field 4—18292
heat should be referred to as 'energy' 4—30332
holography for schools, cheaply with 1 mW He-Ne laser 4—26392
ideal gas Boyle's, Charles' and Rudberg's law 4—26364
ideal gas collision diameter additional postulate, in kinetic theory 4—30330
independent learning for 11-14 yr olds, review particularly of ISCS project 4—30322
individualisation, computer program providing unique questions and answers for a given problem 4—18322
individualised learning, the Countesthorpe conference and schools council proposals 4—30319
individualized instruction, Keller plan and audio-tutorial approach *(Portuguese)* 4—4923
integration of industrial training into course at technological university 4—14776
interference fringes on a mirror due to non-parallelism of its surfaces 4—26353
interference refractometer, application of method of coincidences 4—4931
inverse square law of gravitation, experimental analogue 4—30356
ion beam spectrometry study of surfaces 4—30348
Jupiter, exercise to determine mass 4—22710
Keller plan, extension to large numbers of students *(Portuguese)* 4—4922
Keller plan courses, necessity of review examinations 4—11405
Kerr cell experiment with a.c. modulation including circuitry 4—35142
kinetic theory of gases, elasticity of collision processes 4—30329
laboratory course for introductory physics 4—11428
laboratory technique, an alternative to the written report 4—22727
Lagrange's equations, student derivation from Newton's second law 4—11413
laser physics, different approaches 4—35129
LCAO complete one-dimensional calc. for 4-atom molecule 4—26348
light diffraction, meas. diameter of a hair using diffracted laser light 4—35135
light ray reversibility demonstrated in refraction experiment 4—8289

teaching continued
linear car track experiments using photocell and tape recorder 4—26404
liquid surface, energy required to evaporate molecule, numerical problem 4—30357
logic circuit board, home construction 4—26413
macromolecular and polymer structure 4—4930
magnetic field and induction definition, MKS system, student difficulties *(Hungarian)* 4—2210
magnetic field meas. of a permanent magnet using a current galvanometer 4—4929
magnetic force between two magnets, student experiment 4—8281
magnetic forces illustrated by floating iron filings in water above a submerged magnet 4—26382
magnetic instabilities calc. and plotted with mag. needle, student experiment 4—26356
magnetostriction experiment for students 4—30355
Marconi receiver and transmitter experiment reproduced 4—26399
mathematics, new syllabus, in schools 4—4919
mathematics for A level physics students 4—4916
mathematics high school course, computer application to dynamic processes 4—18302
mechanics course, introductory 4—8279
mechanics experiments, use of video equipment 4—26440
mechanics problem of vessel sliding along a surface with rain falling into it 4—22714
membrane structure reviewed 4—26358
model for crystal structure using polystyrene balls 4—26421
modular course for American colleges 4—22697
module, inexpensive case 4—26431
mole, experiment to teach its meaning 4—30351
molecular configuration determ. from i.r. spectra, student experiment 4—30326
molecular electron densities represented by magnets and iron filings 4—26360
molecular isomerism, brass model illustrating pseudorotation of five-coordinate atoms 4—26434
monochromator wavelength and spatial distribution of light, student paper 4—26362
of Monte Carlo methods 4—11407
muonium, h.f.s., educational paper 4—22707
nonscience students, historial perspective of thought development 4—18287
nuclear engineering, development of quality assurance course as integral part of curriculum 4—23744
Nuffield circuit modules, imitation of traffic lights and S.O.S. signal 4—26406
Nuffield experiment for photographic detection of u.v. light, modification 4—26398
Nuffield O-level course, experiments with rubber bands 4—26408
Nuffield physical science project, statistical analysis 4—18317
objective monitoring of teachers to improve degree of student participation 4—30320
objective tests and their construction 4—4938
optics, nonscience students, verbal visual nonmathematical lecture demonstration undergraduate course 4—18291
optics problems book 4—30965
organic molecules, resonance theory and enumeration of Kekule structure 4—26376
osmosis, life science student, basic physics course, ideal gas model 4—18289
outside activities as problems, note-taking or experiments as part of the course 4—35126
paper cut-out model to illustrate tetrahedral geometry of sp^3 bonding 4—26427
parametric oscillators, physics described 4—18303
particle size meas. in atmospheric suspensions using light diffraction 4—26349
pendulum experiment including square-law damping 4—26345
pendulum plane, approx. for horizontal motion 4—35138
personalized instruction method 4—11404
photoemission and photoconductivity, processes and devices 4—30341
photographic process, description of chemistry 4—30324
physics, goals, problems and methods *(German)* 4—4925
physics, without 'in class' exams, Brazilian undergraduates 4—4924
physics and english literature, new joint liberal arts course 4—18281
physics concepts, usefulness of models, analogies *(Hungarian)* 4—18300
physics in late nineteenth century, Winchester College as case history 4—4910
physics in New Zealand, educational system 4—4917
physics in secondary schools, role of University physics departments 4—2207
planetarium for London schools and courses taught there 4—22720
point groups, three-dimens., notations 4—2211
Poisson distribution computer-aided experiment 4—22715
polymer crystal morphology using poly(ethylene oxide) 4—26367
polymer molecular structure revealed by dichroism birefringence and light scatt., student paper 4—26366
practical physics in the University of Ghana, first year methodology 4—4921
pressure 4—2213
projectile fired from moving car rejoins it, student experiment 4—26350
projectile range as mechanics problems 4—22698
PSNS course, two sub-experiments 4—22713
pulse propagation in a dispersive medium, use of Fraunhofer diffraction theory 4—11409
quantum mechanical transition probability demonstrated by e.s.r. experiment 4—30338
quantum mechanical treatment of harmonic oscillator, improved rigour 4—11410
quantum mechanics, simple algorithm, continued fraction soln. for eigenvalues 4—18296
quantum mechanics, three-body problem for introductory students 4—18299
quantum theory, energy conservation in barrier penetration explained by uncertainty principle, teaching paper 4—26355

teaching continued
  quantum theory, energy density and energy current density continuity equation derivation 4-18293
  quantum theory, problem of square well potential, probability distribution of momenta 4-8290
  quantum theory for chemists *(German)* 4-30340
  quantum theory of atomic spectra, classical analogue 4-35139
  quantum theory of scattering, definition of antibound states and resonances 4-26347
  quantum theory SCF problems introduced in one dimension 4-11408
  quasi-programmed laboratory demonstrations, electrostatic plotting 4-22724
  radioactive half-life meas., allowing for electroscope leakage 4-26400
  radiotelescope construction 4-22719
  red shift derivation from theory of special relativity 4-26354
  refrigerator, built in the laboratory 4-30350
  saturated vapour pressure experiment for schools 4-26393
  scattering, classical cross-section for cut-off Coulomb potential 4-8282
  school physics and electronics syllabuses, reasons for conservatism 4-30323
  Schrodinger eqn. soln. for particle in a time-varying elec. field 4-26346
  Schwarzschild radius simple derivation for students 4-8287
  science and society, a new course at Leeds 4-4918
  self teaching course for first year university laboratory 4-22721
  sensitivity and limit of detection in quantitative spectrometric methods 4-30327
  separation of equispaced variable, statistical procedure for determ. 4-4933
  seventh grade experiments 4-30321
  shear stress in solids explained 4-30339
  showcase with physics display and question-and-answer board 4-30367
  simple harmonic motion investigation using the linear air track 4-8280
  skill sessions, an educational technique in physics 4-22695
  Skylab student project 4-39149
  slide rule, teaching the use using projected photographs of both sides 4-35141
  slides, production and projection of 3D slides 4-26439
  soap bubble light interference experiment improved by use of lucite box 4-30345
  solar neutrino flux, problem of absence, educational paper 4-29786
  solar system, theories of origin 4-29822
  sound velocity obs. using air tube, replacement of tuning fork by electronic devices 4-26389
  space programs, 1958-73, by USA and USSR 4-26196
  special relativity, simulation of Einstein train in the laboratory 4-26386
  spheroidal co-ordinate systems and their use 4-8291
  statistical mechanics time evolution 4-8284
  statistics, experiment in nuclear counting and assoc. statistical distribs. 4-18297
  Stokes theorem, continuity of E across dielectric boundaries 4-8288
  student experiments suitable for schools, miscellaneous 4-26391
  student motivation, American high school, free-form multidiscipline 4-18286
  sundial horizontal, analytical soln. of equations for marking 4-35128
  surfaces, clean, physical aspects 4-18304
  technical terminology, theory and instructional methods 4-26335
  telescope, reflector of low cost with 22.5 cm. mirror, construction 4-26195
  temperature and the ideal gas 4-2208
  thermal conductivity experiment, Cu and constantan wires tied to a soldering iron 4-26407
  thermal noise, electrical devices, random walk model for students 4-8285
  thermal radiation imaging, reflection and refraction experiments 4-26405
  thermodynamic problem, pH of ground mica in water for students 4-26357
  thermodynamics, foundations, review of lecture course (Technion, Haifa, 1972), graduate level 4-4926
  thermodynamics, second law, modern didactic approach *(Polish)* 4-14778
  thermodynamics, the use of differential forms and line integrals 4-26371
  thixotropy explained 4-22708
  tides for a classical mechanics course 4-26352
  time reversal application in studies of switch from left to right hand driving 4-35137
  time reversal invariance in classical mechanics, author admits existence of similar earlier paper 4-5
  time-independent fluids 4-18305
  training course for graduate teaching assistants 4-35125
  tutorial non-lecture type course with assignments 4-26342
  twin paradox, presentation in first course in relativity 4-22711
  units, natural, justification for replacing the International System of Units 4-11433
  vacuum gauge project 4-39147
  vector product, Poisson bracket and commutator bracket, common properties 4-26750
  weightless-in-free-fall experiments 4-26411
  weightlessness in free fall, demonstration 4-26410
  wetting, contact angle, meas. method for students 4-26361
  Wigner's quantum correction for thermodynamic equilibrium, derivation for students 4-35130
  X-ray crystallography, introductory use of X-ray diffractometers 4-11421
  X-ray diffraction crystallography, dynamical theory 4-22709
  X-ray diffraction examination of crystal defects 4-30337
  Young's experiments, concave mirror reflection used as masker 4-30346
  H atom stability 4-4927
  I_2 fluorescence, laser excited and quenching, a student experiment 4-26374
  Na_xWO_3, $0<x<1$, bronzes, perovskite structure described 4-26379

teaching continued
  Pa radioactive decay experiment, meas. of half-life 4-30352
  Rb atomic spectrum observation, quantum mechanical structure 4-35131

teaching approaches to particular topics *see teaching*

teaching demonstrations *see demonstrations*

teaching machines *see computer-aided instruction*

technetium
  N carbon stars, absence of TC in stars with s-processed material 4-38754
  superconducting, neutron diffraction obs. of mag. struct. of mixed state 4-28549
  Sn complexes, ethylammonium hexahalogostannates:TcIV, polarised absorption spectra *(German)* 4-3993
  Tc II, search for lines in Ap and S 4-14370

technetium alloys
  see also technetium compounds
  No entries

technetium compounds
  see also technetium alloys
  TeO_4^-, vib. spectra, $\nu_2(E)$ and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4-24077

technical information centres *see information services*

technical presentation
  No entries

technicians *see personnel*

technological forecasting
  see also research and development management
  methodology, artistic and scientific aspects *(Greek)* 4-39144
  scientific development, predictability, general systems model 4-8275

tectonics
  see also earth crust
  absolute plate motions, simple physical models 4-21726
  African topographic swells, magmatism and plate tectonics 4-14037
  SE Alaska, tectonics of continental margin 4-42010
  Alaskan tectonic blocks, rotation history gravity and magnetic data 4-21837
  Aleutian strain events, observations and static dislocation interpretation 4-21801
  Aleutian-Alaska region, P-wave travel time residuals pattern 4-21846
  Alpine orogenic belt fragmentation by microplate dispersal 4-34163
  America-Eurasia plate rotation, anal. of latitude obs. 4-41997
  American-Eurasian plate boundary in N.E. Asia 4-21717
  arc and collision-type orogens, flysch-ophiolite successions as polarity indicators 4-42026
  Assam-Burma region, earthquake focal mechanisms and tectonics 4-21835
  Avalon Peninsula, Newfoundland, Hadrynian sediment sources 4-17555
  Baffin Bay region, earthquake hypocentres rel. to palaeotectonics 4-21683
  Baikal rift zone, deep seismic investigations 4-34182
  Balearic Sea, oceanic crustal structure from long seismic refraction profiles 4-34202
  basaltic lavas, N. America, magnetostratigraphy and oroclinal folding 4-34236
  Betancuria Massif, Canary Is. formation from fragment of oceanic crust 4-14039
  Bouvet Island and South Atlantic triple junction area, poles of rotation 4-29459
  buckling stability of viscous single layer system oblique to principal compression 4-21842
  Calabrian Ridge, new branch of Mediterranean Ridge 4-25585
  Calaveras Fault, propagating fault creep events 4-21710
  Canadian Cordillera, structural cross section 4-17550
  Canadian Shield events from Pb isotopic evolution, geological nature 4-17554
  Caraquet Dike significance in rifting of Atlantic Ocean 4-29392
  w Cayman ridge, magnetic, gravity and seismic reflection profiles 4-17584
  Cayman Trough, evidence for axis of sea-floor spreading from seismic reflection and bathymetry 4-29401
  Central Asiatic geosynclines, evolution through sea floor spreading 4-21841
  Central USA gravity high, seismic, geologic and gravity data, rift system analogy 4-34193
  Chile Ridge, fast sea-floor spreading 4-1767
  continental magmatism in Africa, thermal convection models 4-42021
  Coppermine River lava flows, fault rotation and revised poles 4-10834
  Cordillera, Mexico to Canada, magmatism orogenic timing and diachronism 4-25578
  crustal movement, geomechanical approach 4-42034
  deep focus seismicity used to determine plate tectonic characteristics of Southern Aegean Sea 4-21633
  deformations, comparison between deductions from recent faults and earthquake focal mechanisms, Cyprus 4-21844
  descending plate behind island arcs, numerical modelling of induced flow 4-21723
  descending plate dynamics 4-21838
  diamond-bearing kimberlites, plate tectonic origin 4-38214
  dislocation theory analysis of fault creep events 4-17582
  disturbance separation, using one-dimensional spectra and seismogram correlograms *(Russian)* 4-42197
  Doruneh Fault, Iran, geomorphic and seismic evidence for recent activity 4-21845
  downfolding associated with igneous activity, S. Greenland 4-34211
  dynamics of one-dimensional fault, with friction 4-21797
  early Proterozoic tectonic evolution of continents 4-25583
  earthquake activity of Belice Valley, Sicily, support of seismicity-neotectonic correlation hypothesis *(Italian)* 4-21632
  earthquake associated crustal tilt directions, amplitudes, velocities 4-21793

tectonics continued
East African rift system, average crust-mantle model based on seismic data 4—34201
East African rift zone crustal structure, review of seismological data 4—34200
East Carpathians, Cenozoic subduction zone 4—21843
Elsinore-Whittier-Chino fault system, structural reinterpretation 4—21711
epeirogeny and plate tectonics, review 4—29412
erosion at trench inner slopes, review of concept and recent data 4—25539
European continental margin structure, Portugal to Ireland 4—34204
evolution patterns for Britain and Palaeozoic neighbours, from palaeomagnetic studies 4—7593
fault mechanism below Rio Grande rift, mapped with reflection phases of microearthquake seismograms 4—34122
fault movements in Tanzanian Sector of East African Rift System, K-Ar ages 4—25580
faulting in real models, residual displacements and strains 4—38243
flow mechanism from experimental deformation of peridotites 4—7512
folded lineations, geometrical properties for various folding mechanisms 4—34213
folding and flexure of compressible elastic multilayers 4—42035
folding of anisotropic rocks with linear/planar fabrics 4—21730
foliated rocks, relationship between principal stress directions and kink geometry 4—34218
fusion of Asia, delineation of block boundaries and timing of collisions 4—25536
Galapagos spreading centre, heat flow, topographic and magnetic survey 4—10816
geodynamical models for continental drift and orogenesis 4—21627
Ghir earthquake April 10, 1972, seismotectonic aspects 4—38195
glacio-isostatic rebound rel. to deep Earth structure 4—21848
Gorda rise, detailed near-bottom study of active spreading centre 4—25573
granitoids, magnetoactive bodies, structure from micromagnetic survey data *(Russian)* 4—29503
gravity and tectonics, book 4—14021
Great Glen Fault, regional metamorphism rel. to 160 km sinistral displacement 4—10821
Grenville Province, eastern Ontario, basement/cover relationships 4—42005
Grenville Province, tectonics rel. to magnetic records of intrusive rocks 4—1789
Gulf of Alaska, aeromagnetic survey, sea floor spreading anomaly 4—34147
Gulf of Mexico, shallow water stediments overlying oceanic crust, discussion 4—34194
high velocity lithospheric plate under Nevada, seismic evidence 4—38198
Himalayan overthrust, rate of movement, slip vector of Nathan thrust 4—14030
Himalayan region, study of earthquake focal mechanisms 4—34210
Himalayas, development stages 4—1766
Iceland, region, seismicity, plate boundaries 4—7521
implications of gravity anomalies seaward of deep sea trenches 4—29379
inclinometric obs. at Sayany station *(Russian)* 4—7500
inclinometric observations in Kiev-Poltava-Artemovsk profile *(Russian)* 4—7496
Indian subcontinent, possible rotation from palaeomagnetic data of Precambrian Gwalior Traps 4—34257
inertial motion of plates during deceleration of earth's rotation 4—21821
intersection of St Paul, Cape Palmas and Grand Cess fracture zones with continental margin of Liberia 4—34165
inversion procedure in obtaining self consistent plate model, test of hot spots hypothesis 4—21806
island arcs, circular curvature 4—7581
island arcs and active continental margins, petrology of volcanic rocks 4—38190
isostatic anomalies in orogenic regions due to crustal thickness variations 4—34149
Juan de Fuca and Gorda rises, asymmetric spreading from magnetic survey 4—10805
Juan de Fuca Ridge, water penetration model rel. to hydrothermal power 4—38224
Kodiak Seamount, Giacomini Guyot, radiometric ages, implications for circum-Pacific tectonics 4—34173
late aftershocks focal mechanism, tectonic stress and dilatancy hypothesis 4—14035
Lebanon, anticlockwise rotation rel. to African plate 4—42053
lithosphere deformation with latitude changes, associated membrane stresses 4—29428
Lithospheric plate motion, sea level changes and climatic and ecological consequences 4—1770
lithospheric plates, membrane stresses rel. to latitude changes 4—21720
lithospheric slabs at subduction zones, seismic prospecting 4—38221
lithospheric stresses caused by crustal thickness inhomogeneities 4—17578
magnetometer array study, southern Australia 4—38269
major cycles explained by dynamics of earth-moon system 4—21625
mantle compressional velocity and continental drift rates from seismic profiles 4—1774
mantle convection plumes driving lithospheric plates 4—21839
mantle hot spots, relative motion 4—7575
Mediterranean, seismic foci distrib. and tectonic implications 4—4342
W Mediterranean basins, formation 4—17557
Mediterranean region, plate boundaries and evolution, comment 4—4339
membrane tectonics rel. to continental rifting 4—21721
Meridional Andes, interruptions of spreading and compressive tectonic phases, Earth model 4—10808
Mesozoic batholites in SE China, two thermal episodes from Rb-Sr dating 4—42013
Mesozoic mantle convection, persistence to present time 4—10807

tectonics continued
microfracture in sandstone, stress concentrations at grain contacts 4—34215
Mid Atlantic Ridge thermal model of sea floor spreading, mantle structure variations 4—4341
Mid-Atlantic Ridge, microearthquake study near 37°N using sonobuoys 4—4347
Mid-Atlantic Ridge at 37°N, near-bottom obs. of active transform fault 4—7576
Mid-Atlantic Ridge crest, topology rel. to faulting 4—21716
Mid-Atlantic ridge development, rel. to Cainozoic magnetic anomaly 4—1773
mid-ocean ridge topography rel. to sea floor depth and age 4—21719
midocean ridge crests, model for horst and graben structure 4—17569
migration of pattern of plate motion 4—38219
Mohorovicic discontinuity, seismological survey, explanation of facts 4—7533
Motagua fault zone rel. to Sierra de las Minas, central Guatemala 4—21728
movement between California and Pacific plate, Delgada submarine core records 4—17583
N. American plate rotation from age and distrib. of porphyry Cu deposits 4—10803
New Guinea, estimate of upper mantle rheology from deformed coral terraces 4—29452
Newfoundland, geochemical evidence for easterly dipping Appalachian subduction zone 4—25586
North American Palaeozoic foldbelts, plate tectonics models 4—34104
Nurancha anticline, evaluation of horizontal deformation displacement amplitudes 4—29506
ocean floor tectonic movements, algorithmic reconstruction based on benthic foraminifera 4—22157
ocean ridges, wax modelling of transform fault characteristics 4—21687
oceanic magnetic smooth zones, distrib. and geologic environment 4—7603
oil occurrence, dependence on climate and tectonics 4—34129
NW Pacific, palaeomagnetic constraints on tectonic models 4—14071
NW Pacific, palaeomagnetism and plate tectonics 4—21725
Pacific archipelagos, geological depth structure *(German)* 4—10826
Pacific linear island chains rel. to gravitational anchors caused by downwelling 4—25571
NE Pacific Ocean seamount basalts ^{87}Sr/^{86}Sr ratio 4—10797
E Pacific Rise spreading rates from stacked magnetic anomalies 4—42009
Panchet clay beds, N.E. India, probable remagnetisation of Gondwana red beds by Deccan Trap flood basalts 4—34256
past oceanic spreading rates, use of TiO_2 as a guide 4—10818
peninsular India, eastern coast, vertical movements in Pleistocene and Recent times 4—21836
Peru-Chile Arc, slip-rates and seismic efficiency 4—21712
Peru-Chile trench, modelling from wide-angle reflection profiles 4—21724
Peruvian Andes during Cenozoic, radiometric and geologic evidence 4—25540
plate breakup by polar wandering 4—21727
plate effects on gravimetric studies of rapakiwi massif formations *(Russian)* 4—34102
plate tectonic hypothesis, framework for petrological models for oceanic crust 4—25521
plume tectonics as alternative to thermal convection 4—34214
post-Cretaceous faulting in Sudan rel. to East African Rift system 4—34160
Precambrian plate tectonics rel. to midcontinent gravity high 4—17559
progressive failure of fault segment and earthquake sequence 4—21676
quartz microfabric changes related to physical conditions during deformation and metamorphism 4—25596
recent vertical crust movements, interpretation 4—25594
recoverable strain, photoelastic measurements at four sites 4—34510
Red Sea, two stage sea floor spreading 4—10819
regional uplift between Stuttgart and Nurnberg, from time-term interpreted refraction data 4—34219
Rhinegraben area crustal structure, new evaluation of seismic data 4—34207
Rivera fracture zone, gravity data rel. to topography 4—21615
rock sheet jointing, origin rel. to land surface shape 4—17599
rock strength pressure dependence, Coulomb fracture criterion 4—34217
San Andreas Fault, 35 km. tiltmeter array results 4—21709
San Andreas fault, systematic inversion of geodetic data for slip rates along plate boundary 4—17548
San Andreas Fault near Los Angeles, geodetic meas. of shear strain accumulation 4—21708
Sardinia-Tunisia strait and N. Tunisia fracture zone *(French)* 4—42037
sea floor spreading, role of fracture zones 4—17585
sea floor spreading, thermal aspects, numerical investigation with kinematic model 4—34209
sea floor spreading history from detailed magnetic survey in N.E. Atlantic and Labrador Sea 4—29507
sea floor spreading rate changes, S. Atlantic, from magnetic anomalies 4—29509
secular polar motion analysis using continental drift theory 4—7527
seismic discontinuities, possible zones of shear weakness, implications for global tectonics 4—21735
sheet intrusions, mechanical model derivation and evaluation 4—21628
significance of Eolian arc volcanic evolution 4—29408
Skrino fault, southern Bulgaria, junction with Struma fault *(German)* 4—10795
slip zone initiation and arrest on a fault plane due to propagating disturbances 4—34148
South Africa Cape Fold belt, probable ridge on upper mantle 4—42017
South Atlantic marine magnetic anomalies, evidence that initial rift occurred in early Cretaceous 4—7573

tectonics continued
  Southeast Indian Ocean, seafloor spreading magnetic anomalies, tectonic fabrics 4−17561
  southern continents drift trend, application of correlation analysis and Feynman diagram to palaeomagnetic data 4−17597
  spreading plate boundaries, energy dissipation and geometric structure 4−29404
  static deformation of multilayered half space by long strike-slip fault 4−14057
  strike-slip faults, geometrical consequences of associated displacements 4−34212
  Strouma river valley, central reaches, neotectonic movements, summary gradients of vert. comp. 4−1764
  subcrustal phase boundary, dynamical response to pressure perturbations 4−29466
  subduction processes, tested by structural relations in continental margins and island arcs 4−21774
  superposed buckling folds, strain distribution, reorientation of early lineations 4−34216
  surface motions due to sub-surface sliding 4−7526
  Swedish Caledonides, age of orogenic deformation 4−29388
  Tasman Basin and Lord Howe Rise evolution 4−25532
  temperatures in a convecting upper mantle, numerical computation 4−34208
  thermal evolution of lithospheric slab at subduction zones, mechanisms of deep focus earthquakes 4−21803
  two-phase mantle convection model, Coriolis perturbation 4−21830
  underground explosions, tectonic stress release 4−7523
  underthrusting lithospheric plates, deformation and instability 4−21798
  upper mantle structure, deep processes in island arcs and trench systems 4−25597
  vertical crustal movement near Lac St. Jean, Quebec 4−10796
  vertical strike-slip fault, associated earthquake Bengough, Saskatchewan, 26 July 1972 4−29396
  viscoelastic models of quasi-static deformation by displacement dislocation 4−38245
  volcanic migration rate rel. to rigid Pacific plate motion 4−38220
  volcanic rift zone, kinematic model based on plate tectonics 4−4344
  West Indonesian region, implications of radiometric dating 4−21840
  West Philippine Basin, Deep Sea Drilling Project leg 31 results 4−10817
  Western Washington, tectonic model, from gravity, seismology, geology, topography and geomagnetism 4−38225
tektites *see meteorites*
telecommunication
  see also biocommunications; carrier communication; communication channels; communications applications of computers; optical communication; radiocommunication; telemetering
  electrical principles, book 4−8734
  interference from solar flares *(Italian)* 4−17924
telecommunication equipment
  meteorological satellites, VHRR picture receiving equipment (RW 072) 4−34547
telecommunication links
  see also optical links; satellite links; space communication links
  surface dipole field perturbations by perfectly conducting prolate spheroid 4−34253
  underwater acoustic signal design, applic. of power series spectral analysis 4−35111
  underwater p.s.k. acoustic data link 4−35109
telecommunication systems
  see also data communication systems; digital communication systems; radio systems; telephone systems
  e.l.f. Sanguine project, biological effects 4−39088
telecommunication theory *see information theory*
telecontrol
  see also telemetering
  astronomical Pulkovo horizontal meridian circle, remote control of *(Russian)* 4−22484
  dust emission control, gravimetric measurement automation of dust in flowing gas *(German)* 4−14714
  railway level crossing road-clear signalling and barrier telecontrol with laser beam *(German)* 4−23411
  remote automatic magnetic observatory operation via commercial telephone circuits 4−17834
  second stage motor in 3 stage launching rocket, radio guidance, feedback optimisation *(Japanese)* 4−25917
  thiopental anaesthesia, remote computerised control 4−18196
  underwater, tethered vehicles 4−14237
telecontrol equipment
  Fleurs Synthesis Telescope remote online control and data processing facility 4−22497
  microwave sensors for remotely sensing the earth 4−14217
telefilming
  Kodak Carousal slide projectors incorporated in vidicon telecine chain for advertisement display on TV 4−30508
telemetering
  acutely ill patient monitoring, by digital computer from remote monitoring station 4−18188
  drug effects on rats' brain 4−11283
  implanted cardiac pacemaker monitoring by telephone 4−26248
  oviductal motility recording, using implantable u.s. transducer 4−11641
  remote automatic magnetic observatory operation via commercial telephone circuits 4−17834
  resource teledetection, BRGM activities *(French)* 4−7807
  resource teledetection from balloons and satellites, image processing and photointerpretation *(French)* 4−7808
  standardisation of techniques, international trends *(German)* 4−22737
  temperature, detection of gastrointestinal cancer 4−14682
  temperature measurement, body, using removable probe in an implanted cannula 4−35498
  water resources and pollution, CERGH activities *(French)* 4−7809
telemetering equipment
  i.r. measuring equipment, limited number of communication channels 4−34500
telemetering equipment continued
  ocean data buoy platforms, free and moored for remote gathering of meteorological and oceanographic data 4−17872
  oceanographic systems, simplification of apparatus *(Russian)* 4−38562
  oceanography, transistor u.h.f. transmitters description *(Russian)* 4−29775
telemetering systems
  biomedical, temperature and l.f. signals, ingestible telemetry system 4−14614
  deep space, Effelsberg radiotelescope dual mode horn feed 4−11267
  Mariner 10 mission, communication and control systems 4−38925
  meteorological research system, estimating forest fire danger 4−42217
  ocean wave climate data acquisition and p.c.m. telemetering system 4−17864
  perinatal intrauterine pressure and foetal e.c.g., dual channel telemetry system 4−14617
  physiological monitoring multichannel r.f. telemetry system 4−14616
  reproductive tract motility meas., long-term chronic implant telemetry 4−14612
  sonobuoy system, single-ship, for seismic refraction surveying 4−29771
  under sea, bottom mounted winch controlled instrumentation, design and reliability 4−17873
  underwater u.s., sonars for oil industry 4−26305
telemeters *see telemetering*
telemetry *see telemetering*
telephone calling equipment *see telephone station equipment*
telephone networks
  realisation of separate simultaneous paths using combinational theory and group theory 4−8611
  remote automatic magnetic observatory operation via commercial telephone circuits 4−17834
  weather forecasting and atmospheric observation, information transmission and processing *(Japanese)* 4−34374
telephone receivers
  diaphragms, vibration modes testing by halographic technique 4−14803
telephone station equipment
  home e.e.g. coupling for anticonvulsant treatment surveillance 4−14673
telephone systems
  implanted cardiac pacemaker monitoring by telephone 4−26248
telephotography *see facsimile*
telescopes
  see also astronomical telescopes
  adjustable system, use in improving energy parameters in laser resonator *(Russian)* 4−26543
  alignment technique, compound reflecting telescope 4−35264
  Cassegrain, in quasi-monochromatic calibration source, 0.22 to 7μ 4−30459
  chromatic aberration, effect on visual aiming accuracy 4−18431
  design for optical heterodyne detector, atm. turbulence limits 4−17842
  efficiency over field of view 4−26501
  modulation transfer function, measuring apparatus 4−30444
  photometric relations appl. 4−11497
television
  see also colour television; video signals
  image transmission through water by u.s. waves *(French)* 4−11370
television applications
  astronomical seeing using digital TV system and 3-path star image 4−34359
  astronomy, TV studies of faint meteors 4−2152
  audio-visual teaching installation, Edertal Centre, Felsberg *(German)* 4−11432
  automatic fringe scanner, for strain measurement 4−8323
  automatic measurement of nuclear tracks in solid state track detectors, on-line system 4−30577
  biology, TV fluoroscopy, enhancement technique of small periodic contrast changes 4−35507
  blind aid, TV camera and tone synthesizer 4−14669
  bubble chamber event digitisation 4−35419
  electron microscopy, transmissions, TV applics. and limitations 4−8532
  flame pyrometer monitoring *(German)* 4−30422
  human eye-brain model, use of opaque flying spot scanner system 4−14584
  Kitt Peak 2.1 m telescope, alignment of dome and telescope by closed-circuit TV 4−14532
  local time linkage with international atomic time for Borowiec, Poland *(Polish)* 4−26656
  Martian cloud formations, ground-based TV patrol 4−34685
  meteors, light curves from very faint objects using sensitive TV equipment 4−34757
  microscopy, automated systems, image analysis, optical limits, problems 4−5075
  ocean surveying, display technique for sonar data 4−11062
  particle spectrometer, Omega CERN, TV camera system for track visualisation data acquisition and digitisation 4−120
  physics, high energy experiments, cameras, data collection from optical detectors, tube systems 4−107
  pupillometer, pupil dynamics of near response determ. 4−18176
  radiation therapy, treatment position reproduction using CCTV and photography 4−18211
  radiology, diagnostic, video techniques, electronic recording 4−2182
  radiology, fluoroscopy, CCTV systems, optimal operating parameters 4−2184
  real-time X-ray inspection system for nucl. fuel pins 4−27388
  SEM, dynamic expts. with a hot stage 4−8527
  SEM, expt. field emission, TV display 4−15010
  SEM, ultra-high vac. with Auger anal. facility, TV display 4−15011
  spark chamber, narrow-gap, television complex for information takeoff to computer 4−22960
  spark chambers, TV takeoff of information 4−5201

television applications continued
- still grey density interpretation in colour 4−42188
- streamer chamber, TV track recording system 4−105
- X-ray patient diagnosis 4−8236
- Nd:YAG laser laboratory communication system, 1 Gbit/s mode-locked freq.-doubled 4−23419

television broadcasting
- advertisement, by display of slides 4−30508
- frequency standard transmission, comparison with local standards *(German)* 4−22745

television camera tubes
- *see also image storage tubes*
- application to high energy physics experiments, data collection from optical detectors, tube systems 4−107
- computer controlled vidicon system for high resolution electron microscope 4−5232
- electron lens modulation transfer function meas. *(Japanese)* 4−19166
- electrooptical Fourier transform system, real-time, for video images 4−30492
- image intensifier, for electron microscope 4−26670
- planetary exploration photography, fibre-optic faceplate evaluation 4−22502
- superorthicons, spark chambers, TV takeoff of information 4−5201
- vidicon, 500-channel Si-target, photodetector for atomic absorpt. spectrometry 4−2420
- vidicon-based spectrometer for observation of triplet-triplet absorption by organic molecules 4−8367
- Si vidicon sensitivity var. in red region of spectrum 4−34966
- Si vidicon type tube, elec. effects of growth striations 4−17176

television cameras
- application for particle spectrometer, Omega CERN, TV camera system for track visualisation data acquisition and digitisation 4−120
- application to high energy physics experiments, data collection from optical detectors, tube systems 4−107
- automatic focusing, semicond. laser rangefinder applic. *(German)* 4−23405
- colour, zoom lens, mechanical construction *(German)* 4−35326
- colour, zoom lens characteristics, Schneider Varigon lenses *(German)* 4−35325
- ERTS-1 return beam vidicon TV system, distortion analysis 4−17832
- intensifier-vidicon system for meteor observations 4−42520
- multispectral, high resolution system, for Earth Resources Technology Satellites 4−25861
- real-time X-ray inspection system for nucl. fuel pins 4−27388
- underwater low light level, video processing techniques 4−22180
- variable objective with large range of focus *(German)* 4−35242

television equipment
- chrominance coordinate values, figure colorimeter *(Russian)* 4−35271
- ERTS 1 small-scale imagery for mapping 4−17826
- underwater light source 4−11065
- underwater light sources, system performance prediction 4−11066
- underwater TV laser ranging holographic scanner 4−11069
- X-ray patient diagnosis 4−8236

television picture tubes
- *see also fluorescent screens*
- colour, landing error correction by discontinuous-surface lens *(Japanese)* 4−8879

television reception
- in meteorological satellites using VHRR picture receiving equipment (RW 072) 4−34547

television reception quality *see television reception*

television signals *see video signals*

television standards
- granularity of colour TV films 4−35322

television systems
- holographic, optical model anal. of image reproduction 4−11903
- Holotape using holographic storage 4−11518
- vidicon telecine chain incorporating 35 mm Kodak Carousal slide projectors, for display of slides 4−30508

tellurium
- amorphous film prepared by low temp. condensation electron diffraction structure study 4−10066
- atomic absorption spectroscopy, electrodeless discharge lamp, performance compared with hollow cathode lamp 4−30648
- chemisorbed O_2 trace analysis via oxide stripping with HCl 4−15076
- crystal growth, raw material purity rel. to pulling conditions and cryst. morphology *(French)* 4−21190
- Czochralski growth of monocrystals, controlling factors, temp. profile requirement 4−41515
- electric-field-modulated reflectance spectra obs. 4−28859
- electronic charge density, from band structure evaluation of triagonal Te 4−24691
- epitaxial growth, temp. depend. of resist. and Hall effect investig. *(German)* 4−20704
- epitaxial thin film, conductivity and Hall effect meas. *(German)* 4−3781
- film, amorphous and cryst., X-ray and far u.v. photoemission, valence density of states 4−21163
- film, amorphous and polycryst., photoemission obs. and electronic density of states 4−17157
- film, Hall mobility meas. as function of temp. from 77 to 300K 4−16773
- film on glass, temperature dependence of resistivity *(German)* 4−16836
- free hole and electron masses, Faraday rot. obs. 4−37165
- galvanomagnetic effects, press. depend., 1 to 17 kbar at 4.2K, obs. *(Japanese)* 4−41061
- harmonic generation, CO_2 laser performance 4−23326
- harmonic generation, phase matching band spectral depend. 4−27018
- high field transport and low field mobility meas. 4−10160
- interband photoconductivity, hydrostatic press. influence 4−3759
- i.r. photoconductivity meas. at 90 K 4−10182

tellurium continued
- liquid, pressure-temp. diagram, boundary interpret. and reln. to melting-curve max. 4−6479
- liquid, with impurities, surface tension polytherm 4−13088
- magnetoabsorption strained sample, defect structure 4−21032
- microhardness of Te single crysts., no change after light irrad. 4−32609
- mirror, NaCl substrate, spectral characts., CO_2 laser cavity 4−5513
- molecule, $^3\Sigma^-$ ground state splitting 4−27609
- Nernst-Ettinghausen and Seebeck effect in pure and electron-irradiated samples 4−28429
- p-type, sign change of Hall coeff. in strong elec. field, phonon prod. 4−28435
- plastically deformed, laser irrad. electronic dislocation bands, cyclotron resonance 4−13149
- pressure effects on band structure, i.r. optical props. 4−13139
- second harmonic generation optimisation, in presence of photoinduced carriers 4−23395
- shear sound wave amplification, 116-220 MHz 4−28461
- specific charge from mass spectroscopy *(German)* 4−162
- stopping cross section of α-particles, 0.3 to 2.0 MeV 4−24503
- structure, c(2 × 2), on Cu(001), surface structure models rel. to LEED patterns, computer program calcs. 4−37068
- surface preparation with minimum structural damage, use of solvent saw 4−41514
- target, nuclear bombardment, preparation by electrodeposition from organic soln. 4−26583
- thermal conductivity and electrical conductivity, hydrostatic press. effects 4−28245
- thin film, struct. depend. of elec. cond. 4−1273
- trigonal, lattice vibr. symm. in Brillouin zone, group theory anal. 4−16568
- whisker, vapour-grown, root growth caused by Tl impurity 4−41483
- CdS:Te heterojunctions, impurity energy states rel. to props. of photovoltaic elements *(Russian)* 4−6669
- CdSb:Te, elec. cond., Hall coeff., depend. on donor conc., defect traps 4−24767
- GaAs:Te, doping profiles of films grown from soln. 4−33622
- GaAs:Te, implantation temp. effect on lattice location 4−16512
- GaAs:Te, nonstoichiometry defects, As vap. press. depend., annealing effect 4−28359
- GaAs:Te, thermal cond. obs. between 2 and 90K 4−37052
- n-GaSb:Te, impurity cond. rel. to L-cond. band minima 4−3741
- GaSb:Te, n-type, acceptor density determ. from 2.5-360°C transport meas. 4−41070
- $In_xGa_{1-x}As$:Te, doping profiles of films grown from soln. 4−33622
- InP;Te, dopant behaviour in LPE-grown LED mat. 4−17104
- Rb-Te cathode, in image convertor for u.v., performance in rocket camera 4−4844
- Se:^{125}Te, nuclear quadrupole interaction meas. 4−3922
- Te:Sb, far i.r. absorption by acceptor states 4−10459
- Te:Se, 1.2-77K, doping 0-1500 p.p.m., isoelectronic impurity states, elec. props. 4−13148
- Te-TeI_4 system, phase relationships, thermal, X-ray anals., vap. press. meas. 4−32673
- Te^{4+}: halide salts, temp. quenching of luminescence 4−10473

tellurium compounds
- chalcogenide glass, struct. relax., differential scanning calorimetry 4−28209
- hexahalides, Mossbauer spectra, quantum calc. of chem. shifts 4−6819
- tellurite-vanadate glass system, semiconductor, switching phenomena 4−1256
- As-Te, chalcogenide glass, electrical and struct. props. 4−36814
- As-Te-Ge, chalcogenide glass, electrical and struct. props. 4−36814
- As-Te-I, chalcogenide glass, electrical and struct. props. 4−36814
- BiTe-Bi_2O_3-$Bi_2(TeO_3)_3$-Te system, phase equilibria and oxygen donor effect 4−32665
- Cd-Te-Sn system, cross section CdTe-Sn 4−32664
- EuTe:I, antiferromagnetic, influence of ferromagnetic spin clusters on domain structure 4−20800
- Ge-As-Te amorphous sytems, a.c. conductivity 4−10146
- Ge-Te amorphous film, optical and transport props. 4−24741
- Ge-Te materials, noncrystalline state form., sputtering cooling 4−6967
- Ge_xTe_{1-x} film, amorphous, d.c. cond., optical absorpt., and photocond. 4−24847
- In-Te system, molten, temp. depend. of Hall mobility, quasiionic scatter, nature of elec. transport 4−28436
- MoO_3-TeO_2, hyperfine interaction of d-electrons, e.s.r. obs. 4−3891
- Pd-Mn-Te, antiferromagnetism, crysts. struct., PdMnTe compound *(Japanese)* 4−3837
- Se-Te alloys, cryst. and amorphous, heats of form., crystn. and fusion, comp. depend. 4−37021
- Se-Te mixed crystal, acceptor states investigation 4−28430
- Te-Bi, absolute viscosity, 600-750°C, temp., comp. depends. 4−32735
- Te-Se system, Te enriched, molten temp. depend. of Hall mobility, quasiionic scatter, nature of elec. transport 4−28436
- Te-Se-Ge, Te-Se-Sb, chalcogenide glasses, temp. depend. of resistivity 4−41068
- Te-Se-Ge glass, chalcogenide semiconductor, electrothermal effects 4−37288
- $Te_{55}As_{35}Ge_{10-x}Si_x:Mn^{2+}$, glass, variation of e.s.r. spectrum with x and annealing 4−41244
- Te_2AsSi glass, small filament, cond., field effect 4−24750
- $Te_{40}As_{35}Si_{15}Ge_7P_3$, amorphous glass films, switching, dark and photocond. meas., field depend. 4−24789
- $TeBr_4$ + H chemilum. reaction, spectrum analysis *(French)* 4−21536
- $TeCl_4$, growth of single crysts. *(French)* 4−25232
- TeF_6, enthalpy of form. determ. by combustion of Te in F *(French)* 4−40903
- TeF_6 + Cs, collisional ionization, molecular electron affinities 4−19916
- $Te_{15}Ge_3As_2$, $Te_{15}Ge_2As_3$, amorphous semiconductor, isothermal compressibility meas. to 5 kbar 4−12977
- $Te_{70}Ge_{10}As_{20}$ glass, temp. depend. of thermal props. 4−32717

tellurium compounds continued
- TeI_4-Te system, phase relationships, thermal, X-ray anals., vap. press. meas. 4−32673
- TeO_2, i.r. matrix isolation, vibr. freq., force constants, geometry, bonding 4−36522
- TeO_2, nonlinear refr. index, electrooptical props., calc. 4−11967
- TeO_2, paratellurite, phase transform. at 90 kbar, soft acoustic mode driven 4−28178
- TeO_2, Paratellurite, prep. conditions simulation and growth of large single crysts. 4−1442
- TeO_2:Gd^{3+}, e.s.r. spectra, crystal field splitting 4−28696
- TeO_2-V_2O_5:Gd^{3+}, amorphous, e.s.r. spectra, crystal field splitting 4−28696
- $Te^{6+}O_6$, force constant, mean amplitude of vibration 4−19795
- $Te_x(Si_{0.24}Ge_{0.20}As_{0.56})_{1-x}$ chalcogenide glasses, electronic props., bulk form, thin film form 4−20603
- ZnTe-InAs heterojunctions, current transport mechanism, obs. 4−16813

temper brittleness *see brittleness*

temperature
- *see also atmospheric temperature; boiling point; Curie temperature; Debye temperature; melting point; Neel temperature; temperature scales*
- electron in Z And-type stars extended envelopes 4−4788
- fluctuations in small systems, non existence 4−246
- glass, 5-component, calc. from viscosity by Ochotin and Kim In-sana's formulae *(Polish)* 4−29200
- metal drop heat content and temperature, oxidative atmosphere 4−8733
- nuclear reactor fuel pin centre temp. power cycling effects 4−23886
- quantum systems, closed, additivity of entropy and definition of temperature 4−11847
- relativistic theory 4−11871
- teaching, temp. definition rel. to concept of ideal gas 4−2208
- temperature computation, singularity programming for finite difference and finite element anal. 4−19019

temperature compensation *see compensation*

temperature control
- *see also thermostats*
- atomic absorptiometer, graphite-tube, atomization temp. regulation 4−15071
- automatic controller, for exoelectron emission meas. *(Japanese)* 4−39187
- constant temperature chamber, thermal stability, effect of periodic air temp. fluctuations 4−18397
- controller, low cost, high stability, quasiproportional 4−35207
- cryostat, comparison of gas-flow, heat cond. types for use in optical spectroscopy 4−39190
- crystal, below 1K, electrocaloric effect 4−18401
- developing solutions, thermostat operation *(Spanish)* 4−14915
- heating bath for automatic flow analysis 4−39174
- of instruments, flexible heating elements, materials and applications 4−22759
- n.m.r. sample, methods of stabilizing temp. 4−35216
- nuclear reactor dynamics, anal. of nonlinear Xe oscillation by method of averaging 4−19569
- programmable proportional regulator for laboratory furnace *(German)* 4−4934
- refrigerant, by computer using radial heat exchanger 4−39192
- regulator employing thyristor, for Si purifying furnace *(Spanish)* 4−5008
- simple semi-automatic thermoregulator *(Russian)* 4−35206
- space research, Mars probe *(German)* 4−34694
- transistors using thermostat *(German)* 4−35214
- X-ray diffractometer furnace, use 4−22799
- He vapour manostat, temp. control in cryostat *(Czech)* 4−11473
- Si epitaxial reactor, minicomputer control 4−4051

temperature distribution
- absorbing emitting scattering slug flow between parallel plates, effects of radiation 4−40445
- arc discharge, thermal interaction between arc column and electrodes 4−40708
- Atlantic Ocean, temp. var. analysis in upper ocean layer *(Russian)* 4−4399
- atmospheric tide reflection by temp. repartition, temp. profile 50-110 km altitude *(French)* 4−42082
- boundary layer, heat exchange on horizontal permeable surface in air flow, investig. 4−32036
- boundary layer at cylinder with const. thermal flux at surface 4−32038
- bounded cylinder with internal heat source, two-dimensional temp. field anal. 4−30918
- castings, successive solidification, anal. of kinetics *(Russian)* 4−21222
- circulating gas lens, temp. distrib. in focusing tube 4−39214
- condensation, laminar film, inclination effect 4−32013
- convection heat transfer, natural, in liquid layer heated from below 4−32016
- convective flow in inclined slot, Galerkin method soln. for Boussinesq fluid 4−27818
- cylinder, thin-walled, temp. field due to source moving in spiral path *(Russian)* 4−39645
- cylinder generating heat, diffusion 4−5425
- cylinder of infinite length, maximum temp. drops and thermal stresses calc. 4−39654
- cylinders, bounded, axially symmetric stationary thermal interaction 4−39653
- cylindrical conductor, temp. depend. cond., e.m. field and temp. distribs. *(Russian)* 4−30938
- cylindrical tee plug, transformations of Fourier-Bessel-kernel function 4−30921
- deep reservoir, thermal stratification due to solar radiation 4−34272
- doubly connected plate, heat conduction 4−245
- Earth's crust and mantle, magnetotelluric data, Iceland 4−38242
- Earth's thermal gradient, mantle convection and geographic location effects 4−42029
- earth surface heat-balance equation, numerical properties 4−7645
- exosphere, non-uniform rotation, density and temp. distributions 4−4736

temperature distribution continued
- fin, straight and annular, errors in one-dimens. heat transfer analysis 4−39666
- finned tubes, reradiation influence on metal temp. 4−39652
- frictional cutting conditions calc. *(Russian)* 4−41674
- Galapagos spreading centre, heat flow, topographic and magnetic survey 4−10816
- in gas, radiation error compensation *(Japanese)* 4−22788
- gas-particle suspension, Benard convection onset 4−16192
- glacierised watershed in Northern Alaska, heat balance study for moraine, ice and snow 4−10926
- hollow cylinder, temp. field due to source moving along helix 4−39651
- hollow shells, local heating, optimum temp. fields determ. *(Russian)* 4−18999
- inductive heating of axisymmetric metallic bodies, eddy current density and temperature distribution analysis *(Russian)* 4−35779
- infinite plate, temp. field, initial conditions influence, various temp. variation laws 4−5424
- infinite plate with mobile and immobile sources, temp. field problem soln. *(Russian)* 4−15255
- infinitive plate of finite thickness, in presence of arbitrary vol. heat source 4−39647
- ionospheric two temperature ion distrib. at high latitudes 4−38437
- laminated composite cylinders subjected to circumferentially varying heat flux, diffusion eqn. 4−39664
- in lenses, optical system design formulae *(Russian)* 4−22816
- liquid sheet, free axisymmetric 4−40454
- lower mantle, multilayer models rel. to chemical composition and temp. distrib. 4−21614
- lunar interior temp., problems in extrapolating lab. meas. of electrical conductivity 4−38699
- Mars, atmospheric temp. field, Mariner 9 i.r. interferometric spectroscopy 4−26017
- metal sheet, heat transfer during rolling 4−41692
- metallic thin film machining by Q-switched laser, radial temp. distrib. eqn 4−35911
- microwave therapy, temp. distrib. for two layer system of fat and muscle 4−11303
- mountainous regions, surface ground temp. var. and heat flow meas. 4−25541
- multilayer bodies, unidimensional temp. fields, calc. *(Russian)* 4−8729
- multistream countercurrent heat exchangers, idealized model 4−40441
- Ne, positive column, radial gas-temp. distrib. from differential interferometry 4−36742
- nonstationary temperature field in solid with nonlinear boundary conditions 4−2577
- North Sea geothermal gradients 4−10820
- northern hemisphere distribution, rel. to total ozone meas. 4−4474
- nuclear reactor multi-pin fuel assembly; thermal/hydraulic anal. 4−36320
- nuclear reactor rod bundles, rod displacement effects on circumferential temp. and heat flux distrib. in turbulent flow 4−40063
- ocean, mesoscale baroclinic eddies in North Pacific 4−42078
- ocean internal swash and surf, internal waves crossing continental shelf 4−7648
- oceanic turbulence, u.s. intensity fluctuations 4−26307
- Oregon upwelling, temp. field and inversions at CUE-I 4−17672
- Orion Nebula, temp. and ionisation structure from photoelectric photometry 4−22459
- orthotropic heated circular plates, static and dynamic behaviour 4−11758
- northeast Pacific, deep water thermal structure 4−10868
- N Pacific sea surface temp., temporal coherence 4−34283
- pipes with uniform wall heat flux, viscous dissipation effects, heat transfer 4−32014
- plasma torch, high intensity arc, controlled transpiration cooling of anode 4−40692
- plate, square, steady state distribution by Monte Carlo methods *(Turkish)* 4−35756
- plate with internal heat sources, temp. field calc. method 4−39658
- Powell Lake, temp. microstructure 4−7609
- radiating nonsteady three-dimensional stagnation flow, heat transfer 4−19969
- ring source, moving in solid infinite cylinder, calc. of temperature field *(Russian)* 4−2574
- river transport properties, stochastic modelling 4−29532
- rotating annular disc., temp. field calc. 4−39655
- sea surface temp. data, nearshore eddies and wind-driven currents 4−34287
- sedimentary basin temperature gradients from boreholes 4−10798
- semi-infinite block and infinite cylinder, temp. fields due to moving sources *(Russian)* 4−39644
- sheet metals, punch-stretched, expansion and temp. distrib. investigations *(Japanese)* 4−41760
- shell of revolution, non-uniform, optimal heating *(Russian)* 4−39533
- solar corona hydrostatic temperature from vertical density gradient, K-coronameter obs. *(French)* 4−22264
- solidification, directional, of ingot, three-dimens., model exam., numerical soln. 4−33659
- Southern Lake Superior, airborne PRT temps. growth of strong longshore current 4−17625
- spark, produced by h.v. pulsed discharge, temp. field calc. 4−40707
- spherical particle moving through boundary layer over flat plate, mechanism 4−27890
- stationary, in nonlinear rectangular domain, 'tank' analogue method *(Spanish)* 4−5418
- stationary thermal field, anomaly bounded by contour of a sector with finite radius 4−5366
- Stefan's problem, approx. solns. 4−39660
- supercooled melts, temp. field calc. around crysts. during growth *(German)* 4−24405
- thermal stratification, effect of vertical isothermal slot jet 4−32054
- inthin-walled structure, approximation *(Russian)* 4−15257
- troposphere, vertical temperature profiles, spectral structure 4−1891

temperature distribution continued
turbulent forced convective heat transfer, viscous dissipation effect 4−40451
turbulent pipe flow, heat transfer in, mixing length model appl. 4−32015
turbulent temperature mixing layer meas. 4−19974
upper atmosphere, global distrib. from OGO-6 6300 Å airglow meas. 4−38419
upper ocean, structure analysis of velocity and temp. fluctuations *(Russian)* 4−42074
upper ocean surface waves, particle motion and temp. fluctuations in 2 m cube of water 4−17678
Venus atmospheric lateral inhomogeneities, analysis of thermal i.r. maps 4−34677
vertical rectangular fin, heat loss by laminar free convection, anal. 4−40404
viscoelastic cylinder determ. of stress and temp. distrib. due to cyclic internal pressure 4−5339
Volterra integral eqn., temp. field in solds 4−2579
water body, unsteady three-dimensional turbulent diffusion equation of thermal discharges 4−25643
W Weddell Sea, silicate and potential temp. in deep and bottom water 4−10860
wedge, nonlinear anisotropic 4−26876
wind, anemometer, hot wire, aleatory signal identification *(French)* 4−22168
Ar-N$_2$ wall stabilised atmospheric pressure arc, temp. profile rel. to thermal cond. detn. 4−3405
Cu walls of crystallizer for horizontal continuous ingot, computer-aided study *(Russian)* 4−4056
GaAs, zone melting, crucibleless, temp. distrib. investigation *(Russian)* 4−21198
Hg, free convective turbulent boundary layer flow, profiles 4−27817
Si, shaped ingots, grown by Stepanov's method, calc. *(Russian)* 4−13048

temperature measurement
see also pyrometers; spectral methods of temperature measurement; temperature scales; thermocouples; thermometers
77-293K range, TH 120/22-20 thermistor applic. *(Czech)* 4−22796
air, in flight, remote electric thermometer *(Russian)* 4−42231
air, resistance thermometer *(Japanese)* 4−17859
airborne temperature data, correction for sensor response time 4−7840
atmospheric microscale temp. fluctuations meas. 4−25683
biological microwave absorption, laboratory specimen time-temp. profile determ. 4−42614
biomedical, temperature and l.f. signals, ingestible telemetry system 4−14614
body temperature, telemetry, using removable probe in an implanted cannula 4−35498
brain, during microwave exposure, r.f. decoupled thermistor probe 4−11327
brain, electrode design 4−35003
calorimeter meas. of thermal fluxes, interpret. method. 4−39181
for calorimetry, automatic variation meter 4−35215
clouds, effective temperature determ. from microwave meas. of water's molecular relaxation time *(Russian)* 4−25880
concrete pressure vessels of Oldbury-on-Severn nuclear power station, five year service exam. 4−27433
contactless, random error distribution 4−30419
convective drying with variable-agent parameters, kinetics and dynamics, exptl. apparatus 4−39173
cryogenic, comparison of diode and resistance thermometry 4−35222
cryogenic temperature scale, meas. techniques 1 to 120K 4−5002
cryogenic thermometers 4−22800
delayed neutron temperature sentinel, for use in LMFBR 4−31458
distribution of temperature in gas *(Japanese)* 4−22788
errors, evaluaton in thermometry *(Croatian)* 4−35212
flame, temp. and radiation characts. meas. using beam-length variation technique 4−39180
flow fluctuations, metalfilm probe *(German)* 4−39188
fluctuations, turbulent air flows, metal film probe applic. 4−35580
fluid, instantaneous meas. of temp. and velocity component, using hot-wire anemometer 4−30674
gas, nonisothermal, pyrometric method for instantaneous velocity determ. 4−18811
gas, vibr. Raman scatt., Stokes Q-branch bands intensity 4−3150
gases, rarefied streams, multibead thermocouple applic. *(Russian)* 4−22794
glass, surface, contactless method, instrument 4−30423
ground and water surfaces, radiometric method, meteorological applications *(German)* 4−7815
hypersonic wakes 4−16221
i.r. telemetering equipment, limited number of communication channels 4−34500
Jupiter, radiospectrum from 2o to 24 GHz, broad-band meas. of brightness temp. 4−26000
lake evaporation calculation, temp. profile network density effect on accuracy 4−4382
liquid, thermal activity meas. by compensation method 4−39185
low-temperature sensors, Pt resistance and Ge reference curves, liquid cryostat 4−5003
lower atmosphere, by acoustic sounding 4−42223
metal, apparatus, inertialess method 4−2245
at millikelvin temps., pulsed NMR technique 4−5014
miniature thermograph for high altitude air temp. meas. 4−2009
monitoring, physicochemical parameters of media 4−35227
n.m.r. sample temperatures, methanol and glycol chemical shift thermometers 4−35216
noise curents, thermometry at 5.4 mK to 4.2 K 4−2257
noise thermometry, using microwave resistive SQUID 4−5006
n.q.r. frequencies, temp. depend. a thermometer 4−5007
nuclear reactor, environmental instrumented subassembly 4−23783
Nyquist noise voltage formula application, wide range thermometer 4−35211
oceanographic profiling system, measurement and results 4−17880
plasma, 2000-10000 K, calorimetric probe 4−36746

temperature measurement continued
probe, metalfilm, for small, fast flow temp. fluctuations meas. *(German)* 4−39188
quartz resonator application to small gradient meas. 4−18388
Raman scattering depolarisation, appl. to seawater 4−11052
Raytheon emissitometer, theoretical basis and practical circuit 4−14827
recovery spark channel, from conductivity probe obs. 4−3395
resistance thermometers, high m.p. monocrystalline transition metals applic. 4−22795
resistive sensor, LNG applications 4−35210
rotating bodies, contactless temp. meas. *(Russian)* 4−35219
Schlieren method applic. to temp. field meas. in solids 4−39183
sea surface, using S-band radiometer 4−30412
solid, shock compressed, meas. of temp. by thermal resist. determ. *(Russian)* 4−35213
spark channel, high current, review 4−6283
supersonic flow, probes, distribution in boundary layers 4−30682
surface temperatures, transient 4−35204
system with electrical correction, error analysis *(Russian)* 4−8339
telemetering system for meteorological research, forest fire danger 4−42217
thermistory linearisation, using operational amplifier 4−22793
turbulent flow, dynamic characteristics of hot film transducer probes 4−35576
universal gas constant, meas. from expansion of liquid CO$_2$, school expt. *(Hungarian)* 4−2209
water, boiling, vapour and liq. temp. local meas. with microthermocouple 4−18398
watercooled thermal sonde, high temp. meas., thermal flow density technique *(Russian)* 4−35220
Ge resistance thermometer, 4.2 to 13.81 deg K range 4−30386
He storage vessel gradients, intermediate temps. between 4.2 K and 77 K 4−8334
N$_2$, in arc tunnel air flows using rotational temperature device 4−11699
Pt resistance thermometry 4−8338

temperature scales
cryogenic, meas. techniques 1 to 120K 4−5002
cryogenic, state special standards in 1.5-4.2°K range, helium-4 4−30385
International Practical Temperature Scale, 1968, T_{68} and t_{68} approx. calc. *(German)* 4−18334
international practical temperature scale 1968 revision described 4−30387
International Practical Temperature Scale (1968), 13.81 to 90.188 K, as maintained at NBS 4−8
IPTS-68, cryogenic apparatus for reference points below 273.15K 4−18336
IPTS-68, equip. for calibrating reference Pt resistance thermometers, 13.81-273.15 K 4−22756
IPTS-68, range 273.15-2800 K, equipment for reproduction 4−22757
Kelvin thermodynamic, 273.15-415K, effects of sorption in gas thermometer 4−26449
laser power and total irradiance scales, NBS, calorimeter versus radiometer meas. 4−4995
3,5-dinitro salicylic acid, optical thermometer 4−30418
radiometry, absolute, by means of black body source 4−8303
Al$_2$O$_3$ melting temp. as secondary reference point of the temp. scale 4−2244
Ce$_2$Mg$_3$(NO$_3$)$_{12}$.24H$_2$O, powdered cylinder, T=T* law, millikelvin range 4−20814
Ge resistance thermometer, 4.2 to 13.81 deg K range 4−30386

tenacity *see tensile strength*

tensile strength
see also fracture
alloy, strength-differential phenomenon rel. to plasticity theory and vol. expansion 4−7159
aluminoborosilicate glass fibre, influence of heat treatment *(Russian)* 4−4212
anisotropic rocks, indirect method of testing 4−34168
Borsic/Ti alloy composite, tensile props. and fracture modes 4−1652
branch pipe lateral and tee connections, limit interaction of external couples and internal pressure 4−23814
brass, $\alpha+\beta$ type, tensile fracture strain at h.p., discontinuity obs. 4−29131
brass, biaxially stretched sheets, strain hardening and instability 4−13703
α-β-brass two-phase multicryst., tensile behaviour 4−33828
cast iron, compression testing in wedges 4−29288
ceramic, brittle, Griffith flaws and effect of porosity on tensile strength, correction 4−13842
chitin, regenerated films, mech. and chem. characts. 4−13902
composite, fibre reinforced, failure analysis 4−1649
composite, fibre reinforced, fracture toughness 4−1656
composite, fibre reinforced resin, specimen geometry effects 4−17421
composite, fibre-reinforced steel-Al, boundary layer formation, effect on tensile strength *(German)* 4−38047
composite, filament wound, static testing techniques 4−29262
composite, laminar metal/metal, characteriz. for high temp. applics. 4−1665
composite, metal-matrix, effect of holes, inclusions and press. 4−1648
composite, metal-matrix, mech. props. at ultimate loading, theory 4−7342
composite, metal/metal, elongagion and fracture 4−1651
composite, symmetric laminates, post-yielding behaviour, inelastic macromechanics 4−1631
composite, two-phase wires, deform. mechanism and props. characteriz. 4−21440
composite alloy, discontinuous fibre, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
composite laminate, load conc. factors for circular holes 4−1636
composite material, fibrous, microfracture mechanisms, cont. in-situ obs. and recording of dynamic loading in SEM 4−25430
constitutive equations for temp. and time depend. stress and failure analysis 4−17493

tensile strength continued
dispersion hardened metal, elevated temp. deform., model 4—41707
epoxy-urethane/Al_2O_3 filled, mech. and thermal expansion props. 4—38037
fibre reinforced structure fracture strength *(Japanese)* 4—38042
fracture toughness, influence of pre-cracking modes *(Slovak)* 4—13689
glass, hole theory of liquids, plastic deform. 4—13940
glass fibre reinforced epoxy composite, fibre orientation effects on fatigue failure 4—1666
glass fibre reinforced plastics, tensile fatigue props. 4—41833
glass reinforced plastic, statistical analysis 4—13866
glass reinforced plastic sheet, strength and ageing props. under various climatic conditions 4—21434
iron silicide thin interlayer, strength 4—1643
isotropic materials, strength differential effect, twinning and directional slip role 4—37930
malenate polyester, styrol conc. influence on photopolymerisation rate and mech. props. *(Russian)* 4—10683
measurement parameters, standards for measuring instruments 4—18370
metal, f.c.c., randomly oriented, yield locus according to Bishop-Hill theory 4—37929
metal, Morse pot. approach *(Russian)* 4—41678
metal, surface coatings effect 4—7221
metal system, cubic, microstruct., relationship with behaviour in uniaxial tensile test 4—37902
metal-mesh reinforced carbon plastic, temp. depend. of mech. props. 4—13878
microduplex alloys, fine-grained two-phase, fatigue props. 4—7150
nylon 6 plastics, glass fibre reinforced, tensile creep props., effect of glass fibre content *(Japanese)* 4—10664
parameters for idealized stress/strain curves obeying Hollomon strain hardening eqn. 4—37903
phenol-formaldehyde polymer, Griffith fracture, temp. depend. 4—33911
plastic, strength-differential phenomenon rel. to plasticity theory and vol. expansion 4—7159
PMMA, crack-velocity due to combined tensile and impact loading 4—17445
PMMA, fractographic determ. of temp. time depend. of specular zone disappearance 4—13926
polyacrylate + glass bead, surface treatment effect on adhesion and mech. props. 4—17416
polycaproamide fibre, u.v. irradiation and cyanethylation effects 4—37601
polycaprolactam, fractographic determ. of temp. time depend. of specular zone disappearance 4—13926
polyethylene molecule, elastic modulus, breaking strength and breaking strain 4—7361
polymer, oriented, anisotropic yield criterion 4—1673
polymer, press. depend. yield criteria 4—13909
polypropylene, isotactic, liq. medium influence on mech. props. *(Russian)* 4—41857
polystyrene, crit. strain criterion for crazing 4—4216
polystyrene, impact type, matrix mol. wt. effect on physicomech. props. 4—21470
polyurethane, isocyanurate-type crosslinked, props. 4—13904
polyurethane coatings, physico-mech. props. under influence of external factors *(Russian)* 4—10679
powder, failure props., yield locus parameter depend. 4—29256
pressure vessels, acoustic emission testing 4—31509
PTFE, 78-298K, environmental crazing effects 4—21450
PVC, irradiated, for wire insulation applic. 4—29230
Remendur, metallurgical effects of processing time and temp. variations 4—4117
sheet forming, stress/strain relations 4—37904
sheet metals, instability and fracture 4—37905
steel, anisothermal stress relaxation 4—13771
steel, austenitic, low temp. mech. props. in biaxial tension 4—41731
steel, austenitic, metastable, austenite stability rel. to tensile props. 4—7142
steel, austenitic metastable, mech. props. rel to alloy elements and struct. *(Japanese)* 4—41693
steel, austenitic stainless, influence of high hydrostatic pressure on flow stress 4—1604
steel, austenitic stainless Cr-Mn-N type, grain size effect on tensile props., 25-1000°C 4—17346
steel, bearing, high temp. mech. props., effects of nonmetallic inclusions 4—1577
steel, biaxially stretched sheets, strain hardening and instability 4—13703
steel, boiler, heat resistance, effect of rate of cooling from austenitizing temp. 4—13712
steel, carbide and coherent precipitate containing, fatigue behaviour 4—13782
steel, case hardened En 41b, nitriding effect 4—13768
steel, construction, and ductility characts. 4—7207
steel, deformed at high rates, effect on grain size, carbide heterogeneity and bending strength, R18 4—13736
steel, fracture toughness rel. to heat treatment 4—1588
steel, hardened, strength-differential effect, temp. depend. 4—13801
steel, heat resistant, effect of structure 4—41749
steel, high-strength, acoustic emission testing 4—33940
steel, high-strength sintered alloy prod. using transition metal carbides 4—7241
steel, high-tensile, H-induced brittle fracture *(German)* 4—13674
steel, low-C, warm extrusion, working temp. and C content depend. *(Japanese)* 4—4134
steel, low-C mild, carburized and uncarburized 4—33770
steel, lower yield strength during discontinuous yielding, grain size and cross-head vel. effect 4—41710
steel, maraging, 18Ni type, strength differential phenomenon 4—29171
steel, medium-C, mechanical props., effect of Cr-Ni diffusion coatings 4—29124
steel, microstruct. rel. to mech. props. 4—17347
steel, mild, critical tensile stress rel. to fracture toughness 4—41682
steel, mild, En1A, discontinuities in S/N curves, fatigue tests 4—4138

tensile strength continued
steel, reinforcing carbon, thermally hardened during rolling, stress corrosion cracking susceptibility *(Russian)* 4—1565
steel, reinforcing type, stress level effect on hydrogen damage 4—41743
steel, sintered, based on sponge and atomized powders, P additions effect on mech. props. 4—7245
steel, stainless, arsenic residual element evaluation 4—13775
steel, stainless, Type 304, elevated temp. flow at high strain rates, math. description 4—17483
steel, stainless type 304 welded, strength and microstructure in LMFBR pressure vessel 4—23899
steel, stainless type 308 shielded metal arc weld, varying ferritic content, high temp. properties 4—23900
steel, strength-differential phenomenon rel. to plasticity theory and vol. expansion 4—7159
steel, strengthening by thermal working, complex alloy 30KhGVT *(Russian)* 4—33778
steel, struct. formation during dynamic hot-pressing *(Russian)* 4—21389
steel, structural, high alloy, props. after high temp. thermomech. treatment and isothermal quenching 4—1580
steel, temp. and strain rate effect 4—21353
steel, TRIP, embrittlement in h.p. hydrogen gas 4—13708
steel, TRIP, fatigue crack propag., austenite stability depend. 4—7143
steel, TRIP, high-strength, homogeneous deform. and strain rate effects 4—13800
steel, wear resistant Fr-Cr-C type 4—41738
steel, Widmanstatten struct., changes in phase morphology and toughness *(Czech)* 4—13642
steel cylindrical shells, radially loaded through rigid supports, plastic collapse loads 4—23816
steel plate, fracture toughness rel. to shear lips thickness 4—17495
steel pressure vessels, thick-walled, for water-cooled nuclear reactors, fracture tests 4—36311
steel tubing, stainless, elastic-plastic behaviour under bending, pressure and torsion 4—29297
testing, non-polycrystalline specimens use 4—38117
testing, two-dimensional model for demonstrating to students 4—4939
testing machine, screw driven, 100 kN, compliance *(German)* 4—38113
thermosetting plastic, Ludwik's, wedge pressure, testing method 4—13962
uniaxial testing, misalignment effects on pre-macroyield region of stress/strain curves 4—17497
vinyl chloride copolymers with maleic acid dialkyl esters, mechanic props. characterisation by n.m.r. and i.r. spectra *(German)* 4—4218
Yule marble, macroscopic static and dynamic mech. props. 4—29413
Al, alloys, fracture stress of specimens containing surface cracks 4—7115
Al, alloys, high-strength, fatigue crack growth and metallurgical factors 4—7114
Al, cast, growth-twinned, grain structure effect 4—7127
Al, radiation-induced strengthening and embrittlement 4—37934
Al, surface coatings effect 4—7221
Al alloy, splat cooled, struct. refinement and prop. control 4—29179
Al alloy 7075 plate, microstruct. and mech. prop. modifications using plastic wave TMT 4—29150
Al alloy based fibre composite *(Russian)* 4—33871
Al alloys, acoustic emission testing 4—33940
Al alloys, props. control using powder metallurgy approach 4—29184
Al alloys, strain ratio determ. method 4—37932
Al alloys, thermomech. treatments effect 4—29162
Al cold-pressed powder compacts, interparticle contact area effect on strength 4—7237
Al foil, high purity, thickness and texture influence *(German)* 4—7210
Al foil, metallic vapours influence *(Russian)* 4—41660
Al matrix composite, filament reinforced, off axis tensile behaviour 4—1653
Al matrix composite, interface struct., review 4—13864
Al/B filament reinforced composite, tensile fracture behaviour 4—7341
Al/steel composite, deform. and fracture mechanisms 4—1659
Al-Al_3Ni, directionally solidified eutectic, failure analysis 4—1649
Al-based composite, fibre-reinforced, tensile strength and modulus of elasticity *(Russian)* 4—38045
Al-$Cu_2Mg_2Al_2$ unidirectionally solidified quasi-binary eutectic composite, room and elevated temp. tensile props. 4—41774
Al-Cu-Mg alloys, high-strength, struct. influence on strength and toughness 4—29161
Al-Cu-Mg alloys, prestrain influence on creep strength at 150°C 4—21317
Al-Cu(Ni)(Si) alloys, struct. and conc. fluctuations due to exposure to laser emission *(Russian)* 4—7079
Al-Cu(6 wt.%) alloy, strengthening mechanisms combination by thermomech. processing 4—29151
Al-Fe alloys, rel. to powder extrusion as primary fabricating process 4—7248
Al-Mg alloys, thermomech. processing effects 4—29152
Al-Mg-Mn alloys, toughness and fracture characts., influence of Fe and Si 4—41771
Al-Sn alloy, powder metallurgy prep. and mech. characteriz. 4—7244
Al-Zn superplastic eutectoid, tensile testing at constant strain rate 4—7103
Al-Zn-Mg alloy, precipitate-free zone width influence on tensile props. 4—37936
Al-Zn-Mg alloys, precip. rel. to tensile props. *(German)* 4—41604
Al-Zn-Mg alloys, toughness and fracture characts., influence of Fe and Si 4—41771
Al-Zn-Mg-Cu alloys, high-strength, Zr substitution for Cr implications 4—17359
Al-Zn-Mg-Cu alloys, high-strength, struct. influence on strength and toughness 4—29161

tensile strength continued
Al-Zn-Mg-Cu-Mn forging alloy, fracture toughness and tensile props., effects of comp. changes 4−10628
Al-Zn-Mg(-Cu) alloys, high-strength, thermomech. treatments and mech. characteriz. 4−13704
AlN, whiskers, diameter, cross-section shape depends. 4−25416
Al_2O_3, filamentary sapphire, grown by edge-defined film-fed growth technique, fracture strength 4−41812
Al_2O_3, sapphire filaments, strain rate depend. of room temp. fracture strength 4−4191
B fibre, temp. depend. of mechanical props. 4−13874
B fibre and reinforced composite, state of development w.r.t. to carbon fibre 4−29204
B/Al composite, unidirectional, tensile fracture obs. 4−1662
B/epoxy composite with ordered filament packing geometry, tensile fracture 4−1655
B_4C/Ti laminate, ribbon reinforcement 4−33880
Be/Ti composite prep. and mech. characteriz. 4−17424
C fibre, PAN-based, cooling rate effect on mech. props. 4−33906
C fibre produced from polyacrylonitrile fibre, tensile strength, effect of impurities 4−25435
C fibres, strengthening under cyclic loading, testing, mechanism *(Russian)* 4−13884
C/C composite, prep. by copyrolysis and mech. characteriz. 4−21423
CO-base alloy, prealloyed-powder, HS-31, mech. props., effect of autoclave heat treatments 4−10631
Co superalloy, cast, Mo substitution for W effects 4−41640
Co-Cr alloy, dental, casting techniques effects on mech. props. 4−41922
Co-Cr alloy, environment resistant, development 4−13788
Co-Cr-Fe alloy, UMCo-type, comp. and props., 10 yrs prod. experience 4−10603
Co-Ni-Cr-W alloys, strenthening at room and elevated temps. *(German)* 4−37964
Cr-La(1 wt.%) alloys, as-cast, impurity effects on struct. and props. *(Russian)* 4−7078
Cu, ductile-fracture strain criterion, tensile tests at high hydrostatic press. 4−7128
Cu, prior dynamic deform. influence on tensile props. *(German)* 4−33822
Cu filaments, diameter depend. *(Russian)* 4−13680
Cu single crystals, [100] orientation, dislocation and cell struct. with tensile deform. *(German)* 4−17252
Cu/W fibre reinforced composite, matrix strengthening under monotonic and cyclic loading 4−41837
β_1'-Cu-Al martensite, stress-induced transform. and mech. props. interrel., crystallographic obs. 4−21238
Cu-Be alloy, finite strain and 0.01% offset yield strength 4−10727
Cu-Ni-Cr alloy, hardening by spinodal decomp. and mech. strengthening *(German)* 4−7211
α-Cu-Sn alloys, prior dynamic deform. influence on tensile props. *(German)* 4−33822
(Fe,Cr)-$(Cr,Fe)_7C_3$, in situ growth, degree of dispersion 4−25422
Fe, cast, elastic-plastic properties 4−4139
Fe, cast, nodular graphite, plastic and fracture behaviour *(Korean)* 4−37906
Fe, dispersion strengthening by gel precip. 4−7239
Fe, Ferrovac-E, flow stress at cryogenic temps. 4−1592
Fe, lower yield strength during discontinuous yielding, grain size and cross-head vel. effect 4−41710
Fe, sintered powder compacts, effect of porous character on ultimate tensile strength *(Slovak)* 4−13809
Fe, struct. formation during dynamic hot pressing *(Russian)* 4−21389
Fe, with thoria dispersion, prep. and characteriz. 4−7238
Fe base amorphous alloy 4−21334
Fe powder, sintered, porosity, depend. of tensile strengths elongation and hardness *(German)* 4−37987
Fe-Cu pre-alloyed powders, atomized, mech. characts. 4−41801
Fe-Cu-Sn sintered compact prep. and mech. characteriz. 4−7242
Fe-Mn martensite, low-C, austenite grain size effect 4−21333
Fe-Si(6.5 wt.%) alloy, heat treatment influence *(Russian)* 4−1563
Mg/B and Mg/Ta filament reinforced, composites, mech. characteriz. 4−7340
Mo, critical resolved shear stress, Schmid's law deviation 4−21325
Mo, effect of thermodiffusion coatings on mech. props. 4−7202
Mo alloys containing carbides, additive effects *(Russian)* 4−7172
Mo wire, recrystallized, alloyed with Ru and C 4−21345
Nb, plasticity of superconducting and normal states 4−1554
Nb alloy Cb-752, effect of oxygen, nitrogen and hydrogen 4−25397
Nb-Mo (1.2-7.6 at.% Mo), plasticity of superconducting and normal states 4−1554
NbC-$WC_{(1-x)}$ solid soln. composites characteriz. for high temp. applics. 4−7329
Ni, massive electrodeposits, structural and mech. props 4−37937
Ni, microstrain tests, grain size depend. of flow stress 4−7164
Ni, prestraining effects on tensile props. 4−37925
Ni, thoria dispersed, elevated temp. deform. 4−37924
Ni 713LC alloy compacts, hot-isostatically pressed, tensile fracture, grain boundary struct. effect 4−7247
Ni alloy, with ThO_2 dispersion, compatibility with hydrogen 4−13791
Ni and Ni-Co alloys, electrodeposited, Co addition effects 4−17344
Ni superalloy, carbide strengthened 4−33772
Ni superalloy, directionally solidified, transverse grain boundary strengthening, Hf additions 4−13663
Ni superalloys, thermal exposure effect 4−17332
Ni/W fibre, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
Ni-Be contact spring material 4−17370
Ni-Co alloys, massive electrodeposits, structural and mech. props. 4−37937
Ni-Cr alloy, with ThO_2 dispersion, compatibility with hydrogen 4−13791
Ni-Cr(20 wt.%) alloy, dispersion strengthened, rel. to forming and joining 4−13811
Ni-Fe base amorphous alloy 4−21334
Ni-Nb(Ti) alloys, thermomech. treatment effects on mech. props., precip. kinetics 4−25387

tensile strength continued
Ni-Ni_3Ta eutectic, unidirectionally solidified 4−29178
Ni(Cr)-TaC directionally solidified eutectic, low cyclic fatigue characts. 4−13972
Pb, dispersion hardened, prep. and mech. props. *(German)* 4−37993
Pb alloys for lead-acid battery 4−17362
Pb-Cd eutectic, directionally solidified, thermal coarsening effect on mech. behaviour 4−21327
Pb-Sn (5 wt.%)/stainless steel fibre, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
PbTe based thermoelectric materials, doping depend. *(Russian)* 4−20356
α-Pu, strength differential effect 4−13705
SiC, anomalous Young's modulus, 700-1400°C, stress/strain meas. 4−21402
SiC, chem. vapour deposition on C fibres, fabrication and characteriz. 4−10527
SiC, hot pressed, effect of C additions on grain growth and strength 4−10649
SiC filament prep. by chem. vapour deposition, characteriz. 4−25246
SiC filaments, chemical vapour deposition, heat treatment, rupture strength 4−10652
Ta-N alloys, yield stress and slip asymmetry 4−17333
Ti, fracture and deform. behaviour of 4.2 K, A-70 specimens 4−29154
Ti alloys, strength differential effect 4−21338
Ti matrix composite, filament reinforced, off axis tensile behaviour 4−1653
Ti matrix composite, interface struct., review 4−13864
Ti-Al-Nb alloy, development for use at 750°C *(German)* 4−33821
Ti-Al-V alloy, electron beam induced mech. and metallurgical changes 4−29155
Ti-Al-V T-A6V and T-A6V6E2 alloys, mech. and fatigue characts. *(French)* 4−41724
U-Mo(Nb)(Ti)(Zr) α-phase alloys, mech. characteriz. 4−17343
UO_2, sintered, tensile strength dependence on microstruct. 4−21407
V, stress-strain curves, rel. to grain size *(French)* 4−29099
W filaments, diameter depend. *(Russian)* 4−13680
W/Nichrome laminar composites, characteriz. for high temp. applics. 4−1665
WC-Co hard alloy, stress-strain curve, strength, as dispersion-strengthened materials 4−17328
Zn alloy, dispersion strengthened, superplasticity 4−13698
Zr alloys, strength differential effect, obs. and mechanism 4−13740
Zr-Cr(1.14%)-Fe(0.1%), effect of metallurgical condition and irrad. on strength and ductility 4−41691
Zr_3Al-based alloys, ordered, tensile and corrosion behaviour, microstruct. 4−41687

tensimeters *see vapour pressure measurement*

tensors
angular momentum, covarient, charged point dipole 4−18924
chiral energy-momentum, for massless pseudoscalar mesons 4−8894
dust energy-momentum, rel. to Einstein field eqn. of tachyon dust 4−26826
Earth-ionosphere waveguide, equivalent surface conductivity tensor 4−5451
elastic theory, symmetry of plates of variable height and thickness 4−30767
elasticity, spatial problems, Papkovich-Filonenko-Borodich variatonal method modification *(Russian)* 4−39535
elastostatics, basic problems of generalised soln., Somigliana's tensor 4−30741
e.m. energy-impulse tensor in ponderable medium, Belinfante method *(French)* 4−35725
energy momentum, construction using non-perturbative approach 4−35936
energy-momentum, in $g\varphi^4$ theory 4−8884
energy-momentum, in Ward-Takahashi identities, derivation in functional integral method 4−35950
energy-momentum, of spin-one field, nonuniqueness 4−27047
energy-momentum tensor, new, weak and strong equivalence principles 4−26829
fluid, angular time correlation, asymptotic behaviour, second rank tensors 4−10394
gravitation, local linear independence conditions and quaternionic equations 4−30872
gravity theory, Cauchy problem 4−5400
Hermite spaces, recurrent and Ricci recurrent 4−30699
irreducible tensorial operators, generalized quasispin operator *(Russian)* 4−5708
Lanczos spinor in general relativity *(French)* 4−5386
magnetic permeability, asymmetry in ferromagnetic bodies *(Italian)* 4−41190
matter tensor, from energy and metric tensors, algebraic classification *(Russian)* 4−18950
operators anomalous dimensions in 4-t dimensions, pseudoscalar Yukawa coupling model 4−35939
relativistic kinematics, Minkowski space visualisation, comparison between geometric methods 4−18944
Riemannian manifold, immersed in const. curvature space 4−35586
sandwich shells, non-linear theories 4−185
scalar-tensor theory of gravitation, scalar charge density 4−226
sets, irreducible tensorial, theory *(Russian)* 4−30692
solid elastic body, tensor wave theory 4−11780
spectral mapping theorem for tensor products 4−30696
spinors of dimension 3 and 4 pseudo-euclidean spaces, geometrical interpretation on rank p irreducible tensors 4−15106
stiffness matrix for curved finite element, appl. to general shell theory 4−35642

terbium
Auger electron spectroscopy, oxidation effect 4−13105
electric field gradient at Cd-impurities determ. by perturbed ang. correlation technique 4−3925
electrical resistivity meas. in liquid and solid state 4−32922
glass:Tb^{3+}, Yb^{3+}, Tb^{3+} luminescence by Nd laser emission transformation 4−28902
magnetic susceptibility, meas. in ferromag. and antiferromag. phases 4−33143

terbium continued
neutron depolarisation in mag. phase transition region, temp. depend. 4−20786
neutron total cross section, atomic and nuclear effects 4−20191
thermal conductivity, elec. resist., Lorentz function, 90-300 K 4−24721
X-ray emission spectra 4−28956
Ag:Tb, Hall effect obs. between 1.2 and 40 K, contrib. of skew scatt. 4−13172
CaF_2:Tb REF centres press. depend. 4−10453
$CaF_2:Tb^{3+}$, high resolution absorption spectra, 4f→5d transitions 4−25145
$CeO_2:Tb^{4+}$, e.p.r. meas. *(Italian)* 4−37489
$LaAl_2$:Tb, crystal field split impurities effect on supercond. props. 4−20723
La_2O_2S:Tb, phosphor, saturation at high current densities 4−17128
$SnO_2:Tb^{3+}$, cathodoluminescence meas. 4−13524
$SrF_2:Tb^{3+}$, ionic thermocurrents obs. in range 300 to 500K 4−24752
Tb^{3+}, electronic energy transfer to Eu^{3+} in dimethylsulphoxide 4−13520
Tb^{3+}, in DMSO-$CHCl_3$ and DMSO-CCl_4 systems, absorpt. and emission 4−4009
$Tb^{3+}:LiYF_4$, laser emission at 5445A, room temp. 4−8828
Tb^{4+}, e.p.r. spectrum in $La_2(Zr_{1.95}Tb_{0.05})O_7$, X-ray powder diffraction pattern 4−20848
$Y_{0.8}Gd_{0.2}PO_4:Tb^{3+}$, X-ray excited luminesc., radiographic props. 4−41418
$Y_2O_2S:Tb^{3+}$, cryst. elec. field determ. from fluoresc. spectra 4−33493
$Y_2O_2S:Tb^{3+}$, luminescence, Stark level identifications *(Russian)* 4−10486
YVO_4:Eu,Tb, high pressure Hg vapour lamp phosphor, Tb^{3+} enhancement of Eu^{3+} emission 4−28891
ZnS:Tb^{3+} film in m.i.s.m. and m.i.s.i.m. structures, electron injection mechanism 4−17123

terbium alloys
$Ce_{0.8}Tb_{0.2}Ru_2$, neutron scatt. 4−10271
$Ce_{1-x}Tb_xRu_2$, superconductivity and correlation of mag. moments 4−33056
$Ho_xTb_{1-x}Fe_2$ cubic Laves compounds, elasticity phenomena during spin rotation 4−25369
^{165}Ho-Tb, spin echo meas., cond. electron effect on hyperfine interactions 4−33274
$La_{1-x}Tb_xAl_2$, supercond. transition temp., pressure depend., cryst. elec. field energies 4−13250
$La_{1-x}Tb_xAl_2$, superconductor, sp.ht. jump rel. to cryst. electric field splitting of Tb^{3+} levels 4−3796
Tb-Fe, sputtered annealed, neutron diffr., amorphous 4−32438
TbAg, thermal expansion and magnetostriction 4−24979
$TbAl_2$, magnetization, 4.2K 4−3829
$TbAl_2$, magnon dispersion reln. determ. using neutron inelastic scatt. 4−13318
$TbAl_2$, magnon interaction with mag. excitons 4−10275
$TbAl_2$, sp. ht., 5-300 K, mag. contrib., mag. entropy 4−6730
TbCu, thermal expansion and magnetostriction 4−24979
TbCu-YCu system, mag. props., temp. and conc. depend. *(Russian)* 4−33140
$TbFe_2$, ^{57}Fe nuclear spin configurations determ. from Mossbauer expts. 4−17011
$TbFe_2$, amorphous, high field magnetization and coercivity 4−16944
$TbFe_2$, magnetoelastic effects on elastic constants, theory 4−41221
$Tb_{0.33}Fe_{0.67}$, Curie temp. in amorphous versus cryst. state 4−3843
$Tb_yFe_{1-x-y}Al_x$, magnetization, applied field and temp. depend. 4−33209
TbMg, mag. props., 4.2-300K 4−1305
TbZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4−3884
TbZn, thermal expansion and magnetostriction 4−24979

terbium compounds
see also terbium alloys
in alcoholic soln. fluorescence quantum yield meas. by Bowen's method 4−4008
$TbAsO_4$, 27.7K cryst. and 1.50K paramag. to antiferromag. transitions 4−6726
$TbAsO_4$, induced magnetism and mag. ordering, optical spectra obs. 4−6725
$TbCl_3$, nonradiative energy transfer to organic radicals 4−13510
$TbCl_3$, phosphorescence quenching of triphenylene, perdeuterated naphthalene 4−4001
$TbCl_3+EuCl_3$ in dimethylsulphoxide, electronic energy transfer from Tb^{3+} to Eu^{3+} 4−13520
$TbCrO_4$, mag. phase transition 4−6724
TbF_3:ZnS, electroluminesc. film, prep., optical and elec. props. *(Japanese)* 4−37773
$TbFe_{1-x}Cr_xO_3$, canted antiferromagnet, Mossbauer effect, internal field at ^{57}Fe obs. *(Japanese)* 4−10359
$Tb_3Fe_5O_{12}$, magnetic domain patterns, X-ray topography 4−6766
$Tb_3Fe_5O_{12}$, magnetostriction coeff. determ. at 77K and 4.2K by X-ray diffr. *(French)* 4−41217
$Tb_xGd_{1-x}VO_4$, cooperative Jahn-Teller struct. transform., Raman and birefr. meas. 4−37010
Tb(III):malic acid (aspartic acid) complex, circularly polarised luminesc., ligand environment depend. 4−33480
$Tb_2(MoO_4)_3$, single crystals, anisotropy of nonlinear refractive index 4−28785
$Tb(OH)_3$, lattice consts. 4−6389
$Tb(OH)_3$, neutron mag. form factor and radial density of 4f electrons in Tb^{3+}, expt. and theory 4−37425
$Tb(OH)_3$ neutron diffraction study of severe extinction effects 4−1031
TbOOH, cryst. and mag. struct., X-ray, neutron diffr. 4−32511
TbOOH, magnetoelectric effect investigation 4−13200
$TbPO_4$, crystallographic and mag. transitions, molecular field theory 4−24951
$TbVO_4$, paramag. to antiferromag. phase change at 0.61 K 4−28622
ZnS:TbF_3 thin films, d.c. and a.c. electroluminescence characts., obs. *(Japanese)* 4−37690

terrestrial age *see earth age*

terrestrial atmosphere
see also air; clouds; ozonosphere; stratosphere; troposphere; upper atmosphere
Bowen ratio determ. over oceans *(Russian)* 4−4402
catastrophic degassing model on basis of Ar evolution 4−1911
conference, Atmosphere and Man, (London January 1973) 4−29558
curved Earth exponential atmosphere Monte Carlo calculations, flat Earth approximation 4−31571
deceleration of spacecraft returning from interplanetary flight 4−4688
escape of light gases 4−29932
exploration, weather forecasting improvement, satellite applic. 4−17856
Global Atmospheric Research Programme, aims and organisation *(Russian)* 4−29626
high altitude, observability of scattering layers 4−7702
ice generation bt AgI and PbI aerosols *(Russian)* 4−25695
icing rate of differently shaped bodies *(Russian)* 4−4467
light pollution at astronomical observatories, aerosol effects, model atmosphere 4−34360
microwave spectrometer on Nimbus 5 satellite, meteorological and geophysical obs. 4−38371
ocean-atmosphere system, angular structure of field of brightness, short wave intensity *(Russian)* 4−29540
origin, teaching paper 4−22703
primitive ocean CO sink by formate production in aqueous solution 4−4395
rotation about a spherical Earth 4−1888
spacecraft, radioguidance, control of landing in the earth's atmosphere, control algorithms 4−4689
stochastic phenomena, determ. of periodicities *(French)* 4−30728
three-dimensional motion of two coupled bodies in atmosphere 4−34588
twilight sky, intensity and polarisation in four colours 4−29568
$O_2(^1\Delta)$ from i.r. spectra 4−10938

terrestrial composition *see earth composition*

terrestrial electricity
ΔZ conductivity anomaly in W. Hungary, magnetotelluric obs. 4−29514
airborne e.m. system, calibration, field checks 4−29701
analytical continuation of e.m. fields into upper and lower half-spaces 4−7601
apparent resistance technique for separation of ore-rich sections *(Russian)* 4−34523
apparent resistivity curves, linear filter method extension 4−25850
apparent resistivity sections, rules for complex sections from basic solutions 4−25851
audio frequency magnetotellurics, application to mineral exploration 4−34495
automatic processing of sounding profiles *(French)* 4−25829
charged body technique, problems in quantitative interpretation of results *(Russian)* 4−38523
coast effect, review of analogue model studies 4−21887
comparative field performance of electronic arrays in time domain induced polarisation profiling 4−29704
conductive mantle zone, depth from magnetometer array obs. 4−17606
conductive structure, upper mantle, from magnetometer array study, South Africa 4−25614
conductivity anomalies from magnetometer array studies, methods and difficulties in interpretation 4−22148
conductivity distribution models 4−21884
conductivity of homogeneous medium filled with local random inhomogeneities 4−7600
conductivity of spherically symmetric layered earth models from Sq, 27 day and annual variations 4−38271
dipole-dipole resistivity surveys using hemispheroidal model 4−10837
Dunes geothermal anomaly, Imperial Valley, California, thermal and electrical resistivity investigation 4−21747
earthquake lights, review of observations and present theories 4−38202
effective earth conductivity, Wisconsin Test facility meas. 4−34245
electrical prospecting, identification of minerals from oscillation of electric double layer 4−29717
electrode arrays, response computation 4−7791
electrotelluric field variations in local areas *(Russian)* 4−29501
e.m. anomalies associated with ores over or underlying a conducting sheathlike formation 4−25604
e.m. anomaly of sulphide ore bodies, effect of conducting overburden, model experiment 4−17618
e.m. conductivity under oceans, magnetotelluric sounding 4−38278
e.m. coupling in induced polarisation survey, two-layer earth model 4−29488
e.m. dipole dipole profiling, inline and broadside arrays, over thin vertical infinitely conducting vein 4−29493
e.m. induction in layered plane Earth, review of various source fields 4−21885
e.m. induction of laterally non-uniform conductors 4−21886
e.m. response of three dimensional heterogeneity in three layer medium, integral equation method 4−38270
e.m. soundings, application of horizontal alternating electric dipole at surface of layered earth 4−25603
e.m. surveying, comparison of various airborne coil systems 4−29702
e.m. transient response of conducting sphere in conductive medium 4−29489
e.m. variations over sloping ocean floor, Bessel functions 4−17615
exploration, instrumentation and techniques, data processing, conference, Brighton (1973) 4−25825
forward magnetotelluric problem, inhomogeneous, anisotropic structs. 4−38264
geoelectric-seismic refraction, groundwater exploration in Lusaka District 4−42182
geothermal exploration, Long Valley, California, audio-magnetotelluric sounding technique 4−22145
gradient array chargeability anomalies, interpretation 4−25607
ground conductivity, medium wave, surface distribution in different countries *(German)* 4−17619

terrestrial electricity continued
Indian Ocean ridge serpentinized rocks, electrical conductivity to 6 kb 4−17613
induced current in infinite conducting cylinder 4−29490
induced oceanic currents near coast, estimate 4−25612
induced polarisation, spherical body, varying depths, nomograms for parameters 4−14079
induction skin effect, regional var., review of methods, results 4−21889
inductive sounding of stratified earth, transition layer resting on dipping anisotropic beds 4−29492
INPUT airborne e.m. system, quantitative interpretation of measurements 4−34494
instrumentation for induction studies on land, review 4−22159
internal and surface oceanic wave induction of e.m. fields 4−17612
island effect, electrical conductivity structure under Miyake-jima Island, sea-mantle e.m. coupling 4−21879
lake basin, apparent resist., elec. sound techniques on lake bottom *(Italian)* 4−42043
Long Valley, California, d.c. and e.m. soundings, true resistivities and layer thicknesses 4−21874
Long Valley, California, total-field resistivity map 4−21873
M_2 periodicities at Nova Scotia ocean tidal dynamo influence 4−7604
magnetotelluric analysis, error estimations in impedance 4−29731
magnetotelluric data processing techniques 4−22161
magnetotelluric observation theory, surface of layered anisotropic half space 4−21876
magnetotelluric petroleum prospecting *(Spanish)* 4−29519
magnetotelluric prospecting, 10 to 500 kHz, field data over fault, cavity, sedimentary ore deposits 4−25601
magnetotelluric sounding, Mohorovicic discontinuity, resolution 4−7597
magnetotelluric sounding using mathematical filters 4−7798
magnetotelluric soundings, interpretation over horizontally inhomogeneous media 4−7794
magnetotelluric techniques for mining exploration 4−25848
mantle, electrical conductivity in partially molten material 4−21870
mantle conductivity, magnetic deep sounding models 4−38183
mathematical models of conducting ore bodies for d.c. electrical prospecting 4−25609
mean gradient arrays, theory of interpretation from field due to long earthed cable *(Russian)* 4−38280
modelling of induced polarisation for geophysical exploration, physical and computer 4−29709
Nozay-en-Dunois, magnetotelluric deep sounding, layered magnetic struct. 4−38275
ocean, e.m. induction by ionospheric and oceanic sources 4−21891
ocean, review of instrumentation and techniques for induction studies 4−22186
ocean electrical current induction problems, soln. by one-step iterative method 4−29511
oceanic, explanation of geomagnetic induction in terms of magnetic merging 4−25611
oceans, review of models for e.m. induction, coastline effect 4−21888
partial ring current, disturbance field at Earth's centre 4−21861
pisolitic bauxite, Southern Italy, electric and gravimetric study, interpretation of local gravity anomalies 4−25525
potential field inverse problem, method of finding point solutions 4−14020
prospecting, method for highly resistive terrain *(Spanish)* 4−29736
resistivity, apparent, meas. paradox 4−38266
resistivity curves, direct interpretation yelding resolution of model parameters 4−34492
resistivity curves over outcropping vertical dyke, two-electrode and Schlumberger systems 4−29491
resistivity logging data, determination of effective porosity and petroleum saturation of reservoirs *(Russian)* 4−38533
resistivity of carbonate rocks saturated with aqueous solutions *(Russian)* 4−38256
resistivity profiles over outcropping vertical dyke 4−25600
resistivity readings of clayey sands, evaluation of petroleum saturation *(Russian)* 4−38281
resistivity soundings, interpretation by computer/graphic display terminal system 4−25852
rock samples, electrical properties, 0.01 to 3100 Hz 4−25602
sea shore magnetic anomalies, telluric current distribution *(French)* 4−29481
sea surface layer conductivity measurements, e.m. method 4−22182
self-potential method for locating thermal water reservoirs, Long Valley, California 4−22146
shelving ocean model by spherical cap of variable conductivity over superconducting Earth 4−4397
soil conductivity mapping methods, medium wave *(Spanish)* 4−34505
sounding curves, transformation from dipole to Schlumberger 4−25849
sounding graphs, multilayer, interpretation method 4−25826
soundings over fault or dike, direct interpretation methods 4−7587
survey of vapour dominated geothermal system, Yellowstone National Park 4−34239
thin conductor with induced currents, condition at surface 4−34242
three-dimensional potential field in inhomogeneous conducting medium, numerical soln. *(Russian)* 4−8747
transient voltage decay curves over mineralised zone, various arrays 4−25608
two loop electromagnetic sounding for horizontally stratified conducting Earth covered by high resistivity layer *(German)* 4−42183
upper crust at Black Hills South Dakota high conducting layer 4−10811
vertical sounding survey prior to drilling for petroleum, North Sakhalin *(Russian)* 4−34232
vertical sounding technique in exploration of polar Urals *(Russian)* 4−38522
Voronezh massif, deep magnetotelluric soundings 4−7594
waterfall negative space charge plumes 4−17622

terrestrial heat
see also volcanology
assessment of hydraulic fracturing technique for energy supply, in-situ experiments in first bore hole 4−22147
distribution in oceanic sediments, effect of compaction and interstitial water expulsion 4−29460
Dunes geothermal anomaly, California, petrology of silicified cap rocks 4−21748
Dunes geothermal anomaly, Imperial Valley, California, thermal and electrical resistivity investigation 4−21747
exploration and evaluation of sources using volcanic rock data as guide 4−21743
flow measurement, below Lake Biwa, Central Japan 4−21828
flow measurements, state of Oregon, shallow and deep drill holes 4−21744
flow values from eastern Panama and northwestern Colombia 4−25533
geothermal exploration, Long Valley, California, audio-magnetotelluric sounding technique 4−22145
geothermal parameters used as constraints for petrological models of oceanic lithosphere 4−25521
geothermal well, Mesa 6-2, Imperial Valley, California, preliminary results 4−21754
geothermal well, two-phase steam-water flow, computer calculated deliverabilities 4−21751
geothermal wells, flashing flow, calculations and comparison with field data 4−21752
hot spot identification of mantle convection plumes 4−21839
hot spot volcano distribution, fractures and thickness of lithosphere 4−29407
hot spots hypothesis, test with plate tectonic model 4−21806
Iceland, temp. distrib. in crust and mantle, magnetotelluric data 4−38242
Jemez Plateau heat flow study 4−21749
Juan de Fuca Ridge, water penetration model rel. to hydrothermal power 4−38224
lithosphere cooling, geologic evidence from San Quintin, California 4−21758
Long Valley, California, conduction measurements 4−21740
Long Valley, California, geothermal survey, microearthquake study 4−21742
Long Valley, California, hydrothermal activity related to total-field resistivity map 4−21873
Long Valley caldera, California, chronology of volcanic eruptions 4−21738
Louisville Ridge, possible 'hot spot' trace from geologic study 4−21772
mantle convection, effect on determ. of Earth's thermal gradient 4−42029
marginal basins, heat flow induced by descending plate behind island arcs 4−21723
Mesa geothermal anomaly, Imperial Valley, California, microearthquake investigation 4−21746
Mesozoic batholites in SE China, two thermal episodes from Rb-Sr dating 4−42013
mountainous regions, surface ground temp. var. and heat flow meas. 4−25541
New Zealand, seismological and geothermal research 4−7574
North Sea geothermal gradients 4−10820
Pacific floor heat flow measurements, Manihiki Plateau, Marcus-Necker Rise 4−21827
radioactivity measurements in geothermal hot springs, northern Nevada 4−21753
rocks, temp. field calc. taking into account interaction of boreholes 4−41994
sedimentary basins of India, correlations between heat flow, thermal conductivity, geothermal gradient and crustal thickness 4−25534
seismic dislocation source equivalent 4−29471
self-potential method for locating thermal water reservoirs, Long Valley, California 4−22146
solar luminosity variations, effect on earth, glacial periods 4−2053
source, Montana, absence of surface indications, flow measurements 4−29415
suboceanic lithosphere, geothermal gradients at various distances from spreading centre 4−34209
surface heat-balance equation, numerical properties 4−7645
S.W. Africa, evidence for episode 500 my ago from Rb-Sr whole rock dating 4−25535
temperatures in a convecting upper mantle, numerical computation 4−34208
thermal evolution of lithospheric slab at subduction zones 4−21803
thermal models for origin of granite magma 4−21773
upper mantle flow data, density model construction 4−25597
Utah and Colorado Plateau, heat flow and geothermal gradients 4−25574
vapour, dominated geothermal system, Yellowstone National Park, electrical survey 4−34239
Na, K, Ca concentration technique for geothermal systems identification, Imperial Valley, California 4−21745

terrestrial magnetic field *see geomagnetism*

terrestrial magnetism *see geomagnetism*

test equipment
see also automatic test equipment
bending, ductility of diffusion coating 4−29284
calorimetric apparatus for climailluminators *(Bulgarian)* 4−14820
corrosion cracking testing, apparatus for plane specimens in fixed bending *(Russian)* 4−10722
counter calibration by standard 151 kHz frequency receiver *(German)* 4−35162
crack depth determination in conductive materials, portable instrument 4−33938
creep testing fixture, under bending 4−29279
cryostat, elasticity and internal friction meas., 3 to 3000 K 4−29283
dynamic testing, tape recorder instrumentation, date recording and analysis, techniques 4−19
electrodynamic vibrator, for plastics 4−29278
e.m., bending fatigue testing at low temps. 4−29289
fatigue fracture kinetics in working medium, method and apparatus *(Russian)* 4−10723

test equipment continued
- fatigue tester, fixture to member bending of specimen as inserted 4-29290
- fatigue testing at transresonant freqs., machine with inertial force-excitation *(Russian)* 4-10724
- fatigue testing unit for low temp. 4-21529
- heat resistance, steel and alloys in gaseous media 4-29287
- hospital electrical equipment safety test instrument 4-14592
- hydraulic burst test ring, fuel cladding, design and use 4-9349
- low-temperature chamber, under biaxial stress 4-29282
- magnetic, for materials testing, solenoid effectiveness determ. 4-18525
- materials under complex stress system, mech. characts., loading device 4-21528
- Piezoelectric sensor for high sound pressure levels 4-20
- plastic strain investigation, test device at high hydrostatic pressure 4-29276
- pressure gauge checking using pressure intensifying press *(Polish)* 4-26493
- rig for combined loading of circular plates and shallow shells 4-26472
- for ring-shaped specimens 4-29285
- torsional Hopkinson's bar apparatus, strain meas., using Moire fringe method 4-41932
- uniaxial tension device for physicomech. props. determ. 4-29277
- universal bench for optical element examination *(Hungarian)* 4-35260
- waveform generator for low-cyclic fatigue, tension, compression, fracture, stress relaxation and creep 4-4237
- wedge clamps, increased effectiveness 4-29281

test facilities
- *see also aerospace test facilities*
- PWR FLECHT systems, loss-of-coolant accident simulation, cladding temp. meas. 4-40101
- real-time X-ray inspection system for nucl. fuel pins 4-27388

testers *see test equipment*

testing
- *see also automatic testing; electron device testing; electronic equipment testing; environmental testing; impulse testing; inspection; integrated circuit testing; materials testing; mechanical testing; nondestructive testing; optical testing; production testing*
- bootstrap theory testing 4-30313
- COS-B γ-ray astronomy expt., balloon test flight 4-34973
- cryostats, multipurpose, test methods and results *(German)* 4-35226
- inertial guidance system centrifuge testing 4-14998
- leak detection, acoustopneumatic gauges 4-22802
- measuring equipment, graph-analytical method 4-30391
- meteorological satellites, Soviet program *(French)* 4-42216
- noise source location by diagnostic sound testing 4-39140
- nuclear generating station, experience 4-27392
- nuclear power station, relief valve testing *(German)* 4-20413
- nuclear weapons, underground test detection, seismic instruments *(Swedish)* 4-23923
- Pendulous integrating gyro accelerometer acceleration tests on 'vertical 1Og-3 hertz-Table' 4-14804
- pressure gauges checking using pressure intensifying press *(Polish)* 4-26493
- sound level meters 4-11462
- UHV corona test facility, automatic data acquisition system 4-20181

testing apparatus *see test equipment*

testing equipment *see test equipment*

testing machines *see test equipment*

tetraneutrons *see neutrons*

tetrodes
- electrochemical conc., fundamental integrator error analysis, and design optimiz. of flat tetrode 4-1717

textile fibres *see fibres*

textile industry
- conference, Charlotte, N.C., USA (1937) 4-8254
- pollution monitoring, continuous automated, Westinghouse ADVISER system 4-8255

texture
- *see also surface texture*
- amorphous solid, rel. to strengthening factors and mechanisms 4-13944
- brass, fatigue crack propagation, thermomech. processing effect 4-7153
- bronze, heavily-deformed, annealing textures evolution 4-7073
- composite, two-phase wires, deform. mechanism and props. characteriz. 4-21440
- defocusing effects in reflexion technique for determ. of preferred orientation 4-32392
- EBR-II driver fuel, texture and irrad. growth 4-31539
- energy dispersive X-ray diffr. method applic. 4-37862
- liquid crystals, thermotropic, polymorphism, classification 4-9830
- MBBA cholesteric mixtures, plane texture obs., morphogenesis *(French)* 4-12864
- metal, f.c.c. and b.c.c. polycryst., rolled, static and dynamic simulation of texture 4-4110
- metal, rolled, pole figure plotting, diffractometric procedure 4-2386
- metal grain boundaries revealed by ion etching at low temp. 4-21260
- polycrystalline solids, texture anisotropy determ., generalized spherical harmonics *(French)* 4-32374
- polycrystalline solids, texture anisotropy determ. using incomplete pole figures *(French)* 4-32375
- polyethylene, high-density, improved single cryst. texture 4-41867
- polyethylene, oriented chain-extended, fracture behaviour, Young's modulus 4-4215
- polyethylene, thin-walled cylindrical specimen, single cryst. lamellar texture 4-41866
- polyethylene lamellae aggregates produced by annealing 4-4214
- polymer, lamellar texture, homogeneous elasticity assumption 4-33905
- polymer, rel. to strengthening factors and mechanisms 4-13944
- recognition, brightness and roughness algorithm 4-8545

texture continued
- recrystallisation, texture development and nucleation sites 4-41632
- roentgenograph analysis, digital computer tone-texture transformation 4-18200
- steel, annealing texture control by deform. before completion of recrystn. *(Russian)* 4-33696
- steel, austenite structural state during continuous hot strip mill rolling 4-41635
- steel, austenitic stainless, fine grain structure by rolling and annealing control 4-41631
- steel, high Cr, Kh17, deformability texture depend. 4-1575
- steel, low-C, containing Nb, structures and textures 4-41633
- steel, low-C, Nb-bearing, hot-rolled, effect of cold rolling and annealing on texture and plastic strain ratio 4-41609
- steel, low-C sheet, hot band struct. influence on texture development 4-41634
- steel, low-C sheets, niobium effects on cold-rolling and recrystn. textures 4-41601
- steel, maraging, improved fatigue resist. through thermomech. processing, rel. to struct. 4-13783
- steel, stainless, fatigue crack propagation, thermomech. processing effect 4-7153
- steel strip, Al-killed, plane-strain deform. and recrystn. texture 4-7068
- strip, cold-rolled, texture determ., automatic plotting of pole figs. in refl. and transmission *(French)* 4-37848
- Zircaloy cladding, fracture under simulated power ramp conditions 4-19588
- Ag, (112)[111] texture development on rolling, obs. and mechanism 4-41593
- Al, (112)[111] texture development on rolling, obs. and mechanism 4-41593
- Al, shear deformation, final texture *(German)* 4-7097
- Al alloys, strain ratio determ. method 4-37932
- Al foil, high purity, thickness and texture influence on mech. props. *(German)* 4-7210
- Al rolled sheet, casting texture influence *(German)* 4-1537
- Al sheet, rolling textures 4-33738
- BaO.6Fe$_2$O$_3$, compressive deform., texture and grain morphology rel. to mag. props. 4-38020
- C fibre, three-dimensional structural models relation to props. 4-17429
- Cu, (112)[111] texture development on rolling, obs. and mechanism 4-41593
- Cu microwire, melt spun by Taylor method, processing parameters 4-33842
- Cu-Au(25 at.%), cold worked, annealing behaviour of ordered and disordered phases 4-33686
- Cu-Ni-Cr alloy, hardening by spinodal decomp. and mech. strengthening *(German)* 4-7211
- Cu-Sn alloys, rolling texture, penultimate grain size effect 4-37844
- Fe, hydrogen-induced damage control by metallurgical variables 4-21356
- Fe, origin of recryst. texture 4-7101
- Fe alloys, beryllia dispersed, structure-property relationships 4-29173
- Fe-Si(3 wt.%) alloy, annealing texture, deform. direction depend. *(Russian)* 4-4122
- Fe-Si(3 wt.%) single crysts., primary recrystn. textures form. mechanism *(Russian)* 4-10575
- Mg extruded compacts, preferred orientation 4-31542
- MgO, optimum texture for sintering *(French)* 4-41804
- MgO-Al$_2$O$_3$ spinel formed on solid state reaction of periclase and sapphire, etching obs. *(Japanese)* 4-41828
- Mo, deformed, mech. props. anisotropy *(Russian)* 4-21305
- MoS$_2$, structural and textural evolution from MoS$_3$ 4-20267
- Ni cold rolled sheet, cube texture developed by secondary recrystallisation *(Japanese)* 4-25327
- Ni foil, cold rolled, X-ray pole figures *(Japanese)* 4-4087
- Ni foil, recrystallisation, X-ray obs. *(Japanese)* 4-4088
- Ni foil, rolling, recrystallisation, X-ray obs. *(Japanese)* 4-4089
- Ni-Fe alloy foil, cold rolled, X-ray pole figures *(Japanese)* 4-4087
- Ni-Fe alloy foil, recrystallisation, X-ray obs. *(Japanese)* 4-4088
- Ni-Fe alloy foil, rolling, recrystallisation, X-ray obs. *(Japanese)* 4-4089
- Ti, orientation texture by selected area electron channeling patterns 4-1541
- Ti wire, swaged and recrystallized, effects of interstitial content 4-1515
- Ti-Al-V alloy, effect on fatigue crack growth 4-29169
- Ti-Al-V alloy sheet, elastic anisotropy calc. from pole figure data 4-7069
- β-Ti-V alloys, deform. modes and textures, X-ray exam. 4-41580
- U-5% wt fissium fuel pin irradiation performance specification 4-27456
- Zn-Al (22 wt.%) alloy, transcryst. slip during superplastic deform., struct. influence *(Russian)* 4-21303
- Zn-Al(40 wt.%) alloy, superplastic, quantitative texture meas. 4-33691
- ZnTe vacuum evaporated films, critical substrate temp. 4-37763
- Zr alloys, strength differential effect, obs. and mechanism 4-13740

texture, surface *see surface texture*

thallium
- atom, collision with inert gas, reson. line broadening 4-36454
- atom, collisions, effective cross section computation 4-23986
- atom, resonance broadening of 377.6 nm line, $7^2S_{1/2}$ level lifetime meas. 4-23973
- collisions with inert gas, energy and polarisation transfer between D levels *(German)* 4-40188
- Fermi surface, r.f. size effect measurement 4-16696
- film, amorphous and disordered, sp. ht., 2.5-5K *(German)* 4-41146
- film, superconducting transition temp. meas. 4-28524
- impurity in liquid Te, effect on surface tension polytherm 4-13088
- liquid, density meas. 4-35562
- liquid, elec. resist. and thermo-e.m.f., temp. depend. *(Russian)* 4-20586
- liquid, Hall coefficient meas. *(German)* 4-24728
- optical spectrum, head-term components, intensity ratios 4-19671

thallium continued
- optically thick lines intensity growth in Hg high-pressure discharge 4−3402
- root growth of vapour-grown Te whiskers, effect of Tl impurity 4−41483
- superconducting, quenched, condensed film, upper critical field meas. 4−41147
- superconducting film, search for excitonic superconductivity 4−16859
- superconducting resistive transition in Tl film, fluctuations effect 4−24857
- CsI:Tl, radiation induced and photoexcited scintillations 4−25181
- KBr:Tl^+, electronic emission spectra, 2537Å excitation 4−41419
- KCL:Tl, mag. circular dichroism meas. after X-irradiation at 77K 4−17052
- KCl:Tl, deep impurity electron states, LCAO Green's function method *(Russian)* 4−28370
- KCl:Tl, hole migration investigation by pulsed absorpt. spectroscopy *(Russian)* 4−41084
- KCl:Tl, impurity level calcs., quasi-mol. model for Tl centre 4−41033
- KCl:Tl, optical absorpt., X-irrad., colour centre conversion 4−37648
- KCl:Tl^+, luminescence spectra, synchrotron radiation excitation, photomultiplication 4−28915
- KI:Tl, hole migration at high temp., V_k centres kinetics *(Russian)* 4−41086
- KI:Tl, luminesc., A-absorption bands, mechanism *(Russian)* 4−37665
- KI:Tl, mag. circular dichroism meas. after X-irradiation at 77K 4−17052
- KI:Tl phosphor, pair centre luminesc. mechanism 4−6918
- LiCl:Tl, aqueous soln., luminesc. spectra, extinction time meas. *(Russian)* 4−28925
- Se:Tl, electrooptic effect at 10.6 μm 4−20963
- Tl-In, supercond. film sandwich, thermal cond., proximity effect 4−41156
- Tl^+, impurity ion in aqueous halide on glasses optical absorption spectra 4−1398
- vapour, u.v. spectra, new line detection in high temp. vacuum furnace *(Russian)* 4−39241
- ZnS:Tl, photolum. and X-ray luminesc. *(Russian)* 4−37657

thallium alloys
- *see also thallium compounds*
- rare earth thallium palladium intermetallics, Fe_2P-type phase characterization 4−25307
- As-Tl, liquid, thermodynamic props., cpd. form. tendency *(German)* 4−1126
- Bi-Tl, mag. susceptibility meas., rel. to phase diagram *(Russian)* 4−33144
- Hg-Tl system, eutectic behaviour at h.p. 4−1455
- Hg-Tl system, liq., conc. depend. of thermodynamic props. *(German)* 4−41555
- K-Tl, liq., thermoelec. power, temp. and comp. depend. 4−1224
- La_3Tl, and related ternary phases, supercond., thermodynamic and electronic props. 4−37355
- La_3Tl, n.m.r. obs. of Knight shift and spin lattice relaxation, temp. dependence 4−20881
- Pb-Tl, superconducting, anisotropy effect in flux line lattice 4−28550
- Pb-Tl-Bi, superconducting, phonon spectrum and electron-phonon interaction determ. by electron tunnelling 4−16873
- Tl-In, localised phonons in supercond. tunnelling 4−37382
- Tl-Sn, liq., ratio of mean sq. density fluctuations calc., statistical mech. *(French)* 4−40734
- Tl-Te, liquid, thermodynamic props. calc. 4−13602
- Tl-Te, liquid system, inhomogeneous cluster model, elec. cond. calcs. 4−20522
- UTl_3, magnetic structure, 4.2K, neutron diffraction 4−6738

thallium compounds
- *see also thallium alloys*
- Tl_2Se, liquid, Tl ion valence in excess of stoichiometric comp. 4−1214
- uranyl propionate, rot. dispersion meas., Rb salt comparison 4−25072
- $K_{1-x}Tl_xCl$, $K_{1-x}Tl_xBr$, long wavelength optical phonons, far i.r. reflectivity obs. 4−36964
- Se-Tl liquid, miscibility phase transition elec. resist. meas. 4−28213
- TLF_4^-, TLF_5^- production, appearance pots. 4−31945
- Tl-As-Se semiconductor glasses, n.m.r. of ^{205}Tl *(Russian)* 4−28718
- Tl-S system, phase equilib. below 100°C 4−32662
- TlB_3O_5 and TlB_5O_8, cryst. struct. *(French)* 4−40768
- TlBr, anharmonicity of lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067
- TlBr, bare masses calc. for polaron with anisotropic mass 4−37200
- TlBr-RbBr and TlBr-NaBr molten, molar volumes meas. 4−4310
- $Tl_2Cd_2(SO_4)_3$, cryst. growth by stationary methods, morphology investig. 4−21175
- $Tl_2Cd_2(SO_4)_3$, elastic anomalies in paraelectric phase 4−32601
- TlCl, anharmonicity of lattice vibrs., fund. absorpt. spectra, asymmetry, bandwidth 4−17067
- TlCl, bare masses calc. for polaron with anisotropic mass 4−37200
- TlCl:Ag crystal, photolytic darkening 4−28873
- TlCl(Br), anisotropic hole band masses calc. using hole anisotropic polaron mass meas. 4−32899
- TlCl(Br), exciton luminesc. 4−17106
- $TlCoF_3$, antiferromag., temp. depend. light scatt. from mag. excitons, Raman spectra 4−10428
- $TlCr_3S_5$, cryst. growth, honeycomb struct. *(German)* 4−9904
- $Tl_2CuCl_{4-x}Br_x$, x=0,1,2, cryst. struct. survey 4−40781
- TlF dimer, low energy electron scatt., dipole moment obs. 4−19900
- TlF-YbF_3 system, phase relations and new cpd. obs. *(French)* 4−40870
- $TlFe(CrO_4)_2.2H_2O$, vibrational spectra 4000-250 cm^{-1} *(French)* 4−3968
- TlI, molten, viscosity *(German)* 4−9995
- TlI-CsI system, lattice consts. and solid solubility, X-ray obs. 4−28190
- TlI-RbI system, lattice consts. and solid solubility, X-ray obs. 4−28190

thallium compounds continued
- TlI-TlCl system, lattice consts. and solid solubility, X-ray obs. 4−28190
- $TlMnCl_3$, cryst. paramag., crystallographic and mag. phase transitions 4−10265
- TlN_3, thermal expansion and low temp. phase transition obs. by X-ray diffr. 4−9992
- $TlNO_3$, covalency of Tl-Se bond, Tl-As-Se semicond. glasses, ^{205}Tl n.m.r. *(Russian)* 4−28718
- $TlNiCl_3$, polycryst., mag. susceptibility meas., antiferromag. Heisenberg linear-chain interpretation 4−33142
- Tl_2O, mol. struct. from electron diffr. obs. 4−31768
- Tl_2O_3, conducting film, formation on Tl_2O silicate glass, surface oxidation 4−6663
- Tl_4O_3, monoclinic, cryst. struct. *(French)* 4−32497
- Tl_3PSe_4, opto-acoustic props. 4−3952
- Tl_3PSe_4, single cryst., optical and optoacoustic props. 4−41354
- Tl_4S_3, X-ray diffr., space group, cell consts., struct. *(French)* 4−3468
- Tl_2SO_3, $Tl_2S_2O_5$, prep., identification and X-ray crystallog. *(French)* 4−32503
- $TlSbO_3$, cubic disordered phases, cryst. struct. and chem. 4−40776
- TlSe, sp. ht. at const. press. between 3 and 600K 4−16599
- $Tl_2SeAs_2Te_3$, amorphous, asymmetric electron tunnelling obs. 4−13216
- $Tl_2Se_xTe_{1-x}$, amorphous film, prep., props., cond. temp. depend. 4−41131
- $Tl_2Se_xTe_{1-x}$, amorphous film, preparation by flash evaporation, electrical props. 4−41132
- Tl_4SnO_4 and Tl_2SnO_3, cryst. struct. *(French)* 4−20263
- Tl_2Te, liquid, Tl ion valence in excess of stoichiometric comp. 4−1214
- TmSe, spontaneous interconfiguration fluctuation, X-ray photoemission spectra 4−41466
- TmTe, spontaneous interconfiguration fluctuation, X-ray photoemission spectra 4−41466

thawing *see melting*

The Galaxy
- α-spiral arm, search for possible stellar members 4−30125
- γ-rays from galactic plane above 30 MeV, SAS-2 obs. 4−22431
- abundances rel. to evolution 4−14372
- Anticentre, search for soft X-ray sources 4−38854
- anticentre region, search for gamma-ray emission 4−26150
- AR_0 and other parameters *(German)* 4−34913
- Carina arm, deep photoelectric UBV sequences in Vela, Carina and Crux 4−14482
- central region and classification as spiral galaxy rel. to UBVR photometry *(German)* 4−26160
- centre region, γ-ray obs. above 15 MeV 4−30104
- centre region, high resolution map at 15.5 GHz 4−38873
- Centre region, rocket-borne obs. in 5-115 micron range rel. to dust 4−18038
- centre region, search for OD at 310.2 MHz 4−38897
- chemical evolution, photometric props. of galactic models *(Polish)* 4−30132
- chronology of Galactic heavy element nucleosynthesis 4−34782
- close binary systems, Galactic space frequency rel. to origin 4−11183
- continuum radiation from 408 MHz fan-beam survey at low latitudes 4−4827
- corrugation of galactic layer, 21 cm line obs. 4−42447
- cosmic MHD 4−14296
- cosmic ray confinement by MHD waves 4−38883
- cosmic ray distribution rel. to interstellar magnetic fields 4−14249
- Crux-Centaurus region, kinematics of distant long-period Cepheids 4−34923
- density wave model, gas dynamical eqns., dispersion relation 4−26162
- density-wave theory of spiral structure 4−42466
- dispersed radio emission from Galactic Centre, correlation search 4−26164
- distant spiral arms, 21-cm. line obs. and cloud structure 4−14468
- dynamo theories, criticisms of E. N. Parker's models of magnetic field annihilation 4−7893
- electron cosmic rays, r.f. emission, spectra calcs. 4−4647
- evolution from motion of G- and K-type giant stars 4−34922
- evolution of nearby stellar population and kinematics 4−22443
- gas kinematics near Galactic Centre from CO obs. 4−34921
- globular cluster reddening material distrib. from 6-colour obs. 4−14494
- high velocity cloud, 21 cm. obs. rel. to density and mass 4−38904
- interstellar matter, large-scale distrib. 4−42465
- i.r. obs. of Galactic Centre, 9.7 μ absorption feature 4−22439
- IRC unidentified southern sources near galactic plane, classification 4−11218
- Kapteyn's selected areas, UBV sequence for 6 areas 4−8103
- kinematic characteristics of neutral hydrogen, spiral structure 4−38891
- kinematics of O- and B-type stars from radial velocity and distance meas. 4−42388
- LMC members and galactic stars in LMC direction, radial velocities 4−34783
- magnetic field models, Faraday rotation interpretation 4−30135
- model of inner 4000 parsecs 4−34920
- nearby stellar population, evolution and kinematics 4−34924
- nonthermal radio emission from centre and nature of Sagittarius A 4−22444
- Norma, faint 0-B3 stars rel. to spiral features, UBV photometry 4−14469
- North Galactic Pole, UBV photoelectric photometry of 2544 stars 4−14483
- nuclear bulge, identification of main-sequence stars 4−38876
- nucleo-cosmochronology review of r-, s- and p-process chronologies 4−34600
- O to A0 star distrib. in region in Vela, spectral and colour obs. 4−34934
- O-type stars in solar neighbourhood, space distribution 4−26158
- old stellar populations, globular cluster evolution 4−4826
- old-disc-population red giants in solar neighbourhood, luminosity and velocity 4−14412

The Galaxy continued
outer galactic structure, H I 21 cm line obs. 4−14471
radio recombination line emission from Galactic centre 4−8075
radio recombination line emission from Galactic plane 4−8074
radio recombination lines from inner regions, older H II regions 4−11251
rotation of different groups of objects 4−42458
solar apex, vortex pattern of local stars, orbital parameters 4−42459
solar neighbourhood, stellar luminosity function, derivation from trigonometric parallaxes method 4−2110
solar neighbourhood, upper limit to no. of invisible stars 4−8073
Southern Hemisphere, interstellar K-line components in 168 stars rel. to galactic structure 4−34937
southern Milky Way, low-dispersion spectra and distrib. of strong emission-line objects 4−11232
southern reflection nebulae, two-colour survey 4−42494
spiral arm magnetic fields, radio and optical obs. 4−8088
spiral arms, rolling motion using gas dynamical theory 4−4825
spiral arms rel. to Hα and N II 6584 Å forbidden line emissions 4−11253
star formation rate in Galaxy, limits 4−14484
starlight, incremental polarization rel. to galactic structure 4−42451
stellar halo, formation theory 4−11234
stellar rings and Galactic spiral structure 4−14475
stellar velocity distributions, gaussian components derived from star counts at high Galactic latitude 4−22449
supernova remnants, identification of radiosources for spiral structure evidence 4−2124
surface polarimetry of integrated light symmetry and two epochs methods 4−42460
surface polarization survey of Milky Way 4−42461
UBV photoelectric sequences in celestial equatorial selected areas 4−14365
Vulpecula-Cygnus region, survey of Hα emission stars 4−34816
Wolf-Rayet stars in Galactic window around longitude 307 degrees 4−34806
young O-B3 stars, three-dimensional analysis of velocity field 4−22393
young stars, galactic scale, local density 4−8072
γ-radiation observations, review of recent developments *(Russian)* 4−42444
H II regions, i.r. two colour photometry of sources near Galactic centre 4−14507
H_α emission, local and Sagittarius arm obs. *(French)* 4−34933
theoretical mechanics *see mechanics*
theory of quantum electrodynamics
Abelian gauge theory with nonlinear gauge conditions, unitarity 4−15442
atomic motion is quantised e.m. field 4−12012
axial-vector currents in finite theories 4−27069
bilocal theory, gauge invariant 4−15439
boson, charged spin-0, two-particle unitarity for asymptotic behaviour 4−23435
boson pair creation in vacuum by homogeneous electric field with periodical time dependence 4−39813
Callan-Symanzik equation, short-distance behaviour of proton propagator 4−23436
canonical formalism for relativistic mechanics of many particles 4−5554
charged particle motion, integro-differential eqns. *(Russian)* 4−39807
charged particle motion, self interaction, wave mechanics 4−27062
charged particle relativistic motion in e.m. field, Schrodinger wave mechanics *(German)* 4−39814
charged vacuum, concept of over critical fields 4−35945
Compton scattering positron role, reln. between pair-like and field-like interactions 4−5609
Dirac monopole problem, dual symmetry 4−9045
Dirac particle motion in const. e.m. field, $\alpha=e^2/c$ calc. *(French)* 4−23438
Dirac-Lorentz eqn. rel. to initial acceleration of charged particle with radiation reaction 4−8914
electric charge quantisation in gauge and path independent formulation 4−35944
electron motion in homogeneous e.m. field and field of arbitrarily polarized plane e.m. wave *(Russian)* 4−27073
electron motion in homogeneous magnetic field, modified propagation function and synchrotron radiation 4−27070
e.m. interaction, low energy, S-matrix theory with dispersion relations 4−2677
equal-time commutator of charge densities in fourth order perturbation theory 4−5573
fermion pair creation in vacuum by homogeneous electric field with periodicial time dependence 4−39813
fine structure constant, vertex bootstrap 4−19184
finite, rel. to u.v. divergences in lowest order perturbation calcs. 4−27064
gauge group and Poincare group extension 4−31116
gauge invariance and regularization of the limiting representation *(Russian)* 4−5575
Green's function treatment of two-level atom, effect of g.s.-e.m. field interaction 4−5478
Hamiltonian, quantum, rel. to charge in e.m. field in generalised coords. 4−8913
i.r. asymptotic behaviour of electron, photon propagators 4−15438
i.r. divergence problem in Feynman graphs, polarisation sums 4−35947
i.r. divergences, elimination in nonrelativistic models 4−5571
i.r. problem, dimensional regularisation 4−23439
Lamb shift, gauge invariance breakdown effect of radiation damping on matrix elements 4−31655
Lamb shift from hadron vacuum polarisation, Veneziano-like model 4−19665
light cone parallel displacement rel. to charges with velocity c 4−8912
local operators, restriction imposed on structure of theory 4−12013
massless, on five-dimensional unit hypersphere, amplitude integral formulation 4−15440
massless particles, scalar, i.r. singularities 4−12011
theory of quantum electrodynamics continued
Maxwell and spin 2 massless fields, observables in radiation gauge 4−5569
multiphoton transition, comparison of semiclassical and quantum electrodynamical anal. 4−23963
multiple scattering of charged particles in a quantising mag. field 4−24003
muon decay in e.m. field, equivalence principle 4−19194
O(4,2) group, generalised Dirac current in relativistic Lagrangian field theory 4−27042
operator-product expansion, spectral representation 4−39812
phase operators and phase relations for photon states 4−27063
photon, intense beams, phase average anal. of induced absorpt. and emission amplitudes 4−31115
positronium, simplified Bethe-Salpeter eqn. 4−23437
Power Zienau Woolley transformation generalisation, atomic field equations 4−35946
primitive divergent elimination by complex coupling consts. 4−27032
quasi-real electron approximation for high energy QED 4−12016
relativistic electron emitting in periodic field, radiation props. *(Russian)* 4−23442
relativistic mass variation of point like particle in terms of velocity *(Rumanian)* 4−35948
renormalisation group, zero mass procedure 4−27052
renormalisation theory, in infinite momentum frame 4−39811
renormalisation and Ward identities using complex space-time dimension 4−39785
renormalization of arbitrary graphs by analytic interpolation in space-time dimension 4−27038
self-interaction of γ field, consequent weak and e.m. forces 4−15426
short-distance behaviour, rel. to muon anomalous magnetic moment 4−39843
single atom-single field mode interactions, continued fraction expression for eigensolutions 4−5477
source theory, spectral forms for four-point functions 4−39804
source theory and unitarity, causal viewpoint 4−27050
spectral representations for elastic photon-photon scattering 4−39810
spin 0 charged particles in homogeneous magnetic field, bremsstrahlung and modified propagation function 4−27071
spinning systems, spin-orbit forces, position operators and Thomas precession 4−27072
spinor electrodynamics, canonical quantization on null plane 4−2653
spontaneous emission, atom in presence of a dielectric 4−35822
stability of vacuum and quantisation of electron-positron field for strong external fields 4−15441
two-dimensional, renormalisation group and axial-vector current 4−5572
two-electron ions, ground, $n^{1,3}S$ and $n^{1,3}P$ states, radiative corrections 4−19693
two-level atom interaction with single-field mode, QED and semi-classical theories 4−2609
vector-potential operator eigenfunctions in semiclassical limit 4−27068
Ward identities, conformal, in massive QED 4−12017
Weinberg model, S-matrix derivation applying asymptotic softness requirement 4−39815
e anomalous magnetic moment, α^3 contrib., mass operator formalism 4−23440
e^+e^- scattering, total cross sections, high energy behaviour slope at $q^2=0$ of Dirac form factor 4−359
$pp \rightarrow ppe^+e^-$, high energy, calc. by QED only 4−2730
H, electron scatt., QED approach to 1S-2S excitation 4−16017
^{4}He, $\alpha^6 mc^2$ QED corrections to fine structure 4−23953
Pb, muonic, calc. of vacuum polarisation 4−9050
thermal capacity *see specific heat*
thermal conductivity
see also Kapitza resistance; thermal conductivity of gases; thermal conductivity of liquids; thermal conductivity of solids; thermal diffusivity; thermal insulating materials
bounded cylinder with internal heat source, two-dimensional temp. field anal. 4−30918
dispersions, dilute, with highly conducting inclusions 4−15260
fast reactor materials, high temp. phys. props. 4−19581
gas, temp. depend., apparatus and method 4−30425
granular bed, moist, effective thermal conductivity rel. to moisture content and av. temp. 4−17470
granular beds, heat transfer in bi-phase systems *(Spanish)* 4−25445
high concentration particulate materials, effective thermal conductivity *(Russian)* 4−7377
inductive heating of axisymmetric metallic bodies, eddy current density and temperature distribution analysis *(Russian)* 4−35779
MBBA, nematic, heat transport obs. 4−40923
media with bulk heat absorpt., spatial localisation of thermal disturbances *(Russian)* 4−27834
mixtures with interpenetrating components, generalised conduction theory 4−19015
plasma, electronic thermal conductivity for low Coulomb logarithm values *(French)* 4−20070
protonosphere, effect on temp. distrib. 4−4598
rough surfaces, under compression, thermal contact resistance 4−35757
sedimentary basin rocks thermal conductivity from borehole samples 4−10798
shape factor scheme for point source configurations 4−26873
stellar degenerate matter electrical and thermal conductivities 4−2106
temperature-dependent, controllable heat flux fields 4−23223
transcendental equation $\mu \tan \mu = b$, Chebyshev polynomial approx. 4−39482
two-phase system, effect of vol. conc. of inclusions 4−6531
Ag, low-temp. electrical and thermal resistivities, electron scattering mechanism 4−10129
thermal conductivity measurement
biological masses, thermophys. props. meas. by probe method 4−39182
differential method using galvanometer readings 4−39178
diffusivity measurement, using spatially periodic temp. distrib. induced by laser light 4−35888

thermal conductivity measurement continued
- elements, critical evaluation 4−4993
- gas, bridge apparatus 4−30414
- gas, shock-tube technique 4−30424
- hot wire method, cylindrical specimen radius determ. *(Japanese)* 4−39189
- liquid, thermal activity meas. by compensation method 4−39185
- lunar core samples 4−38715
- phase method, phase measuring bridge cct. precision 4−22787
- polycarbonate, thermal heat capacity determ. at 0.4 to 4.2 K 4−12659
- programmable temperature controller 4−8333
- refractory materials in nuclear technology, meas. methods *(Spanish)* 4−35203
- rocks, constant temp. diff. divided bar apparatus *(Rumanian)* 4−29737
- Semenov's method for thermophys. characts. determ. of materials under quasi steady-state conditions 4−39176
- semiconductor, low temp., apparatus precision determ. using Fe reference material *(French)* 4−2239
- short signal method applic. *(French)* 4−30417
- thermoelectric materials, small cross section samples, 80-400K 4−39184
- transient methods, theoretical basis 4−39179
- Fe, Armco, cond. reference material, characteriz., 80-925 K 4−8302

thermal conductivity of gases
- air, thermal props. of shock layer produced by hypersonic blunt cone *(Russian)* 4−36647
- Enskog dense gas Boltzmann equation, soft potential analogue, kinetic and collisional transfer contributions 4−31994
- inert, tables in metric units, 270-2200K 4−40365
- inert gases on W surface, accommodation coeff. meas., 300-623 K 4−13097
- katharometer for gas analysis by thermal conductivity 4−11658
- magnetic field effects, microstress gauge for study 4−17
- measure of distribution of temperature in gas *(Japanese)* 4−22788
- measurement, bridge apparatus 4−30414
- methane (deuterate), mag. field effect temp. depend. 4−36602
- rarefied, Burnett theory, planar thermal force with surface accommodation 4−9642
- review of heat and mass transport 4−40364
- shock-tube technique 4−30424
- steam, consistency test using kinetic theory 4−12661
- symmetric top gas mols., collision integrals, Senftleben Beenakker effects and nonreson. absorpt. 4−31999
- temperature dependence, apparatus and method 4−30425
- unified equation for gas and liquid cond. calc. 4−40363
- Ar-N_2, wall stabilised atmospheric pressure arc, from temp. profile obs. 4−3405
- CO, mag. field effect temp. depend. 4−36602
- HD, influence of nuclear spin decoupling 4−3241
- HD, mag. field effect temp. depend. 4−36602
- HD + inert gas, mag. field effect conc. depend. 4−36603
- He, thermal accommodation effects under transition, temp. jump and free mol. regimes on clean W 4−9645
- N_2, 100-2200°C 4−30425
- N_2 + inert gas, mag. field effect conc. depend. 4−36603
- NH_3, conductivity meas. 20-140°C, hot-wire method *(Russian)* 4−36604
- NH_3-N_2, conductivity meas. 20-140°C, hot-wire method *(Russian)* 4−36604
- Ne, accommodation effects under transition, temp. jump and free mol. regimes on clean W 4−9645

thermal conductivity of liquids
- binary liquid mixture, modification of statistical mech. theory 4−40921
- calculation definition of dimensionless parameter δ 4−3593
- 1,2-dibromoethane, 4.2K to room temp. 4−40922
- 1,2-dichloroethane, 4.2K to room temp. 4−40922
- n-heptane, thermal conductivity meas. 4−3592
- MBBA, nematic, temp. depend. *(French)* 4−24383
- measurement by compensation method 4−39185
- MHD radiative channel flow effects 4−9685
- organic compounds, non-viscous, anal. using continuity principal 4−20453
- seawater, N/Ar ratio, difference thermal conductivity method 4−2017
- toluene, at pressures up to 6250 atm. 4−32754
- unified equation for gas and liquid cond. calc. 4−40363
- Bi-Pb alloy, absolute plane layer method 4−3724
- Cu_3AsSe_4, 30-750°C 4−3594
- Cu_3SbSe_4, 30-750°C 4−3594
- ^3He, quasiparticles, Fermi velocity, 200-16 mK 4−24608
- Hg, heat pulse diffusivity meas., 120-370 K 4−37220
- In, solid and liquid, thermal conductivity meas. in vacuo 4−6600
- Sb_2Se_3-based melts, anomalous Lorentz number, ambipolar thermal diffusion, 600-850°C 4−24743
- $(U, Pu)O_2$, fuel, phys. props. characteriz. 4−3014

thermal conductivity of solids
- alkali halide crystals, theory of thermionic conductivity *(Russian)* 4−1137
- alloy, melting by laser radiation, influence of thermophysical properties *(Russian)* 4−4160
- alloys, transition metal, rare earth and actinide, localized moment formation, exptl. bulk properties 4−24704
- amorphous semiconductor, semicond. glasses, harmonic lattice, hopping heat cond., single phonon contrib. 4−16579
- analogue computer method, temp. dependence of thermophysical props. 4−6532
- benzene molecular cryst., nonsteady-state heated-wire method, −196°C to +30°C 4−32759
- ceramic, cast, thermal conductivity, rel. to struct. and temp. 4−4194
- compacted spheres in vacuo, conductance anal. 4−19005
- contact resistance, periodically contacting surfaces, computer simulation of heat conduction 4−23224
- crystalline and vitreous bodies, porous and nonporous, meas. and sampling problems, review *(French)* 4−13812
- cyclohexane molecular cryst., nonsteady-state heated-wire method, −196°C to +30°C 4−32759
- deuteromethane, orientation-disordered phase, 27-90K 4−24599

thermal conductivity of solids continued
- 1,2-dibromoethane, 4.2K to room temp. 4−40922
- 1,2-dichloroethane, 4.2K to room temp. 4−40922
- dielectric, low temp reduction, boundary scatt. 4−24596
- dielectric, thermal pulse phenomena *(French)* 4−20396
- dielectric with resonant scattering centres, effect of dispersion 4−10000
- differential type solids, thermodynamic props. 4−11873
- dilute alloy, deviations from Matthiessen's rule 4−37211
- directional i.r. emission from simulated Martian particulate soils 4−17946
- ferromagnetic metal, temperature depend. of Lorenz number 4−6609
- fibre reinforced composite, fibre positioning effect on effective phys. props. 4−33876
- fibrous thin layers, radiative transfer model 4−19001
- glass, loose fibre and powder 4−4234
- glass, o.1 to 10K, elastic scatt. due to struct. disorder 4−32756
- glass, random-network model 4−24540
- glass reinforced plastic, porosity prediction from thermal cond. 4−21433
- granular layer, interphase heat exchange effect on longit. thermal cond. 4−40426
- graphite, thermal and electrical conductivity POCO grade AXF-Q1 graphite to 3300°K 4−17399
- graphite, thermal conductivity coefficient meas. 4−4185
- graphite, thermomechanically processed, electrical and thermal conductivity in 80-2500 K range 4−7289
- graphites at 300 to 1000 K, neutron irradiated and unirradiated samples 4−23862
- graphitic carbons, thermal conductivity meas., varying porosity 4−33864
- ice, monocrystalline, meas. between 2 and 90 K 4−32761
- III-V compounds, phonon phonon scatter, fall in thermal cond. at high temp. 4−28177
- insulating solid, effect of press. 4−40933
- interface, relax. effect following compression 4−37077
- interface, thermal cond. depend. on deformation mode 4−26872
- metal, Born approximation appl. to electron-electron scatt. 4−37215
- metal, heat resistance at varying temps., exptl. verification of parametric calc. method *(Russian)* 4−10621
- metal, melting by laser radiation, influence of thermophysical properties *(Russian)* 4−4160
- metal, nonideal, force consts. variation effect on heat cond. *(Russian)* 4−13163
- metal, trace impurity analysis using electronic transport meas. *(German)* 4−37219
- metal, variational calc. of low-temp. thermal resistivity 4−28390
- metal with vacancies and interstitial impurity atoms, low temp. resistivity calc. 4−16730
- minerals, lattice thermal conductivity at high temps. 4−32643
- non-crystalline dielectrics, meas. between 0.05 and 2K 4−20418
- perfect crystalline state, theory, book 4−13119
- phonon scattering by point defects, low temp., exact soln. 4−16565
- plasma, h.f., homogeneous, generalised Wiedemann-Franz law 4−20069
- plate, heat conduction, temp. dependent thermal conductivity coeff., variational method 4−40927
- plate, two-layered, temp. field in time-varying heat transfer conditions 4−40929
- polychlorostyrene, thermal conductivity at high pressures *(German)* 4−3597
- polymer, 0.1 to 10K, elastic scatt. due to struct. disorder 4−32756
- polystyrene emulsion filled with glass fibres, thermal properties meas. 4−4206
- porcelain, technical, effect of humidity on thermal props. 4−33848
- PVC, filled plasticised polymer, effect on polymer struct. 4−7355
- quartz, fused semitransparent, heat transfer, effective thermal conductivity 4−37050
- rare earth metals, thermal and elec. props., Lorentz functions, 90-300 K 4−24721
- ruby, thermal conductivity at 1 to 4K, effect of Cr^{2+} ion 4−24600
- semitransparent, heat transfer, effective thermal conductivity 4−37050
- shock compressed, meas. of temp. by thermal resist. determ. *(Russian)* 4−35213
- sintered ceramic fuel for fast reactor use, preferred values for thermal conductivity 4−19605
- Sitalls, thermal cond. and specific heat 4−4184
- steel, heat resistance, ductility and hardenability, 4Kh2GSVMF rel. to 3Kh2V8F 4−33802
- steel, heat resistance at varying temps., exptl. verification of parametric calc. method *(Russian)* 4−10621
- student experiment, Cu and constantan wires tied to a soldering iron 4−26407
- superconductor, dirty strong-coupling, fluctuation conductivity and vortex flow resistivity 4−13259
- superconductor, intermediate state, heat transfer along interphase wall, Andreev's model *(French)* 4−20726
- superconductor, Kubo formula, phonon model, scatt. effect 4−37374
- superconductor, with mag. impurities, electronic thermal cond. calc. 4−33083
- topaz, $(AlF)_2SiO_4$, anharmonicity, direction independence *(Russian)* 4−32642
- transition metals, group VIII, normal electron-electron scattering 4−41054
- UO_2 effect of porosity and stoichiometry on thermal cond. 4−37051
- vinyl chloride copolymers with maleic acid dialkyl esters, props. characterisation by n.m.r. and i.r. spectra *(German)* 4−4218
- Volterra's integral eqn. soln. 4−2579
- Vycor glass, low temp. cond., 200-16 mK 4−24608
- wall, thermally insulated flat or cylindrical, generalized nomogram, approx. temp. 4−40930
- walls, curvilinear, hollow bodies, temp. transfer functions, generalized thermal effects 4−40931
- Zircaloy-2-sheated nuclear reactor fuel pins, in-pile meas. 4−23881
- Ag, high purity, and elec. resist. meas., temp. depend. 2 to 20K 4−37216
- Ag, superconductivity meas., induced by proximity effect 4−41155
- Ag alloys cold worked, conductivity meas. at 0.5 to 4K 4−41055

thermal conductivity of solids continued
Ag_2Te, Lorenz number, inelastic scatt. of electrons investigation 4−28414
Al, CO_2 laser irradiation, oxidation effect, absorptivity meas. 4−11948
AlN powders, thermal conductivity at high temp., effect of O_2 impurity 4−25419
Al_2O_3:Ni^{3+}, low temp. reson., phonon scatt., tunnelling splitting 4−20456
Au alloys cold worked, conductivity meas. at 0.5 to 4K 4−41055
B, and struct. analogues effect of crystal struct. 4−28176
β-B, rhombohedral, physical-chem. props. 4−32727
B_4C, 20-1400°C 4−15944
B_4C, development for FFTF control elements 4−15941
B_4C, neutron irrad., thermal and elec. cond., thermal expansion 4−31529
B_4C pellets, 20-1300°C 4−15943
Ba thermal and electrical conductivity and thermopower meas. 4−41056
BeO water, extrapolation method 4−6533
Bi polycryst. film, thermal, elec. cond. and thermoelec. power, crystallite size effect 4−37337
Bi-Pb alloys, absolute plane layer method 4−3724
Bi-Sb alloy, absolute plane layer method 4−3724
C, loose and fibrous grphitic materials 4−4233
C fibres, oriented, insulation use in nuclear fusion reactors 4−23864
CO, temp depend., phonon scatt. mechanisms 4−20457
Ca thermal and electrical conductivity and thermopower meas. 4−41056
CdS, hot pressed, grain size and hot-pressing defect effects 4−16603
CdSe, anomalous depend. on resist., electron-phonon interaction theory *(Russian)* 4−9999
Cr, CO_2 laser irradiation, oxidation effect, absorptivity meas. 4−11948
Cr, thermal resist., rare earth addition effects *(Russian)* 4−6607
β-CrSe, Cr_7Se_8, Cr_2Se_3, 80 to 440K 4−3596
Cu, film, 100-500 K, thickness depend., electron scatt. 4−20585
Cu alloys, cold worked, conductivity meas. at 0.5 to 4K 4−41055
Cu alloys, temp. depend., 5-300K 4−41734
Cu-Cr dilute alloy, elec. and thermal cond. meas. at low temp., Kondo props. 4−41051
Cu-Fe, dilute alloys, Lorentz number, spin compensation 4−24722
Cu-Ga alloys, rel. to charact. for soldering pastes 4−25286
Cu_3AsSe_4, complex semiconductors in liquid and solid state 4−3594
Cu_3SbSe_4, complex semiconductors in liquid and solid state 4−3594
Eu chalcogenides, ferromag., magnon second sound and thermal cond. 4−1319
Eu_2O_3, monoclinic, 100-1425°C 4−12452
Eu_2O_3, thermal props., room temp. to 1500°C 4−15947
Fe, as reference material for low temp. apparatus precision determ. w.r.t. semiconductors *(French)* 4−2239
Fe, b.c.c., band model calc., temp. depend. 4−41009
Fe, effect of degree of purity 4−4131
$FeCl_2$, thermal cond. and magnon-phonon reson. interaction 4−24978
$FeCr_2Se_4$, 80 to 440K 4−3596
GaAs:Te(Cr), obs. between 2 and 90K 4−37052
$(GaSb)_x$-$(GaTe)_{1-x}$, $(GaSb)_{3x}$-$(Ga_2Te_3)_{1-x}$, $(InSb)_x$-$(GaSb)_{1-x}$ 4−3595
$GdAsO_4$, thermal conduction by magnons in spin flop phase 4−3849
Ge, dislocations effect, 1.5-30 K 4−40924
Ge, lattice, contrib. (ΔK) calc. due to correction term in Callaways integral 4−3546
Ge, phonon phonon scatter, fall in thermal cond. at high temp. 4−28177
n-Ge, scattering of phonons by bound donor electrons, theory 4−20388
Ge, simple variational calcs., 2 to 20K 4−40932
n-Ge:Sb, electron-phonon scatt., contribution to thermal resist., effective mass of donor electrons, 2-10 K 4−12997
Ge:Sb, freq. depend. of resonant scatt. of phonons 4−20455
HD, meas. 4 to 0.2K, depend. on J=1 impurity conc. 4−32760
HfB_2, processing and prop. characteriz. 4−4182
$HfMo_2$, Laue phase heat resist. *(Russian)* 4−7300
HfW_2, Laue phase heat resist. *(Russian)* 4−7300
Hg, heat pulse diffusivity meas., 120-370 K 4−37220
In, solid and liquid, thermal conductivity meas. in vacuo 4−6600
In-Tl, supercond. film sandwich, proximity effect influence 4−41156
$(InSb)_x$-$(InTe)_{1-x}$, $(InSb)_{3x}$-$(In_2Te_3)_{1-x}$, $(InSb)_x$-$(GaSb)_{1-x}$ 4−3595
K, low temp. thermal magnetoresist. obs. 4−10141
KCl pressure depend. meas. up to 19 kbar 4−32758
KCl:CN^-(Li^+), tunnelling states of impurity ions, spin-phonon interaction obs., expt. 4−36983
KCl-KBr system, X-ray and γ-ray irrad. influence *(Russian)* 4−6510
$K_2CuCl_4.2H_2O$, Curie temp. region 4−37417
$K_2CuCl_4.2H_2O$, field depend. near Curie temp. 4−10268
β-La, electronic and lattice contribs., scatt. anal. 4−37218
La_2Te_3, lattice cond., 80-300K 4−13013
MgF_2, hot pressed, grain size and hot-pressing defect effects 4−16603
MgO, additively coloured, resonant phonon scatt. due to F-centres 4−24598
MnF_2, mag. field depend., magnon contrib. investigation 4−33183
Mo, Lorenz ratio, thermal cond. meas., electronic and lattice component separation 4−28392
N_2, temp. depend., phonon scatt. mechanisms 4−20457
$(NH_4)_2CuBr_4.2H_2O$, Curie temp. region 4−37417
$(NH_4)_2CuCl_4.2H_2O$, Curie temp. region 4−37417
Nb-Mo, supercond., below 1K dislocation phonon scatt. 4−37370
Nb-Ta, supercond., below 1K, dislocation phonon scatt. 4−37370
Nb-Zr alloys, meas. at low temps. 4−10128
NbC, sub-stoichiometric, at 300K 4−32755
NbC-$WC_{(1-x)}$ solid soln. composites characteriz. for high temp. applics. 4−7329
Ni alloy, heat resistance, effect of chem. comp. 4−13715
Ni-Ag alloys, influence of K-state from specific heat and thermal resistant meas. 4−3545

thermal conductivity of solids continued
$NiCr_2Se_4$, 80 to 440K 4−3596
PbTe-InTe system, potentiometric method 4−6648
PuO_2-UO_2 nuclear reactor fuel, in-pile thermal conductivity meas. 4−36352
$Rb_2CuCl_4.2H_2O$, Curie temp. region 4−37417
$RbMnF_3$, mag. field depend., magnon contrib. investigation 4−33183
Re, calc. from high temp. diffusivity meas., Wiedemann-Franz law 4−24724
Si, phonon phonon scatter, fall in thermal cond. at high temp. 4−28177
SiC, comparison with related diamond-like crystals 4−10661
SiC, high strength, characterisation rel. to severe environment use 4−10651
SiC, microstructural effects on physical props. 4−10659
SiO_2, loose fibre and powder 4−4234
Sn, superconducting, domain config. effect in intermediate state 4−28562
Sr thermal and electrical conductivity and thermopower meas. 4−41056
$TaCr_2$, Laue phase heat resist. *(Russian)* 4−7300
Te, hydrostatic press., effect on thermal and elec. cond. 4−28245
$Te_{70}Ge_{10}As_{20}$ glass, temp. depend. of thermal props. 4−32717
Ti, phonon thermal cond. determ. 4−6602
Ti alloys, VT-8, VT-5 thermophysical, electrical and elastic properties meas. 4−4130
$(U,Pu)O_2$ fuels, composite thermal cond. expression 4−3018
U-Mo(10 wt.%) alloy, 320-680K, heat treatment influence *(French)* 4−23839
$UC_{1-x}N_x$, and thermal diffusivity meas., 100 to 1000K, lattice and electronic components 4−32757
UO_2, thermal cond. before and during irradiation *(Rumanian)* 4−36357
UO_2 nuclear reactor fuel, in-pile thermal conductivity meas. 4−36352
UO_2/W composites, melt-grown, characteriz. w.r.t. fuel applic. 4−15950
US, 638-1823 K 4−24597
V, meas. of physical prop. coeffs. 4−6601
VCr_2Se_4, 80 to 440K 4−3596
W, Lorenz ratio, thermal cond. meas., electronic and lattice component separation 4−28392
W, low temp. resistivity, effect of surface condition 4−13166
W-Cu pseudo alloys, hot pressed, phys. props., 300-2200K 4−41815
W-Cu pseudoalloys, hot extruded, thermal and electrical conductivity, thermal expansion meas. 4−4186
YIG, defect effects at low temp. 4−16625
Y_2O_3, thermal cond. meas., 600 to 2100K 4−7286
ZrB_2, processing and prop. characteriz. 4−4182
ZrC, sub-stoichiometric, at 300K 4−32755
$ZrMo_2$, Laue phase heat resist. *(Russian)* 4−7300
ZrO_2, coatings applied by plasma sputtering 4−4183

thermal convection *see convection*

thermal critical constants
see also boiling point; melting point
Diels-Alder reaction, isoprene and maleic anhydride, chem. kinetics at critical point 4−17499
equilibrium between liquids and saturated vapours at critical point, equation of state *(German)* 4−3551
fluid, critical point, order-parameter decay rates, freq. depend. 4−15266
gases, proportional-counter mixtures, measurement 4−35399
hydrocarbon liquids, correlation between critical volumes and work functions for electrons 4−29358
Lennard-Jones systems critical and triple point calc. using expandable lattice model 4−13028
Menschutkin reaction, ethyl iodide and triethylamine, Diels-Alder reaction, isoprene and maleic anhydride 4−17499
multicomponent fluid, tricritical point 4−16409
polymers, glass transition temp. meas., cryoultramicrotomy 4−12881
triple-point cell, prep. of ice mantles 4−26492
Ar, phase change studies 4−24548
NH_3, P-V-T relations near critical point 4−13017
NH_4Cl, liquid, ionic cond. from triple point to crit. point determ. 4−34044
ZnTe vacuum evaporated films, critical substrate temp. rel. to texture and optical transmission 4−37763

thermal decomposition *see chemical reactions*

thermal diffusion
see also thermal diffusion in gases; thermal diffusion in liquids; thermal diffusion in solids
film, hot, heat transfer to fluid with steady flow 4−19978
local potential method, solution of eqns. of diffusion 4−36626
Newtonian fluid, Hamilton's variational principle 4−11870
stagnant zone medium, convective diffusion eqns. 4−39656
NaCl in solution of oceanic concentration 4−17644

thermal diffusion columns *see isotope separation; thermal diffusion in gases*

thermal diffusion in gases
benzene, isotope separation, thermal diffusion column 4−27502
bromoethane, isotope separation, thermal diffusion column 4−27502
1-chloropropane, isotope separation, thermal diffusion column 4−27502
cloud condensation nuclei, effect of transient supersaturations, thermal diffusion chamber study 4−7834
cyclohexane, isotope separation, thermal diffusion column 4−27502
evaporation of liquid drop in dissociating gas, formation of gas dynamics transfer eqns. 4−6490
ionosphere, minor ion density profiles, thermal diffusion effects 4−22059
measure of distribution of temperature in gas *(Japanese)* 4−22788
methane-N_2 annd methane-CO_2 mixtures, inelastic collision effects 4−12665
relativistic binary mixture, kinetic theory 4−27788
relativistic mixture of hard spheres and Israel particles, diffusion coeffs. 4−32003

thermal diffusion in gases continued
- vertical flow diffusion chamber, supersaturation development 4−34542
- CS_2, isotope separation, thermal diffusion column 4−27502
- H_2-CO_2, high press. obs. using Pd occlusion method 4−40369
- Ne-Ar-Kr mixture, law of corresponding states 4−27794

thermal diffusion in liquids
- alkali metal alloys, comp. depend. 4−32728
- alkali metal alloys, thermotransport correl. with electromigration 4−16608
- column with temp. asymmetry over width, parasitic convection model 4−40460
- droplet, diffusion controlled growth and evaporation 4−20048
- isotope separation in plane diffusion column, longit. temp. gradient influence 4−41992
- metal, Na ion thermal motion, computer simulation *(Japanese)* 4−3581
- negative, coeffs. meas. by observing onset of thermohaline convection 4−3580
- Soret coefficient meas. by holographic interferometry *(French)* 4−32732
- Al-Cu alloys, thermotransport 4−16615
- HCl-H_2O system, laminar flow, adverse temp. gradient *(French)* 4−28229
- In-Cd alloy, liquid, diffusion coeffs. determ. rel. to temp., conc., model *(French)* 4−32733
- K-Rb alloys, thermotransport correl. with electromigration 4−16608
- LiCl aqueous soln., in laminar flow *(French)* 4−32730
- Na-Rb alloys, thermotransport correl. with electromigration 4−16608
- Sb_2Se_3-based melts, cond., anomalous Lorentz number, ambipolar diffusion, 600-850°C 4−24743
- Sn, of ^{110}Ag *(Russian)* 4−6514

thermal diffusion in solids
- brass, α-β bicrystal, heat treatment effect on transition zone 4−37900
- oxide fuel, irradiated, computer program for redistrib. of U, Pu and O by vapour transport and solid diffusion 4−27447
- oxide fuel systems, chemical state and thermomigration behaviour of fission product Cs 4−27446
- Permalloy-Au couple, rel. to mag. bubble stability 4−37439
- refractory carbide, in temp. gradient 4−31552
- Schottky ambipolar diffusion anal. using Vlasov eqn. soln. *(Russian)* 4−37047
- steel, Cr-Ni-Mo-Ti, B diffusion after liq. Na heat treatment *(German)* 4−21320
- Ag, analysis of self-diffusion data, single and divacancy activation energies 4−20439
- Al-Ag film on SiO_2-Si, low temp. stability, $^4He^+$ back-scatt. 4−20447
- Al-Si interdigitized test structs., electromigration-thermomigration 4−28243
- Al-Zn(4wt.%)-Mg(3wt.%), Ag influence on Mg diffusion, Mg conc. profiles at grain boundaries 4−21277
- Au-Si interdigitized test structs., electromigration-thermomigration 4−28243
- B_2O_3, of the, vitreous, thermally induced vol. relax. effect 4−20433
- CaF_2, slow diffusive motions, nuclear relax. meas. 4−32753
- CdTe, of Au, Bi back-scatt. anal. ion microprobe anals. 4−21213
- Cu/W composite, grain boundary cavitation and sliding due to thermal stresses 4−4207
- Cu-Au bimetallic film, low temp. interdiffusion, He^+ back-scatt. anal. 4−20446
- Cu-Au thin film, ion back-scatt. anal., bulk-grain boundary mechanisms 4−20448
- Fe-Co system, interdiffusion 4−3588
- Fe-Ni system, interdiffusion 4−3588
- GaAs, radiative recombination centres, effect of luminesc. 4−28240
- GaP, of Zn, effect of phosphosilicate glass mask 4−21214
- GaP:Si, of Cu, Zn, complex form., localized mode freq. 4−25139
- He, ion mobility meas., time of flight in elec. field, temp. depend. 4−13074
- KCl, migrating droplet stability 4−16624
- KCl, SO_4^{2-} diffusion and solubility, temp. depend., new meas. method 4−1144
- Mg_2TiO_4:Cr^{3+}, luminesc. activation mechanism, annealing effect 4−33487
- NaCl, SO_4^{2-} diffusion and solubility, temp. depend., new meas. method 4−1144
- NaCl, vacancy diffusion, pore vol. change 4−24592
- NaF, cation tracer diffusion meas. 4−32747
- NaF, slow diffusive motions, nuclear relax. meas. 4−32753
- Na_2O-B_2O_3 glass, of He, thermally induced vol. relax. effect 4−20433
- Ni whisker, dislocation climb, high temp. internal friction mechanism 4−25333
- Ni-Co system, interdiffusion 4−3588
- Pt film, of Si, PtSi form., etching effect 4−37115
- Si, of B, annealing effect on conc. profiles 4−6975
- Si, of B from H_2-BBr_3 mixture, surface effect 4−29022
- Si film, electrochem. etching form., dopant atom diffusion 4−29009
- Si single crystals, Li, fabrication of Si semiconductor radiation detectors 4−18628
- Ti welded α-alloy, distrib. of H in thermal influence zone allowing for thermal diffusion *(Russian)* 4−4083
- Ti-Mo(21 wt.%) alloy, thermotransport of oxygen 4−7326
- $(U,Pu)O_2$ fuel pins, hypostoichiometric, oxygen distrib. calc. 4−23842
- ZnS, of Mn, effect on cubic-hexagonal transition 4−13041

thermal diffusivity
- analogue computer method, temp. dependence of thermophysical props. 4−6532
- binary mixtures, quasi-elastic light scattering 4−16606
- biological masses, thermophys. props. meas. by probe method 4−39182
- cylinder which is generating heat, temp. distrib. 4−5425
- deep reservoir, thermal stratification due to solar radiation 4−34272
- eutectic alloys based on InSb, application of flash method 4−16626
- fluidised bed, vibr. induced, effective thermal diffusivity 4−41908
- isothermal disc in half-space, transient heat flow 4−23225

thermal diffusivity continued
- measurement, using spatially periodic temp. distrib. induced by laser light 4−35888
- measurement technique using short signal method *(French)* 4−30417
- olivine, up to 20 kbar and 1000 K *(German)* 4−34220
- organic liquids, quasi-elastic light scattering 4−16606
- oxide absorber materials, review of characteristics 4−15948
- plate, infinite, transient effects in plate with transverse circular cylindrical hole 4−23226
- polystyrene emulsion filled with glass fibres, thermal properties meas. 4−4206
- Pyco-bond composites, 2000°F thermal and crystallographic props. 4−17413
- quartz, pressure dependence of thermal diffusivity 4−20454
- refractory materials in nuclear technology, meas. methods *(Spanish)* 4−35203
- silica glass, pressure dependence of thermal diffusivity 4−20454
- simple mixtures, general entropy principle, thermal diffusion coefficients 4−4309
- Teflon, pressure dependence of thermal diffusivity 4−20454
- triglycine sulphate:Fe, near critical point 4−3574
- turbulent temperature mixing layer meas. 4−19974
- Au film, determ. using laser reflectance relax. spectroscopy 4−9996
- Cd_3As_2, isotropic cond., suitability for thermal detector 4−13197
- Eu_2O_3, monoclinic, 100-1425°C 4−12452
- Eu_2O_3, thermal props., room temp. to 1500°C 4−15947
- ^4He, along gas-liquid crit. isochore, Rayleigh linewidth meas. 4−40937
- Hg, heat pulse method, 120 to 370 K 4−37220
- β-La, high temp., rel. to thermal cond. 4−37218
- NaCl in polycrystalline form, pressure dependence of thermal diffusivity 4−20454
- Re, high temp. meas, conductivity calc. 4−24724
- $Te_{70}Ge_{10}As_{20}$ glass, temp. depend. of thermal props. 4−32717
- Ti alloys, VT-8, VT-5, thermal, electrical and elastic props. meas. 4−4130
- $UC_1 1_{-x}N_x$, and thermal cond. meas., 100 to 1000K, lattice and electronic components 4−32757
- US, 638-1823 K 4−24597

thermal effects in magnetism *see magnetothermal effects*

thermal expansion
- *see also Gruneisen coefficient*
- alkali halide, equation of state 4−3578
- alkali halides, lattice parameter, Gruneisen coeff. 4−24572
- alkali halides, nonlinearity investigation 4−24570
- alloys, transition metal, rare earth and actinide, localized moment formation, exptl. bulk properties 4−24704
- caesium acetate, X-ray diffr., lattice consts., thermal expansion along cryst. axes 4−20424
- constructional materials at 2 to 77 K, dilatometer meas. 4−11471
- dicalcium strontium propionate, obs. at ferroelec. transition, γ-irrad. and elec. field effects *(Russian)* 4−6511
- differential dilatometry, coeff. meas., improved method 4−21
- differential dilatometry, coeff. meas., improved method 4−8332
- dilatometer, meas. between 2 and 77K 4−22761
- dilatometer, of geodesic measuring wire *(German)* 4−29699
- epoxy-urethane/Al_2O_3 filled 4−38037
- fibre reinforced plastic, structure property relations, review 4−7332
- frictionally excited thermoelastic instabilities, comments on 4−36950
- frictionally excited thermoelastic instabilities, reply to comments on 4−36951
- gas, compressed two-dimensional unsteady problems of expansion 4−36601
- glass:Nd rods, optically pumped, meas. of lens action *(German)* 4−23341
- glass, linear viscoelastic model for thermal stress 4−28225
- glass, rel. to stress relax. during annealing 4−28137
- glass, r.f. sputter deposited thick films 4−6346
- glass, thermal stress analysis, temp. depend. coeff. of expansion 4−21488
- glass ceramics of melilitic comp. *(French)* 4−41805
- glass composite, zirconia-practical, sintered, comp., modulus of rupture and thermal expansion *(Japanese)* 4−13886
- graphite, thermal expansion coeff. parallel to hexagonal axis, effect of bond-bending coeff. 4−16604
- graphite/epoxy composite, thermomechanical stability, holographic meas. 4−38031
- heptane, rel. to coexistence curve at liq.-vap. transition *(Russian)* 4−24554
- lithium acetate + water system, glass transition with negative change in expansion coeff. 4−6348
- MBBA, liq. cryst., expsn. coeff. about nematic-isotropic transition temp. 4−9843
- metal, cubic, rel. to atomic vibr. amplitude 4−20391
- metal, polyvalent, pseudopotential calc. 4−1091
- NIBCOLLOY, semihard mag. alloy, for reed switch applic. 4−10286
- perfect gas, expansion due to subsonic sources, reln. to plasma heating 4−6250
- phenyl salicylate, liq., coeff. determ. 4−13057
- α-phenyl-o-cresol, liq., coeff. determ. 4−13057
- polyethylene, oriented linear, elastic and thermal expansion anisotropy, model 4−33903
- polyethylene of various degrees of crystallisation, volume expansion −100 to 200°C *(Russian)* 4−37024
- polypropylene fibres, thermal shrinkage, recrystallisation 4−13890
- polypropylene fibres, thermal shrinkage rel. to chain conformation change 4−13891
- PVC, filled plasticised polymer, thermodynamic stability factors 4−7356
- Pyco-bond composites, 2000°F thermal and crystallographic props. 4−17413
- rocks, strain energy due to internal stress, theoretical bounds for thermal expansion and specific heat 4−17576
- sheet metals, punch-stretched, expansion and temp. distrib. investigations *(Japanese)* 4−41760

thermal expansion continued

- shells, junction problems, discretised solution, shifting field 4—2481
- sodium acetate, X-ray diffr., lattice consts., thermal expansion along cryst. axes 4—20424
- o-terphenyl, liq., coeff. determ. 4—13057
- thermoelastic substance, stress coefficients and expansion anal. *(German)* 4—18863
- transparent crystal, rel. to temp. derivative of refractive index 4—28784
- transparent materials, laser-induced interference and thermal lensing 4—23396
- triglycine selenate, obs. at para- to ferroelec. transition, γ-irrad. and elec. field effects *(Russian)* 4—6511
- triglycine sulphate, coeff. of thermal expansion and crit. behaviour 4—3945
- Ag, lattice thermal expansion effects in positron lifetimes 4—41040
- Ag, linear coeff., 283K, rel. to Cu 4—1129
- Ag_2Se, i.r. spectra, temp. depend. of effective electron mass 4—25113
- Al, equilib. vacancy conc. meas. 4—20300
- Al, lattice thermal expansion effects in positron lifetimes 4—41040
- Al, linear coeff., 283K, rel to Cu 4—1129
- Ar, solid, surface thermal expansion calc. 4—20427
- Au, lattice thermal expansion effects in positron lifetimes 4—41040
- Au, linear coeff., 283K, rel. to Cu 4—1129
- β-B, rhombohedral, physical-chem. props. 4—32727
- B_4C, neutron irrad., thermal and elec. cond., thermal expansion 4—31529
- B_xC_y, B-rich and C-rich samples, lattice expansion, 12-940°C 4—6512
- BaF_2, two-body and (two + three)-body lattice dynamics 4—28173
- $BaTiSi_3O_9$, benitoite 4—10646
- BeO-Al_2O_3-MgO, thermal expansion coeffs. from 100 to 1100C 4—33867
- $Bi_{1-x}La_xFeO_3$, 20-700°C, rel. to anomalies in elec. and mag. props. 4—24571
- Bi_2O_3-GeO_2 glass, struct. and props. 4—20219
- Bi_2O_3-SiO_2-GeO_2 glass, struct. and props. 4—20219
- Bi_2Te_3, 4.2-600 K, anisotropy, carrier depend. 4—20426
- C, glassy, natural graphite imbedded thermal expansion 4—17418
- CaF_2, linear coeff., 283K, rel. to Cu 4—1129
- CaF_2, two-body and (two + three)-body lattice dynamics 4—28173
- CaO, linear meas. for cationic transference number determ. *(French)* 4—16621
- $CaWo_4$:Nd^{3+}, temp. shift of Nd^{3+} energy levels, 77 to 500 K 4—24710
- $CeAl_2$, mag. transitions, dilation, sp. ht. and magnetization obs. 4—1307
- Co Elinvar, elastic anisotropy temp. depend. 4—29141
- Co superalloy, cast, Mo substitution for W effects 4—41640
- Co-Cr alloy, environment resistant, development 4—13788
- Co-Re alloys, $\varepsilon \rightleftarrows \alpha$ transform. obs. *(Russian)* 4—33650
- $CoFe_2O_4$, thermal expansion coeffs. and cell parameters 4—28223
- CoS_2, ferromag., thermal expansion near T_c, 120.7K lambda type anomaly peak 4—24943
- $Co_{0.2}Zn_{0.8}Fe_2O_4$, thermal expansion coeffs. and cell parameters 4—28223
- Cr-Fe-Sn alloy, Invar characts. *(Japanese)* 4—3885
- CsI linear thermal expansivity, 300 to 670K, interferometric meas. 4—28224
- Cu, lattice thermal expansion effects in positron lifetimes 4—41040
- Cu, reference material 4—1129
- CuI, films, exciton spectrum, thermal stress effects 4—20574
- Dy, anomalies near ferromag.-antiferromag. transition pt. *(Russian)* 4—33151
- DyAg(Cu)(Zn), X-ray measurements, quadratic distortion 4—24979
- Fe-Ni alloys, f.c.c., elastic consts. w.r.t. Invar props. 4—3883
- Fe-Ni alloys, f.c.c., temp. depend., 4.2-300K, rel. to spontaneous vol. magnetostriction *(Russian)* 4—20422
- Gd, and lattice dynamics, third order elastic consts. 4—32641
- Ge, twinned layers, 300-900K 4—28112
- HfB_2, processing and prop. characteriz. 4—4182
- Ho, anomalous expansion at Curie temp., hysteresis of transition temp., 2-300K 4—16925
- KCl, appl. of cubic anvil X-ray diffr. press. 4—6308
- KCl-KBr solid solns., influence of alpha irradiation on temp. coeff. of linear expansion *(Russian)* 4—1127
- KCl-KBr system, X-ray and γ-ray irrad. influence *(Russian)* 4—6510
- KCl-NaCl solid soln., temp. depend. of elastic consts. *(Russian)* 4—6427
- KCl(Br), Debye temp., lattice anharmonicity effects due to thermal expansion 4—20393
- KI, lattice vibr. freq., from Gruneisen params. and thermal expansion data 4—28224
- K_2O-SrO-SiO_2, glass system, expansion coeffs. and thermo-optical consts. 4—20958
- Kr, solid, surface thermal expansion calc. 4—20427
- Li, lattice dynamical calc. of coeff. at different temps. 4—3544
- $LiNbO_3$, meas., anomaly near 60K 4—1128
- Mg_2Ge, temp. depend., X-ray obs. *(Russian)* 4—13009
- MgO, linear coeff., 283K, rel. to Cu 4—1129
- $MgTa_2O_6$-$AlTaO_4$ system, rutile-type crystalline solns., struct. and thermal expansion 4—13833
- $MgTi_2O_5$, thermal expansion anisotropy effects, influence of grain size 4—13831
- Mn-Ni-Co nonferromag. Elinvar-type alloy characts. 4—41773
- Mn-Ni-Cr alloy, antiferromag., Elinvar props., var. with ht. treatment and cold working 4—1602
- Mn-Ni-W(-Mo) systems, nonferromag. Elinvar-type alloy, Young's modulus, rigidity modulus, thermal expansion and hardness *(Japanese)* 4—13685
- NH_4Cl, above and below λ-transition 4—13055
- Na, elastic constants, from 20 to 95°C Gruneisen parameters 4—1080
- NaCl, linear coeff., 283K, rel. to Cu 4—1129
- NaCl-type halides, effects of ionic size 4—13054
- NaF, Debye temp., lattice anharmonicity effects due to thermal expansion 4—20393
- NaF, Debye temp. determ. by X-ray diffraction 4—24536

thermal expansion continued

- Na_2O-GeO_2 and Na_2S-GeO_2 system glasses *(Japanese)* 4—40905
- Na_2O-SiO_2 glass, change at amorphous phase separation 4—28030
- NbC-$WC_{(1-x)}$ solid soln. composites characteriz. for high temp. applics. 4—7329
- α-Nb_2O_5, monoclinic 4—13834
- Nd, low temp., λ-anomaly, charact. of mag. phase transition, 2-50K 4—16926
- NiS, meas. in temp. range 100 to 300 K, antiferromag. transition 4—28625
- $PbCl_2$-$ZnCl_2$ binary system, phase diagram and density of melt *(Japanese)* 4—13023
- PbS, X-ray diffr. exam., lattice const., 25-275°C, coeff. of thermal expansion 4—20423
- Pd, linear coeff., 283K, rel. to Cu 4—1129
- Pd-Ni-P alloy, glassy, comp. depend. 4—24573
- Pr, low temp., λ-anomaly, charact. of mag. phase transition, 2-50K 4—16926
- Pt, linear coeff., 283K, rel. to Cu 4—1129
- Pt-Ni-P alloy, glassy, comp. depend. 4—24573
- Rb halide, dispersion relations of mode Gruneisen parameters 4—36965
- RbBr, Debye temp. determ. by X-ray diffraction 4—24536
- $RbHSO_4$, anomaly at ferroelec. Curie temp. 4—6848
- RbI, breathing shell model calc. 4—36966
- SaF_2, two-body and (two + three)-body lattice dynamics 4—28173
- Si, heteroepitaxial coatings on sapphire, stress relax. obs. *(Russian)* 4—13108
- Si, linear coeff., rel. to Cu 4—1129
- Si, twinned layers, 300-900K 4—28112
- SiC, comparison with related diamond-like crystals 4—10661
- SiC, high strength, characterisation rel. to severe environment use 4—10651
- SiC, microstructural effects on physical props. 4—10659
- β-SiC, neutron irrad., post-irrad. annealing behaviour 4—23831
- Si_3N_4-MgO system, sintered, struct. and props. rel. to MgO conc. *(Japanese)* 4—10644
- SiO_2, vitreous, linear coeff., rel to Cu 4—1129
- SiO_2, vitreous, thermal expansion, influence of TiO_2 addition 4—16605
- Sm, low temp., λ-anomaly, charact. of mag. phase transition, 2-50K 4—16926
- $Sr(NO_3)_2$, X-ray diffr. exam., lattice parameters, 28-310°C, coeff. of thermal expansion 4—20425
- SrO, linear meas. for cationic transference number determ. *(French)* 4—16621
- TbAg(Cu)(Zn), X-ray measurements, quadratic distortion 4—24979
- Ti alloys, VT-8, VT-5 thermophysical, electrical and elastic properties meas. 4—4130
- TlN_3, thermal expansion and low temp. phase transition obs. by X-ray diffr. 4—9992
- UO_2, UO_2-ThO_2, 1.5 to 35 K, mag. contribs., first-order mag. transition 4—33157
- V, meas. of physical prop. coeffs. 4—6601
- V_3Ga, 4.2-300 K, martensitic transform. search 4—37023
- VO_2, rutile phase, phonon-softening model of metal-insulator transition 4—1130
- W-Cu pseudo alloys, hot pressed, phys. props., 300-2200K 4—41815
- W-Cu pseudoalloys, hot extruded, thermal and electrical conductivity, thermal expansion meas. 4—4186
- Xe, liquid, experimental study of the equation of state 4—1107
- Xe, solid, surface thermal expansion calc. 4—20427
- ZrB_2, processing and prop. characteriz. 4—4182
- ZrO_2, effect of stabiliser additives on thermal shock resistance *(German)* 4—33850

thermal insulating materials

- *see also thermal conductivity*
- ceramic heat protection materials, design considerations 4—7268
- ceramic reusable surface insulation coatings radiant and convective heating environments influence 4—17382
- fibrous slabs, convective heat transfer 4—21501
- glass house refractories, heat energy conservation 4—25408
- HfO_2 thermal control coating, solar radiation effect on optical props. 4—7265
- Ni-Cr, Ni-Cr-Co and Ni-Cr-Fe alloys with refractory additions, recent developments 4—7222
- SiO_2, thermal cond. meas. 4—4234

thermal insulation

- compacted spheres in vacuo, conductance anal. 4—19005

thermal noise

- electrical devices, random walk model for students 4—8285
- source, WR15, millimetre wave reference noise standard 4—8306
- thermometer appl., noise voltage formula resistance wide temperature range 4—35211
- Ar discharge, measured noise temperature versus theoretical electron temperature 4—36756

thermal properties of substances

- *see also specific heat; thermal conductivity; thermal diffusivity; thermal expansion; thermal variables measurement*
- liquid crystals, thermal fluctuations, review 4—32436
- visual pigments, in the gecko 4—39042
- yeast cells, self-protection from heat injury 4—38967
- Ar crystals, one-particle distrib. function, thermodynamics 4—32638
- carbon tetrabromide, crystal growth, effect of temp. oscills. on interface movement investig. 4—21193
- Kr crystals, one-particle distrib. function, thermodynamics 4—32638
- LiF, X-ray determ. of thermal parameters 4—24538
- salol, crystal growth, effect of temp. oscills. on interface movement investig. 4—21193
- Xe crystals, one-particle distrib. function, thermodynamics 4—32638

thermal quenching *see quenching (thermal)*

thermal radiation *see heat radiation*

thermal resistivity *see thermal conductivity*

thermal spikes *see crystal defects; radiation effects*

thermal variables control

- *see also temperature control*
- electrically augmented heat transfer to laminar flow in rectangular ducts 4—9688

thermal variables measurement
see also bolometers; calorimeters; calorimetry; temperature measurement; thermal conductivity measurement; thermocouples; thermometers
Beuken's model thermal phenomenon in region of complicated geometric shape, electro-thermal analogy description *(Czech)* 4—35202
differential method using galvanometer readings 4—39178
diffusivity, short signal method applic. *(French)* 4—30417
heat flux density meas., portable instrument, construction and applic. 4—4991
monitoring system for waste heat study around nuclear power plants 4—26488
m.p., micro hot stage 4—2217
Semenov's method for thermophys. characts. determ. of materials under quasi steady-state conditions 4—39176
specific heat, short signal method applic. *(French)* 4—30417
transducer, axial gradient heat flux, in low temp. range, output voltage characteristics 4—4988
transient methods, theoretical basis 4—39179
universal spectrophotometer, for thermal radiative props. meas. 4—11466

thermionic cathodes
geometric configuration of thermal emitter recovery in secondary emission by screening thermal component *(Russian)* 4—41456
Cu, rotating arc vel. effect on erosion, oxidation 4—24337
ThO$_2$-Y$_2$O$_3$, donor electron energy spectrum calc., O vacancies *(Russian)* 4—33547
W, hairpin, electron-optical imaging of high-β prebreakdown currents 4—39377
ZrC-Os, Auger spectra, surface comp. changes *(Russian)* 4—33534

thermionic conversion
Knudsen, cathode, props., effect on mag. characts. 4—12818
plasmatron, pulsed jets structures obs. *(Russian)* 4—6236
plasmatron, steady state gas flow, two temperature model *(Russian)* 4—6272

thermionic electron emission
see also Schottky effect; thermionic cathodes
alkaline earth chalcogenides, electron affinity determ. 4—37729
electron microscope, image enhancement 4—145
electrostatic ion gun, with thermionic electron injection 4—30540
explosive beam generation, plasma burst cathodic flare, mechanism *(Russian)* 4—33551
graphite, activated with BaO, SrO and Y$_2$O$_3$ 4—13548
metal, refractory, asymmetric change of thermo-emission current and cryst. surface struct., directional transfer *(Russian)* 4—21146
metallic cathode, heating by high-density thermoautoelectronic current *(Russian)* 4—33553
oxide cathode, energy spectrum 4—21148
oxide cathode, with Ba-implanted Ni core, emission kinetics *(Russian)* 4—21144
oxide cathode, with Ba-implanted Ni core *(Russian)* 4—21143
oxide cathode with photoresist binder, work function meas. 4—37730
power density, thermodynamic limit derivation, thermionic electron beam 4—27025
probe, coherence, current limit 4—23424
temperature controller, automatic, for exoelectron emission meas. *(Japanese)* 4—39187
transition metal film, charge transfer, two zone model, meas. *(Russian)* 4—33550
BeO, thermally stimulated exoelectron emission, X and γ-ray dosimetry 4—4891
BeO, X-irrad., thermally stimulated electron emission and e.p.r. *(Russian)* 4—37728
LaCrO$_3$, with metal activators 4—13548
NaCl powder, thermally stimulated exoemission before and after electron bombard. excitation 4—21149
Re, W-Re alloy, work function thermionic and mass spectrometric determ. 4—13546
Re-ZrC alloy, yield and emission props., low and high temp. *(Russian)* 4—21145
ThO$_2$-Y$_2$O$_3$, donor electron energy spectrum calc., O vacancies *(Russian)* 4—33547
TiC, effect of refractory metal addition and coating with pt group metals 4—21150
TiC, with metallic coating, high temp. characts. *(Russian)* 4—21142
W, (013), (001), (112) faces, temp. depend., expt. proof of electron emission unified theory 4—28995
W, filiform monocrystal facets, vel. distrib. meas. *(Russian)* 4—33548
W, hairpin cathode, electron-optical imaging of high-β prebreakdown currents 4—39377
W, W-Re alloy, work function, thermionic and mass spectrometric determ. 4—13546
W-ZrC alloy, yield and emission props., low and high temp. *(Russian)* 4—21145
ZrC, effect of refractory metal addition and coating with Pt group metals 4—21150
ZrC, with metallic coating, high temp. characts. *(Russian)* 4—21142
ZrC-Os, Auger spectra, surface comp. changes *(Russian)* 4—33534

thermionic emission
see also thermionic electron emission
BaO, with adsorbed Ba, barium impurity as independent microscopic cell, depend. of emission current on adatom conc. 4—28985
metal-semiconductor-metal structure, stationary charge transport theory 4—20680
CaO, with adsorbed Ba, barium impurity as independent microscopic cell, depend. of emission current on adatom conc. 4—28985
SrO, with adsorbed Ba, barium impurity as independent microscopic cell, depend. of emission current on adatom conc. 4—28985
Ti, emission phenomena, at nonstationary heating by Ar-air low-temp. plasma flow *(Russian)* 4—41443
ZrC emitter, surface composition determ. by Auger electron spectroscopy 4—20471
ZrC-Re system, 1200-2560K 4—33554

thermionic generators *see thermionic conversion*

thermionic ion emission
metal surface, degree of ionisation *(Russian)* 4—33552
rare earth dicarbides, Langmuir vaporisation and surface ionisation 4—33861

thermionic ion emission continued
Rh-Mo (35 at.%), single crystal C-phase, obs. of thermionic emission parameters 4—13547
Sc dicarbides, Langmuir vaporisation and surface ionisation 4—33861
Y and dicarbides, Langmuir vaporisation and surface ionisation 4—33861

thermionic power generation *see thermionic conversion*

thermionic tubes
see also electron-wave tubes; gas-discharge tubes; rectifier tubes; vacuum tubes
No entries

thermionic valves *see thermionic tubes*

thermistors
bridge using light-emitting diodes 4—26426
glass-ceramic material applic. 4—25411
probe, r.f. decoupled for brain temp. meas. during microwave exposure 4—11327
rotating bodies, contactless temp. meas. *(Russian)* 4—35219
temperature measurement, linearisation using operational amplifier 4—22793
TH 120/22-20, low temp. sensor, range 77-293K *(Czech)* 4—22796
thermometers, thermistor bridge nonlinearity, approximations, calibration, analysis 4—2247
Mn based thermistor material, effect of addition of glass and Ag powders 4—41836

thermo-optical effects
see also thermoreflectance
glass, gas cell window, optical-thermal-acoustic interactions 4—17038
laser intracavity element induced stress birefr. and spherical aberration 4—31055
liquid crystal, review 4—1380
polyacetal film, prep. techniques, thermochromic props. 4—21113
polyvinylethylal solution, to form thermochromic materials, variable light transmission 4—25069
quartz glass, thermal darkening 4—33451
Ag, optical properties thermovariation rel. to band structure 4—28867
Au, optical properties thermovariation rel. to band structure 4—28867
K$_2$O-SrO-SiO$_2$, glass system, expansion coeffs. and thermo-optical consts. 4—20958
SiC amorphous films, optical props. rel. to bonding models 4—10452
SrTiO$_3$:transition metal, thermochroism, elec. cond. charges, annealing and impurity conc. depend. 4—33442

thermochemistry
see also chemical reactions
ionic species in soln., chem. potentials, isothermal differences, defn. 4—7442
transition metal oxides, heat of form. of oxygen vacancies, approx. correl. with thermochem. props. 4—38125
unimolecular reactions, thermal, collisional energy transfer 4—13975
Ca$_2$As$_2$O$_7$, thermal study, decay to orthoarsenate 4—36999
$N_2O_4 \rightleftharpoons 2NO_2$, redundant thermodynamic functions calc. *(Russian)* 4—38139
Sb$_2$O$_5$, crystalline, X-ray diffraction and thermogravimetry at temperatures to 1000°C 4—34017

thermoclines *see temperature distribution*

thermocouples
see also thermopiles
errors, protective screens *(Russian)* 4—14821
International Practical Temperature Scale, 1968, T_{68} and t_{68} approx. calc. *(German)* 4—18334
laser pulsed heating meas. in metals 4—35209
low temperature, Cu-Fe arm 4—4997
low temperature measurement, range, accuracy, sensitivity 4—14826
micro, local vapour and liq. temps. in boiling water 4—18398
multibead devices, temperature of rarefied gas streams *(Russian)* 4—22794
NDT applic. in steel manufacture 4—33945
nonlinearity correction employing digital lineariser 4—18393
reference standard, IPTS-68 range 273.15-2800K 4—22757
surface temperature measurements, transient 4—35204
thermoelectric nonstationary cooling, optimum control, thermocoupling thermal processes analysis 4—32988
two wire, operation at constant current *(Danish)* 4—14819
Pt-Ni$_3$Mn, thermo-e.m.f. depend. on alloy order *(French)* 4—28395
Pt-Pt/Rh, catalytic effects, combustion systems involving H$_2$ as fuel 4—14823

thermodynamic cooling *see cooling*

thermodynamic equations of state *see equations of state*

thermodynamic properties
see also enthalpy; entropy; Gruneisen coefficient; latent heat; specific heat
actinide, correlation with electronic struct. 4—1122
activity coefficients, determ. for individual ions in dil. aq. HCl, LiCl, NaCl, KCl *(German)* 4—34043
aliphatic amines, protonated, gas phase solvation, $\Delta G^0_{n-1,n}$ determ. 4—41935
alkali metal plasma, props. *(German)* 4—3353
alkanes, liquid, temp. depend. of thermodynamic props., interaction props. 4—29360
alkyl sulphates, transfers between solvents, ion pair extraction consts. determ., partition coeffs. 4—38170
alloy, binary, activities calc. from distrib. equil. meas. in fused salt mixtures *(German)* 4—25308
alloy, binary, cubic L1$_2$ type phases, lattice disorder effect 4—25288
amorphous solid, frozen gas model approach 4—20214
anharmonic solid, high temp. props., calc. using cell model-custer expansion method 4—40864
aromatic + cycloparaffin mixtures, excess vol., experimental error anal. 4—23
binary liquid mixture, adiabatic compressibility coeff., vol. conc. depend. *(French)* 4—32596
binary liquid mixtures, relaxing, Brillouin spectra, intensity ratio meas., activity coeff., excess free energy determ. 4—28819

thermodynamic properties continued
  biophys. system, appl. of thermodynamics of irreversible processes *(French)* 4−42535
  Bravais lattice, local-equilibrium ensemble description 4−13011
  t-butyl bromide-h_9 and -d_9, molecules 4−27663
  cermet, stronger bond prod. between constituents, role of thermodynamics 4−7324
  colloid, charged dielectric half spaces in electrolyte, free energy of interaction 4−29241
  colloid, dielec. and electrolytic systems, free energy calc. 4−29240
  composite, metal matrix type, solid state displacement reactions 4−29211
  conformal mixtures, calc. from hard-sphere equation of state 4−21609
  conformational analysis techniques for prediction of heats of formation and thermodynamic functions 4−5972
  crystal growth at low supersaturation, experimental test of theory 4−20239
  crystal growth at low supersaturation thermodynamic investig. of growth rate on low energy planes 4−20238
  crystal surface, configurational free energy calc. by Monte Carlo method 4−16653
  crystal surface, free energy calc. 4−40863
  cyclohexane-benzene mixture excess Gibbs functions determ. from dew press., vapour comp. meas. 4−34091
  cyclohexanone, free energy function determ. microwave spectroscopy 4−12590
  difluoromethane, free energy function determ., microwave spectroscopy 4−12590
  dilute alloy, diffusion phenomenological coeffs., kinetic expression *(French)* 4−33630
  m-dioxane, free energy function determ. microwave spectroscopy 4−12590
  electrochemical reference electrode in non-aqueous media 4−17510
  electrolytes, aq. solns containing neutral salts activity coeff., surface pot. determ. *(French)* 4−41963
  electron beam, thermionic, thermodynamic limit of power density 4−27025
  electron microprobe method for partial thermodynamic quantities determ. by effusion rate meas. *(German)* 4−41520
  electroosmosis, relationship derived for electroosmotic press. and electroosmotic permeability 4−37029
  free energy function, determ. from absolute intensity meas. microwave spectroscopy 4−12590
  gas chromatographic determination, polymer solutions at high pressure 4−15032
  gas phase dopants, for n-type semiconductors 4−25281
  gas thermodynamic processes 4−6158
  hard-sphere solute in aqueous soln., thermodynamic props. rel. to hydrophobic hydration 4−29368
  Heisenberg amorphous two-dimens. spin system, thermodynamics, spin wave self-energy 4−6708
  Heisenberg ferromagnet, second order Green function theory 4−10243
  Hubbard projected model for linear chain, atomic limit 4−33129
  ideal gas Boyle's, Charles' and Rudberg's law 4−26364
  ionic solid solution, chem. pot. rel. to vacancies and elec. neutrality 4−40916
  ionic transport across membrane, enzymatic system, influence of inhibition on two types of models *(French)* 4−42536
  Jahn-Teller collective phase transition, statistical mechanics, Ising model analogy 4−32652
  liquid alloy, excess volume of mixing 4−33657
  liquid alloy, partial struct. factors and thermodynamic parameters *(French)* 4−32420
  liquid alloys, compound forming, calc. 4−13602
  liquid mixtures, perturbation methods fr calculating props., review 4−4302
  magnetic semiconductor, variational calc. of free energy 4−13052
  5-methyl-7-bromo-8-hydroxy quinoline dil. soln., microwave absorpt. 4−10374
  methylene chloride with benzene, toluene and isomeric xylenes, binary liq. mixtures, statistical thermodynamics 4−25517
  mica, ground in water, pH, thermodynamics problem for students 4−26357
  Mie-Gruneisen materials, comments on thermodynamic response 4−13053
  molten salt mixtures, u.s. velocity meas. *(French)* 4−8328
  monohaloacetylenes, vib. freq., force consts., mean amplitudes, shrinkage effects and thermodynamic functions 4−27634
  α-naphthyl-$(CH_2)_4$-α-naphthyl, conformation determ. 4−31930
  nonhydrostatically stressed solid, thermodynamic driving forces for shape changes and diffusion 4−32741
  nuclear pressuriser, digital model simulation 4−5886
  osmosis, flux equation derived using Hilbert's invariant integral 4−37028
  partial molal volumes, of solutes in H_2O and D_2O meas. rel. to struct. of H_2O 4−38175
  plasma, classical, one-component, thermodynamic functions, simple model 4−20512
  plasma, scattered, recombination, deviations from thermodynamic equilib. *(Russian)* 4−27933
  plasma equilibrium properties, Monte Carlo anal. 4−32162
  plastic flow, activation parameters for stress and temperature dependent obstacle spacings 4−12981
  PMMA, free volume estimation from degree of mol. mobility *(Russian)* 4−9860
  PMMA, glass-like, effect of fillers 4−41868
  polar and polarisation fluids, perturbation theory, numerical accuracy by Monte Carlo methods 4−40904
  polyethylene, n-hexane and isooctane solutions, gas chromatography 4−15032
  polymer-solvent system, solubility parameters and molar volume estimation 4−9991
  polystyrene solution in toluene, sedimentation constant conc. depend. *(Russian)* 4−27784
  PVC, filled plasticised polymer, thermodynamic stability factors 4−7356
  quadrupolar mixtures, gaseous and liquid regions 4−4306
  quartz, α-β transform., thermodynamic stability 4−16592

thermodynamic properties continued
  rare earth metal, correlation with electronic struct. 4−1122
  resin, filled/reinforced, vapour sorption, thermodynamic analysis, Gibbs free energy 4−38039
  solid, thermodynamic and physical props. in elec. fields 4−3576
  solid state displacement reactions 4−38130
  solid/liquid interfaces, free energies, review 4−32798
  spin system, thermodynamic fluctuations near nonequilib. steady state, theory 4−16892
  steel, austenitic stainless Cr effect on nitrogen activity 4−33681
  steel, stainless, Type 304, interfacial free energies and temp. coeffs. 4−1491
  student apparatus for meas. 4−26422
  superconductor, dirty, mixed state, local struct. and thermodynamic behaviour 4−24864
  superconductor, real, thermodynamic variables, consistent set 4−37353
  superconductor dirty, circular cell approx. using BCS theory 4−28545
  supercooled liquid→solid, vapour pressure eqn. 4−2212
  supercritical fluids, correl. for thermodynamic props. at high pressure 4−13029
  supercritical fluids and their mixtures, at very high pressures, thermodynamic props. 4−3573
  tetrahydropyran, free energy function determ. microwave spectroscopy 4−12590
  thermal and mechanical properties of materials, book 4−9988
  thin film critical behaviour, scaling theory 4−23232
  transition metals, superconducting, reln. to electronic configurations and crystal struct. 4−16862
  trimethylene oxide, free energy function determ., microwave spectroscopy 4−12590
  universal law, for behaviour of subst. at high dil., rel. to chem. pot. *(German)* 4−38174
  water, free energy and entropy calculations in hydrodynamic dispersion 4−25516
  water activity of supersaturated aq. solns., calc. from ternary data 4−4303
  m-, p-, o-xylene binary mixtures, excess vol. meas. 4−1123
  Ag-Au, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
  Ag-Bi alloys, molten, silver activity meas. by TIE method 4−29044
  α-Ag-In alloy, v.p. of In using atomic absorpt., thermodynamic parameters calc. 4−21241
  α-Ag-In(Sn) solid solns., activities, free energies, Hume-Rothery phenomena 4−1461
  Ag-Pb(Sb)(Sn) alloys, molten, activities meas. 4−41551
  Al-O system thermodynamic anal., Al_2O_3 whisker crystals, growth conditions *(Russian)* 4−20511
  As-Sn(Tl) liquid alloys, activity isotherms of arsenic, cpd. form. tendency *(German)* 4−1126
  Au, calc. from force constant models 4−28166
  C_n, n=1-7, gaseous, calculated thermal functions 4−32000
  Cd-Bi alloy, liq., excess volume of mixing 4−33657
  Cr_3C_2, Cr_7C_3 and $Cr_{23}C_6$, thermodynamic props., e.m.f. meas., 690-860°C 4−38172
  CrS_x system, nonstoichiometry and thermodynamics 4−1118
  $CrS(CrSb_2)$, isobaric-isothermal potentials, heats, and entropies of formation 4−17546
  Cs, thermodynamics of melting, high press. 4−13027
  Cu single crysts., tensile deformed at 20°C, stored energy meas. 4−1549
  Cu-Ag alloy, activities calc. from distrib. equil. meas. in fused salt mixtures *(German)* 4−25308
  Cu-Fe, Cu-Fe-O and Cu-O systems, liq., e.m.f. method 4−41541
  Cu-Ni and Cu-Ni-O systems, liq., e.m.f. method 4−41542
  Fe-C, liq. soln., carbon activity coeff. *(French)* 4−21604
  Fe-Mn alloy, liq., thermodynamic activity meas. by impulse method *(French)* 4−41523
  Fe-Mn-C, carburisation, effect of Mn on C activity *(Czech)* 4−13601
  Fe-Mn-C system, solid phase thermodynamics 4−33677
  Fe-Ni alloys, solid and liq., interstitial solute solubility, ferromag. contribs. to free energy 4−33676
  Fe-Ni(8 wt.%) austenite, Cr effect on nitrogen activity 4−33681
  Fe-Pt, tensiometric determ. of thermodynamic functions *(Czech)* 4−4068
  $FeCl_2$, Gibbs' free energy of antiferromag transition rel. to magnetoelastic coupling *(French)* 4−10304
  Gd-Sn alloys, liquid, N_2-GdN equilibria 4−33994
  H_2, HD, D_2 thermodynamic functions, ab initio energy levels 4−36459
  H_2-D_2 system, phase equilibrium 14 to 20K, Gibbs-Duhem's eqn. *(Russian)* 4−36995
  $(HCN)_2$, vapour-phase dissoc. energy 4−10743
  ^3He-^4He mixture, liquid-vapour critical line, thermodynamic props. and eqn. of state 4−28259
  Hf-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
  Hf-Hg system, intermetallic phase studies *(German)* 4−1477
  Hg-Tl system, liq., conc. depend. *(German)* 4−41555
  In-Cd alloy, liquid, diffusion coeffs. determ. rel. to temp., conc., model *(French)* 4−32733
  Ir, superconducting, 0.1125 K transition temp., crit. mag. fields 4−3787
  $(K^+,Ag^+\|NO_3^-,SO_4^{2-})$ reciprocal system, calc. from phase diagram 4−29364
  $LaTe_3$, La_2Te_5, e.m.f. meas. 4−37020
  MnO-NiO solid soln., pseudo-simpler soln. model 4−32726
  $Mn_{1-x}Zn_xFe_2O_4$, partial press. of oxygen in equil. *(French)* 4−21605
  Mo-Zr-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
  $NH_4NH_2CO_2$, student apparatus for meas. 4−26422
  Na-Cs(I) liquid-vapour systems, mass spectra obs. 4−4312
  Na-K alloy, liq., excess volume of mixing 4−33657
  NaCl-KCl-$PbCl_2$ melts, component activities at 600°C, Darken's method *(Russian)* 4−34092
  NaCl + KCl mixture, Monte Carlo calc. of thermodynamics props. 4−20419
  NaF-AlF_3 system, cryolite liquidus curve behaviour 4−7477

thermodynamic properties continued
- Nb-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
- Nb-O solid solns., terminal solubility and thermodynamic props. determ. using solid electrolytic cells 4−33679
- Nb-O-N solid solns., terminal solubility and thermodynamics determ. using solid electrolytic cells 4−33680
- Nd-Zn system intermetallics and liq. alloys, Zn v.p. and free energy of form. 4−41537
- Ni-Co alloys, solid and liq., interstitial solute solubility, ferromag. contribs. to free energy 4−33676
- Ni-Cu, calc. of thermodynamic activities from equilibrium diagram *(Czech)* 4−13598
- α-Ni-Zn terminal f.c.c. solid solns., Zn thermodynamic activities, phase boundaries 4−33640
- β_1-NiZn alloys, f.c. tetragonal, lattice disorder effect on thermodynamic parameters 4−1457
- POCl$_3$, sound velocity and thermodynamic props. 4−9949
- Pb-Li, determ. using alloy as electrode in conc. cell 4−40737
- Pb-Sn-Ag molten system, activities and free energies of mixing, e.m.f. method 4−37807
- PbO-TiO$_2$ system, free energy of formation of intermediate compounds 4−3553
- Pr-Sn alloys, liquid, N$_2$-PrN equilibria 4−33991
- Pt-Hg system, intermetallic phase studies *(German)* 4−1478
- Re-Hg system, intermetallic phase studies *(German)* 4−1478
- Sc, from exptl. spectroscopic data, tabulations 4−41956
- Sc$_2$O$_y$, from exptl. spectroscopic data, tabulations 4−41956
- Sn-Hg alloys, liquid, structure complexity from stirred H-cell meas. 4−33651
- Ta in liq. Th and U, solubility and derived thermodynamic props. 4−32707
- Ta-O solid solns., terminal solubility and thermodynamic props. determ. using solid electrolytic cells 4−33679
- Ta-O-N solid solns., terminal solubility and thermodynamics determ. using solid electrolytic cells 4−33680
- Ta-Re-N(O) solid solns., substitutional-interstitial solute interactions 4−33740
- Ta$_2$C, high temp. thermodynamic stability, 1740-1900K 4−13847
- Th-O$_2$ system, vaporization and thermodynamic props. of gaseous ThO and ThO$_2$ 4−32694
- Th-Ru, intermetallic phases, free energy, enthalpy, e.m.f. meas. *(German)* 4−32724
- Ti-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
- Ti-Hg system, intermetallic phase studies *(German)* 4−1477
- U-Mo-C system, phase behaviour and UMoC$_2$ free energy of form. 4−25299
- U-Rh-C system, phase and thermodynamic behaviour 4−31540
- UO$_{2-x}$N$_{0.75x}$, characteriz., 1250-1850°C, rel. to HTGR 4−3023
- UZrC-UC$_2$-C ternary system, thermodynamic and phase relns. 4−33857
- VC$_x$, defect carbides, V activity, 1600-2200K 4−32689
- W in liq. Th and U, solubility and derived thermodynamic props. 4−32707
- WC, free energy of form. 4−33869
- WOBr$_4$, thermodynamic functions, normal coordinate analysis *(German)* 4−40244
- WOCl$_4$, thermodynamic functions, normal coordinate analysis *(German)* 4−40244
- Xe, liq., rel. to significant struct. theory 4−32723
- Zn-Ag(Cu) alloys, splat cooled, metastable phase relationships 4−1458
- Zn-Sb alloys, liq., cpd. cluster form. effects 4−37818
- Zn-Sn alloys, dil., liq., effects of Cu and Au on activity coeff. of Zn 4−41575
- Zn-Sn-In system in dil. Zn solns. 4−33671
- Zr-C alloys, carbide phase physico-chem. analysis *(Russian)* 4−21403
- Zr-Hg system, intermetallic phase studies *(German)* 4−1477
- ZrC$_x$, defect carbides, Zr activity 4−32690

thermodynamics
- *see also atmospheric thermodynamics; critical phenomena; entropy; equations of state; Joule-Thomson effect; statistical mechanics*
- adsorption from liquid mixtures, double-layer model 4−28283
- atom photon interaction, thermodynamic props. 4−23282
- Benard problem, generalised potential 4−9662
- binary electrolyte-water, self-diffusion, non-equilibrium thermodynamics 4−29322
- boiling and cavitation, thermal effects 4−12728
- boson systems finite, size to allow approximation of free energy by thermodynamic limit 4−2568
- Carnot cycle, computer plotted for students 4−26435
- Carnot cycles for systems including gravitational fields 4−26827
- Carnot engines, increase of entropy, examination of classical thermodynamics 4−247
- Carnot-Claussius-Kelvin classical estimate, validity *(Italian)* 4−30923
- classical gas, Van der Waals eqn. of state, Helmholtz free energy thermodynamic limit 4−27785
- Clausius-Duhem inequality, soln. of reduced dissipation inequality 4−23229
- colloid, variational soln. of Poisson-Boltzmann eqn. for electrostatic pot. 4−29236
- constitutive relations, linearized, for materials with fading memory and internal variables 4−18854
- continuous dissipative process, Hamilton's variational principle 4−11870
- cycles, perfect thermal, system *(French)* 4−30926
- directed surfaces, general nonlinear theory, constitutive eqn. deduction 4−18861
- dirty ferroelectric, thermodynamics of diffused phase transitions 4−41348
- discrete mechanical systems with memory, in book 4−2584
- disperse materials, hygroscopic state thermodynamics 4−41901
- dissipative chemical systems with two or three intermediate species, stationary states stability *(French)* 4−17543
- education, heat engine pistonless vertical temp. in gravit. field 4−18292
- elastic body dynamic stability and energy criterion 4−39510

thermodynamics continued
- elastic body under stress, thermodynamics of pot. energy 4−30752
- elastic materials, dislocation networks, deformation 4−11742
- electroelastic materials, thermodynamic influences on acceleration wave propagation 4−11759
- electron gas, collective effects in zero temp. limit, for low- and high-magnetic field limits 4−15238
- e.m. equilibrium radiation in cavity, energy density fluctuation 4−19016
- emissive/absorptive power of nonequilibrium medium, spectral line radiation 4−11895
- entropy function, Rankine and Clausius, 1854 *(German)* 4−30308
- equilibrium state, approach and return to 4−11869
- fermion system, finite temp. excitation spectrum for repulsive δ-function interaction 4−26851
- fluid, free energy, perturbation correction to hypernetted chain-type calc. 4−28014
- fluid, hard-sphere, Onsager model, mean spherical approximation 4−30927
- fluid mixture, free energy and structure, perturbation correction 4−19014
- foundations, review of lecture course (Technion, Haifa, 1972), graduate student teaching 4−4926
- fundamentals in context of dynamical systems and network theory 4−19012
- galaxy formation from hadronic fireball, thermodynamics of strong interactions 4−8063
- gamma functions, generalised, application to classical information thermodynamics 4−5432
- gas, moderately dense, H theorem, entropy irreversible processs 4−19953
- Gibbs paradox, ideal gas mixture laws, expt. detection *(Russian)* 4−19011
- groundwater flow systems, thermodynamic coupling of chemical and physical processes 4−17621
- hard sphere fluid, Percus-Yevick eqn. analytic soln. 4−19008
- hard-core one-dimensional systems, Gibbs processes and generalized Bernoulli flows 4−26880
- hard-sphere gas, recurrence method for free energy determ. 4−39624
- harmonic oscillator, oscillatory threshold, positive feedback and phase transitions *(German)* 4−19020
- Helmholtz equation, cubic region, anal. of nodal surfaces of eigenfunctions 4−11718
- Helmholtz free energy, nearly close packed strips of hard squares, brickwall config. 4−11862
- Hubbard model, high-temp. thermodynamics at arbitrary electron density 4−33128
- information entropy, maximal quantum states 4−5415
- information transformation in biological systems, thermodynamic analogy *(Russian)* 4−30181
- irreversible behaviour of thermally insulated system, Gibbs-Jaynes entropy 4−26881
- isentropic cycles, heat recovery, multi-barrel motor 4−30931
- large arterial birfucation, edge effect 4−4854
- late type stars, chromosphere grains, thermodynamics of emission quenching 4−11168
- linear theory of materials with fading memory and internal variables 4−18853
- liquid metal binary solution, determ. of thermodynamic function by method of invariants 4−7002
- liquid mixtures, statistical thermodynamics, excess props. *(French)* 4−14007
- magnetic deformable materials with memory 4−24976
- master equation for systems in detailed balance 4−26883
- membranes, synthetic, transport behaviour *(German)* 4−7470
- memory fading in inhomogeneous, anisotropic continuum, eqns. of state 4−18856
- metal, neutron irradiation effects during plastic flow, phenomenological theory 4−25351
- metal research 4−25285
- microfluid, second-order, with microstruct. thermal effects, theory 4−39505
- mixtures, axiomatic foundation, first law 4−5433
- multicomponent systems, thermodynamics, quasichemical approximation 4−1748
- multiphase system, gen. eqns. for calcs. of equilibria 4−35760
- Navier-Stokes materials thermokinetic processes, use of Coleman theorem *(German)* 4−18860
- neoclassical, geometry and topology of state space 4−15261
- non-equilibrium, derivation of potentials 4−19017
- non-equilibrium, steady state, phase selection 4−30930
- nonequilibrium, for multicomponent fluids, phenomenological eqns. 4−16168
- nonequilibrium, generalization of Gibbsian relation for dilute systems 4−15262
- nonequilibrium, variational principles 4−39669
- nonequilibrium asymptotic state, nonlinear fluctuations 4−30929
- nonhydrostatic, geologic applications, effects of constraints, review 4−1750
- nucleation rate law determination 4−29614
- omega transformation theory 4−33648
- Onsager theory, linear inclusion of nonlinear relations by Onsager fluxes 4−39667
- perfect lattice, external and macroscopic regimes 4−32639
- piezoelectric effects, internal strain in perfect crystals 4−33350
- plasma, magnetised, anomalous diffusion and electrical cond., nonequilib. thermodynamic anal. 4−12750
- polar fluid, critical exponent, hypothetical non-polar system model 4−26885
- pseudocritical exponents at endpoints on metastable branches 4−35761
- quantum field theory models, series of perturbation theory limits 4−12019
- quasi-chemical theory extension to mixtures of differently sized and shaped mols. *(French)* 4−30924
- reacting gas mixture behind shock wave, equil. comp. determ. 4−41944
- reciprocal molten salt system, statistical model rel. to thermodynamic function *(French)* 4−10787
- relativistic and quantal structure 4−19009

thermodynamics continued
relativistic theory of heat conduction and temperature 4−11871
reversible processes, constraints on relation between stresses and time derivatives of strains and temp. 4−249
rock metamorphic processes, diffusion controlled, nonequilibrium thermodynamic model 4−7513
seawater thermodynamic parameters, stability criteria with salinity *(Russian)* 4−4398
semiconductor, cubic many-valley to anisotropic state transition *(Russian)* 4−28212
sintering, of disperse-porous body *(Russian)* 4−21384
solid solutions, substitutional and interstitial ordered, problem of symmetry 4−4053
spinodal decomposition 4−7049
stability of steady state in systems of coupled diffusion and reaction 4−33974
stellar thermal radiation from photoautotrophs and biospheres, thermodynamics 4−29999
Stokes-Kirchhoff relation in chem. reacting fluids 4−17542
Stueckelberg's formulation, states and topology 4−19010
teaching, modern didactic approach, second law of thermodynamics *(Polish)* 4−14778
teaching, the use of differential forms and line integrals 4−26371
temperature computation, singularity programming for finite difference and finite element anal. 4−19019
temperature fluctuations of small systems, non existence 4−246
thermal fluctuations in nonlinear macroscopic electrodynamics 4−18983
thermo-elastic bodies, stability conditions, discussion 4−5434
thermogenesis, calorimetric study of mixtures 4−30421
total heat evolution and heat of fusion determ. from cooling curve of melt *(German)* 4−37819
tricritical point equations 4−23231
two-phase system, surface condition, mass and energy transport entropy prod. 4−26870
Wigner's quantum correction for thermodynamic equilibrium, derivation for students 4−35130
Ar plasma in convergent/divergent nozzle, expansion process 4−32097

thermoelasticity
acceleration waves in materials with memory, homothermal and homentropic conditions 4−18922
acoustic wave excitation in solid by fast neutron beam, thermoelastic and dynamic mechanisms *(Russian)* 4−36957
alloy, spinodal decomposition, strain energy contrib. 4−1485
annular plate of reinforced lamellar material, quasistatic problem, and heat conduction problem 4−30750
circular cylindrical shells, open, partial discretization calcs. *(German)* 4−35653
collision of elastic and elastoplastic plate, stress distrib., energy transmitted 4−11764
composite materials, transversely isotropic, overall thermoelastic moduli by self consistent method 4−23109
compressible viscoelastic sphere, thermomechanical coupling, temp. fields 4−1667
Cosserat surface theory, constraints 4−18879
coupled thermoelastic-plastic problems, finite element formulation 4−26784
crystal growth from melt, internal stress rel. to temp. distrib. *(Russian)* 4−9866
cubic crystals and aggregate, elastic-plastic constitutive behaviour at large press. 4−40830
cylindrical shell, axially symmetrical stress state due to thermal diffusion *(Russian)* 4−8634
deformation, dislocation networks, thermodynamics 4−11742
dielectric surface, laser damage mechanism 4−23374
differential type solids, thermodynamic props. 4−11873
directed surface, general nonlinear thermodynamical theory 4−18861
dynamical treatment of thermal stresses on circular region 4−26775
earthquake source mechanism, thermoviscoelastic model 4−17580
elastomer, stretched, under small torsions, thermoelasticity, effects of crosslinking, extension and swelling 4−21456
electroelastic materials, thermodynamic influences on acceleration wave propagation 4−11759
frictionally excited thermoelastic instabilities, comments on 4−36950
frictionally excited thermoelastic instabilities, reply to comments on 4−36951
glass, review *(Japanese)* 4−38070
glass reinforced plastic shell, thermoelastic behaviour during non-uniform heating 4−13872
half-space, elastic, temp. stress anal., due to heat shock *(Russian)* 4−39545
half-space, finite amplitude one-dimensional wave propagation 4−23153
half-space, thermoelastic stresses due to localised space and time depend. temp. or heat transfer perturbations 4−11746
infinite elastic medium, thermoelastic stress around inclusion of elliptic cross section 4−35648
infinite layer, thermally induced stress waves 4−30818
inhomogeneous Bessel equation soln. 4−15164
inhomogeneous bodies shock wave propagation, differential eqtn. deriv. 4−193
laminated composite beams, stress and strain anal. using 3-dimens. thermoelastodynamics 4−30753
laminated thermoelastic medium, mixture theory and its appl. to laminated plate underload 4−39526
linear theory, anal. of plane strain 4−39519
martensitic transformations, stress-temp.-energy relationships 4−37811
metals, acoustic wave excitation by electrons, and protons, energy loss *(Russian)* 4−6461
micropolar, axially symmetric stress problem 4−5337
micropolar, plane, in multiply-connected domains 4−35634
nonlinear thermoviscoelastic response to steady shock wave propag. 4−10685
nuclear reactor core, thermally bowed, computer program for elastic anal. 4−36307

thermoelasticity continued
optimisation problem of thermal deflections of parallel circular discs, error bounds 4−30773
orthotropic heated circular plates, static and dynamic behaviour 4−11758
perfect crystal, thermodynamics, elec. effects 4−33350
plate, asymmetrical heating, max. temp. drops and thermoelastic stresses 4−40412
PMMA, nonlinear thermoviscoelastic response to steady shock wave propag. 4−10685
polyethylene, low-density, multiparameter prediction of creep 4−21462
polyethylene, oriented linear, elastic and thermal expansion anisotropy, model 4−33903
polymer mechanics coupling problem 4−13916
polyurethane, porous, multiparameter prediction of creep 4−21462
prism, rectangular cross section, asymmetrical heating, max. temp. drops and thermoelastic stresses 4−40412
α-quartz, acoustic surface waves, harmonic generation, thermoelasticity theory 4−24623
rectangular solid, thermal variation, two-dimensional stress anal. 4−183
semi-space heated on boundary plane, asymmetric problems 4−35640
semi-space transversely isotropic, anal. of displacement and stress on boundary 4−35641
shell, thin spherical, determ. of optimal heating regime *(Russian)* 4−39544
shell of revolution, non-uniform, optimal heating *(Russian)* 4−39533
shells, orthotropic cylindrical Timoshenko type, vibration anal. *(Russian)* 4−15156
sound generation, phonon prod. by fast electrons, theta flares form. due to thermoelastic stress 4−28133
stability of thermo-elastic bodies 4−5434
stress coefficients and expansion of substance with hyperelastic transition *(German)* 4−18863
stress wave distribution, semi-infinite body, arbitrary surface heat flux 4−15185
thermally stressed state of arbitrary shaped solids, modelling conditions 4−41474
thermodiffusion in solids, dynamical problem 4−39512
thermorheologically simple material, free energy functional 4−2471
thermoviscoelasticity, linear theory, quasistatic problems 4−13915
transient coupled problem in semi-infinite medium 4−35644
1,3,5-triphenylbenzene determ. of thermoelastic constants from ultrasonic wave velocities 4−12969
viscoelastic cylinder determ. of stress and temp. distrib. due to cyclic internal pressure 4−5339
viscoelastic laminated beam, dynamical continuum theory 4−15160
viscoelastic material with temp. depend. props., dissipative function 4−29219
wave propagation, thermal rate depend. materials 4−11763
wave propagation in non-simple media 4−14047
Al_2O_3, sapphire, harmonic generation of acoustic surface waves, thermoelasticity theory 4−24623
Au-Cd alloy, study of thermoelastic martensitic transformation by stress strain curve anal. 4−4071
Cu-Al-Ni alloy, exoelectron emission during thermoelastic martensitic transformations *(Russian)* 4−17195
NiAl martensite, β-phase, transform. temps. 4−37805

thermoelectric conversion
optimum fuel elements *(French)* 4−5921
radioisotopic generator, immersible *(French)* 4−27472

thermoelectric effect *see thermoelectricity*

thermoelectric generators *see thermoelectric conversion*

thermoelectricity
see also thermocouples; thermopiles
(TTF)(TCNQ), thermoelectric power meas. 4−16754
alkali metals and their alloys, liq. state, press. effects, up to 30 kbar 4−32919
alloys, transition metal, rare earth and actinide, localized moment formation, exptl. bulk properties 4−24704
antiferromagnetic metal, temp. depend. of thermoelec. power, scatter of electrons by spin inhomogeneities 4−28623
chalcogenide glass, cond. skin formed by chemical interaction, d.c. cond. and thermoelec. power 4−41108
chalcogenide glass semiconductor, cond. spectra determ., anal. 4−1227
Cook's tree bar, extracellular recording electrodes, i.r. induced thermoelectric potentials 4−150
liquid metal, polyvalent, thermo-e.m.f., temp. depend. *(Russian)* 4−20586
liquid metal, polyvalent pseudopotential calc. 4−1091
liquid metal, thermopower evaluation, pseudopotential model 4−28389
metal, high purity and low temp. limit, electronic component of power 4−3731
metal, normal state thermopower influence on intermediate state dynamics *(French)* 4−20725
metal, phonon drag effect on thermopower 4−6605
metal, trace impurity analysis using electronic transport meas. *(German)* 4−37219
metastable binary alloy phases with simple cubic struct., composition effect 4−20720
micropyrometers, absolute methods for small temp. differences *(German)* 4−14825
noble metals, property changes due to solid soln. form. with group B-metals *(German)* 4−41053
organic molecular complexes, semicond., photocond., resist., Seebeck effect, rel. to cryst. electronic struct. 4−37272
polyethylene, 90-330K, after γ-irrad., electron motion mechanism 4−28948
refrigeration, thermoelec. *(Roumanian)* 4−18403
Seebeck coeff. meas. on graphite neutron irradiated samples at 300 to 1000 K 4−23862
semiconducting props. of materials 4−16783
semiconductor, extreme quantum limit, electron diffusion contrib. 4−24772

thermoelectricity continued
semiconductor, phonon drag, depend. of thermoelec. power on temp. and sample thickness 4—28438
semiconductor, power measurement *(Hungarian)* 4—10169
semiconductor, theory of reciprocal electron and phonon drag, variational methods 4—1093
semiconductor thermoelectric power meas., 80 to 400K, sample holder and cryostat. 4—39171
semiconductors, wurtzite type, phonon drag part of thermoelectric power tensor calc. 4—1242
semimetal, phonon drag, depend. of thermoelec. power on temp. and sample thickness 4—28438
steel, physical props. variation with deoxidation procedure 4—41736
stochastic interpretation, hopping rate eqn. formulation 4—32938
superconducting transition fluctuation region, thermoelec. power 4—33082
thermoelectric nonstationary cooling, optimum control, thermocoupling thermal processes analysis 4—32988
transition metals, pure, superconducting, Peltier effect, flux flow theory near H_{c2} 4—24882
traps with distributed binding energies, glow curve anal. 4—21089
Ag, film, annealing effect, scattering components 4—28511
Ag film, determ. of energy depend. of cond. electron m.f.p. and Fermi surface area 4—37327
α-Ag-Cd alloys, thermopower, 4.2-300K 4—1223
Ag_2Te, thermoelectric and magnetothermoelectric power, inelastic scatt. of electrons investigations 4—28414
Al, thermoelectric power of vacancies 4—37226
As-Te-I, As-Te-Ge, As-Te, chalcogenide glasses, Seebeck coeff., electrical transport obs. 4—36814
As_2SeTe_2, amorphous, bulk and film, model approach 4—16786
a-As_2SeTe_2, amorphous sandwich struct., thermal fringing at turnover 4—20657
Au film, evaporated, annealing effects 4—37328
Au wire, recovery and recrystallisation, change in thermoelec. power *(Japanese)* 4—17239
AuCr, concentrated alloys, thermopower meas. 4—13171
Au_3Cu alloy, phase transitions and ordering process, thermopower meas. 4—10566
Ba, liquid, thermopower calc., nearly free electron theory 4—6611
Ba thermal and electrical conductivity and thermopower meas. 4—41056
$BaTiO_3$ ceramic, rel. to surface barrier layer props. 4—37540
Bi polycryst. film, thermal, elec. cond. and thermoelec. power, crystallite size effect 4—37337
Bi_2O_3, film, meas. 78-525K, dissoc. effect 4—28516
Bi_xSb_{1-x} influence of elec. band structure on thermoelectric props. 4—3694
Bi_2Te_3:La(Ce), m.p. and liq. state, elec. cond., thermoelectric power, temp. depend. pseudobinary soln. 4—20609
Ca, liquid, thermopower calc., nearly free electron theory 4—6611
Ca thermal and electrical conductivity and thermopower meas. 4—41056
CaF_2, doping effect, temp. depend. 4—13193
$CdIn_2Te_4$, thin films, form. conditions and elec. props. *(Russian)* 4—6680
$Cd_2Os_2O_7$, semicond.-metal transition obs. 4—24795
CdS, film, electronic struct. anal., adsorption effect 4—20707
$Co_{1-x}M_xSi$, M=Fe, Ni, solid soln., power meas. 4—13189
Cr, thermoelec. power in vicinity of Neel temp. 4—24953
$Cr_{1-x}M_xSi_2$, M=V, Mn, solid soln., power meas. 4—13189
$CrN_{0.98}$, electrophys. and mag. props. 4—32973
Cu, film, annealing effect, scattering components 4—28511
Cu, thermoelectric power calc. at high temp. using realistic model 4—10138
Cu film, determ. of energy depend. of cond. electron m.f.p. and Fermi surface area 4—37326
Cu-Au(Ag)-alloys, oxidation technique for Fe removal, thermoelec. study 4—32925
Cu-Cr, dilute alloys, meas. in mag. field 4—20591
Cu-Ga alloys, e.m.f. 4—25286
Cu-Ni alloys, thermo-e.m.f. depend. on elastic strain magnitude, Fermi energy changes *(Russian)* 4—37223
Cu-Ni(20 wt.%)-Mn(20 wt.%), elec. resistivity and thermoelec. power, rel. to decomposition 4—41050
CuAu alloy, phase transitions and ordering process, thermopower meas. 4—10566
$CuInTe_2$, elec. props. rel to doping, stoichiometry, differential thermoelectromotive force 4—10168
Cu(60%)-Ni(20%)-Mn(20%), annealing effects on thermoelectric power 4—16729
$DyCo_5$, film, temp. depend., phase changes, mag. effect *(Russian)* 4—24841
EuB_6, thermopower meas., 77-900 K *(French)* 4—41065
Fe, b.c.c., band model calc., temp. depend. 4—41009
Fe, thermopower, spin fluctuations contrib. *(French)* 4—20589
Fe_3Se_4, single cryst., thermoelectromotive force 4—6649
Fe_4Se_8, single cryst., thermoelectromotive force 4—6649
$Fe_{1-x}Ti_{1\|x}$, CsCl-type compound. Kondo effect, negative and giant valley obs. 4—37214
Ga, size and impurity effects on thermoelectric power between 4.2 and 1.4K 4—10135
Ga:In size and impurity effects on thermoelectric power between 4.2 and 1.4K 4—10135
Ga-Te alloy, liq., thermoelec. power, temp. and conc. depend. 4—37221
n-GaAs, extreme quantum limit, electron diffusion contrib. 4—24772
GaAs, heavily doped, phonon drag mechanism 4—16784
GaAs:Cr, current spectra, level struct. 4—37239
p-GaSb, heavily doped, phonon drag mechanism 4—16784
Ge, electrical props., pseudopotential approach 4—41064
Ge, liq., pseudopotential calc. 4—32941
Ge-Se(Te) amorphous film, thermo-e.m.f. 4—24741
Ge-Te alloy, liq., thermoelec. power, temp. and conc. depend. 4—37221
n-he, thermoelectromotive force meas. *(Russian)* 4—6647
Hg, expanded supercrit., cond. mechanism 4—1225
p-InAs, heavily doped, phonon drag mechanism 4—16784
InSb, film, intervalley electron transfer meas. 4—20612

thermoelectricity continued
K-Hg(Tl)(Pb) alloys liq., thermoelec. power, temp. and comp. depend. 4—1224
KCl:Mn^{2+}, depolarisation current meas., vacancy-impurity complex reorientation *(French)* 4—32558
$LaAl_2$:Ce, supercond., giant thermoelec. power, 1K negative peak due to Kondo effect 4—41149
$La_xEu_{1-x}B_6$ solid solutions Seebeck coeff. meas., band model *(French)* 4—16706
Li, liquid, Ziman formalism calc. 4—41006
$MnFe_2O_4$, Seebeck effect elec. cond. and cation migration, temp. depend. 4—41072
Nb, superconducting, Peltier effect, flux flow theory near H_{c2} 4—24882
Ni, thermoelectric power meas. near Curie point 4—28382
Ni-Cr, dilute alloy, thermoelectric power meas. near Curie point 4—28382
Ni-Fe, dilute alloy, thermoelectric power meas. near Curie point 4—28382
Ni-Mn, dilute alloy, thermoelectric power meas. near Curie point 4—28382
$NiFe_2Se_4$, single cryst., thermoelectromotive force 4—6649
Pb-Te alloy, liq., thermoelec. power, temp. and conc. depend. 4—37221
$Pb_{1-x}Sn_xSe$, effective mass of light holes, measurement of thermoelectric power, 78 K 4—24768
PbTe based materials, deform. mechanism, impurity effect *(Russian)* 4—20356
PbTe:Ga, impurity effect, quasilocal donor level 4—28367
PbTe-InTe system, thermoelectric force meas., potentiometric method 4—6648
Pd-Fe alloys, thermo-e.m.f., temp. depend., 4.2-300K *(Russian)* 4—3856
Pd-Rh alloys, thermoelec. power, phonon drag contrib. 4—24730
Pt-Ir, alloys, thermoelec. power, phonon drag contrib. 4—24730
Pt-Ni_3Mn thermocouple, thermo-e.m.f. depend. on alloy order *(French)* 4—28395
$(SN)_x$, Seebeck coefficient, 4.2 to 300K, evidence for metallic behaviour 4—13185
Sb-Se amorphous film, thermo-e.m.f. 4—24741
Sb_2Te_3:Ge, power in plasma resonance frequency region 4—16775
Si, electrical props., pseudopotential approach 4—41064
Si, liq., pseudopotential calc. 4—32941
SiC, light-emitting diode, thermally stimulated e.m.f. of p-n junctions 4—24822
Sr, liquid, thermopower calc., nearly free electron theory 4—6611
Sr thermal and electrical conductivity and thermopower meas. 4—41056
(TTF)(TCNQ), review of exptl. obs. 4—16753
Ta_xS_y phases, resist. and Seebeck coeff. meas., cond. type *(French)* 4—20406
Te, pure and electron-irradiated, Seebeck effect 4—28429
$Te_x(Si_{0.24}Ge_{0.20}As_{0.56})_{1-x}$ chalcogenide glasses, electronic props., bulk form, thin film form 4—20603
Th-Ce, alloys, thermoelec. power, electron diffusion and phonon drag contribs. 4—28396
Th-Ce alloys, thermoelec. power, phonon drag contrib. 4—24730
TiC_x, rel. to C vacancies 4—3737
$Tl_2Se_xTe_{1-x}$, amorphous film, preparation by flash evaporation, electrical props. 4—41132
U:Zr alloys, physical and mechanical props. at low temps. 4—19595
$(V_{0.99}Cr_{0.01})_2O_3$, high temp. resist. anomaly struct. depend. 4—13186
W, electrothermal transport, 2000 to 3300 K 4—16740
W, thermopower meas. between 2 K and 9 K 4—6613
W wire, powder metallurgical, Fe content, thermoelectric power obs. 4—8568
WO_3:P_2O_5 glass, V_2O_5, MoO_3 and CuO impurity effects 4—16747
WO_3-P_2O_5-Li_2O, semiconducting glass, elec. cond. and thermoelec. props. *(Polish)* 4—3742
YbB_6, thermopower meas., 77-900 K *(French)* 4—41065
ZrC_x, rel. to C vacancies 4—3737

thermography
breast cancer detection 4—14636
gastrointestinal malignancy, by temperature telemetry 4—14682
medical, using liquid crystal devices 4—25457
NDT of composites by numerical control 4—21515
resource teledetection, BRGM activities *(French)* 4—7807
scan-laser heat source for NDT applics. 4—31083
thermal i.r. image recording and processing 4—17830

thermoluminescence
dating, bronze horse statue, New York museum 4—35461
dating, subtraction technique 4—5226
dating, T'ang dynasty ceramics 4—35462
dielectric, inorganic, rel. to microwave dosimetry 4—11342
dosimeters, doses in transit 4—40138
dosimeters, high-dose applications 4—4885
dosimetry, depend. on dose and peak temp. 4—42618
dosimetry, systems compared 4—11336
dosimetry, X-ray quality measurement 4—42613
glow curve, analogue computer calc. 4—37694
glow curve methods for trap depth determ. 4—37695
glow pattern analysis 4—33513
Hawaiian basalts, thermoluminescent dating 4—7560
lunar colour contrasts, thermoluminescent hypothesis *(Russian)* 4—22337
measurement, programmable temperature controller 4—8333
oligoester acrylate 3-dim. polymer, low temp. molecular motion processes, radiothermoluminescence study *(Russian)* 4—17134
oligoesteracrylate esters, cross-linked, mol. motion at low temps. *(German)* 4—36595
phosphor, microwave effect 4—17133
polyethylene, 90-330K, after γ-irrad., electron motion mechanism 4—28948
quartz, γ-ray irrad., effects on optical props. 4—21092
quartz, effect of crystallisation parameters on band maxima position *(Russian)* 4—25186
Renaissance terracottas, thermoluminescent authenticity study and dating 4—5227
rock samples, double beam detection technique 4—22153

thermoluminescence continued
ruby, ^{192}Ir gamma rays, accidental exposure, dose estimation 4−8239
terphenyl isomers, u.v. excitation, carrier trap centre mechanism 4−41441
theory, expressions for transition rate and freq. factor 4−21087
traps with distributed binding energies, glow curve anal. 4−21089
urea, X-ray induced thermolum., anal. of three glow peaks 4−28949
Al_2O_3, sapphire single crysts., thermolum. glow obs. 4−17132
$BaSO_4$:rare earth, glow peak meas., X-ray effect 4−41442
CaF_2, electron-irradiated, glow curves obs. 4−33514
CaF_2, glow pattern analysis 4−33513
CaF_2, proton- or electron-irrad. and thermally bleached, temp. depend. *(Russian)* 4−13176
$Ca(NbO_3)_2$ crystals, luminesc. and elec. cond., thermal and optical stimulation 4−33512
CaS:As phosphor, thermoluminescence, phosphorescence decay 4−41440
$CaSO_4$:Dy thermoluminescent dosimeters, preliminary study 4−4888
CdI, 90 to 270K optimum trap filling temp. *(French)* 4−28950
$CdSO_4$:rare earth, glow peak meas., X-ray effect 4−41442
CsI:F-centres, spectral analysis 4−10494
KBr, n-irradiated, spectra, temp. depend. 4−3987
KBr, Na colour centres, thermo- and radiolum. meas. 4−37652
KBr crystals, peak widths and activation energies 4−33511
KBr:Na, freed halogen interstitials, conversion and recombination 4−21088
KCl, X-irradiated, isothermal annealing, kinetics of F-centres 4−21085
KCl:NO_3, X-irradiated, isothermal annealing, kinetics of F-centres 4−21085
KCl:$NO_3^-(OH^-)(CO_3^{2-})$, F-centres, optical and thermal bleaching characts. 4−3990
KCl(Li), X-irrad., F-centre contrib. *(Russian)* 4−21090
KI, divalent ion doped, elec. field effect on recomb. luminesc. *(French)* 4−21048
KI phosphor:$Na^+(OH^-)(Cu^+)(Tl^+)$, X-ray irrad., thermolum. maxima 4−37696
LiF, dosimeters, small path having hardness, shielding techniques 4−22954
LiF, electron radiation dose meas. in range 1.0-4.0 KeV 4−18242
LiF, use in X-ray bremsstrahlung detection *(German)* 4−87
LiF (TLD-100), plastic deform. effects 4−1421
LiF (TLD100), restored and quenched thermoluminescence by u.v. light 4−1422
LiF crystal, irradiated, radioluminescence *(Russian)* 4−21091
LiF thermal emission in 30-140 μm region, virtual modes theory *(German)* 4−25183
LiF-Teflon dosimeter, low-temp. response 4−22621
Li_2O-SiO_2 system disilicates, glassy and cryst., X-irrad. 4−25185
$Li_2O.Al_2O_3.SiO_2$ glass, X-irrad. 4−13526
NaCl:Sr, X-irrad., rel. to colour centre absorption 4−33510
$Na_2O.SiO_2$ glass, X-irrad. 4−13526
$PbSO_4$:Sm, colour centre form. heat bleaching, glow curve 4−10493
α-SiC(6H), i.r. irrad. effect on impurity centre recharge, thermolum. and phosphoresc. flashes 4−10462
$SrCl_2$, alkaline cation doped, X-irrad., absorpt., and thermolum. of positive hole V_k-centres 4−3992
SrF_2:Tb^{3+}, ionic thermocurrents obs. in range 300 to 500K 4−24752
$SrSO_4$:rare earth, glow peak meas., X-ray effect 4−41442
Y_2O_2S:Eu^{3+}, thermoluminescence, activated by Eu and other lanthanides *(Russian)* 4−6931
$ZnIn_2S_4$, quasi-disordered, optical absorpt. and thermolum. meas. 4−10460
ZnO:Cu, Li, simulataneous meas. with conductivity 4−21069
ZnO:Na^+ spectral distrib., polarised emission 4−16980
ZnS, epitaxial cubic, self activated centre characts. 4−21086
ZnS, trap parameters of single crysts. and powders *(French)* 4−33476
ZnS, unactivated, luminesc. rel. to ZnO form. by high temp. oxidation *(Russian)* 4−28951
ZnS film, effect of weak alternating elec. field *(Russian)* 4−37693
ZnS film, pre-excitation effects *(Russian)* 4−37688
ZnS single crystal, glow curves, calc. of activation energies 4−23053
ZnS:Cu,Co, cobalt conc. influence on trap distrib. *(French)* 4−41439

thermomagnetic cooling *see magnetic cooling*

thermomagnetic effects *see magnetothermal effects*

thermometers
see also pyrometers; resistance thermometers; temperature measurement; thermocouples; thermopiles
cryogenics, installation and applic. 4−22800
digital, nonlinearity correction of thermocouples 4−18393
distribution of temperature in gas, measurement *(Japanese)* 4−22788
electronic, Nyquist noise voltage formula application, wide range 4−35211
errors, evaluation of errors in thermometry *(Croatian)* 4−35212
gas, effect of sorption, rel. to thermodynamic Kelvin temperature scale, 273.15-415K 4−26449
glass, thermometric effects, u.s. meas. technique 4−26486
liquid filled, glass, utilisation *(Rumanian)* 4−11465
microwave resistive SQUID, noise thermometry applic. 4−5006
neutron noise thermometry rel. to reactor temp. meas. 4−14824
noise in elec. circuits, rel. to meas. of millikelvin temp. 4−8343
nuclear, low temp. meas., range, accuracy, sensitivity 4−14826
optical, photometric temp. scale 4−30418
osmotic pressure, very dilute, temp. range of 10 to 700 mK 4−14816
paramagnetic salts, metals, low temp. meas., range, accuracy, sensitivity 4−14826
pulsed NMR, temp. meas. at millikelvin temps. 4−5014
quartz crystal resonator, wide range, linearity, speed, very high resolution, advantages, applications 4−5004
remote atmospheric thermometry, temp. activated pulse transmitter design 4−22176
^{3}He, liquid, low temp. meas., range, accuracy, sensitivity 4−14826
^{4}He, liquid, low temp. meas., range, accuracy, sensitivity 4−14826

thermonuclear devices *see plasma devices*

thermonuclear reactions
see also nuclear fusion
control of energy release using oxide-metal composite as field-effect emitter 4−36351
laser beam produced plasma applic. 4−12390
laser driven fusion, laser energy requirements 4−31562
laser driven implosion, anal. of asymmetries 4−27963
plasma implosion, laser driven, linear stability anal. of surface perturbations 4−27962
plasma instability role, mag. field generation 4−20099
pulsed reactors, rising megagauss mag. fields, LINUS program 4−36731
relativistic electrons, gen. by mag. flux compression by chem. explosion 4−36715
stationary magnetized plasma, press. balance 4−32217
Tokamak proto-reactor, thermal stability 4−31567
two-temperature plasma, hydrodynamic expansion eqns. with recovered fusion energy, plane problem 4−12797
two-temperature plasma, hydrodynamic expansion eqns. with recovered fusion energy, spherical problem 4−12798

thermopiles
sensor, temperature, 600 to 1600C, description 4−24
thermoelectric cryostat, for optical investigations 4−18400
u.v. calibration, black body radiation comparison 4−9

thermoreflectance
reflectivity determination from reflective index 4−2268
CaO, exciton thermoreflectance 6 to 8 eV, spin-orbit splitting, exciton-phonon structs. 4−13469
MgO, exciton thermoreflectance 6 to 8 eV, spin-orbit splitting, exciton-phonon structs. 4−13469

thermosphere
heading is late addition, see also upper atmosphere
composition and wind velocities, calculated from F-region density profile measurements 4−34445
composition model from mass spectrometer and satellite drag data 4−42148
density and composition, observations and models 4−10956
density and composition by mass spectrometry with cryo ion source 4−25735
diurnal heat budget rel. to atmospheric waves 4−22042
diurnal variations, numerical model for symm. tidal wave modes 4−4528
geocoronal H distrib. and diffusion in thermosphere and exosphere 4−10969
global characteristics in diurnal var. of temp. and comp. 4−38411
heat balance and thermal conduction above 100 km., density temp. phase anomaly 4−10959
heating by atmospheric gravity waves 4−4539
long-term var. of temp. and comp. 4−38412
lower, high-speed neutral winds, causes, behaviour 4−10952
mass spectrometer design for registering proportions of various species 4−38551
measurements using meteoric radar and incoherent scatter, comparison 4−38423
meteoric aerosols producing twilight luminance increase *(French)* 4−29647
midlatitude winds from incoherent scatter radar and theory 4−38424
models, comparison with F-region behaviour, midlatitudes 4−25788
neutral composition of lower regions from F_1-region model 4−38420
neutral wind and ionization drift simultaneous meas. 4−38425
neutral wind structure above 200 km, effect of geomagnetic activity 4−10957
neutral winds, diurnal variation, incoherent backscatter radar data 4−22013
neutral winds, effect of displaced geomagnetic and geographic poles 4−34442
numerical model of dynamics, Galerkin technique 4−22014
response of dayside thermosphere to intense geomagnetic storm 4−10950
rocket exhaust plume, effect on state 4−22015
seasonal var. from Millstone Hill incoherent scatter radar meas. 4−38417
Stubbe's deviation from barometric law, effect of horizontal wind fields 4−17778
summer Ar bulge, Esro 4 gas analyzer results 4−10948
temperature, use of Ar as indicator 4−22006
temperature and composition, empirical global model based on satellite observations of N_2, O, He densities 4−25743
temperature-density phase anomaly, quasi three-dimensional model 4−10944
tidal waves, eigenfunctions 4−38421
tides, diurnal and semidiurnal, propagation characteristics 4−25752
tides, laser radar, meteor radar and radio sounding over Kingston Jamaica 4−7758
vertical red line 6300 Å distrib., tropical nightglow morphology rel. to thermospheric dynamics 4−14180
wind determ., effect of atmospheric gravity waves 4−17777
winds, effect on F-region in disturbed conditions 4−10953
winds, effect on temp., density, phase difference of diurnal vars. 4−10954
He production, degassing and ionization process 4−7761
N_2 vertical transport vel. in 200-500 km range 4−17779
N_2 vibrational temps. production and quenching processes 4−10964
O density from 5577 A nightglow obs. 4−4538
O vertical transport vel. in 200-500 km range 4−17779
O-H constituents, numerical studies and effect of changing chemical rate coeff. 4−34440
O_2 in lower thermosphere from SOLRAD-10 solar u.v. occultation meas. 4−22004
O_2 vibrational temps, production and quenching processes 4−10964

thermostats
see also cryostats; temperature control; thermistors
built-in, for electric heaters *(Norwegian)* 4−22786
calorimeter for excess volume measurement of organic mixtures 4−1123
crystals, at temps. below 1K, using electrocaloric effect 4−17015
demountable thermostat jacket, for rigid coaxial lines 4−22849
electronic, for developing solutions *(Spanish)* 4−14915

thermostats continued
electronically controlled, simple, cheap, applic. to thermocuple ref. junctions *(German, English)* 4−2243
line voltage type, progress 4−18391
temperature controller, for specimens, low cost, high stability, quasiproportional 4−35207
transistors temperature control *(German)* 4−35214

theta pinch *see pinch effect*

thick film circuits
laser application for prototype hybrid cct. prod. 4−15401
laser application to substrate drilling, scribing and resistor trimming 4−15400
production employing automated laser apparatus *(German)* 4−39771
resistor trimming, by laser, for hybrid IC applic. 4−322

thick film devices
No entries

thick film resistors
automatic trimmer using YAG laser 4−15401
hybrid IC, functional trimming 4−31084
laser application to resistor trimming 4−15400
laser trimming, choice of laser and techniques 4−15403
laser trimming, for hybrid IC applic. 4−322

thick films
critical phenomena, scaling theory 4−23214
Au-Rh-glass, struct. and d.c. elec. props. 4−37309
In, scanning transmission electron microscopy, top bottom effect 4−35473

thickness control
holographic control of deposition 4−2225
laser diffraction principle for wire and fibre diameter measurement, online operation 4−35909

thickness measurement
coatings, beta ray method *(Bulgarian)* 4−8311
electron microscope, backscattering cartridge 4−8318
evaluation criteria for devices based on ionising radiation meas. *(Czech)* 4−30390
f.e.t. gate insulator, using automated ellipsometer 4−35292
fibre diameter meas. by coherent-optical method 4−14795
film, binary anti-reflective, thickness change observation *(Czech)* 4−21112
film, i.r. spectroscopy technique, appl. to SiO_2 4−37709
films, gauges, optimal dimensions and characteristics evaluation 4−22775
Fourier transform spectroscopy, phase shift influence, Si epitaxial layers 4−22846
glass prod. on vert. drawing machine, contactless method, electro-opt. device 4−30394
holographic meas. during deposition 4−2225
IC coating, contactless optical pickup 4−22813
ice, employing holographic ice surveying radar systems 4−38502
interference pattern obs., refractive index and thickness 4−30476
interferometer, thickness monitoring of optical component coatings 4−22872
interferometry, multipass, thin-film thickness meas. *(French)* 4−14794
ion back scattering technique 4−6947
laser applic. *(French)* 4−23408
laser diffraction principle, wire and fibre diameter meas., online operation 4−35909
liquid film in two-phase flow using capacitance between two fixed electrodes 4−39153
metallic thin films, electron microprobe depth-distrib.-functions determ. 4−5257
metallic thin films, electron microprobe parameters, and X-ray intensity aspects 4−5258
metallic thin films *(Czech)* 4−10070
multilayer coatings, automatic film thickness monitor 4−14851
of nonmetals, error analysis of instruments using magnetic field attenuation *(Russian)* 4−22762
pneumatic rotometric instrument, perforated cylindrical indicating tube 4−22774
radar, high range resolution, snow and ice depth applic. 4−29697
radiation reflection, optimum method 4−30403
radiation thickness gauge characteristics, absorption type β-ray, with ionization chamber 4−8424
thin film, Kiessigs method based on interference of X-rays 4−30380
thin film, monitor, Meacham bridge oscillator, using quartz resonator 4−4967
thin film, monitor, Meacham bridge oscillator, using quartz resonator 4−4968
thin films, transistor frequency meter 4−35237
u.s. pulsed gauge, analysis of two acoustic section models 4−30404
worm gear tooth thickness measurement by three wire method *(German)* 4−18329
Au film, X-ray diffr. 4−16393
GaAs, epitaxial growth, layer thickness investig., comparison with theory 4−20495
$GaAs_x Sb_{1-x}$ epitaxial growth, layer thickness investig., comparison with theory 4−20495
Si detector, thickness and uniformity study rel. to production quality control *(Russian)* 4−22959
SiO_2 film, on Si substrate, ellipsometric obs. *(French)* 4−13534
V, film, for nuclear target applic., using proton elastic scattering *(Japanese)* 4−1433

thin film capacitors
Ta_2O_5, breakdown during anodization 4−10213

thin film circuits
hybrid IC production employing laser beam 4−23407
ion beam cutting and electronic masking, electronic and optical circuits *(French)* 4−5550
production employing automated laser apparatus *(German)* 4−39771
superconducting bridge coupling structure utilization in complex ccts., fabrication 4−24887
Al_2O_3, thin film substrates, spinel segregation, MgO struct. determ. 4−7261
Al_2O_3 fired substrates for integrated circuitry, characteriz. 4−7260
Al_2O_3 substrates, routine anal. by laser emission microprobe 4−5278

thin film devices
see also magnetic thin film devices
10 GHz mixing by constricted thin-film Josephson devices 4−10233
bolometer, i.r., metal film, room temp., with nanosecond response time 4−22
electroacoustic amplifier, electron surface mobility in semiconductor 4−10185
ion beam cutting and electronic masking, electronic and optical circuits *(French)* 4−5550
magnetometer, orthogonal-fluxgate, operational mechanism, calc. 4−14925
scintillator, plastic, mass of fission products meas. 4−5196
SEM, retarding field and low voltage, inspection without damage 4−15016
semiconductor piezoelectric transducers for acoustic microwave devices, excitation theory 4−20477
superconducting bridge coupling structure utilization in complex ccts., fabrication 4−24887
$Bi_4Ti_3O_{12}$, sputtered ferroelec., display and optical switching applic. 4−37746
ZnO, transducer fabrication, sputtering, nucleating surface influence 4−28762
ZnS optical waveguide, for harmonic generation of Nd:YAG laser 4−31079
ZnS: Cu, Mn, Cl, d.c. electroluminesc., digital display applic. *(Czech)* 4−25178
$ZnS:Ln^{3+}$, in m.i.s.m. struct., electrolum., voltage depend. of brightness 4−28936

thin film resistors
hybrid IC, functional trimming 4−31084
CdS, appl. as high sensitivity strain sensor 4−14798
NiCr, elec. and struct. props., prep. conditions 4−28320

thin film transistors
CdSe, use of radiant heating for evaporation 4−37781

thin film triodes *see thin film transistors*

thin films
see also magnetic thin films; metallic thin films; semiconductor thin films; substrates; superconducting thin films
(TTF)(TCNQ), i.r. and far i.r absorption spectra 4−17074
alkaline earth oxide film, rare-earth-doped, r.f. sputtered, luminesc. 4−28943
alkane, slow electron impact energy losses 4−28130
4-dimethyl-octyl ammonium stylbene chloride, crystallisation, d.c. electric field effect 4−20504
amorphous alloys, production in rapily rotating mill device *(Czech)* 4−17372
atom probe FIM analysis, evaporated or anodically deposited 4−24614
Auger electron microscopy 4−3430
Auger electron spectroscopy, surface and in-depth anal. 4−6574
1,12-benzoperylene, amorphous, absorpt. and fluoresc. spectra 4−21009
bimolecular phospholipid membrane, I modified, cond. activation mechanism 4−37335
boron containing organic, glassy, B diffusion from into Si, Si p-n junction fabrication *(Russian)* 4−21208
Bose gas, specific heat, second order anal. 4−26852
charge transfer to solvent spectrum of Br^- in supercooled $(Bu_4P^+)_2MBr_4^{2-}$ 4−6891
chitin, regenerated films, mech. and chem. characts. 4−13902
collagen, effect of water on mechanical props. 4−10689
collagen film, gas permeation, effect of cross-linkage, moisture and plasticizer content 4−24579
conference on thin film phenomena, San Jose (1973) 4−24840
cooperative phenomena and dimensionality 4−24541
copper phthalocyanin, non-porous, prep. and photovoltaic effect in electrolyte 4−26202
coronene, amorphous, absorpt. and fluoresc. spectra 4−21009
critical behaviour, scaling theory 4−23232
critical phenomena, scaling theory 4−23214
crystalline double layer, unequal density distrib., gas kinetic investigation 4−10035
deposition system for laboratory, multiple substrate-mask-source 4−35239
diffusion distribution of components, X-ray study 4−26707
double resonator technique, for simultaneous mass and lateral stress meas. 4−18367
electron beam transmission, transition radiation obs. 4−28126
electron gas, high density, confined to thin film, electron correlation and plasma oscills. 4−1193
electron microscopy, conf., New Orleans, USA (Aug. 1973) 4−141
electron probe analysis, effect of vapour phase deposited layers on primary X-ray intensity 4−30624
electron states, Green's function spectrum, tightly bound one-band approximation 4−13123
elemental analysis, differentiated back-scatt. spectra 4−17155
extensometric layers *(Spanish)* 4−24671
ferroelectric, depolarization field and phase stability considerations 4−25063
ferroelectric, sputtered Pt as substrate 4−25237
filled epoxy resin, permeation of liq. water up to 130°C 4−24583
fluorene, crystallisation, d.c. electric field effect 4−20504
fluoropolymer latex, struct. during deformation 4−41854
graphitization, carbide support, effect of dislocations, twinning, electron microscope study 4−16677
growth, in r.f. systems, inf. of sputtering and transport mechanisms 4−1185
growth temperature, variation, electrical analogue model *(German)* 4−10071
heat transfer models, internal cond. effects 4−26878
heating by laser radiation, influence of temp. coeff. of reflection *(Russian)* 4−2628
hygroscopic, i.r. reflection spectra meas. 4−22848
interferometry, multipass, thin-film thickness meas. *(French)* 4−14794
internal friction in films <1000 Å thick, meas. by transverse vibration excitation 4−3660
ion beam cutting and electronic masking, electronic and optical circuits *(French)* 4−5550
ion sputtering *(Hungarian)* 4−37747

thin films continued
- laser beat spectroscopy of thin free liquid films 4—13535
- laser deposited thin films *(Rumanian)* 4—37750
- latex, liquid water and water vapour transmission rates 4—25442
- latex acrylic copolymers, cross-linked films, struct. *(Russian)* 4—9859
- lattice parameter determination, electron diffraction method 4—36789
- liquid crystal, nematic, distortion in mag. field nearly parallel to optical axis *(French)* 4—20208
- α-methylstyrene/butadiene/styrene block copolymer, soln. cast film, phase structure 4—37063
- monatomic surface layer, vibration spectrum, substrate influence 4—37070
- naphthacene, amorphous, absorpt. and fluoresc. spectra 4—21009
- nematic, distortion in rotating mag. field *(French)* 4—24384
- non-absorbing, multilayer synthesis *(Russian)* 4—25224
- noncrystalline formation, sputtering, substrate temp. depend. 4—6967
- optically anisotropic, Poincare sphere anal. of polarisation states 4—19043
- organic, low energy electron spectroscopy 4—12964
- organo-tin polymers, formation in glow discharge and props. *(Russian)* 4—10702
- oxide film formation, review of governing principles 4—24655
- oxide on metal, SEM microanalysis rel. to struct. and growth 4—24659
- paint, shape of peeling film 4—4213
- passivation, anodic, on Fe in neutral soln., ellipsometric study *(Japanese)* 4—13988
- peeling from rigid substrate, theory of film shape 4—4213
- Permalloy, obtained by pulsed laser radiation, crystal structure and chemical composition 4—4034
- permittivity measurement, microwave frequencies 4—26550
- perylene, amorphous, absorpt. and fluoresc. spectra 4—21009
- perylene, optical props. in the visible and near u.v. 4—17145
- photoresist application to long thin fragile crystals 4—37777
- piezoelectric, surface wave guide eqns. 4—28761
- plasma deposition of layers of uniform thickness, screen profiling *(Russian)* 4—41481
- poly(ethylene terephthalate), annealed, chain-folding meas. 4—20232
- poly(ethylene terephthalate) film, diffusion and sorption of gases 4—20436
- poly(N-vinylcarbazole), dye-deposited, sensitized photocurrent obs. *(Japanese)* 4—37268
- poly(N-vinylcarbazole), electrical props., current-voltage characteristics 4—20599
- poly-ω-undecamide, spherulite deformation *(Russian)* 4—36816
- polybutadiene, cryst. and amorphous, sorption and diffusion of small molecules 4—24580
- polyethylene, amorphous, form. in plasma, morphology 4—20227
- polyethylene, environment effects on physico-mech. props. *(Russian)* 4—10678
- polyethylene, high density, crystallisation during extrusion 4—13907
- polyethylene, low density extruded films, quantitative characterization of texture 4—41851
- polyethylene drawn film, surface-controlled recrystallisation 4—16436
- polyisobutylene film on glass, molecular kinetic model of temp. depend. of adhesion strength *(Russian)* 4—38082
- polymer, amorphous, dielectric relaxation phenomena 4—13383
- polymer, cracking during sorption of solvent, role of diffusion *(Russian)* 4—10680
- polymer, elec. and mech. strength, temp. and time depend. 4—28760
- polymer, elec. charge distribution evaluation 4—13235
- polymer, form. by ion beam bombard., luminesc. mechanism 4—41458
- polymer, growth in glow discharge, computer simulation *(German)* 4—37133
- polymer, morphology kinetics of phase stratification *(Russian)* 4—10706
- polymer, nitrile, permeability of gases and vapour 4—24576
- polymer, thermal evaporation, r.f. sputtering, pyrolysis 4—4224
- polymer, transport phenomena, 2nd Symposium, New York, USA (27 Aug to 1 Sep 1972) 4—24575
- polypropylene, conc. of degradation products on surface *(Russian)* 4—1685
- polypropylene, environment effects on physico-mech. props. *(Russian)* 4—10678
- polypropylene, isotactic, β-modified film ductile props. *(Japanese)* 4—33898
- polypropylene, spherulite deformation *(Russian)* 4—36816
- polystyrene electrical props., current-voltage characteristics 4—20599
- polythene, conc. of degradation products on surface *(Russian)* 4—1685
- polythene film, conduction current dependence on specimen thickness 4—1238
- polyvinyl acetate, partially hydrolized, sorption of water vapour 4—24628
- polyvinyl butyral, soln.-grown, thermally stimulated discharge currents 4—28517
- polyvinylidene fluoride, pyroelectric and switching props. 4—10380
- polyvinylidenechloride and copolymers, epitaxial textures *(Russian)* 4—37124
- PVC, growth kinetics, from soln., adsorption controlled multiple nucleation model 4—4225
- PVC, pure and I doped, soln. grown, depolarization, thermally stimulated discharge 4—3931
- reactive formation, ion beam applic. in thin film technology *(German)* 4—10521
- rubber, shape of peeling film 4—4213
- sandwich, preparation by cathodic reactive diode sputtering *(French)* 4—6969
- simple cubic, application of transfer matrix method to lattice vibrations 4—3661
- size effect, expts., review 4—24666
- space groups, two-dimens., irreducible representations, and rel. to surface and thin film eigenstates 4—37064

thin films continued
- spectroscopic analysis, emission, graphite electrodes as substrates 4—2409
- sputter deposition, geometry using rotating targets 4—21182
- sputtered mutlicomponent dilute film, comp. calc. 4—28315
- sputtering, specimen coating for scanning electron microscopy 4—999
- surface cleaning, detecting and controlling organic contamination 4—20487
- tetraphenylporphine, vacuum u.v. absorption coeff. optical constants analysis 4—1401
- thickness, measurement by Kiessigs method based on interference of X-rays 4—30380
- thickness measurement, ^{4}He elastic scatt. calcs. 4—16682
- thickness measurement and growth rate, transistor frequency meter 4—35237
- thickness monitor, Meacham bridge oscillator, using quartz resonator 4—4968
- thickness monitoring, Meacham bridge oscillator, using quartz resonator 4—4967
- thin deuterated-polyethylene targets, improved technique for preparation 4—8439
- transition metal silicides on Si, fabrication, barrier heights to Si 4—17183
- triglycine sulphate, ferroelec., coercive field thickness depend., surface layer existence *(French)* 4—41342
- vacuum deposition, evaporation, sputtering, and ion-plating compared 4—21180
- vacuum deposition equipment, review 4—21181
- vacuum deposition technique, rotating substrate thickness uniformity 4—29002
- vapour deposition, nucleation kinetics, Monte Carlo simulation 4—37129
- Zircaloy-2, stress corrosion cracking in NaCl solution, surface film 4—1175
- Ag_2S cryst. struct. investigation, and bulk material *(Rumanian)* 4—36872
- Ag_2Se cryst. struct. investigation, and bulk material *(Rumanian)* 4—36872
- Ag_2Te, cryst. struct. investigation, and bulk material *(Rumanian)* 4—36872
- Al-Cu, conductor, electromigration induced failure 4—28509
- Al-Si, co-sputtered, comp. calc. 4—28315
- Al_2O_3, amorphous, H_2O, acetic acid, formic acid chemisorption, inelastic electron tunnelling 4—13101
- Al_2O_3, on anode, photoluminesc., impurity effect *(Russian)* 4—41413
- Ar, solid, photoemission from valence bands 4—21164
- Ar, with Xe impurity, absorpt. spectra, 10K, 8.5-11.5 eV, cluster band due to impurities 4—17087
- Au-Cd(47.5 at.%), r.f. sputtering, microstruct. and conditions for epitaxy 4—13112
- Au-In, evaporated prep., surface enrichment by In, Auger spectra 4—37125
- Au-MgF_2 cermet, prep. and optical consts. determ. 4—37712
- Au-V(20 at.%), r.f. sputtering, microstruct. and conditions for epitaxy 4—13112
- Ba-O-Re (0001) double system, structure and work function 4—10069
- BaO:Ln, r.f. sputtered, luminesc. 4—28943
- BeO, crystalline, noise free supporting film for electron microscopy 4—26680
- Bi, on NaCl crystals, preferential nucleation in condensation 4—16679
- Bi, peculiarities of thickness depend. of struct. and resistivity 4—32837
- Bi, polycryst., thermal, elec. cond. and thermoelec. power, crystallite size effect 4—37337
- Bi, use as recording medium for picosecond i.r. holography 4—39258
- Bi_2O_3, elec. props. meas., 78-525K, dissoc. effect 4—28516
- BiSeI:Ag, photoemission meas., work function, Fermi level determ. *(Russian)* 4—33560
- $Bi_4Ti_3O_{12}$, ferroelec., epitaxial growth by sputtering for display device applic. 4—37746
- C, angular distrib. of scattered electrons, electron microscopy 4—9798
- C, contrast transfer characteristics, of electron microscope objective lens 4—5235
- C, controlled production by vacuum evaporation 4—1453
- C, deposition on NaCl, surface dislocation damage 4—1182
- C, for electron microscopy, by deposition on organic glass 4—14999
- C, high resolution dark field electron microscopy 4—9801
- C, in electron microprobe anal., thickness role, X-ray intensity loss meas. 4—160
- C, struct. examination, support film for high resolution electron microscopy 4—1191
- CO, electron diffraction study, 2.2K to sublimation temperature 4—16676
- CaO:rare earth ions, optical fluorescence spectra obs. during sputtering 4—21070
- CdI_2-Mn, sublimated, electroluminesc., influence of u.v. light *(Russian)* 4—33506
- CsI layers, elastic electron delf. and secondary emission, E=2-30 eV *(Russian)* 4—21121
- Cu-Au thin films, order-disorder transformations 4—1102
- Cu-based dilute alloys, vacuum-deposited, X-ray struct. anal. *(Russian)* 4—13114
- Cu-Ni, co-sputtered, comp. calc. 4—28315
- Cu-Sn, bimetallic, interdiffusion and intermetallic cpd. form. 4—3585
- CuAu, r.f. sputtered equiatomic, order-disorder transforms. 4—17221
- CuAu, r.f. sputtering, microstruct. and conditions for epitaxy 4—13112
- Cu_3N, electron diffr. obs. of struct. *(French)* 4—13107
- α,α′-diphenyl β-picrylhydrazyl films, freq. depend. of a.c. conductivity 4—20604
- $(Fe,G)O_x$, growth on Fe-Cr alloy, oxidized at 600°C in CO_2-1% CO, phase interactions 4—37118

thin films continued
Fe-Ni alloy, passive films, thickness and chem. comp. *(Japanese)* 4−13989
Fe_3S_4, greigite, prep., obs. epitaxy on NaCl cryst. 4−4032
He, solid, density depend. of isotope shift of Debye temp. 4−37061
^4He, quantum hard-sphere model 4−3604
^4He, superfluid content 4−10008
Kr, solid, photoemission from valence bands 4−21164
LaB_6, prep. and characteriz. 4−29001
LaF_3, transport props. 4−16834
LiF thermal emission in 30-140 μm region, virtual modes theory *(German)* 4−25183
MgO, evaporated on amorphous and polycryst. substrates, cryst. structure obs. 4−37126
MgO, fine struct. in electron diffraction patterns 4−1189
MgO:rare earth ions, optical fluorescence spectra obs. during sputtering 4−21070
N_2O electron diffraction study, 2.2K to sublimation temperature 4−16676
NbC, vacuum condensates characteriz. for use as resistive elements *(Russian)* 4−41810
Ni-Co (20% wt), electron microscope obs. of changes in dislocation structure during plastic deformation *(Russian)* 4−4128
Ni-P oxides, composition of surface formed on electroless deposits 4−7438
$Pb_{0.92}Bi_{0.07}La_{0.01}(Fe_{0.405}Nb_{0.325}Zr_{0.27})O_3$, ferroelectric, r.f. sputtered onto Al_2O_3 substrate, investig. of elec. characts. 4−20941
$Pb_{0.92}Bi_{0.07}La_{0.01}(Fe_{0.405}Nn_{0.325}Zr_{0.27})O_3$, ferroelec. retention meas., time depend. 4−13393
PbF_2, optical consts. and exciton states *(Russian)* 4−10450
$3PbO-2GeO_2$, vacuum condensates, ferroelec. props. permittivity and hysteresis loop 4−20952
Pd_2Si, growth and transformation on Si, epitaxy, temp. depend. 4−3666
Sb, i.r. optical absorption, electronic structure 4−17079
Si-Cr alloys, elec. resist., ceramic substrate temp. depend. *(Russian)* 4−6608
$SiO_2:Na^+$, ion bombard. effect on thermally stimulated ionic conductivity 4−16764
SrO:Ln, r.f. sputtered, luminesc. 4−28943
Ta-Cr, emission and adsorption props., field electron microscopy *(Russian)* 4−33594
$Ta_2O_5-Al_2O_3$, structural, optical, physico-chemical and dielectric props. 4−16674
TiC, vacuum condensates characteriz. for use as resistive elements *(Russian)* 4−41810
TiO_2, manufacture of thin layers *(German)* 4−4036
Tl_2O_3, conducting, form. on Tl_2O silicate glass, surface oxidation 4−6663
$^{235}UO_2$, well defined layers preparation, vacuum evaporation techniques 4−14837
Xe, solid, photoemission from valence bands 4−21164
ZrC, vacuum condensates characteriz. for use as resistive elements *(Russian)* 4−41810
ZrO_2, amorphous, fission fragment irrad. effects 4−32440

Thirring model *see quantum field theory*

thixotropy
bentonite-water suspensions, horizontal pipe flow behaviour 4−27912
constitutive relation, differential form, rel. to nonlinear viscoelasticity 4−20054
lacquers, rheological properties *(Polish)* 4−10714
Reiner's Deborah Number, rheological investigations 4−23099
rubber, vulcanized, strength props. and capacity for thixotropic softening 4−17438
rubbery liquid, thermal-fluctuation model for calc. relax. spectrum 4−13932
structural changes in thixotropic fluid, kinetics 4−1689
teaching paper 4−22708
$MgO-LiNaCO_3$, disperse mixture, temp. rel. to thixotropic strength 4−41895
SiO_2 powder, ultrafine, prep. by evaporation using thermal plasma 4−7380

Thomson effect *see thermoelectricity*

thorium
appearance potential spectroscopy 4−15072
atom, L_1 subshell yield 4−23966
blanket for fast breeder reactor, economics 4−31490
chemical extraction from calcite in presence of U, anal. of product 4−36356
determination in geological materials, using neutron activation and high resolution X-ray spectrometry 4−35513
electron irrad., low temp., defect production, resist. 4−16489
gamma activation anal. of C impurities in U and Th 4−18792
geological samples, high-speed radioluxograph with single-scintillation sensitivity for autoradiography 4−34526
glasses, Th content by fission track technique 4−15046
ionization pot. determ. in d.c. arc plasma spectroscopy 4−2419
L X-ray spectra, α-particle induced emission intensity ratios 4−25191
liquid, solubility of W and Ta, 1600-2900K 4−32707
meteorites, Th microdistribution in 15 objects 4−42363
Mossbauer effect linewidth meas., electric quadrupole hyperfine interactions 4−25043
muonic, K X-ray obs. of shape deformation 4−27231
nuclear reactor fuel, potential of use in PWR's and LWR's 4−3033
photoemission from surface, X-ray induced 4−33564
radioactive contamination, in underground environments *(French)* 4−31632
superconducting energy gap, press. depend. from high press. crit. field meas. 4−3797
target, nuclear bombardment, preparation by electrodeposition from organic soln. 4−26583
Th:Er, Mossbauer spectra, hyperfine coupling, exchange interaction 4−33321
Th/Pb relative abundance in solar photosphere 4−2055
ThB, aerosol detection, radiometer 4−11346
^{230}Th, Uranium series dating of bone samples from Quaternary deposits from Medicine Hat, Alberta 4−4328

thorium continued
U/Th dating, large ionization chamber as α-spectrometer 4−17829
U-Th fuel cycle in HTGR at Fort St. Vrain, construction and testing experience 4−27392

thorium compounds
refractories, magnetic susceptibility meas. 4−13296
CeO_2-ThO_2, Raman linewidths, entropy of mixing anal. 4−33398
$(Th,U)O_2$, nuclear fuel, removal of U by fluorination 4−36345
Th complex, biscyclooctatetraenyl, i.r. and Raman spectra, vibr. assignments 4−40278
Th complex, tetranitratobis(triphenylphosphine oxide)thorium(IV), struct. 4−9882
Th-Ce, alloys, thermoelec. power, electron diffusion and phonon drag contribs. 4−28396
Th-Ce alloys, thermoelec. power, phonon drag contrib. 4−24730
$Th-O_2$ system, vaporization and thermodynamic props. of gaseous ThO and ThO_2 4−32694
$ThBr_4$, cryst. struct., polymorphism, density 4−32507
Th_2C_3, press. depend. of superconducting transition temp. 4−16870
$ThC_4^+(g)$, thermal ion emission in dicarbide-graphite system 4−21548
$\alpha-ThCl_4$, cryst. struct. determ. 4−16460
$Th(Co_{1-x}Fe_x)_5$ system, mag. anisotropy obs. on aligned powders 4−33185
Th_4H_{15}, n.m.r., T_1 meas., normal and supercond. mechanism 4−20728
Th_4H_{15}, superconducting, phase diagram, residual resistance and transition temp. 4−16868
Th(IV) complex, phosphine oxide perchlorate, mol. vibr., visible/u.v. spectra 4−33401
ThN, specific heat from 450 to 850 K 4−6506
Th_3N_4, specific heat from 450 to 850 K 4−6506
ThO_2, heterogeneous catalytic activity for CO oxidation, effects of mixed and ionic cond. 4−41943
ThO_2, stopping power of 1-9 MeV He^{2+} ions 4−24504
ThO_2, $ThO_2-Y_2O_3$, activated sintering and NiO 4−10637
ThO_2 containing wrought W wire, density changes assoc. with annealing 4−29085
ThO_2 dispersed in Ni and Ni-Cr alloys, particle growth kinetics 4−7059
ThO_2 dispersed Ni, elevated temp. deform. 4−37924
ThO_2 dispersed Ni, permeation and diffusion of H, trapping at particles 4−17277
ThO_2 dispersed Ni, sulphur diffusion kinetics 4−7061
ThO_2 dispersed Ni-Cr alloy, conc. profiles through oxide scales by ion probe microanalysis 4−7066
ThO_2 dispersed Ni-Cr alloys, diffusional creep and creep degradation 4−41709
ThO_2 dispersion hardened Cu alloy, thermomech. processing 4−25385
ThO_2 dispersion hardened Ni alloy, stress relax., strain rate sensitivity 4−41715
ThO_2 dispersion in Fe, prep. and characteriz. 4−7238
ThO_2 dispersion in Mo, eval. by hot hardness test 4−7327
ThO_2 dispersion in Ni-Cr alloys, vacancy source obs. during substitutional diffusion 4−7076
ThO_2 dispersion strengthened Ni-Cr alloys, diffusional creep and creep degradation 4−13790
ThO_2 dispersion strengthened Ni alloys, compatibility with hydrogen 4−13791
$ThO_2-Y_2O_3$, in liq. Na, electrochem. meas. of O_2 4−4265
$ThO_2-Y_2O_3$, thermal electron emission spectrum calc. *(Russian)* 4−33547
$ThO_2-Y_2O_3-Nd_2O_3$ ceramic laser rod, prep., performance meas. 4−19113
(U,Th)C coated particles, HTGR fuel cycle 4−27440
$(U,Th)O_2$ coated particles, HTGR fuel cycle 4−27440
$(U,Th)O_2$ HTGR fuel, remote fabrication problems 4−15961
$(U,Th)O_2$ powder, blending and homogenization 4−15960
$(U,Th)O_2-UO_2$ powder, blending and homogenization 4−3029
UO_2-ThO_2, first-order mag. transition, thermal expansion obs. 1.5 to 35 K 4−33157
UO_2-ThO_2 mixtures, powder characts. influence on sintering behaviour 4−7320

three-phase flow *see multiphase flow*

threshold logic
discrete functions, ring and field structs. 4−18820

throat microphones *see microphones*

thulium
electric field gradient, separation of 5d, 4f contribs. 4−3706
electric field gradient at Yb impurities, temp. depend., PAC obs. 4−25037
Ag:Tm, Hall effect obs. between 1.2 and 40 K, contrib. of skew scatt. 4−13172
$CaF_2:Tm^{2+}$ trigonal centres, e.s.r., stability determ. 4−37494
$CaF_2:Tm^{3+}$, absorpt. spectra, Zeeman effect, ion centre struct. 4−25142
$CdS:Tm^{3+}$, electron radiation damage monitoring, spectral changes 4−28121
$CeF_3:Tm^{3+}$, spectrum and energy levels *(Russian)* 4−6925
$SrCl_2:Tm^{2+}$, 4f-5d electrostatic interaction in vibr. struct. splitting 4−28870
$SrF_2:Tm^{2+}$, trigonal centres, e.s.r., stability determ. 4−37494
Tm^{3+}, codopant in Yb^{3+}-activated cpds., host lattice influence on infrared-excited blue luminesc. 4−13502
$Tm^{3+}:YAlO_3$, laser action, spectral props., fluoresc. kinetics 4−303
$YVO_4;Tm^{3+}$, ground config., cryst. field anal. 4−32884
$Yb^{3+}-Tm^{3+}$ i.r. to visible radiation convertors *(Polish)* 4−37679

thulium alloys
TmCd, cooperative Jahn-Teller effect obs. 4−32649
$TmFe_2$, magnetoelastic effects on elastic constants, theory 4−41221
$Tm_xY_{1-x}Al_2$, sp.ht. meas., crystalline elec. field parameters 4−28621

thulium compounds
see also thulium alloys
thulium ethyl sulphate, mag. susceptibility crystal field anal., obs. comparison 4−37402
$Dy_{0.3}Tm_{0.7}FeO_3$, bubble domain struct. and mobility 4−28661

thulium compounds continued
$TmAsO_4$, crystallographic and mag. transitions, molecular field theory 4-24951
TmB_2, synthesis and microhardness *(French)* 4-33851
$TmFeO_3$, domain stripe struct. obs., Faraday effect 4-13332
Tm_2O_3, high temp. cond., p- to n-type transition, press. depend. *(French)* 4-32934
TmOBr, incongruent sublimation, decomp. reactions and thermodynamics 4-32691
$TmVO_4$, dynamics of cooperative Jahn-Teller phase transition 4-32651

thunderstorms
see also lightning
cold air funnel cloud formation, review 4-1849
convective plume model for forecasting 4-38541
convective storm potential, diagnosis and prediction 4-1854
development dependence on morning cloud cover, satellite forecasting 4-38314
distribution and outflow boundaries controlling new development, satellite observation 4-34331
disturbances statistics rel. to project Sanguine 4-38356
Doppler radar, meas. of true vel. of tornado producing storm 4-4415
Doppler radar observation of 3-D wind field and turbulence 4-1828
dynamic and precipitation, inflow-updraught structure 4-4414
dynamical and thermal structure of severe storms, moisture effect, numerical model 4-1860
electric field accelerated decay by chaff seeding 4-29607
electric field activity at Minneapolis during thunderstorm days 4-1897
electrical conductivity of air under a thunder cloud 4-21949
electrification, inductive charging mechanism, ice particle charges in changing electric field 4-25698
electrification, inductive charging mechanism, updrafts in charge separation process 4-21954
forecasting, mesoscale surface analysis combined with satellite imagery 4-34332
frequency, secular trends in Northern Hemisphere, explanations 4-1840
Great Plains squall line thunderstorm, numerical model 4-1858
hailstorm, Colorado 22 July 1972, analysis of data from T-28 aircraft penetrations 4-34396
hourly surface static energy analysis rel. to thunderstorm outflow areas 4-1855
isolated Florida thunderstorms, electric radiation fields of lightning return strokes 4-17748
kinematics in severe storm, numerical sensitivity experiment with updraft model 4-34357
life cycle from three-dimensional cloud model 4-1861
lightning channel structure determ. from thunder array analysis 4-17721
modification by urban areas, results from St. Louis 4-38329
moisture budget and wind fields over urban area of Midwest 4-1842
precipitation, obs. and calcs., strongly sheared, mass budget anal. 4-1830
precipitation characteristics of moderate intensity supercell type, Colorado (22 July 1972) 4-34395
prediction of severe thunderstorms using NMC (PE) model 4-2006
rainfall model for Southwest of USA 4-25668
ranging, high resolution hybrid digital radar for echo resolution 4-17848
severe, radar estimate of latent heat release time var. 4-1831
severe convective, Colorado, radar characts., synoptic weather patterns, genesis locations 4-1837
severe local storms, conference (Denver, Colorado, USA, 15-17 October 1973) 4-1817
severe thunderstorm isolation, tracking and prediction, radar and sferics obs. 4-38542
severe thunderstorm objective forecasting from observed data 4-34537
severe weather and thunderstorm forecast evaluation using radar data 4-34355
severe weather enhancement by St. Louis urban-industrial complex 4-1841
severe weather probabilities from model output statistics 4-34354
short range forecasting of severe thunderstorms and tornadoes 4-1853
sound ranging on thunder from cross spectral analysis 4-17847
squall line, structure and maintenance mechanism, numerical model 4-29598
thundrcloud electric field penetration into magnetosphere and ionosphere 4-4561
tornadic thunderstorm, Oklahoma City 30 April 1970 radar observed merger of twin hook echoes 4-1847
tornado, Doppler radar meas. of radial rel. patterns 4-4411
tornado formation from rotating thunderstorms 4-1850
tornado production, digital radar anal. 4-1829
tornado twins, Doppler radar obs. of radial rel. component and bounded weak echo region 4-1826
tornado-producing severe storms, e.m. radiation from lightning discharges 4-25702
unsaturated downdraught, thermodynamic eqn. modification for varying raindrop sizes 4-1877
updraught soundings, National Severe Storms Laboratory, mesonetwork rawinsondes 4-1819
urban affected, Project Metromex study in St. Louis area 4-38330
vertical velocity profile, obs. by aircraft penetration 4-1824
vertical wind dropsonde measurements, Colorado (22 july 1972) 4-34397
vertical wind velocity measurements, dropsondes technique, NHRE 4-1820
water vapour injection into stratosphere 4-34398
weak echo regions, aircraft obs. of updraught vel. and temp. NHRE 4-4412
western North America, statistical anal. on historical data of hot rainy season 4-1917
worldwide activity, research, review *(German)* 4-21945
O_3, short term ground fluctuations, thunder effect 4-4486
O_3 injection into stratosphere 4-34398

thyratrons
scintillation gamma spectrometers calibration *(Russian)* 4-30592

thyristor applications
a.c. controller, power supply to Si vapour deposition plant 4-33626
flash wire, programmed control, review 4-35340
laser triggering 4-35318
proportional temperature regulator for Si purifying furnace *(Spanish)* 4-5008
synchronised stroboscopic flash equipment *(Spanish)* 4-14914
triac temperature controller low cost, high stability, quasiproportional 4-35207

thyristors
p-n junctions, space charge region in edge profile vicinity 4-24817
p-n-p-n structures, nonuniform effect 4-6670
p-n-p-n structures, two-dimensional voltage distribution at nonuniform turn-on 4-24816
GaAs laser-thyristor, epitaxial growth, design *(Hebrew)* 4-8835
Si:Au, carrier lifetime dependence on injection level, Shockley-Read-Hall recombination theory 4-10163
Si:P from $^{30}Sr(n,\gamma)^{31}Si \rightarrow ^{31}P$, breakdown behaviour 4-33614

ticking stars *see pulsars*

tides
Adriatic, simple model of storm surge, flooding of Venice 4-14153
anti-amphidromic regions, satellite studies 4-14098
atmosphere, laser radar, meteor radar and radio sounding over Kingston Jamaica 4-7758
atmospheric, refl. due to temp. repartition, 50-110 km altitude *(French)* 4-42082
basins with openings of restricted depth, model for nonlinear tides 4-1811
characteristics of internal waves of tidal periods in tropical Atlantic *(Russian)* 4-29549
clinometric, vertical deflections in a long tunnel *(French)* 4-7482
current meas. by acoustic signal propagation time 4-11074
currents, semidiurnal, site D in western North Atlantic 4-17642
diurnal inequality, effect of orbital-rotational coupling 4-21911
diurnal K_1, world-ocean-model, co-range and co-tidal charts 4-14106
dynamics eqns. soln. using alternating direction scheme 4-7630
Earth tidal signal, coherence, crust and upper mantle structure 4-10790
Earth tide analysis and prediction by response method 4-14011
equatorial Pacific, mean monthly sea level tidal heights 4-17659
estuary, Fourier analysis of tidal flow 4-4400
global interaction between Earth and sea tides 4-25529
gravimetric, diurnal waves, Strasbourg obs. *(French)* 4-34096
gravimetric, hourly values at Strasbourg for 1964-1967 period *(French)* 4-7483
gravity variation meas. rel. to tidal harmonic const. determ. *(Russian)* 4-7499
height measurement, prototype gauge for remote areas 4-14243
high resolution laser strainmeter for Earth tides and free oscillations study 4-11010
hurricane storm surges heights along Gulf Coast 4-21912
inclinometric obs. at Donets Torez-II point *(Russian)* 4-7501
inclinometric obs. at Sayany station, study of tectonic faults *(Russian)* 4-7500
inclinometric obs. at Sudievk using photoelectric inclinometer assemblies *(Russian)* 4-7498
inclinometric observations in Kiev-Poltava-Artemovsk profile *(Russian)* 4-7496
internal ocean waves near Hudson Canyon, tidal generation and propagation from ERTS-1 4-17688
lagoon, propagation of sea waves, effect of diffracted waves 4-14103
lunar atmospheric tides in surface winds in India 4-1875
M_2 oceanic tide, secular accel. of Moon's mean motion, Earth's rotation and dissipation 4-14104
meridional neutral wind at midlatitudes, tidal oscill. 4-38422
Nova Scotia, ocean tidal dynamo influence on electric and magnetic fields 4-7604
peak astronomical tide computation for 1-4000 AD 4-42075
pendulum apparatus rel. to phase characteristic determ. of tidal inclinations *(Russian)* 4-7810
pole tide, oceanic response to Chandler Wobble by Fourier analysis 4-10871
Poltava tidal inclinations, S_1 and M_2 waves *(Russian)* 4-7502
prediction using Green's function techniques 4-42076
reduction of data using harmonic anal. computer program *(Russian)* 4-7504
Rockall Bank, diurnal tidal currents, analytic models 4-42063
rotationally corrected equilibrium theory 4-29537
Saturn, tidal dissipation function, constraints from satellite orbit theory 4-29877
semi-diurnal, age, localised oceanic resonances 4-7617
Shetland, seiches and tidal ringing, explanation in terms of trapped edge-waves 4-38308
strain potential, and reln. between Love numbers k_n and h_n *(French)* 4-29536
temperature wave, diurnal, exclusion of residual effect from determ. of main tidal waves *(Russian)* 4-7503
thermospheric tidal waves, eigenfunctions 4-38421
tiltmeter obs. rel. to photographic zenith telescope obs. 4-14010
time harmonics of generating potential, corrected tables 4-4396
total force action on commensurability formation, satellite systems 4-14317
treatment for students of classical mechanics 4-26352
tsunami prediction (CETI), evacuation map revision 4-21913
turbulent estuarine tidal flow, Reynolds stress meas. 4-17681
upper atmospheric turbulent layer, energy transfer by tidal fluctuations and gravity waves *(Russian)* 4-14176
Venice Lagoon, causes of 'high water' 4-42060
wave diffraction by channels and bays 4-7621

tilting control *see attitude control*

timber *see wood*

time bases
image convertor sweep generator, for analysis of fast optical processes 4-39269

time conservation *see T invariance*

time delay circuits *see delay circuits*

time delays *see delays*

time-domain analysis
- e.m. boundary value problems, singularity expansion method, numerical implementation 4−30945
- h.f. response of loop antennas, numerical analysis by time domain moment method 4−24774
- impulsive plane wave, in isotropic plasma halfspace, time depend. waveform by Fourier analysis 4−12751
- speech, pitch extraction, time-domain approach 4−11393

time interval measurement *see time measurement*

time measurement
- *see also clocks; frequency measurement*
- accuracy of electronic timer-counters, use of off-air standards 4−30383
- astronomical observations, universal time calc., effect of meas. errors 4−26192
- clock, history of its development 4−30311
- electrochemical cell with Hg electrodes as elapsed time meter 4−26442
- frequency stability comparison, multichannel, data acquisition by punched paper tape recording system 4−18350
- frequency synthesizer application *(Czech)* 4−4969
- local time linkage with international atomic time for Borowiec, Poland *(Polish)* 4−26656
- luminescence decay time, by photomultiplier sensitivity modulation 4−39210
- multichannel time selector 4−4964
- nature and definition of time and clocks 4−39145
- Nikolayev Observatory, wind effect *(Russian)* 4−22485
- oscillographic time signal reception with phase shaping device *(Russian)* 4−18523
- satellite laser radar time base determ. for Ondrejov obs. 4−34968
- scale calibration, predicted freq. of clocks, matrix eqn. 4−4957
- scale convertor using charge-storage conversion, 10-100 nsec. 4−22965
- second timer, 0.01 sec to 10 min range 4−4965
- standard, freq. reproduction error in H atomic clock 4−18337
- standard at Dr. Neher Laboratory *(Dutch)* 4−18331
- standards, Russian state, review 4−22752
- standards, universal and coordinate, preliminary difference calculation for radio transmission 4−35158
- star obs., ε sec δ systematic errors, reduction *(Italian)* 4−38749
- subnanosecond, time intervals, methods, calibrations, stabilisation, corrections, review 4−2223
- subnanosecond timing with coaxial Ge(Li) detectors, recent developments 4−26604
- sundial horizontal, analytical soln. of equations for marking 4−35128
- synchronisation of atomic clocks using satellite, international time transfer 4−18341
- thin-film particle detectors, timing in perturbed correlations expt. 4−26593
- time of arrival of photon packet, optimal estimator 4−8776
- Universal Time, errors in FK3, 4, N30 catalogues 4−42247
- Cs beam primary frequency standard, Cs V, performance data 4−18342
- Cs beam primary frequency standard, use of pulsed microwave power, accuracy 4−18344
- Cs comparison of atomic time scales 4−18343
- H_2 maser frequency standard, comparison with Cs clocks, effect of magnetic fields 4−23291

time of flight spectrometers
- buffer store for multishot analyser, neutron counting 4−26634
- calibration, for mol. beam studies 4−14992
- charged particle mass identification 4−11612
- cold-neutrons, general interface circuit for PDP 11/20 processing computer 4−30633
- fission fragment, pulse height defect and its mass dependence 4−11610
- mass, combined with autoionic microscope, particle identification by microanalyzer 4−2371
- neutron, 14 MeV, at Kyushu University 4−39359
- neutron, elastic scattering cross-section meas. of 14.7 MeV beam 4−30597
- neutron, high-precision facility 4−26619
- neutron, modified version for 150 MeV-1 GeV energy range 4−26643
- neutron, optimum shielding of detector 4−26617
- neutron, theory of reverse method, analytical and computer simulation analysis 4−39351
- neutron diffractometer, for amorphous materials, mol. struct. in liquid 4−6311
- neutron magnetically pulsed, for inelastic scattering anal. 4−39355
- neutron spectrometer for underground test nuclear bursts 4−26644
- neutron total scattered intensity anal. rel. to study of non-crystalline materials 4−28007
- $Z>N$ nuclei, multinucleon transfer reactions, study 4−9244
- (n, charged particle) reactions, 14 MeV, identification and spectrometry of charged particles 4−30550
- ^{7}Li(p,n)^{7}Be, 41 and 64 MeV protons, fast forward neutron spectra meas. 4−8491
- ^{235}U(n,f), thermal mass-yield meas. using time-of-flight method and particle channelling 4−39354

time varying parameters *see time-varying systems*

time-varying systems
- bilayer membranes, time-varying conductance after alamethicin treatment, obs. 4−14551.
- multipath acoustic interference, numerical method 4−42642
- signal progessing, sonar, reverberation, removal of time varying character 4−11397
- sonar, signal processing idealised, reverberation removal of time varying character 4−11398

timing *see time measurement*

timing circuits
- flashing light unit, cct. for light emitting diode 4−18325
- free fall experiment, release and timing mechanism 4−18314
- preset digital *(Spanish)* 4−30593
- time interval distributions, distortion in meas. 4−8482

tin
- β-phase, relation between equilib. and dissolution forms 4−32711
- adsorbed layers on Fe, quantitative Auger electron spectroscopy 4−10046
- alkali halide:Sn^{2+} crystals, B-band fine struct., absorpt. spectra obs. 4−21029
- atom, X-ray spectra, proton excitation 4−17138
- atomic cross sections determ. for incoherent scattering of γ-rays 4−681
- atomic spectra, isotope shift meas. 4−12470
- chemical shift, K and L X-rays, relativistic Hartree-Fock calcs. 4−27528
- creep, Harper-Dorn type, high temp. 4−13697
- diffusion coatings on steel, prep. and characteriz. 4−13760
- diffusion in Sb, and elec. cond. *(Russian)* 4−20438
- electron spectra using electron mag. spectrometer *(Russian)* 4−18699
- electrotransport in Au, effective charge temp. depend., residual resist. obs. *(German)* 4−6529
- ellipsoidal filament unrestrained growth 4−17225
- energy gap, mag. field induced, in α-Sn 4−3699
- film, dynamics of superconducting-normal state transition 4−28572
- film, positron penetration, <0.544 MeV, thickness depend. 4−40815
- film, type I superconducting resistance peak at supercond. transition 4−28565
- film, vapour deposition, residual crystallinity, epitaxy 4−20499
- film deposition from heteroorganic cpd. plasmas, elec. characts. *(Russian)* 4−41482
- film on Si substrate, e.m. generation of acoustic phonons, electron m.f.p. depend. 4−28441
- gamma-ray attenuation, coeff. meas. sample thickness and expt. geometry 4−30543
- gamma-ray attenuation coefficients, meas. using Ge(Li) detector 4−30545
- grain boundary migration, group mechanism *(Russian)* 4−33697
- grey, phonon dispersion relns. by angular force model 4−3533
- grey, X-ray photoemission obs., electron binding 4−33571
- growth rate anisotropy, obs., mechanisms, α modification 4−17213
- impurity in liquid Te, effect on surface tension polytherm 4−13088
- K_α/K_β ratio, thickness effect 4−15050
- laser interaction, coupled laser-scanning electron microscope systems 4−2382
- laser processing, possible improvements *(Russian)* 4−21363
- lateral diffusion, in GaAs, due to interfacial stress effects of phosphosilicate glass mask 4−29026
- liquid, diffusion coeffs. determ. using capillary-reservoir technique 4−16613
- liquid, elec. resist. and thermo-e.m.f., temp. depend. *(Russian)* 4−20586
- liquid, protective layer form. by immersion, solid-liq. diffusion concept applic. 4−13763
- liquid, thermal diffusion of ^{110}Ag *(Russian)* 4−6514
- magnetic subband structure of α-Sn, magneto-absorpt. calc. 4−33419
- mantle hot spots, tin bearing, alkaline granitic complexes 4−42016
- molten-metal/water interactions, heat transfer and fragmentation 4−41518
- photoelectron spectra, 145 keV γ-ray K-shell cross sections 4−25211
- solubility of GaAs and GaP *(German)* 4−13024
- specific charge from mass spectroscopy *(German)* 4−162
- supercond. thin film, current voltage characts. 4−28559
- superconducting, quenched, condensed film, upper critical field meas. 4−41147
- superconducting bridge of large dimensions, coherent motion of vortices 4−10227
- superconducting energy gap, press. depend. from high press. crit. field meas. 4−3797
- superconducting film, appl. to hypersound detection 4−18383
- superconducting film, relaxational current oscills., shape anal. 4−37375
- superconducting film, search for excitonic superconductivity 4−16859
- superconducting film, type I, crit. thickness for intermediate to mixed state transition 4−41138
- superconducting film, type I, mixed and intermediate state struct., direct obs. 4−41137
- superconducting fine particles, n.m.r. 4−33081
- superconducting microbridge, steps in I-V curves investigation 4−33089
- superconducting microbridges, crit. current, temp. depend., microwave enhancement 4−3798
- superconducting point contact, temp. effect on elec. and microwave props. 4−13264
- superconducting thin film, normal state nucleation times 4−24877
- superconducting tunnel junctions phonon absorption coefficients for semiconds. 4−9959
- superconducting whisker, fluctuation effects in complex impedance 4−41152
- superconductor, anisotropy of pressure and volume effects *(German)* 4−24855
- superconductor, effects of domain on thermal cond. 4−28562
- superconductor, mag. moment, meas. using Faraday balance 4−28541
- thick target yields of L X-rays by fast heavy ion bombardments 4−5968
- thin film, crystallinity of liquid-like vapour deposited films 4−1187
- u.s. absorption anomalies rel. to interband carrier relax. time 4−16556
- whiskers, current induced supercond. phase transition, voltage steps 4−13257
- white, Fermi surface deformation, cyclotron effective masses 4−24684
- white, u.s. quantum oscillations obs., Fermi surface 4−13129
- white, X-ray photoemission obs., electron binding 4−33571
- Al-Cu alloy, θ' plate growth kinetics and interfacial structure, effect of trace additions, Cd, In, Sn 4−41577
- CaS:Sn, n.g.r., e.p.r., and optical spectra meas. 4−28740
- Cu:Sn spin echo signals, meas. of quadrupolar part 4−13364

tin continued
GaAs:Sn, amphoteric behaviour, epitaxial film, elec. props. meas. 4−16778
GaAs:Sn, doping profiles of films grown from soln. 4−33622
GaAs:Sn, highly doped single crysts., investigation of struct. defects *(German)* 4−32553
n-GaAs:Sn, laser, electron beam excitation, luminesc. mechanisms 4−31048
GaAs:Sn, photoluminescence, mag. field induced shift of ground state of bound excitons 4−21066
GaAs:Sn, vapour epitaxial, growth temp. and substrate orientation effects 4−37772
GaSb-Sn contact, ohmic contact resistance meas. *(German)* 4−6675
HCl:Sn^{2+}, oscillator strength for transitions 4−6919
He^+ + Sn, thermal energy collision, Penning ionization 4−12518
$In_xGa_{1-x}As$:Sn, doping profiles of films grown from soln. 4−33622
InP:Sn, dopant behaviour in LPE-grown LED mat. 4−17104
KCl:Sn^{2+}, luminesc. temp. depolarization 4−10480
$MnFe_2O_4$:Sn, hyperfine field temp. depend. anomaly 4−41313
Na, metallic, neutron activation analysis for trace elements 4−2428
Pb-PbO-Sn-Pb, tunnel junction, temp. variation of d.c. Josephson current 4−16885
SbSI:Sn, polarisation, permeability and Curie temp. determ. *(Russian)* 4−13382
Se:Sn, cryst., glassy and finely dispersed, phonon spectrum of Sn impurities, Mossbauer obs. 4−20915
β-Sn, determination of quadrupole splitting of first state of ^{119}Sn by angular correlation technique 4−6821
α-Sn whiskers, electron microscopy 4−40997
Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4−33105
Sn^{2+}, impurity ion in aqueous halide on glasses optical absorption spectra 4−1398
ZnS-Cu-Sn role of Sn in photoluminesc. at various concs. 4−41409
ZnS-Sn, role of Sn in photoluminesc. at various concs. 4−41409

tin alloys
see also tin compounds
bronze, heavily-deformed, annealing textures evolution 4−7073
Heusler alloys, Co_2XSn and Ni_2XSn, (X=Zr, Hf, Nb), cryst. struct. and mag. props. 4−41196
Pb-Sb-Sn(-As) solders, partially molten, grain-ripening of Pb-rich phase 4−10584
phosphor bronze, heavily rolled, cell struct. obs. 4−10589
Ag-Sn, internal oxidation phenomena, Mossbauer and isotope exchange obs. 4−1358
Ag-Sn, molten, activities meas. 4−41551
α-Ag-Sn solid solns., activities, free energies, Hume-Rothery phenomena 4−1461
Al-Sn, micro- and macro-deform. effects *(Russian)* 4−7170
Al-Sn, molten, acoustic wave velocity meas., compressibility and struct. determ. *(German)* 4−16550
Al-Sn, powder metallurgy prep. and mech. characteriz. 4−7244
Al-Sn, u.s. powdering 4−33844
As-Sn, liquid, thermodynamic props., cpd. form. tendendy *(German)* 4−1126
Au-Sn, X-ray photoemission of valence bands and core level energy shifts 4−21161
AuSn radical, electronic structure investigation, i.r. emission spectra 4−789
Cd-Sn, liq., viscosity, liquidus to 350°C 4−33652
CoSn, electron density of states and Debye temp., sp. ht. meas. 4−16931
Cr-Fe-Sn Invar alloy, antiferromagnetism, comp. depend. *(Japanese)* 4−3885
Cu-CuSn(α) system, conc. depend. diffusion coeff. determ. by graphical method *(German)* 4−6530
Cu-Ni-Sn spring alloy, reversed bending fatigue props. 4−10627
α-Cu-Sn, cyclic deformation at const. stress amplitude *(German)* 4−25379
Cu-Sn, liquid, compressibility, partial struct. factors, zero-wavevector limit 4−9816
Cu-Sn, liquid, heat of mixing *(Japanese)* 4−4064
Cu-Sn, liquid, mag. susceptibility and elec. resistivity, anomalous behaviour *(Japanese)* 4−13297
Cu-Sn, rolling texture, penultimate grain size effect 4−37844
α-Cu-Sn, tensile properties, prior dynamic deform. influence *(German)* 4−33822
α-Cu-Sn, tensile-compressive dynamic deform. at const. stress between 20 and 400°C *(German)* 4−33823
Cu-Sn, whisker, tensile test, scanning electron microscopy 4−28322
Cu-Sn thin films, bimetallic, interdiffusion and intermetallic cpd. form. 4−3585
Cu-Sn(16.5 at.%), ω phase behaviour 4−41538
Cu-Sn(1.35 at.%), deformed by compression, X-ray and transmission electron microscope obs. *(French)* 4−10581
Cu-Sn(25 wt.%), ageing effects on hysteresis during martensitic transform. *(Russian)* 4−17196
Cu-Zn-Sn, pretransform. lattice instabilities 4−37812
Eu-Sn, Mossbauer effect, magnetization meas., hyperfine fields 4−37538
$EuSn_3$, mag. ordering around 38K, susceptibility and resist. obs. *(French)* 4−20770
Fe-Cu-Sn sintered compact prep. and mech. characteriz. 4−7242
Fe-Sn grain boundary segregation obs. 4−4101
Fe-Sn-S, grain boundary segregation obs. 4−4101
FeSn, electron density of states and Debye temp., sp. ht. meas. 4−16931
Fe_3Sn, K-zone absorpt., Fe electron struct. *(Russian)* 4−24689
Gd-Sn alloys, liquid, N_2-GdN equilibria 4−33994
Ge-Sn, amorphous, semicond.-metal transition, high press. 4−41099
Hg-Sn, liquid, magnetic susceptibility, rigid band model *(German)* 4−24924
In-Sn, liquid, nuclear spin relaxation rate, effect of valence difference 4−16998
In_3Sn, phase transition and its influence on supercond. transition temp. 4−20717
Mg-Sn, molten, acoustic wave velocity meas., compressibility and struct. determ. *(German)* 4−16550

tin alloys continued
$Nb_{0.8}Sn_{0.2}$, supercond. transition temp. increase on pulsed CO_2 laser irrad. 4−10218
Nb_3Sn, formation under high press. and temp. 4−16447
Nb_3Sn, high C doping, current carrying capacities 4−41159
Nb_3Sn, lattice instability and high supercond. transition temp. 4−1274
Nb_3Sn, martensitic transform., change from first to second order by external stress 4−4073
Nb_3Sn, normal and supercond. states, acoustic phonons, neutron scatt. obs. 4−24529
Nb_3Sn, phonon softening rel. to superconductivity, linewidths meas. 4−16583
Nb_3Sn, press. effects on elastic props., soft mode behaviour and superconductivity 4−16580
Nb_3Sn, supercond., phonon line width, from neutron scatt., rel. to Fermi surface study 4−16566
Nb_3Sn, supercond. lens using field trapping 4−18708
Nb_3Sn, superconducting, electron tunnelling obs. 4−16886
Nb_3Sn, superconducting, phonon density of states investigation 4−16572
Nb_3Sn, theory of structural phase transition 4−21229
Nb_3Sn, use in supercond. solenoid 4−13272
Nb_3Sn filament containing powder rolled composite tape, supercond. props. 4−41141
Nb_3Sn film, supercond. transition temp. under tensile stress 4−24863
Nb_3Sn layer form. kinetics of Nb/Cu-Sn interface 4−13792
Nb_3Sn multifilamentary wires, crit. current densities, heat treatment effect 4−13269
Nb_3Sn supercond, Geller radii, occurrence and electronic struct. of A-15 phases 4−33063
Nb_3Sn superconducting magnet, critical field, low temp. enhancement 4−14829
Nb_3Sn tapes, superconducting, critical current behaviour in self fields 4−28573
Ni-Sn, solidification in low gravity environment, electron microscopy and X-ray microanal. 4−4074
Ni-Sn solid solns., fine lamellar discontinuous precip. reaction thermodynamics *(German)* 4−41605
NiSn, cryst. struct. determ. *(German)* 4−1028
Ni_3Sn alloy, martensitic and massive transforms. *(Japanese)* 4−25302
Pb-Sb-Sn-As solders, ingot struct. w.r.t. two-phase growth 4−13664
Pb-Sn, liquid, Hall coeff. meas. as function of concentration *(German)* 4−24728
Pb-Sn, solidification transient state anal., temp. distrib. and phase change rate 4−21234
Pb-Sn (5 wt.%)/stainless steel fibre, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
Pb-Sn eutectic, alloying element effect on creep props. 4−33831
Pb-Sn eutectic, internal stress during superplastic flow 4−37952
Pb-Sn eutectic, thermal stability, microstruct. obs. 4−17224
Pb-Sn solder, chill cast, temp. influence on stress relax. 4−25357
Pb-Sn system, determ. of solute interaction parameters by analysis of phase equilibria using linear programming 4−1459
Pb-Sn-Ag molten system, activities and free energies of mixing, e.m.f. method 4−37807
Pb-Sn-Cd system controlled coupled growth 4−13621
Pb-Sn(3 wt.%), morphology of cellular precip. reaction 4−33739
Pb-Sn(6 wt.%), high temp. creep, grain boundary sliding and viscous glide mechanisms 4−13742
Pb-Sn(9 wt.%) solid soln., viscous creep 4−37915
PbTe-SnTe solution, ternary, solid-liquid phase diagram *(French)* 4−13018
Pr-Sn alloys, liquid, N_2-PrN equilibria 4−33991
Pt-Sn, surface enrichment, combined X-ray photoelectron and Auger spectroscopy 4−25213
PtMnSn fluorite-type intermetallics, cryst. struct. and mag. props. 4−28627
PtSn, n.m.r. and bulk susceptibility obs. 4−25009
Sb-Sn, dilute liquid, elec. resist. meas., theory comparison 4−41057
Sn:Cu thin films, quenched condensed, superconduction and metastable phases 4−24858
Sn-Ag-Sb, liq., interdiffusion coeff. determ. *(French)* 4−25304
Sn-Bi, electrotransport effect on solidification 4−37802
Sn-Bi, superconducting, effect of compressional plastic deform. on T_c, mechanism 4−3792
Sn-Bi ingots, supercooled, Bi distrib. in primary α-Sn crysts. 4−21223
Sn-Cd, Sn-Cd-Pb systems, contact melting zone composition *(Russian)* 4−6974
Sn-Cu, amorphous, elec. resist. temp. coeffs., conc. depend. 4−32921
Sn-Hg alloys, liquid, structure complexity from stirred H-cell meas. 4−33651
Sn-In, superconducting, effect of compressional plastic deform. on T_c, mechanism 4−3792
Sn-Mg, Sn-rich, phase diagram, liquidus obs. 4−7022
Sn-Pb, off-eutectic composite alloys, effect of elec. field on solidification 4−17200
Sn-Pb superplastic eutectic, steady-state creep rate, effective stress depend. 4−29128
Sn-Pb-As, phase diagram obs. by thermal anal., metallographic and X-ray procedures 4−17199
Sn-Pt, Sn-Au, Sn-Ag, study of surface composition by Auger spectroscopy 4−1697
Sn-Te, chalcogenide glass, struct. relax., differential scanning calorimetry 4−28209
Sn-X, X=Bi, In, Pb or Tl, liq., ratio of mean sq.density fluctuations calc., statistical mech. *(French)* 4−40734
Ti-Al-Sn, microstruct. influence on low temp. creep 4−13696
Ti-Al-Sn-Zr-Mo, fatigue crack propag., acoustic emission obs. 4−33941
Ti-Al-V-Sn, corrosion fatigue crack propag. in aqueous and methanolic environments 4−29170
Ti-Al-V-Sn, heat treatment responses comparison, strengthening obs. 4−17307
Ti-Al-V-Sn, transform. diagram in continuous solidification, acicular and pseudomassive martensites *(French)* 4−17191

tin alloys continued
- Ti-Al-V-Sn-Zr alloy, $TA_6V_6F_2Zr$, continuous cooling transforms. *(French)* 4–21220
- Ti-Mn-Zr-Sn, beta III type, precipitate form. effect on damping capacity and modulus in a.f. range 4–17363
- Ti-Mo-Zr-Sn, beta III, heat treatment effect, mechanical props. 4–25359
- Ti-Mo-Zr-Sn, deformation struct. 4–10590
- Ti_3Sn, ordering of hydrogen and absence of hydride precip. 4–7058
- USn_3, low temp. electronic sp. ht. meas. 4–20781
- $V_3Ga_{1-x}Sn_x$, electron and phonon densities of states effect on superconducting transition temp. 4–16861
- Zn-Sn alloys, dil., liq., effects of Cu and Au on activity coeff. of Zn 4–41575
- Zn-Sn-In system in dil. Zn solns., thermodynamic props. 4–33671

tin compounds
- *see also tin alloys*
- cassiterite, transition metal determ., neutron activation anal. 4–5288
- polycrystalline aggregates of SnO_2-casserite and GeO_2-rutile, elastic props. 4–29469
- trimethyltin methoxide, cryst struct. 4–20282
- Cd-Te-Sn system, cross section CdTe-Sn 4–32664
- $Cd_{1-x}Fe_{1\|x}SnS_4$, mag. and elec. props. 4–28052
- $CsSnCl_3$ (Br_3, I_3, Br_2Cl, Br_2I, BrI_2), prep., cryst. struct., n.q.r. 4–32518
- Cu-Sn-Se system, phase diagrams of quasibinary Cu_2Se-$SnSe_2$, Cu_2SnSe_3-SnSe and Cu_2Se-SnSe systems 4–13019
- Mn_3SnN, magnetic structure, 350-475 K phase 4–6739
- Mn_3SnN, Mossbauer study, magnetic phase transformations 4–6733
- Nd:$POCl_3$-$SnCl_4$ liquid laser, passive Q-switch, self-oscillation mode operation 4–15360
- $POCl_3$:$SnCl_4$, solvent, fluorescence enhancement of Eu^{3+} 4–4005
- Pb,Sn(Zr,Ti)O_3, ferroelec. domains, transmission electron microscope obs. 4–37572
- $Pb_{0.8}Sn_{0.2}Te$ based thermoelectric materials, deform. mechanism, impurity effect *(Russian)* 4–20356
- $Pb_{1-x}Sn_xTe$, ferroelec., dielec. const. explained rel. to TO-phonon mode softening 4–25067
- $Pb_{1-x}Sn_xTe$, ionicity, valency and band inversion 4–3695
- $Pb_{1-x}Sn_xTe$, semicond. soft mode, Landau transition investig. using inelastic neutron scatt. 4–24542
- $Pb_{1-x}Sn_xTe$-PbTe p-n heterojunction laser, fabrication and characts. 4–15368
- Sn complex, ethylammonium hexabromostannate, TcIV and ReIV impurity ions, polarised absorption spectra *(German)* 4–3993
- Sn complex, isopropyl ammonium chlorostannate, ferroelastic, cryst. data 4–32502
- Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4–33105
- $SnAl_{0.5}Mo_5S_6$, supercond., upper crit. fields of above 500 kG 4–20711
- $SnCl_2.2H_2O$, ionic switching investigation 4–16806
- $SnCl_2.2H_2O$ single crystal, high resolution heat capacity, anomaly at H order-disorder transition 4–13050
- $SnCl_2.2H_2O(2D_2O)$, heat capacity meas., relaxational proton ordering 4–37019
- SnD electronic spectrum, rot. energy, fine structure, Hund's coupling case 4–16056
- SnF, SnS, dissoc. energy estimation 4–27732
- SnF molecule, rot. anal. of $(0,0)_{3/2}$ sub-band 4–9514
- SnH, electronic spectrum, rot. energy, fine structure, Hund's coupling case 4–16056
- SnI_4, optical absorption spectrum in solid state 4–41387
- Sn(IV) complex, trimethyltin(IV) trifluoroacetate, cryst. and mol. struct. 4–32524
- $SnMo_5S_6$, supercond., upper crit. fields of above 500 kG 4–20711
- $SnMo_6S_7$, superconductivity and cryst. struct. obs. 4–16851
- $Sn(NO_3)_4$, $SiCl_4$ soln. Raman spectrum, molecular force constant calc. 4–25106
- SnO, mol., electronic transition moment, r-centroid method *(Russian)* 4–31821
- SnO_2, elec. cond. meas., 700-1300°C, defect struct., donor levels 4–20559
- SnO_2, magnetooptic absorption, electron-hole wavefunction derivation 4–28863
- SnO_2, semicond. layer, transmission increase with SiO_2 antireflection coating 4–22834
- SnO_2:Eu^{3+}, cathodoluminescence meas. 4–13523
- SnO_2:Tb^{3+}, cathodoluminescence meas. 4–13524
- $SnPO_3F$, cryst. struct. 4–20256
- SnS, optical absorpt., 100-300K, 2.2-0.8 μ 4–33405
- SnS_2, band structure and photoemission obs. 4–16704
- SnS_2, band structure and photoemission, theoretical investigation 4–16705
- SnS_2, layer semiconds., electronic charge densities, pseudopotential band calcs. 4–20538
- SnS_2, photoluminescence spectra obs. at 2K 4–25161
- SnS_2, structural poltypism 4–28053
- SnS_2 single crystals, Hall mobility, cond. in trigonal plane, temp. depend. 4–6643
- SnS_2:Sb, Hall coeff. determ. rel. to temp., compared with pure SnS_2 *(French)* 4–41088
- SnSe, wavelength modulation spectra investig. and interpretation 4–25123
- $SnSe_2$, band structure and photoemission obs. 4–16704
- $SnSe_2$, band structure and photoemission, theoretical investigation 4–16705
- $SnSe_2$, layer semiconds., electronic charge densities, pseudopotential band calcs. 4–20538
- SnTe, Mossbauer study of neutron damage 4–24493
- SnTe, semicond. thin film, energy band investigs. using optical consts. determ. 4–24694
- SnTe powder, atmospheric oxidation, room temperature 4–7378
- SnTe-GeTe cryst., displacement type phase transition at very low temp. 4–37576
- SnTe-PbTe-GeTe alloys, enhancement of superconductivity and phonon softening 4–24860
- $ZnSnSb_2$, prep., elec. props., optical absorpt. 4–29007

titanium
- adsorption of CO, capture coeff., isothermal desorption, mol. beam method *(Russian)* 4–32818
- adsorption on W, effect on electron field emission energy spectrum 4–25219
- atom, K α satellite structure, projectile, target dependence 4–9458
- atom, K X-ray emission spectra, Br^{9+} bombard. L-shell vacancy production 4–36446
- atom, simult. K- and L-shell ionization by fast deuterons, alpha particles 4–9459
- Auger data, electron-excited, effect of modulation amplitude 4–28980
- Auger spectra, high resolution, effect of oxidation 4–33539
- billet, microstruct. developed under hydrostatic press. at room temp. 4–37843
- billets produced by explosive pressing, physico-mech. props. *(Russian)* 4–33840
- chemical reactivity with hydrogen, kinetic study, reln. to phase transformation 4–15973
- coating, diffusional, on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4–15052
- coating with TiC by reactive ion plating 4–13776
- creep, elec. and mag. field effects 4–33813
- crystal growth, solid phase electrotransport apparatus *(French)* 4–33601
- cyclic dynamic loading, shear u.s. second harmonic variation *(Russian)* 4–4123
- deformation kinetics, evaluation of stress relax. method 4–25358
- diffusion in Al along dislocations *(Russian)* 4–16620
- dislocation loop, prismatic, equil. shape 4–21293
- dislocation-hydrogen interaction, internal friction damping peak obs., α-phase specimens 4–33693
- electron irradiation damage, defect clusters 4–24489
- electron momentum distrib. and renormalised-free-atom model 4–20516
- electron spectra using electron mag. spectrometer *(Russian)* 4–18699
- electronic structure determ. by Green's function method 4–32857
- exploding wire, high energy density, X-ray emission 3 to 25 keV 4–9780
- fatigue crack growth rates, macroscopic and microscopic approach, α-Ti specimens 4–29165
- film, adhesion to Al_2O_3 ceramics, high temp. contact angle, bonding 4–1615
- film, back-scattering energy loss parameter meas., using He^+ 4–17153
- film, thin, on SiO_2, silicide formation, low temp., backscattering expts. 4–6571
- fretting corrosion and fretting fatigue 4–4157
- friction, high temp., Ti and TA6V alloy *(French)* 4–29144
- K X-ray excitation by 0.7-2.1 MeV protons, obs. 4–21105
- liquid, spreading over pyrographite 4–32796
- mechanical strength, interstitial content and grain size effect 4–1558
- micro-inhomogeneous strain effects on microhardness determ. 4–21506
- nuclear reactor, U rod endings, construction *(Czech)* 4–5918
- orientation texture by selected area electron channeling patterns 4–1541
- oxidation, monolayer range, obs. by static method of secondary ion mass spectrometry 4–24657
- perforation of thin sheet, CO_2 continuous wave laser energy density 4–2630
- permeation of hydrogen, mass spectroscopic obs., α-Ti specimens 4–7067
- phase transformation on quenching, β-α, kinetics meas. 4–25291
- phonon thermal conductivity determination 4–6602
- plastic flow, thermally activated deform. at low temp. 4–7212
- powder metallurgy, trajectories in high-freq. N plasma flow, injection rate influence *(Russian)* 4–21367
- powder metallurgy processes, resulting mechanical properties *(French)* 4–41784
- r.f. sputtering, film deposition by, using spherical Ti cathode *(Japanese)* 4–37748
- solubility in Al melt 4–7060
- stress relaxation tests 4–17496
- stress relaxation tests of low temp. deform. kinetics, α-Ti wire specimens 4–13795
- stress/strain curves empirical analysis 4–13701
- submonolayer detection by electron microprobe analysis 4–1181
- surface emission phenomena, at nonstationary heating by Ar-air low temp. plasma flow *(Russian)* 4–41443
- surface impurity segregation as monitored by Auger electron spectroscopy 4–10037
- thick target yields of K X-rays by fast heavy ion bombardments 4–5968
- undercoating for vapour-deposited Au film electrodes 4–1714
- wire, swaged and recrystallized, effects of interstitial content on texture 4–1515
- work hardened, recovery and recrystallisation, effect of annealing *(French)* 4–37944
- α-Al_2O_3:Ti^{3+}, highly diluted, electronic Raman transitions obs. 4–25111
- B_4C/Ti laminate, tensile props., ribbon reinforcement 4–33880
- LiF:Ti^{3+}, X- or γ-irrad., centre form., e.p.r., ENDOR 4–24990
- (Ni-Tb)-Cu composite, supercond., crit. current, mag. torque meas. 4–26552
- NiFe ferrite:Ti, induced mag. anisotropy, relax. effect intensities depend. on Ti doping 4–37435
- Ti I lines, experimental oscillator strengths, electric arc emission *(German)* 4–19708
- Ti XIX, 2s-2p transitions in solar spectra 4–2039
- Ti^{4+}, dipole polarisability calc. by variational method *(French)* 4–15992
- Ti(III) oxidation by hydrogen atoms, rate const. 4–1704
- TiO_2:Ti^{4+}, multi-electron satellites in core electron photoemission from $3d^0$ ions 4–17158
- TiSiCW composite, stability investigation 4–7345
- V_2O_5:Ti, single cryst., electrical conductivity 4–6628

titanium alloys
see also titanium compounds
acoustic emission from low-cycle high-stress-intensity fatigue 4−7388
b.c.c., with ω-phase, short-range struct. soln., models 4−1027
binary, negative temp. coeff. of resist. w.r.t. metastable beta phase 4−25315
in Borsic/Al composite, effect on transverse creep and stress-rupture 4−13865
composite, Be fibre reinforced, prep. and mech. characteriz. 4−17424
composite, Borsic/Ti alloy, tensile props. and fracture modes 4−1652
composite, filament reinforced, off axis tensile behaviour 4−1653
composite, filamentary reinforced, fatigue and creep behaviour 4−1663
composite produced by hot rolling in vacuum 4−17423
crack detection, u.s. shear wave techniques, topography role in small crack meas. and detection ability 4−25449
crack resistance, preloading in air and water influence, test apparatus, VT-14 alloy *(Russian)* 4−41918
cracking during ageing, VT22 4−33795
creep, short-term, 400-600°C, OT4 alloy 4−7200
embrittlement by hydrogen, α-β type alloys 4−21359
fatigue and fracture of 17 alloy, thermomech. processing and heat treatment effects 4−29156
fatigue crack propagation in α-phase alloys, effects of load ratio, grain size and interstitial content 4−41719
fractographic investig. 4−7199
fracture and deform. behaviour of 4.2 K, A-70 specimens 4−29154
fracture low temp. 4−41733
fracture toughness, H content effect *(Russian)* 4−21308
fracture under plastic deformation, exptl. anal. *(Russian)* 4−37888
fretting corrosion and fretting fatigue 4−4157
friction, high temp., Ti and TA6V alloy *(French)* 4−29144
heat treatment, mechanical properties, aerospace construction applic. *(French)* 4−33751
high strain rate tests using unique rate testing machine 4−29272
high-strength IMI 550, fractographic interpret. of subcrit. cracking 4−41648
high-strength IMI 550, fracture toughness, aqueous stress corrosion and crack propag. 4−33753
hot extrusion, dislocation kinetics role 4−29187
precipitation of ω and α phase in RMI alloy 4−25340
resistance to repeated static loads, effect of surface layer depth and hardness, quenched and aged alloy 4−33796
round-compact-tension specimen geometry for K_{Ic} meas. *(German)* 4−21531
steel, structural, 15KhGNTA, with Ti, austenite grain growth 4−7082
strength differential effect 4−21338
stress corrosion, electrochem. model 4−41716
stress corrosion, electrochem. model 4−41718
stress corrosion cracking, role of pH 4−41647
structural changes during high-temp. thermomech. treatments *(Russian)* 4−21304
subcritical crack growth detection using cracking opening meas. 4−29159
surface characterisation by scanning electron microscopy 4−3626
Ticonal, mag. props. optimization, exptl. design method 4−41746
Ticonal alloy, mag. props., extremal change with isothermal thermomagnetic treatment 4−13327
Ticonal four-pole rotary magnets, heat treatments 4−13328
titanisation and zirconisation of metallic surfaces *(Japanese)* 4−13739
two-phase, void form., void growth and tensile fracture, rel. to microstruct. 4−7056
VT-8, VT-5, thermophysical, electrical and elastic properties meas. 4−4130
wear resistance and mech. props., chem. and thermal treatments influence *(Russian)* 4−7174
weldment, mech. props. after annealing, VT20 4−33798
Al-Ti(0.60 wt.%), decomp. reactions 4−21264
Au-Ti, precipitation hardening 4−4113
Co-Fe-Ti alloy, semihard permanent magnet, origin of coercivity 4−10290
Co-Ni-Ti, dispersion hardening and dislocation struct. *(Russian)* 4−29095
Co-Ti, scanning transmission electron microscopy 4−3434
Co-Ti, thin foil, SREM obs. of stacking faults 4−21278
Cr-Ti system, phase transforms. and structs. up to 1390°C *(Russian)* 4−7026
Cu-Ni-Ti, precip. of Ti, coarsening obs. 4−33684
Cu-Ti, age hardened, modulated structs. and strengthening 4−17286
Cu-Ti, ageing, fine structure changes *(Russian)* 4−17231
Cu-Ti, decomp. process 4−17287
Cu-Ti, metastable precipitate cryst. struct. 4−29073
Cu-Ti, metastable precipitate cryst. struct. 4−29074
Cu-Ti, precip. of Ti, coarsening obs. 4−33684
Cu-Ti, precipitate/matrix interfaces, TEM obs. 4−17264
Cu-Ti, sideband type, precip. processes 4−7072
Cu-Ti alloy, heat-treatable, prep. and props. *(German)* 4−37996
Cu-Ti alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Ti dil. solid solns., internal oxidation kinetics and structures 4−17259
Fe-Cr (10-16 at.%)-Si (5-6 at.%)-Ti (2 at.%) alloy, precip. and hardening mechanisms, hardness, yield strength, ageing *(French)* 4−33782
Fe-Cr-Mn-Si-Ti ferritic-martensitic alloy, struct. hardening, effect of Mn content *(French)* 4−37942
Fe-Cu-Ti-C, dispersion hardening, slip and dislocation struct. *(Russian)* 4−4080
Fe-Mn-Si-Ti martensitic alloy, struct. hardening, effect of Mn content *(French)* 4−37942
Fe-Ni-Ti, two-stage ageing, effect on mech. props. and struct. *(Russian)* 4−37871
Fe-Ni-Ti alloy, N25KhT2, martensite transform. kinetics and martensite morphology on aging 4−1467

titanium alloys continued
Fe-Ti(0.7 wt.%), stress relaxation tests, machine stiffness effects 4−13971
$Fe_{1-x}Ti_{1\|x}$, CsCl-type compound, Kondo effect in transport props. 4−37214
Mo-Ti-Zr-C, dil., intercryst. internal adsorption *(Russian)* 4−37826
Nb-Ti, effect of cold work, heat treatment on superconductivity 4−33079
Nb-Ti, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Ti, monofilamentary superconducting wires *(Czech)* 4−13243
Nb-Ti-Zr filaments, in Cu matrix, supercond. composite conductor, a.c. losses and twisting effects 4−28554
Nb-Ti-Zr solid solns., diffuse scatt., short-range displacement order, struct. models *(Russian)* 4−29027
Nb-Ti-Zr system alloys, diffuse X-ray and electron scatt. obs. *(Russian)* 4−21249
NbTi, (50 wt.%), supercond., crit. current density j_c(B,T), proton irrad. influence 4−3800
NbTi superconducting coil, use for heavy ion cyclotron 4−22933
Ni-Al-Cr-Ti-Mo-W superalloy system, phase stability, 850°C 4−13617
Ni-Cr-Ti-Al, metallography of Au-Ni brazed joints *(German, English)* 4−41586
Ni-Nb, thermomech. treatment effects on mech. props., precip. kinetics 4−25387
Ni-Ti, local order parameter, plane stability ratio, field evaporation rate meas. 4−17253
Ni-Ti alloy, memory effect rel. to shape and martensitic transform. 4−13709
NiAl-Ni_2AlTi, semi-coherent, creep strengthening effect of precip. stabilized dislocation networks 4−21336
Ni_2AlTi, deformed at high temp., sublattice antiphase boundary obs. 4−17268
Ni_2AlTi, sublattice dislocation pairs 4−7105
Pd-Ti, diffusion, electron probe analysis, intermetallic phase form. *(German)* 4−1145
Pt-Ti, field ion microscopy, bright images, 1000°C, high voltage on specimen 4−11621
Pt-Zr(Ti,Al), microalloyed, rel. to high temp. strength 4−13722
β-Ti alloy RMI (38-6-44), omega phase form. 4−41686
Ti welded α-alloy, distrib. of H in thermal influence zone allowing for thermal diffusion *(Russian)* 4−4083
Ti-Al, Al conc. and precip. effects on plastic behaviour 4−13692
Ti-Al, α-phase decomp., resist. and TEM obs. 4−37796
Ti-Al, single crysts., deform. modes 4−17334
Ti-Al, solid soln. strengthening 4−37926
Ti-Al, TiAl6V4, recrystn. process *(German)* 4−37860
Ti-Al-B coating, diffusional, on steel, conc. distrib. of C, spectral analysis, photoelec. method *(Russian)* 4−15052
Ti-Al-H, hydrogen embrittlement inhibition by Al alloying 4−33747
Ti-Al-H and Ti-Al-V-H systems, press. depend. solubility of hydrogen, 800-1000°C *(German)* 4−37817
Ti-Al-H and Ti-Al-V-H systems, hydrogen solubility, 800-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
Ti-Al-Mo-V, stress corrosion cracking in aqueous environments, subcrit. crack propag. kinetics 4−13706
Ti-Al-Mo-V, stress corrosion cracking in aqueous environments, plastic zones and crack morphology 4−13707
Ti-Al-Mo-V, subcrit. crack growth in salt water 4−7160
Ti-Al-Nb, development for use at 750°C *(German)* 4−33821
Ti-Al-Sn, microstruct. influence on low temp. creep 4−13696
Ti-Al-Sn-Zr-Mo, fatigue crack propag., acoustic emission obs. 4−33941
Ti-Al-V, creep resistance enhancement 4−7146
Ti-Al-V, electron beam induced mech. and metallurgical changes 4−29155
Ti-Al-V, fatigue crack growth retardation after single-cycle peak overload 4−7116
Ti-Al-V, fatigue crack propag. under low and compressive mean stresses 4−29167
Ti-Al-V, forging process and microstruct. effect on fracture toughness 4−29158
Ti-Al-V, metastable β-phase effect on phase transform. *(German)* 4−7038
Ti-Al-V, stage II fatigue crack propag. parameters 4−29168
Ti-Al-V, texture effect on fatigue crack growth 4−29169
Ti-Al-V, thermomech, processing effect on fracture toughness 4−29157
Ti-Al-V, thickness effect on sustained load crack propag. in salt soln. 4−33834
Ti-Al-V alloy, fatigue crack growth, microstructural effects 4−41704
Ti-Al-V alloy, fretting fatigue damage threshold concept 4−33819
Ti-Al-V and Ti-Al-V-Sn, corrosion fatigue crack propag. in aqueous and methanolic environments 4−29170
Ti-Al-V castings, weld repair effects on creep props. 4−33837
Ti-Al-V forgings, metallurgical struct. and mean stress effect on fatigue behaviour 4−29166
Ti-Al-V sheet, elastic anisotropy calc. from pole figure data 4−7069
Ti-Al-V T-A6V and T-A6V6E2 alloys, mech. and fatigue characts. *(French)* 4−41724
Ti-Al-V-Sn, transform. diagram in continuous solidification, acicular and pseudomassive martensites *(French)* 4−17191
Ti-Al-V-Sn-Zr alloy, $TA_6V_6F_2Zr$, continuous cooling transforms. *(French)* 4−21220
Ti-Al-V(-Mo)(-Sn), heat treatment responses comparison, strengthening obs. 4−17307
Ti-Al-Zr alloy, effect of O_2 on modulus of elasticity, elec. resistivity, hardness and mech. props. 4−33793
Ti-Al-Zr alloy with elevated O content, mech. props. of weldments 4−13718
Ti-Al(6 wt.%), ductile grain boundary fracture, intersection of boundaries by slip bands *(Russian)* 4−17295
Ti-Al(6 wt.%)-V(4 wt.%) alloy, stress corrosion cracking, initiation 4−21301
Ti-Al(8 wt.%), fractography of stress corrosion 4−10604
Ti-C, carbide phase physico-chem. analysis *(Russian)* 4−21403
Ti-C, thermally activated deform. below 0.4 T_m 4−41772

titanium alloys continued
Ti-C(Ni)(O), room temp. hardness, grain size and interstitial content depend. 4−29138
Ti-Cu martensite orientation relationship and habit plane 4−7065
Ti-Cu-Al system phase equil. and phase form. studies *(Russian)* 4−7034
Ti-Cu-Si, ternary phase diagram at 800°C *(German)* 4−17197
Ti-Fe-Al system phase equil. and phase form. studies *(Russian)* 4−7034
Ti-Hg system, intermetallic phase studies *(German)* 4−1477
Ti-Mn-Zr-Sn, beta III type, precipitate form. effect on damping capacity and modulus in a.f. range 4−17363
Ti-Mo, dil., $\beta \rightleftarrows \alpha$ transform. 4−33655
β-Ti-Mo, metastable, relax. processes, internal friction peaks 4−1484
Ti-Mo, nucleation and precip., small-angle X-ray scatt. obs. 4−37830
Ti-Mo, omega phase formation *(French)* 4−41544
Ti-Mo, superconductivity and b.c.c. phase stability 4−20721
Ti-Mo-Al, α-phase precip., Burgers relation 4−25339
β-Ti-Mo-Al, dispersion-hardened, mech. props. correl. with microstruct. and role of slip mode 4−7163
Ti-Mo-Al, phase transformations 4−7045
Ti-Mo-Zr-Sn, beta III, heat treatment effect, mechanical props. 4−25359
Ti-Mo-Zr-Sn, deformation struct. 4−10590
Ti-Mo(21 wt.%), thermotransport of oxygen 4−7326
Ti-N, stress relax. tests at 300 and 400 K 4−29139
Ti-Nb, omega phase formation *(French)* 4−41544
Ti-Nb, supercond. and struct. changes under press., X-ray anal. 4−13253
Ti-Nb, superconductivity and b.c.c. phase stability 4−20721
Ti-Nb alloy, superconducting, props. and struct. 4−13246
Ti-Nb-Zr-Ta, superconducting transition temp., resistive critical field rel. to comp. *(Japanese)* 4−3789
Ti-Nb(30 wt.%)-Zr(30% wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4−25301
Ti-Ni, martensite transformation obs. by electron microscopy 4−1474
Ti-Ni, nearly stoichiometric, stress and transform. cycling effects on transition behaviour 4−37793
Ti-Ni, phase comp., elec., elastic and thermal props. 4−13614
Ti-Ni-Al system phase equil. and phase form. studies *(Russian)* 4−7034
Ti-O, β-α transform. on quenching, kinetics meas. 4−25291
Ti-O and Ti-Al-O, X-ray line broadening, oxygen effect 4−17288
Ti-O interstitial solid, soln., thermally activated deform. below $0.4T_m$ 4−41770
Ti-Pd system, eutectoid region obs. 4−13603
Ti-refractory elements, mech. props., struct., and phase composition 4−33794
Ti-Si, creep rates, microstruct. and Si content depend. 4−33830
β-Ti-V, deform. modes and textures, X-ray exam. 4−41580
β-Ti-V, metastable, relax. processes, internal friction peaks 4−1484
Ti-V, superconductivity and b.c.c. phase stability 4−20721
Ti-V-H and Ti-Al-V-H systems, press. depend. solubility of hydrogen, 800-1000°C *(German)* 4−37817
Ti-V-H and Ti-Al-V-H systems, hydrogen solubility, 80-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
β-Ti-V(40 at.%), precip. hardening, Si additions 4−29088
Ti-W-C system, phase diagram 4−1465
TiB_2 alloy, high-melting, hard, classical sintering, reaction sintering and hot pressing *(German)* 4−13806
TiC base alloy containing 1Kh18N9T steel, friction and wear in vacuum at low temp. 4−37959
TiCo, X-ray emission, line shifts, band spectra 4−25189
TiFe, X-ray emission, line shifts, band spectra 4−25189
$TiGe_2$-Ge eutectic system, unidirectionally solidified microstructs. 4−13592
TiNi, equiatomic, martensitic transform. morphology 4−33656
TiNi, mech. memory effect, orthopaedic bone plate applics. 4−30218
TiNi, near-equiatomic, lattice instability and martensitic transform. 4−29050
TiNi, near-equiatomic, transition phase behaviour 4−37794
TiNi, X-ray emission, line shifts, band spectra 4−25189
TiNi intermetallic, Al influence on age hardening and mech. props. *(German)* 4−21351
Ti_3Sb, optical reflectivity obs., density of states 4−25126
Ti_3Sn, ordering of hydrogen and absence of hydride precip. 4−7058
U-Mo-Nb-Zr-Ti, strengthening mechanism, Widmanstatten structure 4−29087
U-Ti, α-phase, mech. characteriz. 4−17343
U-Ti(2.5 at.%), isothermal precip. kinetics, resist. obs. *(French)* 4−25322
V:Ti(20%), oxidation effects in Li corrosion, fusion reactor applications 4−23865
V-Cr-Ti alloy, α-irrad., mech. behaviour, 700-900°C 4−1041
V-Ti-N system phase studies *(Russian)* 4−7025
Zn-Cu-Ti alloys, precip. reactions investigation by electron microscope-microanalyser 4−17291
Zn-Ti hypereutectic alloy, unidirectionally solidified, microstructure *(Japanese)* 4−25326

titanium compounds
see also titanium alloys
disulphide/alkali metal intercalation cpds., struct. and bonding *(French)* 4−36869
titanate glasses, compared to silicate, γ-irrad., e.s.r. spectrum 4−16971
titanate perovskites, i.r. investigation of order on larger cation sublattice 4−25092
titania, catalyst support, adsorption isotherms of N_2, O_2, CO 4−37087
titanite containing silica glass, small-angle neutron scatt. 4−36813
tris(cyclopentadienyl)titanium, cryst. and mol. struct. 4−24464
Bi_2O_3-TiO_3 system, liquidus, thermobalance and differential thermal analysis determ. 4−28187
Ca-Fe-Ti-O system, spinel solid solns., mag. props. and lattice parameters, conc. depend. 4−13300
$(Sc_{1-x}Ti_x)_2O_3$, elec. cond., comp. and temp. depend. 4−13179

titanium compounds continued
Ti, complex, biscyclooctatetraenyl, i.r. and Raman spectra, vibr. assignments 4−40278
Ti complex, $(C_3H_5)_2TiS_2(CH)_2$, metallocene, struct. *(German)* 4−9911
Ti-Nb oxides, electron micrographs of crystal lattices, periodicity in thickness 4−996
Ti^{3+} fassaite, from Allende meteorite, reinterpretation of absorpt. spectra 4−2095
Ti^{3+} fassaite from Allende meteorite, absorpt. spectra 4−2096
TiB_2, creep during hot pressing *(Russian)* 4−21415
TiB_2, $M_{II,III}$ X-ray emission bands of metal ion 4−37704
TiB_2, prep. and applics., review 4−7317
$TiBr_4$, INDO MO calcs., ground state config., ionisation potential 4−31783
TiC, activated reactive evaporation, microhardness rel. to struct. 4−21419
TiC, creep during hot pressing *(Russian)* 4−21415
TiC, enthalpy, specific heat homogeneity region, 1300 to 2500K 4−33858
TiC, homogeneity region, two struct. types for different C conc., X-ray obs. *(Russian)* 4−37013
TiC, mech. and thermal characts. interpret. *(German)* 4−7301
TiC, thermionic emission, effect of refractory metal addition and coating with pt group metals 4−21150
TiC, vacuum condensates characteriz. for use as resistive elements *(Russian)* 4−41810
TiC, with metallic coating, thermal electron emission characts. *(Russian)* 4−21142
TiC and alloyed TiC-VC, elastic moduli 4−38018
TiC coatings, reactively ion plated, comp. rel. to deposition parameters 4−13776
TiC coatings, vapour phase deposition on hard metal substrates 4−13764
TiC on cross-polished steel, microanal. investigations *(German)* 4−37839
$TiC_{0.95}$, diffusion of ^{95}Nb from 2000 to 2260°C 4−1143
$TiC_{0.98}$ explosion effects on struct and props. *(Russian)* 4−33852
TiC_x, nonstoichiometric, electronic struct., X-ray spectra obs. 4−41447
TiC_x, thermo e.m.f. and elec. cond. meas. 4−3737
TiCO, TiCN, TiC, X-ray K-emission spectra, energy spectra of ternary compounds, electronic struct. 4−13531
TiC_xO_y, cubic, unit cell space filling, conc. depend. 4−32557
$TiCl_4$, INDO MO calcs., ground state config., ionisation potential 4−31783
$TiCl_4$ complexes with S-containing organosilicon cpds., dipole moments and u.v. spectra 4−6029
TiH, low-lying electronic states, approx. Hartree-Fock wavefunctions 4−27619
TiH_2 thermal decomposition kinetics 4−25481
TiI_3, electrical conductivity obs., temp. depend. 4−16748
TiI_4, INDO MO calcs., ground state config., ionisation potential 4−31783
TiI_4, i.r. spectra, vibr. freqs. 4−9528
TiN, creep during hot pressing *(Russian)* 4−21415
TiN, powder metallurgy, trajectories in high-freq. N plasma flow, injection rate influence *(Russian)* 4−21367
TiN, refractory, X-ray emission spectra 4−37703
TiN powder, hot pressing, creep rel. to densification 4−17406
$TiN_{0.98}$, $TiN_{0.87}$, powder, evaporation in homogeneity region 4−7287
TiN_x, real structure in homogeneity range 4−41821
TiN_x, x=0.95, 0.92, 0.88 and 0.86, activated sintering *(Russian)* 4−21413
$Ti(NO_3)_4$, $SiCl_4$ soln., Raman spectrum, molecular force constant calc. 4−25106
TiO, abundance in M-stars' atmospheres *(Russian)* 4−38798
TiO, singlet and triplet states, molecular constants 4−36503
TiO/SiO_2, 9-layer filter interf. coating, spectral characts. before and after cementing between glasses 4−18471
TiO_2, ^{18}O self diffusion using $^{18}O(p,\alpha)$ ^{151}N resonance 4−37036
TiO_2, crystallisation agent, for SiO_2-Al_2O_3-MgO-Li_2O glass-ceramic *(Polish)* 4−29201
TiO_2, diffusion of tritium, 155-300°C 4−37038
TiO_2, dynamic compressibility, appearance of high density low compressibility states anion contact sublattice form. 4−28211
TiO_2, evaporated films, amorphous and cryst., electron microscope obs. and phonon spectroscopy 4−12861
TiO_2, guide to past oceanic spreading rates 4−10818
TiO_2, in metamict AB_2O_6 rare earth oxides VHN_{50} values, reflectance determ. 4−4319
TiO_2, manufacture of thin layers *(German)* 4−4036
TiO_2, paraelectric resonance observations 4−3926
TiO_2, powdered, work function variation investig., experimental set-up *(French)* 4−33018
TiO_2, powdered, work function variation investig., rel. to u.v. O_2 photodesorpt. *(French)* 4−33019
TiO_2, reduced rutile, resist., 300K to exhaustion range 4−32942
TiO_2, rutile, flux-grown crysts., elec. props., B incorporation effects 4−41034
TiO_2, rutile, photocond. and photolum. kinetics of luminesc. centre 4−37678
TiO_2, rutile, water vap. adsorption, monolayer, differential enthalpy, entropy 4−28282
TiO_2, sintered, with transition element oxides, physical characterization 4−21418
TiO_2, surface optical vibrs., dispersion relations anisotropy 4−13085
TiO_2, thin layer growth, morphology investig. rel. to substrate temp. and film thickness *(German)* 4−21179
TiO_2 influence on vitreous SiO_2 thermal expansion 4−16605
TiO_2 thin films, cross-sectional struct., electron microscopy replica technique 4−11634
$TiO_2:Al^{3+}$, rutile crystals, e.p.r. studies 4−6788
TiO_2:Cr, for L-band travelling wave maser applic. 4−5481
$TiO_2:Cr^{3+}$, dilute spin system, n.m.r. lineshape, energy transfer dynamics 4−41279
$TiO_2:Fe^{3+}$, e.p.r., cryst. defect struct. anal. 4−41247
TiO_2:Nb, e.p.r., temp. depend., impurity-cond. band-impurity hopping interpretation 4−33258

titanium compounds continued
- TiO_2:Ti^{4+}, multi-electron satellites in core electron photoemission from $3d^0$ ions 4−17158
- TiO_2-$BaTiO_3$ system, subsolidus phase relations, X-ray diffr. 4−32517
- TiO_2-doped glasses, optical absorpt. effects of heat treatment 4−6349
- TiO_2-SiO_2-Si-SiO_2-TiO_2 structure, discharge effect 4−20694
- TiO_x, cation self-diffusion 4−13064
- TiO_x, continuous struct. variation and rotating reciprocal lattices 4−24420
- TiO_x, soft X-ray emission and X-ray photoelectron spectra, rel. to electronic struct. 4−33515
- TiO_x film, on Ti, complex refractive index, film thickness meas. 4−6857
- Ti_2O_3, cryst. struct., semicond., V substitution effect 4−32514
- Ti_2O_3, d-electron localisation, Coulomb energy-binding energy interaction, one-electron bonds 4−16714
- Ti_3O_5, cryst. growth, vapour phase chem. transport reaction problems *(French)* 4−25242
- Ti_4O_7, electronic properties and defect. struct., e.p.r. spectroscopy 4−28684
- Ti_xO_{2x-1}, lower oxides, prep. by chem. transport reaction 4−1438
- TiON, TiO, X-ray K-emission spectra, energy spectra of ternary compounds, electronic struct. 4−13531
- TiS systems, 800 and 900°C *(French)* 4−24547
- TiS_2, valence band structure from X-ray photoemission spectra 4−1202
- TiS_2 X-ray band spectra and electronic struct. 4−33519
- Ti_8S_3, prep. and struct. determ. 4−28039
- $TiS_x(Se,Te)_{2-x}$, vap. transport growth, cryst. struct. 4−32500
- $TiSe_xTe_{2-x}$, vap. transport growth, cryst. struct. 4−32500
- $Ti_3Se_{4-x}Te_x$, heat treatment, quenching effects on struct., twinning 4−16462
- TiU_8S_{17}, prep. and crystallographic characteriz. *(French)* 4−24431
- V_5NbO_5F, rutile type cryst. struct. *(French)* 4−40773
- $V_{1-x}Ti_xO_2$, Raman spectra and cond. props., rel. to metal-insulator transition 4−20656

Tokamak devices
- adiabatic compression of discharge 4−32283
- Alcator experiment, plasma operation at low mag. fields 4−32287
- Alfven waves instability 4−32307
- anomalously confined reactor, thermal stability 4−675
- axisymmetric divertor type, design 4−32346
- axisymmetric toroidal confinement expt. with noncircular cross-section 4−32313
- axisymmetric toroidal plasma, anomalous transport 4−32284
- CLEO Tokamak experiment, current prod. 4−32285
- collisional trapped-particle instability, effect of ellipticity 4−16333
- complementary heating methods 4−982
- CTR, neutral beam heating analysis 4−20125
- diagnostic technique, H atom beam charge exchange 4−40679
- doublet II device, allel heat transport, effect on mag. configuration 4−6258
- Doublet II discharge characteristics 4−32286
- equilibrium, stability, helicoidal approximation 4−32256
- equilibrium and stability from drift-kinetic equation 4−3392
- European joint Tokamak experiment proposals *(Dutch)* 4−23908
- finger-ring Tokamak design 4−32279
- flute instability, arbitrary Tokamak cross-section 4−16335
- FM-1, simulation of confinement problems 4−32297
- FT-I, microwave absorpt. in upper hybrid freq. range 4−32231
- heating by fast neutral injection, recycling and mag. field ripple influences 4−32235
- heating experiments at Princeton 4−32223
- heating to ignition by charged particles, calc. of energy exchange 4−20124
- hydromagnetic wave heating methods 4−32222
- instability, effect of Ohmic heating during confining field diffusion 4−20131
- ion energy containment, Artsimovich energy loss scaling 4−27968
- ion source, high power high efficiency 4−30542
- ion temperature measurement, microwave scatt. 4−16273
- JFT-2, maximum current, energy confinement time 4−32278
- magnetic disturbances interpret. 4−32290
- MHD stability of equilibria with shaped cross-sections 4−32305
- MHD stability props., local meas. 4−32335
- neutral beam injection, theory 4−32238
- neutral beam injection heating 4−32233
- neutral injection heating 4−32234
- nonlinear theory of m=1 kink mode 4−32210
- NOVA, shell-less, experimental 4−27990
- octopole shell less, strong vertical mag. field, equilibria calcs. 4−20130
- ohmic heating, particle and energy confinement times 4−32224
- ORMAK, ion temperatures from Doppler broadening of H emission spectrum 4−16348
- ORMAK experiment status 4−32277
- ORMAK neutral injection heating module 4−32237
- plasma equilibrium, two-dimensional problem 4−12806
- plasma ion temperature, chrage-exchange meas. 4−24320
- pseudoclassical diffusion phenomena 4−32303
- quasiclassical diffusion processes in Tokamak plasmas 4−32171
- radial transport calcs. in discharges 4−32281
- resistivity, soln. of mag. diffusion eqn. 4−9705
- scaling laws of permeable and impermeable plasmas 4−32296
- scaling of performance 4−32345
- skin effect, energy convection, ion sound modes 4−32200
- stability, exact soln., aspect ratio depend. of MHD equilib. 4−32252
- stability, large plasma with mag. shear, trapped ion instability 4−16306
- T-6, conducting shell effect on toroidal plasma stability 4−32276
- TFR experiment, plasma current and position control 4−32289
- thermal stability of proto-reactor 4−31567
- TM-3, electron energy distrib. function 4−32275
- toroidal confinement, conf., Garching, Germany (March 1973) 4−32265
- toroidal equilibrium calc. 4−12807
- Tuman-2 device, mag. compression of toroidal plasma 4−32288
- turbulent heating w.r.t. Tokamak geometry 4−32221

Tokamak devices continued
- H plasma filament, C impurity diffusion, optical study 4−9774

tools
- *see also machine tools*
- steel, W-Mo, ductility and welding of R6M5 and R18 tool steels 4−33776

topology
- *see also graph theory*
- aerodynamic extremal fields, topological singularity *(German)* 4−24213
- compact symmetrical configurations, integral topology of phase space *(Russian)* 4−2468
- homotropy theory of mapping spaces, continuous and differentiable 4−2447
- indices in chemistry, search 4−31763
- information theory, perturbation of limited, concentric, ordered environment, appl. to chem. reactions *(French)* 4−39470
- information theory, perturbation of limited, concentric, ordered environment, appl. to chem. reactions *(French)* 4−41941
- Lefschetz fixed point theorem, admissible maps 4−35583
- nonlinear differential equations, topological properties 4−30711
- Oersted-Amperes law, geometrical description using topological manifold 4−15274
- pseudo-hilbertian space, stationary processes *(Russian)* 4−30726
- semigroups, compact, infinite products of random elements 4−8620
- sintered material, topological props., microscopic method for quantitative defn. 4−13830
- space-time, time, space and charge orientability 4−11710
- thermodynamics, neoclassical, geometry and topology of state space 4−15261
- thermodynamics, Stueckelberg's formulation, states and topology 4−19010

torque
- braking, torque on rotating sheet in stationary mag. field 4−23240
- gyroscope, influence of gyromotor torque on dynamics *(Russian)* 4−4977
- magnet in permeable fluid, torque exerted by externally applied uniform field 4−28673
- tilted magnetosphere, torque applied by solar wind 4−25794
- n-D_2 thermomagnetic torque, effects of nuclear spin 4−40359
- n-H_2, thermomagnetic torque, effect of nuclear spin 4−40359
- HD, thermomagnetic torque, effects of nuclear spin 4−40359

torque measurement
- *see also dynamometers*
- dynamometer, industrial applic. *(Italian)* 4−8319
- u.s. time-of-flight techniques 4−26464

torque meters *see torquemeters*

torquemeters
- No entries

torsion
- *see also elastic constants; stress analysis*
- anisotropic tube, thin walled, plastic torsion 4−39556
- annular beam bending-torsional vibrations compared with annular plate bending vibrations *(German)* 4−18914
- axially symmetric, of body on elastic stratum, Awojobi approx., comparison with numerical results 4−8644
- bar, cylindrical, with combined bending and twisting, anal. of steady state creep *(Russian)* 4−39554
- beam, lateral bending-torsion vibrs. under parametric excitation 4−30827
- beam, sectionally composite hollow circ. cylindrical, torsion 4−18866
- beam, thin walled, transversely braced, twisting with allowance for localised flange deformation 4−35652
- body of revolution, independence of Saint Venant's conditions under axisymmetric conditions *(Russian)* 4−2483
- brittle materials, bending and torsional strength, theory *(Japanese)* 4−29142
- capacitance strain gauge development for high temp. and biaxial testing applics. 4−26473
- Caprolon, impact strength under various strain rates and planar stress, new device 4−11446
- Casserat spherical surface, closed form general solution 4−23102
- circular bar, creep constitutive and damage relationships effect on rupture time 4−41683
- circular cylinder, cyclic elastic-plastic torsion for finite deforms. *(German)* 4−30791
- composite material beam, bending vibrs., torsion and inertia effects, elastic consts. eval. *(French)* 4−25423
- compound cylinder with cylindrical crack, load transfer in torsion 4−35671
- cylinders in torsion, boundary residual methods limitation 4−8630
- cylindrical rod coupled to infinite elastic layer *(Russian)* 4−18887
- ductile solids, unified plastic yield criterion 4−18892
- elastic bar optimal nonhomogeneity anal. 4−35632
- elastic body of revolution, nonlinear similarity 4−15163
- elastic half-space, soln. of Reisner-Sagoci problem *(Russian)* 4−18921
- elastic half-space under impulsive body force, torsional damped vibrations 4−5359
- elastic screw, stress and displacement anal. in two-dimensional problem *(Russian)* 4−35655
- elastic-plastic cylindrical shell under torsion, bifurcation 4−30799
- elastic-plastic flexure and torsion, stress determ. 4−18901
- elastic-plastic solid cylinder, calc. of second order effects 4−11752
- elastomer, stretched, under small torsions, thermoelasticity, effects of crosslinking, extension and swelling 4−21456
- elastoplastic medium, inelastic cyclic deformation, anal. of Arutyunyan-Vakulenko eqns. *(Russian)* 4−18903
- general relativity unified field theory 4−5390
- Hopkinson bar test technique 4−13968
- material line, second geodesic flexion 4−35629
- oscillations of layer bonded to elastic half-space 4−8643
- parallelogram sections, torsional consts. 4−30798
- pendulum, inverted electromagnetically excited, elastic relaxation and fatigue meas. *(French)* 4−4243
- plasticity theory, concept of slip *(Russian)* 4−35689
- polymer, rigid, creep under torsion 4−17447
- polyoxymethylene, bulk, α-relax. obs. 4−13900

torsion continued
polytetrafluorethylene, deformation study of tubular specimens *(Russian)* 4−21492
prism, equilateral triangular, longitudinal holes, method of images soln. 4−2490
prismatic columns of arbitrary cross section *(Russian)* 4−18877
rods, elastic theory, direct approach based on theory of Cosserat curve with two directions 4−26779
round bars of variable diameter, approximate analysis 4−39507
Saint-Venant torsion of circular tubes and solid cylinders 4−4205
shell, cylindrical, creep curvature under combined loading 4−30793
shells, cylindrical estimation of plastic buckling loads 4−15171
spherical annular region, second-order elastic effects, approximation 4−30743
split Hopkinson bar technique analysis for strain-rate-dependent material behaviour 4−33957
St. Venant theory, shear stress bounds 4−30751
stability loss under torsion in figs. of revolution with negative Gaussian curvature, asymptotic integration *(Russian)* 4−39498
steel, high-strength, torsional flow and fracture characts. 4−10729
steel, high-strength AISI 4340, plastic instability in pure shear 4−7147
steel, mild, influence of upper yield stress in bending and torsion behaviour 4−25355
steel tubing, stainless, elastoplastic behaviour under bending, pressure, torsion 4−29297
stress determination, from test results circular-section specimens 4−2231
strip cross section twisted bars, shear stress bounds 4−30746
thermorheologically simple material, solid rod, torsional oscill. 4−2471
thin-walled beam braced by transverse diaphragms, torsional stiffness 4−15150
vibrations, influence of air turbulence on electrooptical method of displacement meas. *(Russian)* 4−2236
Al, stress/strain characteristics of ⟨111⟩ oriented single crysts. deformed in torsion 4−41714
C fibre reinforced plastics, fibre orientation and laminate geom. effect on dynamic props. 4−33873
C fibres, single, torsion pendulum obs. of dynamic mech. behaviour 4−17428
Cu, polycryst., intermediate annealing effect on strengthening *(Russian)* 4−4121
Cu, wire, study of fatigue by resistometric method *(Czech)* 4−13688
Ni-Co alloys, electrolytic, torsional stress effect on mag. props. *(Rumanian)* 4−37452
Zn, millimicroplastic burst phenomena in monocrystals 4−1556
torsion loading *see torsion*
towers *see poles and towers*
Townsend coefficient *see Townsend discharge*
Townsend discharge
air, breakdown, computer simulation of secondary processes 4−20180
corona in He-H mixture, current/voltage characteristics 4−12825
plasma production, electron beam, field and press. depend. *(Russian)* 4−24295
transition mechanism from Townsend to normal glow discharge 4−40701
H_2, $E \times B$ Townsend discharge, secondary ionization mechanisms 4−27994
Hg, l.p., photoelectric yield from pool cathode 4−24336
O^- O_2^-, collisional detachment of electrons and ion-mol. reactions 4−19960
SF_6^-, collisional detachment of electrons and ion-mol. reactions 4−19961
tracers
see also radioactive tracers
chronic pulmonary obstruction, He tracer methodology and instrumentation 4−14629
dispersion in atmosphere and ocean, experimental data 4−34378
dispersion in flows of natural water *(Polish And English)* 4−25653
glass, silicate, ion exchange rel. to tracer diffusion 4−38165
isotopes, stable, use in medicine and life science 4−8172
magnetic fluid, ventricular end-diastolic volume meas. applic. magnetic indicator dilution method 4−22542
microcirculation analysis application 4−22541
salt, meas. of fluid dynamic props. by optical methods *(Russian)* 4−26749
O_3 as a stratosphere Lagrangian tracer 4−4638
track visualisation, elementary particles *see particle track visualisation*
track visualisation, particle *see particle track visualisation*
tracking
see also radar
meteorological observation by meteorological satellites having VHRR picture receiving equipment (RW 072) 4−34547
orbit determ. using operational worldwide transponder network 4−17822
satellite laser tracking data, short-arc analysis using segmential filtering 4−14016
tracking (insulation) *see surface discharges*
tracking (sonar) *see sonar*
tracking systems
see also ground support systems; radar systems
1 Gb/s short-pulse laser communication, acquisition and tracking systems performances 4−31091
acoustic, ground vehicles using engine noise, correlation method 4−8330
Fleurs Synthesis Telescope phase tracking system 4−22493
heterodyne monopulse receiver, 10.6 μm, Doppler tracking capability 4−19152
Mariner-10 Mercury probe 4−18080
Minitrack tracking data, ionospheric r.f. refraction effects 4−14181
radio, Fleurs Synthesis Telescope data reduction and mapping programs 4−22498
sea floor profiling by Scanned Laser and Tracking System 4−11071
semiconductor laser applic. in large-scale ships *(Japanese)* 4−11971
tracking systems continued
shipboard wave height radar system 4−14235
total phase error analysis *(Russian)* 4−4948
tracks, particle *see particle tracks*
traction
rails and electrically live wheels, Huber's electromechanical effect 4−23236
tractive effort *see traction*
trade *see commerce*
trade fairs *see exhibitions*
trade shows *see exhibitions*
traffic
see also rail traffic; road traffic
ambient noise, wind and air attenuation of traffic noise, obs. 4−39136
traffic control
see also air traffic control
road safety, speed limit optimisation, automatic speed measurement 4−5099
traffic control systems
airport noise monitoring systems 4−18273
traffic recording
semiconductor laser rangefinder application *(German)* 4−23405
traffic restrictions *see traffic control*
training
see also education; teaching
biomedical safety for electronics technicians 4−22594
electrical, of patients, training of hospital staff, case histories method, results 4−18195
hydrometeorological service personnel in USSR *(Russian)* 4−26341
integration of industrial training into course at technological university 4−14776
single motor unit, standardisation 4−26218
single motor unit, subject guide 4−26219
tramcars *see road vehicles*
transducers
see also accelerometers; acoustic transducers; extensometers; Hall effect transducers; piezoelectric transducers; pressure transducers; strain gauges
axial gradient heat flux, in low temp. range, output voltage characteristics 4−4988
biological tissue selective stimulation, d.c. field produced by implanted diode exposed by r.f. field, theoretical analysis 4−26246
brain temperature in microwave environments, electrodes design 4−35003
e.m. plane stress-wave generator for transient loading of models 4−30396
flowmeter, viscous friction, coaxial primary transducer *(Russian)* 4−15100
hot film probes, for measuring temp. and velocity fluctuation in turbulent flow, dynamic characteristics 4−35576
inductive, displacement-frequency, linearisation by differential method *(German)* 4−30400
inertia rel. to electrical correction in temperature measuring system *(Russian)* 4−8339
magnetoinductive, for meas. of electron beam pulse current and shape 4−22911
photoelectric, muscle length changes, static and dynamic measurement 4−39390
smooth muscle force transducer, electromech. analysis 4−14664
solion device, review 4−8413
thin film, phonon generation, superconducting tunnel junction 4−16564
weather forecasting and atmospheric observation, information transmission and processing *(Japanese)* 4−34374
Ni, cube textured, mag. and magnetostrictive props. for magnetostrictive transducer applications 4−33229
transfer functions
bipole cardiac current conduction, role of large veins 4−14555
electron micrographs, point resolution beyond Scherzer limit 4−5245
electron microscopy, contrast transfer functions under isoplanatic condition violation 4−5246
electron microscopy, conventional, phase contrast transfer 4−5244
electron microscopy, image reconstruction with tilted illumination, aberration and coherence effects 4−5249
electron microscopy, transfer functions for incoherent illumination 4−5250
image tube electron lens modulation transfer function meas. *(Japanese)* 4−19166
imaging system pointing precision, spread functions and MTF 4−17833
linear mass-spring system, synthesis procedure 4−30732
operational impedance method for transient exptl. data treatment, generalization *(French)* 4−34048
optical, semitransparent and phase annular apertures 4−273
phase contrast, electron microscopy, damping effects 4−22996
photographic emulsions, periodic detail reproduction, anal., modulation transfer functions 4−35336
resistance thermometer, four-pole network simulation, operating transfer function determ. 4−18395
sensor m.t.f., rel. to specification for earth resources studies 4−7804
transferred electron effects *see high field effects*
transfluxors *see magnetic cores*
transformer insulation
see also insulating oils
dielectric liquids for conduction phenomena *(French)* 4−10375
oil, air content meas., soln. *(Russian)* 4−8344
transforms
see also Fourier transforms; Laplace transforms; Z transforms
affine transformations for regional field plotting algorithm *(Russian)* 4−34103
Agranovitch-Marchenko transformation, existence of translation operators 4−11803
Backland transformation, restricted, soliton interactions 4−26760

transforms continued
canonical transformations in Bargmann Hilbert space, applications 4−2537
e.m. fields, differential geometry scaling method, outline, waveguide couplers 4−30950
e.m. wave depolarisation in multilayer structures, generalised field transform for arbitrary source distrib. 4−8750
Foldy-Wouthuysen, inconsistencies for spin >1 4−35925
gauge-variance of Dirac bracket 4−8672
Hadamard, seismic pulse contraction *(French)* 4−29708
Hadamard transform spectrometry, effects of changing spectrum 4−14885
Hankel, heat conduction, appl. to transient heat flow in plate with hole 4−23226
Hankel integral rel. to action of shear forces on inhomogeneous semispace *(Russian)* 4−15158
harmonic oscillator transformation bracket, computation techniques 4−2780
heat transfer to fluids in annuli, unified anal. 4−32050
Hilbert, applic. to bright-field electron microscopy 4−39376
Hilbert, applic. to phase retrieval from amplitude information 4−39481
integral, differential eqns. for deflection of sandwich plates 4−26776
integral, for discrete lattice simulation of transient motions in elastic and viscoelastic composites 4−17419
integral, for soln. of neutron transport in spherically symmetric nonuniform media *(Russian)* 4−15937
integral equations with weak singularities transformation, static fields in piecewise homogeneous media *(Russian)* 4−35607
lattice statistics, generalising weak-graph theorem and including duality transformation 4−239
Mangler, generalisation for axisymmetric boundary layers 4−20001
Mellin, mag. field of spherical coil cal. applic. *(Polish)* 4−5439
neutron transport kernel, three-dimensional, linear integral transformation generation 4−27378
nonlinear hereditary media, reduction to nonlinear theory of elasticity 4−11735
optical diffractometer for opt. transformation of X-ray diffuse scatt. patterns 4−16392
optical transform mask, fast i.r. spectral transform imager 4−14873
oscillatory integrals with infinite limits, evaluation using general nonlinear transformation 4−23085
point transformations in quantum mechanics 4−2538
power law, Earth flattening approximation in body wave theory 4−21795
Power Zienau Woolley transformation generalisation, atomic field equations 4−35946
Radon, in holographic interferometry 4−5473
simplex, of spin 1/2-Ising model 4−8723
supergauge transformations in four space-time dimensions 4−35934
vector harmonic fields, geodetic applic. of conformal transformations 4−34093

transient response
acoustic frequency response function for random stationary data 4−30277
e.m. wave propagation, tropospheric, surface duct overlying cond. plane earth 4−29566
e.m. wave scattering, determination by augmentation technique, sphere example 4−30960
laser rods, elect. analogy of transient heat flow 4−26981
LMFBR overpower transients fuel sweeping assumptions in HEDL model 4−40096
logarithmic amplifier, rel. to fast transient reactor excursion monitoring 4−30589
m.o.s. capacitor, under localised photoexcitation 4−28494
nuclear reactor, water-cooled, compartment pressure transients from pipe breaks outside containment 4−40106
nuclear reactor short-term blowdown transients, following loss-of-coolant accident 4−40104
singularity expansion method, currents and e.m. fields 4−30944
square wave sounding pulses, optimal length, e.m. transient method *(Russian)* 4−11013
transient signal, estimation of spectra, correl. functions 4−35114

transient stability *see stability*

transient voltages *see transients*

transients
see also surges
electrocrystallisation, multilayer formation and potentiostatic transients 4−4261
e.m. wave scattering perfectly conducting rotationally symmetric body 4−35794
l.f. voltage sources, textile industry, conference, Charlotte, N.C., USA (1973) 4−8254
magnetic cores with rectangular hysteresis, transient processes in, taking account of eddy currents, analysis *(Russian)* 4−33208
magnetic field production, and Faraday rot. meas. in rare earth garnets *(French)* 4−35355
m.i.s. electroluminescent devices 4−13227
nuclear fuel mech. response to rapid heating 4−3051
nuclear fuel problems in fast reactor safety analysis 4−3050
nuclear reactor power transient, fuel swelling, HORSE code approach 4−672
peripheral ear frequency selectivity, nonsimultaneous masking 4−42567
photoelectret memory elements 4−3932
power surge, rel. to dryout onset in nuclear reactors 4−9334
semiconductor evaluation, automated digital meas. of capacitance transients 4−5105
thermal in power channel of nuclear reactor in bottom flooding expts. 4−9333
GaAs-Au Schottky barrier diode, deep impurities, transient capacitance obs. 4−20686

transistor-transistor logic
see also logic circuits
monolithic IC, junction-isolated, failure susceptibility levels under ionising radiation, obs. 4−40140
in Siwarex 5 digital weighing machine *(German)* 4−35180

transistors
see also bipolar transistors; field effect transistors; phototransistors; thin film transistors
temperature meas. using thermostat *(German)* 4−35214
Si, fabrication, B diffusion into Si, from glassy B organic films *(Russian)* 4−21208

transit time devices
see also IMPATT devices
No entries

transit time noise
No entries

transition functions *see transfer functions*

transition metal alloys
see also alloys of individual transition metals e.g. nickel alloys
see also transition metal compounds
amorphous metal-rich germanides, prep. and characteriz. 4−36809
atomic model for alloying behaviour 4−13583
binary intermediate phase stability, μ, χ, Cr_3Si type phases 4−33654
dilute, electronic struct. of punctual defects extended Koster Slater model *(French)* 4−24679
dilute, secondary ion emission, autoionizing model *(French)* 4−37723
localized moment formation, exptl. bulk properties, review 4−24704
magnetic moment formation, role of s-d bond 4−33136
rare earth pseudobinary compounds, mag. interactions 4−3831
rare earth-transition metal intermetallics, Laue phase studies *(Russian)* 4−7033
rare earth-transition metal-aluminium ternary systems, Laue phase obs. *(Russian)* 4−7032
secondary ion yield, solute atom depend. *(French)* 4−37722
superalloy, electron concentration considerations 4−6585
superconducting transition temperature, rel. to phase diagram, type $A_3B(\beta\text{-W})$ 4−33059
superconductive transition temperature, additive model 4−24871
superconductivity theory using coherent potential approximation 4−33053
ternary systems, concentration dependence of superconductivity transition temperature 4−3791
thermodynamic properties, specific heat, heat of formation 4−32719
Al-3d transition metal alloy, ^{27}Al n.m.r. quadrupolar line broadening 4−1356
V-transition metal alloys, n.m.r. and mag. props. investigation 4−37518

transition metal compounds
see also compounds of individual transition metals e.g. nickel compounds
see also transition metal alloys
borides, dilute, electronic sp. ht. obs. 4−24950
carbide on cross-polished steel, microanal. investigations *(German)* 4−37839
carbides, coupled supercond., phonon anomalies at T_c 4−41161
carbides, mech. and thermal characts. interpret. *(German)* 4−7301
carbides, mech. characteriz. w.r.t. bond strength 4−7312
carbides, phonon disperson relation, free electron screening 4−40854
carbides, use in high-strength sintered alloy steel prod. 4−7241
carbides and alloyed carbides, elastic moduli 4−38018
chelate, nitrilotriacetic acid, i.r. spectra 4−41374
chelate extraction and formation constants, continuous variations determ., computer approach 4−11648
chelates with mixed ligands, intramol. transmetallic charge transfer transitions 4−3988
complex, chemical shift determ. of mol. struct. 4−36547
complex, hexakis-(pyridine-N-oxide) metal (II), far i.r. spectra, metal-ligand vibrations 4−13449
complex, paramagnetic susceptibility calc. using ligand field theory 4−33131
complex, pentagonal pyrimidal seven-coord., bonding and MO theory 4−5984
complexes, cryst. growth from soln., mol. sieve media 4−33598
complexes, high energy photoelectron spectra, changes in core level shifts between free and complexed CO 4−27737
complexes, linear expression for first nine electronic transitions of octahedrally coordinated d^n ions 4−3705
complexes, metal-ligand bonds, e.s.r. interpret. 4−16982
complexes, relation between stability const. and carbonyl stretching frequency 4−6114
complexes, vibronic spectra, two-dimensional potential surface 4−33385
π-complexes and derivatives, ^{13}C n.m.r. spectra and shielding of ligand nuclei 4−856
complexes of 3d transition metals with adsorbed NO, LCAO calc. 4−3100
diborides, contact reaction with liq. metals 4−41820
dichalcogenide, band struct. and photoemission 4−37737
dichalcogenide layer compounds, band struct. calc. using augmented plane wave method 4−32876
dichalcogenides, layer-type, band structure and rel. props., review 4−20545
dichalcogenides, review of properties 4−16711
dichalcogenides charge density wave, superlattice formation 4−40782
electro-optical coefficients, transition metal niobates on $BaTiO_3$ single cryst. base 4−13412
electron transfer band in chlorine K-X-ray absorpt. spectra 4−21094
energy band calculations 4−28348
group VIA hexacarbonyls, valence region photoelectron spectra 4−27736
layered dichalcogenides of group IVb, Vb, VIb transition metals, struct. and binding 4−40778
monoxides, electronic structure 4−20548
nitrides, entropy calculation 4−20421
nitrides, mech. and thermal characts. interpret. *(German)* 4−7301
oxides, crystallographic shear planes 4−24441
oxides, diffusion, review 4−20450
oxides, heat of form. of oxygen vacancies, approx. correl. with thermochem. props. 4−38125
oxides, phase equilib. diagrams and crystallographic data 4−40875

transition metal compounds continued
- oxyfluorides, rutile structure, obtained by synthesis methods, characterization *(French)* 4−28050
- phosphate glass, hopping cond., high elec. field 4−32961
- phosphides, Slater Pauling magnetization curve 4−28657
- photoelectron spectra, shake-up satellites correl. with paramag. 4−25206
- phthalocyanine, mag. circular dichroism 4−28852
- phthalocyanines, mass spectra and ionisation potentials 4−40329
- sulphospinels, synthesis and crystallographic chracts. 4−28052
- superconductivity, correlation with normal state resistivity 4−16884
- X-ray absorption edge spectrometry for revealing O_2-binding 4−17140
- H_2 adsorption complexes on first-row transition metals, extended Huckel MO calc. 4−24647

transition metals
- *see also the individual transition metals e.g. nickel*
- adsorption of atoms, electronic struct. *(French)* 4−6578
- atmospheric deposition, Scandinavia 4−22628
- atom, d-electrons, extended method of calculation, wave function 4−27507
- atomic absorption spectroscopy, for determ. in domestic sewage treatment plant wastes 4−22630
- b.c.c., anisotropy of cleavage 4−1086
- conduction electrons, mag. moment, relax. theory *(Russian)* 4−20863
- cracking, hydrogen-assisted, mechanisms 4−21355
- cubic, noncentral-force model for lattice dynamics 4−32623
- d-band plasmons and plasmon phonon coupling, superconducting props. 4−20570
- dielectric screening and lattice dynamics, Wannier representation 4−36969
- dissociative chemisorption of H_2, model 4−20486
- elastic moduli, second order, hydrostatic press., temp. depend., 200-425K *(French)* 4−20350
- electron-phonon mass enhancement and press. depend. of T_c 4−37350
- electron-phonon mass enhancement calc. 4−16562
- electronic bands, distrib. of T_{2g} and E_g symmetry states *(French)* 4−3684
- electronic structure, quantum defects and model potential 4−28365
- f.c.c., shear const., susceptibility, electronic contrib. to 4−24688
- ferromagnetic, effect of electron correl. on $(1/T_1)_{orb}$ 4−33272
- ferromagnetism of collectivised electrons, two-zone model *(Russian)* 4−20754
- film, ultrathin, electronic struct. 4−24680
- friction, wear, and surface props., effect of pressure, Groups V, VI and VIII 4−17329
- glass-metal sealing of X-ray tubes and image intensifiers *(German)* 4−23014
- group VIII, film, work function changes on Xe adsorpt., field emission and photoemissions obs. 4−37092
- group VIII, normal electron-electron scattering 4−41054
- Groups V, Vi and VIII, friction, wear, and surface props., effect of pressure 4−17329
- host lattices, isomer shifts of γ-reson of ^{181}Ta 4−25041
- impurity, magnetic stimulation by vacancy in noble metals 4−3494
- impurity-interaction energy with vacancy in noble metal, Green function appl. 4−3493
- ion, 3d, covalency effect on spin-orbit coupling const. 4−1203
- ions, impurity effects on NaF u.v. spectra, rel. to prep. of pure single cryst. 4−33600
- ions in solution, electron excitation energy degradation mechanism 4−13492
- lattice dynamics, electron gas model 4−32622
- liquid, contact reaction with refractory diborides 4−41820
- liquid, Hall coeff. and anomalous Hall coeff. 4−10139
- liquid, Hall coeff. and elec. resist. *(German)* 4−1222
- local moment of Fe adatom, first row metals, mag. polarisation theory 4−20760
- luminescence spectra of metal impurity ions, effects of electron phonon interaction 4−13507
- molten, self-diffusion, kinetic theory of fluids applic. 4−21218
- monocrystalline, high m.p., resistance thermometer applic. 4−22795
- Morse potential calcs. of activation energy of evap. and condensation processes, tensile strength determ. *(Russian)* 4−41678
- neutron irradiated, isochronal recovery 4−19584
- optical absorption coeff. and dielectric constant calc. using electron-energy loss spectra 4−32593
- paramagnons in uniformly exchange enhanced mag. systems 4−37428
- phonon spectra calc. using model potential 4−32626
- pure superconductor, flux flow theory, Ettingshausen and Peltier effects 4−24882
- radii and electron configurations for 5f-6d metals 4−3704
- relaxation near surface, calc., interplanar spacing 4−3771
- secondary ion emission, dependence on electronic exchange process between exciting atom and metal *(French)* 4−1428
- Slater-Condon parameters, eval. of semiempirical parameters from at. spectr. term values 4−12475
- solutes in liquid metals, electrotransport 4−16611
- stress corrosion cracking, surface hydrides role 4−17354
- superconducting, electronic configurations, thermodynamic props. and cryst. struct. 4−16862
- superconducting, energy gap anisotropy *(Russian)* 4−3785
- superconducting, strongly coupled, phonon anomalies at T_c 4−41161
- superconducting films, transition temperature rel.to noble gas used in deposition 4−24859
- surface, chemisorption formulation, electronic structure 4−37106
- surface, relaxations, amplitudes and energies, model 4−37071
- surface electron states, resonances, numerical calc. 4−24806
- transition metal-hydrogen solid solns., thermal stability *(Russian)* 4−1513
- valence electrons, nonlocal exchange pot. 4−32886
- X-ray $L_{2,3}$ to $O_{2,3}$ spectra, interpreation *(French)* 4−24686
- AgBr, transition metal impurities, valent state, lattice position and site symmetry 4−3896
- AgCl, transition metal impurites, valent state, lattice position and site symmetry 4−3896

transition metals continued
- Cu:transition metal alloys, de Haas-van Alphen effect using Friedel-Anderson model 4−16700
- $GdAlO_3$:Fe transition group ions, absorption spectra, transition energies 4−17097
- $LiAl_5O_8$:M, M=iron-group ions, absorption spectra 4−6901
- Li_3PO_4 glass:transition metal ions, impurity absorption spectra and magnetic susceptibilities 4−33458
- $SrTiO_3$:transition metal, thermochroism, elec. cond. charges, annealing and impurity conc. depend. 4−33442

transition radiation
- electrons from 1.3 to 15 GeV/c, X-ray yields and spectra, multiwire chamber detection system 4−1070
- film, radiation on relativistic electron beam transmission 4−28126
- in irregular nonuniform medium *(Russian)* 4−36924
- metal, electron bombard., surface wave excitation 4−36918
- relativistic pion and electron identification 4−26608
- Al foil stack, 5 to 100 keV transition radiation prod., interference phenomena 4−16528

transmission
- *see also acoustic wave transmission; light transmission; power transmission*
- elliptical problem in infinite field *(Italian)* 4−39682
- Te, laser irradiated, 337 μm, magnetotransmission spectra, electronic dislocation bands 4−13149

transmission line theory
- elastic and e.m. wave interaction in piezoelec. media, transmission-line model 4−39107
- grooved tape line, magnetic vector potential method *(Bulgarian)* 4−35766
- irradiated coaxial and strip lines, multiple dielec. relaxation time theory 4−40142
- models for use with SCEPTRE program in nuclear environment 4−40143
- power statistics for one-dimensional wave prop., reln. to radiative transport 4−26855
- sine-Gordon equation, two-dimens., three-soliton soln., Josephson junction transmission lines 4−23093

transmitting *see transmission*

transparence *see transparency*

transparency
- *see also light transmission; optical constants*
- annular aperture, semi-transparent and π-phase, two-point Sparrow limit of resolution 4−18428
- degenerate resonant medium, single-peaked self-induced transparency pulses 4−2633
- dispersive medium, fluctuations, light beam statistical screening *(Russian)* 4−39698
- flame spectroscopy, atomic absorpt. error function evaluation 4−18791
- formate family, new phase-matchable nonlinear optical crysts., transparency in near i.r. 4−19137
- laser damage to transparent media 4−31064
- laser-induced interference and thermal lensing transparent materials 4−23396
- MBBA, nematic liquid cryst., effect of u.s. surface waves 4−36805
- monochromator, dispersion and spectral transparency characts. *(Russian)* 4−18463
- polyethylene, high density transparent films, crystallisation during extrusion 4−13907
- quartz, fused semitransparent, heat transfer, effective thermal conductivity 4−37050
- refractive index and thickness meas. of transparent film, interf. patterns obs. 4−30476
- Saturn's rings, linear polarization and transparency, 3700 A-1.7 μ 4−17943
- self-induced, four possible pulse types, coupled Maxwell-Bloch eqn. soln. 4−27009
- self-induced, general theory, soliton solutions 4−19139
- self-induced, of extremely short pulse 4−319
- semitransparent solid, heat transfer, effective thermal conductivity 4−37050
- three-level atom system, self-induced transparency due to two photon transition 4−15392
- turbid low-absorbing medium, dynamics of clearing in intense light field 4−39700
- $CdCr_2S_4$, hot pressed, meas. of optical transparency and stoichiometry 4−29196
- K, two-photon optical pulses, coherent propag. effect, self-induced transparency *(Japanese)* 4−35891
- NaF, i.r. multiphonon absorpt. temp. depend. of laser window 4−13439
- $(Pb,La)(Zr,Ti)O_3$, ceramic, transparency calc. for various void sizes and concs. 4−10638
- Tl_3PSe_4, single cryst., 0.85-17 μm 4−41354
- Tl_3PSe_4. acousto-optical effects 4−3952

transport *see transportation*

transport equation *see Boltzmann equation*

transport phenomena *see transport processes*

transport processes
- *see also Boltzmann equation; carrier density; carrier lifetime; carrier mobility; diffusion; electrical conductivity; high field effects; plasma transport processes; thermal conductivity; thermal diffusivity; transport properties of superconductors; viscosity*
- atmospheric, momentum, heat and water vapour transfer to and from natural and artificial surfaces 4−14152
- atmospheric turbulence, three-dimensional model, use of subgrid transport eqns. 4−21992
- atomic vapour, kinetic theory of nonequilibrium alignment phenomena 4−3239
- binary fluid mixture, memory from internal mol. relax., effect on transport coeffs., light scattering 4−40729
- biological, book 4−26217
- biological, dynamic patterns in active transport 4−22531
- biological, effects of substrate struct. 4−22533
- boundary value problems, uniqueness theorem 4−26762
- cell membranes, kinetics of carrier transport 4−22530
- conduction through random suspension of spheres 4−8728

transport processes continued
cumulus, climatological study based on precipitation measurements 4−10912
deep-penetration transport problems, soln. using forward-adjoint coupling 4−23757
dielectric crysts., nonequilib. statistical operator calcs. 4−13056
electron photon transport, discrete ordinates method 4−12459
electron transport computation of Goudsmit-Saunderson distrib. 4−26591
energy transfer, absorbing, scatt. emitting medium, conduction and radiative transfer, transient 4−19006
Enskog equation, modified, agreement with irreversible thermodynamics 4−242
Enskog equation, modified, for hard sphere mixtures, linear transport coeff. 4−18994
facilitated transport of gas through liquid membrane, similarity parameters 4−21603
fluid, kinetic theory, time-depend. collision operator, transport props. 4−18971
Fokker-Planck system, soln. of correlation function 4−15252
gas, polyatomic dilute, differential eqns. and boundary conditions, anal. of Waldmann-Snider eqn. 4−3240
gas jet radioactivity transport system, role of ethylene mol. clusters 4−5155
gas mixtures, moderately dense *(Rumanian)* 4−36605
harmonic chain, linear, stochastic rate eqns. including thermodynamic and weak-coupling limits 4−15247
holographic recording transport measurement techniques 4−17041
inert gases, intermolecular potential parameters, combining rules formulated, appl. to exp. 6 pot. 4−36582
interface systems, momentum, energy exchange between adjacent layer, thermodynamic investig. *(German)* 4−38167
inverse problem, appl. anisotropic one-vel. neutron scatt. 4−15250
ionosphere photoelectrons, thermalization and transport 4−4565
kinetic transport coefficients, hydrodynamic eqns., singlet distribution function 4−8727
Kubo formula, decoupling of correlation functions in calc. of transport coeff. 4−10126
latex film, liquid water and water vapour transmission rates 4−25442
linear chain theory, energy transfer 4−30910
liquid, heat transport by molecules, heat of evaporation *(Russian)* 4−28200
liquid, role of triplet functions, review 4−32414
liquid mixtures, perturbation methods fr calculating props., review 4−4302
macroscopic observables, transport coeffs., reln. to time correlation of random forces *(German)* 4−15235
mass, multiphase and multidimensional modified Stefan problems, numerical soln. 4−39642
master equation, statistical mechanical expansion 4−30909
master equation for description of superradiance 4−5479
master equation for systems in detailed balance 4−26883
membranes, synthetic, characterisation by transport and partition coefficients *(German)* 4−7470
m.i.s. electroluminescent devices 4−13227
mitochondrial membrane mechanisms of energy conservation 4−22535
monatomic spin 1/2 gases, transition operator 4−243
monoenergetic transport eqn. exact time dependent spatial and Legendre moments 4−23750
nonequilibrium statistical mechanics of weakly interacting finite systems, master eqn. 4−15229
nonlinear, shear viscosity, stress effects, statistical mechanics 4−15253
nonlinear response, hydrodynamic eqns. 4−35740
oxide fuel, irradiated, computer program for redistrib. of U, Pu and O by vapour transport and solid diffusion 4−27447
percolation level in Gaussian potential, appl. to continuum 4−26871
quantised particle motion in randomly perturbed potential field kinetic eqns. 4−26866
quantum mechanical 'abstract' theory 4−30905
radiation hydrodynamics, spherical, finite difference scheme 4−30906
radioactive waste product form durability evaluation by leaching procedure 4−31587
reactor Na-stainless steel coolant system, transport, deposition of metal radioisotopes 4−19565
relativistic, for systems of massive particles and neutrinos 4−2548
review of studies at Naval Research Laboratory, Washington, D.C. 4−5701
semiconductor, carrier transport equations, for low scatt. rate and at high freqs. 4−20598
soil, Duinefontein, movement of nucleon fission and situation products, power station siting 4−12461
soil, partially frozen, coupled heat-fluid transport, analysis 4−21906
statistical mechanics of equilib. and transport phenomena in crystals, book 4−13012
steady corrugated flame front 4−24255
Stefan problem, modified, multiphase and multidimensional numerical soln. 4−39642
thermoelectric power, meas. by Teflon cell for liquids and solids at high pressures 4−16734
two-phase system, surface condition, mass and energy transport entropy prod. 4−26870
Van der Waals fluid, formal anal. of autocorrelation formulas for transport coeffs. 4−26867
velocity autocorrelation function of moderately dense gas, asymptotic time behaviour 4−18975
Al alloys, microradiography investigation 4−32398
Cu alloys, microradiography investigation 4−32398
GeSe film, I/V charact., adhesion spots effect *(German)* 4−24845
Si, heavily doped, modified transport eqns. obtained 4−10145
transport properties *see transport processes*
transport properties of superconductors
critical current, mag. torque meas. technique 4−26552
electronic thermal conductivity, system with mag. impurities 4−33083
film resistive transitions in strong electric fields 4−33085
transport properties of superconductors continued
Hall effect theory 4−28567
intermediate state, heat transfer along interphase wall, Andreev's model *(French)* 4−20726
intermediate state dynamics, normal state thermopower influence *(French)* 4−20725
magnetically coupled films, current-voltage characts., theory 4−33103
one-dimensional whisker, new current-carrying states 4−28570
parallel wires, influence of transverse mag. field on current distrib. 4−37364
strong-coupling dirty superconductor, fluctuation conductivity and vortex flow resistivity 4−13259
surface resistance, BCS-theory 4−20710
surface resistance near H_{c3}, anisotropy obs. *(French)* 4−3802
thermal conductivity, Kubo formula, phonon model, scatt. effect 4−37374
thermoelectric power in supercond. transition fluctuation region 4−33082
transition metal compounds, correlation between normal state resistivity of superconductivity 4−16884
transition metals, pure, flux flow theory, Ettingshausen and Peltier effects 4−24882
type I superconductor, critical currents, destruction of mixed state, obs. of paramag. behaviour 4−28564
type I superconductor, quasiparticle explanation of supercurrent 4−28563
type II, critical currents, pinning forces 4−20727
weak link, phenomenological approach to phase-dependent conductivity 4−24890
Ag, thermal cond. meas., proximity effect 4−41155
Al, film, crit. fluctuations effect on u.s. attenuation 4−37371
Al, film resistive transitions in strong electric fields 4−33085
Al, granular thin film, thickness modulation vortex pinning, transport props. 4−24879
Al film, non-linear voltage-current characts. 4−3803
Al insulator-Al, film, mag. coupling props. of vortex arrays in d.c. transformer 4−33104
Al-C-Al sandwiches, possible superconductivity at room temp. 4−24889
Cu-(Ni-Tb) composite, crit. current, mag. torque meas. 4−26552
Cu-Nb composite, crit. current, mag. torque meas. 4−26552
In film, current-induced resistive state obs. 4−28571
In-Tl film sandwich, proximity effect influence on thermal cond. 4−41156
$LaAl_2$:Ce, giant thermoelec. power, 1K negative peak due to Kondo effect 4−41149
Nb, crit. current, effect of flux line lattice history 4−37365
Nb, critical current, flux line lattic history effect 4−13268
Nb, film, crit. current, ang. depend. 4−33080
Nb, flux flow theory, Ettingshausen and Peltier effects 4−24882
Nb, resistivity, influence of annealing treatments on supercond. transition *(German)* 4−28522
Nb, superconducting point contact, conductivity phase depend. 4−20734
Nb, type II, Hall effect meas. 4−28568
Nb, ultrapure, crit. currents *(Russian)* 4−28553
Nb film, quench-condensed, elec. cond. fluctuations 4−3801
Nb wire, helical propag. of flux jumps 4−33093
Nb:O, effects of interstitial O on superconductivity 4−16866
Nb-Al and Nb-Al-Ge, A15 phases, on Nb, crit. current density *(German)* 4−28533
Nb-Mo, lattice thermal cond. below 1K, phonon scatt. 4−37370
Nb-Mo, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-Ta, lattice thermal cond. below 1K, phonon scatt. 4−37370
Nb-Ti, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-W, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
$Nb_{12}Al_3Ge$ sputtered deposit, 66 μm thick, high crit. current densities 4−37366
NbN, film, crit. current, ang. depend. 4−33080
Nb_3Sn, high C doping, current carrying capacities 4−41159
Nb_3Sn multifilamentary wires, effect of heat treatment on crit. current densities 4−13269
Nb_3Sn tapes, critical current behaviour in self fields 4−28573
Pb based alloy thin films, supercond. tunnelling meas., struct. effect on phonon distrib. 4−3786
Pb film, current voltage characts., nonthermal discontinuity 4−28559
Pb film, current-induced resistive state obs. 4−28571
Pb-Ag, type I, critical currents due to flux pinning 4−41158
Pb-Bi alloy film, spatially modulated, critical currents and vortex lattice 4−33091
Pb-Bi film, critical currents, period effect of sinusoidal variations of conc. *(French)* 4−33087
Pb-Bi film, critical currents, spatially modulated conc., temp. effect *(French)* 4−33088
Pb-In(4.56 at.%), entropy flux associated with moving vortex lines, low freq. a.c. meas. 4−24880
Pb-PbO-Sn-Pb, tunnel junction, temp. variation of d.c. Josephson current 4−16885
PbIn alloys, superconductors, surface resistance study vortice lattice interaction 4−28542
Sn, film, relaxational current oscills., shape anal. 4−37375
Sn, thin film, resistance peak at supercond. transition 4−28565
Sn film, current voltage characts., nonthermal discontinuity 4−28559
Sn film, dynamics of superconducting-normal state transition 4−28572
Sn microbridge, steps in I-V curves investigation 4−33089
Sn thin film, switching between superconducting and normal states 4−24877
Sn whiskers, voltage steps in U(T)-transition and U(I)-characteristic curves 4−13257
Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4−33105
V, critical current density with neutron irradiation induced pinning centres 4−16883

transport properties of superconductors continued
V, film, crit. current, ang. depend. 4—33080
V, superconductor, effect of fast neutron irrad. rel. to crit. current density 4—37367
V, type II, Hall effect meas. 4—28568
V wire, helical propag. of flux jumps 4—33093
V_3Ga, superconductor, prep. by solid-state reaction, rel. to crit. current density 4—24884
Zr-Nb alloys, critical currents, depend. on external mag. field *(Russian)* 4—28560

transport theory *see transport processes*

transportation
see also aircraft; marine systems; rail traffic; road traffic
FFTF driver fuel, shipping container, safety anal. 4—27489
ground, e.m.c. design, International Symposium, New York (1973) 4—677
LWR fuel assembly, shipping container, safety evaluation 4—27488
magnetic levitation, superconductivity application, review *(Czech)* 4—13237
nuclear fuel, internal polytropic compression as dominant damping protection during impacts 4—36381
nuclear fuel shipping container, Exxon, drop test qualification 4—31581
nuclear reactor fuel, safeguards technology for plants and transportation 4—27496
radioactive reaction product transport by carrier-loaded helium jet method 4—26562
He jet recoil transport system for on-line radioactive chemical separation 4—26563
He-jet system for transportation of ^{252}Cf fission fragments and ^{228}Th decay products 4—30531
PuO_2, DOT-6M packages for shipment 4—27494
^{235}U enriched fuel assembly, criticality safety evaluation of transporting wooden pallets 4—27487

transportation networks *see transportation*

transportation services *see transportation*

transportation systems *see transportation*

trapped free radicals *see free radicals*

traps, electron *see electron traps*

travelling-wave-tubes
see also backward-wave tubes
magnetron-type, Feinstein-Kino problem solved by Taylor expansion *(Russian)* 4—35920
nonlinear integral eqn. allowing for electron kinetic energy changes *(Russian)* 4—35919
periodic magnetic focusing design by graphical method 4—11973
synchronous motion of charged particles in travelling-wave field 4—22932

treatment, heat *see heat treatment*

treatment, patient *see patient treatment*

treatment, surface *see surface treatment*

treatment, water *see water treatment*

triboelectric emission *see electron emission*

triboelectricity
see also static electrification
polymer, work function estimation, physical model 4—16810

tribology
see also friction; lubrication; wear
rough surfaces in plastic contact, random process model 4—32795
thermoelastic instabilities, frictionally excited, comments on 4—36950
thermoelastic instabilities, frictionally excited, reply to comments on 4—36951

triboluminescence
crystalloluminescence, induced by crystallisation of organic binary mixtures 4—21039
hexaphenylcarbodiphosphorane, emission from molec. excited state populated by mech. stress 4—37651
Ge films, noncryst., tribolum. on explosive crystn. 4—33470
Hg motion over scintillator coated glass 4—16811
LiF (TLD-100), thermolum., plastic deform. effects 4—1421

trigger circuits
see also multivibrators
laser, using s.c.r. 4—35318
particle detector, proportional chamber, 50K wires, trigger and control system, operation 4—114
thyratron for calibrating scintillation gamma spectrometers *(Russian)* 4—30592

triodes
electron gun in SEM, optical characts. 4—15004

triodes, semiconductor *see power transistors*

triodes (semiconductor) *see transistors*

triple point *see thermal critical constants*

tritium
in Atlantic Ocean, vertical distrib. at 45°N 4—1807
atmospheric concentrations in 1967-9 period 4—34377
bomb produced tritium in Antarctic Ocean rel. to water mass types and surface water input into deep water 4—29538
cold trapping of liquid metals Na, K and NaK rel. to ^3H removal from fusion reactor Li blanket 4—19598
diffusion in steel and Zircaloy-2, surface effects 4—23834
diffusion in TiO_2, 155-300°C 4—37038
fish, reared in tritiated water 4—35076
gaseous emission from reprocessing plant, decontamination factor 4—31622
groundwater movement in California, new T data for well waters 4—14085
history, discovery, applications, environmental hazard *(German)* 4—35123
hot atom chemistry, review 4—34028
in HTR fuel elements, release behaviour *(German)* 4—23833
instrumentation for environmental and occupational monitoring review 4—30255
low-level counting, use of bakeable ionisation chamber 4—18613
molecule, mag. susceptibility 4—19752
nuclear fusion reactor, ^3H recovery in Li breeding blanket 4—27475

tritium continued
nuclear fusion reactor breeding ratio calc. for V and Li blanket materials 4—36368
pigments, luminescent, tritiated activity *(German)* 4—41985
radiological importance, rel. to ^{85}Kr 4—35067
ruminant organs, distribution *(French)* 4—35071
soil, ^3H uptake as mol. hydrogen 4—4391
β-ray proportional counting, pulse shape discrimination for reduction of background 4—11579
DT controlled plasma 14 MeV neutrons, review of fusion-fission hybrid concepts 4—31565
CaF_2:Eu scintillator system for low-level tritium detection 4—18614
D-T fusion reaction, energy balance in beam-target system 4—40047
D-T plasma, as neutron source for hybrid reactor 4—32215
D-T plasma, concentric laser compression 4—977
D-T plasma, energy balance 4—15978
D-T plasma, ion-ion hybrid wave collisional absorption 4—12802
D-T plasma, rel. to engineering design of reference theta pinch reactor 4—23913
D-T plasma, two-temperature, numerical analysis of laser, concentric, conductive heating 4—6251
D-T plasma cumulation-laser heating, two-temp. eqns. with nuclear fusion 4—3389
D-T reactions in plasma, fusion power by non-Maxwellian ions 4—20127
D-T thermonuclear reactor, operating regime and stability, particle density and temp. fluctuations 4—15977
DT, laser controlled fusion, laser characts. 4—23920
$H+T_2$, crossed beam study of H exchange reaction 4—10737
^3He, β-decay, $(^3He\ ^3H)^+$ vibr., i.r. emission obs. 4—40277
$T(d,n)^4He$, high press. high beam current gas target 4—14952
$T(p,n)^3He$, high press. high beam current gas target 4—14952

tritium compounds
labelled progesterone, in neurons of hypothalamic region 4—38958
tritiated water, applic. of metallic U as reducing agent 4—7468
tritiated water, specific radioactivity meas. by internal gas counting 4—5163
NT_3, microwave rotation-inversion spectrum 4—12596
T_2O, rot. spectrum, assignments and mol. struct. 4—31866
T_2O and HTO, mm and sub mm spectra 4—9551

triton interactions
see also nuclear reactions and scattering due to tritons
No entries

triton scattering
see also nuclear reactions and scattering due to tritons
No entries

tritons
decay width in continuum shell model 4—2781
ejection during proton interactions on nuclei at 600 MeV *(French)* 4—9163
production in proton interactions with Ag and Br nuclei at 24 GeV/c 4—36187
$^{12}C(^7Li,\alpha)^{15}N$, triton transfer, 28-38 MeV, α spectra, DWBA calc., mechanism 4—664
^{252}Cf, spontaneous fission, polar light particle emission 4—27371
$^6Li(n,t)^4He$, 0.1-1.8 MeV, differential cross sections, absolute triton and α-particle yields 4—36195

trolleybuses *see road vehicles*

troposphere
see also tropospheric electromagnetic wave propagation
aerosol elemental composition of marine and continental components 4—1894
coupling to ionosphere by atmospheric gravity waves 4—34427
electric component fluctuation characteristics 4—4515
gas-phase chemistry of N_2 and methane 4—10935
gravity-shear waves in temp.-wind stratified flow, numerical soln. 4—1907
Indian tropical regions, equivalent barotropic levels 4—1873
jet, relation with O_3 profile, flow and temp. field distrib. 4—4512
minor constituents, discussion of chemistry of H_2O-CH_4-O_2-O_3-NO_x system 4—7723
odd nitrogen, source and sinks, detailed calcs. for 0 to 80 km altitude 4—29583
Omega windfinding system design for use in GARP Atlantic Tropical Experiment 4—11037
radiowave refractive bending from atmospheric emission obs. 4—17759
refractive index, meas. using microwave radio refractometer with open spherical resonator as sampling cavity 4—14859
resonant oscillations of intermediate freq. in stratified atmosphere model 4—1886
Southern Hemisphere, strong long-period tropospheric and stratospheric rhythm 4—34419
stratospheric air influx after solar Hα and X-ray flares 4—1885
telluric rays, vertical flux in water vapour and CO_2 4—4405
thermal modification of clouds and contrails in upper troposphere 4—17704
thermal structure during heat wave India 1966 4—1871
trace constituents, photochemically active, background concs. 4—7719
tropical, barotropic scale interactions during Northern summer 4—21959
tropical east-west circulation, northern winter, geometry, intensity 4—4428
tropopause, atmospheric stability using forward scatter CW radar 4—21985
tropopause, correlation with horizontal wind and O_3 distribution 4—4511
trough movement, jet stream, rel. to O_3 distrib. over India 4—4494
turbulent, amplitude distrib. at antenna gap *(Russian)* 4—17773
turnover times of ^{137}Cs and HTO, removal rates of natural aerosol particles and water vapour 4—10920
vertical temperature profiles, spectral structure 4—1891
wind field, statistical characteristics *(Russian)* 4—25711
wind velocity pulsation spectra, statistical characteristics *(Russian)* 4—34411
window region, new absorption feature, effect on radiative cooling 4—38341

troposphere continued
- ^{37}Ar content determ. using multi-box model for atmospheric mixing *(German)* 4—25688
- CO_2 concentration in boundary layer over South-East Australia 4—29561
- HCl cycle, distribution, residence time and production rate estimation 4—17712
- O_3, meridional distrib. of tropospheric ozone between Norway and South Africa 4—4480
- O_3, vertical distrib. in mid-latitudes, statistical characts. 4—4495
- O_3, vertical profile vars. for India, temp. depend. 4—4493
- O_3 altitude and seasonal dependence from photochemical theory 4—17709
- O_3 content, seasonal latitude vars., global circulation 4—4484
- O_3 distribution, north of 50°, aeroplane meas. 4—4482
- O_3 global distribution, geostrophic winds from Nimbus IRIS data 4—4496
- O_3 residence time, sinusoidal exchange process, injection function calc. 4—4483
- O_3 source, photochemical theory 4—25701
- O_3 tropospheric meridional distrib. meas. inside airliners 4—4481

tropospheric electromagnetic wave propagation
- bistatic meas. using high resolution Ku-band scatter system 4—34549
- diffraction loss variation at 180 MHz to 10 GHz 4—7741
- elevated layers, ducting properties at v.h.f. and u.h.f. 4—7745
- in equatorial climate, Rayleigh fading 4—7748
- mountain ridge, tropospheric influnece at 3 GHz 4—7742
- radio wave ducting over Timor Sea, importance of tilted layers 4—1914
- sea path, in range 60 to 5000 MHz 4—7746
- statistics of high-level beyond horizon signals at 2.2 GHz and 2.6 GHz 4—7749
- surface duct, dielectric layer overlying cond. plane earth integral soln. to wave equation 4—29566

truth tables *see formal logic*

TTL *see transistor-transistor logic*

tubes (electronic) *see electron tubes*

tuners *see tuning*

tungsten
- adsorbate-substrate configuration, Cu-phthalocyanine molecular probe field emission microscopy 4—6553
- adsorption, on W, adatom relax. energy calc. 4—32809
- adsorption of Al_2O_3, electron field emission up to 1700K 4—6963
- adsorption of Ba and O_2, effect on heat of adsorption, work function *(Russian)* 4—33017
- adsorption of CO on (110) plane, temp. depend. of sticking coeff. and absolute surface coverages 4—1166
- adsorption of common gases *(Japanese)* 4—40977
- adsorption of Cu, work function changes on single crystal planes 4—6662
- adsorption of D_2 and ethylene on single cryst. planes, thermal desorption mass spectra 4—24631
- adsorption of H_2, D_2, N_2, CO and CO_2, ang. depend. of sticking coefficients 4—37089
- adsorption of H_2, field emission work function meas. 4—3767
- adsorption of H_2 on W(110), electron stimulated desorption 4—28298
- adsorption of H, electronic energy levels, photoemission obs. 4—37298
- adsorption of H, field emission obs. 4—40980
- adsorption of Na, conc. depend. of work function and heat of adsorption 4—28295
- adsorption of Ni, field emission and field ion microscopy 4—24641
- adsorption of O_2, Auger electron spectroscopy, low press., high temp. 4—6943
- adsorption of O_2, chem. displacement in Auger spectrum *(Russian)* 4—32804
- adsorption of O_2, high temp. Auger spectroscopy 4—11660
- adsorption of O_2 on (110) surface, chemisorption layers, coverages 4—37113
- adsorption of Re, indirect adatom interaction, field ion microscopy 4—13094
- adsorption of Si on W single crystal faces, validity of Fowler-Nordheim parameters 4—10044
- adsorption of single Na, K, Cs adatoms, field emission and field desorption obs. 4—32810
- adsorption of W on W (110), work-function reduction and island formation 4—37091
- atom, chemical shift, energy of $K\alpha_1$ X-rays emitted following ^{182}Ta β-decay 4—9109
- atom, L_1 subshell yield 4—23966
- atom, neutral and singly ionised, transition probabilities of 131 W I, 116 W II emission lines 4—23956
- atomic spectra, relative isotope shift, and hyperfine struct. of $5d^56s^7S_3$ level of W I *(French)* 4—23957
- bar preparation with oxide additive containing, K, Si, Al 4—25402
- cathode, explosive electron emission, metal supply, field emitter geometry 4—21169
- cathode, explosive electron emission, metal supply, multiple current pulses 4—21170
- channelling, statistical equilibrium hypothesis invalidation by Monte Carlo method 4—9935
- chemisorption of CO, ESCA obs. 4—33567
- chemisorption of H_2, molecular orbital investig. 4—28300
- chemisorption of H_2, optical reflectance spectroscopy of surface states 4—41389
- cracks in single crysts. deformed in compression at 77K *(Russian)* 4—33760
- Debye-Waller temp. factor and X-ray Debye temp. 4—13008
- densification by pre-sintering with explosive compaction 4—7259
- desorption, of CO, exchange between adsorption states obs. 4—28297
- desorption, thermal, effect of adsorbate-adsorbate interaction, H, N on W(100), CO on W(210) 4—28299
- desorption of Cl^-, Br^-, charge retention, dispersion coeff. *(Russian)* 4—32814
- desorption of N_2, thermal spectrum, statistical anal., model determ. 4—13099
- desorption of O^+, from W(100) surface, electron stimulated, angular distrib. 4—37102

tungsten continued
- desorption of transition metal adatoms, field ion microscopy, binding energy *(French)* 4—24645
- diffusion of Pd, elec. resist. meas., 500-1000°C *(Russian)* 4—32749
- dislocation core structure, field ion microscopy 4—37838
- drop structure after plasma-spraying onto various substrates 4—7255
- electrical and thermal resistivity, low temp. meas. effect of surface condition 4—13166
- electron emission unified theory, from W(013), (001) and (112), expt. proof 4—28995
- electron emitters, LaB_6 and W, comparison in SEM 4—15008
- electron energy loss spectrum, identification of peaks 4—20344
- electron impact desorption of H^+ and H_2 from mixed adsorpt. layers 4—41457
- electron impact desorption of H^+ from pure H layer 4—6944
- electron microscope tip, 100 kV field emission 4—8531
- electron penetration depth determ., 100-200 eV *(Russian)* 4—20339
- electrothermal transport, 2000 to 3300 K 4—16740
- exploding wire, high energy density, X-ray emission 3 to 25 keV 4—9780
- FEM specimen, Ag whiskers and epitaxial layers on W tips, annealing and oxidation 4—28323
- fibre, in Cu composite, prep. and props. *(German)* 4—38049
- fibre metallurgical aspects of failure 4—1647
- fibre reinforced Cu, matrix strengthening under monotonic and cyclic loading 4—41837
- fibre reinforced Cu, prep. and strength props. *(Slovak)* 4—41844
- fibre reinforced Ni, micromechanics and mech. props. of matrix *(Japanese)* 4—13862
- fibre reinforced UO_2 composites, melt-grown, characteriz. w.r.t. fuel applic. 4—15950
- fibres, structural stability in Ni-Cr-W system 4—7346
- field emission, benzonitrile activation, ion microscopy and mass spectrometry 4—6964
- field emission, electron energy spectrum, Ti adsorption effect 4—25219
- field emission, Ge coating, current-voltage characts., thickness depend. 4—13555
- field emission cathode, field-enhanced photoemission, periodic current deviations 4—6960
- field emission investigation, mag. field induced quantum effects 4—21168
- field emitter, carburisation 4—28992
- field ion microscopy, bright images, 1000°C, high voltage on specimen 4—11621
- field ion microscopy of ordered grain boundary structure obs. 4—41599
- filament, strength, ductility meas. diameter depend. *(Russian)* 4—13680
- filament emitter, for mass spectrometer, electrochem. dendrite metal coating 4—18770
- film, on Si, reaction kinetics, X-ray diffr. 4—21200
- film on Si, Si out-diffusion kinetics, Auger spectroscopy 4—32748
- graphite-W composite, high temp. material, prep. and mechanical props 4—7281
- hairpin cathode, electron-optical imaging of high-β prebreakdown currents 4—39377
- heating element, for TVV-2 and TVV-4 furnaces 4—26490
- internal friction, deformation-induced β peak, relax. mechanism 4—41768
- interstitial configurations, Green's function calc., lattice distortion field, energy and vol. of form. 4—32559
- ion bombardment damage, 400 eV Ar^+, field ion microscopy 4—24498
- lamp wire, short time creep rupture props. 4—7404
- lattice dynamics, noncentral-force model 4—32623
- LEED, (001) and (110) surfaces, relativistic theory 4—32788
- Lorenz ratio, thermal cond. meas., electronic and lattice component separation 4—28392
- metallisation of PtSi-to-Si ohmic contacts, elec. and thermal stability 4—16819
- metallisation of PtSi-to-Si ohmic contacts, silicide formation 4—16820
- monocrystalline tip, field emission, electron spin polarisation *(German)* 4—21171
- nichrome W wire, interfacial stability rel. to mechanical behaviour 4—7350
- oxidation, in O_2, 1200-1500K, high elec. field effects, field emission and electron microscope obs. 4—40990
- oxidation of (110) surface, 650-1100K, LEED and Auger emission obs. 4—24658
- paraffin/W mixture, shock adiabat curves calc. *(Russian)* 4—7347
- photoelectron spectra of adsorbates, rel. to field emission energy distrib. 4—33579
- photoemission spectra, from single cryst., surface and bulk contrib. 4—33585
- powder, positron diffusion 4—13131
- powder, specific surface evaluation by light reflection technique 4—7379
- powder metallurgy, trajectories in high-freq. N plasma flow, injection rate influence *(Russian)* 4—21367
- protective coatings, struct. correl. with deposition conditions 4—13765
- quenched-in resistivity, purity depend. 4—37951
- refractory metal polycrysts. with intergranular phase layers, diffusional creep *(Russian)* 4—17294
- ribbon lamp, quasi-monochromatic calibration source, 0.22 to 7μ 4—30459
- scattering, rainbow, Ne from strongly periodic clean W(112) surface 4—28977
- secondary electron spectrometer, low energy electrons, with preaccelerator, meas. *(German)* 4—2370
- single crystal, 'radiation' quenching anal. of defects 4—1050
- single crystal, Cs^+ scatt., group and successive binary collisions, energy meas. 4—13544
- single crystal, surface electron states, directional photoemission investig. 4—33580
- solubility in liq. Th and U, 1600-2900K 4—32707
- specific heat, modulation calorimetry, non-adiabatic regime 4—4992

tungsten continued
spectral radiativity, visible region 4−7284
sphere, transport anal. of meas. neutron leakage spectra 4−23754
spike, elec. field and heat effects, surface diffusion, growth, field emission *(Russian)* 4−33549
stopping cross section of α-particles, 0.3 to 2.0 MeV 4−24503
substrate, Ge, Si deposition, field emission, field ion microscopy 4−13110
surface, 600-800 eV Cs^+ ion scatt., theoretical anal. *(Russian)* 4−21130
surface, (111), adsorpt. of Xe and its interaction with preadsorbed O_2 4−40983
surface, chemisorption, photoemission studies 4−37112
surface, clean, adsorpt. of H_2, work function changes, field emission meas. 4−37098
surface, direct visualisation of adatom site 4−10040
surface, Pt, Ir nucleation mechanism, monolayer growth obs. 4−28314
surface, thermal accommodation coeff. of inert gases, 300-623 K 4−13097
surface, thermal accommodation effects under transition, temp. jump and free mol. regimes in He and Ne 4−9645
surface, with He adsorbed layer, field evaporation of WHe^{3+} 4−10049
surface diffusion of atoms and atom pairs, (211) plane 4−10036
surface electron states, resonances, numerical calc. 4−24806
surface reconstruction by Au, Ag, Cu, field ion and emission microscopy 4−6552
surface self-diffusion, high elec. field, activation energy, residual gas influence 4−32807
surface with C adsorbed layer, Auger electron spectroscopy determ. of adsorption characteristics 4−20480
surfaces, stability of W_2 and WRe adatom clusters 4−10045
thermionic electron emission, vel. distrib., filiform monocrystal *(Russian)* 4−33548
thermopower meas. between 2 K and 9 K 4−6613
thick target yields of M X-rays by fast heavy ion bombardments 4−5968
tip, electron field emission in liq. He 4−28253
wire, annealed doped, recrystn. inhibition by bubbles 4−29083
wire, annealed doped, second phases identification 4−29084
wire, cold-drawn, strain rate sensitivity of flow stress 4−41765
wire, effect of micropores on high temp. creep ductility 4−21374
wire, field ion microscopy, image differences and topographical variations 4−1544
wire, heat transfer in N_2, temp.-jump region 4−27791
wire, mosaic block misalignment during secondary recrystn. *(Russian)* 4−1512
wire, powder metallurgical, Fe content, thermoelectric power obs. 4−8568
wire, pure and doped, cavity growth in high temp. creep 4−41606
wire, sintering in molten Cu 4−21375
wire, sintering kinetics, effect of solid-phase Ni coating 4−37977
wire, surface energy at boundary with gaseous media, estimation method *(Russian)* 4−10033
wire, wrought thoriated, density changes assoc. with annealing 4−29085
work function, thermionic and mass spectrometric determ. 4−13546
work function of single crystal, changes rel. to chemisorption 4−33025
adsorption of alkaline earth metals on O_2 layer aided by surface ionisation *(German)* 4−3643
Au-W, thin film reliability 4−3667
Au-W film system, annealing kinetics, up to 500°C, rel. to transistor metallisation appl. 4−37128
Cu/W composite, grain boundary cavitation and sliding due to thermal stresses 4−4207
n-GaAs-W Schottky diodes, W alloying effect on elec. characts. 4−28489
Ni-W composite, effect of ion beam milling on surface topography 4−1156
TiSiCW composite, stability investigation 4−7345
VO_2:W, electrical cond. meas. *(German)* 4−32945
β- W film, resist. behaviour and phase transforms., 1.4-900 K 4−37329
W Si_3N_4 composite, effect of interface on impact strength 4−7337
W tips, thermal field emission, current stability 4−11622
W wire, high temp. oxidation in O_2-Ar mixtures 4−37939
W/nichrome composite, thermal stress distrib., dilatometry 4−1640
W/Nichrome laminar composites, characteriz. for high temp. applics. 4−1665
W-Ge, point contact, negative photovoltage, anomalous Dember effect 4−20645
W-Si, point contact, negative photovoltage, anomalous Dember effect 4−20645
W-Si Schottky barrier, energy spectrum of surface states determ. *(Russian)* 4−13221
W(112)-O_2 system, adsorbed layer models, eval. using LEED and opt. diffr. patterns 4−37100

tungsten alloys
see also tungsten compounds
high-Ni, low-C, alloying addition effects on mech. characts. 4−4142
sintering, activated, and recrystallisation, rel. to electron struct. *(Russian)* 4−21388
Au-W film, metallisation for microwave power transistor, characts. 4−24662
Co-Ni-Cr-W, strengthening at room and elevated temps. *(German)* 4−37964
Co-W-Mn alloys electrodeposited from sulphate soln., coating properties *(Russian)* 4−20806
Cr-W (0.3 at.%), 112.5±0.5 K spin-flip transition, mag. susceptibility obs. 4−33158
Fe-Ni-Co-W, maraging, cobalt influence on martensite hardening during ageing *(Russian)* 4−4120
Fe-W and Fe-Mo-W systems, equil. between ferrite, austenite and intermediate phases 4−13605
HfW_2, Laue phase heat resist. *(Russian)* 4−7300
Mn-Cu-W, Elinvar props., var. with ht. treatment and cold working 4−1602

tungsten alloys continued
Mn-Ni-W(-Mo) systems, nonferromag. Elinvar-type alloy, Young's modulus, rigidity modulus, thermal expansion and hardness *(Japanese)* 4−13685
Mo-W, strength, 20-1800°C 4−41729
Nb-W, mixed state, magnetothermal props. and flux jumps, obs. 4−41148
Nb-W, single cryst., thermally activated deform., 65-775 K 4−29100
Nb-W, solid soln. strengthening 4−37921
Nb-W-Mo, athermal substitutional solid soln. hardening 4−33827
Nb-W-Zr-C system phase structure, and C solubility determ. 4−19596
Ni-Al-Cr-Ti-Mo-W superalloy system, phase stability, 850°C 4−13617
Ni-Mo-W-Cr-Zr, effect of B on phase transformations *(Czech)* 4−13599
Ni-W eutectic composites, cyclic loading behaviour, microstruct. influence 4−13887
Ni-W(10.3 at.%), high temp. creep, activation parameters 4−29140
Ta-W, high temp. thermodynamic props. 4−13846
Ta-W-Hf, internally oxidized, grain boundary fracture at low temp. 4−25345
Ti-W-C system, phase diagram 4−1465
UO_2-MgO-W system, directional solidification, eutectics growth 4−17217
W-Cr-Zr system, phase equil., 1200 and 1500°C *(Russian)* 4−7030
W-Cu pseudo alloys, hot pressed, phys. props., 300-2200K 4−41815
W-Cu pseudoalloys, hot extruded, thermal and electrical conductivity, thermal expansion meas. 4−4186
W-Mo powder pressings, solid soln. form. during sintering, temp. depend. *(Russian)* 4−41787
W-Mo steel, ductility and welding of R6M5 and R18 tool steels 4−33776
W-Re, vapour deposited, superconducting transition temp. meas. 4−16865
W-Re, work function, thermionic and mass spectrometric determ. 4−13546
W-Re dil. solid solns., defects in electronic struct. *(Russian)* 4−20908
W-Ta, oxidation props. 4−41826
W-ZrC, thermo-emission props. *(Russian)* 4−21145
WC-Co, cemented carbide, binder phase chem. comp. rel. to phys. props. *(German)* 4−37998
WC-Co, cemented carbide, fracture toughness, rel. to struct. and comp. *(German)* 4−38119
WC-Co, dispersion strengthened material 4−7303
WC-Co, sintering temp.and cooling conditions influence on microstruct. and residual stresses *(French)* 4−33845
WC-Co cemented carbides, abrasive polishing influence on stress state and toughness props. 4−41758
WC-Co hard alloy, stress-strain curve, strength, as dispersion-strengthened materials 4−17328
WC-Co hard metals, props. rel. to C content *(German)* 4−38003
WC-Co powders, prep. and props., and carbide phase in cemented carbides *(Russian)* 4−38002

tungsten compounds
see also tungsten alloys
dichalcogenides, layered, intercalated with alkaline earth metal or YG, supercond. 4−41140
dichalcogenides, vac. u.v. reflectivity spectra, band struct. 4−33431
recoil radiation damage, Mossbauer effect obs., Coulomb excitation 4−41317
Al_2O_3-WC(W_2C) composite, synthesis-fabrication 4−13859
$CaWO_3$, e.s.r. of electron and hole centres due to WO_4^{2-} anion 4−33262
$(K_2O\text{-}P_2O_5)_x\text{-}(WO_3)_{1-x}$, glass system, X-ray photoemission 4−21151
Mo-W-C system, phase equilibria at 1000°C 4−7306
$Na_xK_yWO_3$, quadratic tungsten bronze structure, optical const. determ. *(French)* 4−3950
$NbC\text{-}WC_{(1-x)}$ solid soln. composites characteriz. for high temp. applics. 4−7329
U-Pu-W-C system, thermodynamic estimations, rel. to fuel-cladding compatibility 4−19583
W complex, $(C_5H_5)_2WS_2C_6H_4$, nonlinear metallocene, struct. 4−9907
W complex, $W(CO)_6$, molecule band intensities obs. in i.r. spectra 4−3147
WC, autoelectron emission, energy distrib., oxide coating effect *(Russian)* 4−33593
WC, free energy of form. 4−33869
WC on cross-polished steel, microanal. investigations *(German)* 4−37839
WC/Co bonded composite, stress induced cavitation 4−13901
WC-Co, crack formation and propagation during indentation, obs. in SEM 4−25458
WC-Co, dispersion strengthened material 4−7303
WC-Co, sintering temp.and cooling conditions influence on microstruct. and residual stresses *(French)* 4−33845
WC-Co cemented carbides, composition and microstruct. of binder phases 4−7235
WC-Co(6 wt.%), mech. props., effect of SiC addition *(Korean)* 4−17305
$W(CO)_6$, in gaseous N_2, ang. correl. functions and Coriolis coupling 4−16138
$W(CO)_6$, Raman spectroscopy and diamond fluorescence at high pressures, diamond anvil cell 4−2281
WF_6, i.r. absorption impurity determ. method 4−39406
WF_6, i.r. spectrum, 190 to 310 K, Coriolis constants 4−16077
WF_6, vibrational spectra, force fields determ. 4−6073
WF_6, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
WF_6 vibrational relaxation and acoustic dispersion 4−27753
WF_6/UF_6 binary mixtures, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
$W_xNb_{1-x}C_y$ solid solutions, mag. susceptibility, supercond. meas. 4−24875

tungsten compounds continued
WO_2, M_2WO_4 (M=Na, K), action of Na and K vapours, 300-600°C, 0.01-0.1 Torr 4−4255
WO_2, standard free energies of formation, e.m.f. meas. employing solid electrolytes 4−13991
WO_3, i.r. absorption spectra, colour problem *(French)* 4−28834
WO_3, in $PbZr_{1-x}Ti_xO_3$, hydrostatic press. forced ferroelec.-antiferroelec. transition 4−37570
WO_3:P_2O_5 glass, electrical and optical props., V_2O_5, MoO_3 and CuO impurity effects 4−16747
WO_3:P_2O_5 glass, mag. resonance props. of V_2O_5, MoO_3 and CuO impurities 4−16975
WO_3-K_2O-Nb_2O_5 system, subsolidus phase study, tungsten bronze phase type obs. 4−29195
WO_3-P_2O_5-Li_2O, semiconducting glass, elec. cond. and thermoelec. props. *(Polish)* 4−3742
$WO_3 + SrCO_3 \rightarrow SrWO_4 + CO_2$, solid state reaction kinetics and mechanism 4−38142
$(WO_4)^{-2}$ groups in $CaWO_4$, symmetry of luminescing group 4−17130
WO_4^{2-}, vib. spectra, $\nu_2(E)$ and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4−24077
$W^{6+}O_6$, force constant, mean amplitude of vibration 4−19795
$WOBr_4$, force constant, vibr. mean amplitude, Coriolis coupling, thermodynamic function, normal coordinate analysis *(German)* 4−40244
$WOCl_4$, force constants, vibr. mean amplitude, Coriolis coupling, thermodynamic function, normal coordinate analysis *(German)* 4−40244
$WOCl_4$, Raman spectra of solid, melt, gas and $SOCl_2$ solution, mol. existence *(German)* 4−28837
WSe_2, reversible microstructural occlusions control of elec. props. 4−10092
WSi_2, W_5Si_3, enthalpy at 1200 to 2200K 4−7288
$W_{1-x}Ta_xSe_2$, ^{182}W Mossbauer quadrupole splitting obs., electronic struct. 4−17007

tuning
see also oscillators; receivers; resonance
clarinet, introduction problems 4−18272
dye laser, c.w., freq. locking near gas discharge atomic absorpt. lines 4−23333
dye laser, c.w., operation in blue using coumarin dyes 4−19107
dye laser, freq. stable single mode tunable c.w. 4−19108
dye laser, tuning with tilted birefringent plates 4−55
dye laser, u.v. and blue with broad tuning ranges 4−15361
Josephson junction point contact, generation of tuneable far i.r. radiation 4−5070
laser, CO_2 high-pressure, using CO_2 isotope mixture 4−19096
laser, CO_2 sealed-off waveguide, characts. 4−19095
laser, principles and applications, review 4−15329
mass spectrometer resolution tuning using delayed-trigger oscilloscope display 4−30606
4-methylumbelliferone dye laser, alcoholic soln. with small water content, tunability 415 to 558 nm. 4−23329
ruby laser, using KH_2PO_4 electro-optical filter as tuning element, performance *(Russian)* 4−35854
spectrometers, optical, electronically, using a collinear interaction acouso-optical filter 4−30474
AlGaAsSb system double heterojunction, field assisted photocathode 4−10520
AlInAsSb systems double heterojunction, field assisted photocathode 4−10520
H_2 maser, electronic system, for meas. standard 4−5480
HF-DF superradiant laser, spectral tuning and single-mode operation 4−26967
$PbS_{1-x}Se_x$ tunable diode laser, 4.3 to 8.5 μm, improvements, output over 1 mW 4−31054
^{84}Rb laser, tuning by pumping light modulator *(Russian)* 4−51
^{87}Rb masers, light intensity frequency shift compensation, automatic cavity tuning, theory and experiment 4−19058

tuning forks *see vibrating bodies*

tunnel diode oscillators
No entries

tunnel diode storage devices *see tunnel diodes*

tunnel diodes
see also tunnelling
No entries

tunnel effect *see tunnelling*

tunnel triodes *see thin film transistors*

tunnelling
alcohol solutions in neutral solvents, strong elec. field influence on dielec. permittivity 4−33331
amorphous semiconductors, hogh-field elec. cond., review *(Czech)* 4−16758
aromatic hydrocarbon radical ions recombination in non polar solvents, electron-tunnelling model 4−1747
borosilicate glass, nonlinear u.s. attenuation mechanism 4−28156
chloranil-trimethylamine, charge-transfer complex, electron transport, doping effects, tunnelling mechanism 4−3739
differential tunneling conductivity for forbidden and indirect transitions 4−28399
disordered lattice, high field, electronic wave packet time evolution 4−32851
DNA, quantum tunnelling, external elec. field effect 4−22506
ethyl iodide, CH_3CD_2I in CD_3CD_2I, quantum mech. tunnelling effects in methyl group n.m.r. spectrum 4−1345
field emission, electron, tunnel Hamiltonian approach using quasi-classical wave functions 4−28997
formaldehyde, radiation induced polymerisation, quantum low-temp. limit, mol. tunnelling 4−38133
impurity effect on electron tunnelling, theory 4−16812
Josephson effect, a.c., in phase operator formalism 4−32762
Josephson junction, fluctuations in current amplitudes due to tunnelling of Cooper pairs *(Russian)* 4−24894
layered structures, rel. to calc. of plasma freq. of electron gas 4−24676
magnetic after effect, tunnelling process, theory and comparison with expt. 4−3874

tunnelling continued
metal-dielectric-GaAs, electroluminesc. mechanism *(Russian)* 4−41433
metal-Ge-metal junction, phonon peaks 4−20684
metal-insulator-metal junctions, size effect in mag. field depend. 4−13231
4-methyl 2,6-ditertiarybutyl phenol, tunnelling of methyl gps. n.m.r. 4−3905
methyl group tunnelling of hindered triangular rotor, temp. depend. freq. distrib., model 4−20236
methyl groups, proton spin symmetry conversion, n.m.r. measurements 4−10333
methyl malonic acid crysts., γ-irrad., methyl group tunnelling rot. freq., temp. depend. 4−20235
methyl naphthalene, 77-4.2K, tunnelling effects of CH_3 group, relaxation rates *(German)* 4−3911
methylmalonic acid, ENDOR obs. of tunnelling rotation of the methyl group 4−3918
m.i.m. structure two band model, current energy distrib. 4−28505
m.i.s. structure, minority carrier multiplication 4−37320
M.N.O.S., trap assisted charge injection, thin oxide layer 4−20691
molecular groups, n.m.r. sidebands due to tunnelling rot. 4−10330
noncrystalline solids, phonon-assisted tunnelling, state of art review 4−32636
polydivinylbenzene film, quantum mechanical cond. mechanism 4−28519
proton transfer, symmetrical hydrogen bonds, environmental influence 4−40232
R-matrix theory, relativistic effects 4−1267
semiconductor, interband Zener tunnelling calcs., nonuniform elec. field effects 4−32871
semiconductor-metal boundaries, detailed analysis 4−41118
splitting of ground state multiplet in potential of hexagonal symmetry 4−41036
superconducting junction, subharmonic gap structure, effect of r.f. 4−10231
superconducting junction, subharmonic gap structure, theory 4−10232
superconducting junctions, self coupled travelling wave model 4−20731
superconducting thin film, high field, spin selective 4−33078
superconducting thin film, type I, vortex state obs. 4−33076
superconductor, spin-depend. tunnelling from transition metal ferromagnets, theory 4−37381
superconductor, tunnelling density of states, cryst. field split impurities 4−24868
superconductor, tunnelling of excitations into semicond., and increase of T_c 4−13271
superconductors, mag. struct., conference, Argonne USA (1973) 4−28520
superconductors, Nambu-Eliasberg theory, electron-phonon interactions *(Czech)* 4−13238
Tomasch effect in supercond./mag. material bilayer, density of states *(French)* 4−37348
Wronskian anal. of resonance tunnelling reactions 4−7432
Al, oxidized, fine grained film, low temp. elec. cond. by electron tunnelling 4−28518
Al, superconducting tunnel junction, struct. in characts. at $eV=4\Delta$ 4−37377
Al, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
Al-Al oxide-fatty acid monolayer-metal, oxide film effect on conductivity 4−33038
Al-Al_2O_3-Al(In)(Pb) extremely thin film, tunnelling anomaly obs. 4−24892
Al-AlN-Pb junction, inelastic tunnelling obs. 4−24891
Al-insulator-Pb, tunnel spectra, meas. method at 4.2 K 4−8412
Al_2O_3, 4 to 12 A insulating barrier, electron transmission, mol. pinholes versus tunnelling 4−10201
Al_2O_3, chemisorption probing, inelastic electron tunnelling spectra 4−13101
Au/Pb films, intermetallic compound formation and diffusion, investigation by superconducting tunnelling 4−24664
Cd, superconducting, amplitudes and level spacings of bound states 4−37379
CdSe, Urbach rule, absorpt. coeff. meas. 4−32625
GaAs, m.i.s. and p-n junctions, phototunnel conductance effect 4−20671
GaAs, p-n junction, luminesc. emission polarisation, uniaxial deform. effect 4−37692
GaN-Zn junction, forward bias current and capacitance, indirect tunnelling 4−28490
Ge, clean surface field emission from surface states, effect of tunnelling 4−28994
Ge, impurity band of (000) valley, tunnelling spectroscopic study 4−16717
GeTe, amorphous, energy gap, tunnelling spectroscopy obs. in m.i.s. struct. 4−28334
HK_2PO_4, H-bonded ferroelectric, underdamped soft tunnelling modes below T_c 4−10387
He, solid, isotope diffusion, mass spin fluctuation waves effect on n.m.r. 4−28260
In, superconducting film, type I to type II transition obs. 4−33077
In, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
In superconducting thin film weak links, 63, 302 GHz, microwave assisted 4−13247
InSb, radiative tunnelling in parallel and cross e.m. fields, instability threshold 4−21157
$KCl:CN^-(Li^+)$, tunnelling states of impurity ions, spin-phonon interaction obs., expt. 4−36983
$KCl:CN^-(Li^+)$, tunnelling states of impurity ions, spin-phonon interaction obs., analysis 4−36984
$KCl:Li^+(OH^-)$, phonon generation from tunnelling defect impurities, pulsed elec. field technique 4−32621
$KCl(I):N_2^-$ polarisation suppression of tunnelling matrix elements 4−1336
KH_2PO_4, deuteration effects on static ferroelec. props., model 4−13392

tunnelling continued
$K_3Sb_5O_{14}$ and $K_2Sb_4O_{11}$, two-dimens. tunnel structs., X-ray obs. 4−40762
La, phonon softening under pressure, superconducting tunneling expts. 4−16581
La, superconducting, phonon softening under pressure 4−9958
$La_2Mg_3(NO_3)_{12}$:Cu^{2+}, e.s.r. meas., temp. depend. anal. 4−41245
Mo, autoemission mechanism, energy distrib., oxide coating effect *(Russian)* 4−33593
NaOH aqueous glasses, fast electron transfer reactions, quantum mech. tunnelling 4−1726
Nb, Josephson junction, thin film, semicond. barrier, characts. 4−20730
Nb/oxide/In($Pb_{0.7}Bi_{0.3}$) superconducting tunnel junction, Nb energy gap determ. 4−33098
Nb-oxide-$Pb_{0.7}Bi_{0.3}$(In), supercond. junction, absence of tunnelling s-band energy gap 4−3807
$Nb_3(Al_{0.75}Ge_{0.25})$-barrier-$Pb_{0.7}Bi_{0.3}$ supercond. tunnelling junctions, current and cond. characts. 4−20732
Nb_3Sn-oxide-Pb tunnel junctions, superconducting, electron-phonon interactions 4−16886
Pb, superconducting film, type I to type II transition obs. 4−33077
Pb, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
Pb based alloy thin films, supercond. tunnelling meas., phonon distrib., struct. depend. 4−3786
Pb tunnel junction films, superconducting, energy gap meas. 4−16849
Pb/CuX, X=Cr, Mn, Fe, Co, Kondo alloy films, supercond. proximity model *(French)* 4−13299
Pb/Zn-ZnO-Pb tunnel junction, bound states and Fermi velocity 4−24888
Pb-I-$Bi_8Te_7S_5$-I-Pb sandwiches, proximity effects, tunnelling obs. 4−37380
Pb-oxide-InAs structure, quantised surface accumulation layer obs. 4−28471
Pb-PbO-Sn-Pb, tunnel junction, temp. variation of d.c. Josephson current 4−16885
Pb-Tl-Bi, superconducting, electron, phonon spectrum and electron-phonon interaction determ. 4−16873
Pb-Zn junctions, inelastic tunnelling rel. to barrier and electrode phonons interactions 4−24832
$Pb_{0.9}In_{0.1}$ film, localised phonon modes, lattice order effect, supercond. tunnelling obs. 4−1288
PbO, optical phonons, tunneling obs. between normal and supercond. Pb electrodes 4−16577
Sn-SnO-Sn junction, quasiparticle tunnelling expt. of current carrying state of superconducting microbridge 4−33105
$SrTiO_{3-x}$, superconducting semiconductor, energy gap determ. by tunnelling 4−37358
Ta, autoemission mechanism, energy distrib., oxide coating effect *(Russian)* 4−33593
Tl-In, localised phonons in supercond. tunnelling 4−37382
$Tl_2SeAs_2Te_3$, amorphous, asymmetric electron tunnelling obs. 4−13216
WC, autoemission mechanism, energy distrib., oxide coating effect *(Russian)* 4−33593
ZnO, doped, electrode, effect in spectral sensitization by dye mols. *(German)* 4−34039
ZnO:Bi_2O_3 ceramic, nonlinear elec. props. rel. to microstructure 4−6634
ZnS:Tb^{3+} film in m.i.s.m. and m.i.s.i.m. structures, electron injection mechanism 4−17123
ZnS-oxide-Pb, inelastic tunnelling rel. to barrier and electrode phonons interactions 4−24832
ZnTe-ZnSe heterojunction, recomb. mechanism, forward bias 4−28486

tunnels, wind *see wind tunnels*

turbidimeters *see turbidimetry*

turbidimetry
deep-water electronic nephelometer 4−11068
gas laser applic., measurement sensitivity 4−30441
human dental enamel, method for refl. coeff. determ. at turbid slab internal sufaces 4−5273
latex, method for estimation of particle size and refractive index 4−13945
oceanographic s.t.d. probe, dissolved O_2, pH, turbidity and specific ion meas. errors 4−11080
optical turbidimeter for meas. of low level bacteria concentrations 4−39217
polystyrene, colloidal polymer phase formation 4−41894

turbidity
see also turbidimetry
atmosphere, informational study, mathematical model *(Rumanian)* 4−29640
fluorescence excited in turbid medium, surface intensity anal. 4−11659
liquid crystal, nematic, anisotropy of turbidity 4−32434
MBBA, liquid crystal, nematic, anisotropy of turbidity 4−32434
PMMA-polyurethane composite, low angle X-ray scattering and turbidity 4−13883
polystyrene, colloidal polymer phase formation 4−41894
polystyrene latex, estimation of particle size and refractive index 4−13945
quartz particle aqueous suspension, extinction coeff. and particle size determ. 4−41903
sky radiance, multiple scattering influence 4−7677
suspensions of irregularly shaped diamond particles, turbidity determ. 4−41904

turbines
see also compressors; gas turbines; steam turbines
flow pattern, trailing edge flow, variation of Mach and Reynolds number 4−36655
power output, direct meas., soln. *(Italian)* 4−8319

turbogenerators
300 MW, end-windings, mag. field distrib. and iron-losses, obs. *(Russian)* 4−8739
300 MW, under various operating conditions, rotor-tooth mag. force, airgap harmonic effects, obs. *(Russian)* 4−8740

turbogenerators continued
e.m. field in end-winding zone, non-magnetic baffle system, obs. *(Russian)* 4−8738

turbulence
see also cavitation; plasma turbulence; turbulent flow; vortices
ν-fluid, model of homogeneous turbulence 4−36634
acoustic convection velocities of pressure fields induced by turbulent boundary layer 4−30278
acoustic-gravity waves, propagation in turbulent atmosphere *(German)* 4−7685
air, influence on electrooptical method of displacement meas. *(Russian)* 4−2236
air, saturation in irradiance, diffraction cutoff 4−2598
air-droplet jet, rate of evap. 4−40582
as radar target, estimation of spectral moments of pulse train returns 4−9663
atmosphere, freq. spectra of strong fluctuations of laser radiation *(Russian)* 4−1878
atmospheric, outer scale rel. to light beam propagation *(Russian)* 4−34370
atmospheric, review appl. to SST's 4−42137
atmospheric, scale depend. of 200 mb divergence, EOLE data 4−4439
atmospheric momentum transfer and turbulent fluctuations over ocean waves 4−25684
atmospheric surface layer, second order model of turbulence 4−25682
atmospheric turbopause, aritifical cloud obs. *(French)* 4−38429
atmospheric turbulence, three-dimensional model, use of subgrid transport eqns. 4−21992
atmospheric turbulence spreading of Doppler spectrum 4−4453
axisymmetric, rapid three-dim. distortion 4−24170
boundary layer, multicomponent, diffusion calc. with allowance for ionis. 4−40477
boundary layer, parietal friction meas. by floating element balance, error elimination *(French)* 4−39450
boundary layer, perturbed, longit. vel. fluctuation in intermittent region, coeffs. of asymmetry and oblateness *(French)* 4−40469
boundary layer, perturbed, turbulent kinetic energy balances *(French)* 4−40468
boundary layer, quadrupole emission spectrum 4−19996
boundary layer, triple space-time correls. *(French)* 4−32063
boundary layer, turbulent fluctuations of parietal friction, second order probabilities *(French)* 4−32064
boundary layer equation, incompressible two- and three-dimensional finite difference soln. 4−24203
boundary layer under inhomogeneous nonisothermal blowing, heat and mass exchange coeffs. and crit. separation parameters 4−32079
boundary layers, shock-induced turbulent 4−16197
bow shock region, electrostatic and e.m. turbulence 4−22101
bubble chamber photograph quality, reduction of liquid turbulence distortion 4−8467
chemical mixing and kinetics, turbulent motion, review 4−3347
chemical reaction rate *(French)* 4−29306
chemical reactions, dilute contaminant concentration fluctuations in homogeneous turbulence 4−25471
clear air turbulence, laboratory demonstration of Kelvin-Helmholtz instability 4−14173
clear air turbulence, mesoscale history, rawinsonde obs. 4−1904
clear-air turbulence, indices for area location 4−29756
compressible flow, turbulent correlations, modal analysis 4−32083
cooling tower plumes, two-dimensional dynamic model for eqns. of motion, continuity and transport 4−25720
Denmark Strait overflow, microstructure level from current, density field, temp. and salinity rel. to turbulence index 4−17679
energy generation and viscous dissipation *(Russian)* 4−40394
equatorial electrojet, radar obs. of two-dimensional turbulence 4−14177
film cooling performance, effects of compressibility and nonisothermal conditions from turbulence boundary layer eqns. 4−40410
flame, turbulence kinetic energy balance eqn. 4−40621
flame front, radiative cooling 4−40437
fog droplet spectral distributions, spray equation 4−4438
free atmosphere, numerical estimation of dissipative factors *(Russian)* 4−14124
heat shielding efficiency of plane wall during blowing of air through slot 4−40425
heating of atmosphere by laser beam 4−1882
h.f. spectrum analysis with He-Ne laser *(Russian)* 4−40396
holography, speckle reference, for imaging through turbulent water 4−5081
hot jet noise sources *(French)* 4−24218
hypersonic boundary layer, cooled wall flow, hot wire anemometer turbulence meas. 4−36649
hypersonic viscous interaction, flat plate anal. 4−36650
immiscible stratified binary system, conducting sheet model of turbulent heat transfer 4−27822
intermittent, self-similar cascade, dissipation, Kolmogorov's third hypothesis 4−24175
Irish Sea, turbulent boundary layers, bursting phenomena 4−38307
isotropic, energy transfer, nonlinear integral eqn. for Heisenberg type viscosity 4−32031
isotropic, uniform, use of similarity hypothesis for soln. of problems *(Russian)* 4−24183
jet, axisymmetric, generation and suppression of turbulence under acoustic influence *(Russian)* 4−40505
jet, cold liquid, heat exchange in vapour condensation 4−40418
jet, plane parietal, turbulent diffusivity *(French)* 4−24217
jet, semiunbounded, applic. of equivalent problem in heat cond. theory 4−40510
jet, turbulent mixing with parallel stream 4−3308
jets, pulsating turbulent, mixing improvement 4−3306
kinematic dynamo problem, turbulent, appl. of Kraichnan's direct interaction approx. 4−12722
kinematic dynamo theory, Kraichnan's direct interaction approx., soln. under Parker's short-sudden conditions 4−12723
Kolmogorov's inertial range theories 4−24174
laser light fluctuations due to turbulent atmosphere, probability distribution *(Russian)* 4−25691

turbulence continued
- light intensity in turbulent atmosphere, correlation functions *(Russian)* 4−25692
- liquid film, onset over single sphere 4−16172
- low-levels meas. with hot-wire anemometer 4−8596
- lower ionosphere, review *(Russian)* 4−42152
- measurement, characteristic, Toepler instrument 4−23073
- measurement, spatial resolution errors using hot wire method 4−8593
- microturbulence in stellar spectral line formation, turbulent element approach 4−4782
- mixing in developing region of coaxial jets 4−24221
- mixing of streams of cond. and noncond. fluids in plane channel *(Russian)* 4−40540
- model, correlation, of nonhomogeneous turbulence, channel flow applic. 4−27803
- nematic liquid crystal, static and alternating electric field induced instabilities 4−6341
- normal shock and turbulent boundary-layer interaction, model 4−32089
- nuclear reactor, numerical techniques 4−31476
- ocean, u.s. intensity fluctuations 4−26307
- ocean circulation, strong baroclinic flow, turbulent equations of motion *(Russian)* 4−7626
- optical beam in turbulent atmosphere, field amplitude fluctuations *(Russian)* 4−25690
- packed beds, dispersion coeff., effective fluid velocity, heat transfer coeff. and thermal conductivity 4−16253
- plane two-stream mixing layer, turbulence structure 4−3269
- polymer solution dilute, turbulent boundary layers, radiated noise 4−12714
- Prandtl mixing length scales of turbulence 4−9651
- random field properties *(Russian)* 4−5327
- Sargasso Sea, Gulf Stream eddies 4−7637
- separated flow, effect on drag *(French)* 4−27860
- short triangular channels, hydrodynamic and heat transfer processes 4−6150
- small scale turbulent flame, steady-state propagation velocity *(Russian)* 4−7435
- solar photosphere, microturbulent velocity from fine analysis of Cr I 6330 Å line *(Russian)* 4−29829
- solar photosphere, microturbulent velocity from fine analysis of multiplet lines *(Russian)* 4−29830
- solar stratified atmosphere response to localised turbulent source 4−34653
- spectral energy transfer in hydrodynamical turbulence 4−32048
- stable density interface, wind induced turbulent entrainment 4−4401
- stellar atmospheres, spectral line formation in turbulent atmosphere, unified theory 4−4784
- stellar atmospheres radiation loss influence on spectrum of turbulence *(Russian)* 4−14353
- stratified flow at interfaces, lubrication and deep sea erosion applications *(Russian)* 4−36637
- stratified shear flow, Kelvin-Helmholtz instability in two miscible fluids 4−12682
- stratospheric, correl. with mesoscale horizontal temp. gradients 4−42138
- strongly turbulent homogeneous system, kinetic equation, model system 4−19977
- sunspot model choice, influence on derivation of turbulent velocity *(Russian)* 4−14303
- supersonic projectile wake, holography *(French)* 4−30676
- supersonic sharp cone, inclined, 3-dimens. anal. 4−40484
- thermal convection, fluctuations development, model interpret. 4−24182
- tubes with transverse ribs and twisted tape, heat transfer and pressure drop 4−31462
- two rapidly reacting chemical species, thermal field produced by turbulent mixing 4−3351
- upper atmosphere internal gravity waves thermal effect, coeff. of vertical turbulent interchange *(Russian)* 4−25730
- upper atmospheric turbulent layer, energy transfer by tidal fluctuations and gravity waves *(Russian)* 4−14176
- Venus atmosphere, effects on r.f. propagation 4−34697
- vibrating rectangular plate, sound radiation, in turbulent boundary layer *(Russian)* 4−42679
- vortex shedding from slender cylinders of various cross sections 4−19992
- wake of circular cylinder, vortex shedding, turbulence in shear layer 4−3293
- wave, centred rarefaction, stationary and nonstationary, propag. in vibratory nonequilib. media *(French)* 4−32087
- Ar, discharging into air, turbulence meas. by hot-wire anemometry 4−3305
- C black particles, agglomerate form. by coagulation in microdiffusion turbulent flame 4−13946
- CO_2 jet, discharging into air, turbulence meas. by hot-wire anemometry 4−3305

turbulent flow
- aerodynamic interference of pitot tubes in turbulent boundary layer at supersonic speed 4−12699
- aerodynamic noise amplification by convected flow inhomogeneities 4−16213
- aerofoil and cricket ball behaviour, teaching paper 4−30335
- aerosol, latex spheres, N_2-NH_3 mixture, diffusiophoresis, turbulent conditions 4−38092
- aerosol inertial deposition, in turbulent pipe flow 4−27913
- air, effect of temp. factor on heat transfer 4−6151
- air, laser radiation intensity fluctuations meas. *(Russian)* 4−42104
- air, stabilized, in circular pipes and rectangular channels, heat exchange on initial section 4−40424
- air, temperature fluctuation meas., metal film probe applic. 4−35580
- air, transpired turbulent pipe flow, heat transfer 4−36630
- air, tube flow, vel. and temp. fluctuations, correlation coeff. 4−40416
- air film pressure distrib. considering inertia forces 4−36618
- air turbulent heated flow in axisymmetric diffuser with permeable wall 4−3258
- air-glass microsphere, interaction in turbulent pipe flow 4−27914

turbulent flow continued
- annular, energy balance of averaged and pulsating motion 4−27827
- annular channel with roughened core rods, heat transfer, eddy viscosity model 4−36629
- atmosphere, idealised planetary boundary layer 4−21961
- atmospheric boundary layer over rough surface, based on semiempirical theory *(Russian)* 4−29630
- atmospheric surface layer, prediction of Monin-Obukhov similarity functions from invariant model 4−21962
- axially symmetric body, aerodynamic heating *(Italian)* 4−24205
- axisymmetric jet in co-flowing air stream, u-component turbulence, Reynolds stress 4−12710
- blood, experiment and physiological effects 4−22547
- bluff body, two-dimensional turbulent velocity outside separated flow regions 4−12676
- boundary layer, axisymmetric, an axially rotated cylinder, subject to circumferential strain 4−40476
- boundary layer, calc. method using Boussinesq coeff. *(French)* 4−40474
- boundary layer, for positive pressure gradient, distribution of tangential stresses *(Russian)* 4−12691
- boundary layer, heat transfer, air flow acceleration effects *(Russian)* 4−19995
- boundary layer, heat transfer during stepped blowing *(Russian)* 4−6164
- boundary layer, prediction by eddy viscosity hypothesis 4−12697
- boundary layer, shear flow, visual obs. 4−6173
- boundary layer, thick axisymmetric, near tail of body of revolution 4−40475
- boundary layer, turbulent three-dimensional, prediction methods, assessment 4−19999
- boundary layer at permeable plate, with injection, hot-wire anemometer meas. 4−27844
- boundary layer flow in breakaway point region for axially symmetric body in turbulent stream *(Russian)* 4−27848
- boundary layer flow over cylinder, heat exchange at leading critical pt. *(Russian)* 4−27830
- boundary layer flow over flat plate, dye-streak and H-bubble visual observ. 4−24198
- boundary layer of rough surface, heat and mass transfer 4−6159
- boundary layer on cone, laminar-turbulent transition and skin friction coeff. determ. 4−24204
- boundary layer on cooled flat plate, turbulent heat transfer, expt. obs. 4−3257
- boundary layer on heated plate, heat transfer 4−32026
- boundary layer stability in presence of intense heat transfer 4−40434
- boundary layer with stepwise varying boundary conditions at permeable surface 4−6154
- boundary layers, highly accelerated, relaminarization 4−6172
- boundary layers, thick axisymmetric, integral calculation method 4−40382
- boundary layers at rotating bodies, multiparameter computing process *(German)* 4−16210
- boundary-layer, local inflexional instability, turbulence wedge formation 4−3279
- bubbles, liquid phase mass transfer in cocurrent turbulent pipeline flow 4−6204
- bubbly wakes, sound propagation 4−11374
- cascade of airfoils, wake profile, turbulence and Reynolds stresses 4−12709
- cavitation, suppression by polymer injection, polyethylene oxide 4−12735
- cavitation and polyphase flow, conf., Atlanta, USA (Jun. 1973) 4−12725
- channel, nonhomogeneous turbulence correlation model applic. 4−27803
- chemical reaction, turbulent mass transfer 4−3348
- chemical reaction rate, in turbulent media *(French)* 4−29306
- chemically reactive flow, transient transport, processes, mathematical model 4−40385
- circular cylinders, vortex excited resonant vibrations 4−14751
- coefficient of anisotropy of evolving currents *(Russian)* 4−38361
- colloidal particles, detachment from flat substrate in turbulent boundary layer flow 4−937
- combustion, time-averaged balance eqns. 4−12680
- complex fluid systems, linearised friction impedance models 4−3263
- compressor, cascade flow coupled to through flow, multiple scales approach *(French)* 4−32029
- computer as an aid to calculation review 4−40458
- conducting liquid, mag. field generation *(Russian)* 4−40547
- confined, effect on heat transfer in liquid metals 4−40058
- control equipment design hydraulic, flow resistances measurements for laminar to turbulent flow range *(German)* 4−32047
- convected vortices, press. and veloc. fields 4−12708
- convection, transient forced, parallel plate channel 4−16180
- convective heat transfer, pipe flow 4−36622
- convective heat transfer, viscous dissipation effect 4−40451
- convective turbulent transfer with strong injection, longitudinal pressure gradient, nonisothermicity 4−6153
- diffusion, passive scalar, integro-differential eqn. 4−12677
- diffusor formed by parallel walls, steady-state turbulent flow and heat transfer 4−40430
- dispersion from point or line source near two dimensional obstacles, statistical analysis 4−3254
- dispersion of inertia mixture in two-phase axisymmetrical stream 4−32139
- duct, square cross-section, flow and heat transfer predictions 4−27814
- eddy-viscosity distribution in thick axisymmetric turbulent boundary layers 4−3267
- ejector jet, noise charac. analysis 4−6181
- electrochemical electrodes, ring, on rotating discs, diffusion flow 4−1718
- electrochemical method for visualization of lines of parietal motion *(French)* 4−39452
- electroconductive fluid, magnetic field, heat exchange 4−16249
- elliptical duct, fully developed flow and heat transfer 4−27836
- energy transformation, nonlinear mechanism, dynamical models 4−6148

turbulent flow continued
estuaries, data anal. of river flow interaction with sea waves 4–4376
estuarine tidal flow, Reynolds stress meas. 4–17681
evolution of turbulence spectra to similarity regime *(Russian)* 4–32030
fibre suspensions, friction reduction by chemical additives 4–936
fixed disc and rotating disc with blasting across centrally situated orifice *(French)* 4–32018
fluid, meas. by photon correlation technique comprising laser Doppler 4–26741
freon 113, turbulent stream, light propagation props. obs. *(Russian)* 4–5468
friction, heat transfer, material removal in compressible gas turbulent boundary layer, injection, nonisothermicity 4–3252
fully developed flow structure in rough pipes 4–3266
gas, in plane Lavalle jet, conditions for absence of shock *(Russian)* 4–24219
gas, transit nonisothermal motion in pipelines, effect of eqn. terms characterizing change in vel. head 4–32046
gas chemical nonequilibrium flow, in heated tube in near-equilibrium or frozen state *(Russian)* 4–6216
gas flow, unsteady, in long fluid lines with turbulent bulk vels., dynamic modelling method 4–19983
gas injection, severe streamwise press. gradients, mass. and anal. 4–27922
gas injection, vel. and conc. profiles for zero press. gradient 4–27921
gas pipe flow, turbulent transfer coefficients, large negative pressure gradients 4–6156
gas-particle suspension, Benard convection onset 4–16192
haemodynamics, spectral relation of turbulence and sound distal to stenosis in simulated model 4–18120
heat and mass transfer from cylinders 4–40384
heat transfer, air-solids suspensions 4–3336
heat transfer, free and forced convection 4–32022
heat transfer, hydrodynamics, polymeric additive effect 4–27887
heat transfer, in gradient flow, plane turbulent jet incident on flat plate normal to flow 4–32098
heat transfer, pipe flow 4–36620
heat transfer, supercritical liquid 4–32028
heat transfer, swirled and axial flows, entering annular passage 4–27808
heat transfer, swirled flows in cyclone chamber 4–32075
heat transfer, transient, unsteady stagnation point heat transfer in two-phase flow 4–24189
heat transfer across turbulent boundary layer on rough plate, obs. *(Russian)* 4–24181
heat transfer air-solids suspensions 4–3335
heat transfer in converging rectangular ducts 4–40440
heat transfer in non-Newtonian flow 4–16186
heat transfer in turbulent boundary layer, high flow acceleration, obs. *(Russian)* 4–19975
heat transfer in turbulent pipe flow, mixing length model appl. 4–32015
heat transfer near sudden steps 4–3251
heat transfer to fluids in annuli, unified anal. 4–32050
helicopter rotors, overall and broadband noise characts. 4–14744
hyperfiltration at high fluxes, forced convection mass transfer, reduced conc. polarization 4–27923
hypersonic sphere wake, electron density, Langmuir probe meas. 4–32094
inclined surface, natural convection, wave instability 4–19982
interacting turbulent shear layers in duct flow 4–3264
ionospheric sporadic-E layer, turbulent diffusion as controlling factor 4–17809
isothermal flow in rectangular channel with blowing 4–19972
isotropic turbulence, Lagrangian velocity autocorrelation 4–24172
jet, reattached on offset parallel plate, mass transfer 4–40502
jet, struct. of jet striking semipermeable barrier, press. and photographic investig. 4–32099
jet, subsonic cross-flow, geometry charact. effect on vel. profiles 4–16223
jet, turbulent Mach 5, mixing, mean flow and turbulence meas. in shear layer 4–3302
jet, turbulent Mach 5, mixing, spreading of mean flow in shear layer 4–3301
jet flow, plane, over backward-facing step 4–27870
jet noise, anisotropic turbulence 4–9681
jets, axially symmetric compressible free, turbulent mixing 4–3300
jets, axisymmetric, issuing into a co-flowing stream, prediction 4–40501
jets, cylindrical *(French)* 4–32092
jets, hot-wire anemometry meas., axial distribs. 4–26740
jets, turbulent, counter rotating pair, swirling flow studies 4–3298
jets, turbulent mixing, Raman spectroscopy meas. 4–3303
laser cross-beam photon correlation spectroscopy, turbulence, velocity and particle conc. determ. 4–5308
laser doppler anemometer 4–26743
layer above permeable plate heat and mass transfer *(Russian)* 4–3253
liquid, connection with maximum flow rate 4–19976
liquid, gas absorption at intermediate contact times 4–36674
liquid, longitudinal mixing, pulsating flow through fixed bed *(Russian)* 4–6171
liquid, mass transfer in tubular membrane 4–11698
liquid film, descending, with assoc. flowing gas stream, turbulent mode transition, condensation effect 4–40419
liquid film, onset of turbulence over single sphere 4–16172
liquid flowmeter, errors due to turbulent flow changes, comparison with rectilinear and curvilinear conduits 4–18812
liquid in tubes, determ. of hydraulic resistance using transmission function method *(Russian)* 4–16178
liquid motion around set of turbulent air streams 4–6203
liquid nitrogen in supercritical pressure region, expt. *(Russian)* 4–15256
Maxwell liquid, unsteady translation of sphere 4–16232
mixing fluid mechanics (conf. Atlanta, USA, Jun., 1973) 4–3244
mixing of cocurrent and countercurrent streams *(Russian)* 4–40457
Navier-Stokes equation, heat transfer, vortex flow 4–32027

turbulent flow continued
Navier-Stokes equations, difference method, high Reynolds numbers 4–32049
non-Newtonian boundary layer, on flat plate, drag coeff. rel. to non-Newtonian Reynolds numbers 4–40516
nozzle, pulsating flow, theory of measurement *(Japanese)* 4–18807
nuclear reactor rod bundles, rod displacement effects on circumferential temp. and heat flux distrib. 4–40063
nucleate boiling, rel. to heat transfer coeff., semiempirical soln. 4–32042
optical Doppler velocimeter, signal spectral anal. 4–23074
packed beds of various particle shapes in turbulent flow regime, momentum transfer 4–3325
parallel flow, velocity and temperature distrib. 4–12693
particle, solid, motion in isothermal curvilinear flow, effect of shape and density 4–40590
particle size measurement, eddy freq. and pattern effect 4–29258
particles, vertical pipe transport 4–12738
particulate plume, over wind-generated water waves 4–4409
pipe, circular, fully developed, new criteria to identify state 4–35567
pipe flow, boundary layer calculation 4–19994
pipe flow, gases with temp. variable properties, heat transfer 4–32025
pipe flow, heat, momentum transfer 4–16179
pipe flow with combined free and forced convection, vel., temp. and turbulence meas. 4–40439
in pipes, transverse velocity fluctuation, space time correlations 4–12678
Pitot probe, response in turbulent stream 4–16185
pivoted vane current meter for natural waters 4–11072
polyethylene oxide, solution, jet cavitation 4–12734
polymeric solution, heat transfer 4–32136
polymethylsiloxane, turbulent stream, light propagation props. obs. *(Russian)* 4–5468
polyoxyethylene dilute soln., flow in thin walled circular orifice *(French)* 4–36663
Prandtl mixing length scales of turbulence 4–9651
pressure and velocity fluctuations, spatial correls. determ. *(French)* 4–40405
pressure fluctuation, averaging by distrib. sensitivity sound receivers 4–18384
probes, hot film transducer, dynamic characteristics 4–35576
pulsatile flow, at an entrance, turbulent transmission, flow birefringence obs. 4–18113
random flow, Gaussian nature of vel. distrib. 4–36633
rate, flow rate from velocity measurements using fluid dynamics 4–40393
resistance and heat transfer in turbulent gradient flows 4–3259
rotating disc, air-cooled, meas. and calc. of heat transfer 4–9661
rotating disc in turbulent flow at high Prandtl or Schmidt no., heat and mass transport 4–40453
rough wall, heat, mass transfer, high Reynolds and Peclet numbers 4–24179
screens effect 4–9650
semiempirical theories 4–6165
separated flow, effect on drag *(French)* 4–27860
shear flow, bounded, truncated turbulence signals 4–40406
shear flow, curved rectangular duct mean flow props. 4–16184
shear flow, turbulent wall jet, turbulent interface motion and topography 4–40506
shear layer turbulence suppression in rotating systems 4–3265
shear plate for use in oscillatory flow 4–18810
shock wave/turbulent boundary-layer interactions, sidewall boundary-layer effect 4–12704
short triangular channels, hydrodynamic and heat transfer processes 4–6150
singular perturbation and turbulent shear flow near walls 4–24199
solid suspension, radiating fluid in circular tube, constant wall temp. 4–674
spilling breaker, whitecap entraining plume model 4–38295
stabilised flow characteristics in channel 4–9652
stability of flow between elastic walls *(Russian)* 4–40536
step in a flat plate causing instability of laminar flow 4–3280
stream of small dimensions, steady state combustion *(Russian)* 4–29321
subsonic, grid turbulence induced strong temp. mixing 4–16215
supercritical fluid, tube flow, turbulent forced-convection heat transfer 4–27806
supersonic flow, turbulent mixing with fluid at rest, obs. 4–24214
suspensions, non-Newtonian friction losses in transition from laminar to turbulent flow *(German)* 4–935
swirled flow in pipe, kinematic similarity 4–40466
swirled gas flows in short tubes 4–9664
temperature mixing layer meas. 4–19974
thermal, motion in unstratified environment 4–6162
tube, high Schmidt number, turbulent diffusion 4–9658
tubes, bundle, in turbulent flow of coolant, effect of relative spacing in heat transfer 4–32039
two-phase conducting flow, in crossed mag. and electric fields, instabilities *(Russian)* 4–40570
vapour, laminar condensate, gravity and shear forces interaction 4–16181
velocity measurement, dilute polymer solution, turbulent pipe flow, optical technique and system, results 4–2435
viscoelastic fluid, stability of plane Poiseuille flow 4–20022
viscous, in ducts, numerical methods for three dimensional models 4–36612
viscous fluid, eddy development, Reynolds numbers, theory, expt. 4–3262
viscous limit, two-dimensional turbulence 4–24173
viscous liquid along plate, wall region temp. fluctuations 4–40388
viscous sub-layer, effect on longitudinal dispersion 4–16255
vortex dust collectors, vel. fields 4–40596
vortex pairs, linearized system, theory *(Russian)* 4–36636
wake, entrainment mechanism in turbulent vortex street and wake 4–20010
wakes, growth characts. 4–6177
wall region mass transfer in turbulent pipe flow 4–6144

turbulent flow continued
wall region with pressurization, heat transfer at large Prandtl numbers 4−40422
water, 'clean' rod bundle flow channel, crossflow mixing 4−36628
water, distilled, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
water, laminar to turbulent natural convection boundary layer flow transition 4−9654
water, transcritical flow, stable flow boundaries var. by shifting heated zone 4−40390
water, turbulent mixing of two streams, vortex pairing 4−40465
water pipe flow measurements using laser-Doppler velocimetry, ambiguity levels 4−3255
water turbulent pipe flow, diffusivity radial distribution 4−6147
water turbulent pipe flow, ink axial dispersion 4−3270
wavelike eddy development, near jet noise field 4−24177
wetted wall columns and packing, mass transfer, turbulent flow model 4−3326
wind, anemometer, hot wire, aleatory signal identification *(French)* 4−22168
wind, surface obstruction wind profiles, review 4−42139
wind tunnel, grid jets, meas. of downstream isotropic wind tunnel turbulence 4−16224
Hg, flow in circular duct, magnetic field effect on turbulence *(Russian)* 4−20032
Hg, free convective boundary layer, temp. distrib. 4−27817
Hg, liquid metal pipe flow, turbulent velocity, temperature fluctuations 4−9656
Hg, turbulent heat transfer, mag. field effect *(Russian)* 4−40550
MgO dust-air, flow over ellipsoid of revolution 4−27915
N_2, effect of temp. factor on heat transfer 4−6151
Na, liquid, superheat in flowing systems 4−12441

TV *see television*

twilight
see also night sky
airglow emissions in near i.r., rocket observations 4−29655
intensity and polarisation in four colours 4−29568
luminance increase due to meteoric swarms in low thermosphere *(French)* 4−29647
photometric colour ratios, observation of stratospheric dust event, October 1971 4−34375
polarisation, meas. at sunrise, Switzerland Oct. 1968 and June 1973 4−38311
upper atmosphere, meteoric aerosols rel. to twilight diffusion luminance *(French)* 4−38431
Li I 6708 Å emission enhancement, observation, causes 4−42144
O emission at 5577 A, enhancement 4−22032
O^+ 7319 Å emissions in twilight and nightglow 4−38414
OI red line 4−1927

twinning
alloy, deform. twinning, review 4−10580
apatite compounds, higher symmetry structure 4−16465
b.c.c. metal, deformation-induced β internal friction peak, relax. mechanism 4−41768
coherent interface propagation between two nonhydrostatically stressed rock crystals 4−17577
deformation of internal boundaries, geometrical analysis 4−37834
f.c.c. crystal, deform. twin form. mechanism 4−17269
ferrites, hexagonal, elec. microscope exam. by direct lattice imaging, comp. with X-ray exam. 4−28111
ferrites, hexagonal, stacking sequences imaging, electron microscopy and diffr. 4−16407
graphite, deformation and twinning under a point load 4−6414
graphite, neutron irradiated, deformation and twinning under a point load 4−6414
graphitization, carbide support, effect of dislocations, twinning, electron microscope study 4−16677
hexagonal crystal, twin boundaries (trace) data in surface orientation evaluation 4−12837
isotropic materials, strength differential effect, twinning and directional slip role 4−37930
metal, deform. twinning, review 4−10580
metal, idealized close packed, faulting and phase stability 4−20317
metalworking at elevated temps., microstruct. changes 4−29078
polycrystalline aggregates, microstrain, slip initiation at grain boundaires 4−1487
quasi-Laue-RHEED diagrams, a computer programme for geometry simulation *(German)* 4−6313
refractory oxide crystals, mechanism of growth from flux, surface features investigation 4−12883
steel, austenitic stainless, hydrogen-induced grain boundary and twin boundary structs. 4−29086
steel, high-C, low temp. deform. of martensite struct. singularities *(Russian)* 4−17230
steel, stainless, Type 304, interfacial free energies and temp. coeffs. 4−1491
steel, stainless, Type 304L, defect structures produced by electrolytic hydrogen charging 4−17276
steel, twinned martensite lattice orientation *(Russian)* 4−17229
tetraiodoethylene, single cryst., spectra, struct., mol. orientation 4−20988
twin law derivation, twin obliquity 4−24483
unit cell level, struct. building operation 4−16441
Ag, (112)[111] texture development on rolling, obs. and mechanism 4−41593
Ag film, (100), rel. to thickness effects on plastic deform. 4−37130
Ag single crystals, electrolytic growth rate and dissolution, potentiostatic conditions, twin boundaries influence *(German)* 4−13990
Al, cast, growth-twinned, grain structure effect on tensile props. 4−7127
Al, pure, twin boundary energetics study by thin film transmission electron microscopy 4−1500
AlN, cryst. growth, twin form., struct. investig. rel. to cryst. morphology 4−20237
Al_2O_3, cutting tools, dislocation controlled crater wear, TEM obs. 4−29192
Al_2O_3, interfacial energy of coherent and incoherent deform. twin boundaries 4−33846
AlTi(Zn), morphology and orientation of twinned dendrites *(Russian)* 4−13631

twinning continued
Au bicrystal, dislocation struct. of twin, low- and high-angle grain boundaries *(Russian)* 4−29055
Au(100) surface, LEED, influence of twin volume density 4−24617
Ba_2CoWO_6, antiferromag. crystal, solution grown by top-seeded technique 4−37751
$CaCO_3$, Iceland spar, Rose channel form., microscopic obs. 4−12954
Cd polycryst. prisms, dissipative props. of twin boundarires, u.s. vibr. influence 4−20316
CdTe, X-ray topographic investig. of structure 4−20188
Co-Fe(9.5 wt.%) alloy, deform. twin form. mechanism 4−17269
$(Co(NH_3)_6)_4Cu_5Cl_{17}$, effect on X-ray struct. determ. 4−6364
Cu, (112)[111] texture development on rolling, obs. and mechanism 4−41593
Cu and α-Cu-Sn alloys, cyclic deform. at const. stress amplitude *(German)* 4−25379
Cu-Fe(9.5 wt.%) alloy f.c.c. crystals, deformation twins formation dislocation mechanism 4−1064
Cu-Ti dil. solid solns., internal oxidation kinetics and structures 4−17259
$Cu_9Fe_9S_{16}$, mooihoekite, X-ray anal. 4−3471
Eu_2O_3, rel. to polymorphism and absorpt. spectra 4−13034
Fe, polycryst., local ductile deform. in microcrack peak during chip damage 4−4111
Fe, twinning at low temp. under plane stress state condns. 4−13659
Fe-Co, effect of atomic order on slip, twinning and crack formation at 4.2K 4−1553
Fe-Si, twin layers, defect struct., electron microscopy 4−37859
Ge, amorphous, evaporated, (111) twinning evidence of wurtzite-type bonding 4−9851
Ge, twinned layers, behaviour on heating 4−28112
Hf, single cryst., deform. behaviour, 77-473K 4−37927
In, β-arms, u.s. absorption quantum oscills. 4−20530
In, glide dislocations and twinning 4−21286
In, plastic deform. of single crysts. 4−33744
Mg-Cd alloy, twinning dislocation motion, ordering effect *(Russian)* 4−21253
MgCd, ordered, obs. and atomistic models 4−37820
Mn complex, $K_3[Mn(CN)_6]$, twinned, cryst. struct. 4−28046
MnAl(r) alloy phase, microstructure investigation 4−37836
α-N_2, electron diffr. obs. 4−40761
$Na_2Fe_5TiSi_6O_{20}$, aenigmatite, OD theory 4−24418
$NaNH_4HPO_4.4H_2O$, stercorite, cryst. struct., twinning and hydrogen bonding 4−24426
Nb, continuous nucleation theory 4−13644
β-Nb_2N, precipitate form., matrix orientation *(French)* 4−24663
Ni, electromonocrystallisation on Cu films, crystallite form. 4−6966
Ni-Al martensite substructure, bulk and splat cooled specimens 4−29061
Ni_3Al, solidification by twin growth mechanism 4−17226
Ni_3Nb phase, deform. twins 4−37928
NiO, effect on Ni single cryst. oxidation rate 4−6560
ReO_3, defect structure *(French)* 4−40808
Si, twinned layers, behaviour on heating 4−28112
SiC, growth characts. during reaction sintering, TEM obs. 4−25420
γ-Ta_2N, precipitate form., matrix orientation *(French)* 4−24663
Ti billet, microstruct. developed under hydrostatic press. at room temp. 4−37843
Ti-Al alloy single crysts., deform. modes 4−17334
Ti-Al(8 wt.%) alloy, fractography of stress corrosion 4−10604
β-Ti-V alloys, deform. modes and textures, X-ray exam. 4−41580
$Ti_3Se_{4-x}Te_x$, quenching effect 4−16462
U_3Si, transform. twins and elastic props. at low temp., nuclear reactor material appl. 4−16505
W single crysts., deformed in compression at 77K, crack types *(Russian)* 4−33760
Zn, forest dislocations effect on mobility of twin boundaries 4−33735
Zn, stability of deform. hardening of twin boundaries, pyramidal dislocation density effects *(Russian)* 4−37887
Zn, twinning dislocations and forest dislocations, interaction 4−13660
ZnS:Mn^{2+}, e.p.r. spectra, twin boundaries, normal and defective sites *(Russian)* 4−6413
$ZnSiP_2$, TEM investigation of twinning, stacking faults and dislocations *(German)* 4−20313
$ZnSiP_2$ single crystals, TEM investigations of lattice defects *(German)* 4−36905
Zr, repeated $A \rightleftharpoons \beta$ transforms. effect on microstruct. *(Russian)* 4−13629
Zr alloys, strength differential effect, obs. and mechanism 4−13740

two-phase flow
aerosol filters of polydisperse ultrafine fibres, gas flow in 4−40612
aerosol impactor, laminar flow, fluid mechanics of 4−40597
aerosol inertial deposition, in turbulent pipe flow 4−27913
aerosols, finite amplitude waveform propag. 4−40598
air, isothermal vertical plate, laminar free-connection wake 4−20013
air bubble, rising in non-Newtonian liquid, drag force determ. 4−40578
air-glass microsphere, interaction in turbulent pipe flow 4−27914
air-water, transition from bubbly to slug flow 4−27906
air-water mixtures, flow in conical diffuser 4−3328
annular, film and droplet velocities, experiment and computer simulation, interchange effects 4−934
binary gas mixture, flow over liq. surface, evaporation and condensation of one component *(Russian)* 4−27889
binary gas mixture, supersonic flow near round nosed body *(French)* 4−24206
blow-off singularity, similarity injection on flat plate 4−16204
boiling liquid, nonisothermal flow through channels, differential eqns. *(Russian)* 4−27905
bubble stability whilst rising in inviscid fluids 4−16256
bubbles, liquid phase mass transfer in cocurrent turbulent pipeline flow 4−6204
cavitating hydrofoils, radiated noise meas. 4−12731
cavitation damage, thermal effects 4−12736

two-phase flow continued
cavitation suppression by polymer injection, polyethylene oxide 4—12735
colloidal particles, detachment from flat substrate in turbulent boundary layer flow 4—937
compressible ideal granular material, plane mechanics and kinematics 4—21498
concentrated particle-gas system, adiabatic flow *(Russian)* 4—6210
convective diffusion, particle deposition, rate of elec. double layer 4—29238
convective heat transfer in dynamic two-phase bed 4—40568
critical flow, completely separated gas-liquid two-phase flow 4—40558
cylinder, elliptic, Krook kinetic eqn. numerical soln. 4—16236
dielectric rigid ellipsoid suspension, electric field effect 4—3334
diffuser, wetness effect on aerodynamic characts. *(Russian)* 4—40561
discharge of gas with solid particles from nozzles at crit. vels. 4—32140
dispersion of inertia mixture in two-phase axisymmetrical stream 4—32139
drops, collisions in stationary liquid medium 4—27898
dust, free flow meas. 4—27910
evaporating drop of solution, eqns. of motion *(Russian)* 4—27904
ferrosuspension, laminar flow in alternating mag. field *(Russian)* 4—40599
flashing flow, high speed *(Japanese)* 4—32128
force acting on a sphere in a nonuniform stream of an ideal incompressible liquid *(Russian)* 4—6208
gas absorption into turbulent liquid 4—36674
gas bubble, distortion during high Reynolds number rise 4—16260
gas bubble ascending in water, finite velocity determ. *(French)* 4—3327
gas fluidised beds, solids entrainment rate, mean particle size 4—933
gas plug enclosed by liquid in pipe, disturbance propag., linearized theory of gasdynamics 4—16254
gas-liquid, electrodiffusion method, local friction distrib. 4—27888
gas-liquid holdup prediction for inclined flows 4—6201
gas-liquid mixture, plug flow, friction head loss calc. 4—40564
gas-liquid mixture, structure and height on sieve plates without downcomers 4—40605
gas-particle mixtures in Laval nozzle at low values of particle drag, flow calc. *(Russian)* 4—6212
gas-solid, interaction terms for low Reynolds number flow 4—24253
gas/liquid laminar flow, phase-changing interface, heat transfer, skin friction 4—16250
glass entrained particles motion in plasma jet 4—7371
heat exchage on horizontal permeable surface in air flow, investig. 4—32036
heat transfer, transient, unsteady stagnation point heat transfer 4—24189
immiscible liquids in porous medium, stability parameters 4—32147
jet aerosol impactor characteristics versus relative humidity 4—42224
jet directed at two-phase interface, onset of entrainment and mass tranfer 4—27885
laminar boundary layer, chemically reacting equilib. flows, production terms 4—16271
liquid drops in hot gas, cooling, analytic soln. *(Russian)* 4—27903
liquid film, flow down plane, Orr-Sommerfeld equation 4—16198
liquid film thickness meas. 4—39153
liquid films, flow on smooth vertical plate, phase velocities 4—16199
liquid metals, void fraction and frictional pressure drop 4—5908
liquid motion around set of turbulent air streams 4—6203
liquid motion around vapour bubbles 4—40575
lubricating oil, aerated, viscosity, temp. depend. *(German)* 4—3311
Maxwell liquid, unsteady translation of sphere 4—16232
Newtonian hemihedral, binary mixture oscillating plate 4—3321
non-Newtonian falling film, gas diffusion 4—6200
non-Newtonian fluid, flow past a sphere 4—16228
non-Newtonian liquid, solid suspension in aq. polymer soln., viscosity calc. *(German)* 4—36677
nozzle liquid spraying into gas stream, media contact *(Russian)* 4—27872
nuclear fuel rod bundle, surface tension, gas density effect on vibrations 4—2996
nuclear reactor, numerical techniques 4—31476
nuclear reactor, water-cooled, flow transients in two-phase systems, soln. by method of characts. 4—40067
one-dimensional, nuclear reactor safety anal. 4—31481
through orifices and nozzles 4—27895
packed beds of various particle shapes in turbulent flow regime, momentum transfer 4—3325
particle capture by drops falling at high speed 4—3331
particle descent under gravity in viscous medium *(Russian)* 4—34412
particle motion in stream of gas *(Russian)* 4—36678
particles, vertical pipe transport, upward turbulent flow 4—12738
perforated disc, cavitation and power absorption 4—12726
pipe flow, swimming mechanism of an elongated body 4—24256
plane cavity in low viscosity fluid, laminar flow *(Russian)* 4—27899
plasma, highly rarefied, aerodynamic coeff. of bodies, intrinsic mag. field *(Russian)* 4—16291
plate, binary mixture, hemihedral fluids 4—3321
polymer melt, stratified bicomponent flow, equilib. Newtonian tube flow 4—27893
polymeric additive effects on hydrodynamics and heat transfer of turbulent flows 4—27887
powder, bubble-free expansion of gas-fluidised beds 4—17468
power-law fluids, interface shape, min entropy production principle 4—27892
quartz sand, free flow meas. 4—27910
radiation interrogation, dynamic bias reduced formula 4—36675
restricted transport in small pores, steric exclusion and hindered particle motion 4—34992
slot cavitation, rel. to depth to breadth ratio 4—12730
smooth circular cylinder, cavitation, scale effects 4—12727

two-phase flow continued
solid damage, jet impact and cavitation rel. to relaxational liquid props. 4—12732
solid particles transverse motion in a flow with fluctuating shear 4—3337
solid suspension, turbulent flow, radiating fluid in circular tube, constant wall temp. 4—674
solid-gas suspension flow, vertical, pressure drop 4—16263
spherical particle moving through thermal boundary layer over flat plate, heat transfer 4—27890
spray-annular streams in heated tubes, flow characteristics *(Russian)* 4—6211
stability boundary in system of parallel steam generator tubes, quantitative effects 4—40428
stability of moving surfaces in fluid systems with phase transformations, heat and mass transfer 4—6198
stainless steel, vibratory cavitation damage tests 4—13970
steam-H_2O condensing injector, study of heat transfer process 4—5880
steam-water flow through orifices 4—27895
steam-water in geothermal well, deliverability calculations using computer program 4—21751
steam-water test loop, vibration of heated cylinder 4—5898
steel spheres, hydrodynamically suspended in vertical tube, drag coeff., press. drops, polymer addition 4—27907
stratified, unicomponent, friction factor depend. on liq. level 4—24246
subcooled channel boiling, vapour formation, salt method 4—32024
supersonic double diaphragm shock tube *(Italian)* 4—23066
supersonic projectile wake, holography *(French)* 4—30676
suspension, spherical particles in incompressible liq., sedimentation, fluidisation, Kuznetsov's eqns. *(Russian)* 4—40602
Taylor's bubble, local liq. film thickness 4—24249
Taylor-vortex flow between rotating cylinders, sustaining torque 4—19991
thermodynamic processes, phase transition *(Russian)* 4—27891
thin cylindrical wall with internal heat sources, cooled by two-phase stratified flow, heat conduction 4—6160
transient two component, porous media 4—16266
tubular pinch effect expts., radial velocity of spherical particles 4—27911
turbulent conducting flow, in crossed mag. and electric fields, instabilities *(Russian)* 4—40570
upward annular and dispersed flow, film thickness, entrainment and pressure drop 4—6202
vapour-gas mixture, flow near surface of porous bodies during evap. 4—40566
velocity meas. using laser anemometer 4—35577
viscous gas suspension flow, solid particle demixing 4—3338
viscous ocean, stratified by salt and heat, internal wave propag. 4—1812
water, boiling, vapour and liq. temp. local meas. with microthermocouple 4—18398
water entry cavity pressure measurements, projectiles in open ocean 4—12729
water-magnetite, solid material flowmeter *(Russian)* 4—18808
water-vapour mixture, annular flow with heat addition 4—32126
CO_2, laminar diffuson boundary layer, first order reaction at wall *(French)* 4—12692
HCl-H_2O system, thermal diffusion, adverse temp. gradient, laminar flow *(French)* 4—28229
He, critical, review 4—5010
He I two-phase flow, critical heat flux 4—3600

two-photon spectra
benzene, two-photon absorpt., selection rules and Herzberg-Teller theory 4—19807
benzene, two-photon absorpt. using freq. doubled Nd laser 4—22858
benzene-h_6(-d_6), two-photon absorpt. of $^1B_{2u}$ state, moderate resolution obs. 4—19808
benzophenone, lowest triplet state population after singlet excitation 4—25115
biphenyl, two-photon absorpt., electronic transitions 4—27657
complex molecule, luminesc. polarisation due to light quenching *(Russian)* 4—13512
crystal violet, picosecond internal conversion and laser element applic. 4—21047
diphenylbutadiene, location of ^1A_g excited state, two-photon absorpt. obs. 4—27705
dypiridinium thallium (III) penta chloride, two-photon excitation 4—11958
ethylene, i.r. laser double resonance, vibr.-vibr. and vibr.-translation/rot. energy transfer 4—27668
formaldehyde, gaseous, laser excitation, single vibronic state, fluoresc. obs. 4—24112
master equation approach, two photon emission and absorpt. 4—31071
methyl fluoride (^{13}C), i.r.-r.f. two-photon Lamb dip spectra 4—16103
methyl isocyanide, CD_3CN, microwave-i.r. 4—24098
multiphoton absorption in high field region of Bloch-Siegert shift 4—31672
naphthalene, two-photon absorpt., selection rules and Herzberg-Teller theory 4—19807
naphthalene crystal and naphthalene in durene, moderate-resolution two-photon spectrum 4—25116
optical-r.f. double resonance, consequences of misalignment of oscillating r.f. field 4—31671
Raman spectra, resonance spontaneous, correction factor for effective and average radiation fields 4—13435
space-fixed molecules with D_{2h} and D_{6h} symmetry, two-photon absorpt., selection rules and Herzberg-Teller theory 4—19807
stilbene-chloroform solns., strong nonlinear absorpt., superposition of two-photon and one-photon absorpt. 4—19134
tetraphene, two-photon excitation 4—11958
theory, comparison of semiclassical and quantum electrodynamical anal. 4—23963
three-level atom system, self-induced transparency due to two photon transition 4—15392
CdS, two-photon absorpt., spatial dispersion, angular dispersion in exciton region 4—35901

two-photon spectra continued
$CdS_{0.5}Se_{0.5}$, two-photon cond., appl. for ultra-short laser pulse meas. 4−24781
$CdSe_{0.5}S_{0.5}$, two-photon transition and nonlinear transmittance 4−15391
Cs_2 two photon ionisation spectra 4−16129
^{133}Cs, hyperfine struct., 11, 12 $^2P_{3/2}$ levels, laser excitation 4−31674
CuCl, biexcitonic mol. creation, giant absorption 4−35896
CuCl, non-collinear-beam second harmonic generation 4−19142
Cu_2O, two-photon absorp. due to excitonic states 4−28861
Cu_2O, uniaxial press. and static electric field effect on two-photon exciton absorption 4−28377
GaAs, two-photon cond., appl. for ultra-short laser pulse meas. 4−24781
n-GaP, cryst., two-photon indirect transition, transmission at 1.17 eV 4−23381
H, passage through r.f. field, $^2S_{1/2} \rightarrow {}^2D_{5/2}$ double-quantum transition in n=3 state 4−40164
InSb, radiative recomb. of electron-hole pairs generated by two-photon absorption 4−21065
InSb, two-photon excitation rate calc. 4−19141
K, coherent propag. effect, self-induced transparency *(Japanese)* 4−35891
NH_3, i.r.-i.r. double resonance using microwave-i.r. two-photon pumping 4−9524
NH_3, i.r.-microwave double reson., collisional relax. among rot. levels 4−31886
NH_3, i.r.-microwave multiple resonance, energy collisional transfer between hyperfine levels 4−31966
NH_3, microwave i.r. double resonance spectrum, $\Delta J=0$ collision induced transitions 4−31889
NO_2, microwave opt. double reson. with tunable c.w. dye laser 4−24113
NO_2, microwave-optical double resonance, fluorescence, 4579 Å Ar^+ laser line excitation 4−31887
Na, 3S→5S two photon transition without Doppler broadening 4−36414
Na, fine structure splitting of $4d^2D$ state 4−40165
Na, two-photon absorption without Doppler broadening, 3S-5S transition 4−36415
Na, Zeeman effect, mag. field selection rule effects 4−40166
PF_3, microwave-i.r. 4−24098
PH_3, i.r.-r.f. two-photon Lamb dip spectra 4−16103
^{87}Rb, hyperfine struct., 9 $^2P_{3/2}$ level, laser excitation 4−31674
Te, second harmonic generation optimisation, in presence of photoinduced carriers 4−23395
ZnO, transient phase gratings induced by two-photon absorpt. 4−35889

two-photon spectroscopy
atom, absorpt. spectroscopy without Doppler broadening *(French)* 4−9393
frequency doubled Nd laser applic. 4−22858
i.r.-i.r. double resonance in NH_3 using microwave-i.r. two-photon pumping 4−9524
i.r.-microwave double resonance, finite pump width effect 4−16116
H, s level transitions, simplified account 4−9401

type I superconducting materials
critical currents, destruction of mixed state, obs. of paramag. behaviour 4−28564
film, mag. flux distrib., intermediate state struct. *(German)* 4−37345
hollow cylinder, surface current layer *(Japanese)* 4−13265
intermediate state, dynamics of transition 4−28535
Landau domain structure, Sharvin method 4−28536
Landau domain structure 4−28538
magnetic structure, conference, Argonne, USA (1973) 4−28520
magnetic transition, thermodynamic study 4−28537
mean field calculation, first order phase transition 4−28529
supercurrent, quasiparticle explanation 4−28563
thin film, mixed state structures 4−33054
thin film, tunnelling investigation of vortex state 4−33076
transition, supercond. to normal, rectangular current pulse induced 4−33062
Al, granular film microbridge, microwave and mag. field effects 4−33100
Al, Landau domain structure 4−28540
Al, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
Al fine particles, n.m.r. 4−33081
Hg, phase boundary relax. effects 4−28556
In, film, mixed and intermediate state struct., direct obs. 4−41137
In, film, tunnelling obs. of type I to type II transition 4−33077
In, transition temp., lattice distortion effects *(Russian)* 4−28532
In, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
In Dayem bridge, cavity self-induced step 4−41160
In film, crit. thickness for intermediate to mixed state transition 4−41138
In film, current-induced resistive state obs. 4−28571
In microcylinder, reversible and irreversible transitions, quantum oscills. 4−33065
In-Bi, dilute alloy, specific phase transition, small K 4−33069
Nb, ultrapure, crit. mag. fields and currents, magnetis. curves, electron struct. *(Russian)* 4−28553
Pb, e.m. coherence length, temp. depend. and 0K value 4−37372
Pb, electronic specific heat, temp. depend. calc. 4−28530
Pb, film, tunnelling obs. of type I to type II transition 4−33077
Pb, phase boundary relax. effects 4−28556
Pb, shape effects on magnetisation at 4.2K 4−37351
Pb, ultrathin film, supercond. tunnelling, film thickness depend. *(German)* 4−33102
Pb film, crit. thickness for intermediate to mixed state transition 4−41138
Pb film, current-induced resistive state obs. 4−28571
Pb film, I-V charact., nonthermal discontinuity 4−28559
Pb film, mixed and intermediate state struct., direct obs. 4−41137
Pb film, pattern of flux tubes 4−41136
Pb intermediate state, magneto optical study 4−28561
Pb-Ag, type I, critical currents due to flux pinning 4−41158

type I superconducting materials continued
Sn, film, mixed and intermediate state struct., direct obs. 4−41137
Sn, film, relaxational current oscills., shape anal. 4−37375
Sn, intermediate state, effect of domains on thermal cond. 4−28562
Sn, magnetic moment, meas. using Faraday balance 4−28541
Sn, phase boundary relax. effects 4−28556
Sn, whisker, fluctuation effects in complex impedance 4−41152
Sn film, crit. thickness for intermediate to mixed state transition 4−41138
Sn film, I-V charact., nonthermal discontinuity 4−28559
Sn fine particles, n.m.r. 4−33081
Sn thin film, switching between superconducting and normal states 4−24877
V:Ta, impurity atom effect on transition temp. 4−37360
Zn, Landau domain struct., periodicity 4−37357
Zn, Landau domain struct. 4−28539

typesetting, computer-controlled *see computer controlled typesetting*

u.h.f. amplifiers *see ultra-high-frequency amplifiers*

u.h.f. tubes *see ultra-high-frequency tubes*

ultimate tensile strength *see tensile strength*

ultra-high-frequency amplifiers
see also microwave amplifiers
low noise for H_2 maser output signal 4−19057

ultra-high-frequency tubes
see also microwave tubes
No entries

ultracentrifuges *see centrifuges*

ultrasonic absorption
see also acoustic paramagnetic resonance; nuclear acoustic resonance
acetylene, vibrational relaxation times 4−31964
amalgams, complete conc. range 4−24513
aqueous electrolyte solns., hypersonic velocity and absorption, Brillouin scattering 4−9950
associated liquids, dynamic struct., ion solvation investig. 4−38168
benzene, oriented crystal, u.s. absorpt. meas. 4−40847
borosilicate glass, nonlinear attenuation, temp., power depends., mechanism 4−28156
chlorella cell suspensions, and velocity of spread, meas. 4−22510
cyclopropane, vibrational relaxation times 4−31964
ethanol, pressure depend. calc. using hole theory of volume viscosity 4−3529
ethylene, vibrational relaxation times 4−31964
ferromagnetic insulators at low temps., phonon-magnon interaction, scatt. 4−13440
n-heptane-phenol system, u.s. absorpt. and relax. near critical region 4−6463
inhomogeneous media, disparate modes of description 4−41902
installation for automatic simultaneous measurement of variations in absorption and velocity 4−35194
liquid, dynamic scale theory of crit. point, expt. verification *(Russian)* 4−13046
liquid, resonance absorption effect on bulk viscosity coeff. 4−3528
liquid, similarity between ultrasonic and dielectric relaxation 4−3525
liquid crystal, nematic, u.s. relax. phenomena interpret. w.r.t. hydrocarbon chain flexibility 4−9952
liquid metal, complete conc. range 4−24513
liquids, classical monatomic, meas. 4−22650
magnetic field, effect on u.s. attenuation near Curie, Neel temps. 4−33231
in materials, circuitry for continuous recording 4−35199
MBBA, nematic, u.s. relax. phenomena interpret. w.r.t. hydrocarbon chain flexibility 4−9952
measurement, simultaneous and automatic, of attenuation and velocity 4−11455
metal deformation in macrosonic field 4−25400
methane, vibrational relaxation times 4−31964
methanol, pressure depend. calc. using hole theory of volume viscosity 4−3529
NDT, detection of fatigue damage 4−25463
n-octylamine in aq. soln., mesomorphic, struct. relax., u.s. absorpt. obs. 4−16555
polymeric chains, linear, non-diffusional nature of local conform. changes, u.s. meas. 4−27778
polystyrene solutions, low mol. wt., u.s. relax. *(French)* 4−40846
rochelle salt crystals, normal and deuterated, absorption coeff. determ. *(Russian)* 4−39117
ruby, s.h.f. elastic waves, temp. depend. of damping 4−28158
semiconductor, many-valley, paraelastic reson. hypersound absorpt. by electron centres 4−20858
semiconductors, acoustoelectric effect, lattice absorption in crystals, measurement method 4−4981
semimetals, mag. field equivalent to geometrical oscills. 4−37476
small change measurement techniques, review 4−2237
soft polymers, attenuation factor meas., pulse method 4−2230
structural phase transition effects, theory, expt. 4−32699
styrene-butadiene-styrene block copolymer, u.s. absorpt., dielectric loss 4−37556
superconductor, hypersonic attenuation calc. method *(French)* 4−10222
topaz, s.h.f. elastic waves, temp. depend. of damping 4−28158
triglycine sulphate cryst., acoustical nonlinearity near the phase transition *(Russian)* 4−3944
water, pressure depend. calc. using hole theory of volume viscosity 4−3529
Al, attenuation obs. of internal friction during annealing, dislocation lattice recovery *(French)* 4−21256
Al, change in attenuation coeff. between normal and superconducting states 4−16877
Al, electronic attenuation in intermediate state 4−16878
Al, film, supercond. fluctuations effect at crit. point 4−37371
$Al_2O_3:Ni^{3+}$, corundum, resonant self trapping of hypersound 4−12991
Ar, liquid, bulk viscosity near critical point, from u.s. absorption coeff. freq. depend. 4−40909
Ar, liquid, u.s. attenuation near critical pt. 4−3584
BaF_2, thermal absorpt. calcs. of shear waves, dislocation drag coeffs. 4−32616

ultrasonic absorption continued
Bi, attenuation near phase transition for mag. field induced excitonic phase 4−10122
Bi, pure, u.s. attenuation of excitonic state in high mag. field, low temp. 4−24878
BiS-Sb alloys, conc., temp. depends., anomalies 4−9953
$Bi_4(SiO_4)_3$, u.s. attenuation, elastic, piezoelectric props. 4−25249
CaF_2, thermal absorpt. calcs. of shear waves, dislocation drag coeffs. 4−32616
Cd polycryst. prisms, dissipative props. of twin boundarires, u.s. vibr. influence 4−20316
CdS, hot pressed, MHz region 4−16554
CdS, of c-propagating waves, meas. 0.6 to 0.1 GHz, Gruneisen parameter calcs. 4−40845
Co, u.s. attenuation as function of applied mag. field and temp. *(French)* 4−33232
Cu, single cryst., dislocation damping, γ-irrad. effect 4−28154
D_2, solid, at martensitic order-disorder transform. 4−3548
Ga, giant quantum oscills. data for band struct. 4−41015
Ge, longit. hypersound absorpt., by anharmonic three-phonon processes 4−20373
Ge:Sb, hypersonic attenuation by shallow donors, mag. field effect, 0-200 kG 4−10186
H_2, solid, at martensitic order-disorder transform. 4−3548
H_2O-D_2O mixture, excess absorption calc. using relaxation time and structural compressibility 4−28157
H_2O-triethylamine solution, with low segregation point, ultra- and hypersonic props. 4−22651
^4He, superfluid, u.s. wave vel. and attenuation calcs. 4−28255
$(Hf, Zr)V_2$, lattice instabilities and superconductivity 4−33086
HgSe, pulse echo technique, 10-300 MHz freq. range 4−28155
In, quantum oscills., Fermi surface 4−20530
InSb, longit.-hypersound absorpt., by anharmonic three-phonon processes 4−20373
n-InSb single crystal, temp. depend. of ultrasonic attenuation 4−33227
MgF_2, hot pressed, MHz region 4−16554
MnP, mag. field effect on u.s. attenuation 4−41220
Mo, supercond., temp. depend., energy gap determ. 4−41153
ND_3, as function of freq. and temp. 4−24517
NH_3, liquid, as function of freq. and temp. 4−24517
NH_3, rot. and vibr. relax. time calc. from u.s. absorpt. data 4−40237
NaCl, coloured cryst., F-stimulated photoplastic effect, u.s. absorpt. changes 4−20362
Nb, supercond., temp. depend. of absorpt., two-band character detection *(Russian)* 4−24886
Ni, single cryst., from 5 to 170 MHz, magnetic processes 4−6771
Ni, u.s. attenuation as function of applied mag. field and temp. *(French)* 4−33232
Ni, u.s. attenuation meas. in plastically deformed single cryst. 4−24980
Pb:Bi film on quartz, high field, supercond. surface sheath, u.s. attenuation 4−16880
Pb/Al(Cu)(Ag), supercond./normal contact, meas. of proximity effects under mag. field influence 4−1287
$Pd_{0.775}Ag_{0.06}Si_{0.165}$, glass, attenuation, freq. and temp. depend. 4−3527
$Pd_{0.755}Si_{0.165}Cu_{0.06}$ alloy, effect of anharmonicity in amorphous and crystalline phases 4−36968
SbSI, anomaly at diffuse phase transition, mechanism *(Russian)* 4−20947
Si longit. hypersound absorpt., by anharmonic three-phonon processes 4−20373
Si:Li, paraelastic reson. hypersound absorpt. by electron centres 4−20858
Sn, anomalies in transverse sound absorpt. rel. to interband carrier relax. time 4−16556
Sn:In (0.0093 at.%), supercond., effect of impurities, u.s. absorpt. peaks 4−1286
SrF_2, thermal absorpt. calcs. of shear waves, dislocation drag coeffs. 4−32616
Xe fluid, Brillouin scatt. meas. near crit. point, optical heterodyne technique 4−28150
Zn, electronic attenuation in intermediate state 4−16878

ultrasonic applications
acoustic emission, nondestructive testing, rupture investigations, development *(French)* 4−17486
aerosol generator, for patient treatment 4−26242
angle beam testing of stainless steel, longit. mode 4−33936
arterial imaging, transducer array with Doppler receiver and c.r.t. display 4−18219
arteriography, high speed imaging system, enhancement by quantisation 4−18218
arteriography, u.s. duplex echo-Doppler scanner 4−26257
arteriosclerotic deposits, laser scan acoustic camera obs. 4−26259
audiometry for diagnosis of deafness 4−14591
automobile safety system *(French)* 4−5543
biology, bibliography 4−38939
biomedical, array scanning of kidney 4−39080
biomedical, bile fraction collector 4−30637
biomedical, blood changes in chick embryo 4−39090
biomedical, kidney localisation, for radiation therapy 4−39051
biomedical applic., echoventriculography, possibilities and reliability 4−39075
biomedical engineering, foetal cephalometry, critical assessment 4−30635
blind mobility aid system *(Japanese)* 4−35035
blood flow and artery diameter, meas., nondestructive method 4−26258
cardiology, echo differentiation, function during rest and supine cycling 4−42589
cardiology, exercising upright patients, prototype system 4−22610
cardiology, intraventricular transducer technique with shift register memory 4−18217
cardiology, processing and display of ultrasound echo data 4−22606
cardiology, ventricular size and shape determ., brief review 4−39052
cardiology u.s. technique giving two dimension display, hand held instrument 4−22608
cleaning bath, rectangular, vibration modes excitation 4−26328

ultrasonic applications continued
cleaning tanks, deblocking of optical blanks 4−35267
clinical and diagnostic measurement, review 4−14599
concentration of suspension, meas. 4−18377
crack detection, u.s. shear wave techniques, topography role in small crack meas. and detection ability 4−25449
crack fault detection using acoustic emission *(Czech)* 4−21507
cutting, brittle material, mechanical load impedance *(Russian)* 4−41769
dental enamel demineralisation measurement, DONAR digital u.s. system 4−14700
diagnosis, Abbe's theory of u.s. image form., appl. for biological objects *(German)* 4−22649
Doppler velocity detectors, sample volume studying technique 4−39168
echocardiography, development, interaction of physicians, physicists and industry 4−39074
echoencephalography, source of echoes displayed extracranially 4−11313
elasticity measurement 4−22779
electronically steerable array on single crystal, manufacturing techniques 4−15031
fatigue testing, crack propagation 4−25466
fatigue testing, surface damage obs. using SEM 4−17490
fatigue testing, techniques and equipment 4−25465
fatigue testing apparatus for metals *(German)* 4−7401
flaw detection, probe, features 4−18371
flaw detection, simulation *(German)* 4−29274
flow measurement 4−22781
flowmeter, c.w. Doppler, for blood, analysis 4−34994
grating, light diffraction, rel. to holographic grating 4−30980
hammering, work hardening, surface structure 4−7108
holography in solids 4−22888
imaging, acoustic holography, 1 to 100 MHz 4−22886
imaging, using Debye-Sears diffraction 4−35101
imaging system, using time delay spectrometry 4−39078
impediography, specific acoustic impedance meas., NDT, medical diagnosis 4−25464
left ventricular dimension meas., in children, feasibility of using ultrasound 4−22607
measurement of oil at sea, simple ultrasonic technique 4−18260
medical imaging, liquid surface holography, capability, prototype system 4−2186
medical ultrasonogram, computer aided analysis of images 4−18208
medicine, bibliography 4−38939
in medicine, prospects 4−18237
in medicine, review 4−18203
medicine and biology, bibliography 4−38938
microscopy, struct. determ. 4−25460
microwave absorption spectroscopy, acoustical detection 4−8368
monitoring, physicochemical parameters of media 4−35227
NDT, attenuation detection of fatigue damage 4−25463
NDT, boiler tube resistance welding, defect detectability 4−25455
NDT, carbon fibre reinforced plastics, quality control 4−33885
NDT, e.m. acoustic source, for oblique radiation 4−33948
NDT, frequential anal. of real defect size estimate *(French)* 4−21502
NDT, gain factor evaluation, when accumulating useful signal on background of structural noise 4−33950
NDT, Schlieren and computer studies 4−25459
NDT, Snell's law suitability for angle mode conversion problems 4−25450
NDT, u.s. surface wave method 4−1699
NDT of composites by numerical control 4−21515
NDT of metal castings, comparison with radiography 4−21517
NDT of metals, contact defectoscopy, u.s. losses of introduction and reception boundaries 4−33951
NDT of metals, u.s. interaction with discontinuities, energy coeffs. calc. 4−25451
NDT of nuclear components in High Flux Isotope Reactor program 4−31546
NDT of nuclear reactor pressure vessel 4−21518
NDT of Zr alloy fuel sheathing 4−23845
NDT techniques for Zircaloy tubing 4−23844
nondestructive materials testing 4−17485
nuclear fuel U distrib. analyzer 4−31547
nuclear reactor pressure vessels, in-service inspection techniques 4−40090
ophthalmic u.s. scanning system 4−35029
patient diagnosis, heart cross sections, in situ 4−22605
patient diagnosis, imaging of arterial wall echoes 4−39076
patient diagnosis, traumatic pancreatic cysts 4−39077
patient monitoring, breathing of infants, prototype system 4−22609
powdering of Al and Al alloys 4−33844
pressure vessel, u.s. in-service inspection 4−31512
pressure vessel welds, u.s. testing 4−31514
pressure vessel welds, u.s. testing methods 4−31513
radiotherapy, treatment planning and following up results *(German)* 4−39079
rock microcracks, detection and effects from velocity in dry and saturated rocks 4−21809
rock stress measurements from times of flight in multiple sampling technique 4−34509
safety with high power u.s. 4−26329
seawater studies, review *(Japanese)* 4−42662
seismic phenomena model *(Russian)* 4−10829
stress measurement using time-of-flight techniques 4−26464
swaged joint testing, pulse echo method 4−7400
testing, directional elasto-mech. props. determ. *(German)* 4−17489
testing of induction-welded tubes *(German)* 4−13958
testing using probes, sound press. and nearfield length variation determ. using multiple-echo series *(German)* 4−17488
thermoplastic materials, metallic, assembly 4−4223
thickness measurement, pulsed gauge, analysis of two acoustic section models 4−30404
TV image transmission through water by u.s. waves *(French)* 4−11370
undersea acoustic volume scattering measurements in marginal ice zone, instrumentation and results 4−14244
underwater, radar simulation 4−26308

ultrasonic applications continued
- underwater focused imaging system for depths down to 6 km. 4−14740
- weld flaw location employing projection scan 4−7407
- welding plastic parts 4−25431
- wire drawing, deformation in macrosonic field 4−25400
- Al, joint formation in u.s. welding, rel. to fretting 4−25405
- Al alloy sheet, fatigue cracks and crack growth detection and characteriz. 4−21514
- He, liquid, cavitation nucleation 4−24250
- Na, elastic constants, from 20 to 95°C u.s. technique 4−1080

ultrasonic delay lines
- $LiNbO_3$, at 75 MHz, using reflections from laser induced impedance discontinuity 4−6538

ultrasonic devices
- *see also ultrasonic delay lines; ultrasonic transducers*
- electronically steerable array on single crystal, manufacturing techniques 4−15031
- emitter with vibrating plate, equivalent cct. analysis *(Spanish)* 4−35697
- environment sensor using auditory perception 4−4982
- surface acoustic wave convolver, non-linear 4−26331
- surface acoustic wave matched filter modem, in noise and interference limited environments 4−26330
- underwater, sonars and telemetry systems 4−26305

ultrasonic diffraction
- No entries

ultrasonic dispersion
- acetylene, vibrational relaxation times 4−31964
- cyclopropane, vibrational relaxation times 4−31964
- dicalcium strontium propionate, dispersion of u.s. velocity 4−41345
- ethylene, vibrational relaxation times 4−31964
- fibre reinforced composite, two-continuum theory and expt. 4−30287
- Lamb waves, effect on attenuation, NDT applic. 4−33954
- liquid, similarity between ultrasonic and dielectric relaxation 4−3525
- liquid crystals, isotropic nematic phase, near transition point, light scatt. 4−9848
- liquid layer, sandwiched between elastic solid bodies, calc. *(Japanese)* 4−11367
- methane, vibrational relaxation times 4−31964
- CdS, effect of electron traps 4−33011
- NaCl, plastic deform. in F-light, extinction coeff. meas. *(Russian)* 4−13476
- $PbMoO_4$, hypersound modulation of ultrasound via strong collinear interaction 4−24515

ultrasonic effects
- acoustoelectric effects, on surface charge of mammalian cells in vitro 4−38982
- biological hazard assessment, using yeast genetic systems 4−35058
- biological non-thermal effects at 2 MHz, on growth and cytology of Vicia faba roots 4−35057
- bubble chamber, liquid H_2, ionising particle tracks *(Russian)* 4−39347
- casting, continuous, u.s. action on ingot solidification process *(Russian)* 4−41675
- deep-drawing process, analogue, effect of u.s. vibration 4−25406
- defects, NDT, Schlieren and computer studies 4−25459
- fatigue, applic. to threshold crack propag. studies 4−13973
- fluoroplastic-4D, ultrasonic strengthening in kerosene 4−13934
- human peripheral neural structure *(Russian)* 4−42605
- light diffraction, by two adjacent parallel beams 4−8766
- light diffraction by two parallel u.s. waves 4−35798
- light diffraction in acoustic resonator, pattern anal. *(Russian)* 4−39689
- liquid crystals, nematic, orienting effect, theory 4−28020
- MBBA, nematic liquid cryst., transparency, effect of u.s. surface waves 4−36805
- metal deformation in macrosonic field 4−25400
- metal erosion by u.s. cavitation, effect of d.c. current *(Japanese)* 4−38152
- nontherapeutic, biological effects, analysis of data 4−11318
- plant cell contents perturbation 4−30236
- polyethylene terephthalate, effects of high intensity u.s. field on crystalline phases *(Polish)* 4−9858
- polyoxyethylene in aq. soln., 250 ppm., u.s effects on viscosity 4−37033
- rod, u.s. processing, heating zone width depend. on dissipative characts. of material *(Russian)* 4−37968
- steel, mild, h.f. cyclic load effects on mech. props. and dislocation struct. *(Russian)* 4−10611
- steel, stainless and S45, cyclic dynamic loading, shear u.s. second harmonic variation *(Russian)* 4−4123
- viscoelastic solid, strain field 4−24516
- Al-Si alloy, hypereutectic, refining of primary Si cryst., effect of u.s. irrad. *(Korean)* 4−21321
- Cu, fatigue slip modes 4−25401
- Cu single crystals, dislocation struct. and microhardness, supersound effects *(Russian)* 4−29143
- Fe, fatigue slip modes 4−25401
- Fe, vibr. effects on carbon diffusion *(Russian)* 4−10573
- Mo, work hardened by u.s. treatment, struct. changes *(Russian)* 4−37881
- Pb-Sb alloy, effect of ultrasonic vibs. on microstructure, hardness and corrosion resist. 4−4144
- Ti, cyclic dynamic loading, shear u.s. second harmonic variation *(Russian)* 4−4123
- Ti, fatigue slip modes 4−25401

ultrasonic equipment
- acoustic emission, evaluation of transducers and measuring systems 4−25461
- Doppler sonar navigation systems *(French)* 4−30409
- duplex echo-Doppler scanner, for arteriography 4−26257
- fault detection, probes 4−25448
- focusing system, direct visualization of defects, for materials inspection 4−17478
- patient monitoring, breathing of infants, prototype system 4−22609
- polar diagram plotter, for target strength of fish 4−26306
- underwater, sonars and telemetry systems 4−26305

ultrasonic measurement
- acoustic power output determination, in μW-mW range 4−35200
- attenuation and velocity, simultaneous automatic meas. apparatus 4−11455
- attenuation in materials, pulse-echo, circuitry for continuous recording 4−35199
- audiometry for diagnosis of deafness 4−14591
- emission, evaluation of transducers and measuring systems 4−25461
- foetal descent during labour, u.s. time-of-flight meas. 4−14618
- generalised Lamb waves, critical angle reflectivity method, Cd, Zn platings 4−6537
- glass, thermometric effects, shear wave meas. technique 4−26486
- hypersonic detection by supercond. layer in condenser form *(French)* 4−11454
- semiconductor crystals, u.s. lattice absorption, acoustoelectric effect, measurement method 4−4981
- soft polymers, attenuation factor meas., pulse method 4−2230
- steel, stainless, Type 316, u.s. meas. of cold working percentages 4−4239
- strain-optical constant, ratio sign determ. 4−41349
- transducers, absolute calibration, modulated radiation pressure compensation method 4−22754
- undersea acoustic volume scattering measurements in marginal ice zone, instrumentation and results 4−14244

ultrasonic propagation
- *see also ultrasonic diffraction; ultrasonic dispersion; ultrasonic reflection; ultrasonic refraction; ultrasonic transmission*
- Abbe's theory of u.s. image form., appl. for biological objects *(German)* 4−22649
- bronziite, pressure coefficient of compressional wave velocity rel. to Earth interior 4−34152
- crystals, $>10^8$Hz, propagation and interactions with phonons, free carriers, spin waves, light 4−16553
- glass, thermometric effects, shear wave meas. technique 4−26486
- impedance matching, using thin transition layers 4−26301
- Lamb wave excitation, by an inclined contact-immersion method 4−35100
- liquid filled tube, finite-amplitude wave propagation 4−24514
- liquid layer, sandwiched between elastic solid bodies, calc. *(Japanese)* 4−11367
- liquid waveguide, He-Ne laser diffraction obs. 4−15307
- losses, on introduction and reception boundaries, during contact defectoscopy of metals 4−33951
- magnesite, mechanical props. rel. to texture *(Polish)* 4−1621
- metal, interaction with discontinuities, energy coeffs. calc. 4−25451
- nucleotide, aqueous solution, u.s. spectroscopy and metachromasia 4−26201
- piezo-ceramic plate, thickness twist mode generation 4−9951
- piezoelectric semiconductor, nonlinear amplification in mag. field, theory 4−13335
- polyethylene, deformation mechanism and structural interpretation of results 4−7351
- PVC, elastic const. meas. 4−13903
- α-quartz, light deflection efficiency of acoustic surface waves 4−25074
- rhodamine 6G dye laser, flashlamp souce, u.s. wave limitation 4−2626
- semiconductor, piezoelec., eqns. 4−28459
- sonar, through ice cover, feasibility study 4−14731
- structural relaxation, n-butanol 4−11366
- suspensions, sound propagation calc. 4−4228
- transducer line-array, continuous repetitive deflection of u.s. beam 4−26300
- triglycine sulphate crystal, acoustical nonlinearity near the phase transition *(Russian)* 4−3944
- underwater, short range, effects of thermal and salinity microstructure in marginal ice zone 4−14245
- Fe foil, relax. time of ultrasonic vibs., Mossbauer meas. 4−20913
- Ga, low field e.m. generation of u.s. shear waves 4−41098
- InSb, amplification, non-linear acoustoelectric effect 4−10188
- $LiNbO_3$, light deflection efficiency of acoustic surface waves 4−25074
- PbTe-InTe system, propagation vel. of longitudinal u.s. waves 4−6648
- U_3Si, twinning and elastic props., u.s. pulse meas., nuclear reactor material appl. 4−16505
- Xe fluid, Brillouin scatt. meas. near crit. point, optical heterodyne technique 4−28150

ultrasonic radiation *see ultrasonic waves*

ultrasonic reflection
- fibre reinforced composite, two-continuum theory and expt. 4−30287
- generalised Lamb waves, phase vel., critical angle reflectivity method, Cd, Zn platings 4−6537
- metal, interaction with discontinuities, energy coeffs. calc. 4−25451
- NDT, frequential anal. of real defect size estimate *(French)* 4−21502
- phase shift analysis, thin film piezoelectric transducer 4−14806
- Snell's law suitability for angle mode conversion problems in NDT 4−25450
- solid/liquid interface, at Rayleigh angle incidence, phase 4−11449
- underwater surface, appl. of statistical properties of sound waves *(French)* 4−22655
- water/metal interface, evolution in second crit. angle region *(French)* 4−32792

ultrasonic refraction
- No entries

ultrasonic scattering
- metals, quantitative evaluation *(German)* 4−11364
- underwater, volume reverberation at MHz frequencies 4−11378
- underwater surface reflection, appl. *(French)* 4−22655
- n-InSb, degenerate, u.s. second harmonic generation in d.c. mag. field 4−28153

ultrasonic transducers
- acoustic emission, evaluation of transducers and measuring systems 4−25461
- arterial imaging array, with Doppler receiver and c.r.t. display 4−18219
- bulk wave to surface wave mode conversion 4−6543

ultrasonic transducers continued
  calibration, absolute, modulated radiation pressure compensation method 4−22754
  capacitor elastic wave, seismic phenomena model *(Russian)* 4−10829
  continuous repetitive deflection of u.s. beam 4−26300
  coronary arterial flow meas. using pulsed u.s. Doppler velocimeter 4−14651
  coronary arterial flow meas. with pulsed Doppler u.s. catheter 4−14650
  Dayem bridge, hypersound detector 4−18383
  Doppler u.s. blood flow transducers for chronic animal and human implantation 4−14646
  e.m. acoustic source, for oblique radiation in u.s. NDT 4−33948
  fish shoal strength, plotting of polar diagrams 4−26306
  human relative venous return curve from transcutaneous Doppler u.s. blood flow and intrathoracic pressure meas. 4−14652
  impedance matching, using thin transition layers 4−26301
  implantable, for recording oviductal motility in rabbit 4−11641
  interdigital, on $Pb(Zr,Ti)O_3$, poling depend. of acoustic surface wave freq. generation 4−28270
  intraoperative meas. using pulsed Doppler u.s. blood flowmeter 4−14647
  multichannel directional u.s. Doppler blood flowmeter 4−14648
  NDT of pressure vessel welds 4−31513
  piezoelectric, development of piezoelectric ceramics 4−25060
  pressure measurement, secondary standard 4−22805
  pulsed u.s. Doppler flowmeter, calibration by convolution integral model 4−14649
  stress measurement using time-of-flight techniques 4−26464
  thickness gauge, analysis of two acoustic section models 4−30404
  thin film piezoelectric, pulse-superposition vel. meas. 4−14806
  TV image transmission through water by u.s. waves *(French)* 4−11370
  underwater ranging and bearing indication 4−22780
  vibration excitation in cleaning bath 4−26328
  Li_2GeO_3, Meitzler model, piezoelectric and elastic props. 4−33352
  ZnO, film, prep., elec. cond. and piezoelec. props., hypersonic transducer appl. 4−3744

ultrasonic transmission
  fibre reinforced composite, two-continuum theory and expt. 4−30287
  underwater, short range, effects of thermal and salinity microstructure in marginal ice zone 4−14245

ultrasonic velocity
  see also ultrasonic dispersion
  amalgams, complete conc. range 4−24513
  aqueous electrolyte solns., hypersonic velocity and absorption, Brillouin scattering 4−9950
  benzyl alcohol mixtures with methanol, ethanol, n-propanol and n-butanol, pressure dependence *(Japanese)* 4−6459
  binary liquid mixture, adiabatic compressibility coeff., vol. conc. depend. *(French)* 4−32596
  composite, C fibre reinforced plastics, directional behaviour 4−10671
  or, p- and m-cresol-ethyl methyl ketone, binary liquid mixture, complex formation investigation 4−3524
  dicalcium strontium propionate, dispersion of u.s. velocity 4−41345
  dispersion, cyclohexanol, freq. range 0.5 MHz to 5.0 MHz 4−11365
  electrolyte, solution and molten salt, rel. to compressibility, review 4−17533
  epoxide resins, amine cured, crosslinking reaction meas. 4−21453
  ethyl alcohol, Brillouin spectra, hypersonic thermal wave propag. 4−17063
  ethyl ether, Brillouin spectra, hypersonic thermal wave progag. 4−17063
  n-heptane-phenol system, u.s. absorpt. and relax. near critical region 4−6463
  inhomogeneous media, disparate modes of description 4−41902
  liquid, dynamic scale theory of crit. point, expt. verification *(Russian)* 4−13046
  liquid layer, sandwiched between elastic solid bodies, calc. *(Japanese)* 4−11367
  liquid metal, complete conc. range 4−24513
  molten salt mixtures, rel. to thermodynamic properties *(French)* 4−8328
  PEMA, δ-relaxation, dielectric and u.s. studies 4−10372
  PMMA, mol. motion *(Russian)* 4−40843
  PVC, filled plasticised polymer, thermodynamic stability factors 4−7356
  quartz ion implanted, test at 180 MHz 4−6425
  steel, bainitic transformation of AISI 86B80 type, u.s. obs. 4−29053
  structural phase transition effects, theory, expt. 4−32699
  1,3,5-triphenylbenzene, elastic and thermoelastic constants from ultrasonic wave velocities 4−12969
  water-ethanol mixture, hypersound velocity *(German)* 4−32615
  Al, liquid, e.m.-acoustic excitation of ultrasound *(Russian)* 4−3526
  Al, porous, partial compaction, dynamic response during unloading 4−21366
  Ar liquid, modified Rao's rule, validity range 4−40839
  Bi, press. and temp. depends., elastic parameters 4−36956
  BiS-Sb alloys, conc., temp. depends., anomalies 4−9953
  $CaWO_4$, elastic consts. determ., 4.2-300 K 4−1081
  Co complex, DL-tris-ethylenediamine-Co(III) bromide trihydrate, elastic consts. determ. 4−36931
  α-Cu-Al, third order elastic consts., anharmonicity of lattice energy, u.s. velocity meas. 4−41759
  D_2, solid, changes at martensitic order-disorder transform. 4−3548
  D_2O ice-Ih, imperfection-induced phase transform. 4−36991
  $Ga_xIn_{1-x}Sb$ solid soln., adiabatic elastic moduli and Debye temp. to 0°K *(French)* 4−36989
  H_2, solid, changes at martensitic order-disorder transform. 4−3548
  ^4He, superfluid, u.s. wave vel. and attenuation calcs. 4−28255
  KNO_3, molten, hypersonic velocities determ. by 4−36955
  Mg, liquid, e.m.-acoustic excitation of ultrasound *(Russian)* 4−3526
  MgO, rarefaction wave velocities under shock compression to 500 kb 4−16552
  $NaNO_3$, molten, hypersonic velocities determ. by 4−36955

ultrasonic velocity continued
  O_2, condensed, hypersonic wave velocities from thermal Brillouin scattering 4−40844
  V-Fe, elastic consts., longitudinal and shear ultrasonic meas. 4−1555

ultrasonic velocity measurement
  alcohol-carbon tetrachloride mixtures, compressibility 4−4980
  automatic simultaneous attenuation and velocity meas. apparatus 4−11455
  electrolyte, solution and molten salt, rel. to compressibility, review 4−17533
  installation for automatic simultaneous measurement of variations in absorption and velocity 4−35194
  laser Bragg diffraction, continuous recording of u.s velocity 4−2238
  pulse echo overlap technique, use of buffer rod 4−35198
  small change measurement techniques, review 4−2237
  surface wave, techniques 4−22785
  technique principles, apparatus and precision *(French)* 4−8328
  thin film piezoelectric transducers, pulse-superposition validity 4−14806

ultrasonic wave propagation *see ultrasonic propagation*

ultrasonic waves
  see also ultrasonic propagation
  generalised Lamb waves, phase vel., critical angle reflectivity method, Cd, Zn platings 4−6537
  generation and recording mechanisms, in Fe and Fe-Ni in region of the Curie point 4−33952
  light diffraction by standing waves, difference differential equations of Raman and Nath 4−35800
  quartz-liquid-CdS structure, amplification 4−24786
  rocks, ultrasonic shear wave birefringence as test of homogeneous elastic anisotropy 4−21814
  structural relaxation, n-butanol 4−11366
  transition metals, 3-d, e.m. generation, temp. depend., mechanism 4−33230
  $LiNbO_3$, u.s. light modulator, diffr. order intensity distrib. with angle of incidence *(Russian)* 4−33376
  $PbMoO_4$, hypersound modulation of ultrasound via strong collinear interaction 4−24515

ultrasonics
  see also acousto-optical effects; ultrasonic applications; ultrasonic devices; ultrasonic equipment; ultrasonic waves
  Bragg image of high power beam, perturbation, power depend. *(French)* 4−26314
  conference, London (1973) 4−26296

ultraviolet astronomical observations
  blueAp stars, a.r. photometry from OAO-z 4−7986
  LY Aurigae, eclipsing binary, u.v. photometry from OAO-2 4−22398
  B-type stars, absorption features in u.v. spectra of 20 objects 4−14366
  B-type stars, continua in 1800-2500 Å region for 80 objects 4−14367
  B-type stars, u.v. interstellar absorption lines rel. to intercloud medium 4−34938
  a Centauri, He spectrum var., OAO-2 obs. 4−38772
  β Cephei (Algol), u.v. analysis 4−34821
  comet Bennett (1969i), production rate calc. from April 1970 OGO-5 isophotes at 1216 Å 4−22357
  Comet Bennett (1970 II), u.v. obs. rel. to solar Lyman-α flux 4−17917
  Comet Kohoutek (1973f), far u.v. photography from Skylab 4−26187
  β Coronae Borealis, Ap star, lanthanide identification from visible and u.v spectrograms 4−14378
  cosmic diffuse for u.v. background, review 4−30108
  32 Cygni, OAO-2 u.v. obs. of 1971 eclipse 4−38771
  early type B stars broad absorption feature in u.v. spectrum 4−42386
  early-type stars, u.v. photometry, TD 1 satellite obs. 4−30063
  electro-optical intensifier camera, characts., applics. 4−2309
  e.u.v. spectroheliograms giving solar rotation rate 4−25958
  extreme u.v. spectroheliograms from Skylab 4−38647
  faint blue objects in field of BD+15°2469 in Virgo Cluster of Galaxies, U-B colours 4−34811
  Fornax dwarf galaxy, new photoelectric surface photometry and star counts 4−38872
  Galilean satellites, u.v. glow 4−42331
  HD 72108, 74455, 75821, u.v. interstellar lines in stars behind Vela supernova remnant 4−34814
  HD 97859, spectroscopic study of blue halo Si star 4−34802
  interplanetary H and He glow, Pioneer 10 photometry 4−22380
  interstellar D abundance in direction of β Centauri, Lyman series obs., cosmological relevance 4−22453
  interstellar dust, size distribution rel. to u.v. extinction obs. 4−42504
  interstellar extinction in u.v. from Celescope obs. of 550 stars 4−42482
  interstellar extinction in u.v. from emission O-type stars 4−8005
  interstellar medium, visible and u.v. obs. 4−42478
  ionization rate in interstellar clouds, u.v. absorption lines 4−30140
  Jupiter, far u.v. spectrum 4−26002
  Jupiter, narrow band photography, 3000-9200 A and 1-2 μ 4−4722
  Jupiter, upper atmosphere structure from β Scorpii occultation 4−42321
  Jupiter, u.v. glow 4−42331
  Jupiter, u.v. photometry for albedo, OAO-2 obs. 4−29871
  Large Magellanic Cloud, red stars, i.r. photography 4−8080
  Lyman-α sky background emission, OGO-5 u.v. photometer meas. 4−26151
  Markarian galaxies, space density from low dispersion u.v. spectroscopy 4−14462
  Markaryan galaxies with u.v. continuum, sixth list *(Russian)* 4−30111
  Mars, cloud distributions from visible and u.v. photography 4−26019
  Mars, far u.v. spectra rel. to Venus, Mariner 9 obs. 4−38670
  Mars, Franck-Condon factors for interpretation of Mariner obs. 4−17964
  Mars, Mariner-borne u.v. spectrometer, atmospheric scattering 4−7925
  Mars, OI 1300 Å radiation in atmosphere, Mars-3 u.v. obs. 4−29925

ultraviolet astronomical observations continued

- Mars, polar hood, ozone content from u.v. obs. 4—26014
- Mars, topographic meas. from Mariner 9 spectrometer at 3050 Å 4—29894
- Mars, u.v. radiation scattered in upper atmosphere, Mars-3 obs. 4—29921
- Moon, monochromatic phase curves and albedos from narrow band and UBV photometry 4—29944
- moonlight attenuation at 2570 Å, terrestrial atmosphere O_3 concentrations 4—29636
- near u.v. extinction feature in 40 stellar spectra, OAO-2 obs. 4—42502
- Neptune, narrow band and UBV photometry 4—29890
- Neptune, u.v. photometry for albedo, OAO-2 obs. 4—29871
- NGC 1999 arc shaped nebulosity surrounding V380 Orionis, photographic surface photometry 4—18059
- NGC 2261, bright cometary nebula surrounding R Monocerotis, photographic surface photometry 4—18059
- NGC 5195 in M51, SBa(r) galaxy structure 4—38893
- OJ 287, period from UBV photometric and photographic obs. 4—34878
- old novae, temperatures and luminosities, OAO-2 u.v. photometry 4—34823
- Ophiuchi, interstellar absorption lines in u.v. spectrum 4—34812
- U Ophiuchi spectral variation gravity darkening, u.v. photometry 4—11184
- Orion Nebula spectrophotometry, line and continuum strengths rel. to model 4—14517
- α Orionis (Betelgeux), effect of Fe I absorption on Mg II emission at 2795 A 4—17997
- Perseus II cloud, atomic and molecular line spectra, 3100-4300A obs. 4—34943
- PHL 957, absorption-line spectra of QSO rel. to redshift systems 4—34886
- Pleiades, 0.52 and 0.36 μ polarimetry of faint stars 4—34930
- Puppis, interstellar gas composition from u.v. absorption lines 4—2139
- Puppis, u.v. spectra from rocket obs. 4—4812
- Saturn, narrow band photography, 3000-9200 A and 1-2 μ 4—4722
- Saturn, polarisation observations since 1968, u.v. and visible light, results 4—29875
- Saturn's rings, linear polarization and transparency, 3700 A-1.7 μ 4—17943
- δ Scorpii, equivalent widths of interstellar H_2 lines 4—26120
- solar Be and Ge abundance from u.v. spectrum 4—14311
- solar corona, density evolution of active regions and flare rates from Mg X spectroheliograms 4—34615
- solar corona, Fe XIII e.u.v. emission spectrum 4—38625
- solar e.u.v. spectrum of flare of 1967, March 27, 2114 UT 4—22250
- solar flare, soft X-ray and e.u.v. emission, OSO-7 obs. 4—29834
- solar flare, two phase, e.u.v. obs. (OSO 7) 4—22214
- solar flare Lα line emission and UV continuum obs. 4—34626
- solar flares 1972, August, optical u.v. and magnetograph obs. 4—34625
- solar line profiles between 166.0 and 154.7 nm 4—25964
- solar prominence-corona interface, u.v. spectral obs. during eclipse 4—29836
- solar radiation, meas. using rocket-borne u.v. detectors 4—34635
- solar radio brightness distribution, OSO IV u.v. spectroheliograms 4—4710
- solar rotation in chromosphere and corona 4—38658
- solar spectrum, echelle spectrograph observations, 1970 to 1800A, characteristics 4—25977
- solar spectrum, identification of Si, SiH, Ca, CaH 4—6045
- solar spectrum emitted from disc and above limb in 150-870 Å 4—34636
- solar u.v. flux measurement by rocket borne spectrometer 4—2059
- solar u.v. occultation meas. of O_2 in Earth's lower thermosphere 4—22004
- solar vacuum u.v. region, absolute intensity and centre-to-limb variation 4—34643
- southern β-type stars, radial vel. meas. from Coude spectrograms in 3701-4528 Å region 4—34855
- southern long-period red variables, emission lines in spectra 4—34794
- standard stars, α Lyrae, η Ursae Majoris, Ophinchi, calibration 4—22464
- stars, 200 bright early-type, TD-1A satellite obs. 4—22408
- Sun, e.u.v. obs. of chromospheric network from Apollo Telescope Mount 4—38627
- Tauri, physical processes in far u.v. spectrum, 1100-2050 Å obs. 4—30046
- Tauri, rocket obs. of u.v. spectrum of possible shell star 4—34813
- T Tauri stars, spectral energy distribs. 4—42402
- Titan, u.v. reflectivity and geometrical albedo 4—22295
- Titan's continuum albedo, by satellite, temp. inversion effect 4—34662
- Titan atmosphere reflectivity, particulate scatt. 4—34664
- Uranus, u.v. photometry for albedo, OAO-2 obs. 4—29871
- Uranus, u.v spectrum, detection of Raman effect 4—2076
- Vela supernova remnant, u.v. interstellar lines in three more distant stars 4—34814
- Vela supernova remnant in Gum Nebula, u.v. photographs 4—38828
- γ^2 Velorum, eclipsing binary, u.v. spectra from rocket obs. 4—4812
- Venus, far u.v. spectra rel. to Mars, sounding rocket obs. 4—38670
- Venus, Franck-Condon factors for interpretation of Mariner obs. 4—17964
- Venus, spectrum in 1200-1900 Å range using rocket-borne spectrophotometer 4—26046
- Venus, upper cloud deck, circulation patterns from u.v. photographs 4—26036
- Venus u.v. clouds 3300-5100 Å photoelectric spectral scan 4—26037
- Venus u.v. polarization of reflected sunlight at 0.365 μ 4—26035
- H I Lyman α sky background, Mariner 9 u.v. spectrometer experiment 4—8058
- H i regions, Lyman α interstellar absorption rel. to density, OAO—2 obs. 4—2137
- H_2 u.v. fluorescence spectrum excited by solar e.u.v. radiation 4—7967

ultraviolet astronomical observations continued

- He I 584 A nightglow emission, evidence for astrophysical origin 4—42141
- HeI 584 A emission from interstellar wind 4—22381
- Si II solar emission lines, high dispersion profiles, Schuster Schwarzschild model, analysis 4—25976

ultraviolet astronomy

- Crab Nebula, calc. of size of ionized region 4—18060
- image convertor for rocket camera, performance 4—4844
- image sensors, convertor camera systems 4—4843
- interstellar medium, opacity to ultrasoft X-rays and e.u.v. radiation 4—38896
- interstellar u.v. absorption by graphite grains with and without ice mantles 4—42501
- radial velocity determinations, 4000-4300 Å 4—4791
- sources of u.v. radiation, surrounding zones of ionized He and H gas, physics *(French)* 4—29807
- stellar spectral synthesis, computer program 4—38922
- stellar spectrophotometer S59 in TD-1A, optical mechanical electronic props. 4—26179
- u.v. and e.u.v. background, obs. review, nature of interstellar matter 4—38866
- Fe I u.v. lines, oscillator strengths from hook method meas. in furnace 4—16006
- H I Lyman-β emissions from interplanetary medium rel. to local interstellar medium 4—26093

ultraviolet communication *see optical communication*

ultraviolet detectors

- photoelectric photometer, for meas. of artificial u.v. radiance in UV(A + B)-UVM-1B spectral region 4—35279
- rocket-borne solar u.v. and X-ray instrumentation for Polish expts. *(Polish)* 4—18078
- solar radiation flux, using rocket 4—34635
- thermopile calibration, black body radiation comparison 4—9
- vacuum u.v., review 4—26497
- $KTaO_3$ photovoltaic cell, using Czochralski grown crystal 4—33609
- O_3, meas. replacement for Dobson spectrophotometer 4—4629
- O_3 atmospheric, meas. in Huggins band, new method 4—4631
- O_3 atmospheric, photometric meas. of sky radiation 4—4633

ultraviolet lamps *see mercury vapour lamps*

ultraviolet sources *see light sources*

umklapp process *see lattice dynamics*

uncertainty principle *see indeterminancy*

underground cables

- *see also cable laying*
- inclined, finite-length, e.m. surface fields, analytical expressions 4—35770

underwater acoustics *see underwater sound*

underwater cables *see submarine cables*

underwater sound

- *see also hydrophones; sonar*
- absorption spectra, computer simulation 4—22657
- acoustic holography applic. 4—11526
- acoustic navigation for ships, coast and harbour 4—22665
- acoustic transmission channel characteristics meas. *(Italian)* 4—26304
- acoustic wave reflection and diffraction from floating ice, Wiener Hopf solution technique 4—34302
- adaptive array, near optimum noise rejection, minimisation of hardware 4—14763
- adaptive signal processing, Bayesian likelihood ratio 4—14765
- ambient sea noise measurement, suitable stable, easily deployable sensor system 4—17876
- Atlantic Ocean, acoustic effective reflection coefficient of surface in 1-8 kHz range *(Russian)* 4—14734
- audible angle, minimum for human listeners, determ. 4—22571
- bottle-nosed dolphin, location signals, investigation using two-channel recording system 4—22656
- bubbly wakes, sound propagation 4—11374
- channel influence on long-range paths and travel times 4—42659
- circular nearfield array, meas. in anechoic water-filled tank 4—11372
- coastal shelf divergent channel, sound propagation 4—22662
- coastal zone, point source field *(Russian)* 4—42664
- communication, fast unmanned underwater vehicles, review 4—14759
- communication, sonar, statistical analysis of time and space variant channels, signal processing 4—11395
- communications, sampled analogue signal processing 4—14758
- composite roughness sea surface, backscattering strength 4—11371
- conference, Loughborough (1972) 4—8265
- current meas. by acoustic signal propagation time 4—11074
- current velocity meas. by acoustic Doppler techniques 4—11075
- data reduction techniques, review, including man-machine systems 4—11383
- digital filter technique for oceanic small scale structure of salinity, temp. and sound speed 4—17861
- dispersion wave, group velocity meas., f.m. correl. technique *(Japanese)* 4—30407
- elliptical cylindrical liquid lens 4—11376
- fish abundance estimates from acoustic echoes, lower bound on variance 4—14739
- fish school luring by underwater sound projector 4—14738
- fish shoal strength, plotting of polar diagrams 4—26306
- Great Fisher Bank, shallow water sound attenuation 4—42658
- Gulf Stream cyclonic ring, acoustic properties 4—21927
- horizontal ray theory for almost stratified medium 4—42661
- humpback whales, target strengths 4—30288
- hydrophone arrays, wide frequency band constant beamwidth design techniques 4—14761
- hydrophone noise, comparison with water noise 4—30294
- hydrophone noise comparison with minimum water noise 4—30293
- internal waves, shallow-water, acoustic fluctuations 4—14735
- Java Trench and Tasman sea, bottom backscattering meas. 4—11373
- limitations of underwater acoustic communication channel 4—35110
- long range side scan, seabed investigation 4—11063
- long-range propagation in the Bering Sea 4—22659
- mode enhancement techniques 4—11384

underwater sound continued
multilayer sediments, computer analysis for acoustic sensing 4—11056
nonlinear interactions of acoustic waves 4—11381
nonstationary filtered Poisson process intensity estimation 4—18265
nonstationary reverberation, statistical props. 4—8267
normal modes, Hartree's method of numerical calc. 4—42657
ocean biological volume scatt. strength prediction 4—11081
ocean blast signal, longitudinal correl. of propagation, model estimation 4—22664
ocean bottom reflection, correl. with variation of the transmission freq. 4—22661
ocean surface reflection, amplitude fluctuations, spatial and freq. correl. 4—22663
oceanic internal wave echo sounding at 20 KHz 4—22179
oceanic turbulence, u.s. intensity fluctuations 4—26307
Pacific Ocean, very deep scattering layer at transonic freqs. 4—11377
passive detection solutions for boundary reflections in a constant-gradient medium 4—30289
passive sonar techniques, signal processing 4—8331
porpoise, phocoena ph. L., h.f. component of click rel. to echolocation 4—30292
propagation, automatic tests 4—11380
propagation, calibration system for large aperture arrays 4—18263
propagation for various emitter positions *(German)* 4—39120
propagation loss models 4—11385
properties of underwater acoustic communication channels 4—35107
p.s.k. acoustic data link 4—35109
radar simulation 4—26308
random acoustic arrays, properties and examples 4—17879
ranging and bearing indication, time difference methods 4—22780
ray theory and mode theory, connection, ray theory at lower freqs. 4—39121
receiving arrays, adaptive beamforming optimisation 4—14736
reflection, appl. of statistical properties of sound waves *(French)* 4—22655
reflection coefficient, angular characteristics *(Russian)* 4—42663
relaxation frequency, associated with $MgSO_4$ in the ocean, pressure depend. 4—22658
reverberation, point scatt. model and statistical props. 4—35108
scattering layers in ocean, nature of scatterers, frequency characteristics 4—22660
sea floor mapping and underwater imagery by sonar 4—7852
sea ice layer, transverse wave velocity from water-borne sound reflection 4—35106
sediment identification, by oblique acoustic reflection computer analysis 4—11055
signal analysis by Walsh functions 4—8266
signal design, applic. of power series spectral analysis 4—35111
solid-state water current meters, design deficiencies and operational problems 4—11073
sonar, telemetry system, for oil industry 4—26305
sonar problems in shallow water, signal processing 4—11379
sonar signal and filter optimisation, jointly and severally 4—14733
sound path isolation by pseudorandom noise signals 4—11375
source, exploding wire 4—26309
source detection, water surface reflected microwaves 4—4984
spherical waves in water, acoustic saturation 4—42660
surface reradiated spectrum evaluation by partitioned and modified chirp Z transform 4—18266
transmission across geostrophic flow, hydrodynamics variations effect 4—30291
transponder location acoustic technique, real time least square computing algorithm 4—22666
TV image transmission through water by u.s. waves *(French)* 4—11370
ultrasonic transmission, effects of thermal and salinity microstructure in marginal ice zone 4—14245
u.s., focused imaging system for depths down to 6 km. 4—14740
u.s. applications to seawater, review *(Japanese)* 4—42662
US National Marine Fisheries Service, underwater acoustics R&D 4—11387
velocity profile variability effect on range to first convergence zone 4—18264
velocity structure in shallow bay, environmental interactions 4—11386
volume reverberation at MHz frequencies 4—11378
wave eqn., improved computer soln. 4—14737
wave front perturbation, measurement, correlation with microstructure 4—8268
wind noise under winter sea ice fields 4—35105

unified field theories
already unified field theory, non-static soln. 4—18962
coupled theory of electromagnetism and gravitation 4—2559
Einstein-Maxwell, quantisation, nonrenormalisability 4—18963
Einstein-Maxwell theory with null fluid, spherically symmetric solns. 4—23193
general relativity, spin and torsion 4—5390
irreducible quantities in unification of gravitation and electromagnetism 4—228
projective theories of relativity, global formulation in framework of projective manifolds 4—8707
Yang-Mills field and geometry, holonomic theory *(German)* 4—8706
Yang-Mills fields, group theory *(German)* 4—30886
Yang-Mills fields, nonholonomic space-time geometry *(German)* 4—23205

unimolecular layers *see monolayers*

units (measurement)
see also dimensions; measurement; nomenclature and symbols
air pollution meas., SI units 4—18250
air-conditioning technology, SI system *(German)* 4—8299
ampere, absolute determ. using current balance *(German)* 4—35164
angle of rotation, proposed unit plenus angulus, 1 pla=2π rad *(German)* 4—2221
astronomical systems of units, co-ordinates and time-scales 4—39151
electric and magnetic units, diagram illustrating relationship 4—22744
electrical, magnetic, use of fundamental constants 4—22751

units (measurement) continued
mass, kg, new definition 4—22746
metre, definition rel. to internationally recommended value of c 4—35165
metrication, planning conversion 4—11435
metrication, viewing the problems 4—11434
natural units, justification for replacing the International System of Units 4—11433
photometric and radiometric, relations, Lambert's law 4—8359
radiation measurement and radiology, SI units 4—18239
radioactivity of nuclides, Russian primary standard 4—22750
SI, use, conversion tables, geophysical constants 4—4949
SI and internationally recommended units, review 4—30381
SI and other unit systems presently used in parallel *(Rumanian)* 4—11436
SI system in physical metallurgy *(Czech)* 4—2220
time, conversion in metric system 4—35153
volt, absolute determ. using ultrastable 159.2 Hz power supply 4—35166
volt, role of d.c Josephson effect *(German)* 4—8300

universe *see cosmology*

universe models *see cosmology*

unwinding *see winding (process)*

upper atmosphere
see also exosphere; ionosphere; magnetosphere; mesosphere; radiation belts; thermosphere
abnormal quiet day variation in low latitudes 4—1787
acoustic or gravity wave recording, optical method 4—22170
AEROS, investigation programme *(German)* 4—2015
aerosol chemistry and nucleation, review 4—42124
aerosols, above 70 km., extinction and scattering of light 4—10958
aerosols, review of chemistry 4—10961
aerosols, surface reactions affecting local photochemical balance 4—34437
air density at 200 km. from Cosmos 359 rocket 1970-65D, orbit 4—29657
alkali chemistry problems, review 4—10962
artificial cloud experiments, atomic and molecular preps. of metals 4—36432
artificial electron belt enhancement through interactions with ion cyclotron waves 4—10949
aurora breakup, Hβ and 5577A emission and electron aurora 4—10946
auroral electron flux and energy spectrum, rocket and satellite observations 4—38392
auroral electron flux production mechanisms 4—38391
auroral electron flux time variations and pitch angle distributions 4—38393
auroral emissions, indirect excitation processes 4—10966
auroral photographs comparison, DAPP satellite and all-sky camera 4—38408
auroral region at 800 km, triaxial magnetic meas. of field-aligned currents 4—4362
auroral zones, lateral dispersion of low-energy precipitated protons 4—22045
charged particle non-stationary distribution 4—25726
conference, polar cusp, (Dallas USA November 1973) 4—38480
conference held at Orleans, France (31 July-11 August, 1972) 4—10955
Cosmos 359 rocket 1970-65D, orbit analysis rel. to upper atmosphere 4—29806
data accumulation during sunspot cycles 18, 19, 20 4—38388
density, aspherical model, effect of solar activity and geomag. disturbances, prediction of satellite motion 4—4532
density and composition, observations and models 4—10956
density correlation with charged particle precipitation, dayside cusp 4—17767
density measurement by Sputnik III and San Marco satellites 4—25868
density profile, possible information from artificial meteoroids fired to overcome satellite drag 4—17851
density profile meas. using artificial meteors fired from satellites at perigee 4—38549
electron fluxes, time and spatial correlations and visual forms 4—38390
electron precipitation patterns associated with contracted oval substorms 4—38406
emission line obs. review for H and He 4—10968
energetic O^+ flux precipitation, heating effects 4—22034
equatorial composition from San Marco-3 mass spectrometer 4—22005
Europe-Africa sector, OH and Na nightglow intensity var., comments 4—22046
fast hisslers during substorms, altitudes of origin 4—38404
geocorona, polarization of He I 304 and 584 Å emission 4—25731
geomagnetic secular change 1964-70, global model 4—25621
gravity and planetary wave observations, daily-difference analysis of various data 4—22038
H-deviations relative to local geomagnetic midnight, time shifts, high latitude observatories 4—38260
heteromolecular clusters of $SO_2.(H_2O)_n$, n=1-6 type 4—40250
high latitude experiments *(French)* 4—38427
hot atom velocity distributions, airglow line profiles 4—22016
incoherent scatter radar system, for Upper Atmosphere Observatory, design 4—38558
internal gravity waves, thermal effect, coeff. of vertical turbulent interchange *(Russian)* 4—25730
ion composition, rocket meas. in 100-170 km. range 4—29670
ion drift rate during 1967, November 3 magnetic storms 4—29649
ion drift rate during magnetically quiet period 4—29648
ion formation function for average solar activity by shortwave radiation 4—1921
i.r. radiance obs., review 4—10970
Jacchia model, analytic soln. of diffusion eqn. 4—4530
K density and distrib. from laser radar system 4—14179
laboratory simulation of mass spectrometer measurements, satellite operating conditions 4—17768
light flash stimulated by pulsed source of X-rays 4—4531

upper atmosphere continued
low latitude neutral density var. near 400 km. rel. to magnetic activity indices 4−4540
lower thermosphere, O density from 5577A nightglow obs. 4−4538
Lyman & photons, scattering in upper atmosphere 4−29650
magnetic conjugacy, high latitude, diurnal and seasonal variations, model calculations 4−38409
mass spectrometer for supersonic rockets with He cooling to avoid shock wave effects 4−35454
mass spectrometer ion source, liquid He cooled, for rocket flights, wind tunnel testing 4−35455
meteor region, coupling between neutral and ionized components of wind up to 105 km 4−10951
meteoric aerosols, twilight diffusion luminance *(French)* 4−38431
microwave radiometry for spectral investigations *(Russian)* 4−11038
neutral atmospheric var. studies using nightglow and incoherent scatter obs. 4−38557
neutral composition measurements by mass spectrometer with cryoion source, 85 to 115 km 4−25749
neutral density from satellite drag meas. 4−38416
neutrons, angular distribution, altitude dependence ground to 5 g/cm^2 residual atmos., 10 to 100 MeV 4−25704
particle acceleration by electrostatic wave with spatially increasing phase vel. 4−11082
particles, high velocity, mean free path anisotropy *(Italian)* 4−25723
perpendicular electric field variations with altitude 4−38399
pitch angle var. of slowing auroral electrons 4−1931
plasmasphere, features of plasma distribution from Antarctic whistlers 4−25817
plasmasphere, He II 304 Å radiation, comparison with models for He$^+$ altitude distribution 4−25818
protonosphere, modified thermal cond. effect on temp. distrib. 4−4598
relativistic electron precipitation events, parasitic pitch angle scattering of geomagnetically trapped electrons 4−22123
satellite potential effect on direct ion density measurements through plasmapause 4−25893
soft electron fluxes, polar region, during geomagnetic disturbance 4−25725
solar activity effects from satellite drag density meas. 4−1926
solar radiation, 1000 to 10000 AB, absorption 4−10960
sonde technique for air-Earth conduction current meas. 4−2008
superrotation by global distrib. of meteoroids 4−34441
thermosphere, diurnal density var. from satellite drag meas. 4−1925
thermosphere, numerical model of symm. tidal wave modes 4−4528
thermospheric heating by atmospheric gravity waves 4−4539
tidal oscill. of meridional neutral wind at midlatitudes 4−38422
tide reflection by temp. repartition, temp. profile 50-110 km altitude *(French)* 4−42082
tides, vertical propagation, meteor trail observations 4−25750
tunable dye laser development for upper atm. obs. *(Japanese)* 4−29762
turbopause, artificial cloud obs. *(French)* 4−38429
turbulent layer, energy transfer by tidal fluctuations and gravity waves *(Russian)* 4−14176
vapour trail tracking techniques, day and night 4−25881
wind, radar meteor meas. review of AFCRL project 4−10940
wind components from radar obs. of meteor trail drift 4−4623
wind velocity distribution and composition, sounding rocket and meteoric radar obs. *(French)* 4−38430
winds at meteor height, new bistatic continuous wave radio system study 4−42230
CO emission, vacuum u.v. spectrograph obs. 4−34530
CO$_2$ and N$_2$ vibrational temp. in 50-130 km. altitude range 4−38357
CO$_2$ fluorescence near 4.3 μ, daytime earth limb radiance calc. 4−25738
H I distribution from Cosmos-215 meas. of scattered Lyman α radiation in geocorona 4−29651
H$_\alpha$ intensities, seasonal var. of emission 4−1920
He metastable atoms, collision processes and solar 10830 Å radiation 4−38413
K detection *(French)* 4−38559
Li detection *(French)* 4−38559
N$_2$ measurements 80 to 150 km, by rocket borne electron beam fluorescence probe 4−42227
NO, ionisation by spacecraft 4−29652
NO and N effective concentration rel. to NO$^+$/O$_2^+$ ion ratio 4−22040
Na, origin and height distribution, theoretical model 4−29646
Na detection *(French)* 4−38559
Na layer, density profile variation with solar cycle 4−10971
O density measurements, middle and high latitude, sounding rockets 4−17766
O distribution from Ogo 6 557.7 nm airglow obs. 4−4537
O energetic atoms, effect on neutral density models 4−1923
O$_2$ and O measurements, 80 to 150 km, by rocket borne electron beam fluorescence probe 4−42227
O$_2$($^1\Delta_g$) equatorial emission after sunset at 80 km 4−1922
OI emission features at 1304, 5577 and 6300 A 4−10965
O(^{1}S) production from photodissociation of O$_2$ 4−25737

uranium
see also nuclear fission of uranium
achondrites, U and K abundances by homogenized fission track analysis 4−4767
alkaline earth tungstates:U, luminesc., vibr. modes 4−41420
alloy development for nuclear reactor fuel, irradiation effects 4−23872
assay requirements of nuclear accountability and safeguards 4−27500
chemical extraction from calcite in presence of Th, anal. of product 4−36356
determination in geological materials, using neutron activation and high resolution X-ray spectrometry 4−35513
distribution in oceanic ultramafic rocks 4−21661
enriched nuclear reactor fuel, storage capacity as function of facility size 4−31574
enrichment, supply, demand and costs, overview 4−9352
enrichment plant, pressure detectors *(Japanese)* 4−18405

uranium continued
evaporator, dynamics and control 4−5915
fuel, Al clad, distrib. analyzer 4−31547
fuel, enrichment, calc. of mixing loss in a step cascade 4−19642
fuel, enrichment 4−15975
fuel, neutron absorption by shipping container material 4−27482
fuel, use in power channel U-graphite reactor 4−40125
fuel enrichment facilities, use of nondestructive assay instrumentation 4−23937
gamma activation anal. of C impurities in U and Th 4−18792
geochemistry, possibilities for detailed study *(German)* 4−38692
geological investigation of deposits in sedimentary rocks *(Spanish)* 4−22137
geological samples, high-speed radioluxograph with single-scintillation sensitivity for autoradiography 4−34526
ground state configuration, energy levels, intermediate coupling, radial parameters 4−31642
hexavalent, hydrolytic props. *(Russian)* 4−36366
inhalation effects on lung tissue and lymph nodes, obs. 4−42601
ionization pot. determ. in d.c. arc plasma spectroscopy 4−2419
ions, mass spectrograph isotope separation, throughput limit 4−18696
isotopic abundance, minicomputer system for mass spectrometry *(Japanese)* 4−5221
kaonic atoms, energy level widths, shifts and yields meas. 4−3088
L X-ray spectra, α-particle induced emission intensity ratios 4−25191
light absorption, U in silica gel *(German)* 4−37680
liquid, Hall coeff. and elec. resist. *(German)* 4−1222
liquid, solubility of W and Ta, 1600-2900K 4−32707
loading of ion exchange resins for HTGR's 4−3026
melting temperature, increase with high pressure, 0-50 kbar 4−25295
metallic, applic. as reducing agent for tritiated water 4−7468
meteorites, U microdistribution in 15 objects 4−42363
molten, reaction with Al$_2$TiO$_5$ crucibles 4−19591
muonic, K X-ray obs. of shape deformation 4−27231
nuclear reactor fuel, criticality of fissile metal and fissile soln. combinations 4−23846
nuclear reactor fuel, deposition of energy during irradiation 4−23847
nuclear reactor fuel element, props. construction *(Czech)* 4−5918
oxidation behaviour in dry CO$_2$ and air, highly irrad. specimens 4−31535
peridotite inclusions of probable mantle origin, U concentrations and distrib. 4−4329
photoemission from surface, X-ray induced 4−33564
plasma, fissioning, prod., radiative props. 4−20123
plasma emission coeff. meas., 1200-4500 Å, 8000-10000K 4−20122
Precambrain deposits radiogenic Pb haloes 4−42032
radioactive contamination, in underground environments *(French)* 4−31632
radioactive waste, low uranium content, incineration 4−31590
resources and future supply, overview 4−9351
sintered ceramic fuel for fast reactor use, preferred values for thermal conductivity 4−19605
spatial distribution and content determination in geological materials, spark counter method 4−35527
stopping power for 5-18 MeV protons and deuterons 4−24502
target, nuclear bombardment, preparation by electrodeposition from organic soln. 4−26583
vapour transport in irradiated oxide fuel elements, computer program 4−27447
X-ray emission spectra, 5f distrib. *(French)* 4−37699
CaWO$_4$:U, scheelite-type single crysts., U luminesc., temp. quenching 4−41424
Mo:U dilute alloy, reactor fuel, irradiation induced gamma-phase reversion 4−23874
Pu/U clustered fuel elements, reactivity worths determ. by reactor oscillator method 4−5890
α-U, high press. obs. of 37 K transition by a.c. calorimetric technique 4−13039
U:U system, relativistic electron in two Coulomb centres' field, soln. of Dirac eqn. 4−753
U/Th dating, large ionization chamber as α-spectrometer 4−17829
U-graphite mixtures, neutron slowing down, mixed energy-group, energy-point theory 4−15934
U-metal high performance fuel development, use in HWR 4−23873
U-Mo mineralization, characteristics of relationship with volcanogenic formations 4−17601
U-Th fuel cycle in HTGR at Fort St. Vrain, construction and testing experience 4−27392
U-ZrH nuclear reactor fuel for dual-core research reactor 4−36273
U^{6+} ion, analytical radial orbitals, modifications proposed, parameters presented *(Russian)* 4−5936
U^{6+} ion in ordered perovskites, efficient green luminesc. 4−1415
^{233}U, separation by double decomposition of ThO$_2$ with H$_2$SO$_4$ 4−5910
^{234}U/^{238}U, earthquake effect on ratio in subterranean water 4−7536
^{235}U, ground state h.f.s., dipole and quadrupole moments *(French)* 4−9390
^{235}U enriched fuel assembly, criticality safety evaluation of transporting wooden pallets 4−27487
^{235}U enrichment, iosotope separation nozzle method *(German)* 4−5901
^{235}U slug, enriched tubular, light-water-moderated reactivity rel. to storage 4−27483
^{238}U, dieaway expt. anal., image method for time-depend. neutron diffusion 4−31467
^{238}U, isotope separation by plasma centrifuge 4−31528
^{238}U, thermal fission, β and γ decay energies of short lived products 4−5883
^{238}U muonic atom, difference in electronic and fission decay modes 4−31310
^{238}U/^{235}U(1.3%) reactor fuel, TRX lattice anal. with ENDF/B-III data 4−36289
U(93.2)-metal cylinders, criticality of three dimensional arrays 4−5889
Zr:U alloy, nuclear reactor fuel, stability of epsilon phase 4−23874

uranium alloys
Th-U, dil., supercond. crit. field curves, effect of non-mag. localized states 4−37354
U:Zr, physical and mechanical props. at low temps. 4−19595
U-5% wt. fissium fuel pin, texture, irradiation performance specification 4−27456
U-Hf system solid solns., computer calc. of phase equil. curves 4−25298
U-Mo, α-phase, mech. characteriz. 4−17343
U-Mo system solid solns., computer calc. of phase equil. curves 4−25298
U-Mo-C system, phase behaviour and $UMoC_2$ free energy of form. 4−25299
U-Mo-Nb-Zr-Ti, strengthening mechanism, Widmanstatten structure 4−29087
U-Nb, α-phase, mech. characteriz. 4−17343
U-Nb system solid solns., computer calc. of phase equil. curves 4−25298
U-Nb-Zr, isothermal transform. kinetics, resist. obs., 130-590°C 4−13594
U-Nb(4.5 wt.%), acoustic emission as stress corrosion testing means 4−41916
U-Ti, α-phase, mech. characteriz. 4−17343
U-Ti(2.5 at.%), isothermal precip. kinetics, resist. obs. *(French)* 4−25322
U-Zr, α-phase, mech. characteriz. 4−17343
U-Zr system solid solns., computer calc. of phase equil. curves 4−25298
$U_{1-x}Pu_xAl_2$, mag., transport and n.m.r. props. 4−41282
$UReC_{2-x}$ ternary cpd., unit cell size 4−25300
UX_3, X = Al, Ga, In, Si, Ge, Sn, low temp. electronic sp. ht. meas. 4−20781

uranium compounds
see also uranium alloys
antiferromagnetic, with long period mag. lattice, Fermi surface and Brillouin zone interact. model 4−28602
chalogenides, vapour phase cryst. growth *(French)* 4−25243
Doppler meas. using pulsed activation technique 4−36283
hydrated uranates, identification of H_3O^+ and OH ions from n.m.r. powder spectra 4−28710
oxide fuel, irradiated, computer program for redistrib. of U, Pu and O by vapour transport and solid diffusion 4−27447
oxide fuel elements, reaction with Na in LMFBR, meas. of oxygen threshold 4−27450
oxide fuel pellets, reaction kinetics and swelling in sodium, out-of-pile investigation 4−40128
sintered ceramic fuel for fast reactor use, preferred values for thermal conductivity 4−19605
sodium uranyl acetate, optical rotatory dispersion curve, effect of deuteration on optical activity *(Russian)* 4−33455
sulphides of uranium and 3d transition metals, prep. and crystallographic characteriz. *(French)* 4−24431
UO_2 effect of porosity and stoichiometry on thermal cond. 4−37051
uranyl chloride, line splitting at 4K, Davydov theory 4−28895
uranyl nitrate, line splitting at 4K, Davydov theory 4−28895
uranylacetate, fission fragment track registration, determ. of fission cross-section 4−5846
$(Pu, U)C_xN_y$ specimens, composition determ. by lattice parameter meas. 4−12456
$(Pu, U)O_2$ rods, LMFBR-type, effect of oxygen on swelling 4−27448
$(Pu,U)O_2$ polystyrene neutron poisoning effect of Cu and Cu-Cd 4−31577
$(U, Pu)O_2$, fuel pins, elimination of CO_2 and H_2O as oxygen transport species 4−40121
$(U, Pu)O_2$, reactor fuel, obs. of O_2 interactions in Na coolant in LMFBR 4−31550
$(U, Pu)O_2$ fuel, actinide redistrib. by vapour migration along pores 4−12447
$(U, Pu)O_2$ fuel, molten, phys. props. characteriz. 4−3014
$(U,Ce)O_2$ coarse powder, effect of growth, nucleation on kinetics of oxidation *(Czech)* 4−5917
(U,Pu)C, evap. and self-diffusion processes 4−23843
(U,Pu)C, LMFBR fuel prep. by carbothermic reduction 4−15956
$(U,Pu)(NO_3)_4$ solution, criticality determ. 4−27486
$(U,Pu)O_2$, analyt. expressions for enthalpy and ht. capacity 4−40119
$(U,Pu)O_2$, evap. and self-diffusion processes 4−23843
$(U,Pu)O_2$, fuel, compressive creep correl. with microstruct., influence on fuel element performance 4−3019
$(U,Pu)O_2$, fuel, sintering role in modelling actinide redistrib. 4−3017
$(U,Pu)O_2$, high temp. enthalpy 4−15964
$(U,Pu)O_2$, lenticular pore props. 4−31541
$(U,Pu)O_2$, stopping power of 1-9 MeV He^{2+} ions 4−24504
$(U,Pu)O_2$ fuel, actinide redistrib. by vapour migration along cracks 4−12446
$(U,Pu)O_2$ fuel, fabrication and irrad. effects on dissolution 4−15955
$(U,Pu)O_2$ fuel, final-stage densification 4−15963
$(U,Pu)O_2$ fuel, mech. blended, dissolution 4−15954
$(U,Pu)O_2$ fuel elements, plutonium segregation and central-void form. 4−31536
$(U,Pu)O_2$ fuel pins, distribution of ^{134}Cs and ^{137}Cs and precursors 4−27435
$(U,Pu)O_2$ fuel pins, hypostoichiometric, oxygen distrib. calc. 4−23842
$(U,Pu)O_2$ fuels, composite thermal cond. expression 4−3018
$(U,Pu)O_2$ fuels, in-reactor behaviour study, applic. of deform. maps 4−12454
$(U,Pu)O_2$ helical-spring specimens, extruded, effect of fabrication variables on props. 4−3028
$(U,Pu)O_2$ nuclear reactor fuel, development of elements for FBR's 4−23850
$(U,Pu)O_2$ nuclear reactor fuel, comparison of sphere-pac and pellet fuel pins 4−27441
$(U,Pu)O_{2-x}$ fuel, room temp. oxidation obs. 4−15958
(U,Th)C coated particles, HTGR fuel cycle 4−27440
$(U,Th)O_2$, nuclear fuel, removal of U by fluorination 4−36345
$(U,Th)O_2$ coated particles, HTGR fuel cycle 4−27440
$(U,Th)O_2$ HTGR fuel, remote fabrication problems 4−15961
$(U,Th)O_2$ powder, blending and homogenization 4−15960

uranium compounds continued
$(U,Th)O_2$-UO_2 powder, blending and homogenization 4−3029
U complex, biscyclooctatetraenyl, i.r. and Raman spectra, vibr. assignments 4−40278
U complex, i.r. spectra, slow spectral development, comparison with mol. vibr. theory *(Russian)* 4−40289
U-complex, $K_5(UO_2)_2F_9$, cryst. struct. *(French)* 4−32485
U-Pu-W-C system, thermodynamic estimations, rel. to fuel-cladding compatibility 4−19583
U-Rh-C system, phase and thermodynamic behaviour 4−31540
U^+, emission efficiency improvement, graphite filament method 4−39315
UAsTe, mag. and cryst. struct., mag. moment alignment, neutron diffr. obs. 4−33177
UB_4-YB_4 alloy, susceptibility meas., ferromagnetism below 14 K 4−24946
$U(BH_4)_4$ in $Hf(BH_4)_4$ mixed crystal, e.p.r. and optical (5000-300 cm^{-1}) spectra, electronic origins 4−3978
UC, fission product gas release in burst region 4−5847
UC, hyperstoichiometric, carbon self-diffusion 4−19589
UC, phonon dispersion relation, free electron screening 4−40854
UC, self diffusion of C, temp. depend. 4−5914
UC based cpds., low density, compression creep tests 4−7273
UC nuclear reactor fuel deposition of energy during irradiation 4−23847
UC-UN solid solns., sintered, compressive creep 4−12450
UC_2, kernel of coated reactor-fuel particles, UC content, coating failure 4−31530
UC_2, stability under heating under stress, U_2C_3 form. 4−5909
UC_2 microspheres, pyrocarbon-coated, fission-product release 4−3015
UC_x, carbon self-diffusion mechanism and kinetics 4−23840
UC_x, stoichiometric, ^{233}U self-diffusion parameters 4−23837
U_2C_3, form. from UC_2 by heating under stress 4−5909
U_2C_3, n.m.r., X-ray study, 4-300 K, electronic transition *(French)* 4−20878
U_xC_y substrate for graphitization, effect of dislocations, twinning, electron microscope study 4−16677
$UC_{1-x}N_x$, thermal cond. and difusivity meas., 100 to 1000K, lattice and electronic components 4−32757
$UC_4{}^+$(g), thermal ion emission in dicarbide-graphite system 4−21548
U_2Co_{11}, Gibbs energy of formation determ. using solid-state chemical cell 4−27436
UF_3-UF_4 molten solution, in contact with graphite equilibrium investig. rel. to temp., composition 4−40117
UF_6, eqn. of state, saturated vapour density and heats of sublimation determ. 4−19954
UF_6, liquid, on-line enrichment monitor 4−23941
UF_6, specific heat ratio meas. up to 1500K with ballistic piston compressor 4−23894
UF_6, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
UF_6 enrichment of ^{235}U, ^4He proportional counter fast-neutron detector 4−23943
UF_6 nuclear reactor fuel enrichment determ. using portable instruments 4−23848
UF_6 vibrational relaxation and acoustic dispersion 4−27753
UF_6 vibrational spectra, force fields determ. 4−6073
UF_6/ClF_3 binary mixture, viscosity, diffusion coeffs. determ., use in intermol. parameters calc. for ClF_3 *(French)* 4−40348
UF_6/MoF_6 binary mixture, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
UF_6/WF_6 binary mixture viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
U_6Fe, supercond. transition temp., Fe isotope effect 4−1281
UH_3, proton spin-lattice relax., Fermi level density of states 4−41294
UI_3, mag. space group, derived theoretically from chem. struct. 4−20783
U(IV) complex, dioxouranium perchlorate phosphine oxide, spectra 4−33401
U(IV) complex, glycinate, p.m.r. 4−33280
U(IV) complex, phosphine oxide perchlorate, mol. vibr., visible/u.v. spectra 4−33401
U_2MoO_8 X-ray struct. anal. 4−12928
UN and (U,Pu)N, synthesis and fabrication procedures 4−4173
UO_2, calc. of kinetic constants and densification during sintering *(Russian)* 4−21417
UO_2, change to use of U in power channel U-graphite reactor 4−40125
UO_2, chemical vap. deposition method, cryst. characts. 4−33603
UO_2, creep depend. on grain size 4−13823
UO_2, diffusional creep, stoichiometric comp. deviations influence 4−33847
UO_2, fission gas release during temp. transients 4−31537
UO_2, fission gas resolution kinetics 4−15969
UO_2, gas equilibration method, O/metal ratios 4−8583
UO_2, grain size effect on swelling and gas release props. during irrad. 4−31538
UO_2, high temp., microstruct. rel. to manuf. variables 4−7316
UO_2, hyperstoichiometric, vacancy model, O_2 press. exam. 4−32709
UO_2, in-pile fission gas release mechanisms 4−23832
UO_2, initial sintering, shrinkage rel. to particle size and packing 4−21412
UO_2, lenticular pore props. 4−31541
UO_2, molten, interaction with coolant in nuclear reactor *(German)* 4−36253
UO_2, molten, redox equil., stoichiometry changes 4−15965
UO_2, nuclear reactor fuel deposition of energy during irradiation 4−23847
UO_2, polycryst., compressive deform. 4−15966
UO_2, primary creep, impurity effects 4−3021
UO_2, radiation-induced primary creep at low temps. 4−23823
UO_2, sintered, tensile strength dependence on microstruct. 4−21407
UO_2, stopping power of 1-9 MeV He^{2+} ions 4−24504
UO_2, stress relax. and grain boundary sliding 4−17398
UO_2, thermal cond. before and during irradiation *(Rumanian)* 4−36357

uranium compounds continued
- UO_2, thermally shocked, crack healing and crack growth 4-3020
- UO_2, UO_2-ThO_2, first-order mag. transition, thermal expansion obs. 1.5 to 35 K 4-33157
- UO_2, X-ray emission spectra, 5f distribs. *(French)* 4-37699
- UO_2 and Fe, molten, fission product distrib. 4-23829
- UO_2 axial blanket pellets, interaction with fission product Cs, effect on cladding 4-27445
- UO_2 complex, uranyl nitrates and chlorides with amines, mirror symmetry in i.r. and luminesc. spectra *(Russian)* 4-13514
- UO_2 defected fuel elements, neutron radiography 4-3016
- UO_2 deformed at high temps., lattice and grain boundary dislocations 4-25413
- UO_2 fuel, fission gas content, small bubble size distrib. effects 4-15970
- UO_2 fuel, irrad. with low external restraint, density and gas release meas. 4-15968
- UO_2 fuel, molten, viscosity meas. 4-31543
- UO_2 fuel, unirradiated, in irradiated Zr alloy cladding, failure mechanisms 4-23905
- UO_2 fuel pellets, thermal resinter characts. 4-15962
- UO_2 fuel pins, Zircaloy clad, release of fission products at 1000°C 4-5923
- UO_2 helical-spring specimens, extruded, effect of fabrication variables on props. 4-3028
- UO_2 microspheres, pyrocarbon-coated, fission-product release 4-3015
- UO_2 nuclear reactor fuel, in-reactor densification evaluation 4-23883
- UO_2 nuclear reactor fuel, rapid sintering in glow discharge 4-23888
- UO_2 nuclear reactor fuel, in-pile thermal conductivity meas. 4-36352
- UO_2 nuclear reactor fuel, anal. of fragmentation in coolant interactions 4-40127
- UO_2 pellet stack shortening in a boiling water reactor, mathematical modelling 4-5894
- UO_2 powder compacts, sintering and morphology of interconnected porosity 4-13825
- UO_2 reactor fuel, pediction of in-reactor densification behaviour 4-23882
- UO_2 sintered pellets, isothermal grain growth kinetics 4-19580
- UO_2/W composites, melt-grown, characteriz. w.r.t. fuel applic. 4-15950
- UO_2-basalt mixture and Fe, molten, fission product distrib. 4-23830
- UO_2-MgO-W system, directional solidification, eutectics growth 4-17217
- UO_2-PuO_2, fission gas behaviour in mild overpower transient in nuclear reactor 4-23786
- UO_2-PuO_2 reactor fuel pins, irradiated, central void size determ. 4-23887
- UO_2-PuO_2 reactor fuel stack dimensional variations under irradiation 4-23885
- UO_2-ThO_2 mixtures, powder characts. influence on sintering behaviour 4-7320
- UO_2-Y_2O_3 solid solution, oxidation X-ray diffraction exam. of final state 4-31534
- UO_2^{++} in aqueous soln., absorption of electronically excited ion *(Russian)* 4-10770
- $UO_{2\|x}$, 100 KeV electron scattering, diffraction and channelling effects 4-16529
- $UO_{2\|x}$, elec. cond. 4-32965
- $UO_{2\|x}$, microcalorimetric meas., enthalpy, free energy, interpretation 4-32725
- UO_2^{2+} ion, extinguisher of Eu^{3+} luminesc., in low laser pumping energy systems *(Russian)* 4-28928
- UO_3, i.r. spectra in isolation matrix, struct. and assignments 4-31843
- UO_3 solid particles, process for recovery from graphite based Rover fuel 4-31579
- UO_3-MoO_3 nuclear reactor fuel, X-ray anal. of phases 4-23851
- U_3O_8, nonstoichiometry at 675-1125 K 4-32708
- U_4O_9, transition at about 70°C, superstruct. obs. at 120°C 4-32704
- U_4O_{9-y}, nonstoichiometric, λ-type sp. ht. anomaly 4-19585
- $U_xO_{2\pm x}$, nuclear fuel, O_2 to metal ratio determ., review of anal. methods 4-35530
- $UOCl_2$, cryst. struct., neutron diffr. determ. 4-16453
- UO_2Cl_2 monohydrate and monodeuterate, struct., neutron diffr. obs. 4-16452
- $UO_2MoO_4(WO_4)$, luminesc. spectra, antisymmetric vibr. progression, config. effects 4-21064
- $UO_{2-x}N_{0.75x}$, thermodynamic characteriz., 1250-1850°C, rel. to HTGR 4-3023
- UPTe, mag. and cryst. struct., mag. moment alignment, neutron diffr. obs. 4-33177
- US, oxidation, 350-720°C 4-40989
- US, thermal diffusivity, 638-1823 K 4-24597
- US_2 and U_3S_5, vapour phase cryst. growth *(French)* 4-25243
- U_3Si, transform. twins and elastic props. at low temp., nuclear reactor material appl. 4-16505
- U(VI) complex, $[(CH_3)_4N]_2UO_2Br_4$, cryst. struct. 4-32492
- U(VI) complex, oxydiacetatodioxouranium(VI), cryst. and mol. struct. 4-20254
- U(VI) complexes, $K_3(UO_2)F_7.2H_2O$ and $K_5(UO_2)_2F_9$, cryst. struct., X-ray obs. 4-12912
- UZrC-UC_2-C ternary system, thermodynamic and phase relns. 4-33857

Uranus
- albedo, OAO-2 u.v. photometry 4-29871
- atmosphere, inhomogeneous models, computer analysis of spectrum, evaluation 4-29889
- atmosphere, scattering mean free path, high dispersion image-tube spectrography, results, analysis 4-29887
- atmospheric and cloud structure 4-22297
- atmospheric entry probe planned for structure and composition obs. of troposphere 4-30151
- atmospheric model influence on probe design 4-30152
- atmospheric models, analysis of limb darkening curves, comparison 4-29888
- interior structure, shape, thermal state 4-38679

Uranus continued
- Laplacean satellites rel. to Principle of Least Interaction Action 4-29920
- Miranda (Uranus V), eccentricity and inclination of orbit 4-11099
- Miranda (Uranus V) eccentricity and inclination of orbit 4-26044
- scattering mean free path in atmosphere 4-22296
- u.v. spectrum, detection of Raman effect 4-2076
- H_2 spectral lines, quadrupole, scanner observations, results 4-29885

Urey-Bradley forces *see molecular internal mechanics*

u.v. astronomy *see ultraviolet astronomy*

u.v. detectors *see ultraviolet detectors*

V-centres *see colour centres*

vacancies (crystal)
- *see also Schottky defects*
- alkali halides, non-radiative electronic capture 4-21041
- alkali metal, formation energy and vol. derivation 4-36897
- alloy, Kirkendall effect, associated plastic deform. 4-3587
- alloy, ordered DO_3 structures, model approach to diffusion 4-1136
- alloy, quenched, vacancy diffusion, differential eqn. derivation 4-1132
- alloy, W-structure variants *(German)* 4-1479
- binary alloy, single phase, selective oxidation, metal diffusion investig. *(French)* 4-32743
- β-brass, quenched, electron microscope investigation, dislocation loops 4-13672
- c- 4-7194
- carbide, cubic, electronic structure, modified rigid band model, rel. to vacancy conc. *(German)* 4-37172
- cube based thought expt. w.r.t. chem. stress 4-1047
- diamond lattice, vacancy-impurity interaction, diffusion, vacancy migration energy in Si 4-13065
- diamond structure, correlation factor for impurity diffusion 4-40917
- diffusion, divacancy mechanism and impurity drift mobility 4-28242
- diffusion, recovery stages of correlated vacancy-interstitial pairs 4-28238
- diffusional creep, self-diffusional mass transfer including boundary effects *(Russian)* 4-10574
- dilute alloy, diffusion phenomenological coeffs., kinetic expression *(French)* 4-33630
- dilute packing of spheres under high pressure, stress and defect anal. 4-41850
- dislocation climb, vacancy flux at jogs, diffusion controlled climb 4-16500
- electromigration, void nucleation, growth mechanism 4-28093
- electronic structure of donor-vacancy complex, diamond type cryst. 4-13150
- f.c.c. and NaCl structures, impurity diffusion, vacancy mechanism 4-3590
- f.c.c. metals and alloys, planar defect shape anal. 4-21262
- glass, dielec. relax. mechanism 4-28756
- graphite, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4-31533
- ionic solid solution, chem. pot. rel. to vacancies and elec. neutrality 4-40916
- laser speckle method for cryst. length change meas. 4-18352
- magnesium acetate tetrahydrate:VO^{2+}, e.p.r. spectra, struct. anal., H_2O vacancy model 4-28701
- metal, fast neutron irrad., isochronal recovery 4-19584
- metal, grain boundary and dislocation pipe self-diffusion, correl. effects 4-1135
- metal, in thermal equilib., equilib. conc., review 4-16487
- metal, low temp. thermal resistivity calc. 4-16730
- metal, Nabarro-Herring mechanism role in sintering and high temp. deform. 4-7225
- metal, neutron irrad., impurity effects on void nucleation 4-16523
- metal, positron trapping at vacancies, voids and surfaces 4-41037
- metal, relaxation and formation energies assoc. lattice deform. 4-12944
- metal, simple cubic, formation energy and volume, pseudopotential method 4-40800
- metal, strained, rel. to heterogeneous nucleation of microcracks 4-36940
- metal, vacancy-impurity interaction, Wolff-Clogston model with Hartree-Fock approx. 4-37186
- metallic thin films on substrates, strain relax. analysis 4-32829
- migration in crack tip stress fields 4-12985
- monovacancy concentration, Fermi-Dirac type expression *(Japanese)* 4-24471
- noble metal, mag. stimulation of transition metal impurity by vacancy 4-3494
- noble metal, vacancy-transition metal impurity interaction energy, Green function appl. 4-3493
- nuclear reactor matrix material, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4-31533
- pyrocarbon, neutron-irrad., heat-treated, microporosity, small-angle X-ray scatt. obs. 4-31533
- quartz, radiation colour intensity changes, rel. to no. of defect centres estimation *(Russian)* 4-32563
- radiation-induced diffusion in metals 4-24591
- serrated yielding, strain depend. of vacancy creation and dislocation density 4-17323
- sintering, interface-reaction control, role of vacancies 4-13849
- sintering analysis of isolated pores 4-41791
- sintering stress, vacancy annihilation and vacancy conc. influence 4-37971
- sintering stress, vacancy annihilation and vacancy conc. influence 4-37972
- sphere based thought expt. w.r.t. chem. stress 4-1048
- static response, Green function method 4-32556
- steel, austenitic stainless Cr-Mn-N, effect of grain size on creep and rupture, and mechanism 4-4153
- steel, stainless, Type 316, neutron irrad., ferrite form. 4-23907
- surface directed vacancy flux influence on levelling kinetics of macroscopic relief *(Russian)* 4-3627
- transition metal aluminides, positron annihilation mechanism *(Russian)* 4-32582
- transition metal dilute alloy, electronic struct. of punctual defects extended Koster Slater model *(French)* 4-24679

vacancies (crystal) continued
transition metal oxides, heat of form. of oxygen vacancies, approx. correl. with thermochem. props. 4−38125
UO_2 effect of porosity and stoichiometry on thermal cond. 4−37051
Ag, analysis of self-diffusion data, single and divacancy activation energies 4−20439
Ag, grain boundary and dislocation pipe self-diffusion, correl. effects 4−1135
Ag-Cd alloys, intrinsic diffusion and vacancy wind effects 4−37040
AgCl film, epitaxial, rel. to ionic cond. 4−24849
Al, behaviour of multi vacancies during quenching to 4.2 K *(French)* 4−4096
Al, charge density and positron annihilation 4−16698
Al, dislocation loop form. on local explosive loading *(Russian)* 4−4081
Al, equilib. conc. meas., length and lattice parameter changes 4−20300
Al, formation energy and vol. derivation 4−36897
Al, formation energy determ. by positron annihilation 4−36839
Al, lattice relaxations near vacancy or interstitial 4−32627
Al, Monte Carlo simulation of evolution of vacancy population during quenching and recovery *(French)* 4−4097
Al, positron annihilation ang.-correl. meas., vacancy formation energy 4−41039
Al, thermoelectric power of vacancies 4−37226
Al, vacancy diffusion near faulted dislocation loops 4−21296
Al alloy 5086, prestrain effect on dynamic strain ageing characts. 4−17364
Al films, electron irrad., defect cluster obs. 4−24490
Al-Ag dilute alloys, vacancy-solute binding energy from positron trapping obs. 4−41038
Al-Cu alloy, thin film conductor, electromigration model 4−28509
Al-Cu alloys, Ge addition effect on precip., zone form 4−4100
Al-Cu dilute alloys, vacancy-solute binding energy from positron trapping obs. 4−41038
Al-Mg alloys, substitutional, Portevin-Le Chatelier effect, activation energies, vacancy migration *(French)* 4−1594
Al-Si alloy, vacancy-Si binding energy determ. by positron annihilation 4−36839
Al-Si(0.28 at.%) dilute alloy, positron annihilation ang. correl. meas., vacancy-solute binding energy 4−41039
Al-Zn, quenched, vacancy-solute binding enthalpy of 0.08 eV 4−1049
Al-Zn(6at%) alloy, Guinier Preston zones, calc. of binding energy of Zn vacancy complex 4−29066
α-Al_2O_3, e.p.r. spectra study of neutron and gamma irradiated crystals 4−10322
Au, annealing of stacking fault tetrahedra, vacancy emission from jog-lines 4−16506
Au, diffusion of Ag, divacancy contrib. *(German)* 4−40919
Au, field ion microscope Ne gas imaging, artifact vacancy determ. 4−6301
Au, low-energy ion bombard. effects on vacancy stacking fault tetrahedra, stereomicroscope obs. 4−16507
Au, self diffusion mechanism, grain boundaries 4−20432
Au wire, recovery and recrystallisation, change in thermoelec. power and elec. resistivity *(Japanese)* 4−17239
Au-Cu alloys, onset of serrated yielding 4−33746
B_4C, neutron irrad. damage, small-angle scatt. obs. 4−31532
$BaTiO_3$:Sb_2O_3, ceramic semiconductor, effect of heat treatment on posistor effect 4−6619
CaF_2, anti-Frenkel, effect on elec. cond., thermoelectric power 4−13193
CaF_2, vacancy diffusion activation energy, nuclear relax. meas. 4−32753
$CaWO_4$ single crystal, elec. charge transport, elec. conductivity meas., paired-defect model 4−13181
CdS, ionisation under strain, absorption edge meas. 4−28879
CdTe, undoped, density obs. 4−12943
Cu, divacancy effect on temp. depend. of γ-γ ang. correlation of positron annihilation 4−16518
Cu and Cu-Sb alloys, grain boundary region discrete struct. changes *(Russian)* 4−21248
Cu:M, M=Ge, Al, Zn, Ni and Cr, impurity and vacancy-impurity atom pairs obs. by positron annihilation 4−16511
Cu-Ga(Ge)(0.3 at.%) alloys, softening phenomena during annealing *(Russian)* 4−37877
Cu_2O, polycryst., rel. to Cu vacancy clusters 4−3523
αFe, non-equilib. vacancy conc., creep expts. 4−41576
Fe alloys, austenitic, Snoek-like internal friction peaks and strain ageing 4−4140
Fe:C(1.5 to 10 ppm), temp. and quenching rate depend. of C and vacancy migration 4−1052
Fe-Al alloys, ordered, vacancy conc. and self-diffusion coeff. *(Japanese)* 4−25325
Fe-C system, self-diffusion in two-phase ferrite pluse cementite region 4−29090
Fe-Cr alloys, condensation and void formation in duplex oxide scales 4−4145
Fe-Cu(0.3 at %), neutron and heavy ion irrad., effect of additions on void nucleation and growth 4−1043
Fe-V alloy, low C, rel. to precip. associated with a $\langle 100\rangle$ dislocation climb 4−1531
Fe-V(0.3 at %), neutron and heavy ion irrad., vacancy trapping model 4−1043
Fe_2S_3, crystal growth, structure investig. by electron diffraction 4−21176
Fe_2S_3, spinel-type struct. with lattice defect 4−3488
$FeSO_4$, pyrrhotite, high temp. defect struct. determ. by thermogravimetric anal., elec. cond. *(German)* 4−36898
GaP, form., conc. determ., solidus curve 4−24550
Ge, electron bombard., di-vacancy migration 4−28235
Ge, electron or neutron irrad., annealing of defects 4−32581
Ge, excitonic instabilities, vacancies and reconstruction of covalent surfaces 4−10029
Ge surfaces, O_2 adsorption above 500K 4−6563
GeTe-Sb_2Te_3, solid solution boundary obs. and electrophys. props. 4−32710
He, vacancion behaviour, theory 4−13076

vacancies (crystal) continued
K halides:Sb, e.p.r. obs., impurity-vacancy binding energy determ. 4−28877
KBr:Sr, ^{60}Co γ-irradiation effect on impurity-vacancy dipoles 4−28116
KCl, ion migration through trivacancy and interstitial mechanism 4−20443
KCl crystals, kinetics of ionic conduction *(Russian)* 4−1138
KCl:Mn^{2+}, vacancy-impurity complex reorientation, thermocurrent, e.p.r *(French)* 4−32558
KCl:SO_4^{2-}, divalent anion impurity-anion vacancy pair assoc. 4−12955
KSCN:(Pb^{3+}, S^{2-}), cond. ionic diffusion, impurity effects 4−40912
$La_{2/3}TiO_3$, A-site deficient perovskite structure 4−36867
$Li_xFe_{3-x}O_{4\|y}$, directional order phenomena *(French)* 4−28610
$MgAl_2O_4$, nonstoichiometric spinel, distrib. and local displacement of ions, X-ray obs. *(French)* 4−12901
Mo, neutron irrad., fluence and temp. depend. of swelling 4−23836
Mo, quenched vacancy behaviour in high purity Mo wire 4−1051
Mo, quenched-in resistivity, purity depend. 4−37951
Mo wire, quenching in liq. He, quenched-in defects, resist. obs. *(Russian)* 4−17297
NH_4Cl:Cu^{2+}, ENDOR and e.s.r. investigation at 4.2 K 4−28729
Na, energy of form. calc., from vol. expansion 4−32479
$Na_8Al_6Si_6O_{24}Cl_2$, sodalite, vacancy pairs, equilib. config. calc. 4−24470
NaCl, electromigration of Ca^{2+} and vacancy jump freqs. determ. *(French)* 4−1134
NaCl, locally deformed crystal, grain boundary migration investigation 4−16547
NaCl, rel. to plastic deform., X-ray irrad., optical absorpt. meas. 4−16490
NaCl, thermal diffuson mechanism for pore vol. change 4−24592
NaCl, X-irrad., positron annihilation, positive ion vacancy dynamics 4−40816
NaCl:Bi^{3+}, low-temperature association, annealing 4−32573
NaCl:$BiCl_3$(BiOCl), opt., elec. and dielec. props. 4−17085
NaF, energy of formation calc. 4−24536
NaF, vacancy diffusion activation energy, nuclear relax. meas. 4−32753
Ni, electron irrad., −100°C, void formation 4−16521
Ni-Al alloys, n.m.r. and lattice parameter measurements, vacancy formation for Al content exceeding 50% 4−16450
Ni-Cr alloys, thoriated, vacancy source obs. during substitutional diffusion 4−7076
NiAl, annealing of voids, vacancy dislocation loops, TEM study 4−3654
NiAl, protective coating alloy, anomalous thermomech. behaviour 4−13789
NiFe ferrite system, phase diagram at 1300°C, lines for const. vacancy content 4−36994
NiMnCu alloys, antiferromag., impurity effects 4−10259
Pb, formation and migration energies, long-range oscillatory pair potentials 4−20301
Pb chalcogenides, vacancy and interstitial states, investig. of props. 4−24709
RbBr, energy of formation calc. 4−24536
RbCl:Pb^{2+}, energy of migration, ionic cond. obs. 4−16762
Si, capture by As, Sb, Bi impurities, capture radii determ. 4−40799
Si, deep levels with divacancy in cell, semiempirical calc. 4−10111
Si, diffusion of P, conc. depend. and mechanism 4−1139
Si, dislocation-free crystals 4−3495
Si, excitonic instabilities, vacancies and reconstruction of covalent surfaces 4−10029
p-Si, neutron induced defects, effect on positron annihilation 4−20326
Si, neutron-irradiated, e.p.r., negative charge state of nonplanar five-vacancy cluster 4−20857
Si, semivacancy pair, form. and activation anal., self diffusion 4−32560
Si, trapping of B impurities, annealing effect on conc. profiles 4−6975
Si-CU (0.0002 at.%) alloy, dragging of Cu precipitate colonies by climbing dislocations, vacancy dislocation loop generation 4−16513
Si-Ge:P, structural changes during P precipitation 4−3504
α-SiO_2, $(O_2)^-$ vacancy model for E'_1 centre 4−24476
SnO_3, elec. cond. meas., donor levels 4−20559
ThO_2-Y_2O_3, effect on thermal electron energy spectrum *(Russian)* 4−33547
Ti, electron irrad. damage, defect clusters 4−24489
TiC_x, thermo e.m.f. and elec. cond. meas. 4−3737
TiO_2:Fe^{3+}, e.p.r. spectrum, perturbation effects 4−41247
UC_x, carbon self-diffusion mechanism and kinetics 4−23840
UC_x, stoichiometric, ^{233}U self-diffusion parameters 4−23837
UO_2, hyperstoichiometric, vacancy model, O_2 press. exam. 4−32709
$UO_{2\|x}$, model for microcalorimetric enthalpy, free energy meas. 4−32725
$VO_{2.23}$, short-range-order scatt. of electrons from local order of defects 4−24467
W, Ar^+ bombard. damage, 400 eV, field ion microscopy 4−24498
W, quenched-in resistivity, purity depend. 4−37951
W, single crystal, 'radiation' quenching anal. of defects 4−1050
Xe crystal, adsorption of inert gas atoms at point defects 4−6549
YIG, defect. struct., photomagnetic effects due to donor centres 4−24708
ZnF_2:LiF, dielec. relax., Li^+-F vacancy pair mechanism 4−33341
$Zn_{0.218}Ni_{0.752}Fe_{2.03}O_{4\|\gamma}$, γ variable, struct. anal., ion displacement 4−6401
ZnTe:Al, doubly ionisable, electroluminesc. temp. depend. 4−21081
ZnTe:Al(I), defect complex struct., radiative transitions 4−17115
Zr, neutron irrad., dislocation loop anal. by transmission electron microscopy 4−3507
Zr, neutron irrad. at 77K, divacancies, rel. to internal friction *(French)* 4−27442
Zr-H system, sp. ht. anomaly mechanism, phase transition 4−37814
ZrC_x, thermo e.m.f. and elec. cond. meas. 4−3737

vacancies (crystal) continued
  ZrO_2-$YO_{1.5}$ solid soln., cryst. struct., neutron scatt. obs., O ions relax. to vacancies 4−20268
vacancy breakdown *see diffusion in solids*
vacuum apparatus
  see also vacuum gauges; vacuum pumps; vacuum techniques
  airlock, ultrahigh vacuum for LEED and Auger spectroscopy 4−26495
  baffle vacuum trap, Monte Carlo method for math. model 4−18846
  chambers, surfaces, intersecting storage rings, glow discharge cleaning, electron stimulated desorption 4−2347
  circulation pump, magnetic, glass, gases at 1 to 200 torr, simple construction *(German)* 4−2259
  cryogenic evacuation in low density gas-dynamic apparatus 4−39204
  cylindrical chamber, absorptivity of inside surfaces, determ. method 4−39205
  electrical cable sheathing, organic glue sealing for low temp. work under vacuum 4−39201
  electron microscope specimen, cooled, airlock system, transfer to high vacuum 4−8533
  electronic microscale, programmed temperature control 4−2260
  extraterrestrial material handling applic. 4−4841
  furnace, high temperature, for X-ray diffractometer 4−22799
  lock for UHV system 4−39203
  O-ring seals, elastomer, design criteria 4−5026
  porous multilayer insulation, heat transfer calc. 4−2261
  r.f. electrode, nonsymmetrical, construction for coating unit 4−14835
  safety and cleanliness 4−26494
  SEM field emission gun, cryst. dislocations obs. appl. 4−15015
  space instrumentation, outgassing and choice of materials 4−14839
  theta-pinch fusion reactor, vacuum system design 4−23916
  thin film deposition equipment, review 4−21181
  u.h., pressures down to range of 10^{-9} torr, laboratory system 4−2266
  u.h., prod. by processing technique, residual gas analysis 4−5029
  u.h. vacuum, two position linear drive, fast action, description 4−29
  ultra-high vacuum heated installation, down to 10^{-10} torr, 15 litres work volume, description 4−5022
  valve, gas sampling, minimal volume, mass spectrometric analysis 4−30
  valves, simple integral high vacuum system 4−2265
  vessels for use with laser microspectral-analysers *(German)* 4−39199
  Cu gaskets, reuse in vacuum seals, method 4−39207
  In low-temp. seal 4−8346
vacuum control
  No entries
vacuum gauges
  see also barometers; manometers
  Bayard Alpert, performance 4−5030
  Bayard-Alpert, performance 4−5030
  calibration apparatus, u.h.v. region 4−14836
  McLeod, Hg levelling device construction to eliminate vacuum pump 4−22806
  Moser and Poltz McLeod, measurement accuracy 4−5023
  orbitron, electron distribution models 4−22808
  pressure range 10^{-3} to 10^{-8} torr, testing hydrodynamic expansion facility 4−11478
  project for students, construction and operation 4−39147
  thermal conductivity gauges, sensitivity extension towards atmospheric pressure 4−5024
  $Ca_{0.15}Zr_{0.85}O_{1.85}$, suitability for O_2 partial pressure meas. below 10^{-2} Torr 4−22807
vacuum measurement
  see also vacuum gauges
  automated, positive pressure oil manometer 4−35233
  desorption temperatures of 5A and 13X molecular sieves for Ar, O_2, N_2, CO, CO_2 and methane 4−24644
  joint testing, gauge block wringing, air flow rate test 4−35236
  mass spectrometer calibration under pulsed molecular flow conditions, sample inlet influences 4−22982
  $Ca_{0.15}Zr_{0.85}O_{1.85}$, suitability for O_2 partial pressure meas. below 10^{-2} Torr 4−22807
vacuum polarisation *see quantum electrodynamics*
vacuum pumps
  see also cryopumping; diffusion pumps; ion pumps
  adjoint inlet/outlet quarter-wavelength expansion-chamber muffler 4−39137
  baffle to prevent the backstreaming of oil 4−35238
  engineering application and optimum pumping system design 4−5019
  lamp, windowless, and pumping system for high vacuum photoemission spectroscopy 4−35285
  magnetic circulation pump, glass, 1 to 200 torr *(German)* 4−2259
  molecular, axial. flow, performance of rotor in transition flow regime 4−28
  planetary piston, further development 4−5028
  rates, vacua of 0.5-10 torr, through long tubes 4−5025
  rotary vane, design aspects 4−2264
  sputtering application problems 4−22810
vacuum sintering *see sintering*
vacuum techniques
  see also cryopumping; getters
  accommodation coefficients, rotational and translational, direct simultaneous meas. 4−19797
  Auger microanalysis, expt. aspects *(German)* 4−8585
  baking circuit, for u.h. vacuum experiments 4−18411
  brazing, cryogenics, soldering materials, joint construction *(Czech)* 4−11474
  brazing, electron beam, laboratory technique 4−17378
  bubbler device, leak detection and meas. 4−2263
  construction materials in high and medium vacuum systems, outgassing props. 4−10684
  coordinate setter 4−35234
  deposition, chemical transport agent handling, vacuum gas system for filling transport tubes 4−21177
  deposition, reflective coatings, interference filters for optical monitoring 4−2291

vacuum techniques continued
  electron beam evaporation of matter, space distrib. of charged particles in vacuum chamber *(Russian)* 4−4033
  evaporation process, automatic control system *(Hungarian)* 4−8347
  high vacuum plant, safety and cleanliness 4−26494
  large enthalpy systems, cooling, by metallic contact 4−4987
  leak calibration using Freon, with atmospheric pressure on downstream side 4−22809
  low pressure production, system containing 'perbunan', with ion pumps *(German)* 4−5020
  magnetic susceptibility apparatus, high vacuum *(Russian)* 4−26557
  mass spectrometer, parallel beam *(Rumanian)* 4−30607
  mass spectrometer calibration under pulsed molecular flow conditions, sample inlet influences 4−22982
  metal-to-metal bakeable seal, stainless steel insert between Cu sheets 4−35240
  microdischarge regimes between metallic electrodes, statistical aspects *(French)* 4−18409
  molecular conductance, vacuum system elements 4−11479
  n.m.r. samples in tubes, sealing under vacuum 4−30365
  O-ring sealing of holes in curved tubes 4−39208
  outgassing props. of construction materials in high and medium vacuum systems 4−10684
  processing, clean u.h. vacuum prod., metal apparatus, residual gas analysis 4−5029
  pumping rates, vacua of 0.5-10 torr, through long tubes 4−5025
  r.f. sputtering system, effect of power dissipation on substrate temp. *(Japanese)* 4−18408
  seals for metal to lavsan connection, organic glue for low temp. use 4−39202
  semiconductor surface cleaning unit, organic solvents and reactants, in vacuum *(Russian)* 4−21207
  sputter ion pump using ionisation due to electrons oscillating in a magnetic field *(French)* 4−22811
  sputtering geometry, for film deposition using rotating targets 4−21182
  steel, heat-resistant, effect of vacuum heat treatment on props. 4−13717
  superconducting magnetic system, vacuum working volume 4−35235
  thin film deposition, evaporation, sputtering, and ion-plating compared 4−21180
  thin film deposition system for laboratory, multiple substrate-mask-source 4−35239
  u.h., large area substrate heater, highly reactive material, up to melting point 4−5027
  u.h.v. throttle valve 4−31
  Cu gaskets, reuse in vacuum seals, method 4−39207
  In seal, low temp. 4−18402
  Ne, trapping and regeneration for cyclotron 4−18407
  O_2 mass spectrometric determination at partial pressures $<1.5\ \mu Pa$ (10^{-8} torr) 4−18794
  $^{235}UO_2$, well defined layers preparation, vacuum evaporation techniques 4−14837
  Xe, trapping and regeneration for cyclotron 4−18407

vacuum tubes
  see also diodes; pentodes; tetrodes; triodes
  SiC, p-n junction cathode, electron emission in reverse bias mode 4−10203

valence bands
  actinide, correlation of some thermodynamic props. 4−1122
  alkali fluorides, binding energies of outer electronic bands, photoelectron spectra 4−13549
  amorphous group IV semiconductors, density of interpretation 4−20525
  amorphous semiconductor, state densities determ. 4−32854
  amorphous semiconductors, electron spectra evidence for Mott model 4−6938
  Ar, photoemission investigation 4−21164
  core hole state lifetimes, interatomic Auger transitions 4−13541
  degenerate, spin-orbit splitting, exciton spectra, CuBr 4−13138
  diamond, APW calc., exchange energy approx. 4−10095
  diamond structure crystals, valence band electronic charge density distrib., pseudopotential methods 4−32874
  differential tunneling conductivity for forbidden and indirect transitions 4−28399
  III-V semiconductor, p-type, hole optical effective mass, conc. depend. 4−37185
  III-V semiconductor, valence band spin-orbit splitting, disorder induced effects 4−28351
  III-V semiconductor, X-ray emission spectra 4−28955
  metals and alloys, electron concentration considerations 4−6585
  phenols in organic bases, hydrogen-bonded complexes, valence sub-band struct. of OH group 4−16071
  plasmon excitation due to, X-ray absorpt. process 4−10498
  pseudopotential for high energy electron states in solids 4−20517
  rare earth metal, correlation of some thermodynamic props. 4−1122
  rare earth metals, X-ray photoemission obs. *(French)* 4−21152
  semiconductor, magnetooptic absorption, electron-hole wavefunction derivation 4−28863
  semiconductor, tetrahedrally bonded, perturbative approach to valence charge density 4−16691
  tetrahedrally coordinated solid, band-orbital model 4−37139
  transition metal, non local exchange pot. 4−32886
  transition metal chalcogenides, struct. determ. from X-ray photoemission spectra 4−1202
  transition metal compounds, photoelectron spectra, shake-up satellites correl. with paramag. 4−25206
  transition metal monoxides, electronic struct., hybrid band-localised model 4−20548
  TTF-TCNQ, valence electronic struct. and charge transfer 4−28990
  Ag, valence band spectra using X-ray photoemission 4−37739
  Ag, X-ray photoelectron spectrum, surface struct. electron microscopy 4−33578
  $AgInS_2(Se_2,Te_2)$, calc., rival maxima *(Russian)* 4−41021
  AgPd alloy, valence band spectra using X-ray photoemission 4−37739
  Al, valence charge density calc. 4−6583
  AlSb, K and L bands, empirical band structure calcs. 4−21100

valence bands continued
- As_2S_3,.amorphous and crystalline, valence bonding model, for weak optical anisotropy 4−37161
- As_2SeTe_2, amorphous, bulk and film, model approach 4−16786
- Au, X-ray photoelectron spectrum, surface struct. electron microscopy 4−33578
- Au-Sn alloys, X-ray photoemission of valence bands and core level energy shifts 4−21161
- $CdIn_2S_4$, Heine-Abarenkov model potential calc. 4−32868
- CdS, band struct., appl. of X-ray scatt. struct. amplitudes *(Russian)* 4−32872
- CdS, photoemission spectra obs. and determ of valence state density 4−4026
- CdS, transitions from donors, emission spectrum mechanism 4−28854
- $CdSiP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4−33438
- CdTe, density of states, empirical pseudopot. calc. 4−28350
- CiNi alloy valence band spectra using X-ray photoemission 4−37739
- CoO, d-band widths and positions, X-ray photoelectron obs. 4−37169
- CsCl, energies at high symmetry pts., LCAO calcs. *(French)* 4−32864
- Cu, valence band spectra using X-ray photoemission 4−37739
- Cu, X-ray photoelectron spectrum, surface struct. electron microscopy 4−33578
- $CuAlS_2$, valence band density of states and core levels, X-ray photoelectron obs. 4−10091
- Cu_2As, electron density distrib., Fourier synthesis, unit cell evolution *(French)* 4−16707
- CuO, Cu_2O, d-band widths and positions, X-ray photoelectron obs. 4−37169
- GaAs, density of states, empirical pseudopot. calc. 4−28350
- GaAs, epitaxial cryst., exciton absorpt. spectrum, valence band degeneracy effects 4−25130
- GaAs, oscillatory magnetoabsorpt. spectrum, band parameters 4−25129
- GaAs:Cd, acceptor-to-band transitions, photoluminesc., absorption edges and final state interactions 4−37676
- GaP, density of states, empirical pseudopot. calc. 4−28350
- GaP, K and L bands, empirical band structure calcs. 4−21100
- GaP:O, ground state energy and wavefunction of deep impurity 4−10112
- GaSb, density of states, X-ray photoemission obs. 4−28339
- p-GaSb, galvanomagnetic measurements, isoenergetic surfaces, valence band model 4−24761
- GaSe, photoelectron spectra using synchrotron radiation 4−21158
- GaSe, pseudopotential calcs. from selection and absorpt. spectra, band-gap excitons 4−6597
- Ge, amorphous film, model 4−28405
- Ge, density of states, empirical pseudopot. calc. 4−28350
- Ge, E(k)-depend. of bands of heavy and light holes 4−28346
- Ge-Ni(Fe)(Au) alloy, amorphous, X-ray photoemission spectra of valence bands 4−41464
- ortho-H_2, h.c.p. lattice, electronic states calc., comparison with f.c.c. lattice, disordered h.c.p. 4−13140
- HgS, photoemission spectra obs. and determ. of valence state density 4−4026
- HgTe, rel. to galvanomag. props. in strong mag. fields 4−32981
- InP, density of states, X-ray photoemission obs. 4−28339
- InSb, density of states, empirical pseudopot. calc. 4−28350
- InSb, density of states investig. using X-ray induced photoemission 4−17161
- InSb, doped n-type, uniaxial stress effects on plasma minimum position, band consts., deformation pot. 4−41024
- InSb, p-type, band struct. meas. from reflectivity spectra 4−41025
- InSb, valence band crit. points, photoemission obs. 20 to 70 eV 4−10101
- Kr, photoemission investigation 4−21164
- Li, X-ray photoelectron spectra obs. 4−33572
- MnO, d-band widths and positions, X-ray photoelectron obs. 4−37169
- Na, free electronlike valence bands, X-ray photoemission obs. 4−41467
- Na, X-ray photoelectron spectra obs. 4−33572
- NaOH, free electronlike valence bands, X-ray photoemission obs. 4−41467
- 2H-$NbSe_2$, nonlocal pseudopotential calc. 4−37160
- Ni, valence band spectra using X-ray photoemission 4−37739
- $NiCl_2$, d-band widths and positions, X-ray photoelectron obs. 4−37169
- NiO, d-band widths and positions, X-ray photoelectron obs. 4−37169
- NiS, d-band widths and positions, X-ray photoelectron obs. 4−37169
- NiS_2, bandlike valence-electron states rel. to FeS_2 localised levels, photoelectron obs. 4−28356
- PbSe, anisotropy of electron and hole masses and g-factors by k.p calc. 4−28345
- PbSe, photoelectron spectra investig. rel. to density of states calc. 4−25207
- $Pb_{1-x}Sn_xSe$, light-hole valence band, effective mass depend. on carrier density at Fermi level, 78 K 4−24768
- Pt, valence band X-ray photoemission spectrum 4−33570
- $Pt(CN_4)$ complexes, valence bnd X-ray photoelectron spectra 4−4024
- $PtSb_2$, Hall effect and magnetoresistance meas. in pulsed mag. fields 4−20636
- Sb, density of states investig. using X-ray induced photoemission 4−17161
- Sb_2Se_3, photoemission energy distrib. curves, polarisation depend. and Se lone-pairs 4−10517
- Sb_2Te_3:Ge, effective masses using six valley model 4−16775
- Se, film, amorphous and cryst., density of states from photoemission data 4−21163
- Si, band struct., appl. of X-ray scatt. struct. amplitudes *(Russian)* 4−32872
- Si, density of states, empirical pseudopot. calc. 4−28350
- Si, E(k)-depend. of bands of heavy and light holes 4−28346
- Si, spin-orbit splitting determ. 4−37629

valence bands continued
- Si, valence electron momentum density, from Compton profile obs. 4−37707
- Si, X-ray emission $K_{\beta1\beta x}$ spectra *(Russian)* 4−21106
- SiC polytypes, density of valence band states 4−24698
- SiO_x, X-ray emission $K_{\beta1\beta x}$ spectra *(Russian)* 4−21106
- α-Sn, mag. subband struct. of one cond. and two valence bands, magneto-absorpt. calc. 4−33419
- Te, film, amorphous and cryst., density of states from photoemission data 4−21163
- Te, press. effects, i.r. spectra 4−13139
- Te:Sb, far i.r. absorption by acceptor states 4−10459
- Th, effect of oxidation, X-ray photoelectron studies 4−33564
- U, effect of oxidation, X-ray photoelectron studies 4−33564
- Xe, photoemission investigation 4−21164
- Zn, X-ray photoemission spectra, extra-atomic relaxation via semilocalised excitons 4−21160
- $ZnGeP_2$, wavelength modulation spectra, band struct. determin. 4−33438
- ZnSe, density of states, empirical pseudopot. calc. 4−28350
- ZnSe, density of states calc., non-local pseudopotential 4−28343
- ZnSe, photoemission spectra obs. and determ. of valence state density 4−4026
- $ZnSiAs_2(P_2)$, wavelength modulation spectra, band struct. determin. 4−33438

valency
- alloys, effective values from electromigration data 4−32745
- atoms, survey article 4−36405
- orbital definition of chem. bond order *(Russian)* 4−27624
- ruby, thermal conductivity at 1 to 4K, effect of Cr^{2+} ion 4−24600
- CrF_3, covalency parameters for Cr^{3+}, mag. struct., neutron diffr. obs. 4−28631
- FeF_3, covalency params. for Fe^{3+}, mag. struct., neutron diffr. obs. 4−28631
- $Pb_{1-x}Sn_xTe$, ionicity, valency and band inversion 4−3695
- Sb_2S_3, of Sb, cryst. struct. interpretation 4−12922
- $Tl_2Te(Se)$, liquid, Tl ion valence in excess of stoichiometric comp. 4−1214

valve voltmeters *see voltmeters*

valves
- *see also diaphragms*
- airlock, ultrahigh vacuum for LEED and Auger spectroscopy 4−26495
- cavitation noise of valve cavitation 4−24248
- control, noise technology, advances 4−26312
- electromagnetic cryovalve, miniature, for liquid gas level controller *(Czech)* 4−11472
- ferrofluids, properties and applications to seals, valves and bearings 4−37459
- gas sampling, minimal volume, vacuum conditions, mass spectrometric analysis 4−30
- high vacuum integral system 4−2265
- noise, control in industrial plants 4−26313
- noise control, in process plants 4−26322
- nuclear power station accident, relief valve testing after modification *(German)* 4−20413
- pressure holding, exceeding 10 kbar 4−39197
- u.h.v. throttle valve 4−31
- Na freeze seals, rotary-motion shear properties, use in FFTF and LMFBR 4−23787
- Na freeze-seal linear motion, for use in FFTF, operating characteristics 4−27405

valves (electronic) *see electron tubes*

Van Allen radiation *see radiation belts*

Van Allen radiation belts *see radiation belts*

van de Graaff accelerators *see linear accelerators*

Van de Graaff generators
- 5 MHz pulser, 3 MV terminal, description 4−11550
- shielding cave, for low-level gamma expts. 4−11552
- ^{18}F production, clinical use 4−8181

Van der pol oscillators *see relaxation oscillators*

Van der Waals forces
- alkali metal azide, $(Na, K, Rb)N_3$, ion-dipole, Coulomb energies, van der Waals, hydrogen bonding 4−1024
- cis-1-4-chlorophenyl-3-methyl-2-methylisoindoline, molecular packing in cryst. 4−24463
- computer simulation, review paper 4−30933
- 17-desoxymethasone, $C_{22}H_{29}O_4F$, molecular packing in cryst. *(French)* 4−20280
- dichlorophenoxy acetic acid, geometrical config., mol. forces, stable struct. 4−20294
- dielectric inhomogeneity effects 4−29248
- electrolyte, ion mobility, interaction with water mols. 4−21562
- energy of low density metallic half spaces at small separations investig. 4−41885
- 9α-fluoro-6α-methylprednisolone, cohesion of cryst. *(French)* 4−28091
- gas, structure factor, state equations, time independent pair correlations *(German)* 4−20064
- globular molecules differing in size, heats of mixing 4−29363
- Hamaker theory, polystyrene spheres interaction, permittivity depend. 4−13949
- hindered rotation in A_2-X Van der Waals molecule 4−3233
- iminodiacetic acid hydroiodide, forces between layers 4−32533
- inert gas, multipole Van der Waals interaction coeffs., Brueckner-Goldstone perturbation anal. 4−31756
- latex particles in disperse media, Hamaker function theory 4−13951
- metal half-spaces, non-local effects in macroscopic theory 4−3623
- methane, calculated from dynamic polarisability of C−H bond 4−5993
- α-methylamobarbital, cryst. and mol. struct. 4−32534
- N-methylpyrazinobutazone, cryst. and mol. struct. *(French)* 4−28079
- methyl[2-hydroxy-2-phenyl-2-(2′,4′-dimethylphenyl)]ethyl sulphoxide, molecular packing *(French)* 4−28087
- muscular contraction 4−38962
- plastics in water, Lifshitz theory with Hamaker function 4−1688
- polyethylene, Van der Waals potential energy calc., and rotational freedom 4−19932

Van der Waals forces continued
- polypropylene, isotactic crystal, atom-atom and dipole-dipole interactions effect on vibr. spectrum 4−13445
- powder, bubble-free expansion of gas-fluidised beds 4−17468
- PTFE, Van der Waals potential energy calc., and rotational freedom 4−19932
- quartz glass surfaces, influence of adsorbed water films *(German)* 4−24639
- rare gas solids, crystal structure explanation 4−24445
- repulsive and attractive props., theory and expt., book 4−19930
- sodium tetrazolate monohydrate, ion-dipole, Coulomb energies, van der Waals, hydrogen bonding 4−1024
- solvatochromic phenomena, role of pairwise van der Waals interaction of molecules 4−10475
- (1:1) TCNE-naphthalene complex, rel. to orientational disorder 4−28076
- tetranactin, X-ray obs. 4−36887
- transport properties of Van der Waals fluid, formal theory 4−26867
- unified theory for molecules of arbitrary size and electron delocalization 4−3232
- ArKr, Van der Waals molecule, u.v. spectroscopy 4−24067
- Ca I and II lines, broadening and shift by van der Waals interaction with Ar atoms and by electron impact 4−710
- Co(II) pyrazolylborate, second coordination sphere, solvent effects 4−40313
- He/H$_2$, interaction pot. calc. and Van der Waals minimum region 4−9623
- ^{4}He, liq./solid interface, microscopic theory of Kapitza resistance, interface forces 4−32770
- I$_2$ crystal evaporation, terrace-ledge-kink model with pure Van der Waals forces 4−9872
- KAr, mag. reson., spin-rot. coupling const. determ. 4−27723
- Kr$_2$, Van der Waals molecule, u.v. spectroscopy 4−24067
- Li, interaction energies between excited atoms 4−27569
- Li-He system, hyperfine press. shift, modified HF, MO calc. 4−16150
- Li-Li(H)(He) interaction, ground-state, pseudo spectral one-centre method approach 4−5970
- Mg$_2$, long-range forces and vibr. levels near dissociation 4−19927
- Mg$_2$, vibr. levels near dissoc., long range forces, RKR potentials 4−6015
- N$_2$Ar, van der Waals mol., i.r. spectra, mol. rot. struct. and props. 4−36527
- O$_2$-Ar van der Waals mol., i.r. spectra, struct., props. 4−802

vanadium
- adsorption of CO, capture coeff., isothermal desorption, mol. beam method *(Russian)* 4−32818
- allotropic transformation absence at high temps. 4−4070
- atom, K α satellite structure, projectile, target dependence 4−9458
- Calimani-Harghita Mts., andesite content, possible derivation from subducted oceanic crust 4−21843
- corrosion by Li, effects of oxidation, fusion reactor applications 4−23865
- corrosion by liquid Na, dissolved O$_2$ effect, X-ray diffr. examination 4−24651
- corrosion products in liquid alkali metals 4−27465
- diffusion of N and O interstitials, activation energy calc. 4−6522
- double inner-shell ionization, proton and α impact, vel. depend. 4−28974
- elastic moduli, second order hydrostatic press., temp. depend., 200-425K *(French)* 4−20350
- electrical resistance temp. depend., 5.2-300 K, Ta impurity effects *(Russian)* 4−16727
- embrittlement by dissolved and precipitated hydrogen 4−41708
- embrittlement by hydrogen, strain rate effects 4−21358
- film, back-scattering energy loss parameter meas., using He$^+$ 4−17153
- film, for nuclear target applic., prep. and thickness meas. *(Japanese)* 4−1433
- film, optical transmission, 0.5-5.5 eV, normal and oblique incidence, interband transitions *(French)* 4−33525
- film, superconducting transition temp. meas. 4−28524
- film, thin, on SiO$_2$, silicide formation, low temp., backscattering expts. 4−6571
- fusion reactor blankets, neutron-photon comparison of Nb and V 4−19607
- fusion reactor blankets, neutronic anal. and comparison with No 4−31563
- grain size, rel. to hardness, tensile strength *(French)* 4−29099
- ion bombardment 3.25 MeV Ni$^+$, solute redistribution, neutron effect simulation 4−23904
- microsectioning technique, anodizing and stripping 4−30655
- molten, ehthalpy and sp. ht., 2084-2325K 4−32715
- neutron foil detectors, thermal neutrons, Cd correction factors 4−11578
- neutron irradiated, oxygen Snoek damping correl. with TEM obs. 4−25362
- neutron irradiation transmutation effects in fusion reactor blankets 4−23858
- nuclear fusion reactor blanket material, heating ratio and tritium breeding ratio calc. 4−36368
- oxidation of (100) plane *(French)* 4−10053
- physical properties, coeff. meas. 4−6601
- plastic, flow stress components of single crysts. 4−29104
- radiation blistering, effect of temp. rel. to fusion reactor first wall erosion 4−23855
- radiation damage obs. by h.v. electron microscopy 4−24488
- slip deformation, on anomalous (011) plane, V high-purity crysts. 4−17314
- solubility of hydrogen and deuterium, isotope effect on solvus 4−37795
- in steel, low-pearlite, effect on strength, ductility and toughness 4−33789
- steel, V content determination, ion exchange separation and atomic absorpt. spectrophotometry 4−35535
- superconducting, dynamics of flux-line arrangements from noise expts. 4−28566
- superconducting, effect of fast neutron irrad. rel. to crit. current density 4−37367

vanadium continued
- superconducting, influence of Ga implantation on a.c. losses 4−28557
- superconducting, nuclear spin diffusion, dipole-dipole energy relaxation 4−13260
- superconducting, type II, Hall effect meas. 4−28568
- superconducting film, crit. current, transition field, ang. depend. 4−33080
- superconducting single crystal, critical current density with neutron irradiation induced pinning centres 4−16883
- superconducting wire, helical propag. of flux jumps obs. 4−33093
- surface deformation and He re-emission characteristics rel. to CTR design 4−23856
- thermal and fission neutron damage, isochronal recovery curves 4−20329
- yield stress of single crysts., hydrogen and discontinuous temp. depend. 4−17352
- Young's modulus, dissolved hydrogen effects 4−41764
- α-Al$_2$O$_3$:V^{4+}, highly diluted, electronic Raman transitions obs. 4−25111
- Sn ores, determ. by neutron activation anal., γ-ray spectroscopy 4−5288
- V (IV), spectrophotometric determ. using vanadyl thiocyanate method 4−5279
- V XVI to XXI emission lines, from laser produced plasma 4−27524
- V:He (10 ppm), N$^+$ irrad., void formation 4−1041
- V:Ta, impurity atom effect on supercond. transition temp. 4−37360
- V-H(D) systems, phase diagrams, comparison by n.m.r. 4−32668
- V$^+$, sputtering yield of Cu, dose depend. 4−10506
- V^{4+}, spectrum, classification, ionization energy 4−23964
- V^{4+} in NaCa$_2$Mg$_2$V$_3$O$_{12}$ garnet, e.p.r. line width and intensity, inhomogeneous broadening, 77K 4−28690
- YIG:V^{5+}, supertransferred hyperfine fields, spin echo obs. 4−37507

vanadium alloys
- *see also vanadium compounds*
- high-Ni, low-C, alloying addition effects on mech. characts. 4−41421 4−41704
- Remendur, metallurgical effects of processing time and temp. variations 4−4117
- steel, austenite grain growth in 55S2, effect of small Mn and V additions 4−7084
- Vicalloy, mag. hardening and anomalous behaviour 4−37448
- Au-V, short-range order 4−1460
- Au-V alloy, resist. meas., deviation from Matthiessen's rule 4−32913
- Au-V(20 at.%) films, r.f. sputtering, microstruct. and conditions for epitaxy 4−13112
- AuV, Kondo alloy, resistivity below T$_k$ 4−37208
- Au$_4$V, ferro- and antiferromag. spin coupling *(German)* 4−6722
- Co$_2$VAl(Ga), neutron and X-ray diffr. and magnetiz. obs. 4−24964
- Cr-V oil-tempered steel wires, ageing, reversible embrittlement obs. 4−37958
- Fe-Co-V, hardened, ordering kinetics *(French)* 4−1535
- Fe-Co-V alloys long range order parameter, domain size, study 4−29038
- Fe-Mn-V systems, ferrite/austenite equil., γ-loops *(Japanese)* 4−41530
- Fe-V, alloying effect on brittle fracture susceptibility *(Russian)* 4−10607
- Fe-V, ferromag., Kerr and Hall effects *(Russian)* 4−17051
- Fe-V, low-C, precip. associated with a ⟨100⟩ dislocation climb 4−1531
- Fe-V, yielding, slip character and ductility 4−21326
- Fe-V-C, ferrite strengthening by vanadium carbide precip. 4−41720
- Fe-V(0.3 at %), neutron and heavy ion irrad. effect of additions on void nucleation and growth 4−1043
- α-Fe-V(0.5%)-C, migrational after-effects in temp. region of Snoek relaxation 4−33810
- (Hf, Zr)V$_2$, lattice instabilities and superconductivity 4−33086
- (Hf$_{1-x}$Ta$_x$)V$_2$, superconductivity and structural instability at high press. 4−16853
- HfV$_2$, transition temp. determ., anomalous behaviour of sp. ht. 4−28207
- HfV$_2$-based superconductors, correlation between transition temp. and lattice instability 4−16871
- (Hf$_{1-x}$Zr$_x$)V$_2$, superconductivity and structural instability at high press. 4−16853
- Mo-V-C welded joints, intergrain failure mechanism *(Russian)* 4−41679
- Mo-V-Zr system, solid soln. phase studies *(Russian)* 4−7031
- Ti-Al-Mo-V, stress corrosion cracking in aqueous environments, subcrit. crack propag. kinetics 4−13706
- Ti-Al-Mo-V, stress corrosion cracking in aqueous environments, plastic zones and crack morphology 4−13707
- Ti-Al-Mo-V, subcrit. crack growth in salt water 4−7160
- Ti-Al-V, creep resistance enhancement 4−7146
- Ti-Al-V, electron beam induced mech. and metallurgical changes 4−29155
- Ti-Al-V, fatigue crack growth retardation after single-cycle peak overload 4−7116
- Ti-Al-V, fatigue crack propag. under low and compressive mean stresses 4−29167
- Ti-Al-V, forging process and microstruct. effect on fracture roughness 4−29158
- Ti-Al-V, metastable β-phase effect on phase transform. *(German)* 4−7038
- Ti-Al-V, stage II fatigue crack propag. parameters 4−29168
- Ti-Al-V, texture effect on fatigue crack growth 4−29169
- Ti-Al-V, thermomech, processing effect on fracture toughness 4−29157
- Ti-Al-V, thickness effect on sustained load crack propag. in salt soln. 4−33834
- Ti-Al-V and Ti-Al-V-Sn, corrosion fatigue crack propag. in aqueous and methanolic environments 4−29170
- Ti-Al-V castings, weld repair effects on creep props. 4−33837
- Ti-Al-V forgings, metallurgical struct. and mean stress effect on fatigue behaviour 4−29166
- Ti-Al-V sheet, elastic anisotropy calc. from pole figure data 4−7069

vanadium alloys continued
Ti-Al-V T-A6V and T-A6V6E2 alloys, mech. and fatigue characts. *(French)* 4−41724
Ti-Al-V-Sn, transform. diagram in continuous solidification, acicular and pseudomassive martensites *(French)* 4−17191
Ti-Al-V-Sn-Zr alloy, $TA_6V_6F_2Zr$, continuous cooling transforms. *(French)* 4−21220
Ti-Al-V(-Mo)(-Sn), heat treatment responses comparison, strengthening obs. 4−17307
Ti-Al(6 wt.%)-V(4 wt.%) alloy, stress corrosion cracking, initiation 4−21301
β-Ti-V, deform. modes and textures, X-ray exam. 4−41580
β-Ti-V, metastable, relax. processes, internal friction peaks 4−1484
Ti-V, superconductivity and b.c.c. phase stability 4−20721
Ti-V-H and Ti-Al-V-H systems, press. depend. solubility of hydrogen, 800-1000°C *(German)* 4−37817
Ti-V-H and Ti-Al-V-H systems, hydrogen solubility, 80-1000°C, 0.1-520 mbar, thermodynamic eval. *(German)* 4−41554
β-Ti-V(40 at.%), precip. hardening, Si additions 4−29088
V:Ti(20%), oxidation effects in Li corrosion, fusion reactor applications 4−23865
V-Au A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
V-Co-Ni, atomic ordering and struct. transform. 4−41540
V-Cr-Ti alloy, α-irrad., mech. behaviour, 700-900°C 4−1041
V-Fe, elastic consts., longitudinal and shear ultrasonic meas. 4−1555
V-Fe, weakly ferromag., elec. resist. and initial susceptibility meas. rel. to temp. 4−24956
V-Fe(Co)(Ni)-B systems, isothermal cross sections, 800°C 4−13590
V-Ga, cast supercond., optical consts. and electron characts. *(Russian)* 4−20977
V-Ga, with dispersed intermetallic phases, annealing and deform. effects on T_c *(Russian)* 4−6684
V-In, formation under high press. and temp. 4−16447
V-Ir A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
V-Mo-Zr ternary system, phase equil. relationships *(Russian)* 4−21227
V-N, solid solubility limit, 500-1500°C, phase struct. 4−33653
V-N interstitial solid soln., local cryst. lattice distortions, EFG rel. to strain tensor *(Russian)* 4−1346
V-O, dilute, long period superlattice obs. 4−16448
V-Os A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
V-Pb, formation under high press. and temp. 4−16447
V-Pt A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
V-Pt system constitution diagram 4−7015
V-Rh A15 alloy, anticorrelation of atomic ordering with superconductivity 4−10219
V-Ru, press. effect on lattice and superconducting transition temps. 4−16869
V-Ta, dil., elec. resist. temp. depend., 5.2-300 K, Ta impurity effects *(Russian)* 4−16727
V-Ta-Nb alloys, n.m.r. (Knight shift) and mag. susceptibility *(Russian)* 4−37513
V-Ti-N system phase studies *(Russian)* 4−7025
V-transition metal alloys, n.m.r. and mag. props. investigation 4−37518
V-Zr-N system phase studies *(Russian)* 4−7025
$V_{1-x}Cr_xBe_{12}$, low temp. sp. ht. obs. 4−10267
V_3Ga, estimation of cryst. field integrals 4−41029
V_3Ga, low temp. thermal expansion, martensitic transform. search 4−37023
V_3Ga, martensiic transformations, effects of Cu plating 4−41532
V_3Ga, processing and supercond. props. 4−13623
V_3Ga, supercond., growth kinetics in V-Ga/Cu-Ga composite system 4−13624
V_3Ga, superconducting, low temp. heat capacity and martensitic transforms. 4−17207
V_3Ga, superconductor, prep. by solid-state reaction, rel. to crit. current density 4−24884
$V_3Ga_{1-x}Sn_x$, electron and phonon densities of states effect on superconducting transition temp. 4−16861
V_3Ge, optical reflectivity obs., density of states 4−25126
V_3Ge, press. depend. of elastic constants and superconductivity 4−20718
V_3Ge, press. effects on elastic props., soft mode behaviour and superconductivity 4−16580
$(V_{3.04}Ge_{0.96})_{1-y}(Cr_3Ge)_y$, A15 type, ^{51}V n.m.r., conc. and temp. depend. *(Russian)* 4−16875
V_xH, near to V_2H, struct. and substruct., electron microscope and electron diffr. obs. 4−29068
V_3Pd, electronic struct. peculiarities, X-ray emission spectra obs., theory 4−41012
V_3Pt, optical reflectivity obs., density of states 4−25126
V_3Si, cubic A15 structure, possibility of press. inducted instability 4−17208
V_3Si, elec. resist., temp. depend., 17 to 1100 K 4−16732
V_3Si, energy gap, temps. up to 30 K, far i.r. surface impedance meas. 4−24872
V_3Si, enhanced lattice stability under hydrostatic pressure 4−37810
V_3Si, form. from V reaction with Si, SiO_2 wafers, 15 K supercond. transition temp. 4−24854
V_3Si, mag. field depend. of martensitic transform. temp. 4−21233
V_3Si, optical reflectivity obs., density of states 4−25126
V_3Si, press. effect on lattice and superconducting transition temps. 4−16869
V_3Si, press. effects on elastic props., soft mode behaviour and superconductivity 4−16580
V_3Si, shear modulus press. coeff., linear chain model 4−25303
V_3Si, sound vel. meas. in high mag. field, electronic density of states 4−20401
V_3Si, superconducting, density of states investigation 4−16572
V_3Si, superconducting, effect of electronic lifetime on lattice instability 4−13248
V_3Si, u.s. obs. of soft mode in mag. field 4−16582
V_3Si single crysts., nucl. acoustic reson. of ^{51}V, martensitic transition region behaviour *(French)* 4−20868

vanadium alloys continued
$(V_3Si)_{1-x}(Cr_3Si)_x$, A15 type, ^{51}V n.m.r., conc. and temp. depend. *(Russian)* 4−16875
ZrV_2, supercond., 116.7 K martensitic transform., lattice instabilities, neutron diffr. obs. 4−10568
ZrV_2, transition temp. determ., anomalous behaviour of sp. ht. 4−28207
ZrV_2-based superconductors, correlation between transition temp. and lattice instability 4−16871

vanadium compounds
see also vanadium alloys
calcium tartrate tetrahydrate:VO^{2+}, e.s.r. obs. 4−20843
garnet vanadates, new substitutions 4−12931
olivine orthovanadates, vibr. spectra, assignments 4−28843
oxides, enthalpies of formation 4−33992
vanadyl acetylacetonate, e.p.r. model calc., liquid cryst. or isotropic solvent 4−6781
$Bi_{3-2x}Ca_{2x}V_xFe_{5-x}O_{12}$, bubble domains, Faraday rotation obs. 4−28664
$CaSO_4$:V^{5+}, $Ce^{3+}(Bi^{3+})$, luminescence spectra, energy transfer from Ce^{3+} to VO_4^{3-} 4−33479
$Ge_xV_{1-x}O_2$, first order phase transition, DTA, resist., mag. and X-ray meas. 4−37005
$Ti_{1.8}V_{0.2}O_3$, cryst. struct., semimetal props. 4−32514
V complex, biscyclooctatetraenyl, i.r. and Raman spectra, vibr. assignments 4−40278
V complex, oxo-, dioxo-, with F coord. and organic mol., $VOF_3(AA)$, $VO_2F(AA)$, VOF_3L_2, (AA=phen, bpyO_2, L=pyO, picO), stereochem. *(French)* 4−19738
V complex, oxovanadium(IV) complexes, crystal field study of electronic structure 4−28342
V-H solid solns., b.c.c., thermodynamic props. 4−1121
V-H solid solns., solubility and trapping of vanadium 4−1505
VB_2, $M_{II,III}$ X-ray emission bands of metal ion 4−37704
VC and alloyed TiC-VC, elastic moduli 4−38018
VC in electrolytically cast Mo, effects on mech. props. *(Russian)* 4−7172
VC on cross-polished steel, microanal. investigations *(German)* 4−37839
VC_x, band struct. calc. using APW virtual cryst. approx. *(German)* 4−28353
VC_x, defect carbides, thermodynamics of vaporization, 1600-2200K 4−32689
VC_x, Hall coeff., temp. and comp. depend., 4.2-300K 4−37257
$V(CN)_7^{4-}$, bonding and MO theory 4−5984
$(V_{0.99}Cr_{0.01})_2O_3$, high temp. resist. anomaly struct. depend. 4−13186
$V_{1-x}Cr_xO_2$, $0 \leqslant x \leqslant 0.05$, hysteresis effects 4−41102
$V_{1-x}Cr_xO_2$, semicond.-metal transition, hysteresis effects 4−10109
VCr_2Se_4, thermal cond. meas., 80 to 440K 4−3596
V_3Ge, lattice instability and high supercond. transition temp. 4−1274
VN-CrN alloys, mag. props., phase study, metallic atom ordering *(French)* 4−13301
$V_{0.90}Nb_{0.10}O_2$, metal-insulator transition due to local pairing of V atoms *(French)* 4−12870
V_5NbO_5F, rutile type cryst. struct. *(French)* 4−40773
VO, f.c.c., AP-LCAO calcs. in Brillouin zone, band struct., 4s orbital inclusion 4−13137
$VO_{1.23}$, disordered, interstitial V atom conc., determ. by intersecting Kikuchi line method 4−12942
VO_2, a.c. hopping cond., temp. depend. 4−37236
VO_2, coplanar switching devices, pulse response 4−3766
VO_2, d-electron localisation, Coulomb energy-binding energy interaction, one-electron bonds 4−16714
VO_2, nonstoichiometry effects at semicond.-metal transition temp. 4−16804
VO_2, rutile phase, thermal expansion, phonon-softening model of metal-insulator transition 4−1130
VO_2:$^{119}Sn^{4+}$, Mossbauer effects obs. of phase transition *(French)* 4−37535
VO_2:Cr(Nb), metal-insulator transitions, structural aspects 4−20551
VO_2:W(Mo), doping effect on electrical cond. meas. *(German)* 4−32945
VO^{2+} ion, in magnesium acetate tetrahydrate, e.p.r. spectra, struct. anal. 4−28701
$VO_{2.23}$, short-range-order scatt. of electrons from local order of defects 4−24467
VO_4^{3-}, energy transfer to rare earth ion in $CaSO_4$ 4−28905
VO_4^{3-}, vib. spectra, $\nu_2(E)$ and $\nu_4(F_2)$ assignment, relative Raman intensity calcs. 4−24077
V_2O_3, elastic magnetic neutron cross-section calc. 4−16934
V_2O_3, high temp. anomaly, X-ray diffr., 300-700K 4−32705
V_2O_3, metal-insulator transition investigation by n.m.r. 4−1208
V_2O_3, metal-insulator transition model, localisation, effects 4−6595
V_2O_3, n.q.r., Knight shift meas. 4−10345
V_2O_3, obs. of optical absorption spectra, Frenkel excitons and phonon interactions 4−1216
V_2O_3 metal-insulator transition props., theory 4−3708
V_2O_3-Al_2O_3, solid solution, mag. susceptibility *(Russian)* 4−41191
V_2O_3-Cr_2O_3 system: Fe^{57}, antiferromagnetic transitions, Mossbauer meas., temp. dep. of mag. field at Fe impurity 4−28624
V_2O_5, elec. switching, temp. and press. effects 4−37287
V_2O_5, long-wave optical vibrations, i.r. reflection obs. 4−3970
V_2O_5, single cryst., electrical conductivity 4−6628
V_2O_5 addition in NiZn ferrite, effect on sintering 4−41825
V_2O_5 semiconductor-metal boundary, high temp. diode *(Russian)* 4−37308
V_2O_5:Mo, single cryst., electrical conductivity 4−6628
V_2O_5:Ti, single cryst., electrical conductivity 4−6628
V_2O_5-GeO_2-PbO glass, switching effects 4−24793
$V_2O_5 + VO_2$, in glass, light absorpt., spectrophotometric anal. 4−28881
$VOSO_4.3H_2O$, cryst. struct. *(French)* 4−9887
α-VPO_5, crystal structure 4−3481
V_3Si, lattice instability and high supercond. transition temp. 4−1274
V_3Si, soft mode stiffening obs. by high mag. fields 4−3549
V_3Si:^{51}V, Knight shift, anisotropy and EFG meas. by nuclear acoustic resonance 4−10334
$V_{1-x}Ti_xO_2$, Raman spectra and cond. props., rel. to metal-insulator transition 4−20656

vanadium compounds continued
VUS_3 and VU_8S_{17}, prep. and crystallographic characteriz. *(French)* 4–24431
Vn, refractory, X-ray emission spectra 4–37703
Vo_2 films, temp. depend. of elec. cond., use in coplanar switches 4–28469
WO_3:P_2O_5 glass:V_2O_5, electrical and optical props. investigation 4–16747
WO_3:P_2O_5 glass:V_2O_5, e.p.r. and n.m.r. obs. 4–16975

vaporisation
see also boiling; evaporation; heat of vaporisation
comets, vaporization theory and non-gravitational forces 4–26090
by laser and electron beams of high power density 4–26997
non-volatile substances, mass spectrometer apparatus 4–5216
rare earth dicarbides, Langmuir vaporisation and surface ionisation 4–33861
semiconductor, by laser radiation, ion emission, mass spectra *(Russian)* 4–33612
stability of moving surfaces in fluid systems with phase transformations, heat and mass transfer 4–6198
As_2S_3, Knudsen effusion methods meas., thermal props. 4–34089
$BiCl_3$-NaCl, molten, pressure and composition of vapours *(Russian)* 4–40888
$CsNO_3$, mass spectra obs. 4–28198
La_3O_3, 1900°C, mass spectrometry study 4–3567
Sc and dicarbides, Langmuir vaporisation and surface ionisation 4–33861
SiO_2, vaporisation coefficient 4–7431
VC_x, defect carbides, thermodynamics, 1600-2200K, $x=0.47$-1.2 4–32689
W wire, high temp. oxidation in O_2-Ar mixtures 4–37939
Y and dicarbides, Langmuir vaporisation and surface ionisation 4–33861
ZrC_x, defect carbides, thermodynamics, 1700-2200K 4–32690

vaporising *see vaporisation*

vapour density *see density of gases*

vapour-liquid transformations *see liquid-vapour transformations*

vapour pressure
see also humidity; vaporisation
acetic acid + water, thermodynamic props. *(German)* 4–10788
atmospheric, inclusion of continuum absorption in i.r. heating calculations 4–14151
benzene, adsorption on silica gel, phase transitions, vapour pressure analysis 4–40974
benzene-cyclohexane mixture, meas. for determ. of excess Gibbs functions 4–34091
evaporation surface cooling, v.p. depend. in closed system, calc. 4–40884
fast reactor materials, high temp. phys. props. 4–19581
fluid, hard-sphere, Onsager model, mean spherical approximation 4–30927
p-, m-nitroaniline simultaneous determ. of vapour pressure and enthalpy of sublimation 4–1115
partial pressures, calc. from total press., for high press. vapour-liq. equilib. 4–29361
profiles in thermal diffusion chamber, supersaturation development 4–34542
saturation over water, simple formula 4–34400
school experiment 4–26393
semiconductor, binary, impurity diffusion, influence of partial vapour press. of components, theory 4–13062
styrene-telomer, mol. weight determ. by ebulliometry and vapour pressure osmometry *(Japanese)* 4–904
supercooled liquid → solid, relating eqn. 4–2212
water, adsorption on silica gel, phase transitions, vapour pressure analysis 4–40974
α-Ag-In alloy, v.p. of In using atomic absorpt., thermodynamic parameters calc. 4–21241
α-Ag-In alloys, indium v.p. meas. using atomic absorpt., thermodynamic parameters 4–13606
Ar, solid and liquid, phase change studies 4–24548
$BiCl_3$-NaCl, molten, pressure and composition of vapours *(Russian)* 4–40888
C, 4500K, and liq. C form. at l.p. by laser heating 4–17431
C_3, and third law heats of formation 4–32687
Fe, tensiometric determ. of thermodynamic functions in Fe-Pt *(Czech)* 4–4068
HF, anhydrous, determ. in 273-303K range 4–24552
H_2O, tables and eqn. for variation with temp. 4–28203
^{3}He, absolute meas. method, thermomolecular corrections 4–32773
^{3}He-^{4}He mixture, near tricritical point, thermodynamic anal. 4–3619
Hf-Hg system, intermetallic phase studies *(German)* 4–1477
$LiSO_4.H_2O$, $LiSO_4.D_2O$, thermodynamic props. and i.r. spectra 4–1124
Na_2SO_4, liq., v.p. meas., 954-1204°C 4–41990
Nd-Zn system intermetallics and liq. alloys, Zn v.p. and free energy of form. 4–41537
$SbBr_3$, liquid, 399-558K 4–13030
$SbCl_3$, liquid, 381-491K 4–13030
Ti-Hg system, intermetallic phase studies *(German)* 4–1477
UO_2, hyperstoichiometric, vacancy model, O_2 press. exam. 4–32709
Zr-Hg system, intermetallic phase studies *(German)* 4–1477

vapour pressure measurement
dissociated vapours, calc. from effusion meas. 4–34018
liquids, cavitation expts. 4–35229
N_2, below triple point 4–14828
Rb, by atomic absorption *(Russian)* 4–8345

vapour-solid transformations *see solid-vapour transformations*

varactors
distributed, appl. to control of acoustic surface wave velocity and attenuation in piezoelec. semicond. 4–14805
HgCdTe, varactor photodiode, for detect. of CO_2 laser beats beyond 60 GHz 4–8386

variable stars
absolute magnitudes of semi-regular and RV tauri variables 4–14406
Algol-type eclipsing binaries, element abundances from spectra of six objects 4–34820

variable stars continued
ZAnd romedae-type stars, extended envelopes, effects on spectrum 4–4788
Z Andromedae, flares, UBV photometry, variations of ascending and descending branches *(Russian)* 4–38797
S Andromedae, search for radio emission from supernova remnant 4–8004
2 Andromedae, suspected subluminous binary with variable companion 4–42397
AB Andromedae, W Ursae Majoris – type eclipsing binary, BV photometry 4–14394
R Aquarii, Mira type variable, radio emission 4–30070
10 Aquilae, BV photoelectric obs. of light var. 4–38807
R Aquilae, radio flare observed at 2.8 cm 4–14407
38 Arietis, δ Scuti type, uvby photoelectric photometry 4–38820
UV Aurigae, carbon emission line star; CaCl molecular absorption spectra 4–14425
UU Aurigae, Carbon star search for HCN in 1 μ region 4–14375
LY Aurigae, eclipsing binary, u.v. photometry from OAO-2 4–22398
ε Aurigae, i.r. excess, secondary light var. and planetary system formation 4–30031
LY Aurigae, orbital elements and absolute dimensions of eclipsing binary 4–30032
LY Aurigae, spectroscopic study of eclipsing spectroscopic binary 4–34801
Aurigae, UBV photoelectric photometry of 1971-2 eclipse 4–38786
b 2 0912 + 29, BL Lacertae class object optical and radio properties 4–22422
BD + 16°516, orbit evolution of eclipsing binary and rotation of white dwarf 4–22401
BD-18°3437 (HD 110139) W UMa type eclipsing binary, UBV photometry 4–30049
Be stars, var. of free-free emission from surrounding circumstellar gas 4–8002
C-S star spectra, unidentified absorption feature 4–38825
S Camelopardalis, carbon emission line star; CaCl molecular absorption spectra 4–14425
RU Camelopardalis, photometric activity (1970-1972) 4–4807
53Camelopardalis, spectroscopic binary, transverse Zeeman effect in Hβ 4–22399
53 Camelopardalis, spectroscopic variable Ap star intrinsic linear polarization from broad blue band obs. 4–18011
XX Camelopardalis, UBV obs. of R Coronae Borealis variable 4–14417
XX Cammelopardalis, R Coronae Borealis type spectroscopic study 4–34808
ξ^1 Canis Majoris, β Cephei type, chemical composition 4–14410
EZ Canis Majoris, He II line-profile var. in Wolf-Rayet star, binary nature 4–8027
VY Canis Majoris, OH 1612 MHz emission source, detailed structure 4–34881
β Canis Majoris-type variables in Scorpio-Centaurus association, luminosities 4–34852
β Canis Majoris-types among southern β-type stars, radial vel. meas. from Coude spectrograms 4–34855
Y Canum Venaticorum, carbon star, i.r. spectrum rel. to C^{12}/C^{13} ratio 4–14424
α^2 Canum Venaticorum, magnetic Ap star, intrinsic linear polarization from broad blue band obs. 4–18011
VZ Canum Venaticorum, photoelectric light curves in yellow and blue 4–30054
η Carinae, UBV obs. and three-year cyclic var. in brightness 4–26125
η Carinae light curve, description of surrounding region *(Spanish)* 4–30076
β Cassiopeiae, δ Scuti star, absolute energy distrib. in 3500-6000 Å range 4–8001
WZ Cassiopeiae, C star, forbidden [CI]λ8727 line 4–42416
RZ Cassiopeiae, period var. of Algol-type eclipsing binary 4–26124
TV Cassiopeiae, photoelectric observ. of minima, period variation 4–11194
ρ Cassiopeiae, UBV obs. of supergiant irregular variable 4–14417
cataclysmic vaiables, high-speed photometry 4–8034
catalogue of variable stars in globular clusters 4–34861
a Centauri, He spectrum var., OAO-2 obs. 4–38772
TT Centauri, spectral classification and strong spectral variations 4–14376
DICephei, 5 colour TV-photometry *(Russian)* 4–14399
ε Cephei, δ Scuti type, uvby photoelectric photometry 4–38820
U Cephei, eclipsing binary, abundance anomalies in secondary component 4–38816
RS Cephei, eclipsing binary, period study 4–8030
δ Cephei, equivalent width for nine phases 4–14396
u Cephei, photometry of minima, (1968, 1969), period 4–8011
β Cephei (Algol), u.v. analysis 4–34821
δ Cephei atmosphere, revised abundance analysis from high dispersion spectra 4–30078
β Cephei stars, frequency within 200 pc of Sun 4–30043
Cepheids, metal abundance and luminosities 4–30067
Cepheids, physical props. rel. to regular intrinsic pulsars *(Spanish)* 4–30077
UV Ceti, duration of dMe flares 4–42415
UV Ceti, flare star spectrophotometric obs. 4–11179
UV Ceti, flares, UBV photometry, variations of ascending and descending branches *(Russian)* 4–38797
UV Ceti, two types of flares, photometry, spectroscopy and models 4–34838
o Ceti (Mira), mean radius and temp. from near i.r. photometry 4–30040
UVCeti type flares, radiative relaxation of ionised H at Balmer line frequencies *(Russian)* 4–14403
UV Ceti type quiescent flare stars, emission line variability 4–18012
UV Ceti type red dwarfs, age dependence of flare activity *(Russian)* 4–14398
Circinus X-1 (3U1516-56), UHURU obs. of binary nature 4–34903
classical Cepheids, pulsation masses, mass-luminosity relation 4–30073
CoD-31° 17815, duration of dMe flares 4–42415

variable stars continued
AL Comae Berenices, visual magnitude estimates of U Geminorum-type variable 4−42405
W Comae Berenices (ON 231) optical variability and radio spectrum 4−22404
α Coronae Borealis, eccentric eclipsing binary, light curve optimization analysis 4−30038
R Coronae Borealis, magnitude estimates 4−34849
β Coronae Borealis, peculiar A star, long term behaviour of magnetic field 4−17996
R Coronae Borealis, UBGORI photometry and polarimetry at minimum 4−26110
R Coronae Borealis, UBV photoelectric obs. 4−30061
R Coronae Borealis, UBV photoelectric obs. 4−34847
R Coronae Borealis, visual magnitude estimates 4−42407
R Coronae Borealis erupting carbon stars, surface enrichment of Li; C; Ni by deep mixing 4−42371
R Coronae Borealis magnitude estimates 4−26128
R Coronae Borealis visual magnitude estimates for 1974 Jan 31-Apr 2 period 4−34850
R Coronae Borealis-type stars, UBV obs. of two objects 4−14420
RV Corvi, eclipsing binary, UBV photometry 4−30052
CPD −72° 2551, new eclipsing binary, UBV photometry 4−11201
BH Crucis, spectral classification and strong spectral variations 4−14376
τ Cygni, δ Scuti type, uvby photoelectric photometry 4−38820
UZ and VW Cygni, Algol-type eclipsing binaries, period study 4−14419
V477 Cygni, eccentric eclipsing binary, light curve optimization analysis 4−30038
V1016 Cygni, i.r. flux variations 4−38778
32 Cygni, long-period eclipsing binary, outside eclipse light var. 4−34818
32 Cygni, OAO-2 u.v. obs. of 1971 eclipse 4−38771
V1057 Cygni, OH 1720 MHz anomalous emission 4−8039
BR Cygni, period, photoelectric photometry 4−11195
CG Cygni, preliminary elements for eclipsing binary from light curve 4−34817
SS Cygni, spectrum during flares from spectrophotometry 4−42420
V 1057 Cygni, three-colour behaviour after outburst 4−34805
χ Cygni, time weaking in near i.r., 1969-1971 *(Russian)* 4−34859
V1016 Cygni, UBGVRI photometry rel. to evolution of symbiotic stars 4−42392
32 Cygni, UBV photometry of 1971 eclipse 4−38832
SS Cygni, very soft X-rays from U Geminorum-type close-binary variable 4−30103
SS Cygni at max., effective temp. and luminosity, OAO-2 obs. 4−34822
SS Cygni flare, UBV photometry, variations of ascending and descending branches *(Russian)* 4−38797
Cygnus X-3, 2-10 keV X-ray spectrum, period obs. 4−34900
Cygnus X-3, radiofrequency spectra 408-15500 MHz 4−34899
distant Cepheid variable discovery in Centaurus 4−38824
BY Draconis, long term light var. of flare star, BV photometry 4−34837
BY Draconis, spotted flare star photometric behaviour and model for dark spots 4−2119
eclipsing binaries, light-time effect from period var. in 14 stars 4−8006
eclipsing variables spectrophotometry giving spectral types, magnitudes and velocities *(Russian)* 4−14400
CC Eridani, spotted flare star photometric behaviour and model for dark spots 4−2119
AS Eridani eclipsing binary, A3 main seq. star and subgiant 4−11180
extrasolar planetary systems around variable stars, photometric detection 4−34846
flare stars, properties and models, review 4−34839
flare stars in Pleiades, photographic obs. *(Russian)* 4−30110
galactic X-ray sources, short time scale variability 4−34904
RX Geminorum, Algol-type eclipsing binary, period study 4−14419
YY Geminorum, eclipsing double-lined spectroscopic binary, flare regions 4−34836
HBV475, photometric and spectral data for emission-line variable 4−42395
HD 103095 (Groombridge 1830), flare, radial vel., parallax and orbital motion 4−34840
HD 108, spectrograms of Of-star, intensity var. and radial velocities 4−14388
HD 175362, B-type star, He line variable 4−30068
HD 188041, peculiar A star, uvby obs. of light variations 4−38827
HD 32633, short period light variations, UBV photometry 4−7999
HD 77581 (2U 0900-40), light curve of ellipsoidal variable 4−42410
HDE 226868, search for rapid photometric variability 4−30020
HZ Herculis, broad band circular polarisation obs. 4−2129
DQ Herculis, eclipsing binary, old nova, oblique rotator model 4−18014
HZ Herculis, eclipsing X-ray binary, spectroscopic obs. 4−22406
DQ Herculis, gas loss calc. *(Russian)* 4−34860
HZ Herculis, steady soft X-ray source to explain optical behaviour 4−4822
HZHerculis, surface brightness distrib. of visible component 4−34797
HZ Herculis, UBVr photoelectric photometry, interpretation of light curve 4−18003
HZ Herculis, variable emission core in H_β, 4300-6600 A obs. 4−34810
HZ Herculis, X-ray binary, light curve model 4−18006
HZHerculis (Hercules X-1) binary system, long term var. of hard X-ray emission 4−4802
HZ Herculis soln. of ellipsoidal type light curve during extended low state 4−14392
HR1063 (HD21699), UBV photometric var. of He-weak star 4−42394
HR 6684, uvbyβ photometry and spectra of β Cephei star 4−14422
HR 6773, eclipsing binary, photometric obs. 4−38811
HR 8006, δ Scuti star, precise differential photoelectric photometry 4−42404
HR 9039, δ Scuti star, precise differential photoelectric photometry 4−42404

variable stars continued
U Hydrae, carbon star, i.r. spectrum rel. to C^{12}/C^{13} ratio 4−14424
VW Hydri, rapid blue variable, rapid pulsation during dwarf nova outburst 4−34853
i.r. broad-band 20 μ photometry of 76 objects 4−17995
EM Lacertae, BV photoelectric light curves and elements 4−38809
BL Lacertae, electronographic meas. and stellar distance *(French)* 4−38880
BL Lacertae, high-time-resolution studies 4−34885
DD Lacertae, photoelectric obs. for 1959-71 period 4−34800
12DD Lacertae, power spectrum analysis of multiperiodicity 4−7995
BL Lacertae, rapid optical variations, photographic obs. 4−34830
EV Lacertae, red dwarf flare star, simultaneous optical and radio obs. 4−38822
SW Lacertae, W UMa type, differential UBV photometry 4−30055
GL Lacertae (HD 215441), ubv photoelectric obs. of magnetic star 4−11188
BL Lacertae (VRO 42.22.01) long baseline interferometry and total flux density obs. 4−18018
ADLeonis, atmospheric Li abundance from spectrogram analysis by curves of growth method *(Russian)* 4−14402
AD Leonis, search for X-ray emission from flare star 4−34815
AP Librae, BL Lacertae-type, rapid variability obs. 4−34829
ES Librae (BV 449), spectrophotometric elements 4−8024
light curve period using modified Lafler-Kinman-Kholopov method *(Russian)* 4−30150
LMC, nine new variables and some Harvard variables 4−34854
long-period Cepheids in Crux-Centaurus region, kinematics of distant objects 4−34923
long-period variables, UBV obs. of 33 objects 4−14420
SW Lyncis, β Lyrae eclipsing binary, minima and light elements 4−38823
β Lyrae, eclipsing binary, Hα emission line profile 4−14416
β Lyrae, eclipsing binary, outside-eclipse spectral changes 4−38817
βLyrae, eclipsing binary, redeterm. of photometric calibration, B-V colour 4−18002
βLyrae, emission line profiles 4−34843
β Lyrae, gas loss calc. *(Russian)* 4−34860
βLyrae, masses, absolute dimensions, luminosities of both components 4−34844
β Lyrae, period var. of eclipsing binary and ephemeris of primary minima 4−34799
β Lyrae, UBV obs. for July-August 1971 period 4−38796
β Lyrae spectrum, Hα emission profile 4−8015
RR Lyrae type, nodal quenching and convective quenching 4−14377
RR Lyrae type in globular clusters, theoretical evolution with overshooting and mass loss 4−42376
RR Lyrae-type in globular cluster NGC 7006, elements, light curves 4−4809
Mira type spectra, unidentified absorption feature 4−38825
Mira variables, UBV photometry near max light 4−30056
modified coherent average operator for low-level optical source periodic var. search 4−26182
1 Monocerotis, δ Scuti star, UBV photometry 4−8029
21 Monocerotis, light variability in cosine term expression 4−11202
UX Monocerotis, photoelec. obs. of eclipsing binary *(Italian)* 4−38808
FU Monocerotis, SC star, spectra in photographic i.r. region 4−30072
R Muscae, Cepheid variable, physical props. rel. to regular intrinsic pulsars *(Spanish)* 4−30077
nearby classical Cepheids, space velocities 4−42387
old novae, temperatures and luminosities, OAO-2 u.v. photometry 4−34823
Oosterhoff groups of globular clusters containing RR Lyrae stars 4−8062
U Ophiuchi spectral variation gravity darkening, u.v. photometry 4−11184
GP Orionis, SC star, spectra in photographic i.r. region 4−30072
Palomar-Groningen Variable-Star Survey, BV photometry of 20 RR Lyrae stars 4−14395
γ Pegasi, β Cephei type, chemical composition 4−14410
τ Pegasi, δ Scuti type, uvby photoelectric photometry 4−38820
RZ Pegasi, carbon emission line star; CaCl molecular absorption spectra 4−14425
in Pegasus, Schmidt telescope observ. 4−4810
X Persei (2U0352 + 30), UBV photoelectric obs. and optical stability 4−42408
β Persei (Algol), 1972, September 2, Hα obs. 4−11186
photometry, UBV and JHKL, of O'Connell effect eclipsing binaries 4−22396
δ Pictoris, spectroscopic eclipsing binary, photometric obs. 4−38810
Y Piscium, Algol system, photoelectric evidence for gas stream 4−7994
TXPiscium, carbon star search for HCN in 1 μ region 4−14375
Pleiades region, Asiago flare star survey, concluding results 4−38885
ρ Puppis, scanning monochrmator colour indices of δ Scuti star 4−14418
Puppis, u.v. spectra from rocket obs. 4−4812
RY Sagitarii, R Coranae Borealis type, UBVRI-JHKL photometry near deep minimum phase 4−14423
VX Sagittarii, OH 1612 MHz emission source, detailed structure 4−34881
V348Sagittarii identification with cool Wolf-Rayet stars 4−30066
V701 Scorpii eclipsing binary in NGC 6383 cluster, photoelec. obs. 4−38794
Scorpius X-I, optical fluctuations by twin-channel photometry 4−11199
VY Sculptoris, new rapid blue variable, periodicity and spectrum 4−14421
δ Scuti, scanning monochromator colour indices 4−14418
RZ Scuti eclipsing binary, photometric elements 4−14409
southern long-period red variables, emission lines in spectra 4−34794
SR type M variables, spectroscopic survey by curves of growth method, rel. to Li abundance *(Russian)* 4−14401
EU Tauri, cepheid, UBV photometry 4−30050
NML Tauri (IK Tauri), revised period and minimum-light spectrum 4−26147

variable stars continued

28 Tauri (Pleione), new shell episode 4−8019
RV Tauri stars, correlation between i.r. and photographic spectra 4−42409
T Tauri stars, $H\alpha$ emission rel. to chromospheres of 20 objects 4−14389
T Tauri stars, mass loss by stellar wind 4−38761
T Tauri stars, spectral energy distribs. 4−42402
RVTauri supergiants, UBVR photometry 4−7987
RR Telescopii, i.r. photometry 4−14405
υ Ursae Majoris, δ Scuti star, absolute energy distrib. in 3500-6000Å range 4−8001
W Ursae Majoris, photoelectric minima (1973) 4−4808
W Ursae Majoris type, SR II and Ca I line computation from black body model 4−7998
W Ursae Majoris type binaries, review of contact model determ. of geometrical elements *(Polish)* 4−11205
V78 in ω Centauri cluster, membership of eclipsing variable star 4−34819
γ^2 Velorum, eclipsing binary, u.v. spectra from rocket obs. 4−4812
γ^2 Velorum, short-term spectral var. from photometric obs. 4−30047
W Virginis type pulsating stars, relativistic terms of radiation transfer hydrodynamics in nonlinear pulsation theory 4−30036
white dwarf models, linear adiabatic nonradial oscillations in cooling 4−11181
Wolf 630, duration of dMe flares 4−42415
WRA 795, possible optical counterpart for Centaurus X-3, UBV photometry and spectroscopy 4−38783
He stars, UBV photometry for determ. of variability at optical wavelengths 4−14427

variational calculus *see variational techniques*

variational techniques

atom + atom scattering theory, switching function 4−16037
atom-electron scattering, matrix variational method 4−31717
atomic dipole polarisabilities calc. for Ar and isoelectronic series ions *(French)* 4−15992
atomic electron scattering, quantum theory problems, use of matrix method 4−5964
Bernoulli-Euler beams, optimum tapering for transverse oscillations, existence of solns. 4−23163
black hole, rotating, axisymmetric mode stability, establishing proof 4−22416
bound state variational calcs. of atomic integrals using computer program 4−3077
boundary value problem soln. for linear non-degenerated elliptic eqn. 4−2453
bubble stability whilst rising in inviscid fluids 4−16256
cantilever design, critical flutter load intensity determination 4−39565
continuous, rel. to study of mixed complexes containing one metal and two ligands 4−1005
continuous media with polarisation and magnetisation effects, modelling using variational eqn. *(Russian)* 4−23124
convective instability, fluid layer in magnetic field, variation method *(Russian)* 4−40551
deformation of heavy cylinder due to elasticity and creep *(Russian)* 4−18886
dense quantum fluids, energy determ. 4−37057
diatomic molecule, Rydberg states, virtual orbital and variational methods 4−31795
dual-complementary principles theory 4−23083
elastic scattering, Stieltjes imaging of Fredholm determinants 4−30847
elastic surface wave interactions, asymptotic method 4−8642
elasticity, spatial problems, Papkovich-Filonenko-Borodich variatonal method modification *(Russian)* 4−39535
electric cylindrical arc, Steenbeck minimum principle 4−36766
electrical problems, involving homogeneous anisotropic material, complementary variational principles 4−2586
electromagnetoelasticity linear coupled of conductors, variational principle 4−23104
element binding energy, Thomas-Fermi-Dirac-Weizsacker statistical anal. of compressed atom model 4−12895
e.m. wave diffraction problems 4−15296
ferromagnet, diluted Heisenberg system, spin waves and long-range order, 0K 4−24915
ferromagnetic uniaxial theory, variational principle, free energy calcs. *(Russian)* 4−24903
finite-difference, prediction of buckling pressures for cylindrical-torisphere combinations 4−23800
Fokker-Planck eqn., plasma transport processes 4−16281
functional integral method derivation of conservation laws and Ward-Takahoski identities 4−35950
gas breakdown in inhomogenous field, upper and lower bounds 4−20163
generator coordinates time evolution, applications to nuclear cranking model 4−12224
gravity waves, associated principles 4−6191
grooved tape line, magnetic vector potential method *(Bulgarian)* 4−35766
ground state calculation for He, using six parameter wave function 4−19656
Hamilton's principle, reciprocal form 4−30734
Hamilton's principle rel. to dynamic plastic behaviour of structures under impact loading 4−15169
Hartree-Fock excited orbital determination *(Russian)* 4−40159
heat conduction, temp. dependent thermal conductivity coeff. 4−40927
Hellinger-Reissner principle rel. to general nonlinear theory of elastic shells 4−15147
hinged beam, nonlinear vibrs. and nonlinear inertia effects 4−30813
hurricane data analysis, variational optimisation technique with dynamic constraint 4−7709
Hylleraas variation perturbation calc. of atomic polarisability 4−23968
impact-parameter method for proton + hydrogen collisions 4−16029
impact-parameter method for proton + hydrogen collisions 4−16031
intermolecular mechanics, H_2 mol., long-range interaction 4−27566
invariant toroids of N-dimensions, in classical dynamics, variational principles 4−39494

variational techniques continued

ion, inert gas type, Thomas-Fermi eqn. approx. soln. for diamagnetic susceptibility 4−15994
Kantorovich-Vlasov method for flexible shells, numerical anal. of convergence *(Russian)* 4−23133
Kohn's method for helium-positron low energy scattering 4−711
Kohn's variational principle for scatt. amplitude and virial theorem 4−19713
Kohn principle to nuclear inelastic three-particle scattering 4−31321
lattice dynamics, self consistent, phonon anal. of high temp. region in Kr monatomic crystal 4−20374
linear functional, Pade approximant 4−31442
lowest-order constrained, rel. to neutron matter solidification anal. 4−15686
many-body problem, soln. of Martin-Schwinger coupled integral eqns. 4−12510
MC SCF orbitals, variational procedure for optimisation 4−27589
mechanics of continuous media, variational principles *(Russian)* 4−23097
molecular orbitals, modified free atom Hamiltonian, numerical multicentre basis set 4−31781
multistate kets for H_2 4−24033
neutron transport computation, singular element 4−31440
non-linear systems, multiple-parameter technique 4−11716
nonequilibrium thermodynamics, variational principles 4−39669
nonlinear continuum mechanics, geometry, kinematics and dynamics of dislocations 4−190
nonlinear elasticity, appl. of calculus of variation 4−15142
nonlinear viscoelasticity 4−39520
nuclear BCS state, conserving particle numbers *(Russian)* 4−39959
nuclear binding energies, new method of calc. for ^3H and ^4He with realistic potentials 4−399
nuclear binding energy, triton and alpha-particle with meson-theoretical potentials 4−2740
nuclear physics, lower bounds to ground state energy by density matrices variational calc. 4−5745
nuclear systematics calcs. with density-dependent interaction, A=12-68 4−550
nuclear three-body scattering in local Yukawa potentials, resonating group method anal. 4−36175
one-electron system, variational expectation values and perturbation theory corrections 4−30848
optical resonator loss calculation, with successive iteration method 4−11485
path integral method, from stochastic variational principle in quantum mechanics 4−5372
piezoelectric polaron, ground-state energy, calc. by Feynman's path-integral variational method 4−13155
plastic buckling loads, estimation for cylindrical shells under torsion 4−15171
plastic deformation problems, applic. 4−29153
polyatomic molecule, low energy electron scatt. 4−31950
polymer chain theory, equiv. of Born-Green-Yvon and Reiss methods 4−27773
potential theory harmonic functions near singularity lines termination and intersection 4−26756
pulsed-neutron and diffusion length calcs. in nonmultiplying assemblies 4−5872
q-number method rel. to non-linear Lagrangian in quantum mechanics 4−8684
regularity theorems for variational inequalities in unbounded domains, applications to stopping time problems 4−39489
Ritz principle, application to Iwamoto-Yamada cluster expansion in nuclear theory 4−12229
sandwich shell vibrations, determination using BEOS program *(German)* 4−23165
scattering amplitude, scaling parameter optimization, virial theorems 4−26799
Schrodinger eqn. soln. use of harmonic oscillator basis 4−5368
Schwinger-type scheme for nuclear off-shell three-body amplitudes 4−31320
semiconductor, binding of exciton to donor-acceptor pair in Coulomb interaction 4−1211
semiconductor, theory of reciprocal electron and phonon drag, variational methods 4−1093
shell of revolution, non-uniform, optimal heating *(Russian)* 4−39533
solid electron exchange Hamiltonian, variational multistate-ket derivation 4−24909
solvation energy, ab initio calc. for He in CCl_4 4−31814
statistical mechanics, review, in book 4−5408
stochastic games, elliptic variational inequalities, diffusion processes 4−5325
superconducting proximity effect for arbitrary mean free path 4−37346
synthesis, for large PWR core calcs. 4−23792
thermal conductivity, Gyarmati's principle 4−30913
thick cylindrical shells under arbitrary boundary conditions, stresses and displacements anal. 4−30776
three-body charged-particle collision theory, variational methods 4−5376
viscoelastic plate, Love-Kirchhoff theory, boundary value problems *(French)* 4−35647
Wannier functions, variational localisation 4−10076
H_4, pot. energy surface, calc. of reaction paths 4−9487
^3H, binding energy, variational method with realistic potentials 4−31220
^3He-^4He, liq. effective mass variational calc. 4−28258
^4He binding energy, variational calc. with realistic NN potentials 4−31221
^4He solid, anal. of monolayer ground-state parameters 4−32781
Li-He system, hyperfine press. shift, modified HF, MO calc. 4−16150
^{24}Mg, few-nucleon substructures, anal. by variational method 4−2776
^{20}Ne, few-nucleon substructures, anal. by variational method 4−2776

varistors

glass-ceramic material applic. 4−25411
metal oxide, relation of props. to microstructure 4−37244

varistors continued
- SiC, neutron irrad., changes in temp. depend. of nonlinear conductivity *(Russian)* 4—1236
- SiC, surface barrier investigation 4—33022
- ZnO ceramic, Mossbauer studies of electronic charge states 4—37285

varnish
- *see also coating techniques*
- No entries

vector diagrams *see vectors*

vectors
- cohomology groups in Lie algebra, finite dimensionality 4—15116
- cross product structures on manifolds 4—35596
- elastostatics, basic problems of generalised soln. 4—30741
- G-operators on Banach spaces, generating weakly compact groups 4—30698
- geomagnetic anomaly interpretation by use of vector diagrams *(Polish)* 4—34485
- graphing algorithm for vector symbol 4—11430
- harmonic flds, geodetic applic. of conformal transformatons 4—34093
- hodograph method applic. to transonic flows with shock waves *(French)* 4—924
- Komar type conserved vector density in Brans-Dicke theory 4—15226
- Lie derivative relating to vectorial field along diffeomorphism between Riemannian varieties *(French)* 4—11707
- operators, singular and cosingular, on topological vector spaces 4—30697
- relativistic mechanics, central pots. solved by elliptical functions *(French)* 4—30867
- spacial integration, application to lattice symmetry 4—36959
- vector product, Poisson bracket and commutator bracket, common properties 4—26750

vehicles
- *see also road vehicles; space vehicles*
- acoustic noise meas., Hixson's method and test results 4—39138
- nuclear material cargo vehicle, design concepts study 4—27497
- underwater, small remote controlled tethered 4—14237
- underwater robot for ocean parameters measurement 4—14238

velocity
- *see also acoustic wave velocity; ion mobility; light velocity*
- relative, Ehlers' and Synge's definitions, comparison *(Russian)* 4—11814
- young O-B3 stars, three-dimensional analysis of velocity field 4—22393

velocity control
- motor speed, pulsed d.c., portable instrumentation 4—26285

velocity measurement
- *see also acoustic wave velocity measurement; angular velocity measurement; laser velocimeters; light velocity measurement; stroboscopes*
- air, vane anemometers 4—23070
- automatic, road traffic 4—5099
- blood, velocity distribution, effects of branching, bypasses and obstructions 4—18115
- Doppler method application *(German)* 4—39219
- Doppler sonar navigation systems *(French)* 4—30409
- flow, rate measurement from velocity measurements using fluid dynamics 4—40393
- flow, using correlation technique 4—30678
- fluid, by photon correlation technique comprising laser Doppler correlation technique 4—26741
- fluid, dilute polymer solution, turbulent pipe flow, optical technique and system, results 4—2435
- fluid, instantaneous meas. of temp. and velocity component, using hot-wire anemometer 4—30674
- hypersonic wakes 4—16221
- laser doppler anemometers, turbulent fluid flow 4—26743
- laser doppler velocimeter, for periodic flow fields 4—30502
- laser Doppler velocimeter, with optical freq. shifting 4—30679
- laser ranging system, tracking marine appls. 4—19153
- laser vector velocimeter, Doppler, two-component, self aligning, atm. meas. 4—8591
- navigational precision for exploration vessels *(French)* 4—34560
- nonisothermal gas flow, pyrometric method 4—18811
- ocean, vertical velocity spectra, fine-struct. contamination 4—42064
- ocean and tidal current meas. by acoustic signal propagation time 4—11074
- ocean surface current meas. by h.f. radio wave backscatter 4—11076
- oscillatory flow, in distensible vessel, velocity profile measurement 4—18110
- particles, appl. of Fourier images 4—35459
- pivoted vane current meter for natural waters 4—11072
- polymer, Pitot-tube meas. errors in dil. solns. 4—9683
- sea ice, integrated measuring system 4—14241
- seismic, effect of lateral inhomogeneity 4—7532
- shear wave generation and vel. meas. in cylindrical shells 4—26466
- ships, using relative log, effects of rolling on errors *(Russian)* 4—18365
- solid-state water current meters, design deficiencies and operational problems 4—11073
- traffic recording, semicond. laser rangefinder applic. *(German)* 4—23405
- turbulent flow, dynamic characteristics of hot film transducer probes 4—35576
- two-phase flow velocity meas. using laser-Doppler anemometer 4—35577
- underwater current velocity meas. by acoustic Doppler techniques 4—11075
- u.s. Doppler devices, sample volume studying technique 4—39168
- vortex rings, velocity distrib. meas. using laser Doppler velocimeter 4—12685

velocity meters *see velocity measurement*

velocity microphones *see microphones*

velocity-modulation tubes
- Cs atomic beam tube freq. standards, time-domain velocity selection modulation 4—22747

velocity spectrometers *see particle spectrometers*

Veneziano model
- Born approximation construction and props. 4—23516
- duality in strong interaction physics, review 4—2703
- generalised, test at 4.6, 9 and 12 GeV/c in $K^+p\rightarrow\pi^+pK^0$ interaction 4—23570
- J-plane analysis, nonlinear trajectories 4—31167
- Lamb shift from hadron vacuum polarisation, Veneziano-like model 4—19665
- multiloop amplitudes, automorphic structure 4—15511
- N-point amplitude on time-ordered products of currents, Wilson's operator expansion 4—12062
- nonlinear bootstrap for mesons, Veneziano residue functions 4—8986
- phenomenological model for low-energy N-N phase shifts and high-energy charge-exchange cross-sections 4—12061
- Virasoro gauge conditions for off-mass-shell dual amplitudes, hadron currents 4—8985
- $N+$ axial vector current$\rightarrow\pi N$, nucleon trajectory contribution determ. 4—12057
- $\pi^-p\rightarrow\pi^+\pi^-n$, in resonant $\pi\pi$ region 4—12092

ventilating *see ventilation*

ventilation
- *see also air conditioning*
- climailluminators, calorimetric test apparatus *(Bulgarian)* 4—14820
- ducted fan sound power meas., tubular microphone windscreen characts. 4—39142
- exhaust gas pollution control 4—30273
- nonsteady flow in ventilation networks, asymptotic behaviour 4—24228

ventilators *see ventilation*

Venus
- atmosphere, discussion of rotation in terms of an equatorial thermal bulge 4—22309
- atmosphere, escape fluxes for D and H_2 4—42335
- atmosphere, formation of water drops and ice crystals 4—4719
- atmosphere, measurement of temperature pressure, wind velocity by Venera 8, illuminated side 4—22307
- atmosphere, photochemistry, detailed model 4—22310
- atmosphere, photoelectron flux distribution 4—22276
- atmosphere, solar radiation flux at planetary surface, Venera 8 measurements 4—22308
- atmosphere, temp., press., wind vel. meas. by Venera-8 *(Russian)* 4—14321
- atmosphere, turbulence effects on r.f. propagation 4—34697
- atmospheric circulation, Boussinesq models, stratification, rotation 4—4734
- atmospheric CO_2 i.r. bands, transmissivity at high temp. and pressure, 1.2, 1.6 and 2.0 μ bands *(Russian)* 4—9523
- atmospheric ion losses to solar wind, electrodynamical model 4—26023
- atmospheric lateral inhomogeneities, analysis of thermal i.r. maps 4—34677
- atmospheric mixing in upper atmosphere 4—2085
- atmospheric temperature profile from thermal radio emission 4—2077
- cloud base levels and heteromolecular nucleation theory 4—34678
- cloud composition rel. to 1.2-4.5 μ aircraft obs. 4—26026
- cloud models from CO_2 1.05 μ obs. 4—26031
- CO_2 i.r. obs. during 1972 inferior conjunction, abundance var. over disc 4—26033
- diameter meas. at 4050, 5000, 5800 and 6440 Å 4—22300
- escape of light gases from atmosphere 4—29932
- far u.v. spectra rel. to Mars, sounding rocket obs. 4—38670
- illumination measurements in atmosphere and on surface by Venera-8 4—17963
- i.r. spectra, best temp. and pressure fits 4—26030
- lower ionosphere model and cosmic ray ionization rate profile 4—34688
- magnetic field, solar wind interactions 4—38672
- Mariner 10, mission profile and instrumentation 4—38924
- Mariner 10 mission, instrumentation and planned observations 4—38925
- O_2 7635 Å line search rel. to upper atmosphere model 4—26027
- occultation of α Leonis (Regulus), light curve rel. to planet's real atmosphere 4—34686
- photochemical haze model for clouds 4—26029
- photographic obs., positional *(Russian)* 4—22304
- photographic obs., positional *(Russian)* 4—22305
- polar diameter meas., birefringent micrometer *(Greek)* 4—26197
- radar imaging interferometry at 70 cm 4—29911
- radio interferometry at 1.35 cm, implications for middle atmosphere models 4—29912
- radio scattering behaviour, reflectivity and polarization 4—29910
- review, inc. interior, meteorology and interaction with solar wind 4—17956
- rotation, dynamical problem 4—29872
- solar wind interaction, effect of neutral atmosphere 4—22283
- solar wind interaction, spacecraft obs., models 4—34675
- space vehicle, swingby, Mercury orbiter, 1977-1978 mission design and navigation 4—25918
- surface rocks, U, Th and K content from Venera 8 meas. 4—17951
- thermal evolution model of terrestrial planets 4—38675
- thermal spectrum, broadband i.r. photometric obs. 4—34668
- thermosphere, numerical model for dynamics and composition 4—22275
- topographic profiles from high resolution radar obs. 4—29909
- upper atmosphere, CO oxidation and exosphere composition 4—22279
- upper atmosphere, structural model, photochemistry and circulation 4—11139
- upper cloud deck, circulation patterns from u.v. photographs 4—26036
- u.v. clouds, relative spectrophotometry 4—26037
- u.v. polarization of reflected sunlight at 0.365 μ 4—26035
- u.v. spectrum Franck-Condon factors for interpretation of Mariner obs. 4—17964
- u.v. spectrum in 1200-1900 Å range using rocket-borne spectrophotometer 4—26046
- Venera 8 descent module, preliminary results 4—22293
- visible cloud, composition and structure 4—22311
- water vapour 8197 Å line obs. 4—26028

Venus continued
- weather, joint spectroscopic and photographic patrol 4−26034
- CO_2 1.05 μ band, expanded theoretical interpretation 4−11131
- CO_2 equivalent widths, interpretation of inverse phase effect 4−2082
- CO_2 i.r. bands, patrol obs. rel. to meteorology 4−26032
- H_2O 0.8226 μ band, expanded theoretical interpretation 4−11131
- H_2O 8198 Å line search rel. to upper atmosphere model 4−26027
- H_2SO_4 in clouds, polarization studies 4−26025
- H_2SO_4 in clouds rel. to polarimetry and spectra 4−26024
- He resonance scattering of solar extreme u.v. radiation, 584 Å 4−22277

Verdet constant *see Faraday effect*

Verneuil process *see crystal growth from melt*

vertex functions *see elementary particle theory; functions*

vibrating bodies
- *see also elastic waves; pendulums; piezoelectric oscillations*
- annular beam bending-torsional vibrations compared with annular plate bending vibrations *(German)* 4−18914
- annular plate, flexural vibr., natural freq. 4−35710
- annular plate, linearly tapered, axisymmetric vibrations 4−30806
- bars, longitudinal impact, solved by Love's differential equations 4−23148
- beam, lateral bending-torsion vibrs. under parametric excitation 4−30827
- beam, statically deformed, response 4−18916
- beams, curved and multisupported, finite element displacement method 4−26789
- beams, optimal disposition of vibration sensors using information theory *(Russian)* 4−18919
- beams with overhangs, finite element displacement anal. 4−18910
- bridge, anal. of vibrational characteristics using ambient vibrations *(Japanese)* 4−11781
- cantilever beam, internally damped, transverse vibration response 4−42668
- cantilever subject to tangential dissipative and non-conservative forces, design 4−39565
- cantilevered beams of variable cross section, soln. of differential equation 4−35712
- circular cylinders, stiffened, initially stressed, investigation 4−14753
- circular cylinders, vortex excited resonant vibrations 4−14751
- circular plate, vibratory pattern by holography 4−39166
- circular plate optimal disposition of vibration sensors using information theory *(Russian)* 4−18919
- circular plates of variable thickness, response to time dependent loads 4−8650
- clamped elliptic arcs, lowest natural extensional freq. 4−2505
- clamped-free circular cylindrical shells 4−8272
- column under short response axial loads, dynamic response 4−30826
- columns, parametric instability under periodic axial load 4−2508
- concentrated masses longitudinally coupled solns. of transverse vibration boundary problems *(Russian)* 4−11773
- crystal plates, approx. theory of vibration at high frequencies 4−15181
- cylindrical panels, stiffened, initially stressed, investigation 4−14753
- cylindrical shell containing liquid 4−8271
- cylindrical shell with free boundaries, eigenmodes *(German)* 4−5365
- damped sandwich beam, three-layer, forced vibrations 4−30807
- destabilization in bar under non-conservative forces, with damping 4−11765
- double synchronisation of vibrators linked with nonlinear oscillating system *(Russian)* 4−39495
- earphone diaphragm, circular, vibratory pattern by holography 4−39166
- Earth eigen vibrations, use in search for waves 4−5402
- Earth model, elastic-gravitational excitation, representation by generalised spherical harmonics 4−25853
- elastic bar, optical anal. of acoustic vibr. modes 4−35189
- elastic medium, free vibration 4−30835
- elastic membrane, application of Rellich's perturbation theory to boundary and eigenvalue problems 4−30836
- elastically connected circular plates, normal modes 4−2509
- elastically connected concentric cylinders, normal mode vibrations 4−15184
- elastically connected concentric thick rings, natural vibrations 4−30803
- epoxy resin, shear characteristics during amine curing depend. on shear deformation 4−13931
- flat skin-stringer-frame structures, forced vibrations 4−5354
- Fredholm integral equation method for free system vibrations 4−35715
- gyro-frame, biaxial, stability under angular vibration action in resonance conditions *(Russian)* 4−2518
- gyrocompass, forced vibration of sensitive element *(Russian)* 4−35701
- hinged beam, nonlinear vibrs. and nonlinear inertia effects 4−30813
- Hooke-Norton spring system, inertial forces effect 4−194
- infinite plate, excitation by circularly distrib. transverse force *(Russian)* 4−39573
- kettledrum, vibration of circular membrane backed by airtight vessel 4−14743
- larynx, glottal-area time function, subglottal-pressure variation 4−42562
- linear damped vibratory structures with arbitrary support conditions, viscous damping forces effects 4−30825
- linear mass-spring system, synthesis procedure 4−30732
- linear system, harmonic rel. to random vibration response relationships 4−30808
- membrane, elastically-attached, eigenvalue problem 4−2525
- musical instruments, stringed, self-excited vibrations, influence of bow pressure *(German)* 4−39122
- nonlinear system with n-degree of freedom, secondary resonances 4−39560
- nonlinear systems, asymptotic calcs. *(Russian)* 4−39572
- nonlinear systems, complex, polyharmonic vibrations *(Russian)* 4−35717
- nonlinear systems with two-degrees of freedom, and of resonance regimes using Raushers method *(Russian)* 4−15135

vibrating bodies continued
- orthotropic circular plate with isotropic core, finite amplitude vibr. 4−11757
- orthotropic heated circular plates, static and dynamic behaviour 4−11758
- panel or cylindrical shell stability in subsonic flow 4−32076
- parallel cylindrical bars, transverse vibr. motion, acoustic radiation 4−8256
- periodic structure harmonic wave propagation, finite element technique 4−39567
- piezoelectric crystal bars, high frequency vibrations, theory 4−33347
- plate, correspondence of the mass law according to wave theory 4−22633
- plate, four-point supported, fundamental freqs. 4−35711
- plate, laminated, vibration anal. by hybrid stress element 4−18911
- plate, on elastic point supports 4−30804
- plate, orthotropic circular, with concentric isotropic core, numerical solns. 4−11756
- plate, response to transient source 4−30805
- plate, statically deformed, response 4−18916
- plate, viscoelastic rectangular orthotropic on viscoelastic foundation 4−201
- plate vibration problems, quasi-degeneracies 4−23151
- plate vibrations, point-shaped influence of position of excitation *(German)* 4−39125
- plates, asymptotic behaviour 4−26790
- plates, rectangular, free, analytical results 4−11760
- polar-orthotropic discs, plane finite rot. free vibrs. *(German)* 4−39563
- quartz plate, AT-cut, determ. of dispersion curve 4−15181
- quasilinear oscillators linked by complex oscillating system, synchronisation *(Russian)* 4−39496
- randomly excited nonlinear systems, eigenfunction expansions 4−14745
- rectangular plate, sound radiation, in turbulent boundary layer *(Russian)* 4−42679
- rectangular plate with weight, effect of magnetic field 4−26785
- rectangular plates, mixed boundary conditions, finite element methods 4−14748
- rectangular plates, optimal design 4−8646
- rigid bodies on semi-infinite elastic media, stress and displacement 4−15188
- rigid disc, two-degree-of-freedom, with moving massive load, dynamic response 4−30738
- rod, u.s. processing, heating zone width depend. on dissipative characts. of material *(Russian)* 4−37968
- rotating prestressed cylinders, natural freqs. 4−18270
- sandwich panel, dilational mode sound transmission 4−42654
- scale vehicles, flexibility, effect on active altitude control 4−38600
- shell, isotropic viscoelastic, boundary value problem 4−11767
- shell, laminated, vibration anal. by hybrid stress element 4−18911
- shell, thin cylindrical, beam modes vibration 4−31473
- shells, orthotropic cylindrical Timoshenko type, thermoelastic vibrations *(Russian)* 4−15156
- shells, orthotropic doubly curved shallow, nonlinear vibratons 4−8648
- shells of revolution, integrals of eqns. of vibration *(Russian)* 4−18923
- single crystals, free longitudinal vibrations, elastic constants meas. 4−8321
- slender beams, radiation efficiency 4−42676
- spherical shells, unclosed, anal. of asymmetric vibrations *(Russian)* 4−11769
- square plates with square openings, free vibrations 4−14746
- states, variable thickness, bending anal. using triangular elements 4−30811
- steel plate, effect of distortion on lowest natural frequency 4−35713
- string, bounded or nearly periodic solns. to nonlinear eqns. *(French)* 4−18912
- string, forced oscillations, negative resistance mode 4−8647
- string with moving load, vibrational behaviour *(Russian)* 4−35716
- suppression optimisation in game theoretic terms *(Russian)* 4−35700
- thermoelastic, anal. of plane strain in linear theory 4−39519
- thick plate theory, elastic vibration anal. using best quadratic approximations method *(Russian)* 4−11771
- thin elastic plate, point constraint 4−30802
- thin pipes, with fast internal flow, stability 4−15183
- thin plates, forced vibrations 4−5353
- Timoshenko cylindrical shells, forced axially symmetric vibrations 4−2510
- transient stresses, axisymmetric bodies of varying area, discussion, additional references 4−202
- u.s. emitter with vibrating plate, equivalent cct. analysis *(Spanish)* 4−35697
- vibration mode reconciliation of branch model calc. and resonance testing methods 4−2507
- violin string, physics of bowing 4−42678
- visco-elastic-plastic beams, dynamic analysis *(Japanese)* 4−26791
- viscoelastic bar, dynamic stability, anal. by averaging method 4−11768
- wine bottle, flow-induced oscillations 4−14730

vibration control
- *see also damping*
- foam vibration isolator, pneumatic damping 4−35705
- industry, prediction and reduction of noise and vibration 4−2204

vibration excitation
- acoustic, membrane deflection, in capacitance microphone 4−26484
- deep-drawing process, analogue, effect of u.s. vibration 4−25406
- gravitational waves cross section of cylindrical antenna for longitudinal nonaxial vibrations 4−23202
- gyroscope, three-stage, transient oscillations during passage through resonance 4−2520
- infinite plate, excitation by circularly distrib. transverse force *(Russian)* 4−39573
- linear system, harmonic rel. to random vibration response relationships 4−30808
- nuclear fuel rod bundle, two-phase flow, surface tension, gas density effect on vibrs. 4−2996

- **vibration excitation** continued
  - random, nonlinear damping, linearly elastic lumped mass system 4−23149
  - random perturbation effects on self-excited vibrations of system with one degree of freedom 4−15179
  - simulation of sinusoidal and random environments 4−29266
  - thin films, <1000 Å, internal friction meas. by transverse vibration excitation 4−3660
  - two-mass system with collisions, interaction with fixed constraint, dynamic characteristics *(Russian)* 4−23158
  - u.s. application, safety aspects 4−26329
  - u.s. cleaning bath, rectangular 4−26328
  - wave propagation mechanisms, char., continuous systems and dispersion effects 4−26298
  - O_2-H_2O-D_2O, gas mixture, vibrational relaxation 4−40366
- **vibration measurement**
  - *see also seismometers*
  - acoustic resonator, axisymmetric vibr. meas. by holographic interferometry 4−30295
  - basilar membrane, capacitive probe 4−8137
  - bridge, anal. of vibrational characteristics using ambient vibrations *(Japanese)* 4−11781
  - circular plate, vibratory pattern by holography 4−39166
  - compressor rotors from aircraft engines *(Russian)* 4−11443
  - dynamic properties of large structures, cultural vibrs. 4−26462
  - earphone diaphragm, circular, vibratory pattern by holography 4−39166
  - elastic bar, optical anal. of acoustic modes 4−35189
  - holographic interferometer appl. *(Russian)* 4−14890
  - holographic interferometry, stroboscopic and time averaged methods 4−26479
  - in-plane, optical heterodyne detect. of freq. shift 4−22767
  - internal friction meas. apparatus for metal testing 4−7411
  - laser beam modulation method *(Italian)* 4−14790
  - laser Doppler velocimeter, with optical freq. shifting 4−30679
  - modulated reference wave holography for detection of small amplitude vibrs. 4−35175
  - multiple beam interferometric method 4−30392
  - nuclear reactor (PWR), internal vibr. monitoring by pressure transducers 4−2995
  - one-arm phase optical bridge with axial symmetry, applic. 4−4963
  - optical noncontacting Doppler methods, review 4−18369
  - plate, four-point supported, fundamental freqs. 4−35711
  - rotating disc, vibration analysis by holographic interferometry 4−11490
  - shells of revolution, free vibr. meas. techniques 4−26457
  - sinusoidal vibration with ramp motion, quadruple exposure holographic interferometric anal. 4−30395
  - sinusoidally vibrating object, time-average hologram interferometry 4−22879
  - sound energy level, use of holographic interferometry *(German)* 4−35309
  - tensioned sheet with crack-like opening, parametric excitation 4−26461
  - underwater, by holography *(Russian)* 4−14796
  - violin string, physics of bowing 4−42678
- **vibrational states in disordered systems**
  - amorphous semiconductor, study of anharmonicity in rel. to optical absorpt. edge 4−32637
  - cellular system with strong short-range order, local features of phonons 4−1098
  - chlorophyll-a, fluorescence, excitation-wavelength depend. and solvent effects 4−33477
  - cluster approximation formulation 4−16578
  - collective modes of one-dimens. disordered chain, computer study 4−24378
  - glass, alkali silicate, lattice vibr., ofder determ., Raman, i.r. spectra 4−6875
  - glass, thermal cond., random-network model 4−24540
  - glass, thermal cond. 0.1 to 10K, elastic scatt. due to struct. disorder 4−32756
  - glasses, vibr. spectra theory, elucidation of struc. information content 4−33389
  - mixed crystals, dispersion relations for optic and acoustic phonons derivation rel. to conc. 4−24530
  - molecular solids, virtual crystal limit, different trap depths 4−6468
  - polymer, thermal cond. 0.1 to 10K, elastic scatt. due to struct. disorder 4−32756
  - polymer, torsional mode, low-lying, exptl. evidence 4−6469
  - polymers, disordered, fundamental frequencies and intensities 4−6471
  - polystyrene, far i.r. spectra, rot. and translational band assignments 4−37600
  - polystyrene and related polymers, specific heat, 1.6-4°K 4−6507
  - polystyrene crosslinked with divinylbenzene, torsional mode, low-lying, exptl. evidence 4−6469
  - solids, non crystalline, state of art review 4−32636
  - theory, book 4−13119
  - Toda lattice, computer generated integrability 4−8725
  - Ge, amorphous, phonon density of states, local order effect 4−40861
  - NH_4Br(I), disordered mol. cryst., mode Gruneisen parameters, Raman spectra under hydrostatic pressure 4−36988
  - $PbCl_2$-KCl system, fused state, Raman spectra 4−33399
  - $Pd_{0.755}Si_{0.165}Cu_{0.06}$ alloy, anharmonicity in amorphous and crystalline phases 4−36968
  - $RbAg_4I_5$, disordered solid electrolyte, far i.r. spectra, lattice vibrs., optical, dielec. props. *(German)* 4−36986
  - Si, amorphous, phonon density of states, local order effect 4−40861
  - Si-Ge alloys, Raman spectra interpretation 4−36987
  - SiO_2, amorphous, Mossbauer obs. of elastic and inelastic scatt. of γ-rays 4−33324
- **vibrations**
  - *see also molecular vibration*
  - aeroelastic system with follower force, self-excited and forced vibrs. with damping 4−2515
  - ambient, anal. of vibrational characteristics of structs. *(Japanese)* 4−11781
  - annular plate, natural freq. and location of nodal circles 4−35710
  - beam, lateral bending-torsion vibrs. under parametric excitation 4−30827
- **vibrations** continued
  - beam carrying concentrated mass 4−30833
  - beam finite elements, stiffness and mass matrices, application to plates 4−2491
  - beam with one end spring-hinged and mass at free end, vibr. freqs. 4−30832
  - beam-type, Timoshenko finite elements, formulation 4−14752
  - cantilever beams coupling between torsional and bending modes of vibration 4−2526
  - circular arch frames, forced vibr. theory 4−35708
  - circular disc, variable thickness, with and without central hole 4−11774
  - circular plates of variable thickness, response to time dependent loads 4−8650
  - columns under periodic axial loads, resonances 4−39566
  - composite laminates, refined analysis 4−8270
  - composite material beam, bending vibrs., torsion and inertia effects, elastic consts. eval. *(French)* 4−25423
  - continuous system, viscous damping 4−35707
  - cylindrical shells, dynamic shell theory coupling thickness stress wave effects with struct. response 4−30830
  - cylindrical shells, forced plane strain motion, shell and elasticity theory comparison 4−30829
  - diffractive planes, speckle structure technique *(Russian)* 4−11494
  - elastic half-space under impulsive body force, torsional damped vibrations 4−5359
  - Elimination Technique, critical appraisal 4−14750
  - extended field method 4−8269
  - f.m. laser system for 5 MHz video transmission, experience 4−27021
  - gridworks, continuum approach to dynamics 4−30820
  - gyroscope, mounted on oscillating housing, spin axis behaviour 4−4970
  - harmonic oscillator, impulse response function, random parameters, formulation 4−11762
  - harmonic wave propagation in periodic structure, finite element approach 4−39567
  - heated cylinder in steam-water axial flow 4−5898
  - hinged beam, nonlinear vibrs. and nonlinear inertia effects 4−30813
  - holonomic mechanical systems, generalised cyclic displacements, eqns. of motion *(Russian)* 4−23162
  - image quality, effect of image motion 4−30983
  - in gyroscopes with unbalance *(Russian)* 4−23095
  - linear, thin-walled beams of equal angle-section 4−35703
  - membranes, trigonometric terms in finite element solution 4−26788
  - modal damping ratios derivation from complex plane response plots 4−8649
  - multidegree system with impact damper, steady-state response 4−30814
  - non-linear problems, application of spectral method to partial differential eqn. soln. *(Russian)* 4−196
  - nondivergent elastic systems, vibration and stability 4−11755
  - nonlinear analysis, rectangular plate on a viscoelastic foundation 4−39559
  - nonlinear continuous system, evolution of self-sustained oscillation 4−35118
  - nonlinear in orthotropic doubly curved shallow shells 4−8648
  - nonlinear nonconservative system, ultraspherical polynomial 4−35706
  - nonlinear vibrator under e.m. force, parametric resonance 4−5361
  - plate, point-shaped influence of position of excitation *(German)* 4−39125
  - plate in supersonic flow, shock load response 4−925
  - random, first passage probability 4−14749
  - random, harmonic analogy 4−14755
  - rectangular plate, with lumped mass-spring-dashpot systems, nonlinear transverse vibr. analysis 4−30834
  - rectangular plates, elastically restrained, large amplitude vibrs. 4−30831
  - rhombic plates and membranes, natural frequencies and nodal lines 4−26787
  - rubber, stationary flow, dynamic deform. 4−21466
  - sandwich shell, determination using BEOS program *(German)* 4−23165
  - shear deformable curved anisotropic composite plate, flexural vibrs. 4−30822
  - simply supported show plates, large amplitude flexural vibrations 4−5350
  - stiffened shells, buckling and vibration analytical models 4−2492
  - Stockbridge dampers, dynamic stresses 4−14728
  - string, flexible non-extensible, equilib. stability under stationary field of force *(Russian)* 4−199
  - superharmonic resonance in piecewise linear systems, Fourier anal. 4−195
  - thin walled beams of equal angle-section non-linear effects 4−35704
  - transcendental equation $\mu \tan \mu = b$, Chebyshev polynomial approx. 4−39482
  - wall, calc. of radiated field from vibrational velocity 4−30290
  - Walsh transforms and linear discriminant technique, appl. to vibration anal. 4−39575
  - web-stiffened sandiwch structures, refinements in approx. analysis 4−39574
  - Al plate reinforced with B/epoxy composite 4−1633
- **vibrations, crystal lattice** *see lattice dynamics*
- **vibrations, molecular** *see molecular vibration*
- **vibrations of crystal lattices** *see lattice dynamics*
- **vibrometers** *see vibration measurement*
- **vibronic states of molecules** *see molecular vibration*
- **video recording**
  - bolus transit, video crosscorrelation meas. 4−18201
  - on disc for colour television, signal processing for Philips VLP system *(German)* 4−39770
  - disc system, using laser based recording on photographic film 4−31080
  - electron microscopy replica technique, mag. tape and video record disc appls. 4−8540
  - embossed holographic films *(Russian)* 4−14889
  - holographic motion pictures for TV playback, HoloTape system review 4−8383

video recording continued
holographic movie system, Holotape (RCA) *(Russian)* 4−2300
Holotape prerecorded TV system using holographic storage 4−11518
image transmission scanners and recorders 4−324
LR71, laser image scanner/recorder 4−11492
quantitative videoangiocardiography of left ventricular volume 4−26256
school mechanics experiments, use of video equipment 4−26440
solar corona, emission line profiles of λ5303 at July 10 1972 total solar eclipse, video recording, technique 4−25970
TV replay system, instant, of spotfilms using the Memospot, in internal medicine and paediatrics 4−39057

video signals
deconvolution possibility 4−23001
electrooptical Fourier transform system, real-time 4−30492
f.m. laser system for 5 MHz video transmission, experience 4−27021
image reversal by spatial filtering and optical subtraction *(Japanese)* 4−15320
meteorological satellite scanning radiometer picture contrast expansion processor 4−14229
recording and reproduction on disc for colour television, signal processing for Philips VLP system *(German)* 4−39770
SEM, signal processing for noise reduction, filtering techniques 4−23002
SEM digital image processing 4−15013
underwater low light level, TV cameras, video processing techniques 4−22180

vidicons *see television camera tubes*

virial coefficients *see equations of state*

virtuons (virtual phonons) *see phonons*

viscoelasticity
see also plasticity
acrylonitrile-butadiene-styrene, emulsion polymer, creep mechanisms 4−17440
alkali borate glasses, rheological props. 4−41880
amorphous polymers, linear volume viscoelasticity, non-equilib. thermodynamics 4−17441
anisotropic plates, large deflections 4−2480
Bakelite, temp. dependence of shear modulus and loss tangent 4−21479
bar, dynamic stability, anal. by averaging method 4−11768
bentonite-water suspensions, horizontal pipe flow behaviour 4−27912
BKZ elastic fluid theory, rheological relations 4−23098
BKZ liquids, small deformations on large deformations 4−26773
body force equivalents for dislocations in viscoelastic media 4−17579
boundary layer flow, Blasius problem 4−12712
capillary-porous body, balance equations, viscoelastic two component model 4−40603
castor oil, viscoelastic props., effect of hydrostatic pressure 4−6426
cellulose, regenerated, stress relax. in fibres 4−1676
composite, isotropic, with elastic or viscoelastic phases, general bounds for moduli and special geom. solns. 4−41849
composites, discrete lattice simulation of transient motions 4−17419
compressible viscoelastic sphere, thermomechanical coupling, temp. fields 4−1667
concrete, prestressed shell of revolution, finite element anal. 4−27471
crack propagation, eqns. *(Russian)* 4−32611
creep and relaxation, rel. rates in shear, elongation, and isotropic compression 4−21458
creeping flow induced by spinning sphere including couple stresses 4−19986
cyclically stressed material, fatigue failure problem *(Russian)* 4−1671
cylinder, contact problem of rolling friction on surface of same material *(Russian)* 4−23126
cylinder, determ. of stress and temp. distrib. due to cyclic internal pressure 4−5339
damped sandwich beam, three-layer, forced vibrations 4−30807
1,1-dichloro-1-nitroethane dilute solution, viscoelastic relax. time, determ. from dielec. relax. 4−6841
dielectric, Faraday effect theory *(French)* 4−17054
dispersed phase in continuous matrix, differential operator of anal. of constitutive eqns. 4−33925
displacement, uniqueness of initial boundary-value problem 4−18882
drops, freezing water, calc. of stresses and pressure in ice shell and liquid core 4−3556
dynamic response of bar placed in magnetic field, hereditary model 4−38239
earth, following seismic event, surface strains and tilts 4−21652
Earth, post seismic viscoelastic rebound 4−21714
Earth's crust, viscoelastic models of quasi-static deformation by displacement dislocation 4−38245
earthquake source mechanism, thermoviscoelastic model 4−17580
enamel coatings characteriz. for high temp. damping applics. 4−4178
energy equation, dissipative function, temp. dependent props. 4−29219
epoxy resin, shear characteristics during amine curing depend. on shear deformation 4−13931
equations of motion of viscoelastic media *(Russian)* 4−39531
ethylene-vinyl acetate copolymer, mechanical loss properties, rel. to hydrostatic pressure and temp. 4−21477
fabric reinforced glass laminate, calc. of relax. spectra from dynamic test data 4−13935
fibre, wave propag. under transverse impact 4−30816
fibre suspension in Newtonian fluids, extensional flow, stress levels 4−24251
fibre suspensions, with and without friction reducing chemical additives 4−936
film, shape of peeling film 4−4213
fluid, fading memory, thermal effects 4−21486
fluid, non-uniform tubular flow, memory effects 4−21480
fluid, nonequilib. effects in seepage through porous medium *(Russian)* 4−27917

viscoelasticity continued
fluid layer, overstable convection at large Chandrasekhar number, magn. field effect 4−36669
foundation, rectangular plate, nonlinear vibration analysis 4−39559
function determination, linear and non-linear 4−4211
Gaussian polymer chains, stress relaxation by cross-link reorganization 4−10696
glass, commercial, stress relaxation modulus 4−38061
glass, relax. processes, conf. Baden-Baden, Germany (1973) 4−28026
glass, review *(Japanese)* 4−38070
glass, thermal stress analysis, temp. depend. coeff. of expansion 4−21488
glass, thermal stress calc., linear viscoelastic deviatoric response 4−28225
glass reinforced plastic, nonlinear creep 4−21429
glass reinforced plastic, plane-stress creep 4−21430
glass reinforced polyamides, physicomech. props. 4−21431
half-space in plane state of strain theory 4−35637
half-space of porous material saturated with liquid, consolidation process 4−35638
harmonic type material, plane deform. problem *(French)* 4−39524
heat transfer, viscoelastic fluid in curved pipe 4−27826
highpolymer systems, nonlinear non-steady viscoelastic props. *(Japanese)* 4−33917
incompressible solids, minimum principles for quasi-static deformation 4−11732
irradiation induced creep in cryst. solids, viscoelastic primary-creep strain tensor, eqns. 4−36915
isotropic media, theory of invariant stress space 4−13929
isotropic shell, vibrations, boundary value problem 4−11767
laminar materials, effective rheological characteristics *(Russian)* 4−35659
laminated composite beam, dynamical continuum theory 4−15160
Laplace transform inversion, numerical 4−30749
layer, dynamic punch indentation governing eqns. 4−15162
linear, completely monotonous relax. functions *(French)* 4−39525
linear, contact problems, point force effect *(Russian)* 4−39529
linear with ageing, analytic continuation method *(Russian)* 4−35654
liquid, BKZ theory, shear acceleration critical wave amplitude 4−27879
liquid, boundary layer flow, past semi-infinite flat plate 4−32066
liquid, Maxwell, unsteady translation of sphere 4−16232
liquid, mech. retardation and relax. 4−40523
liquid flow in slits and capillaries, theory for normal stresses 4−3309
liquids, nonlinear, stress in shear sinusoidal motion, fading memory 4−12713
long viscoelastic hollow cylinders, dynamic response approximation *(German)* 4−5343
lubricant elastohydrodynamic films, rolling-contact expt., viscoelastic behaviour obs. 4−20367
marine sediments, properties from Gulf of Mexico cores 4−7662
mass transport enhancement, rotating disc in Walters B^1 liquid 4−27846
methyl methacrylate-styrene copolymers, flow props., cone and plane viscometer 4−13892
micropolar materials, acceleration wave propagation 4−23152
micropolar medium, electromechanical interaction 4−15161
Newtonian flow through helical duct of screw agitator 4−19985
non-isothermal flow in channels, stability 4−19979
non-Newtonian flow, through tapered tube, pressure development 4−20023
non-Newtonian fluid, flow past a sphere 4−16228
non-Newtonian incompressible fluid, nonlinear equations of motion 4−20021
non-Newtonian polymer flow, normal stress calc. 4−20018
non-Newtonian polymeric media, helical flow problem 4−20017
nonclassical theory, second boundary value problem 4−11736
nonhomogeneous solid, oscillating progressive shear wave, eqn. of motion 4−2502
nonlinear, creep and relax. relationships *(French)* 4−35646
nonlinear, flow and relax. relationship *(French)* 4−23108
nonlinear, multivariable symbolic calculus applic. *(French)* 4−18881
nonlinear, variational principals 4−39520
nonlinear hereditary media, nonlinear theory, correspondence principle 4−11735
nonlinear isotropic medium, acceleration waves *(Russian)* 4−35698
nonlinear laws development *(French)* 4−18859
nonlinear solid, acceleration wave propag. 4−33918
nonlinear theory, Il'yushin isotropy postulate 4−11734
nonlinear thermoviscoelastic response to steady shock wave propag. 4−10685
nonlinear viscoelastic fluids obeying superposition principle for stress, flow behaviour *(French)* 4−40524
nonlinear viscoelastic material, plane longitudinal waves, small amplitude 4−192
nonlinear viscoelastic materials, modelling, identification and prediction 4−2477
nylon, calc. of elastic modulus by energy balance method 4−25437
nylon 66, fibre and film dynamic mech props. 4−33908
nylons, transition and relaxation processes 4−13936
oligoester melts, filled polymers, viscosity, vitrification representation *(Russian)* 4−10704
phenylmethacrylic alkoxybenzoic acid polyesters, hydrodynamic and optical props. *(Russian)* 4−9641
photoviscoelastic materials, optical calibration on microsec. time scale 4−35187
plane Poiseuille flow, stability 4−20022
plate, Love-Kirchhoff theory, boundary value problems *(French)* 4−35647
plate, rectangular orthotropic, on viscoelastic foundation, vibr. 4−201
PMMA, acceleration wave propag. 4−33918
PMMA, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
PMMA, nonlinear thermoviscoelastic response to steady shock wave propag. 4−10685
PMMA, shock pulse attenuation 4−41864

viscoelasticity continued
PMMA, steady shock wave evaluation, dynamic response evolution 4−21451
PMMA, strength correl. with relax. props. under influence of irrad. and liq. media *(Russian)* 4−10675
PMMA, suspension in dibutyl phthalate, dilatant properties 4−41892
PMMA, yield stress meas. by capillarity method 4−13889
poly-γ-benzyl-L-glutamate concentrated solutions, Weisenberg effect 4−21452
poly-γ-methyl-L-glutamate fibre, conformational change and viscoelastic props. *(Japanese)* 4−1669
cis-polybutadiene, crosslinked, dilation coeffs. in simple extension 4−10697
polybutadiene soln., viscoelastic behaviour, relaxation processes *(German)* 4−4230
polybutadiene/epoxy resin blends, liq., dynamic viscoelastic and mech. props. *(Japanese)* 4−13893
polybutadienes, monodisperse, cyclic deform. effects on viscoelastic props. 4−41871
polycarbonate, stress relax. mechanism, strain depend. 4−21449
polychloroprene, capillary flow props., effect of weight average mol. wt. *(Japanese)* 4−10674
polyelectrolyte, capillary viscometer 4−26742
polyethylene, branched, steady flow dynamic viscoelastic properties 4−38077
polyethylene, calc. of relax. spectra from dynamic test data 4−13935
polyethylene, deformation mechanism and structural interpretation of results 4−7351
polyethylene, dual-planar orientation by pressure deformation *(Japanese)* 4−17436
polyethylene, glass transition, vol. relax. mechanism 4−20224
polyethylene, low-density, multiparameter prediction of creep 4−21462
polyethylene, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21477
polyethylene, rheo-optical obs. of α-mechanical loss mechanism 4−33910
polyethylene, tension tests with discontinuous strain rates *(French)* 4−38051
polyethylene melts, filled modified, viscoelastic characts. and modifier effects 4−21474
polyethylene oxide, cavitation suppression by injection 4−12735
polyethylene oxide, solution, jet cavitation 4−12734
polyethylene oxide-water dil. solns., orifice flow 4−40518
polyethylene rod, quasistatic tension correspondence with longit. wave propag. 4−21476
polyethylene terephthalate, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
polyethylene terephthalate, semicrystalline, quantitative morphology 4−13937
polyethylenes, Graessley's theory anal. of flow behaviour 4−10688
polyisobutyl and aluminium naphthenate soln., in rotational devices with cone-disc gap, rheological props. *(Russian)* 4−17453
polyisobutylene, flow in tubes of const. section, press. drop change 4−40521
polyisobutylene, mineral oil soln., stagnation flow, viscoelastic behaviour 4−27875
polyisobutylene soln., presteady-state stage of deform., normal, tangential stresses and reversible deform. 4−17439
polyisobutylene soln., viscoelastic behaviour, relaxation processes *(German)* 4−4230
polyisobutylene-polybutene solution, steady flow viscous and elastic props. 4−33912
polymer, ageing process, anal. of testing methods 4−13961
polymer, ductile, strain-rate-dependent behaviour 4−29217
polymer, extension of Rouse theory 4−39527
polymer, glassy crystalline, internal stress and elasticity, development of macromolecular mechanics 4−13925
polymer, highly elastic state, vol. deformation 4−21454
polymer, linear and branched 4−41872
polymer, liquid drop shape, large elastic deformation theory 4−21482
polymer, Pitot-tube meas. errors in dil. solns. 4−9683
polymer, rigid, creep under torsion 4−17447
polymer, stress-optical coeffs., depend. on mech. and opt. props. 4−41356
polymer, time effects, nonlinear theory of heredity 4−13917
polymer, viscoelastic props. determ. from relax. spectrum *(French)* 4−7364
polymer, viscosity-temp. relation 4−40908
polymer fibres, acoustic method determ. of hot-drawing conditions effect on orientation characts. 4−21473
polymer gel, optical-polarization and rheological behaviour, variations 4−17457
polymer melt, axisymmetric two-dimens. flow, vel. and press. distrib. in disc extruder gap 4−21467
polymer melt, Barus effect, capillary length depend. *(Japanese)* 4−1668
polymer melt, constitutive equation for entangled network, elongation and shear 4−21484
polymer melt, effect of pressure on shear viscosity 4−21483
polymer melt, stress distribution in exit region, stress-birefringence 4−29228
polymer soln. turbulent pipe flow velocity meas. by optical technique 4−2435
polymer solution, stress relax. upon cessation of steady flow and overshoot effect 4−21457
polymer solutions, elastic recoil as function of conc. 4−41870
polymer solutions, linear chain, conformation changes 4−6351
polymer solutions and melts, flow mechanisms 4−20019
polymer suspension, internal viscosity of macromols. influence on viscoelastic behaviour *(Russian)* 4−41898
polymeric chains, linear, dynamics 4−27777
polymeric surface, contact area of rigid spherical indenter 4−25436
polymeric system, elastic deformation relaxation time, storage and loss moduli 4−38065
polymeric systems, liq., crit. regions of deform. 4−41878
polymers, dynamic X-ray diffraction technique, rheo-optical properties of crystalline polymeric materials, measurement 4−28004

viscoelasticity continued
polymers, rubber-like, statistical derivation of viscoelasticity equations *(Russian)* 4−10705
polymers, superposed oscill. shear flow, microstructure model 4−27876
polymers solns. conc., in rotational devices with cone-disc gap, rheological props. *(Russian)* 4−17453
polyphenylene oxide, particulate reinforced, yield behaviour 4−13898
polyphenylsiloxane, cyclolinear, benzole solutions, mol. props. *(Russian)* 4−9638
polyphosphate, viscoelastic props. rel. to drag reducing ability 4−1677
polypropylene, effect of thermomechanical history on relaxation behaviour *(German)* 4−1680
polypropylene, helical flow problem 4−20017
polypropylene fibres thermal shrinkage, recrystallisation 4−13890
polypropylene mechanical loss props. rel. to hydrostatic pressure and temp. 4−21477
polypropylene melt, cyclic deformation effect on viscoelastic props. 4−17443
polypropylenes, Graessley's theory anal. of flow behaviour 4−10688
polystyrene, atactic, strain props. and limiting mech. props., effect of secondary relax. processes *(Russian)* 4−17451
polystyrene, extension of Rouse theory 4−39527
polystyrene, impact type, matrix mol. wt. effect on physicomech. props. 4−21470
polystyrene soln., viscoelastic behaviour, relaxation processes *(German)* 4−4230
polystyrene-1,4 polybutadiene diblock copolymers, effect of terminal chains on mechanical props. 4−13897
polyurethane, porous, multiparameter prediction of creep 4−21462
polyvinyl acetate, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
polyvinyl fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
polyvinyldiene fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
polyvinylidenechloride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
power law fluid, nonisothermal laminar channel flow 4−16227
power-law hardening material, stress field due to line load acting on half-space 4−30796
PVC, mechanical loss props. to hydrostatic pressure and temp. 4−21478
PVC, rigid, viscoelastic/plastic deform., time depend. constitutive eqn. 4−17454
Rayleigh surface wave, on linear viscoelastic half-space 4−39564
Rayleigh surface waves on linear viscoelastic half space 4−42645
red blood cell membrane, deformation, volume loss and rupture in micropipettes 4−14541
rod of finite length, impact problem for rigid mass 4−21465
rubber, effect of addition and scission of cross-links under strain 4−10695
rubber, effect of thermomechanical history on relaxation behaviour *(German)* 4−1680
rubber, mechanical loss properties, rel. to hydrostatic pressure and temp. 4−21477
rubber, stationary flow, dynamic deform. 4−21466
rubber and rigid substratum slipping, viscoelastic adhesion friction theories *(French)* 4−38053
rubber elasticity theory, review 4−21485
rubber-polypropylene mixture, effect of thermomechanical pretreatment on struct. and rheological props. *(German)* 4−4222
rubbery cylindrical layer reinforced by anisotropic shell, state of stress and strain 4−18870
second order fluid, stability of generalized plane Couette flow 4−40519
second-order fluid, rotationally symmetric flow 4−32106
semi-space in plane state of strain, consolidation 4−15139
shells, nonlinear theory of oscillations, appl. of Bubnov-Galerkin method *(Russian)* 4−23160
silicate glass fibres, effect on stress birefringence relax. 4−28786
soda-lime glass, stress relax. modulus, transformation-softening temp. 4−28139
sphere, inhomogeneous, anal. of temperature stresses using perturbation methods *(Russian)* 4−15155
stability problems *(Russian)* 4−7369
Steklov-ageing material, general theory 4−25438
stress waves, 2-dimens., in viscoelastic body, form subseismic normal load, closed soln. 4−2514
stress waves in viscoelastic medium with singular propagation centre *(Russian)* 4−5364
styrene acrylonitrile polybutadiene composite, dilatation, excess enthalpy 4−21447
superposed shearing flow of viscoelastic fluids, dynamic and steady-state properties *(Polish)* 4−16231
suspensions, non-Newtonian friction losses in transition from laminar to turbulent flow *(German)* 4−935
1,1,2,2-tetrabromoethane dilute solution, viscoelastic relax. time, determ. from dielec. relax. 4−6841
tetrafluoroethylene-hexafluoropropylene copolymer, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
thermal stresses during annealing glass 4−21487
thermally stressed state of arbitrary shaped solids, modelling conditions 4−41474
thermoplastic polymer melt, yield stress meas. by capillarity method 4−13889
thermoplastic structures, viscoelastic/plastic deform., time depend. constitutive eqn. 4−17454
thermorheologically simple material, free energy functional 4−2471
thermoviscoelasticity, linear theory, quasistatic problems 4−13915
thermoviscoelasticity, polymer mechanics coupling problem 4−13916
thixotropic rubbery liquid, thermal-fluctuation model for calc. relax. spectrum 4−13932
thixotropy, differential form of constitutive relation 4−20054
time-independent fluids, teaching article 4−18305

viscoelasticity continued
transverse seismic waves, in homogeneous viscoelastic medium, eqn. for, soln. *(Russian)* 4−25567
Tresca solid, rate sensitive, slow growth of cracks 4−6431
two-dimensional models, plane stress and deform. states *(French)* 4−18858
unsteady flow, nonlinear effects 4−20024
upper mantle, rheology, review 4−1777
u.s. effects, on viscoelastic solid 4−24516
vinyl chloride copolymers with maleic acid dialkyl esters, mechanic props. characterisation by n.m.r. and i.r. spectra *(German)* 4−4218
vinylchloride/vinyl acetate copolymers, mechanical loss props rel. to hydrostatic pressure and temp. 4−21479
viscoelastic fluid flow past infinite flat plate with uniform suction 4−20016
viscoplastic nonstationary flows, Laplace-Carson integral transform method 4−927
Volterra's principle, applicability to linear viscoelastic boundary problems *(Russian)* 4−11739
wave propagation in three layer medium 4−11766
waves, weak longitudinal in nonlinear viscoelastic medium, series soln. *(Russian)* 4−2517
Na_2O-SiO_2, glass, transformation range, l.f. storage, loss moduli 4−28138

viscometers
see also viscosity measurement
blood, measurement of effects of high ambient pressure, equipment 4−15030
capillary, for polyelectrolyte solutions 4−26742
capillary, precise absolute gas viscosity meas. use for classical slip correction test, 25°C and 1 atm. 4−11700
coaxial cylinder oscillating viscometer, new design 4−35578
cone-and-plane, flow props. of methylmethacrylate-styrene copolymers 4−13892
cone-and-plate, for shear stress of erythrocyte membrane 4−14547
electrovibration, operating condition improvements 4−2434
rotary, rheological props. of disperse systems, review 4−39454
rotational rheoelectroviscometer for polar and Newtonian liquids 4−39456
suspension, flow behaviour properties, flow curves, viscometers, theory *(German)* 4−4227
traction, surface, for shear viscosity meas., hydrodynamic theory, book 4−18815
tuning fork, damped, viscosity from resonance amplitude 4−35579
vibrating sphere viscometry, viscosity range for absolute meas. 4−39453
vibration, Al_2O_3 hygrometer and suction pyrometer for industrial appls. *(French)* 4−35569

viscoplasticity *see plasticity*

viscosimeters *see viscometers*

viscosity
see also electroviscous effect; viscosity of gases; viscosity of liquids
acoustic wave propagation, in ducts, effect of acoustic boundary layer 4−42641
blood, measurement of effects of high ambient pressure, equipment 4−15030
bulk viscosity in relativistic homogeneous isotropic cosmologies 4−4697
capillary-porous body, balance equations, viscoelastic two component model 4−40603
Cosserat fluid, first-order, kinetic energy decay 4−36614
dispersion, longitudinal, effect of viscous sub-layer 4−16255
DNA, supramolecular structure 4−38943
electron gas in metals with quasi-local lattice vibrs. *(Russian)* 4−32844
emulsion, nonaqueous, prep. and characteriz. *(Japanese)* 4−21494
fast reactor materials, high temp. phys. props. 4−19581
foam surface, drainage theory, bubble size bias 4−29237
glass, 5-component, temp. calc. by Ochotin and Kim In-sana's formulae *(Polish)* 4−29200
glass, flow processes rel. to microstructure development 4−28029
glass, rel. to stress relax. during annealing 4−28137
glass, relax. times, parallel Maxwell models 4−28028
glass, rolled, crystallization and viscosity characts., optimum combination 4−33899
glass formation, rel. to bond type 4−20221
glass systems with phase separation *(French)* 4−21489
incompressible dissipative fluid, MHD processes *(Italian)* 4−27882
Lennard-Jones 6-12 potential, sensitivities of second virial coeff., viscosity coeff. and diffusion coeff. 4−9628
liquid crystal, critical at nematic-smectic A transition 4−36799
liquid crystals, nematic, e.p.r. model calc. for dissolved vanadyl acetylacetonate 4−6781
liquid crystals, nematic, mol. axis rot., backflow effects 4−6334
liquid crystals, nematic, threshold potential for stationary struct., anisotropy depend. 4−12869
liquid crystals, nematic homeotropic thin layers, elec. field stress 4−24387
Moon, stability of interior to solid state convection against viscosity 4−17971
multicomponent fluid, phenomenological eqns. in nonequilibrium thermodynamics 4−16168
multicomponent fluid system, anomalous shear viscosity near critical point 4−30928
non-Newtonian convection, combined free and forced, in vert. tube, viscous dissipation effects 4−40525
nonisothermal flow in channels, stability 4−16173
nonlinear shear, nonequilibrium statistical mechanics 4−15253
pipe, circular cross-section, laminar flow, viscous heating and varying viscosity effects 4−27815
plasma, parallel, modification of tearing instability in cylindrical model of hard-core pinch 4−3369
plasma instabilities, resistive, magneto-viscous effects 4−20090
plastic, laminar steady-state flow, rheological parameters 4−17456
polymer, internal viscosity, mol. model 4−40353
polymer, internal viscosity, molecular formulation of atomic bond rotation and stress symmetry 4−9635

viscosity continued
polymer suspension, internal viscosity of macromols. influence on viscoelastic behaviour *(Russian)* 4−41898
polymeric chains, linear, dynamics 4−27777
relativisitc, for systems of massive particles and neutrinos 4−2548
relativistic particle production, hydrodynamical model, viscosity effect 4−2709
rigid dumbbell steady rotation, hydrodynamic interaction for time-depend. motions 4−32103
rocks, igneous, experiments up to 1120°C 4−17572
superconducting alloy, vortex viscous flow, near crit. temp. 4−37361
superplastic flow, activation energy and viscosity, rheological eqns. 4−37947
suspension, ferromagnetic particles, ellipsoidal, viscosity in mag. field *(Russian)* 4−29252
suspension, flow behaviour properties, flow curves, viscometers, theory *(German)* 4−4227
suspension, monodispersive, measured concentration, rheological state eqns. *(Russian)* 4−24252
suspension, rel. to sound propag. 4−29235
suspensions, electrorheological, electrophysical props., effect of nonisothermicity *(Russian)* 4−36679
time-independent fluids, teaching article 4−18305
tubular pinch effect expts., radial velocity of spherical particles 4−27911
universe model, failure of viscous damping of waves to explain singularities 4−11110
water, temp., press. depend. 4−9811
waves, laminar, energy flux calc., wave transformations on gentle slopes 4−12720
$Li_2O.2SiO_2$ glass, crystn., effect of added oxides 4−16434
SF_6, critical liquid-vapour interface, shear viscosity determ. from Rayleigh scattering 4−16590
SiO_2, silica suspension, aqueous, rel. to vol. fraction of solid phase, rheological props. 4−17458

viscosity measurement
see also viscometers
capillary viscometer, immiscible displacement meas. 4−9994
capillary viscometer, precise absolute gas viscosity meas. use for classical slip correction test, 25°C and 1 atm 4−11700
data handling computer programs 4−35568
eccentric disc rheometer, velocity lag, axial thrust, edge effects 4−26746
falling sphere viscometry, end effects in short tubes, corrections to Stokes' law 4−26748
falling sphere viscometry, wall and inertial corrections to Stokes' law 4−26747
glass, compressive method *(Japanese)* 4−41882
methyl methacrylate-styrene copolymers, flow props., cone and plane viscometer 4−13892
non-Newtonian, immiscible displacement meas. technique, applicability 4−16230
polyelectrolyte, capillary viscometer 4−26742
surface shear viscosity, hydrodynamic theory for traction, torsion and canal methods, book 4−18815
vibrating sphere viscometry, viscosity range for absolute meas. 4−39453

viscosity of gases
air, moist, viscosity calc. 4−3243
air, transport props. of shock layer produced by hypersonic blunt cone *(Russian)* 4−36647
atomic vapour, kinetic theory of nonequilibrium alignment phenomena 4−3239
binary gas mixtures, determ. of Lennard-Jones unlike interaction parameters 4−12650
binary mixture, kinetic description of oscillatory relaxation *(Russian)* 4−16163
capillaries, permeability minimum at low pressure 4−24227
capillary viscometer, precise absolute gas viscosity meas. use for classical slip correction test, 25°C and 1 atm 4−11700
dense fluid, molecular dynamics anal. of shear viscosity 4−6515
Enskog dense gas Boltzmann equation, soft potential analogue, kinetic and collisional transfer contributions 4−31994
Graetz problem, parallel-plate channel flow, effects of pressure work and viscous dissipation 4−40455
kinetic theory, Boltzmann eqn. soln. by method of small parameters 4−3237
low pressure viscosity-temp. relations, use of Lennard-Jones potential 4−3242
methane, evaluation and correl. of viscosity data 4−12666
mixtures, binary and ternary, low density, viscosity determs. using oscillating disc. 4−40367
permeable plate boundary layer with uniform injection 4−36644
steam, consistency test using kinetic theory 4−12661
symmetric top gas mols., collision integrals, Senftleben Beenakker effects and nonreson. absorpt. 4−31999
Ar, Lennard-Jones potential parameters *(French)* 4−31993
Ar-methane mixture, −35 to +35°C, oscillating disc viscometer meas. 4−9646
Ar-NH_3 mixture −35 to +35°C, oscillating disc viscometer meas. 4−9646
Ar_2, viscosity coeffs., dispersion, second virial coeffs., 3-parameter pot. calcs. 4−16149
ClF_3, ClF_3/UF_6 binary mixture, viscosity, diffusion coeffs. determ., use in intermol. parameters calc. for ClF_3 *(French)* 4−40348
He, virial coeff., Smith-Thakkar potential, quantum corrections 4−31996
Kr_2, viscosity coeffs., dispersion, second virial coeffs., 3-parameter pot. calcs. 4−16149
MoF_6, MoF_6/UF_6 binary mixture, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
Ne, virial coeff., Smith-Thakkar potential, quantum corrections 4−31996
Ne-Ar-Kr mixture, law of corresponding states 4−27794
UF_6, $UF_6/MoF_6(WF_6)$ binary mixtures, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347

viscosity of gases continued
- UF_6/ClF_3 binary mixture, viscosity, diffusion coeffs. determ., use in intermol. parameters calc. for ClF_3 *(French)* 4−40348
- WF_6, WF_6/UF_6 binary mixture, viscosities, virial coeffs. determ., intermol. Lennard-Jones pot. parameters determ. *(French)* 4−40347
- Xe_2, viscosity coeffs., dispersion, second virial coeffs., 3-parameter pot. calcs. 4−16149

viscosity of liquids
- *see also lubrication*
- acetic acid, rel. to temp. 4−16607
- acetone, rel. to r.f. cond., 400 kHz-6 MHz 4−32936
- acetone, rel. to temp. 4−16607
- alkali halide, aq. solns., nuclear mag. relax., viscosity determ. 4−41290
- anisaldehyde, generalised hydrodynamics and depolarized Rayleigh doublet 4−28811
- benzophenone ketyl radical, CIDEP, viscosity depend. 4−33980
- benzyl halides, liquid, rel. to temp. 4−16607
- binary liquid mixture, mixing excess free-energy and interaction strength from viscosity anal. 4−40896
- binary liquid mixtures, mixing excess free-energy and interaction strength, viscosity determ. 4−40895
- bulk viscosity coefficient effect of resonance absorption of ultrasonic wave 4−3528
- butadiene-styrene coplymer system, decaline and decane solns., viscosity, normal stress difference 4−29227
- critical opalescence, viscosity depend. on order parameter fluctuation decay rate 4−27790
- critical point, shear viscosity freq. depend. 4−15266
- n-decane, cluster sizes in prefreezing region, viscosity anomalies rel. to reduced freezing temp. 4−6480
- dense fluid, molecular dynamics anal. of shear viscosity 4−6515
- dielectric rigid ellipsoid suspension, electric field effect 4−3334
- dioxane-pyridine mixture, excess vol. and viscosity, 30°C and 40°C 4−28230
- ethyl cinnamate, viscosity meas. in thermal gradient 4−13058
- film-forming materials in solvents, rel. to soln. struct. 4−17462
- formamide, visocisty meas. in thermal gradient 4−13058
- n-heptane, cluster sizes in prefreezing region, viscosity anomalies rel. to reduced freezing temp. 4−6480
- immiscible displacement in capillary tubes, calc. 4−9994
- ion-solvent interaction, aq. soln., relation between ionic B coeff. and ionic vols. 4−38176
- levitation, of spherical particles in pulsating liquids, correl. of conditions 4−27909
- lithium dodecyl sulphate conductivity, viscosity and density meas., second critical micelle concentration 4−7373
- lubricating oil, aerated, temp. depend. *(German)* 4−3311
- MBBA, nematic liquid crystal, constants determ. from new optical method 4−6516
- metal, coeff. calc. from effective interionic potentials 4−40736
- metal, coeffs. calc. w.r.t. hard sphere diameters 4−16616
- methane, saturated, absolute meas. using vibrating quartz crystal, 95-190 K 4−20429
- mixtures, Group Solution Model and principle of congruence, comparison 4−1745
- nematic phase liquid cryst., viscosity coeff. divergence near smectic A-nematic transition *(French)* 4−36804
- nitrobenzene, rel. to r.f. cond., 400 kHz-6 MHz 4−32936
- non-Newtonian, immiscible displacement meas. technique, applicability 4−16230
- organic compounds, viscosity-temp. relation 4−40908
- organic solution, width of depolarized combination scatt. lines, during change with conc. of fluidity *(Russian)* 4−37596
- n-paraffins, liquid, rel. to temp. 4−16607
- phenyl salicylate, room temp. to 140°C, free volume theory interpretation 4−13057
- α-phenyl-o-cresol, room temp. to 140°C, free volume theory interpretation 4−13057
- phthalimide, stimulated emission polarisation, viscosity and temp. depend. *(Russian)* 4−41397
- poly(butyl acrylate-co-methyl methacrylate) in dil. soln., copolymeriz., viscometry, osmometry, and light scatt. 4−29216
- poly-3-ethyl-3-pentyl methacrylate in various solvents, dilute soln. props. and dimensions 4−21493
- polybutadiene, decaline and decane solns., viscosity, normal stress difference 4−29227
- polydimethylsiloxane, steady shear viscosity, lower to upper Newtonian region 4−36664
- polyisobutylene-polybutene solution, steady flow viscous and elastic props. 4−33912
- polymer solution, concentrated, zero shear viscosity, corresponding states principles 4−41879
- polymer solutions, linear chain, conformation changes 4−6351
- polymer solutions, Martin equation, graph. soln. 4−7363
- polyoxyethylene in aq. soln., 250 ppm., u.s effects on viscosity 4−37033
- polyphenylalkylsiloxanes, ladder-type mols., mol. wt. dependence *(Russian)* 4−36597
- polystyrene, decaline and decane solns., viscosity, normal stress difference 4−29227
- polystyrene solution in toluene, sedimentation constant conc. depend. *(Russian)* 4−27784
- polystyrene-diphenylmethane high viscosity isodielectric mixtures, electrolytic cond. of $(n\text{-}Bu)_4NSCN$ 4−21566
- polystyrene-cyclopentane system, polymer chain dimensions, temp. dependence, limiting viscosity number 4−36593
- polyvinyl chloride, high-molecular, film-forming, rel. to soln. struct. 4−17462
- polyvinylstearate, molecules in soln. *(Russian)* 4−36598
- potassium dodecyl sulphate, conductivity, viscosity and density meas., second critical micelle concentration 4−7373
- pressurised and unpressurised flow, in channels and pipes, Karman's criterion for pulsed velocity, rel. with coeff. of hydraulic resistance *(Russian)* 4−16171
- n-propyl alcohol, rel. to r.f. cond., 400 kHz-6 MHz 4−32936
- radial flow between two stationary, uniformly porous discs 4−32150

viscosity of liquids continued
- sodium dodecyl sulphate, conductivity, viscosity and density meas., second critical micelle concentration 4−7373
- sodium tetraphenylboron and glyme complexes, in THF solvents, density, viscosity meas., solvation investig. 4−29367
- Stokes-Kirchhoff relation in chem. reacting fluids 4−17542
- structurized, laminar steady-state flow, rheological parameters 4−17456
- sulfolane with alcohols, binary liquid mixture, effect of interactions 4−32736
- supersaturated solution, gas bubbles growth, nonequilib. effects due to solute diffusion 4−40571
- suspension in aqueous polymer solution flowing through straight tubes, calc. *(German)* 4−36677
- suspension of drops in electric field 4−38085
- temperature dependence, from hydrodynamic thermal shock expt. 4−12679
- -oterphenyl, room temp. to 140°C, free volume theory interpretation 4−13057
- tetrachloroethylene, rel. to filling rates of quartz capillary 4−37081
- time-dependent effects, impact viscometer meas. 4−32104
- u.s. relaxation, similarity with dielectric relaxation 4−3525
- water, distilled, viscosity meas. in thermal gradient 4−13058
- water, magnetized *(Russian)* 4−37032
- water, rel. to temp. 4−16607
- water, shallow, nonlinear theory for three dimensional motion 4−40617
- water-heavy water mixtures, meas. 1-1200 kg/cm², conc. depend. 4−13059
- Al, and freq. moments 4−1004
- Ar, bulk viscosity near critical pt., u.s. attenuation 4−3584
- Ar, bulk viscosity near critical point, from u.s. absorption coeff. freq. depend. 4−40909
- Bi, rel. to polymorphic phenomena *(Russian)* 4−3440
- Bi-Te alloys, 600-750°C, viscosity-comp. isotherm shift 4−32735
- CO_2, critical opalescence, viscosity depend. on order parameter fluctuation decay rate 4−27790
- Cd-Sn alloy, liquidus to 350°C 4−33652
- Fe, molten, As horophility *(Russian)* 4−21289
- Fe, rel. to polymorphic phenomena *(Russian)* 4−3440
- Fe, temp. depend. *(Japanese)* 4−41516
- H_2O and D_2O, second coeff., isotope effect and molecular mech. 4−9993
- H_2O-dioxane mixture, molecular reorientation, press. and conc. depend. 4−25007
- ^3He, h.f. shear viscosity determ., Rayleigh scatt. spectra 4−16639
- ^3He, normal, low temp. meas. between 35 and 110 mK 4−10016
- ^4He, shear viscosity along gas-liquid crit. isochore, Rayleigh linewidth meas. 4−40937
- ^4He, superfluid, normal fluid viscosity below 0.6 K 4−16634
- Hg binary alloys rel. to solute atomic wt. and m.p. *(Japanese)* 4−4065
- InI_3, molten *(German)* 4−9995
- K, Born-Green eqn. calcs. 4−1003
- Na, Born-Green eqn. calcs. 4−1003
- $PbCl_2$-$ZnCl_2$ binary system, molten, elec. conductivity and viscosity *(Japanese)* 4−13190
- Se, viscosity-temp. relation 4−40908
- TlI, molten *(German)* 4−9995
- $(U, Pu)O_2$, fuel, phys. props. characteriz. 4−3014
- UO_2 fuel, molten 4−31543
- Xe, critical opalescence, viscosity depend. on order parameter fluctuation decay rate 4−27790
- Xe, liquid, Brillouin spectra obs. 4−13438

visibility
- *see also atmospheric optics; brightness; light transmission*
- astronomical seeing and meteorological air mass analysis 4−38366
- atmospheric mesoscale visibility, temporal and spatial var. 4−34344
- atmospheric visibility forecasting experiments on Hanscom Field runway 4−34345
- blackbody temperature for threshold visibility 4−35201
- ceiling height and visibility forecasts, computerized method 4−34534
- ceilings and visibilities, 2- and 4-hr. recurrence probabilities, stochastic modelling 4−34346
- comparison with precipitation rates and radar reflectivity, use in short-term forecasting 4−38334
- forward scatter visibility meter, calibration and performance 4−34533
- Pic-du-Midi observatory, aerodynamical wakes rel. to quality of astronomical images *(French)* 4−4406
- radiotelescope fringe visibilities, interpolation and Fourier transformation 4−42511
- sensors, statistical analysis of transmissometer and scattered light recorder 4−34535
- stars, threshold brightness, obs. in optical instruments 4−30159
- telephotometer INDO, visibility meas. contrast attenuation determ. 4−26506

visible astronomical observations
- 1548+115, 4C11.50, double QSO, redshift and spectra 4−8052
- 1968, September 22 eclipse, obs. of coronal condensation 4−7923
- 1972, Giacobinid meteor shower, airborne observations 4−7961
- Abell cluster 2199, galaxy distribution 4−26156
- ADS 7251, pair of spectroscopic binaries, spectra and masses 4−26114
- Aitken 1813 triple star, orbital elements, masses, ephemerides determ. 4−8028
- Algol-type eclipsing binaries, element abundances from spectra of six objects 4−34820
- 887 Alinda, precise positions 4−34744
- 887 Alinda, precise positions 4−34752
- 887 Alinda, precise positions for 1973 Dec. 30-1974 Jan. 29 period 4−26070
- 887 Alinda, precise posns. 1973 Oct 6-1974 Feb 16 4−34736
- ancient, applic. to solar system evolution study 4−25927
- 2 Andromedae, parallax and orbit for suspected subluminous binary 4−42397
- angular diameters of 32 O5f-F8 type stars 4−38768
- Ap stars, line identification, elemental abundances and equivalent widths 4−4795

visible astronomical observations continued
Apollo group asteroids, orbital elements, review of origin theories 4−7959
10 Aquilae, BV photoelectric obs. of light var. 4−38807
artificial satellite motions, obs. rel. to improvements to fundamental star catalogues *(Russian)* 4−30148
artificial satellites, image motions, h.f. spectrum *(Russian)* 4−38313
asteroid (43) Ariadne, evidence for chondritic composition 4−34722
asteroids, 587 tabulated positions *(Russian)* 4−17980
asteroids, albedo and radius obs. by photometric/radiometric method 4−22359
asteroids, Crimean Astrophysical Observatory obs. (21st report) *(Russian)* 4−4764
asteroids, observations and ephemeride-work for 1970 period, review *(Russian)* 4−4761
asteroids, photographic obs., Cordoba Observatory *(Russian)* 4−17979
asteroids, photographic obs. from Crimean observatory *(Russian)* 4−17978
asteroids, photographic obs. of positions for 6 objects during 1970 period *(Russian)* 4−4763
asteroids, Saratow *(Russian)* 4−14330
asteroids, spectral reflectivities in visible and near i.r. for 36 objects 4−22358
UV Aurigae, carbon emission line star; CaCl molecular absorption spectra 4−14425
LY Aurigae, spectroscopic study of eclipsing spectroscopic binary 4−34801
B2 1101+38, low dispersion spectra of optical counterpart 4−8036
B96 reflection nebula in Taurus, polarimetric photographic obs. 4−4835
b 2 0912+29, BL Lacertae class object optical and radio properties 4−22422
Barnard's star, atmospheric Li abundance from spectrogram analysis by curves of growth method *(Russian)* 4−14402
Barnard objects, optical data for eight dark areas 4−42488
BD+66°34, triple star, astrometric analysis of 575 plates 4−14382
BD 37°1977, He II rich and H deficient, spectral obs. *(French)* 4−34845
BD 48°1777, He II rich ad H deficient, spectral obs. *(French)* 4−34845
Be shell stars, rapid var. of emission line features 4−34835
binary stars, photographic positional obs. made with 26 inch refractor, Pulkovo *(Russian)* 4−22412
blue compact galaxies, optical and 21-cm. line obs. 4−22446
α Boolis (Arcturus), diameter from amplitude interferometry 4−30035
alpha Bootis, ^{12}C/^{13}C ratio in atmosphere from photoelectric scans 4−11177
bright fundamental stars in the declination zone +40° to −90° *(Russian)* 4−22410
Burnham 1163, spectrographic obs. of visual binary during periastron passage 4−11197
Burnham 1163 visible binary, spectrographic observ. during periastron passage 4−8016
C-S and Mira type variables, unidentified absorption feature 4−38825
C-S type stars, spectral classification from red region objective prism plates 4−14376
S Camelopardalis, carbon emission line star; CaCl molecular absorption spectra 4−14425
Z Camelopardalis, eclipsing binary, dwarf nova, mass loss from Hα emission 4−18001
RU Camelopardalis, photometric activity (1970-1972) 4−4807
53 Camelopardalis, spectroscopic, variable Ap star intrinsic linear polarization from broad blue band obs. 4−18011
XX Cammelopardalis, R Coronae Borealis type spectroscopic study 4−34808
Cancer cluster of galaxies, redshifts for nine objects 4−4823
κ Cancri peculiar A type spectroscopic binary, B, Be, Li abundances 4−4804
EZ Canis Majoris, He II line-profile var. in Wolf-Rayet star, binary nature 4−8027
α^2 Canum Venaticorum, magnetic Ap star, intrinsic linear polarization from broad blue band obs. 4−18011
VZ Canum Venaticorum, photoelectric light curves in yellow and blue 4−30054
η Carinae light curve, description of surrounding region *(Spanish)* 4−30076
β Cassiopeiae, δ Scuti star, absolute energy distrib. in 3500-6000Å range 4−8001
γ Cassiopeiae, linear polarization of Hβ emission lines feature 4−42411
RZ Cassiopeiae, period var. of Algol-type eclipsing binary 4−26124
TV Cassiopeiae, photoelectric observ. of minima, period variation 4−11194
catalogue, 274 faint reference stars in northern sky areas with galaxies *(Russian)* 4−22409
TT Centauri, spectral classificatin and strong spectral variations 4−14376
DICephei, 5 colour TV-photometry *(Russian)* 4−14399
U Cephei, eclipsing binary, abundance anomalies in secondary component 4−38816
u Cephei, photometry of minima, (1968, 1969), period 4−8011
δ Cephei atmosphere, revised abundance analysis from high dispersion spectra 4−30078
Ceres, mass determ. from meridian obs. and orbital corrections 4−26066
UV Ceti type quiescent flare stars, emission line variability 4−18012
city sky glow monitoring at Kitt Peak 4−14141
close binary stars, blue CN absorption, photoelectric obs. 4−42393
CN violet band at 3883 A, multi-component photospheric models 4−22258
Coma Berenices, radial velocity study of three Am-stars 4−17999
X Comae, optically variable Seyfert, possibility of quasar appearance in 1911 outburst 4−14480
AL Comae Berenices, visual magnitude estimates of U Geminorum-type variable 4−42405

visible astronomical observations continued
W Comae Berenices (ON 231) optical variability and radio spectrum 4−22404
Comet Arend-Roland (1957 III), transient structures in Type I tail 4−22354
Comet Bennett (1969i), photoelectric observ., magnitude, colour, photometric parameters 4−7956
Comet Bennett (1969i), photometry of head and tail in polarized light *(Russian)* 4−29961
Comet Bennett (1970 II), emission spectra characts. *(French)* 4−11153
Comet Bennett (1970 II-1969i), narrow band isophotes 4−14336
Comet Bradfield (1974b), first Australian observations 4−26069
Comet Bradfield (1974b), magnitudes, tail, positions, elements and ephemeris 4−29969
Comet Bradfield (1974b), positions, ephemeris, magnitudes and tail obs. 4−34737
Comet Bradfield (1974b), positions, tail and magnitude obs. 4−38724
Comet Bradfield (1974b), positions, tail obs., magnitudes and spectra 4−34751
Comet Bradfield (1974b), precise positions, photometry, magnitudes 4−34746
Comet Bradfield (1974b), precise positions, tail length and V-magnitude 4−29967
Comet Bradfield (1974b), precise positions, tail obs. and magnitude estimates 4−29974
Comet Bradfield (1974b), precise positions, visual total magnitudes and tail obs. 4−34742
Comet Bradfield (1974b), total magnitude, coma and tail obs. 4−29978
Comet Bradfield (1974b), visual total magnitude estimates and tail obs. 4−38727
Comet Bradfield (1974b) parabolic elements, magnitude ephemeris 4−22370
comet Burnham (1959k), brightness, rel. to fluctuations in solar wind and geomagnetic effects 4−4765
P/Comet Encke (1970l), spectrum and identification of O I forbidden doublet *(Russian)* 4−29960
Comet Gibson (1973o), precise positions and tail obs. 4−26072
Comet Heck-Sause (1972 VIII), precise position 4−29970
Comet Heck-Sause (1972 VIII), precise positions and ephemeris 4−22371
comet Kohoutek (1973f), 24th Nov. 1973 and 10th Jan. 1974 obs. *(French)* 4−34732
comet Kohoutek (1973f), hydroxyl radical reson. obs. *(French)* 4−42355
Comet Kohoutek (1973f), magnitude estimates and tail lengths 4−26068
Comet Kohoutek (1973f), precise positions, magnitude and tail obs. 4−29972
Comet Kohoutek (1973f), precise positions, total magnitude and diameter 4−34748
Comet Kohoutek (1973f), precise positions, visual total magnitudes and coma diameters 4−34740
Comet Kohoutek (1973f), precise positions 4−29968
Comet Kohoutek (1973f), precise positions 4−38723
Comet Kohoutek (1973f), precise positions and tail length 4−34750
Comet Kohoutek (1973f), spectroscopic obs. in 3800-7700 Å region 4−34718
Comet Kohoutek (1973f), tail, magnitude and precise positions 4−26071
Comet Kohoutek (1973f), tail and antitail structure 4−29971
Comet Kohoutek (1973f), visual magnitude, antitail and tail length 4−26073
Comet Kohoutek (1973f), visual obs. of structure and magnitude, 1973 Oct 11-30 4−38731
Comet Kohoutek (1973f) amateur obs. in 1973, October-December 4−29993
Comet Kohoutek (1973f) magnitude, spectrum, structure after perihelion 4−34759
Comet Kohoutek (1973f) review of observations and photographs of development 4−42361
Comet Kohoutek (1973f) unfiltered photoelectric obs. and precise posns. 4−34735
Comet Kohoutek (1973f) visual magnitude estimates for 1974 February 12-25 4−26078
Comet Kojima (1972j), photographic obs. 4−34717
Comet Kojima (1972j), precise positions 4−29975
Comet Lovas (1974 c), discovery obs. 4−34739
Comet Lovas (1974c), precise positions, orbital elements 4−34753
Comet Lovas (1974c), precise positions 4−38726
Comet Lovas (1974c), precise positions and appearance 4−34741
Comet Lovas (1974c), precise positions and appearance 4−34747
comet magnitude estimates, aperture corrections for refractors and reflectors 4−7960
Comet P/Kearns-Kwee (1971) positions from photographic obs. 4−7954
Comet Sandage (1973k), precise positions 4−26075
Comet Sandage (1973k), precise positions 4−38722
Comet Seki-Lines (1962 III=1962c) split tail 4−7953
Comet Tago-Sato-Kosaka (1969 IX-1969g), narrow band isophotes 4−14336
comets, head substructure in objects with types I and II tails 4−34715
comets, precise positions for six objects 4−34745
comets and asteroids, precise positions 4−29979
comets with type II tails, dust emission structure 4−34714
compact galaxies, spectroscopic obs. Nov. 1972 to Jan. 1973 period *(French)* 4−38881
compact groups of compact galaxies, list of 30 objects from Palomar Survey *(Russian)* 4−30112
β Coronae Borealis, Ap star, lanthanide identification from visible and u.v spectrograms 4−14378
R Coronae Borealis, magnitude estimates 4−34849
β Coronae Borealis, peculiar A star, long term behaviour of magnetic field 4−17996
R Coronae Borealis, visual magnitude estimates 4−42407
R Coronae Borealis magnitude estimates 4−26128
R Coronae Borealis visual magnitude estimates for 1974 Jan 31-Apr 2 period 4−34850

visible astronomical observations continued
- coronal 5303 A line intensity in solar cycle No.20 rel. to cosmic ray variations 4-38578
- coronal Fe emission line profiles, 1970 March 7 eclipse obs. 4-38645
- coronal Fe emission lines, spectrophotometry during 1970 March 7 eclipse 4-34647
- Couteau double stars discovered at Nice, list of 100 new objects 4-8009
- CPD-56°8032, identification with cool Wolf-Rayet stars 4-30066
- BH Crucis, spectral classification and strong spectral variations 4-14376
- 55 Cygni, detection of Li I 6708 Å interstellar line 4-30136
- 55 Cygni, Li I line in interstellar spectrum 4-34941
- 32 Cygni, long-period eclipsing binary, outside eclipse light var. 4-34818
- BR Cygni, photoelectric photometry 4-11195
- CG Cygni, preliminary elements for eclipsing binary from light curve 4-34817
- 61 Cygni, relative parallaxes and mass ratio of visual binary 4-26116
- Cygnus Loop, expanding shell interaction with interstellar medium, monochromatic photographs 4-34827
- Cygnus X-2, spectroscopic var. of optical counterpart 4-18029
- Deimos, Mariner 9 polarimetry at 0.57 μ 4-22299
- diffuse band absorption in circumstellar dust shells 4-14414
- distant Cepheid variable discovery in Centaurus 4-38824
- dust-embedded stars, diffuse interstellar features in spectra 4-42422
- early-type high-luminosity stars, survey of $H\alpha$ emission 4-26108
- eclipsing binaries, O'Connell effect, UBV and JHKL photometry 4-22396
- eclipsing variables spectrophotometry giving spectral types, magnitudes and velocities *(Russian)* 4-14400
- 616 Elly, positions, photographic observ. 4-4768
- emerging flux regions $H\alpha$ filtergrams and videomagnetograms 4-34621
- enhanced chromospheric network features near active regions, lifetimes from $H\alpha$ obs. 4-38642
- extended southern radiosource optical identification 4-11212
- F corona, intensity meas. near solar limb 4-17912
- faint blue objects in field of BD + 15°2469 in Virgo Cluster of Galaxies, U-B colours 4-34811
- fireball of 1972, August 10, atmospheric grazing trajectory, visible and near i.r. obs. 4-26083
- flare stars in Pleiades, photographic obs. *(Russian)* 4-30110
- Fornax dwarf galaxy, new photoelectric surface photometry and star counts 4-38872
- Galactic Centre, gas kinematics from CO obs. 4-34921
- Galactic nuclear bulge, identification of main-sequence stars 4-38876
- Galactic spiral arms rel. to $H\alpha$ and N II 6584 Å forbidden line emissions 4-11253
- galactic surface polarimetry of integrated light, symmetry and two epochs methods 4-42460
- galaxies, bright, optical positions from 26° to 90° declination 4-8069
- galaxies, isophotal analysis of assoc. quasars 4-34926
- galaxy counts in clusters, expansion and cosmological models 4-14496
- Galilean satellites, composition, review of visible and i.r. obs. 4-26041
- Ganymede, occulation of SAO 186800 (1972, June 7) 4-7929
- GD 229, white dwarf suspect, time varying circular and linear polarization 4-38792
- globular cluster reddening material distrib. from 6-colour obs. 4-14494
- GX5-1, X-ray source, search for optical candidate 4-14453
- H 177, identification with 2U 1639-62 X-ray source and alternative theories 4-2120
- HBV475, photometric and spectral data for emission-line variable 4-42395
- HD 103095 (Groombridge 1830), flare, radial vel., parallax and orbital motion 4-34840
- HD 108, spectrograms in 3200-8000 Å range 4-14388
- HD 122563, metal deficient star, O abundance from [OI] 6300 A line obs. 4-38779
- HD 135485, peculiar early-type metal-rich star, Coude spectrograms 4-2113
- HD 148688, discovery of oxygen-rich supergiant 4-38821
- HD 152270, Wolf-Rayet spectroscopic binary, line identifications, radial velocities, 3500-6000 A 4-34809
- HD 153919, circular polarisation in $H\beta$, rel. to magnetic field variations 4-4821
- HD 153919 (2U 1700-37), spectroscopic binary, spectrum, orbit and magnetic field 4-4800
- HD 153919 (2U 1700-37), visible spectroscopic obs. of X-ray binary 4-30029
- HD 175362, B-type star, He line variable 4-30068
- HD 184905, H line var. in spectrum of peculiar star *(Russian)* 4-30028
- HD 187399, spectral obs. of shell star, envelope expansion velocity *(Russian)* 4-30027
- HD 193964, B-type spectrographic, orbital elements 4-8013
- HD 27149, spectroscopic binary, properties rel. to Hyades membership 4-11204
- HD 7583, A0Ia-O supergiant in SMC, fine analysis 4-4796
- HD 77581 (2U 0900-40), light curve of ellipsoidal variable 4-42410
- HD 77581 (Vela X-ray source 2U0900-40), search for h.f. optical variations 4-42413
- HD 77581 and 153919, models for associated X-ray binaries from visible obs. 4-34895
- HD 97859, spectroscopic study of blue halo Si star 4-34802
- HDE 228766 massive spectroscopic binary, mass of components from visible spectrum 4-14379
- Henize 2-113, identification with cool Wolf-Rayet stars 4-30066
- Herbig Be/Ae pre main sequence stars, polarization and photometric variability 4-38774
- HZ Herculis, broad band circular polarisation obs. 4-2129
- HZ Herculis, eclipsing X-ray binary, spectroscopic obs. 4-22406

visible astronomical observations continued
- HZ Herculis, variable emission core in H_β, 4300-6600 A obs. 4-34810
- high resolution planetary obs., limiting factors of Earth based stations 4-26188
- 153 Hilda, position obs. of librating asteroid 4-38729
- Horsehead Nebula $H\alpha$ and NII obs. of bright rim 4-8094
- Horsehead nebula NII/$H\alpha$ ratio towards bright rim 4-42497
- HR 2142, spectrograms and secondary shell phase 4-34833
- HR 511 and 7670, spectrum analysis of Fe-rich stars 4-26123
- HR 6773, eclipsing binary, photometric obs. 4-38811
- EX Hydrae, dwarf nova, close binary, light curve obs. 4-38813
- VW Hydri, rapid blue variable, rapid pulsation during dwarf nova outburst 4-34853
- individual radial velocities of 3700 stars 4-38767
- inner zodiacal light, rocket photometry at elongation angles between 15° and 30°, 4755 A and 5915 A 4-29995
- interstellar diffuse absorption features at 5780 and 5797 Å 4-42473
- interstellar features in stars with circumstellar dust shells 4-42421
- interstellar medium, visible and u.v. obs. 4-42478
- interstellar polarization curve structure rel. to interstellar grain composition 4-38914
- Io, colour photography 4-26042
- Io, Na D-line emission, Doppler shift and profile 4-38664
- Io, post eclipse brightening rel. to atm. 4-34667
- isophotometric and photographic atlas of peculiar galaxies 4-26157
- Jovian atmosphere, colour photography 4-26043
- Jovian upper atmosphere, temp. and density profiles from β Scorpii A occultation 4-4716
- Jupiter, cloud var. rel. to H_2 quadrupole line obs. 4-26006
- Jupiter, methane and NH_3 bands, spectrophotometric scans across disc 4-29927
- Jupiter, narrow band photography, 3000-9200 A and 1-2 μ 4-4722
- Jupiter, NNTeB, rotation period for subsurface source from photographs 4-4727
- Jupiter, photography from Catalina Observatory during 1973 4-29939
- Jupiter, Pioneer 10 computer processed photographs 4-34692
- Jupiter, South Equatorial Belt disturbance, high resolution photographs 4-4725
- Jupiter, upper atmosphere structure from β Scorpii occultation 4-42321
- Jupiter, upper atmosphere structure from multichannel obs. of β Scorpii occultation 4-26001
- Jupiter's atmosphere, D/H ratio from HD dipole spectra in 6300-7500 Å range 4-26005
- Jupiter's atmospheric activity, photometric studies from 1962-1969, correlation with solar activity 4-7930
- Jupiter atmosphere, photographic obs. during occultation of β Scorpii 4-4724
- Jupiter cloud features, review of wide band photography 4-4721
- Jupiter clouds, correlation between colours and 5μ temps. 4-4728
- Jupiter NNTeB, comparison of 1972 spots with previous outbreaks 4-4729
- Jupiter Red Spot, review of LPL research programme visible and i.r. studies 4-4720
- Jupiter South Equatorial Belt disturbance, projection comparator photographs 4-4726
- K-coronal bridges, source of interplanetary magnetic source boundaries 4-22233
- L726-8, mass ratio of double star, low-mass red dwarfs 4-26115
- BL Lacertae, electronographic meas. and stellar distance *(French)* 4-38880
- DD Lacertae, photoelectric obs. for 1959-71 period 4-34800
- 12DD Lacertae, power spectrum analysis of multiperiodicity 4-7995
- BL Lacertae, rapid optical variations, photographic obs. 4-34830
- EV Lacertae, red dwarf flare star, simultaneous optical and radio obs. 4-38822
- Lacertae OB1 association, spectral classification of stars 4-14499
- Lalande 21185, astrometric study of solar neighbourhood star 4-42396
- ADLeonis, atomspheric Li abundance from spectrogram analysis by curves of growth method *(Russian)* 4-14402
- AP Librae, BL Lacertae-type, rapid variability obs. 4-34829
- light pollution in California and Arizona 4-14142
- light pollution level at Observatoire de Haute Provence *(French)* 4-4421
- LMC, extinction, interstellar dust in H II regions 4-42463
- LMC, $H\alpha$ emission-line stars, luminosity function 4-8021
- LMC, luminous and massive star photometry 4-14363
- LMC, nine new variables and some Harvard variables 4-34854
- LMC members and galactic stars in LMC direction, radial velocities 4-34783
- lunar crater statistics from Orbiter IV photography 4-29943
- lunar eclipse, 1972 January 30, photoelectric obs. 4-34708
- lunar eclipse of 1971, August 6, Tadzhikistan, obs. of contacts, brightness and visibility of details 4-11150
- lunar laser range obs., identification and construction of normal points (1969-71) 4-11141
- lunar laser ranging expt. orbit determ. and selenophysical information 4-11148
- lunar laser ranging numerical ephemeris comparison with observations 4-22348
- lunar occultations of stars, reduction of 119 Cracow obs. 4-34699
- lunar soil composition prediction of Luna 21 and Apollo 17 sites by telescopic obs. 4-29946
- Lyncid meteor shower, 1970 November, radiant 4-38718
- β Lyrae, eclipsing binary, outside-eclipse spectral changes 4-38817
- βLyrae, emission line profiles 4-34843
- β Lyrae spectrum, $H\alpha$ emission profile 4-8015
- RR Lyrae-type in globular cluster NGC 7006, elements, light curves 4-4809
- m15 Population II giants, luminosity vs. effective temperature 4-22395
- M4-18, identification with cool Wolf-Rayet stars 4-30066
- M51, 64 and 81, spectra in 3500-6900 Å range 4-18034
- M67, open cluster, interstellar reddening, blanketing and metallicity 4-30120
- M67-33, W Ursae Majoris type contact binary, masses, radii and luminosities from BV photometry 4-14411

visible astronomical observations continued
M92, Population II giants, luminosity vs. effective temperature 4−22395
M 33, H II regions near nucleus 4−4832
M 39, spectroscopic study of open cluster 4−18039
Mare Serenitatis, definition of surface units by remote obs. 4−38700
Marilia meteorite shower, and X-ray diffraction analysis of specimen 4−2100
Markarian 79, Seyfert galaxy, optical var. 4−42452
Markarian galaxies, accurate optical positions from Palomar Sky Survey 4−14467
Markarian galaxies, spectra of 66 objects from fifth list *(Russian)* 4−14460
Markaryan 474 (NGC 5683), spectral obs. of Seyfert galaxy *(Russian)* 4−30114
Mars, albedo patterns and boundaries, vars. from Mariner 6, 7 and 9 results 4−29903
Mars, cloud distributions from visible and u.v. photography 4−26019
Mars, craters and associated aeolian features, Mariner 9 photographs 4−38673
Mars, diurnal contrast changes from blue-light photographs 4−29904
Mars, dust cloud photometric profiles from Mars-3 4−4731
Mars, dust storm 1971, nine colour photoelectric photometry 4−26021
Mars, irregular streaks and minor details, 19th and 20th century obs. 4−38667
Mars, linear surface trends rel. to Mariner 6 and 7 camera images 4−26048
Mars, Mariner 9 control net established photogrammetrically from T.V. pictures 4−29891
Mars, Mariner 9 photographs of wind-blown streaks, splotches and assoc. craters 4−29923
Mars, north polar hood and underlying terrain, Mariner 9 obs. 4−26013
Mars, optical oblateness from isophotes on near-opposition photometric exposures 4−38668
Mars, photography from Catalina Observatory during 1973 4−29939
Mars, polar areas, height and atmospheric temp. meas. from Mariner 9 occultation 4−26018
Mars, yellow cloud (July 1971) 4−22274
Martian 1971 dust storm, Mariner 9 photos of clearing period 4−29924
Martian dust storm, October 1973, i.r. and visible photographs 4−42336
Martian dust storm 1971, multicolour polarimetry 4−26022
Martian satellites, by Mariner 9 television, surface features, orbital data 4−34671
Martian satellites, photographic photometric meas. near opposition, albedo and magnitude 4−11132
Martian variable features in Promethei Sinus region, Mariner 9 obs. 4−29902
Martian volcanism, Mariner 9 obs. of evidence for pyroclastic activity 4−29922
Mercury, 1970, May 9 transit, apparent diameter and position determ. 4−2083
meteor duration and position of max. brightness pt. 4−34765
meteors, light curves from very faint objects using sensitive TV equipment 4−34757
meteors, Perseid radiants, August 1-15, 1970, map 4−11159
meteors, TV studies of faint magnitudes 4−2152
Milky Way and zodiacal light, surface polarization survey 4−42461
Miranda (Uranus V) eccentricity and inclination of orbit 4−26044
21 Monocerotis, light variability in cosine term expression 4−11202
UX Monocerotis, photoelec. obs. of eclipsing binary *(Italian)* 4−38808
Moon, Mare Serenitatis, surface types by radar maps and colour difference photographs 4−29945
Moon, monochromatic phase curves and albedos from narrow band and UBV photometry 4−29944
Moon, normal albedo map of visible hemisphere, rock composition variations 4−34707
Moon, Pic-du-Midi photographs, calibration of selenodetic control points 4−7950
Moon, Schroter's Valley, relief model of eastern portion from photographic obs. 4−26055
multicolour polarimetry of quasars and galactic nuclei *(Russian)* 4−14445
N49, supernova remnant in LMC, emission line spectrum 4−7985
Neptune, narrow band and UBV photometry 4−29890
NGC 1313, structure and rotation of late-type spiral galaxy 4−38889
NGC 1999 arc shaped nebulosity surrounding V380 Orionis, photographic surface photometry 4−18059
NGC 2261, bright cometary Nebula surrounding R Monocerotis, photographic surface photometry 4−18059
NGC 3227 and 4051, Seyfert galaxies, optical var. 4−42452
NGC 3916, supernova discovery obs. 4−34848
NGC 4038-9, supernova discovery obs. 4−34848
NGC 4156, supernova discovered in spiral galaxy 4−26127
NGC 4258 (M 106), peculiar spiral galaxy, photographic photometry 4−38887
NGC 4736, spectroscopic evidence for expanding ring in Central region 4−38871
NGC 5161, supernova discovered in galaxy 4−30059
NGC 523, peculiar galaxy, electrographic and spectroscopic obs. 4−14498
NGC 6256, nature of star cluster in blue and i.r. 4−22438
NGC 6543 knot in outer shell, Ne/H and O/H ratios 4−4836
NGC 6720 (Ring Nebula), monochromatic obs. *(French)* 4−26174
NGC 6888, expanding shell interaction with interstellar medium, monochromatic photographs 4−34827
NGC 7027 nebula, narrow band photography 4−8097
NGC 7293 (Helix Nebula), obs. of O III 5007 Å forbidden emission line 4−22462
NGC 7625, differential colours on and off $H\alpha$ 4−14463
nonstationary lunar phenomena, obs. of, and earth shadow effects 4−11149
Nova Delphini 1967 (HR Del), light curve *(French)* 4−42403

visible astronomical observations continued
Nova Herculis 1963, spectrum evolution in nebular phase *(French)* 4−38790
O to A0 star distrib. in region in Vela, spectral and colour obs. 4−34934
O- and Of-type stars, line width in red spectral region for 77 objects 4−38773
O-type stars, $H\alpha$ line strength obs., comparison with non-LTE model atmospheres 4−30065
O-type stars in solar neighbourhood, space distribution 4−26158
occultation light curve reduction for planetary atmospheres 4−22292
occultation of Pleiades, by Moon, 1972 August 30, accurate timing 4−34709
occultation of SAO 186800 by Ganymede, rel. to satellite's atm. identification 4−34670
OJ 287, period from UBV photometric and photographic obs. 4−34878
OJ 287, probability of peaks in power spectra and pulsed polarization in visible light 4−34877
Ophiuchi, $H\alpha$ and He I 5875 Å emission lines in spectrum 4−30045
ξ Ophuichi, search for Li I 6708 Å line in spectrum 4−42474
optical interstellar lines of southern B stars at high galactic latitudes, radial velocities 4−34944
Orion Association, dust, star and H distribs. from Paloma Sky Survey and $H\alpha$ photograph 4−42462
Orion Nebula, large scale line splitting of N II 6584 Å forbidden line 4−22458
Orion Nebula, temp. and ionisation structure from photoelectric photometry 4−22459
Orion Nebula spectrophotometry, line and continuum strengths rel. to model 4−14517
α Orionis (Betelgeux), diameter from amplitude interferometry 4−30035
outer white light corona, sectored structure correlation with interplanetary magnetic field 4−22232
Pallas, mass determ. from orbit of Ceres and meridian obs. 4−26066
RZ Pegasi, carbon emission line star; CaCl molecular absorption spectra 4−14425
β Pegasi (Scheat), diameter from amplitude interferometry 4−30035
periodic Comet Gehrels 2 (1973n), precise positions for 1974, Jan. 12-18 period 4−38721
Periodic Comet Neujmin 3 (1972 IV), precise positions 4−26076
Periodic Comet Schwassmann-Wachmann 1, effect of lunar phases on magnitude estimates for flares 4−38736
Periodic Comet Schwassmann-Wachmann 2 (1973l), precise positions 4−34749
periodic Comet Schwassmann-Wachmann 1, precise positions 4−29975
Periodic Comet Wolf (1967 XII), precise positions 4−26077
β Persei (Algol), 1972, September 2, $H\alpha$ obs. 4−11186
Perseids radiants structure for 1971 July-August 4−34767
Perseus II cloud, atomic and molecular line spectra, 3100-4300A obs. 4−34943
Phobos, mapping using Mariner 9 photos, shape, size, surface features 4−34672
Phobos, Mariner 9 polarimetry at 0.57 μ 4−22299
photographic zenith telescope obs. rel. to tiltmeter obs. 4−14010
photosphere-chromosphere transition region, line intensities from eclipse spectra 4−38654
photospheric brightness and vertical rel. fluctuations, Fe I line obs. 4−38639
photospheric magnetic field structure in supergranular network 4−22260
photospheric velocity field 5 min oscillations, coherence and phase spectra 4−38651
photospheric velocity field 5 min oscillations, oscillatory velocity and intensity fields 4−38650
δ Pictoris, spectroscopic eclipsing binary, photometric obs. 4−38810
planetary atmospheres, lunar occultation experiments, measurement techniques, atmospheric effects, error analyses *(Russian)* 4−2079
planetary nebulae, Doppler expansion velocity and brightness as basis for 2 type classification 4−2140
planetary nebulae, extinction of radio and $H\beta$ fluxes for line-of-sight to six objects 4−42498
planetary nebulae, He I intensity and derived optical depth 4−8098
planetary nebulae, high He abundance for two objects 4−38911
planetary satellites, Table Mountain Observatory obs. during 1971-72 period 4−14316
Pleiades, 0.52 and 0.36 μ polarimetry of faint stars 4−34930
Pleiades stars, spectrophotometry and absorption lines *(Russian)* 4−38879
Pluto, occultation of 17th magnitude star, photoelectric obs. 4−11137
Population I A-type stars, Ca abundance from K line strength 4−34862
proper motion binaries containing white dwarfs, spectroscopic obs. 4−11198
ρ Puppis, scanning monochrmator colour indices of δ Scuti star 4−14418
PZT obs., fortnightly terms in latitude and time obs., periodogram analysis 4−26095
QSO's, optical positions of 39 objects 4−18017
QSO 4C 37.43 and associated galaxy, redshift interpretations 4−2134
quasar discrepant redshifts in clusters of galaxies and close pairs 4−4816
quasars, optical positions of 47 objects 4−2125
quasars and related objects, optical variability, photographic obs. 4−34885
quasars assoc. with galaxies, isophotal analysis 4−34926
quiet K corona electron density model for solar activity max. from 5303 A obs. 4−22245
quiet solar disc, broadband polarization meas. at 5834 A 4−34612
radiogalaxies, optical positions of four objects 4−18017
radiosource optical positions by photographic meas. comparision with 2695 MHz positions 4−8037
radiosources, optical identifications for 45 sources based on accurate radio positions 4−30082
radiosources, Parkes 2700 MHz survey, optical identifications, 03^h, 19^h and 23^h zones 4−38845

visible astronomical observations continued
radiosources, southern, optical identification with faint galaxies and compact objects 4—34865
RCW 117, spectrum of compact H II region, absorption and electron density 4—38909
red dwarfs, significance of parallaxes in x and y coordinates 4—22465
red giants in globular clusters, G-band strengths in spectra 4—34931
red-compact galaxies, light distribution from luminosity profiles 4—14493
RGO 153 carbon star in ω Centauri, radial velocity meas. 4—14426
RGO 55, 70 in ω Centauri cluster, CH stars, CNO abundances from Swan bands and UBV colours 4—18013
1269 Rollandia, position obs. of librating asteroid 4—38729
V348Sagittarii, identification with cool Wolf-Rayet stars 4—30066
Sagittarius arm of the Galaxy, extended region obs. *(French)* 4—34933
satellite observation by amateur astronomers 4—8114
Saturn, narrow band photography, 3000-9200 A and 1-2 μ 4—4722
Saturn, polarisation observations, circular, variation with phase angle, southern hemisphere, conclusions 4—29876
Saturn, polarisation observations since 1968, u.v. and visible light, results 4—29875
Saturn's ring system, extended glow obs. during reappearance from lunar occultation 4—26051
Saturn's rings, linear polarisation and transmittance, measurements 4—29882
Saturn's rings, linear polarization and transparency, 3700 A-1.7 μ 4—17943
Saturn's rings, optical thickness, photometric high resolution study, measurement method 4—29881
Saturn's rings, properties from observations of 8900 A CH$_4$ band viewed through rings 4—29880
Saturn's rings, spectrophotometry of E-W asymmetry 4—34656
Saturn's satellites, lunar occultations and ephemeris 4—29931
Saturn inner satellites albedos and densities from visible photometry and i.r. radiometry 4—29917
β Scorpii, occultation by Jupiter, periodicity in flashes during disappearance and reappearance 4—38671
β Scorpii, occultation by Jupiter on May 13, 1971, contact times and brightness 4—7969
Scorpius X-I, optical fluctuations by twin-channel photometry 4—11199
α Serpentis, ^{12}C/^{13}C ratio in atmosphere from photoelectric scans 4—11177
Sh 2-255, 257 and 269, spectra of compact optical nebulae 4—26172
Simeiz 59 (Sharpless 104), velocity meas. rel. to supernova remnant 4—42490
SMC X-1, optical spectra and mass from Sanduleak 160 obs. 4—38857
solar centre-limb spectrum synthesis of 2 faint Fe$^+$ lines 4—14313
solar chromosphere, mean effective thickness from Hα visual obs. during 1973, June 30 eclipse 4—11121
solar chromospheric flare spectrum, spectrophotometry and analysis of H I and Ca II lines *(Russian)* 4—29832
solar cinmetography, site survey for solar observatory in Canada 4—11261
solar corona, emission line profiles of λ5303 at July 10 1972 total solar eclipse, video recording, technique 4—25970
solar corona, rapid var. observed during 1973, June 30 total eclipse 4—11122
solar corona emission line profile, analysis, 30 May 1965 eclipse observations 4—25969
solar corona hydrostatic temperature from vertical density gradient, K-coronameter obs. *(French)* 4—22264
solar corona/inner zodiacal light, Appolo 16 obs. 4—4776
solar coronal disturbances, fast transient events during last solar cycle 4—22253
solar coronal green line intensity anti-correlation with solar wind velocity 4—22234
solar disc surge, 1971 August 27, 3 dimensional velocity field from time series spectrograms 4—29849
solar eclipse, total 1972 July 10 4—22239
solar eclipse of 1973, June 30, contact time obs. at Timia, Niger *(Italian)* 4—38635
solar ephemeral active regions, Hα and magnetic field obs. 4—29861
solar facula line profiles and contrasts rel. to models 4—4702
solar Fe I, lines in 3500-4500 Å range, profile synthesis 4—29855
solar filigree, Hα bright mottles 4—38648
solar flare development pattern following arch filament systems 4—7898
solar flare mass motions and heating by optical X-ray and microwave obs. 4—34620
solar flare observation, intercalibration of matched telescopes, videometers 4—8119
solar flares, 1971-1972, Ondrejov Observatory obs. with associated radio and SEA records 4—17920
solar flares, Hα profiles from 1972 August 2 events 4—29844
solar flares, photometrical study of development in Hα 4—17936
solar flares 1972, August, monochromatic movies, magnetograms, spectra 4—22267
solar flares 1972, August, optical u.v. and magnetograph obs. 4—34625
solar Fraunhofer lines, 1969-1971, precise profiles *(Russian)* 4—22237
solar Hα chromospheric oscillations above sunspot umbrae 4—29839
solar limb emission lines in 3900-4000 Å region 4—34652
solar magnetographic magnetic field meas., comparison for different spectral lines 4—22243
solar prominences, macroscopic motions in optical pairs and interacting prominences 4—22251
solar prominences, multi-component model, λ5303 and Hβ components, loop system, two dimensional relationship 4—25978
solar prominences 1972 October 29, line centre Hα images 4—38644
solar spicule obs. through K-line filter 4—29857
solar spicules, study in Hα, Hβ and K-line 4—29858
solar surges, velocity curves and braking force, Hα filtergrams 4—22265

visible astronomical observations continued
solar white light flare, 1972 August 7, magnetic and velocity field changes 4—34649
southern β-type stars, radial vel. meas. from Coude spectrograms in 3701-4528 Å region 4—34855
southern B-type stars, radial velocities 4—7983
Southern Hemisphere, interstellar K-line components in 168 stars rel. to galactic structure 4—34937
southern long-period red variables, emission lines in spectra 4—34794
southern Milky Way, low-dispersion spectra and distrib. of strong emission-line objects 4—11232
southern Parkes radiosources optical identification 4—11213
southern reflection nebulae, two-colour survey 4—42494
spectroscopic binaries, radial velocities of four objects from spectra *(Russian)* 4—30026
sporadic meteors, mean rate and cumulative flux for single observer 4—29981
SR type M variables, spectroscopic survey by curves of growth method, rel. to Li abundance *(Russian)* 4—14401
star observation programme with Danjon astrolabe, Pulkovo Observatory *(Russian)* 4—22411
star occultations by Moon, Jan.69-Sept. 72 period *(French)* 4—38685
stars, declinations from Pulkovo zenith program *(Russian)* 4—38748
stars, FK4 declinations, Odessa meridian circle obs. *(Russian)* 4—38746
stars, FK4 declinations, Pulkovo zenith zone obs. *(Russian)* 4—38747
stars, Greenwich time report, Jan.-Mar. 1973 4—7972
stars, threshold visibility in centre of field of view 4—30159
stars, Tokyo time and latitude bulletin (May 1973) 4—30001
stars, Tokyo time and latitude bulletins (April 1973) 4—30000
stellar image motion correlation, depend. on zenith distance *(Russian)* 4—38312
stellar image motion using telescopes, autocorrelation functions, error estimation *(Russian)* 4—38923
stellar objects in Texas radiosource positions, optical spectra 4—34875
stellar occultations, Sydney Observatory (1971) 4—22389
stellar spectra, diffuse interstellar bands, correlation analysis 4—14502
stellar spectra, energy distrib. for 19 objects in 5500-9000 Å region *(Russian)* 4—30022
stellar velocity distributions, gaussian components derived from star counts at high Galactic latitude 4—22449
Sun, exploding granules rel. to chromospheric network, K2 violet filtergrams 4—34640
Sun, lower corona visible spectrum during 1965, May 30 total eclipse 4—7910
Sun, prominences in corona during 1966, November 12 eclipse 4—7911
Sun, short-lived chromospheric flare-point, Hα and K-line obs. 4—11116
Sun, upper photosphere models, one- and multi-component, 3883 A band head of CN, analysis 4—25982
Sun's disc, quiet, centre-to-limb polarisation measurements, results 4—25980
sunrise optical effects, spacecraft obs. reinterpretation rel. to solar corona 4—34631
sunspot large umbra, suitable spectral lines for investigation 4—42313
sunspot light-bridges, morphological study by 5700-6100 A photography 4—22247
sunspot numbers for 1973 August 6-September 8 4—38637
sunspot penumbra fine structure in white light, microphotometric analysis *(French)* 4—29863
sunspot penumbral intensities by pinhole photometry in 0.387-3.800 μ range 4—17933
sunspot total magnetic vector meas. from Fe 5250 Å and Ca I 6103A line depths *(Russian)* 4—14304
sunspot umbrae, anomalously strong lines of Fe II and Cr II 4—14309
sunspots, magnetic features of large umbra, spectra of dark core and fine structures 4—22211
sunspots, obs. for 1972 in Poland 4—14299
sunspots, observation of groups in rotation periods 1583-1595, evolution, latitude distrib. (1972) *(French)* 4—34655
super-metal-rich stars, metal abundances rel. to giant star spectra 4—34785
supergiants of types B9-A3, mass motions in atmospheres from spectrograms 4—11203
supergranular motion, spectrographic evaluation of velocities 4—17940
supernova in NGC 4038-39 galaxy, visual magnitude estimates 4—38799
supernova in NGC 4414, type I event and magnitude estimates 4—42406
supernova spectral-energy distribs., including 1972e in NGC 5253 4—11182
supernovae discovery in NGC3310 and 3348 4—30060
α Tauri (Aldebaran) diameter from amplitude interferometry 4—30035
NML Tauri (IK Tauri), revised period and minimum-light spectrum 4—26147
T Tauri stars, spectral energy distribs. 4—42402
RR Telescopii, slow nova, energy levels of Ca VII 4—38804
telluric lines in 5233-50 and 6562 Å regions of solar spectrum 4—21991
time and latitude tables, photographic zenith tube obs. 4—4777
Tokyo Astronomical Observatory, time and latitude bulletins (Feb. 1973) 4—7970
Tokyo Astronomical Observatory, time and latitude bulletins (March 1973) 4—7971
Tokyo time and latitude bulletins (July 1973) 4—38751
Tokyo time and latitude bulletins (June 1973) 4—38750
transit of Mercury, 1973 November 10, review of amateur and professional obs. 4—29938
triple star systems, two, photographic positional obs. made with 26 inch refractor, Pulkovo *(Russian)* 4—22412
type III solar radio bursts, association with Hα activity 4—38662

visible astronomical observations continued
3U 0900-40 and 1700-37, models for X-ray binaries from visible obs. 4—34895
2 U 0900-40 evidence for black hole from radial velocity curve and spectrum of HD 77581 4—38784
unipolar sunspot region, oscillatory velocity field, Fe I 5233 Å obs. 4—29864
universal and coordinate time, calculation of preliminary differences from obs. 4—35158
Uranus, atmosphere, scattering mean free path, high dispersion image-tube spectrography, results, analysis 4—29887
Uranus, atmospheric models, analysis of limb darkening curves, comparison 4—29888
υ Ursae Majoris, δ Scuti star, absolute energy distrib. in 3500-6000Å range 4—8001
W Ursae Majoris, photoelectric minima (1973) 4—4808
262 Valda, positions, photographic observ. 4—4768
variable radiosource 0048-097, optical spectra 4—11214
variable stars in Pegasus, Schmidt telescope observ. 4—4810
γ^2 Velorum, short-term spectral var. from photometric obs. 4—30047
Venus, illumination measurements in atmosphere and on surface by Venera-8 4—17963
Venus, photographic obs., positional *(Russian)* 4—22304
Venus diameter meas. at 4050, 5000, 5800 and 6440 Å 4—22300
Venus photographic obs., positional *(Russian)* 4—22305
Venus u.v. clouds 3300-5100 Å photoelectric spectral scan 4—26037
Vesta, light curve and 10 hr. direct rotation period 4—26064
visual binaries, radial vels. of components for three objects 4—38795
visual binaries in planetary nebulae 4—8100
visual magnitude estimates, personal equations and errors 4—17976
white dwarfs, radial vel. and space motions of 31 Southern Hemisphere objects 4—30062
white light coronagraph, Skylab outer corona obs. 4—42312
ZC 1336, 2500, 1705 and 2490 grazing occultations by Moon 4—7968
zodiacal dust particle radial rel. from Fraunhofer line profiles 4—29996
zodiacal light intensity variations at 6530 Å by satellite 4—2105
H II regions, radial vels. of H_α and [N II] lines, IC 1318 and IC 405 obs. *(French)* 4—34950
H_2 in major planets, pressure induced lines, atmospheric analyses 4—29886
H_2 Uranus, spectral lines, quadrupole, scanner observations, results 4—29885
$H\alpha$ bright points in sunspot groups and emerging flux regions 4—25966
$H\alpha$ mottle, fine structure, evolution and oscillation 4—34619
$H\alpha$ narrow-band photoelectric photometry of 32 late-type stars, luminosity effect 4—2108
He I emitting sheath in surge prominence D3 line widths 4—29850
$H\gamma$-absolute magnitude calibration for early type stars 4—18076

vision
see also colour vision; eye
absolute threshold, coalescence of rods with cones 4—35019
accommodation, in lemon shark eyes 4—39040
accommodative vergence, centre for motor control 4—18154
acuity, head orientation and meridional variations 4—30182
acuity, meridional variations, vertical and horizontal gratings, signal detection analysis 4—8161
acuity and definition of optotypes rel. to Landholt-ring *(German)* 4—4864
adapting luminance, effect of resolving power *(Italian)* 4—35023
afterimages, and flashes, perception of structure 4—14583
amblyopia, multiplicity of channels in visual system and colour vision 4—30188
analysis of complex images, simulation *(Russian)* 4—30197
binocular, property changes of simple cortex cells, in adult cats, following immobilisation of one eye 4—39018
blind reading aid employing charge-coupled device image sensor 4—30180
brightness, rotating gradient disc, flicker and aftereffects 4—39019
brightness contrast, acuity reduction 4—39021
bumblebee Bombus distinguendus, single visual cells, spectral sensitivity 4—22583
cat, lateral geniculate body, change in zone of summation 4—39025
cat lateral geniculate cells, contour enhancement of two-dimens. figures 4—30183
cat optic tract, patterns of unit activity, during suppression-recovery effect 4—8154
cat optic tract, visual field representation, and overlap of receptive field centres 4—8153
cat striate cortex, perceptual adaptation to gratings 4—39035
cat visual cortex, evidence for 'sustained' and 'transient' neurones 4—30185
cats, Siamese and common, visual fields, differences 4—18158
chicks, cerebral blood flow rel. to visual attention 4—39016
colour-specificity and monocularity in the visual cortex 4—18180
composite adaptation, and spatial freq. interactions 4—18157
contrast phenomena, neural unit model 4—8150
contrast sensitivity, effect of test line orientation at scotopic levels 4—30187
defocused target, accommodation paradox 4—35021
depth perception, disparity masking with ambiguous random dot stereograms 4—30199
depth perception, some dynamic features 4—18149
disability glare factor, influence of fatigue and pupil size 4—30190
disc detection, influence of subthreshold inducing fields 4—8148
electrophysiological evidence for neurones sensitive to direction of depth movement 4—14572
equivalent-background transformation, for spatially, temporally and chromatically differing photopic stimuli 4—18160
evoked cortical potential response to chessboard pattern stimuli 4—26235
evoked potential correlates, of adaptation to wavelength and orientation 4—30209
excitation, elec. response, rel. to membrane fatty acids 4—35028
eye fixation data acquisition system 4—39024
eye movement, miniature saccades, characteristics and probable functions 4—2164
eye movement, smooth pursuit, failure of Donders' Law 4—8157

vision continued
eye movement recording, rel. to optimal path for reading improvement 4—18175
eye refractors, computer-actuated 4—11297
eye tracking, oculomotor 'dead zone', implications 4—8159
fishes, Amazonian, yellow filters and the absorption of light by the visual pigments 4—14578
freshwater stingray, Paratrygon motoro, blueshift in absorption spectra of visual pigments 4—11300
frog, two visual systems 4—8145
frog photoreceptor, suppression-recovery effect 4—18164
frog retina, protein fluorescence light induced changes 4—18162
frog rods, waveguide props. determ. by microscope microspectrophotometer 4—14874
fusional response, central component, spatial interactions between adjacent retinal regions 4—18171
grasshopper Teltigonia Cantans, single visual cells, spectral sensitivity 4—22583
grating stimuli, effect of N_2O on rel. between evoked potential and contrast threshold 4—8149
hedgehog visual pigment, comparison with men and moles 4—14582
holography, visual reconstruction of three dimensional objects, lab notes 4—268
human, evidence for disparity-specific neurones from stereoscopic aftereffects 4—18145
human, latency effects 4—14577
human, spatial frequency phase effects 4—18147
human depth perception, disparity detectors, evidence for directional selectivity 4—2163
human eye accommodation, alcohol effects 4—22588
human visual pigments, comparison with moles and hedgehogs 4—14582
human visual system, image-detector model and parameters 4—18139
human visual system, spatial information coding, psychophysical data 4—14568
incremental visual thresholds, invariance under transformations of waveform 4—30204
infants, contrast sensitivity function determ. 4—26237
information gain, from flashes and from afterimages 4—18150
insect perception of polarised light by filter mechanism 4—14569
intensity pattern excitation analysis, filters to generate linear and non linear patterns, model *(German)* 4—39031
keratometric reflex, rel. to flexible contact lens surface 4—30192
kitten, dark-reared, motion detection and optokinetic responses 4—30208
kitten, visual experience without lines, effect on cortical neurons 4—35027
kittens, alteration of visual cortex from environmental asymmetrics 4—14570
kittens, experimental creation of unusual neuronal properties in visual cortex 4—14573
light adaptation, dynamics of induced tilt 4—39020
light stimulus, changing the time pattern without temporal change in spectral composition 4—18161
Limulus lateral eye retinular cells, effect of adenosine 3′,5′-monophosphate 4—18146
Limulus lateral eye retinular cells, effect of aminophylline 4—18146
Limulus lateral eye retinular cells, effect of $MnCl_2$ and TTX 4—14580
Limulus lateral eye retinular cells, Na, K and Ca effects 4—14579
manually controlled precision mechanisms, motion threshold sensitivity rel. to operator visual acuity 4—18351
Maxwellian view simulator for electrophysiological and psychophysical optics, monkey retinal recording 4—8142
mole visual pigments, comparison with men and hedgehogs 4—14582
monkey, analysis and synthesis of information in visual system *(Japanese)* 4—22582
monkey, macaque luminosity and colour vision 4—30200
monkey, spatial luminance contrast sensitivity tests of macaque and human observers 4—30202
monochromatic target, optimum sharpness, accommodation paradox 4—35020
Moon illusion, review of hypotheses and experiments 4—39023
motion aftereffects, following inspection of contrarotating stimuli 4—18163
movement, visual perception model based on outflow theory *(Japanese)* 4—2165
near response, pupil dynamics, TV pupillometer obs. 4—18176
noise coupling, between accommodation and accommodative vergence 4—18155
normal monkey, optokinetic nystagmus, frequency spectrum 4—18148
northern rock bass, accommodation, response to natural stimuli 4—8147
optical instruments, visual tracking performance 4—11488
optokinetic nystagmus rivalry phase duration, computer analysis 4—18174
oscilloscopic visual displays, orientation variation 4—18140
parafoveal stabilised, perception, influence of stimulus movements 4—39036
parafoveal stabilised, perception, influence of stimulus movements 4—39037
parallel visual channels, visual effects of sinusoidal components of complex gratings 4—14576
pattern detection, dotted lines, effect of deviations from linearity 4—8158
pattern perception, matrices 4—18135
pattern perception, roles of central and peripheral vision 4—14567
pattern recognition and apparent motion, experimental examination 4—39028
peripheral, orientation and spatial freq. channels 4—8152
peripheral diplopia, spatial arrangement of detectors 4—35018
peripheral refraction, refractometry, retinoscopy and subjective meas. 4—42582
phase effect, on perception of compound gratings 4—39017
photic simulation, regional responses, as shown by epoch averaging 4—42554
photoreceptors, waveguide modes and light absorption 4—18166

vision continued
pigeon, schematic eye 4−18151
pigments, thermosensitive property in the gecko 4−39042
pretrigeminal cat, effect of X-irradiation on cortical responses 4−2166
prolonged cyclical stimulation, visuo-motor reaction time 4−35022
Pulfrich phenomenon, eye movements 4−39038
random dot interference patterns, perception 4−14571
rat isorhodopsin production? 4−18156
refractive error, fish eyes 4−39039
retina exposure to relativistic muons, visual sensations 4−8208
retina wave optics, reln. to visual effects 4−18143
retinal rod outer segments, ion fluxes in disc membranes 4−30194
retinoscopy, influence of bias 4−11298
saccadic eye movement, latency characteristics 4−8160
schematic image recognition model 4−39026
scotopic, threshold relationships, elementary theory 4−26232
Siamese cats, striate cortex units, absence of binocular coding 4−18165
sideways movement, dissociation from movements in depth, psychophysical 4−14581
signal-processing, model, transformation technique, formal neuron realisation 4−8141
simultaneous contrast experiment, effects of inducer duration and separation on test threshold 4−30203
sinusoidal grating detection, binocular masking level differences 4−18152
sinusoidal grating stimuli, moving, analysis of drift rate 4−18159
spatial frequency channels, adapted and unadapted 4−8156
spatial frequency doubling, anatomical locus 4−8155
spatial masking, selective to wavelength 4−30211
spatio-temporal model of visual system, analogue simulation 4−35030
Squilla rhabdom, light scattering, discussion 4−35024
squirrel monkey, wavelength and saturation discrimination 4−30201
stabilised, foveal spatial sensitisation 4−30205
stereoscopic sensitivity meas. of retinal regions, vertical horopter use 4−39034
tilt aftereffect, following very brief exposures, study 4−30186
torsional eye movement, and constancy of the visual field 4−18153
vertebrate photoreceptor membranes, structural response to light exposure 4−18142
vigilance decrement, effect of prolonged testing 4−4863
visual aids, importance of coherence of coupling for viewing 4−8144
visual patterns, detection on weak uniform background 4−4865
visual perception, dependence of evoked potentials on features of stimuli 4−22581
visual perception, invariance to brightness and contrast *(Russian)* 4−30195
visual perception, theory of image similarity estimation *(Russian)* 4−30196
visuo-motor reaction time recording, apparatus 4−30189

visual auroras *see aurora*

visualisation, particle track *see particle track visualisation*

vitreous state
see also glass
arylethylene, sterically hindered, in neat glassy state, fluorescence and absorpt. spectra 4−13490
borosilicate glass, mechanism of phase separation 4−24401
butyronitrile, luminesc. and heat evolution during vitrification 4−24400
cellulose esters, glass transition temp. *(Russian)* 4−17452
chalcogenide systems, glass-forming tendency *(Russian)* 4−40752
charge transfer to solvent spectrum of Br^- in supercooled $(Bu_4P^+)_2MBr_4{}^{2-}$ 4−6891
dielectrics, low temp. sp.ht. and thermal conductivity meas. 4−20418
ethanol: 1-ethoxynaphthalene, near u.v. absorption spectrum, 90K 4−12560
ethanol: 1-methoxynaphthalene, near u.v. absorption spectrum, 90K 4−12560
ethylene chlorohydrin and bromohydrin, luminesc. and heat evolution during vitrification 4−24400
ethylene cyanohydrin, luminesc. and heat evolution during vitrification 4−24400
formation conditions, easily crystallising systems 4−12873
glass, conf., Bedford, USA (Oct. 1973) 4−21442
glass, fluor-aluminium-richterite comp., crystallization *(Japanese)* 4−10645
glass, Na_2O-TiO_2-SiO_2, opt. prop.-composition-substruct. relns. 4−38063
glass examination, by differential thermal analysis 4−36811
glass formation, crystn. statistics rel. to thermal history 4−20222
glass formation, optimum conds., during rapid cooling of solns., Mossbauer investig. 4−41311
glass formation conditions *(Czech)* 4−16432
glasses, n.m.r. in transformation range *(German)* 4−13360
ice, structural models examination 4−32447
ionic conductors, nonsymm. decay function, for elec. relax. 4−1373
light scattering, Rayleigh, Brillouin, supercooled liquids, clustering phenomena investig. *(German)* 4−33391
lithium acetate + water system, glass transition with negative change in expansion coeff. 4−6348
metallic glasses under compression, plastic flow 4−1593
metallographic determination of homogeneity *(Czech)* 4−16433
oligoester melts, filled polymers, viscosity, vitrification representation *(Russian)* 4−10704
organic compounds, viscosity-temp. relation 4−40908
phase separated particles, elongation and spheroidisation 4−21443
PMMA, free volume estimation at temp. of vitrification *(Russian)* 4−9860
PMMA, glass-like, thermodynamic props., effect of fillers 4−41868
poly-4-vinylpyridine, glass transitions in electrets 4−13380
polyethylene, transition, vol. relax. mechanism 4−20224
polyethylene terephthalate, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
polyhexene-1, amorphous, heat capacity between 20 and 300K, intramolec. vibr. contrib. to C_v below glass transition 4−20417

vitreous state continued
polymer, sorption and diffusion, reversible immobilisation, anal. 4−33913
polymer, viscosity-temp. relation 4−40908
polymers, conformation determ. in vitreous state by neutron diffr. *(German)* 4−32448
polymers, glass transition temp. meas., cryoultramicrotomy 4−12881
polystyrene, crit. strain criterion for crazing 4−4216
polystyrene-1,4 polybutadiene diblock copolymers, effect of terminal chains on mechanical props. 4−13897
polystyrene-polyphenylene oxide glassy blend, transport of noble gases 4−24578
polyurethane, isocyanurate-type crosslinked, props. 4−13904
polyurethanes, glass-forming temp. calcs. *(German)* 4−36823
polyvinyl acetate, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21479
polyvinyl fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
polyvinylidene chloride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
polyvinylidene fluoride, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
PVC, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
SEM determination of morphology, thermal crystn. processes *(French)* 4−40751
specific heat, temp. depend. near absolute zero, Debye terms 4−13049
styrene ionomer, i.r. obs. of glass transition 4−33411
tetrafluoroethylene-hexafluoropropylene copolymer, mechanical loss props. rel. to hydrostatic pressure and temp. 4−21478
thermal conductivity, meas. and sampling problems, review *(French)* 4−13812
vinylchloride/vinyl acetate copolymers, mechanical loss props rel. to hydrostatic pressure and temp. 4−21479
volcanic rocks, devitrification, silica diagenesis 4−10831
As_2S_3, pulsed n.q.r. of ^{75}As, bonding, l.f. vibr. meas. 4−6811
$As_2S_3(Se_3)(Te_3)$, struct. and elec. props. comparison with evaporated film specimens 4−24667
As_2Se, kinetics of photoconductivity, surface conds. depend. 4−6657
As_2Se_3, photoconductivity spectrum location, thickness depend. 4−33001
As_2Se_3 glass, kinetic parameters for glass transition, specific heat meas. 4−20220
$As_2Se_3Cu_{1,2}$, glassy state, mag. susceptibility meas. *(Czech)* 4−12874
B_2O_3, He diffusion, thermally induced vol. relax. effect 4−20433
B_2O_3, struct. relax. effect on He diffusion, solubility 4−28236
C, conducting ceramic *(French)* 4−38027
C, fracture surface energy, crack propagation meas. 4−10687
C, glassy, K-emission bands, bonding character obs. 4−16429
C, glassy, reactivity to flowing O_2 and HNO_3-H_2SO_4 mixtures 4−17430
C, Hertzian fracture 4−17442
C, two-phase system, small-angle X-ray scatt. obs. 4−32383
$GdGeAs_2$, glassy, activation energy of crystallization, DTA estimation 4−12875
Ge-Se-In system, transform. temp. and props. *(German)* 4−1013
$GeSb_2Se_4$, absorpt. 0.7 to 25 μ 4−10404
$K_2O-Ta_2O_5-Nb_2O_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4−13856
$K(Rb, Cs)SbS_2$-based vitreous phases, physiochem. props. 4−32443
Li_2O-Al_2O_3-SiO_2 system, e.p.r. and electronic struct. 4−24991
Li_2O-B_2O_3 system, in situ growth of aligned composites from vitreous state 4−29209
Li_2O-SiO_2 system disilicates, X-irrad., thermolum. 4−25185
Pd-Ni-P alloy, thermal expansion and density, comp. depend. 4−24573
Pt-Ni-P alloy, thermal expansion and density, comp. depend. 4−24573
Se, viscosity-temp. relation 4−40908
SiO_2, B_2-band absorption effects of implanted ions, obs. 4−40819
SiO_2, thermal expansion, rel. to Cu, 30-290K 4−1129
$ZnCl_2$, far i.r. spectra, long range disorder effect on line broadening 4−28842

Vlasov equation
biological structure growth anal. using Vlasov eqn. soln. *(Russian)* 4−37047
cyclotron resonance, oscill. dispersion relation, instability region plotting 4−32260
entropy production, long-wave-length electrostatic wave 4−32160
finite-β stabilization of flute-like microinstabilities 4−32199
guiding-centre plasma, Vlasov eqn. stationary and quasistationary solutions 4−32254
integration, expansion by Chebyshev polynomials 4−36690
plasma, dilute, aerodynamics of charged sphere moving slowly 4−3352
plasma fluctuation-dissipation relations, rel. to nonlinear susceptibility 4−32202
plasma nonlinear oscillations and Landau damping 4−975
plasma simulation, numerical integration method 4−36689
plasma simulation with few particles 4−6223
plasma toroidal, equilibrium and stability from drift-kinetic equation 4−3392
plasma with density gradient across mag. field, rel. to elec. field fluctuations calc. 4−40639
relativistic theory of e.m. susceptibility 4−27993
Schottky ambipolar diffusion anal. *(Russian)* 4−37047
self gravitating stellar systems, uniform density equilibrium model 4−42448
solar wind, two stream instability in collisionless plasma 4−7892
spherical shell, motion under random acoustic vibrs. 4−11779

voice *see speech*

voice communication
f.m. tone, masking value *(Japanese)* 4−35116
underwater acoustic communication channel 4−35110

voids (solid)
- alloy, irrad., solute segregation stresses around void surfaces 4−16514
- alloy, irrad., stress-induced diffusion of point defects to voids, dislocation bias reduction 4−20319
- brass, $\alpha+\beta$ type, tensile fracture strain at h.p., discontinuity obs. 4−29131
- brass, dezincified, submicroscopic voids *(French)* 4−1507
- composite, fibre reinforced, failure analysis 4−1649
- composite, metal-matrix, effect on tensile props. 4−1648
- diffusional creep, self-diffusional mass transfer including boundary effects *(Russian)* 4−10574
- elastic-plastic overload fracture and hydrogen-assisted cracking by homogeneous microvoid nucleation 4−33835
- electromigration, nucleation and growth mechanism 4−28093
- fibre reinforced composite, void and fibre variations effect on material characteriz. 4−33878
- grain boundary influence on void growth, 1 MeV electron irrad. 4−16484
- grain boundary void growth in creep, surface diffusion influence 4−21281
- grain boundary void growth rate 4−12949
- graphite, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
- helical sping creep specimens, phenomenological effects of swelling on deflection 4−19590
- irradiated materials, small angle neutron scatt. 4−36896
- irradiated metal, review 4−19593
- metal, neutron irrad., impurity effects on void nucleation 4−16523
- metal, neutron irradiated, model for void nucleation and growth 4−24495
- metal, positron trapping at vacancies, voids and surfaces 4−41037
- metal, void coalescence and growth anal. 4−1044
- metal irradiated, effect on void nucleation of impurity atoms 4−1046
- mixed-oxide fuel, fission gas behaviour under transient power conditions 4−40094
- nuclear reactor, incoherency of FTR subassembly voiding, effect on loss-of-flow accident sequence 4−27413
- nuclear reactor matrix material, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
- nucleation, suppression by oversized solute atoms 4−3034
- nucleation, suppression by oversized solute atoms 4−3035
- oxide fuel pellets, swelling in sodium, out-of-pile investigation 4−40128
- Permalloy plated wire, effect on mag. domains, Bitter pattern obs. 4−37443
- polymeric dielectric materials, tree initiation and growth, electrothermal and electromech. breakdown *(Japanese)* 4−37563
- porous ductile media, rel. to steady wave propag. 4−21500
- profilometric gross swelling measurement, heavy ion bombardment 4−1000
- PVC, fatigue crack advance, micromechanisms 4−1672
- pyrocarbon, neutron-irrad., heat-treated, microporosity, small-angle X-ray scatt. obs. 4−31533
- radiation damage obs. by h.v. electron microscopy 4−24488
- reactor calandria sample, search for voids by positron annihilation and electron microscopy 4−31527
- silicone rubber, tree initiation and growth, electrothermal and electromech. breakdown, void form. *(Japanese)* 4−37563
- static response, Green function method 4−32556
- steel, elastic-plastic fracture by homogeneous microvoid coalescence tearing along alternating shear planes 4−13646
- steel, fast neutron damage, form., growth, vol. increase 4−5922
- steel, hydrogen embrittlement, microscopic vs. macroscopic aspects 4−17355
- steel, microvoid effects on hydrogen diffusion 4−33692
- steel, mild, perforated sheet, criterion of ductile fracture on tensile testing 4−33745
- steel, plastic deform., void form. around microscopic particles 4−13643
- steel, spheroidised 0.5%C, hydrostatic press. influence on tensile deform., void development 4−37950
- steel, stainless, austenitic, void form. with high-energy electron irrad., grain size effect 4−20297
- steel, stainless, neutron irrad. induced swelling, effect of minor constituents 4−12449
- steel, stainless, Type 316, annealed and cold worked, nickel ion bombardment 4−23835
- steel, stainless, void initiation in ductile fracture 4−17324
- steel, stainless void coarsening during electron irradiation 4−1073
- steel, Type 316 stainless, heat treatment effect on fast neutron damage, creep-rupture tests 4−27452
- swelling of metals and alloys, coherent precipitates and interstitial annihilation 4−27453
- Al, behaviour of multi vacancies during quenching to 4.2 K *(French)* 4−4096
- Al, compacted density values, nonspherical shapes 4−21366
- Al, deformed, hydrostatic press. effect on onset of fracture and dislocation struct. *(Russian)* 4−10613
- Al, irradiated, small angle neutron scatt. 4−36896
- Al, neutron irrad., void order *(French)* 4−32586
- Al alloy 7075-T6, fatigue crack propagation, inclusion content influence 4−7149
- Al films, electron irrad., defect cluster obs. 4−24490
- Al single cryst., neutron-irrad., voids, small-angle neutron scatt. 4−32585
- Al-Al_3Ni, directionally solidified eutectic, failure analysis 4−1649
- Al_2O_3, drop solidification process in Ar 4−33856
- B_4C, neutron irrad. damage, small-angle scatt. obs. 4−31532
- Cu, bicrystal, pore form. in grain boundaries during intergranular flow, oxide form . effects *(French)* 4−25319
- Cu, ductile-fracture strain criterion, tensile tests at high hydrostatic press. 4−7128
- Cu, loop and void formation during h.v. electron microscope irrad. 4−1069
- Cu, neutron irrad., instantaneous flux effect on swelling *(French)* 4−15972
- Cu/W composite, grain boundary cavitation and sliding due to thermal stresses 4−4207

voids (solid) continued
- Cu-SiO_2 single crystal, void formation rel. to deform. and SiO_2 particle size *(Japanese)* 4−13638
- Fe, microvoid effects on hydrogen diffusion 4−33692
- Fe-Cr alloys, formation in duplex oxide scales by vacancy condensation 4−4145
- Fe-Cu(0.3 at %), neutron and heavy ion irrad., effect of additions on void nucleation and growth 4−1043
- Fe-V(0.3 at %), neutron and heavy ion irradiation, effect of additions on void nucleation and growth 4−1043
- Ge, amorphous, evaporated, 100 A void network 4−9851
- Ge, amorphous film, rel. to optical props. 4−33524
- Ge, amorphous film, X-ray scatt., substrate temp. depend. 4−32828
- Mg, neutron irrad., void order *(French)* 4−32586
- Mo, neutron irrad., annealing and void form., positron annihilation obs. 4−20296
- Mo, neutron irrad., efficiency of void form. during annealing 4−16483
- Mo, neutron irrad., fluence and temp. depend. of swelling 4−23836
- Mo, Ta^{3+} irrad., void vol. and swelling formula 4−1042
- NaA zeolite, supercond. of Hg in lattice of voids 4−24876
- Nb, Ta ion bombardment, void formation, saturation, void lattice, 800°C, 900°C 4−16486
- Ni, electron irrad., −100°C, void formation 4−16521
- Ni, energetic particle irradiation, effects of insoluble gases on void nucleation 4−1045
- Ni-Cr alloys, thoria dispersed, diffusional creep and creep-degradation 4−41709
- Ni-Cr alloys, with ThO_2 dispersion, diffusional creep and creep degradation 4−13790
- NiAl, annealing, oxidation induced, TEM study 4−3654
- NiAl:C, near-stoichiometric, quenched and aged, effect of C content on void formation 4−41595
- $(Pb,La)(Zr,Ti)O_3$, ceramic, transparency calc. for various void sizes and concs. 4−10638
- Pd, void form. by interstitial H introduction and removal 4−16485
- $Pd_{0.775}Cu_{0.06}Si_{0.165}$ glasses, compressive deform., 77-520 K 4−13695
- $(Pu, U)O_2$ rods, LMFBR-type, effect of oxygen on swelling 4−27448
- Si_xN_y, reaction-sintered, SEM obs. of fine α-matte and prismatic β crysts. 4−41813
- Ti alloy, two-phase, void form., void growth and tensile fracture, rel. to microstruct. 4−7056
- Ti-Al-V alloy, electron beam induced mech. and metallurgical changes 4−29155
- $(U,Pu)O_2$ fuel, sintering role in modelling actinide redistrib. 4−3017
- $(U,Pu)O_2$ fuel elements, plutonium segregation and central-void form. 4−31536
- UO_2, fission gas release during temp. transients 4−31537
- UO_2, grain size effect on swelling and gas release props. during irrad. 4−31538
- V:He (10 ppm), N^+ irrad., void formation 4−1041
- Va, solute redistribution in 3.25 MeV Ni^+ bombardment 4−23904
- WC/Co bonded composite, stress induced cavitation 4−13901

Voigt effect *see Magneto-optical effects*

volatilisation *see vaporisation*

volcanology
- active volcanoes, surveillance by photogrammetric technique 4−11011
- Aegean belt, aseismic domains beneath volcanoes, translithospheric vents 4−21847
- African topographic swells, magmatism and plate tectonics 4−14037
- andesitic lavas, K content and depth of seismic zone in volcanic arcs 4−10814
- ascending primary magmas, temp. and pressure relations 4−7562
- atmospheric volcanic dust rel. to glacial advances for 1500-1960 period 4−25639
- atmospherically transported volcanic dust in Pacific deep sea cores 4−4334
- California coast ranges, oligocene and miocene felsic volcanism 4−21760
- Calimani-Harghita Mts., calc-alkaline magmatism, 'island-arc' type 4−21843
- Coppermine River lava flows, fault rotation and revised poles 4−10834
- deep mantle plumes, formation of volcanic couples 4−17589
- deep-sea volcanism, effects on noble gases in ocean bottom water 4−34155
- early Paleozoic volcanism, and metamorphism of Moretons Harbour−Twillingate Area, Newfoundland 4−4325
- Eolian arc evolution, tectonic significance 4−29408
- fault movements in Tanzanian Sector of East African Rift System, K-Ar ages 4−25580
- formation at fracture intersections, dependence on lithospheric thickness 4−29407
- Galapagos Islands, seismicity of Fernandina volcanic caldera collapse 4−25570
- gas composition limits and trends, Surtsey, Kilauea, Etna 4−21765
- global volcano surveillance system, implementation 4−22139
- global volcano surveillance system, preliminary results 4−22140
- Grunehogna Antarctica, low grade metamorphosed sedimentary sequence, igneous intrusion 4−4351
- Hawaiian volcanoes, source of ice nuclei during eruptions 4−34154
- hot spots and deep mantle plume beneath Massif Central, France 4−42027
- Iceland mantle plume, primary magnas, fractionation 4−1771
- interfingering of basalt flow, Columbia River group 4−21762
- island arc magmatism rel. to high-pressure eclogitic assemblage 4−21722
- island arc volcanism rel. to descending plate, numerical modelling 4−21723
- island arcs and active continental margins, petrology of volcanic rocks 4−38190
- Kilauea volcano, Hawaii, spectroscopic obs. of H_2 burning in air 4−10823
- Kirkjufell, Iceland, 1973, description of events 4−21755
- laccolithic intrusions, Henry Mts., Utah, bending and failure of overburden, sill formation 4−21834

volcanology continued
  laccolithic intrusions, Henry Mts., Utah, field obs., Gilbert's model 4−21833
  lightning in clouds formed by molten lava and seawater 4−29609
  Long Valley caldera, California, dating of eruptions 4−21738
  Mackenzie swarm diabase dikes, residence contamination of K, Rb, Li, Tl 4−42006
  magma intrusion in eastern Koae fault system, Kilauea volcano, Hawaii, seismic evidence 4−21756
  magnetic gases compatible with magnetite-pyrrhotite assemblages 4−21764
  Mamainse Point lavas, pole positions, Keweenawan pole path and polarity sequence 4−10835
  Marquesas Island chain, volcanic migration rate rel. to rigid Pacific plate motion 4−38220
  massive sulphide bodies, York Harbour, Newfoundland, geological relationship with ophiolitic volcanic rocks 4−34130
  metavolcanic rocks, recognition Blue Ridge Belt, Georgia, USA 4−1757
  microearthquake activity, Melos, Greece, association with volcanic activity 4−21635
  E Morocco, palaeomagnetic study of Tertiary and Quaternary volcanic formations *(French)* 4−4355
  Mt. Lassen, thermal i.r. survey rel. to eruption prediction in cascade region 4−10824
  Mt. Rainier, thermal i.r. survey rel. to eruption prediction in cascade region 4−10824
  Old Faithful Geyser, activity before 1973 March earthquakes 4−21703
  Pacific linear island chains rel. to gravitational anchors caused by downwelling 4−25571
  Peruvian Andes during Cenozoic, radiometric and geologic evidence 4−25540
  Philipsburg batholith, Montana, structure and composition 4−38229
  Pico Island Volcano, Azores, geology and volcanic history 4−42023
  rift zone, kinematic model based on plate tectonics 4−4344
  rocks, age, composition and distribution as guide to geothermal exploration 4−21743
  sheeted dike layer of Betts Cove ophiolite complex, absence of spreading 4−34135
  Snaefellsnes zone, Iceland, westward extension 4−29454
  Straumsnutane Formation, Antarctica, detailed geological mapping 4−4352
  sulphurization of basalt under thermal metamorphic conditions to produce cordierite bearing rocks 4−38208
  tholeiites, submarine basalts at Kilauea rift Hawaii, trace element composition rel. to extrusion depth 4−14024
  trace element abundances, volcanic rocks, Mariana Island arc 4−21763
  tuffs, shock wave response rel. to porosity and saturation 4−1769
  Vancouver Is. Upper Triassic submarine basalt assemblages 4−38209
  water-lava dynamic mixing, cause of explosions 4−21757
  SO_2, contrib. to atmosphere 4−42122
  SO_2, volcanic emission to atmosphere 4−34172
  U-Mo mineralization, characteristics of relationship with volcanogenic formations 4−17601
volt-ampere meters
  see also wattmeters
  No entries
Volta effect *see contact potential*
voltage *see electric potential*
voltage comparators *see comparators (circuits)*
voltage control
  159.2 Hz ultrastable power supply for absolute volt determ. 4−35166
voltage controllers *see voltage regulators*
voltage distribution
  see also electric breakdown; overvoltage; surface discharges; transients
  gas, r.f. breakdown, Paschen curve 4−40711
  p-n junctions, abrupt, field and potential distrib. and capacitance calc. *(German)* 4−16814
  potential field of isolated dog hearts 4−11704
  scalp recorded potentials rel. to underlying cortical activity 4−14658
voltage drop *see electric potential*
voltage measurement
  see also potentiometers; voltmeters
  arc initiation voltage, for contact gap 4−26452
  chemistir, apparatus for simultaneously stirring and meas. electrode potentials and conductivity 4−26444
  convolution potential sweep voltammetry, multistep Nernstian waves 4−15043
  electrometric amplifier, three channel unit 4−39274
  by Josephson junction, primary voltage standards *(Croatian)* 4−14785
  microelectrodes, chloride and citrate filled, tip and membrane potential values compared 4−18184
  reference devices, saturated and unsaturated cells, semiconductor diodes 4−35155
  standards, NBS volt based on 2e/h 4−22749
  volt, absolute determ. using ultrastable 159.2 Hz power supply 4−35166
  GaAs thin-film waveguides, growth and evaluation at 10.6 micron wavelength 4−21217
voltage reference diodes *see avalanche diodes*
voltage regulation *see voltage control*
voltage regulator diodes *see avalanche diodes*
voltage regulators
  see also voltage control
  d.c. power supply using IC regulators 4−11429
voltage stabilizers *see voltage regulators*
voltage transients *see transients*
voltmeters
  see also potentiometers
  weak d.c., precision meter 4−5109
volume control (gain) *see gain control*
volume measurement
  arterial flow meas., validity of impedance plethysmography 4−14645
  cardiology, left ventricular volume, motion extraction 4−35040
  expiratory air flow-volume curve display and recorder 4−18182
  gas-measuring device, automatic 4−2404
  glass apparatus, graduation marking technique 4−14792
  heart, left ventricle, single plane cineangiocardiographic methods 4−2170
  hologram, synthetic, for small particle size meas. *(German)* 4−2226
  immiscible liquids, volume conc. determ. 4−26738
  pneumotachograph/identifier device for flow and volume data recording 4−18757
  quantitative videoangiocardiography of left ventricular volume 4−26256
  thoracic pulsatile volume changes, by impedance plethysmography 4−14642
  ventricular end-diastolic, magnetic indicator dilution method 4−22542
  ventricular volume meas. by X-ray videometric methods *(German)* 4−8174
vortex flow *see vortices*
vortexes *see vortices*
vortices
  see also cavitation; turbulence
  acoustic radiation instability due to striking vortex sheet or subsonic stream 4−9667
  air, temperature fluctuation meas., metal film probe applic. 4−35580
  atmospheric, source for dust devils, 'vortex-jump' phenomena 4−29602
  atmospheric boundary layer electrical perturbations due to horizontal roll vortices 4−17645
  atmospheric dust devils, laboratory simulation of convective vortices 4−4437
  boundary layer flow around circular cylinder, Navier-Stokes eqn., surface cortex calc. 4−36640
  boundary layer separation, laminar, in uniform shear flow, external vorticity effect 4−32062
  buoyant boundary layer and plume, basic flow nonparallelism stability 4−19997
  circular cylinder vortex shedding, low speed calibration formula 4−9665
  circular cylinder wake, drag bounds due to pair of symmetric vortices 4−3299
  circular cylinders, multiple, average flowfields, reversed flow 4−32061
  circular cylinders, vortex excited resonant vibrations 4−14751
  circular cylinders normal to free stream, interaction phenomena 4−6167
  circumferential velocities; eqn. for distrib. in vortices over horizontal orifice 4−27841
  cold air funnel cloud formation, review 4−1849
  convected vortices, press. and veloc. fields 4−12708
  convection flow on heated, inclined plate, stability anal. 4−40399
  cyclones, numerical forecasting experiments based on potential vorticity conservation 4−38359
  cylindrical vortex, enclosing jet, nonlinear stability 4−9682
  doppler, for periodic flow fields 4−30502
  dust collectors, vel. fields 4−40596
  dust devils, field investigation 4−1903
  Eady waves, baroclinic instability, interior potential vorticity 4−32058
  electroconvection cells, dielectric liquid/ conducting fluid interface, cell morphologies 4−9692
  fluid flow generated by mag. field, vorticity distrib. 4−930
  FPP tornado scale, application during 1971-72 period 4−1844
  geophysical fluid flows, initial-boundary value problem 4−25647
  heat transfer across turbulent boundary layer on rough plate, obs. *(Russian)* 4−24181
  heat transfer in turbulent boundary layer, high flow acceleration, obs. *(Russian)* 4−19975
  Helmholtz instability, finite amplitude, linear model for sound fields 4−32060
  horizontal vorticity theorem and mesoscale wind-prediction model 4−34339
  Hurricane Agnes, 1972, June 18-26, associated rainfall 4−25664
  Hurricane Agnes, mesoscale forecast of assoc. rainfall 4−38317
  hurricane Audrey of 1957, hindcast of deep-water wave energy spectra 4−7661
  hurricane seeding analysis 4−7735
  instability, coalescence and fission of finite-area vortex structures 4−918
  interacting line system, negative temperature states 4−20067
  isolated tornado cell, VIP radar presentation of growth rate and rotation 4−1848
  Jupiter, hydrodynamic model, possible cause of Great Red Spot 4−34689
  Karman vortex street fluctuations interaction with stream velocity oscillations on circular cylinder 4−3320
  laminar natural convection flow, inclined surfaces, vortex instability 4−16195
  laser Doppler velocimeter velocity distrib. meas. of trailing edge vortex 4−15095
  magnetic field self-excitation, two vortex system *(Russian)* 4−40546
  MHD viscous plane flow, streamlines, vortices, source flow 4−20043
  Navier-Stokes equation, heat transfer, turbulent flow 4−32027
  necklace vortices, expt. obs. 4−16196
  Newtonian fluid flow through contraction 4−32010
  non geostrophic stirring of a rotating fluid 4−29637
  nonlinear dynamics of vortex flows, numerical methods 4−3273
  ocean, generated in coastal region by sea bottom fracture *(Russian)* 4−34292
  oceanographic, effect of potential vorticity mixing on lateral friction 4−7622
  Oseen hydrodynamical fields around sphere, numerical calcs. for Re=40 and 50 *(French)* 4−40461
  planar fin surfaces, convection and vortex flow 4−3248

vortices continued
planetary boundary layer, structure and dynamics 4−10909
planetary flow in a circular basin 4−42067
prismatic bodies, vortex-excited oscillations, pulse trains, random timing deviations *(German)* 4−2524
production in expanding self-gravitating Newtonian perfect fluid 4−4693
ring, velocity distrib. meas. using laser Doppler velocimeter 4−12685
rough plate, heat transfer, vortex motion 4−6149
screw agitator helical duct, Newtonian creeping flow 4−24193
separated flow around sphere, transient state analysis 4−27838
sheared, stratified flow, laboratory generation, cyclonic behaviour 4−3271
shedding from bevelled trailing edges 4−919
shedding from slender cylinders of various cross sections 4−19992
sheet, discretization, roll-up induced by elliptically loaded wing 4−24165
simulation, numerical, of hydrodynamics by method of point vortices 4−24164
solar apex, vortex pattern of local stars, orbital parameters 4−42459
square transfer by spectrum, eqns. of motion 4−12686
stability of flow inside three-axis ellipsoidal cavity *(Russian)* 4−32056
stratosphere, isentropic balloon meas. *(French)* 4−38545
stratospheric circumpolar vortex, O_3 accumulation in winter hemisphere 4−4508
streets stability and nonlinear breakup 4−9668
superconducting alloy, vortex viscous flow, near crit. temp. 4−37361
superconducting magnetic states, thermodynamic stability, vortex motion 4−33060
superconducting thin film, type I, tunnelling investigation of vortex state 4−33076
superconducting vortex lattice, rigidly pinned, critical current mag. field and temp. depend. 4−41135
superconductor, dirty, mixed state, local struct. and thermodynamic behaviour 4−24864
superconductor, dirty strong-coupling, fluctuation conductivity and vortex flow resistivity 4−13259
superconductor, gap-loss, dynamic structure 4−28548
superconductor, iterative calc. of Gorkov equations, appl. to vortices and crit. field 4−28544
superconductor, type II, dirty, inelastic neutron scatt. from vortex lattice 4−28546
superconductor, type II, Ginzburg Landau and Neumann-Tewordt eqns. numerical solns. 4−28521
superconductor, type II, morphology of flux line crysts., neutron diffr. obs. 4−24867
superconductor, type II, nascent vortices, surface impedance studies 4−28552
superconductor, type II, n.m.r. obs. of mixed state, comparison with theory 4−28569
superconductor, type II, static and dynamic props. of flux line lattice by neutron diffraction 4−33074
superconductor, vortex microscopy of quantum jumps in flux creep region 4−33092
superconductor dirty, circular cell approx. using BCS theory 4−28545
superconductors, mag. struct., conference, Argonne USA (1973) 4−28520
supersonic stream, instability due to acoustic radiation striking vortex sheet 4−9676
Taylor vortex flow, time-depend. eqns. of motion integration 4−27840
Taylor vortex transition detection, small clearances, hot film wall anemometry 4−12687
Taylor-vortex flow between rotating cylinders, sustaining torque 4−19991
thermal convection, fluctuations development, model interpret. 4−24182
thermal response of ocean to stationary, time-dependent hurricane model 4−25645
tornadic storm forecasting, synoptic and dynamic basis 4−34356
tornadic thunderstorm, Oklahoma City 30 April 1970 radar observed merger of twin hook echoes 4−1847
tornado, Doppler radar meas. of radial rel. patterns 4−4411
tornado formation from rotating thunderstorms 4−1850
tornado genesis, frictionally driven model 4−2005
tornado in SE Essex, England (1973, August 7) 4−42116
tornado suction mechanism, laboratory model including dust clouds 4−1851
tornado twins, Doppler radar obs. of radial vel. component and bounded weak echo region 4−1826
tornado-like vortices, laboratory mechanical model 4−2004
tornado-producing thunderstorms, digital radar anal. 4−1829
tornadoes, comparison of hurricane and Great Plain forms 4−1839
tornadoes, e.m. detector evaluation 4−2002
tornadoes, Iowa, synoptic and physical character of NE and SE advancing types 4−21981
tornadoes, mathematical model from alcohol cloud chamber obs. 4−38345
tornadoes, mesoscale numerical prediction of squall line phenomena 4−4416
tornadoes, severe weather threat index 4−1843
tornadoes, short range forecasting 4−1853
tornadoes in Britain 4−4524
Tri-State tornado 18 March 1925, detailed analysis 4−1846
tropical hurricanes, trajectory calculations *(Russian)* 4−14123
turbulent shear flow, visual obs. 4−6173
turbulent vortex pairs, linearized system, theory *(Russian)* 4−36636
type II, parameters governing transition, theory of interacting vortices 4−28543
viscous fluid, vortex form. and evolution behind sphere displaced at const. vel. *(French)* 4−36639
viscous fluid between concentric cylinders, stable flow domain 4−40462
viscous incompressible flow past oscillating square cylinder 4−40473

vortices continued
viscous incompressible fluid stationary flow around finite body *(Russian)* 4−922
vortex flow, liq. with bubbles, closed eqns. of motion *(Russian)* 4−40584
vortex pairing, turbulent mixing of two water streams at moderate Reynolds number 4−40465
vortex shedding from spheres, Reynolds number range 400 to 5×10^6 4−24197
vortex sheet, roll-up, numerical analysis 4−40464
wake, entrainment mechanism turbulent street and wake 4−20010
wake analysis, laminar, in uniform shear flow behind symm. two-dimens. body 4−32093
wake of circular cylinder, vortex shedding, turbulence in shear layer 4−3293
waterspout life cycle rel. to atmospheric motion scales 4−1852
waterspout research, dynamical behaviour 4−7672
waterspouts, probes for air temp. and pressure meas. 4−2003
Al, granular film, supercond., vortex flow 4−3788
Al films, supercondcuting, vortex struct. and interactions from interference expts. 4−33096
He, liq., vertical counterflow, second sound excess attenuation and stepwise growth of vortices 4−20459
He II, in rot., thermal effects due to vortex motion *(French)* 4−16627
He II, quantised vortex core struct., possibility of producing spark discharge 4−10007
He II, rotating, rel. to metastable state when rotary speed suddenly changes 4−10006
He II, rotating, thermal effects due to vortex motion, entropy flux *(French)* 4−16628
He II, vortex ring nucleation rate, neg. ions near Landau velocity 4−40936
He II counterflow, multiple Vinen states due to two distribs. of vorticity, obs. 4−40938
He superfluid, search for second to first coupling 4−10004
^{4}He, superfluid, thermodynamic phenomena on vortex lines 4−1149
^{4}He superfluid, quantized vortex ring creation by charge carriers 4−32771
^{4}He-^{3}He, superfluid, vortex ring production by charge carriers 4−10022
In film, type I supercond., obs. of single-fluxoid vortex mixed state 4−41137
Nb_{80}-Mo_{20} superconducting alloy, incremental entropy of vortices near critical temp. 4−24856
Pb film, type I supercond., obs. of single-fluxoid vortex mixed state 4−41137
Pb-Bi alloy film, superconducting, spatially modulated, vortex lattice 4−33091
Pb-In, supercond. thin film, flux lines, vortex motion, vortex microscopy expts., flux creep 4−16882
Pb-In(4.56 at.%), superconductor, entropy flux associated with moving vortex lines, low freq. a.c. meas. 4−24880
PbIn alloys, superconductors, surface resistance study vortice lattice interaction 4−28542
Sn film, type I supercond., obs. of single-fluxoid vortex mixed state 4−41137
Sn superconducting bridge of large dimensions, coherent motion of vortices 4−10227

waiting line theory *see queuing theory*

wakes
air, isothermal vertical plate, laminar free-connection wake 4−20013
air, temperature fluctuation meas., metal film probe applic. 4−35580
aircraft wake scattering in active elevated anomalous refractivity region 4−26905
airfoil, prediction of viscous drag 4−27856
anemometric probe for thermal wake obs. *(French)* 4−23067
asymptotic flow, incompressible liquid, stationary solns. 4−12711
balloons, blunt conductivity probe measurements 4−17770
bluff bodies, spheres, spherical caps and circular discs, wake props. rel. to Reynolds number 4−40504
boundary layer separated flow with wakes past circular cylinder, displacement layer 4−20003
cascade of airfoils, wake profile, turbulence and Reynolds stresses 4−12709
circular cylinder, effect of base-bleed and suction *(Japanese)* 4−36661
circular cylinder wake, drag bounds due to pair of symmetric vortices 4−3299
circular cylinder wake, spanwise correlation in subcritical Reynolds number range 4−3293
circular cylinders, multiple, average flowfields, reversed flow 4−32061
entrainment mechanism, turbulent street and wake 4−20010
fan stator noise, unified anal. 4−42667
fluidised bed, liquid-liquid, wake phenomena, drop holdup 4−3324
formation behind triple shock wave configuration at point of branching *(Russian)* 4−40512
hypersonic entropy wake, effect of wave drag 4−27862
hypersonic slender cone near wake, variable incidence $M_\infty = 7$ 4−36660
hypersonic wake velocity, temp., mass and charge density determ. 4−16221
incompressible fluid flow around arc of circle *(French)* 4−24216
laminar far wake behind two-dimensional body in uniform shear flow 4−3294
large space vehicles, wake obs. platform expts. 4−22487
near-wake structure of spherical and cylindrical bodies in laboratory plasma 4−29781
oscillating cylinder, stability and freq. synchronisation, Reynolds numbers 40-10^4 4−12719
Pic-du-Midi observatory, aerodynamical wakes rel. to quality of astronomical images *(French)* 4−4406
profile drag calculation, from pressure meas., subcritical speeds 4−27859
rocket wake in lower ionosphere, electric field and current density profiles 4−14185
shear flow, uniform, laminar wake and behind symm. two-dimens. body 4−32093

wakes continued
  spacecraft-space plasma interaction and wake regions 4−17886
  stability and longtime evolution, computational expts. 4−918
  streaming plasma, electron temperature enhancement 4−22188
  supersonic projectile, holography *(French)* 4−30676
  supersonic vehicles in plasma, current enhancement in mid-wake zone 4−17883
  thermal, turbulent diffusivity in plane parietal jet *(French)* 4−24217
  thermal wakes below linear source, nondimens. represent. *(French)* 4−3290
  turbulent, sound propagation 4−11374
  turbulent hypersonic sphere wake, electron density, Langmuir probe meas. 4−32094
  turbulent thermal motion in unstratified environment 4−6162
  turbulent wake growth characts. 4−6177
  two-dimensional, thin-film probe meas. 4−39465
  viscous incompressible fluid stationary flow around finite body *(Russian)* 4−922
  vortex shedding from bevelled trailing edges 4−919

Walsh functions
  see also encoding; filtering and prediction theory; signal processing
  spectral analysis, using Hamamard transform, followed by pattern recognition *(X)* 4−23042
  spectral analysis of images *(Russian)* 4−11904
  underwater sound signal spectrum analysis 4−8266
  vibration analysis, appl. of Walsh transforms and linear discriminant technique 4−39575
  Walsh Fourier transform, contraction 4−35604

waste disposal
  biological reactor control, optimal, adaptive 4−4897
  biological treatment, optimum system 4−26284
  deep saline aquifers in Florida, waste water disposal and rainfall runoff 4−30276
  estuary water quality model, storm-sewage overflow 4−34306
  incinerator, air controlled 4−39102
  nuclear fission product solution, solidification *(French)* 4−36373
  nuclear reactor waste, pressurised O_2 combustion 4−40146
  nuclear reactor waste product conditioning methods 4−40147
  radioactive, ^{137}Cs transmutation in quantity in controlled thermonuclear reactor, half-life reduction 4−23932
  radioactive, fluid-bed incineration 4−31589
  radioactive, from nuclear fuel cycle, projections 4−31583
  radioactive, from nuclear power plant, design considerations for reduction of in-plant doses 4−40153
  radioactive, high-level, retrievable surface storage 4−31585
  radioactive, high-level, transmutation using controlled thermonuclear reactor 4−23931
  radioactive, low uranium content, incineration 4−31590
  radioactive, post-impact anal. of space disposal containers rel. to abortive flight 4−31588
  radioactive, rel. to safety of nuclear power stations near towns *(Czech)* 4−31573
  radioactive, singles gamma-ray drum counters, matrix independence 4−23942
  radioactive high-level, from fuel reprocessing alternative means of management 4−31584
  radioactive waste, rock-melting capsule concept 4−23929
  radioactive waste canisters, improved heat transfer 4−31586
  radioactive waste disposal in underground salt cavities *(Dutch)* 4−23925
  radioactive waste product form durability evaluation by leaching procedure 4−31587
  radioactive waste site, study of ground conditions 4−40154
  radioactive waste storage in concrete-polymer composites 4−40152
  sanitary landfill, i.r. spectra of gaseous decomposition products 4−18761
  solid, estimation of quantity from aerial photography of sources 4−35337
  transuranic contaminated solid waste treatment development facility 4−40151
  underground waste disposal and artificial recharge in Japan 4−30275
  underground waste management, symposium (New Orleans, September 1973) 4−30274
  water, denitrification and oil removal 4−18247
  water analysers, sample conditioner 4−8572
  water waste, and sewage disposal, electronic meas. 4−30654

water
  see also heavy water; ice; moisture; seawater; steam
  absorption bands, illustration of IKS-24 i.r. spectrophotometer performance 4−22855
  activity, of supersaturated aq. solns., calc. from ternary data 4−4303
  adsorbed film, influence on Van der Waals forces between quartz glass surfaces *(German)* 4−24639
  adsorbed on glass, silane coupling agent effect on surface energy 4−1162
  adsorbed on SiO_2 gel, sp.ht. meas., phase transition below m.p. 4−10041
  adsorption of water vapour on Ge clean cleaved (111) face, struct. and kinetic props. 4−28289
  adsorption on amorphous silica, n.m.r., freezing effects 4−37088
  adsorption on Au surface, X-ray photoelectron and vacuum u.v. photoelectron studies 4−37097
  adsorption on polyvinylidene chloride carbon, effect of surface oxides 4−28285
  adsorption on silica gel, phase transitions, vapour pressure analysis 4−40974
  adsorption on SiO_2 gel, surface diffusivity 4−4299
  adsorption on TiO_2, rutile, monolayer, differential enthalpy, entropy 4−28282
  air flows over rough water surface, turbulent heat and mass transfer 4−6159
  air-water, transition from bubbly to slug flow 4−27906
  air-water mixtures, flow in conical diffuser 4−3328
  alcohol-water mixtures, boiling heat transfer rate, pressure effect 4−6487
  atmosphere, vapour measures, Mt. Lemmon area 4−25655
  atmospheric, transfer to and from natural and artificial surfaces 4−14152

water continued
  atmospheric concentrations, 45 to 60 km, rocket and balloon borne samplers 4−22010
  atmospheric i.r. water vapour absorption at temperatures in +20 to −30°C range *(Russian)* 4−14127
  atmospheric total precipitable water vapour from humidity and spectroscopic meas. 4−34361
  atmospheric vapour, absorption of radiation, characteristics of moist turbidity *(Russian)* 4−29632
  boiling, heat transfer in rough steel tubes *(German)* 4−19984
  boiling, heat transfer near an isolated steam generating centre *(Russian)* 4−28202
  boiling, saturated and subcooled, on Cu surface, bubble nucleation 4−40574
  boiling, vapour and liq. temp. local meas. with microthermocuple 4−18398
  boiling at horizontal surfaces, critical densities of heat flow, acoustic study *(Russian)* 4−28201
  boiling mechanism investig. at low press., under conditions of free motion 4−32037
  capillary flow, negative press. volumetric behaviour, tube deform. effects 4−28182
  cation-exchange membrane, differential conductance coeffs. for single salt-water system 4−25514
  cavitation damage behind circular cylinders in venturi, pressure and cavity length effect 4−3333
  chemisorption on Al_2O_3 amorphous film, inelastic electron tunnelling spectra 4−13101
  chemistry, rel. to corrosion control in nuclear power stations 4−31560
  collagen film, water sorption effect on gas permeation 4−24579
  compressibility from sound speeds 4−9938
  compressibility temp. and press. depend., acoustic velocity obs. 4−28136
  condensing injector, steam-H_2O, study of heat transfer process 4−5880
  convection flow, nonlinear disturbance behaviour 4−3256
  dielectric behaviour, theoretical basis, bibliography for 1971, in book 4−6831
  dielectric relaxation calc. using Debye's eqns. 4−3935
  dissolved in $LiPO_3$-KPO_3(1%) glass, influence on internal friction 4−24512
  distilled, charged particle density and temp., obs. by double probe method *(German)* 4−7440
  distilled, horizontal layers, occurrence of convection 4−40431
  distilled, pool boiling, acoustic noise, pressure and subcooling effect 4−9981
  distilled, turbulent stream, light propagation props. obs. *(Russian)* 4−5468
  distilled, viscosity meas. in thermal gradient 4−13058
  drop, evap. in pulsed optical field 4−40886
  drop, evaporation rate 4−40883
  drop, explosive disintegration by laser beam, obs., mechanism 4−23372
  drop, explosive evap., laser irrad. *(Russian)* 4−39762
  droplet coalescence, experimental investigation *(Russian)* 4−29631
  droplet evaporation and condensation, quasi-steady diffusion controlled 4−32678
  droplet migration in KCl, stability obs. 4−16624
  drops, formation in Venus atmosphere 4−4719
  dynamic mixing with lava, explosion cause 4−21757
  dynamical dielectric response, high freq. extended Onsager theory 4−28754
  E-glass adsorption, i.r. absorpt. study, OH group interactions 4−10039
  effective Debye temperature, temp. and press. depend., quasi-cryst. model 4−40900
  effective molecular quadratic moment, calc., eqns. for dipole-quadrupole contrib. to second virial coeff. 4−36501
  electrofreezing of supercooled waterdrops 4−24551
  electron detachment spectra, vibr. struct. calc. using first order one-body coupling const. 4−40330
  electron diffraction of very thin layer of liquid water 4−36794
  emulsion, petroleum, multiple internal reflection spectra *(Russian)* 4−41906
  ethanol-water mixtures, mutual diffusion coeff. determ., rapid new method 4−24574
  ethylene, glycol-water, polar matrix, bound-free transitions of trapped electrons, semi-continuum model 4−33456
  evaporation, effect of surface roughness 4−42105
  evaporation from thin capillaries, absorption films influence 4−3561
  evaporation of drops in state of thermodyn. disequilib., theory *(Italian)* 4−36996
  evaporation retardation by monomolecular layers 4−21902
  filled epoxy resin, permeation of liq. water up to 130°C 4−24583
  film condensation of vapour on horiz. corrugated tubes 4−32040
  film cooling with evaporation and boiling 4−6484
  flashover performance of water jets under a.c. and static applied voltages 4−36751
  flow, slow, visualisation of buoyancy driven flow in enclosed spaces 4−24186
  flow, transcritical, stable flow boundaries var. by shifting heated zone 4−40390
  flow studies in diffuser-modified nozzle 4−3297
  flow through porous media, analytical solutions to diffusion equation 4−20060
  flow through porous media, transport of solutes, dispersion and ion exchange affected, Galerkin method 4−20058
  free energy and entropy calculations in hydrodynamic dispersion 4−25516
  freely falling electrically charged water drops, natural vibrational frequencies 4−34384
  geohydrological study of Jemez Plateau, New Mexico 4−21750
  geothermal hot springs, northern Nevada, radioactivity measurements 4−21753
  geothermal well, Mesa 6-2, Imperial Valley, California, preliminary results 4−21754
  geothermal well, two-phase steam-water flow, computer calculated deliverabilities 4−21751

water continued
geothermal wells, flashing flow, calculations and comparison with field data 4−21752
global water circulation, new computation *(German)* 4−1816
groundwater flow at Smiths Cove, Nova Scotia, effect of intrusive rocks 4−14084
heat transfer, thermodynamic and transport props. 4−35223
heat transfer during boiling at isothermal surface 4−32043
heat transfer during boiling on fins with insulating coating 4−40420
hydrogen bonding, X-ray pair correlation functions 4−32419
hydrogen bonds from donor water molecules, geometry 4−24409
hydrology, user requirements and use of satellites 4−17827
infiltration into crusted soil, numerical and similarity anal. 4−4386
interface with air, surface dipole moments of unionized monolayers 4−37292
interface with Cu, u.s. refl. at Rayleigh angle incidence, phase 4−11449
interfaces, various means of surface tension, Fowkes' theory 4−13090
interference filter, narrow band, effect of absorbed moisture on pass-band position *(Russian)* 4−11511
interstellar molecules, observational data on anomalous emission, review 4−38902
interstitial in oceanic sediments, effect of expulsion on temperature distribution 4−29460
intratissue, temp. dependence of nuclear relaxation 4−38963
ion-molecule reaction, product distribs. and rate constants 4−21549
ion-water interactions, gas phase, pot. fuct. determ. by semiempirical mol. orbital method 4−40346
i.r. absorption coefficients, thin layer, Au substrate, surface e.m. wave meas. technique 4−10400
isobutyric acid-water system, electrical resistance near critical pt. 4−28440
isotropic partition function ratio for heavy atom substitution 4−41949
jet, directed at two-phase interface, onset of entrainment and mass transfer 4−27885
jet, vertical, laminar, thermal buoyancy effect on viscous stability 4−3295
Jupiter's Galilean satellites, i.r. reflectivity, frost absorpt. 4−34666
laminar flow, natural convection on vertical flat plate *(French)* 4−40397
laminar flow in annular duct, eccentricity effect on drag and heat transfer 4−36624
laser, far-i.r. single line, flash photolyzed H_2 and O_3 mixture obs. 4−21585
latex film, liquid water and water vapour transmission rates 4−25442
LCAO-MO model for excess electrons 4−32850
localized, in moist wood, wide line n.m.r. study of critical content and hysteresis 4−41268
lunar surface, Apollo 14 obs. of water vapour ions 4−4750
magnetized, viscosity and aggregate vol. *(Russian)* 4−37032
Mars, water vapour outgassing rel. to diurnal brightening of W cloud region 4−42337
Mars rock weathering possible processes for water or ice erosion 4−17948
mass transfer in freezing soil-water system 4−25633
metal-water explosion analysis using equilib. models 4−12425
Mie-Gruneisen equation of state 4−13053
mineral content of rivers, rel. to water discharge 4−4375
γ-MnO_2, desorption from gravimetric temperature programmed desorption in static water vapour environments 4−16662
molecular, dissociative excitation by electron impact, meas. of emission cross section 4−40337
molecular beam differential collision cross section meas. 4−9625
molecular clusters, intermolecular freqs. calc. 4−31976
molecular evaporation from body and surface of liquid, numerical student problem 4−30357
molecular force consts. calc., kinematic method, parameter for choice of root 4−6007
molecular reorientation in dioxane mixture, press. and conc. depend. 4−25007
molecular reorientation time of H_2O in ion hydration shells, spectral estimation *(Russian)* 4−29370
molecular rotation amplitude variation on melting of ice 4−40880
molecular vibrational excitation, electron impact, Born theory 4−40336
molecule, ab initio calcs. of vibrational properties near Hartree-Fock limit 4−3125
molecule, ab initio SCF and configuration interaction calcs. on ground state 4−3103
molecule, added to flowing He afterglow, spectral emission characts. 4−793
molecule, anharmonic potential function 4−6010
molecule, collisional quenching of $Cs(6^2P_{3/2,1/2})$ doublet in flames 4−9416
molecule, collisional quenching of $K^*(4p^2P)$ and $(5p^2P)$ states 4−698
molecule, D/H and T/H isotopic fractionation, partition functions 4−41952
molecule, de-exciting KBr mol. beam, inelastic scatt. 4−16142
molecule, excited states, Rydberg nature and assignments 4−27590
molecule, higher vibrational states, effect of bending vibs. on freq. splitting 4−9499
molecule, hydrogen bonded, correlation curves from ab initio calcs. 4−27633
molecule, ionisation pot. calc. for closed shell mol. 4−6115
molecule, LCAO MO SCF calcs., promotion, hybridization effects 4−12529
molecule, low J states, electric dipole moment, e.s.r. 4−12554
molecule, lowest triplet state SCF calc. 4−6005
molecule, nuclear relax. of protons in KU-2-8 cation exchange resin phase 4−16996
molecule, satellite peaks in high energy photoelectron spectra 4−3216
molecule, SCF multi-configuration calculation, lowest triplet state 4−3095
molecule, vacuum u.v. absorpt. and photoionisation cross sections 4−19822

water continued
molecule, vibr. excitation by $O_2(^1\Sigma_g{}^+)$, quenching and i.r. emission obs. 4−27749
molecule hydrogen bonded crysts., dipole moments and charge distribs. 4−1371
molecule strengths and air-broadened widths of lines in 2950-3400 cm^{-1} region 4−3168
molecules, dynamics in ferroelec. $K_4Fe(CN)_6.3H_2O$ cryst. 4−10421
molecules i.r. rotation line emission from premixed flame 4−18766
natural aquifers, hydrodynamics of fresh-salt water interface 4−25628
natural convection between vertical parallel plates 4−3249
natural convective flow thermal transition past vertical surface 4−9654
nuclear reactor coolant, interaction with molten fuel *(German)* 4−36253
oil-water interface, photoneutron detection 4−42190
optical properties rel. to density inhomogeneities, distilled water 4−41350
overland flow, one-dimensional hydrodynamic models *(Russian)* 4−25637
partial molal volumes, of solutes in H_2O and D_2O meas. rel. to struct. of H_2O 4−38175
penetration in polymethylacrylate, effect on tensile stress relaxation 4−10691
permittivity measurement, cavity resonator method *(German)* 4−6827
phantom, heavy ion beam stopping, LET spectra 4−8246
piston driven flow, self-similar solns. 4−12706
plasma instability, electron attachment, He-H_2O gas mixtures 4−24273
polarisability and permittivity, calcs. by semiclassical damped oscillator theory 4−9508
polyvinyl acetate film, partially hydrolyzed, water vapour sorption 4−24628
probe for meas. water vapour content of hollow cathode discharge 4−35543
n-propanol + H_2O mixture, pool boiling heat transfer coeffs. 4−28197
proton transfer processes, in water and ice, proton-proton interactions investig. semiempirical model 4−34042
Raman spectra and hydrogen bonding 4−6890
reflection spectroscopy adsorption on Ni^{2+}, MgO matrix, reflection spectroscopy 4−6546
Rice-Walsh equations of state, expt. up to 1.5 Mbar 4−20405
self-diffusion, viscosity, nuclear relaxation times, temp., press. depend. 4−9811
self-diffusion and viscosity, rel. to temp. 4−16607
shallow, nonlinear theory for three dimensional motion 4−40617
shield, buildup factors for ^{137}Cs and ^{60}Co radiations 4−42610
snow water equivalent remote monitoring by meas. natural soil radioactivity 4−4526
solar radiation absorption spectrum in region 9 to 11.6 μ 4−7718
solvent, chromophore solute, visible spectrum, solvent shifts 4−21013
sorption on collagen films, effect on mechanical properties 4−10689
stabilization by nonelectrolytes, change in vibrational spectra 4−36793
standing waves, nonlinear damping 4−6188
stratosphere, trace constituents involving odd oxygen, nitrogen oxides and water vapour 4−17705
structure, H-bond patterns 4−40733
structure and molecular dynamics, book 4−20202
structure in dimethyl sulphoxide mixtures 4−6322
structure of liquid, Monte Carlo calc. 4−6323
subcooled, boiling, heat transfer rate calc. 4−6489
subsurface water composition, review of chemistry 4−21909
supercooled, clustering obs. 4−24561
superheated and subcooled, critical discharge through cylindrical passages, high pressures 4−32127
surface temp. meas., effect of sky radiation *(Russian)* 4−14232
surface tension, effect of H_2S, adsorpt. of monolayer proposed 4−37082
surface waves, three dimensional packet evolution 4−36667
surface waves, two-dimensional theory for propagation 4−32115
suspension of hydrodynamically suspended spheres, drag coeff., press. drop 4−27907
table, control during irrigation, model *(Russian)* 4−29531
thermal convection, effect-of-solute dispersion on flow through porous medium layer 4−4384
trace metal analysis, flameless at absorpt. spectroscopy 4−11672
transport through partially frozen soil 4−21906
tritiated, applic. of metallic U as reducing agent 4−7468
tritiated, specific radioactivity meas. by internal gas counting 4−5163
tritiated water, isotopic analysis via i.r. spectrophotometry 4−2401
troposphere, turnover times of ^{137}Cs and HTO, removal rates of natural aerosol particles and water vapour 4−10920
turbulent boundary layer, wall region temp. fluctuations 4−40388
turbulent flow, 'clean' rod bundle flow channel, crossflow mixing 4−36628
turbulent mixing of two streams, vortex pairing 4−40465
turbulent pipe flow, diffusivity radial distribution 4−6147
turbulent pipe flow measurements using laser-Doppler velocimetry 4−3255
ultrapure, for microcircuit technology, prep. and quality control 4−11694
underground circulation in karst areas, radioactive tracer methods and experiments 4−7857
underwater multiple scattering of light, effective attenuation coeff. 4−2599
unstable film boiling, critical heat flux density 4−9980
u.s. absorption, press. depend. calc. 4−3529
vapour, adsorbed on Ge, surface cond. and field effect mobility obs. 4−24634
vapour, atmospheric window region, new absorption feature, effect on radiative cooling 4−38341
vapour, band transmission function, approx. by finite sums of exponentials 4−7676

water continued
vapour, lower atmosphere coeff. of aerosolic cloudiness *(Russian)* 4−29624
vapour, Martian atmosphere, Mariner 9 i.r. obs. 4−26015
vapour, molecular complexity rel. to speed of sound 4−16165
vapour, Mother-of-pearl clouds, time variation 4−42130
vapour, reaction with liquid Na, 300 to 450°C, Na-H-O phase diagram 4−4253
vapour, reactivity with α-Fe_2O_3 microcrystallites 4−10051
vapour, rot. spectrum, 398 μm absorption line parameters 4−19838
vapour, spectral line intensity calcs., first overtone, combination freqs. 4−9529
vapour, struct. at 350°C and 158 bar 4−6056
vapour absorption coefficient, 8-13 μ *(Russian)* 4−7697
vapour absorption in atmosphere, radioastronomic obs. 4−17760
vapour and air, viscosity calc. 4−3243
vapour condensation from moist air in narrow channels, heat and mass transfer 4−40436
vapour dimers, near-saturated air, effect of polymers *(Russian)* 4−25689
vapour pressure, tables and eqn. for variation with temp. 4−28203
Venus, 8198 Å line search rel. to upper atmosphere model 4−26027
Venus atmosphere, water vapour 8197 Å line obs. 4−26028
vibration-rotation energy levels, exptl., calc. values 4−817
vibrational spectra, elec. and mag. field effects 4−21555
viscosity, second coeff., isotope effect and molecular mech. 4−9993
viscosity measurement, ordinary and heavy mixtures, 1-1200 kg/cm^2, conc. depend. 4−13059
W3(OH) radiosource accurate relative positions of H_2O i.r. emission features 4−14450
waste water analysers, sample conditioner 4−8572
water turbulent pipe flow, ink axial dispersion 4−3270
water-H_2SO_4 system, H_2SO_4 droplet growth, heteromolecular condensation theory 4−38093
water-vapour mixture, annular flow with heat addition 4−32126
waterdrop generator, for drops of specified mass 4−2440
X-ray diffraction, neutron inelastic scattering, review 4−17530
$Ar^+ + H_2O \rightarrow H_2O^+ + Ar$, ion source in flowing afterglow system for mass spectrometric chemical ionization 4−18769
CO_2 permeability in nitrile polymers, Permachor values 4−24576
CO_2-H_2O-N_2 mixture, gas stream expsn. through aperture, CO_2 vibr. relaxation *(Russian)* 4−40245
$CO_2 + N_2 + He(H_2O)$ mixtures expanding in a supersonic nozzle, light amplification factor *(Russian)* 4−5542
^{137}Cs brachytherapy tubes, surrounding water dose distribution obs. 4−30223
H_2-H_2O system, intermolecular forces, potential energy curve 4−12647
HCl-H_2O solutions, effect of H_3O^+ ions on Raman spectra 4−38171
HCl-H_2O system, thermal diffusion, laminar flow, adverse temp. gradient *(French)* 4−28229
HDO search in Orion Nebula direction, H_2O/H_2CO ratio 4−14503
H_2O/D_2O system; diffusion induced drift of soot particles, analogy to Kirkendall effect *(German)* 4−37027
H_2O/sucrose system; diffusion induced drift of soot particles, analogy to Kirkendall effect *(German)* 4−37027
H_2O-Be plane lattice, generalised Nelkin's expansion for neutron burst decay 4−12403
H_2O-chloroform interaction, spectroscopic evidence 4−9534
H_2O-choline chloride-KCl systems, isothermal diffusion meas., density data, refractive index derivatives determ. 4−29366
H_2O-D_2O mixture, excess u.s. absorption calc. 4−28157
H_2O-disodium chromoglycate system, mesophase, X-ray diffr., microscopy 4−24394
H_2O-H_2CO, in relaxed singlet and triplet $n \rightarrow \pi^*$ states, ab initio SCF CI calcs. of hydrogen bonding 4−12543
H_2O^+, analysis of Renner effect 4−24131
H_2O^+, excited level lifetime meas., h.f. deflection 4−16064
$H_2O^+ + H_2O \rightarrow H_3O^+ + OH$ reactions within extraction orifice of mass spectrometric sampling probe, quantitative anal. 4−13985
HOD, peak assignments in non-polar solvents 4−12579
^3H uptake by soil water and groundwater as molecular hydrogen 4−4391
He-H_2O system, intermolecular forces, potential energy curve 4−12647
$N_2^+ + H_2O \rightarrow N_2H^+ + OH$ reactions within extraction orifice of mass spectrometric sampling probe, quantitative anal. 4−13985
$NH_3 + H^+(H_2O)$ reaction, rate constant determ. in flowing afterglow system 4−34004
$N_2H^+ + H_2O \rightarrow H_3O^+ + N_2$, rate constant, flowing afterglow 4−10731
$N_2H^+ + H_2O \rightarrow H_3O^+ + N_2$ reactions within extraction orifice of mass spectrometric sampling probe, quantitative anal. 4−13985
Na cooled, small water leaks detection 4−3010
Na/H_2O, explosive interaction, material wastage, at heat exchanger leaks 4−3009
Na/H_2O reactions in heat exchangers, mathematical modelling techniques 4−3012
Na/H_2O reactions in steam generators, exptl. studies 4−3011
Ne-water system, hydrogen bonding, Hartree-Fock calc., Gaussian basis 4−9483
Ra extraction from natural waters using Mn-impregnated acrylic fibres 4−29768
T_2O and HTO, mm and sub mm spectra 4−9551

water boilers *see boilers*

water conditioning *see water treatment*

water cooling towers *see cooling towers*

water pollution
see also pollution detection and control; waste disposal; water treatment
amount of contamination admissible, river Rhine example 4−26294
aquatic biota, potential radiological impact 4−35086
demineraliser regenerant waste reduction at Point Beach nuclear power station 4−36389
detection, c.w. laser fluorometer for night-time surveillance, airborne trials 4−30269
Duero river, geochemical study of water samples *(Spanish)* 4−29530
effluents, iron foundries, control 4−18253

water pollution continued
environmental monitoring, low cost towable underwater system 4−17878
environmental protection instrumentation and techniques, paper industry 4−4896
estuary water quality model, storm-sewage overflow 4−34306
flow studies, conf., Atlanta, USA (Jun. 1973) 4−29387
fluid dynamics in fiords, mathematical and computer simulation 4−12669
Great Lakes, radioactivity concentrations due to nuclear generating units 4−23934
heated effluent, wind effects on thermal plumes 4−34305
heavy water production effluents, specific ion electrode for sulphur monitoring 4−8253
hydrocarbon seeps, northern shelf, Santa Barbara basin, California 4−7656
i.r. satellite photography for remote sensing 4−2016
lake, radioactive waste disposal, dose commitments 4−35075
Lake Michigan, from pollution aerosol fallout 4−22627
Lake Michigan, primary production and nutrients, seasonal and spatial changes 4−21900
London basin, artificial recharge of underground water and rivers 4−29533
magnetic separation in pollution control 4−8250
marine hydrocarbon seepage detection by subbottom profiling 4−11060
measurement by periphytón algae, total dissolved electrolyte effects 4−18252
measurement of oil at sea, simple ultrasonic technique 4−18260
monitoring continuous automated, textile industry Westinghouse ADVISER system 4−8255
natural gas nuclear stimulation, Rio Blanco project, hydrological changes 4−19625
North Sea *(German)* 4−7647
nuclear power plant, thermal effects on marine biota 4−36384
nuclear power plant multiport diffuser system for ocean discharges, thermal modelling 4−36383
nuclear power stations, environmental effects of one-through condensor cooling 4−36382
oceans, trace element composition of low level marine atmospheric particulates 4−1815
oil accumulations, volume determination 4−30271
oil slick detection by synthetic aperture radar 4−11051
oil spill, arctic, survey of effect on ice, snow 4−7657
oil spills, multisensor system for airborne surveillance 4−14725
oil spills, physical, chemical changes under natural weathering 4−7658
oil spills, viscosity, density, concentration changes under natural weathering 4−7658
Pacific Ocean, quantitative tar and plastic waste distrib. 4−10870
packaged radioactive waste, disposed in deep Atlantic Ocean 4−4895
pollutant dispersion in coastal waters 4−11079
polluted stream variables, optimal estimation 4−11356
polyphase flow for environmental protection 4−32129
purification, biological, automation, measurement of dissolved oxygen *(Spanish)* 4−26292
quality estimation, hydrochemistry and hydrodynamics 4−14717
quality management systems, optimal, distributed open-loop performance index sensitivity 4−4898
radioactive Co and Ag, environmental behaviour, review 4−31629
radioactive waste, relative sensitivity of measures *(French)* 4−14712
radioactive waste disposal, environmental capacity 4−35085
radioactivity concentration, assessment from benthic organisms, vicinity of nuclear research establishment 4−12460
radiocontamination of fish, River Meuse *(French)* 4−31634
radioelement, surface water purification, empirical equation *(French)* 4−31627
radiological capacity concept, radiation protection *(French)* 4−35080
radionuclide, environmental monitoring, ecosystem approach 4−31639
radionuclides, in discharge from PWR nuclear power station 4−31628
radionuclides, modelling of river basin transport 4−31635
radionuclides, river transport to cultivated soils *(French)* 4−31631
remote water quality meas,, with lidar polarimeter 4−14724
Rhone Basin, radioecological study *(French)* 4−31636
river, phenolics conc., stochastic modelling 4−29532
river water quality, annual cycle, river Stour, England 4−21905
rivers, long-term monitoring 4−14713
rivers and lakes, airborne spectroscopic measurement 4−29765
salinity, from salt water cooling towers 4−22629
surface water, radioisotope health protection standards, Soviet Union *(Russian)* 4−35084
surface water quality and pollution control in USSR 4−14716
teledetection, CERGH activities *(French)* 4−7809
thermal discharges, unsteady three-dimensional turbulent diffusion equation 4−25643
underground pollutant dispersion and adsorption during flow through porous media, Crank-Nicolson method 4−21908
underground waste disposal and artificial recharge in Japan 4−30275
waste water and sewage disposal, electronic meas. 4−30654
waste water disposal and rainfall runoff into deep saline aquifers in Florida 4−30276
water quality monitoring for rivers and seas, automatic shipborne system 4−15092
X-ray fluorescence anal., proton excited, on monitor 4−39445
'zero load', basic load on waters, economic aspects in central Europe 4−26293
CO_2, groundwater contamination, from gas production in sanitary landfills 4−22631
CO_2, industrial, future content in atmosphere and oceans 4−4527
CO_2, industrial produced, accumulation in atmosphere and sea 4−29634
^{137}Cs, concentration in Colorado mountain watershed 4−18257
^{137}Cs, flood plain transfer and accumulation 4−31630
^3H, accumulation in fish 4−35076

water pollution continued
^{3}H, distrib. in ruminant organs *(French)* 4−35071
^{129}I, near a nuclear fuel reprocessing plant 4−40134
^{34}S/^{32}S abundance ratio as environmental tracer 4−42134
^{90}Sr, environmental capacity of freshwaters 4−35083
^{228}Th/^{228}Ra ratio in open surface seawater rel. to rate of reactive pollutants 4−1805

water purification *see water treatment*

water supply
see also dams
aquifer transmissivity, Galerkin solution of inverse problem 4−17634
diffusion equation, one-dimensional, nonlinear, analytical solutions 4−20060
Forecasting water use for electric power generation 4−4379
groundwater, parabolic diffusion equation, deforming soils 4−17633
groundwater discharge, time series analysis of climatic and hydrogeologic variables 4−17635
groundwater flow in multiaquifer systems, numerical simulation 4−17639
hydrological forecasting and water management in USSR 4−14139
hydrological simulation model, flood prediction, remote sensing 4−22909
irrigation and streamflow control effects on surface water resources 4−14091
Lake Sevan, USSR, secular water storage for power generation and irrigation purposes 4−14094
Potomac, computer simulation cost benefit anal. year 2010 projection 4−4381
precipitation modification by major urban areas 4−34314
quality estimation, hydrochemistry and hydrodynamics 4−14717
resources and management, as a case study in interactive multiobjective programming 4−4380
satellite TV picture use in hydrology 4−14093
single well pumping, associated ground motions 4−17636
surface run-off rainfall, hydrological aspect 4−4517
table, control during irrigation, model *(Russian)* 4−29531
teledetection, CERGH activities *(French)* 4−7809
underground pollutant dispersion and adsorption during flow through porous media, Crank-Nicolson method 4−21908
O_2, dissolved, potentiometric measurement methods *(German)* 4−39100

water treatment
see also desalination
biological reactor control, optimal, adaptive 4−4897
biological waste treatment, optimum system 4−26284
biological water purification automation, dissolved O_2 measurement *(Spanish)* 4−26292
demineraliser regenerant waste reduction at Point Beach nuclear power station 4−36389
denitrification and oil removal for waste water 4−18247
effluent treatment plant, chemical neutralization of residues from metal finishing processes *(French)* 4−2200
effluents, iron foundries, control 4−18253
microelectronics industry, method and quality control 4−11694
sterilisation, by microwave irradiation 4−18233
u.v. purification 4−39103

watthour meters
No entries

wattmeters
see also volt-ampere meters
No entries

wave analysers
see also spectral analysers
student's circuit for harmonic analysis using beats 4−30353

wave equations
see also Dirac equation; Schrodinger equation
acoustic wave eqn. soln. with time-dep. boundary conditions by Williams method 4−4908
acoustic wave propagation, parameterless examples 4−42640
acoustic wave propagation from moving point source, subsonic and supersonic cases 4−34116
arbitrary spin, extreme relativistic limit 4−8887
conformally invariant massive and massless spinor eqns., solutions 4−12003
conformally invariant massive spinor equations in six-dimensional space 4−12002
evolution, generation by symbolic computation and asymptotic solns. to elliptic eqns. 4−6218
free spin 3/2 and spin 1/2 particles, series development of field eqns. solns. in de Sitter space *(French)* 4−2643
fusion of particles with spin and space-time Brownian motion dynamics *(French)* 4−23190
general relativity, wave solutions 4−39617
Hamiltonians allowing wave eqns. correspondence determ. 4−15201
Helmholtz equation with variable index, elementary soln. *(French)* 4−23081
homogeneous, three dimensional, asymptotic behaviour *(German)* 4−2542
hypervirial calculations for harmonic oscillator 4−39588
Kerr liquids, self-focusing and trapping, numerical calc. 4−19135
Klein-Gordon, as limiting case of suitably hyperbolized Schrodinger eqn. 4−23176
Klein-Gordon equation, integral sets and variable separation *(Russian)* 4−11988
Klein-Gordon equation, separation of variables *(Russian)* 4−11987
Klein-Gordon equation rel. to wave mechanics of spinless tachyons 4−11812
lepton, massive, two-component Poincare invariant wave eqns. 4−31111
Liouville, transform. into Schrodinger type eqn. *(French)* 4−30846
liquid long wave eqns. of motion, perturbation scheme 4−16240
non-linear with monotonic term, soln. for unknown function *(French)* 4−30702
nonlinear, one-particle interpretation 4−26807
nonlinear hyperbolic, unknown function, existence theorem for periodic solution *(French)* 4−15120
nonlinear system, individual mode phase-uncertainty 4−15133

wave equations continued
plasma slow e.m. wave propagation and dispersion *(Spanish)* 4−9707
relativistic, determ. for quantum mechanics relativistic one-body problem *(Hungarian)* 4−2647
scalar, retarded soln., weak field approximation 4−30858
seismology, numerical solutions for anelastic nonlinear media 4−25543
self correcting error in numerical solution 4−26763
shell, coupled axisymmetrical, free oscillations *(Russian)* 4−39570
SL(2C) invariant wave eqns., properties of matrices 4−8608
string model, relativistic, for hadrons, foundations 4−31109
underwater acoustic field, improved computer soln. 4−14737
viscous fluids, coupled longitudinal and transverse disturbances 4−928

wave functions
see also orbital calculation methods
alkali halides, non-radiative electronic capture 4−21041
atomic, many electron, hyperspherical expansion 4−36408
atomic bound state, asymptotic behaviour 4−27514
atomic multiconfiguration wavefunctions, singly- and pair-excited, ground states of atoms He to F 4−31648
atomic negative ion, restricted HF-Roothaan wavefunction stability 4−15981
atomic one-electron energies, total energies, Slater integrals, computer program for non-relativistic calcs. 4−36407
atomic screen effect theory 4−12463
bound state wave function, anal. for exponentially screened Coulomb pot. 4−23182
boundary behaviour, generalisation of virial theorem 4−18298
Brillouin theorem, spin projected Slater determinant wave functions 4−18926
CDD ambiguity in potential-model, long-range behaviour 4−27156
Coulomb wave functions from Chebyshev series expansion 4−27544
deuteron, effect of off-shell changes on triton calcs. 4−15597
deuteron, importance in triton binding energy 4−27226
deuteron, relativistic P-state wavefunctions calc. 4−5725
deuteron dilation effect in neutron-deuteron breakup 4−36202
diatomic molecules, spin coupling, CI interactions, wave functions calc. 4−6004
electron, in over-critical electrostatic potentials 4−12015
elementary particle scattering, elastic, generalised Crichton ambiguity, phase shifts 4−27166
field emission, electron, tunnel Hamiltonian approach using quasi-classical wave functions 4−28997
fixed particle number and angular momentum double-projected BCS wave functions 4−9097
formaldehyde, spin dipole-dipole parameters, CI calcs. 4−27607
FSGO, localisation criterion 4−31777
generator coordinate method for pairing vibration, numerical soln. of integral eqn. 4−19315
hadron models, bound state wave functions, plane-wave approx. in S-matrix 4−27123
harmonic oscillator, nuclear matrix elements evaluation 4−31263
hydrogenic Coulomb integrals, simple O(4,2) approx. 4−9366
hydrogenic ions, electron impact excitation, relativistic effects 4−12506
image formation, at Fresnel surface *(German)* 4−35812
JWKB radial wavefunctions, highly oscillatory, rapid method for matrix elements calc. 4−26800
matrix elements of one- and two-electron operators 4−19765
methanol species, CH_3O^-, CH_3OH, $CH_3OH_2^+$, near-molecular Hartree-Fock wavefunctions 4−19754
methylene, ab initio valence bond calcs. 4−27613
methylene, spin dipole-dipole parameters, CI calcs. 4−27607
modified Cartesian Gaussian functions, electron-electron repulsion integral 4−27518
molecular, hyperfine coupling cases, diatomic transitions, electric dipole moment 4−31818
molecular electron affinity and ioniz. pots., self-consistent determ. of ion and neutral mol. wavefunctions 4−31907
molecular orbitals, calc. using spherical Gaussian program OPIT 4−24035
molecule, non-closed shell many-electron theory 4−31784
molecule with conjugate bonds, long range forces *(Russian)* 4−6133
monofluoride, anal. of SCF wavefunctions near HF limit giving moments, ionisation pots. and electron affinities 4−9488
multichannel log-derivative method of soln. for scattering eqns. 4−23178
N-electron system, pair-correlated wave function generalized product expansion 4−9491
non-symmetric perturbation method for calculation of molecular interaction energies 4−9471
non-symmetric perturbation method for calculation of molecular interaction energies, appl. to H_2^+ 4−9472
nuclear, 2-nucleon transfer reactions 4−2842
nuclear, shell model, nucleon transfer overlaps, tail region investigation 4−2785
nuclear three-body problem, basis functions 4−2772
orbital, complex spectral anal., canonical operator alternative to Racah method 4−31652
particle scattering by long range potential, iterative soln. *(Russian)* 4−35721
partitioning technique for wave operator derivation 4−11793
phase-shift computation, based on soln. of nonsingular integral eqn. for wave fn. in momentum space 4−26809
photon, duality and hydrogenic atom e.m. interaction 4−12465
photons, number operator, traversing point in infinite time *(Russian)* 4−15209
plasma wave-wave interaction, kinetic theory, homogeneous dispersive system 4−959
positronium, ground state splitting, Coulomb distortions on vacuum polarisation 4−23441
positronium hydride, improved wave function 4−19733
relativistic electrons, construction without negative energies 4−212
relativistic quantum theory, probabilistic interpret. *(French)* 4−39609
scalar field in strong coupling, wave function renormalisation 4−27049

wave functions continued
Schrodinger eqn. soln. using variational methods in a harmonic oscillator basis 4-5368
single-particle energies and wave functions of Woods-Saxon potential 4-27247
Slater integrals, exact evaluation using symbol manipulation language ALTRAN 4-23174
smearing of multiple HF minima by HFB pairing correlations 4-554
three-body non-relativistic scattering wave function, primary singularities, asymptotic behaviour, unitarity 4-9137
two-centre harmonic oscillator potential *(Rumanian)* 4-30864
Yukawa wave function in symmetric quark model 4-27129
d, at small distances, elastic e-d scatt. study 4-27309
Ar^-, $(3p)^3(5s)^2$, ^2P config., props. related to atomic wavefunction 4-19663
B atom external electron, wave functions and transitions oscillator strength calcs. *(Russian)* 4-19661
BH, electronic wavefunctions, GVB method, potential energy curves, mol. moments 4-40227
Be, ground state, CI approx., partitioning schemes 4-27515
Be(I), config. interaction wavefunctions for ^1S-^1P transition 4-23952
C(III), config. interaction wavefunctions for ^1S-^1P transition 4-23952
Ca VII, ^3P-$^3D^0$ f-values, correl. effects, NCMET 4-19657
$CdWO_4:Cr^{3+}$, spin Hamiltonian, wave function effects *(Russian)* 4-24905
Cl IV, ^3P-$^3D^0$ f-values, correl. effects, NCMET 4-19657
Cu, anisotropic positron annihilation, MAPW calc. 4-37149
^{18}F, projected Hartree-Fock wave functions 4-12231
^{19}F, comparison using reaction studies 4-642
Fe XIII, ^3P-$^3D^0$ f-values, correl. effects, NCMET 4-19657
H, elec. polarizabilities and shielding factors unperturbed wavefunction error effect 4-12481
H, positron scatt., close coupling wave function anal. of s-wave scatt. 4-24001
H_2, Fraga-Ransil, anal. of nuclear motion influence on mag. props. 4-12549
H_2 and isotopomers, mag. susceptibility 4-19752
H_2 molecule, transcorrelated wavefunctions, investigation of accuracy 4-3098
H_3^+, correl. Gaussian Singer's method calc. of vibr. freq. and binding energies 4-9492
HD, large CI calcs. of spin-spin coupling consts. 4-31897
H_2O ab initio SCF and configuration interaction calcs. on ground state 4-3103
^2H, S- and D-state, momentum space behaviour 4-481
He, 1^1s state, six parameter calc. 4-19656
He, Hartree operator, existence and bounds for crit. energies 4-19658
He, scattering of low energy positrons, Kohn's variational method 4-711
I_2, pot. curves calc. 4-19785
^6Li, Jastrow-type wave function for form factors applied to energy calcs., short-range correlations 4-27239
N_2 and N_2^+, low-lying states, valence band wave functions, oscillator strengths calc. 4-6024
Ne, lowest reson. state excitation, Born cross sections using CI wavefunctions 4-9430
O(V), config. interaction wavefunctions for ^1S-^1P transition 4-23952
^{18}O, projected Hartree-Fock wave functions 4-12231
P II ^3P-$^3D^0$ f-values, correl. effects, NCMET 4-19657
ScO hyperfine coupling cases, diatomic transitions, electric dipole moment 4-31818
Si I $3s^2\,3p^2\,^3P$-$3s3p^3\,^3D^0$ isoelectronic sequence, transition probabilities and correl. effects, NCMET 4-19657

wave mechanics
see also wave functions
atomic size, energy of H, He, Ne, and solid state, discussion *(Hungarian)* 4-2533
charged particle motion, self interaction 4-27062
dual resonance model, one-loop amplitude, Pomeron propagator in position space 4-15510
long chains, normal modes and interaction energies 4-18935
nonlinear system, individual mode phase-uncertainty 4-15133
Poisson parenthetic expression and relation to Hamilton-Jacobi canonical equations via Hamiltonian mechanics *(Hungarian)* 4-35720
relativistic quantum mechanics, point-like particle mass var., in terms of vel. *(Rumanian)* 4-35948
Schrodinger, charged particle relativistic motion in e.m. field *(German)* 4-39814
statistical thermodynamics substitution for classical field theory in particle wave phenomena *(Hungarian)* 4-2527
tachyons, spinless, Klein-Gordon equation rel. to wave mechanics 4-11812
unstable one-particle state, covariant wave eqns. 4-18936
wavepacket propagation rel. to diffusion in three-dimensional periodic potential 4-8679
Weyl's problem, edge and curvature effects 4-30863

wave propagation
see also acoustic wave propagation; electromagnetic wave propagation
acceleration waves, in inextensible elastic bodies 4-15182
anisotropic media, wave motion recording using dynamic photomechanics 4-26469
baroclinic atmosphere, zonal circulation and long waves interaction 4-10897
boundary value problems, uniqueness theorem 4-26762
centred transverse waves, cone impact on elastic membrane 4-11778
characteristics, unbounded solid-state plasma, electrons 4-10172
composite, periodic, transient wave propag. 4-33892
composite, structural, linear and nonlinear theories 4-29207
composite plate, orthotropic, incremental deforms. under initial stress 4-30771
curvilinear media, generalized progressive wave with vectorial wave form *(French)* 4-18913
cylindrical shells, dynamic shell theory coupling thickness stress wave effects with struct. response 4-30830

wave propagation continued
demonstration for students of difference between group and phase velocities 4-6
demonstrator, construction and operation 4-18324
dislocations in wave trains, general theory 4-26766
elastic discontinuity waves, waveguide effect 4-23150
in elastic laminates, second order microstructure theory 4-10668
elastic plane waves, reflection from free plane boundary, medium with microstructure 4-21638
in elastic solid with diatomic structure, deformable shell model 4-11728
elastic transient wave deformation process, nonlinear model for spherical symmetry case *(Russian)* 4-39576
elastic-plastic one-dimensional, propagation due to mass impact 4-5362
elastic-plastic stress wave propag., unloading boundary 4-30821
electroelastic materials, thermodynamic influences on acceleration wave propagation 4-11759
finite longitudinally layered shells, stress waves 4-30823
gridworks, continuum approach to dynamics 4-30820
half-space of combined kinematic and isotropic hardening medium, plane simple waves 4-30824
harmonic wave propag. in transversely isotropic cylinder of elliptical cross-section 4-39558
heat, rigid conductors with memory, uniqueness theorem for history-value problems 4-18855
laminated composites, propagation parallel to laminates 4-30809
laminated infinite orthotropic plates, high freq. vibrations and waves 4-2506
layered media, harmonic wave attenuation 4-30817
linear, in bodies with non-circular cylindrical boundaries, approx. soln. *(Russian)* 4-2516
membrane, cylindrical, elastic wave propag. *(Russian)* 4-39569
numerical schemes 4-23154
one-dimensional elastic bodies, nonlinear theory 4-30810
orthotropic circular cylindrical shells, harmonic wave propag. 4-30819
periodic guides, normal wave props. near wave number multiplicity 4-11785
plane harmonic waves in anisotropic mechanical systems, secular eqn. 4-23164
planetary waves, approximate theory 4-10898
polyethylene rod, quasistatic tension correspondence with longit. wave propag. 4-21476
power statistics for one-dimensional prop., comparison with radiative transport 4-26855
pulse propagation in a dispersive medium, use of Fraunhofer diffraction theory 4-11409
quasilinear rate-type constitutive equations 4-8645
random media, stochastic resonances at wave reflection from random refractive index media 4-8720
random medium, one-dimensional slab, probability density function and moments of field 4-26856
rectangular plate, dynamic problem in second principal plane *(Russian)* 4-39568
rotating fluid, non-linear wave propag. 4-16242
scattering of surface waves by irregular bottom 4-17696
self-magnetising gas, propagation of small amplitude waves *(Russian)* 4-24243
SH pulse in elastic wedge, response analysis 4-21642
shock wave, unloading, closed form propagation solns. in bilinear elastic body 4-5360
shock waves, in elastic medium, during finite plane deformation 4-23157
shock waves in colliding bars, closed-form soln. 4-200
in snow 4-14083
space correlation associated with isotropic turbulence spectral function 4-30894
stress waves, 2-dimens., in viscoelastic body, form subseismic normal load, closed soln. 4-2514
surface, in restricted Hadamard materials 4-11776
surface, non-homogeneous aeolotropic cylindrical shell 4-11775
surface forces wave generation, semi-infinite media 4-15178
tensile wave passage, one-dimensionality and isochoric deform., surface-angle meas. role 4-39158
in thermoelastic materials, thermal rate depend. 4-11763
thin-walled work-hardening tube, plastic wave propagation, stress paths 4-18899
transient excitation, continuous systems and dispersion effects 4-26298
viscoelastic fibre, wave propag. under transverse impact 4-30816
viscoelastic rod of finite length, impact problem for rigid mass 4-21465
viscoplastic elastoplastic medium, propag. of elastic and plastic acceleration waves, influence of dissipation *(French)* 4-39551
weak longitudinal in nonlinear viscoelastic medium series soln. *(Russian)* 4-2517
wind wave refraction, theory of spectrum transformation *(Russian)* 4-21918

wave scattering *see scattering*

waveform analysis
harmonic waveform analysis using beats, student circuit experiment 4-30353

wavefront-reconstruction imaging *see holography*

waveguide antennas
horn, phase centres prediction by edge diffraction theory 4-30956

waveguide components
see also ferrite applications; ferrite devices; microwave filters
phase corrector in wide bend, using curved mirror 4-14849

waveguide connectors *see waveguide couplers*

waveguide couplers
18 cm turnstile junction as polarisation splitter for radiotelescope 4-38931
e.m. fields, scaling method to simplify geometry, general outline 4-30950
holographic thin film, coupling coeff. determ. 4-5083
integrated optical circuits, application to scanning and recording of images 4-325
integrated optics, holographic coupling 4-11525

waveguide couplers continued
  microlenses' fabrication, junction laser coupling to optical fibres 4−30499
  rectangular waveguide coupling via apertures, numerical soln. *(Russian)* 4−8653
waveguide joints *see waveguide couplers*
waveguide junctions *see waveguide couplers*
waveguide theory
  see also guided electromagnetic wave propagation
  acoustic inhomogeneous, resonance props. 4−22641
  beam waveguide sequence of lenses with random surface irregularities, statistical theory 4−35719
  diffraction in waveguides, Fredholm integral eqn. *(Russian)* 4−8654
  elastic discontinuity waves, waveguide effect 4−23150
  laser cavity unstable resonators, loss behaviour of eigenmodes 4−8837
  pearl-type Pc 1 micropulsation ducts, coupled mode propagation 4−21893
  periodic guides, normal wave props. near wave number multiplicity 4−11785
  photoreceptors, waveguide modes and light absorption 4−18166
  plane, semi-infinite waveguide intersection with current filament, resulting radiation *(Russian)* 4−30962
  plane waveguide with coaxial ferrite cylinder, numerical synthesis *(Russian)* 4−8657
  shielded helix, transmission line theory, treatment of field stabilisation 4−11783
waveguides
  see also circular waveguides; optical waveguides; rectangular waveguides
  acoustic, underwater reflection coeff., angular characteristics *(Russian)* 4−42663
  diameter, meas. using reflection system 4−14793
  elastic discontinuity wave, amplification by drifting dampers in waveguide 4−35695
  e.m. research in Canada 4−30959
  groove non-quadratic profile, whispering gallery modes rel. to masers at cyclotron resonance 4−8789
  lossy half-space, impedance fluctuations *(Russian)* 4−5453
  plasma, acceleration of electrons in slow wave field 4−24324
  spherical Earth-ionosphere waveguide, propagation of l.f. electromagnetic 4−1937
  stratified inhomogeneous half-space, turning point fluctuations *(Russian)* 4−5454
  wide, phase corrector in bend, using curved mirror 4−14849
waves
  see also elastic waves; electromagnetic waves; gravitational waves; gravity waves; liquid waves; magnetohydrodynamic waves; magnetostatic waves; plasma waves; spin waves; wave propagation
  centred rarefaction, stationary and nonstationary, propag. in vibratory nonequilib. media *(French)* 4−32087
  convection rolls in buoyancy driven flow of inclined fluid layer 4−24185
  demonstration of props. for students using stereo tape recorder 4−30343
  dissipative or unstable media, modulation of nonlinear wave 4−32111
  education, acoustic resonant chamber exhibiting general wave phenomena 4−11418
  elastico-viscous liquid, propag. of thermo-convective waves 4−16241
  plane lee waves and dual wave modes in stratified fluid 4−12681
  sisal wax thermoelectrets, heterocharge and homocharge obs. 4−25052
  viscous incompressible fluid, asymptotic anal. of motion at small and large times 4−16244
waxes
  petroleum wax separation, dielectrophoretic method 4−10716
waxes (electrets) *see electrets*
waxing *see polishing*
weak interactions, elementary particle *see elementary particle weak interactions*
weak interactions, quantum field theory of *see quantum field theory of weak interactions*
weapons
  aircraft hijacking, weapon detection equipment, magnetometer technologies 4−14929
  concealed, X-ray analysis system for detection 4−26691
  detection, survey of nuclear techniques 4−26566
  gamma-ray luggage screening for guns, experimental results 4−5199
  land mine detection by nuclear techniques 4−26565
  laser guided system, OCM vulnerability evaluation, simulation 4−8863
  letter bomb, scanning X-ray systems for security applications 4−26692
  mine detection by photon backscatter 4−26567
  nuclear, underground test detection, seismic instruments *(Swedish)* 4−23923
  radiation detector, portable, high-sensitivity, for search applications 4−26568
wear
  see also abrasion; hardness
  abrasive, two-body, review 4−33818
  alloy, hard, friction and wear in vacuum at low temp. 4−37959
  alloys, in liquid sodium, friction characteristics for sliding contact 4−27461
  cavitation erosion, effect on elastomeric protective coatings adhesion strength 4−10701
  cavitation erosion of wear surfaces, spheroidal particle production 4−24511
  ceramic, review of phenomenology 4−7270
  chrome-carbide hard metals, prodn. parameters rel. to phys. props. *(Russian)* 4−37999
  cryogenic apparatus, design 4−39191
  electrical contact materials, conference, Chicago (1973) 4−16379
  energy transfer system, rolling element bearing wear in cryogenic fluids 4−29295
wear continued
  and friction, textbook 4−9947
  heat exchanger tube, and baffle materials, impact fretting 4−22790
  low-friction materials for wear appl. in fast flux test reactor 4−27444
  metal, dislocation generation under sliding contact, frictional energy dissipation 4−10586
  metal physics problem on machine reliability and durability, review *(Russian)* 4−33634
  plastic, indentation and scratch hardness 4−41931
  polyethylene, abrasive wear resist. 4−21469
  polyimides, filled and unfilled, friction and wear 4−33919
  polymer, wear by roll-form 4−10708
  polymer mixtures, wear, rel. to fatigue resist. 4−21490
  polythene, high density, friction and wear, action of PbO and CuO fillers 4−33920
  polyurethane coatings, physico-mech. props. under influence of external factors *(Russian)* 4−10679
  steel, as-cast, containing Ce additions, wear resist. *(Russian)* 4−7169
  steel, austenitic, martensitic transform. influence on strengthening and wear resist. in dry friction *(Russian)* 4−17293
  steel, diffusional boron based claddings, abrasional wear resist. *(Russian)* 4−37884
  steel, electrospark alloying with bronze and Mo, surface layer obs. *(Russian)* 4−41785
  steel, in liquid sodium, friction characteristics for sliding contact 4−27461
  steel, in vacuum at −190 and +20°C, effect of orginal struct. 4−41732
  steel, low-C, pearlitic structures effect on wear, room temp. to 800°C 4−41637
  steel, metal transfer mechanism in sliding friction 4−33820
  steel, review of effects of metallurgical factor 4−37961
  steel, sliding friction investigation, influence of oxidation characts. and humidity *(German)* 4−21347
  steel, surface layer, phase transform. during abrasive wear 4−29036
  steel, surface layer props., effect of heat treatment on changes during wear, 12KhN3A 4−33803
  steel, tool alloy, wear under impact conditions 4−13721
  steel, wear resistance, complex boride coatings influence *(Russian)* 4−10625
  steel, wear resistance, heat treatments rel. to increasing wear resist., 110G13L 4−29122
  steel, wearing ability of finished surfaces, testing method 4−29145
  steel against Cu, sliding, strain distrib. model 4−29146
  steels, resistance increase by explosive hardening 4−25372
  transition metals, friction, wear, and surface props., effect of pressure 4−17329
  Al-Mg-Mn alloys, fretting fatigue strength, effect of contact materials 4−21348
  Al_2O_3, cutting tools, dislocation controlled mechanism, TEM obs. 4−29192
  Au contacts, of codeposited organic compounds 4−18740
  Au contacts, rel. to deposits containing acid cyanide 4−15018
  Cr_xC_y, low friction, for wear appl. in fast flux test reactor 4−27444
  Cu, abrasive wear in single crysts., TEM obs. 4−13671
  Cu, protective coating prod. and effects on substrate characts. 4−1578
  Cu against steel, sliding, strain distrib. model 4−29146
  Cu alloy, Mn_5Si_3 dispersed anti-wear, wear resistance, influence of copper elements *(Japanese)* 4−7120
  Fe, cast, cyclic microfriction, mech.-chem. wear *(Russian)* 4−10619
  Fe, cast, surface failure in unsteady loading conditions in presence of lubricant *(Russian)* 4−37886
  Fe, Mn cast, quenching and annealing effect 4−1587
  Ni alloy, wear resistant, effect of heat treatment on struct. and props., N65M20V15 and N55M20V25 4−13727
  Ti, high temp. friction *(French)* 4−29144
  Ti alloy TA6V, high temp. friction *(French)* 4−29144
  Ti alloys, chem. and thermal treatments influence *(Russian)* 4−7174
  WC-Co, cemented carbide, binder phase chem. comp. rel. to phys. props. *(German)* 4−37998
  Zn-Al(22 wt.%) alloy, anti-wear props., effect of pressure applied during solidification *(Korean)* 4−17304
weather *see meteorology*
webs (membranes) *see membranes*
weighers *see balances*
weighing
  automatic, magnetostrictive and magnetoelastic convertors *(Spanish)* 4−35183
  automatic weighing system and balances, process control applics. *(German)* 4−35466
  computer controlled in laboratory expt. 4−39426
  crucible, in Czochralski growth, for crystal diameter control 4−25247
  crystal growth monitoring, Czochralski method, lever mechanism 4−33606
  errors, systematic, of lever scales 4−35193
  high precision measurement, electronic weighers *(Hungarian)* 4−8588
  samples in vacuum, electronic microscale, programmed temperature control 4−2260
  Siwarex 5, digital machine *(German)* 4−35180
  thermogravimetric ultramicrobalance for pressures up to 150 atm., production model 4−35563
weighing machines *see balances*
weight, atomic *see atomic mass*
weight, molecular *see molecular weight*
weight indicators *see balances*
weight measurement *see weighing*
Weissenberg cameras *see cameras; X-ray crystallography apparatus*
welding
  see also electric welding; electron beam welding
  explosive welds, metallography 4−21368

welding continued
  flaw location employing projection scan technique using u.s. 4−7407
  friction welded diffusion couple, Co-Ni alloy, chem. diffusion at 1100°C *(Japanese)* 4−13066
  laser beam, deep penetration, theoretical model 4−8867
  laser beam, high power CO_2, penetration, weld characts. 4−8868
  laser beam, industrial system, 10 kW CO_2 laser 4−8872
  laser beam, penetration, speed 4−8870
  laser beam, penetration, speed 4−19149
  laser beam applic., review *(Spanish)* 4−8859
  multilayer combinations of unlike metals and alloys, parameters of explosive welding *(Russian)* 4−4162
  NDT, probabilistic updating of flaw information 4−17480
  nuclear reactor pressure vessels, quality assurance programmes 4−23799
  nuclear reactor structural materials, self-welding in liquid Na 4−3047
  plasma, 0.05-8.00 mm sheet *(German)* 4−29180
  polyethylene film, heat-sealed, failure characts. 4−21468
  pressure vessel welds, u.s. testing 4−31514
  pressure vessel welds, u.s. testing methods 4−31513
  semi-infinite plates, model for dynamic edge fusion 4−35650
  sheet steel, with CO_2 laser, speed, penetration 4−8869
  steel, austenitic EP17, struct. in zone of thermal influence during welding *(Russian)* 4−41562
  steel, electrospark alloying with bronze and Mo, surface layer obs. *(Russian)* 4−41785
  steel, maraging, heat-affected zone props. rel. to thermal cycles during welding 4−7233
  steel, maraging, struct. and mech. props. of welded joints 4−41788
  steel, maraging, structure and props. of welds 4−7232
  steel, stainless, 26Cr:6Ni, σ-phase formation and effects 4−7054
  steel, stainless, coarse grain austenitic, angle beam u.s. testing, longit. mode 4−33936
  steel, stainless type 304 welded, strength and microstructure in LMFBR pressure vessel 4−23899
  steel, stainless type 308 shielded metal arc weld, varying ferritic content, high temp. properties 4−23900
  steel, W-Mo, ductility and welding of R6M5 and R18 tool steels 4−33776
  steel, weld defect in 100 mm thick joint, fatigue crack propag. 4−33962
  techneques and materials for electronic components, present and future *(Hungarian)* 4−37969
  u.s., of plastic parts 4−25431
  Al, joint formation in u.s. welding, rel. to fretting 4−25405
  Al powder coating of steel strips, phys. metallurgy aspects 4−13766
  Cu with sulphide ceramic, diffusion welding temp. calc. *(Russian)* 4−33841
  Cu-Ni joints, prod. by pressure welding, struct. of fractures 4−13719
  CuSiSnMnB welded joints, dislocation struct., low alloy filler *(Slovak)* 4−7052
  Mo containers, fabrication procedures for fusion reactors 4−19601
  Mo welded joint, crack nucleation in joint zones, internal friction and electron microscopy obs. *(Russian)* 4−41680
  Ni-Cr(20 wt.%) alloy, dispersion strengthened, effects on microstruct. and tensile props. 4−13811
  Ti alloy weldment, mech. props. after annealing, VT20 4−33798
  Ti welded α-alloy, distrib. of H in thermal influence zone allowing for thermal diffusion *(Russian)* 4−4083
  Ti-Al-V castings, weld repair effects on creep props. 4−33837
  Ti-Al-Zr alloy with elevated O content, mech. props. of weldments 4−13718
welding electrodes
  metal drop heat content and temperature, oxidative atmosphere 4−8733
welding equipment
  electron beam, high vacuum pressure welding, control system for cutting plant 4−37960
  plasma, 0.05-8.00 mm sheet *(German)* 4−29180
Wentzel-Kramers-Brillouin method *see quantum theory*
Wertheim effect *see magnetomechanical effects*
wetting
  borides, metal-like, refractory, wetting by liq. nontransition metals 4−38029
  cermet, stronger bond prod. between constituents, role of thermodynamics 4−7324
  composite materials, metal matrix, elaboration *(French)* 4−38040
  contact angle, meas. method for students 4−26361
  diamond-metal system, densification during liquid phase sintering *(Russian)* 4−21386
  dynamics, exptl. obs. and models, polystyrene on glass 4−16652
  electron microscopy, wetting agents, for negative staining 4−30619
  electron microscopy, wetting agents, for shadowing 4−30620
  ferrous materials, by Na, sessile drop technique 4−3044
  glass, Na-Fe-SiO_2, on low C steel, wetting and adherence 4−13835
  glass fibre reinforced plastics, fibre/matrix boundary problems 4−29208
  glass melt, surface and interfacial tension *(German)* 4−29218
  ice, by water, chlorobenzene, carbon disulphide, free energy calc. 4−37083
  liquid metals, two-phase flow, wettability from hydrodynamic characts. 4−5908
  metallic specimen quenching, concealed boiling phenomenon *(French)* 4−4118
  organofluorine compounds, effect on wetting of metals by nonpolar liquids 4−41889
  polymer-glass fibre interface, reinforced plastics *(Polish)* 4−21427
  pyrographite, spreading of liq. Ti and Zr 4−32796
  sintering, second-stage liquid-phase, with partially wetting liquid, model 4−1610
  steel, stainless, by Na, 98 to 800°C 4−3045
  steel, wettability by Ag brazing alloy rel. to atmosphere and C content *(Japanese)* 4−4163
  transition metal diborides, contact reaction with liq. metals 4−41820
  vapour bubble, forces on base, inclusion of wetting tension *(Polish)* 4−16654
  water drop freezing, size effects, mechanism 4−38340
wetting continued
  Al, voluminous oxidation by continuous dissolution in wetting mercury film 4−38126
  Al, voluminous oxidation by continuous dissolution in wetting mercury film 4−38127
  Al_2O_3, by molten Cu, applied voltage influence *(Russian)* 4−33853
  Al_2O_3-AlN-Mo(W, Ni) system, wetting by Fe-group metals, Cu, Al, steel, and cast iron 4−38030
  BeO, powder, heat of wetting rel. to sinterability *(Japanese)* 4−13855
  BeO powders, heats of wetting in water *(Japanese)* 4−41829
  Cu-Pb, powder, calcination rel. to liquid phase and infiltration *(French)* 4−4164
  Fe, by Na, 98 to 300°C 4−3045
  Fe, spreading kinetics of Al and Fe-Al melts 4−41799
  Mo film on oxide surface, wetting and adhesion by molten Cu *(Russian)* 4−40965
  Ni, by Na, 98 to 300°C 4−3045
  Pb surface, spreading of Hh under oxide film *(Russian)* 4−40964
  SiO_2, sintered, for containers and formers in Stepanov's process *(Russian)* 4−13815
whiskers (crystal)
  cooperative phenomena and dimensionality 4−24541
  ellipsoidal filament unrestrained growth 4−17225
  graphite 4−25439
  growth by vapour-liquid-solid mechanism, periodic instability 4−3669
  lunar breccia 15015, vapour-liquid-solid whisker growth 4−11151
  porcelain, growth mechanism from, and NaCl whisker growth *(Japanese)* 4−32841
  Ag, on W tips, FEM specimen, annealing and oxidation 4−28323
  AlN, Fe effect on growth, etching, mechanism 4−16683
  AlN, Young's modulus, tensile strength meas., size depend. 4−25416
  Al_2O_3 whisker crystals, growth conditions, Al-O system thermodynamic anal. *(Russian)* 4−20511
  Cu, elastic consts. determ. by flexural vibr. method 4−24509
  Cu, tensile test, scanning electron microscopy 4−28322
  Cu-Sn, tensile test, scanning electron microscopy 4−28322
  Fe, mag. moment, dislocation and domain struct. *(Russian)* 4−10285
  Fe, tensile test, scanning electron microscopy 4−28322
  Ge, growth by vapour-liquid-solid mechanism, periodic instability 4−3669
  Ge, internal friction, strength, diameter depend., dislocation densities 4−16684
  KCl(Br), X-ray destruction of F-centres *(Russian)* 4−1054
  MgO, initial stage in deposition and growth rates *(Japanese)* 4−41485
  NaCl, growth and obs. *(Japanese)* 4−32841
  Ni, internal friction, high temp., meas., mechanisms 4−25333
  Si, whisker growth by vapour-liquid-solid mechanism, periodic instability 4−3669
  SiC, anomalous Young's modulus, 700-1400°C, stress/strain meas. 4−21402
  SiC, single cryst. vapour phase growth mechanism and parameters 4−10535
  α-Sn, electron microscopy 4−40997
  Sn, spontaneous growth from Sn surface of Cu-Sn bimetallic films 4−3585
  Te, vapour-grown, root growth caused by Tl impurity 4−41483
  Te raw material purity rel. to pulling conditions and cryst. morphology *(French)* 4−21190
  Zn electrodeposits, plating variables influence on microstruct. 4−13661
whistlers
  see also ionospheric electromagnetic wave propagation
  Antarctic, used for deducing features of plasma distribution in plasmasphere 4−25817
  cold plasma effects on whistler instability, computer simulation 4−11005
  determination of f_n, t_n *(French)* 4−29663
  ducted propagation in magnetosphere by phase integral technique 4−29688
  enhancement of instability in magnetosphere by cold plasma injection 4−25812
  evaluation of path and electron density by use of master curves 4−7774
  exosphere, dispersion characteristics of whistler atmospherics during geomag. activity 4−10941
  feedback model of cyclotron interaction between whistler-mode waves and energetic electrons 4−14190
  ground obs. rel. to magnetospheric electric field under quiet conditions 4−4608
  growth rate of whistler mode instability 4−22068
  ionospheric m.f. noise emissions rel. to magnetospheric cleft 4−38439
  Landau resonance interaction and sideband growth 4−32177
  low latitude, study of equatorial field aligned irregularities 4−29660
  magnetic storm, electron flux compared to whistler self-excitation limit in outer radiation belt 4−42161
  magnetosphere, nonlinear canalisation of whistler-type waves, VLF *(Russian)* 4−42163
  magnetosphere, temperature and ion effect in magneto-ionic theory 4−11007
  minimum group delay determ. for non-nose whistler 4−4609
  noise in whistler-mode frequency domain, electric dipole meas. 4−17801
  non ducted, observed by Alouette 2, experimental and theoretical study *(French)* 4−29664
  nonlinear resonant excitation of whistler mode waves using two h.f. transmitters 4−4577
  nonlinear wave-particle interaction for CW whistler mode signals 4−22124
  oblique propagation in hot plasma 4−10983
  optimum cold plasma density for max. instability, numerical compared with analytical results 4−25813
  plasma, dispersion and spatial damping, in presence of collisional effects, theory and expt. 4−32188
  plasma, spatial cyclotron damping in uniform mag. field 4−32178

whistlers continued

- plasma, whistler mode absorption near electron cyclotron freq. *(French)* 4—40631
- plasma column, magnetized, propag. characts. of electrostatic and whistler waves 4—40627
- quasi-periodic v.l.f. emissions and interaction with whistlers 4—14189
- radio low-frequency waves, reflection theory, polarisation, whistlers 4—10978
- trapped proton diffusion interaction with proton whistlers, finite temp. effects 4—22129
- triggered v.l.f. emissions from morse pulses in magnetospheric whistler mode 4—29689
- v.l.f. emissions in magnetosphere, computer simulation 4—38500
- VLF transmission at 6.8 kHz from Alaska to New Zealand 4—42173
- v.l.f. whistler mode propagation through weakly ionized magnetoplasma 4—25823
- wave group velocity meas. in cylindrical plasma 4—949

white dwarfs

- absolute spectral energy distrib. for 38 objects in 3200-10500 Å range 4—34791
- BD + 16°516, orbit evolution of eclipsing binary and rotation of white dwarf 4—22401
- central stars of planetary nebulae, crystallizing white dwarf stage 4—34795
- central stars of planetary nebulae, X-ray sources in 2U catalogue 4—14520
- chemical composition of cool He and C white dwarfs 4—38787
- circumstellar ring, effect on novae and dwarf novae outbursts 4—34832
- collisions and evolution of dense galactic nuclei 4—38888
- continuum emission, effect of 10^4-10^8 G fields 4—38843
- cooling of liquefying hot white dwarfs 4—34792
- dense matter properties, IAU Symposium No. 53 4—38765
- electrical and thermal conductivities of stellar degenerate matter 4—2106
- evolution sequence red giant—planetary nebulae—white dwarf *(Russian)* 4—14343
- GD 229, time varying circular and linear polarization 4—38792
- Grw + 70°8247, circularly polarized radiation transfer 4—30007
- high density, neutron star formation 4—14431
- L 1244-26 proper motion and parallax 4—11192
- linear adiabatic nonradial oscillations in cooling white dwarf models 4—11181
- magnetic, bremsstrahlung model of polarized radiation 4—22414
- magnetic field origins 4—11175
- nuclear fuel consumption 4—11170
- observational data rel. to equilibrium states of condensed cold matter *(German)* 4—22210
- polarized radiation from 10^6-10^{12} G magnetic fields 4—38844
- prenova model, multimodal radial pulsational instability 4—26097
- proper motion binaries containing white dwarfs, spectroscopic obs. 4—11198
- pulsating X-ray sources, white dwarf matter accretion model 4—34905
- radial vel. and space motions of 31 Southern Hemisphere objects 4—30062
- relativistic stars, collapse and black holes 4—42301
- Scorpius X-1, magnetic undergoing accretion, plasma theory rel. to X-ray emission 4—18030
- spectra interpretation rel. to composition, convection and models 4—34793
- superconducting critical field, soln. of differential eqn. by thermodynamic method 4—14385
- superconductivity 4—4695
- supernovae, binary model of white dwarf and red giant in colliding spiral orbit 4—38781
- thermal pulses in pre-white dwarf helium shell-burning stars 4—38780
- trigometric parallaxes for several new objects 4—11173
- UV stars, computer simulations of surrounding interstellar medium, H I region 4—30141
- X-ray sources, pulsating white dwarf model 4—14458
- H-poor, C abundance in model atmospheres 4—2111

white noise

- critical masking interval, for brief click 4—42571
- radar, target detectability, effect of increasing resolution 4—11382
- spectroscopic temperature measurement in Fourier seectroscopy using Michelson interferometer 4—22850

Wiedemann effect *see magnetostriction*

Wiedemann-Franz law *see thermal conductivity of solids*

Wien effect *see electrical conductivity of electrolytic liquids*

Wigner coefficients *see Clebsch-Gordan coefficients*

Wigner effect *see radiation effects*

Wilson cloud chambers *see cloud chambers*

Wimshurst machines *see electrostatic generators*

wind

- 300 mb heights and winds, comparison of quasi-optimal and conventional objective analysis schemes 4—21974
- acoustic noise under winter sea ice fields from wind-blown snow grains 4—35105
- air pollution from highway in oblique wind 4—4408
- airflow toposcale models for mountainous terrain, modelling techniques 4—42099
- ambient noise, wind and air attenuation of traffic noise, obs. 4—39136
- anemograph for recording speed and direction, high sensitivity, liquid suspension 4—29742
- associated with various types of precipitation, Hohenpeissenberg study *(German)* 4—25707
- astronomical telescope protection, semitransparent wind shield 4—8117
- N Atlantic, forecasting and hindcasting the max. combined sea in storms 4—7660
- baroclinic instability rel. to 4-level geostrophic wind model *(Russian)* 4—14129
- baroclinic motions, wind-induced, at continental shelf edge 4—7634
- barotropical-divergential model of atm., prognostic eqns. 4—4461

wind continued

- clouds, cumulus congestus, updraught velocity meas. NHRE 4—1822
- coastal upwelling, mesoscale response of ocean to variable winds 4—17671
- complex terrain, airflow model, boundary layer flow 4—42094
- convective vortices, laboratory simulation of atmospheric dust devils 4—4437
- correlation with current and sea level variations during upwelling, Oregon, July-August 1972 4—34280
- cumulus cloud models comparison, updraught growth 4—4436
- diurnal direction changes, Cologne-Bonn airport, synoptic situations responsible *(German)* 4—14137
- downward, ^{212}Pb and Rn vertical mixing, diffusion model 4—4521
- E-region, night-time, from electron density profiles 4—22080
- E-region auroral zone neutral winds, preliminary study 4—25783
- eddy diffusion coefficients in stable surface layer 4—4520
- effect on mountain associated infrasonic waves, application of ray tracing to observations 4—38347
- equatorial stratosphere quasi-biennial wind cyclicity *(Russian)* 4—4463
- equatorial westerlies, data on structure, vertical distribution and geographical location *(Russian)* 4—38362
- equatorial zone westerly, interaction with waves excited by heat source 4—10902
- extreme wind distrib. prediction, statistical analysis of seven methods 4—34353
- F2-region effect of zonal and meridional neutral winds on ionization density 4—22084
- f$_2$-layer over Arecibo, neutral winds and electric field effects 4—17811
- F-region neutral air winds from solar cycle changes in equatorial anomaly 4—10994
- forcing agent in Adriatic storm surges, flooding of Venice, simple model 4—14153
- forecasting, sea breeze on US Atlantic coast, forest fire control 4—42085
- friction layer depths of northeast trades in Pacific and Atlantic oceans 4—38343
- generation of surface gravity waves, linear model of spatial spectrum *(Russian)* 4—1806
- glacial stage trade winds from dust analysis in deep-sea cores 4—25718
- Great Plains squall line thunderstorm, numerical model 4—1858
- hailstorm, updraught obs. by chaff drops. thermodynamic props. of updraughts 4—4413
- heat wave India 1966, rainfall distribution and wind circulation 4—1871
- height scale in planetary boundary layer 4—21963
- homogeneous terrain, wind profiles from towers 4—4429
- horizontal divergences, effect or synoptic scale energy budget calcs. 4—38322
- hurricane, inner core region structure 4—29586
- hurricane data analysis, variational optimisation technique with dynamic constraint 4—7709
- hurricane seeding analysis 4—7735
- hurricanes, structure of inner core region, thermal stability and dynamic characteristics 4—29587
- inducing wave field in a bay, calculation for Black Sea 4—21936
- integrated boundary layer winds, temporal and spatial var. 4—34348
- interaction with water surface waves, turbulence struct. 4—10862
- ionosphere neutral winds from rocket obs. of luminous clouds by-products of barium ion releases 4—4563
- ionospheric, conference of R. Astron. Soc. (GB), London, England (24 November 1972) 4—10979
- ionospheric, storm time var. of F2 region 4—4582
- ionospheric F-region, neutral wind effect, electron density 4—4583
- ionospheric neutral, from electron density measurements 4—22165
- ionospheric plasma drift meas. by incoherent radar scatter 4—10981
- isallobaric, divergence, cause of rain pulses in warm sector 4—38380
- jet, heated development in a cross wind *(Russian)* 4—7737
- jet formation in severe rainstorm, low level, circulation model 4—4419
- La Cygne Lake wind generated wave heights, periods and amplitude spectra 4—17627
- effect on Lake Huron thermal structure, forced effects 4—4378
- large water drop behaviour in wind shear 4—1896
- latitude obs. using zenith telescope, wind effects *(Russian)* 4—7506
- liquid surface wave damping in naturally turbulent medium *(Russian)* 4—7650
- loads, combined ice and wind at earth's surface for glaze storms 4—38315
- loess, late Pleistocene deposits, distrib. in England 4—34164
- low speed, point discharge current 4—16360
- low-level, ATS-3 satellite observations, provisional climatology 4—7711
- lunar atmospheric tides in surface winds in India 4—1875
- macroscale-mesoscale numerical models to improve objective perfect prog and MOS forecasts 4—38325
- mean, internal gravity wave interaction 4—7736
- measurements, from drift of meteor trails, analysis problems 4—25878
- mesoscale wind-prediction model for mountainous terrain, verification 4—34339
- meteor height, new bistatic continuous wave radio system study 4—42230
- meteor region, coupling between neutral and ionized components of wind up to 105 km 4—10951
- microwave sea scatter, model of wind dependence 4—23253
- Mono wind of Sierra Nevada, forecasting, forest fire danger 4—42087
- mountainous terrain, airflow model 4—42098
- mountainous terrain, airflow prediction 4—42095
- neutral ionospheric, effect on gravity waves low cut off period 4—29675
- neutral thermospheric, action on F-region behaviour, midlatitudes, summer and winter nights 4—25788
- neutral wind structure above 200 km, effect of geomagnetic activity 4—10957
- North Atlantic, diurnal variations in wind patterns 4—34404

wind continued
North Sea water levels, wind-generated elevations, computational forecast *(German)* 4−7612
ocean, wind-driven equatorial circulation 4−10859
ocean equatorial countercurrent rel. to zonal wind flow 4−7649
Omega windfinding system design for use in GARP Atlantic Tropical Experiment 4−11037
orographically induced, Mediterranean, sea-level pressure analysis scheme, fine mesh, for depiction 4−38324
pack ice mesoscale strain meas. comparison with linear drift theory prediction 4−17652
planetary boundary layer winds in baroclinic conditions 4−34349
playa lakes in SW Australia, development and morphology rel. to wind 4−25638
profiles over forest, expressions for friction velocity, shearing stress and β/L *(German)* 4−14135
radar obs. of meteor trail drift and determ. of wind components 4−4623
radar sea return, wind dependence 4−17693
rain gauge catch deficiency, errors due to wind and snow 4−42221
refraction of ocean wind waves, theory of spectrum transformation *(Russian)* 4−21918
resonant oscillations of intermediate freq. in stratified atmosphere model 4−1886
San Joaquin Valley airflow, meteorological meas., low-level jets 4−42096
San Joaquin Valley airflow model, forest fire meteorology 4−42097
satellite observed cloud motions, comparison with conventional observations 4−34401
sea breeze event, atmospheric thermal and kinematic responses, Oregon 4−34389
sea breeze front, properties studied by numerical method 4−10906
sea breezes, effect on dynamic response of coastal processes 4−7683
sea surface, wind drag, i.r. images 4−7639
Semiannual variation in zonal wind from 20 to 65 kilometers at 80°N-10°zs 4−1899
severe downslope windstorm prediction, NMC numerical techniques 4−38537
Severe storm air velocity and temperature structure deduced from penetrating aircraft 4−1821
snowfall over mountains, microphysics of form. 4−4432
spatial distribution of speed, big city, Zaporozhie example *(Russian)* 4−34406
speed, worldwide statistics of ground-level atmospheric dispersion parameters 4−25721
speed effects on whitecap and foam production 4−34281
speed profiles using forward-scatter c.w. radar 4−7835
speeds at particular reflection levels in stratosphere and ionosphere from observations of natural infrasound 4−29605
St. Louis air pollution concentrations, effect of direction and speed 4−38328
stable density interface, wind induced turbulent entrainment 4−4401
stationary wind-driven ocean currents, observation rel. to theory *(German)* 4−14101
statistical characteristics of tropospheric of stratospheric field *(Russian)* 4−25711
statistical macrostructure of field, 500 mb, Indian region for use in objective analysis 4−10927
storm forecasting, National Meteorological Centers performance for winter storm, USA, February 72 4−1818
storm trigger, sub-synoptic surface wind convergence, location identification 4−1835
storm-surges study for Adriatic 4−29556
stratopause, h.f. oscills., rocketsonde evidence 4−1881
stratospheric, structural peculiarities of quasi-biennial cycle in equatorial regions *(Russian)* 4−25714
stratospheric zonal half-yearly wave, comments 4−29608
subtropical eastern North Pacific, weather ship obs., seasonal spectra 4−17736
surface patterns, bluff obstacle effects, review 4−42139
surface to geostrophic wind relation at sea, stability dependence of resistance law 4−38342
surface wave generation rel. to air-sea interaction, spectral analysis on laboratory scale 4−17682
surface wind forecasts at sub-synoptic grid points, automated estimation 4−34536
thermal plume, due to heated effluent, wind effects 4−34305
thermosphere, effect of atmospheric gravity waves 4−17777
thermosphere, numerical model of symm. tidal wave modes 4−4528
thermosphere, Stubbe's deviation from barometric law, effect of horizontal wind fields 4−17778
thermospheric, effect on temp., density, phase difference of diurnal vars. 4−10954
thermospheric high-speed neutral winds, causes, behaviour 4−10952
thermospheric midlatitude winds from incoherent scatter radar and theory 4−38424
thermospheric neutral, calculated from F-region density profile measurements 4−34445
thermospheric neutral, diurnal variation, incoherent backscatter radar data 4−22013
thermospheric neutral wind and ionization drift simultaneous meas. 4−38425
thermospheric neutral winds, effect of displaced geomagnetic and geographic poles 4−34442
thermospheric wind velocity, seasonal var. from Millstone Hill incoherent scatter radar meas. 4−38417
thermospheric winds, effect on F-region in disturbed conditions 4−10953
three-dimensional wind field, meas. by dual Doppler radar system 4−25677
thunderstorm, Doppler radar obs. of 3-D wind field and turbulence 4−1828
thunderstorm, flux obs. and calc., airflow budget anal. 4−1830
thunderstorm moisture budget and wind fields over urban area of Midwest 4−1842
thunderstorms, Doppler radar, meas. of true vel. of tornado producing storm 4−4415
thunderstorms, dynamics and precipitation, inflow-updraught structure 4−4414

wind continued
thunderstorms, vertical velocity profile, obs. by aircraft penetration 4−1824
thunderstorms, weak echo regions, aircraft obs. of updraught vel. and temp. NHRE 4−4412
thunderstorms vertical wind velocity measurements, dropsondes technique, NHRE 4−1820
tidal oscill. of meridional neutral wind at midlatitudes 4−38422
tornado, Cranfield, 26 June 1973, brief account 4−38382
tornado, dependence of core radius on swirl ratio, laboratory model 4−21969
tornado, Doppler radar meas. of radial rel. patterns 4−4411
tornado funnel, electrical origin 4−17716
tornado twins, Doppler radar obs. of radial rel. component and bounded weak echo region 4−1826
tornado-producing thunderstorms, digital radar anal. 4−1829
tornadoes, comparison of hurricane and Great Plain forms 4−1839
tornadoes, mathematical model from alcohol cloud chamber obs. 4−38345
tornadoes, mesoscale numerical prediction of squall line phenomena 4−4416
tornadoes in Britain 4−4524
trade wind cloud clusters, satellite obs. over N.Pacific, statistical anal. 4−4518
tropopause, correlation with horizontal wind and O_3 distribution 4−4511
tropospheric level, gravity-shear waves in temp.-wind stratified flow 4−1907
tropospheric shear, deep moist convection 4−4434
updraught shape, calcs. in sheared environment 4−1825
updraught soundings, National Severe Storms Laboratory, mesonetwork rawinsondes 4−1819
upper atmosphere, sounding rocket and meteoric radar obs. *(French)* 4−38430
upper atmosphere radar meteor meas. review of AFCRL project 4−10940
urban site, application of general simulation to specific case 4−29744
variability with distance over New England, comparison with models 4−7713
velocity fluctuation measurements in near water layer, coefficients of evaporation and sensible heat *(Russian)* 4−7691
velocity fluctuations over Arctic sea ice 4−17747
velocity meas. in northern light above Kiruna using Redhead pressure sensor *(German)* 4−25727
velocity measurements from drifting and driven ship, estimate of equivalence *(Russian)* 4−34415
velocity measurements in dust devil 4−29591
velocity profiles in near-water layer of atmosphere *(Russian)* 4−29621
velocity pulsation spectra, upper troposphere and lower stratosphere *(Russian)* 4−34411
vertical, dropsonde measurements in thunderstorm, Colorado (22 July 1972) 4−34397
vortices, laboratory generation in sheared, stratified flow 4−3271
water surface waves, air flow interaction rel. to reservoir with limited fetch *(Russian)* 4−7651
water wave generation and spectra *(Russian)* 4−14102
water wave growth, microwave meas. 4−17683
water waves, wind generated, particulate plume diffusion 4−4409
weather prediction, gravitational adjustment of gravity wave energy in phase space 4−21976
O_3, short term ground fluctuations, storm effect 4−4486
O_3 destruction rate of ocean surface, wind vel. depend. 4−4488
O_3 global distribution, geostrophic winds from Nimbus IRIS data 4−4496
SO_2 concentrations from distant source, increase with wind speed 4−29565

wind tunnels
cloud physics experiments, measurement of updraft velocities, <1 m sec^{-1} 4−34543
grid jets, meas. of downstream isotropic wind tunnel turbulence 4−16224
hypersonic buzz on delta configuration, wind tunnel expts. 4−12698
laser Doppler velocimeter for wind tunnel appl. 4−15095
subsonic, grid turbulence induced strong temp. mixing 4−16215
supersonic, semi-bodies with ogive shaped nose, lift and pitching 4−36652
supersonic flow, holographic obs. of shadow and interference patterns due to steel ball 4−9677
testing, dual hologram interferometry 4−8592
velocity fluctuations of turbulent flows, statistical regime *(Russian)* 4−38361
H_2+O_2, supersonic blunt body, pulsating combustion effects *(Russian)* 4−35570
N_2 temperature measurement in arc tunnel air flows using rotational temperature device 4−11699

winding (process)
glass reinforced plastic ring, winding under variable tension 4−13879

windings
see also coils; machine windings
magnetic field, three-dimensional analysis, GFUN program 4−19030

wire telephony *see carrier telephony*

wires (electric)
see also conductors (electric); exploding wires; insulated wires
d.c. conducting simple wires, mag. field calc., applic. of Bessel and Fourier transforms *(German)* 4−15269
electrochemical cell impedance measurement, influence of leads 4−7453
electroplating, 100 A motor driven rotating Hg contact unit 4−5112
electrostatic charging, heated positive corona wires for, ozone generation, obs. 4−15280
e.m. wave diffraction 4−5457
heavy current leads, low heat loss, for intermittent use 4−8340
onlay epicardial pacemaker lead, post-operative electrophysiology 4−26228

wires (electric) continued
W lamp wire, short time creep rupture props. 4—7404
wiring diagrams *see circuit diagrams*
WKB method *see quantum theory*
wolfram *see tungsten*
wood
moist, n.m.r. study of critical moisture content and hysteresis of localized water 4—41268
pallet, transport of ^{235}U enriched fuel assembly, criticality safety evaluation 4—27487
pyrolyzed e.s.r. spectra, paramagnetic environment effects on unpaired spins 4—41240
radiocarbon time scale, tree-ring dating accuracy for dendrochronological calibration 4—29719
tree ring $^{13}C/^{12}C$ ratio record of atmospheric CO_2 levels 4—17753
wood processing
see also paper industry
furniture industry, electrostatic paint spray application 4—19023
work function
see also electron emission; Schottky effect
alkali metal binary alloys, electron work function, photoemission investig. rel. to temp., conc. 4—41471
contact materials Pd, Au, Ag, Auger electron spectroscopy 4—15094
dielectric layer, on perfectly conducting substrate, image force work function calc. 4—37293
electrical contact materials, conference, Chicago (1973) 4—16379
electron gas, Green functions method, positive background 4—24804
graphite, electronic props., periodic small cluster calcs. 4—20537
hydrocarbon liquids, correlation between critical volumes and work functions for electrons 4—29358
Knudsen thermionic convertor, cathode, props., effect on mag. characts. 4—12818
metal, effect of inert gas adsorption, atom polarisation *(Russian)* 4—32806
metal, meas. from secondary ion emission energy anal., O_2 effects *(French)* 4—10509
metal, rare gas adsorption, anisotropy of work function change 4—40982
metal, rel. to barrier height of junction with GaS 4—24826
metal film, polycryst., ang. and energy depend. of emitted photoelectrons, rel. to Fowler's determ. of work function 4—33583
metal film, thin, electron densities, potentials and work functions 4—33041
metal-insulator contact charging model, rel. to charge transfer 4—28491
metals, rel. to surface states, appl. field effect 4—24811
noble metal film, work function changes on Xe adsorpt., field emission and photoemission obs. 4—37092
oxide cathode with photoresist binder, work function meas. 4—37730
polymers, estimation, physical model 4—16810
semiconductor, calc. correction, implication for effective density of charges 4—24798
transition metal film, group VIII, work function changes on Xe adsorpt., field emission and photoemissions obs. 4—37092
X-ray photoelectron spectroscopy, work function meas., spectra calibration 4—6956
BN, electronic props., periodic small cluster calcs. 4—20537
BN, hexagonal, electronic props., truncated crystal approach 4—20536
Ba, film on W, O_2, adsorption effect *(Russian)* 4—33017
Ba-O-Re (0001) double system, structure and work function 4—10069
BaO adsorption on Re (0001) face, structure and work function 4—10068
BiSeI:Ag, from photoemission meas. *(Russian)* 4—33560
Cu, clean single cryst., anisotropic work function, photoelectric thresholds 4—6959
Cu-Al-Ni alloy, exoelectron emission during thermoelastic martensitic transformations *(Russian)* 4—17195
Fe (100) surface, photoelectric work function obs. combined with Auger electron spectroscopy 4—17159
Fe film, adsorpt. of H_2 investig., using work function heat of adsorpt. meas. *(German)* 4—40971
GaAs, Cs adsorption effect, secondary electron emission 4—37726
GaP, Cs adsorption effect, secondary electron emission 4—37726
Ge, growth on W, thickness depend., field emission meas. 4—13110
Ge, of electron-hole drops rel. to free excitions, accurate meas. 4—10123
Ge coating on W, field emission current-voltage characts., thickness depend. 4—13555
Ir, effects of N_2 adsorbed surface layer, studied using field ion microscopy 4—3644
KCl, on Mo (100) emitter, surface ionisation meas. *(Russian)* 4—33595
Mo, field emission meas., H_2 absorpt. effect 4—3767
Mo surface, clean, adsorpt. of H_2, work function changes, field emission meas. 4—37098
n-MoS_2, energy gap determ. 4—1262
Ni film, chemisorpt. of CO, rel. to work function, elec. resist. investig. *(German)* 4—32816
Ni surfaces, (001), (110) and (111), chemisorption, LEED patterns, Auger spectra, and work function changes 4—37109
Ni(100), adsorption of monolayer K-film 4—10043
Ni(100), obs. of Cs enhancement of oxidation 4—3655
Pd, hydrogen adsorption, LEED, thermal desorpt. and contact potential obs. 4—24635
Pd, thin film, photoelectric determ. of equilib., temp. depend. 4—28510
Pt, (111) and (100) faces, adsorption of substituted aromatic molecules, LEED and work function obs. 4—24646
Rb, film, photoelectric determ. 4—21165
Re, W-Re alloy, thermionic and mass spectrometric determ. 4—13546
Re filament, LaB_6 coating, support mechanism 4—21167
Rh, chemisorpt. of H_2 and O_2, rate determ. rel. to work function 4—32820
Rh-Mo (35 at.%), single crystal C-phase, obs. of thermionic emission parameters 4—13547
work function continued
Ta-Cr, film, field electron microscopy meas. *(Russian)* 4—33594
TiO_2, powdered, variation investig. rel. to u.v. irrad. of sample, experimental set-up *(French)* 4—33018
TiO_2, powdered, variation investig. rel. to u.v. irrad., O_2 photodesorpt. *(French)* 4—33019
W, (111) surface, adsorpt. of Xe and its interaction with preadsorbed O_2 4—40983
W, adsorbed Na, conc. depend. of work function 4—28295
W, changes due to Cu adsorption, field emission microscopy 4—6662
W, field emission meas., H_2 absorpt. effect 4—3767
W, W-Re thermionic and mass spectrometric determ. 4—13546
W adsorption of O_2 on (110) surface, chemisorption layers, coverages 4—37113
W oxide layer, ionisation of alkaline earth elements *(German)* 4—3643
W single crystal, changes rel. to chemisorption 4—33025
W surface, changes on single Na, K, Cs adatom adsorpt., dipole moments 4—32810
W surface, clean, adsorpt. of H_2, work function changes, field emission meas. 4—37098
W/Al_2O_3 monolayer, electron field emission up to 1700K 4—6963
W(110) adsorption of W, work-function reduction and island formation 4—37091
ZrC-Re system, rel. to Re concentration, 1200-2560K 4—33554
work hardening
see also cold working
alloy, high temp. characteriz. and strengthening mechanism 4—7311
alloy, strength-differential effect rel. to plasticity theory and vol. expansion 4—7159
anisotropic media with non-deformable particles or fibres, linear work hardening behaviour 4—1623
brass, biaxially stretched sheets, strain hardening and instability 4—13703
brass, influence of grain size from stress-strain data 4—4095
α-brass, plastic deform. and Luders band propag. 4—25365
brass, Portevin-Le Chatelier effect, acoustic emission obs. 4—41655
brittle fracture, elastic-plastic mechanics of crack extension *(Czech)* 4—41699
composite, symmetric laminates, post-yielding behaviour, inelastic macromechanics 4—1631
composite, two-phase wires, deform. mechanism and props. characteriz. 4—21440
composite alloy, discontinuous fibre, micromechanics and mech. props. of matrix *(Japanese)* 4—13862
dislocation structure evolution, stepped nature of curves *(Russian)* 4—13679
dispersion hardened crystal, back-stresses, image stresses and work-hardening 4—37854
dispersion hardened materials with misfitting inclusions, matrix average stress and average elastic energy 4—1489
dynamic hot pressing, high deformation speeds 4—7252
dynamical state of dislocations during deform., model 4—20359
elastic-plastic stress wave propag., unloading boundary 4—30821
elastoviscoplastic and elastoplastic materials with generalized pots., deform. behaviour *(French)* 4—30788
epoxy resin, shear characteristics during amine curing depend. on shear deformation 4—13931
fatigue hardening and softening, unified picture 4—37891
fracture, deformation parameters rel. to work hardening behaviour 4—6442
half-space of combined kinematic and isotropic hardening medium, plane simple waves 4—30824
Holloman equation, limitations 4—37903
limit surface materials, plastic behaviour 4—33817
macroplastic flow, influence of microplastic deform., near solid body surface, review *(Russian)* 4—21307
mechanical anisotropy and Bauschinger effect 4—7135
metal, f.c.c., {110}⟨110⟩ slip *(French)* 4—1502
metal, f.c.c., single crysts. and polycryst., stress/strain behaviour, dislocation density model 4—1546
metal, normal-supercond. transition, hardening influence at different creep strain jump stages 4—33072
metal cutting, plastic region analysis 4—13676
metal system, cubic, microstruct., relationship with behaviour in uniaxial tensile test 4—37902
metallic glasses under compression, plastic flow 4—1593
model of strain hardening during high temp. creep 4—1590
plastic, strength-differential effect rel. to plasticity theory and vol. expansion 4—7159
plastic flow, dislocation distrib. for work hardening and density of mobile and immobile dislocations 4—1499
plasticity theory, rheological aspects 4—23147
power-law hardening material, stress field due to line load acting on half-space 4—30796
pressure vessels, elastoplastic behaviour and shakedown of radial nozzle-on-sphere geometrics 4—23815
recovery creep predicted behaviour correl. with in situ. expts. in HVEM 4—21285
recrystallisation in hot working and creep 4—41620
steel, austenitic, metastable, austenite stability rel. to tensile props. 4—7142
steel, austenitic stainless, transform. influence 4—29172
steel, austenitic stainless at high hydrostatic press. rel. to prior flow stress 4—1604
steel, biaxially stretched sheets, strain hardening and instability 4—13703
steel, cementite containing, internal stress considerations 4—33749
steel, cold rolled sheet annealed in humid hydrogen, mech. props. and ageing tendency 4—41727
steel, Cr-Ni, phase strain hardening of austenite 4—33800
steel, Cr-Ni-Mn type, strengthening by thermomech. treatment *(German)* 4—7192
steel, high-chrome, damping props. in homogeneous tension-compression stress state, and temp. effects 4—7203
steel, high-strength AISI 4340, plastic instability in pure shear 4—7147
steel, low-C, ageing time for serrated yielding 4—1595

work hardening continued

- steel, low-C, ferritic and pearlitic, hardening rel. to mode of deformation 4−13683
- steel, metal transfer mechanism in sliding friction 4−33820
- steel, mild, brittle fracture by dynamic strain ageing 4−13770
- steel, mild, strain ageing and Bauschinger effect 4−17365
- steel, mild, stress and deform. during axisymmetric necking 4−33956
- steel, nonmagnetic, precipitation-hardening, surface hardening with nitriding and surface work hardening 4−29108
- steel, stainless, low cycle fatigue damage accumulation 4−1608
- steel, stainless, type 304L, small offset yield surfaces 4−21299
- steel, stainless, Type 316, deformed in slow tension, substruct. obs. 4−1506
- steel, strength-differential effect rel. to plasticity theory and vol. expansion 4−7159
- steel, subgrain development during high temperature deformation 4−7048
- steel, TRIP, hardening by deform.-induced phase transform. 4−29052
- steel 1018, high strain fatigue crack propag. above room temp. 4−13802
- steel (17% Cr), strengthening by deformation at liquid N_2 temps. *(Russian)* 4−21310
- steel tubing, stainless, elastoplastic behaviour under bending, pressure, torsion 4−29297
- stochastic model of crystal plasticity 4−1083
- strain hardened matrix, diffusion of interstitial and substitution atoms 4−13652
- strain hardening, effect of stressed state 4−13750
- surface structure, u.s. hammering 4−7108
- Zircaloy-4, necking strain in dynamic strain ageing range 4−4154
- Ag-Ge eutectic, unidirectionally solidified, temp. depend. 4−37901
- Al, cyclic hardening kinetics of single crysts. 4−13784
- Al, influence of grain size from stress-strain data 4−4095
- Al, low cycle fatigue damage accumulation 4−1608
- Al, polycryst., flow stress, effect of sub-struct. 4−33756
- Al, polycrystal., grain size and deform. substruct. effects 4−4075
- Al, Portevin-Le Chatelier effect, acoustic emission obs. 4−41655
- Al, radiation-induced strengthening and embrittlement 4−37934
- Al alloy, hardening and softening under load, 135-150°C 4−29115
- Al alloy 5086, prestrain effect on dynamic strain ageing characts. 4−17364
- Al alloys, dynamic strain ageing, flow stress athermal component 4−13690
- Al alloys, thermomechanical strengthening 4−25386
- Al and alloys, work-hardened layer, etch pit density, dislocation density 4−1496
- Al cold-pressed powder compacts, interparticle contact area effect on strength 4−7237
- Al powder coating of steel strips, phys. metallurgy aspects 4−13766
- Al-Cu (4 wt.%) alloy, two-phase, cyclic stress/strain response w.r.t. particles penetrable by dislocations 4−13693
- Al-Cu (4 wt.%) alloy, two-phase, cyclic stress/strain response w.r.t. particles not penetrated by dislocations 4−13694
- Al-Cu(6 wt.%) alloy, strengthening mechanisms combination by thermomech. processing 4−29151
- Al-Mg (5 wt.%) alloy, tensile plastic behaviour and strain ageing effect, Ree-Eyring eqn. 4−37963
- Al-Mg and Al-Mg-Mn alloys, nonheat-treatable, metallurgical advances 4−17360
- Al-Zn microstruct. of superplastic eutectoid 4−7103
- Al-Zn-Mg alloy, precipitate-free zone width influence on tensile props. 4−37936
- Au, elec. contacts, closure mechanics meas. 4−20670
- Co-Ni-Cr-W alloys, strenthening at room and elevated temps. *(German)* 4−37964
- Co_5Ce, permanent magnet powder, X-ray meas. 4−33805
- CsI, low temp. plasticity, 1.6-300 K 4−36933
- Cu, cyclic hardening kinetics of single crysts. 4−13784
- Cu, influence of grain size from stress-strain data 4−4095
- Cu, polycryst., intermediate annealing effect on strengthening *(Russian)* 4−4121
- Cu, thermally activated plastic deform., activation volume determ. 4−29125
- Cu alloys, dispersion containing 4−7130
- Cu and α-Cu-Sn alloys, cyclic deform. at const. stress amplitude *(German)* 4−25379
- Cu single crystal, cyclic deformation, dislocations 4−1609
- Cu single crystals, [100] orientation, dislocation and cell struct. with tensile deform. *(German)* 4−17252
- Cu single crystals, deformed, cell struct., electron microscope obs. 4−17237
- Cu single crysts., tensile deformed at 20°C, stored energy meas. 4−1549
- Cu-Al, polycryst. solid soln., temp. depend. of hardening coeff. in microstrain phase *(Russian)* 4−33768
- Cu-Be, plastic workability rel. to strain hardening 4−17330
- Cu-Fe(1 wt.%) alloy, appl. of neutron irrad.-induced coherency strain control 4−1589
- Cu-Ga(Ge)(0.3 at.%) alloys, softening phenomena during annealing *(Russian)* 4−37877
- Cu-Ni, polycryst. solid soln., temp. depend. of hardening coeff. in microstrain phase *(Russian)* 4−33768
- α-Cu-Sn alloys, tensile-compressive dynamic deform. at const. stress between 20 and 400°C *(German)* 4−33823
- Fe, cast Cr-Mn austenitic, chem. comp. of phases, effect of temp. and strain hardening 4−33664
- α-Fe, dislocation substructure form. rel. to work hardening and recrystn. 4−25338
- α-Fe, dynamical strain aging, effects of strain rate and nitrogen content in jerky-flow region 4−1551
- Fe alloy, sintered, case hardening, effects of porosity and sintering method *(Russian)* 4−37992
- Fe single crystal, work hardened, mech. props. and strengthening rate *(French)* 4−37941
- $Fe-Cr_{1.45}-C$, work hardening, neutron irrad. and Cr interstitial effects, recovery 4−37894
- Fe-Cr(25 wt.%), subgrain development during high temperature deformation 4−7048

work hardening continued

- Fe-Cr(25.wt.%) alloy, static strain ageing 4−37933
- Fe-Cr(40 wt.%) alloy single crysts., plastic deform. obs. *(Russian)* 4−29094
- Fe-Ni-Co-W alloys, maraging, cobalt influence on martensite hardening during ageing *(Russian)* 4−4120
- Fe-Si (3 wt.%), subgrain development during high temperature deformation 4−7048
- Fe-Si(3 wt.%) alloy, work-hardened layer, etch pit density, dislocation density 4−1496
- Fe-V-C alloys, ferrite strengthening by vanadium carbide precip. 4−41720
- Ge, dynamical state of dislocations during deform. 4−20358
- Ge, dynamical state of dislocations during deform., model 4−20359
- Hf, single cryst., deform. behaviour, 77-473K 4−37927
- Mg, slip mode in c-axis compression 4−1501
- Mg-Li alloys, cyclic stress/strain and fatigue behaviour 4−41685
- Mg-Li alloys, tensile microplasticity and fatigue 4−41684
- MgO, machining, surface work hardening, and strength 4−38023
- MgO single crysts., dynamic strain ageing characts. 4−17409
- MgO single crysts., thermally activated flow parameters in compressive deform. 4−3514
- MgO single crysts., yielding and work hardening rates, temp. depend. 4−33863
- Mo, u.s. treated, struct. changes *(Russian)* 4−37881
- Mo single crystals, extension along $\langle 110 \rangle$ and $\langle 100 \rangle$ axes, 77-573K, dislocation struct. obs. 4−29067
- Mo wire, recrystallized, alloyed with Ru and C 4−21345
- NaCl, single- and polycrystalline, activation anal. of steady state deformation 4−3515
- Nb, fatigue hardening in single crysts. 4−33742
- Ni, prestraining effects on tensile props. 4−37925
- Ni alloys, heat resistant, surface hardening effectiveness, effect of temp. 4−41742
- Ni and alloys, thermal and mech. stability, struct. state influence *(Russian)* 4−37873
- Ni/W fibre, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
- Ni-Al alloys, ageing, second phase precipitate spatial distrib. effect *(Russian)* 4−10608
- Ni-Co alloys, plastic deformation, effect of stacking fault energy 4−1559
- Ni-W eutectic composites, cyclic loading behaviour, microstruct. influence 4−13887
- β-NiAl, dynamic strain ageing in compression creep 4−1596
- Ni_3Mn single crysts., ordering influence on strain hardening characts. *(Russian)* 4−10610
- Ni_4Mo, stress-ordered, struct. and mech. props. 4−21224
- Pb-Sn (5 wt.%)/stainless steel fibre, micromechanics and mech. props. of matrix *(Japanese)* 4−13862
- Pu-Ga(1 wt.%) alloy, cold rolled, annealing kinetics and softening behaviour 4−13634
- Ti, interstitial content and grain size effect, 4.2 to 650K 4−1558
- Ti, work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944
- Ti alloy, OT4, short-term creep, 400-600°C 4−7200
- Ti-Al alloys, Al conc. and precip. effects on plastic behaviour 4−13692
- Ti-C(N)(O), alloys, room temp. hardness, grain size and interstitial content depend. 4−29138
- Zn, millimicroplastic burst phenomena in monocrystals 4−1556
- Zn, stability of deform. hardening of twin boundaries, pyramidal dislocation density effects *(Russian)* 4−37887
- α-Zr, dynamic strain ageing during creep 4−37919
- Zr, work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944
- α-Zr, yield behaviour, 375-625°C 4−13796

workers *see personnel*

Wratten filters *see optical filters*

X-ray absorption

see also X-ray absorption spectra

- china clay particle size meas. by X-ray absorption in suspension, teaching paper 4−23018
- diffraction line profiles, shape correction for absorpt. broadening 4−6304
- electron probe analysis, effect of vapour phase deposited layers on primary X-ray intensity 4−30624
- mass absorption coefficient near edges, general relation 4−5261
- plasmon excitation 4−10498
- radiotherapy, attenuation due to overlying tissue, meas. method 4−22597
- rock, mass absorpt. coeff. meas., Compton scattered W X-rays 4−7787
- SEM, X-ray absorpt. microanal. 4−8587
- weapons and explosives detection 4−26691
- Au, 1-10 Å, coeff. meas. 4−21097
- Bi, 1-10 Å, coeff. meas. 4−21097
- Pb, 1-10 Å, coeff. meas. 4−21097

X-ray absorption spectra

- extended fine structure, long range and short range order theories 4−33520
- metal, anomalous effects of localized inner-shell hole, connection between soft X-ray emission and absorpt. spectra 4−41444
- methane, carbon K-absorption spectrum, threshold region 4−3127
- molecule, interpretation by unoccupied orbitals of ground state 4−31817
- Na, $L_{II,III}$ absorpt. spectra shapes, simple calcs. 4−37701
- surface effects in nonlinear interaction of X-ray and optical fields 4−21103
- threshold shapes, compatibility relationships 4−13530
- transition metal chlorides, electron transfer band in chlorine K-X-ray absorpt. spectra 4−21094
- transition metal complex, O_2-binding, X-ray absorpt. edge spectrometry 4−17140
- Al, $L_{II,III}$ absorpt. spectra shapes, simple calcs. 4−37701
- Al, L-edge absorption spectrum, Mahan exponents calc. 4−10496
- B in BF_3 and BCl_3, interpretation by CNDO calc. 4−24043
- $CdCl_2$, electron transfer band in chlorine K-X-ray absorpt. spectra 4−21094

X-ray absorption spectra continued
Cl in Cl_2, interpretation of K spectrum 4−36488
Cl in complex cpds., K-absorpt. edge analysis 4−6933
Cl in HCl and Cl_2, interpretation by unoccupied orbitals of ground state 4−31817
Cl_2 mol. level struct. 4−781
Co compounds, K absorption discontinuity, chem. shift 4−28952
CuCr catalyst supported by Al_2O_3, fine struct. at absorpt. edge, valence state 4−35482
$Fe_3Al(Si)(Sn)$, K-zone absorpt., Fe electron energy state *(Russian)* 4−24689
$FeCl_3$, electron transfer band in chlorine K-X-ray absorpt. spectra 4−21094
GeTe, results of disorder on empty states 4−6932
HCl, mol. level struct. 4−781
La group rare-earth elements, ultrasoft X-ray absorpt. coeff., 70 to 500 eV 4−13529
Li, soft X-ray absorpt. versus X-ray Raman inelastic scatt. spectra 4−41446
$Li_{1-x}Cu_x$ alloys, Li K absorption threshold meas., evidence against many electron interpretation 4−17136
LiF, radiative decay of exciton at Li^+ K-absorpt. edge 4−13528
Mg, L-edge absorption spectrum, Mahan exponents calc. 4−10496
$64MnO.4CuO.(32-x)Fe_2O_3.xSc_2O_3$, K absorpt. edge 4−13368
Na, L-edge absorption spectrum, Mahan exponents calc. 4−10496
Nb complex compounds and minerals, L_{III} spectra, determ. of symmetry and effective charge distrib. 4−1423
$PdCl_2$, electron transfer band in chlorine K-X-ray absorpt. spectra 4−21094
Pt, L_{III}-absorption band *(German)* 4−17135
Re compounds, determ. of bond lengths X-ray L_{III} absorption discontinuity 4−3091
S in H_2S and SO_2, interpretation by unoccupied orbitals of ground state 4−31817
SF_6, Rydberg constants of S in K-spectrum 4−36498
Se, K-edge absorpt. coeff. meas. 4−25187
Si, $L_{II,III}$ absorpt. spectra shapes, simple calcs. 4−37701
Sm, L-absorption edges positions 4−33518
Sm_2O_3 chemical shift of L-absorption edges, fine structure 4−33518
Sr compounds, K-absorpt. edge, chem. shift 4−33516
TiS_2 X-ray band spectra and electronic struct. 4−33519
Y, metal and Y^{3+} ion, X-ray K-absorpt. edge, chem. shifts, electron binding energies 4−28953

X-ray analysis
see also X-ray chemical analysis; X-ray crystallography; X-ray diffraction examination of materials; X-ray spectroscopy
biological samples, thin, microanalysis using SEM and detectors 4−23020
digital computer tone-texture transformation 4−18200
grating spectrometry for microanalysis 4−23021
scanning electron probe X-ray microanalysis, scan modulation system for improved spatial displays 4−23010
SEM, energy dispersion X-ray anal. 4−8525
wavelength and energy dispersive technique combination 4−23022
Cl in complex cpds., K-absorpt. edge analysis 4−6933

X-ray apparatus
see also biomedical equipment; X-ray crystallography apparatus; X-ray monochromators; X-ray spectrometers; X-ray tubes
continuous zoom X-ray image intensifiers 4−2173
filter, compensating, Al, for large format films *(French)* 4−8178
image intensifier, electron optics, improvement 4−5267
industrial radiation facilities, personnel safety feature standards 4−4880
interferometer, four-block *(Russian)* 4−35488
interferometer, quasi-Fabry-Perot, high resolution 4−23017
interferometers *(Russian)* 4−35487
low-temp. radiography of plates and powders using reflection method 4−5265
microbeam generator, computer controlled, for observation of movements of human organs 4−15019
multiorbital tomography equipment model LGM-1 4−8185
patient diagnosis, with TV apparatus 4−8236
resonators *(Russian)* 4−35487
Status X, panoramic radiography of middle part of face 4−35039
tomographic attachment, for producing layered images 4−11302
u.h. vacuum system for ion induced analysis 4−18750
warning device 4−15023

X-ray applications
see also radiography
bone lesions, pediatric, roentgenographic diagnosis 4−4873
cardiac cineangiogram, left venticular chamber boundary detection, str. line approx. 4−2169
cineangiocardiography, single plane methods for left ventricular vol. meas. 4−2170
crystal resonators, frequency stability, erratic variation with temperature, investigation 4−18752
Czochralski growth, crystal diameter control 4−25247
enlargement radiography, rotating anode X-ray tube with ultrafine focus, clinical appls. *(Japanese)* 4−35490
fluoroscopy, dose reduction by scanning X-ray beams 4−18214
holography, soft X-ray, optical simulation expt. 4−5086
instrumentation and industrial control applic. *(Spanish)* 4−2341
material research and component development *(German)* 4−18706
medical betatron, high intensity 25 MeV, description, features, safety devices *(Japanese)* 4−35508
medical diagnosis, ferrite contrast medium testing 4−30237
medical diagnosis, X-ray imaging with Fresnel zone plates, pseudoholographic techniques 4−8543
medical radiography, difference images, digital processing 4−26260
metrological aspects, principles and units *(Spanish)* 4−23926
microradiography, metallographic working method *(German, English)* 4−7093
NDT of nuclear components in High Flux Isotope Reactor program 4−31546
nuclear fuel pin inspection, real-time system 4−27388
patient diagnosis, with TV apparatus 4−8236
patient diagnosis using axial transverse tomographic devices 4−8187
patient therapy, dose meas. on the RUM-7 apparatus 4−11304
radiographic investigation of old clocks 4−18743

X-ray applications continued
radiography, non-screen X-ray film, sensitometric props. detn. 4−22598
radiography, study of paintings in Prado museum 4−23016
radiography, X-ray exposure conditions direct calc. 4−30628
radiography, X-ray stereocomparator, Zeiss StR 1-3, stereoplotting system, design, characteristics 4−2192
radiotherapy, attenuation due to overlying tissue, meas. method 4−22597
radiotherapy, deep, with energies up to 50 MeV, physical aspects 4−30227
radiotherapy, superficial unit 4−39050
security applications of scanning system, personnel inspection, letter bombs 4−26692
shadowgraph method, diameter control of Czochralski grown crystals 4−33618
small mass difference determination, using dental X-ray apparatus 4−18207
spectrometer, X-ray photoelectron for surface chemistry studies 4−35489
spectrophotometry, bone-mineral determinations 4−39070
therapy using medical linear accelerator model LMR-4 4−8186
tumour treatment planning and following up results, u.s. applications *(German)* 4−39079
ventricular boundary evaluation, real-time scanning method 4−18209
videodensitometry, biomedical, calculation of left ventricular volume, clinical factors 4−2181
weapons and explosives detection by X-ray fluorescence, absorption 4−26691

X-ray astronomical observations
see also X-ray sources (astronomical)
Abell clusters, X-ray luminosities 4−4830
binary systems, satellite obs., props., models 4−38858
3C 273, upper limits on soft X-ray spectra 4−4819
Centaurus XR-4, X-ray obs. of transient source 4−34896
Cepheus X-4, OSO-7 obs. of new transient source 4−2128
Circinus X-1 (3U1516-56), UHURU obs. of binary nature 4−34903
cluster X-ray source size and spectra, fits with thermal and nonthermal models 4−34901
clusters of galaxies, X-ray luminosity dependence on richness 4−42449
comet Bennet (1969i), obs. of Lyman-α radiation 4−4766
coronal structure identification and analysis from X-ray photography 4−22262
cosmic diffuse background spectrum in 2 to 10 keV range, rocket obs. 4−8057
Crab Nebula, interstellar absorption of low energy X-rays 4−14515
Crab Nebula, X-ray spectral features in 15-300 keV range 4−11254
SS Cygni, very soft X-rays from U Geminorum-type close-binary variable 4−30103
Cygnus Loop, NGC 6992, discovery of remnant central X-ray object 4−22429
Cygnus X-1, hard X-ray flare-like activity in 20-200 keV emission 4−4818
Cygnus X-3, 2-10 keV X-ray spectrum, period obs. 4−34900
diffuse component of cosmic X-ray flux in 14 to 200 keV range, OSO-5 obs. 4−18031
diffuse cosmic background, rocket obs. in 30-200 keV range 4−34907
extragalactic radiosources with steep low freq. spectra, relation with X-ray emission 4−8045
Galactic Anticentre, search for soft X-ray sources 4−38854
galactic X-ray sources, short time scale variability 4−34904
H 177, identification with 2U 1639-62 X-ray source and alternative theories 4−2120
hard solar X-ray burst, 1972 May 18, radio and X-ray data 4−17935
Hercules X-1, hard X-ray obs. in 20-150 keV range 4−14457
Hercules X-1, OSO-7 obs. of X-ray turn on 4−38855
hot coronal tracing of magnetic fields, X-RAY OBS. FROM Skylab 4−4704
AD Leonis, search for X-ray emission from flare star 4−34815
luminosity function for Galactic X-ray sources in 2-10 keV range 4−18028
NGC 4151, upper limits on soft X-ray spectra 4−4819
NP0532, X-ray spectral features in 15-300 keV range 4−11254
proton flares (2 Nov. 1969), limb events, X-ray emission heights 4−11118
pulsars high energy X-ray flux 4−22428
λ Scorpii, upper limit to soft X-ray flux in 0.5-1.5 keV range 4−26132
Scorpius X-1, long term X-ray flux from OSO-III 4−11219
sky background radiation, power law *(French)* 4−38863
solar, X-ray burst polarisation, acclerated electron plasma interaction *(Russian)* 4−29824
solar corona X-ray spectra, element abundances 4−34622
solar flare, soft X-ray and e.u.v. emission, OSO-7 obs. 4−29834
solar flare mass motions and heating by optical X-ray and microwave obs. 4−34620
solar flare of 1972, February 26, X-ray and electron obs. rel. to thin-target X-ray emission 4−29867
solar flare X-ray emission, height distrib. and directionality 4−11112
solar flare X-ray emission, polarisation meas. 4−29868
solar flares, 2.6-10 Å, multithermal interpretation 4−7915
solar flares, spectra, emission lines 6 to 25 Å, identification of ionised Fe 4−7914
solar hard X-ray bursts, interpretation of polarisation meas. 4−25989
solar multi-temperature plasma spectra 4−34624
solar X-ray flare plasma temp., comment on paper by Deshpande and Tandon 4−11113
suprathermal plasma nodule production, loop prominences, X-ray heliographs 4−17934
Tycho supernova remnant, X-ray spectrum, thermal component 4−14391
3U1547-43, X-ray nova, intensity variations 4−34902
2U 1543-47, search for hard X-rays in 27-189 keV range 4−22427
2U 1543-47, Vela satellite obs. of transient source 4−34897
Uhuru sources high energy X-ray flux 4−22428

X-ray astronomy
European X-ray Observatory Satellite detection of black holes 4−34974
high latitude experiments *(French)* 4−38427
Interkosmos programme, review of solar X-ray measurement system 4−22466
interstellar dust grains, effect on X-ray absorption 4−30144
interstellar medium, opacity to ultrasoft X-rays and e.u.v. radiation 4−38896
interstellar medium studies, X- and gamma-ray techniques 4−42479
luminosity function for Galactic X-ray sources in 2-10 keV range 4−18028
multiwire proportional chamber, fast charge-sensitive preamplifier, appl. 4−8463
polarimeter, solar eruptions radiation investigation, Interkosmos 7 *(German)* 4−38933
proportional counter, and X-ray filter, combination 4−11584
review 4−4662
SAS-A system, X-ray sources survey 4−14535
solar hard X-ray event, interferometer obs. of associated 8.6 mm. radio burst 4−22254
solar non thermal electron spectra from hard X-ray emission 4−25963
solar X-radiation, registration methods *(Polish)* 4−11123
stellar spectrometer, crystal evaluation 4−42514
telescope for OAO 4−26191
telescope sensitive at high energies 4−30147
transition radiation produced on cosmic particles *(Russian)* 4−11084
CsI scintillator crystals, spectra of induced radioactivity by 155 MeV protons 4−8101
X-ray characteristic temperature *see specific heat*
X-ray chemical analysis
see also X-ray diffraction examination of materials
absorption edge spectrometry for revealing O_2-binding in transition metal complexes 4−17140
aerosols, elemental analysis by semiconductor detector X-ray spectrometers 4−29760
aerosols, environmental, elemental analysis by radioisotopic-excited X-ray fluorescence 4−29759
Anglo Saxon gold jewellery, X-ray fluorescent analysis 4−5298
animal tissue, X-ray fluorescence, charged particle induced, anal., choice of physical parameters 4−30253
appearance potential spectroscopy, detection of light elements 4−15073
appearance potential spectroscopy of lanthanides and actinides 4−15072
atmospheric aerosols, proton induced X-ray elemental analysis 4−29758
atmospheric aerosols X-ray analysis from α-particle excitation 4−29757
atmospheric contamination by X-ray spectrometry 4−14721
chemical analysis using scattered X-rays, quantitative evaluation of degree of internal standardization 4−2406
coal-dust for presence of quartz rel. to protecting miners from silicosis 4−30272
detector, energy dispersive 4−23019
Efremovka type III carbonaceous chondrites, X-ray fluorescence spectrometry 4−4770
electron energy resolution of spectrometer with semicond. detector *(French)* 4−18797
electron microscope, transmission, modification for transmission electron microscope modification for 4−15012
electron microscope anal. of metal foils, replicas, biological sections 4−8535
electron microscope system, transmission/transmission SEM, applics. 4−11632
electron microscopy, tissue electrolyte detection 4−35472
elemental analysis, stimulated emission in electron column machines, AEPI 290 system 4−2413
elements, electron microprobe detection limit estimation using energy dispersion X-ray spectrometers 4−5256
energy dispersive, of microprecipitates 4−15074
energy dispersive analyzer and SEM, rel. to quantitative information 4−23065
energy-dispersive fluorescence for trace element conc. determ. 4−26725
Etruscan gold objects, nondestructive dating 4−35533
fluorescence, background reduction using polarised radiation 4−26718
fluorescence spectrometer model XRS-1 4−8584
fluorescence spectrometry, matrix effect correction, multielement aq. soln. analysis 4−15083
fluorescent, proton-excited, applications to pollution monitoring, industry and biomedical research 4−39445
forensic science applications, firearms, oil spills 4−26726
Franciscan blueschist facies metaconglomerates, petrographic and X-ray studies 4−21779
impurity determination, thick samples, heavy ion induced fluoresc. 4−18776
ion induced X-ray emission technique 4−5268
Kainsaz type III carbonaceous chondrites, X-ray fluorescence spectrometry 4−4770
labradorite, chemical evidence for exsolution 4−1775
light element microanalyser modifications *(French)* 4−18789
Marilia meteorite shower, X-ray diffraction analysis of specimen 4−2100
microprobe, automated X-ray, analytical system XAM 1 4−18787
multichannel X-ray spectrometer, MRS 3, for rapid analysis 4−15085
multielement determ., thin specimens, X-ray spectrometry 4−18784
nondispersive fluorescence of cosmic and terrestrial material, α particle source 4−2410
quantitative microanal. of thin foils, electron probe anal. comparison 4−5254
refractories, basic, anal. by X-ray fluorescence of glass pellets 4−21398
review paper on X-ray fluorescence analysis of trace elements 4−35560
SEM, 200 kV transmission, development 4−11631
X-ray chemical analysis continued
SEM, X-ray absorpt. microanal. 4−8587
SEM quantometer 4−8526
steel, assessment of PW-1450 X-ray spectrometer 4−39447
steel, stainless, liq. Na exposed, corrosion products identification 4−10597
thin film, diffusion distrib. of components 4−26707
trace elements determ., microscale X-ray fluorescence method 4−11654
u.h. vacuum system, ion induced anal. 4−18750
Viking Mars Lander, inorganic chemical investigation by X-ray fluorescence analysis 4−2150
X-ray fluorescence, air pollution particulate sample anal., comparison of techniques 4−26283
X-ray fluorescence, calibration in presence of interelement effects 4−39402
Youndegin meteorite shower geographical location, microstructure, chemical composition 4−2101
$BaTiO_3$ ceramic, surface barrier layer examination, rel. to capacitor applic. 4−37540
Ce-Mischmetal-Co, comp. analysis by X-ray fluoresc. 4−21236
$Ga_xIn_{1-x}As_ySb_{1-y}$ alloy, composition anal. by X-ray fluoresence, solid soln. and phase diagram data 4−39444
Mo-Ti-Zr-C dil. alloy, intercryst. internal adsorption *(Russian)* 4−37826
Na, metallic, impurity analysis by X-ray fluorescence spectroscopy 4−2430
α-Si_xN_y, reaction-bonded, oxygen content 4−41814
U distribution analyzer for Al clad fuel tubes 4−31547
X-ray crystallography
For results of structure analysis see crystal atomic structure
see also X-ray crystallography apparatus; X-ray crystallography calculation methods; X-ray crystallography technique
Bragg-Bragg diffraction, case of three strong waves *(Russian)* 4−32399
centrosymmetric diffraction patterns from non-centrosymmetric structures 4−24351
combined X-ray and neutron diffraction studies, survey 4−24354
dislocations and crystal defects, backscattered images 4−24376
dynamical diffraction, influence of acoustic lattice vibrs. 4−16569
dynamical diffraction theory, modulated electron density, transmission, refl. 4−12847
dynamical Ewald-von Laue theory, teaching 4−22709
dynamical theory, Maxwell eqns., dispersion surface role 4−36780
dynamical theory of X-ray diffraction, prop. of fund. eqns. in terms of elec. field 4−12841
education, introductory use of X-ray diffractomers 4−11421
energy-flow lines in Bragg case *(Russian)* 4−36771
Ewald's Pendellosung, wave fields, Bragg and Laue cases *(German)* 4−28005
laboratory area monitor and interlock system, radiation protection 4−4882
lattice parameter determination, influence of geometrical distortion of deficiency cross sections 4−9790
macromolecules, structural analysis, anomalous dispersion methods 4−32397
magnetostrictive displacements at domain wall junction, appl. to X-ray topography 4−16966
polarisation corrections for crystal-monochromatised radiation, systematic errors 4−24352
protein densities from X-ray crystallographic coordinates 4−38956
review *(German)* 4−20184
single crystal structure analysis, theory and practice, book 4−9793
small-angle scattering curve, outer part, rel. to particle shape 4−32382
specular reflection, surface roughness effects, model *(French)* 4−32380
zonal net compatibility with cubic, tetragonal, hexagonal and rhombohedral lattices 4−16394
X-ray crystallography apparatus
see also goniometers
analogue recorder, appl. for neutron diffr. meas. 4−40724
camera, for ultrarapidly quenched samples 4−28003
camera, wire substruct. during heating 4−26687
capillary mount preparation in dry box 4−6306
crystal, Kossel camera and low temp. stage 4−24370
cubic anvil X-ray diffraction press. up to 100 kbar and 1000°C 4−6308
diffractometer, attachment for photography of materials under load 4−2385
diffractometer, automation, struct. determ of amorphous substances *(Czech)* 4−16389
diffractometer, low temperature, cryostat system *(Russian)* 4−6309
double X-ray spectrometer for accurate determ. of lattice parameter 4−20190
film scanner, rotary-drawn, precision 4−16390
Guinier cameras, survey 4−15021
high-pressure cell for use at 80-300K 4−32394
Kossel camera design concept 4−24371
Kossel X-ray diffraction camera for SEM, ten plate 4−24373
laboratory area monitor and interlock system, radiation protection 4−4882
Laue X-ray polyinterferometer, four-block ideal geometry *(German)* 4−16398
Levelut-Guinier camera for detecting distortion of small-angle scatt. curves 4−32389
mirror optics for small-angle scattering cameras 4−32379
monochromator, Compton downscatt. corrections to efficiency 4−12839
monochromator-collimator system ensuring successive diffraction 4−36779
optical diffractometer for opt. transformation of diffuse scatt. patterns 4−16392
optically focusing reflectors for small-angle X-ray scattering cameras 4 -32378
pole figure plotting, rolled metals, goniometer automation 4−2386
position-sensitive proportional counter applics. to scatt. expts. 4−32402
position-sensitive proportional counters for small-angle scatt., biophysical applic. 4−32376

X-ray crystallography apparatus continued
  powder diffractometry system, quantitative 4−20189
  powder diffractometry system, X-ray, quantitative 4−20189
  precession camera heater attachment, X-ray diffr. investigation up to 1000°C 4−12844
  sample holder, for low temp. powder diffr. photography, 80-300K 4−20187
  single-crystal oscillation camera for large unit cells 4−9791
  small-angle diffractometer, automatic 4−35485
  small-angle goniometer, computerised, with one second of arc optical resolver control loop 4−32381
  synchrotron source for low-angle scatt. 4−32377
  topographic spectrometer, two-crystal 4−35486
  two-circle goniostat for use with high-power microscope 4−6307
  warning device 4−15023
  Weissenberg and precession cameras, automatic diffractometers, book 4−9793
  X-ray goniometer, low temp. attachment 4−5264
  X-ray tube, radiography by converging beam method 4−35484
X-ray crystallography calculation methods
  amorphous materials, coordination numbers, meas. square displacements from radial distrib. 4−12849
  anisotropic correction of measured integrated Bragg intensities for thermal diffuse scattering 4−12840
  anomalous dispersion, and applic. to struct. determ. of $FeAl_2$ 4−9877
  atomic scattering factor, modification of OR FLS crystallographic least squares program *(Czechoslovakian)* 4−3421
  best-plane parameters, dihedral angles, variances and covariances 4−9788
  Boolean optimisation methods for direct solutions of X-ray diffraction 4−40723
  Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6464
  Bravais space cell, selection rules for lattice vibrations using the correlation method 4−6465
  complex structures, phase relns., automatic interpret. of electron density maps 4−12835
  computer program, best molecular fit routine 4−28001
  computer program conversion, X-ray 70 to DEC system 4−16395
  computer program set, POLIEDR, for structure calculations 4−6300
  computer programs, intensity data analysis, book 4−9793
  core deformation from coherent X-ray scattering 4−12834
  crystallite size distrib. in supported catalysts. 4−32391
  Darwin transfer equations, primary and secondary extinction, appl. to spherical crysts. 4−24347
  Darwin transfer equations, refinement of extinction in spherical crysts., appl. SrF_2, LiF 4−24348
  diffraction by liquids, programs for data analysis 4−36770
  diffraction line profiles, shape correction for absorpt. broadening 4−6304
  diffuse scattering data analysis using error function *(Russian)* 4−6310
  dynamical matrix, determ. by X-ray thermal diffuse scatt. 4−9955
  fast Fourier transform applications, reduction of storage capacity and computation time *(French)* 4−12836
  finite slit-height correction for systematic deviations from Perod's Law 4−32383
  free-Fermi-gas approach for incoherent X-ray scattering 4−24350
  heavy atom contribution to conventional reliability index 4−3423
  intensity distribution, iteration method for the profile 4−12848
  iterative deconvolution of smeared data functions 4−16384
  least squares refinement successive experiment planning 4−12850
  paired Patterson functions, structure locating sections 4−12851
  Patterson distribution, symm. exaggeration of separating functions, triclinic monoclinic orthorhombic 4−12852
  Patterson function, algorithm for interpretation by two arbitrary peaks 4−12845
  Patterson function, heavy-atom effect in probability of distinguishing peaks above background 4−994
  Patterson function, Tchebycheff extraction of periodic vector set 4−24349
  Patterson function, use in surface struct. determ. by LEED 4−40951
  Patterson function, vector localizing sections, duplication 4−12853
  Patterson functions, decoding algorithm, rhombus method for low syngony crysts. 4−12846
  perfect crystal, X-ray reflection coefficient calculation, (220) plane *(Russian)* 4−12854
  polycrystal, anal. of stress and strain states 4−40722
  protein, heavy atom posns., improved difference Fourier synthesis incorp. anomalous scatt. data 4−28002
  reflection data processing computer program subroutine INDEX *(Japanese)* 4−995
  small-angle scattering, collimation correction, iterative procedure 4−32384
  small-angle scattering, Kratky collimation system parameters, optimization 4−32385
  stress measurement, sample-curvature error 4−9792
  texture anisotropy determ., generalized spherical harmonics *(French)* 4−32374
  texture anisotropy determ. using incomplete pole figures *(French)* 4−32375
  thermal diffuse scattering corrections for single cryst. integrated X-ray intensity meas. 4−24353
  unit-cell parameters of single crysts., determ. from rot. patterns 4−32393
X-ray crystallography technique
  coded aperture imaging, with on-axis Fresnel zone plates 4−30631
  defocusing effects in reflexion technique for determ. of preferred orientation 4−32392
  diffraction simulation, microwave technique using macroscopic crystal model 4−11419
  divergent-beam anomalous-transmission method for lattice parameter meas., $Gd_3Ga_5O_{12}$ applic. 4−16391
  dynamic diffraction, rheo-optical properties of crystalline polymeric materials, measurement 4−28004
  energy-dispersive diffractometry in synergistic identification 4−16397
  Fresnel zone plate imaging, point-source artifacts 4−30630
X-ray crystallography technique continued
  harmonic radiation contrib. to diffracted intensity, detection technique 4−32396
  Kossel technique, comparison with electron channelling tech., in SEM 4−24372
  lattice parameter measurement, two wavelength diffr. 4−20186
  low temperature system, for materials of high chem. reactivity, high vapour press. or low m.p. 4−6303
  Lupolen, wavelength-independent absolute intensity standard, calibration 4−32386
  macromolecular crystal rapid alignment for precession photography by cone-axis oscill. 4−32390
  metal, deformed, struct. imperfections determ. from diffr. intensity analysis *(Russian)* 4−1058
  noncentrosymmetric crystals, Kossel effect, for distinguishing between cryst. directions, expt. verification 4−16399
  orientation using back-reflection Laue X-ray photographs, applic. to Zn 4−16396
  pole figure plotting, rolled metals, goniometer automation 4−2386
  powder patterns, separation of overlapping peaks, with use of expt. profile 4−6305
  pseudoholographic techniques, X-ray imaging with Fresnel zone plates, diagnosis appl. 4−8543
  screw dislocation square grid, direct determ. of core struct. by diffr. methods 4−28110
  simulation by microwave technique using macroscopic crystal model 4−11419
  small-angle scatt. and biological struct. determ. 4−32387
  small-angle scatt. tail end region, technique for improving resolution 4−36777
  small-angle scattering from spherical particles of nonuniform density 4−36778
  strip, cold-rolled, texture determ., automatic plotting of pole figs. in refl. and transmission *(French)* 4−37848
  successive diffraction to produce highly parallel and monochromatic X-ray beams 4−36779
  surface characterisation techniques 4−3626
  surface texture, computation method 4−20472
  texture measurement using energy dispersive diffr. method 4−37862
X-ray detection and measurement
  see also dosimetry; X-ray spectrometers
  absolute dosimeter, for soft X-rays, homogeneous, variable plate separation ion chamber 4−14982
  bremsstrahlung, thermoluminescent crystal detection obs. *(German)* 4−87
  calibration of radioactive sources using multiwire proportion technique 4−4955
  channeltron electron multipliers, absolute efficiency for 10 to 100 keV X-rays 4−35409
  coded aperture imaging, with on-axis Fresnel zone plates 4−30631
  dosimetry, exoelectron emission use *(German)* 4−8449
  energy dispersive detector 4−23019
  fluorescence analysis, nanogram region, quantitative method 4−18785
  Fresnel zone plate imaging, point-source artifacts 4−30630
  imaging, coded aperture, Picker thyroid phantom rel. to image quality 4−30627
  instrumentation, exposure rate calibration, ^{129}I applic. 4−39331
  medical betatron, shielding investig., spectra of X-rays transmitted through various materials *(Japanese)* 4−39094
  microprobe analysis dispersive systems, for SEM 4−39384
  proportional counter, and X-ray filter, combination 4−11584
  proportional counter, gas flow, for NaKα X-radiation detection 4−30546
  pseudoholographic techniques, X-ray imaging with Fresnel zone plates, diagnosis appl. 4−8543
  quality measurement, thermoluminescence dosimetry 4−42613
  rocket-borne solar u.v. and X-ray instrumentation for Polish expts. *(Polish)* 4−18078
  semiconductor detectors, efficiency calibration 4−5183
  solar eruptions radiation investigation, X-ray polarimeter, Interkomos 7 *(German)* 4−38933
  transition radiation, electrons from 1.3 to 15 GeV/c, X-ray yields and spectra, multiwire chamber detection system 4−1070
  warning device 4−15023
  ^{133}Ba decay, K-capture probability from X-ray-gamma ray summing in Ge(Li) detectors 4−19333
  BeO, thermally stimulated exoelectron emission, X and γ-ray dosimetry 4−4891
  Ge intrinsic detector *(Italian)* 4−39330
  Ge(Li) detectors, determ. of efficiency near Ge K edge 4−35404
  Ge(Li) thin, relative efficiency near Ge K absorption edge 4−35405
  Si(Li) planar detectors, escape peak, investigation 4−18603
  Xe scintillator, for soft X-rays registration *(Russian)* 4−35392
X-ray diffraction
  see also X-ray crystallography; X-ray scattering
  energy-dispersive spectra, escape peak appearance in Si(Li) detector 4−32395
  pionic X-rays, determ. of negative pion mass 4−5700
X-ray diffraction examination of liquids
  alkanes, long-chain, aggregation, obs. using tail end region of small-angle scatt. 4−36777
  alloy, molten, inhomogeneities, small-angle scatt. obs. 4−33706
  electrolyte, struct. and dynamics, review 4−17530
  metal, noble and transiton, static struct. 4−36795
  polystyrene-polybutadiene-polystyrene block copolymer in MEK, dil. soln., small-angle scatt. 4−36774
  small-angle scatt. tail end region, technique for improving resolution 4−36777
  solvent environment and mutual interactions of solute molecules, scatt. obs. 4−36776
  water, struct. and dynamics, review 4−17530
  $[Cr(H_2O)_6]Cl_3$ aqueous soln., radial distrib. function 4−25515
  Ag, struct. factors 4−16415
  Ag-Cu alloys, struct. factors 4−16415
  Al-Ge eutectic alloy, short-range order obs. 4−13591
  BeF_2-LiF, molten solutions, struct., X-ray diff. pattern 4−24380
  CU(II)-glycylhistidylglycine in water, polydispersed system, small-angle X-ray scatt. 4−36775
  CsF, aq. soln., X-ray diffr. investig. of struct. *(German)* 4−40732

X-ray diffraction examination of liquids continued
 Cu, struct. factors 4−16415
 Cu-Mg alloy 4−40738
 Fe, ordered regions obs. *(Russian)* 4−20201
 Fe-C, molten alloy, atomic distrib., X-ray and neutron wide-angle diffraction obs. *(German)* 4−16413
 Fe-C melts, short-range order characts. *(Russian)* 4−33631
 Na, triplet correl. and pair potential functions, from X-ray diffr. data 4−32418
 NiSi, NiS_2, struct. of short-range order *(Russian)* 4−6321

X-ray diffraction examination of materials
 for results of crystal structural analysis see crystal atomic structure
 see also X-ray chemical analysis
 alkali halides, thermal expansion, lattice parameter 4−24572
 aluminium sulphate, basic, X-ray diffraction, identification of new form 4−20264
 atomic crystals, A^{IV}, incoherent X-ray scatt. intensities, valence states of atoms effects *(Russian)* 4−32468
 benzene derivatives, orientational correlations *(French)* 4−6399
 brittle solid, cleavage step deform. 4−36947
 caesium acetate, lattice consts., thermal expansion along cryst. axes 4−20424
 catalyst, metallic, small-angle scatt. obs. 4−34083
 cellophane, microbial degradation, pretreatment effect 4−21448
 ceramic reusable surface insulation coatings radiant and convective heating environments influence 4−17382
 chalcogenide glass ceramic, i.r. translucent, obs. of microstructure and glass transition 4−32442
 cholesteryl myristate, solid crystalline phase, X-ray obs. of struct. 4−9836
 cholesteryl stearate, solid crystalline phase, X-ray obs. of struct. 4−9836
 collagen, structural changes due to muscular dystrophy 4−42540
 copolyamide fibre, degree of crystallinity, density and X-ray diffraction meas. 4−36819
 diamond, synthetic polycrystals, Ni, γ-Fe inclusions, heating effect 4−36913
 dielectric, local field corrections by X-ray and neutron diffr. in elec. field *(French)* 4−30972
 p-diiodobenzene photoconductor, single cryst. phase transition obs. 4−9983
 disodium chromoglycate-H_2O system, mesophase obs. 4−24394
 graphite, highly oriented pyrolytic, 2-8 keV, reflectivity meas. 4−12842
 graphite, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
 graphite, pyrolytic, small angle X-ray scatt., micropore system obs. 4−16430
 graphite, small-angle scatt. by defects *(French)* 4−12843
 graphitic oxides formation on C oxidation *(French)* 4−16667
 ice:NH_3, stacking-fault images 4−36911
 ice, X-ray transmission topography investigation of dislocations 4−36908
 II-VI compounds, incoherent X-ray scatt. intensities, valence states of atoms effects *(Russian)* 4−32468
 kaolin, physico-chemical characteristics of activated sintering *(Russian)* 4−21414
 Lupolen, wavelength-independent absolute intensity standard, calibration 4−32386
 mild steel panel, surface saturation, shock wave effects 4−17373
 mineral layer on antique vase 4−10055
 minerals, geophysical prospecting 4−25588
 Naval Research Laboratory, Washington, D.C., review 4−5701
 NIBCOLLOY, semihard mag. alloy, for reed switch applic. 4−10286
 nylon 6 plastics, glass fibres influence on cryst. struct. *(Japanese)* 4−25433
 nylons, transition and relaxation processes 4−13936
 particle shape rel. to small-angle X-ray scatt. curve outer part 4−32382
 periclase-spinel, physico-chemical characteristics of activated sintering *(Russian)* 4−21414
 poly(p-phenylene terephthalamide), molecular confirmation, crystal struct. 4−1016
 polyacrylonitrile fibre, struct. changes due to stretching and thermal treatment *(Polish)* 4−21461
 polyamide, with unique orientation texture, orientation and thickness of lamellae *(French)* 4−36773
 polyamide/diphenyl oxide copolymers, struct. organisation of fibres *(Russian)* 4−10703
 polyamides, struct. organisation of fibres *(Russian)* 4−10703
 polycarbonate, amorphous, small angle scatt., nodule struct. 4−20225
 polyethylene, crystallised under compression, crystal plane orientation 4−12877
 polyethylene, dynamic obs. of α-mechanical loss mechanism 4−33910
 polyethylene, linear, liquid cryst. model devel. 4−32423
 polyethylene oxide, cryst. structure, planar zigzag modification 4−36820
 polymer, small-angle scatt. obs. 4−36772
 Pyco-bond composites, correl. with thermal diffusivity meas. 4−17413
 pyrocarbon coatings on fuel particles for high temp. reactors, anisotropy determ. *(French)* 4−40124
 rare earth indium nickel (palladium) intermetallics, equiatomic ternary phase characterization 4−25306
 rare earth metal, hydrides and oxides in and from thin films 4−16672
 rare earth metallide-hydride, orthorhombic, RCo_5-H, RNi_5-H systems 4−9978
 rare earth thallium palladium intermetallics, Fe_2P-type phase characterization 4−25307
 rare earth-transition metal-aluminium ternary systems, Laue phase obs. *(Russian)* 4−7032
 retinal rod outer segments, small-angle X-ray scatt. using position-sensitive proportional counters 4−32376
 Rhodopseudomonas spheroides, thylakoid membranes 4−42545
 serum lipoproteins, small-angle X-ray scatt. obs. using position-sensitive proportional counters 4−32376

X-ray diffraction examination of materials continued
 small-angle scattering from oriented ellipsoids of revolution 4−16388
 sodium acetate, lattice consts., thermal expansion along cryst. axes 4−20424
 solid solution, undergoing phase separation, rel. to spinodal decomp. 4−33638
 solid solution inhomogeneities, small-angle scatt. and TEM obs. 4−37830
 spherical shell structures in biophysics 4−39387
 steel, Al, carbide formation during breakdown of α-martensite obs. 4−17256
 steel, austenitic stainless, hydrogen-induced phase transform. sequence *(Japanese)* 4−41528
 steel, carbide phases produced during tempering, nucl. gamma reson. obs. *(Russian)* 4−21252
 steel, ferrite lattice spacing, P and Si redistrib. effects *(Russian)* 4−33726
 steel, low-C austenitic Mn-Cr type, martensitic transitions *(German)* 4−7036
 steel, martensite structure depend. on carbon conc. *(Russian)* 4−4079
 steel, Re, martensite decomposition during tempering 4−13607
 steel, stainless, corrosion products of liquid Na 4−32825
 succinonitrile, space correlations obs. by X-ray scattering 4−16439
 terephthal-bis-butylaniline, smectic phases, X-ray monodomain and powder patterns, structure 4−28022
 thin film, diffusion distrib. of components 4−26707
 thin films, thickness measurement based on interference of X-rays Kiessigs method 4−30380
 1,3,5-triacetylbenzene, electron density distrib., combined X-ray and neutron diffr. data 4−20243
 triarylboranes, conformational anal., X-ray, n.m.r. investig. 4−27578
 urea, longit. phonons of translation along 4 axis, X-ray diffuse scatt. obs. 4−13001
 Ag, anharmonic thermal X-ray scatt. 4−1100
 Ag, film, vacuum-evaporated, X-ray line shift anal. 4−1179
 Ag-Nd system, phase equilibria determ. 4−29031
 Ag-Pr system, phase equilibria determ. *(French)* 4−29030
 Ag-Si system, metastable phase, solid soln. form. 4−32713
 Ag-Zn alloy, thermally activated martensitic transform. kinetics and crystallography 4−29051
 $Ag_2Fe_6(OH)_{12}(SO_4)_4$, argentojarosite, cell dimens., d-spacings 4−4318
 Al, anharmonic thermal X-ray scatt. 4−1100
 Al, Debye-Waller factor, anharmonic contrib., X-ray charact. temp. 4−20394
 Al, deformed, small-angle diffr. in surface layers *(Russian)* 4−32784
 Al, electron irradiated diffuse X-ray scatt. obs. of interstitials 4−20302
 Al, lattice parameter change on heating, equilib. vacancy conc. meas. 4−20300
 Al coupons, notched, residual-stress-relax. behaviour 4−38104
 Al substrate with Cr coating, structural changes *(Russian)* 4−17234
 Al-Ge system, metastable phase obs. 4−7043
 Al-Ta film, cosputtered, Al-rich phases obs. 4−25223
 AlAs-GaAs, electron beam microprobe anal. of multilayer heterojunction structures 4−3772
 Al_2O_3, vapour-growth surface, skew-refl. X-ray microscopy 4−10027
 (Al.Ga)As, double heterostructure laser diode, degradation obs. 4−35863
 As-S-Ag system, glass form. and thermal analysis 4−40753
 As-Te-I, As-Te-Ge, As-Te, chalcogenide glasses, structural props. 4−36814
 Au film, thickness meas. 4−16393
 Au-Ag-Pd thin films, interdiffusion 4−24595
 Au-Cu-Au, thin film, layered polycryst. struct., modulation of fringes around 111 line *(French)* 4−24661
 Au-W(Mo) film, effects of vacuum annealing, rel. to transistor metallisation appl. 4−37128
 B, crystalline, transformations induced by mechanical comminution 4−6498
 $BaGa_2O_4$, superstructure determ. 4−1033
 $BaTiO_3$-$BaNbO_3$ solid solutions, phase anal. 4−16469
 $BaTiO_3$-MoO_3, effect of MoO_2 additive on struct., X-ray studies 4−9897
 Be, inelastic X-ray scatt. and short range correlations in interaction electron fluid 4−16688
 Be-B system, phase constitution and struct. *(German)* 4−1476
 $(Bi_{1-x}La_x)FeO_3$, phase diagram construction 4−33165
 Bi_2Te_3, lattice expansion meas. 4−20426
 C, glassy, two-phase system, small-angle X-ray scatt. obs. 4−32383
 C, small-angle scatt. by defects *(French)* 4−12843
 $Ca_2As_2O_7$, thermal study, decay to orthoarsenate 4−36999
 $Ca_3(PO_4)_2$, amorphous, X-ray radial distrib. 4−40750
 $Ca_{10}(PO_4)_6(OH)_2$, amorphous X-ray radial distrib. 4−40750
 Ca_3SiO_5:MgO solid solution, annealing, MgO exsolution 4−7307
 CdF_2.$2NH_3$, hydrolysis, thermal decomposition products 4−24440
 CdI_2, origin of arcing in X-ray photographs 4−12902
 CdS, band struct., appl. of X-ray scatt. struct. amplitudes *(Russian)* 4−32872
 CdSe, vacuum deposited films, stoichiometric influence on structure 4−6572
 Co, allotropic transformation, thermomech. pretreatment effect 4−41539
 Co-B solid soln., boron solubility obs. *(French)* 4−1534
 Co-Ir solid soln., hexagonal, short-range order *(Russian)* 4−33632
 Co-Ni-O, phase composition and mag. props. *(Russian)* 4−6475
 Co_5Ce, permanent magnet powder, strain meas. 4−33805
 $Co(IO_3)$.$2H_2O$, structure determ. and relationship to magnetic behaviour 4−1034
 $Co(IO_3)$.$4H_2O$, structure determ. and relationship to magnetic behaviour 4−1034
 $CoMn_xCr_{2-x}O_4$, $(0 \leqslant x \leqslant 2)$, Jahn-Teller type distortion and cryst. chem. *(French)* 4−32498
 $CoMoO_4$, polymorphism obs. 4−13035
 $CoPt_3$, partially ordered, atomic configs. 4−25313

X-ray diffraction examination of materials continued
- CoPt$_3$, partially ordered, local atomic arrangements, diffuse scatt. obs. 4–32474
- Cr, corrosion products of liquid Na 4–32825
- Cr, Debye-Waller temp. factor and X-ray Debye temp. 4–13008
- Cr, strain wave, X-ray diffr. investig., below Neel point 4–24968
- Cr-Pt system, constitution diagram 4–41535
- Cr-Te system, struct. anal., growth 4–17173
- Cr-Ti system, phase transforms. and structs. up to 1390°C *(Russian)* 4–7026
- Cs$_2$MoO$_4$-MoO$_3$, phase diagram, thermal, spectral and X-ray diffraction obs. 4–28185
- Cu, nonlinear increase in Bragg peak and narrowing of X-ray lines 4–18749
- Cu-Au alloys, annealed, lattice parameters and residual resist. meas. 4–25311
- Cu-Au alloys, Cu$_3$Au$_{II}$ phase growth 4–33647
- Cu-based dilute alloy film, vacuum-deposited, struct. *(Russian)* 4–13114
- Cu-Pt, Pt rich, atomic ordering obs. by X-ray diffraction 4–3467
- Cu-Sn thin films, bimetallic, interdiffusion and intermetallic cpd. form. 4–3585
- Cu$_3$Au, Al additions effect on ordering behaviour 4–25312
- CuInSe$_2$, film struct., flash evaporated 4–20510
- CuPt, equiatomic, order hardening phenomena 4–7021
- Dy, thermal expansion anomalies near ferromag.-antiferromag. transition pt. *(Russian)* 4–33151
- DyAg(Cu)(Zn), thermal expansion and magnetostriction 4–24979
- Er$_2$Si$_2$O$_7$, struct. mechanism of phase transition 4–16594
- EuF$_2$, Debye temp., X-ray determ. 4–1099
- Fe, corrosion products of liquid Na 4–32825
- α-Fe, Debye-Waller factor, anharmonic contrib., X-ray charact. temp. 4–20394
- Fe, Debye-Waller temp. factor and X-ray Debye temp. 4–13008
- Fe film, condensed, defects obs. *(Russian)* 4–32831
- Fe-Al, single crysts., energy and thermodynamic characts. determ. 4–13658
- Fe-Al$_2$O$_3$, influence of production methods on sintering *(Russian)* 4–21393
- Fe-Co-V alloy, hardened, ordering kinetics *(French)* 4–1535
- Fe-Cr alloys, prepared by amalgamation process, struct. props. by X-ray diffr. 4–41557
- Fe-Mn-C system, solid phase thermodynamics 4–33677
- Fe-NbC, influence of production methods on sintering *(Russian)* 4–21393
- Fe-Ni alloys, prepared by amalgamation process, struct. props. by X-ray diffr. 4–41557
- Fe-ZrFe$_2$ Laue phase obs. *(Russian)* 4–7035
- Fe(CO)$_5$ powder, X-ray tensiometry of stressing stampings *(Czech)* 4–7299
- γ-Fe$_2$O$_3$, maghemite, form. by thermal decomp. of ferrous oxalate dihydrate, X-ray and mag. characteriz. 4–41942
- α-Fe$_2$O$_3$-α-Al$_2$O$_3$, solubility investigation 4–24565
- α-FeOOH, synthetic goethite, intermediate state of dehydration obs. 4–28208
- Ga, lattice dynamics parameters, anisotropy *(Russian)* 4–20395
- Ga-S, diagram of state 4–6509
- GaAs film, rel. to transmitted secondary electron emission 4–6941
- GaAs/Ni topotactic reaction during Schottky barrier diode fabrication 4–6992
- Ga$_x$In$_{1-x}$P, electron beam microprobe anal. of epitaxial growth 4–3657
- GaN, single cryst., struct. verification 4–25269
- GaP, atomic mean-square displacement determ. *(French)* 4–24521
- GaTe film, fine struct. obs. by fourth-moment method *(Russian)* 4–6569
- Gd$_3$Ga$_5$O$_{12}$, growth striae in single crysts. 4–1441
- Ge, amorphous film, struct. props., substrate temp. depend. 4–32828
- Ge, epitaxial films, dislocation struct. obs. *(Russian)* 4–10061
- Ge, thin film, non-crystalline, explosive crystn. 4–16673
- Ge, X-ray reflection coefficient calculation, (220) plane *(Russian)* 4–12854
- α-Ge film, shock-crystallisation 4–6573
- Ge:As, structural distortions with heat treatment, effect on X-ray dynamical scatt. 4–9926
- Ge-Si alloys, growth composition, dislocations *(Russian)* 4–13575
- GeSe-GeTe systems, solid-state phase transforms 4–6494
- Ge$_x$V$_{1-x}$O$_2$, first order phase transition, DTA, resist., mag. and X-ray meas. 4–37005
- ^{3}He, structure factor, X-ray scattering in gas phase 4–16161
- ^{4}He, structure factor, X-ray scattering in gas phase 4–16161
- HgF$_2$.2NH$_3$, hydrolysis, thermal decomposition products 4–24440
- HgO, colour rel. to lattice imperfections, Schottky defects 4–6398
- In-As-Te system, struct. anal., temp. depend. 4–32712
- In$_x$Ga$_{1-x}$As film, struct. perfection determ. *(Russian)* 4–37122
- InSb, scratched dislocations, topography, heating and bending effects *(Russian)* 4–13574
- KCl, anharmonic thermal X-ray scatt. 4–1100
- K$_2$O-Nb$_2$O$_5$-WO$_3$ system, subsolidus phase study, tungsten bronze phase type obs. 4–29195
- K$_2$O$-$Ta$_2$O$_5-$Nb$_2$O$_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4–13856
- LaB$_6$ crystal, grown in molten Al, habit plane obs. 4–28998
- La$_2$TiO$_7$, crystal struct. 4–3937
- LiF, γ-irrad., point defect cluster arrangement 4–32577
- LiF, X-ray determ. of thermal parameters 4–24538
- Li(Ni,Zn) ferrite, prep. by liquid drying 4–38011
- LiTaO$_3$, congruently melting composition 4–10395
- Mg$_2$Ge, X-ray charact. temp. and thermal expansion coeff. *(Russian)* 4–13009
- Mn-Cu-Si system, MgZn$_2$ type Laves phase obs. 4–7016
- MnAl alloy, new ordered ferromagnetic τ phase obs. 4–17211
- Mo, Debye-Waller temp. factor and X-ray Debye temp. 4–13008
- Mo, radiation defects orientation depend. *(Russian)* 4–36920
- Mo-Co, diffusion couples, phase diagram 800-1300°C 4–25294
- Mo-V-Zr system, solid soln. phase studies *(Russian)* 4–7031
- Mo-W-C system, phase equilibria at 1000°C 4–7306
- MoO$_3$-UO$_3$ nuclear reactor fuel, anal. of phases 4–23851
- NH$_4$Cl, thermal expansion near λ-transition 4–13055

X-ray diffraction examination of materials continued
- Na, Debye-Waller factor, anharmonic contrib., X-ray charact. temp. 4–20394
- Na, X-ray obs. of thermal vibrations 4–24520
- NaCl-AgCl solid solution, particle distrib. effect on diffuse rings 4–13047
- NaF, Debye temp. determ. 4–24536
- NaF, r.m.s. vibr. displacements of Na and F ions determ. 4–24522
- Na$_2$O-Ga$_2$O$_3$ system, β and β' alumina type phase obs. *(French)* 4–1111
- Na$_3$[Au(S$_2$O$_3$)$_2$]2H$_2$O, crystal and molecular structure determ. 4–3484
- Nb, crystal growth by Czochralski technique using pedestal method 4–13562
- Nb-Ti-Zr solid solns., diffuse scatt., short-range displacement order, struct. models *(Russian)* 4–29027
- Nb-Ti-Zr system alloys, diffuse X-ray and electron scatt. obs. *(Russian)* 4–21249
- Nb$_3$Al-Nb$_3$Ge alloys, mech. deform. obs., rel. to supercond. transition temp. 4–33073
- Nb$_3$(Al-Ge) superconductor, susceptibility, temp. depend. correl. 4–13254
- Nb alloys, oxidation obs., corrosion protection 4–24652
- Ni, Debye-Waller temp. factor and X-ray Debye temp. 4–13008
- Ni, deformed, small-angle diffr. in surface layers *(Russian)* 4–32784
- Ni ferrite film, planar defects, vap. deposited 4–28319
- Ni-Al$_2$O$_3$ influence of production methods on sintering *(Russian)* 4–21393
- Ni-Fe film, on amorphous SiO$_2$, struct. obs. 4–1183
- Ni-ZrO$_2$, influence of production methods on sintering *(Russian)* 4–21393
- NiCr, oxidation in dynamic high temp. environment, oxide morphologies 4–13106
- Ni(IO$_3$)$_2$.4H$_2$O, structure determ. and relationship to magnetic behaviour 4–1034
- NiPt, long- and short-range order 4–16446
- NiS$_2$, metal-insulator transition obs. 4–10107
- Pb,La(Zr,Ti)O$_3$ ceramic, La solubility limit obs. 4–38009
- PbO-GeO$_2$ system glasses, phase relations and crystn. 4–13826
- PbS, lattice const., 25-275°C, thermal expansion 4–20423
- Pb$_x$Sn$_{1-x}$Te film on mica, struct. investigation *(Russian)* 4–32832
- Pd$_2$Si film, on Si, formation kinetics and structure obs. 4–25283
- Pr-Co-Cu, Pr-Co-Cu-Fe and Pr-Co-Ni systems phase constitution and structure *(Russian)* 4–1463
- Pt complex, K$_2$Pt(CN)$_4$Br$_{0.30}$.xH$_2$O, condensation of giant Kohn anomaly, X-ray diffuse scatt. obs. 4–16574
- PtSi thin film on Si substrates, crystallog. 4–32833
- (Pu, U)C$_x$N$_y$ specimens, composition determ. by lattice parameter meas. 4–12456
- RbBr, Debye temp. determ. 4–24536
- SbSI film, c-axis oriented 4–6850
- Se-GeSe$_2$ alloys, amorphous struct. *(Japanese)* 4–40749
- Si, band structure, appl. of X-ray scatt. struct. amplitudes *(Russian)* 4–32872
- Si, lattice parameter determ. using precise double X-ray spectrometer 4–20190
- Si, screw dislocations in reflecting plane, intensity contrast 4–36907
- Si amorphous thin films, interference thickness meas. 4–3664
- Si crystal, X-ray diffraction, relative intensities of transmitted and reflected beams *(German)* 4–21110
- Si-SiO$_2$, topography, strain distrib. 4–20501
- Si-SiO$_2$ interface, lattice parameter obs. rel. to surface charge and stress distrib. 4–13229
- SiC, 21T polytype structure 4–24449
- SiC, hot-pressed, alumina content influence on oxidation characts. 4–7276
- β-SiC, neutron irrad., diffr. peak profile analysis 4–24496
- β-SiC, neutron irrad., post-irrad. annealing behaviour 4–23831
- SiC, polytype growth mechanism 4–24448
- SiC polytypes, atlas of Laue patterns 4–24451
- (Sm,Pr)Co$_5$ powders, mag. props. depend. on comp. *(Russian)* 4–20799
- Sm-Co system, Co-rich part, phase diagram determ. 4–37784
- Sn-Pb-As, phase diagram obs. 4–17199
- SnS$_2$, structural poltypism 4–28053
- Sr-Hg system, cryst. struct., comp. determ. 4–29033
- Sr$_3$Fe$_2$O$_{7-x}$, polymorphism 4–37003
- Sr(NO$_3$)$_2$, lattice parameters, 28-310°C, coeff. of thermal expansion 4–20425
- T-Ni alloy, near-equiatomic, lattice instability and martensitic transform. 4–29050
- Ta, film, sputtered in Ar-O$_2$, annealing effect, phase changes 4–20507
- Ta-Cr system, intermediate phase studies *(Russian)* 4–7027
- Ta-N system, metal-rich side phase equil. 4–37806
- Ta-N system, nitride phase obs. 4–25309
- TaS$_{1-x}$Se$_x$ system, single crystal, and powder samples, prepared by hot pressing 4–28188
- TbAg(Cu)(Zn), thermal expansion and magnetostriction 4–24979
- Tb$_3$Fe$_5$O$_{12}$, magnetostriction coeff. determ. at 77K and 4.2K *(French)* 4–41217
- Te-TeI$_4$ system, phase relationships determ. 4–32673
- TlN$_3$, thermal expansion and low temp. phase transition obs. by X-ray diffr. 4–9992
- U-5% wt fissium fuel pin irradiation performance specification 4–27456
- U-Mo-C system, phase behaviour and UMoC$_2$ free energy of form. 4–25299
- UB$_4$-YB$_4$ alloy, room temp. struct., rel. to ferromag. 4–24946
- U$_2$C$_3$, 4-300 K, electronic transition *(French)* 4–20878
- U$_2$C$_3$ yield meas., form. from UC$_2$ by heating under stress 4–5909
- UNi$_{5-x}$Al$_x$, phase regions, lattice parameters 4–7008
- UO$_2$, rel. to cryst. growth from vap. 4–33603
- U$_3$O$_8$, α-, β- and δ-phases, phase transition obs. 4–12451
- U$_4$O$_{9-y}$, nonstoichiometric, λ-type sp. ht. anomaly 4–19585
- V, corrosion by liquid Na, O$_2$ effect, Na$_4$VO$_4$ form. 4–24651
- V-Co-Ni alloys, atomic ordering and struct. transform. 4–41540
- V-Fe(Co)(Ni)-B systems, isothermal cross sections, 800°C 4–13590

X-ray diffraction examination of materials continued
V-Pt system constitution diagram 4−7015
$(V_{0.99}Cr_{0.01})_2O_3$, high temp. resist. anomaly struct. depend. 4−13186
$V_{0.90}Nb_{0.10}O_2$, metal-insulator transition due to local pairing of V atoms *(French)* 4−12870
VO_2, lattice distortion obs., nonstoichiometry 4−16804
V_2O_3, high temp. anomaly, multiphase coexistence 4−32705
W, Debye-Waller temp. factor and X-ray Debye temp. 4−13008
W film on Si, reaction kinetics 4−21200
$Zn_{0.218}Ni_{0.752}Fe_{2.03}O_{4\|\gamma}$, γ variable, struct. anal., vacancies 4−6401
ZnO, surface structure anal. 4−32787
Zr-Cr system, Laue phase studies *(Russian)* 4−7028
Zr-O(28.2 and 29.2 at.%) alloys, at. ordering and lattice distortion 4−16445
$ZrFe_{3.3}Al_{1.3}$, struct., combined X-ray and electron diffr. obs. *(French)* 4−37822
$ZrNi_{5-x}O_x$, phase regions, lattice parameters 4−7008
$Zr(Se_sTe_{1-s})_2$ ternary phase, non-stoichiometry investigation *(French)* 4−16595

X-ray diffraction examination of microstructure
see also crystal microstructure
Al, powder, comparison between electron microscope and X-ray examination using Hall's anal. 4−10587
alloy, molten, inhomogeneities, small-angle scatt. obs. 4−33706
borides, lightweight, synthesis and characteriz. 4−7266
brass, dezincified, submicroscopic voids *(French)* 4−1507
brass, domain size determ. 4−25337
$CaAl_2SiO_6$, hexagonal, new synthetic phase, powder diffractions 4−4320
defect study and identification, teaching paper for students 4−30337
ferrites, hexagonal, elec. microscope exam. by direct lattice imaging, comp. with X-ray exam. 4−28111
linear polyurethanes, recrystn. studies, spectral β and X-ray structural analysis *(Russian)* 4−32451
metal, deformed, struct. imperfections determ. from diffr. intensity analysis *(Russian)* 4−1058
metal, h.c.p., stacking fault probabilities *(Russian)* 4−36909
metal b.c.c., diffuse X-ray scatt. from interstitials, Green's function lattice statics approach 4−1053
metallurgical specimens, exam. by SEM with X-ray microanal. 4−10594
microradiography, metallographic working method *(German, English)* 4−7093
nuclear reactor matrix material, neutron-irrad., microporosity changes, small-angle X-ray scatt. obs. 4−31533
platelet Guinier-Preston zone model for X-ray scatt. *(French)* 4−33682
polyethylene, high density transparent films, crystallisation during extrusion 4−13907
polymers, change in transverse heterogeneity during elongation *(Russian)* 4−36826
pseudo-psilomelane, natural pyrolusite, struct. 4−10830
pyrocarbon, neutron-irrad., heat-treated, microporosity, small-angle X-ray scatt. obs. 4−31533
pyrolusite, Mn-bearing mineral, struct. 4−10830
pyrrhotites, relationship between magnetic properties and composition 4−7551
rare earth cobalt intermetallics, struct. near RCo_5 comp. *(Russian)* 4−29054
refractory metals and alloys, stacking fault phenomena, block size *(Russian)* 4−29056
rocks, felsite and basic intrusions from Virginia, titanomagnetite major mineral present 4−29449
small-angle scattering from spherical particles of nonuniform density 4−36778
steel, 0.18 C-0.5 Mn-2.4 Cr-1.4 Ni-0.4 Mo-0.003% B, carbide free bainite struct. 4−10582
steel, annealing texture control by deform. before completion of recrystn. *(Russian)* 4−33696
steel, austenite structural state during continuous hot strip mill rolling 4−41635
steel, austenitic stainless, fine grain structure by rolling and annealing control 4−41631
steel, austenitic stainless, influence on high hydrostatic pressure on flow stress 4−1604
steel, bainite occurrence, carbide free, struct. and props. *(Polish)* 4−41559
steel, fatigue and creep studies 4−33759
steel, high-C, quenched, tempering, martensitic decomposition stages 4−1584
steel, high-Ni, precip. characts. 4−29089
steel, low-C sheet, niobium effects on cold-rolling and recrystn. textures 4−41601
steel, maraging, structure development on cumulative thermal cycling *(French)* 4−41583
steel, martensite-austenite and bainite-austenite orientation relationships comparison *(Russian)* 4−21221
steel, nitride, oxide and sulphides content, electron probe and X-ray diffr. microanal. 4−37840
steel, nitride case, alpha phase structure 4−41584
steel, parallel appl. of electron microanal. and X-ray anal. for determ. chem. and phase composition 4−4067
steel, precip.-hardened, high-temp. variable-stress creep and segregation behaviour *(German)* 4−7086
steel, quenched and tempered, austenitic struct. form. in crit. temp. range during slow heating *(Russian)* 4−17193
steel, struct. formation during dynamic hot-pressing *(Russian)* 4−21389
steel, twinned martensite lattice orientation *(Russian)* 4−17229
wustite, defect struct. *(German)* 4−24468
β'-Ag-Zn single crysts., antiphase domain growth kinetics 4−25331
AgI, cloud seeding aerosols, particle size investigation, X-ray scattering 4−21988
Al, electron irrad., Frenkel defects obs. *(German)* 4−9916
Al rolled sheet, casting texture influence on texture *(German)* 4−1537
Al-Ag alloys, metastable miscibility gap and crystallog. struct. of G.P. zones *(French)* 4−17238
Al-Ag-Zn alloy, Zn addition effects on ageing kinetics, diffuse X-ray scatt. obs. *(Russian)* 4−17228

X-ray diffraction examination of microstructure continued
Al-Cu alloy, Guinier-Preston zone struct., X-ray scatt. obs. *(French)* 4−33683
Al-Cu(4 wt.%) alloy, platelike Guinier-Preston zones, formation and reversion, X-ray diffuse scatt. study *(Japanese)* 4−25328
Al-Mg (10%) alloy, study of first stages of precipitation *(French)* 4−10585
Al-Zn, influence of heat treatment on precip. *(French)* 4−29126
Al-Zn alloys resistivity max. during Guinier-Preston zone formation 4−10142
Al-Zn-Mg alloys, precipitate particle size and GP zones *(German)* 4−41604
Al-Zn(Ag) alloys, liquid quenched, spinodal decomposition, small-angle X-ray scatt. 4−37831
Al-Zn(10 at.%) alloy, Guinier-Preston zones 4−41603
Al-Zn(30 wt.%), transition rhombohedral phase decomposition 4−21219
$Al_xGa_{1-x}Sb$ (x=0 to 0.4) thin film, epitaxial build up from metallic melt *(Russian)* 4−1440
Al_2O_3, hot-pressed, grain orientation determ. before and after creep 4−10642
AlTi(Zn), morphology and orientation of twinned dendrites *(Russian)* 4−13631
BN, wurtzite struct., under press., grain boundaries, defects 4−13852
B_2O_3-PbO-Al_2O_3, glass, spinodal decomp. investig. using X-ray scatt. 4−32445
$BaTiO_3$, two-crystal spectroscopy, angles between surface blocks 4−12932
C fibres, irradiation induced struct. changes by fast neutrons 4−17433
CdTe, crystal growth, X-ray topographic investig. of structure 4−20188
Co-Cr-Ni, effect of Ta additions on microstruct. 4−7102
$Co_xFe_{3-x}O_4$, X-ray microanalysis of cryst. grown by chemical transport 4−41479
Cr_2O_3-Ga_2O_3, cryst. growth, e.s.r., X-ray diffr. investigs., phase diagram *(German)* 4−36838
Cu, electron irrad., Frenkel defects obs. *(German)* 4−9916
Cu, growth dislocation distrib. 4−13564
Cu, shock formed electrolytic, grain size and lattice defects obs. *(German)* 4−25334
α-Cu-Al (14.2 at.%), cold-worked, annealing behaviour *(Japanese)* 4−13637
β_1'-Cu-Al martensite, stress-induced transform. and mech. props. interrel., crystallographic obs. 4−21238
Cu-Al(10 at.%), dissociated dislocations, strong-beam contrast obs. 4−33733
Cu-Be alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Be alloy system, eutectoid decomp., crystallo-struct. obs. of initial decomp. stage *(Russian)* 4−37788
Cu-Be alloys, structure formed during eutectoid decomp., β''-phase obs. during ordering *(Russian)* 4−17232
Cu-Co(1 wt.%) alloy, precip., X-ray Huang scatt. and small angle neutron scatt. 4−37833
Cu-Ga(Ge)(0.3 at.%) alloys, softening phenomena during annealing *(Russian)* 4−37877
α-Cu-Ge alloys, annealing behaviour of stacking faults, comp. and deform. temp. depend. 4−17248
Cu-Mn-Al alloys, with deviations from stoichiometry, low temp. precipitates obs. *(Russian)* 4−10569
Cu-Sn(1.35 at.%) alloy, deformed by compression *(French)* 4−10581
Cu-Ti alloy, ageing, fine structure changes *(Russian)* 4−17231
Cu-Ti alloy, internally oxidized, oxide particle obs. by small-angle X-ray scatt. 4−33707
Cu-Ti alloys, age hardened, modulated structs. and strengthening 4−17286
Cu-Ti alloys, decomp. process 4−17287
Cu_3Au, ordering and disordering, domain size 4−21228
Fe, cast, siliconized layer struct. *(Japanese)* 4−4086
Fe, Mn cast, wear resistance, rubbing surface struct. rel. to quenching and annealing 4−1587
Fe, origin of recryst. texture 4−7101
Fe, struct. formation during dynamic hot pressing *(Russian)* 4−21389
Fe-Co alloy, long range order parameter, domain size, study 4−29038
Fe-Cr-Al alloys, struct. of precipitates *(Polish)* 4−41558
Fe-Ni-C martensites, tetragonality and clustering 4−17271
Fe-Si single crysts., substruct. form. during initial stage of high temp. creep *(Russian)* 4−21251
Fe-Si(3 wt.%) transformer sheet, strain contours in individual grain, divergent beam Kossel method obs. 4−10588
Fe-steel, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4−21394
ϵ-Fe_4N, thermal decomposition, Mossbauer and X-ray diffr. obs. *(Russian)* 4−37529
FeSi, stratified substructure topography, Luders band model 4−13657
GaAs, crystal growth by zone melting, props. *(Korean)* 4−33621
GaAs:CrAs, precipitates, X-ray diffr. contrast 4−28214
GaAs:Sn, highly doped single crystals, struct. defect obs. *(German)* 4−32553
Ga_2O_3:Cr(III), cryst. growth, e.s.r., X-ray diffr. investigs. *(German)* 4−36838
$GdDy(MoO_4)_3$, ferroelastic-ferroelectric cryst., antiphase boundaries, X-ray topography 4−6854
$Gd_3Ga_5O_{12}$, Czochralski grown crystal, giant helical disloc. obs. 4−28103
β'-$Gd_2(MoO_4)_3$, Czochralski grown cryst., dislocation characterisation 4−28102
$Gd_2(MoO_4)_3$, single cryst., crystallographic domain assignment 4−24648
Ge, dislocations in deformed cryst., surface emergence obs. *(Russian)* 4−32569
$HfZr_3C$, rel. to microhardness, comp. depend. 4−21419
InP:Cr, crystal. growth, eutectic form. investig. by X-ray diffraction 4−21203

X-ray diffraction examination of microstructure continued
InSb-MnSb eutectic alloy, struct. after unidirectional solidification *(Japanese)* 4−13636
K_2MnF_4, large crystal growth, characterisation 4−21191
MgO-SiO_2-H_2O system, exam. of reaction products 4−29197
$Mg_3(PO_4)_2$, farringtonite, indexed powder data 4−1756
Mo, substruct. form. due to deform. and annealing of (112) plane rolled monocrysts. *(Russian)* 4−33723
Mo bicrystals, carbide precipitation at torsional boundary, brittle cleavage 4−17325
Mo single crysts., struct. changes during creep *(Russian)* 4−21274
Mo-Re alloys, deformed, search for stacking faults 4−7098
Mo-Ti-Zr-C dil. alloy, intercryst. internal adsorption *(Russian)* 4−37826
NaCl, block disorientation, rel. to fracture resist. 4−12950
NaCl, mech. stability of small angle growth boundaries, X-ray topography 4−16502
NaCl-AgCl, solid soln., two-phase decomposition model 4−6504
Nb-Zr alloys, precip. above monoeutectoid temp. 4−33641
Nb-Zr alloys, precip. below monoeutectoid temp. 4−33642
Ni, deformed, struct. imperfections determ. from diffr. intensity analysis *(Russian)* 4−1058
Ni, metallo-ceramic, struct. formation processes during sintering *(Russian)* 4−21394
Ni, Ni-Fe foil, cold rolled, rolling texture, transmission pole figure *(Japanese)* 4−4087
Ni, Ni-Fe foil, cold rolling, recrystallisation, texture *(Japanese)* 4−4089
Ni, Ni-Fe foil, recrystallisation texture *(Japanese)* 4−4088
Ni, solidification in low gravity environment 4−4074
Ni-Sn, solidification in low gravity environment 4−4074
Ni_3Sn alloy, martensitic and massive transforms. *(Japanese)* 4−25302
Si, thin films, evaporated and pyrolytic 4−6567
Si dendritic crystals, B-doped, X-ray topographic investigation of defect distrib. 4−32840
Si:P precipitates, X-ray diffr. contrast 4−28214
$Si:P^+$, X-ray diffraction contrast asymmetrics, implanted region-nonimplanted region boundary 4−6416
SiC, hot-pressed 4−7279
SiC, screw dislocations, topographic obs. 4−24481
α-SiC, slip distribs. and dislocation densities 4−24482
SiC coated nuclear fuel granules 4−10656
SiC-based, Cr- and Ti-containing, filamentary crysts. obs. 4−13821
α-SiC(:B) epitaxial layer, growth investig. rel. to temp. dependence, morphology 4−21204
Si_3N_4, hot-pressed, grain morphology and dislocation struct. 4−4192
SiO_2-CaO-Na_2O glass, Na_2O-CaO-SiO_2 glass X-ray and light scattering study of particle growth 4−20216
$SmCo_5$ based alloys, relative orientations of phases *(Russian)* 4−33701
Ta thin films, rel. to resistivity and temperature coefficient of resistivity analysis 4−16835
TaO_2, formed on oxidation of Ta, Kossel microdiffr. obs. 4−32822
$Tb_3Fe_5O_{12}$, magnetic domain patterns, X-ray topography 4−6766
Te, thin film, struct. depend. of elec. cond. 4−1273
Ti-Al alloy TiAl6V4, recrystn. process *(German)* 4−37860
Ti-Al-V alloy, thermomech. processing effect 4−29157
Ti-Mo-Al, phase transformation 4−7045
Ti-Mo-Zr-Sn, deformation struct. 4−10590
Ti-Ni metastable alloys, phase transitions, quenching 4−13614
Ti-O and Ti-Al-O alloys, X-ray line broadening, oxygen effect 4−17288
β-Ti-V alloys, deform. modes and textures 4−41580
TiC, rel. to microhardness, comp. depend. 4−21419
TiO_2, sintered, with transition element oxides, physical characterization 4−21418
U-Mo-Nb-Zr-Ti alloys, strengthening mechanism, Widmanstatten structure 4−29087
V-Fe(Co)(Ni)-B systems, isothermal cross sections, 800°C 4−13590
W wire, mosaic block misalignment during secondary recrystn. *(Russian)* 4−1512
Zn, recrystn. kinetics, nucleation rate time depend. *(Russian)* 4−10572
Zn electrodeposits, plating variables influence 4−13661
ZrC, rel. to microhardness, comp. depend. 4−21419

X-ray diffraction examination of molecular structure
pto-cyclopentadienyl)hydridomolybdenum 4−28086
5-exo--6-endo-norbornanol-2-endo-carboxylic acid lactone 4−32542
N-acetyl-α-D-muramic acid, conformation and comparison with penicillin 4−20275
N-acetyl-DL-phenylalanine-N-methylamide 4−32530
actinide tetrafluoride, lattice parameter and molecular volume calc. 4−6388
2-amino-4-phenylthiazole hydrobromide monohydrate 4−20272
2-amino-5-chloropyridine 4−24462
9-aminoacridine hydrochloride monohydrate 4−36886
2-aminopyridine-barbital 2:1 complex 4−40791
anti-poly-D-alanyl antibodies, shape and volume before and after tetra-D-alanine interaction 4−31987
1-β-D-arabinofuranosyl-cytosine, stereochemistry *(French)* 4−28055
azidomorphine 4−28082
bacteriophages, T2, S_d and DD2, dimensions and wt. parameters, X-ray small-angle scatt. 4−36586
barium 2-O-sulphonato-L-ascorbate dihydrate 4−16472
3-N-benzilaminopyrrolidine-2,5-dione monohydrate 4−32539
cis, cis-1,3-bis(styryl)azulene 4−20285
N,N'-bis-(2,2,6,6-tetramethylpiperidyl-4)-succinic acid diamide dihydrate 4−24459
block copolymer in solution, struct. determ. by X-ray, light and neutron joint scatt. 4−19936
6-endo-bromo-1,5,5-trimethylnorbornane-2,3-dione, p.m.r., X-ray struct. anal. 4−40314
4′-bromoflavanone 4−28065
t-butyloxycarbonyltetra-L-proline benzyl ester 4−36884
μ-carbonato-bis(tetraphenylantimony) 4−28059

X-ray diffraction examination of molecular structure continued
R-(+)-3-carboxy-2,2,5,5-tetramethyl-1-pyrrolidinyloxy, spin-label 4−28075
(-)-o-carboxyphenyl methyl sulphoxide 4−28083
N-chloroacetyltyramine derived photodimers, cryst. and mol. struct. 4−29346
cis-1-4-chlorophenyl-3-methyl-2-methylisoindoline 4−24463
10aα-cyano-1α, 4αβ-dimethyl-7-ethoxy-2β-methoxy-1, 2, 3, 4, 4a, 9, 10, 10a-octahydro-1β-phenanthrenol 4−24460
L-cystine, tetragonal 4−28092
cytosamine triacetate 4−12935
cis, trans-2,5-di-t-butylcyclohexanol toluene p-sulphonate 4−28071
1-(2′,6′-)dichlorobenzyl-2-ethoxypyridinium fluoroborate 4−28088
1-(2′,6′-)dichlorobenzyl-2-pyridone 4−28088
2,3-diisopropylidene-1,4-butanediol 4−40787
O,Odimethylipecoside 4−28061
2,7-dimethylthiachromine-8-ethanol dihydrate 4−24465
7,7-dimethyltricyclo [6,2,1,$0^{1,6}$]undecane derivatives, $C_{15}H_{24}O_4$ and $C_{17}H_{25}O_5Cl$ 4−24454
4-2′,4′-dinitrobenzylpyridine, bond lengths and angles 4−40786
meso-3,3'-dithiobisvaline dihydrate 4−36890
ervatamine *(French)* 4−28081
O-ethyl S-(5-carboxypentyl)dithiocarbonate 4−32529
2-ethylthio-8-methylinosine monohydrate 4−36891
2-fluoro-2,2′-spirobis-(1,3,2-benzodioxaphosphole) 4−40784
9α-fluoro-6α-methylprednisolone *(French)* 4−28091
o-formylphenyltellurenyl bromide *(French)* 4−28062
α-glycine, mol. bonding, electron density, Fourier synthesis vs. MO calcs. 4−19773
β-guanidinopropionic acid 4−32540
guanosine hydrobromide hemihydrate *(French)* 4−16476
helical systems, disordered and partially ordered, small-angle X-ray scatt. 4−31981
hexachlorobenzene 4−32538
DL-histidine 4−16474
4- hydroxy-4,5-dimethyl-3,5-diphenylpyrrolidin-2-one stereoisomer 4−28060
5-hydroxydibenzo-5-H-phosphole-5-oxide 4−32537
imidazole-barbital 1:1 complex, NH...N hydrogen bonding 4−40790
iminodiacetic acid, monoclinic phase 4−20276
iminodiacetic acid hydroiodide 4−32533
inosine-5′-phosphate 4−24457
5-exo-iodo-6-endo-norbornanol-2-endo-carboxylic acid lactone 4−32542
o-iodobenzonitrile 4−36892
isocinchophyllamine *(French)* 4−32531
lipoproteins from human plasma, small-angle X-ray scatt. 4−31983
lipoproteins from human serum, small-angle X-ray scatt. 4−31984
lipoproteins from porcine plasma, small-angle X-ray scatt. 4−36589
lycorine, $C_{16}H_{17}O_4N$ 4−24455
melatonin 4−28058
membrane structures, small-angle X-ray and neutron scattering 4−31985
19R-methoxy-5,19-methyleneoxido-17β-acetoxy-5β-androstan-3-one 4−29347
5- methoxytryptamine 4−28057
methyl 1,5-dithio-α-D-ribopyranoside quarterhydrate 4−24458
methyl 1,5-dithio-β-D-ribopyranoside 4−24458
methyl 3,3,4-trichloro-5-methoxyindolenine-2-carboxylate 4−40793
o-methyl β-methylphenylcholine ether bromide 4−36879
5-methyl-2,2,4-triacetyl-1,3-oxathiole 4−20290
2-methyl-2,2′-spirobis-(1,3,2-benzodioxaphosphole) 4−40785
1-1-methyl-2-phenylethyl-2-methyl-3-hydroxy-azetidinium hydrochloride 4−20286
N-methyl-2-pyridone-barbital 1:1 complex 4−40792
3-methyl-4-nitrofuroxan 4−20273
α-methylamobarbital 4−32534
4′-methylene-1,2-di-m-bromophenyl-1′,2′,6′,7′-tetraphenyl spiro ,5′-tetraone 4−24453
β-methylphenylcholine ether bromide hemihydrate 4−36880
N-methylpyrazinobutazone *(French)* 4−28079
methyl[2-hydroxy-2-phenyl-2-(2′,4′-dimethylphenyl)]ethyl sulphoxide *(French)* 4−28087
oxisuran 4−20284
1,4-trans-phenazinediol-1,2,3,4-tetrahydro-5,10-dioxide 4−20288
polychlorotrifluoroethylene, crystal struct. 4−9857
polyester-polyether block copolymer, crystallisation and orientation, wide-angle X-ray diffraction 4−16435
polystyrene-polybutadiene-polystyrene block copolymer in MEK, dil. soln., small-angle scatt. 4−36774
5α,17α-pregnane-3β,20α-diol, −170°C 4−36889
N-propyltripropylacetamide *(French)* 4−16473
proteins in solution, diffuse X-ray scatt., solvent effects 4−31986
anti-4-pyrimidinecarboxaldehyde oxime 4−32536
pyruvate dehydrogenase core complex from E. coli K-12, X-ray small-angle scatt. 4−31980
RNA, viral, small-angle X-ray scatt. 4−36588
tRNA substrate-tRNA ligase interaction, small-angle X-ray scatt. 4−36587
3,3′-spirobi-(3-selenaphthalide) 4−28084
trans-stilbene 4−20278
2,3;6,7;2′,3′;6′,7′-tetrabenzoheptafulvalene stereoisomers 4−12934
2,3,6,7-tetrahydro-4H-thiazolo[3,2-a]s-triazin-2-on-4-thione 4−36893
tetranactin, $C_{44}H_{72}O_{12}$ 4−36887
thyroglobulin from native hog, small-angle X-ray scatt. 4−38953
N-p-toluenesulphonyliminotriphenylphosphorane 4−16477
triethanolamine-barium acetate complex *(French)* 4−12939
triethanolamine-NaI complex *(French)* 4−12937
triethanolamine-$Sr(NO_3)_2$ complex *(French)* 4−12938
2,2′,2″-trimethoxytriethylamine-NaI complex *(French)* 4−12936
trimethyltin methoxide 4−20282
1,1,2-trimorpholinoethene 4−20289
tripropylacetamide *(French)* 4−16473
tris(cyclopentadienyl)titanium 4−24464
urea-barbital 1:1 complex, NH...O=C hydrogen bonding 4−40789
vitamin-A acetate 4−16470
As_4Se_4, bond distances and angles 4−36853
$B_3N_3Cl_6$ 4−32480

X-ray diffraction examination of molecular structure continued
- $B_2O_3.Fe_2O_3.2MgO$, synthesis, crystallographic and mag. props. 4–9898
- $B_2O_3.Fe_2O_3.4NiO$, synthesis, crystallographic and mag. props. 4–9898
- Co(III) complex, bisanilinebis(diemethylglyoximato)cobalt (III) chloride 4–36858
- $Cu_2Cl_6^{2-}$, non-planar, obs. in $(Ph_4As)CuCl_3$ 4–16475
- Cu(II) complex, $[Cu_3(C_8H_{17}N_2O)_3(H_2O)_3OH_{1/2}](ClO_4)_{3/2}(H_2O)_4$ 4–36860
- $3Cu(IO_3)_2.2H_2O$, bellingerite, stereochem. of Cu(II)and I(V) 4–40764
- Fe(III) complex, $Fe(acac)_3AgClO_4.H_2O$ 4–36855
- Ni(II) complex, bis-(2-hydroxy-5-methylacetophenato)nickel(II) 4–20257
- Ni(II) complex, tris(thiosemicarbazide)nickel(II) dichloride monohydrate 4–36857
- Pd(II) complex, $Pd(C_{18}H_{36}N_2O_4S_2)Cl_2$ *(French)* 4–32483
- Rh(I) complex, 1,3-diphenyl-1,3-propanedione-(1,6-dichloro-1,5-cyclooctadiene) rhodium(I) 4–40766
- U(VI) complex, oxydiacetatodioxouranium(VI) 4–20254

X-ray diffractometers *see diffractometers; X-ray crystallography apparatus; X-ray diffraction*

X-ray effects
- absorbed dose determ., X-ray and high energy electron irradiated medium, ionisation method *(Roumanian)* 4–26282
- N-acetylglycine, X-irrad., neg. ENDOR obs. 4–25024
- air, upper atmosphere, fluorescence, stimulated by pulsed source of X-rays 4–4531
- air-fireball model, early time, for near surface energy release 4–23922
- L-alanine, X-irrad., ENDOR obs. on carboxyl radical anion rel. to proton couplings 4–25023
- alkali halides, defect form. at low temps., kinetic scheme 4–24475
- alkali halides, hardening and softening effects on γ- and X-ray irrad. *(Russian)* 4–40812
- alkali halides, internal friction, temp. depend. *(Russian)* 4–12990
- alkali sulphates, Cd^{2+} and Zn^{2+} doped, X-irrad., absorpt., emission and circular dichroism 4–21026
- animal neoplasia, irradiation, radiation therapy 4–11311
- animal neoplasia, particle therapy, electron vs X-irradiation 4–11312
- biological, dose-rate influence, late efects 4–11341
- biological, on growth and function of the repair blastema, granulation tissue, angiogenesis measurements, in Selye pouch in the rat 4–39085
- black-tailed jackrabbits, sublethal cerebral X-irradiation, movement, activity and home-range patterns 4–4877
- bone, paramagnetism, irradiated in vivo 4–35056
- brain, rat, effect of 4000 R irradiation on monoaminergic neurons, histochemical investigation 4–4876
- cats, X-ray effects, electroretinographic responses 4–8206
- cell membrane, radiation damage and recovery 4–8221
- charge distrib. at interface between materials of different Z, meas. and calc. 4–41461
- dentistry, use of radiography equipment, protection 4–14702
- educational radiation sources, hazard and protection evaluation 4–39150
- electron microscopists, X-ray leakage significance and safety standards 4–42609
- glycine hydrochloride, e.s.r. obs. of electron preferential gransfer in partially deuterated crystal 4–6780
- glyclglycine HNO_3, X-irrad. at 4.2K, e.s.r.and ENDOR obs. 4–24983
- human cell, X-ray inactivation, shape of dose-response curve 4–35064
- human female foetuses, X-ray F_2 effects 4–8231
- interstellar matter thermal and ionisation equilibrium of X-ray heated intercloud medium 4–26165
- lead acetate trihydrate, X-irrad., damage centre, e.p.r. obs. 4–24998
- mammalian cell, cell cycle traverse, caffeine effects 4–34987
- mice, ^{67}Ga retention, whole-body X-irradiation 4–8201
- mice, acute mortality after partial body irradiation 4–2194
- mice embryo irradiation, survival curves, effect of dose fractionation 4–14707
- mice intestinal epithelium, recovery of function and cell population 4–22614
- monkey, photically evoked response obs., analysis methods 4–18228
- monkeys, visual cortex, X-irradiation, swelling and functional derangement 4–8205
- nonlinear response of harmonic and anharmonic oscillator 4–30856
- personnel operating portable image amplifiers, study 4–26277
- pigeons, head irradiation, homing ability 4–8209
- polystyrene, meas. of scintillation light yield changes 4–21076
- pretrigeminal cat, effect of X-irradiation on cortical responses 4–2166
- quartz, X-irradiated, nuclear relaxation of ^{199}Hg, ^{201}Hg atoms 4–20894
- quartz, X-ray induced transient conductivity, charge carrier transport obs. 4–20653
- rat ovary, unilateral X-ray, reproductive output 4–8229
- rat skin, l.v. X-rays, tumour induction, sieve effect 4–8212
- rats, thoracic X-rays, pathophysiologic alterations 4–8218
- rodents, acute intestinal radiation death, correlation of survival time with cell transit time 4–2195
- skin reactions, multifraction irradiation in mice 4–39083
- Syrian hamster, r.b.e. for 28-day mortality 4–35062
- thin metal foils, graphite-backed, forward and backward X-ray photoemission yields, obs. 4–41463
- thiodiglycolic acid, X-irrad., spin densities and radical structure 4–25025
- triglycine sulphate, dielec. props, thermodynamic theory 4–10379
- triglycine sulphate, ferroelec., X-irrad., temp. depend. of, investig. using UV absorpt. 4–25143
- urea, X-ray induced thermolum., anal. of three glow peaks 4–28949
- wound contraction, effect of X-radiation on repair blastema 4–35060
- Al plates, X-ray induced photoemission obs. 4–41462
- Al_2O_3 m.i.s. structure, X-ray sensitivity effects of electron and hole trapping, obs. 4–41123

X-ray effects continued
- $BaF_2:CeO_2$ coloration behaviour, various temperatures 4–17096
- BeO, X-irrad., thermally stimulated electron emission and e.p.r. *(Russian)* 4–37728
- CaF_2, X-irrad., new e.s.r. centre 4–16983
- $CaF_2:CeO_2$ coloration behaviour, various temperatures 4–17096
- H_2 cloud heating by cosmic rays and X-rays 4–22451
- K(Cl,Br) radiational destruction of F-centres in whisker crystals *(Russian)* 4–1054
- KCl, e.p.r. of hole centres, 175-227K *(Russian)* 4–20859
- KCl crystals, kinetics of ionic conductivity change during irradiation *(Russian)* 4–1138
- $KCl:KNO_2(KNO_3)(NO_2)$, e.p.r. spectra after X-ray irrad. 4–33244
- $KCl:NO_3^-(OH^-)(CO_3^{2-})$, F-centre production, optical and thermal bleaching characts. 4–3990
- KCl:Tl, colour centre conversion mechanism, optical absorption spectra 4–37648
- KCl-KBr system, on thermal expansion and conductivity, X-rays from ^{60}Co source *(Russian)* 4–6510
- KCl-XCl_2-KOH, ($X=Ca$, Ni) ionic cond. reduction on X-irrad., optical bleaching, anion impurity effect 4–20444
- KH_2PO_4-K_2SeO_4, SeO_4^-, SeO_3^- prod., e.s.r. 4–41237
- KI phosphor:$Na^+(OH^-)(Cu^+)(Tl^+)$, X-ray irrad., thermolum. maxima 4–37696
- $KZnF_3$, irrad., ternary symmetry colour centre *(French)* 4–12945
- $LiF:Ti^{3+}$, e.p.r. centre form., ENDOR 4–24990
- Li_2O-SiO_2 system disilicates, glassy and cryst., X-irrad., thermolum. 4–25185
- $Li_2O.Al_2O_3.SiO_2$ glass, irrad., thermolum., e.p.r. spectra and optical absorpt. 4–13526
- NH_3, electron and ion decay 4–40811
- $NH_4H_2PO_4:K_2SeO_4$ mixed crystals, X-irrad. damage centres, e.s.r. obs. 4–20856
- NaCl, positive ion vacancy dynamics, positron annihilation 4–40816
- NaCl, vacancy conc. rel. to plastic deform. 4–16490
- $NaF:Eu^{2+}$ single cryst., colour centre behaviour 4–6404
- $Na_2O.SiO_2$ glass, irrad., thermolum., e.p.r. spectra and optical absorpt. 4–13526
- Ni, thermally stimulated exoelectron emission from clean and oxidized surfaces after X-irrad. and abrasion *(Japanese)* 4–41473
- n-,p-Si, radiation damage to surface layers, defect energy levels 4–24484
- Si-SiO_2 interface, in m.o.s. struct., electron energy states, annealing meas. 4–20689
- $SrCl_2$, alkaline cation doped, X-irrad., absorpt. and thermolum. of positive hole V_k-centres 4–3992
- $SrF_2:CeO_2$ coloration behaviour, various temperatures 4–17096
- Ta plates, X-ray induced photoemission obs. 4–41462
- TlN_3, radiation damage corrections to X-ray anal. of lattice parameter temp. depend. 4–9992

X-ray emission spectra
- *see also X-ray fluorescence*
- appearance potential spectroscopy, detection of light elements 4–15073
- appearance potential spectroscopy, surface anal. 4–21093
- appearance potential spectroscopy of lanthanides and actinides 4–15072
- atom, L_1-$L_{23}M$ Coster-Kronig transition energies 4–12478
- atom, Z-depend. of X-ray oscillator strengths 4–23967
- Auger specera, KLL, high resolution, production by H^+ and He^+ bombardment 4–3070
- chloromethanes, and photoelectron spectra, molecular orbital interpret. 4–36568
- collision broadening and mol. orbital X-rays 4–13527
- core level chem. shifts, ultrasoft X-ray emission correlated with ESCA determ. 4–36497
- cyanides, simple, complex, valence band 4–6021
- dialkyl sulphides and heterocyclic cpds., $K\beta_1$ emission 4–6023
- healthy and diseased tissue, muonic X-ray spectra obs. *(German)* 4–26251
- heavy ion collision, solid target effects 4–17137
- heavy-ion collisions, near-symmetric, K-vacancy sharing 4–12520
- III-V semiconductor, transition probability influence on shape of spectra 4–28955
- ion beam induced X-rays, elemental anal. technique 4–5268
- K X-ray anisotropic angular correlations, admixtures of perturbations due to nuclear quadrupole moment 4–40157
- kaonic atoms, energy level widths, shifts and yields meas. 4–3088
- L_1 subshell yields of elements with $Z=74$, 75, 77, 79 and 90 4–23966
- medical betatron, shielding investig., spectra of X-rays transmitted through various materials *(Japanese)* 4–39094
- metal, 1.0 to 3.7 MeV proton excitation 4–17138
- metal, anomalous effects of localized inner-shell hole, connection between soft X-ray emission and absorpt. spectra 4–41444
- metal, initially excited hole states effects 4–37702
- metallic solids, band structure determ. 4–25190
- muonic X-rays, line shape depend. on Auger transitions and atomic after effects 4–24020
- plasma, laser heating, model, expt. meas. 4–24303
- plasma, laser satellite lines, two-photon processes 4–27986
- plasmon satellites band intensities, Bohm-Pines theory 4–37700
- proton induced cross sections, Fe to As, semicond. system anal. 4–10513
- proton-induced emission, rel. to trace element anal. 4–26720
- rare earth metals, lanthanum group 4–28956
- screening effect in emission of L-satellites 4–3063
- surface analysis technique, proton beam 4–6948
- thick target yields of K, L, and M X-rays by fast heavy ion bombardments 4–5968
- transition metal diborides, $M_{II,III}$ bands of metal ions 4–37704
- transition metal refractory compounds, element comparison 4–37703
- $Z=73$ to 95 electron X-ray ang. correlation using polarisation tensor method 4–19700
- Ag, K shell yield, 1.5 to 11 MeV proton impact 4–21107
- Al, alpha-particle bombard., energy depend. of multiple inner-shell ionisation 4–9462
- Al, energy shift of $K\alpha_{1,2}$ emission lines 4–21096
- Al-Au alloys, electronic structure determ. 4–10497

X-ray emission spectra continued
Al-Cu alloys, electronic structure determ. 4-10497
AlSb, K and L bands, empirical band structure calcs. 4-21100
Ar, free atom, radiative Auger transitions 4-12479
Ar, heavy incident ion electronic struct. effect on K-shell vacancy production 4-16033
Ar, K-shell Auger rates, transition energies and fluorescence yields, calc. 4-31695
Ar, L and noncharacteristic X-ray production in Ar + Si collisions 4-28954
^{40}Ar, highly stripped, passing through Ne, He targets 4-12517
As, K-shell proton ionisation cross section 4-25192
As_2O_3, effect of chem. binding on $L\alpha_{1,2}$- and $L\beta_1$-X-ray emission spectra *(German)* 4-6934
Au, coincidence obs. of M-shell excitation impact-parameter depend. 4-36448
Au, electronic density of states, X-ray isochromat spectrum 4-37142
Au, L X-ray production cross section, 1.5 to 11 MeV proton impact 4-21107
Au, L_1 subshell yields 4-23966
Au M excitation by 0.7-2.1 MeV protons, obs. 4-21105
B 1,2 and 3 electron series, double K-shell vacancy transitions 4-31667
BP, correl. with band struct. 4-25193
Ba, appearance potential spectra, deviations from simple theory 4-4017
Ba, appearance potential spectroscopy 4-33522
$BaTiO_3$-Dy_2O_3 system, shift meas. of Dy $L\alpha_1$ X-ray line 4-21104
Be, high energy satellites, double ionization decay 4-41445
Be, K band, intensity and shape of X-ray edge singularity 4-21102
Br + Br quasimolecule, transition energies calculated with Dirac equation 4-36485
C, glassy, K-emission bands, bonding character obs. 4-16429
C, muonic, nuclear charge radii meas. 4-2750
C K-shell cross section from methane + C^+, N^+, Ne^+ and $N_2 + C^+$ and $Ne + C^+$, 28-145 keV 4-731
^{12}C muonic atoms, nuclear charge radii determ. 4-27230
Ca, K α spectrum produced by heavy ion bombardment 4-9458
^{252}Cf spontaneous fission, odd- and even-Z fragments, characteristic X-ray energy spectra 4-2987
Cl in Cl_2, interpretation of K spectrum 4-36488
Cl K X-ray production cross sections in single heavy ion-atom collisions, nonmonotonic target dependence 4-12521
Cl^+ + Ar collision, Ar L X-ray production cross section determ. 4-31744
Cl_2 mol. level struct. 4-781
Co, K shell yield, 1.5 to 11 MeV proton impact 4-21107
Co, K-shell proton ionisation cross section 4-25192
Co, O ion bombardment, inner shell electron excitation, K X-ray spectra 4-19703
Cr, K α spectrum produced by heavy ion bombardment 4-9458
Cr, $K\beta_5$ emission bands 4-21101
$Cr_3Si(Ge)(Ga)$, $K\beta_5$ emission bands, band struct. obs. 4-21101
Cu, K shell yield, 1.5 to 11 MeV proton impact 4-21107
Cu, K-shell proton ionisation cross section 4-25192
Cu, $K\alpha_1$ peak intensity and line width 4-18749
Cu, wavelength shift and yield depend. on exciting particle energy and atomic number 4-9466
Cu atom heavy ion collisions, X-ray, L-line, production, cross sections 4-24010
CuNi alloy, $NiK\alpha$, and $CuK\alpha$, line widths and energy shifts 4-4018
$CuSO_4$:gelatin, X-ray collimated emission under laser irrad. 4-35826
D_2 solid target, X-ray emission from laser created plasma 4-3387
Er film, β excitation, areal density, T content determ. 4-13113
F, highly ionised, anal. of Auger spectra 4-9409
Fe, K shell yield, 1.5 to 11 MeV proton impact 4-21107
Fe, K-shell proton ionisation cross section 4-25192
Fu, reemission transitions, 4d subshell ionisation, $N_{4,5}$ band 4-25194
Ga, K-shell proton ionisation cross section 4-25192
GaAs, anodic oxide films anal., He^+ beam induced 4-6949
GaAs, effect of chem. binding on $L\alpha_{1,2}$- and $L\beta_1$-X-ray emission spectra *(German)* 4-6934
GaAs, K-bands, calc., meas., mechanism 4-25188
GaAs X-ray K-emission band, density of states *(German)* 4-16690
GaP, K and L bands, empirical band structure calcs. 4-21100
Ge, K-bands, calc., meas., mechanism 4-25188
Ge, K-shell proton ionisation cross section 4-25192
H, electron impact excitation cross section, resonance struct. in 2s state 4-9444
H_2, fast ion collisions, bremsstrahlung, electron capture 4-27767
HCl, mol. level struct. 4-781
He antiprotonic atom, 3d→2p transition, line width and energies 4-27275
^{67}Ho, new quadrupole lines in β-region of L spectrum 4-694
I incident on Cu, 101.5 MeV, L transitions, energy shifts, intensity ratios 4-28973
Ir, electronic density of states, X-ray isochromat spectrum 4-37142
Ir, L_1 subshell yields 4-23966
Ir-Pt alloy, electronic density of states, X-ray isochromat spectrum 4-37143
K, edge singularity in $M_{2,3}$ emission spectrum 4-4016
Kr atom M-shell, charge state depend., non-relativistic Hartree-Fock procedure 4-704
Li, 3.4 eV conduction band width determ. from K-emission spectrum 4-16701
Li, high energy satellites, double ionization decay 4-41445
Li, initially excited hole states effects 4-37702
Li, K band, intensity and shape of X-ray edge singularity 4-21102
LiF, radiative decay of exciton at Li^+ K-absorpt. edge 4-13528
$^6Li^{2+}$, resonant excited state soft X-ray decay Lamb shift obs. 4-36410
Lu, α-particle induced L-shell intensity ratios, comparison with relativistic HFS calc. 4-25191
Mg, energy shift of $K\alpha_{1,2}$ emission lines 4-21096
Mg complexes of acetylacetonate, multiple bond form. 4-12541
Mn, K α spectrum produced by heavy ion bombardment 4-9458
Mn, K X-ray spectra, Br^{9+} bombard. L-shell vacancy production 4-36446

X-ray emission spectra continued
Mn, $K\beta$ emission spectra, fluoresc. excitation method 4-10495
MnO, $K\beta$ emission spectra, fluoresc. excitation method 4-10495
MnP, $K\beta$ emission spectra, fluoresc. excitation method 4-10495
α-MnS, $K\beta$ emission spectra, fluoresc. excitation method 4-10495
Mo_xSi_y, K_β and $L_{2,3}$ emission bands 4-4015
N, muonic, nuclear charge radii meas. 4-2750
^{14}N, highly stripped, passing through Ne, He targets 4-12517
^{14}N antiprotonic atom, 4f→3d transition, line widths and energies 4-27275
^{14}N muonic atoms, nuclear charge radii determ. 4-27230
Na, energy shift of $K\alpha_{1,2}$ emission lines 4-21096
Na, high energy satellites, double ionization decay 4-41445
Na, $L_{2,3}$ band, intensity and shape of X-ray edge singularity 4-21102
NaCl, 75 keV proton channelling, simulation, X-ray excitation, K-spectra, 80°C, 280°C 4-16530
$Na_2HAsO_4.7H_2O$, effect of chem. binding on $L\alpha_{1,2}$- and $L\beta_1$-X-ray emission spectra *(German)* 4-6934
Nb, L and M emission, electronic struct. and interatomic interactions *(Russian)* 4-21099
Nb K_α excitation by 0.7-2.1 MeV protons, obs. 4-21105
Nb-Ge alloys, L and M emission, electronic struct. and interatomic interactions *(Russian)* 4-21099
Nb_2O_5, $L_{\alpha 1,2}$-X-ray lines of Nb rel. to chem. bonding 4-37698
Nd, reemission transitions, 4d subshell ionisation $N_{4,5}$ band 4-25194
Ne^+ + Ne, ion- X-ray coincidence obs. Briggs Macek theory verification 4-36447
Ne^+ + Ne collisions, cross sections for Ne-K X-ray production, 100 keV to 1.2 MeV 4-12516
^{20}Ne, highly stripped, passing through Ne, He targets 4-12517
Ni, K shell yield, 1.5 to 11 MeV proton impact 4-21107
O, beam-foil excited, metastable γ-ray states 4-12480
O, highly ionised anal. of Auger spectra 4-9409
O, multiply excited states in highly ionised ion 4-9465
O, muonic, nuclear charge radii meas. 4-2750
^{16}O antiprotonic atom, 4f→3d transition, line widths and energies 4-27275
^{16}O muonic atoms, nuclear charge radii determ. 4-27230
Pb, α-particle induced L-shell intensity ratios, comparison with relativistic HFS calc. 4-25191
Pb, L X-ray production cross section, 1.5 to 11 MeV proton impact 4-21107
Pr, reemission transitions, 4d subshell ionisation, $N_{4,5}$ band 4-25194
Pt, electronic density of states, X-ray isochromat spectrum 4-37142
Pt soft X-ray $N_{6,7}$ emission spectrum 4-33570
Pt-Au alloy, electronic density of states, X-ray isochromat spectrum 4-37143
^{226}Ra, L spectra and E2 internal conversion coeffs. following ^{230}Th decay 4-2805
Re, L_1 subshell yields 4-23966
^{222}Rn, L spectra and E_2 internal conversion coeffs. following ^{226}Ra decay 4-2805
S XIII(XIV) line identifications in 25-40 A region 4-36426
Sc, K α spectrum produced by heavy ion bombardment 4-9458
Sc, satellite and hypersatellite transitions due to proton, He^+ and O^{5+} bombard. 4-695
Si, band struct. anal., density of states calc. 4-13127
Si, energy shift of $K\alpha_{1,2}$ emission lines 4-21096
Si, K X-ray production in Ar + Si collisions 4-28954
Si, K_β and $L_{2,3}$ emission bands 4-4015
Si, $K_{\beta 1 \beta x}$ bands *(Russian)* 4-21106
SiC powder, soft X-ray appearance pot. spectrum, excitation probability *(Japanese)* 4-33517
SiO_2, models for electronic processes, oxygen X-ray emission 4-10081
SiO_x, $K_{\beta 1 \beta x}$ bands *(Russian)* 4-21106
Sm, reemission transitions, 4d subshell ionisation, $N_{4,5}$ band 4-25194
SmS, X-ray K-lines of Sm, reversible pressure depend., 6 to 9 kbar 4-21098
Ta, α-particle induced L-shell intensity ratios, comparison with relativistic HFS calc. 4-25191
Th, α-particle induced L-shell intensity ratios, comparison with relativistic HFS calc. 4-25191
Th, L_1 subshell yields 4-23966
^{232}Th, determ. in geological materials by neutron activation and X-ray spectrometry 4-35513
^{232}Th, muonic, K X-ray abs. of shape deformation 4-27231
Ti, high energy density exploding wire, 3 to 25 keV emission 4-9780
Ti, K α spectrum produced by heavy ion bombardment 4-9458
Ti, K shell yield, 1.5 to 11 MeV proton impact 4-21107
Ti, K X-ray spectra, Br^{9+} bombard. L-shell vacancy production 4-36446
Ti K excitation by 0.7-2.1 MeV protons, obs. 4-21105
TiC_x, nonstoichiometric, electronic struct. 4-41447
TiCO, TiON, TiCN, TiC, TiO, K-emission spectra, struct. of energy spectra, electronic struct. 4-13531
TiCo, line shifts, band spectra, atom reorganisation 4-25189
TiFe, line shifts, band spectra, atom reorganisation 4-25189
TiNi, line shifts, band spectra, atom reorganisation 4-25189
TiO_x, soft X-ray emission and X-ray photoelectron spectra, rel. to electronic struct. 4-33515
TiS_2 X-ray band spectra and electronic struct. 4-33519
U, α-particle induced L-shell intensity ratios, comparison with relativistic HFS calc. 4-25191
U, in metal and UO_2, 5f distribs. *(French)* 4-37699
^{238}U, determ. in geological materials by neutron activation and X-ray spectrometry 4-35513
^{238}U, muonic, K X-ray obs. of shape deformation 4-27231
V, K α spectrum produced by heavy ion bombardment 4-9458
VC_x, discussed in terms of band struct. calc. *(German)* 4-28353
V_3Pd, electronic struct. peculiarities obs., theory 4-41012
W, chemical shift of $K\alpha_1$ lines following ^{182}Ta beta-decay 4-9109
W, high energy density exploding wire, 3 to 25 keV emission 4-9780
W, L_1 subshell yields 4-23966
Zn, K-shell proton ionisation cross section 4-25192
Zn-Ni impact, atomic excitation mechanism 4-17139
ZnSe, K-bands, calc., meas., mechanism 4-25188

X-ray emission spectra continued
  ZrC, ZrO_2, Zr $L_{\alpha 1,2}$ X-ray line, effect of chem. bonds 4-37697
X-ray fluorescence
  aerosols, environmental, elemental analysis by radioisotopic-excited X-ray fluorescence 4-29759
  analysis, ore samples 4-25589
  Anglo Saxon gold jewellery, X-ray fluorescent analysis 4-5298
  atom, L_1-L_{23}M Coster-Kronig transition energies 4-12478
  atomic decay schemes, X-ray ang. correl. and L_{III} fluoresc. yields 4-5953
  background reduction using polarised radiations 4-26718
  ceramic reusable surface insulation coatings radiant and convective heating environments influence 4-17382
  charged particle induced, anal., choice of physical parameters 4-30253
  chemical analysis, calibration in presence of interelement effects 4-39402
  chemical analysis for trace elements, review paper 4-35560
  chemical analysis using scattered X-rays, quantitative evaluation of degree of internal standardization 4-2406
  dating of copper and bronze objects, X-ray fluoresc. anal. 4-35463
  Efremovka type III carbonaceous chondrites, X-ray fluorescence spectrometry 4-4770
  electron probe analysis, fluorescence corrections, computer program 4-15087
  electron probe microanalysis, COR 2, correction for X-ray fluorescence effects 4-11663
  energy-dispersive, for trace element conc. determ. 4-26725
  Etruscan gold objects, nondestructive dating 4-35533
  fluorescence analysis, nanogram region, quantitative method 4-18785
  forensic science applications, firearms, oil spills 4-26726
  heavy ion induced, radiative capture and bound electron bremsstrahlung 4-5969
  imunity analysis, thick samples, heavy ion induced 4-18776
  Kainsaz type III carbonaceous chondrites, X-ray fluorescence spectrometry 4-4770
  mass absorption coefficient near edges, general relation 4-5261
  medical applications, stable element analysis 4-30244
  nuclear fuel nondestructive assay, computerized system 4-23938
  oligoesteracrylate esters, cross-linked, mol. motion at low temps. *(German)* 4-36595
  photon source, for radiation detector calibration 4-26597
  proton-excited analysis, applications to pollution monitoring, industry and biomedical research 4-39445
  quantitative analysis using spectrometer with semicond. detector, electron energy resolution *(French)* 4-18797
  radiology, fluoroscopy, CCTV systems, optimal operating parameters 4-2184
  refractories, basic, anal. by X-ray fluorescence of glass pellets 4-21398
  sample holder for high vapour pressure liquids 4-5269
  spectrochemical analysis of cosmic and terrestrial material, α particle source 4-2410
  spectrometer model XRS-1 for sample analysis 4-8584
  statistical method for meas. of equipment instability 4-23013
  technique comparison, review, air pollution particulate sample anal., comparison of techniques 4-26283
  trace elements determ., microscale X-ray fluorescence method 4-11654
  Viking Mars Lander, inorganic chemical investigation by X-ray fluorescence analysis 4-2150
  weapons and explosives detection 4-26691
  Youndegin meteorite shower geographical location, microstructure, chemical composition 4-2101
  Al, inner shell ionization, O, F and Cl beams bombardment 4-31697
  Ar, free atom, radiative Auger transitions 4-12479
  Ar, K-shell Auger rates, transition energies and fluorescence yields, calc. 4-31695
  Ar L-shell fluorescence, from $Ar + Ar^+$ collisions 4-27561
  Ar-L X-ray production, in collisions with He^+, Ne^+ and Ar^+ 4-27560
  $Ar + H^+(H_2{}^+)(H_3{}^+)(He^+)$ collisions, Ar L-shell X-ray satellite spectra, charge states 4-36444
  ^{197}Au, α-particle bombardment, internal conversion, ionisation and satellite emission 4-9243
  ^{209}Bi, α-particle bombardment, internal conversion, ionisation and satellite emission 4-9243
  $_{35}Br + _{35}Br$ collisions, observ. of Z=70 K X-rays 4-9470
  Ce-Mischmetal-Co, comp. analysis 4-21236
  $Ga_xIn_{1-x}As_ySb_{1-y}$ alloy, composition anal., solid soln. and phase diagram data determ. 4-39444
  I content of thyroid by fluorescence technique 4-30245
  $K_2O-Ta_2O_5-Nb_2O_5$ glasses, precipitation of metastable pyrochlore-type crystal *(Japanese)* 4-13856
  Na, metallic, impurity analysis by X-ray fluorescence spectroscopy 4-2430
  Ne, K-shell fluoresc. yields, multiplet state depend. 4-19684
  Pb analysis in ambient air, semiportable instrument 4-25722
  $_{94}$Pu, L subshell fluoresc. yields and Coster-Kronig transition rates 4-36418
  $_{88}$Ra, L subshell fluoresc. yields and Coster-Kronig transition rates 4-36418
  ^{226}Ra, E2 internal conversion coeffs. determ. 4-2805
  ^{222}Rn, E2 internal conversion coeffs. determ. 4-2805
  SO_2 analysis in ambient air, semiportable instrument 4-25722
  Se, K-shell yield, K-edge absorpt. coeff. 4-25187
  Sr compounds, $K\alpha_{1,2}$ lines, chem. shift 4-33516
  Xe ions, 150 MeV collisions with metallic foils, K X-ray excitation 4-9469

X-ray monochromators
  perfect crystal, Ge and Si, props. *(German)* 4-32388
  spectra study in 10 to 500 Å range 4-39385

X-ray photoeffect *see photoemission*

X-ray production
  see also X-ray tubes
  educational radiation sources, hazard and protection evaluation 4-39150

X-ray production continued
  fog, short X-ray pulse initiated condensation nuclei discriminator 4-7732
  graphite, recoil effects in C-K X-ray production by Cu ion bombard. 4-1075
  heavy atomic consecutive collisions, characteristic X-ray production *(Hungarian)* 4-36443
  laser formed plasma, Al target 4-26686
  laser source, active medium production, hot plasma expansion *(Russian)* 4-23297
  laser-produced plasma, X-rays and reflected light 4-24302
  linear accelerator model LMR-4, for therapy applic. 4-8186
  microtron, for high voltage radiography 4-18741
  monoenergic, secondary target system 4-5266

X-ray protection *see radiation protection*

X-ray reflection
  graphite, highly oriented pyrolytic, reflectivity meas. 4-12842
  Ge, X-ray reflection coefficient calculation, (220) plane *(Russian)* 4-12854
  Si amorphous thin films, interference thickness meas. 4-3664
X-ray scattering
  see also Compton effect; X-ray diffraction
  bound electron, K-shell, incoherent scatt. 4-31641
  chemical analysis using scattered X-rays, quantitative evaluation of degree of internal standardization 4-2406
  core deformation, diatomic mols. 4-12834
  rel. to disorder, review 4-20213
  free-Fermi-gas approach for incoherent X-ray scattering 4-24350
  metal, light, inelastic scatt. cross section calc. 4-17141
  plasmon scatt. temp. depend. 4-20569
  plasmon spontaneous combinational scattering, semi phenomenological description *(Russian)* 4-37266
  PMMA-polymethane composite, turbidity 4-13883
  polymer solids, review 4-33375
  Poynting-Robertson effect and Eddington limit for electrons scattering with hard photons 4-38606
  small-angle, automatic X-ray diffractometer 4-35485
  small-angle, from oriented ellipsoids of revolution 4-16388
  AgI, cloud seeding aerosols, particle size investigation, X-ray scattering 4-21988
  B, incoherent scatt. by K-shell electrons 4-31641
  Be, incoherent scatt. by K-shell electrons 4-31641
  He, incoherent scatt. by K-shell electrons 4-31641
  ^{3}He, gas, small momentum transfer, structure factor 4-16161
  ^{4}He, gas, small momentum transfer, structure factor 4-16161
  Li, incoherent scatt. by K-shell electrons 4-31641
  Mg_2Sn determ of mean square at. displacements and assoc. Debye temp. 4-13007
  Na_2O-SiO_2 glass, correlation function phase anal. 4-6344
  SiO_2-CaO-Na_2O glass, study of metastable immiscibility 4-6343
X-ray sources (astronomical)
  see also X-ray astronomical observations
  2 1700-37, spectrum, orbit and magnetic field of optical candidate (HD 153919) 4-4800
  Abell clusters, X-ray luminosities 4-4830
  accreting neutron stars γ-ray line emission in terms of X-ray flux 4-34828
  accretion discs, simple model of fluctuations 4-42379
  accretion gas flow near Galactic X-ray sources 4-34894
  background radiation fluctuations rel. to source counts and distributions 4-30105
  binary, neutrino luminosity 4-14429
  binary systems, satellite obs., props., models 4-38858
  Centaurus X-3, gravitational radn., limiting mass transfer rate 4-8022
  Centaurus X-3, obs. *(German)* 4-8035
  Centaurus X-3 rel. to supernova explosion in close binary system 4-38788
  Centaurus XR-4, X-ray obs. of transient source 4-34896
  Cepheus X-4, OSO-7 obs. of new transient source 4-2128
  Circinus X-1 (3U1516-56), UHURU obs. of binary nature 4-34903
  close binaries, problems in mass determ. rel. to black holes and neutron stars 4-42398
  close binary system, X-radiation reprocessing by normal stars atmosphere 4-38856
  cluster X-ray source size and spectra, fits with thermal and nonthermal models 4-34901
  clusters of galaxies, intracluster wind and X-ray emission, model 4-11227
  clusters of galaxies, X-ray luminosity dependence on richness 4-42449
  Coma cluster, velocity supported thermal intergalactic medium from Gaunt factor approx. of X-ray spectra 4-14495
  cosmic diffuse background spectrum in 2 to 10 keV range, rocket obs. 4-8057
  Crab Nebula, calc. of size of ionized region 4-18060
  Crab Nebula, interstellar absorption of low energy X-rays 4-14515
  SS Cygni, very soft X-rays from U Geminorum-type close-binary variable 4-30103
  Cygnus Loop, NGC 6992, discovery of remnant central X-ray object 4-22429
  Cygnus X region, OH distrib. from 1667 MHz survey 4-42471
  Cygnus X-1, distance determ. from extinction meas. 4-14455
  Cygnus X-1, distance determ. from UBV photometry 4-14456
  Cygnus X-1, hard X-ray flare-like activity in 20-200 keV emission 4-4818
  Cygnus X-1, mass limit rel. to possible black hole 4-4820
  Cygnus X-1, obs. *(German)* 4-8035
  Cygnus X-1, triple system model of neutron star, early type star and supergiant 4-26130
  Cygnus X-1, UBV photometry of 50 stars in immediate field 4-30020
  Cygnus X-1 (HDE 226868), distance estimate from nearby stellar spectrophotometry 4-34898
  Cygnus X-2, γ-ray emission 4-14454
  Cygnus X-2, spectroscopic var. of optical counterpart 4-18029
  Cygnus X-3, 2-10 keV X-ray spectrum, period obs. 4-34900
  Cygnus X-3, cosmic gamma quanta emission of >40 MeV energy, obs. in Oct. 1972 *(Russian)* 4-11223

X-ray sources (astronomical) continued
Cygnus X-3, early history 4—26149
Cygnus X-3, galactic, X-ray source standard model applications 4—11220
Cygnus X-3, near i.r. obs. at 0.85 μ 4—26148
Cygnus X-3, radiofrequency spectra 408-15500 MHz 4—34899
Cygnus X-3, sixth radio outburst obs. at 10.6 GHz 4—34882
diffuse cosmic background, rocket obs. in 30-200 keV range 4—34907
Galactic, effect of Gum Nebula on soft X-ray flux by He ionisation 4—11245
Galactic Anticentre, search for soft X-ray sources 4—38854
galactic plane clustering, Cygnus X-1 and Hercules X-1 assignation 4—30102
galactic X-ray sources, short time scale variability 4—34904
galaxy cluster X-ray sources, thermal-bremsstrahlung interpretation 4—2132
galaxy clusters, X-ray emission 4—11237
GX5-1, position, spectrum and temporal behaviour 4—11222
GX5-1 search for optical candidate 4—14453
H 177, identification with 2U 1639-62 X-ray source and alternative theories. 4—2120
HD 153919, circular polarisation in $H\beta$, rel. to magnetic field variations 4—4821
HD 77581, B-type supergiant, i.r. var. and interstellar reddening rel. to X-ray source 4—26111
HD 77581 (2U 0900-40), light curve of ellipsoidal variable 4—42410
HD 77581 (Vela X-ray source 2U0900-40), search for h.f. optical variations 4—42413
Hercules X-1, 35-day periodicity rel. to accretion disc 4—11221
Hercules X-1, (HZ Herculis), binary system, long term var. of hard X-ray emission 4—4802
Hercules X-1, eclipsing X-ray binary, spectroscopic obs. 4—22406
Hercules X-1, gravitational radn., limiting mass transfer rate 4—8022
Hercules X-1, hard X-ray obs. in 20-150 keV range 4—14457
Hercules X-1, OSO-7 obs. of X-ray turn on 4—38855
Hercules X-1, physical props. of magnetic accretion 4—34893
Hercules X-1, slaved disk model 4—42440
Hercules X-1, soln. of ellipsoidal type light curve during extended low state 4—14392
Hercules X-1, steady soft X-ray source to explain optical behaviour 4—4822
Hercules X-1, UBVr photoelectric photometry, interpretation of light curve 4—18003
Hercules X-1, variable emission core in H_β 4300-6600 A obs. 4—34810
Hercules X-1, X-ray binary, light curve 4—18006
Herculis X-1, broad band circular polarisation obs. 4—2129
high energy photons during early phases of radio outburst 4—34869
high energy X-ray flux from Uhuru sources and pulsars 4—22428
ionizing radiation pressure, effects in quasars and X-ray sources 4—14443
AD Leonis, search for X-ray emission from flare star 4—34815
luminosity function for Galactic X-ray sources in 2-10 keV range 4—18028
neutron star, X-ray emission from material accretion 4—26112
optical counterparts, emission line models 4—34784
X Persei (2U0352 + 30), UBV photoelectric obs. and optical stability 4—42408
Poynting-Robertson effect and Eddington limit for electrons scattering with hard photons 4—38606
pulsating sources, model, matter accretion by pulsating white dwarfs 4—34905
pulsating white dwarf model for X-ray sources 4—14458
quasars, inverse Compton X-ray generation and redshift problem 4—14447
λ Scorpii, upper limit to soft X-ray flux in 0.5-1.5 keV range 4—26132
Scorpius X-1, long term X-ray flux from OSO-III 4—11219
Scorpius X-1, magnetic white dwarf undergoing accretion, plasm theory rel. to X-ray emission 4—18030
Scorpius X-1, origin of radio and hard X-ray emissions 4—30101
Scorpius X-I, optical fluctuations by twin-channel photometry 4—11199
short-time-constant astrophysics, review 4—7873
SMC X-1, optical spectra and mass from Sanduleak 160 obs. 4—38857
solar flare of 1972, February 26, X-ray and electron obs. rel. to thin-target X-ray emission 4—29867
solar impulsive X-ray bursts, model 4—29838
Tycho supernova remnant, X-ray spectrum, thermal component 4—14391
2 U0900-40, i.r. photometry at 1.25-3.5μ 4—14459
3U1547-43, X-ray nova, intensity variations 4—34902
3U1624-49, identification with radiosource G334.9-0.3 4—42425
3U1642-45, identification with radiosource G339.6-0.1 4—42425
2 U1700-37, i.r. photometry at 1.25-3.5μ 4—14459
3U1714-39, identification with radiosource G348.2-1.0 4—42425
3U 0900-40 and 1700-37, models, for X-ray binaries from visible obs. 4—34895
2 U 0900-40 evidence for black hole from radial velocity curve and spectrum of HD 77581 4—38784
3U 1223-62, possible association with WRA 977, spectra and UBV obs. 4—14393
2U 1543-47, search for hard X-rays in 27-189 keV range 4—22427
2U 1543-47, Vela satellite obs. of transient source 4—34897
2U 1700-37 (HD 153919), distance from absorption meas. 4—42441
2U 1700-37 (HD 153919), visible spectroscopic obs. of X-ray binary 4—30029
2U catalogue and planetary nebulae as X-ray sources 4—14520
Vela supernova remnant in Gum Nebula, u.v. photographs 4—38828
WRA 795, possible optical counterpart for Centaurus X-3, UBV photometry and spectroscopy 4—38783

X-ray spectra
see also X-ray absorption spectra; X-ray chemical analysis; X-ray emission spectra
atom, light, relative intensities of K_α satellites, calc. *(French)* 4—23965
Breit interaction corrections, energy shift meas. of K-shell X-rays 4—27529

X-ray spectra continued
diffraction spectra, energy-dispersive, escape peak appearance in Si(Li) detector 4—32395
Tokamak, electron component meas. 4—32336
transition metal, X-ray $L_{2,3}$ to $O_{2,3}$ spectra, interpretation *(French)* 4—24686
transition metal-hydrogen solid solns., thermal stability *(Russian)* 4—1513
transition radiation, electrons from 1.3 to 15 GeV/c, X-ray yields and spectra, multiwire chamber detection system 4—1070
Ar, target bombardment, X-radiation band 4—9467
Eu, cond. electron distribs., soft X-ray spectra obs. 4—32856
Gd, cond. electron distribs., soft X-ray spectra obs. 4—32856
H_2S gas, investigation of electronic structure of molecule 4—19801
Li, soft X-ray absorpt. versus X-ray Raman inelastic scatt. spectra 4—41446
NiGe, Ni_2Ge, Ni_3Ge, energy band distrib., Kbeta-band obs., transfer conditions *(Russian)* 4—33521

X-ray spectrometers
see also X-ray crystallography apparatus
cosmic X-ray astronomy, conical focusing crystal spectrometer 4—8102
counter, proportional SRPP circulation device for soft X-rays 4—39386
in electron magnetic spectrometer, with double focusing, for solid state physics *(Russian)* 4—18699
energy dispersion, electron microprobe detection limit estimation, thin specimens 4—5256
energy dispersive, appl. in electron microscopy 4—26689
energy dispersive, appl. in scanning electron microscopy 4—26688
energy dispersive detector for electron microprobe, characts., performance 4—11650
graphite reflectivity measurement, 2-8 keV 4—12842
hard solar X-ray spectrometer on ESRO TD-1A satellite 4—18081
model XRS-1 for sample analysis 4—8584
monochromator for study in 10 to 500 Å range 4—39385
proportional counter, gas flow, for Na$K\alpha$ X-radiation detection 4—30546
PW-1450 for steel impurity analysis, assessment tests 4—39447
quantitative analysis using spectrometer with semicond. detector, electron energy resolution *(French)* 4—18797
single crystal examination *(Czechoslovakian)* 4—5262
solar γ-ray burst measurements, 0.03 to 0.3 MeV energy range 4—26189
stellar, crystal evaluation, energy depend. 4—42514
topographic, two-crystal 4—35486

X-ray spectroscopy
see also X-ray crystallography; X-ray diffraction; X-ray spectra
chemical analysis using scattered X-rays, quantitative evaluation of degree of internal standardization 4—2406
dating of copper and bronze objects, X-ray fluoresc. anal. 4—35463
extended X-ray absorption fine structure technique, appl. to catalyst 4—35482
grating spectrometry for microanalysis 4—23021
nuclear materials safety, X-ray fingerprints for seals 4—19640
proton-induced emission, rel. to trace element anal. 4—26720
radiography, blood vessel phantom, imaging, dependence on input spectrum and screen-film optics 4—11310
As in human wine, microanalysis technique 4—42585
^{209}Bi muonic atom magnetic hyperfine coupling consts. in polarised atoms 4—27571
Mn nodule analysis for Fe, Mn, Ni, Cu, content *(German)* 4—17888

X-ray tubes
anodes, rotating, increased output 4—39060
bremsstrahlung intensity rel. to effective tube voltage *(German)* 4—87
controlled pulsed, with cold cathode, optimal operating mode 4—18742
demountable, convergent beam, construction 4—5263
demountable, variable-focus, wide range of operation, description 4—2387
glass-metal seals *(German)* 4—23014
mountings, undercouch and overcouch, hazard comparison for personnel protection during cardiac catheterisation 4—35036
radiography, converging beam method, simultaneous characteristic radiations 4—35484
real-time inspection system for nucl. fuel pins 4—27388
rotating anode, with ultrafine focus, for direct enlargement radiography, clinical appls. *(Japanese)* 4—35490

X-rays
see also cosmic ray X-rays; nuclear reactions and scattering due to photons; photons
imaging, coded aperture, Picker thyroid phantom rel. to image quality 4—30627
interstellar trace elements, ionization structure, comparison of obs. with steady state models 4—4831
nuclear effects at high-altitudes 4—36686
soft, calibration method, using inverse square calcs. 4—11308
transition radiation in irregular nonuniform medium *(Russian)* 4—36924

X-Y model
heading is late addition, see also lattice theory; statistics; ferromagnetism
a-cyclic, time-correl. functions 4—33113
a-cyclic, z-component of magnetisation for nonequilib. situation 4—37387
anisotropic Heisenberg ferromagnet, Green's function X-Y model 4—28588
anisotropic interactions, interdimensional scaling laws, critical exponents 4—24911
Baxter's quantum number, operator for symmetrical hamiltonian 4—11863
eight-vertex model, vertical arrow correl. length 4—24910
excitation spectrum of 1-dimens. model in a mag. field 4—41175
experimental systems, approximations 4—28581
Gibbs-Jaynes entropy of thermally insulated system, relaxation time 4—26881
one-dimensional spin system with two sublattices, nonlinear h.f. props. *(Russian)* 4—37385

X-Y model continued
- relaxation shape function for spin $^1/_2$, memory function approach 4—28590
- spin-1/2, in mag. field, high temp. series expansion 4—16901
- spin-1/2, molecular field approx. 4—37389
- time correlation functions, c-cylic and c-anticyclic model 4—3814
- two-dimensional crit. props. 4—41169
- zero field spin $^1._2$ model, critical props. near lambda transition 4—20458

xenon
- adsorption by W(111) and interaction with preadsorbed O_2 4—40983
- adsorption of Xe on graphite (001), isotherms Auger and LEED obs. 4—28291
- adsorption on Au film, heat of adsorpt. determ., Xe-Au interaction *(German)* 4—32801
- adsorption on Au film, using ultra high vac. apparatus, adsorpt. isotherms at various temps., press. *(German)* 4—32802
- adsorption on Duran, using ultra high vac. apparatus, adsorpt. isotherms at varius temps., press. *(German)* 4—32802
- adsorption on group Ib and VIII metals, effect on work function, field emission and photoemission obs. 4—37092
- arc column, super high pressure, radiant charact. *(Russian)* 4—32368
- arc lamps for spectrophotometry as light sources 4—35284
- arc plasma, laminar mode, thermal props., flow model 4—27940
- arc spectrum hyperfine struct. tables 4—5946
- atom, electron impact ioniz. cross section calc. for 4d subshell *(French)* 4—3074
- atom, electronic energy transfer collisions, quenching cross section for metastable Ar 4—9413
- atom, high-resolution study of electron excitation process 4—724
- atom, metastable quenching cross sections for collisions with simple mols. 4—31701
- atom, multiphoton ionisation by Nd-glass Q-switched laser pulse 4—27543
- atom, multipole Van der Walls interaction coeffs., Brueckner-Goldstone perturbation anal. 4—31756
- atom, positron scattering, cross section meas. 4—27547
- atom, spectral line electronic excitation in vacuum u.v. 4—9435
- atom, X-ray photoionization, electron shake-off probability calc. 4—31696
- Auger spectrum, correlation effects 4—19704
- barites, isotopic composition of Xe in Swaziland and W. Australia samples 4—21792
- bound state energy of atomic compound states 4—31732
- collisional broadening of $\lambda 5577$ Å O_2 line 4—9616
- compressed, depolarization rate of scattered Rayleigh radiation, density and temp. effects *(French)* 4—909
- crystal, adsorption of inert gas atoms at point defects 4—6549
- crystalline, one-electron theory of bulk props. 4—36841
- crystals, one-particle distrib. function, thermodynamics 4—32638
- discharge lamp, as u.v. source in microscopy 4—18466
- discharge lamp, spectral response, far i.r. brightness temp. 4—26521
- discharge spectrum, resolution of small increments of optical density with time 4—18461
- Esterville mesosiderite variation of cosmogenic Kr and Xe, rel. to lunar ^{131}Xe anomaly 4—11154
- glow discharge, positive ion ratio meas. 4—36760
- hard-sphere gas, recurrence method for free energy determ. 4—39624
- ion, low energy, energy loss in thin C foils 4—19686
- ions, 150 MeV bombardment of metallic foils, K X-ray excitation 4—9469
- laser, 179.2 nm laser output, pulse excitation by relativistic electrons 4—26950
- laser, ion, high-power pulsed, light pulse shapes 4—294
- laser, pulsed, multicolour ion, for holographic contour generation 4—5080
- laser, Zeeman tuned, for air pollution detection 4—26286
- laser performance, pulsed ion, 350 to 460 nm 4—15347
- light source, pulsed, radiative props. calc. from energy balance considerations 4—8363
- linear and nonlinear polarisability coeff. at ruby laser freq., calc. 4—39768
- linear pinch plasma, vacuum u.v. emission, appl. as light source 4—36740
- liquid, average energies to form ion pairs, ^{63}Ni β-source, steady cond. currents meas. 4—21135
- liquid, Brillouin spectra obs., velocity and attenuation of sound meas. 4—13438
- liquid, critical opalescence, order parameter fluctuation decay rate 4—27790
- liquid, equation of state, corresponding-states principle 4—28183
- liquid, experimental study of the equation of state 4—1107
- liquid, thermodynamic props. determ. rel. to significant struct. theory 4—32723
- liquid, u.s. absorpt., meas. 4—22650
- in lunar rocks, ^{244}Pu fission, origin implications 4—4756
- molecular, high-power u.v. laser radiation 4—286
- molecule, stimulated emission and population inversion in diatomic-continuum transitions 4—3198
- n.m.r., ^{129}Xe chemical shift, temp. and density depend. 4—19870
- nuclear reactor dynamics, anal. of nonlinear Xe oscillation by method of averaging 4—19569
- nuclear reactor neutron flux instabilities, large HTR cores *(German)* 4—36254
- nuclear reactor practical spatial control 4—36261
- photoelectron angular distribution in region of first autoionising resonance 4—12493
- photoelectron backscattering, homogeneous electric field *(German)* 4—31710
- photosensitization of gaseous hydrogen decomp. 4—29350
- plasma, electron beam ionised multiply charged ion source *(German)* 4—5151
- plasma, relaxation of partially ionised gas in a hypersonic nozzle 4—12760
- plasma column, linear, time depend. of turbulent resistivity 4—20112
- plasma column, turbulent resistivity, electrostatic fluctuations and microwave emission 4—20113
- plated graphite, virial coeffs. for adsorbed Ar atoms, calc. 4—24638
- polarisability, light scatt. meas., dipole law *(French)* 4—27639

xenon continued
- radiative-lifetime measurements, $5p^4$ 6p levels 4—15348
- radioisotopes, adsorption on charcoal in FFTF fission gas delay bed 4—27404
- Rayleigh scattering, cross section meas. *(French)* 4—27679
- relativistic rise of ionisation energy loss, identification of particles 4—86
- scintillator for soft X-rays registration *(Russian)* 4—35392
- shock wave, electron temp. meas. 4—16350
- shock-heated, ionization relax. under influence of wall boundary layer 4—40498
- shockwave, electron temp. meas. line intensity ratio 4—16351
- solid, elastic conts. meas., many body forces 4—20245
- solid, explanation for f.c.c. rather than h.c.p. structure 4—24445
- solid, photoemission from valence bands 4—21164
- solid, sliding spark, u.v. source for photoionisation of gases 4—14872
- solid, surface thermal expansion calc. 4—20427
- solubility in liquid CO_2 rel. to HTGR fuel reprocessing 4—31580
- spectral line broadening and shift under press., 3.36 μm line, analysis using monomode laser 4—23960
- stimulated emission under press. *(French)* 4—12482
- supersaturated vapour, near critical pt., condensation, hydrodynamic model 4—32682
- tag-gas capsule filling operation using laser, rel. to failed fuel rod monitoring 4—23891
- trapping and regeneration, for cyclotron 4—18407
- u.s. propagation near crit. point, Brillouin scatt. meas., heterodyne technique 4—28150
- vibrational structure, viscosity, dispersion, second virial coeffs., 3-parameter pot. calcs. 4—16149
- Xe^+, electrode irradiation, vacuum gap dielectric strength 4—16369
- Ar:Xe film, solid, optical absorpt. spectra, cluster band due to impurities 4—17087
- Ar:Xe phase-matched gas mixture, freq. conversion 4—23391
- CO-Xe mixture, high-pressure self-sustained laser discharge 4—19088
- Cd-Xe arc lamp performance in deep ocean waters 4—11067
- H_2-Xe laser, prediction of tunability over 2.8-10 μm range and psec. pulse efficiency 4—15331
- H(1s) + Xe collision, H electron loss, semiquantal treatment 4—31706
- He-Xe laser, broad freq. tuning with supercond. solenoid 4—11916
- He^+ + Xe elastic shadow scattering, complex phase shift analysis 4—9447
- He* + Xe collisions, energy spectra of ejected electrons, ionis. process type 4—9448
- K + Xe scattering, oscillations system 4—12499
- Kr-Xe dilute alloys, emission spectra 4—28883
- $^7Li^+$ + Xe scattering, potential parameters determ. from diffraction effect *(German)* 4—31753
- MgF_2 + Xe collision, dipole-induced dipole interaction 4—24141
- Ne-Xe mixture, diffusely constricted discharge, inertial properties 4—20176
- O_2^+ + Xe, charge exchange reaction, cross section meas. 4—19913
- Xe I, configuration $4d^94f$, effective potential barrier *(Russian)* 4—685
- Xe + Ar, α-excited electronic energy transfer, UV spectra 4—9612
- Xe + Ar mixture, u.v. pressure induced absorption 4—9372
- Xe + H_2, m_j-depend. collision cross section meas. 4—9607
- Xe + Kr, α-excited electronic energy transfer, UV spectra 4—9612
- Xe^+, electron-ion recombination in Xe afterglow 4—32329
- Xe^+ mobility in He gas, drift field/pressure variables 4—27797
- Xe^+ + 2Xe, association reaction rate const. 4—16353
- Xe^+ + Hg, nonresonant charge transfer 4—16032
- Xe^+ + Xe elastic scattering, 3 to 30 eV, differential cross section meas. 4—36451
- Xe_2 pseudomol., high-resolution vacuum u.v. spectrum, lower excited state obs. 4—27658
- XeII line transition probabilities 4—9375
- ^{128}Xe in Te ores, Kalgoorlie, excess detection 4—21791
- ^{133}Xe, radiography, lung expansion measurement, regional 4—35045
- ^{136}Xe, $5d[7/2]_4$ state, magnetic double resonance, gyromagnetic ratio *(Russian)* 4—12490
- ^{136}Xe i.r. spectra, 1 in 10^7 precision meas. between 0.8 and 2.6 μm 4—31659
- Zn-Xe arc lamp performance in deep ocean waters 4—11067

xenon compounds
- XeH^+, electron-ion recombination in He-H-Xe afterglow 4—32329
- $(XeKr)^*$, formation by α-particle collision, UV spectra 4—9612

xerography *see electrophotography; reproduction (copying)*

yield point
- alkali halides, polycryst., fabrication and characteriz. for i.r. transmitting windows 4—25414
- composite, metal-matrix, mech. props. at ultimate loading, theory 4—7342
- continuous and discontinuous yielding differentiation method 4—29136
- discretized bodies, Huber-Mises yield condition 4—5346
- ductile solids, unified plastic yield criterion 4—18892
- Duralumin DZ-16 and DO-16, hexogen explosion analysis *(Russian)* 4—7209
- fatigue crack propagation, effect of local yield strength gradients 4—35651
- isotropic material, R-value approach *(German)* 4—7215
- limiting state of materials with differing yield points in compression and extension *(Russian)* 4—15175
- metal, annealed, metarecovery mechanism and temp. depend. plastic flow 4—13702
- metal under complex loading, effect of Bauschinger effect on yield condition 4—37863
- nozzles in cylindrical vessels or branch-pipe tee connection, out-of-plane limit couples 4—23817
- one-dimensional materials with memory, failure 4—23139
- pipe bends under in-plane bending, limit loads 4—23819
- plasticity theory, concept of slip *(Russian)* 4—35689
- plasticity theory, rheological aspects 4—23147
- PMMA, yield stress meas. by capillarity method 4—13889
- polycarbonate, tube, torsional deformation, shear bands 4—33915
- polycarbonate, yield locus, plane stress section 4—13908

yield point continued
polyethylene, high density, macroscopic yield criterion 4—25434
polymer, craze yielding, in N_2 and Ar, critical temp., stress/strain relations 4—38064
polymer, oriented, anisotropic yield criterion 4—1673
polymer, press. depend. yield criteria 4—13909
polymers, glassy, theory of low-temp. plastic deformation 4—7365
polyphenylene oxide, particulate reinforced, yield behaviour 4—13898
PTFE, 78-298K, environmental crazing effects 4—21450
shell, spherical, thick, elastic-plastic expansion with finite elastic strain 4—18889
soil, cohesionless, elastic state function 4—13955
steel, austenitic, metastable, austenite stability rel. to tensile props. 4—7142
steel, austenitic, thermal and thermomech. treatment effects *(Russian)* 4—17292
steel, biaxial extension, applicability of hardening hypothesis to regions of small plastic deformation *(Russian)* 4—21329
steel, high Mn, Nb addition effect, rel. to grain size *(Russian)* 4—21312
steel, hydrogen embrittlement, stress gradient effect 4—17350
steel, mild, h.f. cyclic load effects *(Russian)* 4—10611
steel, mild, influence of upper yield stress in bending and torsion behaviour 4—25355
steel, stainless, type 304L, small offset yield surfaces 4—21299
steel, technical yield stress determ. using non-destructive method 4—38099
steel, Widmanstatten struct., changes in phase morphology and toughness *(Czech)* 4—13642
steel, yield stress, deformational anisotropy *(Russian)* 4—10615
steel beam-columns, anal. soln. of yield load 4—35662
steel sheet, yield pt. elimination by rapid temp. change 4—7140
viscoplastic analysis, upper limit of dislocation vel. 4—1082
yield locus, model obs. of corners 4—11754
Zircaloy-2, fast neutron irrad. and annealed, radiation hardening, yield stress obs. 4—29130
Zircaloy-2, yield and flow, effect of temp. and strain-rate, 77 to 660 K 4—7217
AgCl, plastic flow anisotropy meas., temp., orientation depends. *(Russian)* 4—12976
Al, hexogen explosion analysis *(Russian)* 4—7209
Al-Cu(Ni)(Si) alloys, struct. and conc. fluctuations due to exposure to laser emission *(Russian)* 4—7079
Al-Mg alloy, pressurization effect on yielding 4—17368
Au, elec. contacts, closure mechanics meas. 4—20670
Au-Ti, precipitation hardening 4—4113
CdTe, polycryst., yield strength, grain size depend. 4—12979
Co-Ni-Ti, alloy, dispersion hardening and dislocation struct. *(Russian)* 4—29095
α-Cu alloys, temp. and strain rate depend. *(German)* 4—25376
Cu fibre, thin polycryst., internal friction temp. depend. *(Russian)* 4—17299
Cu vacuum condensates, influence of grain size on strength properties *(Russian)* 4—4125
Cu-Al γ-2 intermetallic, compressive deform. at high hydrostatic press. 4—33832
Cu-Al system, comp. depend. of mech. behaviour under h.p., banded struct. 4—17335
Cu-Al-Co, dispersion hardening effect, 77-573 K *(Russian)* 4—41681
Cu-Fe(1 wt.%) alloy, appl. of neutron irrad.-induced coherency strain control 4—1589
Fe, microstrain meas. interpret. 4—38115
Fe single crystal, strained by pulling at room temp., mech. props. and strengthening rate *(French)* 4—37941
Fe-V-C alloys, ferrite strengthening by vanadium carbide precip. 4—41720
Mg/B and Mg/Ta filament reinforced, composites, mech. characteriz. 4—7340
MgO single crysts., dislocation dynamics and thermally-activated deform. 4—16499
Mo, critical resolved shear stress, Schmid's law deviation 4—21325
Mo, radiation anneal hardening, yield stress meas. 4—33806
Mo, work hardened by u.s. treatment, struct. changes *(Russian)* 4—37881
Mo alloys containing carbides, additive effects *(Russian)* 4—7172
Nb-W, single cryst., thermally activated deform., 65-775 K 4—29100
Ni, prestraining effects on tensile props. 4—37925
Ni and Ni-Co alloys, electrodeposited, Co addition effects 4—17344
Si, heavily doped single crysts., Luders band propag. 4—32602
U-Mo(Nb)(Ti)(Zr) α-phase alloys, mech. characteriz. 4—17343
V, hardness, tensile strength meas., rel. to grain size *(French)* 4—29099
V, yield stress of single crysts., hydrogen and discontinuous temp. depend. 4—17352
α-Zr, yield behaviour, 375-625°C 4—13796

Young's modulus
alkali halide crystal, rel. to divalent ion addition strengthening 4—7293
alloy 36NKhTYu, change during ageing *(Russian)* 4—33767
carbon fibres, prolonged oxidation effects on strength and sheath thickness 4—7343
ceramic, high temp., review 4—7325
composite, C fibre reinforced plastics, fibre modulus, surface treatment effect 4—13861
composite, filament wound, static testing techniques 4—29262
composite materials, effective moduli, effect of fibre length and geometry 4—21439
epoxy-urethane/Al_2O_3 filled, mech. and thermal expansion props. 4—38037
glass elastic moduli calculation 4—17395
glass-reinforced hollow fibre plastic, temp. depend. of mech. props. under longtime and cyclic loading 4—13876
graphite, POCO, creep strain effects on elastic modulus, cryst. orientation, density 4—13814
history of term 4—18276
measurement and recording apparatus *(German)* 4—13957

Young's modulus continued
metal, polycryst., elastic deform., effect of neighbouring grains' Young's modulus 4—37864
polybutadiene rubber, filled, Young's modulus variation during mild ageing conds. 4—29226
polyethylene, oriented chain-extended, annealing temp. var. 4—4215
polyethylene molecule, elastic modulus, breaking strength and breaking strain 4—7361
polymer crystal, linear, elastic modulus 4—7368
polymer gel, optical-polarization and rheological behaviour, variations 4—17457
polyurethane, isocyanurate-type crosslinked, props. 4—13904
PVC, oriented sheet Young's modulus, correlation with yield stress, u.s. pulse meas. 4—38074
rocks under uniaxial tension 4—21808
steel, high-speed and die, effect of temp. on modulus of elasticity 4—29118
thermoplastic, impact strength, mechanical losses, dynamic modulus 4—38075
transition metal carbides, temp. depend., 20-1600°C 4—38018
uniaxial testing, misalignment effects on pre-macroyield region of stress/strain curves 4—17497
YAG;Nd, meas., surface var. 4—7386
Al, polycryst., change during recrystallisation, texture effects 4—33807
Al-$Cu_2Mg_2Al_2$ unidirectionally solidified quasi-binary eutectic composite, room and elevated temp. tensile props. 4—41774
AlN, whiskers, diameter, cross-section shape depends. 4—25416
Al_2O_3, alumina, standard reference material for reson. freq. and dynamic elastic moduli meas., charact. values, 25-1000°C 4—26450
AlZn(2.5 at%)Mg(X), growth kinetics of Guinier-Preston zones 4—25371
As_2Se, glass, elastic and acoustic props., pressure and temp. effects 4—24507
B fibre, temp. depend. of mechanical props. 4—13874
B fibre and reinforced composite, state of development w.r.t. to carbon fibre 4—29204
Bi-Sb alloys, temp. depend., u.s. meas. 4—9953
C fibre, PAN-based, cooling rate effect on mech. props. 4—33906
C fibre reinforced plastics, fibre orientation and laminate geom. effect on dynamic props. 4—33873
C fibres, single, torsion pendulum obs. of dynamic mech. behaviour 4—17428
C/C composite, prep. by copyrolysis and mech. characteriz. 4—21423
Co Elinvar, elastic anisotropy temp. depend. 4—29141
$Co_xZn_{1-x}Fe_2O_4$, ferrite, composition and temp. depend. 4—16542
Fe-Ni-Co alloys, martensitic, ordering phenomena and mech. props. changes *(Russian)* 4—10562
Fe-Ni-Cr alloys, effect of rolling texture on magnetoelastic props. 4—10303
K_2O-SiO_2 glass, press. depend. meas., comp. depend. 4—32598
Mn-Ni-Co nonferromag. Elinvar-type alloy characts. 4—41773
Mn-Ni-Cr alloy, antiferromag., Elinvar props., var. with ht. treatment and cold working 4—1602
Mn-Ni-Cr alloy, antiferromag., Elinvar. props., var. with ht. treatment and cold working 4—1603
Mn-Ni-W(-Mo) systems, nonferromag. Elinvar-type alloy, Young's modulus, rigidity modulus, thermal expansion and hardness *(Japanese)* 4—13685
$NaCa_2Mn_2V_3O_{12}$, mag. ordering obs. 4—24966
Na_2O-SiO_2 glass, change at amorphous phase separation 4—28030
Nb, dissolved hydrogen effects 4—41764
$Pd_{0.755}Si_{0.165}Cu_{0.06}$, anharmonicity of amorphous and crystalline phases 4—36968
$^{238}PuO_2$, room temp. mech. props. 4—25407
Se, glass, elastic and acoustic props., pressure and temp. effects 4—24507
SiC, anomalies, 700-1400°C, stress/strain meas., whiskers 4—21402
SiC, chem. vapour deposition on C fibres, fabrication and characteriz. 4—10527
SiC filament prep. by chem. vapour deposition, characteriz. 4—25246
Ta, dissolved hydrogen effects 4—41764
Ti-Al-V alloy sheet, elastic anisotropy calc. from pole figure data 4—7069
Ti-Mo-Zr-Sn, beta III alloy, heat treatment effect 4—25359
Ti-Mo-Zr-Sn alloy, beta III type, precipitate form. effect on damping capacity and modulus in a.f. range 4—17363
U:Zr alloys, physical and mechanical props. at low temps. 4—19595
V, dissolved hydrogen effects 4—41764
W wire, surface energy estimation method for boundary with gaseous media *(Russian)* 4—10033

ytterbium
atom, K- and L-shell electron impact ionisation 4—36441
film, elec. resist. eqn., electron refl. model 4—28512
film, optical conductivity, transitions, absorpt. spectrum *(French)* 4—28961
galvanomagnetic effects, press. depend., 1 to 17 kbar at 4.2K, obs. *(Japanese)* 4—41061
glass:Tb^{3+}, Yb^{3+}, Tb^{3+} luminescence by Nd laser emission transformation 4—28902
lattice parameters, small grained wire, sample prep. effect 4—24413
phosphor:Yb^{3+}—Er^{3+}, anti-Stokes, material efficiency for photon summation with energy transfer 4—1409
sodium borosilicate glass: Yb(Nd), energy transfer between rare earth ions during microlayering 4—10474
thermal conductivity, elec. resist., Lorentz function, 90-300 K 4—24721
vacuum evaporated films, optical absorption 4—17088
AgCl:Yb^{3+}, e.p.r. spectra obs. at 4.2K, g-values 4—16976
Au_xAg_{1-x}:Yb, e.s.r. linewidth investigation, Kondo effect 4—1339
CaF_2:Yb^{3+}, γ irrad. effect, e.s.r., impurity centre struct. 4—37491
CdS:Yb^{3+}, e.s.r., complex site struct. with ions or defects 4—33250
He^+ + Yb, thermal energy collision, Penning ionization 4—12518
Y_3OCl_7:Yb, Er phosphor, luminesc. under i.r. excitation 4—6921
$Y(OH)_3$:Yb^{3+}, proton polarization and relax., spin refrigeration 4—41296
Yb^{3+}, Er^{3+}-dopd compounds, i.r. excited, fluoresc. decay 4—25160

ytterbium continued
Yb^{3+} in Tm^{3+} codoped cpds., host lattice influence on infrared-excited blue luminesc. 4–13502
Yb^{3+} ions in crystals, parameter magnitude variation w.r.t. covalency effects 4–10103
Yb^{3+}-Er^{3+} i.r. to visible radiation convertors *(Polish)* 4–37679
Yb^{3+}-Ho^{3+} i.r. to visible radiation convertors *(Polish)* 4–37679
Yb^{3+}-Tm^{3+} i.r. to visible radiation convertors *(Polish)* 4–37679
^{172}Yb, elec. field gradient in Tm, PAC obs. 4–25037
ZnSe:Yb^{3+}, cathodoluminescence spectrum, atomic displacement effects 4–21084

ytterbium alloys
Ag-Yb, dilute, resist. meas., intermediate Yb valence state 4–20584
Yb-Ni system, X-ray diffr., thermoanalysis, metallography 4–7010

ytterbium compounds
intercalated group VI layered dichalcogenides, supercond. 4–41140
$(Gd,Y,Yb)_3(Fe,Ga)_5O_{12}$, mag. bubble garnet, liquid phase epitaxial growth 4–21184
$NdYbS_3$, cryst. struct., X-ray obs. *(French)* 4–40763
RbF-YbF_3 system, phase relations and new cpd. obs. *(French)* 4–40870
TlF-YbF_3 system, phase relations and new cpd. obs. *(French)* 4–40870
Yb-Er glass, 1.54μ stimulated emission, effective conversion of 1.054μ Nd laser beam 4–18491
YbB_6, elec. cond. mechanism *(French)* 4–41065
$Yb_{1.7}Eu_{1.3}Ga_{0.5}Fe_{4.5}O_{12}$ epitaxial film, saturation magnetisation, ferrimagnetic resonance, damping 4–41260
$YbFeO_3$, B-H hysteresis loops obs. by Faraday rotation effect 4–16952
Yb_2O_3, high temp. cond., p- to n-type transition, press. depend. *(French)* 4–32934
Yb_2O_3-CaO system, phase relns., 1400-2400°C 4–13020
YbOBr, incongruent sublimation, decomp. reactions and thermodynamics 4–32691
YbP_5O_{14}, structural characteriz. for upconversion phosphor applics. 4–36868
YbSe, prep. technique 4–29308

yttrium
atom, K-shell electron impact ionisation 4–36441
film, thermoelectric effects, charge transfer two zone model, meas. *(Russian)* 4–33550
lattice dynamics phenomenological model, use of central pair potentials 4–9961
metal, dicarbide and tetracarbide, surface ionisation and Langmuir vaporisation 4–33861
phonon dispersion relations and specific heat, electron gas model 4–32622
proton bombardment, K-shell ionization, X-ray production cross section 4–23987
solid solubility of O, C, N, temp. depend., heat of soln. 4–33708
in steel, improvement of corrosion resist. *(Russian)* 4–10623
stopping cross section of α-particles, 0.3-2.0 MeV 4–24503
X-ray K-absorption edge, chem. shifts, electron binding energies 4–28953
Ca/Y ratios in rocks and minerals as petrogenetic indicators 4–21785
$He^+ + Y$, thermal energy collision, Penning ionization 4–12518
^{90}Sr determ. in seawater by ^{90}Y separation, method 4–39414
Y: ^{181}Ta, elec. field gradient, PAC obs. 4–20909

yttrium alloys
see also yttrium compounds
Cr-Y, corrosion in acid solns., mechanism *(Russian)* 4–7168
Dy-Y, magnetic disorder resistivities meas. 4–6606
Er-Y, magnetic disorder resistivities meas. 4–6606
$Er_xY_{1-x}Al_2$, cryst. field parameters, susceptibility and neutron scatt. meas. 4–41188
Fe-Cr-Al-Y, control of oxidation with elec. fields 4–7226
Gd-Y, dilute, resistivity, temp. depend., deviations from Matthiessen's rule 4–20582
Gd-Y, magnetic disorder resistivities meas. 4–6606
Gd-Y single crystals, resistivity meas., 4.2-540 K, by four probe method 4–6604
Nd-Y, elec. resistivity meas. 4–3728
TbCu-YCu system, mag. props., temp. and conc. depend. *(Russian)* 4–33140
$Tm_xY_{1-x}Al_2$, sp.ht. meas., crystalline elec. field parameters 4–28621
Y-rare earth, crystal growth, solid phase electrotransport apparatus *(French)* 4–33601
YAg:Gd, e.p.r. obs., sign reversal for g-shift 4–6784
YAl_2, Laves phase compound, cryst. elec. field params. for rare earths 4–28580
YCo_5 permanent magnets, variation of lattice parameters with composition 4–20249
$Y(Co_{1-x}Fe_x)_5$ system, mag. anisotropy obs. on aligned powders 4–33185
Y_6Fe_{23}, hyperfine interact., ^{57}Co Mossbauer spectra rel. to nearest neighbour mag. interact. 4–33323
Y_3Pd_4, cryst. struct. and lattice constants 4–16449
$Y_{1-x}Th_xFe_3$, struct. and mag. props. 4–1308
YZn, de Haas-van Alphen effect and Fermi surface 4–28340
YZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4–3884

yttrium compounds
see also yttrium alloys
ethyl sulphate, Pr^{3+}-doped paramag. ion relax., multiphonon interpretation 4–33295
ferrite, domain boundary reson. for domain struct. determ. *(Russian)* 4–20802
ferrite-garnet, stationary trans-threshold susceptibility meas., parallel pumping *(Russian)* 4–20764
$Y_{2.7}Bi_{0.3}Fe_{3.8}Ga_{1.2}O_{12}$, thin film growth, bubble domains, Faraday rot., absorpt. 4–6867
CaF_2-YF_3, phase of composition $Ca_8Y_5F_{31}$, cryst. struct., degree of ordering 4–40779
CdF_4-YF_3:Nd^{3+}, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4–13471

yttrium compounds continued
$(Gd,Y,Yb)_3(Fe,Ga)_5O_{12}$, mag. bubble garnet, liquid phase epitaxial growth 4–21184
$Gd_yY_{3-y}Ga_xFe_{5-x}O_{12}$ film, epitaxial, for bubble appl., chem. vapour deposition 4–4035
5NaF-9YF_3:Nd^{3+}, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4–13472
$(Sm,Y)_3(Fe,Ga)_5O_{12}$, mag. bubble garnet, liquid phase epitaxial growth 4–21184
SrF_2-YF_3:Nd^{3+}, stimulated emission due to $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition 4–13472
ThO_2-Y_2O_3, activated sintering with NiO 4–10637
ThO_2-Y_2O_3, in liq. Na, electrochem. meas. of O_2 4–4265
UO_2-Y_2O_3 solid solution, oxidation X-ray diffraction exam. of final state 4–31534
$(Y, Eu,Gd)_3(Ga,Fe)_5O_{12}$ garnet, epitaxial film, bubble motion obs. 4–28654
$(Y,Gd,Tm)_3(Ga,Fe)_5O_{12}$ garnet, epitaxial film, bubble motion obs. 4–28654
Y-Ce-H system, paramag. susceptibility meas., temp. depend. 4–28603
Y^{3+} ion in solid compounds and aqueous soln., electron binding energies, X-ray obs. 4–28953
YAG, epitaxial film growth techniques for laser appls. 4–29003
YAG, forced radiation, crystals with internal oscillations *(Russian)* 4–28868
YAG, SEM, cathodoluminesc. invest., single cryst., domains and inhomogeneities 4–9799
YAG crystal, Cr^{3+} ions conc., determ. using u.v. absorpt. *(Russian)* 4–18796
YAG:Ho^{3+} laser, elimination of degradation in output 4–35858
YAG:Nd, for solid lasers, high powered second harmonic generation applic. 4–27006
YAG:Nd, rupture stress, elastic modulus meas., surface var. 4–7386
YAG:Nd laser, end-pumped miniature, performance, analytical model 4–35857
YAG:Nd laser, frequency stability, single freq. operation 4–26980
YAG:Nd^{3+}, photon echoes, mag. field effect, temp. depend. 4–15394
YAG-Nd laser, electrooptic versus passive dye Q-switches 4–8389
$YAl_3(BO_3)_4$ structure isomorphic crystals, nonlinear opt. props. 4–11957
YAlG;Nd laser, u.v. irradiation rel. to induced transient absorption 4–19114
$Y_3(Al_xGa_{1-x})_5O_{12}$:Nd, laser selective excitation, strongly enhanced fluoresc. mode 4–6917
$YAlO_3$, absorption spectra, coloration behaviour at room temp. 4–21034
$YAlO_3$:Ho^{3+}, Er^{3+}, Tm^{3+}, laser action, spectral props., fluoresc. kinetics 4–303
$YAlO_3$:Nd, absorption spectra, colour and luminescence centres investigation 4–25146
$YAlO_3$:Nd^{3+}, Raman spectra meas., phonon scatt. processes 4–37610
YB_4-UB_4 alloy, susceptibility meas., ferromagnetism below 14 K 4–24946
$Y_{2.2-2x}Bi_{0.8}Ca_{2x}Fe_{5-x}V_xO_{12}$, magneto-optic Kerr rotation, 2-5.2 eV 4–37621
$Y_{2-x}BiCa_xFe_{5-x}Zr_xO_{12}$, magneto-optic Kerr rotation, 2-5.2 eV 4–37621
$Y_{3-x}Bi_xFe_5O_{12}$, magneto-optic Kerr rotation, 2-5.2 eV 4–37621
YC_2 Langmuir vaporisation and surface ionisation 4–33861
Y_2C_3, press. depend. of superconducting transition temp. 4–16870
$Y_{3-2x-y}Ca_{2x\|y}Fe_{5-x-y}$ $Ti_yV_xO_{12}$, ferrimag. resonance linewidth and Curie temp. 4–41259
$Y_{3-y}Ca_yFe_2Fe_{3-y}Si_yO_{12}$, $(0 \leqslant y \leqslant 3)$, mag. transition with changing y, neutron diffr. obs., analogy with liq. infiltration 4–10272
$Y_{3-3x}Ca_{3x}Fe_{5-x}Te_xO_{12}$, single cryst. synthesis and mag. props. *(French)* 4–41486
$Y_{3-2x}Ca_{2x}Fe_{5-x}V_xO_{12}$, study of bubble domains and wall mobility 4–10291
$Y_{3-2x}Ca_{2x}Fe_{5-x}V_xO_{12}$ saturation magnetisation and f.m.r. linewidths 4–41212
$Y_{3-x}Ca_xFe_{2-x}Zr_xFe_3O_{12}$, $(0 \leqslant x \leqslant 2)$, mag. transition with changing x, neutron diffr. obs., analogy with liq. infiltration 4–10272
$YCrO_4$, mag. phase transition, simple mol. field theory 4–6724
YF_3, hexagonal struct., X-ray diffr., rel. to rare earth trifluorides 4–16468
YF_3:Er^{3+}, Yb^{3+} compounds, i.r. excited, fluoresc. decay 4–25160
YF_3:Pr^{3+}, cascade fluoresc. decay, quantum yield above unity 4–33491
YF_3:Pr^{3+}, two photon luminesc., u.v. excitation 4–33490
YF_3-Ca_2F_2:Nd^{3+}, $^4F_{3/2} \rightarrow {}^4I_{13/2}$ transition, luminesc. spectrum 4–33495
$Y_3Fe_{5-c}Al_cO_{12}$ Neel ferrimagnet system, neutron diffraction obs. of magnetic structure 4–24962
$YFeO_3$, mag. domain walls, dynamic response to applied field, stroboscopic technique 4–28655
$YFeO_3$, single cryst., domain nucleation 4–3875
$YFeO_3$, thin polished plates, layered mag. domain struct., optical obs. 4–13330
$YFeO_3$ influence of dichroism on Faraday rotation 4–20969
$YFeO_3$:Co^{2+}, spin reorientation, anisotropy, temp. depend. 4–37407
$Y_3Ga_xFe_{5-x}O_{12}$ film, epitaxial, for bubble appl., chem. vapour deposition 4–4035
$Y_{3-x}Gd_xFe_{5-y}Ga_yO_{12}$ layer, detection and generation of bubble domains using ferrimag. reson. 4–16943
$Y_{0.8}Gd_{0.2}PO_4$:Tb^{3+}, X-ray excited luminesc., radiographic props. 4–41418
$Y_{2.34}Gd_{0.52}Yb_{0.14}Fe_{3.74}Ga_{1.26}O_{12}$ LPE film, magneto-optic storage based on compensation wall domains 4–13323
Y_2GeS_5, temp. depend. of elec. cond., majority carrier mobility, width of forbidden band *(Russian)* 4–6620
YH_x, hydrogen release kinetics in vacuum between 550 and 950°C *(German)* 4–23841
YIG, Bi-substituted, magnetooptic figure of merit, wavelength depend. 4–6866
YIG, Cr-doped, single cryst. growth and characteriz. *(French)* 4–25241

yttrium compounds continued
YIG, defects effect on low temp. thermal cond. 4−16625
YIG, domain structure, light diffraction, mag. field change effect 4−13331
YIG, epitaxial plate, bubble lattice form., stripe domain pinching 4−28652
YIG, exchange narrowing of e.p.r. lines near Curie point 4−16970
YIG, flux grown crystals, inclusions and dislocations 4−21195
YIG, growth from flux melts, striations 4−16509
YIG, large single cryst., wavy domain struct. obs. 4−37454
YIG, light scattering from thermal acoustic magnons 4−3973
YIG, local mag. field at Fe nucleus, in external field, meas. 4−13374
YIG, low loss magnetostatic surface waves, 4-15 GHz 4−6740
YIG, magneto-electric susceptibility meas. 4−26551
YIG, microwave garnet, liquid phase epitaxial growth 4−21184
YIG, Si-substituted, temp. depend. of spin order by Mossbauer and magnetisation meas. 4−20900
n-YIG, space-charge-limited cond. and permittivity 4−24751
YIG, spin wave resonance studies, 77 K, effect of annealing 4−16988
YIG, stoichiometry, defect struct., photomagnetic effect 4−24708
YIG, supertransferred hyperfine fields at nuclei of diamag. ions, spin echo obs. 4−37507
YIG, vapour phase synthesis *(French)* 4−1710
YIG film, epitaxial, for bubble appl., chem. vapour deposition 4−4035
YIG film, liq. phase epitaxial, ferromag. reson. 4−6789
YIG films, tensorial surface anisotropy, excitation of non-propag. surface exchange modes 4−24975
YIG:Bi films, growth, Farady rot., optical absorpt. 4−6865
YIG:Ga, epitaxial film, heat treatment effect on mag. props. 4−33201
YIG:Ga, mag. domain wall vel., influence of in-plane mag. field 4−33198
YIG:Si, mag. anisotropy, photo-induced changes, meas., valence exchange model 4−33186
YIG:Si, photomag. effect and electron-diffusion after effect 4−28660
YIG:Si light-induced mag. after-effect 4−33215
YIG-Ge, magnetostatic spin waves, amplification 4−1318
Y(III) complexes, di-n-butoxythiophosphato polynuclear, prep., i.r. spectra, struct. 4−7475
$YNbO_4:Er^{3+}$, Yb^{3+}, i.r. excited, fluoresc. decay 4−25160
Y_2O_3, effect on sintered microstruct. of Al_2O_3 4−21406
Y_2O_3, non-congruent vaporisation, 220°C, mass spectrometry study 4−3567
Y_2O_3, thermal cond. meas., 600 to 2100K 4−7286
Y_2O_3 dispersed Ni-Cr alloy, conc. profiles through oxide scales by ion probe microanalysis 4−7066
Y_2O_3 doped zirconia, monoclinic-tetragonal transform. kinetics, heat treatment effect 4−7322
Y_2O_3 stabilized ZrO_2, high temp. creep 4−7274
Y_2O_3:Er, diffuse scatt. spectra, opt. parameters, determ. *(Russian)* 4−33469
Y_2O_3:Yb, Er, phosphor, prep., luminesc. rel. to doping conc. *(German)* 4−37685
Y_2O_3-CaO system, phase relns., 1400-2400°C 4−13020
Y_2O_3-ThO_2, thermal electron emission spectrum calc. *(Russian)* 4−33547
Y_2O_3-ThO_2-Nd_2O_3 ceramic laser rod, prep., performance meas. 4−19113
Y_2O_3-$ZrO_2(HfO_2)$: Nd^{3+}, ${}^4F_{3/2}\rightarrow{}^4I_{13/2}$ transition, luminesc. spectrum 4−33495
Y_3OCl_7:Yb, Er phosphor, luminesc. under i.r. excitation 4−6921
$YOF:Er^{3+}$, diffuse scatt. spectra, opt. parameter determ. *(Russian)* 4−33469
$Y(OH)_3$, lattice consts. 4−6389
$Y(OH)_3:Yb^{3+}$, proton polarization and relax., spin refrigeration 4−41296
$Y_2O_2S:Eu^{3+}$, thermoluminescence, activated by Eu and other lanthanides *(Russian)* 4−6931
$Y_2O_2S:Ho^{3+}$, Dy^{3+}, luminesc. spectra, crystal field level obs. 4−37674
$Y_2O_2S:Tb^{3+}$, luminescence, Stark level identifications *(Russian)* 4−10486
$Y_2O_2S:Tb^{3+}$(1%), crystal field Hamiltonian, determ. fluorescence spectra analysis 4−33493
$YPO_4:Nd^{3+}$, cryst. growth and luminesc. characts. 4−13495
YS, mass spectrum, gas phase equilib. over solid mix. in Knudsen cell 4−28204
$Y_3Sc_2Al_{0.91}Ga_{2.09}O_{12}$, thin film optical waveguide, refr. index meas. 4−17146
YVO_4, Czochralski grown single crysts., inclusions obs. 4−4042
YVO_4, pure and rare earth doped, Czochralski growth problems and characteriz. 4−25250
$YVO_4:Er^{3+}$, diffuse scatt. spectra, opt. parameter determ. *(Russian)* 4−33469
YVO_4:Eu,Tb, high pressure Hg vapour lamp phosphor, Tb^{3+} enhancement of Eu^{3+} emission 4−28891
YVO_4:Nd, luminesc. and excitation spectra, Nd^{3+} emission intensity and lifetime *(Russian)* 4−41428
$YVO_4:Nd^{3+}$, stimulated emission due to ${}^4F_{3/2}\rightarrow{}^4I_{13/2}$ transition 4−13472
$YVO_4;Tm^{3+}$, ground config., cryst. field anal. 4−32884
YWO_4Cl, cryst. chem. 4−16463
$ZrO_2:Y_2O_3$, monoclinic, ionic and electronic cond., O partial pressure and dopant depend. 4−28466
ZrO_2-$YO_{1.5}$ solid soln., cryst. struct., O ions relax. to vacancies 4−20268

Yukawa potential *see meson field theory; nuclear forces*

Z pinch *see pinch effect*

Z transforms
see also sampled data systems
underwater sound, surface reradiated spectrum evaluation by partitioned and modified chirp Z transform 4−18266

Zeeman effect
see also atomic spectra; Hanle effect; spectral line breadth
alkali metal atom, mag. dipole coupling const., cascade r.f. spectroscopy 4−31676
benzene, phosphorescence spectra obs. 4−3197
3-cyanopyridene, Zeeman effect of ${}^{14}N$ nuclear quadrupole resonance 4−20896
laser, reson. condition concept for anisotropic system with birefringent plates *(French)* 4−308
methyl fluorite molecular parameters effect 4−40297
molecular beam Zeeman maser oscillator operated with cavities in series, beat mode phase shifts 4−278
molecule, rotating asymmetric, singlet-triplet interactions 4−782
molecule, vibration-rotation energy levels, electric and mag. field effects on symmetry 4−3191
spin system, correlation function for temp. fluctuations of Zeeman subsystem 4−16892
sunspot umbral magnetic fields, Zeeman-split line contours 4−29862
1,3,5-sym-triazine, Stark, Zeeman, absorpt. spectra, singlet-singlet, singlet-triplet transitions, excited states geometry 4−17086
transition probability, isotropic atomic collisions *(Russian)* 4−40187
AlF molecule, meas. in microwave rot. spectrum *(German)* 4−31867
BrCN, microwave Zeeman spectra determ. of elec. and mag. props. of mol. 4−9542
$CaF_2:Tm^{3+}$, absorpt. spectra, 4.2K, heat treatment effects 4−25142
Cl isotopes, X-band Zeeman spectra, mag. moment determ. 4−40170
$Cs_2ZrCl_6:Ir^{4+}$, vibronic splitting of Γ_8 electronic states at 4.2K 4−28171
${}^{133}Cs$ atom in weak mag. field, double reson. between excited $7^2P_{3/2}$ state Zeeman sublevels 4−25026
DCO radical, microwave spectra, Zeeman effect 4−6081
Er I and Er II, spectra, interpretation of levels 4−690
GaSe, pulsed field up to 80 kG, exciton effect on optical const. 4−13415
$GdAlO_3:Nd^{3+}$, optical absorpt. spectrum, obs. of Zeeman effect 4−21030
H, Stark-Zeeman spectra, time depend. generalization 4−9382
H atom lower energy levels in strong magnetic fields 4−27527
H_2 Fermi-contact hyperfine interaction, g_s-factor, MOMRIE obs. 4−27711
$H^{79}Br$, $H^{81}Br$, Stark-Zeeman hyperfine structure, molecular beam electric resonance spectroscopy 4−27694
HOF, compared to H_2O, F_2O, mol. rot. Zeeman splitting, mag. susceptibility 4−19848
He, g-factor, relativistic contrib. 4−31656
He-Ne laser, stabilization using Zeeman effect and servomechanism 4−35844
Hg, 2537 Å, line isotope shift, hyperfine struct., line crossing 4−36423
${}^{204}Hg$, forward scatt. light, Zeeman splitting isotope effect 4−16002
InP:Bi, rel. to spectrum of excitons bound to Bi 4−21060
KAr, mag. reson., spin-rot. coupling const. determ. 4−27723
$K_3Cr(CN)_6$, g-value of ${}^2E$ state, lower symmetry field 4−41386
$K_2PtCl_6:Re^{4+}$, vibronic selection rules, polarisation and Zeeman effects 4−3996
Li, electric field induced Zeeman level anti-crossing 4−19688
${}^6Li^{2+}$, Lamb shift, precision microwave-optical pulsing and trapping meas. 4−36410
2-methylfuran, microwave spectrum, rot. Zeeman effect 4−16102
NH_3 mol. maser, analogue of forced phase-locking in lasers 4−2613
$(NH_4)_2Ni_2(SO_4)_3:Mn^{2+}$, e.p.r. linewidth variation with Zeeman field intensity 4−33253
NO, high field Zeeman spectrum at 1876 cm^{-1}, strong nonlinearities 4−19830
Na, mag. dipole coupling const., cascade r.f. spectroscopy 4−31677
Na, two-photon transition, mag. field depend. and selection rules 4−40166
$NaIO_4$, ${}^{127}I$ n.m.r., Zeeman splitting rel. to asymmetry parameter near zero 4−10354
Ne, polarised light wave anomalous absorpt. by excited atom in pulsed mag. field *(Russian)* 4−12489
OCS, high resolution microwave obs. of mag. props. 4−826
${}^{18}O_2$, rot. microwave spectra, Zeeman modulation 4−16101
$SrF_2:Gd^{3+}$, ${}^8S_{7/2}$-${}^6P_{7/2,\ 5/2}$ transition, cryst. field component 4−37630
$TbAsO_4$, Ising-like ground state below 27K, Zeeman effect meas. 4−6725
Xe laser magnetic tuned, for air pollution detection 4−26286
ZnS, direct exciton line under uniaxial stress 4−1218

Zener breakdown *see Zener effect*

Zener diodes
electron microscopes, power supplies, improved stability 4−11625
in Siwarex 5 digital weighing machine *(German)* 4−35180

Zener effect
see also Zener diodes
No entries

zero sound
see also liquid helium sound propagation
Fermi liquid, surface and volume zero-sound waves 4−3617
liquid crystal, nematic, zero sound theory 4−16424
${}^3He$, anisotropic superfluid state, zero sound propagation 4−32777
${}^3He$, liquid, attenuation in several ${}^3He$ low temp. phases 4−40941
${}^3He$, soundlike collective excitations, Landau parameter deriv. of sound vels. 4−10019
${}^3He$ liquid, 'A' transition, magnetic field effect 4−10020

zeros *see poles and zeros*

zinc
alkali sulphates:Zn^{2+}, X-irrad., absorpt., emission and circular dichroism 4−21026
alloying effect on band struct. and quantum-state lifetimes in Mg 4−24683
alloying effect on quantum state of electrons in Mg, dil. limit 4−24682
atmospheric deposition, Scandinavia 4−22628
atom, autoionised spectra produced by electron impact 4−725

zinc continued
atom, collision with noble gas metastable atoms, Penning ionization 4−16034
atomic absorption analysis, pH effect 4−19666
atomic absorption spectroscopy, for determ. in domestic sewage treatment plant wastes 4−22630
Auger spectra, $L_{2,3}M_{45}M_{45}$, theory and expt., relaxation effects 4−21138
Auger spectra, quasi-atomic L-MM, electron localization 4−17148
band structure, effect of correlation 4−41010
binding energy, compressibility local model pseudopotential 4−32469
blood serum analysis, flameless at. absorpt. spectroscopy 4−11672
crystal orientation using back-reflection Laue X-ray photographs 4−16396
deformational hardening of twin boundaries, pyramidal dislocation density effects *(Russian)* 4−37887
deposition, low vacuum, growth features 4−29000
diffusion and solubility in GaSb 4−32751
diffusion in GaAs, transmission electron microscopy 4−1146
diffusion in Gap:Si, complex form., localized mode freq. 4−25139
dislocation obs. by chem. etching 4−13104
dislocations, twinning and forest, interaction 4−13660
dissolution, spontaneous, kinetics, using rotating disc 4−17516
doping of GaP, efficient red-emitting diode fabrication 4−6993
ductile-brittle transition of high purity polycrysts. 4−37954
electric quadrupole interaction of ^{67}Zn PAC obs. 4−12128
electrodeposits, plating variables influence on microstruct. 4−13661
electrolytic deposition, onto ZnO, mechanism investig. by differential refl. spectroscopy *(German)* 4−34035
electromigration in Pr, steady-state meas., mechanism 4−32744
electron beam damage, Frenkel pair form. model, hexagonal single crysts. 4−40818
electron beam damage prod. and recovery, hexagonal single crysts. 4−40817
evaporated fine particles, growth on C film 4−28999
Fermi surface, analytic method for calc. of stress induced changes 4−6584
grain boundary energy, Zn-gas interface surface energy 4−29075
grain boundary migration, cyclic stress-induced 4−33711
grain boundary migration, group mechanism *(Russian)* 4−33697
Hall coefficient calculation, plane faced energy surface method 4−20592
human foetal livers, neutron activation analysis of trace elements 4−30167
influence of ion bombardment on microrelief, adsorpt. props. of single cryst. 4−40959
lateral diffusion, in GaAs, due to interfacial stress effect of phosphosilicate glass mask 4−29026
lattice potential, analytic expression for form factors 4−13122
magnetic breakdown field meas. 4−41215
matte and white metal, vacuum treatment, melt e.m.f. meas. and magnetite determ. 4−4263
millimicroplastic burst phenomena in monocrystals 4−1556
molten-metal/water interactions, heat transfer and fragmentation 4−41518
optical properties, polarisation dependent reflectivities 4−21018
plating, ultrasonic reflectivity meas. of generalised Lamb waves 4−6537
proton bombardment, K-shell ionization, X-ray production cross section 4−23987
quantum oscillations of longitudinal sound velocity 4−13133
radioisotope, transport, deposition in Na-stainless steel reactor coolant system 4−19565
Raman scattering rel. to investigation of k=0 optical phonons 4−3967
recrystallisation kinetics, nucleation rate time depend. *(Russian)* 4−10572
seawater content, Pacific tropical zone *(Russian)* 4−29553
seawater content and distribution in Caribbean Sea *(Russian)* 4−34295
shock wave interaction, waveform thickness, metallographic determ. anal. and review *(Russian)* 4−37868
single crystals, activation vol., mech. and struct. examinations *(Polish)* 4−41636
solidification, unidirectional, cooled moulds 4−33672
sputtering, anisotropic emission meas., ejection mechanisms 4−10507
superconducting, Landau domain struct., periodicity 4−37357
superconducting energy gap, press. depend. from high press. crit. field meas. 4−3797
superconductor, Landau domain stab. 4−28539
u.s. attenuation in intermediate state 4−16878
X-ray generation by Ni impact, atomic excitation mechanism 4−17139
X-ray photoelectron spectra, Auger and direct electron spectra 4−33566
X-ray photoemission spectra, extra-atomic relaxation via semilocalised excitons 4−21160
X-ray spectra, K-shell proton ionisation cross section 4−25192
zone refining, impurity distrib. and segregation effects 4−17341
Al/Zn, cond. e.s.r., surface relax. boundary conditions 4−20860
$CaCO_3:Zn^+$, γ-irradiated e.p.r. spectra obs. 4−10320
Fe-Zn alloys, precip. of Zn, vol. precip. kinetics *(German)* 4−7051
GaAs:Zn, effect of Zn impurity on growth rate in GaAs-$AsCl_3$-H_2 system *(Russian)* 4−37767
GaN:Zn, photoluminesc., donor-acceptor pair recomb. 4−28894
GaP:S, Zn, 250 keV Zn ion implantation 4−9924
GaP:Zn, determination of impurity parameters from Hall data 4−16776
GaP:Zn-O, electron-hole recomb. anal. 4−37677
He-Zn ion laser, pulsed afterglow, excitation mechanism 4−19071
InP:Zn, dopant behaviour in LPE-grown LED mat. 4−17104
Na, metallic, neutron activation analysis for trace elements 4−2428
Ni:Zn, mag. hyperfine field, γ-ray ang. distrib. obs. after recoil implantation 4−41322
Pb/Zn-ZnO-Pb tunnel junction, bound states and Fermi velocity 4−24888

zinc continued
Pb-Zn junctions, inelastic tunnelling rel. to barrier and electrode phonon interactions 4−24832
Si:Zn, electron-hole oscills., slow recomb. waves, effect of local electron probe 4−24776
Si:Zn, optical injection effect on threshold freq. of recomb. waves 4−24780
Zn, forest dislocations effect on mobility of twin boundaries 4−33735
δ_1-Zn pseudo-binary couples, phases diffusion coeffs. *(Japanese)* 4−41529
Zn:^{100}Pd, ^{100}Rh quadrupole interaction, temp. depend. 4−20917
Zn-GaN junction, forward bias current and capacitance, indirect tunnelling 4−28490
Zn-Xe arc lamp performance in deep ocean waters 4−11067
ZnTe:Ga:Zn, photoluminesc. spectra, minority carrier traps, 4.2-323K 4−25155

zinc alloys
see also zinc compounds
antifriction props. 4−29112
dispersion strengthened, superplasticity 4−13698
rare earth zinc intermetallics, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4−3884
rare earth-Zn_5, lattice parameters calc., expt. comparison 4−32477
rare earth-Zn, ferromag., exchange interactions, n.m.r. anal. 4−6723
rare earth-Zn compounds, dilute, mag. susceptibility and resistivity obs. 4−37401
Ag-Zn, β' phase, disordering kinetics 4−17223
Ag-Zn, thermally activated martensitic transform. kinetics and crystallography 4−29051
β'-Ag-Zn single crysts., antiphase domain growth kinetics 4−25331
$AgCuZn_2$, Heusler alloy ordering 4−25310
β^1-AgZn, de Haas-van Alphen effect, Fermi surface, modulation method 4−3686
Al-Ag-Zn, Zn addition effects on ageing kinetics, diffuse X-ray scatt. obs. *(Russian)* 4−17228
Al-Cu-Mg-Mn-Zn-Cr alloy machine parts, effect of struct. and type of ageing on anisotropy 4−29114
Al-Mg-Zn system protector alloys, intercryst. breakdown *(Russian)* 4−41662
Al-Zn, ageing, spinodal decomposition and discontinuous precipitation, in miscibility gap region 4−25318
Al-Zn, dilute, residual resistivity, pseudopotential approach 4−28387
Al-Zn, influence of heat treatment on precip. *(French)* 4−29126
Al-Zn, microstruct. of superplastic eutectoid 4−7103
Al-Zn, quenched, vacancy-solute binding enthalpy of 0.08 eV 4−1049
Al-Zn, resistivity max. during Guinier-Preston zone formation 4−10142
Al-Zn, solid soln., magnetic susceptibility *(French)* 4−3822
Al-Zn, structural features of recovery in aging *(Russian)* 4−1514
Al-Zn alloys, liquid-quenched, spinodal decomposition, small-angle X-ray scatt. 4−37831
Al-Zn solid solns. Hall coeff. and electrical resistivity meas. 4−3730
Al-Zn-Mg, ageing characts., Ti additions effect 4−17280
Al-Zn-Mg, fine scale conc. gradients, anal. 4−8502
Al-Zn-Mg, inhomogeneities, small-angle scatt. obs. 4−37830
Al-Zn-Mg, medium-strength, fracture behaviour 4−7213
Al-Zn-Mg, Mg supersaturations within precipitate free zones, electron microscope obs. 4−17251
Al-Zn-Mg, particles influence on recrystn. behaviour 4−41625
Al-Zn-Mg, precip. rel. to tensile props. *(German)* 4−41604
Al-Zn-Mg, preprecip. effects on precip. behaviour 4−33722
Al-Zn-Mg, stress corrosion susceptibility rel. to heat treatment procedure 4−25383
Al-Zn-Mg, stress corrosion life rel. to anodic paths 4−25384
Al-Zn-Mg, tensile fracture mechanisms 4−25377
Al-Zn-Mg, titanium additions influence on ageing characts. 4−17246
Al-Zn-Mg, toughness and fracture characts., influence of Fe and Si 4−41771
Al-Zn-Mg alloy, precipitate-free zone width influence on tensile props. 4−37936
Al-Zn-Mg-Cu, ageing kinetics 4−17358
Al-Zn-Mg-Cu, containing Ag, extruded, axial tension fatigue tests 4−37931
Al-Zn-Mg-Cu, high strength, Zr substitution for Cr implications 4−17359
Al-Zn-Mg-Cu, high-strength, struct. influence on strength and toughness 4−29161
Al-Zn-Mg-Cu, quench-sensitivity interpret. 4−7167
Al-Zn-Mg-Cu, thermomech. procedure for ductility and toughness improvement in transverse directions 4−29103
Al-Zn-Mg-Cu-Mn forging alloy, fracture toughness and tensile props., effects of comp. changes 4−10628
Al-Zn-Mg(-Cu), high-strength, thermomech. treatments and mech. characteriz. 4−13704
Al-Zn-Zr, superplastic, dynamic recrystn. 4−41626
Al-Zn(10 at.%), Guinier-Preston zones 4−41603
Al-Zn(10 at.%), helical dislocation form. 4−21295
Al-Zn(10%) thin foils, quenching defects study from microstructure obs. 4−4098
Al-Zn(28 at.%), cellular precip. 4−1486
Al-Zn(28 at.%), matrix precip. effects on cellular growth kinetics, miscibility gaps 4−37792
Al-Zn(30 wt.%), transition rhombohedral phase decomposition 4−21219
Al-Zn(4wt.%)-Mg(3wt.%), Ag influence on Mg diffusion, Mg conc. profiles at grain boundaries 4−21277
Al-Zn(6at%) Guinier Preston zones, kinetics of growth isothermal resist. meas. 4−29066
AlZn(2.5 at%)Mg(X), growth kinetics of Guinier-Preston zones 4−25371
Au-Zn system, thermodynamic parameters 4−1456
$AuAgZn_2$, Heusler alloy ordering 4−25310
$AuCuZn_2$, Heusler alloy ordering 4−25310
$Au_2(Mn,Zn)_2$, mag. order obs. 4−6736

zinc alloys continued
- Bi-Zn, molten, two-phase equil. obs. using maximum bubble press. method 4–1480
- Cu:Ge dil. alloy, impurity and vacancy-impurity atom pairs, obs. by positron annihilation 4–16511
- Cu-Zn, α-phase alloys, modulated reflectivity meas. 4–21019
- β-Cu-Zn, martensite growth mechanism, TEM obs. 4–1473
- Cu-Zn, martensitic transform. crystallography 4–33639
- Cu-Zn, pulse nuclear double resonance 4–3917
- Cu-Zn alloys, solid solns. atomic relaxation anal. and temp. dependence of internal friction *(Russian)* 4–1454
- α-Cu-Zn precipitate plates, EMMA-4 analysis of comp. 4–17260
- DyZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4–3884
- DyZn, thermal expansion and magnetostriction 4–24979
- ErZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4–3884
- Fe-Zn, electron microscopy of cellular precipitation in ferritic alloys 4–4092
- Fe-Zn alloys, ferritic, electron microscope investigation of cellular precip. 4–33715
- Fe-Zn binary couples, phases diffusion coeffs. *(Japanese)* 4–41529
- Fe-Zn ferritic supersaturated, vol. precip. kinetics *(German)* 4–7051
- GdZn, ferromag., exchange interaction, n.m.r. anal. 4–6723
- GdZn, spontaneous magnetisation and hyperfine fields, temp. depend. 4–28659
- HoZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4–3884
- $MgZn_2$, specific heat, low temps., 2.3-4.2K, 12-23K 4–6508
- $Mg(Zn_{1-x}Al_x)_2$ specific heat, low temps., 2.3-4.2K, 12-23K 4–6508
- Nd-Zn system intermetallics and liq. alloys, Zn v.p. and free energy of form. 4–41537
- α-Ni-Zn terminal f.c.c. solid solns., Zn thermodynamic activities, phase boundaries 4–33640
- β_1-NiZn, f.c. tetragonal, lattice disorder effect on thermodynamic parameters 4–1457
- Sb-Zn, dilute liquid, elec. resist. meas., theory comparison 4–41057
- TbZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4–3884
- TbZn, thermal expansion and magnetostriction 4–24979
- YZn, de Haas-van Alphen effect and Fermi surface 4–28340
- YZn, equiatomic, magnetostriction induced distortion of lattice parameters *(French)* 4–3884
- Zn-Ag, splat cooled, metastable phase relationships 4–1458
- Zn-Al, NDT of superplasticity 4–17487
- Zn-Al eutectoid sheet, creep bending and tension tests comparison 4–17479
- Zn-Al superplastic eutectoid, stress/strain rate behaviour 4–21318
- Zn-Al(22 wt.%), transcryst. slip during superplastic deform., struct. influence *(Russian)* 4–21303
- Zn-Al(22 wt.%) alloy, anti-wear props., effect of pressure applied during solidification *(Korean)* 4–17304
- Zn-Al(22 wt.%) superplastic eutectoid, high temp. deform. mechanisms 4–33743
- Zn-Al(40 and 50 wt.%), extruded, superplasticity correl. with microstruct. 4–41722
- Zn-Al(40 wt.%), superplastic, quantitative texture meas. 4–33691
- Zn-Cu, liq., enthalpy of mixing model, based on at. distribs., partition function *(French)* 4–40735
- Zn-Cu, splat cooled, metastable phase relationships 4–1458
- Zn-Cu-Ti alloys, precip. reactions investigation by electron microscope-microanalyser 4–17291
- Zn-Fe, mag. hyperfine field, $^{64}Ni(\alpha,n)^{67}Zn$ DPAD meas. 4–33318
- Zn-Mg-Al, microzinc, quenching and hardening 4–29113
- Zn-Mn, crystal field splitting and Kondo effect 4–41184
- Zn-Mn, magnetic breakdown field meas. 4–41215
- Zn-Mn single crystals, anistropic crystal field effects in magnetic susceptibility 4–41183
- Zn-Sb, liq., thermodynamic props. and cpd. cluster form. 4–37818
- Zn-Sn alloys, dil., liq., effects of Cu and Au on activity coeff. of Zn 4–41575
- Zn-Sn-In system in dil. Zn solns., thermodynamic props. 4–33671
- Zn-Ti hypereutectic alloy, unidirectionally solidified, microstructure *(Japanese)* 4–25326
- ZnMn, dilute, sp. ht. measurements from 0.7 to 4K 4–1314
- $ZrZn_2$, mag. entropy evaluation from heat capacity data 4–37411
- $ZrZn_2$:Ta, hyperfine field, γ-ray DPAD meas. 4–33319

zinc compounds
- *see also zinc alloys*
- chelate, nitrilotriacetic acid, i.r. spectra 4–41374
- o-ethoxybenzoate monohydrate, cryst. struct. 4–20277
- halide, photoelectron spectra rel. to valence electronic struct. 4–19897
- halides, triatomic mols., bond bending force const., simple bond-charge model 4–19788
- ZnSe-ZnTe heterojunctions, electroluminescence emission spectra 4–4012
- α-$ZnSeO_4.6H_2O$, vibrational circular dichroism, 1900 to 5000 cm^{-1} 4–25118
- $CuGaSe_2$-ZnSe pseudo-binary system, solid soln. form. and large cryst. prep. 4–25274
- $CuInSe_2$-ZnSe pseudo-binary system, solid soln. form. and large cryst. prep. 4–25274
- GaAs-ZnTe system, phase equilibria 4–32667
- $(GaP)_{1-x}(ZnSe)_x$, optical band gap variation obs. 4–33445
- InSb-ZnO double layer film, on quartz, u.s. surface wave amplification *(Japanese)* 4–37079
- $(Mn,Zn)Cr_2Se_4$, ferromag. exchange interaction between Mn and Cr obs. 4–33146
- MnZn ferrite, role of grain boundaries in hysteresis loss 4–37442
- $Mn_{0.6}Zn_{0.3}Fe_{0.1}{}^{2+}Fe^{3+}O^4$ crystal, electro-magneto-striction effect 4–13388
- $Mn_{1-x}Zn_xFe_2O_4$, partial press. of oxygen in equil. *(French)* 4–21605
- $Mn_xZn_{1-x}Fe_2O_4$ oxygen partial press. equilibria 4–7302
- NiZn ferrite, sintering in presence of V_2O_5 4–41825
- $PbCl_2$-$ZnCl_2$ binary system, phase diagram and density of melt *(Japanese)* 4–13023

zinc compounds continued
- $PbCl_2$-$ZnCl_2$ binary system, molten, elec. conductivity and viscosity *(Japanese)* 4–13190
- $PbCl_2$-$ZnCl_2$ binary system, surface tension *(Japanese)* 4–24626
- PbF_2-ZnO-B_2O_3 and PbO-ZnO-B_2O_3 system glasses, mech. prop. changes during heat treatment *(Japanese)* 4–41779
- (Zn, Cd)S:Cu, Mn phosphors, electroluminescent properties 4–41434
- (Zn,Cd)S:Ag, phosphor, saturation at high current densities 4–17128
- Zn complex, di-μ-(N,N-diethylnicotinamide-O,N)-tetraisothiocyanatodizinc, struct. 4–9883
- Zn complex, diaquobis-(N,N-diethylnicotinamide)-diisothiocyanatozinc, struct. determ. 4–3469
- Zn complex, tetrabenzoporphin, blue fluoresc. obs., transition mechanisms 4–16110
- Zn complex, zinc etioporphyrin, dimerisation in solution, 220-140 K 4–6906
- Zn complex, zinc octaethylporphyrin, dimerisation in solution, 220-140K 4–6906
- Zn complex, Zn-2,3-PYD.$3H_2O$, cryst. struct. *(French)* 4–28045
- Zn complex, $Zn(H_2O)_6$, force constant mean amplitude of vibration, normal cond. analysis 4–24047
- Zn-Br boracite:Mn^{2+}, strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4–16979
- Zn-Cl boracite:Mn^{2+}, strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4–16979
- Zn-I boracite:Mn^{2+}, strong zero field splitting of ground state $^6S_{5/2}$ *(French)* 4–16979
- $ZnAs_2$, cryst. struct. 4–28036
- p-Zn_3As_2, negative magnetoresistance, mechanism 4–10165
- $ZnBr_2$, aq. soln., ^{67}Zn n.m.r., anomalous solvent isotope effect 4–40321
- $ZnBr_2$, gaseous, photoelectron spectra 4–36572
- ZnCdS:Mn, Mn^{2+} luminescence, suppression, field enhancement 4–6920
- $Zn_{0.97}Cd_{0.03}S$:Cu,Al, comminution effects on luminesc. 4–17129
- $Zn_xCd_{1-x}S$, conc. var. of ZnS, reactive cathodic sputtering prod. *(French)* 4–3663
- $Zn_xCd_{1-x}S$:Cu,Mn, i.r. induced switching of elec. cond. *(Russian)* 4–20659
- $ZnCl_2$, aq. soln., ^{67}Zn n.m.r., anomalous solvent isotope effect 4–40321
- $ZnCl_2$, dissolved in molten LiCl-KCl eutectic, polarography using modified twin electrode system 4–39421
- $ZnCl_2$, far i.r., liq., glass and solid states, band shape order and temp. depend. 4–28842
- $ZnCl_2$, gaseous, photoelectron spectra 4–36572
- $ZnCl_2$ in saturated KCl-acetamide molten solns., specific conductance variations, 85-135°C 4–4258
- $ZnCr_2O_4$, effect of heat treatment on props. 4–13818
- ZnF_2:Fe^{2+}, electronic transition spectra, far i.r. absorpt., anisotropy consts. 4–13479
- ZnF_2:Li, interstitial model for dielec. relax., orientation depend. 4–6840
- ZnF_2:LiF, dielec. relax., Li^+-F vacancy pair mechanism 4–33341
- $ZnFe_2O_4$, mag. struct. theory 4–16933
- $ZnFe_2O_4$, specific heat, 10 to 350 K, lattice vibrational component 4–37415
- $ZnFe_2O_4$:^{57}Fe, electric quadrupole interaction meas. by Mossbauer effect, temp. depend. 4–25028
- $ZnFe_xSm_{2-x}O_4$, phase studies, rel. to struct. correlation of gahnite 4–6492
- $ZnGa_2O_4$, doubly excited Cr^{3+} pairs, excitation and emission spectra 4–25163
- $ZnGeP_2$, Bridgman growth 4–37775
- $ZnGeP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4–33438
- α-$Zn(H_2O)_6SeO_4$ enantiomorphic crysts., doped with $M(H_2O)_6{}^{2+}$ ions (M=Fe, Ni, Cu, Co), MCD interpret., vibronic intensity 4–3995
- α-$Zn(H_2O)_6SeO_4$:Mn^{2+}, circular dichroism of Mn^{2+} ions, anal. rel. to ligand field theory 4–37638
- ZnI_2, aq. soln., ^{67}Zn n.m.r., anomalous solvent isotope effect 4–40321
- ZnI_2, gaseous, photoelectron spectra 4–36572
- Zn(II) complex, dichloro(N,N,N'N'-tetramethylethylenediamine)zinc, cryst. and mol. struct. 4–32522
- Zn(II) complexes in salicylaldimine, electronic absorption bands obs. 4–3980
- Zn(II) thiocarbonato complex, i.r. spectra, Zn isotope shifts, normal coord. anal. 4–40287
- Zn(II)picolinate.$4H_2O$ with substituted Cu(II)picolinate, ^{17}O H.F.S. in single cryst. E.S.R. 4–16969
- $ZnIn_2S_4$, quasi-disordered, optical absorpt. and thermolum. meas. 4–10460
- $ZnIn_2Se_4$, photoconductivity and trap distrib. 4–16792
- $ZnIn_2Te_4$, photoconductivity and trap distrib. 4–16792
- $ZnMnGaO_4$, X-ray study of ionic struct. 4–24446
- $Zn_{0.218}Ni_{0.752}Fe_{2.03}O_{4\|\gamma}$, γ variable, struct. anal., vacancies 4–6401
- ZnO, adsorpt. of mol. H_2, D_2, investig. using i.r., adsorpt. techniques 4–37084
- ZnO, adsorpt. of O_2 and N_2, i.r. investig., specificity of N_2 adsorpt. 4–37085
- ZnO, angular focusing of acoustoelec. active phonons at 300 K 4–3764
- ZnO, anisotropic cryst., Brillouin scattering *(Japanese)* 4–37606
- ZnO, Auger and direct electron signals in X-ray photoelectron spectra 4–33566
- ZnO, Brillouin scatt. by acoustoelectric domains 4–21004
- ZnO, chemisorption of N, recomb. coeff., activation energy *(Russian)* 4–40986
- ZnO, doped, electrode, electron tunnelling effect in spectral sensitization by dye mols. *(German)* 4–34039
- ZnO, elastic and elec. props., 4.2-700K *(Russian)* 4–13387
- ZnO, film transducer fabrication, sputtering, nucleating surface influence 4–28762
- ZnO, films, flameless combustion in chemical detection 4–18772
- ZnO, Hall effect and electron mobility anisotropy *(German)* 4–32976

zinc compounds continued
ZnO, hexagonal, two-photon photoconductivity measurements 4−16793
ZnO, high temp. dielec. behaviour, doping effect 4−25054
ZnO, needle growth from molten KOH soln., Raman spectra 4−21201
ZnO, nonlinear acoustoelectric effect, range meas. 4−20654
ZnO, O_2 desorption, CO oxidation on u.v. illum. cryst. in high vac. *(German)* 4−32813
ZnO, polycryst. ceramic, high loss dielectric, polarisation mechanisms 4−37554
ZnO, powdered, unit cell volume and ratio of lattice consts., heat treatment effects 4−12914
ZnO, pyroelectricity rel. to sp. ht., rigid ions 4−37568
ZnO, radical recomb. luminesc. mechanism, temp.-time depend. *(Russian)* 4−21053
ZnO, semiconductor, absorption edge meas. and Urbach's rule anal. 4−10445
ZnO, slightly doped, acoustoelec. domain development, Brillouin scatt. obs. 4−24784
ZnO, thermodiffusion treatment, microwave acoustics applic. 4−1448
ZnO, transient phase gratings induced by two-photon absorpt. 4−35889
ZnO, transmission, dislocation images 4−28101
ZnO ceramic, Mossbauer effect of ^{119}Sn and ^{57}Fe, electronic charge states during switching obs. rel. to varistor applic. 4−37285
ZnO clean cleaved polar surface, low temp. sublimation during first heating 4−24616
ZnO substrate, electrolytic deposition of Zn, mechanism investig. by differential refl. spectroscopy *(German)* 4−34035
ZnO surface struct. anal. by combination of LEED and X-ray diffraction 4−32787
ZnO thin films, prep., props. for hypersonic transducers 4−3744
ZnO:^{57}Fe, II-VI luminophor, ^{57}Fe chem. isomer shifts, Mossbauer obs. 4−28736
ZnO:Bi_2O_3 ceramic, nonlinear elec. props. rel. to microstructure 4−6634
ZnO:Cu, energy position of acceptor level, conductivity and Hall effect obs. *(German)* 4−1213
ZnO:Cu, Li, luminescent transitions and conductivity 4−21069
ZnO:dyes, X, X=Br, I anode, influence of inorganic salts on sensitization by dyestuffs *(German)* 4−34040
ZnO:Mn, diffusion constant, near-band-edge absorption *(German)* 4−20449
ZnO:Na^+ e.s.r. spectra, hyperfine structure obs. 4−16980
ZnO:Ni^{2+}, $^3T_1(P)$ absorpt. band of Ni^{2+}, Jahn-Teller model of zero-phonon lines 4−28872
ZnO:O,La^{3+} activated, rising pattern of photocurrent 4−3760
ZnO-based ceramic, semicond., nonlinear conductivity and dielec. props. *(Russian)* 4−20624
ZnO-MgO system, electrical nonlinear props. and microstruct. 4−37245
ZnO-resin layer surface corona discharge model and expt. *(Japanese)* 4−36754
ZnO-sapphire layered system, acoustic surface wave propag. 4−28273
ZnP_2, Raman scatt., 30-500 cm^{-1}, room temp., band assignment 4−37618
$Zn_3(PO_4)_2$:Mn, candoluminescence obs. 4−25184
$Zn_3(PO_4)_2.4H_2O$, hopeite, cryst. struct. 4−6390
ZnS, and switching, temp. depend., transient model 4−10193
ZnS, compaction kinetics during hot pressing 4−33860
ZnS, conc. var. in $Zn_xCd_{1-x}S$, reactive cathodic sputtering prod. *(French)* 4−3663
ZnS, cond. mechanisms, switching theory 4−10194
ZnS, cubic and hexagonal polytypes, elastic consts. relationship, common phonon spectrum 4−16543
ZnS, cubic-hexagonal transform., Mn diffusion effect, e.p.r. 4−13041
ZnS, donor-acceptor recomb., book 4−6927
ZnS, e.p.r. spectra of Mn^{2+}, twin boundaries *(Russian)* 4−6413
ZnS, energy bands, third neighbour LCAO model 4−10099
ZnS, epitaxial film, local energy levels *(Russian)* 4−6591
ZnS, film, electron bombard. cond. meas., trapped space charge effect 4−20640
ZnS, film, photocond. props. in dark, planar memory element appl. 4−13209
ZnS, film, superficial space charge region influence on optical absorption *(French)* 4−41110
ZnS, melt compositions during growth in high-press. furnace 4−13577
ZnS, multilayer film deposition with MgF_2, SiO, Na_3AlF_6, Ge, equivalent refractive index 4−28960
ZnS, nature of emission centres giving rise to bands with 2.66 eV maxima *(Russian)* 4−6926
ZnS, self activated centre thermoluminesc. characts., epitaxial cubic 4−21086
ZnS, space group representations, symmetrized nth powers 4−3460
ZnS, sphalerite, nonlinear polarisability theory 4−13381
ZnS, trap parameters of single crysts. and powders *(French)* 4−33476
ZnS, tunable i.r. radiation prod., phase matching of dye laser beams 4−26970
ZnS, unactivated, luminesc. rel. to ZnO form. by high temp. oxidation *(Russian)* 4−28951
ZnS, welding to Cu, diffusion welding temp. calc. *(Russian)* 4−33841
ZnS, wurtzite, cathode-ray-induced space and surface currents 4−1243
ZnS, Yb implantation parameters, Yb^{3+} cathodolum. emission intensity 4−17131
ZnS, Zeeman splitting of direct exciton line, under uniaxial stress 4−1218
ZnS based luminescent components, prod. by high-pressure sintering 4−37762
ZnS electrets, polycryst., electroluminescent flashes *(Russian)* 4−17127
ZnS film, cryst. struct. as function of conditions of reactive cathodic sputtering conditions *(French)* 4−1180

zinc compounds continued
ZnS film, electrolum., temp. depend., −150 to 50°C, pre-excitation effects *(Russian)* 4−37688
ZnS film, laser-induced damage, role of coatig defects 4−15382
ZnS film, optical waveguide for harmonic generation of Nd:YAG laser 4−31079
ZnS film, thermolum., effect of weak alternating elec. field *(Russian)* 4−37693
ZnS films, 100μ, electro-optic devices, growth from vapour phase, technique 4−4047
ZnS initial behaviour of photoelectroluminescent brightness waves 4−17124
ZnS phosphors, stimulated cond. and electroluminescence *(Russian)* 4−41436
ZnS single crystal, excited i.r. absorpt. oscillator energies *(Russian)* 4−21006
ZnS single crystal, neutron bombardment in reactor, photoluminescence change rel. to dose variation *(Russian)* 4−17119
ZnS single crystal, thermoluminescent glow curves calc. of activation energies 4−23053
ZnS with SrF_2, stibnite layers, narrow-band interf. filter in i.r. 4−39252
ZnS: Cu, Mn, Cl film, prep. and d.c. electroluminesc. *(Czech)* 4−25178
ZnS:^{57}Fe, II-VI luminophor, ^{57}Fe chem. isomer shifts, Mossbauer obs. 4−28736
ZnS:Ag,Al, comminution effects on luminesc. 4−17129
ZnS:Co^{2+}, i.r. absorption, weak Jahn-Teller coupling 4−41402
ZnS:Cr, near i.r. absorpt. press. depend. 4−28869
ZnS:Cu, Cl, film, yellow cathodoluminescence, annealing effect *(French)* 4−28946
ZnS:Cu, exciton reflection and impurity absorption spectra, stabilisation of sphalerite struct. 4−21036
ZnS:Cu, luminesc. decay rates, donor-acceptor pair recomb. 4−25154
ZnS:Cu, Mn, Cl, thin layers, electroluminesc., activator conc. depend. 4−33505
ZnS:Cu, Mn, Cl phosphors, electroluminesc. *(Korean)* 4−33507
ZnS:Cu,Co, cobalt conc. influence on trap distrib. *(French)* 4−41439
ZnS:Cu phosphor, Gudden-Pohl effect rel. to surface states 4−13522
ZnS:Cu^{2+}, dynamic Jahn-Teller effect, T_2 mode coupling 4−41408
ZnS:Cu^{2+}, Jahn-Teller effect, meas. using i.r. emiss. and absorpt. spectra 4−33416
ZnS:Cu(Ag)(Mn)(Tl), photolum. and X-ray luminesc. *(Russian)* 4−37657
ZnS:Cu(Co), radical recomb. luminesc., photoluminesc., i.r. effect *(Russian)* 4−6904
ZnS:Cu(Co) phosphor, radical recomb. luminesc., h, H_2 adsorption and desorption kinetics *(Russian)* 4−6903
ZnS:Cu(Mn,Cl), phosphor, radical recomb. luminesc., fading kinetics, H induced *(Russian)* 4−21052
ZnS:Eu^{3+}, effect of lattice structure on luminescence and e.p.r. *(Russian)* 4−10487
ZnS:Fe^{2+} ion, contribution of configuration interaction to intensity of crystal field transitions 4−1205
ZnS:Ln^{3+} film, in m.i.s.m. struct., electrolum., voltage depend. of brightness 4−28936
ZnS:Mn, Ag, Co, Cl, phosphor, cathodic luminesc. spectra, emission yields rel. to Mn conc. *(Russian)* 4−28947
ZnS:Mn, Cu, Cl film panels, a.c. electrolum., field depend. 4−28938
ZnS:Mn, luminescence, Stokes and anti-Stokes excitation, mechanism 4−33489
ZnS:Mn, stimulated emission, electron pumping beam current density depend. 4−17093
ZnS:Mn,Cu,Cl, plastic-embedded, d.c. conduction and electroluminescence 4−1239
ZnS:Mn film, spontaneous and stimulated electrolum., theory 4−37636
ZnS:Mn^{2+}, e.p.r. line broadening by elec. fields of point defects *(Russian)* 4−28700
ZnS:Ni^{2+}, $^3T_1(P)$ absorpt. band of Ni^{2+}, Jahn-Teller model of zero-phonon lines 4−28872
ZnS:O, luminophor, luminesc., photoelectron spectra, O_2 luminesc. centre model proposed *(Russian)* 4−28927
ZnS:Pb, powder phosphors, green d.c. emission, mechanism 4−25175
ZnS:Sc^{2+}, e.p.r., spin hamiltonian parameters detn. 4−41243
ZnS:Tb^{3+} film in m.i.s.m. and m.i.s.i.m. structures, electron injection mechanism 4−17123
ZnS:TbF_3, electroluminesc. film, prep., optical and elec. props. *(Japanese)* 4−37773
ZnS:TbF_3 thin films, d.c. and a.c. electroluminescence characts., obs. *(Japanese)* 4−37690
ZnS-Cu-Sn role of Sn in photoluminesc. at various concs. 4−41409
ZnS-Mn^{2+}, excited-state absorption spectra 4−37647
ZnS-oxide-Pb junctions, inelastic tunnelling rel. to barrier and electrode phonon interactions 4−24832
ZnS-Sn, role of Sn in photoluminesc. at various concs. 4−41409
ZnS + MgF_2, two-layer antireflection coating, for visible and near i.r. 4−18438
ZnSZnSe:Cu, phosphor, radical recomb. luminesc., fading kinetics, H induced *(Russian)* 4−21052
ZnSe, binding of exciton to donor-acceptor pair in Coulomb interaction 4−1211
ZnSe, cathodoluminesc., spectral anal. apparatus *(French)* 4−30663
ZnSe, Cd diffusion, comp.-depth profiles, photolum./chem. etching obs. 4−37768
ZnSe, cryst., electrooptical effect, forced combination light scatt. on polaritons *(Russian)* 4−28790
ZnSe, dissociation thermodynamics 4−32685
ZnSe, electron irrad. damage and decay characts. of cathodolum. bands 4−25180
ZnSe, heterogeneous single cryst., spectral distrib. of photocurrent *(Russian)* 4−32997
ZnSe, insulating film on semicond. substrate, electrolum. in forward bias 4−28937
ZnSe, melt compositions during growth in high-press. furnace 4−13577

zinc compounds continued
ZnSe, photoemission and density of valence states 4−4026
ZnSe, reaction-kinetic calcs. simulating oscillations 4−21068
ZnSe, strength characteriz. using statistically designed proof test 4−5038
ZnSe, valence band density of states calc., reflectivity spectrum 4−28343
ZnSe, vapour phase transport, Ar or H_2 flow, thermodynamic equilib. *(French)* 4−25279
ZnSe, Yb implantation parameters, Yb^{3+} cathodolum. emission intensity 4−17131
ZnSe valence band density of states, empirical pseudopot. calc. 4−28350
ZnSe X-ray K emission, calc., meas. 4−25188
ZnSe:Al, Schottky diode, electroluminesc., exciton emission 4−25176
ZnSe:Cu, Ga, i.r. effect on moving high field domains in film 4−20627
ZnSe:Mn, Mn^{2+} luminescence, suppression, field enhancement 4−6920
ZnSe:Nu, Al, luminesc. at temps. below 150 K 4−13506
ZnSe:Yb^{3+}, cathodoluminescence spectrum, atomic displacement effects 4−21084
ZnSe-Cu_2Se heterojunctions obtained by epitaxy and fusing in electroluminescence, spectra obs. 4−4013
ZnSe-ZnTe, thin film heterojunction, voltage-current characts *(Russian)* 4−33026
ZnSe-ZnTe heterojunction, elec. props., growth conditions depend. 4−28486
ZnSe-ZnTe heterojunctions, liquid-phase epitaxial growth 4−17182
ZnSe + SrF_2, two-layer antireflection coating, for visible and near i.r. 4−18438
ZnSeMn(Cu) impact ionisation of deep impurities, multiplication meas. 4−10158
$ZnSiAs_2$, Bridgman growth 4−37775
$ZnSiAs_2$, carrier conc. and mobility, effect of doping 4−13180
$ZnSiAs_2$, pressure depend. of energy gap, wavelength modulated absorpt. obs. 4−33439
$ZnSiAs_2$, wavelength modulation spectra, band struct. determin. 4−33438
$ZnSiF_6$:Cu^{2+}, Jahn-Teller dynamics effect on e.p.r. 4−20844
$ZnSiF_6.6H_2O$, cryst. struct. 4−9889
$ZnSiF_6.6H_2O$, n.m.r., 90-425K 4−28708
Zn_2SiO_4:Mn, candoluminescence obs. 4−25184
Zn_2SiO_4:Mn, phosphor, radical recomb. luminesc., fading kinetics, H induced *(Russian)* 4−21052
Zn_2SiO_4:Mn, phosphor, saturation at high current densities 4−17128
$ZnSiP_2$, growth by I_2 vapour transport method, morphology rel. to growth mechanism investig. 4−21205
$ZnSiP_2$, growth by vapour transport, single-stage procedure 4−37775
$ZnSiP_2$, growth from tin soln., temp.-comp. diagram of $ZnSiP_2$:Sn system 4−4048
$ZnSiP_2$, pressure depend. of energy gap, wavelength modulated absorpt. obs. 4−33439
$ZnSiP_2$, superdislocations obs. by TEM 4−32572
$ZnSiP_2$, TEM investigation of twinning, stacking faults and dislocations *(German)* 4−20313
$ZnSiP_2$, wavelength modulated absorpt. spectra, band struct. determ. 4−33438
n-$ZnSiP_2$ cond. and Hall effect meas. and analysis 4−28432
$ZnSiP_2$ single crystals, TEM investigations of lattice defects *(German)* 4−36905
$ZnSnSb_2$, prep., elec. props., optical absorpt. 4−29007
ZnTe, melt compositions during growth in high-press. furnace 4−13577
ZnTe, transmission meas. 5285-6060 Å, impurity absorpt. effect 4−33447
ZnTe vacuum evaporated films, critical substrate temp. rel. to texture and optical transmission 4−37763
ZnTe:Al, electroluminescence in M-i-p structures 4−37687
ZnTe:Al, m.i.s. avalanche diode, electroluminesc., prep. effect, temp. depend. 4−21081
ZnTe:Al(I), reflectivity, luminesc., defect complex role 4−17115
ZnTe:Ga:Zn, photoluminesc., minority carrier traps, 4.2-323K 4−25155
ZnTe:O, ground state energy and wave function calc. 4−37190
ZnTe-InAs heterojunctions, current transport mechanism, obs. 4−16813
ZnTe-ZnSe heterojunction, elec. props., growth conditions depend. 4−28486
ZnTe-ZnSe heterojunctions, electroluminescence emission spectra 4−4012
$Zn^{125}Te$, 35.5 keV γ-reson. linewidth Cu:^{125}Sb source 4−41318
$ZnWO_4$-MWO_4 mixed tungstates (M=Cd,Ca,Cr,Li), e.p.r. line width, expt. and theory *(Russian)* 4−28689
Zno, tunable i.r. radiation prod., phase matching of dye laser beams 4−26970

zirconium
arc source, continuous spectrum white light source, for holography with non-coherent light 4−14898
corrosion in steam, 325-700°C 4−5924
determination in geological, lunar samples using stable isotope dilution, mass spectrometry 4−39399
diffusion in Al along dislocations *(Russian)* 4−16620
dislocation loop, prismatic, equil. shape 4−21293
dislocation loop anal. by transmission electron microscopy in neutron irradiated samples 4−3507
dynamic strain ageing, α-phase specimens 4−37919
h.c.p., soft acoustic shear modes, temp. depend. 4−3537
liquid, spreading over pyrographite 4−32796
microstructure, repeated $\alpha \rightleftharpoons \beta$ transforms. effect *(Russian)* 4−13629
neutron irradiated at 77K, internal friction *(French)* 4−27442
oxidation, 1000-1400K, O_2 press. 20-700 Torr 4−4197
oxidation, oxide layer form. and semicond. characts. 4−7323
oxidation characts. from 450 to 750°C 4−7224
Peierls energy and stress computation for glide systems, lattice dynamical approach 4−33695
photoelectron spectra, 145 keV γ-ray K-shell cross sections 4−25211

zirconium continued
plastic deformation, flow stress thermal and athermal components 4−7141
plastic flow rate eqn., activation analysis, pre-exponential term 4−13799
powder metallurgy, trajectories in high-freq. N plasma flow, injection rate influence *(Russian)* 4−21367
precipitation of hydrides, dilatational misfit 4−25320
precipitation of hydrides, dislocation generation 4−25321
stopping cross section of α-particles, 0.3-2.0 MeV 4−24503
work hardened, recovery and recrystallisation, effect of annealing *(French)* 4−37944
yield behaviour, 375-625°C, α-Zr polycrysts. 4−13796
Sn ores, determ. by neutron activation anal., radiochem. purification 4−5288
Zr/Hf relative abundances in nine chondrites, neutron activation technique 4−29964

zirconium alloys
see also zirconium compounds
crystal structure, ternary systems 4−24414
embrittlement by hydrogen, γ and δ hydride relationships 4−25297
nuclear fuel sheathing, irrad., u.s. testing 4−23845
oxidation, in-reactor, mechanism from oxide elec. characts. 4−41690
precipitation of hydrides, dilatational misfit 4−25320
precipitation of hydrides, dislocation generation 4−25321
strength differential effect, obs. and mechanism 4−13740
stress corrosion cracking by iodine, in nuclear reactor fuel assemblies 4−27449
Zircaloy, in-reactor corrosion mechanism 4−12453
Zircaloy, molten, interaction with coolant in nuclear reactor *(German)* 4−36253
Zircaloy, nuclear reactor casings, irrad. effects on ductility, creep and metal swelling *(French)* 4−36350
Zircaloy, preparation for ion bombardment and transmission electron microscopy 4−1539
Zircaloy 2 in reactors, effects of irradiation 4−40130
Zircaloy clad UO_2 fuel pins, release of fission products at 1000°C 4−5923
Zircaloy cladding, fracture under simulated power ramp conditions 4−19588
Zircaloy tubing, u.s. testing techniques 4−23844
Zircaloy-2, corrosion under radiation in moist CO_2-air mixtures 4−19586
Zircaloy-2, effect of stress on hydride precip. 4−5912
Zircaloy-2, fast neutron irrad. and annealed, radiation hardening 4−29130
Zircaloy-2, irrad. damage produced by ion bombardment 4−41688
Zircaloy-2, oxidation characts. from 450 to 750°C 4−7224
Zircaloy-2, stress corrosion cracking in NaCl solution, surface film 4−1175
Zircaloy-2, surface effects on tritium diffusion 4−23834
Zircaloy-2, thermomech. effects on hydride precip. 4−41582
Zircaloy-2, yield and flow, effect of temp. and strain-rate, 77 to 660 K 4−7217
Zircaloy-2 rod containing B_4C, hot swage fabrication and characteriz. 4−41800
Zircaloy-2 UO_2 fuel cladding, determ. of pellet stack shortening 4−5894
Zircaloy-2 with varying O content, cold-worked and quenched, recovery 4−41689
Zircaloy-4, necking strain in dynamic strain ageing range 4−4154
Zircaloy-clad UO_2 fuel, fission product-induced stress corrosion cracking 4−23905
zirconisation and titanisation of metallic surfaces *(Japanese)* 4−13739
Al-Cu-Zr, superplastic, grain size control 4−41627
Al-Zn-Zr, superplastic, dynamic recrystn. 4−41626
Al-Zr, isothermal recrystn. kinetics, particle size and interparticle spacing effects 4−41618
Al-Zr(0.22 wt.%) alloy, prolonged ageing, hardness and struct. changes *(Japanese)* 4−25364
$Co_2ZrAl(Sn)$, neutron and X-ray diffr. and magnetiz. obs. 4−24964
Co_2ZrSn, Heusler alloy, cryst. struct. and mag. props. 4−41196
Cu-Zr, amorphous-cryst. transition 4−21243
Cu-Zr and Cu-Zr-Cr, precipitates effect on recrystn. temp. 4−41600
Fe-Zr, secondary ion emission, mass spectrographic obs., comp. depend. *(Russian)* 4−6940
Fe-ZrFe_2 Laue phase obs. *(Russian)* 4−7035
(Hf, Zr)V_2, lattice instabilities and superconductivity 4−33086
$(Hf_{1-x}Zr_x)V_2$, superconductivity and structural instability at high press. 4−16853
Mg-Zr, cast, oxidation props. comparison with sintered materials 4−25360
Mo-Ti-Zr-C, dil., intercryst. internal adsorption *(Russian)* 4−37826
Mo-V-Zr system, solid soln. phase studies *(Russian)* 4−7031
Mo-Zr-C, carbide phase physico-chem. analysis *(Russian)* 4−21403
Nb:Zr(1%), neutron irradiation damage in absence of transmutation products, CTR applications 4−23859
Nb-Ti-Zr filaments, in Cu matrix, supercond. composite conductor, a.c. losses and twisting effects 4−28554
Nb-Ti-Zr solid solns., diffuse scatt., short-range displacement order, struct. models *(Russian)* 4−29027
Nb-Ti-Zr system alloys, diffuse X-ray and electron scatt. obs. *(Russian)* 4−21249
Nb-W-Zr-C system phase structure, and C solubility determ. 4−19596
Nb-Zr, precip. above monoeutectoid temp. 4−33641
Nb-Zr, precip. below monoeutectoid temp. 4−33642
Nb-Zr, thermal conductivities at low temps. 4−10128
Nb-Zr (up to 6% wt.) adsorption of nitrogen under conditions of plasma-arc melting, kinetics *(Russian)* 4−3640
NbZr, superconducting, flux kinetics, experimental 4−33094
Ni-Mo-W-Cr-Zr, effect of B on phase transformations *(Czech)* 4−13599
Ni_2ZrSn, Heusler alloy, cryst. struct. and mag. props. 4−41196
Pt-Zr(Ti,Al), microalloyed, rel. to high temp. strength 4−13722
Sc-Zr solid solns., ^{45}Sc Knight shift, mag. susceptibility, electronic sp. ht. *(Russian)* 4−16993

zirconium alloys continued
Ti-Al-Sn-Zr-Mo, fatigue crack propag., acoustic emission obs. 4–33941
Ti-Al-V-Sn-Zr alloy, $TA_6V_6F_2Zr$, continuous cooling transforms. *(French)* 4–21220
Ti-Al-Zr alloy, effect of O_2 on modulus of elasticity, elec. resistivity, hardness and mech. props. 4–33793
Ti-Al-Zr alloy with elevated O content, mech. props. of weldments 4–13718
Ti-Mn-Zr-Sn, beta III type, precipitate form. effect on damping capacity and modulus in a.f. range 4–17363
Ti-Mo-Zr-Sn, beta III, heat treatment effect, mechanical props. 4–25359
Ti-Mo-Zr-Sn, deformation struct. 4–10590
Ti-Nb-Zr-Ta, superconducting transition temp., resistive critical field rel. to comp. *(Japanese)* 4–3789
Ti-Nb(30 wt.%)-Zr(30% wt.%)-Ta(7 wt.%) superconducting alloy, phase transform., effect of cold working *(Japanese)* 4–25301
U:Zr, physical and mechanical props. at low temps. 4–19595
U-Mo-Nb-Zr-Ti, strengthening mechanism, Widmanstatten structure 4–29087
U-Nb-Zr, isothermal transform. kinetics, resist. obs., 130-590°C 4–13594
U-Nb(7.5 wt.%)-Zr(2.5 wt.%), transition phase form., equil. α phase props. *(French)* 4–1462
U-Zr, α-phase, mech. characteriz. 4–17343
U-Zr system solid solns., computer calc. of phase equil. curves 4–25298
V-Mo-Zr ternary system, phase equil. relationships *(Russian)* 4–21227
V-Zr-N system phase studies *(Russian)* 4–7025
W-Cr-Zr system, phase equil., 1200 and 1500°C *(Russian)* 4–7030
Zr:U, dilute, reactor fuel, stability of epsilon-phase 4–23874
Zr-Al(0.7 wt.%) solid solution, microscopy study of Al_3Zr--precipitates 4–17254
Zr-Al(8.8 wt.%) alloy, cast and transformed, microstruct., hardness and length change 4–41608
Zr-C, carbide phase physico-chem. analysis *(Russian)* 4–21403
Zr-C(11%), oxidation mechanism, failure 4–7134
Zr-Cr, corrosion in steam 325-700°C 4–5924
Zr-Cr system, Laue phase studies *(Russian)* 4–7028
Zr-Cr(1.14%)-Fe(0.1%), effect of metallurgical condition and irrad. on strength and ductility 4–41691
Zr-Cu-Si, ternary phase diagram at 800°C *(German)* 4–17197
Zr-H, low temp. phase transitions, sp. ht. meas. 4–37814
Zr-H, nature of γ-phase, form. mechanism 4–29034
Zr-Hg system, intermetallic phase studies *(German)* 4–1477
Zr-Nb, supercond., crit. currents, magnetisation, rigid vortex lattice *(Russian)* 4–28560
Zr-Nb, supercond., flux pinning processes w.r.t. phase separation reaction 4–13266
Zr-Nb, superconducting, magnetisation obs. of microstructure effects 4–13261
Zr-Nb system solid solns., computer calc. of phase equil. curves 4–25298
Zr-Nb(20 wt.%), b.c.c. with ω-phase, short-range struct. soln., models for diffuse neutron diffr. pattern 4–1027
Zr-Nb(25 wt.%), residual stress effect on hydride orientation 4–33712
Zr-Nb(2.5 wt.%), corrosion under radiation in moist CO_2-air mixtures 4–19586
Zr-Nb(2.5 wt.%) alloy, neutron radiation damage 4–4158
Zr-Nb(2.5 wt.%) weldments, struct. and phase comp. 4–41730
Zr-O alloy, strain ageing effects in fatigue deformation, 20-700°C 4–13743
Zr-O(28.2 and 29.2 at.%) alloys, at. ordering and lattice distortion 4–16445
Zr-Pt alloying behaviour 4–7042
Zr-Rh, supercond., upper crit. field and crit. current 4–1283
Zr-transition metal alloying behaviour 4–7042
Zr_3Al, microstruct. revealing methods 4–33713
Zr_3Al, ordered, transmission electron microscope obs. 4–41569
Zr_3Al-based alloys, ordered, tensile and corrosion behaviour, microstruct. 4–41687
$ZrFe_{3.3}Al_{1.3}$, struct., combined X-ray and electron diffr. obs. *(French)* 4–37822
$ZrMo_2$, Laue phase heat resist. *(Russian)* 4–7300
$Zr_{1-x}Mo_xFe_2$, struct. and mag. props., Mossbauer spectra 4–41315
Zr_2Ni_7, isotypic relationship with Hf_2Ni_7 *(German)* 4–7041
Zr_9Pt_{11}, X-ray diffr., cryst. struct. 4–24416
ZrV_2, supercond., 116.7 K martensitic transform., lattice instabilities, neutron diffr. obs. 4–10568
ZrV_2, transition temp. determ., anomalous behaviour of sp. ht. 4–28207
ZrV_2-based superconductors, correlation between transition temp. and lattice instability 4–16871
$ZrZn_2$, mag. entropy evaluation from heat capacity data 4–37411
$ZrZn_2$:Ta, hyperfine field, γ-ray DPAD meas. 4–33319

zirconium compounds
see also zirconium alloys
disulphide/alkali metal intercalation cpds., struct. and bonding *(French)* 4–36869
hydride, effect of stress on hydride precip. directionality in Zircaloy-2 4–5912
silicides-Si diode fabrication, barrier heights to Si 4–17183
Zircaloy, cladding and process tube in water cooled reactor, heat transfer following loss-of-coolant accident 4–40105
zirconia, dispersion strengthening in alloys produced by gel precipitation process 4–4166
Al_2O_3-ZrO_2 abrasive grain, quantitative microscopy, grinding effectiveness, microstructure 4–1616
$Ca_{0.15}Zr_{0.85}O_{1.85}$, suitability for O_2 partial pressure meas. below 10^{-2} Torr 4–22807
$POCl_3$:$ZrCl_4$, solvent, fluorescence enhancement of Sm^{3+} 4–4005
UZrC-UC_2-C ternary system, thermodynamic and phase relns. 4–33857
ZrB_2, film, optical consts., refl. meas., interband transitions, plasma freq. 4–21114
ZrB_2, high temp. hardness meas. 4–25412
ZrB_2, oxidation behaviour, effect of SiC addition 4–38008

zirconium compounds continued
ZrB_2, processing and prop. characteriz. 4–4182
ZrB_2 powder, hot pressing, creep rel. to densification 4–17406
ZrC, activated reactive evaporation, microhardness rel. to struct. 4–21419
ZrC, arc-cast, high temp. mech. behaviour 4–17387
ZrC, chem. vap. deposition on pyrocarbon-coated fuel particles 4–40120
ZrC, enthalpy, specific heat homogeneity region, 1300 to 2500 K 4–33858
ZrC, pyrolytic, integral hemispherical radiation 4–7285
ZrC, sub-stoichiometric, thermal conductivity at 300K 4–32755
ZrC, superconducting, density of states investigation 4–16572
ZrC, thermionic emission, effect of refractory metal addition and coating with pt group metals 4–21150
ZrC, thermodynamic functions, 0-3000K 4–7305
ZrC, vacuum condensates characteriz. for use as resistive elements *(Russian)* 4–41810
ZrC, with metallic coating, thermal electron emission characts. *(Russian)* 4–21142
ZrC, Zr $L_{\alpha 1,2}$ X-ray lines, effect of chem. bonds 4–37697
ZrC layer form. on graphite, mechanism *(French)* 4–7283
ZrC thermionic emitter, surface composition determ. by Auger electron spectroscopy 4–20471
ZrC-Os cathode, Auger spectra, surface comp. changes during thermoemission *(Russian)* 4–33534
ZrC-Re system, thermal emission properties, work function, 1200-2560K 4–33554
ZrC-W(Re) alloys, thermo-emission props. *(Russian)* 4–21145
$ZrC_{0.96}$, explosion effects on struct. and props. *(Russian)* 4–33852
$ZrC_{0.98}$, refractory, X-ray emission spectra 4–37703
ZrC_x, defect carbides, thermodynamics of vaporisation, 1700-2200K 4–32690
ZrC_x, electron probe reference standards, characteriz. 4–39411
ZrC_x, homogeneity range, investigation of diffusion controlled processes 4–7304
ZrC_x, thermo e.m.f. and elec. cond. meas. 4–3737
$ZrCl_3$, electrical conductivity obs., temp. depend. 4–16748
ZrF_2, i.r. spectrum, matrix isolated, stretch freq. assignment 4–31842
ZrF_3, i.r. spectrum, matrix isolated stretch freq. assignment 4–31842
ZrF_4, i.r. spectrum, matrix isolated, stretch freq. assignment 4–31842
ZrH-U nuclear reactor fuel for dual-core research reaction 4–36273
ZrH_2, proton spin-lattice relaxation rate, 40 mK-1K, 1kOe-9.5 kOe 4–3910
α-$Zr(HPO_4)_2$, i.r. and Raman spectra, lattice water interaction 4–21002
ZrN, superconducting, density of states investigation 4–16572
$ZrN_{0.96}$, refractory, X-ray emission spectrum 4–37703
$ZrNi_{5-x}O_x$, X-ray obs. of phase transforms., lattice parameters 4–7008
ZrO, ground electronic state from reflected shock wave obs. *(Russian)* 4–31815
ZrO, plasma sprayed coatings, coherence mechanisms 4–4175
ZrO, pot. energy curves for electronic states, dissoc. energy 4–19888
ZrO, visible spectrum, 649.5 nm, ${}^1\pi$-$X^1\Sigma^+$ system, rot. analysis 4–16058
ZrO, visible spectrum, gamma system, rot. analysis 4–16057
ZrO, visible spectrum, p-system, triplet splitting rot. analysis 4–16059
ZrO_2, coating by plasma spray torch 4–7314
ZrO_2, coatings applied by plasma sputtering 4–4183
ZrO_2, form. in Mo alloy, optical and electron microscope obs. *(Russian)* 4–21259
ZrO_2, heterogeneous catalytic activity for CO oxidation, effects of mixed and ionic cond. 4–41943
ZrO_2, martensitic transformation 4–21404
ZrO_2, meas. of elec. field gradient, differential angular correlation method 4–20907
ZrO_2, monoclinic-tetragonal transform. kinetics, heat treatment effect 4–7322
ZrO_2, p-type and n-type semicond. characts. 4–7323
ZrO_2, polycryst. ceramic, high loss dielectric, polarisation mechanisms 4–37554
ZrO_2, Raman spectra struct. anal. 4–21003
ZrO_2, sputtered coatings, emissivity meas. 4–4187
ZrO_2, stabilisation with CaO and MgO *(German)* 4–33850
ZrO_2, strengthened Ni, influence of production methods on sintering *(Russian)* 4–21393
ZrO_2, Y_2O_3 stabilized, high temp. creep 4–7274
ZrO_2, Zr $L_{\alpha 1,2}$ X-ray lines, effect of chem. bonds 4–37697
ZrO_2 amorphous film, fission fragment irrad. effects 4–32440
ZrO_2 coatings, plasma deposited, adhesion to metallic surfaces, environmental stability *(Russian)* 4–33762
ZrO_2 film, laser-induced damage, role of coating defect 4–15382
ZrO_2 single crystals, monoclinic, phase transform. 4–13844
ZrO_2:Y_2O_3, monoclinic, ionic and electronic cond., O partial pressure and dopant depend. 4–28466
ZrO_2-CaO, compressive creep, comp. depend., 1200-1400°C 4–7309
ZrO_2-glass composites, comp., modulus of rupture, thermal expansion *(Japanese)* 4–13886
ZrO_2-Y_2O_3:Nd^{3+}, ${}^4F_{3/2}\rightarrow{}^4I_{13/2}$ transition, luminesc. spectrum. 4–33495
ZrO_2-$YO_{1.5}$ solid soln., cryst. struct., O ions relax. to vacancies 4–20268
ZrO_2-Zr, dense hot-pressed, residual stress role in fracture 4–7278
ZrO_2 + CaO, solid electrolyte, influence of SO_2/O_2 environment on cond., struct. 4–41093
ZrO_x, elec. characts. and determ. of in-reactor oxidation mechanism for Zr alloys 4–41690
ZrS_2, photoelectron spectra and band struct. 4–37737
ZrS_2, valence band structure from X-ray photoemission spectra 4–1202
$ZrSO_4.nH_2O$, complex isolated units in crystal structure 4–32520
$Zr(Se_sTe_{1-s})_2$ ternary phase, non-stoichiometry investigation *(French)* 4–16595

zirconium compounds continued
- ZrSiO$_4$, carbonisation in plasma arcs 4−33989
- ZrSiO$_4$, plasma sprayed coatings, coherence mechanisms 4−4175
- ZrSiO$_4$, structure of colour centre, X-band results at 4.2K, A-, g-tensor axes 4−16984
- ZrSiO$_4$, zircon, hydrothermal growth on natural seeds, use of mineralizer, control of impurities 4−21189
- ZrSiO$_4$:Eu^{3+}, level scheme, Stark splitting and intensities of luminesc. lines 4−13496

zodiacal light
- *see also sky brightness*
- colour dependence of models 4−4774
- dust particle radial vel. from Fraunhofer line profiles 4−29996
- intensity variations at 6530 Å by satellite photometry 4−2105
- interplanetary particles, diffusion and heliocentric distrib. indicatrices *(French)* 4−42368
- photopolarimetry, determ. of phase function and polarization curve of interplanetary scatterers 4−4775
- radiance of corona/inner zodiacal light, Apollo 16 obs. 4−4776
- rocket photometry at elongation angles between 15° and 30°, 4755 A and 5915 A 4−29995
- surface brightness and polarization theory, interplanetary dust props. 4−29997
- surface polarization survey 4−42461

zonal heating *see atmospheric thermodynamics*

zone melting and refining
- *see also crystal growth*
- automatic zone melter for kilogram quantities 4−8335
- crucibleless zone melting, thermal field calc. under gravity and system tension forces *(Russian)* 4−41676
- 1,5-diaminonaphthalene, effect on elec. cond. 4−32944
- dislocation density, rel. to thermal stress relax. *(Russian)* 4−10540
- electron beam, current control 4−41493
- ice, perfection of zone refined single crystals 4−13566
- naphthalene, localized interface breakdown, travelling heater method 4−33610
- oxide single crystals for quantum electronics applications *(Russian)* 4−37757
- oxides for quantum electronics, optical technique *(German)* 4−4046
- power required, determ. by numerical soln. of heat cond. eqn., crucibleless zone melting *(Russian)* 4−21196
- purification techniques, vertical Bridgeman-Stockbarger expts. horizontal zone melting 4−4038
- quartz glass, effect on thermal darkening 4−33451
- quartz tube heater 4−29004
- rare earth metals, crystal growth by float zone melting 4−6972
- refractory oxide bicrystal growth by floating zone method *(French)* 4−25260
- segregation coeffs. under extrinsic conditions 4−41495
- steel, stainless, liq. Na exposed, electron microprobe anal. 4−10598
- AgCl, removal of O$_2$ and colloidal Ag impurities 4−4045
- CdTe, high purity single cryst. growth by vertical zone melting 4−6982
- Cu crystals, striation formation obs. by dislocation etch pit technique 4−1063
- CuInSe$_2$, fabrication of p and n-type single crystals 4−13565
- Cu$_2$O, single cryst., for exciton study 4−13519
- CuPbSbS$_3$, growth by modified zone-melting method, and characterization 4−4044
- GaAs, cryst. growth, props. *(Korean)* 4−33621
- GaAs, zone melting, crucibleless, temp. distrib. investigation *(Russian)* 4−21198
- Ge, monocryst. rods, group growing process, Stepanov's method *(Russian)* 4−10542
- Ge, thin strip growth, elevated melt press., Stepanov's method *(Russian)* 4−13570
- Ge monocrystalline rods; impurity distrib., resist. and Hall effect meas. *(Russian)* 4−13572
- HG$_{1-x}$Cd$_x$Te, freezing interface and diffusion layer obs. 4−41494
- InSb films, high mobility prod. by hot-wire zone refining 4−25261
- InSe, synthesis of In$_5$Se$_6$, In$_2$Se, form. mechanism, props. 4−33619
- KCl, temp. gradient zone melting, interface stability 4−17174
- KCl-H$_2$O system, interface stability in temp. gradient zone melting 4−1446
- LiCl, four-step purification procedure 4−25259
- Si, haped crystal growth, e.m. field and temp. distribs. *(Russian)* 4−10543
- Si, review 4−33624
- Si, shaped ingots, Stepanov's method, temp. distrib. calc. *(Russian)* 4−13048
- Sn-Cd, Sn-Cd-Pb systems, contact melting zone composition *(Russian)* 4−6974
- Zn, zone refining, impurity distrib. and segregation effects 4−17341

zone plates *see light diffraction*

zone refining *see zone melting and refining*

zoology
- animal neoplasia, 18 MeV proton irradiation, therapy 4−11311
- animal neoplasia, particle therapy, electron vs X-irradiation 4−11312
- animal tissue, X-ray fluorescence, charged particle induced, anal., choice of physical parameters 4−30253
- barnacle eyes, photoelectric energy transduction 4−14575
- beagles perinatal renal radiosensitivity and failure 4−8200
- bees, acoustic distance signal, modification in response to noise 4−22504
- benthic organisms, occurrence radioactivity and diversity, vicinity of nuclear power station 4−12460
- black-tailed jackrabbits, sublethal cerebral X-irradiation, movement, activity and home-range patterns 4−4877
- bottle-nosed dolphin, location signals, investigation using two-channel recording system 4−22656
- bumblebee Bombus distinguendus, single visual cells, spectral sensitivity 4−22583
- carp, colour mixture, behavioural study 4−14589
- cat cerebellar nuclei neurones, working during locomotion 4−18125
- cat lateral geniculate cells, contour enhancement of two-dimens. figures 4−30183

zoology continued
- cat optic tract, patterns of unit activity, during suppression-recovery effect 4−8154
- cat optic tract, visual field representation, and overlap of receptive field centres 4−8153
- cat Purkinje cells, activity during locomotion 4−22512
- cat ventral spino-cerebellar tract, activity of neurones during locomotion 4−22511
- cat visual cortex, evidence for 'sustained' and 'transient' neurones 4−30185
- cats, decerebrated, evoked locomotion, activity of the dorsal spinocerebellar tract neurones 4−22550
- cats, Siamese and common, visual fields, differences 4−18158
- cats, with deafferentated hind limbs, activity of ventral spinocerebellar tract neurones 4−18124
- cats, X-ray effects, electroretinographic responses 4−8206
- chicks, cerebral blood flow rel. to visual attention 4−39016
- chinchillas, avoidance conditioning 4−11296
- crayfish neuroreceptor cell, stimulation, capture of rhythm 4−18094
- crustacean muscle, process of peripheral inhibition, model 4−18121
- Drosophila melanogaster, associative learning with respect to optical stimuli 4−35032
- duck and hen, cardiac muscle, electron microprobe analysis 4−22514
- echolocating bats, orientation sounds evoked by electrical stimulation 4−11282
- Ehrlich ascites cells, irradiated, u.v. fluorescence 4−18226
- e.m.g., reflex response measure, in experimental animals 4−35008
- fishes, Amazonian, yellow filters and the absorption of light by the visual pigments 4−14578
- freerunning animals, digital recording for biological data *(German)* 4−8555
- frog, two visual systems 4−8145
- frog muscle fibre, K$^+$ activity and membrane potential, simultaneous meas. 4−18103
- frog node of Ranvier membrane, effect of surface charge on steady K$^+$ conductivity 4−22525
- frog photoreceptor, suppression-recovery effect 4−18164
- frog photoreceptor membrane, phospholipds, study 4−30184
- frog photoreceptor membrane pigment epithelium cells, phagosomes investigation 4−26234
- frog retina, protein fluorescence light induced changes 4−18162
- frog retinal tissue, Na$^+$ diffusion 4−30169
- frog tadpole eye, photic history, electrical sign 4−8162
- grasshopper Tettigonia Cantans, single visual cells, spectral sensitivity 4−22583
- guinea pig, cochlear potentials along scale media 4−11293
- guinea pigs, radioresistant organs, post-radiation decrease in cells, quantitative assessment 4−26267
- hedgehog, visual pigments, comparison with moles and men 4−14582
- hens, White Leghorn, and progeny, reproductive performance, effect of dose rate 4−8232
- kitten, dark-reared, motion detection and optokinetic responses 4−30208
- kitten midbrain neurons, long-lasting discharge properties 4−18136
- leopard frog, ^{65}Zn activity and pigmentation, autoradiographic replication 4−8223
- Limulus lateral eye retinular cells, effect of adenosine 3′,5′-monophosphate 4−18146
- Limulus lateral eye retinular cells, effect of MnCl$_2$ and TTX 4−14580
- Limulus lateral eye retinular cells, Na, K and Ca effects 4−14579
- Limulus rhodopsin, transient intermediates, rapid return to thermally stable state 4−18144
- mice, ^{14}C-amino acid distribution, autoradiography determ. 4−30235
- mice, ^{67}Ga retention, whole-body X-irradiation 4−8201
- mice, γ-irradiated, ultrastructure of motor neurons 4−8203
- mice embryo irradiation, survival curves, effect of dose fractionation 4−14707
- mice intestinal epithelium, X-irradiated, recovery of function and cell population 4−22614
- mole, visual pigments, comparison with men and hedgehog 4−14582
- monaural chinchillas, threshold shifts after exposure to noise 4−14561
- monkey, radiation lesion, γ-ray effects 4−8219
- monkey brain biopotential amplitudes, differential law of distrib., investigation 4−22554
- monkey skin, electron irradiation 4−18236
- monkey vision, macaque luminosity and colour vision 4−30200
- monkey vision, spatial luminance contrast sensitivity tests of macaque and human observers 4−30202
- monkeys, visual cortex, X-irradiation, swelling and functional derangement 4−8205
- mouse eggs, autoradiographic visualisation of paternal chromosomes 4−18096
- mouse liver, radiations at normal temp. and on cooling 4−18091
- mouse liver lipids, change in anti-oxidative activity during experimental carcinogenesis 4−18227
- mouse mammary tumour, viable tissue, response to single dose of radiation 4−8202
- mouse tissues, irradiated, capillary blood flow, determ. by ^{133}Xe clearance 4−11278
- nerve membrane, current-voltage characteristics 4−22559
- nerve terminal activity in frog, recording method 4−26226
- normal monkey, optokinetic nystagmus, frequency spectrum 4−18148
- northern rock bass, accommodation, response to natural stimuli 4−8147
- Phaeodactylum tricornutum pigments use of ^{203}Hg tracer 4−30252
- pigeon, schematic eye for vision research 4−18151
- pigeons, head irradiation, homing ability 4−8209
- placental Ca transport, kinetic analysis 4−34996
- rabbit, isolated retina, isolation of PIII subcomponents, after treatment with sodium aspartate 4−8151
- rabbit brain biopotential amplitudes, differential law of distrib., investigation 4−22554
- rabbits, cortex neurones, impulse activity, fluctuations 4−18123
- radiation research, conference, St.Louis, Mo., USA (1973) 4−8170

zoology continued
- rat embryos, fast neutron irradiation, effects 4–8230
- rat foetal brain cells, γ-irradiation, repair processes 4–8204
- rat isorhodopsin production? 4–18156
- rat liver, interphase injury, radio-sensitivity 4–8222
- rat liver mitochondria, transfer of K^+, H^+ and Cl^- ions, induced by 2,4-DNP 4–22509
- rat ovary, unilateral X-ray, reproductive output 4–8229
- rat retina, isolated, Ca and the fast and slow components of PIII of the e.r.g. 4–30198
- rat retina, localisation of GABA catabolism sites 4–39032
- rats, dietary protection against radiation 4–22618
- rats, radioresistant organs, post-radiation decrease in cells, quantitative assessment 4–26267
- rats, thoracic X-rays, pathophysiologic alterations 4–8218
- rhesus monkey, retina, effect of high energy O(8+) particles 4–8207

zoology continued
- rhesus monkey retina nerve fibre bundle alterations caused by Ar laser photocoagulation 4–39033
- shark telencephalon, visual area, electrophysiological identification 4–14553
- Siamese cats, striate cortex units, absence of binocular coding 4–18165
- squid axon membrane, dielectric loss, voltage and current clamp transients 4–14545
- squirrel monkey vision, wavelength and saturation discrimination 4–30201
- stargazer, electrical discharges, physical aspects 4–22551
- turtle retina, C- and L-type horizontal cells, identification 4–30206

zoosemiotics *see biocommunications*

Zr *see zirconium*

ABSTRACTS AND CURRENT PAPERS JOURNALS

Three main subject areas are covered by INSPEC abstracts and current papers journals: physics, electrical and electronics engineering, and computer and control engineering. For each field an abstracts journal and a companion titles journal are published. The abstracts journals are intended as library tools for retrospective information retrieval, whereas the companion titles journals, which omit the abstracts and associated indexes, are intended as low-cost current-awareness tools for the individual.

SUBSCRIPTION PRICES

ABSTRACTS JOURNALS	USA	JAPAN, via AIR DELIVERY	REST OF WORLD
	$	£	£
PHYSICS ABSTRACTS			
Paper *or* Microfiche	380	157	145
Paper *and* Microfiche	570	229	217
ELECTRICAL & ELECTRONICS ABSTRACTS			
Paper *or* Microfiche	290	120	115
Paper *and* Microfiche	435	177	172
COMPUTER & CONTROL ABSTRACTS			
Paper *or* Microfiche	150	68	65
Paper *and* Microfiche	225	100	97
EEA/CCA COMBINED SUB.			
Paper *or* Microfiche	375	160	150
Paper *and* Microfiche	562	235	225
CURRENT PAPERS IN PHYSICS	40 (NM) 20 (M)	22·50 (NM) 10 (M)	20 (NM) 10 (M)
CURRENT PAPERS IN ELECTRICAL & ELECTRONICS	40 (NM) 20 (M)	22·50 (NM) 10 (M)	20 (NM) 10 (M)
CURRENT PAPERS ON COMPUTERS & CONTROL	40 (NM) 20 (M)	18 (NM) 8·50 (M)	17 (NM) 8·50 (M)
ISMEC BULLETIN	140	55	50
INDEXES	50	22	20
METRON	75	30	30

NOTE: (NM) represents non-member subscription rates.
(M) represents subscription rates for members of IEE, AIP, IEEE, IOP, IERE.

CUMULATIVE INDEXES

Cumulative indexes are available for *Physics Abstracts, Electrical & Electronics Abstracts* and *Computer & Control Abstracts*, for both authors and subjects. These cumulations generally cover a period of four years, with the exception of *Computer & Control Abstracts* where the initial volume covered the period 1966–68. The table below shows the prices and periods for the two types of cumulative index.

	PHYSICS ABSTRACTS				ELECTRICAL & ELECTRONICS ABSTRACTS				COMPUTER & CONTROL ABSTRACTS			
	AMERICAS		REST OF WORLD		AMERICAS		REST OF WORLD		AMERICAS		REST OF WORLD	
	Subject	Author	Subject	Author	Subject	Author	Subject	Author	Subject	Author	Subject	Author
	$	$	£	£	$	$	£	£	$	$	£	£
1955–59	50	50	20	20	38	50	15	20	—	—	—	—
1960–64	100	43	40	17	50	30	20	12	—	—	—	—
1965–68	150	75	63	25	88	50	35	20	—	—	—	—
1969–72	545	343	222	140	180	160	72	64	123	78	48	30
1966–68	—	—	—	—	—	—	—	—	38		15	

ORDERING PROCEDURE

THE AMERICAS

North (including Canada), Central and South

All orders from the above areas, and orders from members of Institute of Electrical and Electronics Engineers Inc. anywhere in the world, should be sent to Fulfillment Manager, Institute of Electrical & Electronics Engineers Inc., 345 East 47th Street, New York, NY 10017, USA.

REMAINDER OF THE WORLD

All remaining subscriptions should be sent to INSPEC Marketing Department, IEE, Savoy Place, London WC2R 0BL, England. Telephone 01-240 1871, Telex 261176, Telegrams Voltampere London, WC2.

OTHER INSPEC SERVICES

SDI

(Selective Dissemination of Information.) This is a service individually tailored to the requirements and interests of the engineer or research worker. Details of information relevant to the interest profile of the individual subscriber are selected from the data being processed for the INSPEC database. Information is dispatched weekly on 150 mm × 100 mm (6″ × 4″) cards.

TOPICS

This is an SDI service based on standard profiles. There are 73 subjects covering high-activity areas of research and development. This is an inexpensive card service designed to alert engineers and researchers to the availability of literature within their subject area.

MAGNETIC TAPES

These are produced, containing all the information included in the INSPEC publications. They enable the larger research and development organisations to produce their own internal information and current-awareness services.

inspec
The Institution of Electrical Engineers

ARTICLES FROM LITERATURE YOU DO NOT HOLD?

BOSTON SPA Can help you

IT HAS OVER 43,000 CURRENT PERIODICALS

Most of the journals covered by the INSPEC in:-

- Physics Abstracts
- Electrical & Electronics Abstracts
- Computer & Control Abstracts
- ISMEC Bulletin
- METRON
- Current Papers in Physics
- Current Papers in Electrical & Electronics Engineering
- Current Papers on Computers & Control
- Magnetic Tapes

are readily available

REQUESTS DEALT WITH IN 48 HOURS

Write for further details to:
The Director General
The British Library Lending Division
Boston Spa Wetherby
Yorkshire LS23 7BQ England